
# sd705

## v 1.0 Manual





Version June 2006

#### SKIDATA AG

Technical DocumentationUntersbergstrasse 40A-5083 Grödig/SalzburgTelephone+43 6246 888-0Telefax+43 6246 888-7Internethttp://www.skidata.come-maildocu@skidata.com

#### Copyright

© 2006 by SKIDATA AG. All rights reserved. All information in the following document is protected by copyright law. No part of this document may be reproduced without the written consent of SKI-DATA AG. SKIDATA AG reserves the right to make any changes of specification and other information in this document without further notice.

#### Please note

During the compilation of this Technical Documentation, great care has been taken to ensure the accuracy of the information contained in it. However, despite our constant effort to ensure the highest degree of accuracy and comprehensiveness possible, the information provided cannot be guaranteed to be absolutely error-free.

#### Trademarks

This documentation may contain representations of registered product or service trademarks owned by SKIDATA AG or third parties, as well as references to proprietary know-how protected by copyright laws or other legal provisions. In any case the intellectual property rights remain exclusively with their respective owners.

#### **Declaration of Conformity**

The sd705 has been developed, designed and manufactured in accordance with the following EU directive:

R&TTE (1999/5/EC)

# **C€** 0408

#### FCC 15.21:

IMPORTANT: Any changes to or modifications of de sd705, including antenna, unless expressly approved by SKIDATA<sup>™</sup>, may void the user's authority to operate this device.

The final product should contain labelling according to FCC requirements.

For example:

This device complies with Part 15 of the FCC rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation. This device contains FCC ID QSS-SD705.

This label will be placed on the final product, clearly visible to all persons exposed to the transmitter.

#### Canada:

Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

#### **Document Management – Version Table**

Tab. 1: Document Version Table for Installation & Maintenance Instructions

| Section | Document | Pages | Version | Date       |
|---------|----------|-------|---------|------------|
| 1       | sd705    | 4     | 1.0     | 2006-06-27 |

#### Manual

# 1 sd705

1

Version 1.0 5 pages Copyright 2006 by SKIDATA AG Contents

## **1.1 Contents**

| 1.1   | Contents   | 2 |
|-------|------------|---|
| 1.2   | General    | 3 |
| 1.3   | sd705      | 4 |
| 1.3.1 | front view | 4 |
| 1.3.2 | rear view  | 4 |

### **1.2 General**

The sd705 is a Radio Transceiver Module (RFID module) which is designed for installation in SKIDATA devices by SKIDATA AG only.

The module is not to be sold as an individual product.


The sd705 must be connected to the appropriate devices by means of the plug-in connector provided for this purpose. The illustrations show the plug-in boards for 5 V DC power supply and the data transfer line, as well as the plug-in parts for the antennas. It is prohibited to use antennas other as the antennas certified to be used with the sd705.

sd705

## 1.3 sd705

1.3.1 front view

Fig. 1: front view sd705



1.3.2 rear view

Fig. 2: rear view sd705

