



16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90



NON CONTACT WHEEP
Carrier Station 300
ID: SA18795-000
Made in USA



5 6 7 8 9 10 11 12 13 14 15 16 17 18 19
20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49




17361422

NYLON COATED

PR APPD 282 TC

50N

20°C



USB+D TP36
USB-D TP37
USB_+5V TP35

TP33 GND
TP34 VCC
LDO_SW TP32

TP27 MOD1

TP23 MOD2

TP21 SYS_STAT

TP17 CHARGE_STAT

TP16 USB_COMM_STAT

TP11 USB_PWR_STAT

TP4 RESET

FQA 2

SPARE1 TP25

TP22 HF_FREQ

TP13 DEMODin

TP14 VREF

TP7 VDIFF

TP3 COMP

SensArray

JK1 94V-0 0221

TP20 RF_FREQ_EN

TP15 SPARE2

TP9 SPARE3

TP5 SPARE4

TP31 LC+
LC- TP30
DEMOD+ TP29
DEMOD- TP28
CAPSENSE TP26
LCSENSE TP24

TP18 BAT_TEST

TP19 GND

TP12 V+BAT


TP8 VHF

VSST TP10

TP2 SW_BAT

LDO_EN/STAT

36-3788 Rev E
FAB, Cooper Tech Division
KLA-TENCOR & Co.
MADE IN USA




TP2 SW_BAT

KLA-TENCOR, SENSARRAY
ON WAFER, STORAGE CASE COIL

39-2604
REV C

11190502



CARRIER

R2



SWITCH

P3

BATTERY

P2

SA17548




17361422

NYLON COATED

PR APPD 262 TC

50N

20°C



USB+D

TP36

TP37

USB-D

USB +5V
TP35

TP33

TP34

GND

VCC

LDO_SW
TP32

TP27

MOD1

SPARE1

TP25

TP23

MOD2

TP22

HF_FREQ

TP21

SYS_STAT

TP17

CHARGE_STAT

TP16

USB_COMM_STAT

TP11

USB_PWR_STAT

TP4

RESET

TP31

LC+

LC- TP30

DEM0D+ TP29

DEM0D- TP28

CAPSENSE TP26

LCSENSE TP24

SensArray

JK1
94V-8 0221

TP20

RF_FREQ_EN

TP13

DEM0Din

TP14

VREF

TP15

SPARE2

TP18

BAT_TEST

TP19

GND

TP12

V+BAT

TP9

SPARE3

VSST

TP10

TP8

VHF

TP7

VDIFF

TP5

SPARE4

TP3

COMP

LDO_EN/STAT

TP2

SW_BAT

06R000212M0

36-3758 REV E
FAB. CARRIER STATION
KLA-TENCOR © 2005
MADE IN USA