


97 96 95 94 93 92 91 90 89 88 87 86 85 84 83 82 81 80 79 78 77 76 75 74 73 72 71 70 69 68 67 66 65 64 63 62 61 60 59 58 57 56 55 54 53 52 51 50 49 48 47 46 45 44 43 42 41 40 39 38 37 36 35 34 33 32 31 30 29 28 27 26 25 24 23 22 21 20 19 18 17 16 15 14 13 12 11 10 9 8 7 6

20°C 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36  
50N PR APPD 262 TC NYLON COATED 17328649 1F  
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36





17328649

9

8

7

6


NYLON COATED

PR APPD 262 TC

50N

20°C

24 23 22 21 20 19 18 17 16 15 14 13



KLA+, SENSARRAY  
PCA, COIL, SC300, LC

39-2604\_SA  
REV DB

AS245

0M214102284

D1 C2 C5


PRINTER


SWITCH

BATTERY

PRINTER

93 92 91 90 89 88 87 86 85 84 83 82 81 80 79 78 77





KLA+, SENSARRAY  
PCA, COIL, SC300, LC

39-2604\_SA  
REV **DB**

SA52482 37-3715\_SA

OM214102284

C1  
C2  
C3  
C4  
C5

CARRIER

R1  
P1  
CARRIER

R2  
SWITCH  
P3

BATTERY  
P2

