



A D T

# RF EXPOSURE REPORT

**REPORT NO.:** SA980505A01A

**MODEL NO.:** BH-105

**VERSION:** HW: 0.4, SW:0.8, MV: 0.3, Proto: B4.01

**ACCORDING:** FCC Guidelines for Human Exposure  
IEEE C95.1

**APPLICANT :** Nokia(China) Investment Co., LTD.

**ADDRESS :** B2, Nokia China Campus. Beijing Economic and Tech Development Area, No.5. Donghuan Zhonglu. P.O. Box 100176, Beijing, China

**ISSUED BY :** Bureau Veritas Consumer Products Services (H.K.) Ltd., Taoyuan Branch

**LAB ADDRESS :** No. 47, 14th Ling, Chia Pau Tsuen, Lin Kou Hsiang, Taipei Hsien, 244 Taiwan



A D T

## Conclusion

No Evaluation Required if power is below this threshold:

F(GHz)		mW
Low	2.402	24.58
High	2.480	

Maximum measured transmitter power:

Pout (dBm)		Pout (mW)
Conducted Power	6.12	4.093
EIRP Power	8.94	7.834

\*Note: The antenna is IFA antenna with 2.82dBi gain

Threshold for no SAR evaluation is 24.58mW

Transmitter power is 7.834mW

Conclusion: No SAR evaluation required since Transmitter Pout is below FCC threshold

---END---