



◆ MAIN FUNCTIONAL CHARACTERISTIC

◆ MAIN FUNCTIONAL CHARACTERISTIC  
( Proof of Process Capability Required )**Layout**  
**2:1****Artwork for production (pcx-file)**

1:1

**CONNECTION TO PDMS**

Following items are printed from PDMS database

-IMEI "XXXXXX/xx/yyyyyy/0"

-Product Code "Code: XXXXXXXX"

**Notes:**

- Blank label material: To be printed in NMP production using (600dpi) Thermal Transfer Printer
- Place tolerance of printing +/-0.3

4	PRINTING FILE	1	P6561201dpi300.pcx	XX = Doc. Version Number
3	PRINTING FILE	1	P6561201dpi600.pcx	XX = Doc. Version Number
2	Thermal Transfer Ribbon R-7963	1	See Data sheet	NMP CODE: <b>9730082</b>
1	BLANK LABEL 30,5 x 20	1	DMD03291	NMP CODE: <b>9381149</b>
No.	Part name	Qty	Drw no.	Note
Material			See table.	
			Original Designer	
			Mapliu 061202	
<b>NOKIA</b> 		Sheet 1 of 1	Original Scale 2:1	
			Original Size A4	
			NMP Code	
Item Name		Document Number	Doc. Vers.	Tool Vers.
TYPE LABEL RM-458, HONG KONG,MADE BY NOKIA		040-065612	1.0	-.-
		Name / Date		Change Ref.
		Ding Michelle160608		-----
		Approved / Date		
		AGAO 160608		