OPERATING MANUAL

SuperTooth

Independent Handsfree Kit with Bluetooth and DSP



OVERVIEW


The Supertooth is equipped with Bluetooth and Digital Signal Processor that allows wireless communications on devices such as cellular phones. This is designed to be a totally portable wireless handsfree kit. This also provides convenience to the user by communicating with the hands free. Supertooth will work on any Bluetooth cellular phones available provided that they respect the Bluetooth protocol. However, if your phone is non-Bluetooth phone, SuperDongle is also available as an accessory that you need to attach into your non-Bluetooth phone before using the Supertooth.

A. ILLUSTRATION



Placement Guide:

The SuperTooth must be placed near your mouth. The sun visor clip is designed reversible to easily transfer the SuperTooth in case you change the position of the sun visor.



B. TURNING ON/ OFF THE SUPERTOOTH

- To turn the Supertooth ON, slide the switch to the right. The Bluetooth indicator will light blue.
 The kit is now ready and is waiting for a call (standby mode). (Note: If the charge indicator
 becomes blinking red, it means that the battery on the kit is low. Re-charge it immediately
 with the supplied charger. Refer to Section D for the charging operations.)
- 2. To turn the Supertooth OFF, slide the switch to the left. The indicator light becomes red then turns off after a few seconds.
- 3. Wait at least 4 seconds before turning the Supertooth ON again.

C. SUPERTOOTH OPERATIONS

Before use, the kit must be paired with the phone. Pairing is done only once. After being paired, the phone and the kit will be automatically connected anytime when the phone is used. (Please see SuperTooth Operations For Popular Cell Phones section on the next page for the instruction).

Important Remarks:

- On some versions of Nokia's software, the kit will not connect automatically to the cell phone.
 You will need to press the answer button once to connect it to the cell phone.
- If disconnection problem will be encountered on some Nokia cell phones, kindly turn off the keypad tone of your cell phone.

D. CHARGING OPERATIONS

The Supertooth can be charged in a car using the Supertooth Fast charger

- 1. Connect the charger jack to the charger input of the Supertooth.
- 2. The red/green charge indicator will alternately blink during charge. The charge indicator turns green when the Supertooth has fully charged and trickle charge will start.
- 3. Disconnect the charger on the Supertooth.

Note: Charging time will take about 2 hours using the supplied car charger

E. PERMANENT SUPPLY

Connect the 12 Volts car adapter (optional) to the DC 12 Volts input. This input will charge the battery on trickle mode only.

SUPERTOOTH OPERATIONS FOR POPULAR CELL PHONES

Note 1: If your phone is not included on the following list of this manual, kindly refer to the manual of your phone.

Note 2: Softwares and menus could be modified by the cell phone's manufacturers without prior notice. If the manual does not match with your cell phone operations, kindly refer to the manual of your cell phone.

Note 3: Multi-pairing is now possible.

Sony Eri	csson T68/T68i	
a.	Activating the Bluetooth	 6
b.	Pairing to the Cellular Phone	 6
C.	Answering/Receiving a Call	 6
d.	Making a Call with the Supertooth on	 6
e.	Audio Transfer	 7
f.	Rejecting a Call	 7
g.	Setting the Volume	 7
ĥ.	Activating the Voice Dialing	 7
i.	Recording for Voice Dialing	 7
	· ·	
Sony Eri	csson T39m	
a.	Activating the Bluetooth	 8
b.	Pairing to the Cellular Phone	 8
C.	Answering/Receiving a Call	 8
d.	Making a Call with the Supertooth on	 8
e.	Audio Transfer	 9
f.	Setting the Volume	 9
g.	Activating the Voice Dialing	 9
h.	Recording for Voice Dialing	 9
-	csson P800 / P900	_
a.	Activating the Bluetooth	 9
b.	Pairing to the Cellular Phone	 9
C.	Answering/Receiving a Call	 10
d.	Making a Call with the Supertooth on	 10
e.	Audio Transfer	 10
f.	Setting the Volume	 10
g.	Activating the Voice Dialing	 10
h.	Recording for Voice Dialing	 10
Conv. Eri	csson T610	
-	Activating the Bluetooth	11
a. b.	Pairing to the Cellular Phone	 11
C.	Answering/Receiving a Call	 11
d.	Making a Call with the Supertooth on	 11
e.	Audio Transfer	 11
f.	Rejecting a Call	 11
	Setting the Volume	 12
g. h.	Activating the Voice Dialing	 12
i.	Recording for Voice Dialing	 12
١.	Recording for voice Dialing	 12
Sony Eri	csson T628	
a.	Activating the Bluetooth	 12
b.	Setting to Low Power Mode	 12
C.	Pairing to the Cellular Phone	 12
d.	Answering/Receiving a Call	 12
е.	Making a Call with the Supertooth on	 13
f.	Audio Transfer	 13
g.	Setting the Volume	 13
9. h.	Activating the Voice Dialing	 13
i".	Recording for Voice Dialing	 13

Solly Elic	csson Z600	
a.	Activating the Bluetooth	 13
b.	Setting to Low Power Mode	 13
C.	Pairing to the Cellular Phone	 14
d.	Answering/Receiving a Call	 14
e.	Making a Call with the Supertooth on	 14
f.	Audio Transfer	 14
g.	Setting the Volume	 14
h.	Activating the Voice Dialing	 14
i.	Recording for Voice Dialing	 15
Nokia 63	10/6210i	
a.	Activating the Bluetooth	 15
b.	Pairing to the Cellular Phone	 15
C.	Auto Accept Mode	 15
d.	Answering/Receiving a Call	 16
e.	Making a Call with the Supertooth on	 16
f.	Audio Transfer	16
g.	Rejecting a Call	 16
ň.	Setting the Volume	 16
i.	Recording for Voice Dialing	 16
Nokia 89	10	
a.	Activating the Bluetooth	 17
b.	Pairing to the Cellular Phone	 17
C.	Auto Accept Mode	 17
d.	Answering/Receiving a Call	 17
e.	Making a Call with the Supertooth on	 18
f.	Audio Transfer	 18
g.	Rejecting a Call	 18
h.	Setting the Volume	 18
i.	Recording for Voice Dialing	 18
	10i	
MOKIA XV		
Nokia 89		18
a.	Activating the Bluetooth	 18 19
a. b.	Activating the Bluetooth Pairing to the Cellular Phone	 19
a.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode	
a. b. c.	Activating the Bluetooth Pairing to the Cellular Phone	 19 19
a. b. c. d.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call	 19 19 19
a. b. c. d. e.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on	19 19 19
a. b. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer	19 19 19 19 20
a. b. c. d. e. f. g.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call	19 19 19 19 20 20
a. b. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing	19 19 19 19 20 20 20
a. b. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing	19 19 19 20 20 20
a. b. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth	19 19 19 20 20 20 20
a. b. c. d. e. f. g. h. i. Nokia 36 9	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing Activating the Bluetooth Pairing to the Cellular Phone	19 19 19 20 20 20 20 20
a. b. c. d. e. f. g. h. i. Nokia 36 9 a. b.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 60 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode	19 19 19 20 20 20 20 20 20 20 20 20 20 20 20 20
a. b. c. d. e. f. g. h. i. Nokia 36 9 a. b. c. d.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call	19 19 19 20 20 20 20 20 20 20 21 21
a. b. c. d. e. f. g. h. i. Nokia 369 a. b. c. d. e.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on	19 19 19 20 20 20 20 20 20 20 21 21 21
a. b. c. d. e. f. g. h. i. Nokia 36: a. b. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer	19 19 19 20 20 20 20 20 20 21 21 21
a. b. c. d. e. f. g. h. i. Nokia 36 : a. b. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call	19 19 19 20 20 20 20 21 21 21 21
a. b. c. d. e. f. y. h. i. Nokia 369 a. b. c. d. e. f. g. h. h. h. h. c. h.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume	19 19 19 20 20 20 20 21 21 21 21 21
a. b. c. d. e. f. g. h. i. Nokia 36 : a. b. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call	19 19 19 20 20 20 20 21 21 21 21
a. b. c. d. e. f. y. h. i. Nokia 369 a. b. c. d. e. f. g. h. h. h. h. c. h.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing	19 19 19 20 20 20 20 21 21 21 21 21
a. b. c. d. e. f. g. h. i. Nokia 369 a. b. c. d. e. f. g.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing	19 19 19 20 20 20 20 21 21 21 21 21
a. b. c. d. e. f. g. h. i. Nokia 368 a. b. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing	199 199 199 199 199 199 199 199 199 199
a. b. c. d. e. f. g. h. i. Nokia 366 a. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth	199 199 199 199 199 200 200 200 201 21 21 21 22 22 22 22 22 22 22 22 22 22
a. b. c. d. e. f. g. h. i. Nokia 366 a. b. c. d. e. f. g. h. i.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call	199 199 199 199 199 199 199 199 199 199
a. b. c. d. e. f. 9. Nokia 36: a. b. c. d. e. h. i. Nokia 66: a. b. c. d. e. d. e. d. e. e. e. d. e. e. e. e.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on	199 199 199 199 199 199 199 199 199 199
a. b. c. d. e. f. Mokia 366 a. b. c. d. e. f. g. h. i. Nokia 666 a. b. c. d. e. f. f. g. f. f. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer	199 199 199 199 199 199 199 199 199 199
a. b. c. d. e. f. g. h. i. Nokia 369 a. b. c. d. e. f. g. h. i. Nokia 669 a. c. d. e. f. g.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call	199 199 199 199 199 199 199 199 199 199
a. b. c. d. e. f. Mokia 366 a. b. c. d. e. f. g. h. i. Nokia 666 a. b. c. d. e. f. f. g. f. f. c. d. e. f.	Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer Rejecting a Call Setting the Volume Recording for Voice Dialing 50 Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Activating the Bluetooth Pairing to the Cellular Phone Auto Accept Mode Answering/Receiving a Call Making a Call with the Supertooth on Audio Transfer	199 199 199 199 199 199 199 199 199 199

Nokia 6600

a.	Activating the Bluetooth		24
b.	Pairing to the Cellular Phone		24
C.	Auto Accept Mode		24
d.	Answering/Receiving a Call		24
e.	Making a Call with the Supertooth on		24
f.	Audio Transfer		25
g.	Rejecting a Call		25
ĥ.	Setting the Volume		25
i.	Recording for Voice Dialing		25
nens	S55		
a.	Activating the Bluetooth		25
b.	Pairing to the Cellular Phone		25
c.	Answering/Receiving a Call		26
d.	Making a Call with the Supertooth on		26
e.	Audio Transfer		26
f.	Rejecting a Call		26
g.	Setting the Volume		26
ĥ.	Recording for Voice Dialing		26
	b. c. d. e. f. g. h. i. mens a. b. c. d. e. f. g. f. g.	b. Pairing to the Cellular Phone c. Auto Accept Mode d. Answering/Receiving a Call e. Making a Call with the Supertooth on f. Audio Transfer g. Rejecting a Call h. Setting the Volume i. Recording for Voice Dialing mens S55 a. Activating the Bluetooth b. Pairing to the Cellular Phone c. Answering/Receiving a Call d. Making a Call with the Supertooth on e. Audio Transfer f. Rejecting a Call g. Setting the Volume	b. Pairing to the Cellular Phone c. Auto Accept Mode d. Answering/Receiving a Call e. Making a Call with the Supertooth on f. Audio Transfer g. Rejecting a Call h. Setting the Volume i. Recording for Voice Dialing mens S55 a. Activating the Bluetooth b. Pairing to the Cellular Phone c. Answering/Receiving a Call d. Making a Call with the Supertooth on e. Audio Transfer f. Rejecting a Call g. Setting the Volume

Suggested Pairing Modes

Cell Phone Models	Pairing	Mode
Cell Filotie Wodels	Handsfree	Headset
Ericsson T68		~
Ericsson T68i (R6 and below)		~
Ericsson T68i (R7)	~	
Ericsson T39m		~
Ericsson P800 / P900		~
Ericsson T610	~	
Ericsson T628	~	
Ericsson Z600	~	
Nokia 6310/6310i	~	
Nokia 8910	~	
Nokia 8910i	~	
Nokia 3650	~	
Nokia 6650	~	
Nokia 6600	~	
Siemens S55	~	

Note 1: Handsfree Pairing mode

- From the OFF state, press the answer button for 10 seconds or until the red and blue indicator will alternately blink.

Note 2: Headset Pairing mode

- From the OFF state, press the answer button for 10 seconds or until the red and blue indicator will alternately blink.
- Press the answer button again for a short time to access Headset pairing mode.

USING WITH SONY ERICSSON T68/T68i

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Go the Menu Key by pressing the joystick. Scroll to Connect, YES. Select Bluetooth, YES. Select Options, YES. Operation mode, YES. On, YES.
- Continue pressing NO, to exit.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

		Connect	Bluetooth	Options	Operation mode
Г	T68	8	3	-	2
Γ	T68i	8	4 (or 3 for T68i R7)	4	1

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink. This indicates that the unit is now ready for pairing.
- For T68 and T68i older versions, R6 and below, press the answer button once again for a short time, to access headset pairing mode.
- 5. Go the Menu Key by pressing the joystick. Scroll to Connect, YES. Select Bluetooth, YES.
- Select Paired devices, YES. Add device, YES. Choose Phone initiates, YES. Choose Headset/Handsfree, YES. The phone will then search the device to be added. After the device is found, press YES.

QUICK ACCESS (for steps 5 and 6):

Press *Menu* then follow the sequence of numbers below:

	Connect	onnect Blue tooth		Add device	Phone initiates	Headset/ Handsfree
T68	8	3	2	Yes	1	2
T68i	8	4 (or 3 for T68i R7)	2	Yes	1	2

- Enter "0000" as the passkey. If the pairing is successful, the alternating red/blue lights will stop. Press YES to confirm the name of the device. If the pairing is unsuccessful, the steps above may be repeated.
- 8. Continue pressing NO to exit the menu key.

The Supertooth is paired and ready to use. An icon, will appear during the standby mode indicating that the Supertooth is linked with the phone.

c. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- If you wish to answer a call on the cellular phone, just press YES and the call is automatically transferred to the phone. Pressing the answer button transfers the call on the kit.
- 3. To terminate the call, press the hang-up button.

d. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and press YES. Audio can be heard on the Supertooth at the same time, a question will be displayed. Retrieve call in phone?, ignoring or pressing No, transfers the call to the Supertooth. Pressing Yes, transfers the call to the cell phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step h and i for the procedure when activating and recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.

- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

For T68i R6 and R7, make a long press on the answer button once. Call is automatically transferred on the Supertooth.

e. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

f. REJECTING A CALL

For T68i R7, press the hang-up button to reject the incoming call.

g. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- 2. Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

h. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the name dialing function and record your voice. To turn voice dialing on:

Using T68 Sony Ericsson

- Go to the Menu Key by pressing the joystick. Scroll to Settings, YES. Voice control, YES.
- 2. Voice settings, YES. Voice dialing, YES. Select On, YES.
- 3. Continue pressing NO to exit

Using T68i Sony Ericsson

- Go to the Menu Key by pressing the joystick. Scroll to Settings, YES. Voice control, YES. Voice dialing, YES.
- Select On, YES.
- 3. Continue pressing NO to exit

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

Settings		Voice control	Voice settings	Voice dialing	On
T68	5	8	1	1	1
T68i	5	6	-	1	1

i. RECORDING FOR VOICE DIALING

Using T68 Sonv Ericsson

- Go to the Menu Key by pressing the joystick. Scroll to Settings and press YES. Choose Voice control, YES. Voice Commands, YES. Select a contact, YES. Add voice, YES.
- Follow the instructions in the display. An icon will appear next to a contact name which has a voice command.
- Continue pressing NO to exit.

Using T68i Sony Ericsson

- 1. Go to the *Menu Key* by pressing the joystick. Scroll to *Settings* and press **YES**. Choose *Voice control*, **YES** then go to *Voice dialing*, **YES**. *Edit name*, **YES**. *Add voice*, **YES**.
- Select a contact, YES.
- Follow the instructions in the display. An icon will appear next to a contact name which has a voice command.
- 4. Continue pressing NO to exit.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Settings Voice control		Voice commands	Contacts	
T68	5	8	2	4	

	Settings Voice control		Voice dialing	Edit names	
T68i	5	6	1	2	

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH SONY ERICSSON T39m

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between

your mobile phone and other Bluetooth devices.

- Press the Menu Key. Scroll to Extras and press YES. Select Operation mode, YES. On, YES.
- 2. Continue pressing NO, to exit.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Extras		Blue tooth	Operation mode	
T39m	5		6	4	

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive
 tone will be heard and at the same time the red and blue indicator will alternately blink. This
 indicates that the unit is now ready for pairing.
- 4. Press the answer button once again for a short time, to access headset pairing mode.
- Press the Menu Key. Scroll to Extras, YES. Select Bluetooth, YES. Select Paired devices, YES. Add device, YES. Choose Phone initiates, YES. Choose Headset, YES. The phone will then search the device to be added. After the device is found, press YES.

QUICK ACCESS (for steps 5 and 6):

Press Menu then follow the sequence of numbers below:

	Extras	Blue tooth	Paired devices	Add device	Phone initiates	Headset
T39m	5	6	2	Yes	1	2

- Enter "0000" as the passkey. If the pairing is successful, the alternating red/blue lights will stop. Press YES to confirm the name of the device. If the pairing is unsuccessful, the steps above may be repeated.
- 7. Continue pressing **NO** to exit the menu key.

The Supertooth is paired and ready to use.

c. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- If you wish to answer a call on the cellular phone, just press YES and the call is automatically transferred to the phone. Pressing the answer button transfers the call on the Supertooth.
- 3. To terminate the call, press the hang-up button.

d. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and press YES. Audio can be heard on the Supertooth at the same time, a question will be displayed. Retrieve call in phone?, ignoring or pressing No, transfers the call to the Supertooth. Pressing Yes, transfers the call to the cell phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step q and h for the procedure when activating and recording for voice dialing.

Press the answer button once to activate the voice dialing.

- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
 - Press the hang-up button to terminate the call.

e. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

f. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- 2. Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

g. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the name dialing function and record your voice. To turn voice dialing on:

- Press the Menu Key. Scroll to Settings, YES. Voice control, YES.
- 2. Voice settings, YES. Voice dialing, YES. Select On, YES.
- 3. Continue pressing NO to exit

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Settings	Voice control	Voice settings	Voice dialing	On
T39m	4	9	1	1	1

h. RECORDING FOR VOICE DIALING

- Press the Menu Key. Scroll to Settings, YES. Voice control, YES. Voice Commands, YES. Select Contacts, YES. Add voice, YES.
- Find a contact name and follow the instructions in the display. An icon will appear next to a contact name which has a voice command.
- 3. Continue pressing NO to exit.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Settings	Voice control	Voice commands	Contacts
T39m	4	9	2	4

Note: Noisy environment may affect voice recognition. Record your voice in a quiet environment.

USING WITH SONY ERICSSON P800 / P900

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- On the Applications window (flip open mode), scroll and tap Control Panel using the stylus. Go to Connections. Tap Bluetooth. Go to Settings. On the Operation mode, tap On.
- 2. Tap to exit and return to the Applications window.

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard and at the same time the red and blue indicator will alternately blink. This indicates that the unit is now ready for pairing.
- 4. Press the answer button once again for a short time, to access headset pairing mode.
- On the Phone Applications window (flip open mode), scroll and tap Control Panel.. Go to Connections. Tap Bluetooth. Tap the Devices index. Bluetooth devices is displayed as subtitle. Tap Add. The phone is now searching for pairable devices.

- Tap the device you want to pair with. Bonding in progress will be displayed on screen. The phone will then ask for the pass key.
- Tap on the lower left corner of the screen. Enter "0000" as the passkey and tap Done.
 Tap Done under the sub-title, "Secure Connection." If the pairing is successful, the alternating red/blue lights will stop.
- 8. Tap 🐯 to exit and return to the Applications mode. If the pairing is unsuccessful, the steps above may be repeated.

The Supertooth is paired and ready to use. An icon will appear during the standby mode indicating that the Supertooth is linked with the phone.

c. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- 2. If you wish to answer a call on the cellular phone, just press **YES** and the call is automatically transferred to the phone. Pressing the answer button transfers the call on the Supertooth.
- 3. To terminate the call, press the hang-up button.

d. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and press OK. Sound is automatically transferred to the Supertooth.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step g and h for the procedure when activating and recording for voice dialing.

- Press the answer button once to activate the voice dialing. Sound is automatically transferred to the Supertooth.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

e. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

f. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- 1. Turn it clockwise to increase the volume.
- 2. Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

g. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the name dialing function and record your voice. To turn voice dialing on:

- 1. On the Applications window (flip open mode), tap *Phone.*
- 2. Tap Edit then tap Preferences. A list of features will appear.
- Tap Voice Control then tap the box aligned to Voice dialing to check and activate the voice
 dialing feature. Tap the box aligned to Play caller name to check so that the name will be
 played back to you.
- 4. Tap **Done** on the on screen button when finished.
- 5. On the Preferences mode, tap **Done** again.
- 6. Tap to exit and return to the Applications mode.

h. RECORDING FOR VOICE DIALING

The voice dialing feature is only applicable to contacts saved to phone memory.

- 1. On the Applications window (flip open mode), tap Contacts.
- Tap the contact where you want to add a voice dialing feature. Tap Edit. Scroll to Edit Contact. Tap on the on-screen buttons.
- 3. Tap **Record**. Speak after tone will be displayed on the screen.
- Record your voice. To check if your recording is of good quality, tap Play. If not, tap Record again. Tap Done when finished.

 Tap to make another record and repeat the steps above. To return to the Applications window, tap \$\frac{180}{80}\$.

Note: Noisy environment may affect voice recognition. Record your voice in a quiet environment.

USING WITH SONY ERICSSON T610

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Go the Menu Key by pressing the joystick. Scroll to Connectivity, SELECT. Select Bluetooth, SELECT. Turn On, SELECT.
- 2. Continue pressing (5) to exit.

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink.
- Go the Menu Key by pressing the joystick. Scroll to Connectivity, SELECT. Select Bluetooth, SELECT.
- Scroll to My devices, SELECT. New device, ADD. The phone is now searching for pairable devices to be added. Select the device you want to pair with your cell phone. Press SELECT.
- Enter "0000" as the passkey then press OK. If the pairing is successful, the alternating red/blue lights will stop.
- 7. Continue pressing (to exit the menu key.

The Supertooth is paired and ready to use. An icon, will appear during the standby mode indicating that the Supertooth is linked with the phone.

c. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- 2. If you wish to answer a call on the cellular phone, just press **YES** and the call is automatically transferred to the phone. Pressing the answer button transfers the call on the Supertooth.
- 3. To terminate the call, press the hang-up button.

d. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and press CALL button. Audio is automatically transferred to the Supertooth.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step h and i for the procedure when activating and recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

e. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

f. REJECTING A CALL

Press the hang-up button to reject the incoming call.

g. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

h. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the name dialing function and record your voice. To turn voice dialing on:

- Go to the Menu Key by pressing the joystick. Scroll to Settings, SELECT. Voice control, SELECT. Voice dialing, SELECT.
- Choose On, SELECT.
- Continue pressing to exit.

i. RECORDING FOR VOICE DIALING

- Go to the Menu Key by pressing the joystick. Scroll to Settings and press SELECT. Choose Voice control, SELECT then go to Voice dialing, SELECT. Edit name, SELECT. New voice, ADD.
- 2. Find a contact then press **SELECT**.
- 3. Follow the instructions that are displayed. Voice is automatically saved on the phone. An icon will appear next to a contact name which has a voice command.
- 4. Continue pressing (5) to exit.

Note: Noisy environment may affect voice recognition. Record your voice in a quiet environment.

USING WITH SONY ERICSSON T628

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Go the Menu Key by pressing the joystick. Scroll to Connectivity, SELECT. Select Bluetooth, SELECT. Turn On, SELECT.
- Continue pressing to exit.

b. SETTING TO LOW POWER MODE

- 1. Press the Menu key. Scroll to Connectivity, SELECT. Bluetooth, SELECT.
- 2. Scroll to Handsfree, SELECT. Choose Car handsfree, SELECT.
- 3. Choose Power Save, SELECT.
- 4. Continue pressing (5), to exit.

c. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink.
- Go the Menu Key by pressing the joystick. Scroll to Connectivity, SELECT. Select Bluetooth, SELECT.
- Scroll to My devices, SELECT. New device, ADD. The phone is now searching for pairable devices to be added. Select the device you want to pair with your cell phone. Press SELECT.
- Enter "0000" as the passkey then press OK. If the pairing is successful, the alternating red/blue lights will stop.
- 7. Continue pressing (to exit the menu key.

The Supertooth is paired and ready to use. An icon, will appear during the standby mode indicating that the Supertooth is linked with the phone.

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- 2. If you wish to answer a call on the cellular phone, just press **YES** and the call is automatically transferred to the phone. Pressing the answer button transfers the call on the Supertooth.
- 3. To terminate the call, press the hang-up button.

e. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and press CALL button. Audio is automatically transferred to the Supertooth.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step h and i for the procedure when activating and recording for voice dialing.

- Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

2. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

h. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the name dialing function and record your voice. To turn voice dialing on:

- Go to the Menu Key by pressing the joystick. Scroll to Settings, SELECT. Voice control, SELECT. Voice dialing, SELECT.
- Choose On. SELECT.
- Continue pressing (5) to exit.

i. RECORDING FOR VOICE DIALING

- Go to the Menu Key by pressing the joystick. Scroll to Settings and press SELECT. Choose Voice control, SELECT then go to Voice dialing, SELECT. Edit name, SELECT. New voice, ADD.
- 2. Find a contact then press **SELECT**.
- 3. Follow the instructions that is displayed. Voice is automatically saved on the phone. An icon will appear next to a contact name which has a voice command.
- Continue pressing to exit.

Note: Noisy environment may affect voice recognition. Record your voice in a quiet environment.

USING WITH SONY ERICSSON Z600

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Press the Menu key Scroll to Connectivity, SELECT. Bluetooth, SELECT. Choose Turn ON. SELECT.
- 2. Continue pressing (1) to exit.

QUICK ACCESS:

- a. Press More kev.
- b. Scroll to Turn On Blue tooth, SELECT.
- c. Continue pressing (1) to exit.

b. SETTING TO LOW POWER MODE

- 1. Press the Menu key (a). Scroll to Connectivity, SELECT. Bluetooth, SELECT.
- 2. Scroll to Handsfree, SELECT. Choose Car handsfree, SELECT.

- 3. Choose Ppwer Save, SELECT.
- Continue pressing (), to exit.

c. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- Bring the cellular phone at about 20 cm from the Supertooth.
- Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard and at the same time the red and blue indicator will alternately blink. This indicates that the unit is now ready for pairing.
- 4. Press the Menu key (a) Scroll to Connectivity, SELECT. Bluetooth, SELECT.
- Scroll to My Devices, SELECT. New Device, ADD. The phone will then search the device to be added. After the device is found, press SELECT.
- 6. Enter "0000" as the passkey and press **OK**. If the pairing is successful, the alternating red/blue lights will stop. If the pairing is unsuccessful, the steps above may be repeated.
- 7. Continue pressing sto exit the menu key.

The unit is now ready to link calls from the phone directly to the Supertooth. An icon, will appear during the standby mode indicating that the Supertooth is linked with the phone.

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth.

- 1. Just press the answer button down once to answer the call.
- If you wish to answer a call on the cellular phone, just press YES and the call is automatically transferred to the phone. To transfer the call to the Supertooth, press the Menu key. Scroll to Transfer Sound and press SELECT. Choose the paired device and press SELECT.
- 3. To terminate the call, press the hang-up button.

e. MAKING A CALL with the Supertooth on

Normal dialing

- 1. Enter the contact number and send. Audio can be heard on the Supertooth simultaneously.
- 2. Press the hang-up button to hang-up and terminate the call.

Voice dialing

Refer to step h and i for the procedure when activating and recording for voice dialing.

- Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls on some cell phones.

h. ACTIVATING THE VOICE DIALING

Use your phone when recording for the voice dialing. Before voice dialing, you must first turn on the voice dialing function and record your voice. To turn voice dialing on:

- Press the Menu key Scroll to Settings, SELECT. Scroll to Voice control, SELECT. Voice dialing, SELECT.
- 2. Choose On, SELECT.
- Continue pressing to exit.

i. RECORDING FOR VOICE DIALING

- Select a contact and press SELECT.

- 3. Follow the instructions in the display. An icon will appear opposite a contact's name which has a voice command.
- 4. Continue pressing (5) to exit.

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH NOKIA 6310/6310i

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Press the Menu button. Scroll to Bluetooth, SELECT. Press SELECT again.
- Choose On, SELECT. An icon will appear on the upper left corner.
- 3. Press Back then Exit to exit the Menu.

QUICK ACCESS:

Press *Menu* followed by the sequence of numbers below.

	Bluetooth	Select	On	Select
6310	10	1	1	1
6310i	11	1	1	1

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink.
- Press the Menu button. Scroll to Bluetooth, SELECT. Scroll to Search for audio accessories, SELECT. The phone is now scanning for Bluetooth devices. SELECT the device. The phone will initiate connection with the Supertooth.

QUICK ACCESS (for step 5):

Press *Menu* followed by the sequence of numbers below.

	Blue tooth	Search for audio accessories
6310	10	2
6310i	11	2

- Enter "0000" as the passcode then press OK. The phone is now connected with the Supertooth.
- 7. Press Back then Exit to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, the Supertooth and the phone have simultaneous connection with each other (keypad tones can be heard on the Supertooth every time the keypad is pressed).

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Supertooth.

- Press the Menu button. Scroll to Bluetooth, SELECT. Scroll to View paired devices, SELECT.
- Select the Supertooth and press OPTIONS. Scroll to Request conn. authorisation, SELECT. No. SELECT.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Blue tooth	View paired devices	Select
6310	10	4	Options
6310i	11	4	Options

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, no tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when activating and recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cell phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

i. RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- 1. Press the Names button. Search, SELECT. Press List button.
- 2. Find a contact name. Press Details button.
- Press Options button. Add voice tag, SELECT. Instructions appear. Your voice is automatically saved on the phone after being played back to you.
- In case you wish to change your recorded voice, press Options button. Voice tags, SELECT. Change, SELECT. Instructions appear.
- 5. Continue pressing Back button to exit.

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH NOKIA 8910

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- 1. Press Menu. Scroll to Bluetooth, SELECT. Press SELECT again.
- 2. Choose On, SELECT. An icon will appear on the upper left corner.
- 3. Press Back then Exit to exit the Menu.

QUICK ACCESS:

Press *Menu* followed by the sequence of numbers below.

	Blue tooth	Select	On	Select
8910	10	1	1	1

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.
- Press Menu. Scroll to Bluetooth, SELECT and Search for audio accessories, SELECT. The
 phone is now scanning for Bluetooth devices. SELECT the device. The phone will initiate
 connection with the Supertooth.

QUICK ACCESS (for step 5):

Press Menu followed by the sequence of numbers below.

	Blue tooth	Search for audio accessories
8910	10	2

- Enter "0000" as the passcode then press OK. The volume level will be displayed. The phone is now connected with the Supertooth.
- 6. Press Back then Exit to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, the Supertooth and the phone have simultaneous connection with each other (keypad tones can be heard on the Supertooth every time the keypad is pressed).

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Supertooth.

- 1. Press Menu. Scroll to Bluetooth, SELECT. Scroll to View paired devices, SELECT.
- Select the Supertooth and press OPTIONS. Scroll to Request conn. authorisation, SELECT.
 No. SELECT.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Bluetooth	View paired devices	Select
8910	10	4	Options

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- 1. Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, no tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cellular phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

i. RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- 1. From standby mode, press arrow up or down.
- Find a contact name to which you want to add a voice tag. Press Details button. The phone number will be displayed.
- 3. Press *Options* button. *Add voice tag,* **SELECT.** Press *Start,* and say the name clearly. *Voice tag saved* is displayed indicating that the voice tag has been saved.
- In case you wish to change your recorded voice, press Names, Voice tags, SELECT. Scroll
 to the name whom you want to change the voice tag then press Options. Change, SELECT.
 Follow the instructions.
- 5. Continue pressing Back button to exit.

Note: Noisy environment could affect voice recognition. Record voice in a quiet environment.

USING WITH NOKIA 8910i

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- 1. Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT.
- 2. Choose *On*, **SELECT**. An icon will appear on the display on the standby mode.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Connectivity	Blue tooth	Select	On	Select
8910i	10	1	1	1	1

PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.
- Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT and scroll to Search for audio accessories, SELECT. The phone is now searching for Bluetooth devices. SELECT the Supertooth. The phone will initiate connection with the Supertooth.

QUICK ACCESS (for step 5):

Press Menu followed by the sequence of numbers below.

	Connectivity	Blue tooth	Search for audio accessories
8910i	10	1	2

- Enter "0000" as the passcode then press OK. The phone is now connected with the Supertooth.
- 7. Continue pressing the Back button to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, the Supertooth and the phone have simultaneous connection with each other (keypad tones can be heard on the Supertooth every time the keypad is pressed).

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Supertooth.

- Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT. Scroll to View paired devices, SELECT.
- Select the Supertooth and press OPTIONS. Scroll to Request conn. authorisation, SELECT. No. SELECT.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Connectivity	Blue tooth	View paired devices	Select
8910i	10	1	4	Options

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, no tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when recording for voice dialing.

Press the answer button once to activate the voice dialing.

- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cellular phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- 1. Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

i. RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- 1. From standby mode, press arrow up or down.
- Find a contact name to which you want to add a voice tag. Press Details button. The phone number will be displayed.
- 3. Press *Options* button. *Add voice tag*, **SELECT**. Press *Start*, and say the name clearly. *Voice tag saved* is displayed indicating that the voice tag has been saved.
- In case you wish to change your recorded voice, press Names, Voice tags, SELECT. Scroll
 to the name whom you want to change the voice tag then press Options. Change, SELECT.
 Follow the instructions.
- 5. Continue pressing Back button to exit.

Note: Noisy environment could affect voice recognition. Record voice in a quiet environment.

USING WITH NOKIA 3650

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Press the Menu (§) button. Scroll to Connect., OPTIONS. A list of options will be displayed. Choose OPEN then press SELECT. Choose Bluetooth, OPTIONS. Choose OPEN, and press SELECT.
- 2. Bluetooth OFF will be displayed. Press **OPTIONS**. Change, **SELECT**. Choose On, then press **OK**.
- 3. Continue pressing Exit key to exit the Menu.

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.
- 4. Press the Menu (§) button. Scroll to Connect., OPTIONS. Choose Open, press SELECT. Bluetooth, OPTIONS. Open, SELECT. Press (§) button, "Paired devices" will be displayed as title. Press OPTIONS. New paired device, SELECT. "Searching for devices..." will be displayed. Select the Supertooth and press SELECT. "Waiting for..." and "Passcode for..." will be displayed simultaneously.
- Enter "0000" as the passcode then press OK. "Waiting for..." and "Pairing with...complete" will be displayed simultaneously.

6. Continue pressing Exit key to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, press the answer button once to establish simultaneous connection between the Supertooth and the phone (keypad tones can be heard on the Supertooth every time the keypad is pressed). If ever the paired device was deleted and turned off, once it is turned on, there is no need to undergo the same pairing procedure. "Passcode for..." will be displayed. Enter the passcode then press OK. "Accept connection request from..." press YES to reconnect.

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Supertooth.

- Press the Menu button. Scroll to Connect., OPTIONS. Choose Open, press SELECT.
 Bluetooth, OPTIONS. Open, SELECT. Press button. "Paired devices" will be displayed as title.
- 2. Select the Supertooth and press **OPTIONS**. Scroll to *Set as authorised*, **SELECT**. "Connections will take place without confirmation. Continue?" press **YES**.
- Continue pressing Exit key to exit the Menu. An icon will then appear on the upper right corner.

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, no tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cellular phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

q. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- 2. Decrease the volume by turning it counter-clockwise.

Continuous pressing of the digital volume control can rapidly set the volume. If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

i. RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- 1. Press the Menu button. Select Contacts, OPTIONS. Open, SELECT.
- 3. Press *Options* button. Scroll to *Add Voice tag*, **SELECT.** Instructions appear. Your voice is automatically saved on the phone after being played back to you.
- In case you wish to change your recorded voice, press Options button. Voice tag, SELECT. Change, SELECT. Instructions appear.
- 5. Continue pressing *Exit* key to exit the *Menu*.

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH NOKIA 6650

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT.
- Bluetooth_{Off}, SELECT. Choose On, SELECT. An icon will appear on the display on the standby mode.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

		Connectivity	Bluetooth	Bluetoothoff	On	Select
66	50	11	1	1	1	1

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard and at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.
- Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT and scroll to Search for audio enhancements, SELECT. The phone is now searching for Bluetooth devices. SELECT the Supertooth. The phone will initiate connection with the Supertooth.

QUICK ACCESS (for step 5):

Press *Menu* followed by the sequence of numbers below.

	Connectivity	Bluetooth	Search for audio accessories
6650	11	1	2

- 5. Enter "0000" as the passcode then press **OK**. The phone is now connected with the Supertooth.
- 6. Continue pressing the Back button to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, the Supertooth and the phone have simultaneous connection with each other (keypad tones can be heard on the Supertooth every time the keypad is pressed).

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Supertooth.

- Press Menu. Scroll to Connectivity, SELECT. Bluetooth, SELECT. Scroll to View paired devices, SELECT.
- Select the Supertooth and press OPTIONS. Scroll to Request conn. authorisation, SELECT.
 No. SELECT.
- 3. Continue pressing Back button to exit the Menu.

QUICK ACCESS:

Press Menu followed by the sequence of numbers below.

	Connectivity	Bluetooth	View paired devices
6650	11	1	4

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- 1. Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- 2. Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, a tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A tone will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cellular phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once to redial the last number.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done using the volume control.

- Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- Press the Names button. Search, SELECT.
- 2. Find a contact. Press Details button.
- Press Options button. Add voice tag, SELECT. Follow instructions on the cell phone. Your voice is automatically saved on the phone after being played back to you.
- In case you wish to change your recorded voice, press Options button. Voice tag, SELECT. Change, SELECT. Follow instructions on the cell phone.
- 5. Continue pressing Back button to exit.

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH NOKIA 6600

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- Press the Menu § key. Using the joystick, scroll to Connect., press to select. A list of options will be displayed. Choose Bluetooth, press to select.
- 2. Bluetooth OFF will be displayed. Press to switch Bluetooth On.
- 3. Continue pressing *Exit* key to exit the *Menu*.

b. PAIRING TO THE CELLULAR PHONE

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- Turn off the Supertooth and wait for about 4 seconds.
- 3. Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive three-tone sound will be heard and at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.
- 4. Press the Menu substant Using the joystick, scroll to Connect., press to select. A list of options will be displayed. Choose Bluetooth, press to select. Bluetooth ON, press . "Paired devices" will be displayed as title. Press OPTIONS. New paired device, SELECT. "Searching for devices..." will be displayed. Select the Supertooth and press SELECT. "Waiting for..." and "Passcode for..." will be displayed simultaneously.
- Enter "0000" as the passcode then press OK. "Waiting for..." and "Pairing with...complete" will be displayed simultaneously.
- 6. Continue pressing Exit key to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

Note: Once paired, press the answer button once to establish simultaneous connection between the Supertooth and the phone (keypad tones can be heard on the Supertooth every time the keypad is pressed). If ever the paired device was deleted and turned off, once it is turned on, there is no need to undergo the same pairing procedure. Press the answer button once. "Passcode for..." will be displayed. Enter the passcode then press **OK**. "Accept connection request from..." press **YES** to reconnect.

c. AUTO ACCEPT MODE

The auto accept mode allows the Bluetooth function to be turned on automatically whenever the user starts sending information such as answering or making a call via the Bluetooth car kit.

- 1. Press the *Menu* § button. Scroll to *Connect.*, press Bluetooth, press Dutton. "Paired devices" will be displayed as title.
- 2. Select the Supertooth and press . Scroll to Set as authorised, and press to SELECT. "Connections will take place without confirmation. Continue?" press YES.
- Continue pressing Exit key to exit the Menu. An icon will then appear on the upper right corner.

d. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard on the Supertooth as well as on the phone.

- 1. Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call but audio is still transferred to the Supertooth.

e. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and send. As you dial, audio and the keypad tones can be heard on the Supertooth simultaneously but not on the phone.
- Press the hang-up button to hang-up and terminate the call.
 Note: If the call is terminated using the cellular phone, a tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step i for the procedure when recording for voice dialing.

Press the answer button once to activate the voice dialing.

- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call automatically. In case the cellular phone does not recognize the name spoken, the steps above may be repeated.
- 4. Press the button again to terminate the call.

Redialing

Make a long press on the answer button to redial the last number.

f. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

g. REJECTING A CALL

Press the hang-up button to reject the incoming call.

h. SETTING THE VOLUME

Setting the volume can be done during calls or every time a key is pressed on your cell phone.

- Turn it clockwise to increase the volume.
 - 2. Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

Note: It is also possible to use the volume keys of the cellular phone to set the volume.

i. RECORDING FOR VOICE DIALING

Use your phone when recording voice dialing.

- Press the *Menu* 😘 button. Scroll to *Contacts* and press 🔘.
- 2. Find a contact name. Press button. (The contact number is the one being displayed.)
- 3. Press *Options* button. Scroll to *Add Voice tag*, **SELECT.** Instructions appear. Your voice is automatically saved on the phone after being played back to you.
- In case you wish to change your recorded voice, press Options button. Voice tag, SELECT. Change, SELECT. Instructions appear.
- 5. Continue pressing Exit key to exit the Menu.

Note: Record your voice command in a quiet place so that only your voice will be recorded on the phone.

USING WITH SIEMENS S55

a. ACTIVATING THE BLUETOOTH

You must activate your Bluetooth to establish a Bluetooth connection between your mobile phone and other Bluetooth devices.

- 1. Press the Menu button. Scroll to Setup, SELECT. Choose Connectivity, SELECT.
- Scroll to Bluetooth, Change. The phone is now connecting with the Bluetooth device. An icon
 will appear on the upper left corner when connected. OPTIONS button may also be pressed.
 Choose Activate BT, then SELECT.
- 3. Continue pressing the On/Off/End Key to exit the Menu.

QUICK ACCESS:

Press *Menu* followed by the sequence of numbers below. Doing this sequence once will either activate or deactivate the Bluetooth depending on your current setting.

Setup	Connectivity	Bluetooth
9	6	4

b. PAIRING TO THE CELLULAR PHONE (Not possible during charging)

- 1. Bring the cellular phone at about 20 cm from the Supertooth.
- 2. Turn off the Supertooth and wait for about 4 seconds.
- Turn ON the Supertooth while pressing the answer button for 10 seconds or until a distinctive tone will be heard at the same time the red and blue indicator will alternately blink. This indicates that the Supertooth is now ready for pairing.

- 4. Press the Menu button. Scroll to Setup, SELECT. Choose Connectivity, SELECT. Scroll to Bluetooth, OPTIONS. Scroll to Search for..., press ACCESS button. The phone is now searching for devices. When the search is complete, Devices disc. is displayed as title. If the device you are looking for is not on the list, repeat the procedure by pressing the OPTIONS and REPEAT buttons. Then press SELECT to add the device. The phone will initiate connection with the Supertooth.
- Pls, enter BT pin for..., OK. Enter "0000" as the BT pin then press OK. Handsfree trusted will be displayed afterwards indicating that the pairing is completed.
- 7. Continue pressing the On/Off/End Key to exit the Menu.

The Supertooth is paired and ready to use. An icon will be displayed during the standby mode indicating that the Supertooth is linked with the phone.

c. ANSWERING/RECEIVING A CALL

When the phone is receiving a call, a ring tone will be heard from the phone.

- Press the answer button down once to answer the call.
- 2. End the call by pressing the hang-up button.

Note: Cell phone buttons can also be used to answer a call. To transfer the call to the Supertooth, press the answer button once.

d. MAKING A CALL with the Supertooth on

Normal dialing

- Enter the contact number and send. To transfer audio on the Supertooth, press the answer button once.
- 2. Press the hang-up button to hang-up and terminate the call.

Note: If the call is terminated using the cellular phone, no tone will be heard on the Supertooth indicating that the call has been terminated.

Voice dialing

Refer to step h for the procedure when recording for voice dialing.

- 1. Press the answer button once to activate the voice dialing.
- A beep will then be heard on the Supertooth prompting the user to say the name of the person to call.
- Say the name. The name will be played back to you. The phone will then place the call
 automatically. In case the cellular phone does not recognize the name spoken, the
 steps above may be repeated.
- 4. Press the hang-up button to terminate the call.

Redialing

Make a long press on the answer button once triggers the cell phone to redial the last number. Call is automatically transferred on the Supertooth.

e. AUDIO TRANSFER

Audio Transfer can be done by pressing the answer button or accessing the cell phone's menu during ongoing calls.

f. REJECTING THE CALL

Press the hang-up button to reject the incoming call.

g. SETTING THE VOLUME

Setting the volume can be done during calls only.

- 1. Turn it clockwise to increase the volume.
- Decrease the volume by turning it counter-clockwise.

If the volume is too high, it can cause feedback (whistling sound), echo or background noise during calls.

h. RECORDING FOR VOICE DIALING

Use your phone when recording for voice dialing. Record your contact names and numbers in the "Address book" (phone memory).

- 1. From standby mode, open the *Address book* by pressing the arrow down key (If Phone book is the one displayed, press (If Phone book is the one displayed, press (If Phone book)
- Select a contact name. OPTIONS.

- Scroll to Voice dialing, SELECT. New, SELECT. Recording for: contact name, YES. Follow
 the instructions. Your voice is automatically saved on the phone after being played back to
 you.
- In case you wish to change your recorded voice, press Options button. Voice tags, SELECT. Change, SELECT. Instructions appear.
- 5. Press On/Off/End key to exit

Note: Noisy environment may affect voice recognition. Record your voice in a quiet place.

FCC Notices

This device complies with part 15 of the FCC rules. operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

"FCC RF Exposure requirements:

This device and its antenna(s) must not be co-located or operating in conjunction with any other antenna or transmitter."