

Project Number: 09CA10146
Model Number: AMM240WTD

File Number TC8352

Test Report No: 09CA10146-FCC
Date of Issue: May 6, 2009

1. TEST SETUP PHOTOS

Figure 1. Conducted Emission Test Setup for Test Configuration #1

Test condition: D-Sub Mode, Used BridgePower Adapter (Model: JMW1150KA2400F04).



Figure 2. Conducted Emission Test Setup Test for Test Configuration #1

Test condition: Component In, Out Mode, Used BridgePower Adapter (Model: JMW1150KA2400F04).



Figure 3. Conducted Emission Test Setup for Test Configuration #2

Test condition: DVI Mode, Used Protek Adapter (Model: PMP150-14-K11).




Figure 4. Conducted Emission Test Setup for Test Configuration #2

Test condition: Component In/Out Mode, Used Protek Adapter (Model: PMP150-14-K11).



Figure 5. Photo of Radiated emission test setup for Test Configuration #1, 30MHz to 1GHz

Test condition: D-Sub Mode, Used BridgePower Adapter (Model: JMW1150KA2400F04).




Figure 6. Photo of Radiated emission test setup for Test Configuration #1, 1GHz to 2GHz

Test condition: Component In, Out Mode, Used BridgePower Adapter (Model: JMW1150KA2400F04).





Figure 7. Photo of Radiated emission test setup for Test Configuration #1, 30MHz to 1GHz

Test condition: Component In/Out Mode, Used BridgePower Adapter (Model: JMW1150KA2400F07).





Figure 8. Photo of Radiated emission test setup for Test Configuration #1, 1GHz to 2GHz

Test condition: Component In/Out Mode, Used BridgePower Adapter (Model: JMW1150KA2400F07).





Figure 9. Photo of Radiated emission test setup for Test Configuration #2, 30MHz to 1GHz

Test condition: Optical DVI Mode, Used Protek Adapter (Model: PMP150-14-K11).




Figure 10. Photo of Radiated emission test setup for Test Configuration #2, 1GHz to 2GHz

Test condition: DVI Mode, Used Protek Adapter (Model: PMP150-14-K11).




Figure 11. Photo of Radiated emission test setup for Test Configuration #2, 30MHz to 1GHz

Test condition: DVI Mode, Used Protek Adapter (Model: PMP150-14-K11).




Figure 12. Photo of Radiated emission test setup for Test Configuration #2, 1GHz to 2GHz

Test condition: DVI Mode, Used Protek Adapter (Model: PMP150-14-K11).




Figure 11. Photo of Radiated emission test setup for Test Configuration #2, 30MHz to 1GHz

Test condition: Component In/Out Mode, Used Protek Adapter (Model: PMP150-14-K11).





Figure 12. Photo of Radiated emission test setup for Test Configuration #2, 1GHz to 2GHz

Test condition: Component In/Out Mode, Used Protek Adapter (Model: PMP150-14-K11).

