


# 20dB bandwidth

802.11a

TX chain : 0


Frequency : 5580MHz

Right edge = 5570.2 + 19.44 = 5589.64 < 5600MHz



Frequency : 5680MHz

Left edge = 5670.32 > 5650 MHz



# 20dB bandwidth

802.11a


TX chain : 1

Frequency : 5580MHz

Right edge = 5570.22 + 19.37 = 5589.59 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -20.56 dBm  
5.57022 GHz  
Delta 2 [T1] 0.00 dB  
19.37 MHz




Frequency : 5680MHz

Left edge = 5670.28 > 5650 MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -20.69 dBm  
5.67028 GHz  
Delta 2 [T1] 0.00 dB  
19.64 MHz




# 20dB bandwidth

802.11a

TX chain : 2


Frequency : 5580MHz

Right edge = 5570.39 + 19.32 = 5589.71 < 5600MHz



Frequency : 5680MHz

Left edge = 5670.42 > 5650 MHz



# 20dB bandwidth

802.11an 20MHz


TX chain : 0

Frequency : 5580MHz

Right edge = 5569.71 + 20.49 = 5590.2 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -19.11 dBm  
5.56971 GHz  
Delta 2 [T1] 0.00 dB  
20.49 MHz




Frequency : 5680MHz

Left edge = 5669.81 > 5650 MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -19.19 dBm  
5.66981 GHz  
Delta 2 [T1] 0.00 dB  
20.37 MHz




# 20dB bandwidth

802.11an 20MHz

TX chain : 1


Frequency : 5580MHz

Right edge = 5569.86 + 20.39 = 5590.25 < 5600MHz



Frequency : 5680MHz

Left edge = 5669.28 > 5650 MHz



# 20dB bandwidth

802.11an 20MHz


TX chain : 2

Frequency : 5580MHz

Right edge = 5569.77 + 20.57 = 5590.34 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -18.82 dBm  
5.56977 GHz  
Delta 2 [T1] 0.00 dB  
20.57 MHz




A D T

Frequency : 5680MHz

Left edge = 5669.43 > 5650 MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -18.72 dBm  
5.66943 GHz  
Delta 2 [T1] 0.00 dB  
21.04 MHz



A D T

# 20dB bandwidth

802.11an 40MHz


TX chain : 0

Frequency : 5550MHz

Right edge = 5529.64 + 40.18 = 5569.82 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -22.08 dBm  
5.52964 GHz  
Delta 2 [T1] 0.00 dB  
40.18 MHz



A D T

# 20dB bandwidth

802.11an 40MHz


TX chain : 1

Frequency : 5550MHz

Right edge = 5530.03 + 39.96 = 5569.99 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -23.18 dBm  
5.53003 GHz  
Delta 2 [T1] 0.00 dB  
39.96 MHz



A D T



# 20dB bandwidth

802.11an 40MHz


TX chain : 2

Frequency : 5550MHz

Right edge = 5529.6 + 40.56 = 5570.16 < 5600MHz

RBW 300 kHz [T1] MK VIEW  
VBW 1 MHz  
SWT 20 ms

Marker 1 [T1] -21.87 dBm  
5.52960 GHz  
Delta 2 [T1] 0.00 dB  
40.56 MHz



A D T