

Annex 4: Test Setup Photographs to
TEST REPORT
 No.: 17-1-0290001T07

According to:
FCC Regulations
 Part 18.305
 Part 18.307

for

Peiker acustic GmbH
 Wireless Mobile Interface
 WMI2-W167-M1
 2609-090-403-51

FCC-ID: QWY-WMI2W167







Laboratory Accreditation and Listings			
 <p>DAkkS Deutsche Akkreditierungsstelle D-PL-12047-01-01</p>	 <p>FEDERAL COMMUNICATIONS COMMISSION FC USA MRA US-EU 0003</p>	 <p>Industry Canada Reg. No.: 3462D-1 Reg. No.: 3462D-2 Reg. No.: 3462D-3</p>	 <p>Voluntary Controls for Electromagnetic Emissions Reg. No.: R-2666 C-2914, T-1967, G-301</p>
 <p>WiFi ALLIANCE AUTHORIZED RF LABORATORY</p>	 <p>ctia AuthorizedTM Test Lab Lab Code: 20011130-00</p>		
accredited according to DIN EN ISO/IEC 17025			
<p align="center">CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com</p>			




Table of contents


1. TEST SET-UP PHOTOGRAPHS	3
1.1. Conducted Test Setup (99 % Occupied Bandwidth)	3
1.2. Radiated Filed Strength Emissions 9 kHz to 30 MHz	4
1.3. Radiated Filed Strength Emissions 30 MHz to 1 GHz	5

1. Test set-up photographs

1.1. Conducted Test Setup (99 % Occupied Bandwidth)




Photograph 1: EUT inside Temperature Chamber- Close View



Photograph 2: EUT inside Temperature Chamber- Overall View

1.2. Radiated Field Strength Emissions 9 kHz to 30 MHz




Photograph 3: Overall View- 9 kHz-30 MHz- EUT Laying - Front Side



Photograph 4: Close View -9 kHz-30 MHz- EUT Laying - Front Side

1.3. Radiated Field Strength Emissions 30 MHz to 1 GHz



Photograph 5: Overall View- 30 MHz-1 GHz- EUT Laying - Front Side



Photograph 6: Close View -30 MHz-1 GHz- EUT Laying - Front Side