Annex 3: Test Setup Photographs to

TEST REPORT No.: 17-1-0290001T08b-C1

According to: **FCC Regulations** §1.1310 §1.1307(b) § 2.1091 & 2.1093

for

peiker acustic GmbH

Wireless Mobile Interface WMI2-W205-M1 2609-090-355-51







TABLE OF CONTENTS:

1. TEST SETUP PHOTOGRAPH


3



1. Test Setup Photographs




Photograph 1: Measurements in the anechoic chamber, 5 cm distance between measurement probe and EUT, Position 1




Photograph 2: Measurements in the anechoic chamber, 15cm distance between measurement probe and EUT, Position 1






Photograph 3 Measurements in the anechoic chamber, 5 cm distance between measurement probe and EUT, Position 2




Photograph 4: Measurements in the anechoic chamber, 15cm distance between measurement probe and EUT, Position 2






Photograph 5: Measurements in the anechoic chamber, 5cm distance between measurement probe and EUT, Position 3




Photograph 6: Measurements in the anechoic chamber, 15cm distance between measurement probe and EUT, Position 3






Photograph 7: Measurements in the anechoic chamber, 5cm distance between measurement probe and EUT, Position 4




Photograph 8: Measurements in the anechoic chamber, 15cm distance between measurement probe and EUT, Position 4






Photograph 9: Measurements in the anechoic chamber, 5cm distance between measurement probe and EUT, Position 5



Photograph 10: Measurements in the anechoic chamber, 15cm distance between measurement probe and EUT, Position 5





Photograph 11: Measurements in the anechoic chamber, 20cm distance between measurement probe and EUT, Position 5