


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TX

09/08/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TX

09/08/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TX

09/08/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4703G | -10.40 | 6.4301G | -57.38 | -50.40 | -6.98 | 1 |
| 6.4756G | -10.33 | 6.4301G | -57.54 | -50.33 | -7.21 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TX

09/08/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.52179G | -8.12 | 6.4708G | -57.41 | -48.12 | -9.29 | 1 |
| 6.5139G | -7.73 | 6.4683G | -57.37 | -47.73 | -9.64 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TX

09/08/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TX

06/09/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TX

09/08/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8574G | -9.33 | 6.9029G | -56.88 | -49.33 | -7.55 | 1 |
| 6.8573G | -8.93 | 6.9036G | -56.98 | -48.93 | -8.05 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TX

09/08/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8762G | -9.56 | 6.9218G | -56.58 | -49.56 | -7.02 | 1 |
| 6.8775G | -8.70 | 6.916G | -56.80 | -48.70 | -8.10 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TX

09/08/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.8939G | -11.00 | 6.9434G | -56.61 | -51.00 | -5.61 | 1 |
| 6.8938G | -9.91 | 6.9332G | -56.75 | -49.91 | -6.84 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TX

09/08/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.98991G | -8.55 | 6.9617G | -56.11 | -48.55 | -7.56 | 1 |
| 6.9938G | -8.10 | 6.9565G | -56.33 | -48.10 | -8.23 | 2 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TX

09/08/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.0973G | -12.28 | 7.047G | -58.62 | -52.28 | -6.34 | 1 |
| 7.0937G | -12.28 | 7.0487G | -58.89 | -52.28 | -6.61 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TX

09/08/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 5.9676G | -7.73 | 6.0532G | -56.09 | -47.73 | -8.36 | 1 |
| 5.97879G | -7.38 | 6.0626G | -56.09 | -47.38 | -8.71 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TX

09/08/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TX

09/08/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TX

09/08/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 6.4498G | -8.91 | 6.3846G | -55.33 | -48.91 | -6.42 | 1 |
| 6.441G | -7.26 | 6.3836G | -55.46 | -47.26 | -8.20 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TX

09/08/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.49939G | -6.76 | 6.4224G | -54.88 | -46.76 | -8.12 | 1 |
| 6.47841G | -5.64 | 6.4242G | -54.69 | -45.64 | -9.05 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TX

09/08/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.53059G | -7.14 | 6.5872G | -55.05 | -47.14 | -7.91 | 1 |
| 6.51921G | -6.30 | 6.5864G | -54.72 | -46.30 | -8.42 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TX

09/08/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.5698G | -8.42 | 6.4822G | -55.38 | -48.42 | -6.96 | 1 |
| 6.57139G | -7.76 | 6.6338G | -55.30 | -47.76 | -7.54 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TX

09/08/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TX

09/08/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TX

09/08/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TX

09/08/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TX

09/08/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.99741G | -5.27 | 6.9424G | -53.33 | -45.27 | -8.06 | 1 |
| 6.99981G | -4.99 | 6.9432G | -53.34 | -44.99 | -8.35 | 2 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TX

09/08/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|---------|----------|----------|------------|------------|------------|------|
| 7.09G | -10.39 | 7.1486G | -56.60 | -50.39 | -6.21 | 1 |
| 7.0886G | -9.53 | 7.0226G | -56.61 | -49.53 | -7.08 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TX

09/08/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 5.99819G | -1.04 | 6.109G | -49.40 | -41.04 | -8.36 | 1 |
| 5.97581G | -1.02 | 6.1066G | -49.05 | -41.00 | -8.05 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TX

09/08/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.15899G | -2.08 | 6.269G | -49.78 | -42.08 | -7.70 | 1 |
| 6.15819G | -2.39 | 6.2682G | -49.92 | -42.39 | -7.53 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TX

09/08/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.37301G | -1.00 | 6.2622G | -49.51 | -41.00 | -8.51 | 1 |
| 6.41297G | -0.45 | 6.509G | -49.97 | -40.45 | -9.52 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TX

09/08/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.47539G | -2.12 | 6.5874G | -49.75 | -42.12 | -7.63 | 1 |
| 6.45261G | -0.97 | 6.5882G | -49.15 | -40.97 | -8.18 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TX

09/08/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.53181G | -4.91 | 6.4214G | -51.55 | -44.91 | -6.64 | 1 |
| 6.55899G | -4.33 | 6.4094G | -51.20 | -44.33 | -6.87 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TX

09/08/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.63539G | -4.87 | 6.7542G | -51.18 | -44.87 | -6.31 | 1 |
| 6.61461G | -4.01 | 6.7474G | -51.27 | -44.01 | -7.26 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TX

09/08/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TX

10/08/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TX

10/08/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.87859G | -4.43 | 6.9886G | -50.68 | -44.43 | -6.25 | 1 |
| 6.87339G | -3.95 | 6.9878G | -50.53 | -43.95 | -6.58 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TX

10/08/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.93141G | -4.02 | 6.8234G | -50.70 | -44.02 | -6.68 | 1 |
| 6.93461G | -3.24 | 6.8194G | -50.47 | -43.24 | -7.23 | 2 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TX

10/08/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.99663G | -6.41 | 6.9002G | -50.61 | -46.41 | -4.20 | 1 |
| 6.99703G | -7.22 | 6.9026G | -50.87 | -47.22 | -3.65 | 2 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TX

10/08/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.00102G | -0.67 | 6.269G | -44.54 | -40.67 | -3.87 | 1 |
| 6.10012G | -0.65 | 6.2722G | -45.36 | -40.65 | -4.71 | 2 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TX

10/08/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TX

10/08/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TX

10/08/2022




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TX

10/08/2022



802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TX

10/08/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.75147G | 0.51 | 6.557G | -46.20 | -39.49 | -6.71 | 1 |
| 6.80342G | 1.17 | 6.561G | -46.13 | -38.83 | -7.30 | 2 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TX

10/08/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

| Ref(Hz) | Ref(dBm) | Freq(Hz) | Level(dBm) | Limit(dBm) | Margin(dB) | Port |
|----------|----------|----------|------------|------------|------------|------|
| 6.91067G | -1.87 | 6.7418G | -47.50 | -41.74 | -5.76 | 1 |
| 6.91067G | -1.81 | 6.6138G | -48.25 | -41.81 | -6.44 | 2 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | PK | 350.1M | 42.65 | 46.00 | -3.35 | 3 | Horizontal | 360 | 1.00 | - |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW160-BF_Nss1 (MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 6985MHz | Pass | PK | 109.54M | 38.59 | 43.50 | -4.91 | 3 | Vertical | 0 | 1.00 | - |
| 6985MHz | Pass | PK | 249.22M | 32.01 | 46.00 | -13.99 | 3 | Vertical | 0 | 1.00 | - |
| 6985MHz | Pass | PK | 350.1M | 37.42 | 46.00 | -8.58 | 3 | Vertical | 0 | 1.00 | - |
| 6985MHz | Pass | PK | 449.04M | 31.34 | 46.00 | -14.66 | 3 | Vertical | 0 | 1.00 | - |
| 6985MHz | Pass | PK | 518.88M | 35.92 | 46.00 | -10.08 | 3 | Vertical | 0 | 1.00 | - |
| 6985MHz | Pass | QP | 41.64M | 34.74 | 40.00 | -5.26 | 3 | Vertical | 191 | 1.00 | - |
| 6985MHz | Pass | PK | 107.6M | 35.77 | 43.50 | -7.73 | 3 | Horizontal | 360 | 1.00 | - |
| 6985MHz | Pass | PK | 181.32M | 35.36 | 43.50 | -8.14 | 3 | Horizontal | 360 | 1.00 | - |
| 6985MHz | Pass | PK | 249.22M | 40.17 | 46.00 | -5.83 | 3 | Horizontal | 360 | 1.00 | - |
| 6985MHz | Pass | PK | 350.1M | 42.65 | 46.00 | -3.35 | 3 | Horizontal | 360 | 1.00 | - |
| 6985MHz | Pass | PK | 388.9M | 35.81 | 46.00 | -10.19 | 3 | Horizontal | 360 | 1.00 | - |
| 6985MHz | Pass | PK | 547.98M | 33.48 | 46.00 | -12.52 | 3 | Horizontal | 360 | 1.00 | - |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 109.54M | 38.59 | 43.50 | -4.91 | -9.25 | 3 | Vertical | 0 | 1.00 | - | 47.84 | 17.07 | 1.48 | 27.80 |
| PK | 249.22M | 32.01 | 46.00 | -13.99 | -7.43 | 3 | Vertical | 0 | 1.00 | - | 39.44 | 17.47 | 2.26 | 27.16 |
| PK | 350.1M | 37.42 | 46.00 | -8.58 | -5.20 | 3 | Vertical | 0 | 1.00 | - | 42.62 | 19.59 | 2.71 | 27.50 |
| PK | 449.04M | 31.34 | 46.00 | -14.66 | -3.29 | 3 | Vertical | 0 | 1.00 | - | 34.63 | 21.89 | 3.08 | 28.26 |
| PK | 518.88M | 35.92 | 46.00 | -10.08 | -2.46 | 3 | Vertical | 0 | 1.00 | - | 38.38 | 22.64 | 3.35 | 28.45 |
| QP | 41.64M | 34.74 | 40.00 | -5.26 | -9.09 | 3 | Vertical | 191 | 1.00 | - | 43.83 | 16.80 | 1.03 | 26.92 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_Adapter



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| PK | 107.6M | 35.77 | 43.50 | -7.73 | -9.38 | 3 | Horizontal | 360 | 1.00 | - | 45.15 | 16.95 | 1.47 | 27.80 |
| PK | 181.32M | 35.36 | 43.50 | -8.14 | -11.11 | 3 | Horizontal | 360 | 1.00 | - | 46.47 | 14.45 | 1.93 | 27.49 |
| PK | 249.22M | 40.17 | 46.00 | -5.83 | -7.43 | 3 | Horizontal | 360 | 1.00 | - | 47.60 | 17.47 | 2.26 | 27.16 |
| PK | 350.1M | 42.65 | 46.00 | -3.35 | -5.20 | 3 | Horizontal | 360 | 1.00 | - | 47.85 | 19.59 | 2.71 | 27.50 |
| PK | 388.9M | 35.81 | 46.00 | -10.19 | -4.50 | 3 | Horizontal | 360 | 1.00 | - | 40.31 | 20.42 | 2.84 | 27.76 |
| PK | 547.98M | 33.48 | 46.00 | -12.52 | -1.45 | 3 | Horizontal | 360 | 1.00 | - | 34.93 | 23.77 | 3.41 | 28.63 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 5.925-6.425GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | AV | 12.34088G | 44.94 | 54.00 | -9.06 | 3 | Vertical | 170 | 1.50 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | AV | 12.34576G | 42.78 | 54.00 | -11.22 | 3 | Horizontal | 1 | 1.50 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | AV | 12.314G | 44.54 | 54.00 | -9.46 | 3 | Vertical | 116 | 2.12 | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | AV | 12.35184G | 42.72 | 54.00 | -11.28 | 3 | Vertical | 156 | 1.50 | - |
| 6.425-6.525GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.187G | 54.34 | 68.20 | -13.86 | 3 | Horizontal | 68 | 1.18 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1522G | 53.95 | 68.20 | -14.25 | 3 | Vertical | 229 | 2.17 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1496G | 53.97 | 68.20 | -14.23 | 3 | Vertical | 280 | 1.90 | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1518G | 52.00 | 68.20 | -16.20 | 3 | Vertical | 61 | 2.00 | - |
| 6.525-6.875GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | AV | 13.39054G | 44.47 | 54.00 | -9.53 | 3 | Vertical | 30 | 2.74 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | AV | 13.38536G | 44.71 | 54.00 | -9.29 | 3 | Horizontal | 274 | 1.06 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | AV | 13.39304G | 46.95 | 54.00 | -7.05 | 3 | Vertical | 331 | 2.06 | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | AV | 13.3266G | 44.31 | 54.00 | -9.69 | 3 | Horizontal | 314 | 1.96 | - |
| 6.875-7.125GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1484G | 54.58 | 68.20 | -13.62 | 3 | Vertical | 97 | 1.93 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1411G | 54.32 | 68.20 | -13.88 | 3 | Vertical | 64 | 1.83 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | AV | 12.02696G | 42.08 | 54.00 | -11.92 | 3 | Horizontal | 41 | 1.46 | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | AV | 7.1275G | 68.13 | 68.20 | -0.07 | 3 | Vertical | 244 | 1.81 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 5955MHz | Pass | AV | 5.8872G | 50.53 | 68.20 | -17.67 | 3 | Vertical | 62 | 1.50 | - |
| 5955MHz | Pass | AV | 5.9466G | 100.25 | Inf | -Inf | 3 | Vertical | 62 | 1.50 | - |
| 5955MHz | Pass | PK | 5.8707G | 62.69 | 88.20 | -25.51 | 3 | Vertical | 62 | 1.50 | - |
| 5955MHz | Pass | PK | 5.9463G | 113.13 | Inf | -Inf | 3 | Vertical | 62 | 1.50 | - |
| 5955MHz | Pass | AV | 5.886G | 50.53 | 68.20 | -17.67 | 3 | Horizontal | 342 | 2.96 | - |
| 5955MHz | Pass | AV | 5.9538G | 89.41 | Inf | -Inf | 3 | Horizontal | 342 | 2.96 | - |
| 5955MHz | Pass | PK | 5.9244G | 62.27 | 88.20 | -25.93 | 3 | Horizontal | 342 | 2.96 | - |
| 5955MHz | Pass | PK | 5.9562G | 100.04 | Inf | -Inf | 3 | Horizontal | 342 | 2.96 | - |
| 5955MHz | Pass | AV | 11.90828G | 44.26 | 54.00 | -9.74 | 3 | Vertical | 150 | 2.23 | - |
| 5955MHz | Pass | PK | 11.89956G | 56.93 | 74.00 | -17.07 | 3 | Vertical | 150 | 2.23 | - |
| 5955MHz | Pass | AV | 11.91068G | 43.82 | 54.00 | -10.18 | 3 | Horizontal | 262 | 1.50 | - |
| 5955MHz | Pass | PK | 11.9132G | 56.41 | 74.00 | -17.59 | 3 | Horizontal | 262 | 1.50 | - |
| 6175MHz | Pass | AV | 5.9086G | 50.46 | 68.20 | -17.74 | 3 | Vertical | 195 | 1.80 | - |
| 6175MHz | Pass | AV | 6.1684G | 99.91 | Inf | -Inf | 3 | Vertical | 195 | 1.80 | - |
| 6175MHz | Pass | PK | 5.9122G | 62.68 | 88.20 | -25.52 | 3 | Vertical | 195 | 1.80 | - |
| 6175MHz | Pass | PK | 6.1696G | 110.24 | Inf | -Inf | 3 | Vertical | 195 | 1.80 | - |
| 6175MHz | Pass | AV | 5.8756G | 50.43 | 68.20 | -17.77 | 3 | Horizontal | 343 | 2.77 | - |
| 6175MHz | Pass | AV | 6.1774G | 86.75 | Inf | -Inf | 3 | Horizontal | 343 | 2.77 | - |
| 6175MHz | Pass | PK | 5.9176G | 62.72 | 88.20 | -25.48 | 3 | Horizontal | 343 | 2.77 | - |
| 6175MHz | Pass | PK | 6.1762G | 98.52 | Inf | -Inf | 3 | Horizontal | 343 | 2.77 | - |
| 6175MHz | Pass | AV | 12.34088G | 44.94 | 54.00 | -9.06 | 3 | Vertical | 170 | 1.50 | - |
| 6175MHz | Pass | PK | 12.34556G | 57.71 | 74.00 | -16.29 | 3 | Vertical | 170 | 1.50 | - |
| 6175MHz | Pass | AV | 12.35616G | 44.89 | 54.00 | -9.11 | 3 | Horizontal | 28 | 2.87 | - |
| 6175MHz | Pass | PK | 12.34952G | 57.56 | 74.00 | -16.44 | 3 | Horizontal | 28 | 2.87 | - |
| 6415MHz | Pass | AV | 5.869G | 50.45 | 68.20 | -17.75 | 3 | Vertical | 172 | 2.12 | - |
| 6415MHz | Pass | AV | 6.4078G | 100.37 | Inf | -Inf | 3 | Vertical | 172 | 2.12 | - |
| 6415MHz | Pass | PK | 5.8414G | 61.90 | 88.20 | -26.30 | 3 | Vertical | 172 | 2.12 | - |
| 6415MHz | Pass | PK | 6.4078G | 110.24 | Inf | -Inf | 3 | Vertical | 172 | 2.12 | - |
| 6415MHz | Pass | AV | 5.8846G | 50.60 | 68.20 | -17.60 | 3 | Horizontal | 69 | 1.58 | - |
| 6415MHz | Pass | AV | 6.4222G | 83.12 | Inf | -Inf | 3 | Horizontal | 69 | 1.58 | - |
| 6415MHz | Pass | PK | 5.9014G | 62.53 | 88.20 | -25.67 | 3 | Horizontal | 69 | 1.58 | - |
| 6415MHz | Pass | PK | 6.421G | 94.39 | Inf | -Inf | 3 | Horizontal | 69 | 1.58 | - |
| 6415MHz | Pass | AV | 12.84676G | 46.12 | 68.20 | -22.08 | 3 | Vertical | 264 | 1.50 | - |
| 6415MHz | Pass | PK | 12.8428G | 59.08 | 88.20 | -29.12 | 3 | Vertical | 264 | 1.50 | - |
| 6415MHz | Pass | AV | 12.8496G | 46.07 | 68.20 | -22.13 | 3 | Horizontal | 76 | 2.03 | - |
| 6415MHz | Pass | PK | 12.82504G | 59.15 | 88.20 | -29.05 | 3 | Horizontal | 76 | 2.03 | - |
| 6435MHz | Pass | AV | 5.8842G | 50.56 | 68.20 | -17.64 | 3 | Vertical | 189 | 1.93 | - |
| 6435MHz | Pass | AV | 6.4266G | 100.34 | Inf | -Inf | 3 | Vertical | 189 | 1.93 | - |
| 6435MHz | Pass | PK | 5.9034G | 62.00 | 88.20 | -26.20 | 3 | Vertical | 189 | 1.93 | - |
| 6435MHz | Pass | PK | 6.429G | 110.13 | Inf | -Inf | 3 | Vertical | 189 | 1.93 | - |
| 6435MHz | Pass | AV | 5.8566G | 50.49 | 68.20 | -17.71 | 3 | Horizontal | 69 | 1.50 | - |
| 6435MHz | Pass | AV | 6.4314G | 80.87 | Inf | -Inf | 3 | Horizontal | 69 | 1.50 | - |
| 6435MHz | Pass | PK | 5.8434G | 61.76 | 88.20 | -26.44 | 3 | Horizontal | 69 | 1.50 | - |
| 6435MHz | Pass | PK | 6.4314G | 92.39 | Inf | -Inf | 3 | Horizontal | 69 | 1.50 | - |
| 6435MHz | Pass | AV | 12.86604G | 45.98 | 68.20 | -22.22 | 3 | Vertical | 246 | 2.22 | - |
| 6435MHz | Pass | PK | 12.85456G | 59.03 | 88.20 | -29.17 | 3 | Vertical | 246 | 2.22 | - |
| 6435MHz | Pass | AV | 12.85944G | 45.91 | 68.20 | -22.29 | 3 | Horizontal | 207 | 1.83 | - |
| 6435MHz | Pass | PK | 12.8864G | 58.35 | 88.20 | -29.85 | 3 | Horizontal | 207 | 1.83 | - |
| 6475MHz | Pass | AV | 5.9136G | 50.35 | 68.20 | -17.85 | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | AV | 6.4666G | 100.19 | Inf | -Inf | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | AV | 7.1554G | 54.10 | 68.20 | -14.10 | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | PK | 5.8156G | 61.81 | 88.20 | -26.39 | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | PK | 6.4666G | 110.83 | Inf | -Inf | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | PK | 7.1484G | 65.19 | 88.20 | -23.01 | 3 | Vertical | 52 | 1.85 | - |
| 6475MHz | Pass | AV | 5.8394G | 50.48 | 68.20 | -17.72 | 3 | Horizontal | 71 | 1.16 | - |
| 6475MHz | Pass | AV | 6.4666G | 81.83 | Inf | -Inf | 3 | Horizontal | 71 | 1.16 | - |
| 6475MHz | Pass | AV | 7.154G | 54.24 | 68.20 | -13.96 | 3 | Horizontal | 71 | 1.16 | - |
| 6475MHz | Pass | PK | 5.7764G | 61.93 | 88.20 | -26.27 | 3 | Horizontal | 71 | 1.16 | - |
| 6475MHz | Pass | PK | 6.4666G | 91.83 | Inf | -Inf | 3 | Horizontal | 71 | 1.16 | - |
| 6475MHz | Pass | PK | 7.1358G | 65.88 | 88.20 | -22.32 | 3 | Horizontal | 71 | 1.16 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6475MHz | Pass | AV | 12.95364G | 46.07 | 68.20 | -22.13 | 3 | Vertical | 311 | 2.24 | - |
| 6475MHz | Pass | PK | 12.933G | 58.46 | 88.20 | -29.74 | 3 | Vertical | 311 | 2.24 | - |
| 6475MHz | Pass | AV | 12.95664G | 45.93 | 68.20 | -22.27 | 3 | Horizontal | 243 | 1.73 | - |
| 6475MHz | Pass | PK | 12.9316G | 59.16 | 88.20 | -29.04 | 3 | Horizontal | 243 | 1.73 | - |
| 6515MHz | Pass | AV | 5.8612G | 50.46 | 68.20 | -17.74 | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | AV | 6.5094G | 100.13 | Inf | -Inf | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | AV | 7.1884G | 54.14 | 68.20 | -14.06 | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | PK | 5.8794G | 62.21 | 88.20 | -25.99 | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | PK | 6.5094G | 110.34 | Inf | -Inf | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | PK | 7.1464G | 65.08 | 88.20 | -23.12 | 3 | Vertical | 210 | 1.93 | - |
| 6515MHz | Pass | AV | 5.8612G | 50.52 | 68.20 | -17.68 | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | AV | 6.5192G | 83.39 | Inf | -Inf | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | AV | 7.187G | 54.34 | 68.20 | -13.86 | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | PK | 5.8556G | 61.85 | 88.20 | -26.35 | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | PK | 6.5192G | 94.23 | Inf | -Inf | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | PK | 7.1296G | 65.68 | 88.20 | -22.52 | 3 | Horizontal | 68 | 1.18 | - |
| 6515MHz | Pass | AV | 13.03152G | 46.70 | 68.20 | -21.50 | 3 | Vertical | 25 | 1.50 | - |
| 6515MHz | Pass | PK | 13.03836G | 60.45 | 88.20 | -27.75 | 3 | Vertical | 25 | 1.50 | - |
| 6515MHz | Pass | AV | 13.0124G | 46.48 | 68.20 | -21.72 | 3 | Horizontal | 305 | 2.64 | - |
| 6515MHz | Pass | PK | 13.02852G | 58.73 | 88.20 | -29.47 | 3 | Horizontal | 305 | 2.64 | - |
| 6535MHz | Pass | AV | 5.884G | 50.64 | 68.20 | -17.56 | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | AV | 6.5434G | 100.09 | Inf | -Inf | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | AV | 7.1594G | 54.26 | 68.20 | -13.94 | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | PK | 5.8616G | 62.96 | 88.20 | -25.24 | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | PK | 6.5434G | 109.64 | Inf | -Inf | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | PK | 7.1944G | 65.60 | 88.20 | -22.60 | 3 | Vertical | 36 | 1.82 | - |
| 6535MHz | Pass | AV | 5.8644G | 50.47 | 68.20 | -17.73 | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | AV | 6.5406G | 85.76 | Inf | -Inf | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | AV | 7.158G | 54.21 | 68.20 | -13.99 | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | PK | 5.8812G | 61.59 | 88.20 | -26.61 | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | PK | 6.5392G | 97.28 | Inf | -Inf | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | PK | 7.1454G | 65.76 | 88.20 | -22.44 | 3 | Horizontal | 273 | 2.74 | - |
| 6535MHz | Pass | AV | 13.05864G | 46.65 | 68.20 | -21.55 | 3 | Vertical | 86 | 2.18 | - |
| 6535MHz | Pass | PK | 13.05548G | 59.27 | 88.20 | -28.93 | 3 | Vertical | 86 | 2.18 | - |
| 6535MHz | Pass | AV | 13.06824G | 46.36 | 68.20 | -21.84 | 3 | Horizontal | 338 | 1.06 | - |
| 6535MHz | Pass | PK | 13.05344G | 58.51 | 88.20 | -29.69 | 3 | Horizontal | 338 | 1.06 | - |
| 6695MHz | Pass | AV | 6.696G | 98.91 | Inf | -Inf | 3 | Vertical | 251 | 1.93 | - |
| 6695MHz | Pass | AV | 7.134G | 51.56 | 68.20 | -16.64 | 3 | Vertical | 251 | 1.93 | - |
| 6695MHz | Pass | PK | 6.69G | 108.57 | Inf | -Inf | 3 | Vertical | 251 | 1.93 | - |
| 6695MHz | Pass | PK | 7.139G | 63.09 | 88.20 | -25.11 | 3 | Vertical | 251 | 1.93 | - |
| 6695MHz | Pass | AV | 6.697G | 81.40 | Inf | -Inf | 3 | Horizontal | 268 | 1.80 | - |
| 6695MHz | Pass | AV | 7.143G | 51.59 | 68.20 | -16.61 | 3 | Horizontal | 268 | 1.80 | - |
| 6695MHz | Pass | PK | 6.697G | 92.80 | Inf | -Inf | 3 | Horizontal | 268 | 1.80 | - |
| 6695MHz | Pass | PK | 7.145G | 62.90 | 88.20 | -25.30 | 3 | Horizontal | 268 | 1.80 | - |
| 6695MHz | Pass | AV | 13.39054G | 44.47 | 54.00 | -9.53 | 3 | Vertical | 30 | 2.74 | - |
| 6695MHz | Pass | PK | 13.38858G | 57.91 | 74.00 | -16.09 | 3 | Vertical | 30 | 2.74 | - |
| 6695MHz | Pass | AV | 13.38486G | 42.63 | 54.00 | -11.37 | 3 | Horizontal | 290 | 2.82 | - |
| 6695MHz | Pass | PK | 13.39928G | 55.60 | 74.00 | -18.40 | 3 | Horizontal | 290 | 2.82 | - |
| 6855MHz | Pass | AV | 6.8634G | 98.05 | Inf | -Inf | 3 | Vertical | 39 | 1.72 | - |
| 6855MHz | Pass | AV | 7.1742G | 52.48 | 68.20 | -15.72 | 3 | Vertical | 39 | 1.72 | - |
| 6855MHz | Pass | PK | 6.862G | 108.10 | Inf | -Inf | 3 | Vertical | 39 | 1.72 | - |
| 6855MHz | Pass | PK | 7.1833G | 64.00 | 88.20 | -24.20 | 3 | Vertical | 39 | 1.72 | - |
| 6855MHz | Pass | AV | 6.8543G | 80.75 | Inf | -Inf | 3 | Horizontal | 228 | 2.06 | - |
| 6855MHz | Pass | AV | 7.1637G | 52.40 | 68.20 | -15.80 | 3 | Horizontal | 228 | 2.06 | - |
| 6855MHz | Pass | PK | 6.8557G | 91.25 | Inf | -Inf | 3 | Horizontal | 228 | 2.06 | - |
| 6855MHz | Pass | PK | 7.1987G | 63.75 | 88.20 | -24.45 | 3 | Horizontal | 228 | 2.06 | - |
| 6855MHz | Pass | AV | 13.72072G | 49.47 | 68.20 | -18.73 | 3 | Vertical | 53 | 1.73 | - |
| 6855MHz | Pass | PK | 13.69996G | 62.42 | 88.20 | -25.78 | 3 | Vertical | 53 | 1.73 | - |
| 6855MHz | Pass | AV | 13.71532G | 49.35 | 68.20 | -18.85 | 3 | Horizontal | 63 | 1.38 | - |
| 6855MHz | Pass | PK | 13.72192G | 61.67 | 88.20 | -26.53 | 3 | Horizontal | 63 | 1.38 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8694G | 97.68 | Inf | -Inf | 3 | Vertical | 41 | 1.99 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 7.2068G | 52.31 | 68.20 | -15.89 | 3 | Vertical | 41 | 1.99 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 6.868G | 107.27 | Inf | -Inf | 3 | Vertical | 41 | 1.99 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1529G | 63.96 | 88.20 | -24.24 | 3 | Vertical | 41 | 1.99 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8841G | 81.63 | Inf | -Inf | 3 | Horizontal | 234 | 2.06 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1473G | 52.30 | 68.20 | -15.90 | 3 | Horizontal | 234 | 2.06 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8834G | 90.59 | Inf | -Inf | 3 | Horizontal | 234 | 2.06 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 7.2131G | 64.29 | 88.20 | -23.91 | 3 | Horizontal | 234 | 2.06 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 13.73612G | 49.45 | 68.20 | -18.75 | 3 | Vertical | 80 | 2.14 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 13.74948G | 62.01 | 88.20 | -26.19 | 3 | Vertical | 80 | 2.14 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | AV | 13.76128G | 49.54 | 68.20 | -18.66 | 3 | Horizontal | 182 | 1.03 | - |
| 6875MHz Straddle 6.525-6.875GHz | Pass | PK | 13.74352G | 61.92 | 88.20 | -26.28 | 3 | Horizontal | 182 | 1.03 | - |
| 6895MHz | Pass | AV | 6.9034G | 99.40 | Inf | -Inf | 3 | Vertical | 115 | 2.04 | - |
| 6895MHz | Pass | AV | 7.147G | 54.52 | 68.20 | -13.68 | 3 | Vertical | 115 | 2.04 | - |
| 6895MHz | Pass | PK | 6.9034G | 109.74 | Inf | -Inf | 3 | Vertical | 115 | 2.04 | - |
| 6895MHz | Pass | PK | 7.1624G | 65.86 | 88.20 | -22.34 | 3 | Vertical | 115 | 2.04 | - |
| 6895MHz | Pass | AV | 6.9041G | 99.46 | Inf | -Inf | 3 | Horizontal | 115 | 2.04 | - |
| 6895MHz | Pass | AV | 7.14G | 54.48 | 68.20 | -13.72 | 3 | Horizontal | 115 | 2.04 | - |
| 6895MHz | Pass | PK | 6.9041G | 109.55 | Inf | -Inf | 3 | Horizontal | 115 | 2.04 | - |
| 6895MHz | Pass | PK | 7.2191G | 66.36 | 88.20 | -21.84 | 3 | Horizontal | 115 | 2.04 | - |
| 6895MHz | Pass | AV | 13.80268G | 51.73 | 68.20 | -16.47 | 3 | Vertical | 135 | 2.31 | - |
| 6895MHz | Pass | PK | 13.77704G | 65.19 | 88.20 | -23.01 | 3 | Vertical | 135 | 2.31 | - |
| 6895MHz | Pass | AV | 13.80888G | 51.73 | 68.20 | -16.47 | 3 | Horizontal | 278 | 1.13 | - |
| 6895MHz | Pass | PK | 13.7874G | 64.22 | 88.20 | -23.98 | 3 | Horizontal | 278 | 1.13 | - |
| 6995MHz | Pass | AV | 7.0035G | 100.22 | Inf | -Inf | 3 | Vertical | 243 | 1.92 | - |
| 6995MHz | Pass | AV | 7.151G | 54.39 | 68.20 | -13.81 | 3 | Vertical | 243 | 1.92 | - |
| 6995MHz | Pass | PK | 7.004G | 110.78 | Inf | -Inf | 3 | Vertical | 243 | 1.92 | - |
| 6995MHz | Pass | PK | 7.196G | 66.12 | 88.20 | -22.08 | 3 | Vertical | 243 | 1.92 | - |
| 6995MHz | Pass | AV | 6.987G | 86.69 | Inf | -Inf | 3 | Horizontal | 211 | 1.89 | - |
| 6995MHz | Pass | AV | 7.2165G | 54.51 | 68.20 | -13.69 | 3 | Horizontal | 211 | 1.89 | - |
| 6995MHz | Pass | PK | 6.986G | 97.05 | Inf | -Inf | 3 | Horizontal | 211 | 1.89 | - |
| 6995MHz | Pass | PK | 7.1375G | 65.81 | 88.20 | -22.39 | 3 | Horizontal | 211 | 1.89 | - |
| 6995MHz | Pass | AV | 13.97436G | 52.20 | 68.20 | -16.00 | 3 | Vertical | 241 | 1.50 | - |
| 6995MHz | Pass | PK | 13.97888G | 64.97 | 88.20 | -23.23 | 3 | Vertical | 241 | 1.50 | - |
| 6995MHz | Pass | AV | 13.97148G | 52.11 | 68.20 | -16.09 | 3 | Horizontal | 179 | 1.27 | - |
| 6995MHz | Pass | PK | 13.9826G | 65.09 | 88.20 | -23.11 | 3 | Horizontal | 179 | 1.27 | - |
| 7095MHz | Pass | AV | 7.0884G | 100.07 | Inf | -Inf | 3 | Vertical | 97 | 1.93 | - |
| 7095MHz | Pass | AV | 7.1484G | 54.58 | 68.20 | -13.62 | 3 | Vertical | 97 | 1.93 | - |
| 7095MHz | Pass | PK | 7.0869G | 111.42 | Inf | -Inf | 3 | Vertical | 97 | 1.93 | - |
| 7095MHz | Pass | PK | 7.1496G | 66.50 | 88.20 | -21.70 | 3 | Vertical | 97 | 1.93 | - |
| 7095MHz | Pass | AV | 7.1013G | 83.36 | Inf | -Inf | 3 | Horizontal | 150 | 1.50 | - |
| 7095MHz | Pass | AV | 7.1562G | 54.58 | 68.20 | -13.62 | 3 | Horizontal | 150 | 1.50 | - |
| 7095MHz | Pass | PK | 7.0995G | 95.01 | Inf | -Inf | 3 | Horizontal | 150 | 1.50 | - |
| 7095MHz | Pass | PK | 7.1541G | 66.97 | 88.20 | -21.23 | 3 | Horizontal | 150 | 1.50 | - |
| 7095MHz | Pass | AV | 14.17764G | 51.41 | 68.20 | -16.79 | 3 | Vertical | 85 | 1.61 | - |
| 7095MHz | Pass | PK | 14.179G | 64.25 | 88.20 | -23.95 | 3 | Vertical | 85 | 1.61 | - |
| 7095MHz | Pass | AV | 14.17688G | 51.61 | 68.20 | -16.59 | 3 | Horizontal | 121 | 1.24 | - |
| 7095MHz | Pass | PK | 14.1832G | 63.88 | 88.20 | -24.32 | 3 | Horizontal | 121 | 1.24 | - |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 5965MHz | Pass | AV | 5.9239G | 50.58 | 68.20 | -17.62 | 3 | Vertical | 196 | 1.50 | - |
| 5965MHz | Pass | AV | 5.9479G | 99.79 | Inf | -Inf | 3 | Vertical | 196 | 1.50 | - |
| 5965MHz | Pass | PK | 5.8594G | 62.85 | 88.20 | -25.35 | 3 | Vertical | 196 | 1.50 | - |
| 5965MHz | Pass | PK | 5.9473G | 111.21 | Inf | -Inf | 3 | Vertical | 196 | 1.50 | - |
| 5965MHz | Pass | AV | 5.8873G | 50.26 | 68.20 | -17.94 | 3 | Horizontal | 342 | 2.84 | - |
| 5965MHz | Pass | AV | 5.9737G | 86.73 | Inf | -Inf | 3 | Horizontal | 342 | 2.84 | - |
| 5965MHz | Pass | PK | 5.8852G | 62.16 | 88.20 | -26.04 | 3 | Horizontal | 342 | 2.84 | - |
| 5965MHz | Pass | PK | 5.9776G | 98.80 | Inf | -Inf | 3 | Horizontal | 342 | 2.84 | - |
| 5965MHz | Pass | AV | 11.95568G | 41.66 | 54.00 | -12.34 | 3 | Vertical | 88 | 1.50 | - |
| 5965MHz | Pass | PK | 11.94536G | 55.33 | 74.00 | -18.67 | 3 | Vertical | 88 | 1.50 | - |
| 5965MHz | Pass | AV | 11.90504G | 41.76 | 54.00 | -12.24 | 3 | Horizontal | 350 | 2.58 | - |
| 5965MHz | Pass | PK | 11.89952G | 54.41 | 74.00 | -19.59 | 3 | Horizontal | 350 | 2.58 | - |
| 6165MHz | Pass | AV | 5.9106G | 50.29 | 68.20 | -17.91 | 3 | Vertical | 55 | 1.98 | - |
| 6165MHz | Pass | AV | 6.1584G | 99.77 | Inf | -Inf | 3 | Vertical | 55 | 1.98 | - |
| 6165MHz | Pass | PK | 5.9184G | 62.25 | 88.20 | -25.95 | 3 | Vertical | 55 | 1.98 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6165MHz | Pass | PK | 6.1488G | 111.17 | Inf | -Inf | 3 | Vertical | 55 | 1.98 | - |
| 6165MHz | Pass | AV | 5.865G | 50.30 | 68.20 | -17.90 | 3 | Horizontal | 73 | 2.15 | - |
| 6165MHz | Pass | AV | 6.1614G | 83.85 | Inf | -Inf | 3 | Horizontal | 73 | 2.15 | - |
| 6165MHz | Pass | PK | 5.9076G | 61.82 | 88.20 | -26.38 | 3 | Horizontal | 73 | 2.15 | - |
| 6165MHz | Pass | PK | 6.162G | 94.32 | Inf | -Inf | 3 | Horizontal | 73 | 2.15 | - |
| 6165MHz | Pass | AV | 12.33744G | 42.71 | 54.00 | -11.29 | 3 | Vertical | 336 | 1.50 | - |
| 6165MHz | Pass | PK | 12.32568G | 56.24 | 74.00 | -17.76 | 3 | Vertical | 336 | 1.50 | - |
| 6165MHz | Pass | AV | 12.34576G | 42.78 | 54.00 | -11.22 | 3 | Horizontal | 1 | 1.50 | - |
| 6165MHz | Pass | PK | 12.32784G | 55.55 | 74.00 | -18.45 | 3 | Horizontal | 1 | 1.50 | - |
| 6405MHz | Pass | AV | 5.9226G | 50.27 | 68.20 | -17.93 | 3 | Vertical | 53 | 1.86 | - |
| 6405MHz | Pass | AV | 6.3978G | 100.17 | Inf | -Inf | 3 | Vertical | 53 | 1.86 | - |
| 6405MHz | Pass | PK | 5.8386G | 62.21 | 88.20 | -25.99 | 3 | Vertical | 53 | 1.86 | - |
| 6405MHz | Pass | PK | 6.3966G | 111.82 | Inf | -Inf | 3 | Vertical | 53 | 1.86 | - |
| 6405MHz | Pass | AV | 5.859G | 50.20 | 68.20 | -18.00 | 3 | Horizontal | 341 | 2.53 | - |
| 6405MHz | Pass | AV | 6.3954G | 85.21 | Inf | -Inf | 3 | Horizontal | 341 | 2.53 | - |
| 6405MHz | Pass | PK | 5.8362G | 61.70 | 88.20 | -26.50 | 3 | Horizontal | 341 | 2.53 | - |
| 6405MHz | Pass | PK | 6.3942G | 95.32 | Inf | -Inf | 3 | Horizontal | 341 | 2.53 | - |
| 6405MHz | Pass | AV | 12.8208G | 45.84 | 68.20 | -22.36 | 3 | Vertical | 146 | 2.14 | - |
| 6405MHz | Pass | PK | 12.84992G | 58.95 | 88.20 | -29.25 | 3 | Vertical | 146 | 2.14 | - |
| 6405MHz | Pass | AV | 12.83232G | 45.85 | 68.20 | -22.35 | 3 | Horizontal | 2 | 1.94 | - |
| 6405MHz | Pass | PK | 12.812G | 58.55 | 88.20 | -29.65 | 3 | Horizontal | 2 | 1.94 | - |
| 6445MHz | Pass | AV | 5.9194G | 50.23 | 68.20 | -17.97 | 3 | Vertical | 53 | 1.87 | - |
| 6445MHz | Pass | AV | 6.4582G | 99.98 | Inf | -Inf | 3 | Vertical | 53 | 1.87 | - |
| 6445MHz | Pass | PK | 5.8702G | 61.49 | 88.20 | -26.71 | 3 | Vertical | 53 | 1.87 | - |
| 6445MHz | Pass | PK | 6.4606G | 111.67 | Inf | -Inf | 3 | Vertical | 53 | 1.87 | - |
| 6445MHz | Pass | AV | 5.8654G | 50.25 | 68.20 | -17.95 | 3 | Horizontal | 69 | 1.66 | - |
| 6445MHz | Pass | AV | 6.439G | 80.73 | Inf | -Inf | 3 | Horizontal | 69 | 1.66 | - |
| 6445MHz | Pass | PK | 5.8666G | 61.93 | 88.20 | -26.27 | 3 | Horizontal | 69 | 1.66 | - |
| 6445MHz | Pass | PK | 6.4594G | 91.41 | Inf | -Inf | 3 | Horizontal | 69 | 1.66 | - |
| 6445MHz | Pass | AV | 12.8552G | 43.76 | 68.20 | -24.44 | 3 | Vertical | 166 | 2.27 | - |
| 6445MHz | Pass | PK | 12.8532G | 56.84 | 88.20 | -31.36 | 3 | Vertical | 166 | 2.27 | - |
| 6445MHz | Pass | AV | 12.8516G | 43.72 | 68.20 | -24.48 | 3 | Horizontal | 287 | 1.44 | - |
| 6445MHz | Pass | PK | 12.92928G | 55.92 | 88.20 | -32.28 | 3 | Horizontal | 287 | 1.44 | - |
| 6485MHz | Pass | AV | 5.9236G | 50.32 | 68.20 | -17.88 | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | AV | 6.499G | 100.39 | Inf | -Inf | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | AV | 7.1556G | 53.91 | 68.20 | -14.29 | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | PK | 5.8816G | 61.49 | 88.20 | -26.71 | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | PK | 6.492G | 110.03 | Inf | -Inf | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | PK | 7.1402G | 65.51 | 88.20 | -22.69 | 3 | Vertical | 268 | 1.96 | - |
| 6485MHz | Pass | AV | 5.8494G | 50.25 | 68.20 | -17.95 | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | AV | 6.4934G | 86.64 | Inf | -Inf | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | AV | 7.171G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | PK | 5.8732G | 62.26 | 88.20 | -25.94 | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | PK | 6.499G | 97.35 | Inf | -Inf | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | PK | 7.1584G | 65.35 | 88.20 | -22.85 | 3 | Horizontal | 212 | 2.50 | - |
| 6485MHz | Pass | AV | 12.9924G | 44.53 | 68.20 | -23.67 | 3 | Vertical | 24 | 2.36 | - |
| 6485MHz | Pass | PK | 12.97248G | 58.03 | 88.20 | -30.17 | 3 | Vertical | 24 | 2.36 | - |
| 6485MHz | Pass | AV | 12.9968G | 44.27 | 68.20 | -23.93 | 3 | Horizontal | 236 | 2.31 | - |
| 6485MHz | Pass | PK | 12.96488G | 56.97 | 88.20 | -31.23 | 3 | Horizontal | 236 | 2.31 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 5.8558G | 50.24 | 68.20 | -17.96 | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 6.5166G | 100.08 | Inf | -Inf | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 7.1522G | 53.95 | 68.20 | -14.25 | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 5.825G | 62.10 | 88.20 | -26.10 | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 6.5194G | 111.24 | Inf | -Inf | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 7.1522G | 66.29 | 88.20 | -21.91 | 3 | Vertical | 229 | 2.17 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 5.853G | 50.20 | 68.20 | -18.00 | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 6.5432G | 83.41 | Inf | -Inf | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 7.148G | 53.90 | 68.20 | -14.30 | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 5.8642G | 62.29 | 88.20 | -25.91 | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 6.5418G | 93.33 | Inf | -Inf | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 7.1354G | 65.14 | 88.20 | -23.06 | 3 | Horizontal | 259 | 1.28 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 13.01704G | 45.92 | 68.20 | -22.28 | 3 | Vertical | 151 | 2.36 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 13.02664G | 58.36 | 88.20 | -29.84 | 3 | Vertical | 151 | 2.36 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | AV | 13.012G | 46.39 | 68.20 | -21.81 | 3 | Horizontal | 77 | 1.68 | - |
| 6525MHz Straddle 6.425-6.525GHz | Pass | PK | 13.04856G | 59.09 | 88.20 | -29.11 | 3 | Horizontal | 77 | 1.68 | - |
| 6565MHz | Pass | AV | 6.5578G | 99.83 | Inf | -Inf | 3 | Vertical | 55 | 1.99 | - |
| 6565MHz | Pass | AV | 7.1542G | 53.94 | 68.20 | -14.26 | 3 | Vertical | 55 | 1.99 | - |
| 6565MHz | Pass | PK | 6.5578G | 110.28 | Inf | -Inf | 3 | Vertical | 55 | 1.99 | - |
| 6565MHz | Pass | PK | 7.1614G | 64.90 | 88.20 | -23.30 | 3 | Vertical | 55 | 1.99 | - |
| 6565MHz | Pass | AV | 6.5698G | 81.45 | Inf | -Inf | 3 | Horizontal | 111 | 2.98 | - |
| 6565MHz | Pass | AV | 7.1506G | 53.90 | 68.20 | -14.30 | 3 | Horizontal | 111 | 2.98 | - |
| 6565MHz | Pass | PK | 6.5506G | 92.57 | Inf | -Inf | 3 | Horizontal | 111 | 2.98 | - |
| 6565MHz | Pass | PK | 7.159G | 64.76 | 88.20 | -23.44 | 3 | Horizontal | 111 | 2.98 | - |
| 6565MHz | Pass | AV | 13.11432G | 44.26 | 68.20 | -23.94 | 3 | Vertical | 214 | 2.87 | - |
| 6565MHz | Pass | PK | 13.09488G | 57.15 | 88.20 | -31.05 | 3 | Vertical | 214 | 2.87 | - |
| 6565MHz | Pass | AV | 13.09104G | 44.25 | 68.20 | -23.95 | 3 | Horizontal | 126 | 1.05 | - |
| 6565MHz | Pass | PK | 13.12496G | 57.12 | 88.20 | -31.08 | 3 | Horizontal | 126 | 1.05 | - |
| 6685MHz | Pass | AV | 6.667G | 99.22 | Inf | -Inf | 3 | Vertical | 51 | 1.76 | - |
| 6685MHz | Pass | AV | 7.157G | 53.94 | 68.20 | -14.26 | 3 | Vertical | 51 | 1.76 | - |
| 6685MHz | Pass | PK | 6.67G | 109.52 | Inf | -Inf | 3 | Vertical | 51 | 1.76 | - |
| 6685MHz | Pass | PK | 7.155G | 66.04 | 88.20 | -22.16 | 3 | Vertical | 51 | 1.76 | - |
| 6685MHz | Pass | AV | 6.678G | 80.77 | Inf | -Inf | 3 | Horizontal | 58 | 1.50 | - |
| 6685MHz | Pass | AV | 7.153G | 53.95 | 68.20 | -14.25 | 3 | Horizontal | 58 | 1.50 | - |
| 6685MHz | Pass | PK | 6.676G | 91.72 | Inf | -Inf | 3 | Horizontal | 58 | 1.50 | - |
| 6685MHz | Pass | PK | 7.132G | 64.86 | 88.20 | -23.34 | 3 | Horizontal | 58 | 1.50 | - |
| 6685MHz | Pass | AV | 13.386G | 44.62 | 54.00 | -9.38 | 3 | Vertical | 195 | 2.74 | - |
| 6685MHz | Pass | PK | 13.40368G | 57.19 | 88.20 | -31.01 | 3 | Vertical | 195 | 2.74 | - |
| 6685MHz | Pass | AV | 13.38536G | 44.71 | 54.00 | -9.29 | 3 | Horizontal | 274 | 1.06 | - |
| 6685MHz | Pass | PK | 13.35208G | 57.55 | 74.00 | -16.45 | 3 | Horizontal | 274 | 1.06 | - |
| 6845MHz | Pass | AV | 6.8597G | 99.90 | Inf | -Inf | 3 | Vertical | 36 | 1.72 | - |
| 6845MHz | Pass | AV | 7.1579G | 53.96 | 68.20 | -14.24 | 3 | Vertical | 36 | 1.72 | - |
| 6845MHz | Pass | PK | 6.8576G | 111.84 | Inf | -Inf | 3 | Vertical | 36 | 1.72 | - |
| 6845MHz | Pass | PK | 7.1866G | 66.09 | 88.20 | -22.11 | 3 | Vertical | 36 | 1.72 | - |
| 6845MHz | Pass | AV | 6.8534G | 82.16 | Inf | -Inf | 3 | Horizontal | 232 | 2.07 | - |
| 6845MHz | Pass | AV | 7.1796G | 54.00 | 68.20 | -14.20 | 3 | Horizontal | 232 | 2.07 | - |
| 6845MHz | Pass | PK | 6.8387G | 93.35 | Inf | -Inf | 3 | Horizontal | 232 | 2.07 | - |
| 6845MHz | Pass | PK | 7.1656G | 66.07 | 88.20 | -22.13 | 3 | Horizontal | 232 | 2.07 | - |
| 6845MHz | Pass | AV | 13.68696G | 48.80 | 68.20 | -19.40 | 3 | Vertical | 112 | 2.68 | - |
| 6845MHz | Pass | PK | 13.70696G | 60.86 | 88.20 | -27.34 | 3 | Vertical | 112 | 2.68 | - |
| 6845MHz | Pass | AV | 13.71384G | 48.85 | 68.20 | -19.35 | 3 | Horizontal | 179 | 1.56 | - |
| 6845MHz | Pass | PK | 13.69488G | 62.25 | 88.20 | -25.95 | 3 | Horizontal | 179 | 1.56 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8892G | 99.72 | Inf | -Inf | 3 | Vertical | 220 | 1.91 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1517G | 54.05 | 68.20 | -14.15 | 3 | Vertical | 220 | 1.91 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8892G | 110.06 | Inf | -Inf | 3 | Vertical | 220 | 1.91 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1965G | 66.66 | 88.20 | -21.54 | 3 | Vertical | 220 | 1.91 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8808G | 81.17 | Inf | -Inf | 3 | Horizontal | 110 | 2.04 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 7.2049G | 53.97 | 68.20 | -14.23 | 3 | Horizontal | 110 | 2.04 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8815G | 92.59 | Inf | -Inf | 3 | Horizontal | 110 | 2.04 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1629G | 65.75 | 88.20 | -22.45 | 3 | Horizontal | 110 | 2.04 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 13.80712G | 49.30 | 68.20 | -18.90 | 3 | Vertical | 157 | 2.65 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 13.74304G | 62.38 | 88.20 | -25.82 | 3 | Vertical | 157 | 2.65 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | AV | 13.80512G | 49.27 | 68.20 | -18.93 | 3 | Horizontal | 1 | 1.36 | - |
| 6885MHz Straddle 6.525-6.875GHz | Pass | PK | 13.78896G | 62.24 | 88.20 | -25.96 | 3 | Horizontal | 1 | 1.36 | - |
| 6925MHz | Pass | AV | 6.907G | 99.72 | Inf | -Inf | 3 | Vertical | 242 | 1.88 | - |
| 6925MHz | Pass | AV | 7.1542G | 54.02 | 68.20 | -14.18 | 3 | Vertical | 242 | 1.88 | - |
| 6925MHz | Pass | PK | 6.907G | 110.47 | Inf | -Inf | 3 | Vertical | 242 | 1.88 | - |
| 6925MHz | Pass | PK | 7.1962G | 65.92 | 88.20 | -22.28 | 3 | Vertical | 242 | 1.88 | - |
| 6925MHz | Pass | AV | 6.9382G | 82.72 | Inf | -Inf | 3 | Horizontal | 231 | 2.02 | - |
| 6925MHz | Pass | AV | 7.1836G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 231 | 2.02 | - |
| 6925MHz | Pass | PK | 6.9376G | 94.72 | Inf | -Inf | 3 | Horizontal | 231 | 2.02 | - |
| 6925MHz | Pass | PK | 7.204G | 65.69 | 88.20 | -22.51 | 3 | Horizontal | 231 | 2.02 | - |
| 6925MHz | Pass | AV | 13.8488G | 49.93 | 68.20 | -18.27 | 3 | Vertical | 282 | 1.74 | - |
| 6925MHz | Pass | PK | 13.84384G | 63.58 | 88.20 | -24.62 | 3 | Vertical | 282 | 1.74 | - |
| 6925MHz | Pass | AV | 13.85296G | 49.97 | 68.20 | -18.23 | 3 | Horizontal | 14 | 1.30 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|-----------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6925MHz | Pass | PK | 13.82752G | 62.53 | 88.20 | -25.67 | 3 | Horizontal | 14 | 1.30 | - |
| 7005MHz | Pass | AV | 7.0131G | 99.87 | Inf | -Inf | 3 | Vertical | 38 | 1.78 | - |
| 7005MHz | Pass | AV | 7.1511G | 54.18 | 68.20 | -14.02 | 3 | Vertical | 38 | 1.78 | - |
| 7005MHz | Pass | PK | 7.014G | 111.82 | Inf | -Inf | 3 | Vertical | 38 | 1.78 | - |
| 7005MHz | Pass | PK | 7.1361G | 65.88 | 88.20 | -22.32 | 3 | Vertical | 38 | 1.78 | - |
| 7005MHz | Pass | AV | 6.9903G | 86.36 | Inf | -Inf | 3 | Horizontal | 220 | 1.84 | - |
| 7005MHz | Pass | AV | 7.1502G | 54.02 | 68.20 | -14.18 | 3 | Horizontal | 220 | 1.84 | - |
| 7005MHz | Pass | PK | 6.9891G | 99.14 | Inf | -Inf | 3 | Horizontal | 220 | 1.84 | - |
| 7005MHz | Pass | PK | 7.1379G | 67.61 | 88.20 | -20.59 | 3 | Horizontal | 220 | 1.84 | - |
| 7005MHz | Pass | AV | 14.00272G | 51.01 | 68.20 | -17.19 | 3 | Vertical | 197 | 2.75 | - |
| 7005MHz | Pass | PK | 13.97168G | 64.25 | 88.20 | -23.95 | 3 | Vertical | 197 | 2.75 | - |
| 7005MHz | Pass | AV | 13.97792G | 49.98 | 68.20 | -18.22 | 3 | Horizontal | 58 | 1.92 | - |
| 7005MHz | Pass | PK | 13.99728G | 63.17 | 88.20 | -25.03 | 3 | Horizontal | 58 | 1.92 | - |
| 7085MHz | Pass | AV | 7.1027G | 99.61 | Inf | -Inf | 3 | Vertical | 64 | 1.83 | - |
| 7085MHz | Pass | AV | 7.1411G | 54.32 | 68.20 | -13.88 | 3 | Vertical | 64 | 1.83 | - |
| 7085MHz | Pass | PK | 7.1018G | 111.74 | Inf | -Inf | 3 | Vertical | 64 | 1.83 | - |
| 7085MHz | Pass | PK | 7.1753G | 67.24 | 88.20 | -20.96 | 3 | Vertical | 64 | 1.83 | - |
| 7085MHz | Pass | AV | 7.1033G | 86.47 | Inf | -Inf | 3 | Horizontal | 79 | 2.06 | - |
| 7085MHz | Pass | AV | 7.1519G | 54.02 | 68.20 | -14.18 | 3 | Horizontal | 79 | 2.06 | - |
| 7085MHz | Pass | PK | 7.1033G | 97.43 | Inf | -Inf | 3 | Horizontal | 79 | 2.06 | - |
| 7085MHz | Pass | PK | 7.1366G | 66.13 | 88.20 | -22.07 | 3 | Horizontal | 79 | 2.06 | - |
| 7085MHz | Pass | AV | 14.132G | 51.62 | 68.20 | -16.58 | 3 | Vertical | 58 | 2.20 | - |
| 7085MHz | Pass | PK | 14.14376G | 63.94 | 88.20 | -24.26 | 3 | Vertical | 58 | 2.20 | - |
| 7085MHz | Pass | AV | 14.13184G | 51.63 | 68.20 | -16.57 | 3 | Horizontal | 129 | 2.09 | - |
| 7085MHz | Pass | PK | 14.16216G | 64.85 | 88.20 | -23.35 | 3 | Horizontal | 129 | 2.09 | - |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 5985MHz | Pass | AV | 5.924G | 53.94 | 68.20 | -14.26 | 3 | Vertical | 308 | 1.88 | - |
| 5985MHz | Pass | AV | 5.9745G | 100.38 | Inf | -Inf | 3 | Vertical | 308 | 1.88 | - |
| 5985MHz | Pass | PK | 5.921G | 69.28 | 88.20 | -18.92 | 3 | Vertical | 308 | 1.88 | - |
| 5985MHz | Pass | PK | 5.9945G | 113.53 | Inf | -Inf | 3 | Vertical | 308 | 1.88 | - |
| 5985MHz | Pass | AV | 5.9235G | 50.86 | 68.20 | -17.34 | 3 | Horizontal | 334 | 2.82 | - |
| 5985MHz | Pass | AV | 5.9665G | 89.70 | Inf | -Inf | 3 | Horizontal | 334 | 2.82 | - |
| 5985MHz | Pass | PK | 5.906G | 62.88 | 88.20 | -25.32 | 3 | Horizontal | 334 | 2.82 | - |
| 5985MHz | Pass | PK | 5.9685G | 100.14 | Inf | -Inf | 3 | Horizontal | 334 | 2.82 | - |
| 5985MHz | Pass | AV | 11.97688G | 43.96 | 54.00 | -10.04 | 3 | Vertical | 253 | 1.19 | - |
| 5985MHz | Pass | PK | 11.9748G | 57.21 | 74.00 | -16.79 | 3 | Vertical | 253 | 1.19 | - |
| 5985MHz | Pass | AV | 12.00264G | 43.76 | 54.00 | -10.24 | 3 | Horizontal | 149 | 1.50 | - |
| 5985MHz | Pass | PK | 11.97216G | 56.90 | 74.00 | -17.10 | 3 | Horizontal | 149 | 1.50 | - |
| 6145MHz | Pass | AV | 5.9236G | 50.41 | 68.20 | -17.79 | 3 | Vertical | 193 | 1.50 | - |
| 6145MHz | Pass | AV | 6.1696G | 99.93 | Inf | -Inf | 3 | Vertical | 193 | 1.50 | - |
| 6145MHz | Pass | PK | 5.8588G | 62.34 | 88.20 | -25.86 | 3 | Vertical | 193 | 1.50 | - |
| 6145MHz | Pass | PK | 6.1732G | 111.67 | Inf | -Inf | 3 | Vertical | 193 | 1.50 | - |
| 6145MHz | Pass | AV | 5.8456G | 50.26 | 68.20 | -17.94 | 3 | Horizontal | 310 | 1.50 | - |
| 6145MHz | Pass | AV | 6.1618G | 85.08 | Inf | -Inf | 3 | Horizontal | 310 | 1.50 | - |
| 6145MHz | Pass | PK | 5.9104G | 61.82 | 88.20 | -26.38 | 3 | Horizontal | 310 | 1.50 | - |
| 6145MHz | Pass | PK | 6.163G | 97.79 | Inf | -Inf | 3 | Horizontal | 310 | 1.50 | - |
| 6145MHz | Pass | AV | 12.314G | 44.54 | 54.00 | -9.46 | 3 | Vertical | 116 | 2.12 | - |
| 6145MHz | Pass | PK | 12.27784G | 57.33 | 74.00 | -16.67 | 3 | Vertical | 116 | 2.12 | - |
| 6145MHz | Pass | AV | 12.3284G | 44.49 | 54.00 | -9.51 | 3 | Horizontal | 45 | 1.89 | - |
| 6145MHz | Pass | PK | 12.32472G | 57.40 | 74.00 | -16.60 | 3 | Horizontal | 45 | 1.89 | - |
| 6385MHz | Pass | AV | 5.9206G | 50.22 | 68.20 | -17.98 | 3 | Vertical | 210 | 1.77 | - |
| 6385MHz | Pass | AV | 6.379G | 100.24 | Inf | -Inf | 3 | Vertical | 210 | 1.77 | - |
| 6385MHz | Pass | PK | 5.8942G | 63.58 | 88.20 | -24.62 | 3 | Vertical | 210 | 1.77 | - |
| 6385MHz | Pass | PK | 6.3778G | 112.03 | Inf | -Inf | 3 | Vertical | 210 | 1.77 | - |
| 6385MHz | Pass | AV | 5.9086G | 50.23 | 68.20 | -17.97 | 3 | Horizontal | 75 | 1.17 | - |
| 6385MHz | Pass | AV | 6.3478G | 86.24 | Inf | -Inf | 3 | Horizontal | 75 | 1.17 | - |
| 6385MHz | Pass | PK | 5.8378G | 62.70 | 88.20 | -25.50 | 3 | Horizontal | 75 | 1.17 | - |
| 6385MHz | Pass | PK | 6.3778G | 98.12 | Inf | -Inf | 3 | Horizontal | 75 | 1.17 | - |
| 6385MHz | Pass | AV | 12.80968G | 45.58 | 68.20 | -22.62 | 3 | Vertical | 221 | 2.53 | - |
| 6385MHz | Pass | PK | 12.80136G | 58.08 | 88.20 | -30.12 | 3 | Vertical | 221 | 2.53 | - |
| 6385MHz | Pass | AV | 12.80112G | 45.66 | 68.20 | -22.54 | 3 | Horizontal | 302 | 1.80 | - |
| 6385MHz | Pass | PK | 12.78248G | 58.05 | 88.20 | -30.15 | 3 | Horizontal | 302 | 1.80 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6465MHz | Pass | AV | 5.8714G | 50.24 | 68.20 | -17.96 | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | AV | 6.5G | 100.60 | Inf | -Inf | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | AV | 7.1496G | 53.97 | 68.20 | -14.23 | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | PK | 5.8854G | 61.63 | 88.20 | -26.57 | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | PK | 6.43G | 114.61 | Inf | -Inf | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | PK | 7.158G | 64.50 | 88.20 | -23.70 | 3 | Vertical | 280 | 1.90 | - |
| 6465MHz | Pass | AV | 5.8434G | 50.18 | 68.20 | -18.02 | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | AV | 6.4636G | 85.51 | Inf | -Inf | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | AV | 7.1552G | 53.92 | 68.20 | -14.28 | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | PK | 5.8938G | 61.94 | 88.20 | -26.26 | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | PK | 6.43G | 97.16 | Inf | -Inf | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | PK | 7.1608G | 65.14 | 88.20 | -23.06 | 3 | Horizontal | 72 | 1.36 | - |
| 6465MHz | Pass | AV | 12.93072G | 45.84 | 68.20 | -22.36 | 3 | Vertical | 220 | 1.93 | - |
| 6465MHz | Pass | PK | 12.94216G | 58.18 | 88.20 | -30.02 | 3 | Vertical | 220 | 1.93 | - |
| 6465MHz | Pass | AV | 12.95896G | 45.92 | 68.20 | -22.28 | 3 | Horizontal | 306 | 2.13 | - |
| 6465MHz | Pass | PK | 12.95568G | 58.85 | 88.20 | -29.35 | 3 | Horizontal | 306 | 2.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 5.873G | 50.22 | 68.20 | -17.98 | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 6.5604G | 100.19 | Inf | -Inf | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 7.1932G | 53.93 | 68.20 | -14.27 | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 5.8856G | 62.64 | 88.20 | -25.56 | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 6.5576G | 110.77 | Inf | -Inf | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 7.2226G | 65.40 | 88.20 | -22.80 | 3 | Vertical | 57 | 1.89 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 5.873G | 50.27 | 68.20 | -17.93 | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 6.5324G | 81.45 | Inf | -Inf | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 7.1834G | 53.96 | 68.20 | -14.24 | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 5.9248G | 61.73 | 88.20 | -26.47 | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 6.5338G | 94.46 | Inf | -Inf | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 7.1862G | 66.17 | 88.20 | -22.03 | 3 | Horizontal | 74 | 1.13 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 13.096G | 46.25 | 68.20 | -21.95 | 3 | Vertical | 298 | 2.85 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 13.0948G | 59.17 | 88.20 | -29.03 | 3 | Vertical | 298 | 2.85 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | AV | 13.09256G | 46.36 | 68.20 | -21.84 | 3 | Horizontal | 351 | 2.08 | - |
| 6545MHz Straddle 6.425-6.525GHz | Pass | PK | 13.09584G | 59.08 | 88.20 | -29.12 | 3 | Horizontal | 351 | 2.08 | - |
| 6625MHz | Pass | AV | 6.607G | 99.95 | Inf | -Inf | 3 | Vertical | 231 | 1.96 | - |
| 6625MHz | Pass | AV | 7.1554G | 53.91 | 68.20 | -14.29 | 3 | Vertical | 231 | 1.96 | - |
| 6625MHz | Pass | PK | 6.607G | 111.23 | Inf | -Inf | 3 | Vertical | 231 | 1.96 | - |
| 6625MHz | Pass | PK | 7.1518G | 65.86 | 88.20 | -22.34 | 3 | Vertical | 231 | 1.96 | - |
| 6625MHz | Pass | AV | 6.6238G | 87.44 | Inf | -Inf | 3 | Horizontal | 160 | 2.33 | - |
| 6625MHz | Pass | AV | 7.1686G | 53.87 | 68.20 | -14.33 | 3 | Horizontal | 160 | 2.33 | - |
| 6625MHz | Pass | PK | 6.619G | 98.90 | Inf | -Inf | 3 | Horizontal | 160 | 2.33 | - |
| 6625MHz | Pass | PK | 7.1998G | 66.67 | 88.20 | -21.53 | 3 | Horizontal | 160 | 2.33 | - |
| 6625MHz | Pass | AV | 13.2664G | 46.42 | 54.00 | -7.58 | 3 | Vertical | 67 | 2.33 | - |
| 6625MHz | Pass | PK | 13.25392G | 58.77 | 74.00 | -15.23 | 3 | Vertical | 67 | 2.33 | - |
| 6625MHz | Pass | AV | 13.25504G | 46.38 | 54.00 | -7.62 | 3 | Horizontal | 65 | 1.43 | - |
| 6625MHz | Pass | PK | 13.28744G | 58.90 | 74.00 | -15.10 | 3 | Horizontal | 65 | 1.43 | - |
| 6705MHz | Pass | AV | 6.688G | 99.65 | Inf | -Inf | 3 | Vertical | 252 | 1.87 | - |
| 6705MHz | Pass | AV | 7.194G | 54.00 | 68.20 | -14.20 | 3 | Vertical | 252 | 1.87 | - |
| 6705MHz | Pass | PK | 6.667G | 110.36 | Inf | -Inf | 3 | Vertical | 252 | 1.87 | - |
| 6705MHz | Pass | PK | 7.181G | 66.84 | 88.20 | -21.36 | 3 | Vertical | 252 | 1.87 | - |
| 6705MHz | Pass | AV | 6.679G | 80.58 | Inf | -Inf | 3 | Horizontal | 248 | 1.50 | - |
| 6705MHz | Pass | AV | 7.164G | 53.87 | 68.20 | -14.33 | 3 | Horizontal | 248 | 1.50 | - |
| 6705MHz | Pass | PK | 6.675G | 92.13 | Inf | -Inf | 3 | Horizontal | 248 | 1.50 | - |
| 6705MHz | Pass | PK | 7.161G | 66.27 | 88.20 | -21.93 | 3 | Horizontal | 248 | 1.50 | - |
| 6705MHz | Pass | AV | 13.39304G | 46.95 | 54.00 | -7.05 | 3 | Vertical | 331 | 2.06 | - |
| 6705MHz | Pass | PK | 13.38G | 60.10 | 74.00 | -13.90 | 3 | Vertical | 331 | 2.06 | - |
| 6705MHz | Pass | AV | 13.38576G | 46.95 | 54.00 | -7.05 | 3 | Horizontal | 100 | 2.41 | - |
| 6705MHz | Pass | PK | 13.37112G | 59.96 | 74.00 | -14.04 | 3 | Horizontal | 100 | 2.41 | - |
| 6785MHz | Pass | AV | 6.799G | 99.82 | Inf | -Inf | 3 | Vertical | 19 | 1.70 | - |
| 6785MHz | Pass | AV | 7.1336G | 53.53 | 68.20 | -14.67 | 3 | Vertical | 19 | 1.70 | - |
| 6785MHz | Pass | PK | 6.7997G | 112.67 | Inf | -Inf | 3 | Vertical | 19 | 1.70 | - |
| 6785MHz | Pass | PK | 7.1308G | 65.47 | 88.20 | -22.73 | 3 | Vertical | 19 | 1.70 | - |
| 6785MHz | Pass | AV | 6.771G | 84.25 | Inf | -Inf | 3 | Horizontal | 77 | 2.93 | - |
| 6785MHz | Pass | AV | 7.1301G | 53.55 | 68.20 | -14.65 | 3 | Horizontal | 77 | 2.93 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|------------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6785MHz | Pass | PK | 6.8032G | 94.94 | Inf | -Inf | 3 | Horizontal | 77 | 2.93 | - |
| 6785MHz | Pass | PK | 7.1252G | 64.69 | 88.20 | -23.51 | 3 | Horizontal | 77 | 2.93 | - |
| 6785MHz | Pass | AV | 13.54256G | 46.95 | 68.20 | -21.25 | 3 | Vertical | 27 | 2.14 | - |
| 6785MHz | Pass | PK | 13.5524G | 59.44 | 88.20 | -28.76 | 3 | Vertical | 27 | 2.14 | - |
| 6785MHz | Pass | AV | 13.54056G | 46.93 | 68.20 | -21.27 | 3 | Horizontal | 184 | 1.59 | - |
| 6785MHz | Pass | PK | 13.53832G | 59.16 | 88.20 | -29.04 | 3 | Horizontal | 184 | 1.59 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8748G | 100.13 | Inf | -Inf | 3 | Vertical | 269 | 1.84 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1415G | 54.08 | 68.20 | -14.12 | 3 | Vertical | 269 | 1.84 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8748G | 112.94 | Inf | -Inf | 3 | Vertical | 269 | 1.84 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1541G | 66.27 | 88.20 | -21.93 | 3 | Vertical | 269 | 1.84 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 6.8965G | 84.91 | Inf | -Inf | 3 | Horizontal | 233 | 1.75 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1821G | 53.94 | 68.20 | -14.26 | 3 | Horizontal | 233 | 1.75 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8972G | 95.87 | Inf | -Inf | 3 | Horizontal | 233 | 1.75 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1569G | 66.11 | 88.20 | -22.09 | 3 | Horizontal | 233 | 1.75 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 13.75288G | 51.27 | 68.20 | -16.93 | 3 | Vertical | 257 | 1.10 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 13.74192G | 64.03 | 88.20 | -24.17 | 3 | Vertical | 257 | 1.10 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | AV | 13.75328G | 51.27 | 68.20 | -16.93 | 3 | Horizontal | 170 | 1.17 | - |
| 6865MHz Straddle 6.525-6.875GHz | Pass | PK | 13.7156G | 63.80 | 88.20 | -24.40 | 3 | Horizontal | 170 | 1.17 | - |
| 6945MHz | Pass | AV | 6.9534G | 100.57 | Inf | -Inf | 3 | Vertical | 42 | 1.68 | - |
| 6945MHz | Pass | AV | 7.1886G | 54.14 | 68.20 | -14.06 | 3 | Vertical | 42 | 1.68 | - |
| 6945MHz | Pass | PK | 6.9534G | 110.57 | Inf | -Inf | 3 | Vertical | 42 | 1.68 | - |
| 6945MHz | Pass | PK | 7.1988G | 66.15 | 88.20 | -22.05 | 3 | Vertical | 42 | 1.68 | - |
| 6945MHz | Pass | AV | 6.9456G | 85.21 | Inf | -Inf | 3 | Horizontal | 27 | 2.58 | - |
| 6945MHz | Pass | AV | 7.1808G | 54.04 | 68.20 | -14.16 | 3 | Horizontal | 27 | 2.58 | - |
| 6945MHz | Pass | PK | 6.9408G | 98.05 | Inf | -Inf | 3 | Horizontal | 27 | 2.58 | - |
| 6945MHz | Pass | PK | 7.1622G | 66.74 | 88.20 | -21.46 | 3 | Horizontal | 27 | 2.58 | - |
| 6945MHz | Pass | AV | 13.85144G | 52.11 | 68.20 | -16.09 | 3 | Vertical | 114 | 2.00 | - |
| 6945MHz | Pass | PK | 13.91344G | 64.68 | 88.20 | -23.52 | 3 | Vertical | 114 | 2.00 | - |
| 6945MHz | Pass | AV | 13.85656G | 52.12 | 68.20 | -16.08 | 3 | Horizontal | 252 | 1.40 | - |
| 6945MHz | Pass | PK | 13.92632G | 65.48 | 88.20 | -22.72 | 3 | Horizontal | 252 | 1.40 | - |
| 7025MHz | Pass | AV | 5.924G | 53.98 | 68.20 | -14.22 | 3 | Vertical | 38 | 1.90 | - |
| 7025MHz | Pass | AV | 6.0545G | 97.93 | Inf | -Inf | 3 | Vertical | 38 | 1.90 | - |
| 7025MHz | Pass | PK | 5.912G | 71.12 | 88.20 | -17.08 | 3 | Vertical | 38 | 1.90 | - |
| 7025MHz | Pass | PK | 6.0955G | 109.64 | Inf | -Inf | 3 | Vertical | 38 | 1.90 | - |
| 7025MHz | Pass | AV | 5.925G | 49.17 | 68.20 | -19.03 | 3 | Horizontal | 340 | 3.00 | - |
| 7025MHz | Pass | AV | 6.0495G | 84.58 | Inf | -Inf | 3 | Horizontal | 340 | 3.00 | - |
| 7025MHz | Pass | PK | 5.9195G | 62.32 | 88.20 | -25.88 | 3 | Horizontal | 340 | 3.00 | - |
| 7025MHz | Pass | PK | 6.0115G | 97.11 | Inf | -Inf | 3 | Horizontal | 340 | 3.00 | - |
| 7025MHz | Pass | AV | 12.06016G | 42.03 | 54.00 | -11.97 | 3 | Vertical | 216 | 1.50 | - |
| 7025MHz | Pass | PK | 12.08128G | 55.27 | 74.00 | -18.73 | 3 | Vertical | 216 | 1.50 | - |
| 7025MHz | Pass | AV | 12.02696G | 42.08 | 54.00 | -11.92 | 3 | Horizontal | 41 | 1.46 | - |
| 7025MHz | Pass | PK | 12.01624G | 55.56 | 74.00 | -18.44 | 3 | Horizontal | 41 | 1.46 | - |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 6025MHz | Pass | AV | 5.924G | 53.98 | 68.20 | -14.22 | 3 | Vertical | 38 | 1.90 | - |
| 6025MHz | Pass | AV | 6.0545G | 97.93 | Inf | -Inf | 3 | Vertical | 38 | 1.90 | - |
| 6025MHz | Pass | PK | 5.912G | 71.12 | 88.20 | -17.08 | 3 | Vertical | 38 | 1.90 | - |
| 6025MHz | Pass | PK | 6.0955G | 109.64 | Inf | -Inf | 3 | Vertical | 38 | 1.90 | - |
| 6025MHz | Pass | AV | 5.925G | 49.17 | 68.20 | -19.03 | 3 | Horizontal | 340 | 3.00 | - |
| 6025MHz | Pass | AV | 6.0495G | 84.58 | Inf | -Inf | 3 | Horizontal | 340 | 3.00 | - |
| 6025MHz | Pass | PK | 5.9195G | 62.32 | 88.20 | -25.88 | 3 | Horizontal | 340 | 3.00 | - |
| 6025MHz | Pass | PK | 6.0115G | 97.11 | Inf | -Inf | 3 | Horizontal | 340 | 3.00 | - |
| 6025MHz | Pass | AV | 12.06016G | 42.03 | 54.00 | -11.97 | 3 | Vertical | 216 | 1.50 | - |
| 6025MHz | Pass | PK | 12.08128G | 55.27 | 74.00 | -18.73 | 3 | Vertical | 216 | 1.50 | - |
| 6025MHz | Pass | AV | 12.02696G | 42.08 | 54.00 | -11.92 | 3 | Horizontal | 41 | 1.46 | - |
| 6025MHz | Pass | PK | 12.01624G | 55.56 | 74.00 | -18.44 | 3 | Horizontal | 41 | 1.46 | - |
| 6185MHz | Pass | AV | 5.9234G | 49.18 | 68.20 | -19.02 | 3 | Vertical | 17 | 1.67 | - |
| 6185MHz | Pass | AV | 6.213G | 98.18 | Inf | -Inf | 3 | Vertical | 17 | 1.67 | - |
| 6185MHz | Pass | PK | 5.7882G | 60.61 | 88.20 | -27.59 | 3 | Vertical | 17 | 1.67 | - |
| 6185MHz | Pass | PK | 6.2178G | 109.12 | Inf | -Inf | 3 | Vertical | 17 | 1.67 | - |
| 6185MHz | Pass | AV | 5.925G | 48.34 | 68.20 | -19.86 | 3 | Horizontal | 75 | 1.94 | - |
| 6185MHz | Pass | AV | 6.1978G | 83.45 | Inf | -Inf | 3 | Horizontal | 75 | 1.94 | - |
| 6185MHz | Pass | PK | 5.877G | 60.23 | 88.20 | -27.97 | 3 | Horizontal | 75 | 1.94 | - |



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6185MHz | Pass | PK | 6.2466G | 94.67 | Inf | -Inf | 3 | Horizontal | 75 | 1.94 | - |
| 6185MHz | Pass | AV | 12.35184G | 42.72 | 54.00 | -11.28 | 3 | Vertical | 156 | 1.50 | - |
| 6185MHz | Pass | PK | 12.3924G | 55.94 | 74.00 | -18.06 | 3 | Vertical | 156 | 1.50 | - |
| 6185MHz | Pass | AV | 12.34832G | 42.69 | 54.00 | -11.31 | 3 | Horizontal | 111 | 2.14 | - |
| 6185MHz | Pass | PK | 12.35992G | 55.77 | 74.00 | -18.23 | 3 | Horizontal | 111 | 2.14 | - |
| 6345MHz | Pass | AV | 5.9082G | 48.72 | 68.20 | -19.48 | 3 | Vertical | 58 | 1.92 | - |
| 6345MHz | Pass | AV | 6.4026G | 98.59 | Inf | -Inf | 3 | Vertical | 58 | 1.92 | - |
| 6345MHz | Pass | PK | 5.871G | 59.94 | 88.20 | -28.26 | 3 | Vertical | 58 | 1.92 | - |
| 6345MHz | Pass | PK | 6.4074G | 109.30 | Inf | -Inf | 3 | Vertical | 58 | 1.92 | - |
| 6345MHz | Pass | AV | 5.9094G | 48.35 | 68.20 | -19.85 | 3 | Horizontal | 75 | 1.87 | - |
| 6345MHz | Pass | AV | 6.2838G | 84.49 | Inf | -Inf | 3 | Horizontal | 75 | 1.87 | - |
| 6345MHz | Pass | PK | 5.871G | 59.99 | 88.20 | -28.21 | 3 | Horizontal | 75 | 1.87 | - |
| 6345MHz | Pass | PK | 6.2886G | 95.62 | Inf | -Inf | 3 | Horizontal | 75 | 1.87 | - |
| 6345MHz | Pass | AV | 12.6837G | 42.52 | 54.00 | -11.48 | 3 | Vertical | -0 | 1.67 | - |
| 6345MHz | Pass | PK | 12.68352G | 55.71 | 74.00 | -18.29 | 3 | Vertical | -0 | 1.67 | - |
| 6345MHz | Pass | AV | 12.68542G | 42.52 | 54.00 | -11.48 | 3 | Horizontal | 39 | 2.47 | - |
| 6345MHz | Pass | PK | 12.69972G | 55.91 | 74.00 | -18.09 | 3 | Horizontal | 39 | 2.47 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 5.924G | 48.38 | 68.20 | -19.82 | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 6.4532G | 98.68 | Inf | -Inf | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 7.1518G | 52.00 | 68.20 | -16.20 | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 5.8834G | 61.46 | 88.20 | -26.74 | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 6.4532G | 108.62 | Inf | -Inf | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 7.1518G | 63.50 | 88.20 | -24.70 | 3 | Vertical | 61 | 2.00 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 5.8498G | 48.32 | 68.20 | -19.88 | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 6.5344G | 82.78 | Inf | -Inf | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 7.156G | 51.91 | 68.20 | -16.29 | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 5.8386G | 60.03 | 88.20 | -28.17 | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 6.4658G | 92.94 | Inf | -Inf | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 7.135G | 62.97 | 88.20 | -25.23 | 3 | Horizontal | 73 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 13.00882G | 44.19 | 68.20 | -24.01 | 3 | Vertical | 50 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 13.00692G | 57.59 | 88.20 | -30.61 | 3 | Vertical | 50 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | AV | 13.00466G | 44.19 | 68.20 | -24.01 | 3 | Horizontal | 239 | 1.50 | - |
| 6505MHz Straddle 6.425-6.525GHz | Pass | PK | 13.01362G | 57.13 | 88.20 | -31.07 | 3 | Horizontal | 239 | 1.50 | - |
| 6665MHz | Pass | AV | 6.6694G | 98.11 | Inf | -Inf | 3 | Vertical | 230 | 1.76 | - |
| 6665MHz | Pass | AV | 7.1534G | 52.00 | 68.20 | -16.20 | 3 | Vertical | 230 | 1.76 | - |
| 6665MHz | Pass | PK | 6.6694G | 108.66 | Inf | -Inf | 3 | Vertical | 230 | 1.76 | - |
| 6665MHz | Pass | PK | 7.1391G | 63.16 | 88.20 | -25.04 | 3 | Vertical | 230 | 1.76 | - |
| 6665MHz | Pass | AV | 6.6419G | 82.01 | Inf | -Inf | 3 | Horizontal | 251 | 1.24 | - |
| 6665MHz | Pass | AV | 7.1556G | 51.95 | 68.20 | -16.25 | 3 | Horizontal | 251 | 1.24 | - |
| 6665MHz | Pass | PK | 6.687G | 94.58 | Inf | -Inf | 3 | Horizontal | 251 | 1.24 | - |
| 6665MHz | Pass | PK | 7.1743G | 64.54 | 88.20 | -23.66 | 3 | Horizontal | 251 | 1.24 | - |
| 6665MHz | Pass | AV | 13.33292G | 44.26 | 54.00 | -9.74 | 3 | Vertical | 32 | 1.63 | - |
| 6665MHz | Pass | PK | 13.32166G | 57.13 | 74.00 | -16.87 | 3 | Vertical | 32 | 1.63 | - |
| 6665MHz | Pass | AV | 13.3266G | 44.31 | 54.00 | -9.69 | 3 | Horizontal | 314 | 1.96 | - |
| 6665MHz | Pass | PK | 13.32434G | 56.73 | 74.00 | -17.27 | 3 | Horizontal | 314 | 1.96 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 6.7994G | 97.50 | Inf | -Inf | 3 | Vertical | 22 | 1.85 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1498G | 52.36 | 68.20 | -15.84 | 3 | Vertical | 22 | 1.85 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 6.8002G | 107.56 | Inf | -Inf | 3 | Vertical | 22 | 1.85 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1306G | 63.88 | 88.20 | -24.32 | 3 | Vertical | 22 | 1.85 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 6.7698G | 81.85 | Inf | -Inf | 3 | Horizontal | 226 | 3.00 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 7.1522G | 52.01 | 68.20 | -16.19 | 3 | Horizontal | 226 | 3.00 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 6.769G | 91.74 | Inf | -Inf | 3 | Horizontal | 226 | 3.00 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 7.1818G | 64.02 | 88.20 | -24.18 | 3 | Horizontal | 226 | 3.00 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 13.64136G | 49.86 | 68.20 | -18.34 | 3 | Vertical | 3 | 2.86 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 13.65004G | 65.24 | 88.20 | -22.96 | 3 | Vertical | 3 | 2.86 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | AV | 13.64114G | 48.77 | 68.20 | -19.43 | 3 | Horizontal | 170 | 1.15 | - |
| 6825MHz Straddle 6.525-6.875GHz | Pass | PK | 13.65644G | 62.20 | 88.20 | -26.00 | 3 | Horizontal | 170 | 1.15 | - |
| 6985MHz | Pass | AV | 6.9455G | 103.25 | Inf | -Inf | 3 | Vertical | 244 | 1.81 | - |
| 6985MHz | Pass | AV | 7.1275G | 68.13 | 68.20 | -0.07 | 3 | Vertical | 244 | 1.81 | - |
| 6985MHz | Pass | PK | 6.9525G | 112.97 | Inf | -Inf | 3 | Vertical | 244 | 1.81 | - |
| 6985MHz | Pass | PK | 7.1275G | 83.94 | 88.20 | -4.26 | 3 | Vertical | 244 | 1.81 | - |
| 6985MHz | Pass | AV | 6.9405G | 84.60 | Inf | -Inf | 3 | Horizontal | 235 | 1.97 | - |




RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6985MHz | Pass | AV | 7.1255G | 54.87 | 68.20 | -13.33 | 3 | Horizontal | 235 | 1.97 | - |
| 6985MHz | Pass | PK | 6.969G | 97.15 | Inf | -Inf | 3 | Horizontal | 235 | 1.97 | - |
| 6985MHz | Pass | PK | 7.1335G | 67.47 | 88.20 | -20.73 | 3 | Horizontal | 235 | 1.97 | - |
| 6985MHz | Pass | AV | 13.9704G | 51.90 | 68.20 | -16.30 | 3 | Vertical | 196 | 2.91 | - |
| 6985MHz | Pass | PK | 13.96734G | 64.68 | 88.20 | -23.52 | 3 | Vertical | 196 | 2.91 | - |
| 6985MHz | Pass | AV | 13.96826G | 49.79 | 68.20 | -18.41 | 3 | Horizontal | 131 | 1.50 | - |
| 6985MHz | Pass | PK | 13.9632G | 63.50 | 88.20 | -24.70 | 3 | Horizontal | 131 | 1.50 | - |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8872G | 50.53 | 68.20 | -17.67 | 10.14 | 3 | Vertical | 62 | 1.50 | - | 40.39 | 34.10 | 10.25 | 34.21 |
| AV | 5.9466G | 100.25 | Inf | -Inf | 10.36 | 3 | Vertical | 62 | 1.50 | - | 89.89 | 34.29 | 10.29 | 34.22 |
| PK | 5.8707G | 62.69 | 88.20 | -25.51 | 10.12 | 3 | Vertical | 62 | 1.50 | - | 52.57 | 34.10 | 10.23 | 34.21 |
| PK | 5.9463G | 113.13 | Inf | -Inf | 10.36 | 3 | Vertical | 62 | 1.50 | - | 102.77 | 34.29 | 10.29 | 34.22 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.886G | 50.53 | 68.20 | -17.67 | 10.13 | 3 | Horizontal | 342 | 2.96 | - | 40.40 | 34.10 | 10.24 | 34.21 |
| AV | 5.9538G | 89.41 | Inf | -Inf | 10.36 | 3 | Horizontal | 342 | 2.96 | - | 79.05 | 34.28 | 10.30 | 34.22 |
| PK | 5.9244G | 62.27 | 88.20 | -25.93 | 10.25 | 3 | Horizontal | 342 | 2.96 | - | 52.02 | 34.20 | 10.27 | 34.22 |
| PK | 5.9562G | 100.04 | Inf | -Inf | 10.34 | 3 | Horizontal | 342 | 2.96 | - | 89.70 | 34.26 | 10.30 | 34.22 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.90828G | 44.26 | 54.00 | -9.74 | 17.61 | 3 | Vertical | 150 | 2.23 | - | 26.65 | 38.62 | 13.27 | 34.28 |
| PK | 11.89956G | 56.93 | 74.00 | -17.07 | 17.59 | 3 | Vertical | 150 | 2.23 | - | 39.34 | 38.60 | 13.27 | 34.28 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.91068G | 43.82 | 54.00 | -10.18 | 17.62 | 3 | Horizontal | 262 | 1.50 | - | 26.20 | 38.62 | 13.28 | 34.28 |
| PK | 11.9132G | 56.41 | 74.00 | -17.59 | 17.63 | 3 | Horizontal | 262 | 1.50 | - | 38.78 | 38.63 | 13.28 | 34.28 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6175MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9086G | 50.46 | 68.20 | -17.74 | 10.18 | 3 | Vertical | 195 | 1.80 | - | 40.28 | 34.13 | 10.26 | 34.21 |
| AV | 6.1684G | 99.91 | Inf | -Inf | 10.37 | 3 | Vertical | 195 | 1.80 | - | 89.54 | 34.10 | 10.50 | 34.23 |
| PK | 5.9122G | 62.68 | 88.20 | -25.52 | 10.20 | 3 | Vertical | 195 | 1.80 | - | 52.48 | 34.15 | 10.26 | 34.21 |
| PK | 6.1696G | 110.24 | Inf | -Inf | 10.37 | 3 | Vertical | 195 | 1.80 | - | 99.87 | 34.10 | 10.50 | 34.23 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8756G | 50.43 | 68.20 | -17.77 | 10.13 | 3 | Horizontal | 343 | 2.77 | - | 40.30 | 34.10 | 10.24 | 34.21 |
| AV | 6.1774G | 86.75 | Inf | -Inf | 10.38 | 3 | Horizontal | 343 | 2.77 | - | 76.37 | 34.10 | 10.51 | 34.23 |
| PK | 5.9176G | 62.72 | 88.20 | -25.48 | 10.22 | 3 | Horizontal | 343 | 2.77 | - | 52.50 | 34.17 | 10.27 | 34.22 |
| PK | 6.1762G | 98.52 | Inf | -Inf | 10.38 | 3 | Horizontal | 343 | 2.77 | - | 88.14 | 34.10 | 10.51 | 34.23 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.34088G | 44.94 | 54.00 | -9.06 | 18.20 | 3 | Vertical | 170 | 1.50 | - | 26.74 | 38.84 | 13.52 | 34.16 |
| PK | 12.34556G | 57.71 | 74.00 | -16.29 | 18.21 | 3 | Vertical | 170 | 1.50 | - | 39.50 | 38.85 | 13.52 | 34.16 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.35616G | 44.89 | 54.00 | -9.11 | 18.24 | 3 | Horizontal | 28 | 2.87 | - | 26.65 | 38.86 | 13.53 | 34.15 |
| PK | 12.34952G | 57.56 | 74.00 | -16.44 | 18.21 | 3 | Horizontal | 28 | 2.87 | - | 39.35 | 38.85 | 13.52 | 34.16 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.869G | 50.45 | 68.20 | -17.75 | 10.12 | 3 | Vertical | 172 | 2.12 | - | 40.33 | 34.10 | 10.23 | 34.21 |
| AV | 6.4078G | 100.37 | Inf | -Inf | 11.13 | 3 | Vertical | 172 | 2.12 | - | 89.24 | 34.73 | 10.65 | 34.25 |
| PK | 5.8414G | 61.90 | 88.20 | -26.30 | 10.05 | 3 | Vertical | 172 | 2.12 | - | 51.85 | 34.05 | 10.21 | 34.21 |
| PK | 6.4078G | 110.24 | Inf | -Inf | 11.13 | 3 | Vertical | 172 | 2.12 | - | 99.11 | 34.73 | 10.65 | 34.25 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8846G | 50.60 | 68.20 | -17.60 | 10.13 | 3 | Horizontal | 69 | 1.58 | - | 40.47 | 34.10 | 10.24 | 34.21 |
| AV | 6.4222G | 83.12 | Inf | -Inf | 11.19 | 3 | Horizontal | 69 | 1.58 | - | 71.93 | 34.79 | 10.65 | 34.25 |
| PK | 5.9014G | 62.53 | 88.20 | -25.67 | 10.16 | 3 | Horizontal | 69 | 1.58 | - | 52.37 | 34.11 | 10.26 | 34.21 |
| PK | 6.421G | 94.39 | Inf | -Inf | 11.18 | 3 | Horizontal | 69 | 1.58 | - | 83.21 | 34.78 | 10.65 | 34.25 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.84676G | 46.12 | 68.20 | -22.08 | 20.00 | 3 | Vertical | 264 | 1.50 | - | 26.12 | 39.60 | 13.83 | 33.43 |
| PK | 12.8428G | 59.08 | 88.20 | -29.12 | 19.99 | 3 | Vertical | 264 | 1.50 | - | 39.09 | 39.60 | 13.83 | 33.44 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.8496G | 46.07 | 68.20 | -22.13 | 20.01 | 3 | Horizontal | 76 | 2.03 | - | 26.06 | 39.60 | 13.83 | 33.42 |
| PK | 12.82504G | 59.15 | 88.20 | -29.05 | 19.95 | 3 | Horizontal | 76 | 2.03 | - | 39.20 | 39.60 | 13.82 | 33.47 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8842G | 50.56 | 68.20 | -17.64 | 10.13 | 3 | Vertical | 189 | 1.93 | - | 40.43 | 34.10 | 10.24 | 34.21 |
| AV | 6.4266G | 100.34 | Inf | -Inf | 11.22 | 3 | Vertical | 189 | 1.93 | - | 89.12 | 34.81 | 10.66 | 34.25 |
| PK | 5.9034G | 62.00 | 88.20 | -26.20 | 10.16 | 3 | Vertical | 189 | 1.93 | - | 51.84 | 34.11 | 10.26 | 34.21 |
| PK | 6.429G | 110.13 | Inf | -Inf | 11.23 | 3 | Vertical | 189 | 1.93 | - | 98.90 | 34.82 | 10.66 | 34.25 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8566G | 50.49 | 68.20 | -17.71 | 10.11 | 3 | Horizontal | 69 | 1.50 | - | 40.38 | 34.10 | 10.22 | 34.21 |
| AV | 6.4314G | 80.87 | Inf | -Inf | 11.24 | 3 | Horizontal | 69 | 1.50 | - | 69.63 | 34.83 | 10.66 | 34.25 |
| PK | 5.8434G | 61.76 | 88.20 | -26.44 | 10.06 | 3 | Horizontal | 69 | 1.50 | - | 51.70 | 34.06 | 10.21 | 34.21 |
| PK | 6.4314G | 92.39 | Inf | -Inf | 11.24 | 3 | Horizontal | 69 | 1.50 | - | 81.15 | 34.83 | 10.66 | 34.25 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.86604G | 45.98 | 68.20 | -22.22 | 20.05 | 3 | Vertical | 246 | 2.22 | - | 25.93 | 39.60 | 13.84 | 33.39 |
| PK | 12.85456G | 59.03 | 88.20 | -29.17 | 20.03 | 3 | Vertical | 246 | 2.22 | - | 39.00 | 39.60 | 13.84 | 33.41 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.85944G | 45.91 | 68.20 | -22.29 | 20.04 | 3 | Horizontal | 207 | 1.83 | - | 25.87 | 39.60 | 13.84 | 33.40 |
| PK | 12.8864G | 58.35 | 88.20 | -29.85 | 20.11 | 3 | Horizontal | 207 | 1.83 | - | 38.24 | 39.60 | 13.86 | 33.35 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9136G | 50.35 | 68.20 | -17.85 | 10.21 | 3 | Vertical | 52 | 1.85 | - | 40.14 | 34.15 | 10.27 | 34.21 |
| AV | 6.4666G | 100.19 | Inf | -Inf | 11.42 | 3 | Vertical | 52 | 1.85 | - | 88.77 | 35.00 | 10.68 | 34.26 |
| AV | 7.1554G | 54.10 | 68.20 | -14.10 | 13.34 | 3 | Vertical | 52 | 1.85 | - | 40.76 | 36.59 | 11.26 | 34.51 |
| PK | 5.8156G | 61.81 | 88.20 | -26.39 | 9.87 | 3 | Vertical | 52 | 1.85 | - | 51.94 | 33.89 | 10.19 | 34.21 |
| PK | 6.4666G | 110.83 | Inf | -Inf | 11.42 | 3 | Vertical | 52 | 1.85 | - | 99.41 | 35.00 | 10.68 | 34.26 |
| PK | 7.1484G | 65.19 | 88.20 | -23.01 | 13.33 | 3 | Vertical | 52 | 1.85 | - | 51.86 | 36.59 | 11.26 | 34.52 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8394G | 50.48 | 68.20 | -17.72 | 10.04 | 3 | Horizontal | 71 | 1.16 | - | 40.44 | 34.04 | 10.21 | 34.21 |
| AV | 6.4666G | 81.83 | Inf | -Inf | 11.42 | 3 | Horizontal | 71 | 1.16 | - | 70.41 | 35.00 | 10.68 | 34.26 |
| AV | 7.154G | 54.24 | 68.20 | -13.96 | 13.34 | 3 | Horizontal | 71 | 1.16 | - | 40.90 | 36.59 | 11.26 | 34.51 |
| PK | 5.7764G | 61.93 | 88.20 | -26.27 | 9.71 | 3 | Horizontal | 71 | 1.16 | - | 52.22 | 33.75 | 10.17 | 34.21 |
| PK | 6.4666G | 91.83 | Inf | -Inf | 11.42 | 3 | Horizontal | 71 | 1.16 | - | 80.41 | 35.00 | 10.68 | 34.26 |
| PK | 7.1358G | 65.88 | 88.20 | -22.32 | 13.22 | 3 | Horizontal | 71 | 1.16 | - | 52.66 | 36.49 | 11.25 | 34.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.95364G | 46.07 | 68.20 | -22.13 | 20.38 | 3 | Vertical | 311 | 2.24 | - | 25.69 | 39.71 | 13.90 | 33.23 |
| PK | 12.933G | 58.46 | 88.20 | -29.74 | 20.28 | 3 | Vertical | 311 | 2.24 | - | 38.18 | 39.67 | 13.88 | 33.27 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.95664G | 45.93 | 68.20 | -22.27 | 20.39 | 3 | Horizontal | 243 | 1.73 | - | 25.54 | 39.71 | 13.90 | 33.22 |
| PK | 12.9316G | 59.16 | 88.20 | -29.04 | 20.27 | 3 | Horizontal | 243 | 1.73 | - | 38.89 | 39.66 | 13.88 | 33.27 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8612G | 50.46 | 68.20 | -17.74 | 10.12 | 3 | Vertical | 210 | 1.93 | - | 40.34 | 34.10 | 10.23 | 34.21 |
| AV | 6.5094G | 100.13 | Inf | -Inf | 11.66 | 3 | Vertical | 210 | 1.93 | - | 88.47 | 35.22 | 10.71 | 34.27 |
| AV | 7.1884G | 54.14 | 68.20 | -14.06 | 13.30 | 3 | Vertical | 210 | 1.93 | - | 40.84 | 36.52 | 11.29 | 34.51 |
| PK | 5.8794G | 62.21 | 88.20 | -25.99 | 10.13 | 3 | Vertical | 210 | 1.93 | - | 52.08 | 34.10 | 10.24 | 34.21 |
| PK | 6.5094G | 110.34 | Inf | -Inf | 11.66 | 3 | Vertical | 210 | 1.93 | - | 98.68 | 35.22 | 10.71 | 34.27 |
| PK | 7.1464G | 65.08 | 88.20 | -23.12 | 13.30 | 3 | Vertical | 210 | 1.93 | - | 51.78 | 36.57 | 11.25 | 34.52 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8612G | 50.52 | 68.20 | -17.68 | 10.12 | 3 | Horizontal | 68 | 1.18 | - | 40.40 | 34.10 | 10.23 | 34.21 |
| AV | 6.5192G | 83.39 | Inf | -Inf | 11.69 | 3 | Horizontal | 68 | 1.18 | - | 71.70 | 35.24 | 10.72 | 34.27 |
| AV | 7.187G | 54.34 | 68.20 | -13.86 | 13.31 | 3 | Horizontal | 68 | 1.18 | - | 41.03 | 36.53 | 11.29 | 34.51 |
| PK | 5.8556G | 61.85 | 88.20 | -26.35 | 10.11 | 3 | Horizontal | 68 | 1.18 | - | 51.74 | 34.10 | 10.22 | 34.21 |
| PK | 6.5192G | 94.23 | Inf | -Inf | 11.69 | 3 | Horizontal | 68 | 1.18 | - | 82.54 | 35.24 | 10.72 | 34.27 |
| PK | 7.1296G | 65.68 | 88.20 | -22.52 | 13.16 | 3 | Horizontal | 68 | 1.18 | - | 52.52 | 36.44 | 11.24 | 34.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.03152G | 46.70 | 68.20 | -21.50 | 20.62 | 3 | Vertical | 25 | 1.50 | - | 26.08 | 39.77 | 13.94 | 33.09 |
| PK | 13.03836G | 60.45 | 88.20 | -27.75 | 20.63 | 3 | Vertical | 25 | 1.50 | - | 39.82 | 39.76 | 13.95 | 33.08 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.0124G | 46.48 | 68.20 | -21.72 | 20.60 | 3 | Horizontal | 305 | 2.64 | - | 25.88 | 39.79 | 13.93 | 33.12 |
| PK | 13.02852G | 58.73 | 88.20 | -29.47 | 20.62 | 3 | Horizontal | 305 | 2.64 | - | 38.11 | 39.77 | 13.94 | 33.09 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.884G | 50.64 | 68.20 | -17.56 | 10.13 | 3 | Vertical | 36 | 1.82 | - | 40.51 | 34.10 | 10.24 | 34.21 |
| AV | 6.5434G | 100.09 | Inf | -Inf | 11.74 | 3 | Vertical | 36 | 1.82 | - | 88.35 | 35.29 | 10.73 | 34.28 |
| AV | 7.1594G | 54.26 | 68.20 | -13.94 | 13.34 | 3 | Vertical | 36 | 1.82 | - | 40.92 | 36.58 | 11.27 | 34.51 |
| PK | 5.8616G | 62.96 | 88.20 | -25.24 | 10.12 | 3 | Vertical | 36 | 1.82 | - | 52.84 | 34.10 | 10.23 | 34.21 |
| PK | 6.5434G | 109.64 | Inf | -Inf | 11.74 | 3 | Vertical | 36 | 1.82 | - | 97.90 | 35.29 | 10.73 | 34.28 |
| PK | 7.1944G | 65.60 | 88.20 | -22.60 | 13.30 | 3 | Vertical | 36 | 1.82 | - | 52.30 | 36.51 | 11.30 | 34.51 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8644G | 50.47 | 68.20 | -17.73 | 10.12 | 3 | Horizontal | 273 | 2.74 | - | 40.35 | 34.10 | 10.23 | 34.21 |
| AV | 6.5406G | 85.76 | Inf | -Inf | 11.73 | 3 | Horizontal | 273 | 2.74 | - | 74.03 | 35.28 | 10.73 | 34.28 |
| AV | 7.158G | 54.21 | 68.20 | -13.99 | 13.33 | 3 | Horizontal | 273 | 2.74 | - | 40.88 | 36.58 | 11.26 | 34.51 |
| PK | 5.8812G | 61.59 | 88.20 | -26.61 | 10.13 | 3 | Horizontal | 273 | 2.74 | - | 51.46 | 34.10 | 10.24 | 34.21 |
| PK | 6.5392G | 97.28 | Inf | -Inf | 11.73 | 3 | Horizontal | 273 | 2.74 | - | 85.55 | 35.28 | 10.73 | 34.28 |
| PK | 7.1454G | 65.76 | 88.20 | -22.44 | 13.29 | 3 | Horizontal | 273 | 2.74 | - | 52.47 | 36.56 | 11.25 | 34.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.05864G | 46.65 | 68.20 | -21.55 | 20.66 | 3 | Vertical | 86 | 2.18 | - | 25.99 | 39.74 | 13.96 | 33.04 |
| PK | 13.05548G | 59.27 | 88.20 | -28.93 | 20.65 | 3 | Vertical | 86 | 2.18 | - | 38.62 | 39.74 | 13.96 | 33.05 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.06824G | 46.36 | 68.20 | -21.84 | 20.67 | 3 | Horizontal | 338 | 1.06 | - | 25.69 | 39.73 | 13.97 | 33.03 |
| PK | 13.05344G | 58.51 | 88.20 | -29.69 | 20.66 | 3 | Horizontal | 338 | 1.06 | - | 37.85 | 39.75 | 13.96 | 33.05 |

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.696G | 98.91 | Inf | -Inf | 12.37 | 3 | Vertical | 251 | 1.93 | - | 86.54 | 35.88 | 10.86 | 34.37 |
| AV | 7.134G | 51.56 | 68.20 | -16.64 | 13.19 | 3 | Vertical | 251 | 1.93 | - | 38.37 | 36.47 | 11.24 | 34.52 |
| PK | 6.69G | 108.57 | Inf | -Inf | 12.36 | 3 | Vertical | 251 | 1.93 | - | 96.21 | 35.86 | 10.86 | 34.36 |
| PK | 7.139G | 63.09 | 88.20 | -25.11 | 13.24 | 3 | Vertical | 251 | 1.93 | - | 49.85 | 36.51 | 11.25 | 34.52 |


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.697G | 81.40 | Inf | -Inf | 12.38 | 3 | Horizontal | 268 | 1.80 | - | 69.02 | 35.89 | 10.86 | 34.37 |
| AV | 7.143G | 51.59 | 68.20 | -16.61 | 13.27 | 3 | Horizontal | 268 | 1.80 | - | 38.32 | 36.54 | 11.25 | 34.52 |
| PK | 6.697G | 92.80 | Inf | -Inf | 12.38 | 3 | Horizontal | 268 | 1.80 | - | 80.42 | 35.89 | 10.86 | 34.37 |
| PK | 7.145G | 62.90 | 88.20 | -25.30 | 13.29 | 3 | Horizontal | 268 | 1.80 | - | 49.61 | 36.56 | 11.25 | 34.52 |

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.39054G | 44.47 | 54.00 | -9.53 | 21.74 | 3 | Vertical | 30 | 2.74 | - | 22.73 | 40.07 | 14.17 | 32.50 |
| PK | 13.38858G | 57.91 | 74.00 | -16.09 | 21.73 | 3 | Vertical | 30 | 2.74 | - | 36.18 | 40.07 | 14.16 | 32.50 |


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.38486G | 42.63 | 54.00 | -11.37 | 21.70 | 3 | Horizontal | 290 | 2.82 | - | 20.93 | 40.05 | 14.16 | 32.51 |
| PK | 13.39928G | 55.60 | 74.00 | -18.40 | 21.78 | 3 | Horizontal | 290 | 2.82 | - | 33.82 | 40.10 | 14.17 | 32.49 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8634G | 98.05 | Inf | -Inf | 12.25 | 3 | Vertical | 39 | 1.72 | - | 85.80 | 35.70 | 11.01 | 34.46 |
| AV | 7.1742G | 52.48 | 68.20 | -15.72 | 13.32 | 3 | Vertical | 39 | 1.72 | - | 39.16 | 36.55 | 11.28 | 34.51 |
| PK | 6.862G | 108.10 | Inf | -Inf | 12.25 | 3 | Vertical | 39 | 1.72 | - | 95.85 | 35.70 | 11.01 | 34.46 |
| PK | 7.1833G | 64.00 | 88.20 | -24.20 | 13.31 | 3 | Vertical | 39 | 1.72 | - | 50.69 | 36.53 | 11.29 | 34.51 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8543G | 80.75 | Inf | -Inf | 12.26 | 3 | Horizontal | 228 | 2.06 | - | 68.49 | 35.70 | 11.01 | 34.45 |
| AV | 7.1637G | 52.40 | 68.20 | -15.80 | 13.33 | 3 | Horizontal | 228 | 2.06 | - | 39.07 | 36.57 | 11.27 | 34.51 |
| PK | 6.8557G | 91.25 | Inf | -Inf | 12.26 | 3 | Horizontal | 228 | 2.06 | - | 78.99 | 35.70 | 11.01 | 34.45 |
| PK | 7.1987G | 63.75 | 88.20 | -24.45 | 13.29 | 3 | Horizontal | 228 | 2.06 | - | 50.46 | 36.50 | 11.30 | 34.51 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.72072G | 49.47 | 68.20 | -18.73 | 21.65 | 3 | Vertical | 53 | 1.73 | - | 27.82 | 39.70 | 14.37 | 32.42 |
| PK | 13.69996G | 62.42 | 88.20 | -25.78 | 21.65 | 3 | Vertical | 53 | 1.73 | - | 40.77 | 39.70 | 14.36 | 32.41 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.71532G | 49.35 | 68.20 | -18.85 | 21.65 | 3 | Horizontal | 63 | 1.38 | - | 27.70 | 39.70 | 14.36 | 32.41 |
| PK | 13.72192G | 61.67 | 88.20 | -26.53 | 21.65 | 3 | Horizontal | 63 | 1.38 | - | 40.02 | 39.70 | 14.37 | 32.42 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8694G | 97.68 | Inf | -Inf | 12.26 | 3 | Vertical | 41 | 1.99 | - | 85.42 | 35.70 | 11.02 | 34.46 |
| AV | 7.2068G | 52.31 | 68.20 | -15.89 | 13.32 | 3 | Vertical | 41 | 1.99 | - | 38.99 | 36.53 | 11.30 | 34.51 |
| PK | 6.868G | 107.27 | Inf | -Inf | 12.26 | 3 | Vertical | 41 | 1.99 | - | 95.01 | 35.70 | 11.02 | 34.46 |
| PK | 7.1529G | 63.96 | 88.20 | -24.24 | 13.34 | 3 | Vertical | 41 | 1.99 | - | 50.62 | 36.59 | 11.26 | 34.51 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8841G | 81.63 | Inf | -Inf | 12.26 | 3 | Horizontal | 234 | 2.06 | - | 69.37 | 35.70 | 11.03 | 34.47 |
| AV | 7.1473G | 52.30 | 68.20 | -15.90 | 13.32 | 3 | Horizontal | 234 | 2.06 | - | 38.98 | 36.58 | 11.26 | 34.52 |
| PK | 6.8834G | 90.59 | Inf | -Inf | 12.26 | 3 | Horizontal | 234 | 2.06 | - | 78.33 | 35.70 | 11.03 | 34.47 |
| PK | 7.2131G | 64.29 | 88.20 | -23.91 | 13.34 | 3 | Horizontal | 234 | 2.06 | - | 50.95 | 36.55 | 11.30 | 34.51 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.73612G | 49.45 | 68.20 | -18.75 | 21.66 | 3 | Vertical | 80 | 2.14 | - | 27.79 | 39.70 | 14.38 | 32.42 |
| PK | 13.74948G | 62.01 | 88.20 | -26.19 | 21.66 | 3 | Vertical | 80 | 2.14 | - | 40.35 | 39.70 | 14.39 | 32.43 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.76128G | 49.54 | 68.20 | -18.66 | 21.66 | 3 | Horizontal | 182 | 1.03 | - | 27.88 | 39.70 | 14.39 | 32.43 |
| PK | 13.74352G | 61.92 | 88.20 | -26.28 | 21.65 | 3 | Horizontal | 182 | 1.03 | - | 40.27 | 39.70 | 14.38 | 32.43 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9034G | 99.40 | Inf | -Inf | 12.27 | 3 | Vertical | 115 | 2.04 | - | 87.13 | 35.70 | 11.05 | 34.48 |
| AV | 7.147G | 54.52 | 68.20 | -13.68 | 13.31 | 3 | Vertical | 115 | 2.04 | - | 41.21 | 36.58 | 11.25 | 34.52 |
| PK | 6.9034G | 109.74 | Inf | -Inf | 12.27 | 3 | Vertical | 115 | 2.04 | - | 97.47 | 35.70 | 11.05 | 34.48 |
| PK | 7.1624G | 65.86 | 88.20 | -22.34 | 13.34 | 3 | Vertical | 115 | 2.04 | - | 52.52 | 36.58 | 11.27 | 34.51 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9041G | 99.46 | Inf | -Inf | 12.27 | 3 | Horizontal | 115 | 2.04 | - | 87.19 | 35.70 | 11.05 | 34.48 |
| AV | 7.14G | 54.48 | 68.20 | -13.72 | 13.25 | 3 | Horizontal | 115 | 2.04 | - | 41.23 | 36.52 | 11.25 | 34.52 |
| PK | 6.9041G | 109.55 | Inf | -Inf | 12.27 | 3 | Horizontal | 115 | 2.04 | - | 97.28 | 35.70 | 11.05 | 34.48 |
| PK | 7.2191G | 66.36 | 88.20 | -21.84 | 13.37 | 3 | Horizontal | 115 | 2.04 | - | 52.99 | 36.58 | 11.30 | 34.51 |

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.80268G | 51.73 | 68.20 | -16.47 | 21.67 | 3 | Vertical | 135 | 2.31 | - | 30.06 | 39.70 | 14.42 | 32.45 |
| PK | 13.77704G | 65.19 | 88.20 | -23.01 | 21.66 | 3 | Vertical | 135 | 2.31 | - | 43.53 | 39.70 | 14.40 | 32.44 |


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.80888G | 51.73 | 68.20 | -16.47 | 21.66 | 3 | Horizontal | 278 | 1.13 | - | 30.07 | 39.70 | 14.42 | 32.46 |
| PK | 13.7874G | 64.22 | 88.20 | -23.98 | 21.66 | 3 | Horizontal | 278 | 1.13 | - | 42.56 | 39.70 | 14.41 | 32.45 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.0035G | 100.22 | Inf | -Inf | 12.32 | 3 | Vertical | 243 | 1.92 | - | 87.90 | 35.72 | 11.13 | 34.53 |
| AV | 7.151G | 54.39 | 68.20 | -13.81 | 13.35 | 3 | Vertical | 243 | 1.92 | - | 41.04 | 36.60 | 11.26 | 34.51 |
| PK | 7.004G | 110.78 | Inf | -Inf | 12.32 | 3 | Vertical | 243 | 1.92 | - | 98.46 | 35.72 | 11.13 | 34.53 |
| PK | 7.196G | 66.12 | 88.20 | -22.08 | 13.30 | 3 | Vertical | 243 | 1.92 | - | 52.82 | 36.51 | 11.30 | 34.51 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.987G | 86.69 | Inf | -Inf | 12.30 | 3 | Horizontal | 211 | 1.89 | - | 74.39 | 35.70 | 11.12 | 34.52 |
| AV | 7.2165G | 54.51 | 68.20 | -13.69 | 13.36 | 3 | Horizontal | 211 | 1.89 | - | 41.15 | 36.57 | 11.30 | 34.51 |
| PK | 6.986G | 97.05 | Inf | -Inf | 12.30 | 3 | Horizontal | 211 | 1.89 | - | 84.75 | 35.70 | 11.12 | 34.52 |
| PK | 7.1375G | 65.81 | 88.20 | -22.39 | 13.23 | 3 | Horizontal | 211 | 1.89 | - | 52.58 | 36.50 | 11.25 | 34.52 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.97436G | 52.20 | 68.20 | -16.00 | 21.76 | 3 | Vertical | 241 | 1.50 | - | 30.44 | 39.77 | 14.52 | 32.53 |
| PK | 13.97888G | 64.97 | 88.20 | -23.23 | 21.78 | 3 | Vertical | 241 | 1.50 | - | 43.19 | 39.78 | 14.53 | 32.53 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6995MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.97148G | 52.11 | 68.20 | -16.09 | 21.76 | 3 | Horizontal | 179 | 1.27 | - | 30.35 | 39.77 | 14.52 | 32.53 |
| PK | 13.9826G | 65.09 | 88.20 | -23.11 | 21.78 | 3 | Horizontal | 179 | 1.27 | - | 43.31 | 39.78 | 14.53 | 32.53 |

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.0884G | 100.07 | Inf | -Inf | 12.84 | 3 | Vertical | 97 | 1.93 | - | 87.23 | 36.15 | 11.21 | 34.52 |
| AV | 7.1484G | 54.58 | 68.20 | -13.62 | 13.33 | 3 | Vertical | 97 | 1.93 | - | 41.25 | 36.59 | 11.26 | 34.52 |
| PK | 7.0869G | 111.42 | Inf | -Inf | 12.83 | 3 | Vertical | 97 | 1.93 | - | 98.59 | 36.15 | 11.20 | 34.52 |
| PK | 7.1496G | 66.50 | 88.20 | -21.70 | 13.34 | 3 | Vertical | 97 | 1.93 | - | 53.16 | 36.60 | 11.26 | 34.52 |


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.1013G | 83.36 | Inf | -Inf | 12.91 | 3 | Horizontal | 150 | 1.50 | - | 70.45 | 36.21 | 11.22 | 34.52 |
| AV | 7.1562G | 54.58 | 68.20 | -13.62 | 13.34 | 3 | Horizontal | 150 | 1.50 | - | 41.24 | 36.59 | 11.26 | 34.51 |
| PK | 7.0995G | 95.01 | Inf | -Inf | 12.89 | 3 | Horizontal | 150 | 1.50 | - | 82.12 | 36.20 | 11.21 | 34.52 |
| PK | 7.1541G | 66.97 | 88.20 | -21.23 | 13.34 | 3 | Horizontal | 150 | 1.50 | - | 53.63 | 36.59 | 11.26 | 34.51 |

6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.17764G | 51.41 | 68.20 | -16.79 | 22.01 | 3 | Vertical | 85 | 1.61 | - | 29.40 | 40.10 | 14.67 | 32.76 |
| PK | 14.179G | 64.25 | 88.20 | -23.95 | 22.00 | 3 | Vertical | 85 | 1.61 | - | 42.25 | 40.10 | 14.67 | 32.77 |


6.875-7.125GHz_802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.17688G | 51.61 | 68.20 | -16.59 | 22.01 | 3 | Horizontal | 121 | 1.24 | - | 29.60 | 40.10 | 14.67 | 32.76 |
| PK | 14.1832G | 63.88 | 88.20 | -24.32 | 22.01 | 3 | Horizontal | 121 | 1.24 | - | 41.87 | 40.10 | 14.68 | 32.77 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9239G | 50.58 | 68.20 | -17.62 | 10.25 | 3 | Vertical | 196 | 1.50 | - | 40.33 | 34.20 | 10.27 | 34.22 |
| AV | 5.9479G | 99.79 | Inf | -Inf | 10.36 | 3 | Vertical | 196 | 1.50 | - | 89.43 | 34.29 | 10.29 | 34.22 |
| PK | 5.8594G | 62.85 | 88.20 | -25.35 | 10.11 | 3 | Vertical | 196 | 1.50 | - | 52.74 | 34.10 | 10.22 | 34.21 |
| PK | 5.9473G | 111.21 | Inf | -Inf | 10.36 | 3 | Vertical | 196 | 1.50 | - | 100.85 | 34.29 | 10.29 | 34.22 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8873G | 50.26 | 68.20 | -17.94 | 10.14 | 3 | Horizontal | 342 | 2.84 | - | 40.12 | 34.10 | 10.25 | 34.21 |
| AV | 5.9737G | 86.73 | Inf | -Inf | 10.25 | 3 | Horizontal | 342 | 2.84 | - | 76.48 | 34.16 | 10.31 | 34.22 |
| PK | 5.8852G | 62.16 | 88.20 | -26.04 | 10.13 | 3 | Horizontal | 342 | 2.84 | - | 52.03 | 34.10 | 10.24 | 34.21 |
| PK | 5.9776G | 98.80 | Inf | -Inf | 10.22 | 3 | Horizontal | 342 | 2.84 | - | 88.58 | 34.13 | 10.31 | 34.22 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.95568G | 41.66 | 54.00 | -12.34 | 17.69 | 3 | Vertical | 88 | 1.50 | - | 23.97 | 38.71 | 13.29 | 34.31 |
| PK | 11.94536G | 55.33 | 74.00 | -18.67 | 17.68 | 3 | Vertical | 88 | 1.50 | - | 37.65 | 38.69 | 13.29 | 34.30 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.90504G | 41.76 | 54.00 | -12.24 | 17.60 | 3 | Horizontal | 350 | 2.58 | - | 24.16 | 38.61 | 13.27 | 34.28 |
| PK | 11.89952G | 54.41 | 74.00 | -19.59 | 17.59 | 3 | Horizontal | 350 | 2.58 | - | 36.82 | 38.60 | 13.27 | 34.28 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9106G | 50.29 | 68.20 | -17.91 | 10.19 | 3 | Vertical | 55 | 1.98 | - | 40.10 | 34.14 | 10.26 | 34.21 |
| AV | 6.1584G | 99.77 | Inf | -Inf | 10.36 | 3 | Vertical | 55 | 1.98 | - | 89.41 | 34.10 | 10.49 | 34.23 |
| PK | 5.9184G | 62.25 | 88.20 | -25.95 | 10.22 | 3 | Vertical | 55 | 1.98 | - | 52.03 | 34.17 | 10.27 | 34.22 |
| PK | 6.1488G | 111.17 | Inf | -Inf | 10.35 | 3 | Vertical | 55 | 1.98 | - | 100.82 | 34.10 | 10.48 | 34.23 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.865G | 50.30 | 68.20 | -17.90 | 10.12 | 3 | Horizontal | 73 | 2.15 | - | 40.18 | 34.10 | 10.23 | 34.21 |
| AV | 6.1614G | 83.85 | Inf | -Inf | 10.36 | 3 | Horizontal | 73 | 2.15 | - | 73.49 | 34.10 | 10.49 | 34.23 |
| PK | 5.9076G | 61.82 | 88.20 | -26.38 | 10.18 | 3 | Horizontal | 73 | 2.15 | - | 51.64 | 34.13 | 10.26 | 34.21 |
| PK | 6.162G | 94.32 | Inf | -Inf | 10.36 | 3 | Horizontal | 73 | 2.15 | - | 83.96 | 34.10 | 10.49 | 34.23 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.33744G | 42.71 | 54.00 | -11.29 | 18.20 | 3 | Vertical | 336 | 1.50 | - | 24.51 | 38.84 | 13.52 | 34.16 |
| PK | 12.32568G | 56.24 | 74.00 | -17.76 | 18.17 | 3 | Vertical | 336 | 1.50 | - | 38.07 | 38.83 | 13.51 | 34.17 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.34576G | 42.78 | 54.00 | -11.22 | 18.21 | 3 | Horizontal | 1 | 1.50 | - | 24.57 | 38.85 | 13.52 | 34.16 |
| PK | 12.32784G | 55.55 | 74.00 | -18.45 | 18.17 | 3 | Horizontal | 1 | 1.50 | - | 37.38 | 38.83 | 13.51 | 34.17 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9226G | 50.27 | 68.20 | -17.93 | 10.24 | 3 | Vertical | 53 | 1.86 | - | 40.03 | 34.19 | 10.27 | 34.22 |
| AV | 6.3978G | 100.17 | Inf | -Inf | 11.08 | 3 | Vertical | 53 | 1.86 | - | 89.09 | 34.69 | 10.64 | 34.25 |
| PK | 5.8386G | 62.21 | 88.20 | -25.99 | 10.03 | 3 | Vertical | 53 | 1.86 | - | 52.18 | 34.03 | 10.21 | 34.21 |
| PK | 6.3966G | 111.82 | Inf | -Inf | 11.08 | 3 | Vertical | 53 | 1.86 | - | 100.74 | 34.69 | 10.64 | 34.25 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.859G | 50.20 | 68.20 | -18.00 | 10.11 | 3 | Horizontal | 341 | 2.53 | - | 40.09 | 34.10 | 10.22 | 34.21 |
| AV | 6.3954G | 85.21 | Inf | -Inf | 11.07 | 3 | Horizontal | 341 | 2.53 | - | 74.14 | 34.68 | 10.64 | 34.25 |
| PK | 5.8362G | 61.70 | 88.20 | -26.50 | 10.02 | 3 | Horizontal | 341 | 2.53 | - | 51.68 | 34.02 | 10.21 | 34.21 |
| PK | 6.3942G | 95.32 | Inf | -Inf | 11.07 | 3 | Horizontal | 341 | 2.53 | - | 84.25 | 34.68 | 10.64 | 34.25 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.8208G | 45.84 | 68.20 | -22.36 | 19.93 | 3 | Vertical | 146 | 2.14 | - | 25.91 | 39.60 | 13.81 | 33.48 |
| PK | 12.84992G | 58.95 | 88.20 | -29.25 | 20.01 | 3 | Vertical | 146 | 2.14 | - | 38.94 | 39.60 | 13.83 | 33.42 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.83232G | 45.85 | 68.20 | -22.35 | 19.96 | 3 | Horizontal | 2 | 1.94 | - | 25.89 | 39.60 | 13.82 | 33.46 |
| PK | 12.812G | 58.55 | 88.20 | -29.65 | 19.92 | 3 | Horizontal | 2 | 1.94 | - | 38.63 | 39.60 | 13.81 | 33.49 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9194G | 50.23 | 68.20 | -17.97 | 10.23 | 3 | Vertical | 53 | 1.87 | - | 40.00 | 34.18 | 10.27 | 34.22 |
| AV | 6.4582G | 99.98 | Inf | -Inf | 11.37 | 3 | Vertical | 53 | 1.87 | - | 88.61 | 34.95 | 10.68 | 34.26 |
| PK | 5.8702G | 61.49 | 88.20 | -26.71 | 10.12 | 3 | Vertical | 53 | 1.87 | - | 51.37 | 34.10 | 10.23 | 34.21 |
| PK | 6.4606G | 111.67 | Inf | -Inf | 11.38 | 3 | Vertical | 53 | 1.87 | - | 100.29 | 34.96 | 10.68 | 34.26 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8654G | 50.25 | 68.20 | -17.95 | 10.12 | 3 | Horizontal | 69 | 1.66 | - | 40.13 | 34.10 | 10.23 | 34.21 |
| AV | 6.439G | 80.73 | Inf | -Inf | 11.27 | 3 | Horizontal | 69 | 1.66 | - | 69.46 | 34.86 | 10.67 | 34.26 |
| PK | 5.8666G | 61.93 | 88.20 | -26.27 | 10.12 | 3 | Horizontal | 69 | 1.66 | - | 51.81 | 34.10 | 10.23 | 34.21 |
| PK | 6.4594G | 91.41 | Inf | -Inf | 11.38 | 3 | Horizontal | 69 | 1.66 | - | 80.03 | 34.96 | 10.68 | 34.26 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.8552G | 43.76 | 68.20 | -24.44 | 20.03 | 3 | Vertical | 166 | 2.27 | - | 23.73 | 39.60 | 13.84 | 33.41 |
| PK | 12.8532G | 56.84 | 88.20 | -31.36 | 20.01 | 3 | Vertical | 166 | 2.27 | - | 36.83 | 39.60 | 13.83 | 33.42 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.8516G | 43.72 | 68.20 | -24.48 | 20.01 | 3 | Horizontal | 287 | 1.44 | - | 23.71 | 39.60 | 13.83 | 33.42 |
| PK | 12.92928G | 55.92 | 88.20 | -32.28 | 20.27 | 3 | Horizontal | 287 | 1.44 | - | 35.65 | 39.66 | 13.88 | 33.27 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9236G | 50.32 | 68.20 | -17.88 | 10.24 | 3 | Vertical | 268 | 1.96 | - | 40.08 | 34.19 | 10.27 | 34.22 |
| AV | 6.499G | 100.39 | Inf | -Inf | 11.63 | 3 | Vertical | 268 | 1.96 | - | 88.76 | 35.19 | 10.70 | 34.26 |
| AV | 7.1556G | 53.91 | 68.20 | -14.29 | 13.34 | 3 | Vertical | 268 | 1.96 | - | 40.57 | 36.59 | 11.26 | 34.51 |
| PK | 5.8816G | 61.49 | 88.20 | -26.71 | 10.13 | 3 | Vertical | 268 | 1.96 | - | 51.36 | 34.10 | 10.24 | 34.21 |
| PK | 6.492G | 110.03 | Inf | -Inf | 11.59 | 3 | Vertical | 268 | 1.96 | - | 98.44 | 35.15 | 10.70 | 34.26 |
| PK | 7.1402G | 65.51 | 88.20 | -22.69 | 13.25 | 3 | Vertical | 268 | 1.96 | - | 52.26 | 36.52 | 11.25 | 34.52 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8494G | 50.25 | 68.20 | -17.95 | 10.11 | 3 | Horizontal | 212 | 2.50 | - | 40.14 | 34.10 | 10.22 | 34.21 |
| AV | 6.4934G | 86.64 | Inf | -Inf | 11.60 | 3 | Horizontal | 212 | 2.50 | - | 75.04 | 35.16 | 10.70 | 34.26 |
| AV | 7.171G | 53.94 | 68.20 | -14.26 | 13.33 | 3 | Horizontal | 212 | 2.50 | - | 40.61 | 36.56 | 11.28 | 34.51 |
| PK | 5.8732G | 62.26 | 88.20 | -25.94 | 10.12 | 3 | Horizontal | 212 | 2.50 | - | 52.14 | 34.10 | 10.23 | 34.21 |
| PK | 6.499G | 97.35 | Inf | -Inf | 11.63 | 3 | Horizontal | 212 | 2.50 | - | 85.72 | 35.19 | 10.70 | 34.26 |
| PK | 7.1584G | 65.35 | 88.20 | -22.85 | 13.33 | 3 | Horizontal | 212 | 2.50 | - | 52.02 | 36.58 | 11.26 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.9924G | 44.53 | 68.20 | -23.67 | 20.55 | 3 | Vertical | 24 | 2.36 | - | 23.98 | 39.78 | 13.92 | 33.15 |
| PK | 12.97248G | 58.03 | 88.20 | -30.17 | 20.46 | 3 | Vertical | 24 | 2.36 | - | 37.57 | 39.74 | 13.91 | 33.19 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.9968G | 44.27 | 68.20 | -23.93 | 20.56 | 3 | Horizontal | 236 | 2.31 | - | 23.71 | 39.79 | 13.92 | 33.15 |
| PK | 12.96488G | 56.97 | 88.20 | -31.23 | 20.42 | 3 | Horizontal | 236 | 2.31 | - | 36.55 | 39.73 | 13.90 | 33.21 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8558G | 50.24 | 68.20 | -17.96 | 10.11 | 3 | Vertical | 229 | 2.17 | - | 40.13 | 34.10 | 10.22 | 34.21 |
| AV | 6.5166G | 100.08 | Inf | -Inf | 11.68 | 3 | Vertical | 229 | 2.17 | - | 88.40 | 35.23 | 10.72 | 34.27 |
| AV | 7.1522G | 53.95 | 68.20 | -14.25 | 13.35 | 3 | Vertical | 229 | 2.17 | - | 40.60 | 36.60 | 11.26 | 34.51 |
| PK | 5.825G | 62.10 | 88.20 | -26.10 | 9.94 | 3 | Vertical | 229 | 2.17 | - | 52.16 | 33.95 | 10.20 | 34.21 |
| PK | 6.5194G | 111.24 | Inf | -Inf | 11.69 | 3 | Vertical | 229 | 2.17 | - | 99.55 | 35.24 | 10.72 | 34.27 |
| PK | 7.1522G | 66.29 | 88.20 | -21.91 | 13.35 | 3 | Vertical | 229 | 2.17 | - | 52.94 | 36.60 | 11.26 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.853G | 50.20 | 68.20 | -18.00 | 10.11 | 3 | Horizontal | 259 | 1.28 | - | 40.09 | 34.10 | 10.22 | 34.21 |
| AV | 6.5432G | 83.41 | Inf | -Inf | 11.74 | 3 | Horizontal | 259 | 1.28 | - | 71.67 | 35.29 | 10.73 | 34.28 |
| AV | 7.148G | 53.90 | 68.20 | -14.30 | 13.32 | 3 | Horizontal | 259 | 1.28 | - | 40.58 | 36.58 | 11.26 | 34.52 |
| PK | 5.8642G | 62.29 | 88.20 | -25.91 | 10.12 | 3 | Horizontal | 259 | 1.28 | - | 52.17 | 34.10 | 10.23 | 34.21 |
| PK | 6.5418G | 93.33 | Inf | -Inf | 11.73 | 3 | Horizontal | 259 | 1.28 | - | 81.60 | 35.28 | 10.73 | 34.28 |
| PK | 7.1354G | 65.14 | 88.20 | -23.06 | 13.21 | 3 | Horizontal | 259 | 1.28 | - | 51.93 | 36.48 | 11.25 | 34.52 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.01704G | 45.92 | 68.20 | -22.28 | 20.61 | 3 | Vertical | 151 | 2.36 | - | 25.31 | 39.78 | 13.94 | 33.11 |
| PK | 13.02664G | 58.36 | 88.20 | -29.84 | 20.61 | 3 | Vertical | 151 | 2.36 | - | 37.75 | 39.77 | 13.94 | 33.10 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.012G | 46.39 | 68.20 | -21.81 | 20.60 | 3 | Horizontal | 77 | 1.68 | - | 25.79 | 39.79 | 13.93 | 33.12 |
| PK | 13.04856G | 59.09 | 88.20 | -29.11 | 20.64 | 3 | Horizontal | 77 | 1.68 | - | 38.45 | 39.75 | 13.95 | 33.06 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.5578G | 99.83 | Inf | -Inf | 11.80 | 3 | Vertical | 55 | 1.99 | - | 88.03 | 35.35 | 10.74 | 34.29 |
| AV | 7.1542G | 53.94 | 68.20 | -14.26 | 13.34 | 3 | Vertical | 55 | 1.99 | - | 40.60 | 36.59 | 11.26 | 34.51 |
| PK | 6.5578G | 110.28 | Inf | -Inf | 11.80 | 3 | Vertical | 55 | 1.99 | - | 98.48 | 35.35 | 10.74 | 34.29 |
| PK | 7.1614G | 64.90 | 88.20 | -23.30 | 13.34 | 3 | Vertical | 55 | 1.99 | - | 51.56 | 36.58 | 11.27 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.5698G | 81.45 | Inf | -Inf | 11.87 | 3 | Horizontal | 111 | 2.98 | - | 69.58 | 35.42 | 10.75 | 34.30 |
| AV | 7.1506G | 53.90 | 68.20 | -14.30 | 13.35 | 3 | Horizontal | 111 | 2.98 | - | 40.55 | 36.60 | 11.26 | 34.51 |
| PK | 6.5506G | 92.57 | Inf | -Inf | 11.75 | 3 | Horizontal | 111 | 2.98 | - | 80.82 | 35.30 | 10.74 | 34.29 |
| PK | 7.159G | 64.76 | 88.20 | -23.44 | 13.34 | 3 | Horizontal | 111 | 2.98 | - | 51.42 | 36.58 | 11.27 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.11432G | 44.26 | 68.20 | -23.94 | 20.75 | 3 | Vertical | 214 | 2.87 | - | 23.51 | 39.70 | 14.00 | 32.95 |
| PK | 13.09488G | 57.15 | 88.20 | -31.05 | 20.71 | 3 | Vertical | 214 | 2.87 | - | 36.44 | 39.71 | 13.98 | 32.98 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.09104G | 44.25 | 68.20 | -23.95 | 20.70 | 3 | Horizontal | 126 | 1.05 | - | 23.55 | 39.71 | 13.98 | 32.99 |
| PK | 13.12496G | 57.12 | 88.20 | -31.08 | 20.76 | 3 | Horizontal | 126 | 1.05 | - | 36.36 | 39.70 | 14.00 | 32.94 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.667G | 99.22 | Inf | -Inf | 12.25 | 3 | Vertical | 51 | 1.76 | - | 86.97 | 35.77 | 10.83 | 34.35 |
| AV | 7.157G | 53.94 | 68.20 | -14.26 | 13.34 | 3 | Vertical | 51 | 1.76 | - | 40.60 | 36.59 | 11.26 | 34.51 |
| PK | 6.67G | 109.52 | Inf | -Inf | 12.27 | 3 | Vertical | 51 | 1.76 | - | 97.25 | 35.78 | 10.84 | 34.35 |
| PK | 7.155G | 66.04 | 88.20 | -22.16 | 13.34 | 3 | Vertical | 51 | 1.76 | - | 52.70 | 36.59 | 11.26 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.678G | 80.77 | Inf | -Inf | 12.29 | 3 | Horizontal | 58 | 1.50 | - | 68.48 | 35.81 | 10.84 | 34.36 |
| AV | 7.153G | 53.95 | 68.20 | -14.25 | 13.34 | 3 | Horizontal | 58 | 1.50 | - | 40.61 | 36.59 | 11.26 | 34.51 |
| PK | 6.676G | 91.72 | Inf | -Inf | 12.28 | 3 | Horizontal | 58 | 1.50 | - | 79.44 | 35.80 | 10.84 | 34.36 |
| PK | 7.132G | 64.86 | 88.20 | -23.34 | 13.18 | 3 | Horizontal | 58 | 1.50 | - | 51.68 | 36.46 | 11.24 | 34.52 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.386G | 44.62 | 54.00 | -9.38 | 21.71 | 3 | Vertical | 195 | 2.74 | - | 22.91 | 40.06 | 14.16 | 32.51 |
| PK | 13.40368G | 57.19 | 88.20 | -31.01 | 21.79 | 3 | Vertical | 195 | 2.74 | - | 35.40 | 40.10 | 14.17 | 32.48 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.38536G | 44.71 | 54.00 | -9.29 | 21.71 | 3 | Horizontal | 274 | 1.06 | - | 23.00 | 40.06 | 14.16 | 32.51 |
| PK | 13.35208G | 57.55 | 74.00 | -16.45 | 21.54 | 3 | Horizontal | 274 | 1.06 | - | 36.01 | 39.96 | 14.14 | 32.56 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6845MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8597G | 99.90 | Inf | -Inf | 12.26 | 3 | Vertical | 36 | 1.72 | - | 87.64 | 35.70 | 11.01 | 34.45 |
| AV | 7.1579G | 53.96 | 68.20 | -14.24 | 13.33 | 3 | Vertical | 36 | 1.72 | - | 40.63 | 36.58 | 11.26 | 34.51 |
| PK | 6.8576G | 111.84 | Inf | -Inf | 12.26 | 3 | Vertical | 36 | 1.72 | - | 99.58 | 35.70 | 11.01 | 34.45 |
| PK | 7.1866G | 66.09 | 88.20 | -22.11 | 13.31 | 3 | Vertical | 36 | 1.72 | - | 52.78 | 36.53 | 11.29 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8534G | 82.16 | Inf | -Inf | 12.26 | 3 | Horizontal | 232 | 2.07 | - | 69.90 | 35.70 | 11.01 | 34.45 |
| AV | 7.1796G | 54.00 | 68.20 | -14.20 | 13.31 | 3 | Horizontal | 232 | 2.07 | - | 40.69 | 36.54 | 11.28 | 34.51 |
| PK | 6.8387G | 93.35 | Inf | -Inf | 12.30 | 3 | Horizontal | 232 | 2.07 | - | 81.05 | 35.75 | 10.99 | 34.44 |
| PK | 7.1656G | 66.07 | 88.20 | -22.13 | 13.33 | 3 | Horizontal | 232 | 2.07 | - | 52.74 | 36.57 | 11.27 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.68696G | 48.80 | 68.20 | -19.40 | 21.69 | 3 | Vertical | 112 | 2.68 | - | 27.11 | 39.74 | 14.35 | 32.40 |
| PK | 13.70696G | 60.86 | 88.20 | -27.34 | 21.65 | 3 | Vertical | 112 | 2.68 | - | 39.21 | 39.70 | 14.36 | 32.41 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.71384G | 48.85 | 68.20 | -19.35 | 21.65 | 3 | Horizontal | 179 | 1.56 | - | 27.20 | 39.70 | 14.36 | 32.41 |
| PK | 13.69488G | 62.25 | 88.20 | -25.95 | 21.66 | 3 | Horizontal | 179 | 1.56 | - | 40.59 | 39.72 | 14.35 | 32.41 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8892G | 99.72 | Inf | -Inf | 12.27 | 3 | Vertical | 220 | 1.91 | - | 87.45 | 35.70 | 11.04 | 34.47 |
| AV | 7.1517G | 54.05 | 68.20 | -14.15 | 13.35 | 3 | Vertical | 220 | 1.91 | - | 40.70 | 36.60 | 11.26 | 34.51 |
| PK | 6.8892G | 110.06 | Inf | -Inf | 12.27 | 3 | Vertical | 220 | 1.91 | - | 97.79 | 35.70 | 11.04 | 34.47 |
| PK | 7.1965G | 66.66 | 88.20 | -21.54 | 13.30 | 3 | Vertical | 220 | 1.91 | - | 53.36 | 36.51 | 11.30 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8808G | 81.17 | Inf | -Inf | 12.26 | 3 | Horizontal | 110 | 2.04 | - | 68.91 | 35.70 | 11.03 | 34.47 |
| AV | 7.2049G | 53.97 | 68.20 | -14.23 | 13.31 | 3 | Horizontal | 110 | 2.04 | - | 40.66 | 36.52 | 11.30 | 34.51 |
| PK | 6.8815G | 92.59 | Inf | -Inf | 12.26 | 3 | Horizontal | 110 | 2.04 | - | 80.33 | 35.70 | 11.03 | 34.47 |
| PK | 7.1629G | 65.75 | 88.20 | -22.45 | 13.33 | 3 | Horizontal | 110 | 2.04 | - | 52.42 | 36.57 | 11.27 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.80712G | 49.30 | 68.20 | -18.90 | 21.66 | 3 | Vertical | 157 | 2.65 | - | 27.64 | 39.70 | 14.42 | 32.46 |
| PK | 13.74304G | 62.38 | 88.20 | -25.82 | 21.65 | 3 | Vertical | 157 | 2.65 | - | 40.73 | 39.70 | 14.38 | 32.43 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.80512G | 49.27 | 68.20 | -18.93 | 21.67 | 3 | Horizontal | 1 | 1.36 | - | 27.60 | 39.70 | 14.42 | 32.45 |
| PK | 13.78896G | 62.24 | 88.20 | -25.96 | 21.66 | 3 | Horizontal | 1 | 1.36 | - | 40.58 | 39.70 | 14.41 | 32.45 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.907G | 99.72 | Inf | -Inf | 12.27 | 3 | Vertical | 242 | 1.88 | - | 87.45 | 35.70 | 11.05 | 34.48 |
| AV | 7.1542G | 54.02 | 68.20 | -14.18 | 13.34 | 3 | Vertical | 242 | 1.88 | - | 40.68 | 36.59 | 11.26 | 34.51 |
| PK | 6.907G | 110.47 | Inf | -Inf | 12.27 | 3 | Vertical | 242 | 1.88 | - | 98.20 | 35.70 | 11.05 | 34.48 |
| PK | 7.1962G | 65.92 | 88.20 | -22.28 | 13.30 | 3 | Vertical | 242 | 1.88 | - | 52.62 | 36.51 | 11.30 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9382G | 82.72 | Inf | -Inf | 12.28 | 3 | Horizontal | 231 | 2.02 | - | 70.44 | 35.70 | 11.08 | 34.50 |
| AV | 7.1836G | 53.94 | 68.20 | -14.26 | 13.31 | 3 | Horizontal | 231 | 2.02 | - | 40.63 | 36.53 | 11.29 | 34.51 |
| PK | 6.9376G | 94.72 | Inf | -Inf | 12.28 | 3 | Horizontal | 231 | 2.02 | - | 82.44 | 35.70 | 11.08 | 34.50 |
| PK | 7.204G | 65.69 | 88.20 | -22.51 | 13.31 | 3 | Horizontal | 231 | 2.02 | - | 52.38 | 36.52 | 11.30 | 34.51 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.8488G | 49.93 | 68.20 | -18.27 | 21.68 | 3 | Vertical | 282 | 1.74 | - | 28.25 | 39.70 | 14.45 | 32.47 |
| PK | 13.84384G | 63.58 | 88.20 | -24.62 | 21.67 | 3 | Vertical | 282 | 1.74 | - | 41.91 | 39.70 | 14.44 | 32.47 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.85296G | 49.97 | 68.20 | -18.23 | 21.67 | 3 | Horizontal | 14 | 1.30 | - | 28.30 | 39.70 | 14.45 | 32.48 |
| PK | 13.82752G | 62.53 | 88.20 | -25.67 | 21.67 | 3 | Horizontal | 14 | 1.30 | - | 40.86 | 39.70 | 14.43 | 32.46 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.0131G | 99.87 | Inf | -Inf | 12.39 | 3 | Vertical | 38 | 1.78 | - | 87.48 | 35.78 | 11.14 | 34.53 |
| AV | 7.1511G | 54.18 | 68.20 | -14.02 | 13.35 | 3 | Vertical | 38 | 1.78 | - | 40.83 | 36.60 | 11.26 | 34.51 |
| PK | 7.014G | 111.82 | Inf | -Inf | 12.39 | 3 | Vertical | 38 | 1.78 | - | 99.43 | 35.78 | 11.14 | 34.53 |
| PK | 7.1361G | 65.88 | 88.20 | -22.32 | 13.22 | 3 | Vertical | 38 | 1.78 | - | 52.66 | 36.49 | 11.25 | 34.52 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9903G | 86.36 | Inf | -Inf | 12.30 | 3 | Horizontal | 220 | 1.84 | - | 74.06 | 35.70 | 11.12 | 34.52 |
| AV | 7.1502G | 54.02 | 68.20 | -14.18 | 13.35 | 3 | Horizontal | 220 | 1.84 | - | 40.67 | 36.60 | 11.26 | 34.51 |
| PK | 6.9891G | 99.14 | Inf | -Inf | 12.30 | 3 | Horizontal | 220 | 1.84 | - | 86.84 | 35.70 | 11.12 | 34.52 |
| PK | 7.1379G | 67.61 | 88.20 | -20.59 | 13.23 | 3 | Horizontal | 220 | 1.84 | - | 54.38 | 36.50 | 11.25 | 34.52 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.00272G | 51.01 | 68.20 | -17.19 | 21.81 | 3 | Vertical | 197 | 2.75 | - | 29.20 | 39.81 | 14.54 | 32.54 |
| PK | 13.97168G | 64.25 | 88.20 | -23.95 | 21.76 | 3 | Vertical | 197 | 2.75 | - | 42.49 | 39.77 | 14.52 | 32.53 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7005MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.97792G | 49.98 | 68.20 | -18.22 | 21.78 | 3 | Horizontal | 58 | 1.92 | - | 28.20 | 39.78 | 14.53 | 32.53 |
| PK | 13.99728G | 63.17 | 88.20 | -25.03 | 21.80 | 3 | Horizontal | 58 | 1.92 | - | 41.37 | 39.80 | 14.54 | 32.54 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.1027G | 99.61 | Inf | -Inf | 12.92 | 3 | Vertical | 64 | 1.83 | - | 86.69 | 36.22 | 11.22 | 34.52 |
| AV | 7.1411G | 54.32 | 68.20 | -13.88 | 13.26 | 3 | Vertical | 64 | 1.83 | - | 41.06 | 36.53 | 11.25 | 34.52 |
| PK | 7.1018G | 111.74 | Inf | -Inf | 12.91 | 3 | Vertical | 64 | 1.83 | - | 98.83 | 36.21 | 11.22 | 34.52 |
| PK | 7.1753G | 67.24 | 88.20 | -20.96 | 13.32 | 3 | Vertical | 64 | 1.83 | - | 53.92 | 36.55 | 11.28 | 34.51 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.1033G | 86.47 | Inf | -Inf | 12.93 | 3 | Horizontal | 79 | 2.06 | - | 73.54 | 36.23 | 11.22 | 34.52 |
| AV | 7.1519G | 54.02 | 68.20 | -14.18 | 13.35 | 3 | Horizontal | 79 | 2.06 | - | 40.67 | 36.60 | 11.26 | 34.51 |
| PK | 7.1033G | 97.43 | Inf | -Inf | 12.93 | 3 | Horizontal | 79 | 2.06 | - | 84.50 | 36.23 | 11.22 | 34.52 |
| PK | 7.1366G | 66.13 | 88.20 | -22.07 | 13.22 | 3 | Horizontal | 79 | 2.06 | - | 52.91 | 36.49 | 11.25 | 34.52 |

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.132G | 51.62 | 68.20 | -16.58 | 22.03 | 3 | Vertical | 58 | 2.20 | - | 29.59 | 40.10 | 14.64 | 32.71 |
| PK | 14.14376G | 63.94 | 88.20 | -24.26 | 22.03 | 3 | Vertical | 58 | 2.20 | - | 41.91 | 40.10 | 14.65 | 32.72 |


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.13184G | 51.63 | 68.20 | -16.57 | 22.03 | 3 | Horizontal | 129 | 2.09 | - | 29.60 | 40.10 | 14.64 | 32.71 |
| PK | 14.16216G | 64.85 | 88.20 | -23.35 | 22.02 | 3 | Horizontal | 129 | 2.09 | - | 42.83 | 40.10 | 14.66 | 32.74 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.924G | 53.94 | 68.20 | -14.26 | 10.25 | 3 | Vertical | 308 | 1.88 | - | 43.69 | 34.20 | 10.27 | 34.22 |
| AV | 5.9745G | 100.38 | Inf | -Inf | 10.24 | 3 | Vertical | 308 | 1.88 | - | 90.14 | 34.15 | 10.31 | 34.22 |
| PK | 5.921G | 69.28 | 88.20 | -18.92 | 10.23 | 3 | Vertical | 308 | 1.88 | - | 59.05 | 34.18 | 10.27 | 34.22 |
| PK | 5.9945G | 113.53 | Inf | -Inf | 10.14 | 3 | Vertical | 308 | 1.88 | - | 103.39 | 34.03 | 10.33 | 34.22 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9235G | 50.86 | 68.20 | -17.34 | 10.24 | 3 | Horizontal | 334 | 2.82 | - | 40.62 | 34.19 | 10.27 | 34.22 |
| AV | 5.9665G | 89.70 | Inf | -Inf | 10.28 | 3 | Horizontal | 334 | 2.82 | - | 79.42 | 34.20 | 10.30 | 34.22 |
| PK | 5.906G | 62.88 | 88.20 | -25.32 | 10.17 | 3 | Horizontal | 334 | 2.82 | - | 52.71 | 34.12 | 10.26 | 34.21 |
| PK | 5.9685G | 100.14 | Inf | -Inf | 10.28 | 3 | Horizontal | 334 | 2.82 | - | 89.86 | 34.19 | 10.31 | 34.22 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.97688G | 43.96 | 54.00 | -10.04 | 17.73 | 3 | Vertical | 253 | 1.19 | - | 26.23 | 38.75 | 13.30 | 34.32 |
| PK | 11.9748G | 57.21 | 74.00 | -16.79 | 17.73 | 3 | Vertical | 253 | 1.19 | - | 39.48 | 38.75 | 13.30 | 34.32 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.00264G | 43.76 | 54.00 | -10.24 | 17.79 | 3 | Horizontal | 149 | 1.50 | - | 25.97 | 38.81 | 13.31 | 34.33 |
| PK | 11.97216G | 56.90 | 74.00 | -17.10 | 17.73 | 3 | Horizontal | 149 | 1.50 | - | 39.17 | 38.74 | 13.30 | 34.31 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9236G | 50.41 | 68.20 | -17.79 | 10.24 | 3 | Vertical | 193 | 1.50 | - | 40.17 | 34.19 | 10.27 | 34.22 |
| AV | 6.1696G | 99.93 | Inf | -Inf | 10.37 | 3 | Vertical | 193 | 1.50 | - | 89.56 | 34.10 | 10.50 | 34.23 |
| PK | 5.8588G | 62.34 | 88.20 | -25.86 | 10.11 | 3 | Vertical | 193 | 1.50 | - | 52.23 | 34.10 | 10.22 | 34.21 |
| PK | 6.1732G | 111.67 | Inf | -Inf | 10.37 | 3 | Vertical | 193 | 1.50 | - | 101.30 | 34.10 | 10.50 | 34.23 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8456G | 50.26 | 68.20 | -17.94 | 10.07 | 3 | Horizontal | 310 | 1.50 | - | 40.19 | 34.07 | 10.21 | 34.21 |
| AV | 6.1618G | 85.08 | Inf | -Inf | 10.36 | 3 | Horizontal | 310 | 1.50 | - | 74.72 | 34.10 | 10.49 | 34.23 |
| PK | 5.9104G | 61.82 | 88.20 | -26.38 | 10.19 | 3 | Horizontal | 310 | 1.50 | - | 51.63 | 34.14 | 10.26 | 34.21 |
| PK | 6.163G | 97.79 | Inf | -Inf | 10.36 | 3 | Horizontal | 310 | 1.50 | - | 87.43 | 34.10 | 10.49 | 34.23 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.314G | 44.54 | 54.00 | -9.46 | 18.14 | 3 | Vertical | 116 | 2.12 | - | 26.40 | 38.81 | 13.50 | 34.17 |
| PK | 12.27784G | 57.33 | 74.00 | -16.67 | 18.13 | 3 | Vertical | 116 | 2.12 | - | 39.20 | 38.84 | 13.48 | 34.19 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.3284G | 44.49 | 54.00 | -9.51 | 18.17 | 3 | Horizontal | 45 | 1.89 | - | 26.32 | 38.83 | 13.51 | 34.17 |
| PK | 12.32472G | 57.40 | 74.00 | -16.60 | 18.16 | 3 | Horizontal | 45 | 1.89 | - | 39.24 | 38.82 | 13.51 | 34.17 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9206G | 50.22 | 68.20 | -17.98 | 10.23 | 3 | Vertical | 210 | 1.77 | - | 39.99 | 34.18 | 10.27 | 34.22 |
| AV | 6.379G | 100.24 | Inf | -Inf | 11.00 | 3 | Vertical | 210 | 1.77 | - | 89.24 | 34.62 | 10.63 | 34.25 |
| PK | 5.8942G | 63.58 | 88.20 | -24.62 | 10.14 | 3 | Vertical | 210 | 1.77 | - | 53.44 | 34.10 | 10.25 | 34.21 |
| PK | 6.3778G | 112.03 | Inf | -Inf | 10.99 | 3 | Vertical | 210 | 1.77 | - | 101.04 | 34.61 | 10.63 | 34.25 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9086G | 50.23 | 68.20 | -17.97 | 10.18 | 3 | Horizontal | 75 | 1.17 | - | 40.05 | 34.13 | 10.26 | 34.21 |
| AV | 6.3478G | 86.24 | Inf | -Inf | 10.85 | 3 | Horizontal | 75 | 1.17 | - | 75.39 | 34.49 | 10.61 | 34.25 |
| PK | 5.8378G | 62.70 | 88.20 | -25.50 | 10.03 | 3 | Horizontal | 75 | 1.17 | - | 52.67 | 34.03 | 10.21 | 34.21 |
| PK | 6.3778G | 98.12 | Inf | -Inf | 10.99 | 3 | Horizontal | 75 | 1.17 | - | 87.13 | 34.61 | 10.63 | 34.25 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.80968G | 45.58 | 68.20 | -22.62 | 19.91 | 3 | Vertical | 221 | 2.53 | - | 25.67 | 39.60 | 13.81 | 33.50 |
| PK | 12.80136G | 58.08 | 88.20 | -30.12 | 19.89 | 3 | Vertical | 221 | 2.53 | - | 38.19 | 39.60 | 13.80 | 33.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.80112G | 45.66 | 68.20 | -22.54 | 19.89 | 3 | Horizontal | 302 | 1.80 | - | 25.77 | 39.60 | 13.80 | 33.51 |
| PK | 12.78248G | 58.05 | 88.20 | -30.15 | 19.77 | 3 | Horizontal | 302 | 1.80 | - | 38.28 | 39.53 | 13.79 | 33.55 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8714G | 50.24 | 68.20 | -17.96 | 10.12 | 3 | Vertical | 280 | 1.90 | - | 40.12 | 34.10 | 10.23 | 34.21 |
| AV | 6.5G | 100.60 | Inf | -Inf | 11.65 | 3 | Vertical | 280 | 1.90 | - | 88.95 | 35.20 | 10.71 | 34.26 |
| AV | 7.1496G | 53.97 | 68.20 | -14.23 | 13.34 | 3 | Vertical | 280 | 1.90 | - | 40.63 | 36.60 | 11.26 | 34.52 |
| PK | 5.8854G | 61.63 | 88.20 | -26.57 | 10.13 | 3 | Vertical | 280 | 1.90 | - | 51.50 | 34.10 | 10.24 | 34.21 |
| PK | 6.43G | 114.61 | Inf | -Inf | 11.23 | 3 | Vertical | 280 | 1.90 | - | 103.38 | 34.82 | 10.66 | 34.25 |
| PK | 7.158G | 64.50 | 88.20 | -23.70 | 13.33 | 3 | Vertical | 280 | 1.90 | - | 51.17 | 36.58 | 11.26 | 34.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8434G | 50.18 | 68.20 | -18.02 | 10.06 | 3 | Horizontal | 72 | 1.36 | - | 40.12 | 34.06 | 10.21 | 34.21 |
| AV | 6.4636G | 85.51 | Inf | -Inf | 11.40 | 3 | Horizontal | 72 | 1.36 | - | 74.11 | 34.98 | 10.68 | 34.26 |
| AV | 7.1552G | 53.92 | 68.20 | -14.28 | 13.34 | 3 | Horizontal | 72 | 1.36 | - | 40.58 | 36.59 | 11.26 | 34.51 |
| PK | 5.8938G | 61.94 | 88.20 | -26.26 | 10.14 | 3 | Horizontal | 72 | 1.36 | - | 51.80 | 34.10 | 10.25 | 34.21 |
| PK | 6.43G | 97.16 | Inf | -Inf | 11.23 | 3 | Horizontal | 72 | 1.36 | - | 85.93 | 34.82 | 10.66 | 34.25 |
| PK | 7.1608G | 65.14 | 88.20 | -23.06 | 13.34 | 3 | Horizontal | 72 | 1.36 | - | 51.80 | 36.58 | 11.27 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.93072G | 45.84 | 68.20 | -22.36 | 20.27 | 3 | Vertical | 220 | 1.93 | - | 25.57 | 39.66 | 13.88 | 33.27 |
| PK | 12.94216G | 58.18 | 88.20 | -30.02 | 20.32 | 3 | Vertical | 220 | 1.93 | - | 37.86 | 39.68 | 13.89 | 33.25 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.95896G | 45.92 | 68.20 | -22.28 | 20.40 | 3 | Horizontal | 306 | 2.13 | - | 25.52 | 39.72 | 13.90 | 33.22 |
| PK | 12.95568G | 58.85 | 88.20 | -29.35 | 20.39 | 3 | Horizontal | 306 | 2.13 | - | 38.46 | 39.71 | 13.90 | 33.22 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.873G | 50.22 | 68.20 | -17.98 | 10.12 | 3 | Vertical | 57 | 1.89 | - | 40.10 | 34.10 | 10.23 | 34.21 |
| AV | 6.5604G | 100.19 | Inf | -Inf | 11.81 | 3 | Vertical | 57 | 1.89 | - | 88.38 | 35.36 | 10.74 | 34.29 |
| AV | 7.1932G | 53.93 | 68.20 | -14.27 | 13.29 | 3 | Vertical | 57 | 1.89 | - | 40.64 | 36.51 | 11.29 | 34.51 |
| PK | 5.8856G | 62.64 | 88.20 | -25.56 | 10.13 | 3 | Vertical | 57 | 1.89 | - | 52.51 | 34.10 | 10.24 | 34.21 |
| PK | 6.5576G | 110.77 | Inf | -Inf | 11.80 | 3 | Vertical | 57 | 1.89 | - | 98.97 | 35.35 | 10.74 | 34.29 |
| PK | 7.2226G | 65.40 | 88.20 | -22.80 | 13.38 | 3 | Vertical | 57 | 1.89 | - | 52.02 | 36.59 | 11.30 | 34.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.873G | 50.27 | 68.20 | -17.93 | 10.12 | 3 | Horizontal | 74 | 1.13 | - | 40.15 | 34.10 | 10.23 | 34.21 |
| AV | 6.5324G | 81.45 | Inf | -Inf | 11.71 | 3 | Horizontal | 74 | 1.13 | - | 69.74 | 35.26 | 10.73 | 34.28 |
| AV | 7.1834G | 53.96 | 68.20 | -14.24 | 13.31 | 3 | Horizontal | 74 | 1.13 | - | 40.65 | 36.53 | 11.29 | 34.51 |
| PK | 5.9248G | 61.73 | 88.20 | -26.47 | 10.25 | 3 | Horizontal | 74 | 1.13 | - | 51.48 | 34.20 | 10.27 | 34.22 |
| PK | 6.5338G | 94.46 | Inf | -Inf | 11.72 | 3 | Horizontal | 74 | 1.13 | - | 82.74 | 35.27 | 10.73 | 34.28 |
| PK | 7.1862G | 66.17 | 88.20 | -22.03 | 13.31 | 3 | Horizontal | 74 | 1.13 | - | 52.86 | 36.53 | 11.29 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.096G | 46.25 | 68.20 | -21.95 | 20.70 | 3 | Vertical | 298 | 2.85 | - | 25.55 | 39.70 | 13.98 | 32.98 |
| PK | 13.0948G | 59.17 | 88.20 | -29.03 | 20.71 | 3 | Vertical | 298 | 2.85 | - | 38.46 | 39.71 | 13.98 | 32.98 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.09256G | 46.36 | 68.20 | -21.84 | 20.70 | 3 | Horizontal | 351 | 2.08 | - | 25.66 | 39.71 | 13.98 | 32.99 |
| PK | 13.09584G | 59.08 | 88.20 | -29.12 | 20.70 | 3 | Horizontal | 351 | 2.08 | - | 38.38 | 39.70 | 13.98 | 32.98 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.607G | 99.95 | Inf | -Inf | 12.07 | 3 | Vertical | 231 | 1.96 | - | 87.88 | 35.61 | 10.78 | 34.32 |
| AV | 7.1554G | 53.91 | 68.20 | -14.29 | 13.34 | 3 | Vertical | 231 | 1.96 | - | 40.57 | 36.59 | 11.26 | 34.51 |
| PK | 6.607G | 111.23 | Inf | -Inf | 12.07 | 3 | Vertical | 231 | 1.96 | - | 99.16 | 35.61 | 10.78 | 34.32 |
| PK | 7.1518G | 65.86 | 88.20 | -22.34 | 13.35 | 3 | Vertical | 231 | 1.96 | - | 52.51 | 36.60 | 11.26 | 34.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.6238G | 87.44 | Inf | -Inf | 12.11 | 3 | Horizontal | 160 | 2.33 | - | 75.33 | 35.65 | 10.79 | 34.33 |
| AV | 7.1686G | 53.87 | 68.20 | -14.33 | 13.32 | 3 | Horizontal | 160 | 2.33 | - | 40.55 | 36.56 | 11.27 | 34.51 |
| PK | 6.619G | 98.90 | Inf | -Inf | 12.11 | 3 | Horizontal | 160 | 2.33 | - | 86.79 | 35.64 | 10.79 | 34.32 |
| PK | 7.1998G | 66.67 | 88.20 | -21.53 | 13.29 | 3 | Horizontal | 160 | 2.33 | - | 53.38 | 36.50 | 11.30 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.26664G | 46.42 | 54.00 | -7.58 | 21.16 | 3 | Vertical | 67 | 2.33 | - | 25.26 | 39.77 | 14.09 | 32.70 |
| PK | 13.25392G | 58.77 | 74.00 | -15.23 | 21.11 | 3 | Vertical | 67 | 2.33 | - | 37.66 | 39.75 | 14.08 | 32.72 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.25504G | 46.38 | 54.00 | -7.62 | 21.12 | 3 | Horizontal | 65 | 1.43 | - | 25.26 | 39.76 | 14.08 | 32.72 |
| PK | 13.28744G | 58.90 | 74.00 | -15.10 | 21.22 | 3 | Horizontal | 65 | 1.43 | - | 37.68 | 39.79 | 14.10 | 32.67 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.688G | 99.65 | Inf | -Inf | 12.34 | 3 | Vertical | 252 | 1.87 | - | 87.31 | 35.85 | 10.85 | 34.36 |
| AV | 7.194G | 54.00 | 68.20 | -14.20 | 13.29 | 3 | Vertical | 252 | 1.87 | - | 40.71 | 36.51 | 11.29 | 34.51 |
| PK | 6.667G | 110.36 | Inf | -Inf | 12.25 | 3 | Vertical | 252 | 1.87 | - | 98.11 | 35.77 | 10.83 | 34.35 |
| PK | 7.181G | 66.84 | 88.20 | -21.36 | 13.31 | 3 | Vertical | 252 | 1.87 | - | 53.53 | 36.54 | 11.28 | 34.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.679G | 80.58 | Inf | -Inf | 12.31 | 3 | Horizontal | 248 | 1.50 | - | 68.27 | 35.82 | 10.85 | 34.36 |
| AV | 7.164G | 53.87 | 68.20 | -14.33 | 13.33 | 3 | Horizontal | 248 | 1.50 | - | 40.54 | 36.57 | 11.27 | 34.51 |
| PK | 6.675G | 92.13 | Inf | -Inf | 12.29 | 3 | Horizontal | 248 | 1.50 | - | 79.84 | 35.80 | 10.84 | 34.35 |
| PK | 7.161G | 66.27 | 88.20 | -21.93 | 13.34 | 3 | Horizontal | 248 | 1.50 | - | 52.93 | 36.58 | 11.27 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.39304G | 46.95 | 54.00 | -7.05 | 21.75 | 3 | Vertical | 331 | 2.06 | - | 25.20 | 40.08 | 14.17 | 32.50 |
| PK | 13.38G | 60.10 | 74.00 | -13.90 | 21.68 | 3 | Vertical | 331 | 2.06 | - | 38.42 | 40.04 | 14.16 | 32.52 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.38576G | 46.95 | 54.00 | -7.05 | 21.71 | 3 | Horizontal | 100 | 2.41 | - | 25.24 | 40.06 | 14.16 | 32.51 |
| PK | 13.37112G | 59.96 | 74.00 | -14.04 | 21.63 | 3 | Horizontal | 100 | 2.41 | - | 38.33 | 40.01 | 14.15 | 32.53 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.799G | 99.82 | Inf | -Inf | 12.44 | 3 | Vertical | 19 | 1.70 | - | 87.38 | 35.90 | 10.96 | 34.42 |
| AV | 7.1336G | 53.53 | 68.20 | -14.67 | 13.19 | 3 | Vertical | 19 | 1.70 | - | 40.34 | 36.47 | 11.24 | 34.52 |
| PK | 6.7997G | 112.67 | Inf | -Inf | 12.44 | 3 | Vertical | 19 | 1.70 | - | 100.23 | 35.90 | 10.96 | 34.42 |
| PK | 7.1308G | 65.47 | 88.20 | -22.73 | 13.17 | 3 | Vertical | 19 | 1.70 | - | 52.30 | 36.45 | 11.24 | 34.52 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.771G | 84.25 | Inf | -Inf | 12.36 | 3 | Horizontal | 77 | 2.93 | - | 71.89 | 35.84 | 10.93 | 34.41 |
| AV | 7.1301G | 53.55 | 68.20 | -14.65 | 13.16 | 3 | Horizontal | 77 | 2.93 | - | 40.39 | 36.44 | 11.24 | 34.52 |
| PK | 6.8032G | 94.94 | Inf | -Inf | 12.43 | 3 | Horizontal | 77 | 2.93 | - | 82.51 | 35.89 | 10.96 | 34.42 |
| PK | 7.1252G | 64.69 | 88.20 | -23.51 | 13.12 | 3 | Horizontal | 77 | 2.93 | - | 51.57 | 36.40 | 11.24 | 34.52 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.54256G | 46.95 | 68.20 | -21.25 | 22.03 | 3 | Vertical | 27 | 2.14 | - | 24.92 | 40.11 | 14.26 | 32.34 |
| PK | 13.5524G | 59.44 | 88.20 | -28.76 | 22.02 | 3 | Vertical | 27 | 2.14 | - | 37.42 | 40.10 | 14.26 | 32.34 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.54056G | 46.93 | 68.20 | -21.27 | 22.04 | 3 | Horizontal | 184 | 1.59 | - | 24.89 | 40.12 | 14.26 | 32.34 |
| PK | 13.53832G | 59.16 | 88.20 | -29.04 | 22.04 | 3 | Horizontal | 184 | 1.59 | - | 37.12 | 40.12 | 14.26 | 32.34 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8748G | 100.13 | Inf | -Inf | 12.26 | 3 | Vertical | 269 | 1.84 | - | 87.87 | 35.70 | 11.02 | 34.46 |
| AV | 7.1415G | 54.08 | 68.20 | -14.12 | 13.26 | 3 | Vertical | 269 | 1.84 | - | 40.82 | 36.53 | 11.25 | 34.52 |
| PK | 6.8748G | 112.94 | Inf | -Inf | 12.26 | 3 | Vertical | 269 | 1.84 | - | 100.68 | 35.70 | 11.02 | 34.46 |
| PK | 7.1541G | 66.27 | 88.20 | -21.93 | 13.34 | 3 | Vertical | 269 | 1.84 | - | 52.93 | 36.59 | 11.26 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.8965G | 84.91 | Inf | -Inf | 12.27 | 3 | Horizontal | 233 | 1.75 | - | 72.64 | 35.70 | 11.04 | 34.47 |
| AV | 7.1821G | 53.94 | 68.20 | -14.26 | 13.31 | 3 | Horizontal | 233 | 1.75 | - | 40.63 | 36.54 | 11.28 | 34.51 |
| PK | 6.8972G | 95.87 | Inf | -Inf | 12.27 | 3 | Horizontal | 233 | 1.75 | - | 83.60 | 35.70 | 11.04 | 34.47 |
| PK | 7.1569G | 66.11 | 88.20 | -22.09 | 13.34 | 3 | Horizontal | 233 | 1.75 | - | 52.77 | 36.59 | 11.26 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.75288G | 51.27 | 68.20 | -16.93 | 21.66 | 3 | Vertical | 257 | 1.10 | - | 29.61 | 39.70 | 14.39 | 32.43 |
| PK | 13.74192G | 64.03 | 88.20 | -24.17 | 21.65 | 3 | Vertical | 257 | 1.10 | - | 42.38 | 39.70 | 14.38 | 32.43 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.75328G | 51.27 | 68.20 | -16.93 | 21.66 | 3 | Horizontal | 170 | 1.17 | - | 29.61 | 39.70 | 14.39 | 32.43 |
| PK | 13.7156G | 63.80 | 88.20 | -24.40 | 21.66 | 3 | Horizontal | 170 | 1.17 | - | 42.14 | 39.70 | 14.37 | 32.41 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9534G | 100.57 | Inf | -Inf | 12.29 | 3 | Vertical | 42 | 1.68 | - | 88.28 | 35.70 | 11.09 | 34.50 |
| AV | 7.1886G | 54.14 | 68.20 | -14.06 | 13.30 | 3 | Vertical | 42 | 1.68 | - | 40.84 | 36.52 | 11.29 | 34.51 |
| PK | 6.9534G | 110.57 | Inf | -Inf | 12.29 | 3 | Vertical | 42 | 1.68 | - | 98.28 | 35.70 | 11.09 | 34.50 |
| PK | 7.1988G | 66.15 | 88.20 | -22.05 | 13.29 | 3 | Vertical | 42 | 1.68 | - | 52.86 | 36.50 | 11.30 | 34.51 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9456G | 85.21 | Inf | -Inf | 12.28 | 3 | Horizontal | 27 | 2.58 | - | 72.93 | 35.70 | 11.08 | 34.50 |
| AV | 7.1808G | 54.04 | 68.20 | -14.16 | 13.31 | 3 | Horizontal | 27 | 2.58 | - | 40.73 | 36.54 | 11.28 | 34.51 |
| PK | 6.9408G | 98.05 | Inf | -Inf | 12.28 | 3 | Horizontal | 27 | 2.58 | - | 85.77 | 35.70 | 11.08 | 34.50 |
| PK | 7.1622G | 66.74 | 88.20 | -21.46 | 13.34 | 3 | Horizontal | 27 | 2.58 | - | 53.40 | 36.58 | 11.27 | 34.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.85144G | 52.11 | 68.20 | -16.09 | 21.68 | 3 | Vertical | 114 | 2.00 | - | 30.43 | 39.70 | 14.45 | 32.47 |
| PK | 13.91344G | 64.68 | 88.20 | -23.52 | 21.70 | 3 | Vertical | 114 | 2.00 | - | 42.98 | 39.71 | 14.49 | 32.50 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.85656G | 52.12 | 68.20 | -16.08 | 21.67 | 3 | Horizontal | 252 | 1.40 | - | 30.45 | 39.70 | 14.45 | 32.48 |
| PK | 13.92632G | 65.48 | 88.20 | -22.72 | 21.71 | 3 | Horizontal | 252 | 1.40 | - | 43.77 | 39.73 | 14.49 | 32.51 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.0136G | 98.44 | Inf | -Inf | 12.39 | 3 | Vertical | 245 | 1.84 | - | 86.05 | 35.78 | 11.14 | 34.53 |
| AV | 7.1498G | 52.51 | 68.20 | -15.69 | 13.34 | 3 | Vertical | 245 | 1.84 | - | 39.17 | 36.60 | 11.26 | 34.52 |
| PK | 7.0142G | 111.37 | Inf | -Inf | 12.40 | 3 | Vertical | 245 | 1.84 | - | 98.97 | 35.79 | 11.14 | 34.53 |
| PK | 7.1366G | 64.62 | 88.20 | -23.58 | 13.22 | 3 | Vertical | 245 | 1.84 | - | 51.40 | 36.49 | 11.25 | 34.52 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 7.0445G | 77.17 | Inf | -Inf | 12.61 | 3 | Horizontal | 138 | 2.00 | - | 64.56 | 35.97 | 11.17 | 34.53 |
| AV | 7.1507G | 52.06 | 68.20 | -16.14 | 13.35 | 3 | Horizontal | 138 | 2.00 | - | 38.71 | 36.60 | 11.26 | 34.51 |
| PK | 7.0433G | 89.72 | Inf | -Inf | 12.60 | 3 | Horizontal | 138 | 2.00 | - | 77.12 | 35.96 | 11.17 | 34.53 |
| PK | 7.1495G | 64.57 | 88.20 | -23.63 | 13.34 | 3 | Horizontal | 138 | 2.00 | - | 51.23 | 36.60 | 11.26 | 34.52 |

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.07712G | 49.68 | 68.20 | -18.52 | 21.99 | 3 | Vertical | 42 | 1.56 | - | 27.69 | 40.03 | 14.60 | 32.64 |
| PK | 14.04592G | 63.30 | 88.20 | -24.90 | 21.91 | 3 | Vertical | 42 | 1.56 | - | 41.39 | 39.94 | 14.57 | 32.60 |


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 14.022G | 49.62 | 68.20 | -18.58 | 21.86 | 3 | Horizontal | 36 | 1.26 | - | 27.76 | 39.87 | 14.56 | 32.57 |
| PK | 14.04816G | 62.44 | 88.20 | -25.76 | 21.92 | 3 | Horizontal | 36 | 1.26 | - | 40.52 | 39.94 | 14.58 | 32.60 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.924G | 53.98 | 68.20 | -14.22 | 10.25 | 3 | Vertical | 38 | 1.90 | - | 43.73 | 34.20 | 10.27 | 34.22 |
| AV | 6.0545G | 97.93 | Inf | -Inf | 10.35 | 3 | Vertical | 38 | 1.90 | - | 87.58 | 34.19 | 10.38 | 34.22 |
| PK | 5.912G | 71.12 | 88.20 | -17.08 | 10.20 | 3 | Vertical | 38 | 1.90 | - | 60.92 | 34.15 | 10.26 | 34.21 |
| PK | 6.0955G | 109.64 | Inf | -Inf | 10.31 | 3 | Vertical | 38 | 1.90 | - | 99.33 | 34.11 | 10.43 | 34.23 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.925G | 49.17 | 68.20 | -19.03 | 10.25 | 3 | Horizontal | 340 | 3.00 | - | 38.92 | 34.20 | 10.27 | 34.22 |
| AV | 6.0495G | 84.58 | Inf | -Inf | 10.36 | 3 | Horizontal | 340 | 3.00 | - | 74.22 | 34.20 | 10.38 | 34.22 |
| PK | 5.9195G | 62.32 | 88.20 | -25.88 | 10.23 | 3 | Horizontal | 340 | 3.00 | - | 52.09 | 34.18 | 10.27 | 34.22 |
| PK | 6.0115G | 97.11 | Inf | -Inf | 10.17 | 3 | Horizontal | 340 | 3.00 | - | 86.94 | 34.05 | 10.34 | 34.22 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.06016G | 42.03 | 54.00 | -11.97 | 18.03 | 3 | Vertical | 216 | 1.50 | - | 24.00 | 38.98 | 13.35 | 34.30 |
| PK | 12.08128G | 55.27 | 74.00 | -18.73 | 18.11 | 3 | Vertical | 216 | 1.50 | - | 37.16 | 39.04 | 13.36 | 34.29 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.02696G | 42.08 | 54.00 | -11.92 | 17.89 | 3 | Horizontal | 41 | 1.46 | - | 24.19 | 38.88 | 13.33 | 34.32 |
| PK | 12.01624G | 55.56 | 74.00 | -18.44 | 17.85 | 3 | Horizontal | 41 | 1.46 | - | 37.71 | 38.85 | 13.32 | 34.32 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9234G | 49.18 | 68.20 | -19.02 | 10.24 | 3 | Vertical | 17 | 1.67 | - | 38.94 | 34.19 | 10.27 | 34.22 |
| AV | 6.213G | 98.18 | Inf | -Inf | 10.43 | 3 | Vertical | 17 | 1.67 | - | 87.75 | 34.13 | 10.54 | 34.24 |
| PK | 5.7882G | 60.61 | 88.20 | -27.59 | 9.74 | 3 | Vertical | 17 | 1.67 | - | 50.87 | 33.78 | 10.17 | 34.21 |
| PK | 6.2178G | 109.12 | Inf | -Inf | 10.44 | 3 | Vertical | 17 | 1.67 | - | 98.68 | 34.14 | 10.54 | 34.24 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.925G | 48.34 | 68.20 | -19.86 | 10.25 | 3 | Horizontal | 75 | 1.94 | - | 38.09 | 34.20 | 10.27 | 34.22 |
| AV | 6.1978G | 83.45 | Inf | -Inf | 10.39 | 3 | Horizontal | 75 | 1.94 | - | 73.06 | 34.10 | 10.53 | 34.24 |
| PK | 5.877G | 60.23 | 88.20 | -27.97 | 10.13 | 3 | Horizontal | 75 | 1.94 | - | 50.10 | 34.10 | 10.24 | 34.21 |
| PK | 6.2466G | 94.67 | Inf | -Inf | 10.51 | 3 | Horizontal | 75 | 1.94 | - | 84.16 | 34.19 | 10.56 | 34.24 |

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX**



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.35184G | 42.72 | 54.00 | -11.28 | 18.23 | 3 | Vertical | 156 | 1.50 | - | 24.49 | 38.85 | 13.53 | 34.15 |
| PK | 12.3924G | 55.94 | 74.00 | -18.06 | 18.31 | 3 | Vertical | 156 | 1.50 | - | 37.63 | 38.89 | 13.55 | 34.13 |


**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX**



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.34832G | 42.69 | 54.00 | -11.31 | 18.21 | 3 | Horizontal | 111 | 2.14 | - | 24.48 | 38.85 | 13.52 | 34.16 |
| PK | 12.35992G | 55.77 | 74.00 | -18.23 | 18.24 | 3 | Horizontal | 111 | 2.14 | - | 37.53 | 38.86 | 13.53 | 34.15 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9082G | 48.72 | 68.20 | -19.48 | 10.18 | 3 | Vertical | 58 | 1.92 | - | 38.54 | 34.13 | 10.26 | 34.21 |
| AV | 6.4026G | 98.59 | Inf | -Inf | 11.10 | 3 | Vertical | 58 | 1.92 | - | 87.49 | 34.71 | 10.64 | 34.25 |
| PK | 5.871G | 59.94 | 88.20 | -28.26 | 10.12 | 3 | Vertical | 58 | 1.92 | - | 49.82 | 34.10 | 10.23 | 34.21 |
| PK | 6.4074G | 109.30 | Inf | -Inf | 11.12 | 3 | Vertical | 58 | 1.92 | - | 98.18 | 34.73 | 10.64 | 34.25 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.9094G | 48.35 | 68.20 | -19.85 | 10.19 | 3 | Horizontal | 75 | 1.87 | - | 38.16 | 34.14 | 10.26 | 34.21 |
| AV | 6.2838G | 84.49 | Inf | -Inf | 10.61 | 3 | Horizontal | 75 | 1.87 | - | 73.88 | 34.27 | 10.58 | 34.24 |
| PK | 5.871G | 59.99 | 88.20 | -28.21 | 10.12 | 3 | Horizontal | 75 | 1.87 | - | 49.87 | 34.10 | 10.23 | 34.21 |
| PK | 6.2886G | 95.62 | Inf | -Inf | 10.62 | 3 | Horizontal | 75 | 1.87 | - | 85.00 | 34.28 | 10.58 | 34.24 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.6837G | 42.52 | 54.00 | -11.48 | 19.20 | 3 | Vertical | -0 | 1.67 | - | 23.32 | 39.20 | 13.73 | 33.73 |
| PK | 12.68352G | 55.71 | 74.00 | -18.29 | 19.20 | 3 | Vertical | -0 | 1.67 | - | 36.51 | 39.20 | 13.73 | 33.73 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 12.68542G | 42.52 | 54.00 | -11.48 | 19.20 | 3 | Horizontal | 39 | 2.47 | - | 23.32 | 39.20 | 13.73 | 33.73 |
| PK | 12.69972G | 55.91 | 74.00 | -18.09 | 19.24 | 3 | Horizontal | 39 | 2.47 | - | 36.67 | 39.20 | 13.74 | 33.70 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.924G | 48.38 | 68.20 | -19.82 | 10.25 | 3 | Vertical | 61 | 2.00 | - | 38.13 | 34.20 | 10.27 | 34.22 |
| AV | 6.4532G | 98.68 | Inf | -Inf | 11.33 | 3 | Vertical | 61 | 2.00 | - | 87.35 | 34.92 | 10.67 | 34.26 |
| AV | 7.1518G | 52.00 | 68.20 | -16.20 | 13.35 | 3 | Vertical | 61 | 2.00 | - | 38.65 | 36.60 | 11.26 | 34.51 |
| PK | 5.8834G | 61.46 | 88.20 | -26.74 | 10.13 | 3 | Vertical | 61 | 2.00 | - | 51.33 | 34.10 | 10.24 | 34.21 |
| PK | 6.4532G | 108.62 | Inf | -Inf | 11.33 | 3 | Vertical | 61 | 2.00 | - | 97.29 | 34.92 | 10.67 | 34.26 |
| PK | 7.1518G | 63.50 | 88.20 | -24.70 | 13.35 | 3 | Vertical | 61 | 2.00 | - | 50.15 | 36.60 | 11.26 | 34.51 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.8498G | 48.32 | 68.20 | -19.88 | 10.11 | 3 | Horizontal | 73 | 1.50 | - | 38.21 | 34.10 | 10.22 | 34.21 |
| AV | 6.5344G | 82.78 | Inf | -Inf | 11.72 | 3 | Horizontal | 73 | 1.50 | - | 71.06 | 35.27 | 10.73 | 34.28 |
| AV | 7.156G | 51.91 | 68.20 | -16.29 | 13.34 | 3 | Horizontal | 73 | 1.50 | - | 38.57 | 36.59 | 11.26 | 34.51 |
| PK | 5.8386G | 60.03 | 88.20 | -28.17 | 10.03 | 3 | Horizontal | 73 | 1.50 | - | 50.00 | 34.03 | 10.21 | 34.21 |
| PK | 6.4658G | 92.94 | Inf | -Inf | 11.41 | 3 | Horizontal | 73 | 1.50 | - | 81.53 | 34.99 | 10.68 | 34.26 |
| PK | 7.135G | 62.97 | 88.20 | -25.23 | 13.20 | 3 | Horizontal | 73 | 1.50 | - | 49.77 | 36.48 | 11.24 | 34.52 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.00882G | 44.19 | 68.20 | -24.01 | 20.59 | 3 | Vertical | 50 | 1.50 | - | 23.60 | 39.79 | 13.93 | 33.13 |
| PK | 13.00692G | 57.59 | 88.20 | -30.61 | 20.59 | 3 | Vertical | 50 | 1.50 | - | 37.00 | 39.79 | 13.93 | 33.13 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.00466G | 44.19 | 68.20 | -24.01 | 20.60 | 3 | Horizontal | 239 | 1.50 | - | 23.59 | 39.80 | 13.93 | 33.13 |
| PK | 13.01362G | 57.13 | 88.20 | -31.07 | 20.60 | 3 | Horizontal | 239 | 1.50 | - | 36.53 | 39.79 | 13.93 | 33.12 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.6694G | 98.11 | Inf | -Inf | 12.27 | 3 | Vertical | 230 | 1.76 | - | 85.84 | 35.78 | 10.84 | 34.35 |
| AV | 7.1534G | 52.00 | 68.20 | -16.20 | 13.34 | 3 | Vertical | 230 | 1.76 | - | 38.66 | 36.59 | 11.26 | 34.51 |
| PK | 6.6694G | 108.66 | Inf | -Inf | 12.27 | 3 | Vertical | 230 | 1.76 | - | 96.39 | 35.78 | 10.84 | 34.35 |
| PK | 7.1391G | 63.16 | 88.20 | -25.04 | 13.24 | 3 | Vertical | 230 | 1.76 | - | 49.92 | 36.51 | 11.25 | 34.52 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.6419G | 82.01 | Inf | -Inf | 12.15 | 3 | Horizontal | 251 | 1.24 | - | 69.86 | 35.68 | 10.81 | 34.34 |
| AV | 7.1556G | 51.95 | 68.20 | -16.25 | 13.34 | 3 | Horizontal | 251 | 1.24 | - | 38.61 | 36.59 | 11.26 | 34.51 |
| PK | 6.687G | 94.58 | Inf | -Inf | 12.34 | 3 | Horizontal | 251 | 1.24 | - | 82.24 | 35.85 | 10.85 | 34.36 |
| PK | 7.1743G | 64.54 | 88.20 | -23.66 | 13.32 | 3 | Horizontal | 251 | 1.24 | - | 51.22 | 36.55 | 11.28 | 34.51 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.33292G | 44.26 | 54.00 | -9.74 | 21.44 | 3 | Vertical | 32 | 1.63 | - | 22.82 | 39.90 | 14.13 | 32.59 |
| PK | 13.32166G | 57.13 | 74.00 | -16.87 | 21.37 | 3 | Vertical | 32 | 1.63 | - | 35.76 | 39.86 | 14.12 | 32.61 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.3266G | 44.31 | 54.00 | -9.69 | 21.41 | 3 | Horizontal | 314 | 1.96 | - | 22.90 | 39.88 | 14.13 | 32.60 |
| PK | 13.32434G | 56.73 | 74.00 | -17.27 | 21.38 | 3 | Horizontal | 314 | 1.96 | - | 35.35 | 39.87 | 14.12 | 32.61 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.7994G | 97.50 | Inf | -Inf | 12.44 | 3 | Vertical | 22 | 1.85 | - | 85.06 | 35.90 | 10.96 | 34.42 |
| AV | 7.1498G | 52.36 | 68.20 | -15.84 | 13.34 | 3 | Vertical | 22 | 1.85 | - | 39.02 | 36.60 | 11.26 | 34.52 |
| PK | 6.8002G | 107.56 | Inf | -Inf | 12.44 | 3 | Vertical | 22 | 1.85 | - | 95.12 | 35.90 | 10.96 | 34.42 |
| PK | 7.1306G | 63.88 | 88.20 | -24.32 | 13.16 | 3 | Vertical | 22 | 1.85 | - | 50.72 | 36.44 | 11.24 | 34.52 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.7698G | 81.85 | Inf | -Inf | 12.36 | 3 | Horizontal | 226 | 3.00 | - | 69.49 | 35.84 | 10.93 | 34.41 |
| AV | 7.1522G | 52.01 | 68.20 | -16.19 | 13.35 | 3 | Horizontal | 226 | 3.00 | - | 38.66 | 36.60 | 11.26 | 34.51 |
| PK | 6.769G | 91.74 | Inf | -Inf | 12.36 | 3 | Horizontal | 226 | 3.00 | - | 79.38 | 35.84 | 10.93 | 34.41 |
| PK | 7.1818G | 64.02 | 88.20 | -24.18 | 13.31 | 3 | Horizontal | 226 | 3.00 | - | 50.71 | 36.54 | 11.28 | 34.51 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.64136G | 49.86 | 68.20 | -18.34 | 21.82 | 3 | Vertical | 3 | 2.86 | - | 28.04 | 39.88 | 14.32 | 32.38 |
| PK | 13.65004G | 65.24 | 88.20 | -22.96 | 21.78 | 3 | Vertical | 3 | 2.86 | - | 43.46 | 39.85 | 14.32 | 32.39 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.64114G | 48.77 | 68.20 | -19.43 | 21.82 | 3 | Horizontal | 170 | 1.15 | - | 26.95 | 39.88 | 14.32 | 32.38 |
| PK | 13.65644G | 62.20 | 88.20 | -26.00 | 21.77 | 3 | Horizontal | 170 | 1.15 | - | 40.43 | 39.83 | 14.33 | 32.39 |

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9455G | 103.25 | Inf | -Inf | 12.28 | 3 | Vertical | 244 | 1.81 | - | 90.97 | 35.70 | 11.08 | 34.50 |
| AV | 7.1275G | 68.13 | 68.20 | -0.07 | 13.14 | 3 | Vertical | 244 | 1.81 | - | 54.99 | 36.42 | 11.24 | 34.52 |
| PK | 6.9525G | 112.97 | Inf | -Inf | 12.29 | 3 | Vertical | 244 | 1.81 | - | 100.68 | 35.70 | 11.09 | 34.50 |
| PK | 7.1275G | 83.94 | 88.20 | -4.26 | 13.14 | 3 | Vertical | 244 | 1.81 | - | 70.80 | 36.42 | 11.24 | 34.52 |


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 6.9405G | 84.60 | Inf | -Inf | 12.28 | 3 | Horizontal | 235 | 1.97 | - | 72.32 | 35.70 | 11.08 | 34.50 |
| AV | 7.1255G | 54.87 | 68.20 | -13.33 | 13.12 | 3 | Horizontal | 235 | 1.97 | - | 41.75 | 36.40 | 11.24 | 34.52 |
| PK | 6.969G | 97.15 | Inf | -Inf | 12.29 | 3 | Horizontal | 235 | 1.97 | - | 84.86 | 35.70 | 11.10 | 34.51 |
| PK | 7.1335G | 67.47 | 88.20 | -20.73 | 13.19 | 3 | Horizontal | 235 | 1.97 | - | 54.28 | 36.47 | 11.24 | 34.52 |

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX**



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.9704G | 51.90 | 68.20 | -16.30 | 21.76 | 3 | Vertical | 196 | 2.91 | - | 30.14 | 39.77 | 14.52 | 32.53 |
| PK | 13.96734G | 64.68 | 88.20 | -23.52 | 21.76 | 3 | Vertical | 196 | 2.91 | - | 42.92 | 39.77 | 14.52 | 32.53 |

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX**



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 13.96826G | 49.79 | 68.20 | -18.41 | 21.76 | 3 | Horizontal | 131 | 1.50 | - | 28.03 | 39.77 | 14.52 | 32.53 |
| PK | 13.9632G | 63.50 | 88.20 | -24.70 | 21.76 | 3 | Horizontal | 131 | 1.50 | - | 41.74 | 39.76 | 14.52 | 32.52 |



| Antenna Gain (dBi) |
|--------------------|
| 5.21 |

| Contention Based protocol 802.11ax HEW20 |
|--|
|--|

| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Ratio (%) | Limit (%) | Test Result | |
|-----------|--------------|-----------------|-----------------|------------------------------|----------------------------|------------|--------------------------------------|---------------------|-----------|-------------|------|
| 5 | 53 | 20 | 6215 | Center | 6215 | -80.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -81.21 | Stop & with beacon | - | | | |
| | | | | | | -82.21 | Start Transmission | - | | | |
| 6 | 101 | 20 | 6455 | Center | 6455 | -79.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -80.21 | Stop & with beacon | - | | | |
| | | | | | | -81.21 | Start Transmission | - | | | |
| 7 | 149 | 20 | 6695 | Center | 6695 | -75.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -76.21 | Stop & with beacon | - | | | |
| | | | | | | -77.21 | Start Transmission | - | | | |
| 8 | 213 | 20 | 7075 | Center | 7075 | -76.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -77.21 | Stop & with beacon | - | | | |
| | | | | | | -78.21 | Start Transmission | - | | | |


| Contention Based protocol 802.11ax HEW160 | | | | | | | | | | | |
|---|--------------|-----------------|-----------------|------------------------------|----------------------------|------------|--------------------------------------|---------------------|-----------|-------------|------|
| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | AWGN Threshold Level (dBm) | EUT Status | Number of Detected (out of 10 times) | Detection Ratio (%) | Limit (%) | Test Result | |
| 5 | 47 | 160 | 6185 | Low edge | 6110 | -80.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -81.21 | Stop & with beacon | - | | | |
| | | | | | | -82.21 | Start Transmission | - | | | |
| | | | | Center | 6185 | -80.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -81.21 | Stop & with beacon | - | | | |
| | | | | | | -82.21 | Start Transmission | - | | | |
| | | | | High edge | 6260 | -77.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -78.21 | Stop & with beacon | - | | | |
| | | | | | | -79.21 | Start Transmission | - | | | |
| 6 | 111 | 160 | 6505 | Low edge | 6430 | -78.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -79.21 | Stop & with beacon | - | | | |
| | | | | | | -80.21 | Start Transmission | - | | | |
| | | | | Center | 6505 | -76.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -79.21 | Stop & with beacon | - | | | |
| | | | | | | -80.21 | Start Transmission | - | | | |
| | | | | High edge | 6580 | -78.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -80.21 | Stop & with beacon | - | | | |
| | | | | | | -81.21 | Start Transmission | - | | | |
| 7 | 143 | 160 | 6665 | Low edge | 6590 | -78.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -78.21 | Stop & with beacon | - | | | |
| | | | | | | -79.21 | Start Transmission | - | | | |
| | | | | Center | 6665 | -76.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -77.21 | Stop & with beacon | - | | | |
| | | | | | | -79.21 | Start Transmission | - | | | |
| | | | | High edge | 6740 | -75.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -76.21 | Stop & with beacon | - | | | |
| | | | | | | -79.21 | Start Transmission | - | | | |
| 8 | 207 | 160 | 6985 | Low edge | 6910 | -76.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -77.21 | Stop & with beacon | - | | | |
| | | | | | | -78.21 | Start Transmission | - | | | |
| | | | | Center | 6985 | -73.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -75.21 | Stop & with beacon | - | | | |
| | | | | | | -76.21 | Start Transmission | - | | | |
| | | | | High edge | 7060 | -76.21 | Stop Transmission | 10 | 100 | 90 | Pass |
| | | | | | | -77.21 | Stop & with beacon | - | | | |
| | | | | | | -78.21 | Start Transmission | - | | | |




| Contention Based protocol 802.11ax HE20 | | | | | | | | | | | |
|---|--------------|-----------------|-----------------|------------------------------|------|---|--------|---|--------|--|--------|
| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | | Stop Transmission Real Test Level (dBm) | | Stop Transmission with beacon Real Test Level (dBm) | | Start Transmission Real Test Level (dBm) | |
| | | | | Center | | | | | | | |
| 5 | 53 | 20 | 6215 | Center | 6215 | -75 | -80.21 | -76 | -81.21 | -77 | -82.21 |
| 6 | 101 | 20 | 6455 | Center | 6455 | -74 | -79.21 | -75 | -80.21 | -76 | -81.21 |
| 7 | 149 | 20 | 6695 | Center | 6695 | -70 | -75.21 | -71 | -76.21 | -72 | -77.21 |
| 8 | 213 | 20 | 7075 | Center | 7075 | -71 | -76.21 | -72 | -77.21 | -73 | -78.21 |

| Contention Based protocol 802.11ax HE160 | | | | | | | | | | | |
|--|--------------|-----------------|-----------------|------------------------------|-----------|---|--------|---|--------|--|--------|
| UNII Band | Test Channel | Bandwidth (MHz) | Frequency (MHz) | Intetference frequency (MHz) | | Stop Transmission Real Test Level (dBm) | | Stop Transmission with beacon Real Test Level (dBm) | | Start Transmission Real Test Level (dBm) | |
| | | | | Low edge | High edge | Center | | | | | |
| 5 | 47 | 160 | 6185 | Low edge | 6110 | -75 | -80.21 | -76 | -81.21 | -77 | -82.21 |
| | | | | Center | 6185 | -75 | -80.21 | -76 | -81.21 | -77 | -82.21 |
| | | | | High edge | 6260 | -72 | -77.21 | -73 | -78.21 | -74 | -79.21 |
| 6 | 111 | 160 | 6505 | Low edge | 6430 | -73 | -78.21 | -74 | -79.21 | -75 | -80.21 |
| | | | | Center | 6505 | -71 | -76.21 | -74 | -79.21 | -75 | -80.21 |
| | | | | High edge | 6580 | -73 | -78.21 | -75 | -80.21 | -76 | -81.21 |
| 7 | 143 | 160 | 6665 | Low edge | 6590 | -73 | -78.21 | -73 | -78.21 | -74 | -79.21 |
| | | | | Center | 6665 | -71 | -76.21 | -72 | -77.21 | -74 | -79.21 |
| | | | | High edge | 6740 | -70 | -75.21 | -71 | -76.21 | -74 | -79.21 |
| 8 | 207 | 160 | 6985 | Low edge | 6910 | -71 | -76.21 | -72 | -77.21 | -73 | -78.21 |
| | | | | Center | 6985 | -68 | -73.21 | -70 | -75.21 | -71 | -76.21 |
| | | | | High edge | 7060 | -71 | -76.21 | -72 | -77.21 | -73 | -78.21 |

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz




Bandwidth 20MHz: Traffic Loading Plot - 6455MHz






Bandwidth 20MHz: Traffic Loading Plot - 6695MHz



Bandwidth 20MHz: Traffic Loading Plot - 7015MHz






Bandwidth 160MHz: Traffic Loading Plot - 6185MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.4ms

All TX Sample

7632

Duty Cycle

0.953881

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6505MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.5625ms

All TX Sample

7645

Duty Cycle

0.955506

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6665MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.5ms

All TX Sample

7640

Duty Cycle

0.954881

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 160MHz: Traffic Loading Plot - 6985MHz

Time Analysis

Main



Sample Time

12.5us

All TX Time

95.3625ms

All TX Sample

7629

Duty Cycle

0.953506



T1[s] T2[s]



NaNs NaNs

T3[s] T4[s]


NaNs NaNs

1. Incumbent signal (AWGN) Plot






Frequency (MHz): 6110 MHz



Date: 28.APR.2022 16:07:35



AWGN Bandwidth: 10MHz



Frequency (MHz): 6185 MHz





Date: 28.APR.2022 16:08:57


AWGN Bandwidth: 10MHz








Frequency (MHz): 6740 MHz



Date: 28.APR.2022 16:12:46

AWGN Bandwidth: 10MHz


Frequency (MHz): 6910 MHz



Date: 28.APR.2022 16:13:19

AWGN Bandwidth: 10MHz


Frequency (MHz): 6985 MHz



Date: 28.APR.2022 16:14:01

AWGN Bandwidth: 10MHz


Frequency (MHz): 7060 MHz




Date: 28.APR.2022 16:14:35

AWGN Bandwidth: 10MHz

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6110 MHz

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 947.148ms |
| All TX Sample | 947148 |
| Duty Cycle | 0.947147 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6185 MHz

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 941.317ms |
| All TX Sample | 941317 |
| Duty Cycle | 0.941316 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 47 ; Incumbent signal 6260 MHz

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 939.477ms |
| All TX Sample | 939477 |
| Duty Cycle | 0.939476 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6430 MHz

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 941.317ms |
| All TX Sample | 941317 |
| Duty Cycle | 0.941316 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6505 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 111 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6590 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6665 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 143 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6910 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 6985 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 207 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -75 dBm)

Time Analysis




Frequency (MHz): 6215 MHz (Threshold Level: -76dBm)

Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -77 dBm)

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 605.521ms |
| All TX Sample | 605521 |
| Duty Cycle | 0.60552 |
| T1[s] | T2[s] |
| NaNs | NaNs |
| T3[s] | T4[s] |
| NaNs | NaNs |

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 160

Frequency (MHz): 6110 MHz (Threshold Level: -75dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 947.148ms |
| All TX Sample | 947148 |
| Duty Cycle | 0.947147 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6110 MHz (Threshold Level: -76dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 941.257ms |
| All TX Sample | 941257 |
| Duty Cycle | 0.941256 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6110 MHz (Threshold Level: -77dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 946.347ms |
| All TX Sample | 946347 |
| Duty Cycle | 0.946346 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6185 MHz (Threshold Level: -75dBm)


Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 941.317ms |
| All TX Sample | 941317 |
| Duty Cycle | 0.941316 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6185 MHz (Threshold Level: -76dBm)

Time Analysis




| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 947.198ms |
| All TX Sample | 947198 |
| Duty Cycle | 0.947197 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |



Frequency (MHz): 6260 MHz (Threshold Level: -73dBm)


Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 923.818ms |
| All TX Sample | 923818 |
| Duty Cycle | 0.923817 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |

Frequency (MHz): 6260 MHz (Threshold Level: -74dBm)

Time Analysis



| | |
|---------------|-----------|
| Sample Time | 1us |
| All TX Time | 929.513ms |
| All TX Sample | 929513 |
| Duty Cycle | 0.929512 |
| T1[s] | T2[s] |
| 0s | 0s |
| T3[s] | T4[s] |
| NaNs | NaNs |



Summary

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port |
|--|--------|---------|-------------|---------|-------------|------|
| 5.925-6.425GHz | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX(Port2) | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port2) | Pass | 6.175G | 6.175015G | 2.4288 | Inf | 2 |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port2) | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 2 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX(Port2) | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX(Port2) | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 2 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |



Result

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port |
|---------------------------------------|--------|---------|-------------|--------|-------------|------|
| 802.11a_Nss1,(6Mbps)_1TX(Port2) | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175017G | 2.7325 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175017G | 2.7325 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175017G | 2.7325 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175015G | 2.4288 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 2 |
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 |
| 802.11ax HEW20_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175013G | 2.1252 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175015G | 2.4288 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174994G | 0.9108 | Inf | 2 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175006G | 0.9108 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 2 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175013G | 2.1252 | Inf | 2 |



Frequency Stability_Non-Beamforming_Internal

Appendix G.1

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port |
|---------------------------------------|--------|---------|-------------|--------|-------------|------|
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175G | 0 | Inf | 2 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 2 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175011G | 1.8216 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175007G | 1.2144 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175009G | 1.518 | Inf | 1 |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175006G | 0.9108 | Inf | 1 |
| 802.11ax HEW40_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165007G | 1.2164 | Inf | 2 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165015G | 2.4328 | Inf | 2 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165015G | 2.4328 | Inf | 2 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 2 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 2 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 2 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 2 |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |



Frequency Stability_Non-Beamforming_Internal

Appendix G.1

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port |
|---------------------------------------|--------|---------|-------------|---------|-------------|------|
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 |
| 802.11ax HEW80_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 2 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 2 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 2 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.14506G | 9.7628 | Inf | 2 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 2 |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TminVmax | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145082G | 13.4239 | Inf | 1 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145082G | 13.4239 | Inf | 1 |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145082G | 13.4239 | Inf | 1 |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.14509G | 14.6442 | Inf | 1 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145082G | 13.4239 | Inf | 1 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145097G | 15.8646 | Inf | 1 |



Frequency Stability_Non-Beamforming_Internal

Appendix G.1

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port |
|--|--------|---------|-------------|---------|-------------|------|
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145082G | 13.4239 | Inf | 1 |
| 802.11ax HEW160_Nss1,(MCS0)_1TX(Port2) | - | - | - | - | - | - |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 2 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 2 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 2 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 2 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 2 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 2 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 2 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 2 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 2 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 2 |
| 802.11ax HEW160_Nss2,(MCS0)_2TX | - | - | - | - | - | - |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.18521G | 33.9489 | Inf | 1 |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 |



Summary

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|---------------------------------|--------|---------|-------------|--------|-------------|------|--------|
| 5.925-6.425GHz | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX(Port2) | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 | 2 min |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 0 min |



Result

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|---------------------------------|--------|---------|-------------|--------|-------------|------|--------|
| 802.11a_Nss1,(6Mbps)_1TX(Port2) | - | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 0 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 | 2 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 5 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 10 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 | 0 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 2 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 5 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 10 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 0 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 2 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 5 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 10 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175G | 0 | Inf | 2 | 0 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175004G | 0.6072 | Inf | 2 | 2 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 5 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 10 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 0 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 2 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 5 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175002G | 0.3036 | Inf | 2 | 10 min |
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 0 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 2 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 5 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 10 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175G | 0 | Inf | 1 | 0 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 2 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 5 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 10 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 0 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 2 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 5 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.174998G | 0.3036 | Inf | 1 | 10 min |



Summary

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|------------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 5.925-6.425GHz | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | 6.175G | 6.175028G | 4.5541 | Inf | 1 | 2 min |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | 6.165G | 6.165045G | 7.2984 | Inf | 1 | 2 min |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | 6.185G | 6.185285G | 46.0735 | Inf | 1 | 5 min |



Result

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|-----------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 0 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 2 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 5 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 0 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175028G | 4.5541 | Inf | 1 | 2 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 5 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 10 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 0 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 2 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 5 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 0 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 2 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 5 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 10 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165015G | 2.4328 | Inf | 1 | 0 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165037G | 6.082 | Inf | 1 | 2 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 5 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 10 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 0 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165045G | 7.2984 | Inf | 1 | 2 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 5 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 10 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.16503G | 4.8656 | Inf | 1 | 0 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 2 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.16503G | 4.8656 | Inf | 1 | 5 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 10 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 0 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165011G | 1.8246 | Inf | 1 | 2 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165037G | 6.082 | Inf | 1 | 5 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 10 min |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 0 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145022G | 3.6611 | Inf | 1 | 0 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 5 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 10 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 0 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 2 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 5 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |



Frequency Stability_Beamforming_Internal

Appendix G.3

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|------------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 0 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 2 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 0 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 10 min |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18518G | 29.099 | Inf | 1 | 0 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185015G | 2.4249 | Inf | 1 | 2 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.184865G | 21.8243 | Inf | 1 | 5 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 1 | 10 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.18509G | 14.5495 | Inf | 1 | 0 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185075G | 12.1246 | Inf | 1 | 2 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185255G | 41.2236 | Inf | 1 | 5 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 1 | 10 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 0 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 2 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.18509G | 14.5495 | Inf | 1 | 5 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 1 | 10 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18506G | 9.6997 | Inf | 1 | 0 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185075G | 12.1246 | Inf | 1 | 2 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 | 5 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 10 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 0 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 1 | 2 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185285G | 46.0735 | Inf | 1 | 5 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 | 10 min |



Summary

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|------------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 5.925-6.425GHz | - | - | - | - | - | - | - |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass | 6.175G | 6.175028G | 4.5541 | Inf | 1 | 2 min |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | Pass | 6.165G | 6.165045G | 7.2984 | Inf | 1 | 2 min |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 802.11ax HEW160-BF_Nss1,(MCS0)_2TX | Pass | 6.185G | 6.185285G | 46.0735 | Inf | 1 | 5 min |



Result

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|-----------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 0 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 2 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 5 min |
| 6175MHz_TnomVnom | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 0 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175028G | 4.5541 | Inf | 1 | 2 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 5 min |
| 6175MHz_TminVmax | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 10 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 0 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175024G | 3.9469 | Inf | 1 | 2 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175026G | 4.2505 | Inf | 1 | 5 min |
| 6175MHz_TminVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmax | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175021G | 3.3397 | Inf | 1 | 0 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175019G | 3.0361 | Inf | 1 | 2 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 5 min |
| 6175MHz_TmaxVmin | Pass | 6.175G | 6.175022G | 3.6433 | Inf | 1 | 10 min |
| 802.11ax HEW40-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 0 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 2 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 5 min |
| 6165MHz_TnomVnom | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 10 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165015G | 2.4328 | Inf | 1 | 0 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165037G | 6.082 | Inf | 1 | 2 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 5 min |
| 6165MHz_TminVmax | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 10 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 0 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165045G | 7.2984 | Inf | 1 | 2 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 5 min |
| 6165MHz_TminVmin | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 10 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.16503G | 4.8656 | Inf | 1 | 0 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165034G | 5.4738 | Inf | 1 | 2 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.16503G | 4.8656 | Inf | 1 | 5 min |
| 6165MHz_TmaxVmax | Pass | 6.165G | 6.165026G | 4.2574 | Inf | 1 | 10 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165022G | 3.6492 | Inf | 1 | 0 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165011G | 1.8246 | Inf | 1 | 2 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165037G | 6.082 | Inf | 1 | 5 min |
| 6165MHz_TmaxVmin | Pass | 6.165G | 6.165019G | 3.041 | Inf | 1 | 10 min |
| 802.11ax HEW80-BF_Nss1,(MCS0)_2TX | - | - | - | - | - | - | - |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 0 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TnomVnom | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145022G | 3.6611 | Inf | 1 | 0 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 5 min |
| 6145MHz_TminVmax | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 10 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 0 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 2 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 5 min |
| 6145MHz_TminVmin | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |



Frequency Stability_Beamforming_Dipole

Appendix G.4

| Mode | Result | Ch (Hz) | Center (Hz) | ppm | Limit (ppm) | Port | Remark |
|------------------------------------|--------|---------|-------------|---------|-------------|------|--------|
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 0 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 2 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TmaxVmax | Pass | 6.145G | 6.145067G | 10.9832 | Inf | 1 | 10 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145037G | 6.1018 | Inf | 1 | 0 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 2 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145052G | 8.5425 | Inf | 1 | 5 min |
| 6145MHz_TmaxVmin | Pass | 6.145G | 6.145045G | 7.3221 | Inf | 1 | 10 min |
| 802.11ax HEW160-BF_Nss1.(MCS0)_2TX | - | - | - | - | - | - | - |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18518G | 29.099 | Inf | 1 | 0 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.185015G | 2.4249 | Inf | 1 | 2 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.184865G | 21.8243 | Inf | 1 | 5 min |
| 6185MHz_TnomVnom | Pass | 6.185G | 6.18515G | 24.2492 | Inf | 1 | 10 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.18509G | 14.5495 | Inf | 1 | 0 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185075G | 12.1246 | Inf | 1 | 2 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.185255G | 41.2236 | Inf | 1 | 5 min |
| 6185MHz_TminVmax | Pass | 6.185G | 6.18512G | 19.3994 | Inf | 1 | 10 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 0 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 2 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.18509G | 14.5495 | Inf | 1 | 5 min |
| 6185MHz_TminVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 1 | 10 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.18506G | 9.6997 | Inf | 1 | 0 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185075G | 12.1246 | Inf | 1 | 2 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 | 5 min |
| 6185MHz_TmaxVmax | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 10 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185165G | 26.6741 | Inf | 1 | 0 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185135G | 21.8243 | Inf | 1 | 2 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185285G | 46.0735 | Inf | 1 | 5 min |
| 6185MHz_TmaxVmin | Pass | 6.185G | 6.185225G | 36.3738 | Inf | 1 | 10 min |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|-----------|
| Mode 1 | Pass | AV | 4.82398G | 50.33 | 54.00 | -3.67 | Vertical |
| Mode 2 | Pass | AV | 4.82398G | 50.47 | 54.00 | -3.53 | Vertical |
| Mode 3 | Pass | AV | 4.822G | 50.67 | 54.00 | -3.33 | Vertical |
| Mode 4 | Pass | AV | 4.822G | 46.36 | 54.00 | -7.64 | Vertical |




Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 1.056G | 23.66 | 54.00 | -30.34 | 3 | Vertical | 168 | 1.82 | - |
| Mode 1 | Pass | AV | 1.224G | 25.81 | 54.00 | -28.19 | 3 | Vertical | 20 | 2.18 | - |
| Mode 1 | Pass | AV | 1.406G | 31.23 | 54.00 | -22.77 | 3 | Vertical | 234 | 1.28 | - |
| Mode 1 | Pass | AV | 3.198G | 35.86 | 68.20 | -32.34 | 3 | Vertical | 27 | 1.99 | - |
| Mode 1 | Pass | AV | 4.82398G | 50.33 | 54.00 | -3.67 | 3 | Vertical | 140 | 1.22 | - |
| Mode 1 | Pass | PK | 1.056G | 43.62 | 74.00 | -30.38 | 3 | Vertical | 168 | 1.82 | - |
| Mode 1 | Pass | PK | 1.224G | 44.11 | 74.00 | -29.89 | 3 | Vertical | 20 | 2.18 | - |
| Mode 1 | Pass | PK | 1.406G | 47.60 | 74.00 | -26.40 | 3 | Vertical | 234 | 1.28 | - |
| Mode 1 | Pass | PK | 3.198G | 44.59 | 68.20 | -23.61 | 3 | Vertical | 27 | 1.99 | - |
| Mode 1 | Pass | PK | 4.82398G | 52.36 | 74.00 | -21.64 | 3 | Vertical | 140 | 1.22 | - |
| Mode 1 | Pass | AV | 1.05714G | 27.33 | 54.00 | -26.67 | 3 | Horizontal | 149 | 1.01 | - |
| Mode 1 | Pass | AV | 1.22914G | 30.93 | 54.00 | -23.07 | 3 | Horizontal | 248 | 2.62 | - |
| Mode 1 | Pass | AV | 1.40018G | 30.97 | 54.00 | -23.03 | 3 | Horizontal | 240 | 2.22 | - |
| Mode 1 | Pass | AV | 1.75343G | 33.10 | 68.20 | -35.10 | 3 | Horizontal | 256 | 1.50 | - |
| Mode 1 | Pass | AV | 4.82392G | 44.65 | 54.00 | -9.35 | 3 | Horizontal | 335 | 1.50 | - |
| Mode 1 | Pass | PK | 1.05714G | 42.41 | 74.00 | -31.59 | 3 | Horizontal | 149 | 1.01 | - |
| Mode 1 | Pass | PK | 1.22914G | 42.48 | 74.00 | -31.52 | 3 | Horizontal | 248 | 2.62 | - |
| Mode 1 | Pass | PK | 1.40018G | 42.66 | 74.00 | -31.34 | 3 | Horizontal | 240 | 2.22 | - |
| Mode 1 | Pass | PK | 1.75343G | 40.21 | 68.20 | -27.99 | 3 | Horizontal | 256 | 1.50 | - |
| Mode 1 | Pass | PK | 4.82392G | 45.70 | 74.00 | -28.30 | 3 | Horizontal | 335 | 1.50 | - |
| Mode 2 | Pass | AV | 1.42067G | 32.21 | 54.00 | -21.79 | 3 | Vertical | 311 | 2.37 | - |
| Mode 2 | Pass | AV | 1.77G | 30.27 | 68.20 | -37.93 | 3 | Vertical | 58 | 1.81 | - |
| Mode 2 | Pass | AV | 2.232G | 31.85 | 54.00 | -22.15 | 3 | Vertical | 150 | 1.53 | - |
| Mode 2 | Pass | AV | 3.016G | 34.52 | 68.20 | -33.68 | 3 | Vertical | 348 | 2.04 | - |
| Mode 2 | Pass | AV | 4.82398G | 50.47 | 54.00 | -3.53 | 3 | Vertical | 152 | 2.86 | - |
| Mode 2 | Pass | AV | 5.13G | 38.52 | 54.00 | -15.48 | 3 | Vertical | 178 | 2.00 | - |
| Mode 2 | Pass | PK | 1.42067G | 51.43 | 74.00 | -22.57 | 3 | Vertical | 311 | 2.37 | - |
| Mode 2 | Pass | PK | 1.77G | 44.07 | 68.20 | -24.13 | 3 | Vertical | 58 | 1.81 | - |
| Mode 2 | Pass | PK | 2.232G | 50.28 | 74.00 | -23.72 | 3 | Vertical | 150 | 1.53 | - |
| Mode 2 | Pass | PK | 3.016G | 47.61 | 68.20 | -20.59 | 3 | Vertical | 348 | 2.04 | - |
| Mode 2 | Pass | PK | 4.82398G | 53.53 | 74.00 | -20.47 | 3 | Vertical | 152 | 2.86 | - |
| Mode 2 | Pass | PK | 5.13G | 49.32 | 74.00 | -24.68 | 3 | Vertical | 178 | 2.00 | - |
| Mode 2 | Pass | AV | 1.238G | 31.55 | 54.00 | -22.45 | 3 | Horizontal | 39 | 2.03 | - |
| Mode 2 | Pass | AV | 1.406G | 31.04 | 54.00 | -22.96 | 3 | Horizontal | 27 | 1.66 | - |
| Mode 2 | Pass | AV | 2.232G | 33.22 | 54.00 | -20.78 | 3 | Horizontal | 107 | 1.81 | - |
| Mode 2 | Pass | AV | 2.988G | 32.91 | 68.20 | -35.29 | 3 | Horizontal | 294 | 1.48 | - |
| Mode 2 | Pass | AV | 3.184G | 35.53 | 68.20 | -32.67 | 3 | Horizontal | 23 | 1.36 | - |
| Mode 2 | Pass | AV | 4.822G | 47.56 | 54.00 | -6.44 | 3 | Horizontal | 355 | 1.80 | - |
| Mode 2 | Pass | PK | 1.238G | 46.61 | 74.00 | -27.39 | 3 | Horizontal | 39 | 2.03 | - |
| Mode 2 | Pass | PK | 1.406G | 46.65 | 74.00 | -27.35 | 3 | Horizontal | 27 | 1.66 | - |
| Mode 2 | Pass | PK | 2.232G | 43.16 | 74.00 | -30.84 | 3 | Horizontal | 107 | 1.81 | - |
| Mode 2 | Pass | PK | 2.988G | 45.25 | 68.20 | -22.95 | 3 | Horizontal | 294 | 1.48 | - |
| Mode 2 | Pass | PK | 3.184G | 47.86 | 68.20 | -20.34 | 3 | Horizontal | 23 | 1.36 | - |
| Mode 2 | Pass | PK | 4.822G | 49.03 | 74.00 | -24.97 | 3 | Horizontal | 355 | 1.80 | - |
| Mode 3 | Pass | AV | 1.238G | 30.11 | 54.00 | -23.89 | 3 | Vertical | 55 | 1.17 | - |
| Mode 3 | Pass | AV | 1.406G | 31.52 | 54.00 | -22.48 | 3 | Vertical | 359 | 1.32 | - |
| Mode 3 | Pass | AV | 1.77G | 34.01 | 68.20 | -34.19 | 3 | Vertical | 147 | 1.28 | - |
| Mode 3 | Pass | AV | 4.822G | 50.67 | 54.00 | -3.33 | 3 | Vertical | 16 | 2.20 | - |
| Mode 3 | Pass | PK | 1.238G | 43.53 | 74.00 | -30.47 | 3 | Vertical | 55 | 1.17 | - |
| Mode 3 | Pass | PK | 1.406G | 43.98 | 74.00 | -30.02 | 3 | Vertical | 359 | 1.32 | - |




| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 3 | Pass | PK | 1.77G | 42.41 | 68.20 | -25.79 | 3 | Vertical | 147 | 1.28 | - |
| Mode 3 | Pass | PK | 4.822G | 53.51 | 74.00 | -20.49 | 3 | Vertical | 16 | 2.20 | - |
| Mode 3 | Pass | AV | 1.238G | 30.57 | 54.00 | -23.43 | 3 | Horizontal | 24 | 1.81 | - |
| Mode 3 | Pass | AV | 1.406G | 31.25 | 54.00 | -22.75 | 3 | Horizontal | 42 | 2.36 | - |
| Mode 3 | Pass | AV | 2.358G | 32.13 | 54.00 | -21.87 | 3 | Horizontal | 209 | 1.96 | - |
| Mode 3 | Pass | AV | 4.822G | 43.83 | 54.00 | -10.17 | 3 | Horizontal | 136 | 1.32 | - |
| Mode 3 | Pass | PK | 1.238G | 46.95 | 74.00 | -27.05 | 3 | Horizontal | 24 | 1.81 | - |
| Mode 3 | Pass | PK | 1.406G | 43.81 | 74.00 | -30.19 | 3 | Horizontal | 42 | 2.36 | - |
| Mode 3 | Pass | PK | 2.358G | 42.31 | 74.00 | -31.69 | 3 | Horizontal | 209 | 1.96 | - |
| Mode 3 | Pass | PK | 4.822G | 46.00 | 74.00 | -28.00 | 3 | Horizontal | 136 | 1.32 | - |
| Mode 4 | Pass | AV | 1.056G | 31.25 | 54.00 | -22.75 | 3 | Vertical | 73 | 1.68 | - |
| Mode 4 | Pass | AV | 1.238G | 36.31 | 54.00 | -17.69 | 3 | Vertical | 256 | 2.37 | - |
| Mode 4 | Pass | AV | 1.406G | 32.36 | 54.00 | -21.64 | 3 | Vertical | 129 | 1.32 | - |
| Mode 4 | Pass | AV | 2.582G | 30.58 | 68.20 | -37.62 | 3 | Vertical | 21 | 2.25 | - |
| Mode 4 | Pass | AV | 4.822G | 46.36 | 54.00 | -7.64 | 3 | Vertical | 63 | 1.30 | - |
| Mode 4 | Pass | PK | 1.056G | 44.38 | 74.00 | -29.62 | 3 | Vertical | 73 | 1.68 | - |
| Mode 4 | Pass | PK | 1.238G | 42.37 | 74.00 | -31.63 | 3 | Vertical | 256 | 2.37 | - |
| Mode 4 | Pass | PK | 1.406G | 44.17 | 74.00 | -29.83 | 3 | Vertical | 129 | 1.32 | - |
| Mode 4 | Pass | PK | 2.582G | 45.44 | 68.20 | -22.76 | 3 | Vertical | 21 | 2.25 | - |
| Mode 4 | Pass | PK | 4.822G | 47.24 | 74.00 | -26.76 | 3 | Vertical | 63 | 1.30 | - |
| Mode 4 | Pass | AV | 1.238G | 34.21 | 54.00 | -19.79 | 3 | Horizontal | 196 | 2.04 | - |
| Mode 4 | Pass | AV | 1.406G | 32.01 | 54.00 | -21.99 | 3 | Horizontal | 79 | 1.13 | - |
| Mode 4 | Pass | AV | 3.002G | 33.47 | 68.20 | -34.73 | 3 | Horizontal | 57 | 2.36 | - |
| Mode 4 | Pass | AV | 4.822G | 45.25 | 54.00 | -8.75 | 3 | Horizontal | 39 | 2.25 | - |
| Mode 4 | Pass | PK | 1.238G | 47.85 | 74.00 | -26.15 | 3 | Horizontal | 196 | 2.04 | - |
| Mode 4 | Pass | PK | 1.406G | 43.88 | 74.00 | -30.12 | 3 | Horizontal | 79 | 1.13 | - |
| Mode 4 | Pass | PK | 3.002G | 43.11 | 68.20 | -25.09 | 3 | Horizontal | 57 | 2.36 | - |
| Mode 4 | Pass | PK | 4.822G | 49.03 | 74.00 | -24.97 | 3 | Horizontal | 39 | 2.25 | - |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.056G | 23.66 | 54.00 | -30.34 | -6.35 | 3 | Vertical | 168 | 1.82 | - | 30.01 | 25.02 | 3.14 | 34.51 |
| AV | 1.224G | 25.81 | 54.00 | -28.19 | -4.74 | 3 | Vertical | 20 | 2.18 | - | 30.55 | 26.10 | 3.39 | 34.23 |
| AV | 1.406G | 31.23 | 54.00 | -22.77 | -4.98 | 3 | Vertical | 234 | 1.28 | - | 36.21 | 25.30 | 3.65 | 33.93 |
| AV | 3.198G | 35.86 | 68.20 | -32.34 | 1.18 | 3 | Vertical | 27 | 1.99 | - | 34.68 | 29.80 | 5.55 | 34.17 |
| AV | 4.82398G | 50.33 | 54.00 | -3.67 | 5.21 | 3 | Vertical | 140 | 1.22 | - | 45.12 | 32.60 | 6.90 | 34.29 |
| PK | 1.056G | 43.62 | 74.00 | -30.38 | -6.35 | 3 | Vertical | 168 | 1.82 | - | 49.97 | 25.02 | 3.14 | 34.51 |
| PK | 1.224G | 44.11 | 74.00 | -29.89 | -4.74 | 3 | Vertical | 20 | 2.18 | - | 48.85 | 26.10 | 3.39 | 34.23 |
| PK | 1.406G | 47.60 | 74.00 | -26.40 | -4.98 | 3 | Vertical | 234 | 1.28 | - | 52.58 | 25.30 | 3.65 | 33.93 |
| PK | 3.198G | 44.59 | 68.20 | -23.61 | 1.18 | 3 | Vertical | 27 | 1.99 | - | 43.41 | 29.80 | 5.55 | 34.17 |
| PK | 4.82398G | 52.36 | 74.00 | -21.64 | 5.21 | 3 | Vertical | 140 | 1.22 | - | 47.15 | 32.60 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.05714G | 27.33 | 54.00 | -26.67 | -6.33 | 3 | Horizontal | 149 | 1.01 | - | 33.66 | 25.03 | 3.15 | 34.51 |
| AV | 1.22914G | 30.93 | 54.00 | -23.07 | -4.74 | 3 | Horizontal | 248 | 2.62 | - | 35.67 | 26.08 | 3.40 | 34.22 |
| AV | 1.40018G | 30.97 | 54.00 | -23.03 | -5.00 | 3 | Horizontal | 240 | 2.22 | - | 35.97 | 25.30 | 3.64 | 33.94 |
| AV | 1.75343G | 33.10 | 68.20 | -35.10 | -4.53 | 3 | Horizontal | 256 | 1.50 | - | 37.63 | 25.18 | 4.09 | 33.80 |
| AV | 4.82392G | 44.65 | 54.00 | -9.35 | 5.21 | 3 | Horizontal | 335 | 1.50 | - | 39.44 | 32.60 | 6.90 | 34.29 |
| PK | 1.05714G | 42.41 | 74.00 | -31.59 | -6.33 | 3 | Horizontal | 149 | 1.01 | - | 48.74 | 25.03 | 3.15 | 34.51 |
| PK | 1.22914G | 42.48 | 74.00 | -31.52 | -4.74 | 3 | Horizontal | 248 | 2.62 | - | 47.22 | 26.08 | 3.40 | 34.22 |
| PK | 1.40018G | 42.66 | 74.00 | -31.34 | -5.00 | 3 | Horizontal | 240 | 2.22 | - | 47.66 | 25.30 | 3.64 | 33.94 |
| PK | 1.75343G | 40.21 | 68.20 | -27.99 | -4.53 | 3 | Horizontal | 256 | 1.50 | - | 44.74 | 25.18 | 4.09 | 33.80 |
| PK | 4.82392G | 45.70 | 74.00 | -28.30 | 5.21 | 3 | Horizontal | 335 | 1.50 | - | 40.49 | 32.60 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|-----------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV | 1.42067G | 32.21 | 54.00 | -21.79 | -4.94 | 3 | Vertical | 311 | 2.37 | - | 37.15 | 25.30 | 3.67 | 33.91 |
| AV | 1.77G | 30.27 | 68.20 | -37.93 | -4.61 | 3 | Vertical | 58 | 1.81 | - | 34.88 | 25.08 | 4.11 | 33.80 |
| AV | 2.232G | 31.85 | 54.00 | -22.15 | -1.99 | 3 | Vertical | 150 | 1.53 | - | 33.84 | 27.31 | 4.57 | 33.87 |
| AV | 3.016G | 34.52 | 68.20 | -33.68 | 0.83 | 3 | Vertical | 348 | 2.04 | - | 33.69 | 29.50 | 5.46 | 34.13 |
| AV | 4.82398G | 50.47 | 54.00 | -3.53 | 5.21 | 3 | Vertical | 152 | 2.86 | - | 45.26 | 32.60 | 6.90 | 34.29 |
| AV | 5.13G | 38.52 | 54.00 | -15.48 | 6.05 | 3 | Vertical | 178 | 2.00 | - | 32.47 | 33.14 | 7.17 | 34.26 |
| PK | 1.42067G | 51.43 | 74.00 | -22.57 | -4.94 | 3 | Vertical | 311 | 2.37 | - | 56.37 | 25.30 | 3.67 | 33.91 |
| PK | 1.77G | 44.07 | 68.20 | -24.13 | -4.61 | 3 | Vertical | 58 | 1.81 | - | 48.68 | 25.08 | 4.11 | 33.80 |
| PK | 2.232G | 50.28 | 74.00 | -23.72 | -1.99 | 3 | Vertical | 150 | 1.53 | - | 52.27 | 27.31 | 4.57 | 33.87 |
| PK | 3.016G | 47.61 | 68.20 | -20.59 | 0.83 | 3 | Vertical | 348 | 2.04 | - | 46.78 | 29.50 | 5.46 | 34.13 |
| PK | 4.82398G | 53.53 | 74.00 | -20.47 | 5.21 | 3 | Vertical | 152 | 2.86 | - | 48.32 | 32.60 | 6.90 | 34.29 |
| PK | 5.13G | 49.32 | 74.00 | -24.68 | 6.05 | 3 | Vertical | 178 | 2.00 | - | 43.27 | 33.14 | 7.17 | 34.26 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV | 1.238G | 31.55 | 54.00 | -22.45 | -4.75 | 3 | Horizontal | 39 | 2.03 | - | 36.30 | 26.05 | 3.41 | 34.21 |
| AV | 1.406G | 31.04 | 54.00 | -22.96 | -4.98 | 3 | Horizontal | 27 | 1.66 | - | 36.02 | 25.30 | 3.65 | 33.93 |
| AV | 2.232G | 33.22 | 54.00 | -20.78 | -1.99 | 3 | Horizontal | 107 | 1.81 | - | 35.21 | 27.31 | 4.57 | 33.87 |
| AV | 2.988G | 32.91 | 68.20 | -35.29 | 0.74 | 3 | Horizontal | 294 | 1.48 | - | 32.17 | 29.43 | 5.44 | 34.13 |
| AV | 3.184G | 35.53 | 68.20 | -32.67 | 1.14 | 3 | Horizontal | 23 | 1.36 | - | 34.39 | 29.77 | 5.54 | 34.17 |
| AV | 4.822G | 47.56 | 54.00 | -6.44 | 5.20 | 3 | Horizontal | 355 | 1.80 | - | 42.36 | 32.59 | 6.90 | 34.29 |
| PK | 1.238G | 46.61 | 74.00 | -27.39 | -4.75 | 3 | Horizontal | 39 | 2.03 | - | 51.36 | 26.05 | 3.41 | 34.21 |
| PK | 1.406G | 46.65 | 74.00 | -27.35 | -4.98 | 3 | Horizontal | 27 | 1.66 | - | 51.63 | 25.30 | 3.65 | 33.93 |
| PK | 2.232G | 43.16 | 74.00 | -30.84 | -1.99 | 3 | Horizontal | 107 | 1.81 | - | 45.15 | 27.31 | 4.57 | 33.87 |
| PK | 2.988G | 45.25 | 68.20 | -22.95 | 0.74 | 3 | Horizontal | 294 | 1.48 | - | 44.51 | 29.43 | 5.44 | 34.13 |
| PK | 3.184G | 47.86 | 68.20 | -20.34 | 1.14 | 3 | Horizontal | 23 | 1.36 | - | 46.72 | 29.77 | 5.54 | 34.17 |
| PK | 4.822G | 49.03 | 74.00 | -24.97 | 5.20 | 3 | Horizontal | 355 | 1.80 | - | 43.83 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.238G | 30.11 | 54.00 | -23.89 | -4.75 | 3 | Vertical | 55 | 1.17 | - | 34.86 | 26.05 | 3.41 | 34.21 |
| AV | 1.406G | 31.52 | 54.00 | -22.48 | -4.98 | 3 | Vertical | 359 | 1.32 | - | 36.50 | 25.30 | 3.65 | 33.93 |
| AV | 1.77G | 34.01 | 68.20 | -34.19 | -4.61 | 3 | Vertical | 147 | 1.28 | - | 38.62 | 25.08 | 4.11 | 33.80 |
| AV | 4.822G | 50.67 | 54.00 | -3.33 | 5.20 | 3 | Vertical | 16 | 2.20 | - | 45.47 | 32.59 | 6.90 | 34.29 |
| PK | 1.238G | 43.53 | 74.00 | -30.47 | -4.75 | 3 | Vertical | 55 | 1.17 | - | 48.28 | 26.05 | 3.41 | 34.21 |
| PK | 1.406G | 43.98 | 74.00 | -30.02 | -4.98 | 3 | Vertical | 359 | 1.32 | - | 48.96 | 25.30 | 3.65 | 33.93 |
| PK | 1.77G | 42.41 | 68.20 | -25.79 | -4.61 | 3 | Vertical | 147 | 1.28 | - | 47.02 | 25.08 | 4.11 | 33.80 |
| PK | 4.822G | 53.51 | 74.00 | -20.49 | 5.20 | 3 | Vertical | 16 | 2.20 | - | 48.31 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|------------------|-------------|------------|----------------|---------------|---------|-----------------|--------------|------------|------------|
| AV | 1.238G | 30.57 | 54.00 | -23.43 | -4.75 | 3 | Horizontal | 24 | 1.81 | - | 35.32 | 26.05 | 3.41 | 34.21 |
| AV | 1.406G | 31.25 | 54.00 | -22.75 | -4.98 | 3 | Horizontal | 42 | 2.36 | - | 36.23 | 25.30 | 3.65 | 33.93 |
| AV | 2.358G | 32.13 | 54.00 | -21.87 | -2.08 | 3 | Horizontal | 209 | 1.96 | - | 34.21 | 27.32 | 4.50 | 33.90 |
| AV | 4.822G | 43.83 | 54.00 | -10.17 | 5.20 | 3 | Horizontal | 136 | 1.32 | - | 38.63 | 32.59 | 6.90 | 34.29 |
| PK | 1.238G | 46.95 | 74.00 | -27.05 | -4.75 | 3 | Horizontal | 24 | 1.81 | - | 51.70 | 26.05 | 3.41 | 34.21 |
| PK | 1.406G | 43.81 | 74.00 | -30.19 | -4.98 | 3 | Horizontal | 42 | 2.36 | - | 48.79 | 25.30 | 3.65 | 33.93 |
| PK | 2.358G | 42.31 | 74.00 | -31.69 | -2.08 | 3 | Horizontal | 209 | 1.96 | - | 44.39 | 27.32 | 4.50 | 33.90 |
| PK | 4.822G | 46.00 | 74.00 | -28.00 | 5.20 | 3 | Horizontal | 136 | 1.32 | - | 40.80 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 4



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.056G | 31.25 | 54.00 | -22.75 | -6.35 | 3 | Vertical | 73 | 1.68 | - | 37.60 | 25.02 | 3.14 | 34.51 |
| AV | 1.238G | 36.31 | 54.00 | -17.69 | -4.75 | 3 | Vertical | 256 | 2.37 | - | 41.06 | 26.05 | 3.41 | 34.21 |
| AV | 1.406G | 32.36 | 54.00 | -21.64 | -4.98 | 3 | Vertical | 129 | 1.32 | - | 37.34 | 25.30 | 3.65 | 33.93 |
| AV | 2.582G | 30.58 | 68.20 | -37.62 | -1.34 | 3 | Vertical | 21 | 2.25 | - | 31.92 | 28.13 | 4.50 | 33.97 |
| AV | 4.822G | 46.36 | 54.00 | -7.64 | 5.20 | 3 | Vertical | 63 | 1.30 | - | 41.16 | 32.59 | 6.90 | 34.29 |
| PK | 1.056G | 44.38 | 74.00 | -29.62 | -6.35 | 3 | Vertical | 73 | 1.68 | - | 50.73 | 25.02 | 3.14 | 34.51 |
| PK | 1.238G | 42.37 | 74.00 | -31.63 | -4.75 | 3 | Vertical | 256 | 2.37 | - | 47.12 | 26.05 | 3.41 | 34.21 |
| PK | 1.406G | 44.17 | 74.00 | -29.83 | -4.98 | 3 | Vertical | 129 | 1.32 | - | 49.15 | 25.30 | 3.65 | 33.93 |
| PK | 2.582G | 45.44 | 68.20 | -22.76 | -1.34 | 3 | Vertical | 21 | 2.25 | - | 46.78 | 28.13 | 4.50 | 33.97 |
| PK | 4.822G | 47.24 | 74.00 | -26.76 | 5.20 | 3 | Vertical | 63 | 1.30 | - | 42.04 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 4



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.238G | 34.21 | 54.00 | -19.79 | -4.75 | 3 | Horizontal | 196 | 2.04 | - | 38.96 | 26.05 | 3.41 | 34.21 |
| AV | 1.406G | 32.01 | 54.00 | -21.99 | -4.98 | 3 | Horizontal | 79 | 1.13 | - | 36.99 | 25.30 | 3.65 | 33.93 |
| AV | 3.002G | 33.47 | 68.20 | -34.73 | 0.82 | 3 | Horizontal | 57 | 2.36 | - | 32.65 | 29.50 | 5.45 | 34.13 |
| AV | 4.822G | 45.25 | 54.00 | -8.75 | 5.20 | 3 | Horizontal | 39 | 2.25 | - | 40.05 | 32.59 | 6.90 | 34.29 |
| PK | 1.238G | 47.85 | 74.00 | -26.15 | -4.75 | 3 | Horizontal | 196 | 2.04 | - | 52.60 | 26.05 | 3.41 | 34.21 |
| PK | 1.406G | 43.88 | 74.00 | -30.12 | -4.98 | 3 | Horizontal | 79 | 1.13 | - | 48.86 | 25.30 | 3.65 | 33.93 |
| PK | 3.002G | 43.11 | 68.20 | -25.09 | 0.82 | 3 | Horizontal | 57 | 2.36 | - | 42.29 | 29.50 | 5.45 | 34.13 |
| PK | 4.822G | 49.03 | 74.00 | -24.97 | 5.20 | 3 | Horizontal | 39 | 2.25 | - | 43.83 | 32.59 | 6.90 | 34.29 |



Summary


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Condition |
|--------|--------|------|-----------|----------------|----------------|-------------|-----------|
| Mode 1 | Pass | AV | 4.878G | 47.58 | 54.00 | -6.42 | Vertical |
| Mode 2 | Pass | AV | 4.82386G | 50.36 | 54.00 | -3.64 | Vertical |
| Mode 3 | Pass | AV | 4.822G | 48.89 | 54.00 | -5.11 | Vertical |
| Mode 4 | Pass | AV | 4.822G | 50.14 | 54.00 | -3.86 | Vertical |



Result


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| Mode 1 | Pass | AV | 1.224G | 31.53 | 54.00 | -22.47 | 3 | Vertical | 341 | 1.52 | - |
| Mode 1 | Pass | AV | 1.406G | 30.25 | 54.00 | -23.75 | 3 | Vertical | 218 | 2.24 | - |
| Mode 1 | Pass | AV | 1.938G | 34.58 | 68.20 | -33.62 | 3 | Vertical | 187 | 1.92 | - |
| Mode 1 | Pass | AV | 4.878G | 47.58 | 54.00 | -6.42 | 3 | Vertical | 173 | 1.07 | - |
| Mode 1 | Pass | PK | 1.224G | 41.91 | 74.00 | -32.09 | 3 | Vertical | 341 | 1.52 | - |
| Mode 1 | Pass | PK | 1.406G | 43.67 | 74.00 | -30.33 | 3 | Vertical | 218 | 2.24 | - |
| Mode 1 | Pass | PK | 1.938G | 42.21 | 68.20 | -25.99 | 3 | Vertical | 187 | 1.92 | - |
| Mode 1 | Pass | PK | 4.878G | 50.06 | 74.00 | -23.94 | 3 | Vertical | 173 | 1.07 | - |
| Mode 1 | Pass | AV | 1.196G | 29.58 | 54.00 | -24.42 | 3 | Horizontal | 323 | 1.07 | - |
| Mode 1 | Pass | AV | 1.406G | 36.55 | 54.00 | -17.45 | 3 | Horizontal | 214 | 1.18 | - |
| Mode 1 | Pass | AV | 2.26G | 32.25 | 54.00 | -21.75 | 3 | Horizontal | 356 | 1.50 | - |
| Mode 1 | Pass | PK | 1.196G | 43.37 | 74.00 | -30.63 | 3 | Horizontal | 323 | 1.07 | - |
| Mode 1 | Pass | PK | 1.406G | 41.48 | 74.00 | -32.52 | 3 | Horizontal | 214 | 1.18 | - |
| Mode 1 | Pass | PK | 2.26G | 49.98 | 74.00 | -24.02 | 3 | Horizontal | 356 | 1.50 | - |
| Mode 2 | Pass | AV | 3.968G | 32.55 | 54.00 | -21.45 | 3 | Vertical | 227 | 1.90 | - |
| Mode 2 | Pass | AV | 4.29G | 30.06 | 54.00 | -23.94 | 3 | Vertical | 61 | 1.16 | - |
| Mode 2 | Pass | AV | 4.82386G | 50.36 | 54.00 | -3.64 | 3 | Vertical | 195 | 1.50 | - |
| Mode 2 | Pass | PK | 3.968G | 42.79 | 74.00 | -31.21 | 3 | Vertical | 227 | 1.90 | - |
| Mode 2 | Pass | PK | 4.29G | 43.79 | 74.00 | -30.21 | 3 | Vertical | 61 | 1.16 | - |
| Mode 2 | Pass | PK | 4.822G | 55.45 | 74.00 | -18.55 | 3 | Vertical | 195 | 1.50 | - |
| Mode 2 | Pass | AV | 1.238G | 29.68 | 54.00 | -28.88 | 3 | Horizontal | 339 | 1.13 | - |
| Mode 2 | Pass | AV | 1.756G | 28.59 | 68.20 | -39.61 | 3 | Horizontal | 46 | 1.74 | - |
| Mode 2 | Pass | AV | 2.358G | 29.15 | 54.00 | -24.85 | 3 | Horizontal | 285 | 1.95 | - |
| Mode 2 | Pass | PK | 1.238G | 41.23 | 74.00 | -32.77 | 3 | Horizontal | 339 | 1.13 | - |
| Mode 2 | Pass | PK | 1.756G | 38.51 | 68.20 | -29.69 | 3 | Horizontal | 46 | 1.74 | - |
| Mode 2 | Pass | PK | 2.358G | 44.88 | 74.00 | -29.12 | 3 | Horizontal | 285 | 1.95 | - |
| Mode 3 | Pass | AV | 1.154G | 25.49 | 54.00 | -28.51 | 3 | Vertical | 213 | 1.37 | - |
| Mode 3 | Pass | AV | 1.406G | 28.36 | 54.00 | -31.44 | 3 | Vertical | 45 | 1.25 | - |
| Mode 3 | Pass | AV | 4.822G | 48.89 | 54.00 | -5.11 | 3 | Vertical | 341 | 1.52 | - |
| Mode 3 | Pass | PK | 1.154G | 36.61 | 74.00 | -37.39 | 3 | Vertical | 213 | 1.37 | - |
| Mode 3 | Pass | PK | 1.406G | 37.34 | 74.00 | -36.66 | 3 | Vertical | 45 | 1.25 | - |
| Mode 3 | Pass | PK | 4.822G | 52.88 | 74.00 | -21.12 | 3 | Vertical | 341 | 1.52 | - |
| Mode 3 | Pass | AV | 1.21G | 27.63 | 54.00 | -26.37 | 3 | Horizontal | 111 | 1.19 | - |
| Mode 3 | Pass | AV | 1.728G | 26.32 | 68.20 | -41.88 | 3 | Horizontal | 250 | 2.08 | - |
| Mode 3 | Pass | AV | 4.822G | 39.59 | 54.00 | -14.41 | 3 | Horizontal | 66 | 2.41 | - |
| Mode 3 | Pass | PK | 1.21G | 39.31 | 74.00 | -34.69 | 3 | Horizontal | 111 | 1.19 | - |
| Mode 3 | Pass | PK | 1.728G | 37.77 | 68.20 | -30.43 | 3 | Horizontal | 250 | 2.08 | - |
| Mode 3 | Pass | PK | 4.822G | 46.85 | 74.00 | -27.15 | 3 | Horizontal | 66 | 2.41 | - |
| Mode 4 | Pass | AV | 1.49G | 31.70 | 54.00 | -22.30 | 3 | Vertical | 96 | 1.74 | - |
| Mode 4 | Pass | AV | 4.822G | 50.14 | 54.00 | -3.86 | 3 | Vertical | 182 | 2.49 | - |
| Mode 4 | Pass | AV | 7.25G | 47.49 | 54.00 | -6.51 | 3 | Vertical | 221 | 2.25 | - |
| Mode 4 | Pass | PK | 1.49G | 37.46 | 74.00 | -36.54 | 3 | Vertical | 96 | 1.74 | - |
| Mode 4 | Pass | PK | 4.822G | 56.09 | 74.00 | -17.91 | 3 | Vertical | 182 | 2.49 | - |
| Mode 4 | Pass | PK | 7.25G | 50.89 | 74.00 | -23.11 | 3 | Vertical | 221 | 2.25 | - |
| Mode 4 | Pass | AV | 1.21G | 31.98 | 54.00 | -22.02 | 3 | Horizontal | 112 | 2.45 | - |
| Mode 4 | Pass | AV | 4.01G | 33.14 | 54.00 | -20.86 | 3 | Horizontal | 250 | 1.86 | - |
| Mode 4 | Pass | AV | 5.046G | 35.11 | 54.00 | -18.89 | 3 | Horizontal | 309 | 1.46 | - |
| Mode 4 | Pass | PK | 1.21G | 40.28 | 74.00 | -33.72 | 3 | Horizontal | 112 | 2.45 | - |
| Mode 4 | Pass | PK | 4.01G | 42.07 | 74.00 | -31.93 | 3 | Horizontal | 250 | 1.86 | - |
| Mode 4 | Pass | PK | 5.046G | 43.89 | 74.00 | -30.11 | 3 | Horizontal | 309 | 1.46 | - |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.224G | 31.53 | 54.00 | -22.47 | -4.74 | 3 | Vertical | 341 | 1.52 | - | 36.27 | 26.10 | 3.39 | 34.23 |
| AV | 1.406G | 30.25 | 54.00 | -23.75 | -4.98 | 3 | Vertical | 218 | 2.24 | - | 35.23 | 25.30 | 3.65 | 33.93 |
| AV | 1.938G | 34.58 | 68.20 | -33.62 | -3.42 | 3 | Vertical | 187 | 1.92 | - | 38.00 | 26.08 | 4.31 | 33.81 |
| AV | 4.878G | 47.58 | 54.00 | -6.42 | 5.38 | 3 | Vertical | 173 | 1.07 | - | 42.20 | 32.76 | 6.90 | 34.28 |
| PK | 1.224G | 41.91 | 74.00 | -32.09 | -4.74 | 3 | Vertical | 341 | 1.52 | - | 46.65 | 26.10 | 3.39 | 34.23 |
| PK | 1.406G | 43.67 | 74.00 | -30.33 | -4.98 | 3 | Vertical | 218 | 2.24 | - | 48.65 | 25.30 | 3.65 | 33.93 |
| PK | 1.938G | 42.21 | 68.20 | -25.99 | -3.42 | 3 | Vertical | 187 | 1.92 | - | 45.63 | 26.08 | 4.31 | 33.81 |
| PK | 4.878G | 50.06 | 74.00 | -23.94 | 5.38 | 3 | Vertical | 173 | 1.07 | - | 44.68 | 32.76 | 6.90 | 34.28 |

Radiated Emissions above 1GHz_Mode 1




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.196G | 29.58 | 54.00 | -24.42 | -4.73 | 3 | Horizontal | 323 | 1.07 | - | 34.31 | 26.20 | 3.35 | 34.28 |
| AV | 1.406G | 36.55 | 54.00 | -17.45 | -4.98 | 3 | Horizontal | 214 | 1.18 | - | 41.53 | 25.30 | 3.65 | 33.93 |
| AV | 2.26G | 32.25 | 54.00 | -21.75 | -2.15 | 3 | Horizontal | 356 | 1.50 | - | 34.40 | 27.18 | 4.55 | 33.88 |
| PK | 1.196G | 43.37 | 74.00 | -30.63 | -4.73 | 3 | Horizontal | 323 | 1.07 | - | 48.10 | 26.20 | 3.35 | 34.28 |
| PK | 1.406G | 41.48 | 74.00 | -32.52 | -4.98 | 3 | Horizontal | 214 | 1.18 | - | 46.46 | 25.30 | 3.65 | 33.93 |
| PK | 2.26G | 49.98 | 74.00 | -24.02 | -2.15 | 3 | Horizontal | 356 | 1.50 | - | 52.13 | 27.18 | 4.55 | 33.88 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 3.968G | 32.55 | 54.00 | -21.45 | 2.78 | 3 | Vertical | 227 | 1.90 | - | 29.77 | 30.86 | 6.17 | 34.25 |
| AV | 4.29G | 30.06 | 54.00 | -23.94 | 3.70 | 3 | Vertical | 61 | 1.16 | - | 26.36 | 31.56 | 6.44 | 34.30 |
| AV | 4.82386G | 50.36 | 54.00 | -3.64 | 5.21 | 3 | Vertical | 195 | 1.50 | - | 45.15 | 32.60 | 6.90 | 34.29 |
| PK | 3.968G | 42.79 | 74.00 | -31.21 | 2.78 | 3 | Vertical | 227 | 1.90 | - | 40.01 | 30.86 | 6.17 | 34.25 |
| PK | 4.29G | 43.79 | 74.00 | -30.21 | 3.70 | 3 | Vertical | 61 | 1.16 | - | 40.09 | 31.56 | 6.44 | 34.30 |
| PK | 4.822G | 55.45 | 74.00 | -18.55 | 5.20 | 3 | Vertical | 195 | 1.50 | - | 50.25 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 2




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.238G | 29.68 | 54.00 | -28.88 | -4.75 | 3 | Horizontal | 339 | 1.13 | - | 29.87 | 26.05 | 3.41 | 34.21 |
| AV | 1.756G | 28.59 | 68.20 | -39.61 | -4.55 | 3 | Horizontal | 46 | 1.74 | - | 33.14 | 25.16 | 4.09 | 33.80 |
| AV | 2.358G | 29.15 | 54.00 | -24.85 | -2.08 | 3 | Horizontal | 285 | 1.95 | - | 31.23 | 27.32 | 4.50 | 33.90 |
| PK | 1.238G | 41.23 | 74.00 | -32.77 | -4.75 | 3 | Horizontal | 339 | 1.13 | - | 45.98 | 26.05 | 3.41 | 34.21 |
| PK | 1.756G | 38.51 | 68.20 | -29.69 | -4.55 | 3 | Horizontal | 46 | 1.74 | - | 43.06 | 25.16 | 4.09 | 33.80 |
| PK | 2.358G | 44.88 | 74.00 | -29.12 | -2.08 | 3 | Horizontal | 285 | 1.95 | - | 46.96 | 27.32 | 4.50 | 33.90 |

Radiated Emissions above 1GHz_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.154G | 25.49 | 54.00 | -28.51 | -4.86 | 3 | Vertical | 213 | 1.37 | - | 30.35 | 26.20 | 3.29 | 34.35 |
| AV | 1.406G | 28.36 | 54.00 | -31.44 | -4.98 | 3 | Vertical | 45 | 1.25 | - | 27.54 | 25.30 | 3.65 | 33.93 |
| AV | 4.822G | 48.89 | 54.00 | -5.11 | 5.20 | 3 | Vertical | 341 | 1.52 | - | 43.69 | 32.59 | 6.90 | 34.29 |
| PK | 1.154G | 36.61 | 74.00 | -37.39 | -4.86 | 3 | Vertical | 213 | 1.37 | - | 41.47 | 26.20 | 3.29 | 34.35 |
| PK | 1.406G | 37.34 | 74.00 | -36.66 | -4.98 | 3 | Vertical | 45 | 1.25 | - | 42.32 | 25.30 | 3.65 | 33.93 |
| PK | 4.822G | 52.88 | 74.00 | -21.12 | 5.20 | 3 | Vertical | 341 | 1.52 | - | 47.68 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 3




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.21G | 27.63 | 54.00 | -26.37 | -4.73 | 3 | Horizontal | 111 | 1.19 | - | 32.36 | 26.16 | 3.37 | 34.26 |
| AV | 1.728G | 26.32 | 68.20 | -41.88 | -4.53 | 3 | Horizontal | 250 | 2.08 | - | 30.85 | 25.20 | 4.06 | 33.79 |
| AV | 4.822G | 39.59 | 54.00 | -14.41 | 5.20 | 3 | Horizontal | 66 | 2.41 | - | 34.39 | 32.59 | 6.90 | 34.29 |
| PK | 1.21G | 39.31 | 74.00 | -34.69 | -4.73 | 3 | Horizontal | 111 | 1.19 | - | 44.04 | 26.16 | 3.37 | 34.26 |
| PK | 1.728G | 37.77 | 68.20 | -30.43 | -4.53 | 3 | Horizontal | 250 | 2.08 | - | 42.30 | 25.20 | 4.06 | 33.79 |
| PK | 4.822G | 46.85 | 74.00 | -27.15 | 5.20 | 3 | Horizontal | 66 | 2.41 | - | 41.65 | 32.59 | 6.90 | 34.29 |

Radiated Emissions above 1GHz_Mode 4



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|-----------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.49G | 31.70 | 54.00 | -22.30 | -4.66 | 3 | Vertical | 96 | 1.74 | - | 36.36 | 25.38 | 3.76 | 33.80 |
| AV | 4.822G | 50.14 | 54.00 | -3.86 | 5.20 | 3 | Vertical | 182 | 2.49 | - | 44.94 | 32.59 | 6.90 | 34.29 |
| AV | 7.25G | 47.49 | 54.00 | -6.51 | 10.56 | 3 | Vertical | 221 | 2.25 | - | 36.93 | 36.90 | 8.46 | 34.80 |
| PK | 1.49G | 37.46 | 74.00 | -36.54 | -4.66 | 3 | Vertical | 96 | 1.74 | - | 42.12 | 25.38 | 3.76 | 33.80 |
| PK | 4.822G | 56.09 | 74.00 | -17.91 | 5.20 | 3 | Vertical | 182 | 2.49 | - | 50.89 | 32.59 | 6.90 | 34.29 |
| PK | 7.25G | 50.89 | 74.00 | -23.11 | 10.56 | 3 | Vertical | 221 | 2.25 | - | 40.33 | 36.90 | 8.46 | 34.80 |

Radiated Emissions above 1GHz_Mode 4



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB/m) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV/m) | AF (dB/m) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|---------------|----------|------------|-------------|------------|---------|--------------|-----------|---------|---------|
| AV | 1.21G | 31.98 | 54.00 | -22.02 | -4.73 | 3 | Horizontal | 112 | 2.45 | - | 36.71 | 26.16 | 3.37 | 34.26 |
| AV | 4.01G | 33.14 | 54.00 | -20.86 | 2.75 | 3 | Horizontal | 250 | 1.86 | - | 30.39 | 30.78 | 6.22 | 34.25 |
| AV | 5.046G | 35.11 | 54.00 | -18.89 | 5.75 | 3 | Horizontal | 309 | 1.46 | - | 29.36 | 33.02 | 7.00 | 34.27 |
| PK | 1.21G | 40.28 | 74.00 | -33.72 | -4.73 | 3 | Horizontal | 112 | 2.45 | - | 45.01 | 26.16 | 3.37 | 34.26 |
| PK | 4.01G | 42.07 | 74.00 | -31.93 | 2.75 | 3 | Horizontal | 250 | 1.86 | - | 39.32 | 30.78 | 6.22 | 34.25 |
| PK | 5.046G | 43.89 | 74.00 | -30.11 | 5.75 | 3 | Horizontal | 309 | 1.46 | - | 38.14 | 33.02 | 7.00 | 34.27 |