


802.11ax HEW80_Nss2,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8898G	50.70	68.20	-17.50	10.14	3	Vertical	52	1.78	-	40.56	34.10	10.25	34.21
AV	6.559G	99.79	Inf	-Inf	11.80	3	Vertical	52	1.78	-	87.99	35.35	10.74	34.29
AV	7.2338G	54.56	68.20	-13.64	13.44	3	Vertical	52	1.78	-	41.12	36.64	11.31	34.51
PK	5.8618G	62.03	88.20	-26.17	10.12	3	Vertical	52	1.78	-	51.91	34.10	10.23	34.21
PK	6.552G	110.38	Inf	-Inf	11.76	3	Vertical	52	1.78	-	98.62	35.31	10.74	34.29
PK	7.1526G	65.05	88.20	-23.15	13.34	3	Vertical	52	1.78	-	51.71	36.59	11.26	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	50.58	68.20	-17.62	10.18	3	Horizontal	238	1.48	-	40.40	34.13	10.26	34.21
AV	6.559G	82.64	Inf	-Inf	11.80	3	Horizontal	238	1.48	-	70.84	35.35	10.74	34.29
AV	7.2058G	54.54	68.20	-13.66	13.31	3	Horizontal	238	1.48	-	41.23	36.52	11.30	34.51
PK	5.873G	61.64	88.20	-26.56	10.12	3	Horizontal	238	1.48	-	51.52	34.10	10.23	34.21
PK	6.5604G	93.49	Inf	-Inf	11.81	3	Horizontal	238	1.48	-	81.68	35.36	10.74	34.29
PK	7.1764G	65.59	88.20	-22.61	13.32	3	Horizontal	238	1.48	-	52.27	36.55	11.28	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.09076G	47.05	68.20	-21.15	20.70	3	Vertical	85	1.58	-	26.35	39.71	13.98	32.99
PK	13.09074G	59.27	88.20	-28.93	20.70	3	Vertical	85	1.58	-	38.57	39.71	13.98	32.99

802.11ax HEW80_Nss2,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0992G	47.31	68.20	-20.89	20.71	3	Horizontal	73	1.21	-	26.60	39.70	13.99	32.98
PK	13.09422G	59.09	88.20	-29.11	20.70	3	Horizontal	73	1.21	-	38.39	39.71	13.98	32.99

802.11ax HEW80_Nss2,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6334G	99.60	Inf	-Inf	12.14	3	Vertical	226	1.82	-	87.46	35.67	10.80	34.33
AV	7.177G	54.61	68.20	-13.59	13.32	3	Vertical	226	1.82	-	41.29	36.55	11.28	34.51
PK	6.6118G	111.00	Inf	-Inf	12.08	3	Vertical	226	1.82	-	98.92	35.62	10.78	34.32
PK	7.1698G	65.64	88.20	-22.56	13.32	3	Vertical	226	1.82	-	52.32	36.56	11.27	34.51


802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6166G	82.27	Inf	-Inf	12.10	3	Horizontal	237	1.50	-	70.17	35.63	10.79	34.32
AV	7.2058G	54.38	68.20	-13.82	13.31	3	Horizontal	237	1.50	-	41.07	36.52	11.30	34.51
PK	6.613G	93.48	Inf	-Inf	12.09	3	Horizontal	237	1.50	-	81.39	35.63	10.78	34.32
PK	7.225G	66.86	88.20	-21.34	13.39	3	Horizontal	237	1.50	-	53.47	36.60	11.30	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24392G	47.25	68.20	-20.95	21.08	3	Vertical	64	1.61	-	26.17	39.74	14.08	32.74
PK	13.24926G	59.81	88.20	-28.39	21.10	3	Vertical	64	1.61	-	38.71	39.75	14.08	32.73


802.11ax HEW80_Nss2,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.24278G	47.26	68.20	-20.94	21.07	3	Horizontal	360	2.20	-	26.19	39.74	14.07	32.74
PK	13.2482G	58.96	88.20	-29.24	21.10	3	Horizontal	360	2.20	-	37.86	39.75	14.08	32.73

802.11ax HEW80_Nss2,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	99.41	Inf	-Inf	12.36	3	Vertical	224	1.85	-	87.05	35.86	10.86	34.36
AV	7.177G	54.61	68.20	-13.59	13.32	3	Vertical	224	1.85	-	41.29	36.55	11.28	34.51
PK	6.692G	111.00	Inf	-Inf	12.37	3	Vertical	224	1.85	-	98.63	35.87	10.86	34.36
PK	7.149G	65.31	88.20	-22.89	13.33	3	Vertical	224	1.85	-	51.98	36.59	11.26	34.52


802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.72G	83.97	Inf	-Inf	12.36	3	Horizontal	42	1.77	-	71.61	35.86	10.88	34.38
AV	7.194G	54.39	68.20	-13.81	13.29	3	Horizontal	42	1.77	-	41.10	36.51	11.29	34.51
PK	6.717G	94.28	Inf	-Inf	12.37	3	Horizontal	42	1.77	-	81.91	35.87	10.88	34.38
PK	7.182G	65.75	88.20	-22.45	13.31	3	Horizontal	42	1.77	-	52.44	36.54	11.28	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.41768G	47.34	68.20	-20.86	21.84	3	Vertical	89	2.68	-	25.50	40.12	14.18	32.46
PK	13.40344G	59.31	88.20	-28.89	21.79	3	Vertical	89	2.68	-	37.52	40.10	14.17	32.48


802.11ax HEW80_Nss2,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.40264G	47.44	68.20	-20.76	21.79	3	Horizontal	210	2.06	-	25.65	40.10	14.17	32.48
PK	13.40322G	60.65	88.20	-27.55	21.79	3	Horizontal	210	2.06	-	38.86	40.10	14.17	32.48

802.11ax HEW80_Nss2,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7745G	99.62	Inf	-Inf	12.38	3	Vertical	66	1.85	-	87.24	35.85	10.94	34.41
AV	7.1343G	54.21	68.20	-13.99	13.19	3	Vertical	66	1.85	-	41.02	36.47	11.24	34.52
PK	6.7717G	110.40	Inf	-Inf	12.36	3	Vertical	66	1.85	-	98.04	35.84	10.93	34.41
PK	7.1266G	65.09	88.20	-23.11	13.13	3	Vertical	66	1.85	-	51.96	36.41	11.24	34.52


802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7717G	82.34	Inf	-Inf	12.36	3	Horizontal	46	2.87	-	69.98	35.84	10.93	34.41
AV	7.1329G	54.12	68.20	-14.08	13.18	3	Horizontal	46	2.87	-	40.94	36.46	11.24	34.52
PK	6.7766G	93.99	Inf	-Inf	12.38	3	Horizontal	46	2.87	-	81.61	35.85	10.94	34.41
PK	7.1343G	64.45	88.20	-23.75	13.19	3	Horizontal	46	2.87	-	51.26	36.47	11.24	34.52

802.11ax HEW80_Nss2,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57132G	47.67	68.20	-20.53	21.99	3	Vertical	70	1.20	-	25.68	40.06	14.28	32.35
PK	13.56G	59.77	88.20	-28.43	22.00	3	Vertical	70	1.20	-	37.77	40.08	14.27	32.35


802.11ax HEW80_Nss2,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.57998G	47.41	68.20	-20.79	21.96	3	Horizontal	249	1.91	-	25.45	40.04	14.28	32.36
PK	13.56618G	59.81	88.20	-28.39	21.99	3	Horizontal	249	1.91	-	37.82	40.07	14.27	32.35

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8559G	100.24	Inf	-Inf	12.26	3	Vertical	40	1.88	-	87.98	35.70	11.01	34.45
AV	7.1555G	54.68	68.20	-13.52	13.34	3	Vertical	40	1.88	-	41.34	36.59	11.26	34.51
PK	6.8524G	111.90	Inf	-Inf	12.25	3	Vertical	40	1.88	-	99.65	35.70	11.00	34.45
PK	7.1891G	65.61	88.20	-22.59	13.30	3	Vertical	40	1.88	-	52.31	36.52	11.29	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8741G	83.17	Inf	-Inf	12.26	3	Horizontal	290	2.00	-	70.91	35.70	11.02	34.46
AV	7.1814G	54.66	68.20	-13.54	13.31	3	Horizontal	290	2.00	-	41.35	36.54	11.28	34.51
PK	6.872G	93.96	Inf	-Inf	12.26	3	Horizontal	290	2.00	-	81.70	35.70	11.02	34.46
PK	7.2066G	65.56	88.20	-22.64	13.32	3	Horizontal	290	2.00	-	52.24	36.53	11.30	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72154G	52.04	68.20	-16.16	21.65	3	Vertical	171	2.93	-	30.39	39.70	14.37	32.42
PK	13.729G	65.05	88.20	-23.15	21.65	3	Vertical	171	2.93	-	43.40	39.70	14.37	32.42

802.11ax HEW80_Nss2,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73994G	52.06	68.20	-16.14	21.65	3	Horizontal	47	2.06	-	30.41	39.70	14.38	32.43
PK	13.72834G	64.00	88.20	-24.20	21.65	3	Horizontal	47	2.06	-	42.35	39.70	14.37	32.42

802.11ax HEW80_Nss2,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.927G	99.09	Inf	-Inf	12.28	3	Vertical	37	1.91	-	86.81	35.70	11.07	34.49
AV	7.1694G	54.71	68.20	-13.49	13.32	3	Vertical	37	1.91	-	41.39	36.56	11.27	34.51
PK	6.9288G	111.75	Inf	-Inf	12.28	3	Vertical	37	1.91	-	99.47	35.70	11.07	34.49
PK	7.2198G	66.91	88.20	-21.29	13.37	3	Vertical	37	1.91	-	53.54	36.58	11.30	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.918G	83.03	Inf	-Inf	12.27	3	Horizontal	289	2.01	-	70.76	35.70	11.06	34.49
AV	7.149G	54.56	68.20	-13.64	13.33	3	Horizontal	289	2.01	-	41.23	36.59	11.26	34.52
PK	6.9174G	93.03	Inf	-Inf	12.27	3	Horizontal	289	2.01	-	80.76	35.70	11.06	34.49
PK	7.2312G	65.30	88.20	-22.90	13.42	3	Horizontal	289	2.01	-	51.88	36.62	11.31	34.51

802.11ax HEW80_Nss2,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88058G	52.82	68.20	-15.38	21.68	3	Vertical	70	1.25	-	31.14	39.70	14.47	32.49
PK	13.8846G	64.80	88.20	-23.40	21.68	3	Vertical	70	1.25	-	43.12	39.70	14.47	32.49

802.11ax HEW80_Nss2,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.89286G	52.70	68.20	-15.50	21.68	3	Horizontal	85	2.20	-	31.02	39.70	14.47	32.49
PK	13.88762G	65.08	88.20	-23.12	21.68	3	Horizontal	85	2.20	-	43.40	39.70	14.47	32.49

802.11ax HEW80_Nss2,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0163G	100.08	Inf	-Inf	12.41	3	Vertical	214	1.83	-	87.67	35.80	11.14	34.53
AV	7.1459G	55.33	68.20	-12.87	13.30	3	Vertical	214	1.83	-	42.03	36.57	11.25	34.52
PK	7.0088G	111.70	Inf	-Inf	12.36	3	Vertical	214	1.83	-	99.34	35.75	11.14	34.53
PK	7.151G	66.90	88.20	-21.30	13.35	3	Vertical	214	1.83	-	53.55	36.60	11.26	34.51


802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0112G	82.66	Inf	-Inf	12.38	3	Horizontal	285	2.13	-	70.28	35.77	11.14	34.53
AV	7.1597G	54.56	68.20	-13.64	13.34	3	Horizontal	285	2.13	-	41.22	36.58	11.27	34.51
PK	7.0121G	94.06	Inf	-Inf	12.38	3	Horizontal	285	2.13	-	81.68	35.77	11.14	34.53
PK	7.1489G	66.44	88.20	-21.76	13.33	3	Horizontal	285	2.13	-	53.11	36.59	11.26	34.52

802.11ax HEW80_Nss2,(MCS0)_2TX
7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04946G	52.42	68.20	-15.78	21.93	3	Vertical	333	2.54	-	30.49	39.95	14.58	32.60
PK	14.0549G	64.59	88.20	-23.61	21.93	3	Vertical	333	2.54	-	42.66	39.96	14.58	32.61


802.11ax HEW80_Nss2,(MCS0)_2TX
7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.04432G	52.47	68.20	-15.73	21.90	3	Horizontal	204	1.40	-	30.57	39.93	14.57	32.60
PK	14.0458G	64.67	88.20	-23.53	21.90	3	Horizontal	204	1.40	-	42.77	39.92	14.57	32.59

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.923G	68.08	68.20	-0.12	10.24	3	Vertical	38	1.50	-	57.84	34.19	10.27	34.22
AV	6.0875G	99.31	Inf	-Inf	10.31	3	Vertical	38	1.50	-	89.00	34.12	10.42	34.23
PK	5.915G	81.13	88.20	-7.07	10.22	3	Vertical	38	1.50	-	70.91	34.16	10.27	34.21
PK	6.085G	109.04	Inf	-Inf	10.31	3	Vertical	38	1.50	-	98.73	34.13	10.41	34.23


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	57.29	68.20	-10.91	10.19	3	Horizontal	306	1.17	-	47.10	34.14	10.26	34.21
AV	6.0495G	85.21	Inf	-Inf	10.36	3	Horizontal	306	1.17	-	74.85	34.20	10.38	34.22
PK	5.9115G	69.32	88.20	-18.88	10.20	3	Horizontal	306	1.17	-	59.12	34.15	10.26	34.21
PK	6.057G	95.33	Inf	-Inf	10.36	3	Horizontal	306	1.17	-	84.97	34.19	10.39	34.22

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0388G	45.65	54.00	-8.35	17.94	3	Vertical	312	2.87	-	27.71	38.92	13.33	34.31
PK	12.0812G	56.52	74.00	-17.48	18.11	3	Vertical	312	2.87	-	38.41	39.04	13.36	34.29


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03592G	45.48	54.00	-8.52	17.93	3	Horizontal	259	1.50	-	27.55	38.91	13.33	34.31
PK	12.01632G	56.63	74.00	-17.37	17.85	3	Horizontal	259	1.50	-	38.78	38.85	13.32	34.32

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	57.55	68.20	-10.65	10.25	3	Vertical	55	1.65	-	47.30	34.20	10.27	34.22
AV	6.2162G	100.69	Inf	-Inf	10.43	3	Vertical	55	1.65	-	90.26	34.13	10.54	34.24
PK	5.9098G	67.59	88.20	-20.61	10.19	3	Vertical	55	1.65	-	57.40	34.14	10.26	34.21
PK	6.2098G	110.91	Inf	-Inf	10.42	3	Vertical	55	1.65	-	100.49	34.12	10.54	34.24

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9058G	52.52	68.20	-15.68	10.17	3	Horizontal	219	2.50	-	42.35	34.12	10.26	34.21
AV	6.2082G	89.42	Inf	-Inf	10.41	3	Horizontal	219	2.50	-	79.01	34.12	10.53	34.24
PK	5.9034G	62.13	88.20	-26.07	10.16	3	Horizontal	219	2.50	-	51.97	34.11	10.26	34.21
PK	6.2194G	100.18	Inf	-Inf	10.44	3	Horizontal	219	2.50	-	89.74	34.14	10.54	34.24

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.37824G	46.22	54.00	-7.78	18.28	3	Vertical	158	1.93	-	27.94	38.88	13.54	34.14
PK	12.35416G	58.02	74.00	-15.98	18.23	3	Vertical	158	1.93	-	39.79	38.85	13.53	34.15

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35032G	46.17	54.00	-7.83	18.23	3	Horizontal	360	1.50	-	27.94	38.85	13.53	34.15
PK	12.36648G	57.55	74.00	-16.45	18.26	3	Horizontal	360	1.50	-	39.29	38.87	13.54	34.15

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	53.41	68.20	-14.79	10.25	3	Vertical	59	1.80	-	43.16	34.20	10.27	34.22
AV	6.4074G	100.83	Inf	-Inf	11.12	3	Vertical	59	1.80	-	89.71	34.73	10.64	34.25
PK	5.9154G	63.49	88.20	-24.71	10.22	3	Vertical	59	1.80	-	53.27	34.16	10.27	34.21
PK	6.3486G	111.01	Inf	-Inf	10.85	3	Vertical	59	1.80	-	100.16	34.49	10.61	34.25


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.907G	51.98	68.20	-16.22	10.18	3	Horizontal	260	2.98	-	41.80	34.13	10.26	34.21
AV	6.369G	81.15	Inf	-Inf	10.95	3	Horizontal	260	2.98	-	70.20	34.58	10.62	34.25
PK	5.7678G	62.05	88.20	-26.15	9.69	3	Horizontal	260	2.98	-	52.36	33.74	10.16	34.21
PK	6.363G	90.09	Inf	-Inf	10.92	3	Horizontal	260	2.98	-	79.17	34.55	10.62	34.25

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7108G	46.79	68.20	-21.41	19.31	3	Vertical	25	2.43	-	27.48	39.24	13.75	33.68
PK	12.71528G	57.70	88.20	-30.50	19.33	3	Vertical	25	2.43	-	38.37	39.26	13.75	33.68


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7176G	46.39	68.20	-21.81	19.35	3	Horizontal	0	1.50	-	27.04	39.27	13.75	33.67
PK	12.72808G	57.49	88.20	-30.71	19.42	3	Horizontal	0	1.50	-	38.07	39.31	13.76	33.65

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.903G	52.24	68.20	-15.96	10.16	3	Vertical	39	1.50	-	42.08	34.11	10.26	34.21
AV	6.4462G	100.29	Inf	-Inf	11.29	3	Vertical	39	1.50	-	89.00	34.88	10.67	34.26
AV	7.1476G	55.83	68.20	-12.37	13.32	3	Vertical	39	1.50	-	42.51	36.58	11.26	34.52
PK	5.854G	62.13	88.20	-26.07	10.11	3	Vertical	39	1.50	-	52.02	34.10	10.22	34.21
PK	6.442G	110.04	Inf	-Inf	11.28	3	Vertical	39	1.50	-	98.76	34.87	10.67	34.26
PK	7.1406G	65.71	88.20	-22.49	13.25	3	Vertical	39	1.50	-	52.46	36.52	11.25	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9184G	52.07	68.20	-16.13	10.22	3	Horizontal	257	2.94	-	41.85	34.17	10.27	34.22
AV	6.526G	82.26	Inf	-Inf	11.70	3	Horizontal	257	2.94	-	70.56	35.25	10.72	34.27
AV	7.1588G	55.42	68.20	-12.78	13.33	3	Horizontal	257	2.94	-	42.09	36.58	11.26	34.51
PK	5.9198G	63.45	88.20	-24.75	10.23	3	Horizontal	257	2.94	-	53.22	34.18	10.27	34.22
PK	6.5316G	92.09	Inf	-Inf	11.71	3	Horizontal	257	2.94	-	80.38	35.26	10.73	34.28
PK	7.1532G	65.65	88.20	-22.55	13.34	3	Horizontal	257	2.94	-	52.31	36.59	11.26	34.51

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03624G	51.34	68.20	-16.86	20.63	3	Vertical	22	2.98	-	30.71	39.76	13.95	33.08
PK	13.02624G	62.26	88.20	-25.94	20.61	3	Vertical	22	2.98	-	41.65	39.77	13.94	33.10

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02864G	48.47	68.20	-19.73	20.62	3	Horizontal	213	1.02	-	27.85	39.77	13.94	33.09
PK	13.024G	59.72	88.20	-28.48	20.62	3	Horizontal	213	1.02	-	39.10	39.78	13.94	33.10

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6969G	101.05	Inf	-Inf	12.38	3	Vertical	41	1.50	-	88.67	35.89	10.86	34.37
AV	7.138G	56.27	68.20	-11.93	13.23	3	Vertical	41	1.50	-	43.04	36.50	11.25	34.52
PK	6.6991G	111.10	Inf	-Inf	12.39	3	Vertical	41	1.50	-	98.71	35.90	10.86	34.37
PK	7.1292G	66.11	88.20	-22.09	13.15	3	Vertical	41	1.50	-	52.96	36.43	11.24	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.72G	81.28	Inf	-Inf	12.36	3	Horizontal	20	2.14	-	68.92	35.86	10.88	34.38
AV	7.1534G	55.75	68.20	-12.45	13.34	3	Horizontal	20	2.14	-	42.41	36.59	11.26	34.51
PK	6.7255G	90.22	Inf	-Inf	12.36	3	Horizontal	20	2.14	-	77.86	35.85	10.89	34.38
PK	7.1402G	65.27	88.20	-22.93	13.25	3	Horizontal	20	2.14	-	52.02	36.52	11.25	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.35128G	51.09	54.00	-2.91	21.53	3	Vertical	236	1.91	-	29.56	39.95	14.14	32.56
PK	13.35072G	62.04	74.00	-11.96	21.53	3	Vertical	236	1.91	-	40.51	39.95	14.14	32.56

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.30312G	48.34	54.00	-5.66	21.28	3	Horizontal	36	2.98	-	27.06	39.81	14.11	32.64
PK	13.32768G	59.84	74.00	-14.16	21.41	3	Horizontal	36	2.98	-	38.43	39.88	14.13	32.60

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7514G	100.55	Inf	-Inf	12.31	3	Vertical	41	1.82	-	88.24	35.80	10.91	34.40
AV	7.125G	59.21	68.20	-8.99	13.12	3	Vertical	41	1.82	-	46.09	36.40	11.24	34.52
PK	6.7746G	111.19	Inf	-Inf	12.38	3	Vertical	41	1.82	-	98.81	35.85	10.94	34.41
PK	7.1258G	70.82	88.20	-17.38	13.13	3	Vertical	41	1.82	-	57.69	36.41	11.24	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8626G	80.05	Inf	-Inf	12.25	3	Horizontal	20	1.90	-	67.80	35.70	11.01	34.46
AV	7.1538G	56.17	68.20	-12.03	13.34	3	Horizontal	20	1.90	-	42.83	36.59	11.26	34.51
PK	6.8266G	90.62	Inf	-Inf	12.33	3	Horizontal	20	1.90	-	78.29	35.79	10.98	34.44
PK	7.177G	66.58	88.20	-21.62	13.32	3	Horizontal	20	1.90	-	53.26	36.55	11.28	34.51

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.66584G	56.34	68.20	-11.86	21.74	3	Vertical	15	2.40	-	34.60	39.80	14.33	32.39
PK	13.67112G	67.11	88.20	-21.09	21.73	3	Vertical	15	2.40	-	45.38	39.79	14.34	32.40

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.64104G	52.77	68.20	-15.43	21.82	3	Horizontal	0	1.05	-	30.95	39.88	14.32	32.38
PK	13.64632G	63.83	88.20	-24.37	21.80	3	Horizontal	0	1.05	-	42.03	39.86	14.32	32.38

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9605G	97.86	Inf	-Inf	12.29	3	Vertical	44	1.49	-	85.57	35.70	11.10	34.51
AV	7.1265G	67.72	68.20	-0.48	13.13	3	Vertical	44	1.49	-	54.59	36.41	11.24	34.52
PK	6.9615G	108.80	Inf	-Inf	12.29	3	Vertical	44	1.49	-	96.51	35.70	11.10	34.51
PK	7.131G	81.80	88.20	-6.40	13.17	3	Vertical	44	1.49	-	68.63	36.45	11.24	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9795G	85.45	Inf	-Inf	12.29	3	Horizontal	287	1.89	-	73.16	35.70	11.11	34.52
AV	7.1315G	58.07	68.20	-10.13	13.17	3	Horizontal	287	1.89	-	44.90	36.45	11.24	34.52
PK	6.9885G	95.88	Inf	-Inf	12.30	3	Horizontal	287	1.89	-	83.58	35.70	11.12	34.52
PK	7.125G	69.45	88.20	-18.75	13.12	3	Horizontal	287	1.89	-	56.33	36.40	11.24	34.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97848G	55.35	68.20	-12.85	21.78	3	Vertical	14	2.99	-	33.57	39.78	14.53	32.53
PK	13.95848G	66.30	88.20	-21.90	21.75	3	Vertical	14	2.99	-	44.55	39.76	14.51	32.52

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98504G	53.56	68.20	-14.64	21.79	3	Horizontal	0	1.92	-	31.77	39.79	14.53	32.53
PK	13.96864G	64.70	88.20	-23.50	21.76	3	Horizontal	0	1.92	-	42.94	39.77	14.52	32.53

802.11ax HEW160_Nss2,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	64.80	68.20	-3.40	10.25	3	Vertical	225	1.93	-	54.55	34.20	10.27	34.22
AV	6.082G	99.75	Inf	-Inf	10.32	3	Vertical	225	1.93	-	89.43	34.14	10.41	34.23
PK	5.9165G	83.64	88.20	-4.56	10.23	3	Vertical	225	1.93	-	73.41	34.17	10.27	34.21
PK	6.059G	112.15	Inf	-Inf	10.35	3	Vertical	225	1.93	-	101.80	34.18	10.39	34.22


802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.91	68.20	-11.29	10.25	3	Horizontal	334	3.00	-	46.66	34.20	10.27	34.22
AV	6.0135G	87.26	Inf	-Inf	10.17	3	Horizontal	334	3.00	-	77.09	34.05	10.34	34.22
PK	5.923G	73.41	88.20	-14.79	10.24	3	Horizontal	334	3.00	-	63.17	34.19	10.27	34.22
PK	6.0345G	99.22	Inf	-Inf	10.28	3	Horizontal	334	3.00	-	88.94	34.14	10.36	34.22

802.11ax HEW160_Nss2,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0408G	44.96	54.00	-9.04	17.95	3	Vertical	175	2.52	-	27.01	38.92	13.34	34.31
PK	12.05806G	57.26	74.00	-16.74	18.02	3	Vertical	175	2.52	-	39.24	38.97	13.35	34.30


802.11ax HEW160_Nss2,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.0598G	45.18	54.00	-8.82	18.03	3	Horizontal	147	1.81	-	27.15	38.98	13.35	34.30
PK	12.05002G	56.77	74.00	-17.23	17.99	3	Horizontal	147	1.81	-	38.78	38.95	13.34	34.30

802.11ax HEW160_Nss2,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	51.97	68.20	-16.23	10.24	3	Vertical	53	1.80	-	41.73	34.19	10.27	34.22
AV	6.1794G	99.12	Inf	-Inf	10.38	3	Vertical	53	1.80	-	88.74	34.10	10.51	34.23
PK	5.9226G	63.57	88.20	-24.63	10.24	3	Vertical	53	1.80	-	53.33	34.19	10.27	34.22
PK	6.2122G	111.05	Inf	-Inf	10.42	3	Vertical	53	1.80	-	100.63	34.12	10.54	34.24


802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	50.72	68.20	-17.48	10.13	3	Horizontal	306	2.03	-	40.59	34.10	10.24	34.21
AV	6.169G	83.56	Inf	-Inf	10.37	3	Horizontal	306	2.03	-	73.19	34.10	10.50	34.23
PK	5.8474G	61.96	88.20	-26.24	10.09	3	Horizontal	306	2.03	-	51.87	34.08	10.22	34.21
PK	6.1338G	95.44	Inf	-Inf	10.33	3	Horizontal	306	2.03	-	85.11	34.10	10.46	34.23

802.11ax HEW160_Nss2,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3635G	45.43	54.00	-8.57	18.24	3	Vertical	167	2.76	-	27.19	38.86	13.53	34.15
PK	12.37476G	58.22	74.00	-15.78	18.27	3	Vertical	167	2.76	-	39.95	38.87	13.54	34.14


802.11ax HEW160_Nss2,(MCS0)_2TX
6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3718G	45.33	54.00	-8.67	18.27	3	Horizontal	36	1.77	-	27.06	38.87	13.54	34.14
PK	12.36692G	58.02	74.00	-15.98	18.26	3	Horizontal	36	1.77	-	39.76	38.87	13.54	34.15

802.11ax HEW160_Nss2,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	51.23	68.20	-16.97	10.25	3	Vertical	53	1.90	-	40.98	34.20	10.27	34.22
AV	6.3198G	99.33	Inf	-Inf	10.73	3	Vertical	53	1.90	-	88.60	34.38	10.60	34.25
PK	5.9202G	63.23	88.20	-24.97	10.23	3	Vertical	53	1.90	-	53.00	34.18	10.27	34.22
PK	6.3234G	111.33	Inf	-Inf	10.74	3	Vertical	53	1.90	-	100.59	34.39	10.60	34.25


802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8494G	50.65	68.20	-17.55	10.11	3	Horizontal	198	1.98	-	40.54	34.10	10.22	34.21
AV	6.279G	84.77	Inf	-Inf	10.59	3	Horizontal	198	1.98	-	74.18	34.26	10.57	34.24
PK	5.8782G	62.37	88.20	-25.83	10.13	3	Horizontal	198	1.98	-	52.24	34.10	10.24	34.21
PK	6.2718G	96.12	Inf	-Inf	10.57	3	Horizontal	198	1.98	-	85.55	34.24	10.57	34.24

802.11ax HEW160_Nss2,(MCS0)_2TX
6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68018G	45.54	54.00	-8.46	19.19	3	Vertical	234	2.20	-	26.35	39.20	13.73	33.74
PK	12.68802G	58.66	74.00	-15.34	19.20	3	Vertical	234	2.20	-	39.46	39.20	13.73	33.73

802.11ax HEW160_Nss2,(MCS0)_2TX
6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.68192G	45.52	54.00	-8.48	19.19	3	Horizontal	111	1.77	-	26.33	39.20	13.73	33.74
PK	12.69658G	58.78	74.00	-15.22	19.23	3	Horizontal	111	1.77	-	39.55	39.20	13.74	33.71

802.11ax HEW160_Nss2,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8848G	50.67	68.20	-17.53	10.13	3	Vertical	50	1.80	-	40.54	34.10	10.24	34.21
AV	6.533G	99.41	Inf	-Inf	11.72	3	Vertical	50	1.80	-	87.69	35.27	10.73	34.28
AV	7.1532G	54.34	68.20	-13.86	13.34	3	Vertical	50	1.80	-	41.00	36.59	11.26	34.51
PK	5.9226G	61.80	88.20	-26.40	10.24	3	Vertical	50	1.80	-	51.56	34.19	10.27	34.22
PK	6.5218G	111.26	Inf	-Inf	11.69	3	Vertical	50	1.80	-	99.57	35.24	10.72	34.27
PK	7.1308G	65.32	88.20	-22.88	13.17	3	Vertical	50	1.80	-	52.15	36.45	11.24	34.52

802.11ax HEW160_Nss2,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8512G	50.66	68.20	-17.54	10.11	3	Horizontal	197	2.01	-	40.55	34.10	10.22	34.21
AV	6.5232G	83.22	Inf	-Inf	11.70	3	Horizontal	197	2.01	-	71.52	35.25	10.72	34.27
AV	7.198G	54.30	68.20	-13.90	13.29	3	Horizontal	197	2.01	-	41.01	36.50	11.30	34.51
PK	5.847G	61.91	88.20	-26.29	10.09	3	Horizontal	197	2.01	-	51.82	34.08	10.22	34.21
PK	6.435G	94.69	Inf	-Inf	11.25	3	Horizontal	197	2.01	-	83.44	34.84	10.66	34.25
PK	7.205G	65.79	88.20	-22.41	13.31	3	Horizontal	197	2.01	-	52.48	36.52	11.30	34.51

802.11ax HEW160_Nss2,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0199G	47.11	68.20	-21.09	20.61	3	Vertical	341	1.47	-	26.50	39.78	13.94	33.11
PK	13.0031G	59.50	88.20	-28.70	20.60	3	Vertical	341	1.47	-	38.90	39.80	13.93	33.13


802.11ax HEW160_Nss2,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01278G	47.00	68.20	-21.20	20.60	3	Horizontal	76	1.88	-	26.40	39.79	13.93	33.12
PK	13.00928G	59.50	88.20	-28.70	20.60	3	Horizontal	76	1.88	-	38.90	39.79	13.93	33.12

802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7222G	99.06	Inf	-Inf	12.37	3	Vertical	52	1.80	-	86.69	35.86	10.89	34.38
AV	7.1545G	54.50	68.20	-13.70	13.34	3	Vertical	52	1.80	-	41.16	36.59	11.26	34.51
PK	6.72G	110.56	Inf	-Inf	12.36	3	Vertical	52	1.80	-	98.20	35.86	10.88	34.38
PK	7.1479G	66.19	88.20	-22.01	13.32	3	Vertical	52	1.80	-	52.87	36.58	11.26	34.52

802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.6419G	84.30	Inf	-Inf	12.15	3	Horizontal	193	2.05	-	72.15	35.68	10.81	34.34
AV	7.1831G	54.37	68.20	-13.83	13.31	3	Horizontal	193	2.05	-	41.06	36.53	11.29	34.51
PK	6.6991G	95.06	Inf	-Inf	12.39	3	Horizontal	193	2.05	-	82.67	35.90	10.86	34.37
PK	7.2095G	65.28	88.20	-22.92	13.33	3	Horizontal	193	2.05	-	51.95	36.54	11.30	34.51

802.11ax HEW160_Nss2,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3233G	47.45	54.00	-6.55	21.38	3	Vertical	275	2.55	-	26.07	39.87	14.12	32.61
PK	13.32304G	59.09	74.00	-14.91	21.38	3	Vertical	275	2.55	-	37.71	39.87	14.12	32.61


802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32636G	47.46	54.00	-6.54	21.41	3	Horizontal	16	2.98	-	26.05	39.88	14.13	32.60
PK	13.32122G	59.73	74.00	-14.27	21.37	3	Horizontal	16	2.98	-	38.36	39.86	14.12	32.61

802.11ax HEW160_Nss2,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7586G	99.08	Inf	-Inf	12.34	3	Vertical	215	1.80	-	86.74	35.82	10.92	34.40
AV	7.125G	55.37	68.20	-12.83	13.12	3	Vertical	215	1.80	-	42.25	36.40	11.24	34.52
PK	6.7514G	111.31	Inf	-Inf	12.31	3	Vertical	215	1.80	-	99.00	35.80	10.91	34.40
PK	7.1298G	67.73	88.20	-20.47	13.16	3	Vertical	215	1.80	-	54.57	36.44	11.24	34.52

802.11ax HEW160_Nss2,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7506G	83.49	Inf	-Inf	12.31	3	Horizontal	194	2.10	-	71.18	35.80	10.91	34.40
AV	7.1906G	54.29	68.20	-13.91	13.30	3	Horizontal	194	2.10	-	40.99	36.52	11.29	34.51
PK	6.7522G	95.27	Inf	-Inf	12.31	3	Horizontal	194	2.10	-	82.96	35.80	10.91	34.40
PK	7.2082G	66.29	88.20	-21.91	13.32	3	Horizontal	194	2.10	-	52.97	36.53	11.30	34.51

802.11ax HEW160_Nss2,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.65052G	51.96	68.20	-16.24	21.79	3	Vertical	275	1.12	-	30.17	39.85	14.33	32.39
PK	13.65438G	63.79	88.20	-24.41	21.78	3	Vertical	275	1.12	-	42.01	39.84	14.33	32.39


802.11ax HEW160_Nss2,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6439G	51.93	68.20	-16.27	21.81	3	Horizontal	286	1.51	-	30.12	39.87	14.32	32.38
PK	13.65022G	63.80	88.20	-24.40	21.78	3	Horizontal	286	1.51	-	42.02	39.85	14.32	32.39

802.11ax HEW160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9615G	99.42	Inf	-Inf	12.29	3	Vertical	214	1.79	-	87.13	35.70	11.10	34.51
AV	7.1285G	63.54	68.20	-4.66	13.15	3	Vertical	214	1.79	-	50.39	36.43	11.24	34.52
PK	6.9615G	111.20	Inf	-Inf	12.29	3	Vertical	214	1.79	-	98.91	35.70	11.10	34.51
PK	7.1285G	86.17	88.20	-2.03	13.15	3	Vertical	214	1.79	-	73.02	36.43	11.24	34.52

802.11ax HEW160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.962G	84.38	Inf	-Inf	12.29	3	Horizontal	199	1.80	-	72.09	35.70	11.10	34.51
AV	7.1275G	55.62	68.20	-12.58	13.14	3	Horizontal	199	1.80	-	42.48	36.42	11.24	34.52
PK	6.9335G	95.20	Inf	-Inf	12.28	3	Horizontal	199	1.80	-	82.92	35.70	11.07	34.49
PK	7.127G	70.76	88.20	-17.44	13.14	3	Horizontal	199	1.80	-	57.62	36.42	11.24	34.52

802.11ax HEW160_Nss2,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.96474G	52.82	68.20	-15.38	21.76	3	Vertical	32	1.43	-	31.06	39.76	14.52	32.52
PK	13.96682G	65.60	88.20	-22.60	21.76	3	Vertical	32	1.43	-	43.84	39.77	14.52	32.53

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97562G	52.87	68.20	-15.33	21.78	3	Horizontal	146	1.64	-	31.09	39.78	14.53	32.53
PK	13.96048G	65.54	88.20	-22.66	21.76	3	Horizontal	146	1.64	-	43.78	39.76	14.52	32.52



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.4188G	-11.51	6.3674G	-52.65	-51.51	-1.14	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.1692G	-7.06	6.2306G	-51.11	-47.06	-4.05	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	5.97461G	-0.67	6.1066G	-49.43	-40.38	-9.05	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.24254G	1.70	6.4282G	-42.46	-38.17	-4.29	2
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.52109G	-10.08	6.5565G	-53.03	-50.08	-2.95	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.43661G	-9.50	6.3798G	-50.44	-49.50	-0.94	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.45381G	-4.81	6.587G	-54.97	-44.81	-10.16	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.44666G	1.13	6.905G	-48.90	-34.64	-14.26	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.8745G	-12.37	6.9145G	-52.91	-52.37	-0.54	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.6832G	-6.18	6.7626G	-50.53	-46.18	-4.35	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.85301G	-6.50	6.7418G	-55.95	-46.50	-9.45	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.59147G	-1.51	6.421G	-47.69	-41.51	-6.18	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.8936G	-11.22	6.9411G	-52.57	-51.22	-1.35	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	7.07781G	-11.67	7.0236G	-62.51	-51.67	-10.84	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	7.03979G	-6.80	6.9022G	-55.88	-46.80	-9.08	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.95703G	-3.83	6.741G	-48.21	-43.83	-4.38	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.958G	-11.24	5.9951G	-54.51	-51.24	-3.27	1
5955MHz	Pass	5.96019G	-11.52	5.9178G	-54.52	-51.52	-3.00	2
6175MHz	Pass	6.1776G	-11.74	6.2077G	-53.36	-51.74	-1.62	1
6175MHz	Pass	6.1739G	-11.15	6.2161G	-53.31	-51.15	-2.16	2
6415MHz	Pass	6.4188G	-11.51	6.3674G	-52.65	-51.51	-1.14	1
6415MHz	Pass	6.4163G	-10.60	6.3801G	-52.64	-50.60	-2.04	2
6435MHz	Pass	6.4362G	-6.11	6.3852G	-52.51	-46.11	-6.40	1
6435MHz	Pass	6.4376G	-6.12	6.3858G	-52.70	-46.12	-6.58	2
6475MHz	Pass	6.4774G	-8.78	6.5213G	-53.35	-48.78	-4.57	1
6475MHz	Pass	6.4711G	-9.03	6.508G	-53.35	-49.03	-4.32	2
6515MHz	Pass	6.5175G	-9.77	6.5622G	-52.98	-49.77	-3.21	1
6515MHz	Pass	6.52109G	-10.08	6.5565G	-53.03	-50.08	-2.95	2
6535MHz	Pass	6.5318G	-9.44	6.5715G	-53.12	-49.44	-3.68	1
6535MHz	Pass	6.5374G	-9.89	6.5745G	-53.11	-49.89	-3.22	2
6695MHz	Pass	6.6929G	-8.36	6.737G	-53.07	-48.36	-4.71	1
6695MHz	Pass	6.6981G	-8.24	6.7446G	-53.09	-48.24	-4.85	2
6855MHz	Pass	6.85G	-8.40	6.8081G	-52.84	-48.40	-4.44	1
6855MHz	Pass	6.8544G	-8.22	6.8116G	-52.83	-48.22	-4.61	2
6875MHz	Pass	6.8775G	-12.38	6.9236G	-52.95	-52.38	-0.57	1
6875MHz	Pass	6.8745G	-12.37	6.9145G	-52.91	-52.37	-0.54	2
6895MHz	Pass	6.8975G	-11.14	6.9434G	-52.53	-51.14	-1.39	1
6895MHz	Pass	6.8936G	-11.22	6.9411G	-52.57	-51.22	-1.35	2
6995MHz	Pass	7.00009G	-8.89	6.9528G	-52.22	-48.89	-3.33	1
6995MHz	Pass	7.00019G	-9.47	6.9597G	-52.19	-49.47	-2.72	2
7095MHz	Pass	7.0912G	-12.74	7.0588G	-57.14	-52.74	-4.40	1
7095MHz	Pass	7.0945G	-13.18	7.0623G	-57.17	-53.18	-3.99	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9612G	-4.36	6.048G	-51.73	-44.36	-7.37	1
5965MHz	Pass	5.97059G	-4.94	6.0522G	-51.59	-44.94	-6.65	2
6165MHz	Pass	6.15961G	-6.21	6.2254G	-51.12	-46.21	-4.91	1
6165MHz	Pass	6.1692G	-7.06	6.2306G	-51.11	-47.06	-4.05	2
6405MHz	Pass	6.41159G	-2.85	6.3448G	-50.00	-42.84	-7.16	1
6405MHz	Pass	6.409G	-2.55	6.3434G	-50.10	-42.55	-7.55	2
6445MHz	Pass	6.43861G	-9.46	6.3702G	-50.51	-49.46	-1.05	1
6445MHz	Pass	6.43661G	-9.50	6.3798G	-50.44	-49.50	-0.94	2
6485MHz	Pass	6.4898G	-6.45	6.3854G	-50.58	-46.45	-4.13	1
6485MHz	Pass	6.4888G	-6.92	6.3852G	-50.43	-46.92	-3.51	2
6525MHz	Pass	6.53G	-8.18	6.588G	-51.06	-48.18	-2.88	1
6525MHz	Pass	6.529G	-8.94	6.585G	-51.04	-48.87	-2.17	2
6565MHz	Pass	6.5616G	-5.68	6.492G	-51.17	-45.68	-5.49	1
6565MHz	Pass	6.57799G	-6.19	6.5038G	-51.12	-46.19	-4.93	2
6685MHz	Pass	6.69119G	-6.00	6.775G	-50.53	-46.00	-4.53	1
6685MHz	Pass	6.6832G	-6.18	6.7626G	-50.53	-46.18	-4.35	2
6845MHz	Pass	6.844G	-9.71	6.783G	-62.84	-49.71	-13.13	1
6845MHz	Pass	6.83921G	-10.45	6.7834G	-62.92	-50.45	-12.47	2
6885MHz	Pass	6.89019G	-9.29	6.9462G	-62.33	-49.29	-13.04	1
6885MHz	Pass	6.8816G	-9.35	6.8234G	-62.08	-49.35	-12.73	2
6925MHz	Pass	6.91801G	-8.79	6.8636G	-62.00	-48.79	-13.21	1
6925MHz	Pass	6.91921G	-9.36	6.8636G	-62.30	-49.36	-12.94	2
7005MHz	Pass	7.0004G	-8.63	6.9434G	-61.71	-48.63	-13.08	1
7005MHz	Pass	7.0016G	-9.85	6.9432G	-62.40	-49.85	-12.55	2
7085MHz	Pass	7.07921G	-10.38	6.9958G	-61.54	-50.38	-11.16	1
7085MHz	Pass	7.07781G	-11.67	7.0236G	-62.51	-51.67	-10.84	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.97461G	-0.67	6.1066G	-49.43	-40.38	-9.05	1
5985MHz	Pass	5.99859G	-0.62	6.1074G	-50.04	-40.62	-9.42	2
6145MHz	Pass	6.15619G	-3.65	6.2742G	-53.90	-43.65	-10.25	1
6145MHz	Pass	6.15379G	-3.96	6.267G	-54.00	-43.96	-10.04	2
6385MHz	Pass	6.39579G	-2.26	6.2614G	-53.23	-42.26	-10.97	1
6385MHz	Pass	6.39779G	-2.25	6.5074G	-53.64	-42.25	-11.39	2
6465MHz	Pass	6.45341G	-4.85	6.5874G	-55.19	-44.85	-10.34	1
6465MHz	Pass	6.45381G	-4.81	6.587G	-54.97	-44.81	-10.16	2
6545MHz	Pass	6.53061G	-3.86	6.6674G	-54.47	-43.86	-10.61	1
6545MHz	Pass	6.55939G	-3.66	6.6674G	-53.84	-43.66	-10.18	2
6625MHz	Pass	6.61621G	-5.74	6.7466G	-56.82	-45.74	-11.08	1
6625MHz	Pass	6.61341G	-5.97	6.7478G	-56.37	-45.97	-10.40	2
6705MHz	Pass	6.69261G	-4.09	6.8274G	-55.30	-44.09	-11.21	1
6705MHz	Pass	6.71859G	-4.61	6.5822G	-55.80	-44.61	-11.19	2
6785MHz	Pass	6.79859G	-4.89	6.6622G	-56.24	-44.89	-11.35	1
6785MHz	Pass	6.77341G	-5.52	6.6634G	-56.37	-45.52	-10.85	2
6865MHz	Pass	6.85461G	-5.92	6.7418G	-56.68	-45.92	-10.76	1
6865MHz	Pass	6.85301G	-6.50	6.7418G	-55.95	-46.50	-9.45	2
6945MHz	Pass	6.93381G	-5.57	6.8234G	-55.55	-45.55	-10.00	1
6945MHz	Pass	6.93381G	-6.00	6.8226G	-55.66	-46.00	-9.66	2
7025MHz	Pass	7.01021G	-5.44	6.903G	-55.11	-45.44	-9.67	1
7025MHz	Pass	7.03979G	-6.80	6.9022G	-55.88	-46.80	-9.08	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.10012G	1.96	6.385G	-46.47	-38.04	-8.43	1
6025MHz	Pass	6.09933G	1.41	6.3674G	-45.91	-38.59	-7.32	2
6185MHz	Pass	6.15943G	1.84	6.429G	-43.79	-38.16	-5.63	1
6185MHz	Pass	6.24254G	1.70	6.4282G	-42.46	-38.17	-4.29	2
6345MHz	Pass	6.29145G	1.90	6.5882G	-42.71	-38.08	-4.63	1
6345MHz	Pass	6.28266G	2.08	6.5882G	-42.12	-37.79	-4.33	2
6505MHz	Pass	6.44666G	1.13	6.905G	-48.90	-34.64	-14.26	1
6505MHz	Pass	6.44106G	1.46	6.1058G	-49.39	-34.79	-14.60	2
6665MHz	Pass	6.59147G	-1.51	6.421G	-47.69	-41.51	-6.18	1
6665MHz	Pass	6.64182G	-1.73	6.4178G	-48.60	-41.73	-6.87	2
6825MHz	Pass	6.80902G	-2.11	6.581G	-48.46	-42.10	-6.36	1
6825MHz	Pass	6.76826G	-1.87	6.5786G	-48.36	-41.87	-6.49	2
6985MHz	Pass	6.95703G	-3.83	6.741G	-48.21	-43.83	-4.38	1
6985MHz	Pass	6.91147G	-3.56	6.741G	-47.90	-43.50	-4.40	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5955MHz_TnomVnom

MASK

23/05/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.958G	-11.24	5.9951G	-54.51	-51.24	-3.27	1
5.96019G	-11.52	5.9178G	-54.52	-51.52	-3.00	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TnomVnom

MASK

23/05/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1776G	-11.74	6.2077G	-53.36	-51.74	-1.62	1
6.1739G	-11.15	6.2161G	-53.31	-51.15	-2.16	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

23/05/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4188G	-11.51	6.3674G	-52.65	-51.51	-1.14	1
6.4163G	-10.60	6.3801G	-52.64	-50.60	-2.04	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

23/05/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4362G	-6.11	6.3852G	-52.51	-46.11	-6.40	1
6.4376G	-6.12	6.3858G	-52.70	-46.12	-6.58	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

23/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

23/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

23/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

23/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

23/05/2022




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TnomVnom

23/05/2022



802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

23/05/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8975G	-11.14	6.9434G	-52.53	-51.14	-1.39	1
6.8936G	-11.22	6.9411G	-52.57	-51.22	-1.35	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

23/05/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00009G	-8.89	6.9528G	-52.22	-48.89	-3.33	1
7.00019G	-9.47	6.9597G	-52.19	-49.47	-2.72	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

23/05/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0912G	-12.74	7.0588G	-57.14	-52.74	-4.40	1
7.0945G	-13.18	7.0623G	-57.17	-53.18	-3.99	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

23/05/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9612G	-4.36	6.048G	-51.73	-44.36	-7.37	1
5.97059G	-4.94	6.0522G	-51.59	-44.94	-6.65	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

23/05/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15961G	-6.21	6.2254G	-51.12	-46.21	-4.91	1
6.1692G	-7.06	6.2306G	-51.11	-47.06	-4.05	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

23/05/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41159G	-2.85	6.3448G	-50.00	-42.84	-7.16	1
6.409G	-2.55	6.3434G	-50.10	-42.55	-7.55	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

23/05/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43861G	-9.46	6.3702G	-50.51	-49.46	-1.05	1
6.43661G	-9.50	6.3798G	-50.44	-49.50	-0.94	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

23/05/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4898G	-6.45	6.3854G	-50.58	-46.45	-4.13	1
6.4888G	-6.92	6.3852G	-50.43	-46.92	-3.51	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TnomVnom

23/05/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53G	-8.18	6.588G	-51.06	-48.18	-2.88	1
6.529G	-8.94	6.585G	-51.04	-48.87	-2.17	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

23/05/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5616G	-5.68	6.492G	-51.17	-45.68	-5.49	1
6.57799G	-6.19	6.5038G	-51.12	-46.19	-4.93	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

23/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

23/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TnomVnom

23/05/2022




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

23/05/2022



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

23/05/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0004G	-8.63	6.9434G	-61.71	-48.63	-13.08	1
7.0016G	-9.85	6.9432G	-62.40	-49.85	-12.55	2

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

23/05/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07921G	-10.38	6.9958G	-61.54	-50.38	-11.16	1
7.07781G	-11.67	7.0236G	-62.51	-51.67	-10.84	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

23/05/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97461G	-0.67	6.1066G	-49.43	-40.38	-9.05	1
5.99859G	-0.62	6.1074G	-50.04	-40.62	-9.42	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

23/05/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15619G	-3.65	6.2742G	-53.90	-43.65	-10.25	1
6.15379G	-3.96	6.267G	-54.00	-43.96	-10.04	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

23/05/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39579G	-2.26	6.2614G	-53.23	-42.26	-10.97	1
6.39779G	-2.25	6.5074G	-53.64	-42.25	-11.39	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

23/05/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-4.85	6.5874G	-55.19	-44.85	-10.34	1
6.45381G	-4.81	6.587G	-54.97	-44.81	-10.16	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TnomVnom

23/05/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

23/05/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

23/05/2022




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

23/05/2022



802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TnomVnom

23/05/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85461G	-5.92	6.7418G	-56.68	-45.92	-10.76	1
6.85301G	-6.50	6.7418G	-55.95	-46.50	-9.45	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

23/05/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-5.57	6.8234G	-55.55	-45.55	-10.00	1
6.93381G	-6.00	6.8226G	-55.66	-46.00	-9.66	2

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

23/05/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01021G	-5.44	6.903G	-55.11	-45.44	-9.67	1
7.03979G	-6.80	6.9022G	-55.88	-46.80	-9.08	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

23/05/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.10012G	1.96	6.385G	-46.47	-38.04	-8.43	1
6.09933G	1.41	6.3674G	-45.91	-38.59	-7.32	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

23/05/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15943G	1.84	6.429G	-43.79	-38.16	-5.63	1
6.24254G	1.70	6.4282G	-42.46	-38.17	-4.29	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

23/05/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.29145G	1.90	6.5882G	-42.71	-38.08	-4.63	1
6.28266G	2.08	6.5882G	-42.12	-37.79	-4.33	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TnomVnom

23/05/2022

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44666G	1.13	6.905G	-48.90	-34.64	-14.26	1
6.44106G	1.46	6.1058G	-49.39	-34.79	-14.60	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

23/05/2022

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.59147G	-1.51	6.421G	-47.69	-41.51	-6.18	1
6.64182G	-1.73	6.4178G	-48.60	-41.73	-6.87	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TnomVnom

23/05/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.80902G	-2.11	6.581G	-48.46	-42.10	-6.36	1
6.76826G	-1.87	6.5786G	-48.36	-41.87	-6.49	2

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

23/05/2022

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95703G	-3.83	6.741G	-48.21	-43.83	-4.38	1
6.91147G	-3.56	6.741G	-47.90	-43.50	-4.40	2



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	30M	36.87	40.00	-3.13	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6145MHz	Pass	PK	30M	36.87	40.00	-3.13	3	Vertical	0	1.00	-
6145MHz	Pass	PK	39.7M	36.09	40.00	-3.91	3	Vertical	0	1.00	-
6145MHz	Pass	PK	59.1M	34.21	40.00	-5.79	3	Vertical	0	1.00	-
6145MHz	Pass	PK	165.8M	33.82	43.50	-9.68	3	Vertical	0	1.00	-
6145MHz	Pass	PK	350.1M	37.80	46.00	-8.20	3	Vertical	0	1.00	-
6145MHz	Pass	PK	449.04M	37.91	46.00	-8.09	3	Vertical	0	1.00	-
6145MHz	Pass	PK	43.58M	32.89	40.00	-7.11	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	109.54M	33.44	43.50	-10.06	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	150.28M	36.70	43.50	-6.80	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	289.96M	39.66	46.00	-6.34	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	350.1M	41.95	46.00	-4.05	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	449.04M	40.46	46.00	-5.54	3	Horizontal	360	1.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6145MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.87	40.00	-3.13	-2.71	3	Vertical	0	1.00	-	39.58	23.26	1.02	26.99
PK	39.7M	36.09	40.00	-3.91	-8.42	3	Vertical	0	1.00	-	44.51	17.92	1.03	27.37
PK	59.1M	34.21	40.00	-5.79	-15.08	3	Vertical	0	1.00	-	49.29	11.57	1.11	27.76
PK	165.8M	33.82	43.50	-9.68	-10.60	3	Vertical	0	1.00	-	44.42	15.08	1.82	27.50
PK	350.1M	37.80	46.00	-8.20	-5.03	3	Vertical	0	1.00	-	42.83	19.59	2.71	27.33
PK	449.04M	37.91	46.00	-8.09	-3.09	3	Vertical	0	1.00	-	41.00	21.89	3.08	28.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	32.89	40.00	-7.11	-10.66	3	Horizontal	360	1.00	-	43.55	15.82	1.03	27.51
PK	109.54M	33.44	43.50	-10.06	-9.23	3	Horizontal	360	1.00	-	42.67	17.07	1.48	27.78
PK	150.28M	36.70	43.50	-6.80	-10.23	3	Horizontal	360	1.00	-	46.93	15.60	1.73	27.56
PK	289.96M	39.66	46.00	-6.34	-6.47	3	Horizontal	360	1.00	-	46.13	18.12	2.46	27.05
PK	350.1M	41.95	46.00	-4.05	-5.03	3	Horizontal	360	1.00	-	46.98	19.59	2.71	27.33
PK	449.04M	40.46	46.00	-5.54	-3.09	3	Horizontal	360	1.00	-	43.55	21.89	3.08	28.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.3548G	44.57	54.00	-9.43	3	Horizontal	123	1.60	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.34356G	43.99	54.00	-10.01	3	Horizontal	81	1.39	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.28652G	43.80	54.00	-10.20	3	Horizontal	99	2.28	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.9242G	65.02	68.20	-3.18	3	Horizontal	294	1.65	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.147G	54.12	68.20	-14.08	3	Horizontal	74	1.63	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1578G	53.58	68.20	-14.62	3	Vertical	332	2.92	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1596G	53.55	68.20	-14.65	3	Horizontal	62	1.42	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1574G	53.61	68.20	-14.59	3	Horizontal	58	1.36	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37776G	46.30	54.00	-7.70	3	Vertical	75	2.95	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.37405G	46.05	54.00	-7.95	3	Vertical	168	1.21	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.39791G	45.96	54.00	-8.04	3	Horizontal	144	2.99	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32049G	45.56	54.00	-8.44	3	Horizontal	56	2.93	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.203G	54.18	68.20	-14.02	3	Vertical	294	1.53	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	7.145G	53.85	68.20	-14.35	3	Horizontal	69	1.57	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.148G	54.37	68.20	-13.83	3	Horizontal	65	1.68	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	7.13G	80.61	88.20	-7.59	3	Horizontal	59	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9238G	50.30	68.20	-17.90	3	Vertical	337	2.81	-
5955MHz	Pass	AV	5.9625G	98.04	Inf	-Inf	3	Vertical	337	2.81	-
5955MHz	Pass	PK	5.8626G	62.55	88.20	-25.65	3	Vertical	337	2.81	-
5955MHz	Pass	PK	5.9613G	108.96	Inf	-Inf	3	Vertical	337	2.81	-
5955MHz	Pass	AV	5.853G	50.32	68.20	-17.88	3	Horizontal	315	1.66	-
5955MHz	Pass	AV	5.9589G	99.98	Inf	-Inf	3	Horizontal	315	1.66	-
5955MHz	Pass	PK	5.8644G	62.31	88.20	-25.89	3	Horizontal	315	1.66	-
5955MHz	Pass	PK	5.9586G	110.83	Inf	-Inf	3	Horizontal	315	1.66	-
5955MHz	Pass	AV	11.91636G	43.49	54.00	-10.51	3	Vertical	194	1.47	-
5955MHz	Pass	PK	11.90754G	56.29	74.00	-17.71	3	Vertical	194	1.47	-
5955MHz	Pass	AV	11.90978G	43.52	54.00	-10.48	3	Horizontal	237	2.99	-
5955MHz	Pass	PK	11.90884G	56.80	74.00	-17.20	3	Horizontal	237	2.99	-
6175MHz	Pass	AV	5.8816G	50.21	68.20	-17.99	3	Vertical	58	1.67	-
6175MHz	Pass	AV	6.1816G	92.51	Inf	-Inf	3	Vertical	58	1.67	-
6175MHz	Pass	PK	5.9026G	60.93	88.20	-27.27	3	Vertical	58	1.67	-
6175MHz	Pass	PK	6.1762G	104.33	Inf	-Inf	3	Vertical	58	1.67	-
6175MHz	Pass	AV	5.8858G	50.15	68.20	-18.05	3	Horizontal	70	1.50	-
6175MHz	Pass	AV	6.184G	99.92	Inf	-Inf	3	Horizontal	70	1.50	-
6175MHz	Pass	PK	5.92G	62.82	88.20	-25.38	3	Horizontal	70	1.50	-
6175MHz	Pass	PK	6.1828G	110.69	Inf	-Inf	3	Horizontal	70	1.50	-
6175MHz	Pass	AV	12.3544G	44.47	54.00	-9.53	3	Vertical	312	2.46	-
6175MHz	Pass	PK	12.34444G	56.81	74.00	-17.19	3	Vertical	312	2.46	-
6175MHz	Pass	AV	12.3548G	44.57	54.00	-9.43	3	Horizontal	123	1.60	-
6175MHz	Pass	PK	12.34736G	57.31	74.00	-16.69	3	Horizontal	123	1.60	-
6415MHz	Pass	AV	5.9218G	50.33	68.20	-17.87	3	Vertical	347	2.83	-
6415MHz	Pass	AV	6.4198G	96.04	Inf	-Inf	3	Vertical	347	2.83	-
6415MHz	Pass	PK	5.8618G	61.80	88.20	-26.40	3	Vertical	347	2.83	-
6415MHz	Pass	PK	6.4198G	105.97	Inf	-Inf	3	Vertical	347	2.83	-
6415MHz	Pass	AV	5.8534G	50.15	68.20	-18.05	3	Horizontal	66	1.62	-
6415MHz	Pass	AV	6.4186G	100.15	Inf	-Inf	3	Horizontal	66	1.62	-
6415MHz	Pass	PK	5.8822G	61.38	88.20	-26.82	3	Horizontal	66	1.62	-
6415MHz	Pass	PK	6.4234G	110.90	Inf	-Inf	3	Horizontal	66	1.62	-
6415MHz	Pass	AV	12.8295G	45.52	68.20	-22.68	3	Vertical	132	2.89	-
6415MHz	Pass	PK	12.83996G	59.11	88.20	-29.09	3	Vertical	132	2.89	-
6415MHz	Pass	AV	12.83892G	45.69	68.20	-22.51	3	Horizontal	244	1.76	-
6415MHz	Pass	PK	12.83196G	58.93	88.20	-29.27	3	Horizontal	244	1.76	-
6435MHz	Pass	AV	5.865G	50.43	68.20	-17.77	3	Vertical	336	3.00	-
6435MHz	Pass	AV	6.4326G	99.54	Inf	-Inf	3	Vertical	336	3.00	-
6435MHz	Pass	PK	5.907G	62.60	88.20	-25.60	3	Vertical	336	3.00	-
6435MHz	Pass	PK	6.435G	109.79	Inf	-Inf	3	Vertical	336	3.00	-
6435MHz	Pass	AV	5.8542G	50.27	68.20	-17.93	3	Horizontal	295	1.50	-
6435MHz	Pass	AV	6.4302G	100.94	Inf	-Inf	3	Horizontal	295	1.50	-
6435MHz	Pass	PK	5.8398G	61.29	88.20	-26.91	3	Horizontal	295	1.50	-
6435MHz	Pass	PK	6.429G	110.35	Inf	-Inf	3	Horizontal	295	1.50	-
6435MHz	Pass	AV	12.85875G	45.29	68.20	-22.91	3	Vertical	34	1.87	-
6435MHz	Pass	PK	12.86415G	57.46	88.20	-30.74	3	Vertical	34	1.87	-
6435MHz	Pass	AV	12.86727G	45.19	68.20	-23.01	3	Horizontal	256	1.58	-
6435MHz	Pass	PK	12.87342G	57.75	88.20	-30.45	3	Horizontal	256	1.58	-
6475MHz	Pass	AV	5.8842G	50.27	68.20	-17.93	3	Vertical	333	2.78	-
6475MHz	Pass	AV	6.4708G	97.35	Inf	-Inf	3	Vertical	333	2.78	-
6475MHz	Pass	AV	7.1512G	54.09	68.20	-14.11	3	Vertical	333	2.78	-
6475MHz	Pass	PK	5.9024G	61.55	88.20	-26.65	3	Vertical	333	2.78	-
6475MHz	Pass	PK	6.4708G	108.29	Inf	-Inf	3	Vertical	333	2.78	-
6475MHz	Pass	PK	7.1302G	65.46	88.20	-22.74	3	Vertical	333	2.78	-
6475MHz	Pass	AV	5.8814G	50.26	68.20	-17.94	3	Horizontal	74	1.63	-
6475MHz	Pass	AV	6.4778G	100.50	Inf	-Inf	3	Horizontal	74	1.63	-
6475MHz	Pass	AV	7.147G	54.12	68.20	-14.08	3	Horizontal	74	1.63	-
6475MHz	Pass	PK	5.8282G	62.11	88.20	-26.09	3	Horizontal	74	1.63	-
6475MHz	Pass	PK	6.4764G	111.13	Inf	-Inf	3	Horizontal	74	1.63	-
6475MHz	Pass	PK	7.1512G	65.93	88.20	-22.27	3	Horizontal	74	1.63	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.95063G	45.25	68.20	-22.95	3	Vertical	143	1.66	-
6475MHz	Pass	PK	12.9365G	57.70	88.20	-30.50	3	Vertical	143	1.66	-
6475MHz	Pass	AV	12.95303G	45.16	68.20	-23.04	3	Horizontal	250	2.47	-
6475MHz	Pass	PK	12.94436G	58.24	88.20	-29.96	3	Horizontal	250	2.47	-
6515MHz	Pass	AV	5.8626G	50.24	68.20	-17.96	3	Vertical	342	2.70	-
6515MHz	Pass	AV	6.5164G	93.03	Inf	-Inf	3	Vertical	342	2.70	-
6515MHz	Pass	AV	7.1772G	53.91	68.20	-14.29	3	Vertical	342	2.70	-
6515MHz	Pass	PK	5.8808G	62.06	88.20	-26.14	3	Vertical	342	2.70	-
6515MHz	Pass	PK	6.5164G	103.60	Inf	-Inf	3	Vertical	342	2.70	-
6515MHz	Pass	PK	7.1548G	65.08	88.20	-23.12	3	Vertical	342	2.70	-
6515MHz	Pass	AV	5.8486G	50.18	68.20	-18.02	3	Horizontal	68	1.14	-
6515MHz	Pass	AV	6.5094G	99.87	Inf	-Inf	3	Horizontal	68	1.14	-
6515MHz	Pass	AV	7.1982G	53.86	68.20	-14.34	3	Horizontal	68	1.14	-
6515MHz	Pass	PK	5.8374G	61.53	88.20	-26.67	3	Horizontal	68	1.14	-
6515MHz	Pass	PK	6.5094G	111.74	Inf	-Inf	3	Horizontal	68	1.14	-
6515MHz	Pass	PK	7.1324G	64.36	88.20	-23.84	3	Horizontal	68	1.14	-
6515MHz	Pass	AV	13.02565G	45.64	68.20	-22.56	3	Vertical	353	2.76	-
6515MHz	Pass	PK	13.02418G	58.91	88.20	-29.29	3	Vertical	353	2.76	-
6515MHz	Pass	AV	13.02196G	45.70	68.20	-22.50	3	Horizontal	89	2.49	-
6515MHz	Pass	PK	13.02583G	58.51	88.20	-29.69	3	Horizontal	89	2.49	-
6535MHz	Pass	AV	5.8784G	50.20	68.20	-18.00	3	Vertical	54	1.50	-
6535MHz	Pass	AV	6.528G	88.54	Inf	-Inf	3	Vertical	54	1.50	-
6535MHz	Pass	AV	7.2084G	53.95	68.20	-14.25	3	Vertical	54	1.50	-
6535MHz	Pass	PK	5.863G	61.84	88.20	-26.36	3	Vertical	54	1.50	-
6535MHz	Pass	PK	6.528G	98.58	Inf	-Inf	3	Vertical	54	1.50	-
6535MHz	Pass	PK	7.151G	65.77	88.20	-22.43	3	Vertical	54	1.50	-
6535MHz	Pass	AV	5.856G	50.24	68.20	-17.96	3	Horizontal	68	1.50	-
6535MHz	Pass	AV	6.5378G	99.91	Inf	-Inf	3	Horizontal	68	1.50	-
6535MHz	Pass	AV	7.1496G	54.07	68.20	-14.13	3	Horizontal	68	1.50	-
6535MHz	Pass	PK	5.8742G	62.26	88.20	-25.94	3	Horizontal	68	1.50	-
6535MHz	Pass	PK	6.5364G	110.33	Inf	-Inf	3	Horizontal	68	1.50	-
6535MHz	Pass	PK	7.1776G	65.16	88.20	-23.04	3	Horizontal	68	1.50	-
6535MHz	Pass	AV	13.0724G	45.64	68.20	-22.56	3	Vertical	161	1.62	-
6535MHz	Pass	PK	13.08458G	59.35	88.20	-28.85	3	Vertical	161	1.62	-
6535MHz	Pass	AV	13.0751G	45.59	68.20	-22.61	3	Horizontal	303	1.54	-
6535MHz	Pass	PK	13.07765G	58.01	88.20	-30.19	3	Horizontal	303	1.54	-
6695MHz	Pass	AV	6.697G	92.79	Inf	-Inf	3	Vertical	299	1.79	-
6695MHz	Pass	AV	7.192G	53.95	68.20	-14.25	3	Vertical	299	1.79	-
6695MHz	Pass	PK	6.693G	103.16	Inf	-Inf	3	Vertical	299	1.79	-
6695MHz	Pass	PK	7.18G	65.59	88.20	-22.61	3	Vertical	299	1.79	-
6695MHz	Pass	AV	6.7G	99.74	Inf	-Inf	3	Horizontal	69	1.27	-
6695MHz	Pass	AV	7.156G	53.96	68.20	-14.24	3	Horizontal	69	1.27	-
6695MHz	Pass	PK	6.7G	111.57	Inf	-Inf	3	Horizontal	69	1.27	-
6695MHz	Pass	PK	7.126G	65.50	88.20	-22.70	3	Horizontal	69	1.27	-
6695MHz	Pass	AV	13.37776G	46.30	54.00	-7.70	3	Vertical	75	2.95	-
6695MHz	Pass	PK	13.38328G	58.66	74.00	-15.34	3	Vertical	75	2.95	-
6695MHz	Pass	AV	13.37959G	46.29	54.00	-7.71	3	Horizontal	8	1.01	-
6695MHz	Pass	PK	13.3855G	59.91	74.00	-14.09	3	Horizontal	8	1.01	-
6855MHz	Pass	AV	6.8571G	91.48	Inf	-Inf	3	Vertical	305	1.72	-
6855MHz	Pass	AV	7.1574G	54.03	68.20	-14.17	3	Vertical	305	1.72	-
6855MHz	Pass	PK	6.8627G	102.52	Inf	-Inf	3	Vertical	305	1.72	-
6855MHz	Pass	PK	7.1945G	66.25	88.20	-21.95	3	Vertical	305	1.72	-
6855MHz	Pass	AV	6.8536G	105.12	Inf	-Inf	3	Horizontal	61	1.31	-
6855MHz	Pass	AV	7.1756G	54.08	68.20	-14.12	3	Horizontal	61	1.31	-
6855MHz	Pass	PK	6.8487G	117.39	Inf	-Inf	3	Horizontal	61	1.31	-
6855MHz	Pass	PK	7.1595G	65.55	88.20	-22.65	3	Horizontal	61	1.31	-
6855MHz	Pass	AV	13.72047G	50.51	68.20	-17.69	3	Vertical	329	1.27	-
6855MHz	Pass	PK	13.70193G	62.98	88.20	-25.22	3	Vertical	329	1.27	-
6855MHz	Pass	AV	13.70022G	50.50	68.20	-17.70	3	Horizontal	350	1.06	-
6855MHz	Pass	PK	13.70952G	63.31	88.20	-24.89	3	Horizontal	350	1.06	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8714G	91.13	Inf	-Inf	3	Vertical	304	1.72	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1498G	54.16	68.20	-14.04	3	Vertical	304	1.72	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8708G	102.31	Inf	-Inf	3	Vertical	304	1.72	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1624G	65.40	88.20	-22.80	3	Vertical	304	1.72	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8828G	100.08	Inf	-Inf	3	Horizontal	65	1.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1648G	54.05	68.20	-14.15	3	Horizontal	65	1.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8834G	111.02	Inf	-Inf	3	Horizontal	65	1.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1714G	65.66	88.20	-22.54	3	Horizontal	65	1.39	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74967G	50.70	68.20	-17.50	3	Vertical	148	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.76245G	64.31	88.20	-23.89	3	Vertical	148	2.75	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74337G	50.66	68.20	-17.54	3	Horizontal	186	1.62	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.73974G	63.45	88.20	-24.75	3	Horizontal	186	1.62	-
6895MHz	Pass	AV	6.8964G	91.08	Inf	-Inf	3	Vertical	299	1.50	-
6895MHz	Pass	AV	7.1533G	54.03	68.20	-14.17	3	Vertical	299	1.50	-
6895MHz	Pass	PK	6.8964G	101.58	Inf	-Inf	3	Vertical	299	1.50	-
6895MHz	Pass	PK	7.1435G	65.99	88.20	-22.21	3	Vertical	299	1.50	-
6895MHz	Pass	AV	6.8908G	99.79	Inf	-Inf	3	Horizontal	64	1.55	-
6895MHz	Pass	AV	7.1554G	54.06	68.20	-14.14	3	Horizontal	64	1.55	-
6895MHz	Pass	PK	6.8908G	110.35	Inf	-Inf	3	Horizontal	64	1.55	-
6895MHz	Pass	PK	7.1624G	65.63	88.20	-22.57	3	Horizontal	64	1.55	-
6895MHz	Pass	AV	13.79078G	50.96	68.20	-17.24	3	Vertical	153	2.51	-
6895MHz	Pass	PK	13.77662G	63.85	88.20	-24.35	3	Vertical	153	2.51	-
6895MHz	Pass	AV	13.8038G	51.10	68.20	-17.10	3	Horizontal	261	1.91	-
6895MHz	Pass	PK	13.79852G	63.62	88.20	-24.58	3	Horizontal	261	1.91	-
6995MHz	Pass	AV	6.9865G	92.27	Inf	-Inf	3	Vertical	304	1.62	-
6995MHz	Pass	AV	7.1645G	54.06	68.20	-14.14	3	Vertical	304	1.62	-
6995MHz	Pass	PK	6.9895G	103.73	Inf	-Inf	3	Vertical	304	1.62	-
6995MHz	Pass	PK	7.2275G	65.49	88.20	-22.71	3	Vertical	304	1.62	-
6995MHz	Pass	AV	6.9865G	100.39	Inf	-Inf	3	Horizontal	55	1.36	-
6995MHz	Pass	AV	7.148G	54.08	68.20	-14.12	3	Horizontal	55	1.36	-
6995MHz	Pass	PK	6.989G	111.03	Inf	-Inf	3	Horizontal	55	1.36	-
6995MHz	Pass	PK	7.1955G	65.75	88.20	-22.45	3	Horizontal	55	1.36	-
6995MHz	Pass	AV	13.97833G	51.58	68.20	-16.62	3	Vertical	10	2.34	-
6995MHz	Pass	PK	13.99963G	64.10	88.20	-24.10	3	Vertical	10	2.34	-
6995MHz	Pass	AV	13.97524G	51.49	68.20	-16.71	3	Horizontal	247	1.27	-
6995MHz	Pass	PK	14.00227G	63.84	88.20	-24.36	3	Horizontal	247	1.27	-
7095MHz	Pass	AV	7.0878G	87.12	Inf	-Inf	3	Vertical	294	1.53	-
7095MHz	Pass	AV	7.203G	54.18	68.20	-14.02	3	Vertical	294	1.53	-
7095MHz	Pass	PK	7.0881G	99.69	Inf	-Inf	3	Vertical	294	1.53	-
7095MHz	Pass	PK	7.2024G	66.56	88.20	-21.64	3	Vertical	294	1.53	-
7095MHz	Pass	AV	7.092G	99.80	Inf	-Inf	3	Horizontal	60	2.08	-
7095MHz	Pass	AV	7.1559G	54.13	68.20	-14.07	3	Horizontal	60	2.08	-
7095MHz	Pass	PK	7.0905G	111.48	Inf	-Inf	3	Horizontal	60	2.08	-
7095MHz	Pass	PK	7.209G	65.84	88.20	-22.36	3	Horizontal	60	2.08	-
7095MHz	Pass	AV	14.19678G	50.99	68.20	-17.21	3	Vertical	304	1.72	-
7095MHz	Pass	PK	14.1783G	63.73	88.20	-24.47	3	Vertical	304	1.72	-
7095MHz	Pass	AV	14.17671G	50.91	68.20	-17.29	3	Horizontal	56	1.89	-
7095MHz	Pass	PK	14.17719G	63.98	88.20	-24.22	3	Horizontal	56	1.89	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9221G	50.10	68.20	-18.10	3	Vertical	58	1.76	-
5965MHz	Pass	AV	5.962G	93.91	Inf	-Inf	3	Vertical	58	1.76	-
5965MHz	Pass	PK	5.8291G	62.21	88.20	-25.99	3	Vertical	58	1.76	-
5965MHz	Pass	PK	5.9713G	106.16	Inf	-Inf	3	Vertical	58	1.76	-
5965MHz	Pass	AV	5.9239G	50.71	68.20	-17.49	3	Horizontal	64	1.65	-
5965MHz	Pass	AV	5.9785G	100.33	Inf	-Inf	3	Horizontal	64	1.65	-
5965MHz	Pass	PK	5.824G	63.55	88.20	-24.65	3	Horizontal	64	1.65	-
5965MHz	Pass	PK	5.9791G	111.45	Inf	-Inf	3	Horizontal	64	1.65	-
5965MHz	Pass	AV	11.94365G	42.94	54.00	-11.06	3	Vertical	76	1.57	-
5965MHz	Pass	PK	11.92349G	55.74	74.00	-18.26	3	Vertical	76	1.57	-
5965MHz	Pass	AV	11.94122G	42.98	54.00	-11.02	3	Horizontal	64	1.72	-
5965MHz	Pass	PK	11.924G	56.72	74.00	-17.28	3	Horizontal	64	1.72	-
6165MHz	Pass	AV	5.883G	50.02	68.20	-18.18	3	Vertical	55	1.75	-
6165MHz	Pass	AV	5.8896G	50.02	68.20	-18.18	3	Vertical	55	1.75	-
6165MHz	Pass	AV	6.1692G	92.90	Inf	-Inf	3	Vertical	55	1.75	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6165MHz	Pass	PK	5.886G	61.55	88.20	-26.65	3	Vertical	55	1.75	-
6165MHz	Pass	PK	6.1788G	105.44	Inf	-Inf	3	Vertical	55	1.75	-
6165MHz	Pass	AV	5.9196G	50.06	68.20	-18.14	3	Horizontal	56	2.14	-
6165MHz	Pass	AV	6.1506G	99.38	Inf	-Inf	3	Horizontal	56	2.14	-
6165MHz	Pass	PK	5.8902G	61.83	88.20	-26.37	3	Horizontal	56	2.14	-
6165MHz	Pass	PK	6.1524G	110.87	Inf	-Inf	3	Horizontal	56	2.14	-
6165MHz	Pass	AV	12.33513G	43.97	54.00	-10.03	3	Vertical	134	2.51	-
6165MHz	Pass	PK	12.31764G	56.83	74.00	-17.17	3	Vertical	134	2.51	-
6165MHz	Pass	AV	12.34356G	43.99	54.00	-10.01	3	Horizontal	81	1.39	-
6165MHz	Pass	PK	12.33897G	56.79	74.00	-17.21	3	Horizontal	81	1.39	-
6405MHz	Pass	AV	5.8578G	50.03	68.20	-18.17	3	Vertical	56	1.47	-
6405MHz	Pass	AV	6.387G	93.11	Inf	-Inf	3	Vertical	56	1.47	-
6405MHz	Pass	PK	5.8326G	62.09	88.20	-26.11	3	Vertical	56	1.47	-
6405MHz	Pass	PK	6.3894G	103.97	Inf	-Inf	3	Vertical	56	1.47	-
6405MHz	Pass	AV	5.8806G	50.13	68.20	-18.07	3	Horizontal	65	1.32	-
6405MHz	Pass	AV	6.4002G	99.85	Inf	-Inf	3	Horizontal	65	1.32	-
6405MHz	Pass	PK	5.8722G	62.04	88.20	-26.16	3	Horizontal	65	1.32	-
6405MHz	Pass	PK	6.4038G	111.37	Inf	-Inf	3	Horizontal	65	1.32	-
6405MHz	Pass	AV	12.82134G	44.93	68.20	-23.27	3	Vertical	343	1.53	-
6405MHz	Pass	PK	12.80058G	57.79	88.20	-30.41	3	Vertical	343	1.53	-
6405MHz	Pass	AV	12.82413G	44.95	68.20	-23.25	3	Horizontal	301	1.88	-
6405MHz	Pass	PK	12.82134G	58.26	88.20	-29.94	3	Horizontal	301	1.88	-
6445MHz	Pass	AV	5.8498G	49.99	68.20	-18.21	3	Vertical	38	2.96	-
6445MHz	Pass	AV	6.4618G	86.87	Inf	-Inf	3	Vertical	38	2.96	-
6445MHz	Pass	PK	5.8846G	62.21	88.20	-25.99	3	Vertical	38	2.96	-
6445MHz	Pass	PK	6.4606G	96.93	Inf	-Inf	3	Vertical	38	2.96	-
6445MHz	Pass	AV	5.8642G	50.00	68.20	-18.20	3	Horizontal	68	1.69	-
6445MHz	Pass	AV	6.4558G	100.43	Inf	-Inf	3	Horizontal	68	1.69	-
6445MHz	Pass	PK	5.9038G	61.66	88.20	-26.54	3	Horizontal	68	1.69	-
6445MHz	Pass	PK	6.4558G	111.55	Inf	-Inf	3	Horizontal	68	1.69	-
6445MHz	Pass	AV	12.89735G	44.72	68.20	-23.48	3	Vertical	253	1.60	-
6445MHz	Pass	PK	12.89282G	58.80	88.20	-29.40	3	Vertical	253	1.60	-
6445MHz	Pass	AV	12.90284G	44.75	68.20	-23.45	3	Horizontal	132	2.57	-
6445MHz	Pass	PK	12.88595G	57.61	88.20	-30.59	3	Horizontal	132	2.57	-
6485MHz	Pass	AV	5.883G	49.85	68.20	-18.35	3	Vertical	46	2.84	-
6485MHz	Pass	AV	6.4682G	91.51	Inf	-Inf	3	Vertical	46	2.84	-
6485MHz	Pass	AV	7.1626G	53.50	68.20	-14.70	3	Vertical	46	2.84	-
6485MHz	Pass	PK	5.8662G	62.00	88.20	-26.20	3	Vertical	46	2.84	-
6485MHz	Pass	PK	6.4794G	101.86	Inf	-Inf	3	Vertical	46	2.84	-
6485MHz	Pass	PK	7.1416G	64.64	88.20	-23.56	3	Vertical	46	2.84	-
6485MHz	Pass	AV	5.883G	49.91	68.20	-18.29	3	Horizontal	67	1.57	-
6485MHz	Pass	AV	6.4808G	100.49	Inf	-Inf	3	Horizontal	67	1.57	-
6485MHz	Pass	AV	7.1528G	53.56	68.20	-14.64	3	Horizontal	67	1.57	-
6485MHz	Pass	PK	5.8788G	61.27	88.20	-26.93	3	Horizontal	67	1.57	-
6485MHz	Pass	PK	6.478G	110.66	Inf	-Inf	3	Horizontal	67	1.57	-
6485MHz	Pass	PK	7.1822G	65.82	88.20	-22.38	3	Horizontal	67	1.57	-
6485MHz	Pass	AV	12.98464G	45.19	68.20	-23.01	3	Vertical	32	2.61	-
6485MHz	Pass	PK	12.9685G	57.83	88.20	-30.37	3	Vertical	32	2.61	-
6485MHz	Pass	AV	12.98131G	45.13	68.20	-23.07	3	Horizontal	12	1.49	-
6485MHz	Pass	PK	12.98473G	58.16	88.20	-30.04	3	Horizontal	12	1.49	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8642G	49.85	68.20	-18.35	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.532G	96.32	Inf	-Inf	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1578G	53.58	68.20	-14.62	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8656G	61.72	88.20	-26.48	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5306G	108.05	Inf	-Inf	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1858G	64.44	88.20	-23.76	3	Vertical	332	2.92	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9146G	49.88	68.20	-18.32	3	Horizontal	70	1.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.511G	100.39	Inf	-Inf	3	Horizontal	70	1.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1998G	53.57	68.20	-14.63	3	Horizontal	70	1.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8586G	62.96	88.20	-25.24	3	Horizontal	70	1.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5124G	112.05	Inf	-Inf	3	Horizontal	70	1.00	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1788G	64.56	88.20	-23.64	3	Horizontal	70	1.00	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.03908G	45.18	68.20	-23.02	3	Vertical	68	1.02	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04097G	59.07	88.20	-29.13	3	Vertical	68	1.02	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04427G	45.16	68.20	-23.04	3	Horizontal	59	1.13	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.03959G	58.47	88.20	-29.73	3	Horizontal	59	1.13	-
6565MHz	Pass	AV	6.5554G	93.15	Inf	-Inf	3	Vertical	41	3.00	-
6565MHz	Pass	AV	7.1554G	53.48	68.20	-14.72	3	Vertical	41	3.00	-
6565MHz	Pass	PK	6.5554G	103.85	Inf	-Inf	3	Vertical	41	3.00	-
6565MHz	Pass	PK	7.1266G	65.89	88.20	-22.31	3	Vertical	41	3.00	-
6565MHz	Pass	AV	6.5566G	100.03	Inf	-Inf	3	Horizontal	57	1.50	-
6565MHz	Pass	AV	7.1506G	53.60	68.20	-14.60	3	Horizontal	57	1.50	-
6565MHz	Pass	PK	6.5554G	111.48	Inf	-Inf	3	Horizontal	57	1.50	-
6565MHz	Pass	PK	7.1506G	65.19	88.20	-23.01	3	Horizontal	57	1.50	-
6565MHz	Pass	AV	13.13048G	45.26	68.20	-22.94	3	Vertical	232	1.08	-
6565MHz	Pass	PK	13.12499G	58.07	88.20	-30.13	3	Vertical	232	1.08	-
6565MHz	Pass	AV	13.14311G	45.25	68.20	-22.95	3	Horizontal	91	2.59	-
6565MHz	Pass	PK	13.12271G	57.99	88.20	-30.21	3	Horizontal	91	2.59	-
6685MHz	Pass	AV	6.682G	90.80	Inf	-Inf	3	Vertical	313	2.36	-
6685MHz	Pass	AV	7.158G	53.49	68.20	-14.71	3	Vertical	313	2.36	-
6685MHz	Pass	PK	6.676G	101.39	Inf	-Inf	3	Vertical	313	2.36	-
6685MHz	Pass	PK	7.142G	64.73	88.20	-23.47	3	Vertical	313	2.36	-
6685MHz	Pass	AV	6.68G	99.51	Inf	-Inf	3	Horizontal	72	1.21	-
6685MHz	Pass	AV	7.154G	53.45	68.20	-14.75	3	Horizontal	72	1.21	-
6685MHz	Pass	PK	6.692G	111.57	Inf	-Inf	3	Horizontal	72	1.21	-
6685MHz	Pass	PK	7.171G	64.91	88.20	-23.29	3	Horizontal	72	1.21	-
6685MHz	Pass	AV	13.37405G	46.05	54.00	-7.95	3	Vertical	168	1.21	-
6685MHz	Pass	PK	13.37411G	58.37	74.00	-15.63	3	Vertical	168	1.21	-
6685MHz	Pass	AV	13.37645G	46.02	54.00	-7.98	3	Horizontal	197	2.27	-
6685MHz	Pass	PK	13.36391G	59.20	74.00	-14.80	3	Horizontal	197	2.27	-
6845MHz	Pass	AV	6.8499G	91.57	Inf	-Inf	3	Vertical	321	2.63	-
6845MHz	Pass	AV	7.1579G	53.58	68.20	-14.62	3	Vertical	321	2.63	-
6845MHz	Pass	PK	6.8513G	103.25	Inf	-Inf	3	Vertical	321	2.63	-
6845MHz	Pass	PK	7.1474G	65.14	88.20	-23.06	3	Vertical	321	2.63	-
6845MHz	Pass	AV	6.852G	99.46	Inf	-Inf	3	Horizontal	60	1.50	-
6845MHz	Pass	AV	7.1516G	53.53	68.20	-14.67	3	Horizontal	60	1.50	-
6845MHz	Pass	PK	6.8527G	111.33	Inf	-Inf	3	Horizontal	60	1.50	-
6845MHz	Pass	PK	7.1642G	65.43	88.20	-22.77	3	Horizontal	60	1.50	-
6845MHz	Pass	AV	13.68538G	50.07	68.20	-18.13	3	Vertical	270	2.74	-
6845MHz	Pass	PK	13.70089G	63.45	88.20	-24.75	3	Vertical	270	2.74	-
6845MHz	Pass	AV	13.6996G	50.09	68.20	-18.11	3	Horizontal	76	1.28	-
6845MHz	Pass	PK	13.69438G	63.21	88.20	-24.99	3	Horizontal	76	1.28	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8752G	90.94	Inf	-Inf	3	Vertical	306	2.98	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1846G	53.43	68.20	-14.77	3	Vertical	306	2.98	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8759G	101.88	Inf	-Inf	3	Vertical	306	2.98	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1748G	66.17	88.20	-22.03	3	Vertical	306	2.98	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8773G	99.41	Inf	-Inf	3	Horizontal	61	1.55	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.179G	53.66	68.20	-14.54	3	Horizontal	61	1.55	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8738G	111.27	Inf	-Inf	3	Horizontal	61	1.55	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1685G	65.78	88.20	-22.42	3	Horizontal	61	1.55	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76193G	50.41	68.20	-17.79	3	Vertical	306	2.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76874G	63.96	88.20	-24.24	3	Vertical	306	2.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.7787G	50.43	68.20	-17.77	3	Horizontal	301	1.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76607G	63.44	88.20	-24.76	3	Horizontal	301	1.73	-
6925MHz	Pass	AV	6.9105G	88.88	Inf	-Inf	3	Vertical	303	1.48	-
6925MHz	Pass	AV	7.1465G	53.52	68.20	-14.68	3	Vertical	303	1.48	-
6925MHz	Pass	PK	6.9315G	100.67	Inf	-Inf	3	Vertical	303	1.48	-
6925MHz	Pass	PK	7.1595G	65.15	88.20	-23.05	3	Vertical	303	1.48	-
6925MHz	Pass	AV	6.934G	100.20	Inf	-Inf	3	Horizontal	67	1.58	-
6925MHz	Pass	AV	7.1565G	53.57	68.20	-14.63	3	Horizontal	67	1.58	-
6925MHz	Pass	PK	6.9355G	111.31	Inf	-Inf	3	Horizontal	67	1.58	-
6925MHz	Pass	PK	7.175G	65.55	88.20	-22.65	3	Horizontal	67	1.58	-
6925MHz	Pass	AV	13.84991G	51.30	68.20	-16.90	3	Vertical	210	2.16	-
6925MHz	Pass	PK	13.84985G	64.05	88.20	-24.15	3	Vertical	210	2.16	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Table with 12 columns: Mode, Result, Type, Freq (Hz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Dist (m), Condition, Azimuth (°), Height (m), Comments. Rows include various frequency bands (6925MHz to 6385MHz) and a specific mode (802.11ax HEW80-BF_Nss1,(MCS0)_2TX).



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6385MHz	Pass	PK	12.76157G	57.39	88.20	-30.81	3	Horizontal	203	1.49	-
6465MHz	Pass	AV	5.883G	49.83	68.20	-18.37	3	Vertical	340	2.88	-
6465MHz	Pass	AV	6.4554G	97.17	Inf	-Inf	3	Vertical	340	2.88	-
6465MHz	Pass	PK	5.8674G	62.34	88.20	-25.86	3	Vertical	340	2.88	-
6465MHz	Pass	PK	6.453G	109.46	Inf	-Inf	3	Vertical	340	2.88	-
6465MHz	Pass	AV	5.8686G	49.89	68.20	-18.31	3	Horizontal	66	1.58	-
6465MHz	Pass	AV	6.4818G	100.26	Inf	-Inf	3	Horizontal	66	1.58	-
6465MHz	Pass	PK	5.8806G	60.97	88.20	-27.23	3	Horizontal	66	1.58	-
6465MHz	Pass	PK	6.4818G	111.12	Inf	-Inf	3	Horizontal	66	1.58	-
6465MHz	Pass	AV	12.9378G	44.91	68.20	-23.29	3	Vertical	17	1.24	-
6465MHz	Pass	PK	12.93207G	57.95	88.20	-30.25	3	Vertical	17	1.24	-
6465MHz	Pass	AV	12.94083G	44.90	68.20	-23.30	3	Horizontal	326	1.07	-
6465MHz	Pass	PK	12.91509G	58.05	88.20	-30.15	3	Horizontal	326	1.07	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9094G	49.90	68.20	-18.30	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.538G	94.68	Inf	-Inf	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1806G	53.45	68.20	-14.75	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.9192G	61.57	88.20	-26.63	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5366G	105.49	Inf	-Inf	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.1596G	65.34	88.20	-22.86	3	Vertical	319	2.98	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.866G	49.92	68.20	-18.28	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5576G	99.88	Inf	-Inf	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.1596G	53.55	68.20	-14.65	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8996G	62.28	88.20	-25.92	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5604G	109.93	Inf	-Inf	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.161G	64.87	88.20	-23.33	3	Horizontal	62	1.42	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.10137G	45.31	68.20	-22.89	3	Vertical	260	2.80	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08343G	58.28	88.20	-29.92	3	Vertical	260	2.80	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.10029G	45.31	68.20	-22.89	3	Horizontal	326	2.14	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.09585G	58.31	88.20	-29.89	3	Horizontal	326	2.14	-
6625MHz	Pass	AV	6.5926G	90.32	Inf	-Inf	3	Vertical	47	2.85	-
6625MHz	Pass	AV	7.1554G	53.48	68.20	-14.72	3	Vertical	47	2.85	-
6625MHz	Pass	PK	6.5926G	101.92	Inf	-Inf	3	Vertical	47	2.85	-
6625MHz	Pass	PK	7.2238G	65.19	88.20	-23.01	3	Vertical	47	2.85	-
6625MHz	Pass	AV	6.5878G	99.84	Inf	-Inf	3	Horizontal	62	1.50	-
6625MHz	Pass	AV	7.1662G	53.54	68.20	-14.66	3	Horizontal	62	1.50	-
6625MHz	Pass	PK	6.589G	110.42	Inf	-Inf	3	Horizontal	62	1.50	-
6625MHz	Pass	PK	7.1818G	65.63	88.20	-22.57	3	Horizontal	62	1.50	-
6625MHz	Pass	AV	13.25801G	45.60	54.00	-8.40	3	Vertical	146	2.66	-
6625MHz	Pass	PK	13.26338G	58.99	74.00	-15.01	3	Vertical	146	2.66	-
6625MHz	Pass	AV	13.23848G	45.60	68.20	-22.60	3	Horizontal	298	2.72	-
6625MHz	Pass	PK	13.25363G	58.82	74.00	-15.18	3	Horizontal	298	2.72	-
6705MHz	Pass	AV	6.71G	89.38	Inf	-Inf	3	Vertical	308	3.00	-
6705MHz	Pass	AV	7.153G	53.52	68.20	-14.68	3	Vertical	308	3.00	-
6705MHz	Pass	PK	6.742G	101.57	Inf	-Inf	3	Vertical	308	3.00	-
6705MHz	Pass	PK	7.189G	65.85	88.20	-22.35	3	Vertical	308	3.00	-
6705MHz	Pass	AV	6.733G	99.48	Inf	-Inf	3	Horizontal	66	1.49	-
6705MHz	Pass	AV	7.15G	53.58	68.20	-14.62	3	Horizontal	66	1.49	-
6705MHz	Pass	PK	6.708G	109.94	Inf	-Inf	3	Horizontal	66	1.49	-
6705MHz	Pass	PK	7.169G	65.40	88.20	-22.80	3	Horizontal	66	1.49	-
6705MHz	Pass	AV	13.39605G	45.95	54.00	-8.05	3	Vertical	45	1.73	-
6705MHz	Pass	PK	13.41285G	58.66	88.20	-29.54	3	Vertical	45	1.73	-
6705MHz	Pass	AV	13.39791G	45.96	54.00	-8.04	3	Horizontal	144	2.99	-
6705MHz	Pass	PK	13.3962G	58.75	74.00	-15.25	3	Horizontal	144	2.99	-
6785MHz	Pass	AV	6.8147G	87.59	Inf	-Inf	3	Vertical	296	3.00	-
6785MHz	Pass	AV	7.1612G	53.52	68.20	-14.68	3	Vertical	296	3.00	-
6785MHz	Pass	PK	6.8147G	98.66	Inf	-Inf	3	Vertical	296	3.00	-
6785MHz	Pass	PK	7.199G	65.92	88.20	-22.28	3	Vertical	296	3.00	-
6785MHz	Pass	AV	6.7652G	99.42	Inf	-Inf	3	Horizontal	60	1.50	-
6785MHz	Pass	AV	7.1531G	53.70	68.20	-14.50	3	Horizontal	60	1.50	-
6785MHz	Pass	PK	6.7616G	110.24	Inf	-Inf	3	Horizontal	60	1.50	-
6785MHz	Pass	PK	7.1342G	65.31	88.20	-22.89	3	Horizontal	60	1.50	-
6785MHz	Pass	AV	13.55587G	45.85	68.20	-22.35	3	Vertical	322	1.99	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6785MHz	Pass	PK	13.57063G	59.05	88.20	-29.15	3	Vertical	322	1.99	-
6785MHz	Pass	AV	13.55599G	45.86	68.20	-22.34	3	Horizontal	292	1.38	-
6785MHz	Pass	PK	13.58212G	58.70	88.20	-29.50	3	Horizontal	292	1.38	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.879G	90.57	Inf	-Inf	3	Vertical	310	2.22	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1513G	53.53	68.20	-14.67	3	Vertical	310	2.22	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.879G	102.94	Inf	-Inf	3	Vertical	310	2.22	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1884G	64.85	88.20	-23.35	3	Vertical	310	2.22	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8545G	99.90	Inf	-Inf	3	Horizontal	62	1.47	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.159G	53.66	68.20	-14.54	3	Horizontal	62	1.47	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8552G	112.10	Inf	-Inf	3	Horizontal	62	1.47	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1555G	65.72	88.20	-22.48	3	Horizontal	62	1.47	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.745G	50.28	68.20	-17.92	3	Vertical	296	2.33	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.7408G	63.10	88.20	-25.10	3	Vertical	296	2.33	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73195G	50.30	68.20	-17.90	3	Horizontal	189	1.73	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73321G	63.83	88.20	-24.37	3	Horizontal	189	1.73	-
6945MHz	Pass	AV	6.913G	89.28	Inf	-Inf	3	Vertical	302	1.50	-
6945MHz	Pass	AV	7.188G	53.56	68.20	-14.64	3	Vertical	302	1.50	-
6945MHz	Pass	PK	6.9495G	99.90	Inf	-Inf	3	Vertical	302	1.50	-
6945MHz	Pass	PK	7.152G	66.41	88.20	-21.79	3	Vertical	302	1.50	-
6945MHz	Pass	AV	6.9365G	100.50	Inf	-Inf	3	Horizontal	64	1.49	-
6945MHz	Pass	AV	7.153G	53.77	68.20	-14.43	3	Horizontal	64	1.49	-
6945MHz	Pass	PK	6.9325G	113.11	Inf	-Inf	3	Horizontal	64	1.49	-
6945MHz	Pass	PK	7.146G	65.89	88.20	-22.31	3	Horizontal	64	1.49	-
6945MHz	Pass	AV	13.88148G	51.17	68.20	-17.03	3	Vertical	178	1.57	-
6945MHz	Pass	PK	13.8792G	64.51	88.20	-23.69	3	Vertical	178	1.57	-
6945MHz	Pass	AV	13.90476G	51.12	68.20	-17.08	3	Horizontal	268	1.27	-
6945MHz	Pass	PK	13.89063G	64.00	88.20	-24.20	3	Horizontal	268	1.27	-
7025MHz	Pass	AV	7.0313G	89.73	Inf	-Inf	3	Vertical	300	1.50	-
7025MHz	Pass	AV	7.1432G	53.62	68.20	-14.58	3	Vertical	300	1.50	-
7025MHz	Pass	PK	6.9941G	104.02	Inf	-Inf	3	Vertical	300	1.50	-
7025MHz	Pass	PK	7.1609G	65.83	88.20	-22.37	3	Vertical	300	1.50	-
7025MHz	Pass	AV	7.0325G	100.59	Inf	-Inf	3	Horizontal	65	1.68	-
7025MHz	Pass	AV	7.148G	54.37	68.20	-13.83	3	Horizontal	65	1.68	-
7025MHz	Pass	PK	6.9896G	114.84	Inf	-Inf	3	Horizontal	65	1.68	-
7025MHz	Pass	PK	7.1483G	66.30	88.20	-21.90	3	Horizontal	65	1.68	-
7025MHz	Pass	AV	14.05492G	50.93	68.20	-17.27	3	Vertical	315	2.67	-
7025MHz	Pass	PK	14.04034G	63.85	88.20	-24.35	3	Vertical	315	2.67	-
7025MHz	Pass	AV	14.06053G	50.97	68.20	-17.23	3	Horizontal	121	1.12	-
7025MHz	Pass	PK	14.04658G	64.72	88.20	-23.48	3	Horizontal	121	1.12	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9242G	61.66	68.20	-6.54	3	Vertical	333	3.00	-
6025MHz	Pass	AV	6.0292G	97.64	Inf	-Inf	3	Vertical	333	3.00	-
6025MHz	Pass	PK	5.917G	78.56	88.20	-9.64	3	Vertical	333	3.00	-
6025MHz	Pass	PK	5.9818G	108.51	Inf	-Inf	3	Vertical	333	3.00	-
6025MHz	Pass	AV	5.9242G	65.02	68.20	-3.18	3	Horizontal	294	1.65	-
6025MHz	Pass	AV	5.9794G	101.43	Inf	-Inf	3	Horizontal	294	1.65	-
6025MHz	Pass	PK	5.911G	80.91	88.20	-7.29	3	Horizontal	294	1.65	-
6025MHz	Pass	PK	6.0496G	112.35	Inf	-Inf	3	Horizontal	294	1.65	-
6025MHz	Pass	AV	12.03626G	43.12	54.00	-10.88	3	Vertical	31	2.60	-
6025MHz	Pass	PK	12.03926G	56.25	74.00	-17.75	3	Vertical	31	2.60	-
6025MHz	Pass	AV	12.03575G	43.09	54.00	-10.91	3	Horizontal	232	1.01	-
6025MHz	Pass	PK	12.06095G	56.33	74.00	-17.67	3	Horizontal	232	1.01	-
6185MHz	Pass	AV	5.9234G	52.17	68.20	-16.03	3	Vertical	34	2.59	-
6185MHz	Pass	AV	6.1322G	95.57	Inf	-Inf	3	Vertical	34	2.59	-
6185MHz	Pass	PK	5.9222G	63.65	88.20	-24.55	3	Vertical	34	2.59	-
6185MHz	Pass	PK	6.1202G	112.87	Inf	-Inf	3	Vertical	34	2.59	-
6185MHz	Pass	AV	5.9246G	54.59	68.20	-13.61	3	Horizontal	302	1.47	-
6185MHz	Pass	AV	6.2594G	99.76	Inf	-Inf	3	Horizontal	302	1.47	-
6185MHz	Pass	PK	5.9174G	66.81	88.20	-21.39	3	Horizontal	302	1.47	-
6185MHz	Pass	PK	6.1466G	111.40	Inf	-Inf	3	Horizontal	302	1.47	-
6185MHz	Pass	AV	12.35788G	44.08	54.00	-9.92	3	Vertical	73	2.25	-
6185MHz	Pass	PK	12.36013G	57.23	74.00	-16.77	3	Vertical	73	2.25	-



RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6185MHz	Pass	AV	12.36328G	44.13	54.00	-9.87	3	Horizontal	178	1.53	-
6185MHz	Pass	PK	12.38308G	56.96	74.00	-17.04	3	Horizontal	178	1.53	-
6345MHz	Pass	AV	5.876G	49.86	68.20	-18.34	3	Vertical	315	1.50	-
6345MHz	Pass	AV	6.347G	92.32	Inf	-Inf	3	Vertical	315	1.50	-
6345MHz	Pass	PK	5.865G	61.13	88.20	-27.07	3	Vertical	315	1.50	-
6345MHz	Pass	PK	6.35G	104.47	Inf	-Inf	3	Vertical	315	1.50	-
6345MHz	Pass	AV	5.925G	50.59	68.20	-17.61	3	Horizontal	318	1.50	-
6345MHz	Pass	AV	6.41G	100.03	Inf	-Inf	3	Horizontal	318	1.50	-
6345MHz	Pass	PK	5.856G	61.03	88.20	-27.17	3	Horizontal	318	1.50	-
6345MHz	Pass	PK	6.277G	110.94	Inf	-Inf	3	Horizontal	318	1.50	-
6345MHz	Pass	AV	12.70458G	43.90	68.20	-24.30	3	Vertical	93	1.10	-
6345MHz	Pass	PK	12.6756G	56.94	74.00	-17.06	3	Vertical	93	1.10	-
6345MHz	Pass	AV	12.70443G	43.90	68.20	-24.30	3	Horizontal	253	2.53	-
6345MHz	Pass	PK	12.68355G	57.28	74.00	-16.72	3	Horizontal	253	2.53	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8834G	49.88	68.20	-18.32	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5792G	95.53	Inf	-Inf	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1966G	53.51	68.20	-14.69	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9226G	61.58	88.20	-26.62	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4476G	105.92	Inf	-Inf	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.142G	65.36	88.20	-22.84	3	Vertical	322	2.77	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9184G	49.87	68.20	-18.33	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4826G	100.53	Inf	-Inf	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1574G	53.61	68.20	-14.59	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.875G	62.22	88.20	-25.98	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5526G	112.90	Inf	-Inf	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1896G	64.59	88.20	-23.61	3	Horizontal	58	1.36	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.9971G	45.41	68.20	-22.79	3	Vertical	122	2.39	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01456G	58.10	88.20	-30.10	3	Vertical	122	2.39	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	12.99632G	45.30	68.20	-22.90	3	Horizontal	146	2.73	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.02158G	58.12	88.20	-30.08	3	Horizontal	146	2.73	-
6665MHz	Pass	AV	6.623G	90.23	Inf	-Inf	3	Vertical	309	3.00	-
6665MHz	Pass	AV	7.149G	53.45	68.20	-14.75	3	Vertical	309	3.00	-
6665MHz	Pass	PK	6.622G	100.62	Inf	-Inf	3	Vertical	309	3.00	-
6665MHz	Pass	PK	7.147G	64.26	88.20	-23.94	3	Vertical	309	3.00	-
6665MHz	Pass	AV	6.592G	100.38	Inf	-Inf	3	Horizontal	68	1.80	-
6665MHz	Pass	AV	7.155G	53.54	68.20	-14.66	3	Horizontal	68	1.80	-
6665MHz	Pass	PK	6.64G	112.53	Inf	-Inf	3	Horizontal	68	1.80	-
6665MHz	Pass	PK	7.142G	65.03	88.20	-23.17	3	Horizontal	68	1.80	-
6665MHz	Pass	AV	13.31947G	45.54	54.00	-8.46	3	Vertical	104	3.00	-
6665MHz	Pass	PK	13.33603G	58.62	74.00	-15.38	3	Vertical	104	3.00	-
6665MHz	Pass	AV	13.32049G	45.56	54.00	-8.44	3	Horizontal	56	2.93	-
6665MHz	Pass	PK	13.33183G	58.14	74.00	-15.86	3	Horizontal	56	2.93	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7816G	88.99	Inf	-Inf	3	Vertical	302	2.47	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1484G	53.58	68.20	-14.62	3	Vertical	302	2.47	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8145G	101.36	Inf	-Inf	3	Vertical	302	2.47	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1344G	65.59	88.20	-22.61	3	Vertical	302	2.47	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8292G	100.93	Inf	-Inf	3	Horizontal	60	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1512G	54.21	68.20	-13.99	3	Horizontal	60	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8628G	112.33	Inf	-Inf	3	Horizontal	60	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1743G	65.33	88.20	-22.87	3	Horizontal	60	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.63629G	50.15	68.20	-18.05	3	Vertical	60	2.69	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65501G	63.19	88.20	-25.01	3	Vertical	60	2.69	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.63605G	50.21	68.20	-17.99	3	Horizontal	301	2.52	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64193G	62.95	88.20	-25.25	3	Horizontal	301	2.52	-
6985MHz	Pass	AV	6.9265G	94.80	Inf	-Inf	3	Vertical	312	2.58	-
6985MHz	Pass	AV	7.142G	60.29	68.20	-7.91	3	Vertical	312	2.58	-
6985MHz	Pass	PK	6.9205G	108.38	Inf	-Inf	3	Vertical	312	2.58	-
6985MHz	Pass	PK	7.134G	75.45	88.20	-12.75	3	Vertical	312	2.58	-
6985MHz	Pass	AV	6.919G	107.51	Inf	-Inf	3	Horizontal	59	1.50	-
6985MHz	Pass	PK	6.9765G	115.42	Inf	-Inf	3	Horizontal	59	1.50	-
6985MHz	Pass	PK	7.13G	80.61	88.20	-7.59	3	Horizontal	59	1.50	-
6985MHz	Pass	AV	13.95722G	51.23	68.20	-16.97	3	Vertical	64	2.10	-




RSE TX above 1GHz_Beamforming_Internal

Appendix E.9

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6985MHz	Pass	PK	13.97369G	64.36	88.20	-23.84	3	Vertical	64	2.10	-
6985MHz	Pass	AV	13.97468G	51.23	68.20	-16.97	3	Horizontal	212	1.84	-
6985MHz	Pass	PK	13.97225G	64.73	88.20	-23.47	3	Horizontal	212	1.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	50.30	68.20	-17.90	40.05	3	Vertical	337	2.81	-	34.20	10.27	34.22
AV	5.9625G	98.04	Inf	-Inf	87.74	3	Vertical	337	2.81	-	34.22	10.30	34.22
PK	5.8626G	62.55	88.20	-25.65	52.43	3	Vertical	337	2.81	-	34.10	10.23	34.21
PK	5.9613G	108.96	Inf	-Inf	98.65	3	Vertical	337	2.81	-	34.23	10.30	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.853G	50.32	68.20	-17.88	40.21	3	Horizontal	315	1.66	-	34.10	10.22	34.21
AV	5.9589G	99.98	Inf	-Inf	89.65	3	Horizontal	315	1.66	-	34.25	10.30	34.22
PK	5.8644G	62.31	88.20	-25.89	52.19	3	Horizontal	315	1.66	-	34.10	10.23	34.21
PK	5.9586G	110.83	Inf	-Inf	100.50	3	Horizontal	315	1.66	-	34.25	10.30	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.91636G	43.49	54.00	-10.51	25.86	3	Vertical	194	1.47	-	38.63	13.28	34.28
PK	11.90754G	56.29	74.00	-17.71	38.68	3	Vertical	194	1.47	-	38.62	13.27	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	11.90978G	43.52	54.00	-10.48	25.91	3	Horizontal	237	2.99	-	38.62	13.27	34.28
PK	11.90884G	56.80	74.00	-17.20	39.19	3	Horizontal	237	2.99	-	38.62	13.27	34.28

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8816G	50.21	68.20	-17.99	10.13	3	Vertical	58	1.67	-	40.08	34.10	10.24	34.21
AV	6.1816G	92.51	Inf	-Inf	10.38	3	Vertical	58	1.67	-	82.13	34.10	10.51	34.23
PK	5.9026G	60.93	88.20	-27.27	10.16	3	Vertical	58	1.67	-	50.77	34.11	10.26	34.21
PK	6.1762G	104.33	Inf	-Inf	10.38	3	Vertical	58	1.67	-	93.95	34.10	10.51	34.23


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8858G	50.15	68.20	-18.05	10.13	3	Horizontal	70	1.50	-	40.02	34.10	10.24	34.21
AV	6.184G	99.92	Inf	-Inf	10.38	3	Horizontal	70	1.50	-	89.54	34.10	10.51	34.23
PK	5.92G	62.82	88.20	-25.38	10.23	3	Horizontal	70	1.50	-	52.59	34.18	10.27	34.22
PK	6.1828G	110.69	Inf	-Inf	10.38	3	Horizontal	70	1.50	-	100.31	34.10	10.51	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3544G	44.47	54.00	-9.53	18.23	3	Vertical	312	2.46	-	26.24	38.85	13.53	34.15
PK	12.34444G	56.81	74.00	-17.19	18.20	3	Vertical	312	2.46	-	38.61	38.84	13.52	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.3548G	44.57	54.00	-9.43	18.23	3	Horizontal	123	1.60	-	26.34	38.85	13.53	34.15
PK	12.34736G	57.31	74.00	-16.69	18.21	3	Horizontal	123	1.60	-	39.10	38.85	13.52	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	50.33	68.20	-17.87	10.24	3	Vertical	347	2.83	-	40.09	34.19	10.27	34.22
AV	6.4198G	96.04	Inf	-Inf	11.18	3	Vertical	347	2.83	-	84.86	34.78	10.65	34.25
PK	5.8618G	61.80	88.20	-26.40	10.12	3	Vertical	347	2.83	-	51.68	34.10	10.23	34.21
PK	6.4198G	105.97	Inf	-Inf	11.18	3	Vertical	347	2.83	-	94.79	34.78	10.65	34.25


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8534G	50.15	68.20	-18.05	10.11	3	Horizontal	66	1.62	-	40.04	34.10	10.22	34.21
AV	6.4186G	100.15	Inf	-Inf	11.17	3	Horizontal	66	1.62	-	88.98	34.77	10.65	34.25
PK	5.8822G	61.38	88.20	-26.82	10.13	3	Horizontal	66	1.62	-	51.25	34.10	10.24	34.21
PK	6.4234G	110.90	Inf	-Inf	11.20	3	Horizontal	66	1.62	-	99.70	34.79	10.66	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8295G	45.52	68.20	-22.68	19.96	3	Vertical	132	2.89	-	25.56	39.60	13.82	33.46
PK	12.83996G	59.11	88.20	-29.09	19.99	3	Vertical	132	2.89	-	39.12	39.60	13.83	33.44


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83892G	45.69	68.20	-22.51	19.99	3	Horizontal	244	1.76	-	25.70	39.60	13.83	33.44
PK	12.83196G	58.93	88.20	-29.27	19.96	3	Horizontal	244	1.76	-	38.97	39.60	13.82	33.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.865G	50.43	68.20	-17.77	10.12	3	Vertical	336	3.00	-	40.31	34.10	10.23	34.21
AV	6.4326G	99.54	Inf	-Inf	11.24	3	Vertical	336	3.00	-	88.30	34.83	10.66	34.25
PK	5.907G	62.60	88.20	-25.60	10.18	3	Vertical	336	3.00	-	52.42	34.13	10.26	34.21
PK	6.435G	109.79	Inf	-Inf	11.25	3	Vertical	336	3.00	-	98.54	34.84	10.66	34.25


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8542G	50.27	68.20	-17.93	10.11	3	Horizontal	295	1.50	-	40.16	34.10	10.22	34.21
AV	6.4302G	100.94	Inf	-Inf	11.23	3	Horizontal	295	1.50	-	89.71	34.82	10.66	34.25
PK	5.8398G	61.29	88.20	-26.91	10.04	3	Horizontal	295	1.50	-	51.25	34.04	10.21	34.21
PK	6.429G	110.35	Inf	-Inf	11.23	3	Horizontal	295	1.50	-	99.12	34.82	10.66	34.25

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85875G	45.29	68.20	-22.91	20.03	3	Vertical	34	1.87	-	25.26	39.60	13.84	33.41
PK	12.86415G	57.46	88.20	-30.74	20.04	3	Vertical	34	1.87	-	37.42	39.60	13.84	33.40


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6435MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86727G	45.19	68.20	-23.01	20.05	3	Horizontal	256	1.58	-	25.14	39.60	13.84	33.39
PK	12.87342G	57.75	88.20	-30.45	20.07	3	Horizontal	256	1.58	-	37.68	39.60	13.85	33.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8842G	50.27	68.20	-17.93	10.13	3	Vertical	333	2.78	-	40.14	34.10	10.24	34.21
AV	6.4708G	97.35	Inf	-Inf	11.45	3	Vertical	333	2.78	-	85.90	35.02	10.69	34.26
AV	7.1512G	54.09	68.20	-14.11	13.35	3	Vertical	333	2.78	-	40.74	36.60	11.26	34.51
PK	5.9024G	61.55	88.20	-26.65	10.16	3	Vertical	333	2.78	-	51.39	34.11	10.26	34.21
PK	6.4708G	108.29	Inf	-Inf	11.45	3	Vertical	333	2.78	-	96.84	35.02	10.69	34.26
PK	7.1302G	65.46	88.20	-22.74	13.16	3	Vertical	333	2.78	-	52.30	36.44	11.24	34.52


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	50.26	68.20	-17.94	10.13	3	Horizontal	74	1.63	-	40.13	34.10	10.24	34.21
AV	6.4778G	100.50	Inf	-Inf	11.50	3	Horizontal	74	1.63	-	89.00	35.07	10.69	34.26
AV	7.147G	54.12	68.20	-14.08	13.31	3	Horizontal	74	1.63	-	40.81	36.58	11.25	34.52
PK	5.8282G	62.11	88.20	-26.09	9.96	3	Horizontal	74	1.63	-	52.15	33.97	10.20	34.21
PK	6.4764G	111.13	Inf	-Inf	11.49	3	Horizontal	74	1.63	-	99.64	35.06	10.69	34.26
PK	7.1512G	65.93	88.20	-22.27	13.35	3	Horizontal	74	1.63	-	52.58	36.60	11.26	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95063G	45.25	68.20	-22.95	20.36	3	Vertical	143	1.66	-	24.89	39.70	13.89	33.23
PK	12.9365G	57.70	88.20	-30.50	20.30	3	Vertical	143	1.66	-	37.40	39.67	13.89	33.26


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95303G	45.16	68.20	-23.04	20.38	3	Horizontal	250	2.47	-	24.78	39.71	13.90	33.23
PK	12.94436G	58.24	88.20	-29.96	20.34	3	Horizontal	250	2.47	-	37.90	39.69	13.89	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8626G	50.24	68.20	-17.96	10.12	3	Vertical	342	2.70	-	40.12	34.10	10.23	34.21
AV	6.5164G	93.03	Inf	-Inf	11.68	3	Vertical	342	2.70	-	81.35	35.23	10.72	34.27
AV	7.1772G	53.91	68.20	-14.29	13.32	3	Vertical	342	2.70	-	40.59	36.55	11.28	34.51
PK	5.8808G	62.06	88.20	-26.14	10.13	3	Vertical	342	2.70	-	51.93	34.10	10.24	34.21
PK	6.5164G	103.60	Inf	-Inf	11.68	3	Vertical	342	2.70	-	91.92	35.23	10.72	34.27
PK	7.1548G	65.08	88.20	-23.12	13.34	3	Vertical	342	2.70	-	51.74	36.59	11.26	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8486G	50.18	68.20	-18.02	10.10	3	Horizontal	68	1.14	-	40.08	34.09	10.22	34.21
AV	6.5094G	99.87	Inf	-Inf	11.66	3	Horizontal	68	1.14	-	88.21	35.22	10.71	34.27
AV	7.1982G	53.86	68.20	-14.34	13.29	3	Horizontal	68	1.14	-	40.57	36.50	11.30	34.51
PK	5.8374G	61.53	88.20	-26.67	10.02	3	Horizontal	68	1.14	-	51.51	34.02	10.21	34.21
PK	6.5094G	111.74	Inf	-Inf	11.66	3	Horizontal	68	1.14	-	100.08	35.22	10.71	34.27
PK	7.1324G	64.36	88.20	-23.84	13.18	3	Horizontal	68	1.14	-	51.18	36.46	11.24	34.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02565G	45.64	68.20	-22.56	20.61	3	Vertical	353	2.76	-	25.03	39.77	13.94	33.10
PK	13.02418G	58.91	88.20	-29.29	20.62	3	Vertical	353	2.76	-	38.29	39.78	13.94	33.10


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02196G	45.70	68.20	-22.50	20.62	3	Horizontal	89	2.49	-	25.08	39.78	13.94	33.10
PK	13.02583G	58.51	88.20	-29.69	20.61	3	Horizontal	89	2.49	-	37.90	39.77	13.94	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8784G	50.20	68.20	-18.00	10.13	3	Vertical	54	1.50	-	40.07	34.10	10.24	34.21
AV	6.528G	88.54	Inf	-Inf	11.70	3	Vertical	54	1.50	-	76.84	35.26	10.72	34.28
AV	7.2084G	53.95	68.20	-14.25	13.32	3	Vertical	54	1.50	-	40.63	36.53	11.30	34.51
PK	5.863G	61.84	88.20	-26.36	10.12	3	Vertical	54	1.50	-	51.72	34.10	10.23	34.21
PK	6.528G	98.58	Inf	-Inf	11.70	3	Vertical	54	1.50	-	86.88	35.26	10.72	34.28
PK	7.151G	65.77	88.20	-22.43	13.35	3	Vertical	54	1.50	-	52.42	36.60	11.26	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.856G	50.24	68.20	-17.96	10.11	3	Horizontal	68	1.50	-	40.13	34.10	10.22	34.21
AV	6.5378G	99.91	Inf	-Inf	11.73	3	Horizontal	68	1.50	-	88.18	35.28	10.73	34.28
AV	7.1496G	54.07	68.20	-14.13	13.34	3	Horizontal	68	1.50	-	40.73	36.60	11.26	34.52
PK	5.8742G	62.26	88.20	-25.94	10.13	3	Horizontal	68	1.50	-	52.13	34.10	10.24	34.21
PK	6.5364G	110.33	Inf	-Inf	11.72	3	Horizontal	68	1.50	-	98.61	35.27	10.73	34.28
PK	7.1776G	65.16	88.20	-23.04	13.31	3	Horizontal	68	1.50	-	51.85	36.54	11.28	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0724G	45.64	68.20	-22.56	20.68	3	Vertical	161	1.62	-	24.96	39.73	13.97	33.02
PK	13.08458G	59.35	88.20	-28.85	20.70	3	Vertical	161	1.62	-	38.65	39.72	13.98	33.00


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0751G	45.59	68.20	-22.61	20.67	3	Horizontal	303	1.54	-	24.92	39.72	13.97	33.02
PK	13.07765G	58.01	88.20	-30.19	20.68	3	Horizontal	303	1.54	-	37.33	39.72	13.97	33.01

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.697G	92.79	Inf	-Inf	12.38	3	Vertical	299	1.79	-	80.41	35.89	10.86	34.37
AV	7.192G	53.95	68.20	-14.25	13.30	3	Vertical	299	1.79	-	40.65	36.52	11.29	34.51
PK	6.693G	103.16	Inf	-Inf	12.37	3	Vertical	299	1.79	-	90.79	35.87	10.86	34.36
PK	7.18G	65.59	88.20	-22.61	13.31	3	Vertical	299	1.79	-	52.28	36.54	11.28	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7G	99.74	Inf	-Inf	12.40	3	Horizontal	69	1.27	-	87.34	35.90	10.87	34.37
AV	7.156G	53.96	68.20	-14.24	13.34	3	Horizontal	69	1.27	-	40.62	36.59	11.26	34.51
PK	6.7G	111.57	Inf	-Inf	12.40	3	Horizontal	69	1.27	-	99.17	35.90	10.87	34.37
PK	7.126G	65.50	88.20	-22.70	13.13	3	Horizontal	69	1.27	-	52.37	36.41	11.24	34.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37776G	46.30	54.00	-7.70	21.67	3	Vertical	75	2.95	-	24.63	40.03	14.16	32.52
PK	13.38328G	58.66	74.00	-15.34	21.70	3	Vertical	75	2.95	-	36.96	40.05	14.16	32.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37959G	46.29	54.00	-7.71	21.68	3	Horizontal	8	1.01	-	24.61	40.04	14.16	32.52
PK	13.3855G	59.91	74.00	-14.09	21.71	3	Horizontal	8	1.01	-	38.20	40.06	14.16	32.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8571G	91.48	Inf	-Inf	12.26	3	Vertical	305	1.72	-	79.22	35.70	11.01	34.45
AV	7.1574G	54.03	68.20	-14.17	13.34	3	Vertical	305	1.72	-	40.69	36.59	11.26	34.51
PK	6.8627G	102.52	Inf	-Inf	12.25	3	Vertical	305	1.72	-	90.27	35.70	11.01	34.46
PK	7.1945G	66.25	88.20	-21.95	13.30	3	Vertical	305	1.72	-	52.95	36.51	11.30	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8536G	105.12	Inf	-Inf	12.26	3	Horizontal	61	1.31	-	92.86	35.70	11.01	34.45
AV	7.1756G	54.08	68.20	-14.12	13.32	3	Horizontal	61	1.31	-	40.76	36.55	11.28	34.51
PK	6.8487G	117.39	Inf	-Inf	12.26	3	Horizontal	61	1.31	-	105.13	35.71	11.00	34.45
PK	7.1595G	65.55	88.20	-22.65	13.34	3	Horizontal	61	1.31	-	52.21	36.58	11.27	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72047G	50.51	68.20	-17.69	21.65	3	Vertical	329	1.27	-	28.86	39.70	14.37	32.42
PK	13.70193G	62.98	88.20	-25.22	21.65	3	Vertical	329	1.27	-	41.33	39.70	14.36	32.41


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70022G	50.50	68.20	-17.70	21.65	3	Horizontal	350	1.06	-	28.85	39.70	14.36	32.41
PK	13.70952G	63.31	88.20	-24.89	21.65	3	Horizontal	350	1.06	-	41.66	39.70	14.36	32.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8714G	91.13	Inf	-Inf	12.26	3	Vertical	304	1.72	-	78.87	35.70	11.02	34.46
AV	7.1498G	54.16	68.20	-14.04	13.34	3	Vertical	304	1.72	-	40.82	36.60	11.26	34.52
PK	6.8708G	102.31	Inf	-Inf	12.26	3	Vertical	304	1.72	-	90.05	35.70	11.02	34.46
PK	7.1624G	65.40	88.20	-22.80	13.34	3	Vertical	304	1.72	-	52.06	36.58	11.27	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8828G	100.08	Inf	-Inf	12.26	3	Horizontal	65	1.39	-	87.82	35.70	11.03	34.47
AV	7.1648G	54.05	68.20	-14.15	13.33	3	Horizontal	65	1.39	-	40.72	36.57	11.27	34.51
PK	6.8834G	111.02	Inf	-Inf	12.26	3	Horizontal	65	1.39	-	98.76	35.70	11.03	34.47
PK	7.1714G	65.66	88.20	-22.54	13.33	3	Horizontal	65	1.39	-	52.33	36.56	11.28	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74967G	50.70	68.20	-17.50	21.66	3	Vertical	148	2.75	-	29.04	39.70	14.39	32.43
PK	13.76245G	64.31	88.20	-23.89	21.65	3	Vertical	148	2.75	-	42.66	39.70	14.39	32.44


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74337G	50.66	68.20	-17.54	21.65	3	Horizontal	186	1.62	-	29.01	39.70	14.38	32.43
PK	13.73974G	63.45	88.20	-24.75	21.65	3	Horizontal	186	1.62	-	41.80	39.70	14.38	32.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8964G	91.08	Inf	-Inf	12.27	3	Vertical	299	1.50	-	78.81	35.70	11.04	34.47
AV	7.1533G	54.03	68.20	-14.17	13.34	3	Vertical	299	1.50	-	40.69	36.59	11.26	34.51
PK	6.8964G	101.58	Inf	-Inf	12.27	3	Vertical	299	1.50	-	89.31	35.70	11.04	34.47
PK	7.1435G	65.99	88.20	-22.21	13.28	3	Vertical	299	1.50	-	52.71	36.55	11.25	34.52


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8908G	99.79	Inf	-Inf	12.27	3	Horizontal	64	1.55	-	87.52	35.70	11.04	34.47
AV	7.1554G	54.06	68.20	-14.14	13.34	3	Horizontal	64	1.55	-	40.72	36.59	11.26	34.51
PK	6.8908G	110.35	Inf	-Inf	12.27	3	Horizontal	64	1.55	-	98.08	35.70	11.04	34.47
PK	7.1624G	65.63	88.20	-22.57	13.34	3	Horizontal	64	1.55	-	52.29	36.58	11.27	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79078G	50.96	68.20	-17.24	21.66	3	Vertical	153	2.51	-	29.30	39.70	14.41	32.45
PK	13.77662G	63.85	88.20	-24.35	21.66	3	Vertical	153	2.51	-	42.19	39.70	14.40	32.44


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8038G	51.10	68.20	-17.10	21.67	3	Horizontal	261	1.91	-	29.43	39.70	14.42	32.45
PK	13.79852G	63.62	88.20	-24.58	21.67	3	Horizontal	261	1.91	-	41.95	39.70	14.42	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	92.27	Inf	-Inf	12.30	3	Vertical	304	1.62	-	79.97	35.70	11.12	34.52
AV	7.1645G	54.06	68.20	-14.14	13.33	3	Vertical	304	1.62	-	40.73	36.57	11.27	34.51
PK	6.9895G	103.73	Inf	-Inf	12.30	3	Vertical	304	1.62	-	91.43	35.70	11.12	34.52
PK	7.2275G	65.49	88.20	-22.71	13.41	3	Vertical	304	1.62	-	52.08	36.61	11.31	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9865G	100.39	Inf	-Inf	12.30	3	Horizontal	55	1.36	-	88.09	35.70	11.12	34.52
AV	7.148G	54.08	68.20	-14.12	13.32	3	Horizontal	55	1.36	-	40.76	36.58	11.26	34.52
PK	6.989G	111.03	Inf	-Inf	12.30	3	Horizontal	55	1.36	-	98.73	35.70	11.12	34.52
PK	7.1955G	65.75	88.20	-22.45	13.30	3	Horizontal	55	1.36	-	52.45	36.51	11.30	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97833G	51.58	68.20	-16.62	21.78	3	Vertical	10	2.34	-	29.80	39.78	14.53	32.53
PK	13.99963G	64.10	88.20	-24.10	21.80	3	Vertical	10	2.34	-	42.30	39.80	14.54	32.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97524G	51.49	68.20	-16.71	21.77	3	Horizontal	247	1.27	-	29.72	39.78	14.52	32.53
PK	14.00227G	63.84	88.20	-24.36	21.81	3	Horizontal	247	1.27	-	42.03	39.81	14.54	32.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0878G	87.12	Inf	-Inf	12.83	3	Vertical	294	1.53	-	74.29	36.15	11.20	34.52
AV	7.203G	54.18	68.20	-14.02	13.30	3	Vertical	294	1.53	-	40.88	36.51	11.30	34.51
PK	7.0881G	99.69	Inf	-Inf	12.83	3	Vertical	294	1.53	-	86.86	36.15	11.20	34.52
PK	7.2024G	66.56	88.20	-21.64	13.30	3	Vertical	294	1.53	-	53.26	36.51	11.30	34.51


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.092G	99.80	Inf	-Inf	12.86	3	Horizontal	60	2.08	-	86.94	36.17	11.21	34.52
AV	7.1559G	54.13	68.20	-14.07	13.34	3	Horizontal	60	2.08	-	40.79	36.59	11.26	34.51
PK	7.0905G	111.48	Inf	-Inf	12.85	3	Horizontal	60	2.08	-	98.63	36.16	11.21	34.52
PK	7.209G	65.84	88.20	-22.36	13.33	3	Horizontal	60	2.08	-	52.51	36.54	11.30	34.51

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19678G	50.99	68.20	-17.21	22.00	3	Vertical	304	1.72	-	28.99	40.10	14.69	32.79
PK	14.1783G	63.73	88.20	-24.47	22.01	3	Vertical	304	1.72	-	41.72	40.10	14.67	32.76


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17671G	50.91	68.20	-17.29	22.01	3	Horizontal	56	1.89	-	28.90	40.10	14.67	32.76
PK	14.17719G	63.98	88.20	-24.22	22.01	3	Horizontal	56	1.89	-	41.97	40.10	14.67	32.76

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9221G	50.10	68.20	-18.10	10.24	3	Vertical	58	1.76	-	39.86	34.19	10.27	34.22
AV	5.962G	93.91	Inf	-Inf	10.31	3	Vertical	58	1.76	-	83.60	34.23	10.30	34.22
PK	5.8291G	62.21	88.20	-25.99	9.96	3	Vertical	58	1.76	-	52.25	33.97	10.20	34.21
PK	5.9713G	106.16	Inf	-Inf	10.26	3	Vertical	58	1.76	-	95.90	34.17	10.31	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9239G	50.71	68.20	-17.49	10.25	3	Horizontal	64	1.65	-	40.46	34.20	10.27	34.22
AV	5.9785G	100.33	Inf	-Inf	10.22	3	Horizontal	64	1.65	-	90.11	34.13	10.31	34.22
PK	5.824G	63.55	88.20	-24.65	9.93	3	Horizontal	64	1.65	-	53.62	33.94	10.20	34.21
PK	5.9791G	111.45	Inf	-Inf	10.22	3	Horizontal	64	1.65	-	101.23	34.13	10.31	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94365G	42.94	54.00	-11.06	17.68	3	Vertical	76	1.57	-	25.26	38.69	13.29	34.30
PK	11.92349G	55.74	74.00	-18.26	17.64	3	Vertical	76	1.57	-	38.10	38.65	13.28	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94122G	42.98	54.00	-11.02	17.67	3	Horizontal	64	1.72	-	25.31	38.68	13.29	34.30
PK	11.924G	56.72	74.00	-17.28	17.64	3	Horizontal	64	1.72	-	39.08	38.65	13.28	34.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TX




23/05/2022

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	50.02	68.20	-18.18	10.13	3	Vertical	55	1.75	-	39.89	34.10	10.24	34.21
AV	5.8896G	50.02	68.20	-18.18	10.14	3	Vertical	55	1.75	-	39.88	34.10	10.25	34.21
AV	6.1692G	92.90	Inf	-Inf	10.37	3	Vertical	55	1.75	-	82.53	34.10	10.50	34.23
PK	5.886G	61.55	88.20	-26.65	10.13	3	Vertical	55	1.75	-	51.42	34.10	10.24	34.21
PK	6.1788G	105.44	Inf	-Inf	10.38	3	Vertical	55	1.75	-	95.06	34.10	10.51	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6165MHz_TX



22/05/2022


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9196G	50.06	68.20	-18.14	10.23	3	Horizontal	56	2.14	-	39.83	34.18	10.27	34.22
AV	6.1506G	99.38	Inf	-Inf	10.35	3	Horizontal	56	2.14	-	89.03	34.10	10.48	34.23
PK	5.8902G	61.83	88.20	-26.37	10.14	3	Horizontal	56	2.14	-	51.69	34.10	10.25	34.21
PK	6.1524G	110.87	Inf	-Inf	10.35	3	Horizontal	56	2.14	-	100.52	34.10	10.48	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33513G	43.97	54.00	-10.03	18.20	3	Vertical	134	2.51	-	25.77	38.84	13.52	34.16
PK	12.31764G	56.83	74.00	-17.17	18.16	3	Vertical	134	2.51	-	38.67	38.82	13.51	34.17


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34356G	43.99	54.00	-10.01	18.20	3	Horizontal	81	1.39	-	25.79	38.84	13.52	34.16
PK	12.33897G	56.79	74.00	-17.21	18.20	3	Horizontal	81	1.39	-	38.59	38.84	13.52	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8578G	50.03	68.20	-18.17	10.11	3	Vertical	56	1.47	-	39.92	34.10	10.22	34.21
AV	6.387G	93.11	Inf	-Inf	11.03	3	Vertical	56	1.47	-	82.08	34.65	10.63	34.25
PK	5.8326G	62.09	88.20	-26.11	9.99	3	Vertical	56	1.47	-	52.10	34.00	10.20	34.21
PK	6.3894G	103.97	Inf	-Inf	11.04	3	Vertical	56	1.47	-	92.93	34.66	10.63	34.25


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8806G	50.13	68.20	-18.07	10.13	3	Horizontal	65	1.32	-	40.00	34.10	10.24	34.21
AV	6.4002G	99.85	Inf	-Inf	11.09	3	Horizontal	65	1.32	-	88.76	34.70	10.64	34.25
PK	5.8722G	62.04	88.20	-26.16	10.12	3	Horizontal	65	1.32	-	51.92	34.10	10.23	34.21
PK	6.4038G	111.37	Inf	-Inf	11.11	3	Horizontal	65	1.32	-	100.26	34.72	10.64	34.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82134G	44.93	68.20	-23.27	19.94	3	Vertical	343	1.53	-	24.99	39.60	13.82	33.48
PK	12.80058G	57.79	88.20	-30.41	19.89	3	Vertical	343	1.53	-	37.90	39.60	13.80	33.51


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82413G	44.95	68.20	-23.25	19.95	3	Horizontal	301	1.88	-	25.00	39.60	13.82	33.47
PK	12.82134G	58.26	88.20	-29.94	19.94	3	Horizontal	301	1.88	-	38.32	39.60	13.82	33.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8498G	49.99	68.20	-18.21	10.11	3	Vertical	38	2.96	-	39.88	34.10	10.22	34.21
AV	6.4618G	86.87	Inf	-Inf	11.39	3	Vertical	38	2.96	-	75.48	34.97	10.68	34.26
PK	5.8846G	62.21	88.20	-25.99	10.13	3	Vertical	38	2.96	-	52.08	34.10	10.24	34.21
PK	6.4606G	96.93	Inf	-Inf	11.38	3	Vertical	38	2.96	-	85.55	34.96	10.68	34.26


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	50.00	68.20	-18.20	10.12	3	Horizontal	68	1.69	-	39.88	34.10	10.23	34.21
AV	6.4558G	100.43	Inf	-Inf	11.35	3	Horizontal	68	1.69	-	89.08	34.93	10.68	34.26
PK	5.9038G	61.66	88.20	-26.54	10.17	3	Horizontal	68	1.69	-	51.49	34.12	10.26	34.21
PK	6.4558G	111.55	Inf	-Inf	11.35	3	Horizontal	68	1.69	-	100.20	34.93	10.68	34.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89735G	44.72	68.20	-23.48	20.13	3	Vertical	253	1.60	-	24.59	39.60	13.86	33.33
PK	12.89282G	58.80	88.20	-29.40	20.12	3	Vertical	253	1.60	-	38.68	39.60	13.86	33.34


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.90284G	44.75	68.20	-23.45	20.16	3	Horizontal	132	2.57	-	24.59	39.61	13.87	33.32
PK	12.88595G	57.61	88.20	-30.59	20.10	3	Horizontal	132	2.57	-	37.51	39.60	13.85	33.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	49.85	68.20	-18.35	10.13	3	Vertical	46	2.84	-	39.72	34.10	10.24	34.21
AV	6.4682G	91.51	Inf	-Inf	11.43	3	Vertical	46	2.84	-	80.08	35.01	10.68	34.26
AV	7.1626G	53.50	68.20	-14.70	13.33	3	Vertical	46	2.84	-	40.17	36.57	11.27	34.51
PK	5.8662G	62.00	88.20	-26.20	10.12	3	Vertical	46	2.84	-	51.88	34.10	10.23	34.21
PK	6.4794G	101.86	Inf	-Inf	11.51	3	Vertical	46	2.84	-	90.35	35.08	10.69	34.26
PK	7.1416G	64.64	88.20	-23.56	13.26	3	Vertical	46	2.84	-	51.38	36.53	11.25	34.52


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	49.91	68.20	-18.29	10.13	3	Horizontal	67	1.57	-	39.78	34.10	10.24	34.21
AV	6.4808G	100.49	Inf	-Inf	11.51	3	Horizontal	67	1.57	-	88.98	35.08	10.69	34.26
AV	7.1528G	53.56	68.20	-14.64	13.34	3	Horizontal	67	1.57	-	40.22	36.59	11.26	34.51
PK	5.8788G	61.27	88.20	-26.93	10.13	3	Horizontal	67	1.57	-	51.14	34.10	10.24	34.21
PK	6.478G	110.66	Inf	-Inf	11.50	3	Horizontal	67	1.57	-	99.16	35.07	10.69	34.26
PK	7.1822G	65.82	88.20	-22.38	13.31	3	Horizontal	67	1.57	-	52.51	36.54	11.28	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98464G	45.19	68.20	-23.01	20.52	3	Vertical	32	2.61	-	24.67	39.77	13.92	33.17
PK	12.9685G	57.83	88.20	-30.37	20.45	3	Vertical	32	2.61	-	37.38	39.74	13.91	33.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98131G	45.13	68.20	-23.07	20.49	3	Horizontal	12	1.49	-	24.64	39.76	13.91	33.18
PK	12.98473G	58.16	88.20	-30.04	20.52	3	Horizontal	12	1.49	-	37.64	39.77	13.92	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	49.85	68.20	-18.35	10.12	3	Vertical	332	2.92	-	39.73	34.10	10.23	34.21
AV	6.532G	96.32	Inf	-Inf	11.71	3	Vertical	332	2.92	-	84.61	35.26	10.73	34.28
AV	7.1578G	53.58	68.20	-14.62	13.33	3	Vertical	332	2.92	-	40.25	36.58	11.26	34.51
PK	5.8656G	61.72	88.20	-26.48	10.12	3	Vertical	332	2.92	-	51.60	34.10	10.23	34.21
PK	6.5306G	108.05	Inf	-Inf	11.70	3	Vertical	332	2.92	-	96.35	35.26	10.72	34.28
PK	7.1858G	64.44	88.20	-23.76	13.31	3	Vertical	332	2.92	-	51.13	36.53	11.29	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9146G	49.88	68.20	-18.32	10.22	3	Horizontal	70	1.00	-	39.66	34.16	10.27	34.21
AV	6.511G	100.39	Inf	-Inf	11.66	3	Horizontal	70	1.00	-	88.73	35.22	10.71	34.27
AV	7.1998G	53.57	68.20	-14.63	13.29	3	Horizontal	70	1.00	-	40.28	36.50	11.30	34.51
PK	5.8586G	62.96	88.20	-25.24	10.11	3	Horizontal	70	1.00	-	52.85	34.10	10.22	34.21
PK	6.5124G	112.05	Inf	-Inf	11.66	3	Horizontal	70	1.00	-	100.39	35.22	10.71	34.27
PK	7.1788G	64.56	88.20	-23.64	13.31	3	Horizontal	70	1.00	-	51.25	36.54	11.28	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03908G	45.18	68.20	-23.02	20.63	3	Vertical	68	1.02	-	24.55	39.76	13.95	33.08
PK	13.04097G	59.07	88.20	-29.13	20.64	3	Vertical	68	1.02	-	38.43	39.76	13.95	33.07


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04427G	45.16	68.20	-23.04	20.64	3	Horizontal	59	1.13	-	24.52	39.76	13.95	33.07
PK	13.03959G	58.47	88.20	-29.73	20.63	3	Horizontal	59	1.13	-	37.84	39.76	13.95	33.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5554G	93.15	Inf	-Inf	11.78	3	Vertical	41	3.00	-	81.37	35.33	10.74	34.29
AV	7.1554G	53.48	68.20	-14.72	13.34	3	Vertical	41	3.00	-	40.14	36.59	11.26	34.51
PK	6.5554G	103.85	Inf	-Inf	11.78	3	Vertical	41	3.00	-	92.07	35.33	10.74	34.29
PK	7.1266G	65.89	88.20	-22.31	13.13	3	Vertical	41	3.00	-	52.76	36.41	11.24	34.52


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5566G	100.03	Inf	-Inf	11.79	3	Horizontal	57	1.50	-	88.24	35.34	10.74	34.29
AV	7.1506G	53.60	68.20	-14.60	13.35	3	Horizontal	57	1.50	-	40.25	36.60	11.26	34.51
PK	6.5554G	111.48	Inf	-Inf	11.78	3	Horizontal	57	1.50	-	99.70	35.33	10.74	34.29
PK	7.1506G	65.19	88.20	-23.01	13.35	3	Horizontal	57	1.50	-	51.84	36.60	11.26	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13048G	45.26	68.20	-22.94	20.78	3	Vertical	232	1.08	-	24.48	39.70	14.01	32.93
PK	13.12499G	58.07	88.20	-30.13	20.76	3	Vertical	232	1.08	-	37.31	39.70	14.00	32.94


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.14311G	45.25	68.20	-22.95	20.80	3	Horizontal	91	2.59	-	24.45	39.70	14.01	32.91
PK	13.12271G	57.99	88.20	-30.21	20.76	3	Horizontal	91	2.59	-	37.23	39.70	14.00	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.682G	90.80	Inf	-Inf	12.32	3	Vertical	313	2.36	-	78.48	35.83	10.85	34.36
AV	7.158G	53.49	68.20	-14.71	13.33	3	Vertical	313	2.36	-	40.16	36.58	11.26	34.51
PK	6.676G	101.39	Inf	-Inf	12.28	3	Vertical	313	2.36	-	89.11	35.80	10.84	34.36
PK	7.142G	64.73	88.20	-23.47	13.27	3	Vertical	313	2.36	-	51.46	36.54	11.25	34.52


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.68G	99.51	Inf	-Inf	12.31	3	Horizontal	72	1.21	-	87.20	35.82	10.85	34.36
AV	7.154G	53.45	68.20	-14.75	13.34	3	Horizontal	72	1.21	-	40.11	36.59	11.26	34.51
PK	6.692G	111.57	Inf	-Inf	12.37	3	Horizontal	72	1.21	-	99.20	35.87	10.86	34.36
PK	7.171G	64.91	88.20	-23.29	13.33	3	Horizontal	72	1.21	-	51.58	36.56	11.28	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37405G	46.05	54.00	-7.95	21.65	3	Vertical	168	1.21	-	24.40	40.02	14.16	32.53
PK	13.37411G	58.37	74.00	-15.63	21.65	3	Vertical	168	1.21	-	36.72	40.02	14.16	32.53


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37645G	46.02	54.00	-7.98	21.67	3	Horizontal	197	2.27	-	24.35	40.03	14.16	32.52
PK	13.36391G	59.20	74.00	-14.80	21.60	3	Horizontal	197	2.27	-	37.60	39.99	14.15	32.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8499G	91.57	Inf	-Inf	12.25	3	Vertical	321	2.63	-	79.32	35.70	11.00	34.45
AV	7.1579G	53.58	68.20	-14.62	13.33	3	Vertical	321	2.63	-	40.25	36.58	11.26	34.51
PK	6.8513G	103.25	Inf	-Inf	12.25	3	Vertical	321	2.63	-	91.00	35.70	11.00	34.45
PK	7.1474G	65.14	88.20	-23.06	13.32	3	Vertical	321	2.63	-	51.82	36.58	11.26	34.52


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.852G	99.46	Inf	-Inf	12.25	3	Horizontal	60	1.50	-	87.21	35.70	11.00	34.45
AV	7.1516G	53.53	68.20	-14.67	13.35	3	Horizontal	60	1.50	-	40.18	36.60	11.26	34.51
PK	6.8527G	111.33	Inf	-Inf	12.25	3	Horizontal	60	1.50	-	99.08	35.70	11.00	34.45
PK	7.1642G	65.43	88.20	-22.77	13.33	3	Horizontal	60	1.50	-	52.10	36.57	11.27	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68538G	50.07	68.20	-18.13	21.69	3	Vertical	270	2.74	-	28.38	39.74	14.35	32.40
PK	13.70089G	63.45	88.20	-24.75	21.65	3	Vertical	270	2.74	-	41.80	39.70	14.36	32.41


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.6996G	50.09	68.20	-18.11	21.65	3	Horizontal	76	1.28	-	28.44	39.70	14.36	32.41
PK	13.69438G	63.21	88.20	-24.99	21.66	3	Horizontal	76	1.28	-	41.55	39.72	14.35	32.41

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8752G	90.94	Inf	-Inf	12.26	3	Vertical	306	2.98	-	78.68	35.70	11.02	34.46
AV	7.1846G	53.43	68.20	-14.77	13.31	3	Vertical	306	2.98	-	40.12	36.53	11.29	34.51
PK	6.8759G	101.88	Inf	-Inf	12.26	3	Vertical	306	2.98	-	89.62	35.70	11.02	34.46
PK	7.1748G	66.17	88.20	-22.03	13.32	3	Vertical	306	2.98	-	52.85	36.55	11.28	34.51


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8773G	99.41	Inf	-Inf	12.27	3	Horizontal	61	1.55	-	87.14	35.70	11.03	34.46
AV	7.179G	53.66	68.20	-14.54	13.31	3	Horizontal	61	1.55	-	40.35	36.54	11.28	34.51
PK	6.8738G	111.27	Inf	-Inf	12.26	3	Horizontal	61	1.55	-	99.01	35.70	11.02	34.46
PK	7.1685G	65.78	88.20	-22.42	13.32	3	Horizontal	61	1.55	-	52.46	36.56	11.27	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76193G	50.41	68.20	-17.79	21.65	3	Vertical	306	2.96	-	28.76	39.70	14.39	32.44
PK	13.76874G	63.96	88.20	-24.24	21.66	3	Vertical	306	2.96	-	42.30	39.70	14.40	32.44


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7787G	50.43	68.20	-17.77	21.66	3	Horizontal	301	1.73	-	28.77	39.70	14.40	32.44
PK	13.76607G	63.44	88.20	-24.76	21.66	3	Horizontal	301	1.73	-	41.78	39.70	14.40	32.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9105G	88.88	Inf	-Inf	12.27	3	Vertical	303	1.48	-	76.61	35.70	11.05	34.48
AV	7.1465G	53.52	68.20	-14.68	13.30	3	Vertical	303	1.48	-	40.22	36.57	11.25	34.52
PK	6.9315G	100.67	Inf	-Inf	12.28	3	Vertical	303	1.48	-	88.39	35.70	11.07	34.49
PK	7.1595G	65.15	88.20	-23.05	13.34	3	Vertical	303	1.48	-	51.81	36.58	11.27	34.51


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.934G	100.20	Inf	-Inf	12.28	3	Horizontal	67	1.58	-	87.92	35.70	11.07	34.49
AV	7.1565G	53.57	68.20	-14.63	13.34	3	Horizontal	67	1.58	-	40.23	36.59	11.26	34.51
PK	6.9355G	111.31	Inf	-Inf	12.28	3	Horizontal	67	1.58	-	99.03	35.70	11.08	34.50
PK	7.175G	65.55	88.20	-22.65	13.32	3	Horizontal	67	1.58	-	52.23	36.55	11.28	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84991G	51.30	68.20	-16.90	21.68	3	Vertical	210	2.16	-	29.62	39.70	14.45	32.47
PK	13.84985G	64.05	88.20	-24.15	21.68	3	Vertical	210	2.16	-	42.37	39.70	14.45	32.47


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.84703G	51.37	68.20	-16.83	21.68	3	Horizontal	67	2.97	-	29.69	39.70	14.45	32.47
PK	13.84415G	64.20	88.20	-24.00	21.67	3	Horizontal	67	2.97	-	42.53	39.70	14.44	32.47

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9876G	88.54	Inf	-Inf	12.30	3	Vertical	60	1.52	-	76.24	35.70	11.12	34.52
AV	7.1544G	53.61	68.20	-14.59	13.34	3	Vertical	60	1.52	-	40.27	36.59	11.26	34.51
PK	7.0188G	102.29	Inf	-Inf	12.43	3	Vertical	60	1.52	-	89.86	35.81	11.15	34.53
PK	7.1541G	65.33	88.20	-22.87	13.34	3	Vertical	60	1.52	-	51.99	36.59	11.26	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9876G	100.02	Inf	-Inf	12.30	3	Horizontal	65	1.50	-	87.72	35.70	11.12	34.52
AV	7.1526G	53.71	68.20	-14.49	13.34	3	Horizontal	65	1.50	-	40.37	36.59	11.26	34.51
PK	6.9897G	111.19	Inf	-Inf	12.30	3	Horizontal	65	1.50	-	98.89	35.70	11.12	34.52
PK	7.1259G	65.73	88.20	-22.47	13.13	3	Horizontal	65	1.50	-	52.60	36.41	11.24	34.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00172G	51.04	68.20	-17.16	21.81	3	Vertical	324	2.20	-	29.23	39.81	14.54	32.54
PK	14.00766G	63.84	88.20	-24.36	21.82	3	Vertical	324	2.20	-	42.02	39.82	14.55	32.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00184G	51.06	68.20	-17.14	21.81	3	Horizontal	245	1.79	-	29.25	39.81	14.54	32.54
PK	14.00274G	63.72	88.20	-24.48	21.81	3	Horizontal	245	1.79	-	41.91	39.81	14.54	32.54

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0793G	90.00	Inf	-Inf	12.80	3	Vertical	65	1.74	-	77.20	36.12	11.20	34.52
AV	7.1675G	53.54	68.20	-14.66	13.33	3	Vertical	65	1.74	-	40.21	36.57	11.27	34.51
PK	7.0778G	101.75	Inf	-Inf	12.79	3	Vertical	65	1.74	-	88.96	36.11	11.20	34.52
PK	7.2323G	67.58	88.20	-20.62	13.43	3	Vertical	65	1.74	-	54.15	36.63	11.31	34.51


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0796G	99.70	Inf	-Inf	12.80	3	Horizontal	69	1.57	-	86.90	36.12	11.20	34.52
AV	7.145G	53.85	68.20	-14.35	13.29	3	Horizontal	69	1.57	-	40.56	36.56	11.25	34.52
PK	7.0787G	110.77	Inf	-Inf	12.79	3	Horizontal	69	1.57	-	97.98	36.11	11.20	34.52
PK	7.1561G	65.93	88.20	-22.27	13.34	3	Horizontal	69	1.57	-	52.59	36.59	11.26	34.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15506G	50.72	68.20	-17.48	22.01	3	Vertical	191	2.30	-	28.71	40.10	14.65	32.74
PK	14.17642G	64.19	88.20	-24.01	22.01	3	Vertical	191	2.30	-	42.18	40.10	14.67	32.76


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17183G	50.65	68.20	-17.55	22.01	3	Horizontal	347	2.58	-	28.64	40.10	14.67	32.76
PK	14.1646G	64.09	88.20	-24.11	22.01	3	Horizontal	347	2.58	-	42.08	40.10	14.66	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	52.20	68.20	-16.00	10.25	3	Vertical	54	1.83	-	41.95	34.20	10.27	34.22
AV	5.9946G	94.87	Inf	-Inf	10.14	3	Vertical	54	1.83	-	84.73	34.03	10.33	34.22
PK	5.9148G	64.25	88.20	-23.95	10.22	3	Vertical	54	1.83	-	54.03	34.16	10.27	34.21
PK	6.0003G	106.80	Inf	-Inf	10.11	3	Vertical	54	1.83	-	96.69	34.00	10.33	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9247G	54.76	68.20	-13.44	10.25	3	Horizontal	60	1.50	-	44.51	34.20	10.27	34.22
AV	5.982G	100.29	Inf	-Inf	10.21	3	Horizontal	60	1.50	-	90.08	34.11	10.32	34.22
PK	5.9244G	70.05	88.20	-18.15	10.25	3	Horizontal	60	1.50	-	59.80	34.20	10.27	34.22
PK	5.961G	114.76	Inf	-Inf	10.31	3	Horizontal	60	1.50	-	104.45	34.23	10.30	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.96196G	43.00	54.00	-11.00	17.71	3	Vertical	3	2.33	-	25.29	38.72	13.30	34.31
PK	11.97513G	56.32	74.00	-17.68	17.73	3	Vertical	3	2.33	-	38.59	38.75	13.30	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.95617G	42.96	54.00	-11.04	17.69	3	Horizontal	110	2.98	-	25.27	38.71	13.29	34.31
PK	11.97528G	55.77	74.00	-18.23	17.73	3	Horizontal	110	2.98	-	38.04	38.75	13.30	34.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.92G	49.85	68.20	-18.35	10.23	3	Vertical	57	1.68	-	39.62	34.18	10.27	34.22
AV	6.1365G	92.24	Inf	-Inf	10.34	3	Vertical	57	1.68	-	81.90	34.10	10.47	34.23
PK	5.9215G	61.50	88.20	-26.70	10.24	3	Vertical	57	1.68	-	51.26	34.19	10.27	34.22
PK	6.14G	105.41	Inf	-Inf	10.34	3	Vertical	57	1.68	-	95.07	34.10	10.47	34.23


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.922G	50.05	68.20	-18.15	10.24	3	Horizontal	56	2.65	-	39.81	34.19	10.27	34.22
AV	6.154G	100.33	Inf	-Inf	10.35	3	Horizontal	56	2.65	-	89.98	34.10	10.48	34.23
PK	5.9245G	61.55	88.20	-26.65	10.25	3	Horizontal	56	2.65	-	51.30	34.20	10.27	34.22
PK	6.154G	111.96	Inf	-Inf	10.35	3	Horizontal	56	2.65	-	101.61	34.10	10.48	34.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28664G	43.77	54.00	-10.23	18.13	3	Vertical	347	2.77	-	25.64	38.83	13.49	34.19
PK	12.29378G	57.07	74.00	-16.93	18.12	3	Vertical	347	2.77	-	38.95	38.81	13.49	34.18


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.28652G	43.80	54.00	-10.20	18.13	3	Horizontal	99	2.28	-	25.67	38.83	13.49	34.19
PK	12.2888G	56.84	74.00	-17.16	18.12	3	Horizontal	99	2.28	-	38.72	38.82	13.49	34.19

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.886G	49.90	68.20	-18.30	10.13	3	Vertical	316	1.50	-	39.77	34.10	10.24	34.21
AV	6.393G	90.45	Inf	-Inf	11.06	3	Vertical	316	1.50	-	79.39	34.67	10.64	34.25
PK	5.885G	61.57	88.20	-26.63	10.13	3	Vertical	316	1.50	-	51.44	34.10	10.24	34.21
PK	6.393G	100.73	Inf	-Inf	11.06	3	Vertical	316	1.50	-	89.67	34.67	10.64	34.25


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.912G	49.95	68.20	-18.25	10.20	3	Horizontal	66	1.61	-	39.75	34.15	10.26	34.21
AV	6.383G	100.18	Inf	-Inf	11.01	3	Horizontal	66	1.61	-	89.17	34.63	10.63	34.25
PK	5.888G	62.45	88.20	-25.75	10.14	3	Horizontal	66	1.61	-	52.31	34.10	10.25	34.21
PK	6.382G	110.50	Inf	-Inf	11.01	3	Horizontal	66	1.61	-	99.49	34.63	10.63	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.7838G	44.58	68.20	-23.62	19.78	3	Vertical	27	2.88	-	24.80	39.54	13.79	33.55
PK	12.76769G	57.58	88.20	-30.62	19.67	3	Vertical	27	2.88	-	37.91	39.47	13.78	33.58


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6385MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.78071G	44.59	68.20	-23.61	19.76	3	Horizontal	203	1.49	-	24.83	39.52	13.79	33.55
PK	12.76157G	57.39	88.20	-30.81	19.64	3	Horizontal	203	1.49	-	37.75	39.45	13.78	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.883G	49.83	68.20	-18.37	10.13	3	Vertical	340	2.88	-	39.70	34.10	10.24	34.21
AV	6.4554G	97.17	Inf	-Inf	11.35	3	Vertical	340	2.88	-	85.82	34.93	10.68	34.26
PK	5.8674G	62.34	88.20	-25.86	10.12	3	Vertical	340	2.88	-	52.22	34.10	10.23	34.21
PK	6.453G	109.46	Inf	-Inf	11.33	3	Vertical	340	2.88	-	98.13	34.92	10.67	34.26


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8686G	49.89	68.20	-18.31	10.12	3	Horizontal	66	1.58	-	39.77	34.10	10.23	34.21
AV	6.4818G	100.26	Inf	-Inf	11.52	3	Horizontal	66	1.58	-	88.74	35.09	10.69	34.26
PK	5.8806G	60.97	88.20	-27.23	10.13	3	Horizontal	66	1.58	-	50.84	34.10	10.24	34.21
PK	6.4818G	111.12	Inf	-Inf	11.52	3	Horizontal	66	1.58	-	99.60	35.09	10.69	34.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9378G	44.91	68.20	-23.29	20.31	3	Vertical	17	1.24	-	24.60	39.68	13.89	33.26
PK	12.93207G	57.95	88.20	-30.25	20.27	3	Vertical	17	1.24	-	37.68	39.66	13.88	33.27


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6465MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94083G	44.90	68.20	-23.30	20.32	3	Horizontal	326	1.07	-	24.58	39.68	13.89	33.25
PK	12.91509G	58.05	88.20	-30.15	20.20	3	Horizontal	326	1.07	-	37.85	39.63	13.87	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	49.90	68.20	-18.30	10.19	3	Vertical	319	2.98	-	39.71	34.14	10.26	34.21
AV	6.5338G	94.68	Inf	-Inf	11.72	3	Vertical	319	2.98	-	82.96	35.27	10.73	34.28
AV	7.1806G	53.45	68.20	-14.75	13.31	3	Vertical	319	2.98	-	40.14	36.54	11.28	34.51
PK	5.9192G	61.57	88.20	-26.63	10.23	3	Vertical	319	2.98	-	51.34	34.18	10.27	34.22
PK	6.5366G	105.49	Inf	-Inf	11.72	3	Vertical	319	2.98	-	93.77	35.27	10.73	34.28
PK	7.1596G	65.34	88.20	-22.86	13.34	3	Vertical	319	2.98	-	52.00	36.58	11.27	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.866G	49.92	68.20	-18.28	10.12	3	Horizontal	62	1.42	-	39.80	34.10	10.23	34.21
AV	6.5576G	99.88	Inf	-Inf	11.80	3	Horizontal	62	1.42	-	88.08	35.35	10.74	34.29
AV	7.1596G	53.55	68.20	-14.65	13.34	3	Horizontal	62	1.42	-	40.21	36.58	11.27	34.51
PK	5.8996G	62.28	88.20	-25.92	10.14	3	Horizontal	62	1.42	-	52.14	34.10	10.25	34.21
PK	6.5604G	109.93	Inf	-Inf	11.81	3	Horizontal	62	1.42	-	98.12	35.36	10.74	34.29
PK	7.161G	64.87	88.20	-23.33	13.34	3	Horizontal	62	1.42	-	51.53	36.58	11.27	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10137G	45.31	68.20	-22.89	20.72	3	Vertical	260	2.80	-	24.59	39.70	13.99	32.97
PK	13.08343G	58.28	88.20	-29.92	20.70	3	Vertical	260	2.80	-	37.58	39.72	13.98	33.00


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6545MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.10029G	45.31	68.20	-22.89	20.71	3	Horizontal	326	2.14	-	24.60	39.70	13.99	32.98
PK	13.09585G	58.31	88.20	-29.89	20.70	3	Horizontal	326	2.14	-	37.61	39.70	13.98	32.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5926G	90.32	Inf	-Inf	12.02	3	Vertical	47	2.85	-	78.30	35.56	10.77	34.31
AV	7.1554G	53.48	68.20	-14.72	13.34	3	Vertical	47	2.85	-	40.14	36.59	11.26	34.51
PK	6.5926G	101.92	Inf	-Inf	12.02	3	Vertical	47	2.85	-	89.90	35.56	10.77	34.31
PK	7.2238G	65.19	88.20	-23.01	13.39	3	Vertical	47	2.85	-	51.80	36.60	11.30	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5878G	99.84	Inf	-Inf	11.98	3	Horizontal	62	1.50	-	87.86	35.53	10.76	34.31
AV	7.1662G	53.54	68.20	-14.66	13.33	3	Horizontal	62	1.50	-	40.21	36.57	11.27	34.51
PK	6.589G	110.42	Inf	-Inf	11.98	3	Horizontal	62	1.50	-	98.44	35.53	10.76	34.31
PK	7.1818G	65.63	88.20	-22.57	13.31	3	Horizontal	62	1.50	-	52.32	36.54	11.28	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.25801G	45.60	54.00	-8.40	21.12	3	Vertical	146	2.66	-	24.48	39.76	14.08	32.72
PK	13.26338G	58.99	74.00	-15.01	21.14	3	Vertical	146	2.66	-	37.85	39.76	14.09	32.71


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6625MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.23848G	45.60	68.20	-22.60	21.06	3	Horizontal	298	2.72	-	24.54	39.74	14.07	32.75
PK	13.25363G	58.82	74.00	-15.18	21.11	3	Horizontal	298	2.72	-	37.71	39.75	14.08	32.72

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.71G	89.38	Inf	-Inf	12.38	3	Vertical	308	3.00	-	77.00	35.88	10.87	34.37
AV	7.153G	53.52	68.20	-14.68	13.34	3	Vertical	308	3.00	-	40.18	36.59	11.26	34.51
PK	6.742G	101.57	Inf	-Inf	12.33	3	Vertical	308	3.00	-	89.24	35.82	10.90	34.39
PK	7.189G	65.85	88.20	-22.35	13.30	3	Vertical	308	3.00	-	52.55	36.52	11.29	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.733G	99.48	Inf	-Inf	12.34	3	Horizontal	66	1.49	-	87.14	35.83	10.90	34.39
AV	7.15G	53.58	68.20	-14.62	13.34	3	Horizontal	66	1.49	-	40.24	36.60	11.26	34.52
PK	6.708G	109.94	Inf	-Inf	12.38	3	Horizontal	66	1.49	-	97.56	35.88	10.87	34.37
PK	7.169G	65.40	88.20	-22.80	13.32	3	Horizontal	66	1.49	-	52.08	36.56	11.27	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39605G	45.95	54.00	-8.05	21.77	3	Vertical	45	1.73	-	24.18	40.09	14.17	32.49
PK	13.41285G	58.66	88.20	-29.54	21.83	3	Vertical	45	1.73	-	36.83	40.11	14.18	32.46


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6705MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39791G	45.96	54.00	-8.04	21.77	3	Horizontal	144	2.99	-	24.19	40.09	14.17	32.49
PK	13.3962G	58.75	74.00	-15.25	21.77	3	Horizontal	144	2.99	-	36.98	40.09	14.17	32.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8147G	87.59	Inf	-Inf	12.38	3	Vertical	296	3.00	-	75.21	35.84	10.97	34.43
AV	7.1612G	53.52	68.20	-14.68	13.34	3	Vertical	296	3.00	-	40.18	36.58	11.27	34.51
PK	6.8147G	98.66	Inf	-Inf	12.38	3	Vertical	296	3.00	-	86.28	35.84	10.97	34.43
PK	7.199G	65.92	88.20	-22.28	13.29	3	Vertical	296	3.00	-	52.63	36.50	11.30	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7652G	99.42	Inf	-Inf	12.36	3	Horizontal	60	1.50	-	87.06	35.83	10.93	34.40
AV	7.1531G	53.70	68.20	-14.50	13.34	3	Horizontal	60	1.50	-	40.36	36.59	11.26	34.51
PK	6.7616G	110.24	Inf	-Inf	12.34	3	Horizontal	60	1.50	-	97.90	35.82	10.92	34.40
PK	7.1342G	65.31	88.20	-22.89	13.19	3	Horizontal	60	1.50	-	52.12	36.47	11.24	34.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.55587G	45.85	68.20	-22.35	22.02	3	Vertical	322	1.99	-	23.83	40.09	14.27	32.34
PK	13.57063G	59.05	88.20	-29.15	21.99	3	Vertical	322	1.99	-	37.06	40.06	14.28	32.35


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.55599G	45.86	68.20	-22.34	22.02	3	Horizontal	292	1.38	-	23.84	40.09	14.27	32.34
PK	13.58212G	58.70	88.20	-29.50	21.96	3	Horizontal	292	1.38	-	36.74	40.04	14.28	32.36

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.879G	90.57	Inf	-Inf	12.27	3	Vertical	310	2.22	-	78.30	35.70	11.03	34.46
AV	7.1513G	53.53	68.20	-14.67	13.35	3	Vertical	310	2.22	-	40.18	36.60	11.26	34.51
PK	6.879G	102.94	Inf	-Inf	12.27	3	Vertical	310	2.22	-	90.67	35.70	11.03	34.46
PK	7.1884G	64.85	88.20	-23.35	13.30	3	Vertical	310	2.22	-	51.55	36.52	11.29	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8545G	99.90	Inf	-Inf	12.26	3	Horizontal	62	1.47	-	87.64	35.70	11.01	34.45
AV	7.159G	53.66	68.20	-14.54	13.34	3	Horizontal	62	1.47	-	40.32	36.58	11.27	34.51
PK	6.8552G	112.10	Inf	-Inf	12.26	3	Horizontal	62	1.47	-	99.84	35.70	11.01	34.45
PK	7.1555G	65.72	88.20	-22.48	13.34	3	Horizontal	62	1.47	-	52.38	36.59	11.26	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.745G	50.28	68.20	-17.92	21.65	3	Vertical	296	2.33	-	28.63	39.70	14.38	32.43
PK	13.7408G	63.10	88.20	-25.10	21.65	3	Vertical	296	2.33	-	41.45	39.70	14.38	32.43

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6865MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.73195G	50.30	68.20	-17.90	21.66	3	Horizontal	189	1.73	-	28.64	39.70	14.38	32.42
PK	13.73321G	63.83	88.20	-24.37	21.66	3	Horizontal	189	1.73	-	42.17	39.70	14.38	32.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.913G	89.28	Inf	-Inf	12.28	3	Vertical	302	1.50	-	77.00	35.70	11.06	34.48
AV	7.188G	53.56	68.20	-14.64	13.30	3	Vertical	302	1.50	-	40.26	36.52	11.29	34.51
PK	6.9495G	99.90	Inf	-Inf	12.29	3	Vertical	302	1.50	-	87.61	35.70	11.09	34.50
PK	7.152G	66.41	88.20	-21.79	13.35	3	Vertical	302	1.50	-	53.06	36.60	11.26	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9365G	100.50	Inf	-Inf	12.28	3	Horizontal	64	1.49	-	88.22	35.70	11.08	34.50
AV	7.153G	53.77	68.20	-14.43	13.34	3	Horizontal	64	1.49	-	40.43	36.59	11.26	34.51
PK	6.9325G	113.11	Inf	-Inf	12.28	3	Horizontal	64	1.49	-	100.83	35.70	11.07	34.49
PK	7.146G	65.89	88.20	-22.31	13.30	3	Horizontal	64	1.49	-	52.59	36.57	11.25	34.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.88148G	51.17	68.20	-17.03	21.68	3	Vertical	178	1.57	-	29.49	39.70	14.47	32.49
PK	13.8792G	64.51	88.20	-23.69	21.68	3	Vertical	178	1.57	-	42.83	39.70	14.47	32.49


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
6945MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.90476G	51.12	68.20	-17.08	21.68	3	Horizontal	268	1.27	-	29.44	39.70	14.48	32.50
PK	13.89063G	64.00	88.20	-24.20	21.68	3	Horizontal	268	1.27	-	42.32	39.70	14.47	32.49

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0313G	89.73	Inf	-Inf	12.52	3	Vertical	300	1.50	-	77.21	35.89	11.16	34.53
AV	7.1432G	53.62	68.20	-14.58	13.28	3	Vertical	300	1.50	-	40.34	36.55	11.25	34.52
PK	6.9941G	104.02	Inf	-Inf	12.29	3	Vertical	300	1.50	-	91.73	35.70	11.12	34.53
PK	7.1609G	65.83	88.20	-22.37	13.34	3	Vertical	300	1.50	-	52.49	36.58	11.27	34.51


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0325G	100.59	Inf	-Inf	12.53	3	Horizontal	65	1.68	-	88.06	35.90	11.16	34.53
AV	7.148G	54.37	68.20	-13.83	13.32	3	Horizontal	65	1.68	-	41.05	36.58	11.26	34.52
PK	6.9896G	114.84	Inf	-Inf	12.30	3	Horizontal	65	1.68	-	102.54	35.70	11.12	34.52
PK	7.1483G	66.30	88.20	-21.90	13.33	3	Horizontal	65	1.68	-	52.97	36.59	11.26	34.52

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.05492G	50.93	68.20	-17.27	21.93	3	Vertical	315	2.67	-	29.00	39.96	14.58	32.61
PK	14.04034G	63.85	88.20	-24.35	21.90	3	Vertical	315	2.67	-	41.95	39.92	14.57	32.59


802.11ax HEW80-BF_Nss1,(MCS0)_2TX
7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.06053G	50.97	68.20	-17.23	21.94	3	Horizontal	121	1.12	-	29.03	39.98	14.58	32.62
PK	14.04658G	64.72	88.20	-23.48	21.91	3	Horizontal	121	1.12	-	42.81	39.94	14.57	32.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	61.66	68.20	-6.54	10.25	3	Vertical	333	3.00	-	51.41	34.20	10.27	34.22
AV	6.0292G	97.64	Inf	-Inf	10.26	3	Vertical	333	3.00	-	87.38	34.12	10.36	34.22
PK	5.917G	78.56	88.20	-9.64	10.22	3	Vertical	333	3.00	-	68.34	34.17	10.27	34.22
PK	5.9818G	108.51	Inf	-Inf	10.21	3	Vertical	333	3.00	-	98.30	34.11	10.32	34.22


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	65.02	68.20	-3.18	10.25	3	Horizontal	294	1.65	-	54.77	34.20	10.27	34.22
AV	5.9794G	101.43	Inf	-Inf	10.21	3	Horizontal	294	1.65	-	91.22	34.12	10.31	34.22
PK	5.911G	80.91	88.20	-7.29	10.19	3	Horizontal	294	1.65	-	70.72	34.14	10.26	34.21
PK	6.0496G	112.35	Inf	-Inf	10.36	3	Horizontal	294	1.65	-	101.99	34.20	10.38	34.22

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03626G	43.12	54.00	-10.88	17.93	3	Vertical	31	2.60	-	25.19	38.91	13.33	34.31
PK	12.03926G	56.25	74.00	-17.75	17.94	3	Vertical	31	2.60	-	38.31	38.92	13.33	34.31


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.03575G	43.09	54.00	-10.91	17.93	3	Horizontal	232	1.01	-	25.16	38.91	13.33	34.31
PK	12.06095G	56.33	74.00	-17.67	18.03	3	Horizontal	232	1.01	-	38.30	38.98	13.35	34.30

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6185MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9234G	52.17	68.20	-16.03	10.24	3	Vertical	34	2.59	-	41.93	34.19	10.27	34.22
AV	6.1322G	95.57	Inf	-Inf	10.33	3	Vertical	34	2.59	-	85.24	34.10	10.46	34.23
PK	5.9222G	63.65	88.20	-24.55	10.24	3	Vertical	34	2.59	-	53.41	34.19	10.27	34.22
PK	6.1202G	112.87	Inf	-Inf	10.32	3	Vertical	34	2.59	-	102.55	34.10	10.45	34.23


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9246G	54.59	68.20	-13.61	10.25	3	Horizontal	302	1.47	-	44.34	34.20	10.27	34.22
AV	6.2594G	99.76	Inf	-Inf	10.54	3	Horizontal	302	1.47	-	89.22	34.22	10.56	34.24
PK	5.9174G	66.81	88.20	-21.39	10.22	3	Horizontal	302	1.47	-	56.59	34.17	10.27	34.22
PK	6.1466G	111.40	Inf	-Inf	10.35	3	Horizontal	302	1.47	-	101.05	34.10	10.48	34.23

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35788G	44.08	54.00	-9.92	18.24	3	Vertical	73	2.25	-	25.84	38.86	13.53	34.15
PK	12.36013G	57.23	74.00	-16.77	18.24	3	Vertical	73	2.25	-	38.99	38.86	13.53	34.15


**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6185MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36328G	44.13	54.00	-9.87	18.24	3	Horizontal	178	1.53	-	25.89	38.86	13.53	34.15
PK	12.38308G	56.96	74.00	-17.04	18.29	3	Horizontal	178	1.53	-	38.67	38.88	13.55	34.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6345MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.876G	49.86	68.20	-18.34	10.13	3	Vertical	315	1.50	-	39.73	34.10	10.24	34.21
AV	6.347G	92.32	Inf	-Inf	10.85	3	Vertical	315	1.50	-	81.47	34.49	10.61	34.25
PK	5.865G	61.13	88.20	-27.07	10.12	3	Vertical	315	1.50	-	51.01	34.10	10.23	34.21
PK	6.35G	104.47	Inf	-Inf	10.86	3	Vertical	315	1.50	-	93.61	34.50	10.61	34.25


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	50.59	68.20	-17.61	10.25	3	Horizontal	318	1.50	-	40.34	34.20	10.27	34.22
AV	6.41G	100.03	Inf	-Inf	11.14	3	Horizontal	318	1.50	-	88.89	34.74	10.65	34.25
PK	5.856G	61.03	88.20	-27.17	10.11	3	Horizontal	318	1.50	-	50.92	34.10	10.22	34.21
PK	6.277G	110.94	Inf	-Inf	10.58	3	Horizontal	318	1.50	-	100.36	34.25	10.57	34.24

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.70458G	43.90	68.20	-24.30	19.26	3	Vertical	93	1.10	-	24.64	39.22	13.74	33.70
PK	12.6756G	56.94	74.00	-17.06	19.18	3	Vertical	93	1.10	-	37.76	39.20	13.73	33.75


**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6345MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.70443G	43.90	68.20	-24.30	19.26	3	Horizontal	253	2.53	-	24.64	39.22	13.74	33.70
PK	12.68355G	57.28	74.00	-16.72	19.20	3	Horizontal	253	2.53	-	38.08	39.20	13.73	33.73

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8834G	49.88	68.20	-18.32	10.13	3	Vertical	322	2.77	-	39.75	34.10	10.24	34.21
AV	6.5792G	95.53	Inf	-Inf	11.94	3	Vertical	322	2.77	-	83.59	35.48	10.76	34.30
AV	7.1966G	53.51	68.20	-14.69	13.30	3	Vertical	322	2.77	-	40.21	36.51	11.30	34.51
PK	5.9226G	61.58	88.20	-26.62	10.24	3	Vertical	322	2.77	-	51.34	34.19	10.27	34.22
PK	6.4476G	105.92	Inf	-Inf	11.30	3	Vertical	322	2.77	-	94.62	34.89	10.67	34.26
PK	7.142G	65.36	88.20	-22.84	13.27	3	Vertical	322	2.77	-	52.09	36.54	11.25	34.52


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9184G	49.87	68.20	-18.33	10.22	3	Horizontal	58	1.36	-	39.65	34.17	10.27	34.22
AV	6.4826G	100.53	Inf	-Inf	11.53	3	Horizontal	58	1.36	-	89.00	35.10	10.69	34.26
AV	7.1574G	53.61	68.20	-14.59	13.34	3	Horizontal	58	1.36	-	40.27	36.59	11.26	34.51
PK	5.875G	62.22	88.20	-25.98	10.13	3	Horizontal	58	1.36	-	52.09	34.10	10.24	34.21
PK	6.5526G	112.90	Inf	-Inf	11.77	3	Horizontal	58	1.36	-	101.13	35.32	10.74	34.29
PK	7.1896G	64.59	88.20	-23.61	13.30	3	Horizontal	58	1.36	-	51.29	36.52	11.29	34.51

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9971G	45.41	68.20	-22.79	20.56	3	Vertical	122	2.39	-	24.85	39.79	13.92	33.15
PK	13.01456G	58.10	88.20	-30.10	20.60	3	Vertical	122	2.39	-	37.50	39.79	13.93	33.12


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6505MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.99632G	45.30	68.20	-22.90	20.56	3	Horizontal	146	2.73	-	24.74	39.79	13.92	33.15
PK	13.02158G	58.12	88.20	-30.08	20.62	3	Horizontal	146	2.73	-	37.50	39.78	13.94	33.10

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6665MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.623G	90.23	Inf	-Inf	12.11	3	Vertical	309	3.00	-	78.12	35.65	10.79	34.33
AV	7.149G	53.45	68.20	-14.75	13.33	3	Vertical	309	3.00	-	40.12	36.59	11.26	34.52
PK	6.622G	100.62	Inf	-Inf	12.10	3	Vertical	309	3.00	-	88.52	35.64	10.79	34.33
PK	7.147G	64.26	88.20	-23.94	13.31	3	Vertical	309	3.00	-	50.95	36.58	11.25	34.52


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.592G	100.38	Inf	-Inf	12.00	3	Horizontal	68	1.80	-	88.38	35.55	10.76	34.31
AV	7.155G	53.54	68.20	-14.66	13.34	3	Horizontal	68	1.80	-	40.20	36.59	11.26	34.51
PK	6.64G	112.53	Inf	-Inf	12.15	3	Horizontal	68	1.80	-	100.38	35.68	10.81	34.34
PK	7.142G	65.03	88.20	-23.17	13.27	3	Horizontal	68	1.80	-	51.76	36.54	11.25	34.52

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.31947G	45.54	54.00	-8.46	21.36	3	Vertical	104	3.00	-	24.18	39.86	14.12	32.62
PK	13.33603G	58.62	74.00	-15.38	21.45	3	Vertical	104	3.00	-	37.17	39.91	14.13	32.59


**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6665MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.32049G	45.56	54.00	-8.44	21.37	3	Horizontal	56	2.93	-	24.19	39.86	14.12	32.61
PK	13.33183G	58.14	74.00	-15.86	21.43	3	Horizontal	56	2.93	-	36.71	39.90	14.13	32.60

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.7816G	88.99	Inf	-Inf	12.39	3	Vertical	302	2.47	-	76.60	35.86	10.94	34.41
AV	7.1484G	53.58	68.20	-14.62	13.33	3	Vertical	302	2.47	-	40.25	36.59	11.26	34.52
PK	6.8145G	101.36	Inf	-Inf	12.38	3	Vertical	302	2.47	-	88.98	35.84	10.97	34.43
PK	7.1344G	65.59	88.20	-22.61	13.20	3	Vertical	302	2.47	-	52.39	36.48	11.24	34.52


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8292G	100.93	Inf	-Inf	12.32	3	Horizontal	60	1.50	-	88.61	35.78	10.98	34.44
AV	7.1512G	54.21	68.20	-13.99	13.35	3	Horizontal	60	1.50	-	40.86	36.60	11.26	34.51
PK	6.8628G	112.33	Inf	-Inf	12.25	3	Horizontal	60	1.50	-	100.08	35.70	11.01	34.46
PK	7.1743G	65.33	88.20	-22.87	13.32	3	Horizontal	60	1.50	-	52.01	36.55	11.28	34.51

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.63629G	50.15	68.20	-18.05	21.83	3	Vertical	60	2.69	-	28.32	39.89	14.32	32.38
PK	13.65501G	63.19	88.20	-25.01	21.77	3	Vertical	60	2.69	-	41.42	39.83	14.33	32.39


802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6825MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.63605G	50.21	68.20	-17.99	21.83	3	Horizontal	301	2.52	-	28.38	39.89	14.32	32.38
PK	13.64193G	62.95	88.20	-25.25	21.81	3	Horizontal	301	2.52	-	41.14	39.87	14.32	32.38

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9265G	94.80	Inf	-Inf	12.28	3	Vertical	312	2.58	-	82.52	35.70	11.07	34.49
AV	7.142G	60.29	68.20	-7.91	13.27	3	Vertical	312	2.58	-	47.02	36.54	11.25	34.52
PK	6.9205G	108.38	Inf	-Inf	12.27	3	Vertical	312	2.58	-	96.11	35.70	11.06	34.49
PK	7.134G	75.45	88.20	-12.75	13.19	3	Vertical	312	2.58	-	62.26	36.47	11.24	34.52


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.919G	107.51	Inf	-Inf	12.27	3	Horizontal	59	1.50	-	95.24	35.70	11.06	34.49
PK	6.9765G	115.42	Inf	-Inf	12.29	3	Horizontal	59	1.50	-	103.13	35.70	11.11	34.52
PK	7.13G	80.61	88.20	-7.59	13.16	3	Horizontal	59	1.50	-	67.45	36.44	11.24	34.52

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.95722G	51.23	68.20	-16.97	21.75	3	Vertical	64	2.10	-	29.48	39.76	14.51	32.52
PK	13.97369G	64.36	88.20	-23.84	21.76	3	Vertical	64	2.10	-	42.60	39.77	14.52	32.53

802.11ax HEW160-BF_Nss1,(MCS0)_2TX
6985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97468G	51.23	68.20	-16.97	21.76	3	Horizontal	212	1.84	-	29.47	39.77	14.52	32.53
PK	13.97225G	64.73	88.20	-23.47	21.76	3	Horizontal	212	1.84	-	42.97	39.77	14.52	32.53



Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.4169G	-8.24	6.4595G	-57.22	-48.24	-8.98	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.17119G	-7.53	6.2496G	-55.41	-47.53	-7.88	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.15819G	-2.39	6.2682G	-49.92	-42.39	-7.53	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.00102G	-0.67	6.269G	-44.54	-40.67	-3.87	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.4703G	-10.40	6.4301G	-57.38	-50.40	-6.98	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.4498G	-8.91	6.3846G	-55.33	-48.91	-6.42	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.53181G	-4.91	6.4214G	-51.55	-44.91	-6.64	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.53377G	0.45	6.7498G	-44.42	-39.55	-4.87	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.8762G	-9.56	6.9218G	-56.58	-49.56	-7.02	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.85199G	-8.43	6.9396G	-54.34	-48.43	-5.91	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.71539G	-5.29	6.8358G	-51.38	-45.29	-6.09	1
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.72334G	-0.52	6.9106G	-46.27	-40.52	-5.75	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	6.8939G	-11.00	6.9434G	-56.61	-51.00	-5.61	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	6.91701G	-8.58	6.9976G	-54.15	-48.58	-5.57	1
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	6.99703G	-7.22	6.9026G	-50.87	-47.22	-3.65	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	6.91067G	-1.87	6.7418G	-47.50	-41.74	-5.76	1



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9546G	-7.72	5.9898G	-58.24	-47.72	-10.52	1
5955MHz	Pass	5.9576G	-7.95	5.9897G	-58.26	-47.95	-10.31	2
6175MHz	Pass	6.1768G	-8.42	6.2153G	-57.62	-48.42	-9.20	1
6175MHz	Pass	6.1767G	-8.34	6.2147G	-57.75	-48.34	-9.41	2
6415MHz	Pass	6.4169G	-8.24	6.4595G	-57.22	-48.24	-8.98	1
6415MHz	Pass	6.4163G	-7.13	6.4486G	-57.40	-47.13	-10.27	2
6435MHz	Pass	6.4356G	-8.85	6.3901G	-57.36	-48.85	-8.51	1
6435MHz	Pass	6.43G	-7.86	6.4797G	-57.43	-47.86	-9.57	2
6475MHz	Pass	6.4703G	-10.40	6.4301G	-57.38	-50.40	-6.98	1
6475MHz	Pass	6.4756G	-10.33	6.4301G	-57.54	-50.33	-7.21	2
6515MHz	Pass	6.52179G	-8.12	6.4708G	-57.41	-48.12	-9.29	1
6515MHz	Pass	6.5139G	-7.73	6.4683G	-57.37	-47.73	-9.64	2
6535MHz	Pass	6.5342G	-8.47	6.5691G	-57.33	-48.47	-8.86	1
6535MHz	Pass	6.5362G	-8.38	6.5825G	-57.32	-48.38	-8.94	2
6695MHz	Pass	6.6962G	-5.95	6.6535G	-60.38	-45.95	-14.43	1
6695MHz	Pass	6.6908G	-7.20	6.7276G	-60.80	-47.20	-13.60	2
6855MHz	Pass	6.8574G	-9.33	6.9029G	-56.88	-49.33	-7.55	1
6855MHz	Pass	6.8573G	-8.93	6.9036G	-56.98	-48.93	-8.05	2
6875MHz	Pass	6.8762G	-9.56	6.9218G	-56.58	-49.56	-7.02	1
6875MHz	Pass	6.8775G	-8.70	6.916G	-56.80	-48.70	-8.10	2
6895MHz	Pass	6.8939G	-11.00	6.9434G	-56.61	-51.00	-5.61	1
6895MHz	Pass	6.8938G	-9.91	6.9332G	-56.75	-49.91	-6.84	2
6995MHz	Pass	6.98991G	-8.55	6.9617G	-56.11	-48.55	-7.56	1
6995MHz	Pass	6.9938G	-8.10	6.9565G	-56.33	-48.10	-8.23	2
7095MHz	Pass	7.0973G	-12.28	7.047G	-58.62	-52.28	-6.34	1
7095MHz	Pass	7.0937G	-12.28	7.0487G	-58.89	-52.28	-6.61	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.9676G	-7.73	6.0532G	-56.09	-47.73	-8.36	1
5965MHz	Pass	5.97879G	-7.38	6.0626G	-56.09	-47.38	-8.71	2
6165MHz	Pass	6.17G	-7.14	6.2538G	-55.21	-47.14	-8.07	1
6165MHz	Pass	6.17119G	-7.53	6.2496G	-55.41	-47.53	-7.88	2
6405MHz	Pass	6.39941G	-7.41	6.4736G	-55.29	-47.41	-7.88	1
6405MHz	Pass	6.41G	-7.35	6.4698G	-55.47	-47.35	-8.12	2
6445MHz	Pass	6.4498G	-8.91	6.3846G	-55.33	-48.91	-6.42	1
6445MHz	Pass	6.441G	-7.26	6.3836G	-55.46	-47.26	-8.20	2
6485MHz	Pass	6.49939G	-6.76	6.4224G	-54.88	-46.76	-8.12	1
6485MHz	Pass	6.47841G	-5.64	6.4242G	-54.69	-45.64	-9.05	2
6525MHz	Pass	6.53059G	-7.14	6.5872G	-55.05	-47.14	-7.91	1
6525MHz	Pass	6.51921G	-6.30	6.5864G	-54.72	-46.30	-8.42	2
6565MHz	Pass	6.5698G	-8.42	6.4822G	-55.38	-48.42	-6.96	1
6565MHz	Pass	6.57139G	-7.76	6.6338G	-55.30	-47.76	-7.54	2
6685MHz	Pass	6.69059G	-8.50	6.6028G	-55.22	-48.50	-6.72	1
6685MHz	Pass	6.69G	-8.61	6.6006G	-55.33	-48.61	-6.72	2
6845MHz	Pass	6.85199G	-8.43	6.9396G	-54.34	-48.43	-5.91	1
6845MHz	Pass	6.83801G	-8.21	6.945G	-54.50	-48.21	-6.29	2
6885MHz	Pass	6.89039G	-8.16	6.9672G	-54.15	-48.16	-5.99	1
6885MHz	Pass	6.8812G	-7.13	6.9846G	-54.07	-47.13	-6.94	2
6925MHz	Pass	6.91701G	-8.58	6.9976G	-54.15	-48.58	-5.57	1
6925MHz	Pass	6.91121G	-7.68	6.9858G	-54.23	-47.68	-6.55	2
7005MHz	Pass	6.99741G	-5.27	6.9424G	-53.33	-45.27	-8.06	1
7005MHz	Pass	6.99981G	-4.99	6.9432G	-53.34	-44.99	-8.35	2
7085MHz	Pass	7.09G	-10.39	7.1486G	-56.60	-50.39	-6.21	1
7085MHz	Pass	7.0886G	-9.53	7.0226G	-56.61	-49.53	-7.08	2
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5985MHz	Pass	5.99819G	-1.04	6.109G	-49.40	-41.04	-8.36	1
5985MHz	Pass	5.97581G	-1.02	6.1066G	-49.05	-41.00	-8.05	2
6145MHz	Pass	6.15899G	-2.08	6.269G	-49.78	-42.08	-7.70	1
6145MHz	Pass	6.15819G	-2.39	6.2682G	-49.92	-42.39	-7.53	2
6385MHz	Pass	6.37301G	-1.00	6.2622G	-49.51	-41.00	-8.51	1
6385MHz	Pass	6.41297G	-0.45	6.509G	-49.97	-40.45	-9.52	2
6465MHz	Pass	6.47539G	-2.12	6.5874G	-49.75	-42.12	-7.63	1
6465MHz	Pass	6.45261G	-0.97	6.5882G	-49.15	-40.97	-8.18	2
6545MHz	Pass	6.53181G	-4.91	6.4214G	-51.55	-44.91	-6.64	1
6545MHz	Pass	6.55899G	-4.33	6.4094G	-51.20	-44.33	-6.87	2
6625MHz	Pass	6.63539G	-4.87	6.7542G	-51.18	-44.87	-6.31	1
6625MHz	Pass	6.61461G	-4.01	6.7474G	-51.27	-44.01	-7.26	2
6705MHz	Pass	6.71539G	-5.29	6.8358G	-51.38	-45.29	-6.09	1
6705MHz	Pass	6.69341G	-5.08	6.8294G	-51.55	-45.08	-6.47	2
6785MHz	Pass	6.77261G	-3.35	6.9142G	-50.37	-43.35	-7.02	1
6785MHz	Pass	6.79859G	-2.52	6.911G	-50.59	-42.52	-8.07	2
6865MHz	Pass	6.87859G	-4.43	6.9886G	-50.68	-44.43	-6.25	1
6865MHz	Pass	6.87339G	-3.95	6.9878G	-50.53	-43.95	-6.58	2
6945MHz	Pass	6.93141G	-4.02	6.8234G	-50.70	-44.02	-6.68	1
6945MHz	Pass	6.93461G	-3.24	6.8194G	-50.47	-43.24	-7.23	2
7025MHz	Pass	6.99663G	-6.41	6.9002G	-50.61	-46.41	-4.20	1
7025MHz	Pass	6.99703G	-7.22	6.9026G	-50.87	-47.22	-3.65	2
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
6025MHz	Pass	6.00102G	-0.67	6.269G	-44.54	-40.67	-3.87	1
6025MHz	Pass	6.10012G	-0.65	6.2722G	-45.36	-40.65	-4.71	2
6185MHz	Pass	6.26012G	0.39	6.4274G	-46.30	-39.61	-6.69	1
6185MHz	Pass	6.20578G	-0.63	6.429G	-45.74	-40.62	-5.12	2
6345MHz	Pass	6.28346G	2.04	6.5882G	-44.04	-37.96	-6.08	1
6345MHz	Pass	6.40734G	2.21	6.589G	-43.54	-37.78	-5.76	2
6505MHz	Pass	6.53377G	0.45	6.7498G	-44.42	-39.55	-4.87	1
6505MHz	Pass	6.57933G	0.57	6.2618G	-44.35	-39.35	-5.00	2
6665MHz	Pass	6.72334G	-0.52	6.9106G	-46.27	-40.52	-5.75	1
6665MHz	Pass	6.63783G	-0.47	6.9082G	-46.57	-40.34	-6.23	2
6825MHz	Pass	6.75147G	0.51	6.557G	-46.20	-39.49	-6.71	1
6825MHz	Pass	6.80342G	1.17	6.561G	-46.13	-38.83	-7.30	2
6985MHz	Pass	6.91067G	-1.87	6.7418G	-47.50	-41.74	-5.76	1
6985MHz	Pass	6.91067G	-1.81	6.6138G	-48.25	-41.81	-6.44	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TX

09/08/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9546G	-7.72	5.9898G	-58.24	-47.72	-10.52	1
5.9576G	-7.95	5.9897G	-58.26	-47.95	-10.31	2

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6175MHz_TX

09/08/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1768G	-8.42	6.2153G	-57.62	-48.42	-9.20	1
6.1767G	-8.34	6.2147G	-57.75	-48.34	-9.41	2