



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5965MHz	Pass	AV	5.9221G	51.39	68.20	-16.81	3	Horizontal	71	2.31	62
5965MHz	Pass	AV	5.9617G	97.46	Inf	-Inf	3	Horizontal	71	2.31	62
5965MHz	Pass	PK	5.9236G	62.26	88.20	-25.94	3	Horizontal	71	2.31	62
5965MHz	Pass	PK	5.9704G	108.51	Inf	-Inf	3	Horizontal	71	2.31	62
5965MHz	Pass	AV	11.94404G	44.00	54.00	-10.00	3	Vertical	154	2.42	-
5965MHz	Pass	PK	11.92832G	56.46	74.00	-17.54	3	Vertical	154	2.42	-
5965MHz	Pass	AV	11.9159G	44.00	54.00	-10.00	3	Horizontal	3	1.87	-
5965MHz	Pass	PK	11.93927G	56.14	74.00	-17.86	3	Horizontal	3	1.87	-
6165MHz	Pass	AV	5.8776G	49.37	68.20	-18.83	3	Vertical	54	2.15	62
6165MHz	Pass	AV	6.1704G	93.44	Inf	-Inf	3	Vertical	54	2.15	62
6165MHz	Pass	PK	5.9022G	60.23	88.20	-27.97	3	Vertical	54	2.15	62
6165MHz	Pass	PK	6.171G	105.31	Inf	-Inf	3	Vertical	54	2.15	62
6165MHz	Pass	AV	5.8938G	49.39	68.20	-18.81	3	Horizontal	63	1.67	62
6165MHz	Pass	AV	6.1716G	98.11	Inf	-Inf	3	Horizontal	63	1.67	62
6165MHz	Pass	PK	5.9178G	60.28	88.20	-27.92	3	Horizontal	63	1.67	62
6165MHz	Pass	PK	6.1674G	109.24	Inf	-Inf	3	Horizontal	63	1.67	62
6165MHz	Pass	AV	12.34323G	44.85	54.00	-9.15	3	Vertical	30	1.02	-
6165MHz	Pass	PK	12.32079G	56.22	74.00	-17.78	3	Vertical	30	1.02	-
6165MHz	Pass	AV	12.32124G	44.88	54.00	-9.12	3	Horizontal	98	1.16	-
6165MHz	Pass	PK	12.32694G	57.11	74.00	-16.89	3	Horizontal	98	1.16	-
6405MHz	Pass	AV	5.9166G	50.34	68.20	-17.86	3	Vertical	348	3.00	55
6405MHz	Pass	AV	6.411G	94.42	Inf	-Inf	3	Vertical	348	3.00	55
6405MHz	Pass	PK	5.8818G	60.53	88.20	-27.67	3	Vertical	348	3.00	55
6405MHz	Pass	PK	6.4098G	105.68	Inf	-Inf	3	Vertical	348	3.00	55
6405MHz	Pass	AV	5.8866G	50.18	68.20	-18.02	3	Horizontal	75	1.73	55
6405MHz	Pass	AV	6.4002G	97.29	Inf	-Inf	3	Horizontal	75	1.73	55
6405MHz	Pass	PK	5.8938G	60.38	88.20	-27.82	3	Horizontal	75	1.73	55
6405MHz	Pass	PK	6.4038G	107.38	Inf	-Inf	3	Horizontal	75	1.73	55
6405MHz	Pass	AV	12.81822G	45.13	68.20	-23.07	3	Vertical	0	2.72	-
6405MHz	Pass	PK	12.80781G	56.86	88.20	-31.34	3	Vertical	0	2.72	-
6405MHz	Pass	AV	12.82296G	45.20	68.20	-23.00	3	Horizontal	355	1.09	-
6405MHz	Pass	PK	12.79764G	57.43	88.20	-30.77	3	Horizontal	355	1.09	-
6445MHz	Pass	AV	5.9182G	50.31	68.20	-17.89	3	Vertical	348	2.76	58
6445MHz	Pass	AV	6.439G	93.42	Inf	-Inf	3	Vertical	348	2.76	58
6445MHz	Pass	PK	5.8762G	60.47	88.20	-27.73	3	Vertical	348	2.76	58
6445MHz	Pass	PK	6.4414G	104.49	Inf	-Inf	3	Vertical	348	2.76	58
6445MHz	Pass	AV	5.8774G	50.33	68.20	-17.87	3	Horizontal	75	1.62	58
6445MHz	Pass	AV	6.4378G	97.18	Inf	-Inf	3	Horizontal	75	1.62	58
6445MHz	Pass	PK	5.887G	60.16	88.20	-28.04	3	Horizontal	75	1.62	58
6445MHz	Pass	PK	6.4414G	106.79	Inf	-Inf	3	Horizontal	75	1.62	58
6445MHz	Pass	AV	12.88901G	44.84	68.20	-23.36	3	Vertical	321	1.28	-
6445MHz	Pass	PK	12.89759G	57.25	88.20	-30.95	3	Vertical	321	1.28	-
6445MHz	Pass	AV	12.87974G	44.83	68.20	-23.37	3	Horizontal	176	1.78	-
6445MHz	Pass	PK	12.88724G	57.53	88.20	-30.67	3	Horizontal	176	1.78	-
6485MHz	Pass	AV	5.911G	50.79	68.20	-17.41	3	Vertical	348	2.83	59
6485MHz	Pass	AV	6.4794G	94.38	Inf	-Inf	3	Vertical	348	2.83	59
6485MHz	Pass	AV	7.1836G	53.66	68.20	-14.54	3	Vertical	348	2.83	59
6485MHz	Pass	PK	5.9124G	60.71	88.20	-27.49	3	Vertical	348	2.83	59
6485MHz	Pass	PK	6.4836G	104.77	Inf	-Inf	3	Vertical	348	2.83	59
6485MHz	Pass	PK	7.1808G	63.41	88.20	-24.79	3	Vertical	348	2.83	59
6485MHz	Pass	AV	5.904G	50.48	68.20	-17.72	3	Horizontal	77	1.73	59
6485MHz	Pass	AV	6.4822G	97.30	Inf	-Inf	3	Horizontal	77	1.73	59
6485MHz	Pass	AV	7.185G	53.67	68.20	-14.53	3	Horizontal	77	1.73	59
6485MHz	Pass	PK	5.8606G	59.47	88.20	-28.73	3	Horizontal	77	1.73	59
6485MHz	Pass	PK	6.4724G	106.95	Inf	-Inf	3	Horizontal	77	1.73	59
6485MHz	Pass	PK	7.1388G	64.18	88.20	-24.02	3	Horizontal	77	1.73	59
6485MHz	Pass	AV	12.98494G	45.10	68.20	-23.10	3	Vertical	128	1.55	-
6485MHz	Pass	PK	12.96793G	57.79	88.20	-30.41	3	Vertical	128	1.55	-
6485MHz	Pass	AV	12.9811G	45.37	68.20	-22.83	3	Horizontal	131	1.12	-
6485MHz	Pass	PK	12.95986G	56.85	88.20	-31.35	3	Horizontal	131	1.12	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.9104G	50.41	68.20	-17.79	3	Vertical	347	3.00	56
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	94.28	Inf	-Inf	3	Vertical	347	3.00	56



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2026G	53.83	68.20	-14.37	3	Vertical	347	3.00	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.8586G	59.44	88.20	-28.76	3	Vertical	347	3.00	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5208G	103.93	Inf	-Inf	3	Vertical	347	3.00	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.2124G	63.50	88.20	-24.70	3	Vertical	347	3.00	56
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.881G	50.36	68.20	-17.84	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5194G	97.55	Inf	-Inf	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.211G	53.82	68.20	-14.38	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.9202G	62.09	88.20	-26.11	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5236G	107.55	Inf	-Inf	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.2194G	64.28	88.20	-23.92	3	Horizontal	75	1.65	56
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.04481G	45.30	68.20	-22.90	3	Vertical	203	2.64	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.0647G	58.39	88.20	-29.81	3	Vertical	203	2.64	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05429G	45.41	68.20	-22.79	3	Horizontal	72	2.43	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04781G	57.24	88.20	-30.96	3	Horizontal	72	2.43	-
6565MHz	Pass	AV	6.5674G	91.10	Inf	-Inf	3	Vertical	306	2.68	53
6565MHz	Pass	AV	7.1482G	53.29	68.20	-14.91	3	Vertical	306	2.68	53
6565MHz	Pass	PK	6.5698G	100.36	Inf	-Inf	3	Vertical	306	2.68	53
6565MHz	Pass	PK	7.1302G	62.59	88.20	-25.61	3	Vertical	306	2.68	53
6565MHz	Pass	AV	6.5602G	97.26	Inf	-Inf	3	Horizontal	70	1.65	53
6565MHz	Pass	AV	7.1518G	53.32	68.20	-14.88	3	Horizontal	70	1.65	53
6565MHz	Pass	PK	6.5638G	107.32	Inf	-Inf	3	Horizontal	70	1.65	53
6565MHz	Pass	PK	7.1614G	62.44	88.20	-25.76	3	Horizontal	70	1.65	53
6565MHz	Pass	AV	13.12544G	45.21	68.20	-22.99	3	Vertical	256	2.59	-
6565MHz	Pass	PK	13.12928G	57.59	88.20	-30.61	3	Vertical	256	2.59	-
6565MHz	Pass	AV	13.13081G	45.48	68.20	-22.72	3	Horizontal	224	1.14	-
6565MHz	Pass	PK	13.14467G	57.61	88.20	-30.59	3	Horizontal	224	1.14	-
6685MHz	Pass	AV	6.691G	91.17	Inf	-Inf	3	Vertical	308	2.36	52
6685MHz	Pass	AV	7.183G	53.66	68.20	-14.54	3	Vertical	308	2.36	52
6685MHz	Pass	PK	6.684G	101.07	Inf	-Inf	3	Vertical	308	2.36	52
6685MHz	Pass	PK	7.135G	62.52	88.20	-25.68	3	Vertical	308	2.36	52
6685MHz	Pass	AV	6.691G	97.63	Inf	-Inf	3	Horizontal	76	1.66	52
6685MHz	Pass	AV	7.178G	53.77	68.20	-14.43	3	Horizontal	76	1.66	52
6685MHz	Pass	PK	6.69G	107.97	Inf	-Inf	3	Horizontal	76	1.66	52
6685MHz	Pass	PK	7.163G	63.06	88.20	-25.14	3	Horizontal	76	1.66	52
6685MHz	Pass	AV	13.37978G	46.14	54.00	-7.86	3	Vertical	282	2.94	-
6685MHz	Pass	PK	13.38281G	58.48	74.00	-15.52	3	Vertical	282	2.94	-
6685MHz	Pass	AV	13.36451G	46.13	54.00	-7.87	3	Horizontal	327	1.44	-
6685MHz	Pass	PK	13.38272G	58.12	74.00	-15.88	3	Horizontal	327	1.44	-
6845MHz	Pass	AV	6.8534G	90.02	Inf	-Inf	3	Vertical	324	2.35	43
6845MHz	Pass	AV	7.1845G	53.85	68.20	-14.35	3	Vertical	324	2.35	43
6845MHz	Pass	PK	6.8534G	99.78	Inf	-Inf	3	Vertical	324	2.35	43
6845MHz	Pass	PK	7.1747G	63.75	88.20	-24.45	3	Vertical	324	2.35	43
6845MHz	Pass	AV	6.8506G	97.53	Inf	-Inf	3	Horizontal	70	1.69	43
6845MHz	Pass	AV	7.1915G	54.09	68.20	-14.11	3	Horizontal	70	1.69	43
6845MHz	Pass	PK	6.8443G	107.09	Inf	-Inf	3	Horizontal	70	1.69	43
6845MHz	Pass	PK	7.1845G	63.29	88.20	-24.91	3	Horizontal	70	1.69	43
6845MHz	Pass	AV	13.68544G	50.96	68.20	-17.24	3	Vertical	93	2.60	-
6845MHz	Pass	PK	13.69486G	63.66	88.20	-24.54	3	Vertical	93	2.60	-
6845MHz	Pass	AV	13.69621G	50.95	68.20	-17.25	3	Horizontal	11	1.73	-
6845MHz	Pass	PK	13.6768G	62.58	88.20	-25.62	3	Horizontal	11	1.73	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8794G	91.82	Inf	-Inf	3	Vertical	326	2.86	36
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1986G	53.05	68.20	-15.15	3	Vertical	326	2.86	36
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8822G	104.13	Inf	-Inf	3	Vertical	326	2.86	36
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1916G	63.99	88.20	-24.21	3	Vertical	326	2.86	36
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8906G	97.64	Inf	-Inf	3	Horizontal	68	1.69	36
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1937G	52.99	68.20	-15.21	3	Horizontal	68	1.69	36
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8822G	109.21	Inf	-Inf	3	Horizontal	68	1.69	36
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.2224G	64.23	88.20	-23.97	3	Horizontal	68	1.69	36
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.77984G	51.35	68.20	-16.85	3	Vertical	315	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.7553G	64.13	88.20	-24.07	3	Vertical	315	2.33	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.75923G	51.41	68.20	-16.79	3	Horizontal	43	2.57	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.76055G	64.19	88.20	-24.01	3	Horizontal	43	2.57	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6925MHz	Pass	AV	6.9178G	89.33	Inf	-Inf	3	Vertical	308	1.67	40
6925MHz	Pass	AV	7.1416G	54.78	68.20	-13.42	3	Vertical	308	1.67	40
6925MHz	Pass	PK	6.9304G	98.78	Inf	-Inf	3	Vertical	308	1.67	40
6925MHz	Pass	PK	7.1548G	65.18	88.20	-23.02	3	Vertical	308	1.67	40
6925MHz	Pass	AV	6.9214G	98.87	Inf	-Inf	3	Horizontal	65	1.68	40
6925MHz	Pass	AV	7.2142G	54.97	68.20	-13.23	3	Horizontal	65	1.68	40
6925MHz	Pass	PK	6.9238G	109.33	Inf	-Inf	3	Horizontal	65	1.68	40
6925MHz	Pass	PK	7.1908G	64.59	88.20	-23.61	3	Horizontal	65	1.68	40
6925MHz	Pass	AV	13.8371G	52.08	68.20	-16.12	3	Vertical	155	2.52	-
6925MHz	Pass	PK	13.83644G	64.38	88.20	-23.82	3	Vertical	155	2.52	-
6925MHz	Pass	AV	13.86359G	52.20	68.20	-16.00	3	Horizontal	41	1.76	-
6925MHz	Pass	PK	13.85606G	64.12	88.20	-24.08	3	Horizontal	41	1.76	-
7005MHz	Pass	AV	6.9918G	90.16	Inf	-Inf	3	Vertical	355	2.94	43
7005MHz	Pass	AV	7.1397G	52.33	68.20	-15.87	3	Vertical	355	2.94	43
7005MHz	Pass	PK	7.0017G	101.75	Inf	-Inf	3	Vertical	355	2.94	43
7005MHz	Pass	PK	7.1538G	63.53	88.20	-24.67	3	Vertical	355	2.94	43
7005MHz	Pass	AV	6.9912G	96.82	Inf	-Inf	3	Horizontal	69	1.70	43
7005MHz	Pass	AV	7.1427G	52.49	68.20	-15.71	3	Horizontal	69	1.70	43
7005MHz	Pass	PK	6.9975G	108.61	Inf	-Inf	3	Horizontal	69	1.70	43
7005MHz	Pass	PK	7.1508G	63.82	88.20	-24.38	3	Horizontal	69	1.70	43
7005MHz	Pass	AV	13.99689G	52.71	68.20	-15.49	3	Vertical	11	2.56	-
7005MHz	Pass	PK	14.01156G	64.64	88.20	-23.56	3	Vertical	11	2.56	-
7005MHz	Pass	AV	14.00751G	52.60	68.20	-15.60	3	Horizontal	60	2.41	-
7005MHz	Pass	PK	14.01534G	65.18	88.20	-23.02	3	Horizontal	60	2.41	-
7085MHz	Pass	AV	7.0907G	90.92	Inf	-Inf	3	Vertical	335	2.70	42
7085MHz	Pass	AV	7.2347G	53.26	68.20	-14.94	3	Vertical	335	2.70	42
7085MHz	Pass	PK	7.0817G	102.34	Inf	-Inf	3	Vertical	335	2.70	42
7085MHz	Pass	PK	7.2224G	64.59	88.20	-23.61	3	Vertical	335	2.70	42
7085MHz	Pass	AV	7.0808G	96.85	Inf	-Inf	3	Horizontal	71	1.68	42
7085MHz	Pass	AV	7.2173G	53.05	68.20	-15.15	3	Horizontal	71	1.68	42
7085MHz	Pass	PK	7.0901G	108.00	Inf	-Inf	3	Horizontal	71	1.68	42
7085MHz	Pass	PK	7.2278G	64.66	88.20	-23.54	3	Horizontal	71	1.68	42
7085MHz	Pass	AV	14.16847G	52.37	68.20	-15.83	3	Vertical	316	2.10	-
7085MHz	Pass	PK	14.16157G	64.30	88.20	-23.90	3	Vertical	316	2.10	-
7085MHz	Pass	AV	14.15911G	52.34	68.20	-15.86	3	Horizontal	226	1.29	-
7085MHz	Pass	PK	14.16874G	64.58	88.20	-23.62	3	Horizontal	226	1.29	-
802.11ax HEW40_Nss2.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9245G	49.94	68.20	-18.26	3	Vertical	337	3.00	55
5965MHz	Pass	AV	5.9782G	95.72	Inf	-Inf	3	Vertical	337	3.00	55
5965MHz	Pass	PK	5.9203G	61.52	88.20	-26.68	3	Vertical	337	3.00	55
5965MHz	Pass	PK	5.9695G	106.92	Inf	-Inf	3	Vertical	337	3.00	55
5965MHz	Pass	AV	5.9221G	49.95	68.20	-18.25	3	Horizontal	316	1.80	55
5965MHz	Pass	AV	5.9782G	96.50	Inf	-Inf	3	Horizontal	316	1.80	55
5965MHz	Pass	PK	5.9203G	61.53	88.20	-26.67	3	Horizontal	316	1.80	55
5965MHz	Pass	PK	5.9806G	107.64	Inf	-Inf	3	Horizontal	316	1.80	55
5965MHz	Pass	AV	11.94341G	43.97	54.00	-10.03	3	Vertical	67	2.45	-
5965MHz	Pass	PK	11.9177G	56.01	74.00	-17.99	3	Vertical	67	2.45	-
5965MHz	Pass	AV	11.9444G	43.89	54.00	-10.11	3	Horizontal	346	2.08	-
5965MHz	Pass	PK	11.9285G	55.99	74.00	-18.01	3	Horizontal	346	2.08	-
6165MHz	Pass	AV	5.8734G	49.37	68.20	-18.83	3	Vertical	59	1.78	49
6165MHz	Pass	AV	6.1692G	89.45	Inf	-Inf	3	Vertical	59	1.78	49
6165MHz	Pass	PK	5.8914G	60.39	88.20	-27.81	3	Vertical	59	1.78	49
6165MHz	Pass	PK	6.1626G	101.08	Inf	-Inf	3	Vertical	59	1.78	49
6165MHz	Pass	AV	5.9178G	49.37	68.20	-18.83	3	Horizontal	60	2.13	49
6165MHz	Pass	AV	6.1692G	96.01	Inf	-Inf	3	Horizontal	60	2.13	49
6165MHz	Pass	PK	5.9064G	61.88	88.20	-26.32	3	Horizontal	60	2.13	49
6165MHz	Pass	PK	6.1698G	107.63	Inf	-Inf	3	Horizontal	60	2.13	49
6165MHz	Pass	AV	12.33813G	44.79	54.00	-9.21	3	Vertical	191	1.62	-
6165MHz	Pass	PK	12.32316G	57.03	74.00	-16.97	3	Vertical	191	1.62	-
6165MHz	Pass	AV	12.31668G	44.75	54.00	-9.25	3	Horizontal	140	2.29	-
6165MHz	Pass	PK	12.32388G	56.79	74.00	-17.21	3	Horizontal	140	2.29	-
6405MHz	Pass	AV	5.9226G	49.31	68.20	-18.89	3	Vertical	335	3.00	43



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6405MHz	Pass	AV	6.3906G	91.86	Inf	-Inf	3	Vertical	335	3.00	43
6405MHz	Pass	PK	5.9082G	62.41	88.20	-25.79	3	Vertical	335	3.00	43
6405MHz	Pass	PK	6.4002G	103.40	Inf	-Inf	3	Vertical	335	3.00	43
6405MHz	Pass	AV	5.8782G	49.29	68.20	-18.91	3	Horizontal	61	1.66	43
6405MHz	Pass	AV	6.3978G	95.88	Inf	-Inf	3	Horizontal	61	1.66	43
6405MHz	Pass	PK	5.853G	60.74	88.20	-27.46	3	Horizontal	61	1.66	43
6405MHz	Pass	PK	6.4014G	106.79	Inf	-Inf	3	Horizontal	61	1.66	43
6405MHz	Pass	AV	12.82191G	45.31	68.20	-22.89	3	Vertical	92	1.21	-
6405MHz	Pass	PK	12.80232G	57.49	88.20	-30.71	3	Vertical	92	1.21	-
6405MHz	Pass	AV	12.82449G	44.93	68.20	-23.27	3	Horizontal	298	1.97	-
6405MHz	Pass	PK	12.8181G	58.00	88.20	-30.20	3	Horizontal	298	1.97	-
6445MHz	Pass	AV	5.8642G	49.24	68.20	-18.96	3	Vertical	340	2.97	45
6445MHz	Pass	AV	6.4378G	91.95	Inf	-Inf	3	Vertical	340	2.97	45
6445MHz	Pass	PK	5.8486G	60.60	88.20	-27.60	3	Vertical	340	2.97	45
6445MHz	Pass	PK	6.4366G	102.86	Inf	-Inf	3	Vertical	340	2.97	45
6445MHz	Pass	AV	5.8762G	49.17	68.20	-19.03	3	Horizontal	66	1.63	45
6445MHz	Pass	AV	6.4582G	96.04	Inf	-Inf	3	Horizontal	66	1.63	45
6445MHz	Pass	PK	5.9146G	59.97	88.20	-28.23	3	Horizontal	66	1.63	45
6445MHz	Pass	PK	6.439G	106.47	Inf	-Inf	3	Horizontal	66	1.63	45
6445MHz	Pass	AV	12.89072G	44.81	68.20	-23.39	3	Vertical	121	1.39	-
6445MHz	Pass	PK	12.90137G	56.94	88.20	-31.26	3	Vertical	121	1.39	-
6445MHz	Pass	AV	12.88211G	44.85	68.20	-23.35	3	Horizontal	40	1.54	-
6445MHz	Pass	PK	12.88955G	57.92	88.20	-30.28	3	Horizontal	40	1.54	-
6485MHz	Pass	AV	5.8928G	49.29	68.20	-18.91	3	Vertical	344	2.93	43
6485MHz	Pass	AV	6.4878G	91.96	Inf	-Inf	3	Vertical	344	2.93	43
6485MHz	Pass	AV	7.185G	52.76	68.20	-15.44	3	Vertical	344	2.93	43
6485MHz	Pass	PK	5.9222G	61.21	88.20	-26.99	3	Vertical	344	2.93	43
6485MHz	Pass	PK	6.4906G	102.29	Inf	-Inf	3	Vertical	344	2.93	43
6485MHz	Pass	PK	7.1598G	63.36	88.20	-24.84	3	Vertical	344	2.93	43
6485MHz	Pass	AV	5.8578G	49.37	68.20	-18.83	3	Horizontal	65	1.60	43
6485MHz	Pass	AV	6.4822G	96.05	Inf	-Inf	3	Horizontal	65	1.60	43
6485MHz	Pass	AV	7.1444G	52.42	68.20	-15.78	3	Horizontal	65	1.60	43
6485MHz	Pass	PK	5.9194G	60.79	88.20	-27.41	3	Horizontal	65	1.60	43
6485MHz	Pass	PK	6.4976G	107.23	Inf	-Inf	3	Horizontal	65	1.60	43
6485MHz	Pass	PK	7.185G	63.63	88.20	-24.57	3	Horizontal	65	1.60	43
6485MHz	Pass	AV	12.98134G	45.32	68.20	-22.88	3	Vertical	115	2.99	-
6485MHz	Pass	PK	12.95941G	57.08	88.20	-31.12	3	Vertical	115	2.99	-
6485MHz	Pass	AV	12.9817G	45.20	68.20	-23.00	3	Horizontal	142	2.77	-
6485MHz	Pass	PK	12.98341G	57.09	88.20	-31.11	3	Horizontal	142	2.77	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8852G	49.31	68.20	-18.89	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.518G	91.75	Inf	-Inf	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.1956G	52.82	68.20	-15.38	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.825G	60.48	88.20	-27.72	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5208G	103.43	Inf	-Inf	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.225G	63.82	88.20	-24.38	3	Vertical	344	3.00	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	5.8684G	49.44	68.20	-18.76	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	6.5222G	96.30	Inf	-Inf	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	7.2208G	53.07	68.20	-15.13	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	5.916G	60.29	88.20	-27.91	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	6.5208G	107.39	Inf	-Inf	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	PK	7.1984G	65.42	88.20	-22.78	3	Horizontal	62	1.62	37
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.06215G	45.22	68.20	-22.98	3	Vertical	199	1.36	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04715G	57.72	88.20	-30.48	3	Vertical	199	1.36	-
6525MHz Straddle 6.425-6.525GHz	Pass	AV	13.05432G	45.19	68.20	-23.01	3	Horizontal	158	2.06	-
6525MHz Straddle 6.425-6.525GHz	Pass	PK	13.04574G	57.42	88.20	-30.78	3	Horizontal	158	2.06	-
6565MHz	Pass	AV	6.5578G	91.70	Inf	-Inf	3	Vertical	343	2.88	30
6565MHz	Pass	AV	7.1638G	52.33	68.20	-15.87	3	Vertical	343	2.88	30
6565MHz	Pass	PK	6.559G	102.76	Inf	-Inf	3	Vertical	343	2.88	30
6565MHz	Pass	PK	7.1446G	63.07	88.20	-25.13	3	Vertical	343	2.88	30
6565MHz	Pass	AV	6.5554G	96.18	Inf	-Inf	3	Horizontal	67	1.62	30
6565MHz	Pass	AV	7.1254G	52.24	68.20	-15.96	3	Horizontal	67	1.62	30
6565MHz	Pass	PK	6.5686G	107.01	Inf	-Inf	3	Horizontal	67	1.62	30



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6565MHz	Pass	PK	7.1602G	63.44	88.20	-24.76	3	Horizontal	67	1.62	30
6565MHz	Pass	AV	13.13594G	45.34	68.20	-22.86	3	Vertical	158	2.92	-
6565MHz	Pass	PK	13.11605G	57.20	88.20	-31.00	3	Vertical	158	2.92	-
6565MHz	Pass	AV	13.13534G	45.31	68.20	-22.89	3	Horizontal	128	1.57	-
6565MHz	Pass	PK	13.12673G	57.58	88.20	-30.62	3	Horizontal	128	1.57	-
6685MHz	Pass	AV	6.688G	89.34	Inf	-Inf	3	Vertical	322	2.81	30
6685MHz	Pass	AV	7.185G	52.73	68.20	-15.47	3	Vertical	322	2.81	30
6685MHz	Pass	PK	6.689G	99.80	Inf	-Inf	3	Vertical	322	2.81	30
6685MHz	Pass	PK	7.174G	63.74	88.20	-24.46	3	Vertical	322	2.81	30
6685MHz	Pass	AV	6.688G	95.84	Inf	-Inf	3	Horizontal	68	1.66	30
6685MHz	Pass	AV	7.172G	52.52	68.20	-15.68	3	Horizontal	68	1.66	30
6685MHz	Pass	PK	6.683G	106.41	Inf	-Inf	3	Horizontal	68	1.66	30
6685MHz	Pass	PK	7.154G	64.12	88.20	-24.08	3	Horizontal	68	1.66	30
6685MHz	Pass	AV	13.38083G	46.18	54.00	-7.82	3	Vertical	260	2.33	-
6685MHz	Pass	PK	13.36988G	58.24	74.00	-15.76	3	Vertical	260	2.33	-
6685MHz	Pass	AV	13.38011G	46.17	54.00	-7.83	3	Horizontal	157	2.35	-
6685MHz	Pass	PK	13.38026G	58.52	74.00	-15.48	3	Horizontal	157	2.35	-
6845MHz	Pass	AV	6.859G	91.69	Inf	-Inf	3	Vertical	326	3.00	30
6845MHz	Pass	AV	7.1908G	52.69	68.20	-15.51	3	Vertical	326	3.00	30
6845MHz	Pass	PK	6.8492G	102.13	Inf	-Inf	3	Vertical	326	3.00	30
6845MHz	Pass	PK	7.1467G	63.80	88.20	-24.40	3	Vertical	326	3.00	30
6845MHz	Pass	AV	6.8499G	97.93	Inf	-Inf	3	Horizontal	66	1.62	30
6845MHz	Pass	AV	7.1887G	52.80	68.20	-15.40	3	Horizontal	66	1.62	30
6845MHz	Pass	PK	6.8303G	108.74	Inf	-Inf	3	Horizontal	66	1.62	30
6845MHz	Pass	PK	7.1397G	63.95	88.20	-24.25	3	Horizontal	66	1.62	30
6845MHz	Pass	AV	13.69855G	50.99	68.20	-17.21	3	Vertical	310	1.01	-
6845MHz	Pass	PK	13.67665G	63.60	88.20	-24.60	3	Vertical	310	1.01	-
6845MHz	Pass	AV	13.67848G	50.98	68.20	-17.22	3	Horizontal	177	1.94	-
6845MHz	Pass	PK	13.67668G	62.83	88.20	-25.37	3	Horizontal	177	1.94	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8983G	92.69	Inf	-Inf	3	Vertical	328	3.00	37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.1797G	54.72	68.20	-13.48	3	Vertical	328	3.00	37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8885G	102.41	Inf	-Inf	3	Vertical	328	3.00	37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1895G	64.86	88.20	-23.34	3	Vertical	328	3.00	37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	6.8899G	98.87	Inf	-Inf	3	Horizontal	64	1.70	37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	7.2217G	54.82	68.20	-13.38	3	Horizontal	64	1.70	37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	6.8885G	108.76	Inf	-Inf	3	Horizontal	64	1.70	37
6885MHz Straddle 6.525-6.875GHz	Pass	PK	7.1804G	65.15	88.20	-23.05	3	Horizontal	64	1.70	37
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76085G	51.54	68.20	-16.66	3	Vertical	236	2.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.75542G	63.24	88.20	-24.96	3	Vertical	236	2.96	-
6885MHz Straddle 6.525-6.875GHz	Pass	AV	13.76229G	51.75	68.20	-16.45	3	Horizontal	66	2.46	-
6885MHz Straddle 6.525-6.875GHz	Pass	PK	13.7763G	63.87	88.20	-24.33	3	Horizontal	66	2.46	-
6925MHz	Pass	AV	6.9178G	92.15	Inf	-Inf	3	Vertical	329	2.94	30
6925MHz	Pass	AV	7.213G	53.00	68.20	-15.20	3	Vertical	329	2.94	30
6925MHz	Pass	PK	6.9202G	102.99	Inf	-Inf	3	Vertical	329	2.94	30
6925MHz	Pass	PK	7.2232G	64.31	88.20	-23.89	3	Vertical	329	2.94	30
6925MHz	Pass	AV	6.916G	97.77	Inf	-Inf	3	Horizontal	68	1.61	30
6925MHz	Pass	AV	7.2238G	52.92	68.20	-15.28	3	Horizontal	68	1.61	30
6925MHz	Pass	PK	6.922G	109.56	Inf	-Inf	3	Horizontal	68	1.61	30
6925MHz	Pass	PK	7.1878G	64.00	88.20	-24.20	3	Horizontal	68	1.61	30
6925MHz	Pass	AV	13.8416G	52.43	68.20	-15.77	3	Vertical	79	2.09	-
6925MHz	Pass	PK	13.8572G	64.53	88.20	-23.67	3	Vertical	79	2.09	-
6925MHz	Pass	AV	13.83746G	52.27	68.20	-15.93	3	Horizontal	101	2.37	-
6925MHz	Pass	PK	13.85843G	64.44	88.20	-23.76	3	Horizontal	101	2.37	-
7005MHz	Pass	AV	6.987G	91.74	Inf	-Inf	3	Vertical	334	2.95	30
7005MHz	Pass	AV	7.1544G	52.69	68.20	-15.51	3	Vertical	334	2.95	30
7005MHz	Pass	PK	6.9903G	102.40	Inf	-Inf	3	Vertical	334	2.95	30
7005MHz	Pass	PK	7.1469G	64.20	88.20	-24.00	3	Vertical	334	2.95	30
7005MHz	Pass	AV	6.9978G	98.04	Inf	-Inf	3	Horizontal	66	1.55	30
7005MHz	Pass	AV	7.1259G	52.62	68.20	-15.58	3	Horizontal	66	1.55	30
7005MHz	Pass	PK	7.0023G	109.53	Inf	-Inf	3	Horizontal	66	1.55	30
7005MHz	Pass	PK	7.152G	64.22	88.20	-23.98	3	Horizontal	66	1.55	30
7005MHz	Pass	AV	14.00667G	52.59	68.20	-15.61	3	Vertical	254	1.29	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7005MHz	Pass	PK	14.00733G	64.83	88.20	-23.37	3	Vertical	254	1.29	-
7005MHz	Pass	AV	14.00688G	52.63	68.20	-15.57	3	Horizontal	83	2.17	-
7005MHz	Pass	PK	14.02284G	64.77	88.20	-23.43	3	Horizontal	83	2.17	-
7085MHz	Pass	AV	7.082G	91.83	Inf	-Inf	3	Vertical	334	2.73	30
7085MHz	Pass	AV	7.2086G	52.98	68.20	-15.22	3	Vertical	334	2.73	30
7085MHz	Pass	PK	7.0802G	102.41	Inf	-Inf	3	Vertical	334	2.73	30
7085MHz	Pass	PK	7.1777G	64.65	88.20	-23.55	3	Vertical	334	2.73	30
7085MHz	Pass	AV	7.082G	97.48	Inf	-Inf	3	Horizontal	66	1.66	30
7085MHz	Pass	AV	7.1861G	53.34	68.20	-14.86	3	Horizontal	66	1.66	30
7085MHz	Pass	PK	7.082G	107.91	Inf	-Inf	3	Horizontal	66	1.66	30
7085MHz	Pass	PK	7.1972G	64.72	88.20	-23.48	3	Horizontal	66	1.66	30
7085MHz	Pass	AV	14.16799G	52.21	68.20	-15.99	3	Vertical	332	2.10	-
7085MHz	Pass	PK	14.15674G	64.66	88.20	-23.54	3	Vertical	332	2.10	-
7085MHz	Pass	AV	14.1742G	52.49	68.20	-15.71	3	Horizontal	55	1.85	-
7085MHz	Pass	PK	14.16994G	64.68	88.20	-23.52	3	Horizontal	55	1.85	-
802.11ax HEW80_Nss1,(MCS0)_TTX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.925G	54.99	68.20	-13.21	3	Vertical	341	2.79	71
5985MHz	Pass	AV	5.9965G	94.91	Inf	-Inf	3	Vertical	341	2.79	71
5985MHz	Pass	PK	5.9215G	66.23	88.20	-21.97	3	Vertical	341	2.79	71
5985MHz	Pass	PK	5.989G	106.06	Inf	-Inf	3	Vertical	341	2.79	71
5985MHz	Pass	AV	5.925G	56.65	68.20	-11.55	3	Horizontal	70	2.30	71
5985MHz	Pass	AV	5.996G	97.84	Inf	-Inf	3	Horizontal	70	2.30	71
5985MHz	Pass	PK	5.919G	68.34	88.20	-19.86	3	Horizontal	70	2.30	71
5985MHz	Pass	PK	5.989G	108.66	Inf	-Inf	3	Horizontal	70	2.30	71
5985MHz	Pass	AV	11.9694G	43.88	54.00	-10.12	3	Vertical	57	1.46	-
5985MHz	Pass	PK	11.95887G	56.30	74.00	-17.70	3	Vertical	57	1.46	-
5985MHz	Pass	AV	11.97687G	44.08	54.00	-9.92	3	Horizontal	58	2.35	-
5985MHz	Pass	PK	11.98062G	56.46	74.00	-17.54	3	Horizontal	58	2.35	-
6145MHz	Pass	AV	5.9014G	50.52	68.20	-17.68	3	Vertical	60	2.04	70
6145MHz	Pass	AV	6.1558G	91.88	Inf	-Inf	3	Vertical	60	2.04	70
6145MHz	Pass	PK	5.9044G	61.16	88.20	-27.04	3	Vertical	60	2.04	70
6145MHz	Pass	PK	6.1486G	102.63	Inf	-Inf	3	Vertical	60	2.04	70
6145MHz	Pass	AV	5.8906G	50.77	68.20	-17.43	3	Horizontal	66	1.78	70
6145MHz	Pass	AV	6.1564G	97.31	Inf	-Inf	3	Horizontal	66	1.78	70
6145MHz	Pass	PK	5.8822G	60.65	88.20	-27.55	3	Horizontal	66	1.78	70
6145MHz	Pass	PK	6.1486G	108.27	Inf	-Inf	3	Horizontal	66	1.78	70
6145MHz	Pass	AV	12.29204G	44.54	54.00	-9.46	3	Vertical	221	2.74	-
6145MHz	Pass	PK	12.30011G	57.17	74.00	-16.83	3	Vertical	221	2.74	-
6145MHz	Pass	AV	12.28733G	44.73	54.00	-9.27	3	Horizontal	71	1.97	-
6145MHz	Pass	PK	12.29543G	57.17	74.00	-16.83	3	Horizontal	71	1.97	-
6385MHz	Pass	AV	5.8966G	50.54	68.20	-17.66	3	Vertical	349	2.80	67
6385MHz	Pass	AV	6.3754G	94.20	Inf	-Inf	3	Vertical	349	2.80	67
6385MHz	Pass	PK	5.8954G	59.78	88.20	-28.42	3	Vertical	349	2.80	67
6385MHz	Pass	PK	6.3754G	104.36	Inf	-Inf	3	Vertical	349	2.80	67
6385MHz	Pass	AV	5.8834G	50.38	68.20	-17.82	3	Horizontal	68	1.80	67
6385MHz	Pass	AV	6.373G	97.11	Inf	-Inf	3	Horizontal	68	1.80	67
6385MHz	Pass	PK	5.9206G	60.36	88.20	-27.84	3	Horizontal	68	1.80	67
6385MHz	Pass	PK	6.3982G	108.11	Inf	-Inf	3	Horizontal	68	1.80	67
6385MHz	Pass	AV	12.77765G	44.63	68.20	-23.57	3	Vertical	155	1.86	-
6385MHz	Pass	PK	12.77564G	56.96	88.20	-31.24	3	Vertical	155	1.86	-
6385MHz	Pass	AV	12.77807G	44.68	68.20	-23.52	3	Horizontal	266	1.92	-
6385MHz	Pass	PK	12.78149G	58.24	88.20	-29.96	3	Horizontal	266	1.92	-
6465MHz	Pass	AV	5.884G	50.19	68.20	-18.01	3	Vertical	348	2.95	73
6465MHz	Pass	AV	6.4566G	94.92	Inf	-Inf	3	Vertical	348	2.95	73
6465MHz	Pass	AV	7.158G	53.56	68.20	-14.64	3	Vertical	348	2.95	73
6465MHz	Pass	PK	5.877G	59.70	88.20	-28.50	3	Vertical	348	2.95	73
6465MHz	Pass	PK	6.4622G	105.68	Inf	-Inf	3	Vertical	348	2.95	73
6465MHz	Pass	PK	7.1314G	63.46	88.20	-24.74	3	Vertical	348	2.95	73
6465MHz	Pass	AV	5.8868G	50.18	68.20	-18.02	3	Horizontal	77	1.80	73
6465MHz	Pass	AV	6.4566G	97.38	Inf	-Inf	3	Horizontal	77	1.80	73
6465MHz	Pass	AV	7.158G	53.56	68.20	-14.64	3	Horizontal	77	1.80	73
6465MHz	Pass	PK	5.9022G	60.20	88.20	-28.00	3	Horizontal	77	1.80	73



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6465MHz	Pass	PK	6.4468G	108.08	Inf	-Inf	3	Horizontal	77	1.80	73
6465MHz	Pass	PK	7.1342G	63.28	88.20	-24.92	3	Horizontal	77	1.80	73
6465MHz	Pass	AV	12.92196G	45.28	68.20	-22.92	3	Vertical	329	2.73	-
6465MHz	Pass	PK	12.91518G	56.78	88.20	-31.42	3	Vertical	329	2.73	-
6465MHz	Pass	AV	12.92604G	45.02	68.20	-23.18	3	Horizontal	303	1.95	-
6465MHz	Pass	PK	12.93075G	58.32	88.20	-29.88	3	Horizontal	303	1.95	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.901G	52.42	68.20	-15.78	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5604G	91.06	Inf	-Inf	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.245G	54.69	68.20	-13.51	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8464G	62.66	88.20	-25.54	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5632G	101.57	Inf	-Inf	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.2296G	64.84	88.20	-23.36	3	Vertical	307	2.61	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8814G	52.55	68.20	-15.65	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5562G	98.78	Inf	-Inf	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.231G	54.84	68.20	-13.36	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.9178G	62.18	88.20	-26.02	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.5576G	109.57	Inf	-Inf	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.21G	65.86	88.20	-22.34	3	Horizontal	67	1.66	63
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.10404G	46.40	68.20	-21.80	3	Vertical	207	2.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08454G	58.43	88.20	-29.77	3	Vertical	207	2.88	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.08979G	46.29	68.20	-21.91	3	Horizontal	110	1.34	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08016G	57.74	88.20	-30.46	3	Horizontal	110	1.34	-
6625MHz	Pass	AV	6.6382G	91.35	Inf	-Inf	3	Vertical	308	2.64	61
6625MHz	Pass	AV	7.1902G	53.72	68.20	-14.48	3	Vertical	308	2.64	61
6625MHz	Pass	PK	6.6202G	102.14	Inf	-Inf	3	Vertical	308	2.64	61
6625MHz	Pass	PK	7.213G	64.49	88.20	-23.71	3	Vertical	308	2.64	61
6625MHz	Pass	AV	6.6394G	97.39	Inf	-Inf	3	Horizontal	77	1.68	61
6625MHz	Pass	AV	7.2046G	53.83	68.20	-14.37	3	Horizontal	77	1.68	61
6625MHz	Pass	PK	6.6358G	107.17	Inf	-Inf	3	Horizontal	77	1.68	61
6625MHz	Pass	PK	7.1974G	63.36	88.20	-24.84	3	Horizontal	77	1.68	61
6625MHz	Pass	AV	13.25801G	45.55	54.00	-8.45	3	Vertical	257	1.42	-
6625MHz	Pass	PK	13.2599G	58.17	74.00	-15.83	3	Vertical	257	1.42	-
6625MHz	Pass	AV	13.25303G	45.74	54.00	-8.26	3	Horizontal	2	2.03	-
6625MHz	Pass	PK	13.25624G	57.54	74.00	-16.46	3	Horizontal	2	2.03	-
6705MHz	Pass	AV	6.695G	90.31	Inf	-Inf	3	Vertical	310	1.89	65
6705MHz	Pass	AV	7.198G	53.63	68.20	-14.57	3	Vertical	310	1.89	65
6705MHz	Pass	PK	6.696G	100.42	Inf	-Inf	3	Vertical	310	1.89	65
6705MHz	Pass	PK	7.182G	63.82	88.20	-24.38	3	Vertical	310	1.89	65
6705MHz	Pass	AV	6.693G	97.24	Inf	-Inf	3	Horizontal	70	1.66	65
6705MHz	Pass	AV	7.191G	53.74	68.20	-14.46	3	Horizontal	70	1.66	65
6705MHz	Pass	PK	6.694G	107.06	Inf	-Inf	3	Horizontal	70	1.66	65
6705MHz	Pass	PK	7.172G	63.39	88.20	-24.81	3	Horizontal	70	1.66	65
6705MHz	Pass	AV	13.39536G	46.17	54.00	-7.83	3	Vertical	219	1.14	-
6705MHz	Pass	PK	13.42143G	58.60	88.20	-29.60	3	Vertical	219	1.14	-
6705MHz	Pass	AV	13.39755G	46.24	54.00	-7.76	3	Horizontal	284	1.46	-
6705MHz	Pass	PK	13.4109G	58.03	88.20	-30.17	3	Horizontal	284	1.46	-
6785MHz	Pass	AV	6.7724G	90.34	Inf	-Inf	3	Vertical	310	1.58	63
6785MHz	Pass	AV	7.1252G	53.34	68.20	-14.86	3	Vertical	310	1.58	63
6785MHz	Pass	PK	6.7752G	100.08	Inf	-Inf	3	Vertical	310	1.58	63
6785MHz	Pass	PK	7.135G	62.93	88.20	-25.27	3	Vertical	310	1.58	63
6785MHz	Pass	AV	6.7759G	97.59	Inf	-Inf	3	Horizontal	76	1.56	63
6785MHz	Pass	AV	7.1301G	53.50	68.20	-14.70	3	Horizontal	76	1.56	63
6785MHz	Pass	PK	6.7885G	108.00	Inf	-Inf	3	Horizontal	76	1.56	63
6785MHz	Pass	PK	7.1322G	62.15	88.20	-26.05	3	Horizontal	76	1.56	63
6785MHz	Pass	AV	13.57168G	46.29	68.20	-21.91	3	Vertical	172	1.78	-
6785MHz	Pass	PK	13.55728G	58.48	88.20	-29.72	3	Vertical	172	1.78	-
6785MHz	Pass	AV	13.555G	46.40	68.20	-21.80	3	Horizontal	176	1.40	-
6785MHz	Pass	PK	13.55995G	58.85	88.20	-29.35	3	Horizontal	176	1.40	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8762G	89.49	Inf	-Inf	3	Vertical	305	1.74	51
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.2143G	54.63	68.20	-13.57	3	Vertical	305	1.74	51
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8685G	99.72	Inf	-Inf	3	Vertical	305	1.74	51
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.2108G	64.74	88.20	-23.46	3	Vertical	305	1.74	51



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8559G	98.97	Inf	-Inf	3	Horizontal	63	1.67	51
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1877G	54.91	68.20	-13.29	3	Horizontal	63	1.67	51
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8783G	109.88	Inf	-Inf	3	Horizontal	63	1.67	51
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1331G	65.16	88.20	-23.04	3	Horizontal	63	1.67	51
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74206G	51.28	68.20	-16.92	3	Vertical	98	2.15	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.74335G	63.13	88.20	-25.07	3	Vertical	98	2.15	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73381G	51.24	68.20	-16.96	3	Horizontal	182	2.04	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.74227G	63.41	88.20	-24.79	3	Horizontal	182	2.04	-
6945MHz	Pass	AV	6.936G	91.69	Inf	-Inf	3	Vertical	329	2.78	51
6945MHz	Pass	AV	7.2306G	52.90	68.20	-15.30	3	Vertical	329	2.78	51
6945MHz	Pass	PK	6.948G	103.40	Inf	-Inf	3	Vertical	329	2.78	51
6945MHz	Pass	PK	7.2144G	65.06	88.20	-23.14	3	Vertical	329	2.78	51
6945MHz	Pass	AV	6.936G	97.17	Inf	-Inf	3	Horizontal	66	1.63	51
6945MHz	Pass	AV	7.2438G	53.19	68.20	-15.01	3	Horizontal	66	1.63	51
6945MHz	Pass	PK	6.9486G	108.99	Inf	-Inf	3	Horizontal	66	1.63	51
6945MHz	Pass	PK	7.2288G	65.27	88.20	-22.93	3	Horizontal	66	1.63	51
6945MHz	Pass	AV	13.88124G	52.44	68.20	-15.76	3	Vertical	325	2.07	-
6945MHz	Pass	PK	13.88223G	65.05	88.20	-23.15	3	Vertical	325	2.07	-
6945MHz	Pass	AV	13.88331G	52.50	68.20	-15.70	3	Horizontal	25	1.83	-
6945MHz	Pass	PK	13.88934G	64.60	88.20	-23.60	3	Horizontal	25	1.83	-
7025MHz	Pass	AV	7.016G	91.31	Inf	-Inf	3	Vertical	332	2.92	55
7025MHz	Pass	AV	7.1651G	52.94	68.20	-15.26	3	Vertical	332	2.92	55
7025MHz	Pass	PK	7.0283G	102.68	Inf	-Inf	3	Vertical	332	2.92	55
7025MHz	Pass	PK	7.1618G	63.96	88.20	-24.24	3	Vertical	332	2.92	55
7025MHz	Pass	AV	6.9875G	96.79	Inf	-Inf	3	Horizontal	68	1.69	55
7025MHz	Pass	AV	7.1735G	53.57	68.20	-14.63	3	Horizontal	68	1.69	55
7025MHz	Pass	PK	7.0283G	108.28	Inf	-Inf	3	Horizontal	68	1.69	55
7025MHz	Pass	PK	7.1483G	64.23	88.20	-23.97	3	Horizontal	68	1.69	55
7025MHz	Pass	AV	14.04205G	52.32	68.20	-15.88	3	Vertical	254	1.50	-
7025MHz	Pass	PK	14.0614G	64.59	88.20	-23.61	3	Vertical	254	1.50	-
7025MHz	Pass	AV	14.04583G	52.39	68.20	-15.81	3	Horizontal	98	1.10	-
7025MHz	Pass	PK	14.04175G	64.53	88.20	-23.67	3	Horizontal	98	1.10	-
802.11ax HEW80_Nss2.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.92G	52.91	68.20	-15.29	3	Vertical	340	3.00	63
5985MHz	Pass	AV	5.992G	95.92	Inf	-Inf	3	Vertical	340	3.00	63
5985MHz	Pass	PK	5.92G	61.85	88.20	-26.35	3	Vertical	340	3.00	63
5985MHz	Pass	PK	5.992G	105.58	Inf	-Inf	3	Vertical	340	3.00	63
5985MHz	Pass	AV	5.921G	53.78	68.20	-14.42	3	Horizontal	313	1.80	63
5985MHz	Pass	AV	5.9915G	97.44	Inf	-Inf	3	Horizontal	313	1.80	63
5985MHz	Pass	PK	5.919G	63.11	88.20	-25.09	3	Horizontal	313	1.80	63
5985MHz	Pass	PK	5.992G	107.76	Inf	-Inf	3	Horizontal	313	1.80	63
5985MHz	Pass	AV	11.98206G	45.02	54.00	-8.98	3	Vertical	284	2.18	-
5985MHz	Pass	PK	11.98317G	56.08	74.00	-17.92	3	Vertical	284	2.18	-
5985MHz	Pass	AV	11.96901G	45.37	54.00	-8.63	3	Horizontal	141	2.84	-
5985MHz	Pass	PK	11.96379G	56.19	74.00	-17.81	3	Horizontal	141	2.84	-
6145MHz	Pass	AV	5.8864G	51.52	68.20	-16.68	3	Vertical	58	1.80	61
6145MHz	Pass	AV	6.157G	91.30	Inf	-Inf	3	Vertical	58	1.80	61
6145MHz	Pass	PK	5.884G	60.89	88.20	-27.31	3	Vertical	58	1.80	61
6145MHz	Pass	PK	6.1762G	101.41	Inf	-Inf	3	Vertical	58	1.80	61
6145MHz	Pass	AV	5.9164G	51.21	68.20	-16.99	3	Horizontal	59	2.16	61
6145MHz	Pass	AV	6.1744G	97.44	Inf	-Inf	3	Horizontal	59	2.16	61
6145MHz	Pass	PK	5.8492G	60.97	88.20	-27.23	3	Horizontal	59	2.16	61
6145MHz	Pass	PK	6.1522G	107.95	Inf	-Inf	3	Horizontal	59	2.16	61
6145MHz	Pass	AV	12.28016G	45.72	54.00	-8.28	3	Vertical	349	1.11	-
6145MHz	Pass	PK	12.29039G	57.22	74.00	-16.78	3	Vertical	349	1.11	-
6145MHz	Pass	AV	12.28922G	46.06	54.00	-7.94	3	Horizontal	185	1.12	-
6145MHz	Pass	PK	12.28052G	57.23	74.00	-16.77	3	Horizontal	185	1.12	-
6385MHz	Pass	AV	5.8906G	50.66	68.20	-17.54	3	Vertical	330	3.00	55
6385MHz	Pass	AV	6.3766G	93.27	Inf	-Inf	3	Vertical	330	3.00	55
6385MHz	Pass	PK	5.899G	60.54	88.20	-27.66	3	Vertical	330	3.00	55
6385MHz	Pass	PK	6.3814G	103.54	Inf	-Inf	3	Vertical	330	3.00	55
6385MHz	Pass	AV	5.9026G	50.95	68.20	-17.25	3	Horizontal	64	1.57	55



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6385MHz	Pass	AV	6.3766G	97.42	Inf	-Inf	3	Horizontal	64	1.57	55
6385MHz	Pass	PK	5.8834G	60.46	88.20	-27.74	3	Horizontal	64	1.57	55
6385MHz	Pass	PK	6.3922G	107.49	Inf	-Inf	3	Horizontal	64	1.57	55
6385MHz	Pass	AV	12.7793G	45.85	68.20	-22.35	3	Vertical	21	2.97	-
6385MHz	Pass	PK	12.78191G	56.32	88.20	-31.88	3	Vertical	21	2.97	-
6385MHz	Pass	AV	12.77936G	46.02	68.20	-22.18	3	Horizontal	193	2.61	-
6385MHz	Pass	PK	12.78365G	56.87	88.20	-31.33	3	Horizontal	193	2.61	-
6465MHz	Pass	AV	5.8994G	50.99	68.20	-17.21	3	Vertical	340	2.93	55
6465MHz	Pass	AV	6.458G	93.38	Inf	-Inf	3	Vertical	340	2.93	55
6465MHz	Pass	AV	7.1622G	54.19	68.20	-14.01	3	Vertical	340	2.93	55
6465MHz	Pass	PK	5.9162G	62.15	88.20	-26.05	3	Vertical	340	2.93	55
6465MHz	Pass	PK	6.4482G	102.89	Inf	-Inf	3	Vertical	340	2.93	55
6465MHz	Pass	PK	7.1566G	64.00	88.20	-24.20	3	Vertical	340	2.93	55
6465MHz	Pass	AV	5.8952G	50.68	68.20	-17.52	3	Horizontal	67	1.69	55
6465MHz	Pass	AV	6.458G	97.46	Inf	-Inf	3	Horizontal	67	1.69	55
6465MHz	Pass	AV	7.1622G	53.67	68.20	-14.53	3	Horizontal	67	1.69	55
6465MHz	Pass	PK	5.9204G	59.97	88.20	-28.23	3	Horizontal	67	1.69	55
6465MHz	Pass	PK	6.451G	107.17	Inf	-Inf	3	Horizontal	67	1.69	55
6465MHz	Pass	PK	7.165G	63.75	88.20	-24.45	3	Horizontal	67	1.69	55
6465MHz	Pass	AV	12.93774G	46.19	68.20	-22.01	3	Vertical	95	2.14	-
6465MHz	Pass	PK	12.9222G	57.18	88.20	-31.02	3	Vertical	95	2.14	-
6465MHz	Pass	AV	12.93927G	46.13	68.20	-22.07	3	Horizontal	202	1.70	-
6465MHz	Pass	PK	12.91731G	58.26	88.20	-29.94	3	Horizontal	202	1.70	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.8912G	50.70	68.20	-17.50	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5632G	92.21	Inf	-Inf	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.238G	54.68	68.20	-13.52	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8786G	61.41	88.20	-26.79	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.552G	102.58	Inf	-Inf	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.245G	63.92	88.20	-24.28	3	Vertical	346	2.89	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	5.9178G	51.05	68.20	-17.15	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	6.5618G	97.46	Inf	-Inf	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	7.2394G	54.43	68.20	-13.77	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	5.8702G	61.15	88.20	-27.05	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	6.531G	107.54	Inf	-Inf	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	PK	7.21G	64.72	88.20	-23.48	3	Horizontal	64	1.51	48
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09816G	46.55	68.20	-21.65	3	Vertical	37	2.54	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.08376G	57.59	88.20	-30.61	3	Vertical	37	2.54	-
6545MHz Straddle 6.425-6.525GHz	Pass	AV	13.09759G	46.43	68.20	-21.77	3	Horizontal	32	2.41	-
6545MHz Straddle 6.425-6.525GHz	Pass	PK	13.10299G	56.92	88.20	-31.28	3	Horizontal	32	2.41	-
6625MHz	Pass	AV	6.6406G	92.57	Inf	-Inf	3	Vertical	318	2.66	51
6625MHz	Pass	AV	7.2166G	56.08	68.20	-12.12	3	Vertical	318	2.66	51
6625MHz	Pass	PK	6.6406G	99.65	Inf	-Inf	3	Vertical	318	2.66	51
6625MHz	Pass	PK	7.1446G	64.63	88.20	-23.57	3	Vertical	318	2.66	51
6625MHz	Pass	AV	6.6406G	101.18	Inf	-Inf	3	Horizontal	66	1.68	51
6625MHz	Pass	AV	7.1662G	55.96	68.20	-12.24	3	Horizontal	66	1.68	51
6625MHz	Pass	PK	6.6418G	108.98	Inf	-Inf	3	Horizontal	66	1.68	51
6625MHz	Pass	PK	7.1914G	64.71	88.20	-23.49	3	Horizontal	66	1.68	51
6625MHz	Pass	AV	13.2353G	47.70	68.20	-20.50	3	Vertical	0	1.17	-
6625MHz	Pass	PK	13.2431G	58.22	88.20	-29.98	3	Vertical	0	1.17	-
6625MHz	Pass	AV	13.24598G	47.60	68.20	-20.60	3	Horizontal	15	1.27	-
6625MHz	Pass	PK	13.25627G	58.45	74.00	-15.55	3	Horizontal	15	1.27	-
6705MHz	Pass	AV	6.696G	89.71	Inf	-Inf	3	Vertical	306	2.53	51
6705MHz	Pass	AV	7.203G	54.31	68.20	-13.89	3	Vertical	306	2.53	51
6705MHz	Pass	PK	6.691G	99.63	Inf	-Inf	3	Vertical	306	2.53	51
6705MHz	Pass	PK	7.188G	63.14	88.20	-25.06	3	Vertical	306	2.53	51
6705MHz	Pass	AV	6.696G	97.04	Inf	-Inf	3	Horizontal	66	1.66	51
6705MHz	Pass	AV	7.161G	54.67	68.20	-13.53	3	Horizontal	66	1.66	51
6705MHz	Pass	PK	6.736G	106.87	Inf	-Inf	3	Horizontal	66	1.66	51
6705MHz	Pass	PK	7.193G	63.44	88.20	-24.76	3	Horizontal	66	1.66	51
6705MHz	Pass	AV	13.40004G	47.18	68.20	-21.02	3	Vertical	85	1.11	-
6705MHz	Pass	PK	13.42125G	58.67	88.20	-29.53	3	Vertical	85	1.11	-
6705MHz	Pass	AV	13.39845G	47.13	54.00	-6.87	3	Horizontal	17	1.10	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6705MHz	Pass	PK	13.39812G	58.05	74.00	-15.95	3	Horizontal	17	1.10	-
6785MHz	Pass	AV	6.7731G	89.10	Inf	-Inf	3	Vertical	303	1.79	49
6785MHz	Pass	AV	7.128G	53.49	68.20	-14.71	3	Vertical	303	1.79	49
6785MHz	Pass	PK	6.8158G	99.12	Inf	-Inf	3	Vertical	303	1.79	49
6785MHz	Pass	PK	7.135G	62.63	88.20	-25.57	3	Vertical	303	1.79	49
6785MHz	Pass	AV	6.771G	97.50	Inf	-Inf	3	Horizontal	69	1.61	49
6785MHz	Pass	AV	7.1287G	53.90	68.20	-14.30	3	Horizontal	69	1.61	49
6785MHz	Pass	PK	6.8158G	107.43	Inf	-Inf	3	Horizontal	69	1.61	49
6785MHz	Pass	PK	7.1343G	62.59	88.20	-25.61	3	Horizontal	69	1.61	49
6785MHz	Pass	AV	13.55818G	47.47	68.20	-20.73	3	Vertical	196	2.57	-
6785MHz	Pass	PK	13.57G	58.32	88.20	-29.88	3	Vertical	196	2.57	-
6785MHz	Pass	AV	13.5817G	47.57	68.20	-20.63	3	Horizontal	253	2.28	-
6785MHz	Pass	PK	13.57516G	58.11	88.20	-30.09	3	Horizontal	253	2.28	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8678G	91.61	Inf	-Inf	3	Vertical	326	2.86	45
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1968G	54.43	68.20	-13.77	3	Vertical	326	2.86	45
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.872G	101.30	Inf	-Inf	3	Vertical	326	2.86	45
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1947G	63.67	88.20	-24.53	3	Vertical	326	2.86	45
6865MHz Straddle 6.525-6.875GHz	Pass	AV	6.8713G	97.21	Inf	-Inf	3	Horizontal	67	1.63	45
6865MHz Straddle 6.525-6.875GHz	Pass	AV	7.1793G	54.69	68.20	-13.51	3	Horizontal	67	1.63	45
6865MHz Straddle 6.525-6.875GHz	Pass	PK	6.8293G	106.22	Inf	-Inf	3	Horizontal	67	1.63	45
6865MHz Straddle 6.525-6.875GHz	Pass	PK	7.1863G	64.66	88.20	-23.54	3	Horizontal	67	1.63	45
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.74332G	52.42	68.20	-15.78	3	Vertical	75	2.40	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73732G	63.33	88.20	-24.87	3	Vertical	75	2.40	-
6865MHz Straddle 6.525-6.875GHz	Pass	AV	13.73753G	52.46	68.20	-15.74	3	Horizontal	67	1.36	-
6865MHz Straddle 6.525-6.875GHz	Pass	PK	13.73207G	63.15	88.20	-25.05	3	Horizontal	67	1.36	-
6945MHz	Pass	AV	6.9366G	94.46	Inf	-Inf	3	Vertical	328	2.73	53
6945MHz	Pass	AV	7.239G	54.76	68.20	-13.44	3	Vertical	328	2.73	53
6945MHz	Pass	PK	6.9288G	104.29	Inf	-Inf	3	Vertical	328	2.73	53
6945MHz	Pass	PK	7.2138G	63.80	88.20	-24.40	3	Vertical	328	2.73	53
6945MHz	Pass	AV	6.9378G	99.15	Inf	-Inf	3	Horizontal	68	1.67	53
6945MHz	Pass	AV	7.242G	54.78	68.20	-13.42	3	Horizontal	68	1.67	53
6945MHz	Pass	PK	6.9372G	109.88	Inf	-Inf	3	Horizontal	68	1.67	53
6945MHz	Pass	PK	7.206G	64.39	88.20	-23.81	3	Horizontal	68	1.67	53
6945MHz	Pass	AV	13.90302G	53.90	68.20	-14.30	3	Vertical	243	1.81	-
6945MHz	Pass	PK	13.89561G	64.35	88.20	-23.85	3	Vertical	243	1.81	-
6945MHz	Pass	AV	13.89153G	53.61	68.20	-14.59	3	Horizontal	113	1.34	-
6945MHz	Pass	PK	13.89333G	64.81	88.20	-23.39	3	Horizontal	113	1.34	-
7025MHz	Pass	AV	7.0166G	91.31	Inf	-Inf	3	Vertical	360	2.92	46
7025MHz	Pass	AV	7.1561G	54.15	68.20	-14.05	3	Vertical	360	2.92	46
7025MHz	Pass	PK	7.0085G	101.25	Inf	-Inf	3	Vertical	360	2.92	46
7025MHz	Pass	PK	7.1654G	64.77	88.20	-23.43	3	Vertical	360	2.92	46
7025MHz	Pass	AV	7.0118G	97.75	Inf	-Inf	3	Horizontal	63	1.49	46
7025MHz	Pass	AV	7.1498G	54.97	68.20	-13.23	3	Horizontal	63	1.49	46
7025MHz	Pass	PK	6.9998G	107.57	Inf	-Inf	3	Horizontal	63	1.49	46
7025MHz	Pass	PK	7.1342G	64.97	88.20	-23.23	3	Horizontal	63	1.49	46
7025MHz	Pass	AV	14.06194G	53.75	68.20	-14.45	3	Vertical	229	1.53	-
7025MHz	Pass	PK	14.03968G	64.53	88.20	-23.67	3	Vertical	229	1.53	-
7025MHz	Pass	AV	14.05015G	53.68	68.20	-14.52	3	Horizontal	356	2.15	-
7025MHz	Pass	PK	14.04712G	64.34	88.20	-23.86	3	Horizontal	356	2.15	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Por12)	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.911G	63.32	68.20	-4.88	3	Vertical	54	1.93	-
6025MHz	Pass	AV	6.051G	94.61	Inf	-Inf	3	Vertical	54	1.93	-
6025MHz	Pass	PK	5.915G	72.45	88.20	-15.75	3	Vertical	54	1.93	-
6025MHz	Pass	PK	6.052G	103.27	Inf	-Inf	3	Vertical	54	1.93	-
6025MHz	Pass	AV	5.911G	67.93	68.20	-0.27	3	Horizontal	64	1.67	-
6025MHz	Pass	AV	6.084G	100.16	Inf	-Inf	3	Horizontal	64	1.67	-
6025MHz	Pass	PK	5.9155G	77.56	88.20	-10.64	3	Horizontal	64	1.67	-
6025MHz	Pass	PK	6.085G	108.29	Inf	-Inf	3	Horizontal	64	1.67	-
6025MHz	Pass	AV	12.05932G	47.24	54.00	-6.76	3	Vertical	163	1.42	-
6025MHz	Pass	PK	12.04252G	57.77	74.00	-16.23	3	Vertical	163	1.42	-
6025MHz	Pass	AV	12.05848G	47.41	54.00	-6.59	3	Horizontal	290	2.51	-
6025MHz	Pass	PK	12.05038G	56.98	74.00	-17.02	3	Horizontal	290	2.51	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6185MHz	Pass	AV	5.9154G	54.78	68.20	-13.42	3	Vertical	58	1.97	-
6185MHz	Pass	AV	6.1538G	94.93	Inf	-Inf	3	Vertical	58	1.97	-
6185MHz	Pass	PK	5.9186G	63.22	88.20	-24.98	3	Vertical	58	1.97	-
6185MHz	Pass	PK	6.1418G	102.77	Inf	-Inf	3	Vertical	58	1.97	-
6185MHz	Pass	AV	5.921G	56.30	68.20	-11.90	3	Horizontal	62	1.62	-
6185MHz	Pass	AV	6.1538G	100.77	Inf	-Inf	3	Horizontal	62	1.62	-
6185MHz	Pass	PK	5.9226G	64.17	88.20	-24.03	3	Horizontal	62	1.62	-
6185MHz	Pass	PK	6.189G	109.72	Inf	-Inf	3	Horizontal	62	1.62	-
6185MHz	Pass	AV	12.37344G	48.45	54.00	-5.55	3	Vertical	313	2.41	-
6185MHz	Pass	PK	12.37484G	57.45	74.00	-16.55	3	Vertical	313	2.41	-
6185MHz	Pass	AV	12.37728G	48.15	54.00	-5.85	3	Horizontal	294	2.51	-
6185MHz	Pass	PK	12.3799G	58.10	74.00	-15.90	3	Horizontal	294	2.51	-
6345MHz	Pass	AV	5.9106G	54.63	68.20	-13.57	3	Vertical	360	2.11	-
6345MHz	Pass	AV	6.3714G	96.97	Inf	-Inf	3	Vertical	360	2.11	-
6345MHz	Pass	PK	5.8998G	62.81	88.20	-25.39	3	Vertical	360	2.11	-
6345MHz	Pass	PK	6.387G	105.38	Inf	-Inf	3	Vertical	360	2.11	-
6345MHz	Pass	AV	5.8998G	54.42	68.20	-13.78	3	Horizontal	69	1.67	-
6345MHz	Pass	AV	6.4194G	101.07	Inf	-Inf	3	Horizontal	69	1.67	-
6345MHz	Pass	PK	5.8662G	63.56	88.20	-24.64	3	Horizontal	69	1.67	-
6345MHz	Pass	PK	6.3774G	109.69	Inf	-Inf	3	Horizontal	69	1.67	-
6345MHz	Pass	AV	12.68098G	47.47	54.00	-6.53	3	Vertical	45	1.88	-
6345MHz	Pass	PK	12.6901G	57.38	74.00	-16.62	3	Vertical	45	1.88	-
6345MHz	Pass	AV	12.68374G	47.84	54.00	-6.16	3	Horizontal	76	1.15	-
6345MHz	Pass	PK	12.68268G	57.98	74.00	-16.02	3	Horizontal	76	1.15	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9142G	54.63	68.20	-13.57	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5638G	97.22	Inf	-Inf	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1518G	57.89	68.20	-10.31	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.91G	63.13	88.20	-25.07	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.442G	105.69	Inf	-Inf	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.2022G	65.91	88.20	-22.29	3	Vertical	338	2.88	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8918G	54.38	68.20	-13.82	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4812G	101.44	Inf	-Inf	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1392G	57.60	68.20	-10.60	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.8708G	63.97	88.20	-24.23	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5092G	110.15	Inf	-Inf	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1532G	65.88	88.20	-22.32	3	Horizontal	67	1.49	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.0187G	48.91	68.20	-19.29	3	Vertical	197	1.87	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.00996G	58.44	88.20	-29.76	3	Vertical	197	1.87	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00252G	48.92	68.20	-19.28	3	Horizontal	1	2.56	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.0083G	58.78	88.20	-29.42	3	Horizontal	1	2.56	-
6665MHz	Pass	AV	6.6408G	94.24	Inf	-Inf	3	Vertical	308	2.14	-
6665MHz	Pass	AV	7.1446G	57.75	68.20	-10.45	3	Vertical	308	2.14	-
6665MHz	Pass	PK	6.6914G	102.55	Inf	-Inf	3	Vertical	308	2.14	-
6665MHz	Pass	PK	7.1754G	66.16	88.20	-22.04	3	Vertical	308	2.14	-
6665MHz	Pass	AV	6.6408G	101.43	Inf	-Inf	3	Horizontal	70	1.68	-
6665MHz	Pass	AV	7.1842G	58.13	68.20	-10.07	3	Horizontal	70	1.68	-
6665MHz	Pass	PK	6.6419G	110.60	Inf	-Inf	3	Horizontal	70	1.68	-
6665MHz	Pass	PK	7.1688G	66.11	88.20	-22.09	3	Horizontal	70	1.68	-
6665MHz	Pass	AV	13.32306G	49.70	54.00	-4.30	3	Vertical	188	2.46	-
6665MHz	Pass	PK	13.33394G	59.47	74.00	-14.53	3	Vertical	188	2.46	-
6665MHz	Pass	AV	13.33244G	49.78	54.00	-4.22	3	Horizontal	106	1.98	-
6665MHz	Pass	PK	13.3217G	59.53	74.00	-14.47	3	Horizontal	106	1.98	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.7506G	93.14	Inf	-Inf	3	Vertical	306	2.25	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1346G	57.88	68.20	-10.32	3	Vertical	306	2.25	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.7746G	102.41	Inf	-Inf	3	Vertical	306	2.25	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1714G	66.88	88.20	-21.32	3	Vertical	306	2.25	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.8794G	101.34	Inf	-Inf	3	Horizontal	69	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1266G	59.81	68.20	-8.39	3	Horizontal	69	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8994G	111.40	Inf	-Inf	3	Horizontal	69	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.153G	67.55	88.20	-20.65	3	Horizontal	69	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65236G	50.16	68.20	-18.04	3	Vertical	75	2.08	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65194G	59.71	88.20	-28.49	3	Vertical	75	2.08	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.6503G	50.06	68.20	-18.14	3	Horizontal	101	2.59	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64468G	60.04	88.20	-28.16	3	Horizontal	101	2.59	-
6985MHz	Pass	AV	6.912G	92.78	Inf	-Inf	3	Vertical	313	1.82	-
6985MHz	Pass	AV	7.1315G	58.77	68.20	-9.43	3	Vertical	313	1.82	-
6985MHz	Pass	PK	6.913G	101.16	Inf	-Inf	3	Vertical	313	1.82	-
6985MHz	Pass	PK	7.1845G	67.04	88.20	-21.16	3	Vertical	313	1.82	-
6985MHz	Pass	AV	6.9235G	101.56	Inf	-Inf	3	Horizontal	70	1.69	-
6985MHz	Pass	AV	7.1315G	65.61	68.20	-2.59	3	Horizontal	70	1.69	-
6985MHz	Pass	PK	6.948G	110.73	Inf	-Inf	3	Horizontal	70	1.69	-
6985MHz	Pass	PK	7.139G	76.16	88.20	-12.04	3	Horizontal	70	1.69	-
6985MHz	Pass	AV	13.96034G	49.94	68.20	-18.26	3	Vertical	290	1.53	-
6985MHz	Pass	PK	13.9708G	59.94	88.20	-28.26	3	Vertical	290	1.53	-
6985MHz	Pass	AV	13.96476G	50.33	68.20	-17.87	3	Horizontal	256	2.89	-
6985MHz	Pass	PK	13.9605G	59.76	88.20	-28.44	3	Horizontal	256	2.89	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.916G	65.85	68.20	-2.35	3	Vertical	349	2.95	-
6025MHz	Pass	AV	6.1G	99.79	Inf	-Inf	3	Vertical	349	2.95	-
6025MHz	Pass	PK	5.916G	77.56	88.20	-10.64	3	Vertical	349	2.95	-
6025MHz	Pass	PK	6.1015G	107.76	Inf	-Inf	3	Vertical	349	2.95	-
6025MHz	Pass	AV	5.916G	67.13	68.20	-1.07	3	Horizontal	63	1.61	-
6025MHz	Pass	AV	6.1G	101.64	Inf	-Inf	3	Horizontal	63	1.61	-
6025MHz	Pass	PK	5.9165G	79.81	88.20	-8.39	3	Horizontal	63	1.61	-
6025MHz	Pass	PK	6.0555G	109.20	Inf	-Inf	3	Horizontal	63	1.61	-
6025MHz	Pass	AV	12.05884G	46.78	54.00	-7.22	3	Vertical	285	1.25	-
6025MHz	Pass	PK	12.05782G	56.36	74.00	-17.64	3	Vertical	285	1.25	-
6025MHz	Pass	AV	12.05182G	47.09	54.00	-6.91	3	Horizontal	360	1.50	-
6025MHz	Pass	PK	12.0584G	57.50	74.00	-16.50	3	Horizontal	360	1.50	-
6185MHz	Pass	AV	5.9186G	54.62	68.20	-13.58	3	Vertical	58	2.05	-
6185MHz	Pass	AV	6.1698G	94.39	Inf	-Inf	3	Vertical	58	2.05	-
6185MHz	Pass	PK	5.921G	63.57	88.20	-24.63	3	Vertical	58	2.05	-
6185MHz	Pass	PK	6.1562G	101.66	Inf	-Inf	3	Vertical	58	2.05	-
6185MHz	Pass	AV	5.9138G	55.59	68.20	-12.61	3	Horizontal	63	1.65	-
6185MHz	Pass	AV	6.1698G	102.07	Inf	-Inf	3	Horizontal	63	1.65	-
6185MHz	Pass	PK	5.9042G	65.48	88.20	-22.72	3	Horizontal	63	1.65	-
6185MHz	Pass	PK	6.1714G	109.37	Inf	-Inf	3	Horizontal	63	1.65	-
6185MHz	Pass	AV	12.36012G	48.01	54.00	-5.99	3	Vertical	192	1.25	-
6185MHz	Pass	PK	12.37686G	57.64	74.00	-16.36	3	Vertical	192	1.25	-
6185MHz	Pass	AV	12.37562G	48.39	54.00	-5.61	3	Horizontal	140	2.15	-
6185MHz	Pass	PK	12.37074G	57.66	74.00	-16.34	3	Horizontal	140	2.15	-
6345MHz	Pass	AV	5.9178G	54.76	68.20	-13.44	3	Vertical	26	2.94	-
6345MHz	Pass	AV	6.4026G	97.76	Inf	-Inf	3	Vertical	26	2.94	-
6345MHz	Pass	PK	5.8818G	63.03	88.20	-25.17	3	Vertical	26	2.94	-
6345MHz	Pass	PK	6.2694G	106.20	Inf	-Inf	3	Vertical	26	2.94	-
6345MHz	Pass	AV	5.853G	54.22	68.20	-13.98	3	Horizontal	68	1.67	-
6345MHz	Pass	AV	6.4206G	101.66	Inf	-Inf	3	Horizontal	68	1.67	-
6345MHz	Pass	PK	5.7798G	63.23	88.20	-24.97	3	Horizontal	68	1.67	-
6345MHz	Pass	PK	6.4014G	109.71	Inf	-Inf	3	Horizontal	68	1.67	-
6345MHz	Pass	AV	12.68456G	47.73	54.00	-6.27	3	Vertical	198	1.08	-
6345MHz	Pass	PK	12.68938G	57.72	74.00	-16.28	3	Vertical	198	1.08	-
6345MHz	Pass	AV	12.68094G	47.95	54.00	-6.05	3	Horizontal	6	2.87	-
6345MHz	Pass	PK	12.68264G	57.40	74.00	-16.60	3	Horizontal	6	2.87	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.9212G	54.46	68.20	-13.74	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.4294G	96.87	Inf	-Inf	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1308G	57.73	68.20	-10.47	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9044G	63.01	88.20	-25.19	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.4532G	105.12	Inf	-Inf	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.177G	66.59	88.20	-21.61	3	Vertical	338	2.98	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	5.8932G	54.39	68.20	-13.81	3	Horizontal	62	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	6.5302G	101.98	Inf	-Inf	3	Horizontal	62	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	7.1658G	57.74	68.20	-10.46	3	Horizontal	62	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	5.9058G	63.41	88.20	-24.79	3	Horizontal	62	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	6.5358G	109.90	Inf	-Inf	3	Horizontal	62	1.50	-




RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6505MHz Straddle 6.425-6.525GHz	Pass	PK	7.1658G	66.51	88.20	-21.69	3	Horizontal	62	1.50	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.00906G	49.15	68.20	-19.05	3	Vertical	98	2.34	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01152G	59.20	88.20	-29.00	3	Vertical	98	2.34	-
6505MHz Straddle 6.425-6.525GHz	Pass	AV	13.01006G	49.15	68.20	-19.05	3	Horizontal	303	1.52	-
6505MHz Straddle 6.425-6.525GHz	Pass	PK	13.01382G	58.89	88.20	-29.31	3	Horizontal	303	1.52	-
6665MHz	Pass	AV	6.6496G	95.25	Inf	-Inf	3	Vertical	324	2.78	-
6665MHz	Pass	AV	7.1633G	57.61	68.20	-10.59	3	Vertical	324	2.78	-
6665MHz	Pass	PK	6.6958G	102.81	Inf	-Inf	3	Vertical	324	2.78	-
6665MHz	Pass	PK	7.215G	66.19	88.20	-22.01	3	Vertical	324	2.78	-
6665MHz	Pass	AV	6.6496G	102.06	Inf	-Inf	3	Horizontal	64	1.47	-
6665MHz	Pass	AV	7.1633G	57.75	68.20	-10.45	3	Horizontal	64	1.47	-
6665MHz	Pass	PK	6.6958G	110.23	Inf	-Inf	3	Horizontal	64	1.47	-
6665MHz	Pass	PK	7.1787G	66.77	88.20	-21.43	3	Horizontal	64	1.47	-
6665MHz	Pass	AV	13.32232G	49.91	54.00	-4.09	3	Vertical	270	1.37	-
6665MHz	Pass	PK	13.32406G	59.80	74.00	-14.20	3	Vertical	270	1.37	-
6665MHz	Pass	AV	13.32504G	49.90	54.00	-4.10	3	Horizontal	348	2.24	-
6665MHz	Pass	PK	13.33536G	59.80	74.00	-14.20	3	Horizontal	348	2.24	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.9002G	96.02	Inf	-Inf	3	Vertical	326	3.00	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.2122G	57.84	68.20	-10.36	3	Vertical	326	3.00	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8546G	104.15	Inf	-Inf	3	Vertical	326	3.00	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.2242G	67.28	88.20	-20.92	3	Vertical	326	3.00	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	6.9002G	101.93	Inf	-Inf	3	Horizontal	65	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	7.1466G	58.53	68.20	-9.67	3	Horizontal	65	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	6.8554G	110.48	Inf	-Inf	3	Horizontal	65	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	7.1434G	67.15	88.20	-21.05	3	Horizontal	65	1.50	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.65428G	50.27	68.20	-17.93	3	Vertical	94	1.24	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.65836G	60.20	88.20	-28.00	3	Vertical	94	1.24	-
6825MHz Straddle 6.525-6.875GHz	Pass	AV	13.64382G	50.35	68.20	-17.85	3	Horizontal	303	2.70	-
6825MHz Straddle 6.525-6.875GHz	Pass	PK	13.64654G	59.70	88.20	-28.50	3	Horizontal	303	2.70	-
6985MHz	Pass	AV	6.9495G	95.76	Inf	-Inf	3	Vertical	327	2.86	-
6985MHz	Pass	AV	7.234G	58.22	68.20	-9.98	3	Vertical	327	2.86	-
6985MHz	Pass	PK	6.912G	103.63	Inf	-Inf	3	Vertical	327	2.86	-
6985MHz	Pass	PK	7.169G	66.55	88.20	-21.65	3	Vertical	327	2.86	-
6985MHz	Pass	AV	6.95G	101.36	Inf	-Inf	3	Horizontal	71	1.61	-
6985MHz	Pass	AV	7.132G	60.24	68.20	-7.96	3	Horizontal	71	1.61	-
6985MHz	Pass	PK	6.95G	110.78	Inf	-Inf	3	Horizontal	71	1.61	-
6985MHz	Pass	PK	7.1785G	67.73	88.20	-20.47	3	Horizontal	71	1.61	-
6985MHz	Pass	AV	13.96486G	50.53	68.20	-17.67	3	Vertical	147	1.29	-
6985MHz	Pass	PK	13.97918G	59.87	88.20	-28.33	3	Vertical	147	1.29	-
6985MHz	Pass	AV	13.96556G	50.34	68.20	-17.86	3	Horizontal	58	1.37	-
6985MHz	Pass	PK	13.96104G	59.83	88.20	-28.37	3	Horizontal	58	1.37	-

802.11a_Nss1,(6Mbps)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9145G	48.65	68.20	-19.55	10.22	3	Vertical	337	2.07	50	38.43	34.16	10.27	34.21
AV	5.9592G	93.36	Inf	-Inf	10.32	3	Vertical	337	2.07	50	83.04	34.24	10.30	34.22
PK	5.8176G	60.97	88.20	-27.23	9.89	3	Vertical	337	2.07	50	51.08	33.91	10.19	34.21
PK	5.9565G	102.98	Inf	-Inf	10.34	3	Vertical	337	2.07	50	92.64	34.26	10.30	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9142G	48.77	68.20	-19.43	10.22	3	Horizontal	61	2.32	50	38.55	34.16	10.27	34.21
AV	5.9592G	96.91	Inf	-Inf	10.32	3	Horizontal	61	2.32	50	86.59	34.24	10.30	34.22
PK	5.8584G	60.66	88.20	-27.54	10.11	3	Horizontal	61	2.32	50	50.55	34.10	10.22	34.21
PK	5.9571G	105.81	Inf	-Inf	10.34	3	Horizontal	61	2.32	50	95.47	34.26	10.30	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90808G	43.30	54.00	-10.70	17.61	3	Vertical	341	1.99	-	25.69	38.62	13.27	34.28
PK	11.92188G	56.40	74.00	-17.60	17.63	3	Vertical	341	1.99	-	38.77	38.64	13.28	34.29

802.11a_Nss1,(6Mbps)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89944G	43.24	54.00	-10.76	17.59	3	Horizontal	308	2.84	-	25.65	38.60	13.27	34.28
PK	11.8974G	55.58	74.00	-18.42	17.60	3	Horizontal	308	2.84	-	37.98	38.60	13.27	34.27

802.11a_Nss1,(6Mbps)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	48.52	68.20	-19.68	10.24	3	Vertical	332	3.00	45	38.28	34.19	10.27	34.22
AV	6.1768G	91.31	Inf	-Inf	10.38	3	Vertical	332	3.00	45	80.93	34.10	10.51	34.23
PK	5.893G	60.21	88.20	-27.99	10.14	3	Vertical	332	3.00	45	50.07	34.10	10.25	34.21
PK	6.1768G	100.94	Inf	-Inf	10.38	3	Vertical	332	3.00	45	90.56	34.10	10.51	34.23


802.11a_Nss1,(6Mbps)_1TX(Port2)

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.908G	48.53	68.20	-19.67	10.18	3	Horizontal	66	1.69	45	38.35	34.13	10.26	34.21
AV	6.1702G	95.97	Inf	-Inf	10.37	3	Horizontal	66	1.69	45	85.60	34.10	10.50	34.23
PK	5.9146G	60.29	88.20	-27.91	10.22	3	Horizontal	66	1.69	45	50.07	34.16	10.27	34.21
PK	6.1684G	105.39	Inf	-Inf	10.37	3	Horizontal	66	1.69	45	95.02	34.10	10.50	34.23

802.11a_Nss1,(6Mbps)_1TX(Port2)
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34787G	44.43	54.00	-9.57	18.21	3	Vertical	286	1.89	-	26.22	38.85	13.52	34.16
PK	12.3461G	57.31	74.00	-16.69	18.21	3	Vertical	286	1.89	-	39.10	38.85	13.52	34.16


802.11a_Nss1,(6Mbps)_1TX(Port2)
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35507G	44.31	54.00	-9.69	18.24	3	Horizontal	75	3.00	-	26.07	38.86	13.53	34.15
PK	12.3485G	57.66	74.00	-16.34	18.21	3	Horizontal	75	3.00	-	39.45	38.85	13.52	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9218G	48.42	68.20	-19.78	10.24	3	Vertical	340	2.52	39	38.18	34.19	10.27	34.22
AV	6.4186G	91.93	Inf	-Inf	11.17	3	Vertical	340	2.52	39	80.76	34.77	10.65	34.25
PK	5.8282G	60.77	88.20	-27.43	9.96	3	Vertical	340	2.52	39	50.81	33.97	10.20	34.21
PK	6.4174G	100.83	Inf	-Inf	11.17	3	Vertical	340	2.52	39	89.66	34.77	10.65	34.25


802.11a_Nss1,(6Mbps)_1TX(Port2)

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9242G	48.38	68.20	-19.82	10.25	3	Horizontal	66	1.64	39	38.13	34.20	10.27	34.22
AV	6.4186G	96.26	Inf	-Inf	11.17	3	Horizontal	66	1.64	39	85.09	34.77	10.65	34.25
PK	5.911G	60.63	88.20	-27.57	10.19	3	Horizontal	66	1.64	39	50.44	34.14	10.26	34.21
PK	6.4162G	105.61	Inf	-Inf	11.16	3	Horizontal	66	1.64	39	94.45	34.76	10.65	34.25

802.11a_Nss1,(6Mbps)_1TX(Port2)
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82472G	45.32	68.20	-22.88	19.95	3	Vertical	117	1.47	-	25.37	39.60	13.82	33.47
PK	12.8156G	58.04	88.20	-30.16	19.92	3	Vertical	117	1.47	-	38.12	39.60	13.81	33.49


802.11a_Nss1,(6Mbps)_1TX(Port2)
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83171G	45.24	68.20	-22.96	19.96	3	Horizontal	80	2.06	-	25.28	39.60	13.82	33.46
PK	12.83969G	57.89	88.20	-30.31	19.99	3	Horizontal	80	2.06	-	37.90	39.60	13.83	33.44

802.11a_Nss1,(6Mbps)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8854G	49.96	68.20	-18.24	10.13	3	Vertical	7	3.00	52	39.83	34.10	10.24	34.21
AV	6.4398G	92.62	Inf	-Inf	11.27	3	Vertical	7	3.00	52	81.35	34.86	10.67	34.26
PK	5.877G	60.80	88.20	-27.40	10.13	3	Vertical	7	3.00	52	50.67	34.10	10.24	34.21
PK	6.4386G	99.96	Inf	-Inf	11.26	3	Vertical	7	3.00	52	88.70	34.85	10.67	34.26

802.11a_Nss1,(6Mbps)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	49.98	68.20	-18.22	10.14	3	Horizontal	39	3.00	52	39.84	34.10	10.25	34.21
AV	6.4374G	97.22	Inf	-Inf	11.26	3	Horizontal	39	3.00	52	85.96	34.85	10.66	34.25
PK	5.8926G	60.97	88.20	-27.23	10.14	3	Horizontal	39	3.00	52	50.83	34.10	10.25	34.21
PK	6.4314G	105.71	Inf	-Inf	11.24	3	Horizontal	39	3.00	52	94.47	34.83	10.66	34.25

802.11a_Nss1,(6Mbps)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85692G	45.05	68.20	-23.15	20.03	3	Vertical	90	2.04	-	25.02	39.60	13.84	33.41
PK	12.86973G	58.19	88.20	-30.01	20.06	3	Vertical	90	2.04	-	38.13	39.60	13.84	33.38

802.11a_Nss1,(6Mbps)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85689G	45.00	68.20	-23.20	20.03	3	Horizontal	314	2.91	-	24.97	39.60	13.84	33.41
PK	12.85731G	58.18	88.20	-30.02	20.03	3	Horizontal	314	2.91	-	38.15	39.60	13.84	33.41

802.11a_Nss1,(6Mbps)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9094G	48.53	68.20	-19.67	10.19	3	Vertical	340	2.31	36	38.34	34.14	10.26	34.21
AV	6.4778G	92.47	Inf	-Inf	11.50	3	Vertical	340	2.31	36	80.97	35.07	10.69	34.26
AV	7.1554G	50.90	68.20	-17.30	13.34	3	Vertical	340	2.31	36	37.56	36.59	11.26	34.51
PK	5.7792G	61.18	88.20	-27.02	9.72	3	Vertical	340	2.31	36	51.46	33.76	10.17	34.21
PK	6.4764G	102.36	Inf	-Inf	11.49	3	Vertical	340	2.31	36	90.87	35.06	10.69	34.26
PK	7.1596G	62.72	88.20	-25.48	13.34	3	Vertical	340	2.31	36	49.38	36.58	11.27	34.51


802.11a_Nss1,(6Mbps)_1TX(Port2)

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	48.39	68.20	-19.81	10.22	3	Horizontal	66	1.71	36	38.17	34.17	10.27	34.22
AV	6.4778G	97.11	Inf	-Inf	11.50	3	Horizontal	66	1.71	36	85.61	35.07	10.69	34.26
AV	7.1344G	51.01	68.20	-17.19	13.20	3	Horizontal	66	1.71	36	37.81	36.48	11.24	34.52
PK	5.8506G	61.96	88.20	-26.24	10.11	3	Horizontal	66	1.71	36	51.85	34.10	10.22	34.21
PK	6.4764G	106.29	Inf	-Inf	11.49	3	Horizontal	66	1.71	36	94.80	35.06	10.69	34.26
PK	7.1344G	63.13	88.20	-25.07	13.20	3	Horizontal	66	1.71	36	49.93	36.48	11.24	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94343G	45.12	68.20	-23.08	20.33	3	Vertical	157	1.64	-	24.79	39.69	13.89	33.25
PK	12.93509G	58.18	88.20	-30.02	20.30	3	Vertical	157	1.64	-	37.88	39.67	13.89	33.26


802.11a_Nss1,(6Mbps)_1TX(Port2)
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93842G	45.07	68.20	-23.13	20.31	3	Horizontal	218	1.01	-	24.76	39.68	13.89	33.26
PK	12.94793G	57.63	88.20	-30.57	20.35	3	Horizontal	218	1.01	-	37.28	39.70	13.89	33.24

802.11a_Nss1,(6Mbps)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8934G	51.70	68.20	-16.50	10.14	3	Vertical	43	2.91	43	41.56	34.10	10.25	34.21
AV	6.5094G	94.60	Inf	-Inf	11.66	3	Vertical	43	2.91	43	82.94	35.22	10.71	34.27
AV	7.1548G	54.32	68.20	-13.88	13.34	3	Vertical	43	2.91	43	40.98	36.59	11.26	34.51
PK	5.8472G	62.54	88.20	-25.66	10.09	3	Vertical	43	2.91	43	52.45	34.08	10.22	34.21
PK	6.5108G	103.06	Inf	-Inf	11.66	3	Vertical	43	2.91	43	91.40	35.22	10.71	34.27
PK	7.2094G	64.67	88.20	-23.53	13.33	3	Vertical	43	2.91	43	51.34	36.54	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9088G	51.80	68.20	-16.40	10.19	3	Horizontal	63	1.50	43	41.61	34.14	10.26	34.21
AV	6.5108G	100.65	Inf	-Inf	11.66	3	Horizontal	63	1.50	43	88.99	35.22	10.71	34.27
AV	7.173G	54.38	68.20	-13.82	13.32	3	Horizontal	63	1.50	43	41.06	36.55	11.28	34.51
PK	5.8668G	62.31	88.20	-25.89	10.12	3	Horizontal	63	1.50	43	52.19	34.10	10.23	34.21
PK	6.5136G	109.06	Inf	-Inf	11.67	3	Horizontal	63	1.50	43	97.39	35.23	10.71	34.27
PK	7.2136G	65.16	88.20	-23.04	13.34	3	Horizontal	63	1.50	43	51.82	36.55	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02061G	45.44	68.20	-22.76	20.61	3	Vertical	243	1.10	-	24.83	39.78	13.94	33.11
PK	13.02178G	57.85	88.20	-30.35	20.62	3	Vertical	243	1.10	-	37.23	39.78	13.94	33.10

802.11a_Nss1,(6Mbps)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03261G	45.36	68.20	-22.84	20.63	3	Horizontal	185	2.04	-	24.73	39.77	13.95	33.09
PK	13.03903G	57.76	88.20	-30.44	20.63	3	Horizontal	185	2.04	-	37.13	39.76	13.95	33.08

802.11a_Nss1,(6Mbps)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8868G	48.46	68.20	-19.74	10.14	3	Vertical	342	2.36	33	38.32	34.10	10.25	34.21
AV	6.5308G	92.80	Inf	-Inf	11.71	3	Vertical	342	2.36	33	81.09	35.26	10.73	34.28
AV	7.2308G	51.10	68.20	-17.10	13.42	3	Vertical	342	2.36	33	37.68	36.62	11.31	34.51
PK	5.9204G	60.65	88.20	-27.55	10.23	3	Vertical	342	2.36	33	50.42	34.18	10.27	34.22
PK	6.5336G	101.36	Inf	-Inf	11.72	3	Vertical	342	2.36	33	89.64	35.27	10.73	34.28
PK	7.1426G	63.53	88.20	-24.67	13.27	3	Vertical	342	2.36	33	50.26	36.54	11.25	34.52


802.11a_Nss1,(6Mbps)_1TX(Port2)

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9092G	48.51	68.20	-19.69	10.19	3	Horizontal	69	1.73	33	38.32	34.14	10.26	34.21
AV	6.5392G	97.94	Inf	-Inf	11.73	3	Horizontal	69	1.73	33	86.21	35.28	10.73	34.28
AV	7.2336G	51.02	68.20	-17.18	13.43	3	Horizontal	69	1.73	33	37.59	36.63	11.31	34.51
PK	5.8742G	60.57	88.20	-27.63	10.13	3	Horizontal	69	1.73	33	50.44	34.10	10.24	34.21
PK	6.5364G	107.74	Inf	-Inf	11.72	3	Horizontal	69	1.73	33	96.02	35.27	10.73	34.28
PK	7.2308G	63.33	88.20	-24.87	13.42	3	Horizontal	69	1.73	33	49.91	36.62	11.31	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.07558G	45.47	68.20	-22.73	20.67	3	Vertical	1	2.25	-	24.80	39.72	13.97	33.02
PK	13.0829G	58.15	88.20	-30.05	20.70	3	Vertical	1	2.25	-	37.45	39.72	13.98	33.00


802.11a_Nss1,(6Mbps)_1TX(Port2)
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.0649G	45.52	68.20	-22.68	20.67	3	Horizontal	291	1.35	-	24.85	39.74	13.96	33.03
PK	13.0697G	57.81	88.20	-30.39	20.67	3	Horizontal	291	1.35	-	37.14	39.73	13.97	33.03

802.11a_Nss1,(6Mbps)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.692G	91.94	Inf	-Inf	12.37	3	Vertical	346	2.39	34	79.57	35.87	10.86	34.36
AV	7.159G	50.92	68.20	-17.28	13.34	3	Vertical	346	2.39	34	37.58	36.58	11.27	34.51
PK	6.699G	100.86	Inf	-Inf	12.39	3	Vertical	346	2.39	34	88.47	35.90	10.86	34.37
PK	7.177G	62.64	88.20	-25.56	13.32	3	Vertical	346	2.39	34	49.32	36.55	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.693G	97.17	Inf	-Inf	12.37	3	Horizontal	70	1.80	34	84.80	35.87	10.86	34.36
AV	7.158G	51.00	68.20	-17.20	13.33	3	Horizontal	70	1.80	34	37.67	36.58	11.26	34.51
PK	6.698G	107.57	Inf	-Inf	12.38	3	Horizontal	70	1.80	34	95.19	35.89	10.86	34.37
PK	7.147G	63.96	88.20	-24.24	13.31	3	Horizontal	70	1.80	34	50.65	36.58	11.25	34.52

802.11a_Nss1,(6Mbps)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37893G	46.27	54.00	-7.73	21.68	3	Vertical	189	2.30	-	24.59	40.04	14.16	32.52
PK	13.39999G	59.23	74.00	-14.77	21.79	3	Vertical	189	2.30	-	37.44	40.10	14.17	32.48

802.11a_Nss1,(6Mbps)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.3759G	46.25	54.00	-7.75	21.67	3	Horizontal	241	2.45	-	24.58	40.03	14.16	32.52
PK	13.38472G	59.01	74.00	-14.99	21.70	3	Horizontal	241	2.45	-	37.31	40.05	14.16	32.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8571G	88.81	Inf	-Inf	12.26	3	Vertical	311	2.27	27	76.55	35.70	11.01	34.45
AV	7.1651G	51.07	68.20	-17.13	13.33	3	Vertical	311	2.27	27	37.74	36.57	11.27	34.51
PK	6.855G	97.81	Inf	-Inf	12.26	3	Vertical	311	2.27	27	85.55	35.70	11.01	34.45
PK	7.1329G	63.09	88.20	-25.11	13.18	3	Vertical	311	2.27	27	49.91	36.46	11.24	34.52


802.11a_Nss1,(6Mbps)_1TX(Port2)

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8592G	97.34	Inf	-Inf	12.26	3	Horizontal	69	1.70	27	85.08	35.70	11.01	34.45
AV	7.1343G	50.95	68.20	-17.25	13.19	3	Horizontal	69	1.70	27	37.76	36.47	11.24	34.52
PK	6.8599G	106.32	Inf	-Inf	12.26	3	Horizontal	69	1.70	27	94.06	35.70	11.01	34.45
PK	7.1651G	62.88	88.20	-25.32	13.33	3	Horizontal	69	1.70	27	49.55	36.57	11.27	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71816G	50.68	68.20	-17.52	21.65	3	Vertical	347	2.58	-	29.03	39.70	14.37	32.42
PK	13.71828G	63.79	88.20	-24.41	21.65	3	Vertical	347	2.58	-	42.14	39.70	14.37	32.42


802.11a_Nss1,(6Mbps)_1TX(Port2)
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69611G	50.61	68.20	-17.59	21.65	3	Horizontal	283	2.44	-	28.96	39.71	14.35	32.41
PK	13.70586G	63.21	88.20	-24.99	21.65	3	Horizontal	283	2.44	-	41.56	39.70	14.36	32.41

802.11a_Nss1,(6Mbps)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8687G	88.42	Inf	-Inf	12.26	3	Vertical	328	3.00	28	76.16	35.70	11.02	34.46
AV	7.1501G	51.04	68.20	-17.16	13.35	3	Vertical	328	3.00	28	37.69	36.60	11.26	34.51
PK	6.8687G	97.12	Inf	-Inf	12.26	3	Vertical	328	3.00	28	84.86	35.70	11.02	34.46
PK	7.1333G	62.75	88.20	-25.45	13.19	3	Vertical	328	3.00	28	49.56	36.47	11.24	34.52


802.11a_Nss1,(6Mbps)_1TX(Port2)

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8792G	95.93	Inf	-Inf	12.27	3	Horizontal	70	1.68	28	83.66	35.70	11.03	34.46
AV	7.1522G	51.07	68.20	-17.13	13.35	3	Horizontal	70	1.68	28	37.72	36.60	11.26	34.51
PK	6.8799G	104.95	Inf	-Inf	12.26	3	Horizontal	70	1.68	28	92.69	35.70	11.03	34.47
PK	7.2061G	62.65	88.20	-25.55	13.31	3	Horizontal	70	1.68	28	49.34	36.52	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74796G	50.77	68.20	-17.43	21.65	3	Vertical	73	1.95	-	29.12	39.70	14.38	32.43
PK	13.74844G	64.04	88.20	-24.16	21.66	3	Vertical	73	1.95	-	42.38	39.70	14.39	32.43


802.11a_Nss1,(6Mbps)_1TX(Port2)
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76485G	50.67	68.20	-17.53	21.66	3	Horizontal	353	2.71	-	29.01	39.70	14.40	32.44
PK	13.74103G	63.40	88.20	-24.80	21.65	3	Horizontal	353	2.71	-	41.75	39.70	14.38	32.43

802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8971G	91.37	Inf	-Inf	12.27	3	Vertical	336	2.92	53	79.10	35.70	11.04	34.47
AV	7.2429G	52.62	68.20	-15.58	13.47	3	Vertical	336	2.92	53	39.15	36.67	11.31	34.51
PK	6.8985G	99.56	Inf	-Inf	12.26	3	Vertical	336	2.92	53	87.30	35.70	11.04	34.48
PK	7.2205G	62.96	88.20	-25.24	13.37	3	Vertical	336	2.92	53	49.59	36.58	11.30	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8992G	96.38	Inf	-Inf	12.26	3	Horizontal	25	2.10	53	84.12	35.70	11.04	34.48
AV	7.2415G	52.61	68.20	-15.59	13.47	3	Horizontal	25	2.10	53	39.14	36.67	11.31	34.51
PK	6.8901G	104.09	Inf	-Inf	12.27	3	Horizontal	25	2.10	53	91.82	35.70	11.04	34.47
PK	7.2275G	63.20	88.20	-25.00	13.41	3	Horizontal	25	2.10	53	49.79	36.61	11.31	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80416G	51.14	68.20	-17.06	21.67	3	Vertical	150	1.81	-	29.47	39.70	14.42	32.45
PK	13.78718G	64.59	88.20	-23.61	21.66	3	Vertical	150	1.81	-	42.93	39.70	14.41	32.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80362G	50.99	68.20	-17.21	21.67	3	Horizontal	49	2.47	-	29.32	39.70	14.42	32.45
PK	13.79831G	64.19	88.20	-24.01	21.67	3	Horizontal	49	2.47	-	42.52	39.70	14.42	32.45

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.999G	88.72	Inf	-Inf	12.30	3	Vertical	312	3.00	36	76.42	35.70	11.13	34.53
AV	7.231G	51.06	68.20	-17.14	13.42	3	Vertical	312	3.00	36	37.64	36.62	11.31	34.51
PK	6.997G	98.07	Inf	-Inf	12.30	3	Vertical	312	3.00	36	85.77	35.70	11.13	34.53
PK	7.189G	63.31	88.20	-24.89	13.30	3	Vertical	312	3.00	36	50.01	36.52	11.29	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9905G	96.20	Inf	-Inf	12.30	3	Horizontal	69	1.71	36	83.90	35.70	11.12	34.52
AV	7.235G	51.12	68.20	-17.08	13.44	3	Horizontal	69	1.71	36	37.68	36.64	11.31	34.51
PK	6.9915G	106.28	Inf	-Inf	12.29	3	Horizontal	69	1.71	36	93.99	35.70	11.12	34.53
PK	7.1765G	63.86	88.20	-24.34	13.32	3	Horizontal	69	1.71	36	50.54	36.55	11.28	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98535G	51.52	68.20	-16.68	21.79	3	Vertical	285	2.06	-	29.73	39.79	14.53	32.53
PK	13.99285G	64.35	88.20	-23.85	21.79	3	Vertical	285	2.06	-	42.56	39.79	14.54	32.54

802.11a_Nss1,(6Mbps)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99543G	51.74	68.20	-16.46	21.80	3	Horizontal	207	2.12	-	29.94	39.80	14.54	32.54
PK	13.98451G	64.33	88.20	-23.87	21.78	3	Horizontal	207	2.12	-	42.55	39.78	14.53	32.53

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0923G	93.54	Inf	-Inf	12.86	3	Vertical	4	1.24	54	80.68	36.17	11.21	34.52
AV	7.2441G	52.63	68.20	-15.57	13.48	3	Vertical	4	1.24	54	39.15	36.68	11.31	34.51
PK	7.0917G	100.96	Inf	-Inf	12.86	3	Vertical	4	1.24	54	88.10	36.17	11.21	34.52
PK	7.2426G	63.88	88.20	-24.32	13.47	3	Vertical	4	1.24	54	50.41	36.67	11.31	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.092G	97.42	Inf	-Inf	12.86	3	Horizontal	29	2.76	54	84.56	36.17	11.21	34.52
AV	7.2366G	52.77	68.20	-15.43	13.45	3	Horizontal	29	2.76	54	39.32	36.65	11.31	34.51
PK	7.0887G	105.76	Inf	-Inf	12.84	3	Horizontal	29	2.76	54	92.92	36.15	11.21	34.52
PK	7.1844G	63.54	88.20	-24.66	13.31	3	Horizontal	29	2.76	54	50.23	36.53	11.29	34.51

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17932G	50.77	68.20	-17.43	22.00	3	Vertical	121	1.45	-	28.77	40.10	14.67	32.77
PK	14.184G	63.48	88.20	-24.72	22.01	3	Vertical	121	1.45	-	41.47	40.10	14.68	32.77

802.11a_Nss1,(6Mbps)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17881G	50.72	68.20	-17.48	22.00	3	Horizontal	17	2.89	-	28.72	40.10	14.67	32.77
PK	14.18664G	63.57	88.20	-24.63	22.00	3	Horizontal	17	2.89	-	41.57	40.10	14.68	32.78

802.11a_Nss1,(6Mbps)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8881G	49.97	68.20	-18.23	10.14	3	Vertical	57	1.12	36	39.83	34.10	10.25	34.21
AV	5.952G	89.01	Inf	-Inf	10.36	3	Vertical	57	1.12	36	78.65	34.29	10.29	34.22
PK	5.8488G	62.15	88.20	-26.05	10.10	3	Vertical	57	1.12	36	52.05	34.09	10.22	34.21
PK	5.9517G	96.73	Inf	-Inf	10.36	3	Vertical	57	1.12	36	86.37	34.29	10.29	34.22


802.11a_Nss1,(6Mbps)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9238G	50.13	68.20	-18.07	10.25	3	Horizontal	305	1.80	36	39.88	34.20	10.27	34.22
AV	5.9538G	98.58	Inf	-Inf	10.36	3	Horizontal	305	1.80	36	88.22	34.28	10.30	34.22
PK	5.9139G	61.67	88.20	-26.53	10.22	3	Horizontal	305	1.80	36	51.45	34.16	10.27	34.21
PK	5.9541G	106.01	Inf	-Inf	10.36	3	Horizontal	305	1.80	36	95.65	34.28	10.30	34.22

802.11a_Nss1,(6Mbps)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.89584G	43.14	54.00	-10.86	17.60	3	Vertical	312	1.16	-	25.54	38.60	13.27	34.27
PK	11.92188G	56.24	74.00	-17.76	17.63	3	Vertical	312	1.16	-	38.61	38.64	13.28	34.29


802.11a_Nss1,(6Mbps)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90055G	43.31	54.00	-10.69	17.59	3	Horizontal	15	2.98	-	25.72	38.60	13.27	34.28
PK	11.8956G	55.82	74.00	-18.18	17.60	3	Horizontal	15	2.98	-	38.22	38.60	13.27	34.27

802.11a_Nss1,(6Mbps)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	50.11	68.20	-18.09	10.22	3	Vertical	307	1.00	38	39.89	34.17	10.27	34.22
AV	6.1726G	94.36	Inf	-Inf	10.37	3	Vertical	307	1.00	38	83.99	34.10	10.50	34.23
PK	5.8846G	60.72	88.20	-27.48	10.13	3	Vertical	307	1.00	38	50.59	34.10	10.24	34.21
PK	6.1726G	102.37	Inf	-Inf	10.37	3	Vertical	307	1.00	38	92.00	34.10	10.50	34.23


802.11a_Nss1,(6Mbps)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9086G	50.07	68.20	-18.13	10.18	3	Horizontal	297	1.80	38	39.89	34.13	10.26	34.21
AV	6.1726G	98.30	Inf	-Inf	10.37	3	Horizontal	297	1.80	38	87.93	34.10	10.50	34.23
PK	5.8822G	61.04	88.20	-27.16	10.13	3	Horizontal	297	1.80	38	50.91	34.10	10.24	34.21
PK	6.1828G	105.53	Inf	-Inf	10.38	3	Horizontal	297	1.80	38	95.15	34.10	10.51	34.23

802.11a_Nss1,(6Mbps)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35369G	44.37	54.00	-9.63	18.23	3	Vertical	349	1.13	-	26.14	38.85	13.53	34.15
PK	12.3395G	57.25	74.00	-16.75	18.20	3	Vertical	349	1.13	-	39.05	38.84	13.52	34.16


802.11a_Nss1,(6Mbps)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34991G	44.32	54.00	-9.68	18.22	3	Horizontal	355	1.78	-	26.10	38.85	13.53	34.16
PK	12.36344G	58.29	74.00	-15.71	18.24	3	Horizontal	355	1.78	-	40.05	38.86	13.53	34.15

802.11a_Nss1,(6Mbps)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9134G	50.10	68.20	-18.10	10.21	3	Vertical	6	1.34	39	39.89	34.15	10.27	34.21
AV	6.4186G	94.55	Inf	-Inf	11.17	3	Vertical	6	1.34	39	83.38	34.77	10.65	34.25
PK	5.8594G	61.41	88.20	-26.79	10.11	3	Vertical	6	1.34	39	51.30	34.10	10.22	34.21
PK	6.4186G	102.29	Inf	-Inf	11.17	3	Vertical	6	1.34	39	91.12	34.77	10.65	34.25


802.11a_Nss1,(6Mbps)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8882G	49.98	68.20	-18.22	10.14	3	Horizontal	45	1.58	39	39.84	34.10	10.25	34.21
AV	6.4162G	98.11	Inf	-Inf	11.16	3	Horizontal	45	1.58	39	86.95	34.76	10.65	34.25
PK	5.8918G	60.23	88.20	-27.97	10.14	3	Horizontal	45	1.58	39	50.09	34.10	10.25	34.21
PK	6.4162G	105.48	Inf	-Inf	11.16	3	Horizontal	45	1.58	39	94.32	34.76	10.65	34.25

802.11a_Nss1,(6Mbps)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.83924G	45.25	68.20	-22.95	19.99	3	Vertical	256	2.09	-	25.26	39.60	13.83	33.44
PK	12.82757G	57.68	88.20	-30.52	19.96	3	Vertical	256	2.09	-	37.72	39.60	13.82	33.46


802.11a_Nss1,(6Mbps)_2TX
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82373G	45.24	68.20	-22.96	19.95	3	Horizontal	151	1.55	-	25.29	39.60	13.82	33.47
PK	12.8204G	58.09	88.20	-30.11	19.93	3	Horizontal	151	1.55	-	38.16	39.60	13.81	33.48

802.11a_Nss1,(6Mbps)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9118G	51.81	68.20	-16.39	10.20	3	Vertical	337	3.00	29	41.61	34.15	10.26	34.21
AV	6.4362G	95.46	Inf	-Inf	11.25	3	Vertical	337	3.00	29	84.21	34.84	10.66	34.25
PK	5.8602G	61.77	88.20	-26.43	10.12	3	Vertical	337	3.00	29	51.65	34.10	10.23	34.21
PK	6.4362G	102.66	Inf	-Inf	11.25	3	Vertical	337	3.00	29	91.41	34.84	10.66	34.25


802.11a_Nss1,(6Mbps)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8854G	51.84	68.20	-16.36	10.13	3	Horizontal	63	1.50	29	41.71	34.10	10.24	34.21
AV	6.4302G	100.66	Inf	-Inf	11.23	3	Horizontal	63	1.50	29	89.43	34.82	10.66	34.25
PK	5.8746G	61.88	88.20	-26.32	10.13	3	Horizontal	63	1.50	29	51.75	34.10	10.24	34.21
PK	6.4302G	108.47	Inf	-Inf	11.23	3	Horizontal	63	1.50	29	97.24	34.82	10.66	34.25

802.11a_Nss1,(6Mbps)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86802G	45.07	68.20	-23.13	20.05	3	Vertical	159	1.78	-	25.02	39.60	13.84	33.39
PK	12.87774G	58.05	88.20	-30.15	20.08	3	Vertical	159	1.78	-	37.97	39.60	13.85	33.37


802.11a_Nss1,(6Mbps)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86478G	45.15	68.20	-23.05	20.05	3	Horizontal	313	2.88	-	25.10	39.60	13.84	33.39
PK	12.87621G	57.65	88.20	-30.55	20.08	3	Horizontal	313	2.88	-	37.57	39.60	13.85	33.37

802.11a_Nss1,(6Mbps)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9164G	51.83	68.20	-16.37	10.23	3	Vertical	340	2.86	27	41.60	34.17	10.27	34.21
AV	6.4708G	95.05	Inf	-Inf	11.45	3	Vertical	340	2.86	27	83.60	35.02	10.69	34.26
AV	7.1372G	54.24	68.20	-13.96	13.23	3	Vertical	340	2.86	27	41.01	36.50	11.25	34.52
PK	5.8506G	61.69	88.20	-26.51	10.11	3	Vertical	340	2.86	27	51.58	34.10	10.22	34.21
PK	6.4708G	102.94	Inf	-Inf	11.45	3	Vertical	340	2.86	27	91.49	35.02	10.69	34.26
PK	7.1316G	64.42	88.20	-23.78	13.17	3	Vertical	340	2.86	27	51.25	36.45	11.24	34.52


802.11a_Nss1,(6Mbps)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8436G	51.80	68.20	-16.40	10.06	3	Horizontal	65	1.63	27	41.74	34.06	10.21	34.21
AV	6.4708G	100.50	Inf	-Inf	11.45	3	Horizontal	65	1.63	27	89.05	35.02	10.69	34.26
AV	7.1708G	54.23	68.20	-13.97	13.33	3	Horizontal	65	1.63	27	40.90	36.56	11.28	34.51
PK	5.8016G	61.56	88.20	-26.64	9.78	3	Horizontal	65	1.63	27	51.78	33.81	10.18	34.21
PK	6.4708G	108.54	Inf	-Inf	11.45	3	Horizontal	65	1.63	27	97.09	35.02	10.69	34.26
PK	7.1386G	63.53	88.20	-24.67	13.24	3	Horizontal	65	1.63	27	50.29	36.51	11.25	34.52

802.11a_Nss1,(6Mbps)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95726G	45.26	68.20	-22.94	20.39	3	Vertical	262	2.69	-	24.87	39.71	13.90	33.22
PK	12.94169G	58.55	88.20	-29.65	20.32	3	Vertical	262	2.69	-	38.23	39.68	13.89	33.25


802.11a_Nss1,(6Mbps)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95873G	45.20	68.20	-23.00	20.40	3	Horizontal	117	2.87	-	24.80	39.72	13.90	33.22
PK	12.94763G	58.12	88.20	-30.08	20.35	3	Horizontal	117	2.87	-	37.77	39.70	13.89	33.24

802.11a_Nss1,(6Mbps)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9214G	51.83	68.20	-16.37	10.24	3	Vertical	48	2.52	27	41.59	34.19	10.27	34.22
AV	6.5094G	92.69	Inf	-Inf	11.66	3	Vertical	48	2.52	27	81.03	35.22	10.71	34.27
AV	7.2122G	54.32	68.20	-13.88	13.34	3	Vertical	48	2.52	27	40.98	36.55	11.30	34.51
PK	5.8234G	62.24	88.20	-25.96	9.93	3	Vertical	48	2.52	27	52.31	33.94	10.20	34.21
PK	6.5108G	99.92	Inf	-Inf	11.66	3	Vertical	48	2.52	27	88.26	35.22	10.71	34.27
PK	7.1814G	64.94	88.20	-23.26	13.31	3	Vertical	48	2.52	27	51.63	36.54	11.28	34.51


802.11a_Nss1,(6Mbps)_2TX

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9172G	51.82	68.20	-16.38	10.22	3	Horizontal	60	1.50	27	41.60	34.17	10.27	34.22
AV	6.5108G	100.48	Inf	-Inf	11.66	3	Horizontal	60	1.50	27	88.82	35.22	10.71	34.27
AV	7.1324G	54.19	68.20	-14.01	13.18	3	Horizontal	60	1.50	27	41.01	36.46	11.24	34.52
PK	5.8374G	61.51	88.20	-26.69	10.02	3	Horizontal	60	1.50	27	51.49	34.02	10.21	34.21
PK	6.5094G	108.37	Inf	-Inf	11.66	3	Horizontal	60	1.50	27	96.71	35.22	10.71	34.27
PK	7.1618G	64.82	88.20	-23.38	13.34	3	Horizontal	60	1.50	27	51.48	36.58	11.27	34.51

802.11a_Nss1,(6Mbps)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02007G	45.59	68.20	-22.61	20.61	3	Vertical	141	1.33	-	24.98	39.78	13.94	33.11
PK	13.02103G	59.35	88.20	-28.85	20.61	3	Vertical	141	1.33	-	38.74	39.78	13.94	33.11


802.11a_Nss1,(6Mbps)_2TX
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.01761G	45.55	68.20	-22.65	20.61	3	Horizontal	73	1.30	-	24.94	39.78	13.94	33.11
PK	13.04197G	59.00	88.20	-29.20	20.64	3	Horizontal	73	1.30	-	38.36	39.76	13.95	33.07

802.11a_Nss1,(6Mbps)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.87G	50.09	68.20	-18.11	10.12	3	Vertical	41	2.52	20	39.97	34.10	10.23	34.21
AV	6.5294G	95.06	Inf	-Inf	11.70	3	Vertical	41	2.52	20	83.36	35.26	10.72	34.28
AV	7.2322G	52.74	68.20	-15.46	13.43	3	Vertical	41	2.52	20	39.31	36.63	11.31	34.51
PK	5.8462G	60.98	88.20	-27.22	10.08	3	Vertical	41	2.52	20	50.90	34.08	10.21	34.21
PK	6.5308G	103.04	Inf	-Inf	11.71	3	Vertical	41	2.52	20	91.33	35.26	10.73	34.28
PK	7.1678G	63.63	88.20	-24.57	13.32	3	Vertical	41	2.52	20	50.31	36.56	11.27	34.51


802.11a_Nss1,(6Mbps)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8602G	50.06	68.20	-18.14	10.12	3	Horizontal	61	1.50	20	39.94	34.10	10.23	34.21
AV	6.5308G	102.63	Inf	-Inf	11.71	3	Horizontal	61	1.50	20	90.92	35.26	10.73	34.28
AV	7.2322G	52.74	68.20	-15.46	13.43	3	Horizontal	61	1.50	20	39.31	36.63	11.31	34.51
PK	5.87G	60.55	88.20	-27.65	10.12	3	Horizontal	61	1.50	20	50.43	34.10	10.23	34.21
PK	6.5308G	109.79	Inf	-Inf	11.71	3	Horizontal	61	1.50	20	98.08	35.26	10.73	34.28
PK	7.193G	63.26	88.20	-24.94	13.29	3	Horizontal	61	1.50	20	49.97	36.51	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05659G	45.55	68.20	-22.65	20.65	3	Vertical	331	1.19	-	24.90	39.74	13.96	33.05
PK	13.06196G	59.07	88.20	-29.13	20.66	3	Vertical	331	1.19	-	38.41	39.74	13.96	33.04


802.11a_Nss1,(6Mbps)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.08467G	45.41	68.20	-22.79	20.70	3	Horizontal	317	2.67	-	24.71	39.72	13.98	33.00
PK	13.06697G	59.60	88.20	-28.60	20.67	3	Horizontal	317	2.67	-	38.93	39.73	13.97	33.03

802.11a_Nss1,(6Mbps)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	93.64	Inf	-Inf	12.36	3	Vertical	311	2.81	26	81.28	35.86	10.86	34.36
AV	7.135G	54.22	68.20	-13.98	13.20	3	Vertical	311	2.81	26	41.02	36.48	11.24	34.52
PK	6.7G	101.71	Inf	-Inf	12.40	3	Vertical	311	2.81	26	89.31	35.90	10.87	34.37
PK	7.143G	63.89	88.20	-24.31	13.27	3	Vertical	311	2.81	26	50.62	36.54	11.25	34.52


802.11a_Nss1,(6Mbps)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	100.46	Inf	-Inf	12.36	3	Horizontal	64	1.61	26	88.10	35.86	10.86	34.36
AV	7.147G	54.32	68.20	-13.88	13.31	3	Horizontal	64	1.61	26	41.01	36.58	11.25	34.52
PK	6.69G	108.38	Inf	-Inf	12.36	3	Horizontal	64	1.61	26	96.02	35.86	10.86	34.36
PK	7.137G	64.38	88.20	-23.82	13.23	3	Horizontal	64	1.61	26	51.15	36.50	11.25	34.52

802.11a_Nss1,(6Mbps)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37971G	46.24	54.00	-7.76	21.68	3	Vertical	60	2.40	-	24.56	40.04	14.16	32.52
PK	13.37743G	59.23	74.00	-14.77	21.67	3	Vertical	60	2.40	-	37.56	40.03	14.16	32.52


802.11a_Nss1,(6Mbps)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38502G	46.27	54.00	-7.73	21.71	3	Horizontal	128	2.16	-	24.56	40.06	14.16	32.51
PK	13.40389G	59.22	88.20	-28.98	21.79	3	Horizontal	128	2.16	-	37.43	40.10	14.17	32.48

802.11a_Nss1,(6Mbps)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8585G	88.66	Inf	-Inf	12.26	3	Vertical	304	1.55	23	76.40	35.70	11.01	34.45
AV	7.1294G	51.24	68.20	-16.96	13.16	3	Vertical	304	1.55	23	38.08	36.44	11.24	34.52
PK	6.8585G	97.96	Inf	-Inf	12.26	3	Vertical	304	1.55	23	85.70	35.70	11.01	34.45
PK	7.1315G	63.07	88.20	-25.13	13.17	3	Vertical	304	1.55	23	49.90	36.45	11.24	34.52


802.11a_Nss1,(6Mbps)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8599G	97.13	Inf	-Inf	12.26	3	Horizontal	58	1.50	23	84.87	35.70	11.01	34.45
AV	7.1497G	51.26	68.20	-16.94	13.34	3	Horizontal	58	1.50	23	37.92	36.60	11.26	34.52
PK	6.8606G	106.81	Inf	-Inf	12.26	3	Horizontal	58	1.50	23	94.55	35.70	11.01	34.45
PK	7.2043G	62.94	88.20	-25.26	13.31	3	Horizontal	58	1.50	23	49.63	36.52	11.30	34.51

802.11a_Nss1,(6Mbps)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71552G	50.55	68.20	-17.65	21.66	3	Vertical	264	2.15	-	28.89	39.70	14.37	32.41
PK	13.69899G	63.08	88.20	-25.12	21.64	3	Vertical	264	2.15	-	41.44	39.70	14.35	32.41


802.11a_Nss1,(6Mbps)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69983G	50.53	68.20	-17.67	21.65	3	Horizontal	178	2.72	-	28.88	39.70	14.36	32.41
PK	13.69887G	63.29	88.20	-24.91	21.64	3	Horizontal	178	2.72	-	41.65	39.70	14.35	32.41

802.11a_Nss1,(6Mbps)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87015G	94.35	Inf	-Inf	12.26	3	Vertical	324	2.89	19	82.09	35.70	11.02	34.46
AV	7.1451G	54.30	68.20	-13.90	13.29	3	Vertical	324	2.89	19	41.01	36.56	11.25	34.52
PK	6.8747G	102.10	Inf	-Inf	12.26	3	Vertical	324	2.89	19	89.84	35.70	11.02	34.46
PK	7.1711G	64.42	88.20	-23.78	13.33	3	Vertical	324	2.89	19	51.09	36.56	11.28	34.51


802.11a_Nss1,(6Mbps)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.87015G	100.65	Inf	-Inf	12.26	3	Horizontal	65	1.60	19	88.39	35.70	11.02	34.46
AV	7.1568G	54.32	68.20	-13.88	13.34	3	Horizontal	65	1.60	19	40.98	36.59	11.26	34.51
PK	6.87015G	108.55	Inf	-Inf	12.26	3	Horizontal	65	1.60	19	96.29	35.70	11.02	34.46
PK	7.16135G	64.43	88.20	-23.77	13.34	3	Horizontal	65	1.60	19	51.09	36.58	11.27	34.51

802.11a_Nss1,(6Mbps)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.7485G	50.77	68.20	-17.43	21.66	3	Vertical	25	1.40	-	29.11	39.70	14.39	32.43
PK	13.75399G	63.51	88.20	-24.69	21.66	3	Vertical	25	1.40	-	41.85	39.70	14.39	32.43


802.11a_Nss1,(6Mbps)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75456G	50.72	68.20	-17.48	21.66	3	Horizontal	76	2.41	-	29.06	39.70	14.39	32.43
PK	13.74991G	64.29	88.20	-23.91	21.66	3	Horizontal	76	2.41	-	42.63	39.70	14.39	32.43

802.11a_Nss1,(6Mbps)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9006G	94.54	Inf	-Inf	12.27	3	Vertical	323	2.96	16	82.27	35.70	11.05	34.48
AV	7.2429G	54.39	68.20	-13.81	13.47	3	Vertical	323	2.96	16	40.92	36.67	11.31	34.51
PK	6.8943G	101.47	Inf	-Inf	12.27	3	Vertical	323	2.96	16	89.20	35.70	11.04	34.47
PK	7.2401G	65.69	88.20	-22.51	13.46	3	Vertical	323	2.96	16	52.23	36.66	11.31	34.51


802.11a_Nss1,(6Mbps)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8999G	100.14	Inf	-Inf	12.26	3	Horizontal	60	1.50	16	87.88	35.70	11.04	34.48
AV	7.2387G	54.53	68.20	-13.67	13.45	3	Horizontal	60	1.50	16	41.08	36.65	11.31	34.51
PK	6.8999G	108.25	Inf	-Inf	12.26	3	Horizontal	60	1.50	16	95.99	35.70	11.04	34.48
PK	7.1925G	64.69	88.20	-23.51	13.30	3	Horizontal	60	1.50	16	51.39	36.52	11.29	34.51

802.11a_Nss1,(6Mbps)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80407G	50.92	68.20	-17.28	21.67	3	Vertical	175	2.16	-	29.25	39.70	14.42	32.45
PK	13.79765G	63.83	88.20	-24.37	21.67	3	Vertical	175	2.16	-	42.16	39.70	14.42	32.45


802.11a_Nss1,(6Mbps)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80413G	51.00	68.20	-17.20	21.67	3	Horizontal	82	2.55	-	29.33	39.70	14.42	32.45
PK	13.80158G	63.53	88.20	-24.67	21.67	3	Horizontal	82	2.55	-	41.86	39.70	14.42	32.45

802.11a_Nss1,(6Mbps)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9935G	91.46	Inf	-Inf	12.29	3	Vertical	306	1.61	18	79.17	35.70	11.12	34.53
AV	7.2335G	54.66	68.20	-13.54	13.43	3	Vertical	306	1.61	18	41.23	36.63	11.31	34.51
PK	6.9935G	99.70	Inf	-Inf	12.29	3	Vertical	306	1.61	18	87.41	35.70	11.12	34.53
PK	7.185G	64.49	88.20	-23.71	13.31	3	Vertical	306	1.61	18	51.18	36.53	11.29	34.51


802.11a_Nss1,(6Mbps)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9895G	100.66	Inf	-Inf	12.30	3	Horizontal	64	1.58	18	88.36	35.70	11.12	34.52
AV	7.226G	54.43	68.20	-13.77	13.40	3	Horizontal	64	1.58	18	41.03	36.60	11.31	34.51
PK	6.9895G	108.94	Inf	-Inf	12.30	3	Horizontal	64	1.58	18	96.64	35.70	11.12	34.52
PK	7.155G	64.35	88.20	-23.85	13.34	3	Horizontal	64	1.58	18	51.01	36.59	11.26	34.51

802.11a_Nss1,(6Mbps)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97551G	51.54	68.20	-16.66	21.77	3	Vertical	165	1.05	-	29.77	39.78	14.52	32.53
PK	14.00158G	64.28	88.20	-23.92	21.80	3	Vertical	165	1.05	-	42.48	39.80	14.54	32.54

802.11a_Nss1,(6Mbps)_2TX
6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98406G	51.44	68.20	-16.76	21.78	3	Horizontal	145	2.83	-	29.66	39.78	14.53	32.53
PK	13.99849G	64.13	88.20	-24.07	21.80	3	Horizontal	145	2.83	-	42.33	39.80	14.54	32.54



802.11a_Nss1,(6Mbps)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.1001G	93.64	Inf	-Inf	12.90	3	Vertical	325	3.00	22	80.74	36.20	11.22	34.52
AV	7.233G	54.49	68.20	-13.71	13.43	3	Vertical	325	3.00	22	41.06	36.63	11.31	34.51
PK	7.1001G	101.62	Inf	-Inf	12.90	3	Vertical	325	3.00	22	88.72	36.20	11.22	34.52
PK	7.2144G	65.71	88.20	-22.49	13.35	3	Vertical	325	3.00	22	52.36	36.56	11.30	34.51


802.11a_Nss1,(6Mbps)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0995G	100.41	Inf	-Inf	12.89	3	Horizontal	62	1.50	22	87.52	36.20	11.21	34.52
AV	7.1475G	54.50	68.20	-13.70	13.32	3	Horizontal	62	1.50	22	41.18	36.58	11.26	34.52
PK	7.0989G	108.45	Inf	-Inf	12.89	3	Horizontal	62	1.50	22	95.56	36.20	11.21	34.52
PK	7.2045G	65.33	88.20	-22.87	13.31	3	Horizontal	62	1.50	22	52.02	36.52	11.30	34.51

802.11a_Nss1,(6Mbps)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17656G	50.78	68.20	-17.42	22.01	3	Vertical	0	1.78	-	28.77	40.10	14.67	32.76
PK	14.18646G	63.36	88.20	-24.84	22.01	3	Vertical	0	1.78	-	41.35	40.10	14.68	32.77


802.11a_Nss1,(6Mbps)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17674G	50.85	68.20	-17.35	22.01	3	Horizontal	76	2.20	-	28.84	40.10	14.67	32.76
PK	14.19054G	63.69	88.20	-24.51	22.00	3	Horizontal	76	2.20	-	41.69	40.10	14.68	32.78

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8842G	51.73	68.20	-16.47	10.13	3	Vertical	336	2.96	51	41.60	34.10	10.24	34.21
AV	5.958G	96.10	Inf	-Inf	10.33	3	Vertical	336	2.96	51	85.77	34.25	10.30	34.22
PK	5.8851G	63.34	88.20	-24.86	10.13	3	Vertical	336	2.96	51	53.21	34.10	10.24	34.21
PK	5.9523G	107.08	Inf	-Inf	10.36	3	Vertical	336	2.96	51	96.72	34.29	10.29	34.22


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9196G	51.89	68.20	-16.31	10.23	3	Horizontal	309	1.65	51	41.66	34.18	10.27	34.22
AV	5.958G	98.43	Inf	-Inf	10.33	3	Horizontal	309	1.65	51	88.10	34.25	10.30	34.22
PK	5.8686G	62.61	88.20	-25.59	10.12	3	Horizontal	309	1.65	51	52.49	34.10	10.23	34.21
PK	5.9568G	109.66	Inf	-Inf	10.34	3	Horizontal	309	1.65	51	99.32	34.26	10.30	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9028G	43.21	54.00	-10.79	17.60	3	Vertical	270	2.33	-	25.61	38.61	13.27	34.28
PK	11.90067G	55.86	74.00	-18.14	17.59	3	Vertical	270	2.33	-	38.27	38.60	13.27	34.28


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91579G	43.12	54.00	-10.88	17.63	3	Horizontal	164	2.69	-	25.49	38.63	13.28	34.28
PK	11.91771G	55.52	74.00	-18.48	17.63	3	Horizontal	164	2.69	-	37.89	38.64	13.28	34.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9038G	51.80	68.20	-16.40	10.17	3	Vertical	55	2.04	48	41.63	34.12	10.26	34.21
AV	6.1738G	92.61	Inf	-Inf	10.37	3	Vertical	55	2.04	48	82.24	34.10	10.50	34.23
PK	5.875G	62.34	88.20	-25.86	10.13	3	Vertical	55	2.04	48	52.21	34.10	10.24	34.21
PK	6.1738G	101.99	Inf	-Inf	10.37	3	Vertical	55	2.04	48	91.62	34.10	10.50	34.23


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8906G	51.90	68.20	-16.30	10.14	3	Horizontal	61	1.66	48	41.76	34.10	10.25	34.21
AV	6.1738G	98.66	Inf	-Inf	10.37	3	Horizontal	61	1.66	48	88.29	34.10	10.50	34.23
PK	5.896G	62.78	88.20	-25.42	10.14	3	Horizontal	61	1.66	48	52.64	34.10	10.25	34.21
PK	6.172G	110.27	Inf	-Inf	10.37	3	Horizontal	61	1.66	48	99.90	34.10	10.50	34.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.36014G	44.33	54.00	-9.67	18.24	3	Vertical	238	2.22	-	26.09	38.86	13.53	34.15
PK	12.34997G	57.02	74.00	-16.98	18.22	3	Vertical	238	2.22	-	38.80	38.85	13.53	34.16


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34526G	44.47	54.00	-9.53	18.21	3	Horizontal	111	1.33	-	26.26	38.85	13.52	34.16
PK	12.34298G	57.13	74.00	-16.87	18.20	3	Horizontal	111	1.33	-	38.93	38.84	13.52	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	49.58	68.20	-18.62	8.55	3	Vertical	349	3.00	43	41.03	32.50	10.26	34.21
AV	6.4138G	94.14	Inf	-Inf	9.96	3	Vertical	349	3.00	43	84.18	33.56	10.65	34.25
PK	5.8486G	59.94	88.20	-28.26	8.30	3	Vertical	349	3.00	43	51.64	32.29	10.22	34.21
PK	6.4138G	103.83	Inf	-Inf	9.96	3	Vertical	349	3.00	43	93.87	33.56	10.65	34.25


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8882G	49.75	68.20	-18.45	8.49	3	Horizontal	76	1.68	43	41.26	32.45	10.25	34.21
AV	6.4186G	97.02	Inf	-Inf	9.97	3	Horizontal	76	1.68	43	87.05	33.57	10.65	34.25
PK	5.875G	60.21	88.20	-27.99	8.43	3	Horizontal	76	1.68	43	51.78	32.40	10.24	34.21
PK	6.4078G	107.73	Inf	-Inf	9.93	3	Horizontal	76	1.68	43	97.80	33.53	10.65	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.8198G	44.56	68.20	-23.64	19.23	3	Vertical	105	2.93	-	25.33	38.90	13.81	33.48
PK	12.81848G	57.61	88.20	-30.59	19.23	3	Vertical	105	2.93	-	38.38	38.90	13.81	33.48


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82598G	44.62	68.20	-23.58	19.25	3	Horizontal	4	2.82	-	25.37	38.90	13.82	33.47
PK	12.8279G	57.22	88.20	-30.98	19.26	3	Horizontal	4	2.82	-	37.96	38.90	13.82	33.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8842G	49.55	68.20	-18.65	8.47	3	Vertical	348	2.76	46	41.08	32.44	10.24	34.21
AV	6.4374G	93.41	Inf	-Inf	10.06	3	Vertical	348	2.76	46	83.35	33.65	10.66	34.25
PK	5.9082G	60.39	88.20	-27.81	8.55	3	Vertical	348	2.76	46	51.84	32.50	10.26	34.21
PK	6.4374G	104.73	Inf	-Inf	10.06	3	Vertical	348	2.76	46	94.67	33.65	10.66	34.25


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8962G	49.71	68.20	-18.49	8.52	3	Horizontal	75	1.76	46	41.19	32.48	10.25	34.21
AV	6.4338G	97.22	Inf	-Inf	10.05	3	Horizontal	75	1.76	46	87.17	33.64	10.66	34.25
PK	5.9022G	60.39	88.20	-27.81	8.55	3	Horizontal	75	1.76	46	51.84	32.50	10.26	34.21
PK	6.4314G	107.55	Inf	-Inf	10.04	3	Horizontal	75	1.76	46	97.51	33.63	10.66	34.25

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87228G	44.39	68.20	-23.81	19.37	3	Vertical	137	2.81	-	25.02	38.90	13.85	33.38
PK	12.86094G	56.92	88.20	-31.28	19.34	3	Vertical	137	2.81	-	37.58	38.90	13.84	33.40


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.85737G	44.59	68.20	-23.61	19.33	3	Horizontal	187	1.76	-	25.26	38.90	13.84	33.41
PK	12.86409G	57.73	88.20	-30.47	19.34	3	Horizontal	187	1.76	-	38.39	38.90	13.84	33.40

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9136G	49.55	68.20	-18.65	8.56	3	Vertical	349	2.96	46	40.99	32.50	10.27	34.21
AV	6.4778G	93.58	Inf	-Inf	10.24	3	Vertical	349	2.96	46	83.34	33.81	10.69	34.26
AV	7.175G	52.83	68.20	-15.37	12.82	3	Vertical	349	2.96	46	40.01	36.05	11.28	34.51
PK	5.908G	61.23	88.20	-26.97	8.55	3	Vertical	349	2.96	46	52.68	32.50	10.26	34.21
PK	6.468G	104.44	Inf	-Inf	10.19	3	Vertical	349	2.96	46	94.25	33.77	10.68	34.26
PK	7.1512G	63.23	88.20	-24.97	12.66	3	Vertical	349	2.96	46	50.57	35.91	11.26	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8814G	49.75	68.20	-18.45	8.46	3	Horizontal	75	1.68	46	41.29	32.43	10.24	34.21
AV	6.468G	96.94	Inf	-Inf	10.19	3	Horizontal	75	1.68	46	86.75	33.77	10.68	34.26
AV	7.1722G	52.80	68.20	-15.40	12.80	3	Horizontal	75	1.68	46	40.00	36.03	11.28	34.51
PK	5.8898G	60.27	88.20	-27.93	8.50	3	Horizontal	75	1.68	46	51.77	32.46	10.25	34.21
PK	6.4848G	106.80	Inf	-Inf	10.28	3	Horizontal	75	1.68	46	96.52	33.84	10.70	34.26
PK	7.1526G	63.35	88.20	-24.85	12.67	3	Horizontal	75	1.68	46	50.68	35.92	11.26	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.93542G	44.48	68.20	-23.72	19.53	3	Vertical	279	2.45	-	24.95	38.90	13.89	33.26
PK	12.93968G	57.18	88.20	-31.02	19.54	3	Vertical	279	2.45	-	37.64	38.90	13.89	33.25


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9359G	44.45	68.20	-23.75	19.53	3	Horizontal	251	2.27	-	24.92	38.90	13.89	33.26
PK	12.95207G	57.04	88.20	-31.16	19.57	3	Horizontal	251	2.27	-	37.47	38.90	13.90	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8822G	48.59	68.20	-19.61	8.46	3	Vertical	300	2.28	37	40.13	32.43	10.24	34.21
AV	6.5164G	89.40	Inf	-Inf	10.45	3	Vertical	300	2.28	37	78.95	34.00	10.72	34.27
AV	7.2122G	52.13	68.20	-16.07	13.01	3	Vertical	300	2.28	37	39.12	36.22	11.30	34.51
PK	5.8878G	60.46	88.20	-27.74	8.49	3	Vertical	300	2.28	37	51.97	32.45	10.25	34.21
PK	6.5206G	100.92	Inf	-Inf	10.47	3	Vertical	300	2.28	37	90.45	34.02	10.72	34.27
PK	7.187G	63.89	88.20	-24.31	12.90	3	Vertical	300	2.28	37	50.99	36.12	11.29	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6515MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9046G	48.51	68.20	-19.69	8.55	3	Horizontal	65	1.63	37	39.96	32.50	10.26	34.21
AV	6.5108G	96.50	Inf	-Inf	10.40	3	Horizontal	65	1.63	37	86.10	33.96	10.71	34.27
AV	7.1996G	51.98	68.20	-16.22	12.99	3	Horizontal	65	1.63	37	38.99	36.20	11.30	34.51
PK	5.9004G	60.15	88.20	-28.05	8.55	3	Horizontal	65	1.63	37	51.60	32.50	10.26	34.21
PK	6.5164G	107.31	Inf	-Inf	10.45	3	Horizontal	65	1.63	37	96.86	34.00	10.72	34.27
PK	7.1982G	63.90	88.20	-24.30	12.98	3	Horizontal	65	1.63	37	50.92	36.19	11.30	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02469G	44.63	68.20	-23.57	19.72	3	Vertical	351	1.74	-	24.91	38.88	13.94	33.10
PK	13.03915G	57.45	88.20	-30.75	19.73	3	Vertical	351	1.74	-	37.72	38.86	13.95	33.08


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.03432G	44.65	68.20	-23.55	19.74	3	Horizontal	175	1.63	-	24.91	38.87	13.95	33.08
PK	13.02406G	57.38	88.20	-30.82	19.72	3	Horizontal	175	1.63	-	37.66	38.88	13.94	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9106G	49.58	68.20	-18.62	8.55	3	Vertical	347	2.89	43	41.03	32.50	10.26	34.21
AV	6.5336G	94.26	Inf	-Inf	10.55	3	Vertical	347	2.89	43	83.71	34.10	10.73	34.28
AV	7.2168G	53.46	68.20	-14.74	13.02	3	Vertical	347	2.89	43	40.44	36.23	11.30	34.51
PK	5.8882G	60.71	88.20	-27.49	8.49	3	Vertical	347	2.89	43	52.22	32.45	10.25	34.21
PK	6.5336G	105.35	Inf	-Inf	10.55	3	Vertical	347	2.89	43	94.80	34.10	10.73	34.28
PK	7.228G	63.57	88.20	-24.63	13.06	3	Vertical	347	2.89	43	50.51	36.26	11.31	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.898G	49.70	68.20	-18.50	8.53	3	Horizontal	69	1.71	43	41.17	32.49	10.25	34.21
AV	6.5378G	97.28	Inf	-Inf	10.58	3	Horizontal	69	1.71	43	86.70	34.13	10.73	34.28
AV	7.228G	53.29	68.20	-14.91	13.06	3	Horizontal	69	1.71	43	40.23	36.26	11.31	34.51
PK	5.9204G	60.55	88.20	-27.65	8.55	3	Horizontal	69	1.71	43	52.00	32.50	10.27	34.22
PK	6.5322G	108.67	Inf	-Inf	10.54	3	Horizontal	69	1.71	43	98.13	34.09	10.73	34.28
PK	7.2028G	64.02	88.20	-24.18	13.00	3	Horizontal	69	1.71	43	51.02	36.21	11.30	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06643G	44.70	68.20	-23.50	19.77	3	Vertical	316	2.43	-	24.93	38.83	13.97	33.03
PK	13.08215G	57.29	88.20	-30.91	19.79	3	Vertical	316	2.43	-	37.50	38.82	13.98	33.01


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06817G	44.60	68.20	-23.60	19.77	3	Horizontal	328	1.30	-	24.83	38.83	13.97	33.03
PK	13.06337G	57.26	88.20	-30.94	19.76	3	Horizontal	328	1.30	-	37.50	38.84	13.96	33.04

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.694G	90.76	Inf	-Inf	10.71	3	Vertical	309	1.89	43	80.05	34.21	10.86	34.36
AV	7.189G	52.97	68.20	-15.23	12.91	3	Vertical	309	1.89	43	40.06	36.13	11.29	34.51
PK	6.692G	101.95	Inf	-Inf	10.72	3	Vertical	309	1.89	43	91.23	34.22	10.86	34.36
PK	7.189G	63.45	88.20	-24.75	12.91	3	Vertical	309	1.89	43	50.54	36.13	11.29	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.694G	97.41	Inf	-Inf	10.71	3	Horizontal	77	1.67	43	86.70	34.21	10.86	34.36
AV	7.195G	53.04	68.20	-15.16	12.96	3	Horizontal	77	1.67	43	40.08	36.17	11.30	34.51
PK	6.697G	108.24	Inf	-Inf	10.70	3	Horizontal	77	1.67	43	97.54	34.21	10.86	34.37
PK	7.19G	62.74	88.20	-25.46	12.92	3	Horizontal	77	1.67	43	49.82	36.14	11.29	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37959G	45.66	54.00	-8.34	21.04	3	Vertical	39	1.56	-	24.62	39.40	14.16	32.52
PK	13.40026G	58.38	88.20	-29.82	21.19	3	Vertical	39	1.56	-	37.19	39.50	14.17	32.48


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37785G	45.66	54.00	-8.34	21.03	3	Horizontal	160	1.91	-	24.63	39.39	14.16	32.52
PK	13.39639G	58.61	74.00	-15.39	21.16	3	Horizontal	160	1.91	-	37.45	39.48	14.17	32.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.862G	89.02	Inf	-Inf	12.25	3	Vertical	306	1.78	32	76.77	35.70	11.01	34.46
AV	7.1903G	53.86	68.20	-14.34	13.30	3	Vertical	306	1.78	32	40.56	36.52	11.29	34.51
PK	6.8571G	99.91	Inf	-Inf	12.26	3	Vertical	306	1.78	32	87.65	35.70	11.01	34.45
PK	7.1945G	65.29	88.20	-22.91	13.30	3	Vertical	306	1.78	32	51.99	36.51	11.30	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8578G	98.59	Inf	-Inf	12.26	3	Horizontal	66	1.71	32	86.33	35.70	11.01	34.45
AV	7.1889G	54.04	68.20	-14.16	13.30	3	Horizontal	66	1.71	32	40.74	36.52	11.29	34.51
PK	6.8522G	110.16	Inf	-Inf	12.25	3	Horizontal	66	1.71	32	97.91	35.70	11.00	34.45
PK	7.184G	64.24	88.20	-23.96	13.31	3	Horizontal	66	1.71	32	50.93	36.53	11.29	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.70535G	50.52	68.20	-17.68	21.65	3	Vertical	276	1.84	-	28.87	39.70	14.36	32.41
PK	13.70682G	63.59	88.20	-24.61	21.65	3	Vertical	276	1.84	-	41.94	39.70	14.36	32.41


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.72377G	50.50	68.20	-17.70	21.65	3	Horizontal	234	2.93	-	28.85	39.70	14.37	32.42
PK	13.70598G	63.67	88.20	-24.53	21.65	3	Horizontal	234	2.93	-	42.02	39.70	14.36	32.41

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8708G	89.33	Inf	-Inf	12.26	3	Vertical	312	2.27	30	77.07	35.70	11.02	34.46
AV	7.1451G	53.73	68.20	-14.47	13.29	3	Vertical	312	2.27	30	40.44	36.56	11.25	34.52
PK	6.8773G	98.95	Inf	-Inf	12.27	3	Vertical	312	2.27	30	86.68	35.70	11.03	34.46
PK	7.15615G	64.67	88.20	-23.53	13.34	3	Vertical	312	2.27	30	51.33	36.59	11.26	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8734G	98.43	Inf	-Inf	12.26	3	Horizontal	64	1.68	30	86.17	35.70	11.02	34.46
AV	7.1737G	53.81	68.20	-14.39	13.32	3	Horizontal	64	1.68	30	40.49	36.55	11.28	34.51
PK	6.87665G	108.18	Inf	-Inf	12.27	3	Horizontal	64	1.68	30	95.91	35.70	11.03	34.46
PK	7.13275G	63.45	88.20	-24.75	13.18	3	Horizontal	64	1.68	30	50.27	36.46	11.24	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75723G	50.72	68.20	-17.48	21.66	3	Vertical	274	1.92	-	29.06	39.70	14.39	32.43
PK	13.74643G	64.25	88.20	-23.95	21.65	3	Vertical	274	1.92	-	42.60	39.70	14.38	32.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75768G	50.72	68.20	-17.48	21.66	3	Horizontal	71	2.58	-	29.06	39.70	14.39	32.43
PK	13.74991G	63.11	88.20	-25.09	21.66	3	Horizontal	71	2.58	-	41.45	39.70	14.39	32.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8978G	90.86	Inf	-Inf	11.36	3	Vertical	326	2.94	30	79.50	34.79	11.04	34.47
AV	7.2436G	52.17	68.20	-16.03	13.09	3	Vertical	326	2.94	30	39.08	36.29	11.31	34.51
PK	6.9041G	102.23	Inf	-Inf	11.38	3	Vertical	326	2.94	30	90.85	34.81	11.05	34.48
PK	7.217G	64.04	88.20	-24.16	13.02	3	Vertical	326	2.94	30	51.02	36.23	11.30	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8978G	96.21	Inf	-Inf	11.36	3	Horizontal	68	1.70	30	84.85	34.79	11.04	34.47
AV	7.2275G	52.28	68.20	-15.92	13.06	3	Horizontal	68	1.70	30	39.22	36.26	11.31	34.51
PK	6.8873G	106.75	Inf	-Inf	11.28	3	Horizontal	68	1.70	30	95.47	34.72	11.03	34.47
PK	7.1421G	63.82	88.20	-24.38	12.60	3	Horizontal	68	1.70	30	51.22	35.87	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8038G	51.07	68.20	-17.13	21.78	3	Vertical	55	1.59	-	29.29	39.81	14.42	32.45
PK	13.79774G	64.54	88.20	-23.66	21.77	3	Vertical	55	1.59	-	42.77	39.80	14.42	32.45


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79813G	51.02	68.20	-17.18	21.77	3	Horizontal	232	1.21	-	29.25	39.80	14.42	32.45
PK	13.80245G	63.68	88.20	-24.52	21.78	3	Horizontal	232	1.21	-	41.90	39.81	14.42	32.45

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.998G	88.81	Inf	-Inf	11.69	3	Vertical	328	2.41	36	77.12	35.09	11.13	34.53
AV	7.227G	52.20	68.20	-16.00	13.05	3	Vertical	328	2.41	36	39.15	36.25	11.31	34.51
PK	6.9965G	101.21	Inf	-Inf	11.69	3	Vertical	328	2.41	36	89.52	35.09	11.13	34.53
PK	7.205G	64.85	88.20	-23.35	13.00	3	Vertical	328	2.41	36	51.85	36.21	11.30	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9875G	95.30	Inf	-Inf	11.65	3	Horizontal	68	1.70	36	83.65	35.05	11.12	34.52
AV	7.2085G	52.32	68.20	-15.88	13.01	3	Horizontal	68	1.70	36	39.31	36.22	11.30	34.51
PK	6.996G	106.13	Inf	-Inf	11.68	3	Horizontal	68	1.70	36	94.45	35.08	11.13	34.53
PK	7.2405G	64.14	88.20	-24.06	13.08	3	Horizontal	68	1.70	36	51.06	36.28	11.31	34.51

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98187G	52.12	68.20	-16.08	22.35	3	Vertical	351	2.86	-	29.77	40.35	14.53	32.53
PK	13.9867G	64.90	88.20	-23.30	22.36	3	Vertical	351	2.86	-	42.54	40.36	14.53	32.53


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.97689G	52.08	68.20	-16.12	22.33	3	Horizontal	330	2.93	-	29.75	40.33	14.53	32.53
PK	13.97617G	64.60	88.20	-23.60	22.33	3	Horizontal	330	2.93	-	42.27	40.33	14.53	32.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.092G	94.00	Inf	-Inf	12.86	3	Vertical	5	1.24	57	81.14	36.17	11.21	34.52
AV	7.2402G	52.80	68.20	-15.40	13.46	3	Vertical	5	1.24	57	39.34	36.66	11.31	34.51
PK	7.0971G	104.42	Inf	-Inf	12.88	3	Vertical	5	1.24	57	91.54	36.19	11.21	34.52
PK	7.1571G	63.92	88.20	-24.28	13.34	3	Vertical	5	1.24	57	50.58	36.59	11.26	34.51


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.092G	97.83	Inf	-Inf	12.86	3	Horizontal	28	2.86	57	84.97	36.17	11.21	34.52
AV	7.2384G	52.97	68.20	-15.23	13.45	3	Horizontal	28	2.86	57	39.52	36.65	11.31	34.51
PK	7.0881G	108.92	Inf	-Inf	12.83	3	Horizontal	28	2.86	57	96.09	36.15	11.20	34.52
PK	7.1367G	64.11	88.20	-24.09	13.22	3	Horizontal	28	2.86	57	50.89	36.49	11.25	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1765G	50.85	68.20	-17.35	22.01	3	Vertical	163	1.51	-	28.84	40.10	14.67	32.76
PK	14.17866G	63.97	88.20	-24.23	22.00	3	Vertical	163	1.51	-	41.97	40.10	14.67	32.77


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17515G	50.84	68.20	-17.36	22.01	3	Horizontal	287	1.60	-	28.83	40.10	14.67	32.76
PK	14.17575G	63.74	88.20	-24.46	22.01	3	Horizontal	287	1.60	-	41.73	40.10	14.67	32.76

802.11ax HEW20_Nss2,(MCS0)_2TX


5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9235G	52.64	68.20	-15.56	10.24	3	Vertical	336	2.96	45	42.40	34.19	10.27	34.22
AV	5.9607G	96.57	Inf	-Inf	10.32	3	Vertical	336	2.96	45	86.25	34.24	10.30	34.22
PK	5.8689G	62.73	88.20	-25.47	10.12	3	Vertical	336	2.96	45	52.61	34.10	10.23	34.21
PK	5.9505G	106.70	Inf	-Inf	10.37	3	Vertical	336	2.96	45	96.33	34.30	10.29	34.22


802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9244G	52.82	68.20	-15.38	10.25	3	Horizontal	309	1.63	45	42.57	34.20	10.27	34.22
AV	5.9616G	99.17	Inf	-Inf	10.31	3	Horizontal	309	1.63	45	88.86	34.23	10.30	34.22
PK	5.8959G	63.48	88.20	-24.72	10.14	3	Horizontal	309	1.63	45	53.34	34.10	10.25	34.21
PK	5.9589G	109.92	Inf	-Inf	10.33	3	Horizontal	309	1.63	45	99.59	34.25	10.30	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.91921G	43.94	54.00	-10.06	17.63	3	Vertical	162	2.27	-	26.31	38.64	13.28	34.29
PK	11.89584G	55.86	74.00	-18.14	17.60	3	Vertical	162	2.27	-	38.26	38.60	13.27	34.27


802.11ax HEW20_Nss2,(MCS0)_2TX
5955MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.90583G	43.87	54.00	-10.13	17.60	3	Horizontal	300	1.91	-	26.27	38.61	13.27	34.28
PK	11.92206G	55.82	74.00	-18.18	17.63	3	Horizontal	300	1.91	-	38.19	38.64	13.28	34.29

802.11ax HEW20_Nss2,(MCS0)_2TX


6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8954G	49.64	68.20	-18.56	8.52	3	Vertical	59	1.78	30	41.12	32.48	10.25	34.21
AV	6.1708G	90.30	Inf	-Inf	8.99	3	Vertical	59	1.78	30	81.31	32.72	10.50	34.23
PK	5.8936G	61.23	88.20	-26.97	8.51	3	Vertical	59	1.78	30	52.72	32.47	10.25	34.21
PK	6.1792G	102.30	Inf	-Inf	9.06	3	Vertical	59	1.78	30	93.24	32.78	10.51	34.23


802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.884G	49.38	68.20	-18.82	8.47	3	Horizontal	60	2.02	30	40.91	32.44	10.24	34.21
AV	6.172G	96.80	Inf	-Inf	9.00	3	Horizontal	60	2.02	30	87.80	32.73	10.50	34.23
PK	5.9248G	60.00	88.20	-28.20	8.55	3	Horizontal	60	2.02	30	51.45	32.50	10.27	34.22
PK	6.1744G	107.15	Inf	-Inf	9.02	3	Horizontal	60	2.02	30	98.13	32.75	10.50	34.23

802.11ax HEW20_Nss2,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.35018G	44.94	54.00	-9.06	18.08	3	Vertical	6	2.70	-	26.86	38.70	13.53	34.15
PK	12.35333G	57.16	74.00	-16.84	18.07	3	Vertical	6	2.70	-	39.09	38.69	13.53	34.15


802.11ax HEW20_Nss2,(MCS0)_2TX
6175MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33947G	44.82	54.00	-9.18	18.10	3	Horizontal	211	2.09	-	26.72	38.74	13.52	34.16
PK	12.34964G	56.88	74.00	-17.12	18.07	3	Horizontal	211	2.09	-	38.81	38.70	13.53	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


6415MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8774G	49.20	68.20	-19.00	8.44	3	Vertical	338	3.00	30	40.76	32.41	10.24	34.21
AV	6.4066G	92.02	Inf	-Inf	9.92	3	Vertical	338	3.00	30	82.10	33.53	10.64	34.25
PK	5.9146G	61.26	88.20	-26.94	8.56	3	Vertical	338	3.00	30	52.70	32.50	10.27	34.21
PK	6.4102G	104.45	Inf	-Inf	9.94	3	Vertical	338	3.00	30	94.51	33.54	10.65	34.25


802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.881G	49.39	68.20	-18.81	8.45	3	Horizontal	64	1.63	30	40.94	32.42	10.24	34.21
AV	6.4198G	96.28	Inf	-Inf	9.98	3	Horizontal	64	1.63	30	86.30	33.58	10.65	34.25
PK	5.863G	60.52	88.20	-27.68	8.37	3	Horizontal	64	1.63	30	52.15	32.35	10.23	34.21
PK	6.4198G	107.97	Inf	-Inf	9.98	3	Horizontal	64	1.63	30	97.99	33.58	10.65	34.25

**802.11ax HEW20_Nss2,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.84452G	45.23	68.20	-22.97	19.30	3	Vertical	328	1.93	-	25.93	38.90	13.83	33.43
PK	12.84485G	58.00	88.20	-30.20	19.30	3	Vertical	328	1.93	-	38.70	38.90	13.83	33.43


**802.11ax HEW20_Nss2,(MCS0)_2TX
6415MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82226G	45.18	68.20	-23.02	19.25	3	Horizontal	166	1.73	-	25.93	38.90	13.82	33.47
PK	12.8168G	57.97	88.20	-30.23	19.23	3	Horizontal	166	1.73	-	38.74	38.90	13.81	33.48

802.11ax HEW20_Nss2,(MCS0)_2TX


6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.889G	49.43	68.20	-18.77	8.50	3	Vertical	339	2.97	30	40.93	32.46	10.25	34.21
AV	6.4302G	92.76	Inf	-Inf	10.03	3	Vertical	339	2.97	30	82.73	33.62	10.66	34.25
PK	5.9142G	61.14	88.20	-27.06	8.56	3	Vertical	339	2.97	30	52.58	32.50	10.27	34.21
PK	6.4302G	104.90	Inf	-Inf	10.03	3	Vertical	339	2.97	30	94.87	33.62	10.66	34.25


802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	49.62	68.20	-18.58	8.48	3	Horizontal	64	1.58	30	41.14	32.45	10.24	34.21
AV	6.4302G	96.95	Inf	-Inf	10.03	3	Horizontal	64	1.58	30	86.92	33.62	10.66	34.25
PK	5.8422G	60.23	88.20	-27.97	8.27	3	Horizontal	64	1.58	30	51.96	32.27	10.21	34.21
PK	6.4398G	108.04	Inf	-Inf	10.07	3	Horizontal	64	1.58	30	97.97	33.66	10.67	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86436G	45.13	68.20	-23.07	19.34	3	Vertical	186	1.90	-	25.79	38.90	13.84	33.40
PK	12.86088G	56.91	88.20	-31.29	19.34	3	Vertical	186	1.90	-	37.57	38.90	13.84	33.40


802.11ax HEW20_Nss2,(MCS0)_2TX
6435MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.86019G	44.97	68.20	-23.23	19.34	3	Horizontal	332	1.43	-	25.63	38.90	13.84	33.40
PK	12.85869G	57.26	88.20	-30.94	19.33	3	Horizontal	332	1.43	-	37.93	38.90	13.84	33.41

802.11ax HEW20_Nss2,(MCS0)_2TX


6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8716G	49.36	68.20	-18.84	8.41	3	Vertical	337	2.92	30	40.95	32.39	10.23	34.21
AV	6.4694G	91.82	Inf	-Inf	10.21	3	Vertical	337	2.92	30	81.61	33.78	10.69	34.26
AV	7.1736G	52.36	68.20	-15.84	12.81	3	Vertical	337	2.92	30	39.55	36.04	11.28	34.51
PK	5.887G	61.00	88.20	-27.20	8.49	3	Vertical	337	2.92	30	52.51	32.45	10.25	34.21
PK	6.4792G	103.41	Inf	-Inf	10.25	3	Vertical	337	2.92	30	93.16	33.82	10.69	34.26
PK	7.1386G	63.03	88.20	-25.17	12.58	3	Vertical	337	2.92	30	50.45	35.85	11.25	34.52


802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8856G	49.25	68.20	-18.95	8.47	3	Horizontal	66	1.62	30	40.78	32.44	10.24	34.21
AV	6.4708G	97.11	Inf	-Inf	10.21	3	Horizontal	66	1.62	30	86.90	33.78	10.69	34.26
AV	7.1708G	52.37	68.20	-15.83	12.79	3	Horizontal	66	1.62	30	39.58	36.02	11.28	34.51
PK	5.7946G	61.10	88.20	-27.10	8.06	3	Horizontal	66	1.62	30	53.04	32.09	10.18	34.21
PK	6.4708G	108.47	Inf	-Inf	10.21	3	Horizontal	66	1.62	30	98.26	33.78	10.69	34.26
PK	7.1736G	62.72	88.20	-25.48	12.81	3	Horizontal	66	1.62	30	49.91	36.04	11.28	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.95393G	44.95	68.20	-23.25	19.57	3	Vertical	50	1.98	-	25.38	38.90	13.90	33.23
PK	12.94934G	57.20	88.20	-31.00	19.55	3	Vertical	50	1.98	-	37.65	38.90	13.89	33.24


802.11ax HEW20_Nss2,(MCS0)_2TX
6475MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.94112G	44.94	68.20	-23.26	19.54	3	Horizontal	135	1.00	-	25.40	38.90	13.89	33.25
PK	12.96173G	57.24	88.20	-30.96	19.59	3	Horizontal	135	1.00	-	37.65	38.90	13.90	33.21

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8878G	49.41	68.20	-18.79	8.49	3	Vertical	343	2.73	30	40.92	32.45	10.25	34.21
AV	6.5108G	92.29	Inf	-Inf	10.40	3	Vertical	343	2.73	30	81.89	33.96	10.71	34.27
AV	7.2052G	52.91	68.20	-15.29	13.00	3	Vertical	343	2.73	30	39.91	36.21	11.30	34.51
PK	5.822G	61.08	88.20	-27.12	8.18	3	Vertical	343	2.73	30	52.90	32.19	10.20	34.21
PK	6.5108G	101.63	Inf	-Inf	10.40	3	Vertical	343	2.73	30	91.23	33.96	10.71	34.27
PK	7.208G	63.63	88.20	-24.57	13.01	3	Vertical	343	2.73	30	50.62	36.22	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8696G	49.23	68.20	-18.97	8.40	3	Horizontal	65	1.57	30	40.83	32.38	10.23	34.21
AV	6.5094G	97.43	Inf	-Inf	10.40	3	Horizontal	65	1.57	30	87.03	33.96	10.71	34.27
AV	7.2038G	53.45	68.20	-14.75	13.00	3	Horizontal	65	1.57	30	40.45	36.21	11.30	34.51
PK	5.8486G	60.99	88.20	-27.21	8.30	3	Horizontal	65	1.57	30	52.69	32.29	10.22	34.21
PK	6.5136G	108.08	Inf	-Inf	10.42	3	Horizontal	65	1.57	30	97.66	33.98	10.71	34.27
PK	7.201G	63.82	88.20	-24.38	12.99	3	Horizontal	65	1.57	30	50.83	36.20	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04392G	45.38	68.20	-22.82	19.74	3	Vertical	259	2.75	-	25.64	38.86	13.95	33.07
PK	13.02124G	57.48	88.20	-30.72	19.71	3	Vertical	259	2.75	-	37.77	38.88	13.94	33.11

802.11ax HEW20_Nss2,(MCS0)_2TX


6515MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.02433G	45.36	68.20	-22.84	19.72	3	Horizontal	69	2.92	-	25.64	38.88	13.94	33.10
PK	13.01524G	57.05	88.20	-31.15	19.69	3	Horizontal	69	2.92	-	37.36	38.88	13.93	33.12

802.11ax HEW20_Nss2,(MCS0)_2TX


6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8868G	49.19	68.20	-19.01	8.49	3	Vertical	338	2.98	30	40.70	32.45	10.25	34.21
AV	6.5322G	91.86	Inf	-Inf	10.54	3	Vertical	338	2.98	30	81.32	34.09	10.73	34.28
AV	7.2154G	52.81	68.20	-15.39	13.02	3	Vertical	338	2.98	30	39.79	36.23	11.30	34.51
PK	5.8812G	60.96	88.20	-27.24	8.45	3	Vertical	338	2.98	30	52.51	32.42	10.24	34.21
PK	6.5308G	102.91	Inf	-Inf	10.53	3	Vertical	338	2.98	30	92.38	34.08	10.73	34.28
PK	7.207G	64.89	88.20	-23.31	13.00	3	Vertical	338	2.98	30	51.89	36.21	11.30	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8784G	49.31	68.20	-18.89	8.44	3	Horizontal	64	1.67	30	40.87	32.41	10.24	34.21
AV	6.5294G	96.91	Inf	-Inf	10.52	3	Horizontal	64	1.67	30	86.39	34.08	10.72	34.28
AV	7.2308G	53.01	68.20	-15.19	13.06	3	Horizontal	64	1.67	30	39.95	36.26	11.31	34.51
PK	5.9246G	60.20	88.20	-28.00	8.55	3	Horizontal	64	1.67	30	51.65	32.50	10.27	34.22
PK	6.5392G	108.40	Inf	-Inf	10.59	3	Horizontal	64	1.67	30	97.81	34.14	10.73	34.28
PK	7.1916G	64.71	88.20	-23.49	12.93	3	Horizontal	64	1.67	30	51.78	36.15	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05959G	45.19	68.20	-23.01	19.76	3	Vertical	30	1.40	-	25.43	38.84	13.96	33.04
PK	13.06385G	58.26	88.20	-29.94	19.76	3	Vertical	30	1.40	-	38.50	38.84	13.96	33.04


802.11ax HEW20_Nss2,(MCS0)_2TX
6535MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06988G	45.49	68.20	-22.71	19.77	3	Horizontal	259	2.26	-	25.72	38.83	13.97	33.03
PK	13.06457G	58.41	88.20	-29.79	19.77	3	Horizontal	259	2.26	-	38.64	38.84	13.96	33.03

802.11ax HEW20_Nss2,(MCS0)_2TX


6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	91.94	Inf	-Inf	10.72	3	Vertical	322	2.81	30	81.22	34.22	10.86	34.36
AV	7.185G	52.60	68.20	-15.60	12.89	3	Vertical	322	2.81	30	39.71	36.11	11.29	34.51
PK	6.69G	101.95	Inf	-Inf	10.72	3	Vertical	322	2.81	30	91.23	34.22	10.86	34.36
PK	7.189G	63.13	88.20	-25.07	12.91	3	Vertical	322	2.81	30	50.22	36.13	11.29	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.69G	98.18	Inf	-Inf	10.72	3	Horizontal	68	1.64	30	87.46	34.22	10.86	34.36
AV	7.195G	52.68	68.20	-15.52	12.96	3	Horizontal	68	1.64	30	39.72	36.17	11.30	34.51
PK	6.699G	109.83	Inf	-Inf	10.69	3	Horizontal	68	1.64	30	99.14	34.20	10.86	34.37
PK	7.188G	64.06	88.20	-24.14	12.91	3	Horizontal	68	1.64	30	51.15	36.13	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37668G	46.15	54.00	-7.85	21.02	3	Vertical	232	1.52	-	25.13	39.38	14.16	32.52
PK	13.37719G	58.54	74.00	-15.46	21.03	3	Vertical	232	1.52	-	37.51	39.39	14.16	32.52


802.11ax HEW20_Nss2,(MCS0)_2TX
6695MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.39438G	46.27	54.00	-7.73	21.15	3	Horizontal	141	2.05	-	25.12	39.47	14.17	32.49
PK	13.39888G	58.53	74.00	-15.47	21.17	3	Horizontal	141	2.05	-	37.36	39.49	14.17	32.49

802.11ax HEW20_Nss2,(MCS0)_2TX


6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8599G	89.69	Inf	-Inf	11.12	3	Vertical	304	2.99	37	78.57	34.56	11.01	34.45
AV	7.2022G	52.77	68.20	-15.43	12.99	3	Vertical	304	2.99	37	39.78	36.20	11.30	34.51
PK	6.8585G	99.02	Inf	-Inf	11.11	3	Vertical	304	2.99	37	87.91	34.55	11.01	34.45
PK	7.1455G	62.13	88.20	-26.07	12.61	3	Vertical	304	2.99	37	49.52	35.88	11.25	34.52


802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8599G	98.13	Inf	-Inf	11.12	3	Horizontal	59	1.50	37	87.01	34.56	11.01	34.45
AV	7.1945G	52.94	68.20	-15.26	12.96	3	Horizontal	59	1.50	37	39.98	36.17	11.30	34.51
PK	6.8578G	107.83	Inf	-Inf	11.11	3	Horizontal	59	1.50	37	96.72	34.55	11.01	34.45
PK	7.1924G	62.06	88.20	-26.14	12.93	3	Horizontal	59	1.50	37	49.13	36.15	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71642G	51.08	68.20	-17.12	21.67	3	Vertical	39	2.49	-	29.41	39.72	14.37	32.42
PK	13.7214G	63.71	88.20	-24.49	21.67	3	Vertical	39	2.49	-	42.04	39.72	14.37	32.42


802.11ax HEW20_Nss2,(MCS0)_2TX
6855MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.71855G	51.12	68.20	-17.08	21.67	3	Horizontal	143	1.51	-	29.45	39.72	14.37	32.42
PK	13.70877G	62.89	88.20	-25.31	21.66	3	Horizontal	143	1.51	-	41.23	39.71	14.36	32.41

802.11ax HEW20_Nss2,(MCS0)_2TX


6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8701G	93.01	Inf	-Inf	11.18	3	Vertical	328	2.97	30	81.83	34.62	11.02	34.46
AV	7.2033G	53.02	68.20	-15.18	13.00	3	Vertical	328	2.97	30	40.02	36.21	11.30	34.51
PK	6.8666G	103.49	Inf	-Inf	11.16	3	Vertical	328	2.97	30	92.33	34.60	11.02	34.46
PK	7.1648G	63.68	88.20	-24.52	12.75	3	Vertical	328	2.97	30	50.93	35.99	11.27	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8701G	98.10	Inf	-Inf	11.18	3	Horizontal	65	1.54	30	86.92	34.62	11.02	34.46
AV	7.2089G	52.97	68.20	-15.23	13.01	3	Horizontal	65	1.54	30	39.96	36.22	11.30	34.51
PK	6.8799G	109.99	Inf	-Inf	11.24	3	Horizontal	65	1.54	30	98.75	34.68	11.03	34.47
PK	7.1949G	64.57	88.20	-23.63	12.96	3	Horizontal	65	1.54	30	51.61	36.17	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75009G	51.47	68.20	-16.73	21.71	3	Vertical	47	2.82	-	29.76	39.75	14.39	32.43
PK	13.76035G	63.61	88.20	-24.59	21.72	3	Vertical	47	2.82	-	41.89	39.76	14.39	32.43


802.11ax HEW20_Nss2,(MCS0)_2TX
6875MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.74919G	51.29	68.20	-16.91	21.71	3	Horizontal	56	2.02	-	29.58	39.75	14.39	32.43
PK	13.75594G	63.40	88.20	-24.80	21.72	3	Horizontal	56	2.02	-	41.68	39.76	14.39	32.43

802.11ax HEW20_Nss2,(MCS0)_2TX


6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.902G	92.70	Inf	-Inf	11.37	3	Vertical	326	2.95	30	81.33	34.80	11.05	34.48
AV	7.2184G	53.14	68.20	-15.06	13.03	3	Vertical	326	2.95	30	40.11	36.24	11.30	34.51
PK	6.8992G	104.59	Inf	-Inf	11.36	3	Vertical	326	2.95	30	93.23	34.80	11.04	34.48
PK	7.1344G	64.66	88.20	-23.54	12.56	3	Vertical	326	2.95	30	52.10	35.84	11.24	34.52


802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8901G	97.77	Inf	-Inf	11.31	3	Horizontal	69	1.71	30	86.46	34.74	11.04	34.47
AV	7.1974G	52.97	68.20	-15.23	12.97	3	Horizontal	69	1.71	30	40.00	36.18	11.30	34.51
PK	6.8985G	110.19	Inf	-Inf	11.35	3	Horizontal	69	1.71	30	98.84	34.79	11.04	34.48
PK	7.2212G	64.71	88.20	-23.49	13.03	3	Horizontal	69	1.71	30	51.68	36.24	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.80437G	51.91	68.20	-16.29	21.78	3	Vertical	341	1.13	-	30.13	39.81	14.42	32.45
PK	13.78463G	64.07	88.20	-24.13	21.74	3	Vertical	341	1.13	-	42.33	39.78	14.41	32.45


802.11ax HEW20_Nss2,(MCS0)_2TX
6895MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.79498G	51.55	68.20	-16.65	21.75	3	Horizontal	155	2.94	-	29.80	39.79	14.41	32.45
PK	13.80221G	63.63	88.20	-24.57	21.78	3	Horizontal	155	2.94	-	41.85	39.81	14.42	32.45

802.11ax HEW20_Nss2,(MCS0)_2TX


6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.99G	92.16	Inf	-Inf	11.66	3	Vertical	332	2.96	30	80.50	35.06	11.12	34.52
AV	7.2435G	53.04	68.20	-15.16	13.09	3	Vertical	332	2.96	30	39.95	36.29	11.31	34.51
PK	6.9905G	103.91	Inf	-Inf	11.66	3	Vertical	332	2.96	30	92.25	35.06	11.12	34.52
PK	7.216G	64.98	88.20	-23.22	13.02	3	Vertical	332	2.96	30	51.96	36.23	11.30	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.99G	97.90	Inf	-Inf	11.66	3	Horizontal	64	1.57	30	86.24	35.06	11.12	34.52
AV	7.234G	53.08	68.20	-15.12	13.07	3	Horizontal	64	1.57	30	40.01	36.27	11.31	34.51
PK	6.9985G	109.48	Inf	-Inf	11.69	3	Horizontal	64	1.57	30	97.79	35.09	11.13	34.53
PK	7.2125G	64.00	88.20	-24.20	13.02	3	Horizontal	64	1.57	30	50.98	36.23	11.30	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98829G	52.74	68.20	-15.46	22.36	3	Vertical	97	1.65	-	30.38	40.36	14.53	32.53
PK	13.97767G	64.82	88.20	-23.38	22.33	3	Vertical	97	1.65	-	42.49	40.33	14.53	32.53


802.11ax HEW20_Nss2,(MCS0)_2TX
6995MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.98541G	52.64	68.20	-15.56	22.36	3	Horizontal	86	1.37	-	30.28	40.36	14.53	32.53
PK	13.98364G	65.05	88.20	-23.15	22.35	3	Horizontal	86	1.37	-	42.70	40.35	14.53	32.53

802.11ax HEW20_Nss2,(MCS0)_2TX


7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0899G	92.74	Inf	-Inf	12.85	3	Vertical	355	2.84	37	79.89	36.16	11.21	34.52
AV	7.2414G	54.86	68.20	-13.34	13.47	3	Vertical	355	2.84	37	41.39	36.67	11.31	34.51
PK	7.0932G	101.59	Inf	-Inf	12.86	3	Vertical	355	2.84	37	88.73	36.17	11.21	34.52
PK	7.2087G	65.21	88.20	-22.99	13.32	3	Vertical	355	2.84	37	51.89	36.53	11.30	34.51


802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0923G	99.19	Inf	-Inf	12.86	3	Horizontal	65	1.60	37	86.33	36.17	11.21	34.52
AV	7.1463G	54.96	68.20	-13.24	13.30	3	Horizontal	65	1.60	37	41.66	36.57	11.25	34.52
PK	7.0902G	108.31	Inf	-Inf	12.85	3	Horizontal	65	1.60	37	95.46	36.16	11.21	34.52
PK	7.1835G	66.44	88.20	-21.76	13.31	3	Horizontal	65	1.60	37	53.13	36.53	11.29	34.51

802.11ax HEW20_Nss2,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.19978G	51.45	68.20	-16.75	22.00	3	Vertical	177	1.43	-	29.45	40.10	14.69	32.79
PK	14.19222G	63.80	88.20	-24.40	22.00	3	Vertical	177	1.43	-	41.80	40.10	14.68	32.78


802.11ax HEW20_Nss2,(MCS0)_2TX
7095MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.17647G	51.53	68.20	-16.67	22.01	3	Horizontal	19	1.88	-	29.52	40.10	14.67	32.76
PK	14.18142G	63.88	88.20	-24.32	22.00	3	Horizontal	19	1.88	-	41.88	40.10	14.67	32.77

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9215G	51.04	68.20	-17.16	8.55	3	Vertical	343	3.00	62	42.49	32.50	10.27	34.22
AV	5.977G	95.28	Inf	-Inf	8.59	3	Vertical	343	3.00	62	86.69	32.50	10.31	34.22
PK	5.899G	61.04	88.20	-27.16	8.54	3	Vertical	343	3.00	62	52.50	32.50	10.25	34.21
PK	5.9701G	105.91	Inf	-Inf	8.59	3	Vertical	343	3.00	62	97.32	32.50	10.31	34.22


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9221G	51.39	68.20	-16.81	8.55	3	Horizontal	71	2.31	62	42.84	32.50	10.27	34.22
AV	5.9617G	97.46	Inf	-Inf	8.58	3	Horizontal	71	2.31	62	88.88	32.50	10.30	34.22
PK	5.9236G	62.26	88.20	-25.94	8.55	3	Horizontal	71	2.31	62	53.71	32.50	10.27	34.22
PK	5.9704G	108.51	Inf	-Inf	8.59	3	Horizontal	71	2.31	62	99.92	32.50	10.31	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94404G	44.00	54.00	-10.00	17.78	3	Vertical	154	2.42	-	26.22	38.79	13.29	34.30
PK	11.92832G	56.46	74.00	-17.54	17.75	3	Vertical	154	2.42	-	38.71	38.76	13.28	34.29


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9159G	44.00	54.00	-10.00	17.73	3	Horizontal	3	1.87	-	26.27	38.73	13.28	34.28
PK	11.93927G	56.14	74.00	-17.86	17.77	3	Horizontal	3	1.87	-	38.37	38.78	13.29	34.30

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8776G	49.37	68.20	-18.83	8.44	3	Vertical	54	2.15	62	40.93	32.41	10.24	34.21
AV	6.1704G	93.44	Inf	-Inf	8.99	3	Vertical	54	2.15	62	84.45	32.72	10.50	34.23
PK	5.9022G	60.23	88.20	-27.97	8.55	3	Vertical	54	2.15	62	51.68	32.50	10.26	34.21
PK	6.171G	105.31	Inf	-Inf	9.00	3	Vertical	54	2.15	62	96.31	32.73	10.50	34.23


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8938G	49.39	68.20	-18.81	8.52	3	Horizontal	63	1.67	62	40.87	32.48	10.25	34.21
AV	6.1716G	98.11	Inf	-Inf	9.00	3	Horizontal	63	1.67	62	89.11	32.73	10.50	34.23
PK	5.9178G	60.28	88.20	-27.92	8.55	3	Horizontal	63	1.67	62	51.73	32.50	10.27	34.22
PK	6.1674G	109.24	Inf	-Inf	8.97	3	Horizontal	63	1.67	62	100.27	32.70	10.50	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.34323G	44.85	54.00	-9.15	18.09	3	Vertical	30	1.02	-	26.76	38.73	13.52	34.16
PK	12.32079G	56.22	74.00	-17.78	18.16	3	Vertical	30	1.02	-	38.06	38.82	13.51	34.17


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.32124G	44.88	54.00	-9.12	18.16	3	Horizontal	98	1.16	-	26.72	38.82	13.51	34.17
PK	12.32694G	57.11	74.00	-16.89	18.13	3	Horizontal	98	1.16	-	38.98	38.79	13.51	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9166G	50.34	68.20	-17.86	8.56	3	Vertical	348	3.00	55	41.78	32.50	10.27	34.21
AV	6.411G	94.42	Inf	-Inf	9.94	3	Vertical	348	3.00	55	84.48	33.54	10.65	34.25
PK	5.8818G	60.53	88.20	-27.67	8.46	3	Vertical	348	3.00	55	52.07	32.43	10.24	34.21
PK	6.4098G	105.68	Inf	-Inf	9.94	3	Vertical	348	3.00	55	95.74	33.54	10.65	34.25


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8866G	50.18	68.20	-18.02	8.48	3	Horizontal	75	1.73	55	41.70	32.45	10.24	34.21
AV	6.4002G	97.29	Inf	-Inf	9.89	3	Horizontal	75	1.73	55	87.40	33.50	10.64	34.25
PK	5.8938G	60.38	88.20	-27.82	8.52	3	Horizontal	75	1.73	55	51.86	32.48	10.25	34.21
PK	6.4038G	107.38	Inf	-Inf	9.91	3	Horizontal	75	1.73	55	97.47	33.52	10.64	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.81822G	45.13	68.20	-23.07	19.23	3	Vertical	0	2.72	-	25.90	38.90	13.81	33.48
PK	12.80781G	56.86	88.20	-31.34	19.21	3	Vertical	0	2.72	-	37.65	38.90	13.81	33.50


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82296G	45.20	68.20	-23.00	19.25	3	Horizontal	355	1.09	-	25.95	38.90	13.82	33.47
PK	12.79764G	57.43	88.20	-30.77	19.17	3	Horizontal	355	1.09	-	38.26	38.89	13.80	33.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9182G	50.31	68.20	-17.89	8.55	3	Vertical	348	2.76	58	41.76	32.50	10.27	34.22
AV	6.439G	93.42	Inf	-Inf	10.07	3	Vertical	348	2.76	58	83.35	33.66	10.67	34.26
PK	5.8762G	60.47	88.20	-27.73	8.43	3	Vertical	348	2.76	58	52.04	32.40	10.24	34.21
PK	6.4414G	104.49	Inf	-Inf	10.08	3	Vertical	348	2.76	58	94.41	33.67	10.67	34.26


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8774G	50.33	68.20	-17.87	8.44	3	Horizontal	75	1.62	58	41.89	32.41	10.24	34.21
AV	6.4378G	97.18	Inf	-Inf	10.05	3	Horizontal	75	1.62	58	87.13	33.65	10.66	34.26
PK	5.887G	60.16	88.20	-28.04	8.49	3	Horizontal	75	1.62	58	51.67	32.45	10.25	34.21
PK	6.4414G	106.79	Inf	-Inf	10.08	3	Horizontal	75	1.62	58	96.71	33.67	10.67	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88901G	44.84	68.20	-23.36	19.41	3	Vertical	321	1.28	-	25.43	38.90	13.86	33.35
PK	12.89759G	57.25	88.20	-30.95	19.43	3	Vertical	321	1.28	-	37.82	38.90	13.86	33.33


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.87974G	44.83	68.20	-23.37	19.38	3	Horizontal	176	1.78	-	25.45	38.90	13.85	33.37
PK	12.88724G	57.53	88.20	-30.67	19.41	3	Horizontal	176	1.78	-	38.12	38.90	13.86	33.35

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.911G	50.79	68.20	-17.41	8.55	3	Vertical	348	2.83	59	42.24	32.50	10.26	34.21
AV	6.4794G	94.38	Inf	-Inf	10.25	3	Vertical	348	2.83	59	84.13	33.82	10.69	34.26
AV	7.1836G	53.66	68.20	-14.54	12.88	3	Vertical	348	2.83	59	40.78	36.10	11.29	34.51
PK	5.9124G	60.71	88.20	-27.49	8.55	3	Vertical	348	2.83	59	52.16	32.50	10.26	34.21
PK	6.4836G	104.77	Inf	-Inf	10.26	3	Vertical	348	2.83	59	94.51	33.83	10.69	34.26
PK	7.1808G	63.41	88.20	-24.79	12.85	3	Vertical	348	2.83	59	50.56	36.08	11.28	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.904G	50.48	68.20	-17.72	8.55	3	Horizontal	77	1.73	59	41.93	32.50	10.26	34.21
AV	6.4822G	97.30	Inf	-Inf	10.26	3	Horizontal	77	1.73	59	87.04	33.83	10.69	34.26
AV	7.185G	53.67	68.20	-14.53	12.89	3	Horizontal	77	1.73	59	40.78	36.11	11.29	34.51
PK	5.8606G	59.47	88.20	-28.73	8.36	3	Horizontal	77	1.73	59	51.11	32.34	10.23	34.21
PK	6.4724G	106.95	Inf	-Inf	10.22	3	Horizontal	77	1.73	59	96.73	33.79	10.69	34.26
PK	7.1388G	64.18	88.20	-24.02	12.59	3	Horizontal	77	1.73	59	51.59	35.86	11.25	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98494G	45.10	68.20	-23.10	19.65	3	Vertical	128	1.55	-	25.45	38.90	13.92	33.17
PK	12.96793G	57.79	88.20	-30.41	19.61	3	Vertical	128	1.55	-	38.18	38.90	13.91	33.20


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9811G	45.37	68.20	-22.83	19.63	3	Horizontal	131	1.12	-	25.74	38.90	13.91	33.18
PK	12.95986G	56.85	88.20	-31.35	19.58	3	Horizontal	131	1.12	-	37.27	38.90	13.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9104G	50.41	68.20	-17.79	8.55	3	Vertical	347	3.00	56	41.86	32.50	10.26	34.21
AV	6.5222G	94.28	Inf	-Inf	10.48	3	Vertical	347	3.00	56	83.80	34.03	10.72	34.27
AV	7.2026G	53.83	68.20	-14.37	13.00	3	Vertical	347	3.00	56	40.83	36.21	11.30	34.51
PK	5.8586G	59.44	88.20	-28.76	8.34	3	Vertical	347	3.00	56	51.10	32.33	10.22	34.21
PK	6.5208G	103.93	Inf	-Inf	10.47	3	Vertical	347	3.00	56	93.46	34.02	10.72	34.27
PK	7.2124G	63.50	88.20	-24.70	13.01	3	Vertical	347	3.00	56	50.49	36.22	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.881G	50.36	68.20	-17.84	8.45	3	Horizontal	75	1.65	56	41.91	32.42	10.24	34.21
AV	6.5194G	97.55	Inf	-Inf	10.47	3	Horizontal	75	1.65	56	87.08	34.02	10.72	34.27
AV	7.211G	53.82	68.20	-14.38	13.01	3	Horizontal	75	1.65	56	40.81	36.22	11.30	34.51
PK	5.9202G	62.09	88.20	-26.11	8.55	3	Horizontal	75	1.65	56	53.54	32.50	10.27	34.22
PK	6.5236G	107.55	Inf	-Inf	10.49	3	Horizontal	75	1.65	56	97.06	34.04	10.72	34.27
PK	7.2194G	64.28	88.20	-23.92	13.03	3	Horizontal	75	1.65	56	51.25	36.24	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.04481G	45.30	68.20	-22.90	19.74	3	Vertical	203	2.64	-	25.56	38.86	13.95	33.07
PK	13.0647G	58.39	88.20	-29.81	19.77	3	Vertical	203	2.64	-	38.62	38.84	13.96	33.03

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05429G	45.41	68.20	-22.79	19.76	3	Horizontal	72	2.43	-	25.65	38.85	13.96	33.05
PK	13.04781G	57.24	88.20	-30.96	19.74	3	Horizontal	72	2.43	-	37.50	38.85	13.95	33.06

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5674G	91.10	Inf	-Inf	10.65	3	Vertical	306	2.68	53	80.45	34.20	10.75	34.30
AV	7.1482G	53.29	68.20	-14.91	12.63	3	Vertical	306	2.68	53	40.66	35.89	11.26	34.52
PK	6.5698G	100.36	Inf	-Inf	10.65	3	Vertical	306	2.68	53	89.71	34.20	10.75	34.30
PK	7.1302G	62.59	88.20	-25.61	12.54	3	Vertical	306	2.68	53	50.05	35.82	11.24	34.52


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5602G	97.26	Inf	-Inf	10.65	3	Horizontal	70	1.65	53	86.61	34.20	10.74	34.29
AV	7.1518G	53.32	68.20	-14.88	12.66	3	Horizontal	70	1.65	53	40.66	35.91	11.26	34.51
PK	6.5638G	107.32	Inf	-Inf	10.66	3	Horizontal	70	1.65	53	96.66	34.20	10.75	34.29
PK	7.1614G	62.44	88.20	-25.76	12.73	3	Horizontal	70	1.65	53	49.71	35.97	11.27	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.12544G	45.21	68.20	-22.99	19.87	3	Vertical	256	2.59	-	25.34	38.80	14.00	32.93
PK	13.12928G	57.59	88.20	-30.61	19.87	3	Vertical	256	2.59	-	37.72	38.80	14.00	32.93


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13081G	45.48	68.20	-22.72	19.88	3	Horizontal	224	1.14	-	25.60	38.80	14.01	32.93
PK	13.14467G	57.61	88.20	-30.59	19.91	3	Horizontal	224	1.14	-	37.70	38.80	14.01	32.90

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	91.17	Inf	-Inf	10.72	3	Vertical	308	2.36	52	80.45	34.22	10.86	34.36
AV	7.183G	53.66	68.20	-14.54	12.88	3	Vertical	308	2.36	52	40.78	36.10	11.29	34.51
PK	6.684G	101.07	Inf	-Inf	10.72	3	Vertical	308	2.36	52	90.35	34.23	10.85	34.36
PK	7.135G	62.52	88.20	-25.68	12.56	3	Vertical	308	2.36	52	49.96	35.84	11.24	34.52


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.691G	97.63	Inf	-Inf	10.72	3	Horizontal	76	1.66	52	86.91	34.22	10.86	34.36
AV	7.178G	53.77	68.20	-14.43	12.84	3	Horizontal	76	1.66	52	40.93	36.07	11.28	34.51
PK	6.69G	107.97	Inf	-Inf	10.72	3	Horizontal	76	1.66	52	97.25	34.22	10.86	34.36
PK	7.163G	63.06	88.20	-25.14	12.74	3	Horizontal	76	1.66	52	50.32	35.98	11.27	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.37978G	46.14	54.00	-7.86	21.04	3	Vertical	282	2.94	-	25.10	39.40	14.16	32.52
PK	13.38281G	58.48	74.00	-15.52	21.06	3	Vertical	282	2.94	-	37.42	39.41	14.16	32.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.36451G	46.13	54.00	-7.87	20.93	3	Horizontal	327	1.44	-	25.20	39.32	14.15	32.54
PK	13.38272G	58.12	74.00	-15.88	21.06	3	Horizontal	327	1.44	-	37.06	39.41	14.16	32.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8534G	90.02	Inf	-Inf	11.08	3	Vertical	324	2.35	43	78.94	34.52	11.01	34.45
AV	7.1845G	53.85	68.20	-14.35	12.89	3	Vertical	324	2.35	43	40.96	36.11	11.29	34.51
PK	6.8534G	99.78	Inf	-Inf	11.08	3	Vertical	324	2.35	43	88.70	34.52	11.01	34.45
PK	7.1747G	63.75	88.20	-24.45	12.82	3	Vertical	324	2.35	43	50.93	36.05	11.28	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8506G	97.53	Inf	-Inf	11.05	3	Horizontal	70	1.69	43	86.48	34.50	11.00	34.45
AV	7.1915G	54.09	68.20	-14.11	12.93	3	Horizontal	70	1.69	43	41.16	36.15	11.29	34.51
PK	6.8443G	107.09	Inf	-Inf	11.03	3	Horizontal	70	1.69	43	96.06	34.48	11.00	34.45
PK	7.1845G	63.29	88.20	-24.91	12.89	3	Horizontal	70	1.69	43	50.40	36.11	11.29	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.68544G	50.96	68.20	-17.24	21.65	3	Vertical	93	2.60	-	29.31	39.70	14.35	32.40
PK	13.69486G	63.66	88.20	-24.54	21.64	3	Vertical	93	2.60	-	42.02	39.70	14.35	32.41


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69621G	50.95	68.20	-17.25	21.64	3	Horizontal	11	1.73	-	29.31	39.70	14.35	32.41
PK	13.6768G	62.58	88.20	-25.62	21.64	3	Horizontal	11	1.73	-	40.94	39.70	14.34	32.40

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8794G	91.82	Inf	-Inf	11.25	3	Vertical	326	2.86	36	80.57	34.68	11.03	34.46
AV	7.1986G	53.05	68.20	-15.15	12.98	3	Vertical	326	2.86	36	40.07	36.19	11.30	34.51
PK	6.8822G	104.13	Inf	-Inf	11.25	3	Vertical	326	2.86	36	92.88	34.69	11.03	34.47
PK	7.1916G	63.99	88.20	-24.21	12.93	3	Vertical	326	2.86	36	51.06	36.15	11.29	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8906G	97.64	Inf	-Inf	11.31	3	Horizontal	68	1.69	36	86.33	34.74	11.04	34.47
AV	7.1937G	52.99	68.20	-15.21	12.94	3	Horizontal	68	1.69	36	40.05	36.16	11.29	34.51
PK	6.8822G	109.21	Inf	-Inf	11.25	3	Horizontal	68	1.69	36	97.96	34.69	11.03	34.47
PK	7.2224G	64.23	88.20	-23.97	13.03	3	Horizontal	68	1.69	36	51.20	36.24	11.30	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.77984G	51.35	68.20	-16.85	21.74	3	Vertical	315	2.33	-	29.61	39.78	14.40	32.44
PK	13.7553G	64.13	88.20	-24.07	21.72	3	Vertical	315	2.33	-	42.41	39.76	14.39	32.43

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.75923G	51.41	68.20	-16.79	21.72	3	Horizontal	43	2.57	-	29.69	39.76	14.39	32.43
PK	13.76055G	64.19	88.20	-24.01	21.72	3	Horizontal	43	2.57	-	42.47	39.76	14.39	32.43

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9178G	89.33	Inf	-Inf	12.27	3	Vertical	308	1.67	40	77.06	35.70	11.06	34.49
AV	7.1416G	54.78	68.20	-13.42	13.26	3	Vertical	308	1.67	40	41.52	36.53	11.25	34.52
PK	6.9304G	98.78	Inf	-Inf	12.28	3	Vertical	308	1.67	40	86.50	35.70	11.07	34.49
PK	7.1548G	65.18	88.20	-23.02	13.34	3	Vertical	308	1.67	40	51.84	36.59	11.26	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9214G	98.87	Inf	-Inf	12.27	3	Horizontal	65	1.68	40	86.60	35.70	11.06	34.49
AV	7.2142G	54.97	68.20	-13.23	13.35	3	Horizontal	65	1.68	40	41.62	36.56	11.30	34.51
PK	6.9238G	109.33	Inf	-Inf	12.28	3	Horizontal	65	1.68	40	97.05	35.70	11.07	34.49
PK	7.1908G	64.59	88.20	-23.61	13.30	3	Horizontal	65	1.68	40	51.29	36.52	11.29	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8371G	52.08	68.20	-16.12	21.67	3	Vertical	155	2.52	-	30.41	39.70	14.44	32.47
PK	13.83644G	64.38	88.20	-23.82	21.67	3	Vertical	155	2.52	-	42.71	39.70	14.44	32.47


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.86359G	52.20	68.20	-16.00	21.68	3	Horizontal	41	1.76	-	30.52	39.70	14.46	32.48
PK	13.85606G	64.12	88.20	-24.08	21.67	3	Horizontal	41	1.76	-	42.45	39.70	14.45	32.48

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9918G	90.16	Inf	-Inf	11.66	3	Vertical	355	2.94	43	78.50	35.07	11.12	34.53
AV	7.1397G	52.33	68.20	-15.87	12.59	3	Vertical	355	2.94	43	39.74	35.86	11.25	34.52
PK	7.0017G	101.75	Inf	-Inf	11.71	3	Vertical	355	2.94	43	90.04	35.11	11.13	34.53
PK	7.1538G	63.53	88.20	-24.67	12.67	3	Vertical	355	2.94	43	50.86	35.92	11.26	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9912G	96.82	Inf	-Inf	11.65	3	Horizontal	69	1.70	43	85.17	35.06	11.12	34.53
AV	7.1427G	52.49	68.20	-15.71	12.60	3	Horizontal	69	1.70	43	39.89	35.87	11.25	34.52
PK	6.9975G	108.61	Inf	-Inf	11.69	3	Horizontal	69	1.70	43	96.92	35.09	11.13	34.53
PK	7.1508G	63.82	88.20	-24.38	12.65	3	Horizontal	69	1.70	43	51.17	35.90	11.26	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.99689G	52.71	68.20	-15.49	22.39	3	Vertical	11	2.56	-	30.32	40.39	14.54	32.54
PK	14.01156G	64.64	88.20	-23.56	22.42	3	Vertical	11	2.56	-	42.22	40.42	14.55	32.55


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00751G	52.60	68.20	-15.60	22.42	3	Horizontal	60	2.41	-	30.18	40.42	14.55	32.55
PK	14.01534G	65.18	88.20	-23.02	22.42	3	Horizontal	60	2.41	-	42.76	40.43	14.55	32.56

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0907G	90.92	Inf	-Inf	12.33	3	Vertical	335	2.70	42	78.59	35.64	11.21	34.52
AV	7.2347G	53.26	68.20	-14.94	13.07	3	Vertical	335	2.70	42	40.19	36.27	11.31	34.51
PK	7.0817G	102.34	Inf	-Inf	12.27	3	Vertical	335	2.70	42	90.07	35.59	11.20	34.52
PK	7.2224G	64.59	88.20	-23.61	13.03	3	Vertical	335	2.70	42	51.56	36.24	11.30	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.0808G	96.85	Inf	-Inf	12.26	3	Horizontal	71	1.68	42	84.59	35.58	11.20	34.52
AV	7.2173G	53.05	68.20	-15.15	13.02	3	Horizontal	71	1.68	42	40.03	36.23	11.30	34.51
PK	7.0901G	108.00	Inf	-Inf	12.33	3	Horizontal	71	1.68	42	95.67	35.64	11.21	34.52
PK	7.2278G	64.66	88.20	-23.54	13.06	3	Horizontal	71	1.68	42	51.60	36.26	11.31	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16847G	52.37	68.20	-15.83	22.72	3	Vertical	316	2.10	-	29.65	40.81	14.66	32.75
PK	14.16157G	64.30	88.20	-23.90	22.70	3	Vertical	316	2.10	-	41.60	40.78	14.66	32.74


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.15911G	52.34	68.20	-15.86	22.70	3	Horizontal	226	1.29	-	29.64	40.78	14.66	32.74
PK	14.16874G	64.58	88.20	-23.62	22.72	3	Horizontal	226	1.29	-	41.86	40.81	14.66	32.75

802.11ax HEW40_Nss2,(MCS0)_2TX


5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9245G	49.94	68.20	-18.26	8.55	3	Vertical	337	3.00	55	41.39	32.50	10.27	34.22
AV	5.9782G	95.72	Inf	-Inf	8.59	3	Vertical	337	3.00	55	87.13	32.50	10.31	34.22
PK	5.9203G	61.52	88.20	-26.68	8.55	3	Vertical	337	3.00	55	52.97	32.50	10.27	34.22
PK	5.9695G	106.92	Inf	-Inf	8.59	3	Vertical	337	3.00	55	98.33	32.50	10.31	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9221G	49.95	68.20	-18.25	8.55	3	Horizontal	316	1.80	55	41.40	32.50	10.27	34.22
AV	5.9782G	96.50	Inf	-Inf	8.59	3	Horizontal	316	1.80	55	87.91	32.50	10.31	34.22
PK	5.9203G	61.53	88.20	-26.67	8.55	3	Horizontal	316	1.80	55	52.98	32.50	10.27	34.22
PK	5.9806G	107.64	Inf	-Inf	8.60	3	Horizontal	316	1.80	55	99.04	32.50	10.32	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.94341G	43.97	54.00	-10.03	17.78	3	Vertical	67	2.45	-	26.19	38.79	13.29	34.30
PK	11.9177G	56.01	74.00	-17.99	17.73	3	Vertical	67	2.45	-	38.28	38.74	13.28	34.29


802.11ax HEW40_Nss2,(MCS0)_2TX
5965MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9444G	43.89	54.00	-10.11	17.78	3	Horizontal	346	2.08	-	26.11	38.79	13.29	34.30
PK	11.9285G	55.99	74.00	-18.01	17.75	3	Horizontal	346	2.08	-	38.24	38.76	13.28	34.29

802.11ax HEW40_Nss2,(MCS0)_2TX


6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8734G	49.37	68.20	-18.83	8.42	3	Vertical	59	1.78	49	40.95	32.39	10.24	34.21
AV	6.1692G	89.45	Inf	-Inf	8.99	3	Vertical	59	1.78	49	80.46	32.72	10.50	34.23
PK	5.8914G	60.39	88.20	-27.81	8.51	3	Vertical	59	1.78	49	51.88	32.47	10.25	34.21
PK	6.1626G	101.08	Inf	-Inf	8.94	3	Vertical	59	1.78	49	92.14	32.68	10.49	34.23


802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9178G	49.37	68.20	-18.83	8.55	3	Horizontal	60	2.13	49	40.82	32.50	10.27	34.22
AV	6.1692G	96.01	Inf	-Inf	8.99	3	Horizontal	60	2.13	49	87.02	32.72	10.50	34.23
PK	5.9064G	61.88	88.20	-26.32	8.55	3	Horizontal	60	2.13	49	53.33	32.50	10.26	34.21
PK	6.1698G	107.63	Inf	-Inf	8.99	3	Horizontal	60	2.13	49	98.64	32.72	10.50	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.33813G	44.79	54.00	-9.21	18.11	3	Vertical	191	1.62	-	26.68	38.75	13.52	34.16
PK	12.32316G	57.03	74.00	-16.97	18.15	3	Vertical	191	1.62	-	38.88	38.81	13.51	34.17


802.11ax HEW40_Nss2,(MCS0)_2TX
6165MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.31668G	44.75	54.00	-9.25	18.16	3	Horizontal	140	2.29	-	26.59	38.83	13.50	34.17
PK	12.32388G	56.79	74.00	-17.21	18.14	3	Horizontal	140	2.29	-	38.65	38.80	13.51	34.17

802.11ax HEW40_Nss2,(MCS0)_2TX


6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9226G	49.31	68.20	-18.89	8.55	3	Vertical	335	3.00	43	40.76	32.50	10.27	34.22
AV	6.3906G	91.86	Inf	-Inf	9.86	3	Vertical	335	3.00	43	82.00	33.48	10.63	34.25
PK	5.9082G	62.41	88.20	-25.79	8.55	3	Vertical	335	3.00	43	53.86	32.50	10.26	34.21
PK	6.4002G	103.40	Inf	-Inf	9.89	3	Vertical	335	3.00	43	93.51	33.50	10.64	34.25


802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8782G	49.29	68.20	-18.91	8.44	3	Horizontal	61	1.66	43	40.85	32.41	10.24	34.21
AV	6.3978G	95.88	Inf	-Inf	9.89	3	Horizontal	61	1.66	43	85.99	33.50	10.64	34.25
PK	5.853G	60.74	88.20	-27.46	8.32	3	Horizontal	61	1.66	43	52.42	32.31	10.22	34.21
PK	6.4014G	106.79	Inf	-Inf	9.90	3	Horizontal	61	1.66	43	96.89	33.51	10.64	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82191G	45.31	68.20	-22.89	19.25	3	Vertical	92	1.21	-	26.06	38.90	13.82	33.47
PK	12.80232G	57.49	88.20	-30.71	19.19	3	Vertical	92	1.21	-	38.30	38.90	13.80	33.51


802.11ax HEW40_Nss2,(MCS0)_2TX
6405MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.82449G	44.93	68.20	-23.27	19.25	3	Horizontal	298	1.97	-	25.68	38.90	13.82	33.47
PK	12.8181G	58.00	88.20	-30.20	19.23	3	Horizontal	298	1.97	-	38.77	38.90	13.81	33.48

802.11ax HEW40_Nss2,(MCS0)_2TX


6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8642G	49.24	68.20	-18.96	8.38	3	Vertical	340	2.97	45	40.86	32.36	10.23	34.21
AV	6.4378G	91.95	Inf	-Inf	10.05	3	Vertical	340	2.97	45	81.90	33.65	10.66	34.26
PK	5.8486G	60.60	88.20	-27.60	8.30	3	Vertical	340	2.97	45	52.30	32.29	10.22	34.21
PK	6.4366G	102.86	Inf	-Inf	10.06	3	Vertical	340	2.97	45	92.80	33.65	10.66	34.25


802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8762G	49.17	68.20	-19.03	8.43	3	Horizontal	66	1.63	45	40.74	32.40	10.24	34.21
AV	6.4582G	96.04	Inf	-Inf	10.15	3	Horizontal	66	1.63	45	85.89	33.73	10.68	34.26
PK	5.9146G	59.97	88.20	-28.23	8.56	3	Horizontal	66	1.63	45	51.41	32.50	10.27	34.21
PK	6.439G	106.47	Inf	-Inf	10.07	3	Horizontal	66	1.63	45	96.40	33.66	10.67	34.26

802.11ax HEW40_Nss2,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.89072G	44.81	68.20	-23.39	19.41	3	Vertical	121	1.39	-	25.40	38.90	13.86	33.35
PK	12.90137G	56.94	88.20	-31.26	19.43	3	Vertical	121	1.39	-	37.51	38.90	13.86	33.33


802.11ax HEW40_Nss2,(MCS0)_2TX
6445MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.88211G	44.85	68.20	-23.35	19.39	3	Horizontal	40	1.54	-	25.46	38.90	13.85	33.36
PK	12.88955G	57.92	88.20	-30.28	19.41	3	Horizontal	40	1.54	-	38.51	38.90	13.86	33.35

802.11ax HEW40_Nss2,(MCS0)_2TX


6485MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8928G	49.29	68.20	-18.91	8.51	3	Vertical	344	2.93	43	40.78	32.47	10.25	34.21
AV	6.4878G	91.96	Inf	-Inf	10.29	3	Vertical	344	2.93	43	81.67	33.85	10.70	34.26
AV	7.185G	52.76	68.20	-15.44	12.89	3	Vertical	344	2.93	43	39.87	36.11	11.29	34.51
PK	5.9222G	61.21	88.20	-26.99	8.55	3	Vertical	344	2.93	43	52.66	32.50	10.27	34.22
PK	6.4906G	102.29	Inf	-Inf	10.30	3	Vertical	344	2.93	43	91.99	33.86	10.70	34.26
PK	7.1598G	63.36	88.20	-24.84	12.72	3	Vertical	344	2.93	43	50.64	35.96	11.27	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8578G	49.37	68.20	-18.83	8.34	3	Horizontal	65	1.60	43	41.03	32.33	10.22	34.21
AV	6.4822G	96.05	Inf	-Inf	10.26	3	Horizontal	65	1.60	43	85.79	33.83	10.69	34.26
AV	7.1444G	52.42	68.20	-15.78	12.61	3	Horizontal	65	1.60	43	39.81	35.88	11.25	34.52
PK	5.9194G	60.79	88.20	-27.41	8.55	3	Horizontal	65	1.60	43	52.24	32.50	10.27	34.22
PK	6.4976G	107.23	Inf	-Inf	10.33	3	Horizontal	65	1.60	43	96.90	33.89	10.70	34.26
PK	7.185G	63.63	88.20	-24.57	12.89	3	Horizontal	65	1.60	43	50.74	36.11	11.29	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.98134G	45.32	68.20	-22.88	19.63	3	Vertical	115	2.99	-	25.69	38.90	13.91	33.18
PK	12.95941G	57.08	88.20	-31.12	19.58	3	Vertical	115	2.99	-	37.50	38.90	13.90	33.22

802.11ax HEW40_Nss2,(MCS0)_2TX
6485MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	12.9817G	45.20	68.20	-23.00	19.64	3	Horizontal	142	2.77	-	25.56	38.90	13.91	33.17
PK	12.98341G	57.09	88.20	-31.11	19.64	3	Horizontal	142	2.77	-	37.45	38.90	13.91	33.17

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8852G	49.31	68.20	-18.89	8.47	3	Vertical	344	3.00	37	40.84	32.44	10.24	34.21
AV	6.518G	91.75	Inf	-Inf	10.46	3	Vertical	344	3.00	37	81.29	34.01	10.72	34.27
AV	7.1956G	52.82	68.20	-15.38	12.96	3	Vertical	344	3.00	37	39.86	36.17	11.30	34.51
PK	5.825G	60.48	88.20	-27.72	8.19	3	Vertical	344	3.00	37	52.29	32.20	10.20	34.21
PK	6.5208G	103.43	Inf	-Inf	10.47	3	Vertical	344	3.00	37	92.96	34.02	10.72	34.27
PK	7.225G	63.82	88.20	-24.38	13.04	3	Vertical	344	3.00	37	50.78	36.25	11.30	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8684G	49.44	68.20	-18.76	8.39	3	Horizontal	62	1.62	37	41.05	32.37	10.23	34.21
AV	6.5222G	96.30	Inf	-Inf	10.48	3	Horizontal	62	1.62	37	85.82	34.03	10.72	34.27
AV	7.2208G	53.07	68.20	-15.13	13.03	3	Horizontal	62	1.62	37	40.04	36.24	11.30	34.51
PK	5.916G	60.29	88.20	-27.91	8.56	3	Horizontal	62	1.62	37	51.73	32.50	10.27	34.21
PK	6.5208G	107.39	Inf	-Inf	10.47	3	Horizontal	62	1.62	37	96.92	34.02	10.72	34.27
PK	7.1984G	65.42	88.20	-22.78	12.98	3	Horizontal	62	1.62	37	52.44	36.19	11.30	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.06215G	45.22	68.20	-22.98	19.76	3	Vertical	199	1.36	-	25.46	38.84	13.96	33.04
PK	13.04715G	57.72	88.20	-30.48	19.74	3	Vertical	199	1.36	-	37.98	38.85	13.95	33.06


802.11ax HEW40_Nss2,(MCS0)_2TX
6525MHz Straddle 6.425-6.525GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.05432G	45.19	68.20	-23.01	19.76	3	Horizontal	158	2.06	-	25.43	38.85	13.96	33.05
PK	13.04574G	57.42	88.20	-30.78	19.74	3	Horizontal	158	2.06	-	37.68	38.85	13.95	33.06

802.11ax HEW40_Nss2,(MCS0)_2TX


6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5578G	91.70	Inf	-Inf	10.65	3	Vertical	343	2.88	30	81.05	34.20	10.74	34.29
AV	7.1638G	52.33	68.20	-15.87	12.74	3	Vertical	343	2.88	30	39.59	35.98	11.27	34.51
PK	6.559G	102.76	Inf	-Inf	10.65	3	Vertical	343	2.88	30	92.11	34.20	10.74	34.29
PK	7.1446G	63.07	88.20	-25.13	12.61	3	Vertical	343	2.88	30	50.46	35.88	11.25	34.52


802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.5554G	96.18	Inf	-Inf	10.65	3	Horizontal	67	1.62	30	85.53	34.20	10.74	34.29
AV	7.1254G	52.24	68.20	-15.96	12.52	3	Horizontal	67	1.62	30	39.72	35.80	11.24	34.52
PK	6.5686G	107.01	Inf	-Inf	10.65	3	Horizontal	67	1.62	30	96.36	34.20	10.75	34.30
PK	7.1602G	63.44	88.20	-24.76	12.72	3	Horizontal	67	1.62	30	50.72	35.96	11.27	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13594G	45.34	68.20	-22.86	19.89	3	Vertical	158	2.92	-	25.45	38.80	14.01	32.92
PK	13.11605G	57.20	88.20	-31.00	19.85	3	Vertical	158	2.92	-	37.35	38.80	14.00	32.95


802.11ax HEW40_Nss2,(MCS0)_2TX
6565MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.13534G	45.31	68.20	-22.89	19.89	3	Horizontal	128	1.57	-	25.42	38.80	14.01	32.92
PK	13.12673G	57.58	88.20	-30.62	19.87	3	Horizontal	128	1.57	-	37.71	38.80	14.00	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX


6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.688G	89.34	Inf	-Inf	10.71	3	Vertical	322	2.81	30	78.63	34.22	10.85	34.36
AV	7.185G	52.73	68.20	-15.47	12.89	3	Vertical	322	2.81	30	39.84	36.11	11.29	34.51
PK	6.689G	99.80	Inf	-Inf	10.71	3	Vertical	322	2.81	30	89.09	34.22	10.85	34.36
PK	7.174G	63.74	88.20	-24.46	12.81	3	Vertical	322	2.81	30	50.93	36.04	11.28	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.688G	95.84	Inf	-Inf	10.71	3	Horizontal	68	1.66	30	85.13	34.22	10.85	34.36
AV	7.172G	52.52	68.20	-15.68	12.80	3	Horizontal	68	1.66	30	39.72	36.03	11.28	34.51
PK	6.683G	106.41	Inf	-Inf	10.72	3	Horizontal	68	1.66	30	95.69	34.23	10.85	34.36
PK	7.154G	64.12	88.20	-24.08	12.67	3	Horizontal	68	1.66	30	51.45	35.92	11.26	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38083G	46.18	54.00	-7.82	21.04	3	Vertical	260	2.33	-	25.14	39.40	14.16	32.52
PK	13.36988G	58.24	74.00	-15.76	20.97	3	Vertical	260	2.33	-	37.27	39.35	14.15	32.53


802.11ax HEW40_Nss2,(MCS0)_2TX
6685MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.38011G	46.17	54.00	-7.83	21.04	3	Horizontal	157	2.35	-	25.13	39.40	14.16	32.52
PK	13.38026G	58.52	74.00	-15.48	21.04	3	Horizontal	157	2.35	-	37.48	39.40	14.16	32.52

802.11ax HEW40_Nss2,(MCS0)_2TX


6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.859G	91.69	Inf	-Inf	11.11	3	Vertical	326	3.00	30	80.58	34.55	11.01	34.45
AV	7.1908G	52.69	68.20	-15.51	12.92	3	Vertical	326	3.00	30	39.77	36.14	11.29	34.51
PK	6.8492G	102.13	Inf	-Inf	11.05	3	Vertical	326	3.00	30	91.08	34.50	11.00	34.45
PK	7.1467G	63.80	88.20	-24.40	12.62	3	Vertical	326	3.00	30	51.18	35.89	11.25	34.52


802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8499G	97.93	Inf	-Inf	11.05	3	Horizontal	66	1.62	30	86.88	34.50	11.00	34.45
AV	7.1887G	52.80	68.20	-15.40	12.91	3	Horizontal	66	1.62	30	39.89	36.13	11.29	34.51
PK	6.8303G	108.74	Inf	-Inf	10.97	3	Horizontal	66	1.62	30	97.77	34.42	10.99	34.44
PK	7.1397G	63.95	88.20	-24.25	12.59	3	Horizontal	66	1.62	30	51.36	35.86	11.25	34.52

802.11ax HEW40_Nss2,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.69855G	50.99	68.20	-17.21	21.64	3	Vertical	310	1.01	-	29.35	39.70	14.35	32.41
PK	13.67665G	63.60	88.20	-24.60	21.64	3	Vertical	310	1.01	-	41.96	39.70	14.34	32.40


802.11ax HEW40_Nss2,(MCS0)_2TX
6845MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.67848G	50.98	68.20	-17.22	21.64	3	Horizontal	177	1.94	-	29.34	39.70	14.34	32.40
PK	13.67668G	62.83	88.20	-25.37	21.64	3	Horizontal	177	1.94	-	41.19	39.70	14.34	32.40

802.11ax HEW40_Nss2,(MCS0)_2TX


6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8983G	92.69	Inf	-Inf	12.26	3	Vertical	328	3.00	37	80.43	35.70	11.04	34.48
AV	7.1797G	54.72	68.20	-13.48	13.31	3	Vertical	328	3.00	37	41.41	36.54	11.28	34.51
PK	6.8885G	102.41	Inf	-Inf	12.27	3	Vertical	328	3.00	37	90.14	35.70	11.04	34.47
PK	7.1895G	64.86	88.20	-23.34	13.30	3	Vertical	328	3.00	37	51.56	36.52	11.29	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.8899G	98.87	Inf	-Inf	12.27	3	Horizontal	64	1.70	37	86.60	35.70	11.04	34.47
AV	7.2217G	54.82	68.20	-13.38	13.38	3	Horizontal	64	1.70	37	41.44	36.59	11.30	34.51
PK	6.8885G	108.76	Inf	-Inf	12.27	3	Horizontal	64	1.70	37	96.49	35.70	11.04	34.47
PK	7.1804G	65.15	88.20	-23.05	13.31	3	Horizontal	64	1.70	37	51.84	36.54	11.28	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76085G	51.54	68.20	-16.66	21.66	3	Vertical	236	2.96	-	29.88	39.70	14.39	32.43
PK	13.75542G	63.24	88.20	-24.96	21.66	3	Vertical	236	2.96	-	41.58	39.70	14.39	32.43


802.11ax HEW40_Nss2,(MCS0)_2TX
6885MHz Straddle 6.525-6.875GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.76229G	51.75	68.20	-16.45	21.65	3	Horizontal	66	2.46	-	30.10	39.70	14.39	32.44
PK	13.7763G	63.87	88.20	-24.33	21.66	3	Horizontal	66	2.46	-	42.21	39.70	14.40	32.44

802.11ax HEW40_Nss2,(MCS0)_2TX


6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9178G	92.15	Inf	-Inf	11.41	3	Vertical	329	2.94	30	80.74	34.84	11.06	34.49
AV	7.213G	53.00	68.20	-15.20	13.02	3	Vertical	329	2.94	30	39.98	36.23	11.30	34.51
PK	6.9202G	102.99	Inf	-Inf	11.41	3	Vertical	329	2.94	30	91.58	34.84	11.06	34.49
PK	7.2232G	64.31	88.20	-23.89	13.04	3	Vertical	329	2.94	30	51.27	36.25	11.30	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.916G	97.77	Inf	-Inf	11.41	3	Horizontal	68	1.61	30	86.36	34.83	11.06	34.48
AV	7.2238G	52.92	68.20	-15.28	13.04	3	Horizontal	68	1.61	30	39.88	36.25	11.30	34.51
PK	6.922G	109.56	Inf	-Inf	11.41	3	Horizontal	68	1.61	30	98.15	34.84	11.06	34.49
PK	7.1878G	64.00	88.20	-24.20	12.91	3	Horizontal	68	1.61	30	51.09	36.13	11.29	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.8416G	52.43	68.20	-15.77	21.89	3	Vertical	79	2.09	-	30.54	39.92	14.44	32.47
PK	13.8572G	64.53	88.20	-23.67	21.94	3	Vertical	79	2.09	-	42.59	39.97	14.45	32.48


802.11ax HEW40_Nss2,(MCS0)_2TX
6925MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	13.83746G	52.27	68.20	-15.93	21.88	3	Horizontal	101	2.37	-	30.39	39.91	14.44	32.47
PK	13.85843G	64.44	88.20	-23.76	21.95	3	Horizontal	101	2.37	-	42.49	39.98	14.45	32.48

802.11ax HEW40_Nss2,(MCS0)_2TX


7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.987G	91.74	Inf	-Inf	11.65	3	Vertical	334	2.95	30	80.09	35.05	11.12	34.52
AV	7.1544G	52.69	68.20	-15.51	12.68	3	Vertical	334	2.95	30	40.01	35.93	11.26	34.51
PK	6.9903G	102.40	Inf	-Inf	11.66	3	Vertical	334	2.95	30	90.74	35.06	11.12	34.52
PK	7.1469G	64.20	88.20	-24.00	12.62	3	Vertical	334	2.95	30	51.58	35.89	11.25	34.52


802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.9978G	98.04	Inf	-Inf	11.69	3	Horizontal	66	1.55	30	86.35	35.09	11.13	34.53
AV	7.1259G	52.62	68.20	-15.58	12.52	3	Horizontal	66	1.55	30	40.10	35.80	11.24	34.52
PK	7.0023G	109.53	Inf	-Inf	11.71	3	Horizontal	66	1.55	30	97.82	35.11	11.13	34.53
PK	7.152G	64.22	88.20	-23.98	12.66	3	Horizontal	66	1.55	30	51.56	35.91	11.26	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00667G	52.59	68.20	-15.61	22.40	3	Vertical	254	1.29	-	30.19	40.41	14.54	32.55
PK	14.00733G	64.83	88.20	-23.37	22.41	3	Vertical	254	1.29	-	42.42	40.41	14.55	32.55


802.11ax HEW40_Nss2,(MCS0)_2TX
7005MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.00688G	52.63	68.20	-15.57	22.41	3	Horizontal	83	2.17	-	30.22	40.41	14.55	32.55
PK	14.02284G	64.77	88.20	-23.43	22.44	3	Horizontal	83	2.17	-	42.33	40.45	14.56	32.57

802.11ax HEW40_Nss2,(MCS0)_2TX


7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.082G	91.83	Inf	-Inf	12.27	3	Vertical	334	2.73	30	79.56	35.59	11.20	34.52
AV	7.2086G	52.98	68.20	-15.22	13.01	3	Vertical	334	2.73	30	39.97	36.22	11.30	34.51
PK	7.0802G	102.41	Inf	-Inf	12.26	3	Vertical	334	2.73	30	90.15	35.58	11.20	34.52
PK	7.1777G	64.65	88.20	-23.55	12.84	3	Vertical	334	2.73	30	51.81	36.07	11.28	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	7.082G	97.48	Inf	-Inf	12.27	3	Horizontal	66	1.66	30	85.21	35.59	11.20	34.52
AV	7.1861G	53.34	68.20	-14.86	12.90	3	Horizontal	66	1.66	30	40.44	36.12	11.29	34.51
PK	7.082G	107.91	Inf	-Inf	12.27	3	Horizontal	66	1.66	30	95.64	35.59	11.20	34.52
PK	7.1972G	64.72	88.20	-23.48	12.97	3	Horizontal	66	1.66	30	51.75	36.18	11.30	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.16799G	52.21	68.20	-15.99	22.71	3	Vertical	332	2.10	-	29.50	40.80	14.66	32.75
PK	14.15674G	64.66	88.20	-23.54	22.69	3	Vertical	332	2.10	-	41.97	40.77	14.66	32.74


802.11ax HEW40_Nss2,(MCS0)_2TX
7085MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	14.1742G	52.49	68.20	-15.71	22.73	3	Horizontal	55	1.85	-	29.76	40.82	14.67	32.76
PK	14.16994G	64.68	88.20	-23.52	22.73	3	Horizontal	55	1.85	-	41.95	40.81	14.67	32.75

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	54.99	68.20	-13.21	8.55	3	Vertical	341	2.79	71	46.44	32.50	10.27	34.22
AV	5.9965G	94.91	Inf	-Inf	8.61	3	Vertical	341	2.79	71	86.30	32.50	10.33	34.22
PK	5.9215G	66.23	88.20	-21.97	8.55	3	Vertical	341	2.79	71	57.68	32.50	10.27	34.22
PK	5.989G	106.06	Inf	-Inf	8.60	3	Vertical	341	2.79	71	97.46	32.50	10.32	34.22


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5985MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	56.65	68.20	-11.55	8.55	3	Horizontal	70	2.30	71	48.10	32.50	10.27	34.22
AV	5.996G	97.84	Inf	-Inf	8.61	3	Horizontal	70	2.30	71	89.23	32.50	10.33	34.22
PK	5.919G	68.34	88.20	-19.86	8.55	3	Horizontal	70	2.30	71	59.79	32.50	10.27	34.22
PK	5.989G	108.66	Inf	-Inf	8.60	3	Horizontal	70	2.30	71	100.06	32.50	10.32	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.9694G	43.88	54.00	-10.12	17.83	3	Vertical	57	1.46	-	26.05	38.84	13.30	34.31
PK	11.95887G	56.30	74.00	-17.70	17.80	3	Vertical	57	1.46	-	38.50	38.82	13.29	34.31


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5985MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.97687G	44.08	54.00	-9.92	17.83	3	Horizontal	58	2.35	-	26.25	38.85	13.30	34.32
PK	11.98062G	56.46	74.00	-17.54	17.84	3	Horizontal	58	2.35	-	38.62	38.86	13.30	34.32

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.9014G	50.52	68.20	-17.68	8.55	3	Vertical	60	2.04	70	41.97	32.50	10.26	34.21
AV	6.1558G	91.88	Inf	-Inf	8.89	3	Vertical	60	2.04	70	82.99	32.63	10.49	34.23
PK	5.9044G	61.16	88.20	-27.04	8.55	3	Vertical	60	2.04	70	52.61	32.50	10.26	34.21
PK	6.1486G	102.63	Inf	-Inf	8.84	3	Vertical	60	2.04	70	93.79	32.59	10.48	34.23

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

6145MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8906G	50.77	68.20	-17.43	8.50	3	Horizontal	66	1.78	70	42.27	32.46	10.25	34.21
AV	6.1564G	97.31	Inf	-Inf	8.90	3	Horizontal	66	1.78	70	88.41	32.64	10.49	34.23
PK	5.8822G	60.65	88.20	-27.55	8.46	3	Horizontal	66	1.78	70	52.19	32.43	10.24	34.21
PK	6.1486G	108.27	Inf	-Inf	8.84	3	Horizontal	66	1.78	70	99.43	32.59	10.48	34.23