



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.73
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.91
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.83
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.88
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.98
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.90
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.82
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.83
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.95
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.05



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.73	5.00
6175MHz	Pass	4.62	5.00
6415MHz	Pass	4.26	5.00
6435MHz	Pass	4.67	5.00
6475MHz	Pass	4.83	5.00
6515MHz	Pass	4.36	5.00
6535MHz	Pass	4.56	5.00
6695MHz	Pass	4.82	5.00
6855MHz	Pass	4.87	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6895MHz	Pass	4.80	5.00
6995MHz	Pass	4.83	5.00
7095MHz	Pass	4.67	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.74	5.00
6165MHz	Pass	4.57	5.00
6405MHz	Pass	4.92	5.00
6445MHz	Pass	4.94	5.00
6485MHz	Pass	4.65	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.53	5.00
6565MHz	Pass	4.92	5.00
6685MHz	Pass	4.91	5.00
6845MHz	Pass	4.59	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.58	5.00
6925MHz	Pass	4.97	5.00
7005MHz	Pass	4.75	5.00
7085MHz	Pass	4.92	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.70	5.00
6145MHz	Pass	4.92	5.00
6385MHz	Pass	4.62	5.00
6465MHz	Pass	4.92	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.78	5.00
6625MHz	Pass	4.66	5.00
6705MHz	Pass	4.75	5.00
6785MHz	Pass	4.79	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6945MHz	Pass	4.95	5.00
7025MHz	Pass	4.85	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.80	5.00
6185MHz	Pass	4.57	5.00
6345MHz	Pass	4.91	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.88	5.00
6665MHz	Pass	4.69	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.82	5.00
6985MHz	Pass	4.05	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
















































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.94
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.96
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.90
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.82
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.92
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.84
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.83
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.80
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.76
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	4.88
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	4.81
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.68
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.90
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	3.39



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:







Result



Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-
5955MHz	Pass	4.45	5.00
6175MHz	Pass	4.94	5.00
6415MHz	Pass	4.79	5.00
6435MHz	Pass	4.64	5.00
6475MHz	Pass	4.82	5.00
6515MHz	Pass	4.77	5.00
6535MHz	Pass	4.59	5.00
6695MHz	Pass	4.59	5.00
6855MHz	Pass	4.80	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.55	5.00
6895MHz	Pass	4.69	5.00
6995MHz	Pass	4.81	5.00
7095MHz	Pass	4.73	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-
5965MHz	Pass	4.96	5.00
6165MHz	Pass	4.93	5.00
6405MHz	Pass	4.85	5.00
6445MHz	Pass	4.60	5.00
6485MHz	Pass	4.92	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.71	5.00
6565MHz	Pass	4.68	5.00
6685MHz	Pass	4.41	5.00
6845MHz	Pass	4.58	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6925MHz	Pass	4.68	5.00
7005MHz	Pass	4.66	5.00
7085MHz	Pass	4.67	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-
5985MHz	Pass	4.84	5.00
6145MHz	Pass	4.83	5.00
6385MHz	Pass	4.89	5.00
6465MHz	Pass	4.84	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.84	5.00
6625MHz	Pass	4.85	5.00
6705MHz	Pass	4.74	5.00
6785MHz	Pass	4.89	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.89	5.00
6945MHz	Pass	4.79	5.00
7025MHz	Pass	4.90	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-
6025MHz	Pass	4.56	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.87	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.83	5.00
6665MHz	Pass	4.88	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.58	5.00
6985MHz	Pass	3.39	5.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

















































































Summary

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
5.925-6.425GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	6.1767G	-4.53	6.186G	-36.08	-24.53	-11.55	2
802.11a_Nss1,(6Mbps)_2TX	Pass	5.9526G	-7.14	5.9878G	-61.53	-47.14	-14.39	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.1788G	-4.40	6.186G	-36.92	-24.40	-12.52	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.1739G	-9.34	6.2144G	-61.68	-49.34	-12.34	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	5.97359G	-1.80	6.0264G	-54.39	-41.80	-12.59	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	6.41259G	-5.95	6.3436G	-57.98	-45.95	-12.03	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	5.99619G	0.84	6.1066G	-47.17	-39.16	-8.01	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	5.99779G	-0.86	6.1174G	-50.06	-40.86	-9.20	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.37697G	0.21	6.561G	-38.72	-36.19	-2.53	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.31383G	-3.31	6.5882G	-50.28	-42.92	-7.36	1
6.425-6.525GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	6.4782G	-6.39	6.486G	-38.32	-26.39	-11.93	2
802.11a_Nss1,(6Mbps)_2TX	Pass	6.5186G	-8.99	6.5623G	-61.16	-48.99	-12.17	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.5156G	-6.93	6.5457G	-59.85	-46.93	-12.92	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.44129G	-8.12	6.3904G	-60.64	-48.12	-12.52	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.4426G	-2.78	6.3836G	-55.73	-42.78	-12.95	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	6.5214G	-7.38	6.5862G	-58.22	-47.38	-10.84	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.45221G	0.73	6.5846G	-48.01	-39.15	-8.86	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	6.45661G	-3.12	6.5906G	-52.49	-43.12	-9.37	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.52978G	-0.29	6.745G	-43.73	-40.29	-3.44	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.53137G	-3.65	6.2586G	-50.98	-43.65	-7.33	1
6.525-6.875GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	6.8526G	-9.40	6.866G	-41.14	-29.40	-11.74	2
802.11a_Nss1,(6Mbps)_2TX	Pass	6.8725G	-11.67	6.8403G	-61.93	-51.67	-10.26	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.8536G	-8.51	6.8243G	-60.82	-48.51	-12.31	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.53G	-8.10	6.5681G	-60.97	-48.10	-12.87	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.8826G	-7.63	6.959G	-58.46	-47.63	-10.83	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	6.69119G	-9.48	6.768G	-59.35	-49.48	-9.87	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.85381G	-4.29	6.741G	-52.94	-44.29	-8.65	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	6.85221G	-5.67	6.7434G	-53.68	-45.49	-8.19	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.76906G	-1.06	6.5826G	-43.68	-41.06	-2.62	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.79863G	-4.56	6.5802G	-50.61	-44.35	-6.26	1
6.875-7.125GHz	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	7.00049G	-6.61	7.006G	-38.16	-26.61	-11.55	2
802.11a_Nss1,(6Mbps)_2TX	Pass	7.00029G	-11.08	6.9568G	-61.15	-51.08	-10.07	1
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	6.8936G	-8.82	6.906G	-41.23	-28.82	-12.41	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	6.8975G	-8.51	6.9377G	-61.33	-48.51	-12.82	1
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	6.9216G	-9.10	6.9864G	-58.72	-49.10	-9.62	2
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	7.0824G	-9.63	7.0042G	-58.42	-49.63	-8.79	1
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	6.93341G	-3.62	6.8158G	-52.22	-43.62	-8.60	2
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	7.00982G	-4.72	6.8994G	-52.95	-44.72	-8.23	1
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	6.91067G	-2.21	6.7426G	-45.51	-42.21	-3.30	2
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	6.92986G	-3.57	6.7386G	-48.40	-43.57	-4.83	2



Result

Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9598G	-3.72	5.966G	-35.84	-23.72	-12.12	2
6175MHz	Pass	6.1767G	-4.53	6.186G	-36.08	-24.53	-11.55	2
6415MHz	Pass	6.4186G	-6.15	6.4261G	-38.00	-26.24	-11.76	2
6435MHz	Pass	6.4324G	-2.65	6.446G	-34.85	-22.65	-12.20	2
6475MHz	Pass	6.4782G	-6.39	6.486G	-38.32	-26.39	-11.93	2
6515MHz	Pass	6.5129G	-4.53	6.526G	-36.63	-24.53	-12.10	2
6535MHz	Pass	6.5357G	-7.18	6.546G	-39.77	-27.18	-12.59	2
6695MHz	Pass	6.6985G	-6.91	6.706G	-38.86	-26.91	-11.95	2
6855MHz	Pass	6.8526G	-9.40	6.866G	-41.14	-29.40	-11.74	2
6875MHz	Pass	6.8738G	-8.52	6.864G	-40.96	-28.52	-12.44	2
6895MHz	Pass	6.8931G	-2.71	6.906G	-34.68	-22.71	-11.97	2
6995MHz	Pass	7.00049G	-6.61	7.006G	-38.16	-26.61	-11.55	2
7095MHz	Pass	7.0906G	-3.36	7.084G	-36.45	-23.36	-13.09	2
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.96129G	-6.68	5.9919G	-61.57	-46.68	-14.89	1
5955MHz	Pass	5.9526G	-7.14	5.9878G	-61.53	-47.14	-14.39	2
6175MHz	Pass	6.1723G	-6.63	6.2184G	-61.36	-46.63	-14.73	1
6175MHz	Pass	6.1738G	-6.11	6.2193G	-60.88	-46.11	-14.77	2
6415MHz	Pass	6.4198G	-5.88	6.3696G	-60.67	-45.88	-14.79	1
6415MHz	Pass	6.4124G	-6.11	6.3737G	-60.63	-46.11	-14.52	2
6435MHz	Pass	6.4358G	-8.06	6.3911G	-61.45	-48.06	-13.39	1
6435MHz	Pass	6.4306G	-8.14	6.3897G	-61.06	-48.14	-12.92	2
6475MHz	Pass	6.4759G	-8.46	6.4273G	-61.85	-48.46	-13.39	1
6475MHz	Pass	6.4709G	-8.96	6.5106G	-61.28	-48.96	-12.32	2
6515MHz	Pass	6.52129G	-8.37	6.5518G	-61.10	-48.37	-12.73	1
6515MHz	Pass	6.5186G	-8.99	6.5623G	-61.16	-48.99	-12.17	2
6535MHz	Pass	6.5367G	-8.74	6.5688G	-61.12	-48.74	-12.38	1
6535MHz	Pass	6.5384G	-9.32	6.5673G	-61.27	-49.32	-11.95	2
6695MHz	Pass	6.6929G	-9.44	6.7292G	-61.91	-49.44	-12.47	1
6695MHz	Pass	6.6975G	-8.66	6.7425G	-61.42	-48.66	-12.76	2
6855MHz	Pass	6.8585G	-10.03	6.8208G	-61.96	-50.03	-11.93	1
6855MHz	Pass	6.8517G	-10.01	6.8149G	-61.52	-50.01	-11.51	2
6875MHz	Pass	6.8725G	-11.67	6.8403G	-61.93	-51.67	-10.26	1
6875MHz	Pass	6.8763G	-10.74	6.9119G	-61.91	-50.74	-11.17	2
6895MHz	Pass	6.8929G	-11.41	6.9447G	-61.67	-51.41	-10.26	1
6895MHz	Pass	6.8964G	-11.33	6.9314G	-61.81	-51.33	-10.48	2
6995MHz	Pass	7.00029G	-11.08	6.9568G	-61.15	-51.08	-10.07	1
6995MHz	Pass	7.00009G	-10.28	6.962G	-60.87	-50.28	-10.59	2
7095MHz	Pass	7.0963G	-10.22	7.0455G	-62.22	-50.22	-12.00	1
7095MHz	Pass	7.0939G	-10.78	7.052G	-62.30	-50.78	-11.52	2
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9561G	-3.93	5.944G	-37.55	-23.93	-13.62	2
6175MHz	Pass	6.1788G	-4.40	6.186G	-36.92	-24.40	-12.52	2
6415MHz	Pass	6.4112G	-5.27	6.404G	-38.14	-25.27	-12.87	2
6435MHz	Pass	6.4324G	-4.49	6.446G	-37.93	-24.49	-13.44	2
6475MHz	Pass	6.4725G	-4.63	6.4445G	-58.85	-44.63	-14.22	2
6515MHz	Pass	6.5156G	-6.93	6.5457G	-59.85	-46.93	-12.92	2
6535MHz	Pass	6.53G	-4.77	6.5458G	-34.97	-20.77	-14.20	2
6695MHz	Pass	6.6961G	-5.21	6.7255G	-59.21	-45.21	-14.00	2
6855MHz	Pass	6.8536G	-8.51	6.8243G	-60.82	-48.51	-12.31	2
6875MHz	Pass	6.8738G	-8.65	6.8445G	-61.30	-48.65	-12.65	2
6895MHz	Pass	6.8936G	-8.82	6.906G	-41.23	-28.82	-12.41	2
6995MHz	Pass	7.00039G	-6.62	6.9643G	-60.06	-46.62	-13.44	2
7095MHz	Pass	7.0938G	-7.71	7.0645G	-60.25	-47.71	-12.54	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5955MHz	Pass	5.9538G	-5.28	5.9899G	-59.44	-45.28	-14.16	1
5955MHz	Pass	5.9575G	-5.66	5.9897G	-59.59	-45.66	-13.93	2
6175MHz	Pass	6.1739G	-9.34	6.2144G	-61.68	-49.34	-12.34	1
6175MHz	Pass	6.1773G	-8.78	6.2141G	-61.32	-48.78	-12.54	2
6415MHz	Pass	6.4126G	-8.62	6.3775G	-61.61	-48.62	-12.99	1
6415MHz	Pass	6.42119G	-8.63	6.3706G	-60.99	-48.63	-12.36	2
6435MHz	Pass	6.4375G	-8.05	6.4023G	-61.42	-48.05	-13.37	1
6435MHz	Pass	6.44129G	-8.12	6.3904G	-60.64	-48.12	-12.52	2
6475MHz	Pass	6.4759G	-8.39	6.5218G	-61.72	-48.39	-13.33	1
6475MHz	Pass	6.4788G	-8.42	6.4387G	-61.43	-48.42	-13.01	2
6515MHz	Pass	6.52129G	-8.03	6.5615G	-61.02	-48.03	-12.99	1
6515MHz	Pass	6.5138G	-7.94	6.5505G	-60.88	-47.94	-12.94	2
6535MHz	Pass	6.53G	-8.10	6.5681G	-60.97	-48.10	-12.87	1
6535MHz	Pass	6.5338G	-7.93	6.5698G	-60.87	-47.93	-12.94	2
6695MHz	Pass	6.6976G	-8.50	6.7369G	-61.62	-48.50	-13.12	1
6695MHz	Pass	6.6987G	-8.08	6.7384G	-61.40	-48.08	-13.32	2
6855MHz	Pass	6.8576G	-8.08	6.8175G	-61.31	-48.08	-13.23	1
6855MHz	Pass	6.8537G	-8.11	6.8072G	-61.17	-48.11	-13.06	2
6875MHz	Pass	6.8738G	-8.56	6.8421G	-61.76	-48.56	-13.20	1
6875MHz	Pass	6.8738G	-8.47	6.8358G	-61.47	-48.47	-13.00	2
6895MHz	Pass	6.8975G	-8.51	6.9377G	-61.33	-48.51	-12.82	1
6895MHz	Pass	6.89G	-8.47	6.9309G	-61.34	-48.47	-12.87	2
6995MHz	Pass	7.00129G	-8.11	6.9549G	-61.00	-48.11	-12.89	1
6995MHz	Pass	7.00109G	-7.95	6.9587G	-60.81	-47.95	-12.86	2
7095MHz	Pass	7.08971G	-7.95	7.0527G	-61.42	-47.95	-13.47	1
7095MHz	Pass	7.0926G	-8.05	7.054G	-61.51	-48.05	-13.46	2
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5965MHz	Pass	5.97359G	-1.80	6.0264G	-54.39	-41.80	-12.59	2
6165MHz	Pass	6.17059G	-2.68	6.2254G	-55.88	-42.68	-13.20	2
6405MHz	Pass	6.41079G	-3.33	6.3436G	-56.46	-43.33	-13.13	2
6445MHz	Pass	6.4426G	-2.78	6.3836G	-55.73	-42.78	-12.95	2
6485MHz	Pass	6.4812G	-2.52	6.4238G	-55.66	-42.52	-13.14	2
6525MHz	Pass	6.53059G	-2.85	6.5852G	-56.06	-42.85	-13.21	2
6565MHz	Pass	6.57019G	-3.31	6.626G	-56.62	-43.31	-13.31	2
6685MHz	Pass	6.683G	-3.76	6.746G	-56.73	-43.76	-12.97	2
6845MHz	Pass	6.85119G	-6.01	6.784G	-57.73	-46.01	-11.72	2
6885MHz	Pass	6.8826G	-7.63	6.959G	-58.46	-47.63	-10.83	2
6925MHz	Pass	6.9216G	-9.10	6.9864G	-58.72	-49.10	-9.62	2
7005MHz	Pass	7.01G	-5.72	6.9428G	-57.48	-45.72	-11.76	2
7085MHz	Pass	7.0818G	-6.81	7.0234G	-57.56	-46.81	-10.75	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5965MHz	Pass	5.95761G	-2.74	6.0266G	-56.50	-42.74	-13.76	1
5965MHz	Pass	5.9614G	-2.98	6.0508G	-55.74	-42.98	-12.76	2
6165MHz	Pass	6.17259G	-4.90	6.2266G	-57.23	-44.90	-12.33	1
6165MHz	Pass	6.1688G	-5.19	6.2266G	-57.44	-45.19	-12.25	2
6405MHz	Pass	6.39961G	-6.04	6.3434G	-58.26	-46.04	-12.22	1
6405MHz	Pass	6.41259G	-5.95	6.3436G	-57.98	-45.95	-12.03	2
6445MHz	Pass	6.44G	-5.45	6.3838G	-57.74	-45.45	-12.29	1
6445MHz	Pass	6.43861G	-5.18	6.3826G	-57.58	-45.18	-12.40	2
6485MHz	Pass	6.4826G	-5.91	6.546G	-57.79	-45.91	-11.88	1
6485MHz	Pass	6.47761G	-5.98	6.4234G	-57.45	-45.98	-11.47	2
6525MHz	Pass	6.53G	-7.50	6.587G	-58.40	-47.50	-10.90	1
6525MHz	Pass	6.5214G	-7.38	6.5862G	-58.22	-47.38	-10.84	2
6565MHz	Pass	6.56G	-9.02	6.5016G	-59.50	-49.02	-10.48	1
6565MHz	Pass	6.55741G	-8.95	6.6294G	-59.29	-48.95	-10.34	2



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6685MHz	Pass	6.69119G	-9.48	6.768G	-59.35	-49.48	-9.87	1
6685MHz	Pass	6.67761G	-8.97	6.7584G	-59.06	-48.97	-10.09	2
6845MHz	Pass	6.85119G	-9.06	6.9314G	-59.05	-49.06	-9.99	1
6845MHz	Pass	6.8412G	-9.03	6.9306G	-58.96	-49.03	-9.93	2
6885MHz	Pass	6.89259G	-7.64	6.9468G	-58.46	-47.64	-10.82	1
6885MHz	Pass	6.8894G	-7.69	6.9666G	-58.18	-47.69	-10.49	2
6925MHz	Pass	6.91881G	-8.59	6.9872G	-58.63	-48.59	-10.04	1
6925MHz	Pass	6.9212G	-9.25	6.9938G	-58.61	-49.25	-9.36	2
7005MHz	Pass	7.0014G	-8.58	6.9432G	-58.45	-48.58	-9.87	1
7005MHz	Pass	7.0006G	-8.48	6.9432G	-58.42	-48.48	-9.94	2
7085MHz	Pass	7.0824G	-9.63	7.0042G	-58.42	-49.63	-8.79	1
7085MHz	Pass	7.0814G	-9.79	6.9982G	-58.75	-49.79	-8.96	2
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99619G	0.84	6.1066G	-47.17	-39.16	-8.01	2
6145MHz	Pass	6.15339G	-0.51	6.2778G	-49.91	-40.51	-9.40	2
6385MHz	Pass	6.39899G	-0.81	6.507G	-50.83	-40.81	-10.02	2
6465MHz	Pass	6.45221G	0.73	6.5846G	-48.01	-39.15	-8.86	2
6545MHz	Pass	6.55779G	-0.46	6.6678G	-50.29	-40.46	-9.83	2
6625MHz	Pass	6.63259G	-1.39	6.7474G	-51.36	-41.39	-9.97	2
6705MHz	Pass	6.69461G	-0.87	6.583G	-51.19	-40.87	-10.32	2
6785MHz	Pass	6.77101G	-1.68	6.6558G	-51.58	-41.68	-9.90	2
6865MHz	Pass	6.85381G	-4.29	6.741G	-52.94	-44.29	-8.65	2
6945MHz	Pass	6.93341G	-3.62	6.8158G	-52.22	-43.62	-8.60	2
7025MHz	Pass	7.01341G	-3.15	6.903G	-52.05	-43.15	-8.90	2
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5985MHz	Pass	5.99779G	-0.86	6.1174G	-50.06	-40.86	-9.20	1
5985MHz	Pass	5.99139G	-0.79	6.1086G	-50.04	-40.79	-9.25	2
6145MHz	Pass	6.15779G	-2.37	6.2714G	-52.04	-42.37	-9.67	1
6145MHz	Pass	6.15659G	-2.32	6.2718G	-51.60	-42.32	-9.28	2
6385MHz	Pass	6.39859G	-3.32	6.5274G	-53.33	-43.32	-10.01	1
6385MHz	Pass	6.39779G	-3.16	6.5078G	-53.20	-43.16	-10.04	2
6465MHz	Pass	6.47899G	-3.32	6.5886G	-52.89	-43.32	-9.57	1
6465MHz	Pass	6.45661G	-3.12	6.5906G	-52.49	-43.12	-9.37	2
6545MHz	Pass	6.55979G	-4.59	6.4094G	-54.08	-44.59	-9.49	1
6545MHz	Pass	6.55859G	-4.00	6.6666G	-53.25	-43.82	-9.43	2
6625MHz	Pass	6.63379G	-4.42	6.7542G	-53.94	-44.42	-9.52	1
6625MHz	Pass	6.63859G	-4.25	6.7478G	-53.58	-44.25	-9.33	2
6705MHz	Pass	6.71819G	-3.82	6.8282G	-53.19	-43.82	-9.37	1
6705MHz	Pass	6.71379G	-3.69	6.5818G	-53.51	-43.69	-9.82	2
6785MHz	Pass	6.79899G	-4.01	6.9166G	-53.59	-44.01	-9.58	1
6785MHz	Pass	6.77741G	-4.69	6.6554G	-53.76	-44.69	-9.07	2
6865MHz	Pass	6.85221G	-5.12	6.9878G	-54.12	-45.12	-9.00	1
6865MHz	Pass	6.85221G	-5.67	6.7434G	-53.68	-45.49	-8.19	2
6945MHz	Pass	6.93461G	-2.86	6.8226G	-52.09	-42.86	-9.23	1
6945MHz	Pass	6.93781G	-3.49	6.8226G	-52.05	-43.49	-8.56	2
7025MHz	Pass	7.00982G	-4.72	6.8994G	-52.95	-44.72	-8.23	1
7025MHz	Pass	7.01261G	-5.17	6.8994G	-53.43	-45.17	-8.26	2
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-
6025MHz	Pass	6.08414G	0.26	6.2674G	-42.65	-39.74	-2.91	2
6185MHz	Pass	6.21057G	0.69	6.429G	-41.95	-39.31	-2.64	2
6345MHz	Pass	6.37697G	0.21	6.561G	-38.72	-36.19	-2.53	2
6505MHz	Pass	6.52978G	-0.29	6.745G	-43.73	-40.29	-3.44	2
6665MHz	Pass	6.63703G	-0.73	6.8802G	-40.23	-37.01	-3.22	2
6825MHz	Pass	6.76906G	-1.06	6.5826G	-43.68	-41.06	-2.62	2
6985MHz	Pass	6.91067G	-2.21	6.7426G	-45.51	-42.21	-3.30	2
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-



Mode	Result	Ref (Hz)	Ref (dBm)	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Port
6025MHz	Pass	6.03139G	-1.33	6.1578G	-29.72	-21.98	-7.74	1
6025MHz	Pass	6.04738G	-0.97	6.4234G	-50.49	-40.23	-10.26	2
6185MHz	Pass	6.21057G	-1.24	6.5826G	-51.38	-41.24	-10.14	1
6185MHz	Pass	6.24174G	-1.04	6.5834G	-50.41	-38.89	-11.52	2
6345MHz	Pass	6.31383G	-3.31	6.5882G	-50.28	-42.92	-7.36	1
6345MHz	Pass	6.42092G	-2.39	6.737G	-53.15	-41.99	-11.16	2
6505MHz	Pass	6.53137G	-3.65	6.2586G	-50.98	-43.65	-7.33	1
6505MHz	Pass	6.52898G	-3.02	6.1138G	-54.76	-42.88	-11.88	2
6665MHz	Pass	6.69697G	-3.45	6.2874G	-53.73	-43.45	-10.28	1
6665MHz	Pass	6.64102G	-3.07	6.2698G	-54.54	-43.07	-11.47	2
6825MHz	Pass	6.79863G	-4.56	6.5802G	-50.61	-44.35	-6.26	1
6825MHz	Pass	6.76186G	-3.02	6.425G	-53.66	-42.14	-11.52	2
6985MHz	Pass	6.92186G	-5.11	6.7378G	-50.99	-45.11	-5.88	1
6985MHz	Pass	6.92986G	-3.57	6.7386G	-48.40	-43.57	-4.83	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

5955MHz_TnomVnom

24/05/2022

CF Freq
5.955GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9598G	-3.72	5.966G	-35.84	-23.72	-12.12	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6175MHz_TnomVnom

24/05/2022

CF Freq
6.175GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1767G	-4.53	6.186G	-36.08	-24.53	-11.55	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6415MHz_TnomVnom

24/05/2022

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4186G	-6.15	6.4261G	-38.00	-26.24	-11.76	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6435MHz_TnomVnom

24/05/2022

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4324G	-2.65	6.446G	-34.85	-22.65	-12.20	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6475MHz_TnomVnom

24/05/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4782G	-6.39	6.486G	-38.32	-26.39	-11.93	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6515MHz_TnomVnom

24/05/2022

CF Freq
6.515GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5129G	-4.53	6.526G	-36.63	-24.53	-12.10	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6535MHz_TnomVnom

24/05/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5357G	-7.18	6.546G	-39.77	-27.18	-12.59	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6695MHz_TnomVnom

24/05/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6985G	-6.91	6.706G	-38.86	-26.91	-11.95	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6855MHz_TnomVnom

24/05/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8526G	-9.40	6.866G	-41.14	-29.40	-11.74	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6875MHz_TnomVnom

24/05/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8738G	-8.52	6.864G	-40.96	-28.52	-12.44	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6895MHz_TnomVnom

24/05/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8931G	-2.71	6.906G	-34.68	-22.71	-11.97	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

6995MHz_TnomVnom

24/05/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00049G	-6.61	7.006G	-38.16	-26.61	-11.55	2

802.11a_Nss1,(6Mbps)_1TX(Port2)

MASK

7095MHz_TnomVnom

24/05/2022




802.11a_Nss1,(6Mbps)_2TX

MASK

5955MHz_TnomVnom

24/05/2022



802.11a_Nss1,(6Mbps)_2TX

MASK

6175MHz_TnomVnom

24/05/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1723G	-6.63	6.2184G	-61.36	-46.63	-14.73	1
6.1738G	-6.11	6.2193G	-60.88	-46.11	-14.77	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6415MHz_TnomVnom

24/05/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4198G	-5.88	6.3696G	-60.67	-45.88	-14.79	1
6.4124G	-6.11	6.3737G	-60.63	-46.11	-14.52	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6435MHz_TnomVnom

24/05/2022

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4358G	-8.06	6.3911G	-61.45	-48.06	-13.39	1
6.4306G	-8.14	6.3897G	-61.06	-48.14	-12.92	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6475MHz_TnomVnom

24/05/2022

CF Freq
6.475GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4759G	-8.46	6.4273G	-61.85	-48.46	-13.39	1
6.4709G	-8.96	6.5106G	-61.28	-48.96	-12.32	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6515MHz_TnomVnom

24/05/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52129G	-8.37	6.5518G	-61.10	-48.37	-12.73	1
6.5186G	-8.99	6.5623G	-61.16	-48.99	-12.17	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6535MHz_TnomVnom

24/05/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5367G	-8.74	6.5688G	-61.12	-48.74	-12.38	1
6.5384G	-9.32	6.5673G	-61.27	-49.32	-11.95	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6695MHz_TnomVnom

24/05/2022




802.11a_Nss1,(6Mbps)_2TX

MASK

6855MHz_TnomVnom

24/05/2022



802.11a_Nss1,(6Mbps)_2TX

MASK

6875MHz_TnomVnom

24/05/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8725G	-11.67	6.8403G	-61.93	-51.67	-10.26	1
6.8763G	-10.74	6.9119G	-61.91	-50.74	-11.17	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6895MHz_TnomVnom

24/05/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8929G	-11.41	6.9447G	-61.67	-51.41	-10.26	1
6.8964G	-11.33	6.9314G	-61.81	-51.33	-10.48	2

802.11a_Nss1,(6Mbps)_2TX

MASK

6995MHz_TnomVnom

24/05/2022




802.11a_Nss1,(6Mbps)_2TX

MASK

7095MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

5955MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6175MHz_TnomVnom


24/05/2022



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6415MHz_TnomVnom

MASK


24/05/2022



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6435MHz_TnomVnom

MASK


24/05/2022



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6475MHz_TnomVnom

MASK


24/05/2022



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
6515MHz_TnomVnom

MASK

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6535MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6695MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6855MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6875MHz_TnomVnom

24/05/2022



802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6895MHz_TnomVnom

24/05/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8936G	-8.82	6.906G	-41.23	-28.82	-12.41	2

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

6995MHz_TnomVnom

24/05/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00039G	-6.62	6.9643G	-60.06	-46.62	-13.44	2

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

MASK

7095MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TnomVnom

24/05/2022



802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6175MHz_TnomVnom

24/05/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1739G	-9.34	6.2144G	-61.68	-49.34	-12.34	1
6.1773G	-8.78	6.2141G	-61.32	-48.78	-12.54	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TnomVnom

24/05/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4126G	-8.62	6.3775G	-61.61	-48.62	-12.99	1
6.42119G	-8.63	6.3706G	-60.99	-48.63	-12.36	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6435MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6475MHz_TnomVnom

24/05/2022



802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6515MHz_TnomVnom

24/05/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52129G	-8.03	6.5615G	-61.02	-48.03	-12.99	1
6.5138G	-7.94	6.5505G	-60.88	-47.94	-12.94	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TnomVnom

24/05/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53G	-8.10	6.5681G	-60.97	-48.10	-12.87	1
6.5338G	-7.93	6.5698G	-60.87	-47.93	-12.94	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TnomVnom

24/05/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6976G	-8.50	6.7369G	-61.62	-48.50	-13.12	1
6.6987G	-8.08	6.7384G	-61.40	-48.08	-13.32	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TnomVnom

24/05/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8576G	-8.08	6.8175G	-61.31	-48.08	-13.23	1
6.8537G	-8.11	6.8072G	-61.17	-48.11	-13.06	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6875MHz_TnomVnom

24/05/2022




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6895MHz_TnomVnom

24/05/2022



802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6995MHz_TnomVnom

24/05/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00129G	-8.11	6.9549G	-61.00	-48.11	-12.89	1
7.00109G	-7.95	6.9587G	-60.81	-47.95	-12.86	2

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

7095MHz_TnomVnom

24/05/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.08971G	-7.95	7.0527G	-61.42	-47.95	-13.47	1
7.0926G	-8.05	7.054G	-61.51	-48.05	-13.46	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

5965MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6165MHz_TnomVnom

24/05/2022



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6405MHz_TnomVnom

24/05/2022

CF Freq
6.405GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.41079G	-3.33	6.3436G	-56.46	-43.33	-13.13	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6445MHz_TnomVnom

24/05/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4426G	-2.78	6.3836G	-55.73	-42.78	-12.95	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6485MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6525MHz_TnomVnom

24/05/2022



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6565MHz_TnomVnom

24/05/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57019G	-3.31	6.626G	-56.62	-43.31	-13.31	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6685MHz_TnomVnom

24/05/2022

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.683G	-3.76	6.746G	-56.73	-43.76	-12.97	2

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6845MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6885MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

6925MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

7005MHz_TnomVnom

24/05/2022



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

MASK

7085MHz_TnomVnom

24/05/2022

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0818G	-6.81	7.0234G	-57.56	-46.81	-10.75	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TnomVnom

24/05/2022

CF Freq
5.965GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.95761G	-2.74	6.0266G	-56.50	-42.74	-13.76	1
5.9614G	-2.98	6.0508G	-55.74	-42.98	-12.76	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6165MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TnomVnom

24/05/2022



802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6445MHz_TnomVnom

24/05/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44G	-5.45	6.3838G	-57.74	-45.45	-12.29	1
6.43861G	-5.18	6.3826G	-57.58	-45.18	-12.40	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6485MHz_TnomVnom

24/05/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4826G	-5.91	6.546G	-57.79	-45.91	-11.88	1
6.47761G	-5.98	6.4234G	-57.45	-45.98	-11.47	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6525MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6885MHz_TnomVnom

24/05/2022




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6925MHz_TnomVnom

24/05/2022



802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7005MHz_TnomVnom

24/05/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0014G	-8.58	6.9432G	-58.45	-48.58	-9.87	1
7.0006G	-8.48	6.9432G	-58.42	-48.48	-9.94	2

802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7085MHz_TnomVnom

24/05/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0824G	-9.63	7.0042G	-58.42	-49.63	-8.79	1
7.0814G	-9.79	6.9982G	-58.75	-49.79	-8.96	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

5985MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6145MHz_TnomVnom

24/05/2022





802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
6385MHz_TnomVnom

MASK

24/05/2022

CF Freq
6.385GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39899G	-0.81	6.507G	-50.83	-40.81	-10.02	2


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
6465MHz_TnomVnom

MASK

24/05/2022

CF Freq
6.465GHz
Span
400MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45221G	0.73	6.5846G	-48.01	-39.15	-8.86	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6545MHz_TnomVnom

24/05/2022

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55779G	-0.46	6.6678G	-50.29	-40.46	-9.83	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6625MHz_TnomVnom

24/05/2022

CF Freq
6.625GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63259G	-1.39	6.7474G	-51.36	-41.39	-9.97	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6705MHz_TnomVnom

24/05/2022

CF Freq
6.705GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69461G	-0.87	6.583G	-51.19	-40.87	-10.32	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

6785MHz_TnomVnom

24/05/2022

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77101G	-1.68	6.6558G	-51.58	-41.68	-9.90	2

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
6865MHz_TnomVnom

MASK


24/05/2022



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
6945MHz_TnomVnom

MASK

24/05/2022



802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

MASK

7025MHz_TnomVnom

24/05/2022

CF Freq
7.025GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.01341G	-3.15	6.903G	-52.05	-43.15	-8.90	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TnomVnom

24/05/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99779G	-0.86	6.1174G	-50.06	-40.86	-9.20	1
5.99139G	-0.79	6.1086G	-50.04	-40.79	-9.25	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6145MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TnomVnom

24/05/2022



802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6465MHz_TnomVnom

24/05/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47899G	-3.32	6.5886G	-52.89	-43.32	-9.57	1
6.45661G	-3.12	6.5906G	-52.49	-43.12	-9.37	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6545MHz_TnomVnom

24/05/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55979G	-4.59	6.4094G	-54.08	-44.59	-9.49	1
6.55859G	-4.00	6.6666G	-53.25	-43.82	-9.43	2

802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6865MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6945MHz_TnomVnom

24/05/2022




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

7025MHz_TnomVnom

24/05/2022




802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6025MHz_TnomVnom

14/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6185MHz_TnomVnom


14/06/2022



802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6345MHz_TnomVnom

MASK


14/06/2022



802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
6505MHz_TnomVnom

MASK

14/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6665MHz_TnomVnom

14/06/2022




802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6825MHz_TnomVnom

14/06/2022



802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

MASK

6985MHz_TnomVnom

14/06/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91067G	-2.21	6.7426G	-45.51	-42.21	-3.30	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TnomVnom

14/06/2022

CF Freq
6.025GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.03139G	-1.33	6.1578G	-29.72	-21.98	-7.74	1
6.04738G	-0.97	6.4234G	-50.49	-40.23	-10.26	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TnomVnom

14/06/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TnomVnom

14/06/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6505MHz_TnomVnom

14/06/2022




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TnomVnom

14/06/2022



802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6825MHz_TnomVnom

14/06/2022

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79863G	-4.56	6.5802G	-50.61	-44.35	-6.26	1
6.76186G	-3.02	6.425G	-53.66	-42.14	-11.52	2

802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6985MHz_TnomVnom

14/06/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.92186G	-5.11	6.7378G	-50.99	-45.11	-5.88	1
6.92986G	-3.57	6.7386G	-48.40	-43.57	-4.83	2



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	449.04M	42.77	46.00	-3.23	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
6145MHz	Pass	PK	41.64M	36.44	40.00	-3.56	3	Vertical	0	1.00	-
6145MHz	Pass	PK	59.1M	32.27	40.00	-7.73	3	Vertical	0	1.00	-
6145MHz	Pass	PK	119.24M	30.74	43.50	-12.76	3	Vertical	0	1.00	-
6145MHz	Pass	PK	142.52M	30.37	43.50	-13.13	3	Vertical	0	1.00	-
6145MHz	Pass	PK	350.1M	35.41	46.00	-10.59	3	Vertical	0	1.00	-
6145MHz	Pass	PK	449.04M	40.25	46.00	-5.75	3	Vertical	0	1.00	-
6145MHz	Pass	PK	39.7M	36.05	40.00	-3.95	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	158.04M	29.84	43.50	-13.66	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	249.22M	31.76	46.00	-14.24	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	291.9M	35.44	46.00	-10.56	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	350.1M	37.51	46.00	-8.49	3	Horizontal	360	1.00	-
6145MHz	Pass	PK	449.04M	42.77	46.00	-3.23	3	Horizontal	360	1.00	-

802.11ax HEW80_Nss2,(MCS0)_2TX


6145MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	41.64M	36.44	40.00	-3.56	-9.61	3	Vertical	0	1.00	-	46.05	16.80	1.03	27.44
PK	59.1M	32.27	40.00	-7.73	-15.08	3	Vertical	0	1.00	-	47.35	11.57	1.11	27.76
PK	119.24M	30.74	43.50	-12.76	-8.78	3	Vertical	0	1.00	-	39.52	17.48	1.54	27.80
PK	142.52M	30.37	43.50	-13.13	-9.73	3	Vertical	0	1.00	-	40.10	16.18	1.68	27.59
PK	350.1M	35.41	46.00	-10.59	-5.03	3	Vertical	0	1.00	-	40.44	19.59	2.71	27.33
PK	449.04M	40.25	46.00	-5.75	-3.09	3	Vertical	0	1.00	-	43.34	21.89	3.08	28.06

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	36.05	40.00	-3.95	-8.42	3	Horizontal	360	1.00	-	44.47	17.92	1.03	27.37
PK	158.04M	29.84	43.50	-13.66	-10.44	3	Horizontal	360	1.00	-	40.28	15.32	1.77	27.53
PK	249.22M	31.76	46.00	-14.24	-7.29	3	Horizontal	360	1.00	-	39.05	17.47	2.26	27.02
PK	291.9M	35.44	46.00	-10.56	-6.41	3	Horizontal	360	1.00	-	41.85	18.17	2.47	27.05
PK	350.1M	37.51	46.00	-8.49	-5.03	3	Horizontal	360	1.00	-	42.54	19.59	2.71	27.33
PK	449.04M	42.77	46.00	-3.23	-3.09	3	Horizontal	360	1.00	-	45.86	21.89	3.08	28.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	12.34787G	44.43	54.00	-9.57	3	Vertical	286	1.89	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	12.35369G	44.37	54.00	-9.63	3	Vertical	349	1.13	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.34526G	44.47	54.00	-9.53	3	Horizontal	111	1.33	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	12.35018G	44.94	54.00	-9.06	3	Vertical	6	2.70	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.32124G	44.88	54.00	-9.12	3	Horizontal	98	1.16	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	12.33813G	44.79	54.00	-9.21	3	Vertical	191	1.62	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	12.28733G	44.73	54.00	-9.27	3	Horizontal	71	1.97	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	12.28922G	46.06	54.00	-7.94	3	Horizontal	185	1.12	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.911G	67.93	68.20	-0.27	3	Horizontal	64	1.67	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.916G	67.13	68.20	-1.07	3	Horizontal	63	1.61	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	7.173G	54.38	68.20	-13.82	3	Horizontal	63	1.50	43
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.2122G	54.32	68.20	-13.88	3	Vertical	48	2.52	27
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.175G	52.83	68.20	-15.37	3	Vertical	349	2.96	46
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	7.2038G	53.45	68.20	-14.75	3	Horizontal	65	1.57	30
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2026G	53.83	68.20	-14.37	3	Vertical	347	3.00	56
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	7.2208G	53.07	68.20	-15.13	3	Horizontal	62	1.62	37
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.231G	54.84	68.20	-13.36	3	Horizontal	67	1.66	63
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	7.238G	54.68	68.20	-13.52	3	Vertical	346	2.89	48
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1518G	57.89	68.20	-10.31	3	Vertical	338	2.88	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	7.1658G	57.74	68.20	-10.46	3	Horizontal	62	1.50	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	13.37893G	46.27	54.00	-7.73	3	Vertical	189	2.30	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	13.38502G	46.27	54.00	-7.73	3	Horizontal	128	2.16	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.37959G	45.66	54.00	-8.34	3	Vertical	39	1.56	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	13.39438G	46.27	54.00	-7.73	3	Horizontal	141	2.05	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.37978G	46.14	54.00	-7.86	3	Vertical	282	2.94	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	13.38083G	46.18	54.00	-7.82	3	Vertical	260	2.33	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.39755G	46.24	54.00	-7.76	3	Horizontal	284	1.46	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	13.39845G	47.13	54.00	-6.87	3	Horizontal	17	1.10	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	13.33244G	49.78	54.00	-4.22	3	Horizontal	106	1.98	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	13.32232G	49.91	54.00	-4.09	3	Vertical	270	1.37	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	7.2366G	52.77	68.20	-15.43	3	Horizontal	29	2.76	54
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	7.2335G	54.66	68.20	-13.54	3	Vertical	306	1.61	18
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2384G	52.97	68.20	-15.23	3	Horizontal	28	2.86	57
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	7.1463G	54.96	68.20	-13.24	3	Horizontal	65	1.60	37
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.2142G	54.97	68.20	-13.23	3	Horizontal	65	1.68	40
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	7.1861G	53.34	68.20	-14.86	3	Horizontal	66	1.66	30
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1735G	53.57	68.20	-14.63	3	Horizontal	68	1.69	55
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	7.1498G	54.97	68.20	-13.23	3	Horizontal	63	1.49	46
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	7.1315G	65.61	68.20	-2.59	3	Horizontal	70	1.69	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	7.132G	60.24	68.20	-7.96	3	Horizontal	71	1.61	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9145G	48.65	68.20	-19.55	3	Vertical	337	2.07	50
5955MHz	Pass	AV	5.9592G	93.36	Inf	-Inf	3	Vertical	337	2.07	50
5955MHz	Pass	PK	5.8176G	60.97	88.20	-27.23	3	Vertical	337	2.07	50
5955MHz	Pass	PK	5.9565G	102.98	Inf	-Inf	3	Vertical	337	2.07	50
5955MHz	Pass	AV	5.9142G	48.77	68.20	-19.43	3	Horizontal	61	2.32	50
5955MHz	Pass	AV	5.9592G	96.91	Inf	-Inf	3	Horizontal	61	2.32	50
5955MHz	Pass	PK	5.8584G	60.66	88.20	-27.54	3	Horizontal	61	2.32	50
5955MHz	Pass	PK	5.9571G	105.81	Inf	-Inf	3	Horizontal	61	2.32	50
5955MHz	Pass	AV	11.9080G	43.30	54.00	-10.70	3	Vertical	341	1.99	-
5955MHz	Pass	PK	11.9218G	56.40	74.00	-17.60	3	Vertical	341	1.99	-
5955MHz	Pass	AV	11.8994G	43.24	54.00	-10.76	3	Horizontal	308	2.84	-
5955MHz	Pass	PK	11.8974G	55.58	74.00	-18.42	3	Horizontal	308	2.84	-
6175MHz	Pass	AV	5.9218G	48.52	68.20	-19.68	3	Vertical	332	3.00	45
6175MHz	Pass	AV	6.1768G	91.31	Inf	-Inf	3	Vertical	332	3.00	45
6175MHz	Pass	PK	5.893G	60.21	88.20	-27.99	3	Vertical	332	3.00	45
6175MHz	Pass	PK	6.1768G	100.94	Inf	-Inf	3	Vertical	332	3.00	45
6175MHz	Pass	AV	5.908G	48.53	68.20	-19.67	3	Horizontal	66	1.69	45
6175MHz	Pass	AV	6.1702G	95.97	Inf	-Inf	3	Horizontal	66	1.69	45
6175MHz	Pass	PK	5.9146G	60.29	88.20	-27.91	3	Horizontal	66	1.69	45
6175MHz	Pass	PK	6.1684G	105.39	Inf	-Inf	3	Horizontal	66	1.69	45
6175MHz	Pass	AV	12.34787G	44.43	54.00	-9.57	3	Vertical	286	1.89	-
6175MHz	Pass	PK	12.3461G	57.31	74.00	-16.69	3	Vertical	286	1.89	-
6175MHz	Pass	AV	12.35507G	44.31	54.00	-9.69	3	Horizontal	75	3.00	-
6175MHz	Pass	PK	12.3485G	57.66	74.00	-16.34	3	Horizontal	75	3.00	-
6415MHz	Pass	AV	5.9218G	48.42	68.20	-19.78	3	Vertical	340	2.52	39
6415MHz	Pass	AV	6.4186G	91.93	Inf	-Inf	3	Vertical	340	2.52	39
6415MHz	Pass	PK	5.8282G	60.77	88.20	-27.43	3	Vertical	340	2.52	39
6415MHz	Pass	PK	6.4174G	100.83	Inf	-Inf	3	Vertical	340	2.52	39
6415MHz	Pass	AV	5.9242G	48.38	68.20	-19.82	3	Horizontal	66	1.64	39
6415MHz	Pass	AV	6.4186G	96.26	Inf	-Inf	3	Horizontal	66	1.64	39
6415MHz	Pass	PK	5.911G	60.63	88.20	-27.57	3	Horizontal	66	1.64	39
6415MHz	Pass	PK	6.4162G	105.61	Inf	-Inf	3	Horizontal	66	1.64	39
6415MHz	Pass	AV	12.82472G	45.32	68.20	-22.88	3	Vertical	117	1.47	-
6415MHz	Pass	PK	12.8156G	58.04	88.20	-30.16	3	Vertical	117	1.47	-
6415MHz	Pass	AV	12.83171G	45.24	68.20	-22.96	3	Horizontal	80	2.06	-
6415MHz	Pass	PK	12.83969G	57.89	88.20	-30.31	3	Horizontal	80	2.06	-
6435MHz	Pass	AV	5.8854G	49.96	68.20	-18.24	3	Vertical	7	3.00	52
6435MHz	Pass	AV	6.4398G	92.62	Inf	-Inf	3	Vertical	7	3.00	52
6435MHz	Pass	PK	5.877G	60.80	88.20	-27.40	3	Vertical	7	3.00	52
6435MHz	Pass	PK	6.4386G	99.96	Inf	-Inf	3	Vertical	7	3.00	52
6435MHz	Pass	AV	5.889G	49.98	68.20	-18.22	3	Horizontal	39	3.00	52
6435MHz	Pass	AV	6.4374G	97.22	Inf	-Inf	3	Horizontal	39	3.00	52
6435MHz	Pass	PK	5.8926G	60.97	88.20	-27.23	3	Horizontal	39	3.00	52
6435MHz	Pass	PK	6.4314G	105.71	Inf	-Inf	3	Horizontal	39	3.00	52
6435MHz	Pass	AV	12.85692G	45.05	68.20	-23.15	3	Vertical	90	2.04	-
6435MHz	Pass	PK	12.86973G	58.19	88.20	-30.01	3	Vertical	90	2.04	-
6435MHz	Pass	AV	12.85689G	45.00	68.20	-23.20	3	Horizontal	314	2.91	-
6435MHz	Pass	PK	12.85731G	58.18	88.20	-30.02	3	Horizontal	314	2.91	-
6475MHz	Pass	AV	5.9094G	48.53	68.20	-19.67	3	Vertical	340	2.31	36
6475MHz	Pass	AV	6.4778G	92.47	Inf	-Inf	3	Vertical	340	2.31	36
6475MHz	Pass	AV	7.1554G	50.90	68.20	-17.30	3	Vertical	340	2.31	36
6475MHz	Pass	PK	5.7792G	61.18	88.20	-27.02	3	Vertical	340	2.31	36
6475MHz	Pass	PK	6.4764G	102.36	Inf	-Inf	3	Vertical	340	2.31	36
6475MHz	Pass	PK	7.1596G	62.72	88.20	-25.48	3	Vertical	340	2.31	36
6475MHz	Pass	AV	5.9178G	48.39	68.20	-19.81	3	Horizontal	66	1.71	36
6475MHz	Pass	AV	6.4778G	97.11	Inf	-Inf	3	Horizontal	66	1.71	36
6475MHz	Pass	AV	7.1344G	51.01	68.20	-17.19	3	Horizontal	66	1.71	36
6475MHz	Pass	PK	5.8506G	61.96	88.20	-26.24	3	Horizontal	66	1.71	36
6475MHz	Pass	PK	6.4764G	106.29	Inf	-Inf	3	Horizontal	66	1.71	36
6475MHz	Pass	PK	7.1344G	63.13	88.20	-25.07	3	Horizontal	66	1.71	36



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	12.94343G	45.12	68.20	-23.08	3	Vertical	157	1.64	-
6475MHz	Pass	PK	12.93509G	58.18	88.20	-30.02	3	Vertical	157	1.64	-
6475MHz	Pass	AV	12.93842G	45.07	68.20	-23.13	3	Horizontal	218	1.01	-
6475MHz	Pass	PK	12.94793G	57.63	88.20	-30.57	3	Horizontal	218	1.01	-
6515MHz	Pass	AV	5.8934G	51.70	68.20	-16.50	3	Vertical	43	2.91	43
6515MHz	Pass	AV	6.5094G	94.60	Inf	-Inf	3	Vertical	43	2.91	43
6515MHz	Pass	AV	7.1548G	54.32	68.20	-13.88	3	Vertical	43	2.91	43
6515MHz	Pass	PK	5.8472G	62.54	88.20	-25.66	3	Vertical	43	2.91	43
6515MHz	Pass	PK	6.5108G	103.06	Inf	-Inf	3	Vertical	43	2.91	43
6515MHz	Pass	PK	7.2094G	64.67	88.20	-23.53	3	Vertical	43	2.91	43
6515MHz	Pass	AV	5.9088G	51.80	68.20	-16.40	3	Horizontal	63	1.50	43
6515MHz	Pass	AV	6.5108G	100.65	Inf	-Inf	3	Horizontal	63	1.50	43
6515MHz	Pass	AV	7.173G	54.38	68.20	-13.82	3	Horizontal	63	1.50	43
6515MHz	Pass	PK	5.8668G	62.31	88.20	-25.89	3	Horizontal	63	1.50	43
6515MHz	Pass	PK	6.5136G	109.06	Inf	-Inf	3	Horizontal	63	1.50	43
6515MHz	Pass	PK	7.2136G	65.16	88.20	-23.04	3	Horizontal	63	1.50	43
6515MHz	Pass	AV	13.02061G	45.44	68.20	-22.76	3	Vertical	243	1.10	-
6515MHz	Pass	PK	13.02178G	57.85	88.20	-30.35	3	Vertical	243	1.10	-
6515MHz	Pass	AV	13.03261G	45.36	68.20	-22.84	3	Horizontal	185	2.04	-
6515MHz	Pass	PK	13.03903G	57.76	88.20	-30.44	3	Horizontal	185	2.04	-
6535MHz	Pass	AV	5.8868G	48.46	68.20	-19.74	3	Vertical	342	2.36	33
6535MHz	Pass	AV	6.5308G	92.80	Inf	-Inf	3	Vertical	342	2.36	33
6535MHz	Pass	AV	7.2308G	51.10	68.20	-17.10	3	Vertical	342	2.36	33
6535MHz	Pass	PK	5.9204G	60.65	88.20	-27.55	3	Vertical	342	2.36	33
6535MHz	Pass	PK	6.5336G	101.36	Inf	-Inf	3	Vertical	342	2.36	33
6535MHz	Pass	PK	7.1426G	63.53	88.20	-24.67	3	Vertical	342	2.36	33
6535MHz	Pass	AV	5.9092G	48.51	68.20	-19.69	3	Horizontal	69	1.73	33
6535MHz	Pass	AV	6.5392G	97.94	Inf	-Inf	3	Horizontal	69	1.73	33
6535MHz	Pass	AV	7.2336G	51.02	68.20	-17.18	3	Horizontal	69	1.73	33
6535MHz	Pass	PK	5.8742G	60.57	88.20	-27.63	3	Horizontal	69	1.73	33
6535MHz	Pass	PK	6.5364G	107.74	Inf	-Inf	3	Horizontal	69	1.73	33
6535MHz	Pass	PK	7.2308G	63.33	88.20	-24.87	3	Horizontal	69	1.73	33
6535MHz	Pass	AV	13.07558G	45.47	68.20	-22.73	3	Vertical	1	2.25	-
6535MHz	Pass	PK	13.0829G	58.15	88.20	-30.05	3	Vertical	1	2.25	-
6535MHz	Pass	AV	13.0649G	45.52	68.20	-22.68	3	Horizontal	291	1.35	-
6535MHz	Pass	PK	13.0697G	57.81	88.20	-30.39	3	Horizontal	291	1.35	-
6695MHz	Pass	AV	6.692G	91.94	Inf	-Inf	3	Vertical	346	2.39	34
6695MHz	Pass	AV	7.159G	50.92	68.20	-17.28	3	Vertical	346	2.39	34
6695MHz	Pass	PK	6.699G	100.86	Inf	-Inf	3	Vertical	346	2.39	34
6695MHz	Pass	PK	7.177G	62.64	88.20	-25.56	3	Vertical	346	2.39	34
6695MHz	Pass	AV	6.693G	97.17	Inf	-Inf	3	Horizontal	70	1.80	34
6695MHz	Pass	AV	7.158G	51.00	68.20	-17.20	3	Horizontal	70	1.80	34
6695MHz	Pass	PK	6.698G	107.57	Inf	-Inf	3	Horizontal	70	1.80	34
6695MHz	Pass	PK	7.147G	63.96	88.20	-24.24	3	Horizontal	70	1.80	34
6695MHz	Pass	AV	13.37893G	46.27	54.00	-7.73	3	Vertical	189	2.30	-
6695MHz	Pass	PK	13.39999G	59.23	74.00	-14.77	3	Vertical	189	2.30	-
6695MHz	Pass	AV	13.3759G	46.25	54.00	-7.75	3	Horizontal	241	2.45	-
6695MHz	Pass	PK	13.38472G	59.01	74.00	-14.99	3	Horizontal	241	2.45	-
6855MHz	Pass	AV	6.8571G	88.81	Inf	-Inf	3	Vertical	311	2.27	27
6855MHz	Pass	AV	7.1651G	51.07	68.20	-17.13	3	Vertical	311	2.27	27
6855MHz	Pass	PK	6.855G	97.81	Inf	-Inf	3	Vertical	311	2.27	27
6855MHz	Pass	PK	7.1329G	63.09	88.20	-25.11	3	Vertical	311	2.27	27
6855MHz	Pass	AV	6.8592G	97.34	Inf	-Inf	3	Horizontal	69	1.70	27
6855MHz	Pass	AV	7.1343G	50.95	68.20	-17.25	3	Horizontal	69	1.70	27
6855MHz	Pass	PK	6.8599G	106.32	Inf	-Inf	3	Horizontal	69	1.70	27
6855MHz	Pass	PK	7.1651G	62.88	88.20	-25.32	3	Horizontal	69	1.70	27
6855MHz	Pass	AV	13.71816G	50.68	68.20	-17.52	3	Vertical	347	2.58	-
6855MHz	Pass	PK	13.71828G	63.79	88.20	-24.41	3	Vertical	347	2.58	-
6855MHz	Pass	AV	13.69611G	50.61	68.20	-17.59	3	Horizontal	283	2.44	-
6855MHz	Pass	PK	13.70586G	63.21	88.20	-24.99	3	Horizontal	283	2.44	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8687G	88.42	Inf	-Inf	3	Vertical	328	3.00	28
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1501G	51.04	68.20	-17.16	3	Vertical	328	3.00	28



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8687G	97.12	Inf	-Inf	3	Vertical	328	3.00	28
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1333G	62.75	88.20	-25.45	3	Vertical	328	3.00	28
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8792G	95.93	Inf	-Inf	3	Horizontal	70	1.68	28
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1522G	51.07	68.20	-17.13	3	Horizontal	70	1.68	28
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8799G	104.95	Inf	-Inf	3	Horizontal	70	1.68	28
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.2061G	62.65	88.20	-25.55	3	Horizontal	70	1.68	28
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74796G	50.77	68.20	-17.43	3	Vertical	73	1.95	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74844G	64.04	88.20	-24.16	3	Vertical	73	1.95	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.76485G	50.67	68.20	-17.53	3	Horizontal	353	2.71	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74103G	63.40	88.20	-24.80	3	Horizontal	353	2.71	-
6895MHz	Pass	AV	6.8971G	91.37	Inf	-Inf	3	Vertical	336	2.92	53
6895MHz	Pass	AV	7.2429G	52.62	68.20	-15.58	3	Vertical	336	2.92	53
6895MHz	Pass	PK	6.8985G	99.56	Inf	-Inf	3	Vertical	336	2.92	53
6895MHz	Pass	PK	7.2205G	62.96	88.20	-25.24	3	Vertical	336	2.92	53
6895MHz	Pass	AV	6.8992G	96.38	Inf	-Inf	3	Horizontal	25	2.10	53
6895MHz	Pass	AV	7.2415G	52.61	68.20	-15.59	3	Horizontal	25	2.10	53
6895MHz	Pass	PK	6.8901G	104.09	Inf	-Inf	3	Horizontal	25	2.10	53
6895MHz	Pass	PK	7.2275G	63.20	88.20	-25.00	3	Horizontal	25	2.10	53
6895MHz	Pass	AV	13.80416G	51.14	68.20	-17.06	3	Vertical	150	1.81	-
6895MHz	Pass	PK	13.78718G	64.59	88.20	-23.61	3	Vertical	150	1.81	-
6895MHz	Pass	AV	13.80362G	50.99	68.20	-17.21	3	Horizontal	49	2.47	-
6895MHz	Pass	PK	13.79831G	64.19	88.20	-24.01	3	Horizontal	49	2.47	-
6995MHz	Pass	AV	6.999G	88.72	Inf	-Inf	3	Vertical	312	3.00	36
6995MHz	Pass	AV	7.231G	51.06	68.20	-17.14	3	Vertical	312	3.00	36
6995MHz	Pass	PK	6.997G	98.07	Inf	-Inf	3	Vertical	312	3.00	36
6995MHz	Pass	PK	7.189G	63.31	88.20	-24.89	3	Vertical	312	3.00	36
6995MHz	Pass	AV	6.9905G	96.20	Inf	-Inf	3	Horizontal	69	1.71	36
6995MHz	Pass	AV	7.235G	51.12	68.20	-17.08	3	Horizontal	69	1.71	36
6995MHz	Pass	PK	6.9915G	106.28	Inf	-Inf	3	Horizontal	69	1.71	36
6995MHz	Pass	PK	7.1765G	63.86	88.20	-24.34	3	Horizontal	69	1.71	36
6995MHz	Pass	AV	13.98535G	51.52	68.20	-16.68	3	Vertical	285	2.06	-
6995MHz	Pass	PK	13.99285G	64.35	88.20	-23.85	3	Vertical	285	2.06	-
6995MHz	Pass	AV	13.99543G	51.74	68.20	-16.46	3	Horizontal	207	2.12	-
6995MHz	Pass	PK	13.98451G	64.33	88.20	-23.87	3	Horizontal	207	2.12	-
7095MHz	Pass	AV	7.0923G	93.54	Inf	-Inf	3	Vertical	4	1.24	54
7095MHz	Pass	AV	7.2441G	52.63	68.20	-15.57	3	Vertical	4	1.24	54
7095MHz	Pass	PK	7.0917G	100.96	Inf	-Inf	3	Vertical	4	1.24	54
7095MHz	Pass	PK	7.2426G	63.88	88.20	-24.32	3	Vertical	4	1.24	54
7095MHz	Pass	AV	7.092G	97.42	Inf	-Inf	3	Horizontal	29	2.76	54
7095MHz	Pass	AV	7.2366G	52.77	68.20	-15.43	3	Horizontal	29	2.76	54
7095MHz	Pass	PK	7.0887G	105.76	Inf	-Inf	3	Horizontal	29	2.76	54
7095MHz	Pass	PK	7.1844G	63.54	88.20	-24.66	3	Horizontal	29	2.76	54
7095MHz	Pass	AV	14.17932G	50.77	68.20	-17.43	3	Vertical	121	1.45	-
7095MHz	Pass	PK	14.184G	63.48	88.20	-24.72	3	Vertical	121	1.45	-
7095MHz	Pass	AV	14.17881G	50.72	68.20	-17.48	3	Horizontal	17	2.89	-
7095MHz	Pass	PK	14.18664G	63.57	88.20	-24.63	3	Horizontal	17	2.89	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8881G	49.97	68.20	-18.23	3	Vertical	57	1.12	36
5955MHz	Pass	AV	5.952G	89.01	Inf	-Inf	3	Vertical	57	1.12	36
5955MHz	Pass	PK	5.8488G	62.15	88.20	-26.05	3	Vertical	57	1.12	36
5955MHz	Pass	PK	5.9517G	96.73	Inf	-Inf	3	Vertical	57	1.12	36
5955MHz	Pass	AV	5.9238G	50.13	68.20	-18.07	3	Horizontal	305	1.80	36
5955MHz	Pass	AV	5.9538G	98.58	Inf	-Inf	3	Horizontal	305	1.80	36
5955MHz	Pass	PK	5.9139G	61.67	88.20	-26.53	3	Horizontal	305	1.80	36
5955MHz	Pass	PK	5.9541G	106.01	Inf	-Inf	3	Horizontal	305	1.80	36
5955MHz	Pass	AV	11.89584G	43.14	54.00	-10.86	3	Vertical	312	1.16	-
5955MHz	Pass	PK	11.92188G	56.24	74.00	-17.76	3	Vertical	312	1.16	-
5955MHz	Pass	AV	11.90055G	43.31	54.00	-10.69	3	Horizontal	15	2.98	-
5955MHz	Pass	PK	11.8956G	55.82	74.00	-18.18	3	Horizontal	15	2.98	-
6175MHz	Pass	AV	5.917G	50.11	68.20	-18.09	3	Vertical	307	1.00	38
6175MHz	Pass	AV	6.1726G	94.36	Inf	-Inf	3	Vertical	307	1.00	38
6175MHz	Pass	PK	5.8846G	60.72	88.20	-27.48	3	Vertical	307	1.00	38



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6175MHz	Pass	PK	6.1726G	102.37	Inf	-Inf	3	Vertical	307	1.00	38
6175MHz	Pass	AV	5.9086G	50.07	68.20	-18.13	3	Horizontal	297	1.80	38
6175MHz	Pass	AV	6.1726G	98.30	Inf	-Inf	3	Horizontal	297	1.80	38
6175MHz	Pass	PK	5.8822G	61.04	88.20	-27.16	3	Horizontal	297	1.80	38
6175MHz	Pass	PK	6.1828G	105.53	Inf	-Inf	3	Horizontal	297	1.80	38
6175MHz	Pass	AV	12.35369G	44.37	54.00	-9.63	3	Vertical	349	1.13	-
6175MHz	Pass	PK	12.3395G	57.25	74.00	-16.75	3	Vertical	349	1.13	-
6175MHz	Pass	AV	12.34991G	44.32	54.00	-9.68	3	Horizontal	355	1.78	-
6175MHz	Pass	PK	12.36344G	58.29	74.00	-15.71	3	Horizontal	355	1.78	-
6415MHz	Pass	AV	5.9134G	50.10	68.20	-18.10	3	Vertical	6	1.34	39
6415MHz	Pass	AV	6.4186G	94.55	Inf	-Inf	3	Vertical	6	1.34	39
6415MHz	Pass	PK	5.8594G	61.41	88.20	-26.79	3	Vertical	6	1.34	39
6415MHz	Pass	PK	6.4186G	102.29	Inf	-Inf	3	Vertical	6	1.34	39
6415MHz	Pass	AV	5.8882G	49.98	68.20	-18.22	3	Horizontal	45	1.58	39
6415MHz	Pass	AV	6.4162G	98.11	Inf	-Inf	3	Horizontal	45	1.58	39
6415MHz	Pass	PK	5.8918G	60.23	88.20	-27.97	3	Horizontal	45	1.58	39
6415MHz	Pass	PK	6.4162G	105.48	Inf	-Inf	3	Horizontal	45	1.58	39
6415MHz	Pass	AV	12.83924G	45.25	68.20	-22.95	3	Vertical	256	2.09	-
6415MHz	Pass	PK	12.82757G	57.68	88.20	-30.52	3	Vertical	256	2.09	-
6415MHz	Pass	AV	12.82373G	45.24	68.20	-22.96	3	Horizontal	151	1.55	-
6415MHz	Pass	PK	12.8204G	58.09	88.20	-30.11	3	Horizontal	151	1.55	-
6435MHz	Pass	AV	5.9118G	51.81	68.20	-16.39	3	Vertical	337	3.00	29
6435MHz	Pass	AV	6.4362G	95.46	Inf	-Inf	3	Vertical	337	3.00	29
6435MHz	Pass	PK	5.8602G	61.77	88.20	-26.43	3	Vertical	337	3.00	29
6435MHz	Pass	PK	6.4362G	102.66	Inf	-Inf	3	Vertical	337	3.00	29
6435MHz	Pass	AV	5.8854G	51.84	68.20	-16.36	3	Horizontal	63	1.50	29
6435MHz	Pass	AV	6.4302G	100.66	Inf	-Inf	3	Horizontal	63	1.50	29
6435MHz	Pass	PK	5.8746G	61.88	88.20	-26.32	3	Horizontal	63	1.50	29
6435MHz	Pass	PK	6.4302G	108.47	Inf	-Inf	3	Horizontal	63	1.50	29
6435MHz	Pass	AV	12.86802G	45.07	68.20	-23.13	3	Vertical	159	1.78	-
6435MHz	Pass	PK	12.87774G	58.05	88.20	-30.15	3	Vertical	159	1.78	-
6435MHz	Pass	AV	12.86478G	45.15	68.20	-23.05	3	Horizontal	313	2.88	-
6435MHz	Pass	PK	12.87621G	57.65	88.20	-30.55	3	Horizontal	313	2.88	-
6475MHz	Pass	AV	5.9164G	51.83	68.20	-16.37	3	Vertical	340	2.86	27
6475MHz	Pass	AV	6.4708G	95.05	Inf	-Inf	3	Vertical	340	2.86	27
6475MHz	Pass	AV	7.1372G	54.24	68.20	-13.96	3	Vertical	340	2.86	27
6475MHz	Pass	PK	5.8506G	61.69	88.20	-26.51	3	Vertical	340	2.86	27
6475MHz	Pass	PK	6.4708G	102.94	Inf	-Inf	3	Vertical	340	2.86	27
6475MHz	Pass	PK	7.1316G	64.42	88.20	-23.78	3	Vertical	340	2.86	27
6475MHz	Pass	AV	5.8436G	51.80	68.20	-16.40	3	Horizontal	65	1.63	27
6475MHz	Pass	AV	6.4708G	100.50	Inf	-Inf	3	Horizontal	65	1.63	27
6475MHz	Pass	AV	7.1708G	54.23	68.20	-13.97	3	Horizontal	65	1.63	27
6475MHz	Pass	PK	5.8016G	61.56	88.20	-26.64	3	Horizontal	65	1.63	27
6475MHz	Pass	PK	6.4708G	108.54	Inf	-Inf	3	Horizontal	65	1.63	27
6475MHz	Pass	PK	7.1386G	63.53	88.20	-24.67	3	Horizontal	65	1.63	27
6475MHz	Pass	AV	12.95726G	45.26	68.20	-22.94	3	Vertical	262	2.69	-
6475MHz	Pass	PK	12.94169G	58.55	88.20	-29.65	3	Vertical	262	2.69	-
6475MHz	Pass	AV	12.95873G	45.20	68.20	-23.00	3	Horizontal	117	2.87	-
6475MHz	Pass	PK	12.94763G	58.12	88.20	-30.08	3	Horizontal	117	2.87	-
6515MHz	Pass	AV	5.9214G	51.83	68.20	-16.37	3	Vertical	48	2.52	27
6515MHz	Pass	AV	6.5094G	92.69	Inf	-Inf	3	Vertical	48	2.52	27
6515MHz	Pass	AV	7.2122G	54.32	68.20	-13.88	3	Vertical	48	2.52	27
6515MHz	Pass	PK	5.8234G	62.24	88.20	-25.96	3	Vertical	48	2.52	27
6515MHz	Pass	PK	6.5108G	99.92	Inf	-Inf	3	Vertical	48	2.52	27
6515MHz	Pass	PK	7.1814G	64.94	88.20	-23.26	3	Vertical	48	2.52	27
6515MHz	Pass	AV	5.9172G	51.82	68.20	-16.38	3	Horizontal	60	1.50	27
6515MHz	Pass	AV	6.5108G	100.48	Inf	-Inf	3	Horizontal	60	1.50	27
6515MHz	Pass	AV	7.1324G	54.19	68.20	-14.01	3	Horizontal	60	1.50	27
6515MHz	Pass	PK	5.8374G	61.51	88.20	-26.69	3	Horizontal	60	1.50	27
6515MHz	Pass	PK	6.5094G	108.37	Inf	-Inf	3	Horizontal	60	1.50	27
6515MHz	Pass	PK	7.1618G	64.82	88.20	-23.38	3	Horizontal	60	1.50	27
6515MHz	Pass	AV	13.02007G	45.59	68.20	-22.61	3	Vertical	141	1.33	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6515MHz	Pass	PK	13.02103G	59.35	88.20	-28.85	3	Vertical	141	1.33	-
6515MHz	Pass	AV	13.01761G	45.55	68.20	-22.65	3	Horizontal	73	1.30	-
6515MHz	Pass	PK	13.04197G	59.00	88.20	-29.20	3	Horizontal	73	1.30	-
6535MHz	Pass	AV	5.87G	50.09	68.20	-18.11	3	Vertical	41	2.52	20
6535MHz	Pass	AV	6.5294G	95.06	Inf	-Inf	3	Vertical	41	2.52	20
6535MHz	Pass	AV	7.2322G	52.74	68.20	-15.46	3	Vertical	41	2.52	20
6535MHz	Pass	PK	5.8462G	60.98	88.20	-27.22	3	Vertical	41	2.52	20
6535MHz	Pass	PK	6.5308G	103.04	Inf	-Inf	3	Vertical	41	2.52	20
6535MHz	Pass	PK	7.1678G	63.63	88.20	-24.57	3	Vertical	41	2.52	20
6535MHz	Pass	AV	5.8602G	50.06	68.20	-18.14	3	Horizontal	61	1.50	20
6535MHz	Pass	AV	6.5308G	102.63	Inf	-Inf	3	Horizontal	61	1.50	20
6535MHz	Pass	AV	7.2322G	52.74	68.20	-15.46	3	Horizontal	61	1.50	20
6535MHz	Pass	PK	5.87G	60.55	88.20	-27.65	3	Horizontal	61	1.50	20
6535MHz	Pass	PK	6.5308G	109.79	Inf	-Inf	3	Horizontal	61	1.50	20
6535MHz	Pass	PK	7.193G	63.26	88.20	-24.94	3	Horizontal	61	1.50	20
6535MHz	Pass	AV	13.05659G	45.55	68.20	-22.65	3	Vertical	331	1.19	-
6535MHz	Pass	PK	13.06196G	59.07	88.20	-29.13	3	Vertical	331	1.19	-
6535MHz	Pass	AV	13.08467G	45.41	68.20	-22.79	3	Horizontal	317	2.67	-
6535MHz	Pass	PK	13.06697G	59.60	88.20	-28.60	3	Horizontal	317	2.67	-
6695MHz	Pass	AV	6.69G	93.64	Inf	-Inf	3	Vertical	311	2.81	26
6695MHz	Pass	AV	7.135G	54.22	68.20	-13.98	3	Vertical	311	2.81	26
6695MHz	Pass	PK	6.7G	101.71	Inf	-Inf	3	Vertical	311	2.81	26
6695MHz	Pass	PK	7.143G	63.89	88.20	-24.31	3	Vertical	311	2.81	26
6695MHz	Pass	AV	6.69G	100.46	Inf	-Inf	3	Horizontal	64	1.61	26
6695MHz	Pass	AV	7.147G	54.32	68.20	-13.88	3	Horizontal	64	1.61	26
6695MHz	Pass	PK	6.69G	108.38	Inf	-Inf	3	Horizontal	64	1.61	26
6695MHz	Pass	PK	7.137G	64.38	88.20	-23.82	3	Horizontal	64	1.61	26
6695MHz	Pass	AV	13.37971G	46.24	54.00	-7.76	3	Vertical	60	2.40	-
6695MHz	Pass	PK	13.37743G	59.23	74.00	-14.77	3	Vertical	60	2.40	-
6695MHz	Pass	AV	13.38502G	46.27	54.00	-7.73	3	Horizontal	128	2.16	-
6695MHz	Pass	PK	13.40389G	59.22	88.20	-28.98	3	Horizontal	128	2.16	-
6855MHz	Pass	AV	6.8585G	88.66	Inf	-Inf	3	Vertical	304	1.55	23
6855MHz	Pass	AV	7.1294G	51.24	68.20	-16.96	3	Vertical	304	1.55	23
6855MHz	Pass	PK	6.8585G	97.96	Inf	-Inf	3	Vertical	304	1.55	23
6855MHz	Pass	PK	7.1315G	63.07	88.20	-25.13	3	Vertical	304	1.55	23
6855MHz	Pass	AV	6.8599G	97.13	Inf	-Inf	3	Horizontal	58	1.50	23
6855MHz	Pass	AV	7.1497G	51.26	68.20	-16.94	3	Horizontal	58	1.50	23
6855MHz	Pass	PK	6.8606G	106.81	Inf	-Inf	3	Horizontal	58	1.50	23
6855MHz	Pass	PK	7.2043G	62.94	88.20	-25.26	3	Horizontal	58	1.50	23
6855MHz	Pass	AV	13.71552G	50.55	68.20	-17.65	3	Vertical	264	2.15	-
6855MHz	Pass	PK	13.69899G	63.08	88.20	-25.12	3	Vertical	264	2.15	-
6855MHz	Pass	AV	13.69883G	50.53	68.20	-17.67	3	Horizontal	178	2.72	-
6855MHz	Pass	PK	13.69887G	63.29	88.20	-24.91	3	Horizontal	178	2.72	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.87015G	94.35	Inf	-Inf	3	Vertical	324	2.89	19
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1451G	54.30	68.20	-13.90	3	Vertical	324	2.89	19
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8747G	102.10	Inf	-Inf	3	Vertical	324	2.89	19
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1711G	64.42	88.20	-23.78	3	Vertical	324	2.89	19
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.87015G	100.65	Inf	-Inf	3	Horizontal	65	1.60	19
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1568G	54.32	68.20	-13.88	3	Horizontal	65	1.60	19
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.87015G	108.55	Inf	-Inf	3	Horizontal	65	1.60	19
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.16135G	64.43	88.20	-23.77	3	Horizontal	65	1.60	19
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.7485G	50.77	68.20	-17.43	3	Vertical	25	1.40	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75399G	63.51	88.20	-24.69	3	Vertical	25	1.40	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75456G	50.72	68.20	-17.48	3	Horizontal	76	2.41	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74991G	64.29	88.20	-23.91	3	Horizontal	76	2.41	-
6895MHz	Pass	AV	6.9006G	94.54	Inf	-Inf	3	Vertical	323	2.96	16
6895MHz	Pass	AV	7.2429G	54.39	68.20	-13.81	3	Vertical	323	2.96	16
6895MHz	Pass	PK	6.8943G	101.47	Inf	-Inf	3	Vertical	323	2.96	16
6895MHz	Pass	PK	7.2401G	65.69	88.20	-22.51	3	Vertical	323	2.96	16
6895MHz	Pass	AV	6.8999G	100.14	Inf	-Inf	3	Horizontal	60	1.50	16
6895MHz	Pass	AV	7.2387G	54.53	68.20	-13.67	3	Horizontal	60	1.50	16
6895MHz	Pass	PK	6.8999G	108.25	Inf	-Inf	3	Horizontal	60	1.50	16



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6895MHz	Pass	PK	7.1925G	64.69	88.20	-23.51	3	Horizontal	60	1.50	16
6895MHz	Pass	AV	13.80407G	50.92	68.20	-17.28	3	Vertical	175	2.16	-
6895MHz	Pass	PK	13.79765G	63.83	88.20	-24.37	3	Vertical	175	2.16	-
6895MHz	Pass	AV	13.80413G	51.00	68.20	-17.20	3	Horizontal	82	2.55	-
6895MHz	Pass	PK	13.80158G	63.53	88.20	-24.67	3	Horizontal	82	2.55	-
6995MHz	Pass	AV	6.9935G	91.46	Inf	-Inf	3	Vertical	306	1.61	18
6995MHz	Pass	AV	7.2335G	54.66	68.20	-13.54	3	Vertical	306	1.61	18
6995MHz	Pass	PK	6.9935G	99.70	Inf	-Inf	3	Vertical	306	1.61	18
6995MHz	Pass	PK	7.185G	64.49	88.20	-23.71	3	Vertical	306	1.61	18
6995MHz	Pass	AV	6.9895G	100.66	Inf	-Inf	3	Horizontal	64	1.58	18
6995MHz	Pass	AV	7.226G	54.43	68.20	-13.77	3	Horizontal	64	1.58	18
6995MHz	Pass	PK	6.9895G	108.94	Inf	-Inf	3	Horizontal	64	1.58	18
6995MHz	Pass	PK	7.155G	64.35	88.20	-23.85	3	Horizontal	64	1.58	18
6995MHz	Pass	AV	13.97551G	51.54	68.20	-16.66	3	Vertical	165	1.05	-
6995MHz	Pass	PK	14.00158G	64.28	88.20	-23.92	3	Vertical	165	1.05	-
6995MHz	Pass	AV	13.98406G	51.44	68.20	-16.76	3	Horizontal	145	2.83	-
6995MHz	Pass	PK	13.99849G	64.13	88.20	-24.07	3	Horizontal	145	2.83	-
7095MHz	Pass	AV	7.1001G	93.64	Inf	-Inf	3	Vertical	325	3.00	22
7095MHz	Pass	AV	7.233G	54.49	68.20	-13.71	3	Vertical	325	3.00	22
7095MHz	Pass	PK	7.1001G	101.62	Inf	-Inf	3	Vertical	325	3.00	22
7095MHz	Pass	PK	7.2144G	65.71	88.20	-22.49	3	Vertical	325	3.00	22
7095MHz	Pass	AV	7.0995G	100.41	Inf	-Inf	3	Horizontal	62	1.50	22
7095MHz	Pass	AV	7.1475G	54.50	68.20	-13.70	3	Horizontal	62	1.50	22
7095MHz	Pass	PK	7.0989G	108.45	Inf	-Inf	3	Horizontal	62	1.50	22
7095MHz	Pass	PK	7.2045G	65.33	88.20	-22.87	3	Horizontal	62	1.50	22
7095MHz	Pass	AV	14.17656G	50.78	68.20	-17.42	3	Vertical	0	1.78	-
7095MHz	Pass	PK	14.18646G	63.36	88.20	-24.84	3	Vertical	0	1.78	-
7095MHz	Pass	AV	14.17674G	50.85	68.20	-17.35	3	Horizontal	76	2.20	-
7095MHz	Pass	PK	14.19054G	63.69	88.20	-24.51	3	Horizontal	76	2.20	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.8842G	51.73	68.20	-16.47	3	Vertical	336	2.96	51
5955MHz	Pass	AV	5.958G	96.10	Inf	-Inf	3	Vertical	336	2.96	51
5955MHz	Pass	PK	5.8851G	63.34	88.20	-24.86	3	Vertical	336	2.96	51
5955MHz	Pass	PK	5.9523G	107.08	Inf	-Inf	3	Vertical	336	2.96	51
5955MHz	Pass	AV	5.9196G	51.89	68.20	-16.31	3	Horizontal	309	1.65	51
5955MHz	Pass	AV	5.958G	98.43	Inf	-Inf	3	Horizontal	309	1.65	51
5955MHz	Pass	PK	5.8686G	62.61	88.20	-25.59	3	Horizontal	309	1.65	51
5955MHz	Pass	PK	5.9568G	109.66	Inf	-Inf	3	Horizontal	309	1.65	51
5955MHz	Pass	AV	11.9028G	43.21	54.00	-10.79	3	Vertical	270	2.33	-
5955MHz	Pass	PK	11.90067G	55.86	74.00	-18.14	3	Vertical	270	2.33	-
5955MHz	Pass	AV	11.91579G	43.12	54.00	-10.88	3	Horizontal	164	2.69	-
5955MHz	Pass	PK	11.91771G	55.52	74.00	-18.48	3	Horizontal	164	2.69	-
6175MHz	Pass	AV	5.9038G	51.80	68.20	-16.40	3	Vertical	55	2.04	48
6175MHz	Pass	AV	6.1738G	92.61	Inf	-Inf	3	Vertical	55	2.04	48
6175MHz	Pass	PK	5.875G	62.34	88.20	-25.86	3	Vertical	55	2.04	48
6175MHz	Pass	PK	6.1738G	101.99	Inf	-Inf	3	Vertical	55	2.04	48
6175MHz	Pass	AV	5.8906G	51.90	68.20	-16.30	3	Horizontal	61	1.66	48
6175MHz	Pass	AV	6.1738G	98.66	Inf	-Inf	3	Horizontal	61	1.66	48
6175MHz	Pass	PK	5.896G	62.78	88.20	-25.42	3	Horizontal	61	1.66	48
6175MHz	Pass	PK	6.172G	110.27	Inf	-Inf	3	Horizontal	61	1.66	48
6175MHz	Pass	AV	12.36014G	44.33	54.00	-9.67	3	Vertical	238	2.22	-
6175MHz	Pass	PK	12.34997G	57.02	74.00	-16.98	3	Vertical	238	2.22	-
6175MHz	Pass	AV	12.34526G	44.47	54.00	-9.53	3	Horizontal	111	1.33	-
6175MHz	Pass	PK	12.34298G	57.13	74.00	-16.87	3	Horizontal	111	1.33	-
6415MHz	Pass	AV	5.911G	49.58	68.20	-18.62	3	Vertical	349	3.00	43
6415MHz	Pass	AV	6.4138G	94.14	Inf	-Inf	3	Vertical	349	3.00	43
6415MHz	Pass	PK	5.8486G	59.94	88.20	-28.26	3	Vertical	349	3.00	43
6415MHz	Pass	PK	6.4138G	103.83	Inf	-Inf	3	Vertical	349	3.00	43
6415MHz	Pass	AV	5.8882G	49.75	68.20	-18.45	3	Horizontal	76	1.68	43
6415MHz	Pass	AV	6.4186G	97.02	Inf	-Inf	3	Horizontal	76	1.68	43
6415MHz	Pass	PK	5.875G	60.21	88.20	-27.99	3	Horizontal	76	1.68	43
6415MHz	Pass	PK	6.4078G	107.73	Inf	-Inf	3	Horizontal	76	1.68	43



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6415MHz	Pass	AV	12.8198G	44.56	68.20	-23.64	3	Vertical	105	2.93	-
6415MHz	Pass	PK	12.81848G	57.61	88.20	-30.59	3	Vertical	105	2.93	-
6415MHz	Pass	AV	12.82598G	44.62	68.20	-23.58	3	Horizontal	4	2.82	-
6415MHz	Pass	PK	12.8279G	57.22	88.20	-30.98	3	Horizontal	4	2.82	-
6435MHz	Pass	AV	5.8842G	49.55	68.20	-18.65	3	Vertical	348	2.76	46
6435MHz	Pass	AV	6.4374G	93.41	Inf	-Inf	3	Vertical	348	2.76	46
6435MHz	Pass	PK	5.9082G	60.39	88.20	-27.81	3	Vertical	348	2.76	46
6435MHz	Pass	PK	6.4374G	104.73	Inf	-Inf	3	Vertical	348	2.76	46
6435MHz	Pass	AV	5.8962G	49.71	68.20	-18.49	3	Horizontal	75	1.76	46
6435MHz	Pass	AV	6.4338G	97.22	Inf	-Inf	3	Horizontal	75	1.76	46
6435MHz	Pass	PK	5.9022G	60.39	88.20	-27.81	3	Horizontal	75	1.76	46
6435MHz	Pass	PK	6.4314G	107.55	Inf	-Inf	3	Horizontal	75	1.76	46
6435MHz	Pass	AV	12.87228G	44.39	68.20	-23.81	3	Vertical	137	2.81	-
6435MHz	Pass	PK	12.86094G	56.92	88.20	-31.28	3	Vertical	137	2.81	-
6435MHz	Pass	AV	12.85737G	44.59	68.20	-23.61	3	Horizontal	187	1.76	-
6435MHz	Pass	PK	12.86409G	57.73	88.20	-30.47	3	Horizontal	187	1.76	-
6475MHz	Pass	AV	5.9136G	49.55	68.20	-18.65	3	Vertical	349	2.96	46
6475MHz	Pass	AV	6.4778G	93.58	Inf	-Inf	3	Vertical	349	2.96	46
6475MHz	Pass	AV	7.175G	52.83	68.20	-15.37	3	Vertical	349	2.96	46
6475MHz	Pass	PK	5.908G	61.23	88.20	-26.97	3	Vertical	349	2.96	46
6475MHz	Pass	PK	6.468G	104.44	Inf	-Inf	3	Vertical	349	2.96	46
6475MHz	Pass	PK	7.1512G	63.23	88.20	-24.97	3	Vertical	349	2.96	46
6475MHz	Pass	AV	5.8814G	49.75	68.20	-18.45	3	Horizontal	75	1.68	46
6475MHz	Pass	AV	6.468G	96.94	Inf	-Inf	3	Horizontal	75	1.68	46
6475MHz	Pass	AV	7.1722G	52.80	68.20	-15.40	3	Horizontal	75	1.68	46
6475MHz	Pass	PK	5.8898G	60.27	88.20	-27.93	3	Horizontal	75	1.68	46
6475MHz	Pass	PK	6.4848G	106.80	Inf	-Inf	3	Horizontal	75	1.68	46
6475MHz	Pass	PK	7.1526G	63.35	88.20	-24.85	3	Horizontal	75	1.68	46
6475MHz	Pass	AV	12.93542G	44.48	68.20	-23.72	3	Vertical	279	2.45	-
6475MHz	Pass	PK	12.93968G	57.18	88.20	-31.02	3	Vertical	279	2.45	-
6475MHz	Pass	AV	12.9359G	44.45	68.20	-23.75	3	Horizontal	251	2.27	-
6475MHz	Pass	PK	12.95207G	57.04	88.20	-31.16	3	Horizontal	251	2.27	-
6515MHz	Pass	AV	5.8822G	48.59	68.20	-19.61	3	Vertical	300	2.28	37
6515MHz	Pass	AV	6.5164G	89.40	Inf	-Inf	3	Vertical	300	2.28	37
6515MHz	Pass	AV	7.2122G	52.13	68.20	-16.07	3	Vertical	300	2.28	37
6515MHz	Pass	PK	5.8878G	60.46	88.20	-27.74	3	Vertical	300	2.28	37
6515MHz	Pass	PK	6.5206G	100.92	Inf	-Inf	3	Vertical	300	2.28	37
6515MHz	Pass	PK	7.187G	63.89	88.20	-24.31	3	Vertical	300	2.28	37
6515MHz	Pass	AV	5.9046G	48.51	68.20	-19.69	3	Horizontal	65	1.63	37
6515MHz	Pass	AV	6.5108G	96.50	Inf	-Inf	3	Horizontal	65	1.63	37
6515MHz	Pass	AV	7.1996G	51.98	68.20	-16.22	3	Horizontal	65	1.63	37
6515MHz	Pass	PK	5.9004G	60.15	88.20	-28.05	3	Horizontal	65	1.63	37
6515MHz	Pass	PK	6.5164G	107.31	Inf	-Inf	3	Horizontal	65	1.63	37
6515MHz	Pass	PK	7.1982G	63.90	88.20	-24.30	3	Horizontal	65	1.63	37
6515MHz	Pass	AV	13.02469G	44.63	68.20	-23.57	3	Vertical	351	1.74	-
6515MHz	Pass	PK	13.03915G	57.45	88.20	-30.75	3	Vertical	351	1.74	-
6515MHz	Pass	AV	13.03432G	44.65	68.20	-23.55	3	Horizontal	175	1.63	-
6515MHz	Pass	PK	13.02406G	57.38	88.20	-30.82	3	Horizontal	175	1.63	-
6535MHz	Pass	AV	5.9106G	49.58	68.20	-18.62	3	Vertical	347	2.89	43
6535MHz	Pass	AV	6.5336G	94.26	Inf	-Inf	3	Vertical	347	2.89	43
6535MHz	Pass	AV	7.2168G	53.46	68.20	-14.74	3	Vertical	347	2.89	43
6535MHz	Pass	PK	5.8882G	60.71	88.20	-27.49	3	Vertical	347	2.89	43
6535MHz	Pass	PK	6.5336G	105.35	Inf	-Inf	3	Vertical	347	2.89	43
6535MHz	Pass	PK	7.228G	63.57	88.20	-24.63	3	Vertical	347	2.89	43
6535MHz	Pass	AV	5.898G	49.70	68.20	-18.50	3	Horizontal	69	1.71	43
6535MHz	Pass	AV	6.5378G	97.28	Inf	-Inf	3	Horizontal	69	1.71	43
6535MHz	Pass	AV	7.228G	53.29	68.20	-14.91	3	Horizontal	69	1.71	43
6535MHz	Pass	PK	5.9204G	60.55	88.20	-27.65	3	Horizontal	69	1.71	43
6535MHz	Pass	PK	6.5322G	108.67	Inf	-Inf	3	Horizontal	69	1.71	43
6535MHz	Pass	PK	7.2028G	64.02	88.20	-24.18	3	Horizontal	69	1.71	43
6535MHz	Pass	AV	13.06643G	44.70	68.20	-23.50	3	Vertical	316	2.43	-
6535MHz	Pass	PK	13.08215G	57.29	88.20	-30.91	3	Vertical	316	2.43	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6535MHz	Pass	AV	13.06817G	44.60	68.20	-23.60	3	Horizontal	328	1.30	-
6535MHz	Pass	PK	13.06337G	57.26	88.20	-30.94	3	Horizontal	328	1.30	-
6695MHz	Pass	AV	6.694G	90.76	Inf	-Inf	3	Vertical	309	1.89	43
6695MHz	Pass	AV	7.189G	52.97	68.20	-15.23	3	Vertical	309	1.89	43
6695MHz	Pass	PK	6.692G	101.95	Inf	-Inf	3	Vertical	309	1.89	43
6695MHz	Pass	PK	7.189G	63.45	88.20	-24.75	3	Vertical	309	1.89	43
6695MHz	Pass	AV	6.694G	97.41	Inf	-Inf	3	Horizontal	77	1.67	43
6695MHz	Pass	AV	7.195G	53.04	68.20	-15.16	3	Horizontal	77	1.67	43
6695MHz	Pass	PK	6.697G	108.24	Inf	-Inf	3	Horizontal	77	1.67	43
6695MHz	Pass	PK	7.19G	62.74	88.20	-25.46	3	Horizontal	77	1.67	43
6695MHz	Pass	AV	13.37959G	45.66	54.00	-8.34	3	Vertical	39	1.56	-
6695MHz	Pass	PK	13.40026G	58.38	88.20	-29.82	3	Vertical	39	1.56	-
6695MHz	Pass	AV	13.37785G	45.66	54.00	-8.34	3	Horizontal	160	1.91	-
6695MHz	Pass	PK	13.39639G	58.61	74.00	-15.39	3	Horizontal	160	1.91	-
6855MHz	Pass	AV	6.862G	89.02	Inf	-Inf	3	Vertical	306	1.78	32
6855MHz	Pass	AV	7.1903G	53.86	68.20	-14.34	3	Vertical	306	1.78	32
6855MHz	Pass	PK	6.8571G	99.91	Inf	-Inf	3	Vertical	306	1.78	32
6855MHz	Pass	PK	7.1945G	65.29	88.20	-22.91	3	Vertical	306	1.78	32
6855MHz	Pass	AV	6.8578G	98.59	Inf	-Inf	3	Horizontal	66	1.71	32
6855MHz	Pass	AV	7.1889G	54.04	68.20	-14.16	3	Horizontal	66	1.71	32
6855MHz	Pass	PK	6.8522G	110.16	Inf	-Inf	3	Horizontal	66	1.71	32
6855MHz	Pass	PK	7.184G	64.24	88.20	-23.96	3	Horizontal	66	1.71	32
6855MHz	Pass	AV	13.70535G	50.52	68.20	-17.68	3	Vertical	276	1.84	-
6855MHz	Pass	PK	13.70682G	63.59	88.20	-24.61	3	Vertical	276	1.84	-
6855MHz	Pass	AV	13.72377G	50.50	68.20	-17.70	3	Horizontal	234	2.93	-
6855MHz	Pass	PK	13.70598G	63.67	88.20	-24.53	3	Horizontal	234	2.93	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8708G	89.33	Inf	-Inf	3	Vertical	312	2.27	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1451G	53.73	68.20	-14.47	3	Vertical	312	2.27	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8773G	98.95	Inf	-Inf	3	Vertical	312	2.27	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.15615G	64.67	88.20	-23.53	3	Vertical	312	2.27	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8734G	98.43	Inf	-Inf	3	Horizontal	64	1.68	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.1737G	53.81	68.20	-14.39	3	Horizontal	64	1.68	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.87665G	108.18	Inf	-Inf	3	Horizontal	64	1.68	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.13275G	63.45	88.20	-24.75	3	Horizontal	64	1.68	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75723G	50.72	68.20	-17.48	3	Vertical	274	1.92	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74643G	64.25	88.20	-23.95	3	Vertical	274	1.92	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75768G	50.72	68.20	-17.48	3	Horizontal	71	2.58	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.74991G	63.11	88.20	-25.09	3	Horizontal	71	2.58	-
6895MHz	Pass	AV	6.8978G	90.86	Inf	-Inf	3	Vertical	326	2.94	30
6895MHz	Pass	AV	7.2436G	52.17	68.20	-16.03	3	Vertical	326	2.94	30
6895MHz	Pass	PK	6.9041G	102.23	Inf	-Inf	3	Vertical	326	2.94	30
6895MHz	Pass	PK	7.217G	64.04	88.20	-24.16	3	Vertical	326	2.94	30
6895MHz	Pass	AV	6.8978G	96.21	Inf	-Inf	3	Horizontal	68	1.70	30
6895MHz	Pass	AV	7.2275G	52.28	68.20	-15.92	3	Horizontal	68	1.70	30
6895MHz	Pass	PK	6.8873G	106.75	Inf	-Inf	3	Horizontal	68	1.70	30
6895MHz	Pass	PK	7.1421G	63.82	88.20	-24.38	3	Horizontal	68	1.70	30
6895MHz	Pass	AV	13.8038G	51.07	68.20	-17.13	3	Vertical	55	1.59	-
6895MHz	Pass	PK	13.79774G	64.54	88.20	-23.66	3	Vertical	55	1.59	-
6895MHz	Pass	AV	13.79813G	51.02	68.20	-17.18	3	Horizontal	232	1.21	-
6895MHz	Pass	PK	13.80245G	63.68	88.20	-24.52	3	Horizontal	232	1.21	-
6995MHz	Pass	AV	6.998G	88.81	Inf	-Inf	3	Vertical	328	2.41	36
6995MHz	Pass	AV	7.227G	52.20	68.20	-16.00	3	Vertical	328	2.41	36
6995MHz	Pass	PK	6.9965G	101.21	Inf	-Inf	3	Vertical	328	2.41	36
6995MHz	Pass	PK	7.205G	64.85	88.20	-23.35	3	Vertical	328	2.41	36
6995MHz	Pass	AV	6.9875G	95.30	Inf	-Inf	3	Horizontal	68	1.70	36
6995MHz	Pass	AV	7.2085G	52.32	68.20	-15.88	3	Horizontal	68	1.70	36
6995MHz	Pass	PK	6.996G	106.13	Inf	-Inf	3	Horizontal	68	1.70	36
6995MHz	Pass	PK	7.2405G	64.14	88.20	-24.06	3	Horizontal	68	1.70	36
6995MHz	Pass	AV	13.98187G	52.12	68.20	-16.08	3	Vertical	351	2.86	-
6995MHz	Pass	PK	13.9867G	64.90	88.20	-23.30	3	Vertical	351	2.86	-
6995MHz	Pass	AV	13.97689G	52.08	68.20	-16.12	3	Horizontal	330	2.93	-
6995MHz	Pass	PK	13.97617G	64.60	88.20	-23.60	3	Horizontal	330	2.93	-



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
7095MHz	Pass	AV	7.092G	94.00	Inf	-Inf	3	Vertical	5	1.24	57
7095MHz	Pass	AV	7.2402G	52.80	68.20	-15.40	3	Vertical	5	1.24	57
7095MHz	Pass	PK	7.0971G	104.42	Inf	-Inf	3	Vertical	5	1.24	57
7095MHz	Pass	PK	7.1571G	63.92	88.20	-24.28	3	Vertical	5	1.24	57
7095MHz	Pass	AV	7.092G	97.83	Inf	-Inf	3	Horizontal	28	2.86	57
7095MHz	Pass	AV	7.2384G	52.97	68.20	-15.23	3	Horizontal	28	2.86	57
7095MHz	Pass	PK	7.0881G	108.92	Inf	-Inf	3	Horizontal	28	2.86	57
7095MHz	Pass	PK	7.1367G	64.11	88.20	-24.09	3	Horizontal	28	2.86	57
7095MHz	Pass	AV	14.1765G	50.85	68.20	-17.35	3	Vertical	163	1.51	-
7095MHz	Pass	PK	14.17866G	63.97	88.20	-24.23	3	Vertical	163	1.51	-
7095MHz	Pass	AV	14.17515G	50.84	68.20	-17.36	3	Horizontal	287	1.60	-
7095MHz	Pass	PK	14.17575G	63.74	88.20	-24.46	3	Horizontal	287	1.60	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9235G	52.64	68.20	-15.56	3	Vertical	336	2.96	45
5955MHz	Pass	AV	5.9607G	96.57	Inf	-Inf	3	Vertical	336	2.96	45
5955MHz	Pass	PK	5.8689G	62.73	88.20	-25.47	3	Vertical	336	2.96	45
5955MHz	Pass	PK	5.9505G	106.70	Inf	-Inf	3	Vertical	336	2.96	45
5955MHz	Pass	AV	5.9244G	52.82	68.20	-15.38	3	Horizontal	309	1.63	45
5955MHz	Pass	AV	5.9616G	99.17	Inf	-Inf	3	Horizontal	309	1.63	45
5955MHz	Pass	PK	5.8959G	63.48	88.20	-24.72	3	Horizontal	309	1.63	45
5955MHz	Pass	PK	5.9589G	109.92	Inf	-Inf	3	Horizontal	309	1.63	45
5955MHz	Pass	AV	11.91921G	43.94	54.00	-10.06	3	Vertical	162	2.27	-
5955MHz	Pass	PK	11.89584G	55.86	74.00	-18.14	3	Vertical	162	2.27	-
5955MHz	Pass	AV	11.90583G	43.87	54.00	-10.13	3	Horizontal	300	1.91	-
5955MHz	Pass	PK	11.92206G	55.82	74.00	-18.18	3	Horizontal	300	1.91	-
6175MHz	Pass	AV	5.8954G	49.64	68.20	-18.56	3	Vertical	59	1.78	30
6175MHz	Pass	AV	6.1708G	90.30	Inf	-Inf	3	Vertical	59	1.78	30
6175MHz	Pass	PK	5.8936G	61.23	88.20	-26.97	3	Vertical	59	1.78	30
6175MHz	Pass	PK	6.1792G	102.30	Inf	-Inf	3	Vertical	59	1.78	30
6175MHz	Pass	AV	5.884G	49.38	68.20	-18.82	3	Horizontal	60	2.02	30
6175MHz	Pass	AV	6.172G	96.80	Inf	-Inf	3	Horizontal	60	2.02	30
6175MHz	Pass	PK	5.9248G	60.00	88.20	-28.20	3	Horizontal	60	2.02	30
6175MHz	Pass	PK	6.1744G	107.15	Inf	-Inf	3	Horizontal	60	2.02	30
6175MHz	Pass	AV	12.35018G	44.94	54.00	-9.06	3	Vertical	6	2.70	-
6175MHz	Pass	PK	12.35333G	57.16	74.00	-16.84	3	Vertical	6	2.70	-
6175MHz	Pass	AV	12.33947G	44.82	54.00	-9.18	3	Horizontal	211	2.09	-
6175MHz	Pass	PK	12.34964G	56.88	74.00	-17.12	3	Horizontal	211	2.09	-
6415MHz	Pass	AV	5.8774G	49.20	68.20	-19.00	3	Vertical	338	3.00	30
6415MHz	Pass	AV	6.4066G	92.02	Inf	-Inf	3	Vertical	338	3.00	30
6415MHz	Pass	PK	5.9146G	61.26	88.20	-26.94	3	Vertical	338	3.00	30
6415MHz	Pass	PK	6.4102G	104.45	Inf	-Inf	3	Vertical	338	3.00	30
6415MHz	Pass	AV	5.881G	49.39	68.20	-18.81	3	Horizontal	64	1.63	30
6415MHz	Pass	AV	6.4198G	96.28	Inf	-Inf	3	Horizontal	64	1.63	30
6415MHz	Pass	PK	5.863G	60.52	88.20	-27.68	3	Horizontal	64	1.63	30
6415MHz	Pass	PK	6.4198G	107.97	Inf	-Inf	3	Horizontal	64	1.63	30
6415MHz	Pass	AV	12.84452G	45.23	68.20	-22.97	3	Vertical	328	1.93	-
6415MHz	Pass	PK	12.84485G	58.00	88.20	-30.20	3	Vertical	328	1.93	-
6415MHz	Pass	AV	12.82226G	45.18	68.20	-23.02	3	Horizontal	166	1.73	-
6415MHz	Pass	PK	12.8168G	57.97	88.20	-30.23	3	Horizontal	166	1.73	-
6435MHz	Pass	AV	5.889G	49.43	68.20	-18.77	3	Vertical	339	2.97	30
6435MHz	Pass	AV	6.4302G	92.76	Inf	-Inf	3	Vertical	339	2.97	30
6435MHz	Pass	PK	5.9142G	61.14	88.20	-27.06	3	Vertical	339	2.97	30
6435MHz	Pass	PK	6.4302G	104.90	Inf	-Inf	3	Vertical	339	2.97	30
6435MHz	Pass	AV	5.8866G	49.62	68.20	-18.58	3	Horizontal	64	1.58	30
6435MHz	Pass	AV	6.4302G	96.95	Inf	-Inf	3	Horizontal	64	1.58	30
6435MHz	Pass	PK	5.8422G	60.23	88.20	-27.97	3	Horizontal	64	1.58	30
6435MHz	Pass	PK	6.4398G	108.04	Inf	-Inf	3	Horizontal	64	1.58	30
6435MHz	Pass	AV	12.86436G	45.13	68.20	-23.07	3	Vertical	186	1.90	-
6435MHz	Pass	PK	12.86088G	56.91	88.20	-31.29	3	Vertical	186	1.90	-
6435MHz	Pass	AV	12.86019G	44.97	68.20	-23.23	3	Horizontal	332	1.43	-
6435MHz	Pass	PK	12.85869G	57.26	88.20	-30.94	3	Horizontal	332	1.43	-
6475MHz	Pass	AV	5.8716G	49.36	68.20	-18.84	3	Vertical	337	2.92	30



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6475MHz	Pass	AV	6.4694G	91.82	Inf	-Inf	3	Vertical	337	2.92	30
6475MHz	Pass	AV	7.1736G	52.36	68.20	-15.84	3	Vertical	337	2.92	30
6475MHz	Pass	PK	5.887G	61.00	88.20	-27.20	3	Vertical	337	2.92	30
6475MHz	Pass	PK	6.4792G	103.41	Inf	-Inf	3	Vertical	337	2.92	30
6475MHz	Pass	PK	7.1386G	63.03	88.20	-25.17	3	Vertical	337	2.92	30
6475MHz	Pass	AV	5.8856G	49.25	68.20	-18.95	3	Horizontal	66	1.62	30
6475MHz	Pass	AV	6.4708G	97.11	Inf	-Inf	3	Horizontal	66	1.62	30
6475MHz	Pass	AV	7.1708G	52.37	68.20	-15.83	3	Horizontal	66	1.62	30
6475MHz	Pass	PK	5.7946G	61.10	88.20	-27.10	3	Horizontal	66	1.62	30
6475MHz	Pass	PK	6.4708G	108.47	Inf	-Inf	3	Horizontal	66	1.62	30
6475MHz	Pass	PK	7.1736G	62.72	88.20	-25.48	3	Horizontal	66	1.62	30
6475MHz	Pass	AV	12.95393G	44.95	68.20	-23.25	3	Vertical	50	1.98	-
6475MHz	Pass	PK	12.94934G	57.20	88.20	-31.00	3	Vertical	50	1.98	-
6475MHz	Pass	AV	12.94112G	44.94	68.20	-23.26	3	Horizontal	135	1.00	-
6475MHz	Pass	PK	12.96173G	57.24	88.20	-30.96	3	Horizontal	135	1.00	-
6515MHz	Pass	AV	5.8878G	49.41	68.20	-18.79	3	Vertical	343	2.73	30
6515MHz	Pass	AV	6.5108G	92.29	Inf	-Inf	3	Vertical	343	2.73	30
6515MHz	Pass	AV	7.2052G	52.91	68.20	-15.29	3	Vertical	343	2.73	30
6515MHz	Pass	PK	5.822G	61.08	88.20	-27.12	3	Vertical	343	2.73	30
6515MHz	Pass	PK	6.5108G	101.63	Inf	-Inf	3	Vertical	343	2.73	30
6515MHz	Pass	PK	7.208G	63.63	88.20	-24.57	3	Vertical	343	2.73	30
6515MHz	Pass	AV	5.8696G	49.23	68.20	-18.97	3	Horizontal	65	1.57	30
6515MHz	Pass	AV	6.5094G	97.43	Inf	-Inf	3	Horizontal	65	1.57	30
6515MHz	Pass	AV	7.2038G	53.45	68.20	-14.75	3	Horizontal	65	1.57	30
6515MHz	Pass	PK	5.8486G	60.99	88.20	-27.21	3	Horizontal	65	1.57	30
6515MHz	Pass	PK	6.5136G	108.08	Inf	-Inf	3	Horizontal	65	1.57	30
6515MHz	Pass	PK	7.201G	63.82	88.20	-24.38	3	Horizontal	65	1.57	30
6515MHz	Pass	AV	13.04392G	45.38	68.20	-22.82	3	Vertical	259	2.75	-
6515MHz	Pass	PK	13.02124G	57.48	88.20	-30.72	3	Vertical	259	2.75	-
6515MHz	Pass	AV	13.02433G	45.36	68.20	-22.84	3	Horizontal	69	2.92	-
6515MHz	Pass	PK	13.01524G	57.05	88.20	-31.15	3	Horizontal	69	2.92	-
6535MHz	Pass	AV	5.8868G	49.19	68.20	-19.01	3	Vertical	338	2.98	30
6535MHz	Pass	AV	6.5322G	91.86	Inf	-Inf	3	Vertical	338	2.98	30
6535MHz	Pass	AV	7.2154G	52.81	68.20	-15.39	3	Vertical	338	2.98	30
6535MHz	Pass	PK	5.8812G	60.96	88.20	-27.24	3	Vertical	338	2.98	30
6535MHz	Pass	PK	6.5308G	102.91	Inf	-Inf	3	Vertical	338	2.98	30
6535MHz	Pass	PK	7.207G	64.89	88.20	-23.31	3	Vertical	338	2.98	30
6535MHz	Pass	AV	5.8784G	49.31	68.20	-18.89	3	Horizontal	64	1.67	30
6535MHz	Pass	AV	6.5294G	96.91	Inf	-Inf	3	Horizontal	64	1.67	30
6535MHz	Pass	AV	7.2308G	53.01	68.20	-15.19	3	Horizontal	64	1.67	30
6535MHz	Pass	PK	5.9246G	60.20	88.20	-28.00	3	Horizontal	64	1.67	30
6535MHz	Pass	PK	6.5392G	108.40	Inf	-Inf	3	Horizontal	64	1.67	30
6535MHz	Pass	PK	7.1916G	64.71	88.20	-23.49	3	Horizontal	64	1.67	30
6535MHz	Pass	AV	13.05959G	45.19	68.20	-23.01	3	Vertical	30	1.40	-
6535MHz	Pass	PK	13.06385G	58.26	88.20	-29.94	3	Vertical	30	1.40	-
6535MHz	Pass	AV	13.06988G	45.49	68.20	-22.71	3	Horizontal	259	2.26	-
6535MHz	Pass	PK	13.06457G	58.41	88.20	-29.79	3	Horizontal	259	2.26	-
6695MHz	Pass	AV	6.69G	91.94	Inf	-Inf	3	Vertical	322	2.81	30
6695MHz	Pass	AV	7.185G	52.60	68.20	-15.60	3	Vertical	322	2.81	30
6695MHz	Pass	PK	6.69G	101.95	Inf	-Inf	3	Vertical	322	2.81	30
6695MHz	Pass	PK	7.189G	63.13	88.20	-25.07	3	Vertical	322	2.81	30
6695MHz	Pass	AV	6.69G	98.18	Inf	-Inf	3	Horizontal	68	1.64	30
6695MHz	Pass	AV	7.195G	52.68	68.20	-15.52	3	Horizontal	68	1.64	30
6695MHz	Pass	PK	6.699G	109.83	Inf	-Inf	3	Horizontal	68	1.64	30
6695MHz	Pass	PK	7.188G	64.06	88.20	-24.14	3	Horizontal	68	1.64	30
6695MHz	Pass	AV	13.37668G	46.15	54.00	-7.85	3	Vertical	232	1.52	-
6695MHz	Pass	PK	13.37719G	58.54	74.00	-15.46	3	Vertical	232	1.52	-
6695MHz	Pass	AV	13.39438G	46.27	54.00	-7.73	3	Horizontal	141	2.05	-
6695MHz	Pass	PK	13.39888G	58.53	74.00	-15.47	3	Horizontal	141	2.05	-
6855MHz	Pass	AV	6.8599G	89.69	Inf	-Inf	3	Vertical	304	2.99	37
6855MHz	Pass	AV	7.2022G	52.77	68.20	-15.43	3	Vertical	304	2.99	37
6855MHz	Pass	PK	6.8585G	99.02	Inf	-Inf	3	Vertical	304	2.99	37



RSE TX above 1GHz_Non-Beamforming_Internal

Appendix E.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6855MHz	Pass	PK	7.1455G	62.13	88.20	-26.07	3	Vertical	304	2.99	37
6855MHz	Pass	AV	6.8599G	98.13	Inf	-Inf	3	Horizontal	59	1.50	37
6855MHz	Pass	AV	7.1945G	52.94	68.20	-15.26	3	Horizontal	59	1.50	37
6855MHz	Pass	PK	6.8578G	107.83	Inf	-Inf	3	Horizontal	59	1.50	37
6855MHz	Pass	PK	7.1924G	62.06	88.20	-26.14	3	Horizontal	59	1.50	37
6855MHz	Pass	AV	13.71642G	51.08	68.20	-17.12	3	Vertical	39	2.49	-
6855MHz	Pass	PK	13.7214G	63.71	88.20	-24.49	3	Vertical	39	2.49	-
6855MHz	Pass	AV	13.71855G	51.12	68.20	-17.08	3	Horizontal	143	1.51	-
6855MHz	Pass	PK	13.70877G	62.89	88.20	-25.31	3	Horizontal	143	1.51	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8701G	93.01	Inf	-Inf	3	Vertical	328	2.97	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2033G	53.02	68.20	-15.18	3	Vertical	328	2.97	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8666G	103.49	Inf	-Inf	3	Vertical	328	2.97	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1648G	63.68	88.20	-24.52	3	Vertical	328	2.97	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	6.8701G	98.10	Inf	-Inf	3	Horizontal	65	1.54	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	7.2089G	52.97	68.20	-15.23	3	Horizontal	65	1.54	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	6.8799G	109.99	Inf	-Inf	3	Horizontal	65	1.54	30
6875MHz Straddle 6.525-6.875GHz	Pass	PK	7.1949G	64.57	88.20	-23.63	3	Horizontal	65	1.54	30
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.75009G	51.47	68.20	-16.73	3	Vertical	47	2.82	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.76035G	63.61	88.20	-24.59	3	Vertical	47	2.82	-
6875MHz Straddle 6.525-6.875GHz	Pass	AV	13.74919G	51.29	68.20	-16.91	3	Horizontal	56	2.02	-
6875MHz Straddle 6.525-6.875GHz	Pass	PK	13.75594G	63.40	88.20	-24.80	3	Horizontal	56	2.02	-
6895MHz	Pass	AV	6.902G	92.70	Inf	-Inf	3	Vertical	326	2.95	30
6895MHz	Pass	AV	7.2184G	53.14	68.20	-15.06	3	Vertical	326	2.95	30
6895MHz	Pass	PK	6.8992G	104.59	Inf	-Inf	3	Vertical	326	2.95	30
6895MHz	Pass	PK	7.1344G	64.66	88.20	-23.54	3	Vertical	326	2.95	30
6895MHz	Pass	AV	6.8901G	97.77	Inf	-Inf	3	Horizontal	69	1.71	30
6895MHz	Pass	AV	7.1974G	52.97	68.20	-15.23	3	Horizontal	69	1.71	30
6895MHz	Pass	PK	6.8985G	110.19	Inf	-Inf	3	Horizontal	69	1.71	30
6895MHz	Pass	PK	7.2212G	64.71	88.20	-23.49	3	Horizontal	69	1.71	30
6895MHz	Pass	AV	13.80437G	51.91	68.20	-16.29	3	Vertical	341	1.13	-
6895MHz	Pass	PK	13.78463G	64.07	88.20	-24.13	3	Vertical	341	1.13	-
6895MHz	Pass	AV	13.79498G	51.55	68.20	-16.65	3	Horizontal	155	2.94	-
6895MHz	Pass	PK	13.80221G	63.63	88.20	-24.57	3	Horizontal	155	2.94	-
6995MHz	Pass	AV	6.99G	92.16	Inf	-Inf	3	Vertical	332	2.96	30
6995MHz	Pass	AV	7.2435G	53.04	68.20	-15.16	3	Vertical	332	2.96	30
6995MHz	Pass	PK	6.9905G	103.91	Inf	-Inf	3	Vertical	332	2.96	30
6995MHz	Pass	PK	7.216G	64.98	88.20	-23.22	3	Vertical	332	2.96	30
6995MHz	Pass	AV	6.99G	97.90	Inf	-Inf	3	Horizontal	64	1.57	30
6995MHz	Pass	AV	7.234G	53.08	68.20	-15.12	3	Horizontal	64	1.57	30
6995MHz	Pass	PK	6.9985G	109.48	Inf	-Inf	3	Horizontal	64	1.57	30
6995MHz	Pass	PK	7.2125G	64.00	88.20	-24.20	3	Horizontal	64	1.57	30
6995MHz	Pass	AV	13.98829G	52.74	68.20	-15.46	3	Vertical	97	1.65	-
6995MHz	Pass	PK	13.97767G	64.82	88.20	-23.38	3	Vertical	97	1.65	-
6995MHz	Pass	AV	13.98541G	52.64	68.20	-15.56	3	Horizontal	86	1.37	-
6995MHz	Pass	PK	13.98364G	65.05	88.20	-23.15	3	Horizontal	86	1.37	-
7095MHz	Pass	AV	7.0899G	92.74	Inf	-Inf	3	Vertical	355	2.84	37
7095MHz	Pass	AV	7.2414G	54.86	68.20	-13.34	3	Vertical	355	2.84	37
7095MHz	Pass	PK	7.0932G	101.59	Inf	-Inf	3	Vertical	355	2.84	37
7095MHz	Pass	PK	7.2087G	65.21	88.20	-22.99	3	Vertical	355	2.84	37
7095MHz	Pass	AV	7.0923G	99.19	Inf	-Inf	3	Horizontal	65	1.60	37
7095MHz	Pass	AV	7.1463G	54.96	68.20	-13.24	3	Horizontal	65	1.60	37
7095MHz	Pass	PK	7.0902G	108.31	Inf	-Inf	3	Horizontal	65	1.60	37
7095MHz	Pass	PK	7.1835G	66.44	88.20	-21.76	3	Horizontal	65	1.60	37
7095MHz	Pass	AV	14.19978G	51.45	68.20	-16.75	3	Vertical	177	1.43	-
7095MHz	Pass	PK	14.19222G	63.80	88.20	-24.40	3	Vertical	177	1.43	-
7095MHz	Pass	AV	14.17647G	51.53	68.20	-16.67	3	Horizontal	19	1.88	-
7095MHz	Pass	PK	14.18142G	63.88	88.20	-24.32	3	Horizontal	19	1.88	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9215G	51.04	68.20	-17.16	3	Vertical	343	3.00	62
5965MHz	Pass	AV	5.977G	95.28	Inf	-Inf	3	Vertical	343	3.00	62
5965MHz	Pass	PK	5.899G	61.04	88.20	-27.16	3	Vertical	343	3.00	62
5965MHz	Pass	PK	5.9701G	105.91	Inf	-Inf	3	Vertical	343	3.00	62