


802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	100.58	Inf	-Inf	8.04	3	Vertical	0	1.50	-	92.54	32.08	10.17	34.21
PK	5.6486G	66.40	68.20	-1.80	7.50	3	Vertical	0	1.50	-	58.90	31.60	10.10	34.20
PK	5.7902G	113.30	Inf	-Inf	8.04	3	Vertical	0	1.50	-	105.26	32.08	10.17	34.21
PK	6.0434G	60.17	68.20	-8.03	8.65	3	Vertical	0	1.50	-	51.52	32.50	10.37	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	102.10	Inf	-Inf	8.04	3	Horizontal	51	2.98	-	94.06	32.08	10.17	34.21
PK	5.6474G	67.33	68.20	-0.87	7.51	3	Horizontal	51	2.98	-	59.82	31.61	10.10	34.20
PK	5.777G	115.63	Inf	-Inf	8.01	3	Horizontal	51	2.98	-	107.62	32.05	10.17	34.21
PK	6.0746G	59.42	68.20	-8.78	8.62	3	Horizontal	51	2.98	-	50.80	32.45	10.40	34.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57056G	43.36	54.00	-10.64	18.93	3	Vertical	353	1.49	-	24.43	39.89	13.14	34.10
PK	11.58992G	58.58	74.00	-15.42	18.87	3	Vertical	353	1.49	-	39.71	39.83	13.15	34.11
PK	17.38704G	64.83	68.20	-3.37	23.48	3	Vertical	43	1.79	-	41.35	40.47	16.24	33.23


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58224G	43.08	54.00	-10.92	18.90	3	Horizontal	12	1.50	-	24.18	39.85	13.15	34.10
PK	11.58984G	60.41	74.00	-13.59	18.87	3	Horizontal	12	1.50	-	41.54	39.83	13.15	34.11
PK	17.39268G	64.66	68.20	-3.54	23.54	3	Horizontal	352	1.50	-	41.12	40.53	16.24	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.16	54.00	-3.84	7.60	3	Vertical	4	1.76	-	42.56	31.90	9.83	34.13
AV	5.214G	91.92	Inf	-Inf	7.35	3	Vertical	4	1.76	-	84.57	31.62	9.87	34.14
AV	5.401G	45.75	54.00	-8.25	7.53	3	Vertical	4	1.76	-	38.22	31.70	10.00	34.17
PK	5.149G	63.11	74.00	-10.89	7.60	3	Vertical	4	1.76	-	55.51	31.90	9.83	34.13
PK	5.198G	103.74	Inf	-Inf	7.43	3	Vertical	4	1.76	-	96.31	31.71	9.86	34.14
PK	5.385G	58.34	74.00	-15.66	7.40	3	Vertical	4	1.76	-	50.94	31.58	9.99	34.17


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	53.83	54.00	-0.17	7.60	3	Horizontal	55	2.06	-	46.23	31.90	9.83	34.13
AV	5.184G	96.65	Inf	-Inf	7.48	3	Horizontal	55	2.06	-	89.17	31.76	9.85	34.13
AV	5.35G	47.80	54.00	-6.20	7.11	3	Horizontal	55	2.06	-	40.69	31.30	9.97	34.16
PK	5.148G	69.67	74.00	-4.33	7.60	3	Horizontal	55	2.06	-	62.07	31.90	9.83	34.13
PK	5.228G	108.74	Inf	-Inf	7.27	3	Horizontal	55	2.06	-	101.47	31.53	9.88	34.14
PK	5.357G	59.38	74.00	-14.62	7.17	3	Horizontal	55	2.06	-	52.21	31.36	9.97	34.16

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6116G	46.22	54.00	-7.78	18.87	3	Vertical	232	1.68	-	27.35	37.61	15.73	34.47
PK	10.40008G	53.90	68.20	-14.30	17.63	3	Vertical	184	2.07	-	36.27	39.50	12.69	34.56
PK	15.62456G	59.03	74.00	-14.97	18.88	3	Vertical	232	1.68	-	40.15	37.62	15.74	34.48


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61368G	46.16	54.00	-7.84	18.87	3	Horizontal	240	1.38	-	27.29	37.61	15.73	34.47
PK	10.43448G	55.39	68.20	-12.81	17.73	3	Horizontal	246	1.54	-	37.66	39.57	12.70	34.54
PK	15.62808G	59.00	74.00	-15.00	18.89	3	Horizontal	240	1.38	-	40.11	37.63	15.74	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	94.67	Inf	-Inf	8.02	3	Vertical	359	1.50	-	86.65	32.06	10.17	34.21
PK	5.6454G	61.87	68.20	-6.33	7.50	3	Vertical	359	1.50	-	54.37	31.61	10.09	34.20
PK	5.7774G	106.18	Inf	-Inf	8.01	3	Vertical	359	1.50	-	98.17	32.05	10.17	34.21
PK	6.045G	58.34	68.20	-9.86	8.65	3	Vertical	359	1.50	-	49.69	32.50	10.37	34.22


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	98.96	Inf	-Inf	7.94	3	Horizontal	53	3.00	-	91.02	31.99	10.15	34.20
PK	5.6226G	67.11	68.20	-1.09	7.53	3	Horizontal	53	3.00	-	59.58	31.65	10.08	34.20
PK	5.7426G	113.13	Inf	-Inf	7.94	3	Horizontal	53	3.00	-	105.19	31.99	10.15	34.20
PK	5.931G	59.79	68.20	-8.41	8.56	3	Horizontal	53	3.00	-	51.23	32.50	10.28	34.22

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53936G	42.52	54.00	-11.48	19.03	3	Vertical	313	2.15	-	23.49	39.98	13.13	34.08
PK	11.53784G	55.19	74.00	-18.81	19.04	3	Vertical	313	2.15	-	36.15	39.99	13.13	34.08
PK	17.33212G	62.78	68.20	-5.42	22.91	3	Vertical	126	1.58	-	39.87	39.92	16.23	33.24

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53152G	42.53	54.00	-11.47	19.06	3	Horizontal	199	1.20	-	23.47	40.01	13.13	34.08
PK	11.56512G	54.91	74.00	-19.09	18.94	3	Horizontal	199	1.20	-	35.97	39.90	13.14	34.10
PK	17.33156G	63.66	68.20	-4.54	22.91	3	Horizontal	246	1.88	-	40.75	39.92	16.23	33.24



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	105.66M	35.16	43.50	-8.34	3	Vertical	0	3.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	105.66M	35.16	43.50	-8.34	3	Vertical	0	3.00	-
5775MHz	Pass	PK	138.64M	28.96	43.50	-14.54	3	Vertical	0	3.00	-
5775MHz	Pass	PK	183.26M	27.40	43.50	-16.10	3	Vertical	0	3.00	-
5775MHz	Pass	PK	289.96M	31.67	46.00	-14.33	3	Vertical	0	3.00	-
5775MHz	Pass	PK	386.96M	30.82	46.00	-15.18	3	Vertical	0	3.00	-
5775MHz	Pass	QP	52.8M	30.61	40.00	-9.39	3	Vertical	72	1.04	-
5775MHz	Pass	PK	61.06M	30.63	40.00	-9.37	3	Horizontal	360	3.00	-
5775MHz	Pass	PK	105.66M	31.70	43.50	-11.80	3	Horizontal	360	3.00	-
5775MHz	Pass	PK	169.68M	30.47	43.50	-13.03	3	Horizontal	360	3.00	-
5775MHz	Pass	PK	307.42M	34.81	46.00	-11.19	3	Horizontal	360	3.00	-
5775MHz	Pass	PK	357.86M	33.60	46.00	-12.40	3	Horizontal	360	3.00	-
5775MHz	Pass	QP	49.6M	27.37	40.00	-12.63	3	Horizontal	64	2.84	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	105.66M	35.16	43.50	-8.34	-9.59	3	Vertical	0	3.00	-	44.75	16.77	1.45	27.81
PK	138.64M	28.96	43.50	-14.54	-9.62	3	Vertical	0	3.00	-	38.58	16.44	1.66	27.72
PK	183.26M	27.40	43.50	-16.10	-11.17	3	Vertical	0	3.00	-	38.57	14.38	1.94	27.49
PK	289.96M	31.67	46.00	-14.33	-6.60	3	Vertical	0	3.00	-	38.27	18.12	2.46	27.18
PK	386.96M	30.82	46.00	-15.18	-4.57	3	Vertical	0	3.00	-	35.39	20.34	2.84	27.75
QP	52.8M	30.61	40.00	-9.39	-14.09	3	Vertical	72	1.04	-	44.70	12.35	1.06	27.50

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	61.06M	30.63	40.00	-9.37	-15.04	3	Horizontal	360	3.00	-	45.67	11.52	1.13	27.69
PK	105.66M	31.70	43.50	-11.80	-9.59	3	Horizontal	360	3.00	-	41.29	16.77	1.45	27.81
PK	169.68M	30.47	43.50	-13.03	-10.79	3	Horizontal	360	3.00	-	41.26	14.93	1.85	27.57
PK	307.42M	34.81	46.00	-11.19	-6.10	3	Horizontal	360	3.00	-	40.91	18.60	2.54	27.24
PK	357.86M	33.60	46.00	-12.40	-4.94	3	Horizontal	360	3.00	-	38.54	19.87	2.74	27.55
QP	49.6M	27.37	40.00	-12.63	-12.97	3	Horizontal	64	2.84	-	40.34	13.39	1.04	27.40



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	52	1.38	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.87	54.00	-0.13	3	Vertical	157	1.99	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.149G	53.59	54.00	-0.41	3	Vertical	45	1.67	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6406G	66.97	68.20	-1.23	3	Vertical	8	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6506G	68.03	68.64	-0.61	3	Vertical	146	1.87	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	67.97	68.35	-0.38	3	Vertical	355	1.48	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.81	54.00	-0.19	3	Vertical	159	2.00	-
5180MHz	Pass	AV	5.1776G	105.83	Inf	-Inf	3	Vertical	159	2.00	-
5180MHz	Pass	PK	5.1482G	71.27	74.00	-2.73	3	Vertical	159	2.00	-
5180MHz	Pass	PK	5.1806G	117.54	Inf	-Inf	3	Vertical	159	2.00	-
5180MHz	Pass	AV	5.15G	47.50	54.00	-6.50	3	Horizontal	124	1.50	-
5180MHz	Pass	AV	5.186G	88.83	Inf	-Inf	3	Horizontal	124	1.50	-
5180MHz	Pass	PK	5.12G	59.68	74.00	-14.32	3	Horizontal	124	1.50	-
5180MHz	Pass	PK	5.1842G	100.10	Inf	-Inf	3	Horizontal	124	1.50	-
5180MHz	Pass	AV	15.5396G	48.85	54.00	-5.15	3	Vertical	69	1.50	-
5180MHz	Pass	PK	10.35996G	54.86	68.20	-13.34	3	Vertical	329	1.45	-
5180MHz	Pass	PK	15.54664G	62.10	74.00	-11.90	3	Vertical	69	1.50	-
5180MHz	Pass	AV	15.53132G	48.83	54.00	-5.17	3	Horizontal	3	1.50	-
5180MHz	Pass	PK	10.35692G	54.97	68.20	-13.23	3	Horizontal	145	1.50	-
5180MHz	Pass	PK	15.53124G	61.98	74.00	-12.02	3	Horizontal	3	1.50	-
5200MHz	Pass	AV	5.15G	53.88	54.00	-0.12	3	Vertical	52	1.38	-
5200MHz	Pass	AV	5.2012G	110.98	Inf	-Inf	3	Vertical	52	1.38	-
5200MHz	Pass	PK	5.149G	68.84	74.00	-5.16	3	Vertical	52	1.38	-
5200MHz	Pass	PK	5.2012G	122.02	Inf	-Inf	3	Vertical	52	1.38	-
5200MHz	Pass	AV	5.1496G	48.08	54.00	-5.92	3	Horizontal	188	2.80	-
5200MHz	Pass	AV	5.1988G	93.88	Inf	-Inf	3	Horizontal	188	2.80	-
5200MHz	Pass	PK	5.1154G	59.94	74.00	-14.06	3	Horizontal	188	2.80	-
5200MHz	Pass	PK	5.1964G	105.25	Inf	-Inf	3	Horizontal	188	2.80	-
5200MHz	Pass	AV	15.59764G	49.99	54.00	-4.01	3	Vertical	8	2.53	-
5200MHz	Pass	PK	10.40084G	59.66	68.20	-8.54	3	Vertical	168	1.01	-
5200MHz	Pass	PK	15.60604G	63.51	74.00	-10.49	3	Vertical	8	2.53	-
5200MHz	Pass	AV	15.5958G	48.19	54.00	-5.81	3	Horizontal	140	2.38	-
5200MHz	Pass	PK	10.40068G	55.92	68.20	-12.28	3	Horizontal	49	1.00	-
5200MHz	Pass	PK	15.59192G	61.19	74.00	-12.81	3	Horizontal	140	2.38	-
5240MHz	Pass	AV	5.1482G	52.46	54.00	-1.54	3	Vertical	106	1.88	-
5240MHz	Pass	AV	5.2478G	111.08	Inf	-Inf	3	Vertical	106	1.88	-
5240MHz	Pass	AV	5.35G	50.82	54.00	-3.18	3	Vertical	106	1.88	-
5240MHz	Pass	PK	5.147G	66.14	74.00	-7.86	3	Vertical	106	1.88	-
5240MHz	Pass	PK	5.2454G	123.53	Inf	-Inf	3	Vertical	106	1.88	-
5240MHz	Pass	PK	5.3582G	62.54	74.00	-11.46	3	Vertical	106	1.88	-
5240MHz	Pass	AV	5.1494G	47.67	54.00	-6.33	3	Horizontal	198	1.42	-
5240MHz	Pass	AV	5.2484G	96.75	Inf	-Inf	3	Horizontal	198	1.42	-
5240MHz	Pass	AV	5.3642G	47.14	54.00	-6.86	3	Horizontal	198	1.42	-
5240MHz	Pass	PK	5.1206G	60.25	74.00	-13.75	3	Horizontal	198	1.42	-
5240MHz	Pass	PK	5.2478G	107.25	Inf	-Inf	3	Horizontal	198	1.42	-
5240MHz	Pass	PK	5.3822G	59.25	74.00	-14.75	3	Horizontal	198	1.42	-
5240MHz	Pass	AV	15.71432G	47.11	54.00	-6.89	3	Vertical	212	2.80	-
5240MHz	Pass	PK	10.48596G	60.93	68.20	-7.27	3	Vertical	168	1.28	-
5240MHz	Pass	PK	15.71108G	60.52	74.00	-13.48	3	Vertical	212	2.80	-
5240MHz	Pass	AV	15.72048G	46.84	54.00	-7.16	3	Horizontal	12	1.50	-
5240MHz	Pass	PK	10.47908G	56.27	68.20	-11.93	3	Horizontal	148	1.92	-
5240MHz	Pass	PK	15.71632G	60.00	74.00	-14.00	3	Horizontal	12	1.50	-
5745MHz	Pass	AV	5.7366G	107.38	Inf	-Inf	3	Vertical	8	1.50	-
5745MHz	Pass	PK	5.6406G	66.97	68.20	-1.23	3	Vertical	8	1.50	-
5745MHz	Pass	PK	5.7354G	115.60	Inf	-Inf	3	Vertical	8	1.50	-
5745MHz	Pass	PK	5.9994G	59.85	68.20	-8.35	3	Vertical	8	1.50	-
5745MHz	Pass	AV	5.7534G	90.23	Inf	-Inf	3	Horizontal	206	2.18	-
5745MHz	Pass	PK	5.5662G	59.38	68.20	-8.82	3	Horizontal	206	2.18	-
5745MHz	Pass	PK	5.7474G	100.18	Inf	-Inf	3	Horizontal	206	2.18	-
5745MHz	Pass	PK	5.9598G	60.08	68.20	-8.12	3	Horizontal	206	2.18	-
5745MHz	Pass	AV	11.48212G	42.95	54.00	-11.05	3	Vertical	152	1.50	-
5745MHz	Pass	PK	11.4818G	55.42	74.00	-18.58	3	Vertical	152	1.50	-
5745MHz	Pass	PK	17.24164G	63.12	68.20	-5.08	3	Vertical	220	2.70	-
5745MHz	Pass	AV	11.49444G	41.85	54.00	-12.15	3	Horizontal	150	1.37	-
5745MHz	Pass	PK	11.49996G	54.60	74.00	-19.40	3	Horizontal	150	1.37	-
5745MHz	Pass	PK	17.23704G	62.97	68.20	-5.23	3	Horizontal	251	2.15	-



RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7778G	107.82	Inf	-Inf	3	Vertical	160	1.50	-
5785MHz	Pass	PK	5.647G	62.82	68.20	-5.38	3	Vertical	160	1.50	-
5785MHz	Pass	PK	5.779G	119.15	Inf	-Inf	3	Vertical	160	1.50	-
5785MHz	Pass	PK	6.0658G	60.26	68.20	-7.94	3	Vertical	160	1.50	-
5785MHz	Pass	AV	5.7934G	91.62	Inf	-Inf	3	Horizontal	146	1.43	-
5785MHz	Pass	PK	5.5762G	59.18	68.20	-9.02	3	Horizontal	146	1.43	-
5785MHz	Pass	PK	5.7802G	100.91	Inf	-Inf	3	Horizontal	146	1.43	-
5785MHz	Pass	PK	6.0322G	60.74	68.20	-7.46	3	Horizontal	146	1.43	-
5785MHz	Pass	AV	11.57768G	44.93	54.00	-9.07	3	Vertical	345	1.41	-
5785MHz	Pass	PK	11.579G	57.22	74.00	-16.78	3	Vertical	345	1.41	-
5785MHz	Pass	PK	17.35144G	63.16	68.20	-5.04	3	Vertical	55	2.74	-
5785MHz	Pass	AV	11.57056G	41.78	54.00	-12.22	3	Horizontal	71	1.86	-
5785MHz	Pass	PK	11.57996G	54.87	74.00	-19.13	3	Horizontal	71	1.86	-
5785MHz	Pass	PK	17.35184G	62.59	68.20	-5.61	3	Horizontal	232	1.50	-
5825MHz	Pass	AV	5.8226G	107.54	Inf	-Inf	3	Vertical	305	1.87	-
5825MHz	Pass	PK	5.639G	63.04	68.20	-5.16	3	Vertical	305	1.87	-
5825MHz	Pass	PK	5.8214G	119.32	Inf	-Inf	3	Vertical	305	1.87	-
5825MHz	Pass	PK	6.029G	60.85	68.20	-7.35	3	Vertical	305	1.87	-
5825MHz	Pass	AV	5.819G	88.28	Inf	-Inf	3	Horizontal	203	1.88	-
5825MHz	Pass	PK	5.6294G	59.06	68.20	-9.14	3	Horizontal	203	1.88	-
5825MHz	Pass	PK	5.8166G	97.95	Inf	-Inf	3	Horizontal	203	1.88	-
5825MHz	Pass	PK	6.0998G	60.99	68.20	-7.21	3	Horizontal	203	1.88	-
5825MHz	Pass	AV	11.64268G	42.55	54.00	-11.45	3	Vertical	146	1.82	-
5825MHz	Pass	PK	11.64752G	55.32	74.00	-18.68	3	Vertical	146	1.82	-
5825MHz	Pass	PK	17.47772G	62.90	68.20	-5.30	3	Vertical	213	2.95	-
5825MHz	Pass	AV	11.64408G	41.39	54.00	-12.61	3	Horizontal	113	1.73	-
5825MHz	Pass	PK	11.6544G	54.28	74.00	-19.72	3	Horizontal	113	1.73	-
5825MHz	Pass	PK	17.48172G	62.32	68.20	-5.88	3	Horizontal	268	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.87	54.00	-0.13	3	Vertical	157	1.99	-
5190MHz	Pass	AV	5.18G	102.05	Inf	-Inf	3	Vertical	157	1.99	-
5190MHz	Pass	PK	5.1388G	71.93	74.00	-2.07	3	Vertical	157	1.99	-
5190MHz	Pass	PK	5.1824G	116.67	Inf	-Inf	3	Vertical	157	1.99	-
5190MHz	Pass	AV	5.148G	47.46	54.00	-6.54	3	Horizontal	190	3.00	-
5190MHz	Pass	AV	5.1848G	85.37	Inf	-Inf	3	Horizontal	190	3.00	-
5190MHz	Pass	PK	5.148G	60.10	74.00	-13.90	3	Horizontal	190	3.00	-
5190MHz	Pass	PK	5.2008G	97.70	Inf	-Inf	3	Horizontal	190	3.00	-
5190MHz	Pass	AV	15.54108G	48.28	54.00	-5.72	3	Vertical	29	1.99	-
5190MHz	Pass	PK	10.38864G	53.39	68.20	-14.81	3	Vertical	230	2.72	-
5190MHz	Pass	PK	15.54456G	61.72	74.00	-12.28	3	Vertical	29	1.99	-
5190MHz	Pass	AV	15.54084G	48.24	54.00	-5.76	3	Horizontal	46	1.32	-
5190MHz	Pass	PK	10.36332G	53.10	68.20	-15.10	3	Horizontal	143	2.09	-
5190MHz	Pass	PK	15.546G	61.17	74.00	-12.83	3	Horizontal	46	1.32	-
5230MHz	Pass	AV	5.1484G	53.53	54.00	-0.47	3	Vertical	106	1.59	-
5230MHz	Pass	AV	5.2476G	107.86	Inf	-Inf	3	Vertical	106	1.59	-
5230MHz	Pass	PK	5.1488G	71.03	74.00	-2.97	3	Vertical	106	1.59	-
5230MHz	Pass	PK	5.2472G	119.83	Inf	-Inf	3	Vertical	106	1.59	-
5230MHz	Pass	AV	5.1492G	47.70	54.00	-6.30	3	Horizontal	198	1.50	-
5230MHz	Pass	AV	5.228G	89.45	Inf	-Inf	3	Horizontal	198	1.50	-
5230MHz	Pass	PK	5.1408G	59.33	74.00	-14.67	3	Horizontal	198	1.50	-
5230MHz	Pass	PK	5.2352G	101.77	Inf	-Inf	3	Horizontal	198	1.50	-
5230MHz	Pass	AV	15.671G	46.73	54.00	-7.27	3	Vertical	244	1.27	-
5230MHz	Pass	PK	10.4356G	54.40	68.20	-13.80	3	Vertical	324	1.50	-
5230MHz	Pass	PK	15.6996G	59.92	74.00	-14.08	3	Vertical	244	1.27	-
5230MHz	Pass	AV	15.641G	46.88	54.00	-7.12	3	Horizontal	258	1.48	-
5230MHz	Pass	PK	10.507G	53.47	68.20	-14.73	3	Horizontal	95	1.61	-
5230MHz	Pass	PK	15.6546G	59.91	74.00	-14.09	3	Horizontal	258	1.48	-
5755MHz	Pass	AV	5.7706G	103.12	Inf	-Inf	3	Vertical	146	1.87	-
5755MHz	Pass	PK	5.6506G	68.03	68.64	-0.61	3	Vertical	146	1.87	-
5755MHz	Pass	PK	5.7694G	116.34	Inf	-Inf	3	Vertical	146	1.87	-
5755MHz	Pass	PK	5.9878G	60.60	68.20	-7.60	3	Vertical	146	1.87	-
5755MHz	Pass	AV	5.7622G	87.36	Inf	-Inf	3	Horizontal	169	1.50	-




RSE TX above 1GHz_Beamforming_Dipole

Appendix E.12

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.5966G	60.09	68.20	-8.11	3	Horizontal	169	1.50	-
5755MHz	Pass	PK	5.7598G	98.53	Inf	-Inf	3	Horizontal	169	1.50	-
5755MHz	Pass	PK	6.019G	60.75	68.20	-7.45	3	Horizontal	169	1.50	-
5755MHz	Pass	AV	11.5322G	43.05	54.00	-10.95	3	Vertical	146	1.64	-
5755MHz	Pass	PK	11.5166G	55.88	74.00	-18.12	3	Vertical	146	1.64	-
5755MHz	Pass	PK	17.305G	62.32	68.20	-5.88	3	Vertical	329	1.50	-
5755MHz	Pass	AV	11.4708G	40.56	54.00	-13.44	3	Horizontal	15	2.91	-
5755MHz	Pass	PK	11.4956G	53.64	74.00	-20.36	3	Horizontal	15	2.91	-
5755MHz	Pass	PK	17.291G	61.84	68.20	-6.36	3	Horizontal	345	1.50	-
5795MHz	Pass	AV	5.7818G	104.36	Inf	-Inf	3	Vertical	143.7	1.50	-
5795MHz	Pass	PK	5.6474G	67.32	68.20	-0.88	3	Vertical	143.7	1.50	-
5795MHz	Pass	PK	5.7794G	116.38	Inf	-Inf	3	Vertical	143.7	1.50	-
5795MHz	Pass	PK	6.0494G	60.69	68.20	-7.51	3	Vertical	143.7	1.50	-
5795MHz	Pass	AV	5.7806G	86.23	Inf	-Inf	3	Horizontal	236	1.67	-
5795MHz	Pass	PK	5.6486G	58.54	68.20	-9.66	3	Horizontal	236	1.67	-
5795MHz	Pass	PK	5.7806G	97.41	Inf	-Inf	3	Horizontal	236	1.67	-
5795MHz	Pass	PK	6.0506G	59.82	68.20	-8.38	3	Horizontal	236	1.67	-
5795MHz	Pass	AV	11.5818G	41.97	54.00	-12.03	3	Vertical	141	1.50	-
5795MHz	Pass	PK	11.5858G	55.04	74.00	-18.96	3	Vertical	141	1.50	-
5795MHz	Pass	PK	17.3704G	62.03	68.20	-6.17	3	Vertical	68	1.72	-
5795MHz	Pass	AV	11.5416G	40.97	54.00	-13.03	3	Horizontal	216	1.26	-
5795MHz	Pass	PK	11.581G	53.91	74.00	-20.09	3	Horizontal	216	1.26	-
5795MHz	Pass	PK	17.3822G	61.69	68.20	-6.51	3	Horizontal	8	1.29	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.59	54.00	-0.41	3	Vertical	45	1.67	-
5210MHz	Pass	AV	5.2G	97.58	Inf	-Inf	3	Vertical	45	1.67	-
5210MHz	Pass	AV	5.362G	47.92	54.00	-6.08	3	Vertical	45	1.67	-
5210MHz	Pass	PK	5.15G	71.43	74.00	-2.57	3	Vertical	45	1.67	-
5210MHz	Pass	PK	5.205G	109.32	Inf	-Inf	3	Vertical	45	1.67	-
5210MHz	Pass	PK	5.367G	59.94	74.00	-14.06	3	Vertical	45	1.67	-
5210MHz	Pass	AV	5.148G	47.11	54.00	-6.89	3	Horizontal	251	1.50	-
5210MHz	Pass	AV	5.212G	79.42	Inf	-Inf	3	Horizontal	251	1.50	-
5210MHz	Pass	AV	5.35G	46.54	54.00	-7.46	3	Horizontal	251	1.50	-
5210MHz	Pass	PK	5.012G	59.77	74.00	-14.23	3	Horizontal	251	1.50	-
5210MHz	Pass	PK	5.219G	90.86	Inf	-Inf	3	Horizontal	251	1.50	-
5210MHz	Pass	PK	5.371G	58.32	74.00	-15.68	3	Horizontal	251	1.50	-
5210MHz	Pass	AV	15.6028G	47.57	54.00	-6.43	3	Vertical	42	1.50	-
5210MHz	Pass	PK	10.43264G	54.00	68.20	-14.20	3	Vertical	324	3.00	-
5210MHz	Pass	PK	15.5964G	61.08	74.00	-12.92	3	Vertical	42	1.50	-
5210MHz	Pass	AV	15.59288G	47.62	54.00	-6.38	3	Horizontal	72	1.50	-
5210MHz	Pass	PK	10.42496G	53.41	68.20	-14.79	3	Horizontal	188	3.00	-
5210MHz	Pass	PK	15.59336G	61.00	74.00	-13.00	3	Horizontal	72	1.50	-
5775MHz	Pass	AV	5.769G	98.61	Inf	-Inf	3	Vertical	355	1.48	-
5775MHz	Pass	PK	5.6502G	67.97	68.35	-0.38	3	Vertical	355	1.48	-
5775MHz	Pass	PK	5.7546G	110.29	Inf	-Inf	3	Vertical	355	1.48	-
5775MHz	Pass	PK	5.9286G	60.99	68.20	-7.21	3	Vertical	355	1.48	-
5775MHz	Pass	AV	5.7882G	80.40	Inf	-Inf	3	Horizontal	238	1.50	-
5775MHz	Pass	PK	5.6346G	59.18	68.20	-9.02	3	Horizontal	238	1.50	-
5775MHz	Pass	PK	5.7726G	93.70	Inf	-Inf	3	Horizontal	238	1.50	-
5775MHz	Pass	PK	5.9814G	60.27	68.20	-7.93	3	Horizontal	238	1.50	-
5775MHz	Pass	AV	11.52728G	41.48	54.00	-12.52	3	Vertical	99	1.50	-
5775MHz	Pass	PK	11.53128G	54.73	74.00	-19.27	3	Vertical	99	1.50	-
5775MHz	Pass	PK	17.30276G	62.35	68.20	-5.85	3	Vertical	351	3.00	-
5775MHz	Pass	AV	11.5108G	41.49	54.00	-12.51	3	Horizontal	48	2.96	-
5775MHz	Pass	PK	11.52296G	54.18	74.00	-19.82	3	Horizontal	48	2.96	-
5775MHz	Pass	PK	17.32948G	62.33	68.20	-5.87	3	Horizontal	215	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.81	54.00	-0.19	8.90	3	Vertical	159	2.00	-	44.91	33.20	9.83	34.13
AV	5.1776G	105.83	Inf	-Inf	8.86	3	Vertical	159	2.00	-	96.97	33.14	9.85	34.13
PK	5.1482G	71.27	74.00	-2.73	8.90	3	Vertical	159	2.00	-	62.37	33.20	9.83	34.13
PK	5.1806G	117.54	Inf	-Inf	8.86	3	Vertical	159	2.00	-	108.68	33.14	9.85	34.13


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.50	54.00	-6.50	8.90	3	Horizontal	124	1.50	-	38.60	33.20	9.83	34.13
AV	5.186G	88.83	Inf	-Inf	8.85	3	Horizontal	124	1.50	-	79.98	33.13	9.85	34.13
PK	5.12G	59.68	74.00	-14.32	8.90	3	Horizontal	124	1.50	-	50.78	33.20	9.82	34.12
PK	5.1842G	100.10	Inf	-Inf	8.85	3	Horizontal	124	1.50	-	91.25	33.13	9.85	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5396G	48.85	54.00	-5.15	19.95	3	Vertical	69	1.50	-	28.90	38.70	15.68	34.43
PK	10.35996G	54.86	68.20	-13.34	16.74	3	Vertical	329	1.45	-	38.12	38.66	12.67	34.59
PK	15.54664G	62.10	74.00	-11.90	19.94	3	Vertical	69	1.50	-	42.16	38.70	15.68	34.44


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53132G	48.83	54.00	-5.17	19.94	3	Horizontal	3	1.50	-	28.89	38.70	15.67	34.43
PK	10.35692G	54.97	68.20	-13.23	16.74	3	Horizontal	145	1.50	-	38.23	38.66	12.67	34.59
PK	15.53124G	61.98	74.00	-12.02	19.94	3	Horizontal	3	1.50	-	42.04	38.70	15.67	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.88	54.00	-0.12	8.90	3	Vertical	52	1.38	-	44.98	33.20	9.83	34.13
AV	5.2012G	110.98	Inf	-Inf	8.82	3	Vertical	52	1.38	-	102.16	33.10	9.86	34.14
PK	5.149G	68.84	74.00	-5.16	8.90	3	Vertical	52	1.38	-	59.94	33.20	9.83	34.13
PK	5.2012G	122.02	Inf	-Inf	8.82	3	Vertical	52	1.38	-	113.20	33.10	9.86	34.14


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.08	54.00	-5.92	8.90	3	Horizontal	188	2.80	-	39.18	33.20	9.83	34.13
AV	5.1988G	93.88	Inf	-Inf	8.82	3	Horizontal	188	2.80	-	85.06	33.10	9.86	34.14
PK	5.1154G	59.94	74.00	-14.06	8.89	3	Horizontal	188	2.80	-	51.05	33.20	9.81	34.12
PK	5.1964G	105.25	Inf	-Inf	8.83	3	Horizontal	188	2.80	-	96.42	33.11	9.86	34.14

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59764G	49.99	54.00	-4.01	19.96	3	Vertical	8	2.53	-	30.03	38.70	15.72	34.46
PK	10.40084G	59.66	68.20	-8.54	16.83	3	Vertical	168	1.01	-	42.83	38.70	12.69	34.56
PK	15.60604G	63.51	74.00	-10.49	19.93	3	Vertical	8	2.53	-	43.58	38.67	15.73	34.47


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5958G	48.19	54.00	-5.81	19.96	3	Horizontal	140	2.38	-	28.23	38.70	15.72	34.46
PK	10.40068G	55.92	68.20	-12.28	16.83	3	Horizontal	49	1.00	-	39.09	38.70	12.69	34.56
PK	15.59192G	61.19	74.00	-12.81	19.96	3	Horizontal	140	2.38	-	41.23	38.70	15.72	34.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	52.46	54.00	-1.54	8.90	3	Vertical	106	1.88	-	43.56	33.20	9.83	34.13
AV	5.2478G	111.08	Inf	-Inf	8.66	3	Vertical	106	1.88	-	102.42	32.91	9.89	34.14
AV	5.35G	50.82	54.00	-3.18	8.51	3	Vertical	106	1.88	-	42.31	32.70	9.97	34.16
PK	5.147G	66.14	74.00	-7.86	8.90	3	Vertical	106	1.88	-	57.24	33.20	9.83	34.13
PK	5.2454G	123.53	Inf	-Inf	8.67	3	Vertical	106	1.88	-	114.86	32.92	9.89	34.14
PK	5.3582G	62.54	74.00	-11.46	8.53	3	Vertical	106	1.88	-	54.01	32.72	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.67	54.00	-6.33	8.90	3	Horizontal	198	1.42	-	38.77	33.20	9.83	34.13
AV	5.2484G	96.75	Inf	-Inf	8.66	3	Horizontal	198	1.42	-	88.09	32.91	9.89	34.14
AV	5.3642G	47.14	54.00	-6.86	8.53	3	Horizontal	198	1.42	-	38.61	32.73	9.97	34.17
PK	5.1206G	60.25	74.00	-13.75	8.90	3	Horizontal	198	1.42	-	51.35	33.20	9.82	34.12
PK	5.2478G	107.25	Inf	-Inf	8.66	3	Horizontal	198	1.42	-	98.59	32.91	9.89	34.14
PK	5.3822G	59.25	74.00	-14.75	8.58	3	Horizontal	198	1.42	-	50.67	32.76	9.99	34.17

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71432G	47.11	54.00	-6.89	19.47	3	Vertical	212	2.80	-	27.64	38.19	15.81	34.53
PK	10.48596G	60.93	68.20	-7.27	16.83	3	Vertical	168	1.28	-	44.10	38.61	12.72	34.50
PK	15.71108G	60.52	74.00	-13.48	19.47	3	Vertical	212	2.80	-	41.05	38.19	15.81	34.53


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72048G	46.84	54.00	-7.16	19.46	3	Horizontal	12	1.50	-	27.38	38.18	15.81	34.53
PK	10.47908G	56.27	68.20	-11.93	16.83	3	Horizontal	148	1.92	-	39.44	38.62	12.72	34.51
PK	15.71632G	60.00	74.00	-14.00	19.46	3	Horizontal	12	1.50	-	40.54	38.18	15.81	34.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7366G	107.38	Inf	-Inf	9.57	3	Vertical	8	1.50	-	97.81	33.62	10.15	34.20
PK	5.6406G	66.97	68.20	-1.23	9.15	3	Vertical	8	1.50	-	57.82	33.26	10.09	34.20
PK	5.7354G	115.60	Inf	-Inf	9.55	3	Vertical	8	1.50	-	106.05	33.61	10.14	34.20
PK	5.9994G	59.85	68.20	-8.35	10.11	3	Vertical	8	1.50	-	49.74	34.00	10.33	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	90.23	Inf	-Inf	9.65	3	Horizontal	206	2.18	-	80.58	33.71	10.15	34.21
PK	5.5662G	59.38	68.20	-8.82	8.77	3	Horizontal	206	2.18	-	50.61	32.90	10.06	34.19
PK	5.7474G	100.18	Inf	-Inf	9.63	3	Horizontal	206	2.18	-	90.55	33.68	10.15	34.20
PK	5.9598G	60.08	68.20	-8.12	10.32	3	Horizontal	206	2.18	-	49.76	34.24	10.30	34.22

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48212G	42.95	54.00	-11.05	17.99	3	Vertical	152	1.50	-	24.96	38.94	13.11	34.06
PK	11.4818G	55.42	74.00	-18.58	17.99	3	Vertical	152	1.50	-	37.43	38.94	13.11	34.06
PK	17.24164G	63.12	68.20	-5.08	21.47	3	Vertical	220	2.70	-	41.65	38.52	16.22	33.27


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49444G	41.85	54.00	-12.15	17.96	3	Horizontal	150	1.37	-	23.89	38.91	13.11	34.06
PK	11.49996G	54.60	74.00	-19.40	17.95	3	Horizontal	150	1.37	-	36.65	38.90	13.11	34.06
PK	17.23704G	62.97	68.20	-5.23	21.46	3	Horizontal	251	2.15	-	41.51	38.51	16.22	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	107.82	Inf	-Inf	9.72	3	Vertical	160	1.50	-	98.10	33.76	10.17	34.21
PK	5.647G	62.82	68.20	-5.38	9.19	3	Vertical	160	1.50	-	53.63	33.29	10.10	34.20
PK	5.779G	119.15	Inf	-Inf	9.72	3	Vertical	160	1.50	-	109.43	33.76	10.17	34.21
PK	6.0658G	60.26	68.20	-7.94	10.34	3	Vertical	160	1.50	-	49.92	34.17	10.40	34.23


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	91.62	Inf	-Inf	9.76	3	Horizontal	146	1.43	-	81.86	33.79	10.18	34.21
PK	5.5762G	59.18	68.20	-9.02	8.83	3	Horizontal	146	1.43	-	50.35	32.96	10.06	34.19
PK	5.7802G	100.91	Inf	-Inf	9.72	3	Horizontal	146	1.43	-	91.19	33.76	10.17	34.21
PK	6.0322G	60.74	68.20	-7.46	10.27	3	Horizontal	146	1.43	-	50.47	34.13	10.36	34.22

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57768G	44.93	54.00	-9.07	17.79	3	Vertical	345	1.41	-	27.14	38.74	13.15	34.10
PK	11.579G	57.22	74.00	-16.78	17.79	3	Vertical	345	1.41	-	39.43	38.74	13.15	34.10
PK	17.35144G	63.16	68.20	-5.04	21.85	3	Vertical	55	2.74	-	41.31	38.85	16.24	33.24


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57056G	41.78	54.00	-12.22	17.80	3	Horizontal	71	1.86	-	23.98	38.76	13.14	34.10
PK	11.57996G	54.87	74.00	-19.13	17.79	3	Horizontal	71	1.86	-	37.08	38.74	13.15	34.10
PK	17.35184G	62.59	68.20	-5.61	21.86	3	Horizontal	232	1.50	-	40.73	38.86	16.24	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	107.54	Inf	-Inf	9.93	3	Vertical	305	1.87	-	97.61	33.94	10.20	34.21
PK	5.639G	63.04	68.20	-5.16	9.15	3	Vertical	305	1.87	-	53.89	33.26	10.09	34.20
PK	5.8214G	119.32	Inf	-Inf	9.92	3	Vertical	305	1.87	-	109.40	33.93	10.20	34.21
PK	6.029G	60.85	68.20	-7.35	10.26	3	Vertical	305	1.87	-	50.59	34.12	10.36	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	88.28	Inf	-Inf	9.89	3	Horizontal	203	1.88	-	78.39	33.91	10.19	34.21
PK	5.6294G	59.06	68.20	-9.14	9.11	3	Horizontal	203	1.88	-	49.95	33.22	10.09	34.20
PK	5.8166G	97.95	Inf	-Inf	9.88	3	Horizontal	203	1.88	-	88.07	33.90	10.19	34.21
PK	6.0998G	60.99	68.20	-7.21	10.30	3	Horizontal	203	1.88	-	50.69	34.10	10.43	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64268G	42.55	54.00	-11.45	17.69	3	Vertical	146	1.82	-	24.86	38.66	13.17	34.14
PK	11.64752G	55.32	74.00	-18.68	17.68	3	Vertical	146	1.82	-	37.64	38.65	13.17	34.14
PK	17.47772G	62.90	68.20	-5.30	22.21	3	Vertical	213	2.95	-	40.69	39.16	16.26	33.21


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64408G	41.39	54.00	-12.61	17.69	3	Horizontal	113	1.73	-	23.70	38.66	13.17	34.14
PK	11.6544G	54.28	74.00	-19.72	17.69	3	Horizontal	113	1.73	-	36.59	38.65	13.18	34.14
PK	17.48172G	62.32	68.20	-5.88	22.22	3	Horizontal	268	1.50	-	40.10	39.16	16.26	33.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	8.90	3	Vertical	157	1.99	-	44.97	33.20	9.83	34.13
AV	5.18G	102.05	Inf	-Inf	8.86	3	Vertical	157	1.99	-	93.19	33.14	9.85	34.13
PK	5.1388G	71.93	74.00	-2.07	8.91	3	Vertical	157	1.99	-	63.02	33.20	9.83	34.12
PK	5.1824G	116.67	Inf	-Inf	8.86	3	Vertical	157	1.99	-	107.81	33.14	9.85	34.13


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.46	54.00	-6.54	8.90	3	Horizontal	190	3.00	-	38.56	33.20	9.83	34.13
AV	5.1848G	85.37	Inf	-Inf	8.85	3	Horizontal	190	3.00	-	76.52	33.13	9.85	34.13
PK	5.148G	60.10	74.00	-13.90	8.90	3	Horizontal	190	3.00	-	51.20	33.20	9.83	34.13
PK	5.2008G	97.70	Inf	-Inf	8.82	3	Horizontal	190	3.00	-	88.88	33.10	9.86	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54108G	48.28	54.00	-5.72	19.95	3	Vertical	29	1.99	-	28.33	38.70	15.68	34.43
PK	10.38864G	53.39	68.20	-14.81	16.80	3	Vertical	230	2.72	-	36.59	38.69	12.68	34.57
PK	15.54456G	61.72	74.00	-12.28	19.95	3	Vertical	29	1.99	-	41.77	38.70	15.68	34.43


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54084G	48.24	54.00	-5.76	19.95	3	Horizontal	46	1.32	-	28.29	38.70	15.68	34.43
PK	10.36332G	53.10	68.20	-15.10	16.74	3	Horizontal	143	2.09	-	36.36	38.66	12.67	34.59
PK	15.546G	61.17	74.00	-12.83	19.94	3	Horizontal	46	1.32	-	41.23	38.70	15.68	34.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.53	54.00	-0.47	8.90	3	Vertical	106	1.59	-	44.63	33.20	9.83	34.13
AV	5.2476G	107.86	Inf	-Inf	8.66	3	Vertical	106	1.59	-	99.20	32.91	9.89	34.14
PK	5.1488G	71.03	74.00	-2.97	8.90	3	Vertical	106	1.59	-	62.13	33.20	9.83	34.13
PK	5.2472G	119.83	Inf	-Inf	8.66	3	Vertical	106	1.59	-	111.17	32.91	9.89	34.14


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.70	54.00	-6.30	8.90	3	Horizontal	198	1.50	-	38.80	33.20	9.83	34.13
AV	5.228G	89.45	Inf	-Inf	8.73	3	Horizontal	198	1.50	-	80.72	32.99	9.88	34.14
PK	5.1408G	59.33	74.00	-14.67	8.90	3	Horizontal	198	1.50	-	50.43	33.20	9.83	34.13
PK	5.2352G	101.77	Inf	-Inf	8.70	3	Horizontal	198	1.50	-	93.07	32.96	9.88	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.671G	46.73	54.00	-7.27	19.61	3	Vertical	244	1.27	-	27.12	38.34	15.78	34.51
PK	10.4356G	54.40	68.20	-13.80	16.82	3	Vertical	324	1.50	-	37.58	38.66	12.70	34.54
PK	15.6996G	59.92	74.00	-14.08	19.48	3	Vertical	244	1.27	-	40.44	38.20	15.80	34.52


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.641G	46.88	54.00	-7.12	19.76	3	Horizontal	258	1.48	-	27.12	38.50	15.75	34.49
PK	10.507G	53.47	68.20	-14.73	16.87	3	Horizontal	95	1.61	-	36.60	38.62	12.73	34.48
PK	15.6546G	59.91	74.00	-14.09	19.69	3	Horizontal	258	1.48	-	40.22	38.43	15.76	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	103.12	Inf	-Inf	9.69	3	Vertical	146	1.87	-	93.43	33.74	10.16	34.21
PK	5.6506G	68.03	68.64	-0.61	9.20	3	Vertical	146	1.87	-	58.83	33.30	10.10	34.20
PK	5.7694G	116.34	Inf	-Inf	9.69	3	Vertical	146	1.87	-	106.65	33.74	10.16	34.21
PK	5.9878G	60.60	68.20	-7.60	10.17	3	Vertical	146	1.87	-	50.43	34.07	10.32	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7622G	87.36	Inf	-Inf	9.67	3	Horizontal	169	1.50	-	77.69	33.72	10.16	34.21
PK	5.5966G	60.09	68.20	-8.11	8.95	3	Horizontal	169	1.50	-	51.14	33.08	10.07	34.20
PK	5.7598G	98.53	Inf	-Inf	9.67	3	Horizontal	169	1.50	-	88.86	33.72	10.16	34.21
PK	6.019G	60.75	68.20	-7.45	10.21	3	Horizontal	169	1.50	-	50.54	34.08	10.35	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5322G	43.05	54.00	-10.95	17.89	3	Vertical	146	1.64	-	25.16	38.84	13.13	34.08
PK	11.5166G	55.88	74.00	-18.12	17.92	3	Vertical	146	1.64	-	37.96	38.87	13.12	34.07
PK	17.305G	62.32	68.20	-5.88	21.70	3	Vertical	329	1.50	-	40.62	38.72	16.23	33.25


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4708G	40.56	54.00	-13.44	18.00	3	Horizontal	15	2.91	-	22.56	38.96	13.10	34.06
PK	11.4956G	53.64	74.00	-20.36	17.96	3	Horizontal	15	2.91	-	35.68	38.91	13.11	34.06
PK	17.291G	61.84	68.20	-6.36	21.65	3	Horizontal	345	1.50	-	40.19	38.67	16.23	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	104.36	Inf	-Inf	9.72	3	Vertical	143.7	1.50	-	94.64	33.76	10.17	34.21
PK	5.6474G	67.32	68.20	-0.88	9.19	3	Vertical	143.7	1.50	-	58.13	33.29	10.10	34.20
PK	5.7794G	116.38	Inf	-Inf	9.72	3	Vertical	143.7	1.50	-	106.66	33.76	10.17	34.21
PK	6.0494G	60.69	68.20	-7.51	10.36	3	Vertical	143.7	1.50	-	50.33	34.20	10.38	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	86.23	Inf	-Inf	9.72	3	Horizontal	236	1.67	-	76.51	33.76	10.17	34.21
PK	5.6486G	58.54	68.20	-9.66	9.19	3	Horizontal	236	1.67	-	49.35	33.29	10.10	34.20
PK	5.7806G	97.41	Inf	-Inf	9.72	3	Horizontal	236	1.67	-	87.69	33.76	10.17	34.21
PK	6.0506G	59.82	68.20	-8.38	10.36	3	Horizontal	236	1.67	-	49.46	34.20	10.38	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5818G	41.97	54.00	-12.03	17.79	3	Vertical	141	1.50	-	24.18	38.74	13.15	34.10
PK	11.5858G	55.04	74.00	-18.96	17.77	3	Vertical	141	1.50	-	37.27	38.73	13.15	34.11
PK	17.3704G	62.03	68.20	-6.17	21.92	3	Vertical	68	1.72	-	40.11	38.91	16.24	33.23


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5416G	40.97	54.00	-13.03	17.87	3	Horizontal	216	1.26	-	23.10	38.82	13.13	34.08
PK	11.581G	53.91	74.00	-20.09	17.79	3	Horizontal	216	1.26	-	36.12	38.74	13.15	34.10
PK	17.3822G	61.69	68.20	-6.51	21.96	3	Horizontal	8	1.29	-	39.73	38.95	16.24	33.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.59	54.00	-0.41	8.90	3	Vertical	45	1.67	-	44.69	33.20	9.83	34.13
AV	5.2G	97.58	Inf	-Inf	8.82	3	Vertical	45	1.67	-	88.76	33.10	9.86	34.14
AV	5.362G	47.92	54.00	-6.08	8.52	3	Vertical	45	1.67	-	39.40	32.72	9.97	34.17
PK	5.15G	71.43	74.00	-2.57	8.90	3	Vertical	45	1.67	-	62.53	33.20	9.83	34.13
PK	5.205G	109.32	Inf	-Inf	8.80	3	Vertical	45	1.67	-	100.52	33.08	9.86	34.14
PK	5.367G	59.94	74.00	-14.06	8.54	3	Vertical	45	1.67	-	51.40	32.73	9.98	34.17


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.11	54.00	-6.89	8.90	3	Horizontal	251	1.50	-	38.21	33.20	9.83	34.13
AV	5.212G	79.42	Inf	-Inf	8.78	3	Horizontal	251	1.50	-	70.64	33.05	9.87	34.14
AV	5.35G	46.54	54.00	-7.46	8.51	3	Horizontal	251	1.50	-	38.03	32.70	9.97	34.16
PK	5.012G	59.77	74.00	-14.23	8.71	3	Horizontal	251	1.50	-	51.06	33.05	9.76	34.10
PK	5.219G	90.86	Inf	-Inf	8.75	3	Horizontal	251	1.50	-	82.11	33.02	9.87	34.14
PK	5.371G	58.32	74.00	-15.68	8.55	3	Horizontal	251	1.50	-	49.77	32.74	9.98	34.17

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6028G	47.57	54.00	-6.43	19.95	3	Vertical	42	1.50	-	27.62	38.69	15.73	34.47
PK	10.43264G	54.00	68.20	-14.20	16.83	3	Vertical	324	3.00	-	37.17	38.67	12.70	34.54
PK	15.5964G	61.08	74.00	-12.92	19.96	3	Vertical	42	1.50	-	41.12	38.70	15.72	34.46


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59288G	47.62	54.00	-6.38	19.96	3	Horizontal	72	1.50	-	27.66	38.70	15.72	34.46
PK	10.42496G	53.41	68.20	-14.79	16.84	3	Horizontal	188	3.00	-	36.57	38.68	12.70	34.54
PK	15.59336G	61.00	74.00	-13.00	19.96	3	Horizontal	72	1.50	-	41.04	38.70	15.72	34.46

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.769G	98.61	Inf	-Inf	9.69	3	Vertical	355	1.48	-	88.92	33.74	10.16	34.21
PK	5.6502G	67.97	68.35	-0.38	9.20	3	Vertical	355	1.48	-	58.77	33.30	10.10	34.20
PK	5.7546G	110.29	Inf	-Inf	9.66	3	Vertical	355	1.48	-	100.63	33.71	10.16	34.21
PK	5.9286G	60.99	68.20	-7.21	10.27	3	Vertical	355	1.48	-	50.72	34.21	10.28	34.22


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	80.40	Inf	-Inf	9.74	3	Horizontal	238	1.50	-	70.66	33.78	10.17	34.21
PK	5.6346G	59.18	68.20	-9.02	9.13	3	Horizontal	238	1.50	-	50.05	33.24	10.09	34.20
PK	5.7726G	93.70	Inf	-Inf	9.70	3	Horizontal	238	1.50	-	84.00	33.75	10.16	34.21
PK	5.9814G	60.27	68.20	-7.93	10.21	3	Horizontal	238	1.50	-	50.06	34.11	10.32	34.22

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52728G	41.48	54.00	-12.52	17.91	3	Vertical	99	1.50	-	23.57	38.85	13.13	34.07
PK	11.53128G	54.73	74.00	-19.27	17.89	3	Vertical	99	1.50	-	36.84	38.84	13.13	34.08
PK	17.30276G	62.35	68.20	-5.85	21.69	3	Vertical	351	3.00	-	40.66	38.71	16.23	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5108G	41.49	54.00	-12.51	17.93	3	Horizontal	48	2.96	-	23.56	38.88	13.12	34.07
PK	11.52296G	54.18	74.00	-19.82	17.90	3	Horizontal	48	2.96	-	36.28	38.85	13.12	34.07
PK	17.32948G	62.33	68.20	-5.87	21.78	3	Horizontal	215	1.50	-	40.55	38.79	16.23	33.24



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	30M	35.71	40.00	-4.29	3	Vertical	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	35.71	40.00	-4.29	3	Vertical	360	1.00	-
5775MHz	Pass	PK	113.42M	35.10	43.50	-8.40	3	Vertical	360	1.00	-
5775MHz	Pass	PK	167.74M	30.33	43.50	-13.17	3	Vertical	360	1.00	-
5775MHz	Pass	PK	249.22M	33.52	46.00	-12.48	3	Vertical	360	1.00	-
5775MHz	Pass	PK	350.1M	38.29	46.00	-7.71	3	Vertical	360	1.00	-
5775MHz	Pass	QP	53.76M	31.26	40.00	-8.74	3	Vertical	268	1.09	-
5775MHz	Pass	PK	30M	34.10	40.00	-5.90	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	105.66M	33.22	43.50	-10.28	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	173.56M	31.49	43.50	-12.01	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	249.22M	36.96	46.00	-9.04	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	350.1M	41.42	46.00	-4.58	3	Horizontal	0	1.00	-
5775MHz	Pass	QP	49.60M	26.92	40.00	-13.08	3	Horizontal	28	3.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.71	40.00	-4.29	-2.68	3	Vertical	360	1.00	-	38.39	23.26	1.02	26.96
PK	113.42M	35.10	43.50	-8.40	-9.02	3	Vertical	360	1.00	-	44.12	17.27	1.50	27.79
PK	167.74M	30.33	43.50	-13.17	-10.78	3	Vertical	360	1.00	-	41.11	14.97	1.83	27.58
PK	249.22M	33.52	46.00	-12.48	-7.43	3	Vertical	360	1.00	-	40.95	17.47	2.26	27.16
PK	350.1M	38.29	46.00	-7.71	-5.20	3	Vertical	360	1.00	-	43.49	19.59	2.71	27.50
QP	53.76M	31.26	40.00	-8.74	-14.32	3	Vertical	268	1.09	-	45.58	12.15	1.07	27.54

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	34.10	40.00	-5.90	-2.68	3	Horizontal	0	1.00	-	36.78	23.26	1.02	26.96
PK	105.66M	33.22	43.50	-10.28	-9.59	3	Horizontal	0	1.00	-	42.81	16.77	1.45	27.81
PK	173.56M	31.49	43.50	-12.01	-10.93	3	Horizontal	0	1.00	-	42.42	14.74	1.87	27.54
PK	249.22M	36.96	46.00	-9.04	-7.43	3	Horizontal	0	1.00	-	44.39	17.47	2.26	27.16
PK	350.1M	41.42	46.00	-4.58	-5.20	3	Horizontal	0	1.00	-	46.62	19.59	2.71	27.50
QP	49.60M	26.92	40.00	-13.08	-12.89	3	Horizontal	28	3.00	-	39.81	13.46	1.04	27.39



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	137	2.58	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1484G	53.85	54.00	-0.15	3	Horizontal	318	2.88	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	320	2.94	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6422G	67.46	68.20	-0.74	3	Horizontal	324	1.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6482G	67.92	68.20	-0.28	3	Horizontal	321	1.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6322G	67.69	68.20	-0.51	3	Horizontal	138	2.90	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1458G	47.68	54.00	-6.32	3	Vertical	171	2.05	-
5180MHz	Pass	AV	5.1812G	89.62	Inf	-Inf	3	Vertical	171	2.05	-
5180MHz	Pass	PK	5.0882G	59.77	74.00	-14.23	3	Vertical	171	2.05	-
5180MHz	Pass	PK	5.1806G	101.08	Inf	-Inf	3	Vertical	171	2.05	-
5180MHz	Pass	AV	5.1488G	53.32	54.00	-0.68	3	Horizontal	320	2.94	-
5180MHz	Pass	AV	5.1734G	107.44	Inf	-Inf	3	Horizontal	320	2.94	-
5180MHz	Pass	PK	5.1446G	70.25	74.00	-3.75	3	Horizontal	320	2.94	-
5180MHz	Pass	PK	5.1848G	118.23	Inf	-Inf	3	Horizontal	320	2.94	-
5180MHz	Pass	AV	15.5256G	49.28	54.00	-4.72	3	Vertical	203	1.50	-
5180MHz	Pass	PK	10.36112G	54.65	68.20	-13.55	3	Vertical	163	1.50	-
5180MHz	Pass	PK	15.53352G	62.15	74.00	-11.85	3	Vertical	203	1.50	-
5180MHz	Pass	AV	15.52104G	49.19	54.00	-4.81	3	Horizontal	349	1.69	-
5180MHz	Pass	PK	10.36888G	54.27	68.20	-13.93	3	Horizontal	324	2.22	-
5180MHz	Pass	PK	15.53176G	61.22	74.00	-12.78	3	Horizontal	349	1.69	-
5200MHz	Pass	AV	5.1496G	48.01	54.00	-5.99	3	Vertical	170	2.35	-
5200MHz	Pass	AV	5.2054G	95.77	Inf	-Inf	3	Vertical	170	2.35	-
5200MHz	Pass	PK	5.1466G	60.71	74.00	-13.29	3	Vertical	170	2.35	-
5200MHz	Pass	PK	5.2054G	108.00	Inf	-Inf	3	Vertical	170	2.35	-
5200MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	137	2.58	-
5200MHz	Pass	AV	5.209G	111.79	Inf	-Inf	3	Horizontal	137	2.58	-
5200MHz	Pass	PK	5.15G	70.16	74.00	-3.84	3	Horizontal	137	2.58	-
5200MHz	Pass	PK	5.206G	122.60	Inf	-Inf	3	Horizontal	137	2.58	-
5200MHz	Pass	AV	15.58128G	48.15	54.00	-5.85	3	Vertical	32	1.12	-
5200MHz	Pass	PK	10.39872G	56.47	68.20	-11.73	3	Vertical	160	2.55	-
5200MHz	Pass	PK	15.61408G	61.18	74.00	-12.82	3	Vertical	32	1.12	-
5200MHz	Pass	AV	15.58304G	48.40	54.00	-5.60	3	Horizontal	308	2.51	-
5200MHz	Pass	PK	10.4024G	56.60	68.20	-11.60	3	Horizontal	323	2.62	-
5200MHz	Pass	PK	15.58856G	60.96	74.00	-13.04	3	Horizontal	308	2.51	-
5240MHz	Pass	AV	5.1482G	47.29	54.00	-6.71	3	Vertical	324	2.92	-
5240MHz	Pass	AV	5.2484G	93.58	Inf	-Inf	3	Vertical	324	2.92	-
5240MHz	Pass	AV	5.3612G	47.18	54.00	-6.82	3	Vertical	324	2.92	-
5240MHz	Pass	PK	5.1038G	58.99	74.00	-15.01	3	Vertical	324	2.92	-
5240MHz	Pass	PK	5.2478G	105.34	Inf	-Inf	3	Vertical	324	2.92	-
5240MHz	Pass	PK	5.3582G	58.84	74.00	-15.16	3	Vertical	324	2.92	-
5240MHz	Pass	AV	5.1482G	53.26	54.00	-0.74	3	Horizontal	318	2.88	-
5240MHz	Pass	AV	5.249G	111.31	Inf	-Inf	3	Horizontal	318	2.88	-
5240MHz	Pass	AV	5.35G	51.69	54.00	-2.31	3	Horizontal	318	2.88	-
5240MHz	Pass	PK	5.1476G	66.18	74.00	-7.82	3	Horizontal	318	2.88	-
5240MHz	Pass	PK	5.2328G	121.37	Inf	-Inf	3	Horizontal	318	2.88	-
5240MHz	Pass	PK	5.3558G	64.93	74.00	-9.07	3	Horizontal	318	2.88	-
5240MHz	Pass	AV	15.70616G	48.16	54.00	-5.84	3	Vertical	25	1.95	-
5240MHz	Pass	PK	10.47832G	59.67	68.20	-8.53	3	Vertical	162	1.26	-
5240MHz	Pass	PK	15.70792G	60.84	74.00	-13.16	3	Vertical	25	1.95	-
5240MHz	Pass	AV	15.72264G	48.50	54.00	-5.50	3	Horizontal	274	3.00	-
5240MHz	Pass	PK	10.48792G	66.14	68.20	-2.06	3	Horizontal	324	2.53	-
5240MHz	Pass	PK	15.72232G	61.21	74.00	-12.79	3	Horizontal	274	3.00	-
5745MHz	Pass	AV	5.7486G	92.79	Inf	-Inf	3	Vertical	190	2.69	-
5745MHz	Pass	PK	5.6466G	59.60	68.20	-8.60	3	Vertical	190	2.69	-
5745MHz	Pass	PK	5.7534G	104.16	Inf	-Inf	3	Vertical	190	2.69	-
5745MHz	Pass	PK	5.9646G	60.49	68.20	-7.71	3	Vertical	190	2.69	-
5745MHz	Pass	AV	5.7534G	110.98	Inf	-Inf	3	Horizontal	138	2.78	-
5745MHz	Pass	PK	5.6418G	66.83	68.20	-1.37	3	Horizontal	138	2.78	-
5745MHz	Pass	PK	5.7522G	122.14	Inf	-Inf	3	Horizontal	138	2.78	-
5745MHz	Pass	PK	6.0438G	60.62	68.20	-7.58	3	Horizontal	138	2.78	-
5745MHz	Pass	AV	11.49304G	43.05	54.00	-10.95	3	Vertical	325	2.65	-
5745MHz	Pass	PK	11.4884G	55.85	74.00	-18.15	3	Vertical	325	2.65	-
5745MHz	Pass	PK	17.227G	61.71	68.20	-6.49	3	Vertical	360	1.26	-
5745MHz	Pass	AV	11.49184G	46.77	54.00	-7.23	3	Horizontal	323	1.01	-
5745MHz	Pass	PK	11.49144G	58.49	74.00	-15.51	3	Horizontal	323	1.01	-
5745MHz	Pass	PK	17.2286G	62.06	68.20	-6.14	3	Horizontal	262	1.50	-



RSE TX above 1GHz_Beamforming_Omni

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7814G	95.76	Inf	-Inf	3	Vertical	241	2.41	-
5785MHz	Pass	PK	5.5894G	59.25	68.20	-8.95	3	Vertical	241	2.41	-
5785MHz	Pass	PK	5.7814G	106.38	Inf	-Inf	3	Vertical	241	2.41	-
5785MHz	Pass	PK	6.0442G	60.45	68.20	-7.75	3	Vertical	241	2.41	-
5785MHz	Pass	AV	5.7754G	110.78	Inf	-Inf	3	Horizontal	324	1.00	-
5785MHz	Pass	PK	5.6422G	67.46	68.20	-0.74	3	Horizontal	324	1.00	-
5785MHz	Pass	PK	5.7766G	120.77	Inf	-Inf	3	Horizontal	324	1.00	-
5785MHz	Pass	PK	6.0514G	60.92	68.20	-7.28	3	Horizontal	324	1.00	-
5785MHz	Pass	AV	11.57032G	41.90	54.00	-12.10	3	Vertical	168	2.66	-
5785MHz	Pass	PK	11.56552G	54.57	74.00	-19.43	3	Vertical	168	2.66	-
5785MHz	Pass	PK	17.35044G	62.49	68.20	-5.71	3	Vertical	-0	2.62	-
5785MHz	Pass	AV	11.56576G	47.59	54.00	-6.41	3	Horizontal	325	2.45	-
5785MHz	Pass	PK	11.56072G	59.25	74.00	-14.75	3	Horizontal	325	2.45	-
5785MHz	Pass	PK	17.33668G	61.98	68.20	-6.22	3	Horizontal	336	1.50	-
5825MHz	Pass	AV	5.8154G	89.61	Inf	-Inf	3	Vertical	250	2.97	-
5825MHz	Pass	PK	5.6054G	59.97	68.20	-8.23	3	Vertical	250	2.97	-
5825MHz	Pass	PK	5.8154G	99.92	Inf	-Inf	3	Vertical	250	2.97	-
5825MHz	Pass	PK	5.9594G	60.25	68.20	-7.95	3	Vertical	250	2.97	-
5825MHz	Pass	AV	5.8166G	107.75	Inf	-Inf	3	Horizontal	324	1.25	-
5825MHz	Pass	PK	5.5742G	62.03	68.20	-6.17	3	Horizontal	324	1.25	-
5825MHz	Pass	PK	5.8178G	119.31	Inf	-Inf	3	Horizontal	324	1.25	-
5825MHz	Pass	PK	6.089G	60.97	68.20	-7.23	3	Horizontal	324	1.25	-
5825MHz	Pass	AV	11.63712G	42.15	54.00	-11.85	3	Vertical	168	2.56	-
5825MHz	Pass	PK	11.63608G	54.40	74.00	-19.60	3	Vertical	168	2.56	-
5825MHz	Pass	PK	17.4734G	62.60	68.20	-5.60	3	Vertical	220	2.48	-
5825MHz	Pass	AV	11.64256G	42.74	54.00	-11.26	3	Horizontal	322	2.57	-
5825MHz	Pass	PK	11.64296G	56.97	74.00	-17.03	3	Horizontal	322	2.57	-
5825MHz	Pass	PK	17.47668G	62.58	68.20	-5.62	3	Horizontal	360	1.64	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.146G	47.20	54.00	-6.80	3	Vertical	167	3.00	-
5190MHz	Pass	AV	5.182G	83.98	Inf	-Inf	3	Vertical	167	3.00	-
5190MHz	Pass	PK	5.1376G	60.10	74.00	-13.90	3	Vertical	167	3.00	-
5190MHz	Pass	PK	5.1812G	95.89	Inf	-Inf	3	Vertical	167	3.00	-
5190MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	322	1.06	-
5190MHz	Pass	AV	5.1724G	101.36	Inf	-Inf	3	Horizontal	322	1.06	-
5190MHz	Pass	PK	5.1496G	73.72	74.00	-0.28	3	Horizontal	322	1.06	-
5190MHz	Pass	PK	5.1748G	113.38	Inf	-Inf	3	Horizontal	322	1.06	-
5190MHz	Pass	AV	15.5412G	48.46	54.00	-5.54	3	Vertical	85	1.49	-
5190MHz	Pass	PK	10.40688G	54.74	68.20	-13.46	3	Vertical	163	1.48	-
5190MHz	Pass	PK	15.5598G	60.94	74.00	-13.06	3	Vertical	85	1.49	-
5190MHz	Pass	AV	15.54036G	48.35	54.00	-5.65	3	Horizontal	63	1.35	-
5190MHz	Pass	PK	10.37724G	54.15	68.20	-14.05	3	Horizontal	252	1.50	-
5190MHz	Pass	PK	15.54732G	61.29	74.00	-12.71	3	Horizontal	63	1.35	-
5230MHz	Pass	AV	5.1488G	47.58	54.00	-6.42	3	Vertical	54	2.50	-
5230MHz	Pass	AV	5.234G	92.12	Inf	-Inf	3	Vertical	54	2.50	-
5230MHz	Pass	PK	5.1332G	60.51	74.00	-13.49	3	Vertical	54	2.50	-
5230MHz	Pass	PK	5.2352G	104.80	Inf	-Inf	3	Vertical	54	2.50	-
5230MHz	Pass	AV	5.1484G	53.85	54.00	-0.15	3	Horizontal	318	2.88	-
5230MHz	Pass	AV	5.222G	106.72	Inf	-Inf	3	Horizontal	318	2.88	-
5230MHz	Pass	PK	5.1492G	71.72	74.00	-2.28	3	Horizontal	318	2.88	-
5230MHz	Pass	PK	5.22G	119.22	Inf	-Inf	3	Horizontal	318	2.88	-
5230MHz	Pass	AV	15.67848G	47.04	54.00	-6.96	3	Vertical	251	1.50	-
5230MHz	Pass	PK	10.45976G	60.20	68.20	-8.00	3	Vertical	164	1.16	-
5230MHz	Pass	PK	15.71112G	60.31	74.00	-13.69	3	Vertical	251	1.50	-
5230MHz	Pass	AV	15.6774G	47.10	54.00	-6.90	3	Horizontal	74	3.00	-
5230MHz	Pass	PK	10.45988G	60.52	68.20	-7.68	3	Horizontal	324	2.16	-
5230MHz	Pass	PK	15.69036G	60.31	74.00	-13.69	3	Horizontal	74	3.00	-
5755MHz	Pass	AV	5.7658G	86.97	Inf	-Inf	3	Vertical	147	1.50	-
5755MHz	Pass	PK	5.6446G	59.26	68.20	-8.94	3	Vertical	147	1.50	-
5755MHz	Pass	PK	5.7526G	98.11	Inf	-Inf	3	Vertical	147	1.50	-
5755MHz	Pass	PK	5.9494G	60.68	68.20	-7.52	3	Vertical	147	1.50	-
5755MHz	Pass	AV	5.7694G	107.00	Inf	-Inf	3	Horizontal	321	1.00	-




RSE TX above 1GHz_Beamforming_Omni

Appendix E.14

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.6482G	67.92	68.20	-0.28	3	Horizontal	321	1.00	-
5755MHz	Pass	PK	5.7682G	119.72	Inf	-Inf	3	Horizontal	321	1.00	-
5755MHz	Pass	PK	5.9794G	61.13	68.20	-7.07	3	Horizontal	321	1.00	-
5755MHz	Pass	AV	11.50832G	41.93	54.00	-12.07	3	Vertical	360	1.62	-
5755MHz	Pass	PK	11.48588G	54.82	74.00	-19.18	3	Vertical	360	1.62	-
5755MHz	Pass	PK	17.27876G	62.04	68.20	-6.16	3	Vertical	310	2.76	-
5755MHz	Pass	AV	11.51816G	45.15	54.00	-8.85	3	Horizontal	324	2.28	-
5755MHz	Pass	PK	11.51G	59.67	74.00	-14.33	3	Horizontal	324	2.28	-
5755MHz	Pass	PK	17.25676G	62.43	68.20	-5.77	3	Horizontal	150	2.02	-
5795MHz	Pass	AV	5.777G	94.89	Inf	-Inf	3	Vertical	46	2.32	-
5795MHz	Pass	PK	5.6318G	64.68	68.20	-3.52	3	Vertical	46	2.32	-
5795MHz	Pass	PK	5.7962G	106.91	Inf	-Inf	3	Vertical	46	2.32	-
5795MHz	Pass	PK	6.0518G	60.53	68.20	-7.67	3	Vertical	46	2.32	-
5795MHz	Pass	AV	5.7818G	104.14	Inf	-Inf	3	Horizontal	313	1.08	-
5795MHz	Pass	PK	5.6438G	67.36	68.20	-0.84	3	Horizontal	313	1.08	-
5795MHz	Pass	PK	5.783G	116.52	Inf	-Inf	3	Horizontal	313	1.08	-
5795MHz	Pass	PK	5.9642G	60.36	68.20	-7.84	3	Horizontal	313	1.08	-
5795MHz	Pass	AV	11.58968G	41.61	54.00	-12.39	3	Vertical	312	2.06	-
5795MHz	Pass	PK	11.62232G	54.98	74.00	-19.02	3	Vertical	312	2.06	-
5795MHz	Pass	PK	17.40868G	62.65	68.20	-5.55	3	Vertical	360	1.92	-
5795MHz	Pass	AV	11.56856G	44.37	54.00	-9.63	3	Horizontal	324	2.10	-
5795MHz	Pass	PK	11.58984G	60.98	74.00	-13.02	3	Horizontal	324	2.10	-
5795MHz	Pass	PK	17.35956G	62.63	68.20	-5.57	3	Horizontal	72	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	47.04	54.00	-6.96	3	Vertical	326	2.56	-
5210MHz	Pass	AV	5.199G	78.45	Inf	-Inf	3	Vertical	326	2.56	-
5210MHz	Pass	AV	5.36G	46.65	54.00	-7.35	3	Vertical	326	2.56	-
5210MHz	Pass	PK	5.143G	59.83	74.00	-14.17	3	Vertical	326	2.56	-
5210MHz	Pass	PK	5.199G	89.92	Inf	-Inf	3	Vertical	326	2.56	-
5210MHz	Pass	PK	5.354G	58.94	74.00	-15.06	3	Vertical	326	2.56	-
5210MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	320	2.94	-
5210MHz	Pass	AV	5.173G	98.28	Inf	-Inf	3	Horizontal	320	2.94	-
5210MHz	Pass	AV	5.354G	48.81	54.00	-5.19	3	Horizontal	320	2.94	-
5210MHz	Pass	PK	5.149G	71.60	74.00	-2.40	3	Horizontal	320	2.94	-
5210MHz	Pass	PK	5.172G	112.69	Inf	-Inf	3	Horizontal	320	2.94	-
5210MHz	Pass	PK	5.358G	60.52	74.00	-13.48	3	Horizontal	320	2.94	-
5210MHz	Pass	AV	15.59064G	47.70	54.00	-6.30	3	Vertical	68	1.40	-
5210MHz	Pass	PK	10.38144G	54.19	68.20	-14.01	3	Vertical	185	2.58	-
5210MHz	Pass	PK	15.59688G	60.86	74.00	-13.14	3	Vertical	68	1.40	-
5210MHz	Pass	AV	15.59544G	47.62	54.00	-6.38	3	Horizontal	29	2.29	-
5210MHz	Pass	PK	10.388G	53.57	68.20	-14.63	3	Horizontal	27	2.22	-
5210MHz	Pass	PK	15.62232G	60.08	74.00	-13.92	3	Horizontal	29	2.29	-
5775MHz	Pass	AV	5.7726G	82.74	Inf	-Inf	3	Vertical	189	2.91	-
5775MHz	Pass	PK	5.6286G	59.53	68.20	-8.67	3	Vertical	189	2.91	-
5775MHz	Pass	PK	5.751G	98.59	Inf	-Inf	3	Vertical	189	2.91	-
5775MHz	Pass	PK	5.9406G	60.68	68.20	-7.52	3	Vertical	189	2.91	-
5775MHz	Pass	AV	5.7558G	100.50	Inf	-Inf	3	Horizontal	138	2.90	-
5775MHz	Pass	PK	5.6322G	67.69	68.20	-0.51	3	Horizontal	138	2.90	-
5775MHz	Pass	PK	5.751G	112.11	Inf	-Inf	3	Horizontal	138	2.90	-
5775MHz	Pass	PK	5.925G	60.03	68.20	-8.17	3	Horizontal	138	2.90	-
5775MHz	Pass	AV	11.5186G	41.54	54.00	-12.46	3	Vertical	69	1.18	-
5775MHz	Pass	PK	11.5982G	53.61	74.00	-20.39	3	Vertical	69	1.18	-
5775MHz	Pass	PK	17.3598G	62.40	68.20	-5.80	3	Vertical	90	1.50	-
5775MHz	Pass	AV	11.5322G	41.07	54.00	-12.93	3	Horizontal	291	2.29	-
5775MHz	Pass	PK	11.5196G	54.40	74.00	-19.60	3	Horizontal	291	2.29	-
5775MHz	Pass	PK	17.345G	62.34	68.20	-5.86	3	Horizontal	294	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	47.68	54.00	-6.32	8.90	3	Vertical	171	2.05	-	38.78	33.20	9.83	34.13
AV	5.1812G	89.62	Inf	-Inf	8.86	3	Vertical	171	2.05	-	80.76	33.14	9.85	34.13
PK	5.0882G	59.77	74.00	-14.23	8.81	3	Vertical	171	2.05	-	50.96	33.13	9.80	34.12
PK	5.1806G	101.08	Inf	-Inf	8.86	3	Vertical	171	2.05	-	92.22	33.14	9.85	34.13


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.32	54.00	-0.68	8.90	3	Horizontal	320	2.94	-	44.42	33.20	9.83	34.13
AV	5.1734G	107.44	Inf	-Inf	8.87	3	Horizontal	320	2.94	-	98.57	33.15	9.85	34.13
PK	5.1446G	70.25	74.00	-3.75	8.90	3	Horizontal	320	2.94	-	61.35	33.20	9.83	34.13
PK	5.1848G	118.23	Inf	-Inf	8.85	3	Horizontal	320	2.94	-	109.38	33.13	9.85	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5256G	49.28	54.00	-4.72	19.95	3	Vertical	203	1.50	-	29.33	38.70	15.67	34.42
PK	10.36112G	54.65	68.20	-13.55	16.74	3	Vertical	163	1.50	-	37.91	38.66	12.67	34.59
PK	15.53352G	62.15	74.00	-11.85	19.94	3	Vertical	203	1.50	-	42.21	38.70	15.67	34.43


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52104G	49.19	54.00	-4.81	19.95	3	Horizontal	349	1.69	-	29.24	38.70	15.67	34.42
PK	10.36888G	54.27	68.20	-13.93	16.76	3	Horizontal	324	2.22	-	37.51	38.67	12.67	34.58
PK	15.53176G	61.22	74.00	-12.78	19.94	3	Horizontal	349	1.69	-	41.28	38.70	15.67	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.01	54.00	-5.99	8.90	3	Vertical	170	2.35	-	39.11	33.20	9.83	34.13
AV	5.2054G	95.77	Inf	-Inf	8.80	3	Vertical	170	2.35	-	86.97	33.08	9.86	34.14
PK	5.1466G	60.71	74.00	-13.29	8.90	3	Vertical	170	2.35	-	51.81	33.20	9.83	34.13
PK	5.2054G	108.00	Inf	-Inf	8.80	3	Vertical	170	2.35	-	99.20	33.08	9.86	34.14


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.79	54.00	-0.21	8.90	3	Horizontal	137	2.58	-	44.89	33.20	9.83	34.13
AV	5.209G	111.79	Inf	-Inf	8.79	3	Horizontal	137	2.58	-	103.00	33.06	9.87	34.14
PK	5.15G	70.16	74.00	-3.84	8.90	3	Horizontal	137	2.58	-	61.26	33.20	9.83	34.13
PK	5.206G	122.60	Inf	-Inf	8.80	3	Horizontal	137	2.58	-	113.80	33.08	9.86	34.14

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58128G	48.15	54.00	-5.85	19.95	3	Vertical	32	1.12	-	28.20	38.70	15.71	34.46
PK	10.39872G	56.47	68.20	-11.73	16.83	3	Vertical	160	2.55	-	39.64	38.70	12.69	34.56
PK	15.61408G	61.18	74.00	-12.82	19.89	3	Vertical	32	1.12	-	41.29	38.63	15.73	34.47


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58304G	48.40	54.00	-5.60	19.95	3	Horizontal	308	2.51	-	28.45	38.70	15.71	34.46
PK	10.4024G	56.60	68.20	-11.60	16.83	3	Horizontal	323	2.62	-	39.77	38.70	12.69	34.56
PK	15.58856G	60.96	74.00	-13.04	19.96	3	Horizontal	308	2.51	-	41.00	38.70	15.72	34.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	47.29	54.00	-6.71	8.90	3	Vertical	324	2.92	-	38.39	33.20	9.83	34.13
AV	5.2484G	93.58	Inf	-Inf	8.66	3	Vertical	324	2.92	-	84.92	32.91	9.89	34.14
AV	5.3612G	47.18	54.00	-6.82	8.52	3	Vertical	324	2.92	-	38.66	32.72	9.97	34.17
PK	5.1038G	58.99	74.00	-15.01	8.89	3	Vertical	324	2.92	-	50.10	33.20	9.81	34.12
PK	5.2478G	105.34	Inf	-Inf	8.66	3	Vertical	324	2.92	-	96.68	32.91	9.89	34.14
PK	5.3582G	58.84	74.00	-15.16	8.53	3	Vertical	324	2.92	-	50.31	32.72	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.26	54.00	-0.74	8.90	3	Horizontal	318	2.88	-	44.36	33.20	9.83	34.13
AV	5.249G	111.31	Inf	-Inf	8.65	3	Horizontal	318	2.88	-	102.66	32.90	9.89	34.14
AV	5.35G	51.69	54.00	-2.31	8.51	3	Horizontal	318	2.88	-	43.18	32.70	9.97	34.16
PK	5.1476G	66.18	74.00	-7.82	8.90	3	Horizontal	318	2.88	-	57.28	33.20	9.83	34.13
PK	5.2328G	121.37	Inf	-Inf	8.71	3	Horizontal	318	2.88	-	112.66	32.97	9.88	34.14
PK	5.3558G	64.93	74.00	-9.07	8.52	3	Horizontal	318	2.88	-	56.41	32.71	9.97	34.16

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70616G	48.16	54.00	-5.84	19.46	3	Vertical	25	1.95	-	28.70	38.19	15.80	34.53
PK	10.47832G	59.67	68.20	-8.53	16.83	3	Vertical	162	1.26	-	42.84	38.62	12.72	34.51
PK	15.70792G	60.84	74.00	-13.16	19.46	3	Vertical	25	1.95	-	41.38	38.19	15.80	34.53


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72264G	48.50	54.00	-5.50	19.46	3	Horizontal	274	3.00	-	29.04	38.18	15.81	34.53
PK	10.48792G	66.14	68.20	-2.06	16.83	3	Horizontal	324	2.53	-	49.31	38.61	12.72	34.50
PK	15.72232G	61.21	74.00	-12.79	19.46	3	Horizontal	274	3.00	-	41.75	38.18	15.81	34.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	92.79	Inf	-Inf	9.64	3	Vertical	190	2.69	-	83.15	33.69	10.15	34.20
PK	5.6466G	59.60	68.20	-8.60	9.19	3	Vertical	190	2.69	-	50.41	33.29	10.10	34.20
PK	5.7534G	104.16	Inf	-Inf	9.65	3	Vertical	190	2.69	-	94.51	33.71	10.15	34.21
PK	5.9646G	60.49	68.20	-7.71	10.29	3	Vertical	190	2.69	-	50.20	34.21	10.30	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	110.98	Inf	-Inf	9.65	3	Horizontal	138	2.78	-	101.33	33.71	10.15	34.21
PK	5.6418G	66.83	68.20	-1.37	9.16	3	Horizontal	138	2.78	-	57.67	33.27	10.09	34.20
PK	5.7522G	122.14	Inf	-Inf	9.64	3	Horizontal	138	2.78	-	112.50	33.70	10.15	34.21
PK	6.0438G	60.62	68.20	-7.58	10.33	3	Horizontal	138	2.78	-	50.29	34.18	10.37	34.22

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49304G	43.05	54.00	-10.95	17.96	3	Vertical	325	2.65	-	25.09	38.91	13.11	34.06
PK	11.4884G	55.85	74.00	-18.15	17.97	3	Vertical	325	2.65	-	37.88	38.92	13.11	34.06
PK	17.227G	61.71	68.20	-6.49	21.43	3	Vertical	360	1.26	-	40.28	38.48	16.22	33.27


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49184G	46.77	54.00	-7.23	17.97	3	Horizontal	323	1.01	-	28.80	38.92	13.11	34.06
PK	11.49144G	58.49	74.00	-15.51	17.97	3	Horizontal	323	1.01	-	40.52	38.92	13.11	34.06
PK	17.2286G	62.06	68.20	-6.14	21.44	3	Horizontal	262	1.50	-	40.62	38.49	16.22	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	95.76	Inf	-Inf	9.72	3	Vertical	241	2.41	-	86.04	33.76	10.17	34.21
PK	5.5894G	59.25	68.20	-8.95	8.91	3	Vertical	241	2.41	-	50.34	33.04	10.07	34.20
PK	5.7814G	106.38	Inf	-Inf	9.72	3	Vertical	241	2.41	-	96.66	33.76	10.17	34.21
PK	6.0442G	60.45	68.20	-7.75	10.33	3	Vertical	241	2.41	-	50.12	34.18	10.37	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7754G	110.78	Inf	-Inf	9.71	3	Horizontal	324	1.00	-	101.07	33.75	10.17	34.21
PK	5.6422G	67.46	68.20	-0.74	9.16	3	Horizontal	324	1.00	-	58.30	33.27	10.09	34.20
PK	5.7766G	120.77	Inf	-Inf	9.71	3	Horizontal	324	1.00	-	111.06	33.75	10.17	34.21
PK	6.0514G	60.92	68.20	-7.28	10.36	3	Horizontal	324	1.00	-	50.56	34.20	10.38	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57032G	41.90	54.00	-12.10	17.80	3	Vertical	168	2.66	-	24.10	38.76	13.14	34.10
PK	11.56552G	54.57	74.00	-19.43	17.81	3	Vertical	168	2.66	-	36.76	38.77	13.14	34.10
PK	17.35044G	62.49	68.20	-5.71	21.85	3	Vertical	-0	2.62	-	40.64	38.85	16.24	33.24


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56576G	47.59	54.00	-6.41	17.81	3	Horizontal	325	2.45	-	29.78	38.77	13.14	34.10
PK	11.56072G	59.25	74.00	-14.75	17.83	3	Horizontal	325	2.45	-	41.42	38.78	13.14	34.09
PK	17.33668G	61.98	68.20	-6.22	21.80	3	Horizontal	336	1.50	-	40.18	38.81	16.23	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8154G	89.61	Inf	-Inf	9.87	3	Vertical	250	2.97	-	79.74	33.89	10.19	34.21
PK	5.6054G	59.97	68.20	-8.23	8.99	3	Vertical	250	2.97	-	50.98	33.12	10.07	34.20
PK	5.8154G	99.92	Inf	-Inf	9.87	3	Vertical	250	2.97	-	90.05	33.89	10.19	34.21
PK	5.9594G	60.25	68.20	-7.95	10.32	3	Vertical	250	2.97	-	49.93	34.24	10.30	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	107.75	Inf	-Inf	9.88	3	Horizontal	324	1.25	-	97.87	33.90	10.19	34.21
PK	5.5742G	62.03	68.20	-6.17	8.82	3	Horizontal	324	1.25	-	53.21	32.95	10.06	34.19
PK	5.8178G	119.31	Inf	-Inf	9.89	3	Horizontal	324	1.25	-	109.42	33.91	10.19	34.21
PK	6.089G	60.97	68.20	-7.23	10.31	3	Horizontal	324	1.25	-	50.66	34.12	10.42	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63712G	42.15	54.00	-11.85	17.70	3	Vertical	168	2.56	-	24.45	38.66	13.17	34.13
PK	11.63608G	54.40	74.00	-19.60	17.70	3	Vertical	168	2.56	-	36.70	38.66	13.17	34.13
PK	17.4734G	62.60	68.20	-5.60	22.20	3	Vertical	220	2.48	-	40.40	39.15	16.26	33.21


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64256G	42.74	54.00	-11.26	17.69	3	Horizontal	322	2.57	-	25.05	38.66	13.17	34.14
PK	11.64296G	56.97	74.00	-17.03	17.69	3	Horizontal	322	2.57	-	39.28	38.66	13.17	34.14
PK	17.47668G	62.58	68.20	-5.62	22.20	3	Horizontal	360	1.64	-	40.38	39.15	16.26	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	47.20	54.00	-6.80	8.90	3	Vertical	167	3.00	-	38.30	33.20	9.83	34.13
AV	5.182G	83.98	Inf	-Inf	8.86	3	Vertical	167	3.00	-	75.12	33.14	9.85	34.13
PK	5.1376G	60.10	74.00	-13.90	8.91	3	Vertical	167	3.00	-	51.19	33.20	9.83	34.12
PK	5.1812G	95.89	Inf	-Inf	8.86	3	Vertical	167	3.00	-	87.03	33.14	9.85	34.13


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.79	54.00	-0.21	8.90	3	Horizontal	322	1.06	-	44.89	33.20	9.83	34.13
AV	5.1724G	101.36	Inf	-Inf	8.87	3	Horizontal	322	1.06	-	92.49	33.16	9.84	34.13
PK	5.1496G	73.72	74.00	-0.28	8.90	3	Horizontal	322	1.06	-	64.82	33.20	9.83	34.13
PK	5.1748G	113.38	Inf	-Inf	8.87	3	Horizontal	322	1.06	-	104.51	33.15	9.85	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5412G	48.46	54.00	-5.54	19.95	3	Vertical	85	1.49	-	28.51	38.70	15.68	34.43
PK	10.40688G	54.74	68.20	-13.46	16.82	3	Vertical	163	1.48	-	37.92	38.69	12.69	34.56
PK	15.5598G	60.94	74.00	-13.06	19.95	3	Vertical	85	1.49	-	40.99	38.70	15.69	34.44


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54036G	48.35	54.00	-5.65	19.95	3	Horizontal	63	1.35	-	28.40	38.70	15.68	34.43
PK	10.37724G	54.15	68.20	-14.05	16.78	3	Horizontal	252	1.50	-	37.37	38.68	12.68	34.58
PK	15.54732G	61.29	74.00	-12.71	19.95	3	Horizontal	63	1.35	-	41.34	38.70	15.69	34.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.58	54.00	-6.42	8.90	3	Vertical	54	2.50	-	38.68	33.20	9.83	34.13
AV	5.234G	92.12	Inf	-Inf	8.70	3	Vertical	54	2.50	-	83.42	32.96	9.88	34.14
PK	5.1332G	60.51	74.00	-13.49	8.90	3	Vertical	54	2.50	-	51.61	33.20	9.82	34.12
PK	5.2352G	104.80	Inf	-Inf	8.70	3	Vertical	54	2.50	-	96.10	32.96	9.88	34.14


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.85	54.00	-0.15	8.90	3	Horizontal	318	2.88	-	44.95	33.20	9.83	34.13
AV	5.222G	106.72	Inf	-Inf	8.75	3	Horizontal	318	2.88	-	97.97	33.01	9.88	34.14
PK	5.1492G	71.72	74.00	-2.28	8.90	3	Horizontal	318	2.88	-	62.82	33.20	9.83	34.13
PK	5.22G	119.22	Inf	-Inf	8.75	3	Horizontal	318	2.88	-	110.47	33.02	9.87	34.14

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67848G	47.04	54.00	-6.96	19.58	3	Vertical	251	1.50	-	27.46	38.31	15.78	34.51
PK	10.45976G	60.20	68.20	-8.00	16.83	3	Vertical	164	1.16	-	43.37	38.64	12.71	34.52
PK	15.71112G	60.31	74.00	-13.69	19.47	3	Vertical	251	1.50	-	40.84	38.19	15.81	34.53


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6774G	47.10	54.00	-6.90	19.58	3	Horizontal	74	3.00	-	27.52	38.31	15.78	34.51
PK	10.45988G	60.52	68.20	-7.68	16.83	3	Horizontal	324	2.16	-	43.69	38.64	12.71	34.52
PK	15.69036G	60.31	74.00	-13.69	19.52	3	Horizontal	74	3.00	-	40.79	38.25	15.79	34.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7658G	86.97	Inf	-Inf	9.68	3	Vertical	147	1.50	-	77.29	33.73	10.16	34.21
PK	5.6446G	59.26	68.20	-8.94	9.17	3	Vertical	147	1.50	-	50.09	33.28	10.09	34.20
PK	5.7526G	98.11	Inf	-Inf	9.65	3	Vertical	147	1.50	-	88.46	33.71	10.15	34.21
PK	5.9494G	60.68	68.20	-7.52	10.37	3	Vertical	147	1.50	-	50.31	34.30	10.29	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7694G	107.00	Inf	-Inf	9.69	3	Horizontal	321	1.00	-	97.31	33.74	10.16	34.21
PK	5.6482G	67.92	68.20	-0.28	9.19	3	Horizontal	321	1.00	-	58.73	33.29	10.10	34.20
PK	5.7682G	119.72	Inf	-Inf	9.69	3	Horizontal	321	1.00	-	110.03	33.74	10.16	34.21
PK	5.9794G	61.13	68.20	-7.07	10.21	3	Horizontal	321	1.00	-	50.92	34.12	10.31	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50832G	41.93	54.00	-12.07	17.94	3	Vertical	360	1.62	-	23.99	38.88	13.12	34.06
PK	11.48588G	54.82	74.00	-19.18	17.98	3	Vertical	360	1.62	-	36.84	38.93	13.11	34.06
PK	17.27876G	62.04	68.20	-6.16	21.60	3	Vertical	310	2.76	-	40.44	38.64	16.22	33.26


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51816G	45.15	54.00	-8.85	17.91	3	Horizontal	324	2.28	-	27.24	38.86	13.12	34.07
PK	11.51G	59.67	74.00	-14.33	17.93	3	Horizontal	324	2.28	-	41.74	38.88	13.12	34.07
PK	17.25676G	62.43	68.20	-5.77	21.53	3	Horizontal	150	2.02	-	40.90	38.57	16.22	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	94.89	Inf	-Inf	9.71	3	Vertical	46	2.32	-	85.18	33.75	10.17	34.21
PK	5.6318G	64.68	68.20	-3.52	9.12	3	Vertical	46	2.32	-	55.56	33.23	10.09	34.20
PK	5.7962G	106.91	Inf	-Inf	9.76	3	Vertical	46	2.32	-	97.15	33.79	10.18	34.21
PK	6.0518G	60.53	68.20	-7.67	10.36	3	Vertical	46	2.32	-	50.17	34.20	10.38	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	104.14	Inf	-Inf	9.72	3	Horizontal	313	1.08	-	94.42	33.76	10.17	34.21
PK	5.6438G	67.36	68.20	-0.84	9.17	3	Horizontal	313	1.08	-	58.19	33.28	10.09	34.20
PK	5.783G	116.52	Inf	-Inf	9.73	3	Horizontal	313	1.08	-	106.79	33.77	10.17	34.21
PK	5.9642G	60.36	68.20	-7.84	10.29	3	Horizontal	313	1.08	-	50.07	34.21	10.30	34.22

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58968G	41.61	54.00	-12.39	17.76	3	Vertical	312	2.06	-	23.85	38.72	13.15	34.11
PK	11.62232G	54.98	74.00	-19.02	17.71	3	Vertical	312	2.06	-	37.27	38.68	13.16	34.13
PK	17.40868G	62.65	68.20	-5.55	22.05	3	Vertical	360	1.92	-	40.60	39.02	16.25	33.22


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56856G	44.37	54.00	-9.63	17.80	3	Horizontal	324	2.10	-	26.57	38.76	13.14	34.10
PK	11.58984G	60.98	74.00	-13.02	17.76	3	Horizontal	324	2.10	-	43.22	38.72	13.15	34.11
PK	17.35956G	62.63	68.20	-5.57	21.88	3	Horizontal	72	1.50	-	40.75	38.88	16.24	33.24

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.04	54.00	-6.96	8.90	3	Vertical	326	2.56	-	38.14	33.20	9.83	34.13
AV	5.199G	78.45	Inf	-Inf	8.82	3	Vertical	326	2.56	-	69.63	33.10	9.86	34.14
AV	5.36G	46.65	54.00	-7.35	8.53	3	Vertical	326	2.56	-	38.12	32.72	9.97	34.16
PK	5.143G	59.83	74.00	-14.17	8.90	3	Vertical	326	2.56	-	50.93	33.20	9.83	34.13
PK	5.199G	89.92	Inf	-Inf	8.82	3	Vertical	326	2.56	-	81.10	33.10	9.86	34.14
PK	5.354G	58.94	74.00	-15.06	8.52	3	Vertical	326	2.56	-	50.42	32.71	9.97	34.16


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	8.90	3	Horizontal	320	2.94	-	44.76	33.20	9.83	34.13
AV	5.173G	98.28	Inf	-Inf	8.87	3	Horizontal	320	2.94	-	89.41	33.15	9.85	34.13
AV	5.354G	48.81	54.00	-5.19	8.52	3	Horizontal	320	2.94	-	40.29	32.71	9.97	34.16
PK	5.149G	71.60	74.00	-2.40	8.90	3	Horizontal	320	2.94	-	62.70	33.20	9.83	34.13
PK	5.172G	112.69	Inf	-Inf	8.87	3	Horizontal	320	2.94	-	103.82	33.16	9.84	34.13
PK	5.358G	60.52	74.00	-13.48	8.53	3	Horizontal	320	2.94	-	51.99	32.72	9.97	34.16

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59064G	47.70	54.00	-6.30	19.96	3	Vertical	68	1.40	-	27.74	38.70	15.72	34.46
PK	10.38144G	54.19	68.20	-14.01	16.78	3	Vertical	185	2.58	-	37.41	38.68	12.68	34.58
PK	15.59688G	60.86	74.00	-13.14	19.96	3	Vertical	68	1.40	-	40.90	38.70	15.72	34.46


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59544G	47.62	54.00	-6.38	19.96	3	Horizontal	29	2.29	-	27.66	38.70	15.72	34.46
PK	10.388G	53.57	68.20	-14.63	16.80	3	Horizontal	27	2.22	-	36.77	38.69	12.68	34.57
PK	15.62232G	60.08	74.00	-13.92	19.85	3	Horizontal	29	2.29	-	40.23	38.59	15.74	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7726G	82.74	Inf	-Inf	9.70	3	Vertical	189	2.91	-	73.04	33.75	10.16	34.21
PK	5.6286G	59.53	68.20	-8.67	9.10	3	Vertical	189	2.91	-	50.43	33.21	10.09	34.20
PK	5.751G	98.59	Inf	-Inf	9.64	3	Vertical	189	2.91	-	88.95	33.70	10.15	34.21
PK	5.9406G	60.68	68.20	-7.52	10.33	3	Vertical	189	2.91	-	50.35	34.26	10.29	34.22


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	100.50	Inf	-Inf	9.66	3	Horizontal	138	2.90	-	90.84	33.71	10.16	34.21
PK	5.6322G	67.69	68.20	-0.51	9.12	3	Horizontal	138	2.90	-	58.57	33.23	10.09	34.20
PK	5.751G	112.11	Inf	-Inf	9.64	3	Horizontal	138	2.90	-	102.47	33.70	10.15	34.21
PK	5.925G	60.03	68.20	-8.17	10.25	3	Horizontal	138	2.90	-	49.78	34.20	10.27	34.22

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5186G	41.54	54.00	-12.46	17.91	3	Vertical	69	1.18	-	23.63	38.86	13.12	34.07
PK	11.5982G	53.61	74.00	-20.39	17.74	3	Vertical	69	1.18	-	35.87	38.70	13.15	34.11
PK	17.3598G	62.40	68.20	-5.80	21.88	3	Vertical	90	1.50	-	40.52	38.88	16.24	33.24

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5322G	41.07	54.00	-12.93	17.89	3	Horizontal	291	2.29	-	23.18	38.84	13.13	34.08
PK	11.5196G	54.40	74.00	-19.60	17.91	3	Horizontal	291	2.29	-	36.49	38.86	13.12	34.07
PK	17.345G	62.34	68.20	-5.86	21.84	3	Horizontal	294	1.50	-	40.50	38.84	16.24	33.24



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	249.22M	41.35	46.00	-4.65	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	45.52M	32.75	40.00	-7.25	3	Vertical	360	1.00	-
5775MHz	Pass	PK	95.96M	29.80	43.50	-13.70	3	Vertical	360	1.00	-
5775MHz	Pass	PK	121.18M	29.11	43.50	-14.39	3	Vertical	360	1.00	-
5775MHz	Pass	PK	249.22M	34.40	46.00	-11.60	3	Vertical	360	1.00	-
5775MHz	Pass	PK	350.1M	36.30	46.00	-9.70	3	Vertical	360	1.00	-
5775MHz	Pass	PK	450.98M	35.03	46.00	-10.97	3	Vertical	360	1.00	-
5775MHz	Pass	PK	39.7M	32.26	40.00	-7.74	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	92.08M	28.33	43.50	-15.17	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	115.36M	28.69	43.50	-14.81	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	249.22M	41.35	46.00	-4.65	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	350.1M	39.98	46.00	-6.02	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	450.98M	32.92	46.00	-13.08	3	Horizontal	0	1.00	-

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	45.52M	32.75	40.00	-7.25	-11.19	3	Vertical	360	1.00	-	43.94	14.97	1.03	27.19
PK	95.96M	29.80	43.50	-13.70	-11.07	3	Vertical	360	1.00	-	40.87	15.37	1.40	27.84
PK	121.18M	29.11	43.50	-14.39	-8.75	3	Vertical	360	1.00	-	37.86	17.47	1.55	27.77
PK	249.22M	34.40	46.00	-11.60	-7.43	3	Vertical	360	1.00	-	41.83	17.47	2.26	27.16
PK	350.1M	36.30	46.00	-9.70	-5.20	3	Vertical	360	1.00	-	41.50	19.59	2.71	27.50
PK	450.98M	35.03	46.00	-10.97	-3.26	3	Vertical	360	1.00	-	38.29	21.93	3.08	28.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.26	40.00	-7.74	-7.84	3	Horizontal	0	1.00	-	40.10	17.92	1.03	26.79
PK	92.08M	28.33	43.50	-15.17	-11.91	3	Horizontal	0	1.00	-	40.24	14.55	1.38	27.84
PK	115.36M	28.69	43.50	-14.81	-8.91	3	Horizontal	0	1.00	-	37.60	17.36	1.51	27.78
PK	249.22M	41.35	46.00	-4.65	-7.43	3	Horizontal	0	1.00	-	48.78	17.47	2.26	27.16
PK	350.1M	39.98	46.00	-6.02	-5.20	3	Horizontal	0	1.00	-	45.18	19.59	2.71	27.50
PK	450.98M	32.92	46.00	-13.08	-3.26	3	Horizontal	0	1.00	-	36.18	21.93	3.08	28.27



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.38	54.00	-0.62	3	Horizontal	356	1.62	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.77	54.00	-0.23	3	Vertical	168	2.61	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.147G	53.83	54.00	-0.17	3	Horizontal	170	1.50	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.649G	67.98	68.20	-0.22	3	Horizontal	193	1.76	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6486G	67.18	68.20	-1.02	3	Horizontal	152	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	66.77	68.35	-1.58	3	Vertical	179	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.17	54.00	-3.83	3	Vertical	64	1.94	-
5180MHz	Pass	AV	5.183G	98.52	Inf	-Inf	3	Vertical	64	1.94	-
5180MHz	Pass	PK	5.15G	65.45	74.00	-8.55	3	Vertical	64	1.94	-
5180MHz	Pass	PK	5.186G	111.53	Inf	-Inf	3	Vertical	64	1.94	-
5180MHz	Pass	AV	5.15G	53.38	54.00	-0.62	3	Horizontal	356	1.62	-
5180MHz	Pass	AV	5.1878G	101.91	Inf	-Inf	3	Horizontal	356	1.62	-
5180MHz	Pass	PK	5.1494G	69.58	74.00	-4.42	3	Horizontal	356	1.62	-
5180MHz	Pass	PK	5.186G	115.61	Inf	-Inf	3	Horizontal	356	1.62	-
5180MHz	Pass	AV	15.52572G	48.58	54.00	-5.42	3	Vertical	325	1.17	-
5180MHz	Pass	PK	10.3651G	53.89	68.20	-14.31	3	Vertical	90	1.97	-
5180MHz	Pass	PK	15.528G	61.85	74.00	-12.15	3	Vertical	325	1.17	-
5180MHz	Pass	AV	15.52818G	48.49	54.00	-5.51	3	Horizontal	175	1.88	-
5180MHz	Pass	PK	10.35838G	53.72	68.20	-14.48	3	Horizontal	212	2.50	-
5180MHz	Pass	PK	15.53622G	61.93	74.00	-12.07	3	Horizontal	175	1.88	-
5200MHz	Pass	AV	5.15G	48.22	54.00	-5.78	3	Vertical	166	2.58	-
5200MHz	Pass	AV	5.2084G	103.54	Inf	-Inf	3	Vertical	166	2.58	-
5200MHz	Pass	AV	5.35G	46.92	54.00	-7.08	3	Vertical	166	2.58	-
5200MHz	Pass	PK	5.1478G	63.69	74.00	-10.31	3	Vertical	166	2.58	-
5200MHz	Pass	PK	5.2084G	116.66	Inf	-Inf	3	Vertical	166	2.58	-
5200MHz	Pass	PK	5.35G	58.66	74.00	-15.34	3	Vertical	166	2.58	-
5200MHz	Pass	AV	5.15G	50.27	54.00	-3.73	3	Horizontal	-0	2.48	-
5200MHz	Pass	AV	5.209G	106.74	Inf	-Inf	3	Horizontal	-0	2.48	-
5200MHz	Pass	AV	5.35G	46.60	54.00	-7.40	3	Horizontal	-0	2.48	-
5200MHz	Pass	PK	5.1496G	67.38	74.00	-6.62	3	Horizontal	-0	2.48	-
5200MHz	Pass	PK	5.2084G	118.38	Inf	-Inf	3	Horizontal	-0	2.48	-
5200MHz	Pass	PK	5.35G	58.72	74.00	-15.28	3	Horizontal	-0	2.48	-
5200MHz	Pass	AV	15.58698G	47.50	54.00	-6.50	3	Vertical	63	2.80	-
5200MHz	Pass	PK	10.39856G	53.88	68.20	-14.32	3	Vertical	279	1.56	-
5200MHz	Pass	PK	15.6066G	60.78	74.00	-13.22	3	Vertical	63	2.80	-
5200MHz	Pass	AV	15.59202G	47.54	54.00	-6.46	3	Horizontal	262	2.56	-
5200MHz	Pass	PK	10.39424G	54.04	68.20	-14.16	3	Horizontal	216	1.00	-
5200MHz	Pass	PK	15.5916G	60.75	74.00	-13.25	3	Horizontal	262	2.56	-
5240MHz	Pass	AV	5.1488G	49.55	54.00	-4.45	3	Vertical	345	2.70	-
5240MHz	Pass	AV	5.246G	109.28	Inf	-Inf	3	Vertical	345	2.70	-
5240MHz	Pass	AV	5.35G	49.35	54.00	-4.65	3	Vertical	345	2.70	-
5240MHz	Pass	PK	5.144G	63.66	74.00	-10.34	3	Vertical	345	2.70	-
5240MHz	Pass	PK	5.2442G	122.54	Inf	-Inf	3	Vertical	345	2.70	-
5240MHz	Pass	PK	5.3504G	62.37	74.00	-11.63	3	Vertical	345	2.70	-
5240MHz	Pass	AV	5.1488G	52.10	54.00	-1.90	3	Horizontal	357	1.68	-
5240MHz	Pass	AV	5.2478G	108.41	Inf	-Inf	3	Horizontal	357	1.68	-
5240MHz	Pass	AV	5.35G	49.80	54.00	-4.20	3	Horizontal	357	1.68	-
5240MHz	Pass	PK	5.1482G	68.12	74.00	-5.88	3	Horizontal	357	1.68	-
5240MHz	Pass	PK	5.2478G	120.73	Inf	-Inf	3	Horizontal	357	1.68	-
5240MHz	Pass	PK	5.35G	62.89	74.00	-11.11	3	Horizontal	357	1.68	-
5240MHz	Pass	AV	15.71106G	47.04	54.00	-6.96	3	Vertical	30	2.62	-
5240MHz	Pass	PK	10.4752G	60.32	68.20	-7.88	3	Vertical	337	1.50	-
5240MHz	Pass	PK	15.72156G	60.83	74.00	-13.17	3	Vertical	30	2.62	-
5240MHz	Pass	AV	15.70758G	46.53	54.00	-7.47	3	Horizontal	360	1.93	-
5240MHz	Pass	PK	10.48066G	58.65	68.20	-9.55	3	Horizontal	255	2.51	-
5240MHz	Pass	PK	15.7182G	60.42	74.00	-13.58	3	Horizontal	360	1.59	-
5745MHz	Pass	AV	5.7534G	105.76	Inf	-Inf	3	Vertical	189	1.92	-
5745MHz	Pass	PK	5.6418G	66.43	68.20	-1.77	3	Vertical	189	1.92	-
5745MHz	Pass	PK	5.7534G	115.96	Inf	-Inf	3	Vertical	189	1.92	-
5745MHz	Pass	PK	6.0222G	61.57	68.20	-6.63	3	Vertical	189	1.92	-
5745MHz	Pass	AV	5.739G	106.29	Inf	-Inf	3	Horizontal	193	1.76	-
5745MHz	Pass	PK	5.649G	67.98	68.20	-0.22	3	Horizontal	193	1.76	-
5745MHz	Pass	PK	5.739G	118.73	Inf	-Inf	3	Horizontal	193	1.76	-
5745MHz	Pass	PK	5.9598G	61.45	68.20	-6.75	3	Horizontal	193	1.76	-
5745MHz	Pass	AV	11.48772G	42.46	54.00	-11.54	3	Vertical	360	2.97	-
5745MHz	Pass	PK	11.49054G	55.49	74.00	-18.51	3	Vertical	360	2.97	-



RSE TX above 1GHz_Beamforming_Panel

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	17.2374G	63.43	68.20	-4.77	3	Vertical	26	2.91	-
5745MHz	Pass	AV	11.4906G	41.68	54.00	-12.32	3	Horizontal	153	2.82	-
5745MHz	Pass	PK	11.4957G	55.08	74.00	-18.92	3	Horizontal	153	2.82	-
5745MHz	Pass	PK	17.2326G	63.08	68.20	-5.12	3	Horizontal	0	2.73	-
5785MHz	Pass	AV	5.7766G	106.11	Inf	-Inf	3	Vertical	166	1.34	-
5785MHz	Pass	PK	5.629G	61.36	68.20	-6.84	3	Vertical	166	1.34	-
5785MHz	Pass	PK	5.7766G	117.36	Inf	-Inf	3	Vertical	166	1.34	-
5785MHz	Pass	PK	6.0214G	61.06	68.20	-7.14	3	Vertical	166	1.34	-
5785MHz	Pass	AV	5.7766G	104.33	Inf	-Inf	3	Horizontal	247	1.50	-
5785MHz	Pass	PK	5.5174G	60.01	68.20	-8.19	3	Horizontal	247	1.50	-
5785MHz	Pass	PK	5.7766G	115.00	Inf	-Inf	3	Horizontal	247	1.50	-
5785MHz	Pass	PK	5.9458G	61.27	68.20	-6.93	3	Horizontal	247	1.50	-
5785MHz	Pass	AV	11.55992G	41.58	54.00	-12.42	3	Vertical	349	2.10	-
5785MHz	Pass	PK	11.5601G	54.51	74.00	-19.49	3	Vertical	349	2.10	-
5785MHz	Pass	PK	17.34936G	62.90	68.20	-5.30	3	Vertical	22	1.17	-
5785MHz	Pass	AV	11.56208G	41.56	54.00	-12.44	3	Horizontal	138	1.80	-
5785MHz	Pass	PK	11.55782G	55.41	74.00	-18.59	3	Horizontal	138	1.80	-
5785MHz	Pass	PK	17.35098G	62.85	68.20	-5.35	3	Horizontal	41	2.96	-
5825MHz	Pass	AV	5.8202G	103.40	Inf	-Inf	3	Vertical	170	1.68	-
5825MHz	Pass	PK	5.621G	65.63	68.20	-2.57	3	Vertical	170	1.68	-
5825MHz	Pass	PK	5.819G	115.15	Inf	-Inf	3	Vertical	170	1.68	-
5825MHz	Pass	PK	6.0362G	61.07	68.20	-7.13	3	Vertical	170	1.68	-
5825MHz	Pass	AV	5.819G	105.36	Inf	-Inf	3	Horizontal	192	1.66	-
5825MHz	Pass	PK	5.639G	65.87	68.20	-2.33	3	Horizontal	192	1.66	-
5825MHz	Pass	PK	5.819G	117.11	Inf	-Inf	3	Horizontal	192	1.66	-
5825MHz	Pass	PK	5.9846G	60.87	68.20	-7.33	3	Horizontal	192	1.66	-
5825MHz	Pass	AV	11.66008G	43.08	54.00	-10.92	3	Vertical	347	1.61	-
5825MHz	Pass	PK	11.66068G	56.46	74.00	-17.54	3	Vertical	347	1.61	-
5825MHz	Pass	PK	17.47728G	63.61	68.20	-4.59	3	Vertical	28	1.50	-
5825MHz	Pass	AV	11.65612G	41.64	54.00	-12.36	3	Horizontal	230	1.09	-
5825MHz	Pass	PK	11.66434G	54.80	74.00	-19.20	3	Horizontal	230	1.09	-
5825MHz	Pass	PK	17.48478G	63.55	68.20	-4.65	3	Horizontal	35	1.50	-
802.11ax HEW40-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	53.77	54.00	-0.23	3	Vertical	168	2.61	-
5190MHz	Pass	AV	5.1852G	99.21	Inf	-Inf	3	Vertical	168	2.61	-
5190MHz	Pass	PK	5.1488G	72.83	74.00	-1.17	3	Vertical	168	2.61	-
5190MHz	Pass	PK	5.186G	112.08	Inf	-Inf	3	Vertical	168	2.61	-
5190MHz	Pass	AV	5.1496G	52.79	54.00	-1.21	3	Horizontal	173	1.62	-
5190MHz	Pass	AV	5.1924G	99.98	Inf	-Inf	3	Horizontal	173	1.62	-
5190MHz	Pass	PK	5.1476G	70.43	74.00	-3.57	3	Horizontal	173	1.62	-
5190MHz	Pass	PK	5.1928G	112.19	Inf	-Inf	3	Horizontal	173	1.62	-
5190MHz	Pass	AV	15.55656G	48.04	54.00	-5.96	3	Vertical	271	1.74	-
5190MHz	Pass	PK	10.37778G	53.94	68.20	-14.26	3	Vertical	67	1.06	-
5190MHz	Pass	PK	15.55554G	61.42	74.00	-12.58	3	Vertical	271	1.74	-
5190MHz	Pass	AV	15.55986G	48.08	54.00	-5.92	3	Horizontal	121	1.87	-
5190MHz	Pass	PK	10.37496G	54.68	68.20	-13.52	3	Horizontal	103	2.82	-
5190MHz	Pass	PK	15.57744G	61.48	74.00	-12.52	3	Horizontal	121	1.87	-
5230MHz	Pass	AV	5.1484G	48.55	54.00	-5.45	3	Vertical	120	1.94	-
5230MHz	Pass	AV	5.2168G	98.18	Inf	-Inf	3	Vertical	120	1.94	-
5230MHz	Pass	PK	5.1372G	60.86	74.00	-13.14	3	Vertical	120	1.94	-
5230MHz	Pass	PK	5.2132G	110.07	Inf	-Inf	3	Vertical	120	1.94	-
5230MHz	Pass	AV	5.1496G	53.61	54.00	-0.39	3	Horizontal	174	1.94	-
5230MHz	Pass	AV	5.2124G	101.97	Inf	-Inf	3	Horizontal	174	1.94	-
5230MHz	Pass	PK	5.1476G	72.14	74.00	-1.86	3	Horizontal	174	1.94	-
5230MHz	Pass	PK	5.2132G	114.19	Inf	-Inf	3	Horizontal	174	1.94	-
5230MHz	Pass	AV	15.67512G	46.93	54.00	-7.07	3	Vertical	259	2.29	-
5230MHz	Pass	PK	10.4627G	54.55	68.20	-13.65	3	Vertical	81	1.25	-
5230MHz	Pass	PK	15.68094G	60.59	74.00	-13.41	3	Vertical	259	2.29	-
5230MHz	Pass	AV	15.67566G	46.94	54.00	-7.06	3	Horizontal	212	1.60	-
5230MHz	Pass	PK	10.44542G	54.70	68.20	-13.50	3	Horizontal	43	1.45	-
5230MHz	Pass	PK	15.69912G	60.54	74.00	-13.46	3	Horizontal	212	1.60	-
5755MHz	Pass	AV	5.7502G	100.19	Inf	-Inf	3	Vertical	185	1.50	-




RSE TX above 1GHz_Beamforming_Panel

Appendix E.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.6494G	66.14	68.20	-2.06	3	Vertical	185	1.50	-
5755MHz	Pass	PK	5.749G	112.01	Inf	-Inf	3	Vertical	185	1.50	-
5755MHz	Pass	PK	5.9698G	61.36	68.20	-6.84	3	Vertical	185	1.50	-
5755MHz	Pass	AV	5.7694G	102.85	Inf	-Inf	3	Horizontal	161	1.73	-
5755MHz	Pass	PK	5.6482G	67.17	68.20	-1.03	3	Horizontal	161	1.73	-
5755MHz	Pass	PK	5.7694G	115.28	Inf	-Inf	3	Horizontal	161	1.73	-
5755MHz	Pass	PK	5.9566G	61.50	68.20	-6.70	3	Horizontal	161	1.73	-
5755MHz	Pass	AV	11.5199G	41.88	54.00	-12.12	3	Vertical	27	2.25	-
5755MHz	Pass	PK	11.504G	54.72	74.00	-19.28	3	Vertical	27	2.25	-
5755MHz	Pass	PK	17.25912G	63.34	68.20	-4.86	3	Vertical	307	1.60	-
5755MHz	Pass	AV	11.50574G	41.80	54.00	-12.20	3	Horizontal	155	2.41	-
5755MHz	Pass	PK	11.52182G	54.82	74.00	-19.18	3	Horizontal	155	2.41	-
5755MHz	Pass	PK	17.26704G	63.66	68.20	-4.54	3	Horizontal	154	1.98	-
5795MHz	Pass	AV	5.777G	102.82	Inf	-Inf	3	Vertical	163	1.36	-
5795MHz	Pass	PK	5.6426G	67.15	68.20	-1.05	3	Vertical	163	1.36	-
5795MHz	Pass	PK	5.777G	114.62	Inf	-Inf	3	Vertical	163	1.36	-
5795MHz	Pass	PK	6.0218G	60.99	68.20	-7.21	3	Vertical	163	1.36	-
5795MHz	Pass	AV	5.777G	101.85	Inf	-Inf	3	Horizontal	152	1.50	-
5795MHz	Pass	PK	5.6486G	67.18	68.20	-1.02	3	Horizontal	152	1.50	-
5795MHz	Pass	PK	5.777G	112.25	Inf	-Inf	3	Horizontal	152	1.50	-
5795MHz	Pass	PK	6.0338G	61.19	68.20	-7.01	3	Horizontal	152	1.50	-
5795MHz	Pass	AV	11.58988G	42.07	54.00	-11.93	3	Vertical	352	2.42	-
5795MHz	Pass	PK	11.59012G	57.71	74.00	-16.29	3	Vertical	352	2.42	-
5795MHz	Pass	PK	17.37696G	63.84	68.20	-4.36	3	Vertical	199	1.50	-
5795MHz	Pass	AV	11.5618G	41.85	54.00	-12.15	3	Horizontal	233	2.91	-
5795MHz	Pass	PK	11.575G	55.59	74.00	-18.41	3	Horizontal	233	2.91	-
5795MHz	Pass	PK	17.41416G	63.05	68.20	-5.15	3	Horizontal	360	2.82	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.65	54.00	-0.35	3	Vertical	161	2.60	-
5210MHz	Pass	AV	5.206G	96.76	Inf	-Inf	3	Vertical	161	2.60	-
5210MHz	Pass	AV	5.35G	48.48	54.00	-5.52	3	Vertical	161	2.60	-
5210MHz	Pass	PK	5.149G	72.07	74.00	-1.93	3	Vertical	161	2.60	-
5210MHz	Pass	PK	5.207G	109.15	Inf	-Inf	3	Vertical	161	2.60	-
5210MHz	Pass	PK	5.366G	60.93	74.00	-13.07	3	Vertical	161	2.60	-
5210MHz	Pass	AV	5.147G	53.83	54.00	-0.17	3	Horizontal	170	1.50	-
5210MHz	Pass	AV	5.214G	95.33	Inf	-Inf	3	Horizontal	170	1.50	-
5210MHz	Pass	AV	5.366G	48.16	54.00	-5.84	3	Horizontal	170	1.50	-
5210MHz	Pass	PK	5.15G	70.28	74.00	-3.72	3	Horizontal	170	1.50	-
5210MHz	Pass	PK	5.184G	110.21	Inf	-Inf	3	Horizontal	170	1.50	-
5210MHz	Pass	PK	5.378G	61.02	74.00	-12.98	3	Horizontal	170	1.50	-
5210MHz	Pass	AV	15.62684G	47.26	54.00	-6.74	3	Vertical	163	1.95	-
5210MHz	Pass	PK	10.4246G	54.16	68.20	-14.04	3	Vertical	343	1.75	-
5210MHz	Pass	PK	15.62802G	60.97	74.00	-13.03	3	Vertical	163	1.95	-
5210MHz	Pass	AV	15.62726G	47.23	54.00	-6.77	3	Horizontal	61	2.50	-
5210MHz	Pass	PK	10.41908G	54.57	68.20	-13.63	3	Horizontal	200	1.40	-
5210MHz	Pass	PK	15.63096G	60.62	74.00	-13.38	3	Horizontal	61	2.50	-
5775MHz	Pass	AV	5.7558G	95.64	Inf	-Inf	3	Vertical	179	1.50	-
5775MHz	Pass	PK	5.6502G	66.77	68.35	-1.58	3	Vertical	179	1.50	-
5775MHz	Pass	PK	5.7498G	112.31	Inf	-Inf	3	Vertical	179	1.50	-
5775MHz	Pass	PK	5.931G	60.83	68.20	-7.37	3	Vertical	179	1.50	-
5775MHz	Pass	AV	5.7594G	98.07	Inf	-Inf	3	Horizontal	193	1.50	-
5775MHz	Pass	PK	5.6394G	66.59	68.20	-1.61	3	Horizontal	193	1.50	-
5775MHz	Pass	PK	5.7666G	110.53	Inf	-Inf	3	Horizontal	193	1.50	-
5775MHz	Pass	PK	6.039G	61.61	68.20	-6.59	3	Horizontal	193	1.50	-
5775MHz	Pass	AV	11.5495G	42.01	54.00	-11.99	3	Vertical	257	1.97	-
5775MHz	Pass	PK	11.55068G	55.24	74.00	-18.76	3	Vertical	257	1.97	-
5775MHz	Pass	PK	17.32506G	63.47	68.20	-4.73	3	Vertical	69	2.87	-
5775MHz	Pass	AV	11.55124G	41.85	54.00	-12.15	3	Horizontal	227	2.76	-
5775MHz	Pass	PK	11.55228G	55.30	74.00	-18.70	3	Horizontal	227	2.76	-
5775MHz	Pass	PK	17.32016G	63.87	68.20	-4.33	3	Horizontal	84	2.86	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.17	54.00	-3.83	8.90	3	Vertical	64	1.94	-	41.27	33.20	9.83	34.13
AV	5.183G	98.52	Inf	-Inf	8.85	3	Vertical	64	1.94	-	89.67	33.13	9.85	34.13
PK	5.15G	65.45	74.00	-8.55	8.90	3	Vertical	64	1.94	-	56.55	33.20	9.83	34.13
PK	5.186G	111.53	Inf	-Inf	8.85	3	Vertical	64	1.94	-	102.68	33.13	9.85	34.13


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.38	54.00	-0.62	8.90	3	Horizontal	356	1.62	-	44.48	33.20	9.83	34.13
AV	5.1878G	101.91	Inf	-Inf	8.84	3	Horizontal	356	1.62	-	93.07	33.12	9.85	34.13
PK	5.1494G	69.58	74.00	-4.42	8.90	3	Horizontal	356	1.62	-	60.68	33.20	9.83	34.13
PK	5.186G	115.61	Inf	-Inf	8.85	3	Horizontal	356	1.62	-	106.76	33.13	9.85	34.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52572G	48.58	54.00	-5.42	19.95	3	Vertical	325	1.17	-	28.63	38.70	15.67	34.42
PK	10.3651G	53.89	68.20	-14.31	16.75	3	Vertical	90	1.97	-	37.14	38.67	12.67	34.59
PK	15.528G	61.85	74.00	-12.15	19.94	3	Vertical	325	1.17	-	41.91	38.70	15.67	34.43


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52818G	48.49	54.00	-5.51	19.94	3	Horizontal	175	1.88	-	28.55	38.70	15.67	34.43
PK	10.35838G	53.72	68.20	-14.48	16.74	3	Horizontal	212	2.50	-	36.98	38.66	12.67	34.59
PK	15.53622G	61.93	74.00	-12.07	19.95	3	Horizontal	175	1.88	-	41.98	38.70	15.68	34.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.22	54.00	-5.78	8.90	3	Vertical	166	2.58	-	39.32	33.20	9.83	34.13
AV	5.2084G	103.54	Inf	-Inf	8.80	3	Vertical	166	2.58	-	94.74	33.07	9.87	34.14
AV	5.35G	46.92	54.00	-7.08	8.50	3	Vertical	166	2.58	-	38.42	32.70	9.96	34.16
PK	5.1478G	63.69	74.00	-10.31	8.90	3	Vertical	166	2.58	-	54.79	33.20	9.83	34.13
PK	5.2084G	116.66	Inf	-Inf	8.80	3	Vertical	166	2.58	-	107.86	33.07	9.87	34.14
PK	5.35G	58.66	74.00	-15.34	8.50	3	Vertical	166	2.58	-	50.16	32.70	9.96	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.27	54.00	-3.73	8.90	3	Horizontal	-0	2.48	-	41.37	33.20	9.83	34.13
AV	5.209G	106.74	Inf	-Inf	8.79	3	Horizontal	-0	2.48	-	97.95	33.06	9.87	34.14
AV	5.35G	46.60	54.00	-7.40	8.50	3	Horizontal	-0	2.48	-	38.10	32.70	9.96	34.16
PK	5.1496G	67.38	74.00	-6.62	8.90	3	Horizontal	-0	2.48	-	58.48	33.20	9.83	34.13
PK	5.2084G	118.38	Inf	-Inf	8.80	3	Horizontal	-0	2.48	-	109.58	33.07	9.87	34.14
PK	5.35G	58.72	74.00	-15.28	8.50	3	Horizontal	-0	2.48	-	50.22	32.70	9.96	34.16

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58698G	47.50	54.00	-6.50	19.95	3	Vertical	63	2.80	-	27.55	38.70	15.71	34.46
PK	10.39856G	53.88	68.20	-14.32	16.83	3	Vertical	279	1.56	-	37.05	38.70	12.69	34.56
PK	15.6066G	60.78	74.00	-13.22	19.93	3	Vertical	63	2.80	-	40.85	38.67	15.73	34.47


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59202G	47.54	54.00	-6.46	19.96	3	Horizontal	262	2.56	-	27.58	38.70	15.72	34.46
PK	10.39424G	54.04	68.20	-14.16	16.80	3	Horizontal	216	1.00	-	37.24	38.69	12.68	34.57
PK	15.5916G	60.75	74.00	-13.25	19.96	3	Horizontal	262	2.56	-	40.79	38.70	15.72	34.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.55	54.00	-4.45	8.90	3	Vertical	345	2.70	-	40.65	33.20	9.83	34.13
AV	5.246G	109.28	Inf	-Inf	8.67	3	Vertical	345	2.70	-	100.61	32.92	9.89	34.14
AV	5.35G	49.35	54.00	-4.65	8.51	3	Vertical	345	2.70	-	40.84	32.70	9.97	34.16
PK	5.144G	63.66	74.00	-10.34	8.90	3	Vertical	345	2.70	-	54.76	33.20	9.83	34.13
PK	5.2442G	122.54	Inf	-Inf	8.67	3	Vertical	345	2.70	-	113.87	32.92	9.89	34.14
PK	5.3504G	62.37	74.00	-11.63	8.51	3	Vertical	345	2.70	-	53.86	32.70	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.10	54.00	-1.90	8.90	3	Horizontal	357	1.68	-	43.20	33.20	9.83	34.13
AV	5.2478G	108.41	Inf	-Inf	8.66	3	Horizontal	357	1.68	-	99.75	32.91	9.89	34.14
AV	5.35G	49.80	54.00	-4.20	8.51	3	Horizontal	357	1.68	-	41.29	32.70	9.97	34.16
PK	5.1482G	68.12	74.00	-5.88	8.90	3	Horizontal	357	1.68	-	59.22	33.20	9.83	34.13
PK	5.2478G	120.73	Inf	-Inf	8.66	3	Horizontal	357	1.68	-	112.07	32.91	9.89	34.14
PK	5.35G	62.89	74.00	-11.11	8.51	3	Horizontal	357	1.68	-	54.38	32.70	9.97	34.16

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71106G	47.04	54.00	-6.96	19.47	3	Vertical	30	2.62	-	27.57	38.19	15.81	34.53
PK	10.4752G	60.32	68.20	-7.88	16.83	3	Vertical	337	1.50	-	43.49	38.62	12.72	34.51
PK	15.72156G	60.83	74.00	-13.17	19.46	3	Vertical	30	2.62	-	41.37	38.18	15.81	34.53


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70758G	46.53	54.00	-7.47	19.46	3	Horizontal	360	1.93	-	27.07	38.19	15.80	34.53
PK	10.48066G	58.65	68.20	-9.55	16.84	3	Horizontal	255	2.51	-	41.81	38.62	12.72	34.50
PK	15.7182G	60.42	74.00	-13.58	19.46	3	Horizontal	360	1.59	-	40.96	38.18	15.81	34.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	105.76	Inf	-Inf	9.65	3	Vertical	189	1.92	-	96.11	33.71	10.15	34.21
PK	5.6418G	66.43	68.20	-1.77	9.16	3	Vertical	189	1.92	-	57.27	33.27	10.09	34.20
PK	5.7534G	115.96	Inf	-Inf	9.65	3	Vertical	189	1.92	-	106.31	33.71	10.15	34.21
PK	6.0222G	61.57	68.20	-6.63	10.22	3	Vertical	189	1.92	-	51.35	34.09	10.35	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	106.29	Inf	-Inf	9.58	3	Horizontal	193	1.76	-	96.71	33.63	10.15	34.20
PK	5.649G	67.98	68.20	-0.22	9.20	3	Horizontal	193	1.76	-	58.78	33.30	10.10	34.20
PK	5.739G	118.73	Inf	-Inf	9.58	3	Horizontal	193	1.76	-	109.15	33.63	10.15	34.20
PK	5.9598G	61.45	68.20	-6.75	10.32	3	Horizontal	193	1.76	-	51.13	34.24	10.30	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48772G	42.46	54.00	-11.54	17.97	3	Vertical	360	2.97	-	24.49	38.92	13.11	34.06
PK	11.49054G	55.49	74.00	-18.51	17.97	3	Vertical	360	2.97	-	37.52	38.92	13.11	34.06
PK	17.2374G	63.43	68.20	-4.77	21.46	3	Vertical	26	2.91	-	41.97	38.51	16.22	33.27


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4906G	41.68	54.00	-12.32	17.97	3	Horizontal	153	2.82	-	23.71	38.92	13.11	34.06
PK	11.4957G	55.08	74.00	-18.92	17.96	3	Horizontal	153	2.82	-	37.12	38.91	13.11	34.06
PK	17.2326G	63.08	68.20	-5.12	21.45	3	Horizontal	0	2.73	-	41.63	38.50	16.22	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	106.11	Inf	-Inf	9.71	3	Vertical	166	1.34	-	96.40	33.75	10.17	34.21
PK	5.629G	61.36	68.20	-6.84	9.11	3	Vertical	166	1.34	-	52.25	33.22	10.09	34.20
PK	5.7766G	117.36	Inf	-Inf	9.71	3	Vertical	166	1.34	-	107.65	33.75	10.17	34.21
PK	6.0214G	61.06	68.20	-7.14	10.22	3	Vertical	166	1.34	-	50.84	34.09	10.35	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	104.33	Inf	-Inf	9.71	3	Horizontal	247	1.50	-	94.62	33.75	10.17	34.21
PK	5.5174G	60.01	68.20	-8.19	8.78	3	Horizontal	247	1.50	-	51.23	32.93	10.04	34.19
PK	5.7766G	115.00	Inf	-Inf	9.71	3	Horizontal	247	1.50	-	105.29	33.75	10.17	34.21
PK	5.9458G	61.27	68.20	-6.93	10.35	3	Horizontal	247	1.50	-	50.92	34.28	10.29	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55992G	41.58	54.00	-12.42	17.83	3	Vertical	349	2.10	-	23.75	38.78	13.14	34.09
PK	11.5601G	54.51	74.00	-19.49	17.83	3	Vertical	349	2.10	-	36.68	38.78	13.14	34.09
PK	17.34936G	62.90	68.20	-5.30	21.85	3	Vertical	22	1.17	-	41.05	38.85	16.24	33.24


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56208G	41.56	54.00	-12.44	17.83	3	Horizontal	138	1.80	-	23.73	38.78	13.14	34.09
PK	11.55782G	55.41	74.00	-18.59	17.83	3	Horizontal	138	1.80	-	37.58	38.78	13.14	34.09
PK	17.35098G	62.85	68.20	-5.35	21.85	3	Horizontal	41	2.96	-	41.00	38.85	16.24	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	103.40	Inf	-Inf	9.91	3	Vertical	170	1.68	-	93.49	33.92	10.20	34.21
PK	5.621G	65.63	68.20	-2.57	9.06	3	Vertical	170	1.68	-	56.57	33.18	10.08	34.20
PK	5.819G	115.15	Inf	-Inf	9.89	3	Vertical	170	1.68	-	105.26	33.91	10.19	34.21
PK	6.0362G	61.07	68.20	-7.13	10.29	3	Vertical	170	1.68	-	50.78	34.14	10.37	34.22


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	105.36	Inf	-Inf	9.89	3	Horizontal	192	1.66	-	95.47	33.91	10.19	34.21
PK	5.639G	65.87	68.20	-2.33	9.15	3	Horizontal	192	1.66	-	56.72	33.26	10.09	34.20
PK	5.819G	117.11	Inf	-Inf	9.89	3	Horizontal	192	1.66	-	107.22	33.91	10.19	34.21
PK	5.9846G	60.87	68.20	-7.33	10.19	3	Horizontal	192	1.66	-	50.68	34.09	10.32	34.22

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66008G	43.08	54.00	-10.92	17.67	3	Vertical	347	1.61	-	25.41	38.64	13.18	34.15
PK	11.66068G	56.46	74.00	-17.54	17.67	3	Vertical	347	1.61	-	38.79	38.64	13.18	34.15
PK	17.47728G	63.61	68.20	-4.59	22.20	3	Vertical	28	1.50	-	41.41	39.15	16.26	33.21


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5825MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65612G	41.64	54.00	-12.36	17.68	3	Horizontal	230	1.09	-	23.96	38.64	13.18	34.14
PK	11.66434G	54.80	74.00	-19.20	17.67	3	Horizontal	230	1.09	-	37.13	38.64	13.18	34.15
PK	17.48478G	63.55	68.20	-4.65	22.23	3	Horizontal	35	1.50	-	41.32	39.17	16.26	33.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.77	54.00	-0.23	8.90	3	Vertical	168	2.61	-	44.87	33.20	9.83	34.13
AV	5.1852G	99.21	Inf	-Inf	8.85	3	Vertical	168	2.61	-	90.36	33.13	9.85	34.13
PK	5.1488G	72.83	74.00	-1.17	8.90	3	Vertical	168	2.61	-	63.93	33.20	9.83	34.13
PK	5.186G	112.08	Inf	-Inf	8.85	3	Vertical	168	2.61	-	103.23	33.13	9.85	34.13


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.79	54.00	-1.21	8.90	3	Horizontal	173	1.62	-	43.89	33.20	9.83	34.13
AV	5.1924G	99.98	Inf	-Inf	8.85	3	Horizontal	173	1.62	-	91.13	33.12	9.86	34.13
PK	5.1476G	70.43	74.00	-3.57	8.90	3	Horizontal	173	1.62	-	61.53	33.20	9.83	34.13
PK	5.1928G	112.19	Inf	-Inf	8.84	3	Horizontal	173	1.62	-	103.35	33.11	9.86	34.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55656G	48.04	54.00	-5.96	19.95	3	Vertical	271	1.74	-	28.09	38.70	15.69	34.44
PK	10.37778G	53.94	68.20	-14.26	16.78	3	Vertical	67	1.06	-	37.16	38.68	12.68	34.58
PK	15.5554G	61.42	74.00	-12.58	19.95	3	Vertical	271	1.74	-	41.47	38.70	15.69	34.44


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55986G	48.08	54.00	-5.92	19.95	3	Horizontal	121	1.87	-	28.13	38.70	15.69	34.44
PK	10.37496G	54.68	68.20	-13.52	16.77	3	Horizontal	103	2.82	-	37.91	38.67	12.68	34.58
PK	15.57744G	61.48	74.00	-12.52	19.96	3	Horizontal	121	1.87	-	41.52	38.70	15.71	34.45

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.55	54.00	-5.45	8.90	3	Vertical	120	1.94	-	39.65	33.20	9.83	34.13
AV	5.2168G	98.18	Inf	-Inf	8.76	3	Vertical	120	1.94	-	89.42	33.03	9.87	34.14
PK	5.1372G	60.86	74.00	-13.14	8.91	3	Vertical	120	1.94	-	51.95	33.20	9.83	34.12
PK	5.2132G	110.07	Inf	-Inf	8.78	3	Vertical	120	1.94	-	101.29	33.05	9.87	34.14


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.61	54.00	-0.39	8.90	3	Horizontal	174	1.94	-	44.71	33.20	9.83	34.13
AV	5.2124G	101.97	Inf	-Inf	8.78	3	Horizontal	174	1.94	-	93.19	33.05	9.87	34.14
PK	5.1476G	72.14	74.00	-1.86	8.90	3	Horizontal	174	1.94	-	63.24	33.20	9.83	34.13
PK	5.2132G	114.19	Inf	-Inf	8.78	3	Horizontal	174	1.94	-	105.41	33.05	9.87	34.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67512G	46.93	54.00	-7.07	19.59	3	Vertical	259	2.29	-	27.34	38.32	15.78	34.51
PK	10.4627G	54.55	68.20	-13.65	16.83	3	Vertical	81	1.25	-	37.72	38.64	12.71	34.52
PK	15.68094G	60.59	74.00	-13.41	19.57	3	Vertical	259	2.29	-	41.02	38.30	15.78	34.51


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67566G	46.94	54.00	-7.06	19.59	3	Horizontal	212	1.60	-	27.35	38.32	15.78	34.51
PK	10.44542G	54.70	68.20	-13.50	16.82	3	Horizontal	43	1.45	-	37.88	38.65	12.70	34.53
PK	15.69912G	60.54	74.00	-13.46	19.48	3	Horizontal	212	1.60	-	41.06	38.20	15.80	34.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	100.19	Inf	-Inf	9.64	3	Vertical	185	1.50	-	90.55	33.70	10.15	34.21
PK	5.6494G	66.14	68.20	-2.06	9.20	3	Vertical	185	1.50	-	56.94	33.30	10.10	34.20
PK	5.749G	112.01	Inf	-Inf	9.64	3	Vertical	185	1.50	-	102.37	33.69	10.15	34.20
PK	5.9698G	61.36	68.20	-6.84	10.27	3	Vertical	185	1.50	-	51.09	34.18	10.31	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7694G	102.85	Inf	-Inf	9.69	3	Horizontal	161	1.73	-	93.16	33.74	10.16	34.21
PK	5.6482G	67.17	68.20	-1.03	9.19	3	Horizontal	161	1.73	-	57.98	33.29	10.10	34.20
PK	5.7694G	115.28	Inf	-Inf	9.69	3	Horizontal	161	1.73	-	105.59	33.74	10.16	34.21
PK	5.9566G	61.50	68.20	-6.70	10.34	3	Horizontal	161	1.73	-	51.16	34.26	10.30	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5199G	41.88	54.00	-12.12	17.91	3	Vertical	27	2.25	-	23.97	38.86	13.12	34.07
PK	11.504G	54.72	74.00	-19.28	17.95	3	Vertical	27	2.25	-	36.77	38.89	13.12	34.06
PK	17.25912G	63.34	68.20	-4.86	21.54	3	Vertical	307	1.60	-	41.80	38.58	16.22	33.26


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50574G	41.80	54.00	-12.20	17.95	3	Horizontal	155	2.41	-	23.85	38.89	13.12	34.06
PK	11.52182G	54.82	74.00	-19.18	17.91	3	Horizontal	155	2.41	-	36.91	38.86	13.12	34.07
PK	17.26704G	63.66	68.20	-4.54	21.56	3	Horizontal	154	1.98	-	42.10	38.60	16.22	33.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	102.82	Inf	-Inf	9.71	3	Vertical	163	1.36	-	93.11	33.75	10.17	34.21
PK	5.6426G	67.15	68.20	-1.05	9.16	3	Vertical	163	1.36	-	57.99	33.27	10.09	34.20
PK	5.777G	114.62	Inf	-Inf	9.71	3	Vertical	163	1.36	-	104.91	33.75	10.17	34.21
PK	6.0218G	60.99	68.20	-7.21	10.22	3	Vertical	163	1.36	-	50.77	34.09	10.35	34.22


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	101.85	Inf	-Inf	9.71	3	Horizontal	152	1.50	-	92.14	33.75	10.17	34.21
PK	5.6486G	67.18	68.20	-1.02	9.19	3	Horizontal	152	1.50	-	57.99	33.29	10.10	34.20
PK	5.777G	112.25	Inf	-Inf	9.71	3	Horizontal	152	1.50	-	102.54	33.75	10.17	34.21
PK	6.0338G	61.19	68.20	-7.01	10.28	3	Horizontal	152	1.50	-	50.91	34.14	10.36	34.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58988G	42.07	54.00	-11.93	17.76	3	Vertical	352	2.42	-	24.31	38.72	13.15	34.11
PK	11.59012G	57.71	74.00	-16.29	17.76	3	Vertical	352	2.42	-	39.95	38.72	13.15	34.11
PK	17.37696G	63.84	68.20	-4.36	21.94	3	Vertical	199	1.50	-	41.90	38.93	16.24	33.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5618G	41.85	54.00	-12.15	17.83	3	Horizontal	233	2.91	-	24.02	38.78	13.14	34.09
PK	11.575G	55.59	74.00	-18.41	17.79	3	Horizontal	233	2.91	-	37.80	38.75	13.14	34.10
PK	17.41416G	63.05	68.20	-5.15	22.06	3	Horizontal	360	2.82	-	40.99	39.03	16.25	33.22

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.65	54.00	-0.35	8.90	3	Vertical	161	2.60	-	44.75	33.20	9.83	34.13
AV	5.206G	96.76	Inf	-Inf	8.80	3	Vertical	161	2.60	-	87.96	33.08	9.86	34.14
AV	5.35G	48.48	54.00	-5.52	8.51	3	Vertical	161	2.60	-	39.97	32.70	9.97	34.16
PK	5.149G	72.07	74.00	-1.93	8.90	3	Vertical	161	2.60	-	63.17	33.20	9.83	34.13
PK	5.207G	109.15	Inf	-Inf	8.79	3	Vertical	161	2.60	-	100.36	33.07	9.86	34.14
PK	5.366G	60.93	74.00	-13.07	8.54	3	Vertical	161	2.60	-	52.39	32.73	9.98	34.17

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.83	54.00	-0.17	8.90	3	Horizontal	170	1.50	-	44.93	33.20	9.83	34.13
AV	5.214G	95.33	Inf	-Inf	8.77	3	Horizontal	170	1.50	-	86.56	33.04	9.87	34.14
AV	5.366G	48.16	54.00	-5.84	8.54	3	Horizontal	170	1.50	-	39.62	32.73	9.98	34.17
PK	5.15G	70.28	74.00	-3.72	8.90	3	Horizontal	170	1.50	-	61.38	33.20	9.83	34.13
PK	5.184G	110.21	Inf	-Inf	8.85	3	Horizontal	170	1.50	-	101.36	33.13	9.85	34.13
PK	5.378G	61.02	74.00	-12.98	8.57	3	Horizontal	170	1.50	-	52.45	32.76	9.98	34.17

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62684G	47.26	54.00	-6.74	19.83	3	Vertical	163	1.95	-	27.43	38.57	15.74	34.48
PK	10.4246G	54.16	68.20	-14.04	16.84	3	Vertical	343	1.75	-	37.32	38.68	12.70	34.54
PK	15.62802G	60.97	74.00	-13.03	19.82	3	Vertical	163	1.95	-	41.15	38.56	15.74	34.48


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62726G	47.23	54.00	-6.77	19.82	3	Horizontal	61	2.50	-	27.41	38.56	15.74	34.48
PK	10.41908G	54.57	68.20	-13.63	16.82	3	Horizontal	200	1.40	-	37.75	38.68	12.69	34.55
PK	15.63096G	60.62	74.00	-13.38	19.82	3	Horizontal	61	2.50	-	40.80	38.55	15.75	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7558G	95.64	Inf	-Inf	9.66	3	Vertical	179	1.50	-	85.98	33.71	10.16	34.21
PK	5.6502G	66.77	68.35	-1.58	9.20	3	Vertical	179	1.50	-	57.57	33.30	10.10	34.20
PK	5.7498G	112.31	Inf	-Inf	9.65	3	Vertical	179	1.50	-	102.66	33.70	10.15	34.20
PK	5.931G	60.83	68.20	-7.37	10.28	3	Vertical	179	1.50	-	50.55	34.22	10.28	34.22


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	98.07	Inf	-Inf	9.67	3	Horizontal	193	1.50	-	88.40	33.72	10.16	34.21
PK	5.6394G	66.59	68.20	-1.61	9.15	3	Horizontal	193	1.50	-	57.44	33.26	10.09	34.20
PK	5.7666G	110.53	Inf	-Inf	9.68	3	Horizontal	193	1.50	-	100.85	33.73	10.16	34.21
PK	6.039G	61.61	68.20	-6.59	10.31	3	Horizontal	193	1.50	-	51.30	34.16	10.37	34.22

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5495G	42.01	54.00	-11.99	17.84	3	Vertical	257	1.97	-	24.17	38.80	13.13	34.09
PK	11.55068G	55.24	74.00	-18.76	17.84	3	Vertical	257	1.97	-	37.40	38.80	13.13	34.09
PK	17.32506G	63.47	68.20	-4.73	21.76	3	Vertical	69	2.87	-	41.71	38.78	16.23	33.25

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5775MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55124G	41.85	54.00	-12.15	17.84	3	Horizontal	227	2.76	-	24.01	38.80	13.13	34.09
PK	11.55228G	55.30	74.00	-18.70	17.85	3	Horizontal	227	2.76	-	37.45	38.80	13.14	34.09
PK	17.32016G	63.87	68.20	-4.33	21.74	3	Horizontal	84	2.86	-	42.13	38.76	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82398G	50.33	54.00	-3.67	Vertical
Mode 2	Pass	AV	4.82398G	50.47	54.00	-3.53	Vertical
Mode 3	Pass	AV	4.822G	50.67	54.00	-3.33	Vertical
Mode 4	Pass	AV	4.822G	46.36	54.00	-7.64	Vertical




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.056G	23.66	54.00	-30.34	3	Vertical	168	1.82	-
Mode 1	Pass	AV	1.224G	25.81	54.00	-28.19	3	Vertical	20	2.18	-
Mode 1	Pass	AV	1.406G	31.23	54.00	-22.77	3	Vertical	234	1.28	-
Mode 1	Pass	AV	3.198G	35.86	68.20	-32.34	3	Vertical	27	1.99	-
Mode 1	Pass	AV	4.82398G	50.33	54.00	-3.67	3	Vertical	140	1.22	-
Mode 1	Pass	PK	1.056G	43.62	74.00	-30.38	3	Vertical	168	1.82	-
Mode 1	Pass	PK	1.224G	44.11	74.00	-29.89	3	Vertical	20	2.18	-
Mode 1	Pass	PK	1.406G	47.60	74.00	-26.40	3	Vertical	234	1.28	-
Mode 1	Pass	PK	3.198G	44.59	68.20	-23.61	3	Vertical	27	1.99	-
Mode 1	Pass	PK	4.82398G	52.36	74.00	-21.64	3	Vertical	140	1.22	-
Mode 1	Pass	AV	1.05714G	27.33	54.00	-26.67	3	Horizontal	149	1.01	-
Mode 1	Pass	AV	1.22914G	30.93	54.00	-23.07	3	Horizontal	248	2.62	-
Mode 1	Pass	AV	1.40018G	30.97	54.00	-23.03	3	Horizontal	240	2.22	-
Mode 1	Pass	AV	1.75343G	33.10	68.20	-35.10	3	Horizontal	256	1.50	-
Mode 1	Pass	AV	4.82392G	44.65	54.00	-9.35	3	Horizontal	335	1.50	-
Mode 1	Pass	PK	1.05714G	42.41	74.00	-31.59	3	Horizontal	149	1.01	-
Mode 1	Pass	PK	1.22914G	42.48	74.00	-31.52	3	Horizontal	248	2.62	-
Mode 1	Pass	PK	1.40018G	42.66	74.00	-31.34	3	Horizontal	240	2.22	-
Mode 1	Pass	PK	1.75343G	40.21	68.20	-27.99	3	Horizontal	256	1.50	-
Mode 1	Pass	PK	4.82392G	45.70	74.00	-28.30	3	Horizontal	335	1.50	-
Mode 2	Pass	AV	1.42067G	32.21	54.00	-21.79	3	Vertical	311	2.37	-
Mode 2	Pass	AV	1.77G	30.27	68.20	-37.93	3	Vertical	58	1.81	-
Mode 2	Pass	AV	2.232G	31.85	54.00	-22.15	3	Vertical	150	1.53	-
Mode 2	Pass	AV	3.016G	34.52	68.20	-33.68	3	Vertical	348	2.04	-
Mode 2	Pass	AV	4.82398G	50.47	54.00	-3.53	3	Vertical	152	2.86	-
Mode 2	Pass	AV	5.13G	38.52	54.00	-15.48	3	Vertical	178	2.00	-
Mode 2	Pass	PK	1.42067G	51.43	74.00	-22.57	3	Vertical	311	2.37	-
Mode 2	Pass	PK	1.77G	44.07	68.20	-24.13	3	Vertical	58	1.81	-
Mode 2	Pass	PK	2.232G	50.28	74.00	-23.72	3	Vertical	150	1.53	-
Mode 2	Pass	PK	3.016G	47.61	68.20	-20.59	3	Vertical	348	2.04	-
Mode 2	Pass	PK	4.82398G	53.53	74.00	-20.47	3	Vertical	152	2.86	-
Mode 2	Pass	PK	5.13G	49.32	74.00	-24.68	3	Vertical	178	2.00	-
Mode 2	Pass	AV	1.238G	31.55	54.00	-22.45	3	Horizontal	39	2.03	-
Mode 2	Pass	AV	1.406G	31.04	54.00	-22.96	3	Horizontal	27	1.66	-
Mode 2	Pass	AV	2.232G	33.22	54.00	-20.78	3	Horizontal	107	1.81	-
Mode 2	Pass	AV	2.988G	32.91	68.20	-35.29	3	Horizontal	294	1.48	-
Mode 2	Pass	AV	3.184G	35.53	68.20	-32.67	3	Horizontal	23	1.36	-
Mode 2	Pass	AV	4.822G	47.56	54.00	-6.44	3	Horizontal	355	1.80	-
Mode 2	Pass	PK	1.238G	46.61	74.00	-27.39	3	Horizontal	39	2.03	-
Mode 2	Pass	PK	1.406G	46.65	74.00	-27.35	3	Horizontal	27	1.66	-
Mode 2	Pass	PK	2.232G	43.16	74.00	-30.84	3	Horizontal	107	1.81	-
Mode 2	Pass	PK	2.988G	45.25	68.20	-22.95	3	Horizontal	294	1.48	-
Mode 2	Pass	PK	3.184G	47.86	68.20	-20.34	3	Horizontal	23	1.36	-
Mode 2	Pass	PK	4.822G	49.03	74.00	-24.97	3	Horizontal	355	1.80	-
Mode 3	Pass	AV	1.238G	30.11	54.00	-23.89	3	Vertical	55	1.17	-
Mode 3	Pass	AV	1.406G	31.52	54.00	-22.48	3	Vertical	359	1.32	-
Mode 3	Pass	AV	1.77G	34.01	68.20	-34.19	3	Vertical	147	1.28	-
Mode 3	Pass	AV	4.822G	50.67	54.00	-3.33	3	Vertical	16	2.20	-
Mode 3	Pass	PK	1.238G	43.53	74.00	-30.47	3	Vertical	55	1.17	-
Mode 3	Pass	PK	1.406G	43.98	74.00	-30.02	3	Vertical	359	1.32	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	PK	1.77G	42.41	68.20	-25.79	3	Vertical	147	1.28	-
Mode 3	Pass	PK	4.822G	53.51	74.00	-20.49	3	Vertical	16	2.20	-
Mode 3	Pass	AV	1.238G	30.57	54.00	-23.43	3	Horizontal	24	1.81	-
Mode 3	Pass	AV	1.406G	31.25	54.00	-22.75	3	Horizontal	42	2.36	-
Mode 3	Pass	AV	2.358G	32.13	54.00	-21.87	3	Horizontal	209	1.96	-
Mode 3	Pass	AV	4.822G	43.83	54.00	-10.17	3	Horizontal	136	1.32	-
Mode 3	Pass	PK	1.238G	46.95	74.00	-27.05	3	Horizontal	24	1.81	-
Mode 3	Pass	PK	1.406G	43.81	74.00	-30.19	3	Horizontal	42	2.36	-
Mode 3	Pass	PK	2.358G	42.31	74.00	-31.69	3	Horizontal	209	1.96	-
Mode 3	Pass	PK	4.822G	46.00	74.00	-28.00	3	Horizontal	136	1.32	-
Mode 4	Pass	AV	1.056G	31.25	54.00	-22.75	3	Vertical	73	1.68	-
Mode 4	Pass	AV	1.238G	36.31	54.00	-17.69	3	Vertical	256	2.37	-
Mode 4	Pass	AV	1.406G	32.36	54.00	-21.64	3	Vertical	129	1.32	-
Mode 4	Pass	AV	2.582G	30.58	68.20	-37.62	3	Vertical	21	2.25	-
Mode 4	Pass	AV	4.822G	46.36	54.00	-7.64	3	Vertical	63	1.30	-
Mode 4	Pass	PK	1.056G	44.38	74.00	-29.62	3	Vertical	73	1.68	-
Mode 4	Pass	PK	1.238G	42.37	74.00	-31.63	3	Vertical	256	2.37	-
Mode 4	Pass	PK	1.406G	44.17	74.00	-29.83	3	Vertical	129	1.32	-
Mode 4	Pass	PK	2.582G	45.44	68.20	-22.76	3	Vertical	21	2.25	-
Mode 4	Pass	PK	4.822G	47.24	74.00	-26.76	3	Vertical	63	1.30	-
Mode 4	Pass	AV	1.238G	34.21	54.00	-19.79	3	Horizontal	196	2.04	-
Mode 4	Pass	AV	1.406G	32.01	54.00	-21.99	3	Horizontal	79	1.13	-
Mode 4	Pass	AV	3.002G	33.47	68.20	-34.73	3	Horizontal	57	2.36	-
Mode 4	Pass	AV	4.822G	45.25	54.00	-8.75	3	Horizontal	39	2.25	-
Mode 4	Pass	PK	1.238G	47.85	74.00	-26.15	3	Horizontal	196	2.04	-
Mode 4	Pass	PK	1.406G	43.88	74.00	-30.12	3	Horizontal	79	1.13	-
Mode 4	Pass	PK	3.002G	43.11	68.20	-25.09	3	Horizontal	57	2.36	-
Mode 4	Pass	PK	4.822G	49.03	74.00	-24.97	3	Horizontal	39	2.25	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.056G	23.66	54.00	-30.34	-6.35	3	Vertical	168	1.82	-	30.01	25.02	3.14	34.51
AV	1.224G	25.81	54.00	-28.19	-4.74	3	Vertical	20	2.18	-	30.55	26.10	3.39	34.23
AV	1.406G	31.23	54.00	-22.77	-4.98	3	Vertical	234	1.28	-	36.21	25.30	3.65	33.93
AV	3.198G	35.86	68.20	-32.34	1.18	3	Vertical	27	1.99	-	34.68	29.80	5.55	34.17
AV	4.82398G	50.33	54.00	-3.67	5.21	3	Vertical	140	1.22	-	45.12	32.60	6.90	34.29
PK	1.056G	43.62	74.00	-30.38	-6.35	3	Vertical	168	1.82	-	49.97	25.02	3.14	34.51
PK	1.224G	44.11	74.00	-29.89	-4.74	3	Vertical	20	2.18	-	48.85	26.10	3.39	34.23
PK	1.406G	47.60	74.00	-26.40	-4.98	3	Vertical	234	1.28	-	52.58	25.30	3.65	33.93
PK	3.198G	44.59	68.20	-23.61	1.18	3	Vertical	27	1.99	-	43.41	29.80	5.55	34.17
PK	4.82398G	52.36	74.00	-21.64	5.21	3	Vertical	140	1.22	-	47.15	32.60	6.90	34.29

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.05714G	27.33	54.00	-26.67	-6.33	3	Horizontal	149	1.01	-	33.66	25.03	3.15	34.51
AV	1.22914G	30.93	54.00	-23.07	-4.74	3	Horizontal	248	2.62	-	35.67	26.08	3.40	34.22
AV	1.40018G	30.97	54.00	-23.03	-5.00	3	Horizontal	240	2.22	-	35.97	25.30	3.64	33.94
AV	1.75343G	33.10	68.20	-35.10	-4.53	3	Horizontal	256	1.50	-	37.63	25.18	4.09	33.80
AV	4.82392G	44.65	54.00	-9.35	5.21	3	Horizontal	335	1.50	-	39.44	32.60	6.90	34.29
PK	1.05714G	42.41	74.00	-31.59	-6.33	3	Horizontal	149	1.01	-	48.74	25.03	3.15	34.51
PK	1.22914G	42.48	74.00	-31.52	-4.74	3	Horizontal	248	2.62	-	47.22	26.08	3.40	34.22
PK	1.40018G	42.66	74.00	-31.34	-5.00	3	Horizontal	240	2.22	-	47.66	25.30	3.64	33.94
PK	1.75343G	40.21	68.20	-27.99	-4.53	3	Horizontal	256	1.50	-	44.74	25.18	4.09	33.80
PK	4.82392G	45.70	74.00	-28.30	5.21	3	Horizontal	335	1.50	-	40.49	32.60	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.42067G	32.21	54.00	-21.79	-4.94	3	Vertical	311	2.37	-	37.15	25.30	3.67	33.91
AV	1.77G	30.27	68.20	-37.93	-4.61	3	Vertical	58	1.81	-	34.88	25.08	4.11	33.80
AV	2.232G	31.85	54.00	-22.15	-1.99	3	Vertical	150	1.53	-	33.84	27.31	4.57	33.87
AV	3.016G	34.52	68.20	-33.68	0.83	3	Vertical	348	2.04	-	33.69	29.50	5.46	34.13
AV	4.82398G	50.47	54.00	-3.53	5.21	3	Vertical	152	2.86	-	45.26	32.60	6.90	34.29
AV	5.13G	38.52	54.00	-15.48	6.05	3	Vertical	178	2.00	-	32.47	33.14	7.17	34.26
PK	1.42067G	51.43	74.00	-22.57	-4.94	3	Vertical	311	2.37	-	56.37	25.30	3.67	33.91
PK	1.77G	44.07	68.20	-24.13	-4.61	3	Vertical	58	1.81	-	48.68	25.08	4.11	33.80
PK	2.232G	50.28	74.00	-23.72	-1.99	3	Vertical	150	1.53	-	52.27	27.31	4.57	33.87
PK	3.016G	47.61	68.20	-20.59	0.83	3	Vertical	348	2.04	-	46.78	29.50	5.46	34.13
PK	4.82398G	53.53	74.00	-20.47	5.21	3	Vertical	152	2.86	-	48.32	32.60	6.90	34.29
PK	5.13G	49.32	74.00	-24.68	6.05	3	Vertical	178	2.00	-	43.27	33.14	7.17	34.26

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	31.55	54.00	-22.45	-4.75	3	Horizontal	39	2.03	-	36.30	26.05	3.41	34.21
AV	1.406G	31.04	54.00	-22.96	-4.98	3	Horizontal	27	1.66	-	36.02	25.30	3.65	33.93
AV	2.232G	33.22	54.00	-20.78	-1.99	3	Horizontal	107	1.81	-	35.21	27.31	4.57	33.87
AV	2.988G	32.91	68.20	-35.29	0.74	3	Horizontal	294	1.48	-	32.17	29.43	5.44	34.13
AV	3.184G	35.53	68.20	-32.67	1.14	3	Horizontal	23	1.36	-	34.39	29.77	5.54	34.17
AV	4.822G	47.56	54.00	-6.44	5.20	3	Horizontal	355	1.80	-	42.36	32.59	6.90	34.29
PK	1.238G	46.61	74.00	-27.39	-4.75	3	Horizontal	39	2.03	-	51.36	26.05	3.41	34.21
PK	1.406G	46.65	74.00	-27.35	-4.98	3	Horizontal	27	1.66	-	51.63	25.30	3.65	33.93
PK	2.232G	43.16	74.00	-30.84	-1.99	3	Horizontal	107	1.81	-	45.15	27.31	4.57	33.87
PK	2.988G	45.25	68.20	-22.95	0.74	3	Horizontal	294	1.48	-	44.51	29.43	5.44	34.13
PK	3.184G	47.86	68.20	-20.34	1.14	3	Horizontal	23	1.36	-	46.72	29.77	5.54	34.17
PK	4.822G	49.03	74.00	-24.97	5.20	3	Horizontal	355	1.80	-	43.83	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	30.11	54.00	-23.89	-4.75	3	Vertical	55	1.17	-	34.86	26.05	3.41	34.21
AV	1.406G	31.52	54.00	-22.48	-4.98	3	Vertical	359	1.32	-	36.50	25.30	3.65	33.93
AV	1.77G	34.01	68.20	-34.19	-4.61	3	Vertical	147	1.28	-	38.62	25.08	4.11	33.80
AV	4.822G	50.67	54.00	-3.33	5.20	3	Vertical	16	2.20	-	45.47	32.59	6.90	34.29
PK	1.238G	43.53	74.00	-30.47	-4.75	3	Vertical	55	1.17	-	48.28	26.05	3.41	34.21
PK	1.406G	43.98	74.00	-30.02	-4.98	3	Vertical	359	1.32	-	48.96	25.30	3.65	33.93
PK	1.77G	42.41	68.20	-25.79	-4.61	3	Vertical	147	1.28	-	47.02	25.08	4.11	33.80
PK	4.822G	53.51	74.00	-20.49	5.20	3	Vertical	16	2.20	-	48.31	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	30.57	54.00	-23.43	-4.75	3	Horizontal	24	1.81	-	35.32	26.05	3.41	34.21
AV	1.406G	31.25	54.00	-22.75	-4.98	3	Horizontal	42	2.36	-	36.23	25.30	3.65	33.93
AV	2.358G	32.13	54.00	-21.87	-2.08	3	Horizontal	209	1.96	-	34.21	27.32	4.50	33.90
AV	4.822G	43.83	54.00	-10.17	5.20	3	Horizontal	136	1.32	-	38.63	32.59	6.90	34.29
PK	1.238G	46.95	74.00	-27.05	-4.75	3	Horizontal	24	1.81	-	51.70	26.05	3.41	34.21
PK	1.406G	43.81	74.00	-30.19	-4.98	3	Horizontal	42	2.36	-	48.79	25.30	3.65	33.93
PK	2.358G	42.31	74.00	-31.69	-2.08	3	Horizontal	209	1.96	-	44.39	27.32	4.50	33.90
PK	4.822G	46.00	74.00	-28.00	5.20	3	Horizontal	136	1.32	-	40.80	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.056G	31.25	54.00	-22.75	-6.35	3	Vertical	73	1.68	-	37.60	25.02	3.14	34.51
AV	1.238G	36.31	54.00	-17.69	-4.75	3	Vertical	256	2.37	-	41.06	26.05	3.41	34.21
AV	1.406G	32.36	54.00	-21.64	-4.98	3	Vertical	129	1.32	-	37.34	25.30	3.65	33.93
AV	2.582G	30.58	68.20	-37.62	-1.34	3	Vertical	21	2.25	-	31.92	28.13	4.50	33.97
AV	4.822G	46.36	54.00	-7.64	5.20	3	Vertical	63	1.30	-	41.16	32.59	6.90	34.29
PK	1.056G	44.38	74.00	-29.62	-6.35	3	Vertical	73	1.68	-	50.73	25.02	3.14	34.51
PK	1.238G	42.37	74.00	-31.63	-4.75	3	Vertical	256	2.37	-	47.12	26.05	3.41	34.21
PK	1.406G	44.17	74.00	-29.83	-4.98	3	Vertical	129	1.32	-	49.15	25.30	3.65	33.93
PK	2.582G	45.44	68.20	-22.76	-1.34	3	Vertical	21	2.25	-	46.78	28.13	4.50	33.97
PK	4.822G	47.24	74.00	-26.76	5.20	3	Vertical	63	1.30	-	42.04	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	34.21	54.00	-19.79	-4.75	3	Horizontal	196	2.04	-	38.96	26.05	3.41	34.21
AV	1.406G	32.01	54.00	-21.99	-4.98	3	Horizontal	79	1.13	-	36.99	25.30	3.65	33.93
AV	3.002G	33.47	68.20	-34.73	0.82	3	Horizontal	57	2.36	-	32.65	29.50	5.45	34.13
AV	4.822G	45.25	54.00	-8.75	5.20	3	Horizontal	39	2.25	-	40.05	32.59	6.90	34.29
PK	1.238G	47.85	74.00	-26.15	-4.75	3	Horizontal	196	2.04	-	52.60	26.05	3.41	34.21
PK	1.406G	43.88	74.00	-30.12	-4.98	3	Horizontal	79	1.13	-	48.86	25.30	3.65	33.93
PK	3.002G	43.11	68.20	-25.09	0.82	3	Horizontal	57	2.36	-	42.29	29.50	5.45	34.13
PK	4.822G	49.03	74.00	-24.97	5.20	3	Horizontal	39	2.25	-	43.83	32.59	6.90	34.29



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.878G	47.58	54.00	-6.42	Vertical
Mode 2	Pass	AV	4.82386G	50.36	54.00	-3.64	Vertical
Mode 3	Pass	AV	4.822G	48.89	54.00	-5.11	Vertical
Mode 4	Pass	AV	4.822G	50.14	54.00	-3.86	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.224G	31.53	54.00	-22.47	3	Vertical	341	1.52	-
Mode 1	Pass	AV	1.406G	30.25	54.00	-23.75	3	Vertical	218	2.24	-
Mode 1	Pass	AV	1.938G	34.58	68.20	-33.62	3	Vertical	187	1.92	-
Mode 1	Pass	AV	4.878G	47.58	54.00	-6.42	3	Vertical	173	1.07	-
Mode 1	Pass	PK	1.224G	41.91	74.00	-32.09	3	Vertical	341	1.52	-
Mode 1	Pass	PK	1.406G	43.67	74.00	-30.33	3	Vertical	218	2.24	-
Mode 1	Pass	PK	1.938G	42.21	68.20	-25.99	3	Vertical	187	1.92	-
Mode 1	Pass	PK	4.878G	50.06	74.00	-23.94	3	Vertical	173	1.07	-
Mode 1	Pass	AV	1.196G	29.58	54.00	-24.42	3	Horizontal	323	1.07	-
Mode 1	Pass	AV	1.406G	36.55	54.00	-17.45	3	Horizontal	214	1.18	-
Mode 1	Pass	AV	2.26G	32.25	54.00	-21.75	3	Horizontal	356	1.50	-
Mode 1	Pass	PK	1.196G	43.37	74.00	-30.63	3	Horizontal	323	1.07	-
Mode 1	Pass	PK	1.406G	41.48	74.00	-32.52	3	Horizontal	214	1.18	-
Mode 1	Pass	PK	2.26G	49.98	74.00	-24.02	3	Horizontal	356	1.50	-
Mode 2	Pass	AV	3.968G	32.55	54.00	-21.45	3	Vertical	227	1.90	-
Mode 2	Pass	AV	4.29G	30.06	54.00	-23.94	3	Vertical	61	1.16	-
Mode 2	Pass	AV	4.82386G	50.36	54.00	-3.64	3	Vertical	195	1.50	-
Mode 2	Pass	PK	3.968G	42.79	74.00	-31.21	3	Vertical	227	1.90	-
Mode 2	Pass	PK	4.29G	43.79	74.00	-30.21	3	Vertical	61	1.16	-
Mode 2	Pass	PK	4.822G	55.45	74.00	-18.55	3	Vertical	195	1.50	-
Mode 2	Pass	AV	1.238G	29.68	54.00	-28.88	3	Horizontal	339	1.13	-
Mode 2	Pass	AV	1.756G	28.59	68.20	-39.61	3	Horizontal	46	1.74	-
Mode 2	Pass	AV	2.358G	29.15	54.00	-24.85	3	Horizontal	285	1.95	-
Mode 2	Pass	PK	1.238G	41.23	74.00	-32.77	3	Horizontal	339	1.13	-
Mode 2	Pass	PK	1.756G	38.51	68.20	-29.69	3	Horizontal	46	1.74	-
Mode 2	Pass	PK	2.358G	44.88	74.00	-29.12	3	Horizontal	285	1.95	-
Mode 3	Pass	AV	1.154G	25.49	54.00	-28.51	3	Vertical	213	1.37	-
Mode 3	Pass	AV	1.406G	28.36	54.00	-31.44	3	Vertical	45	1.25	-
Mode 3	Pass	AV	4.822G	48.89	54.00	-5.11	3	Vertical	341	1.52	-
Mode 3	Pass	PK	1.154G	36.61	74.00	-37.39	3	Vertical	213	1.37	-
Mode 3	Pass	PK	1.406G	37.34	74.00	-36.66	3	Vertical	45	1.25	-
Mode 3	Pass	PK	4.822G	52.88	74.00	-21.12	3	Vertical	341	1.52	-
Mode 3	Pass	AV	1.21G	27.63	54.00	-26.37	3	Horizontal	111	1.19	-
Mode 3	Pass	AV	1.728G	26.32	68.20	-41.88	3	Horizontal	250	2.08	-
Mode 3	Pass	AV	4.822G	39.59	54.00	-14.41	3	Horizontal	66	2.41	-
Mode 3	Pass	PK	1.21G	39.31	74.00	-34.69	3	Horizontal	111	1.19	-
Mode 3	Pass	PK	1.728G	37.77	68.20	-30.43	3	Horizontal	250	2.08	-
Mode 3	Pass	PK	4.822G	46.85	74.00	-27.15	3	Horizontal	66	2.41	-
Mode 4	Pass	AV	1.49G	31.70	54.00	-22.30	3	Vertical	96	1.74	-
Mode 4	Pass	AV	4.822G	50.14	54.00	-3.86	3	Vertical	182	2.49	-
Mode 4	Pass	AV	7.25G	47.49	54.00	-6.51	3	Vertical	221	2.25	-
Mode 4	Pass	PK	1.49G	37.46	74.00	-36.54	3	Vertical	96	1.74	-
Mode 4	Pass	PK	4.822G	56.09	74.00	-17.91	3	Vertical	182	2.49	-
Mode 4	Pass	PK	7.25G	50.89	74.00	-23.11	3	Vertical	221	2.25	-
Mode 4	Pass	AV	1.21G	31.98	54.00	-22.02	3	Horizontal	112	2.45	-
Mode 4	Pass	AV	4.01G	33.14	54.00	-20.86	3	Horizontal	250	1.86	-
Mode 4	Pass	AV	5.046G	35.11	54.00	-18.89	3	Horizontal	309	1.46	-
Mode 4	Pass	PK	1.21G	40.28	74.00	-33.72	3	Horizontal	112	2.45	-
Mode 4	Pass	PK	4.01G	42.07	74.00	-31.93	3	Horizontal	250	1.86	-
Mode 4	Pass	PK	5.046G	43.89	74.00	-30.11	3	Horizontal	309	1.46	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	31.53	54.00	-22.47	-4.74	3	Vertical	341	1.52	-	36.27	26.10	3.39	34.23
AV	1.406G	30.25	54.00	-23.75	-4.98	3	Vertical	218	2.24	-	35.23	25.30	3.65	33.93
AV	1.938G	34.58	68.20	-33.62	-3.42	3	Vertical	187	1.92	-	38.00	26.08	4.31	33.81
AV	4.878G	47.58	54.00	-6.42	5.38	3	Vertical	173	1.07	-	42.20	32.76	6.90	34.28
PK	1.224G	41.91	74.00	-32.09	-4.74	3	Vertical	341	1.52	-	46.65	26.10	3.39	34.23
PK	1.406G	43.67	74.00	-30.33	-4.98	3	Vertical	218	2.24	-	48.65	25.30	3.65	33.93
PK	1.938G	42.21	68.20	-25.99	-3.42	3	Vertical	187	1.92	-	45.63	26.08	4.31	33.81
PK	4.878G	50.06	74.00	-23.94	5.38	3	Vertical	173	1.07	-	44.68	32.76	6.90	34.28

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.196G	29.58	54.00	-24.42	-4.73	3	Horizontal	323	1.07	-	34.31	26.20	3.35	34.28
AV	1.406G	36.55	54.00	-17.45	-4.98	3	Horizontal	214	1.18	-	41.53	25.30	3.65	33.93
AV	2.26G	32.25	54.00	-21.75	-2.15	3	Horizontal	356	1.50	-	34.40	27.18	4.55	33.88
PK	1.196G	43.37	74.00	-30.63	-4.73	3	Horizontal	323	1.07	-	48.10	26.20	3.35	34.28
PK	1.406G	41.48	74.00	-32.52	-4.98	3	Horizontal	214	1.18	-	46.46	25.30	3.65	33.93
PK	2.26G	49.98	74.00	-24.02	-2.15	3	Horizontal	356	1.50	-	52.13	27.18	4.55	33.88

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.968G	32.55	54.00	-21.45	2.78	3	Vertical	227	1.90	-	29.77	30.86	6.17	34.25
AV	4.29G	30.06	54.00	-23.94	3.70	3	Vertical	61	1.16	-	26.36	31.56	6.44	34.30
AV	4.82386G	50.36	54.00	-3.64	5.21	3	Vertical	195	1.50	-	45.15	32.60	6.90	34.29
PK	3.968G	42.79	74.00	-31.21	2.78	3	Vertical	227	1.90	-	40.01	30.86	6.17	34.25
PK	4.29G	43.79	74.00	-30.21	3.70	3	Vertical	61	1.16	-	40.09	31.56	6.44	34.30
PK	4.822G	55.45	74.00	-18.55	5.20	3	Vertical	195	1.50	-	50.25	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	29.68	54.00	-28.88	-4.75	3	Horizontal	339	1.13	-	29.87	26.05	3.41	34.21
AV	1.756G	28.59	68.20	-39.61	-4.55	3	Horizontal	46	1.74	-	33.14	25.16	4.09	33.80
AV	2.358G	29.15	54.00	-24.85	-2.08	3	Horizontal	285	1.95	-	31.23	27.32	4.50	33.90
PK	1.238G	41.23	74.00	-32.77	-4.75	3	Horizontal	339	1.13	-	45.98	26.05	3.41	34.21
PK	1.756G	38.51	68.20	-29.69	-4.55	3	Horizontal	46	1.74	-	43.06	25.16	4.09	33.80
PK	2.358G	44.88	74.00	-29.12	-2.08	3	Horizontal	285	1.95	-	46.96	27.32	4.50	33.90

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.154G	25.49	54.00	-28.51	-4.86	3	Vertical	213	1.37	-	30.35	26.20	3.29	34.35
AV	1.406G	28.36	54.00	-31.44	-4.98	3	Vertical	45	1.25	-	27.54	25.30	3.65	33.93
AV	4.822G	48.89	54.00	-5.11	5.20	3	Vertical	341	1.52	-	43.69	32.59	6.90	34.29
PK	1.154G	36.61	74.00	-37.39	-4.86	3	Vertical	213	1.37	-	41.47	26.20	3.29	34.35
PK	1.406G	37.34	74.00	-36.66	-4.98	3	Vertical	45	1.25	-	42.32	25.30	3.65	33.93
PK	4.822G	52.88	74.00	-21.12	5.20	3	Vertical	341	1.52	-	47.68	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	27.63	54.00	-26.37	-4.73	3	Horizontal	111	1.19	-	32.36	26.16	3.37	34.26
AV	1.728G	26.32	68.20	-41.88	-4.53	3	Horizontal	250	2.08	-	30.85	25.20	4.06	33.79
AV	4.822G	39.59	54.00	-14.41	5.20	3	Horizontal	66	2.41	-	34.39	32.59	6.90	34.29
PK	1.21G	39.31	74.00	-34.69	-4.73	3	Horizontal	111	1.19	-	44.04	26.16	3.37	34.26
PK	1.728G	37.77	68.20	-30.43	-4.53	3	Horizontal	250	2.08	-	42.30	25.20	4.06	33.79
PK	4.822G	46.85	74.00	-27.15	5.20	3	Horizontal	66	2.41	-	41.65	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.49G	31.70	54.00	-22.30	-4.66	3	Vertical	96	1.74	-	36.36	25.38	3.76	33.80
AV	4.822G	50.14	54.00	-3.86	5.20	3	Vertical	182	2.49	-	44.94	32.59	6.90	34.29
AV	7.25G	47.49	54.00	-6.51	10.56	3	Vertical	221	2.25	-	36.93	36.90	8.46	34.80
PK	1.49G	37.46	74.00	-36.54	-4.66	3	Vertical	96	1.74	-	42.12	25.38	3.76	33.80
PK	4.822G	56.09	74.00	-17.91	5.20	3	Vertical	182	2.49	-	50.89	32.59	6.90	34.29
PK	7.25G	50.89	74.00	-23.11	10.56	3	Vertical	221	2.25	-	40.33	36.90	8.46	34.80

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	31.98	54.00	-22.02	-4.73	3	Horizontal	112	2.45	-	36.71	26.16	3.37	34.26
AV	4.01G	33.14	54.00	-20.86	2.75	3	Horizontal	250	1.86	-	30.39	30.78	6.22	34.25
AV	5.046G	35.11	54.00	-18.89	5.75	3	Horizontal	309	1.46	-	29.36	33.02	7.00	34.27
PK	1.21G	40.28	74.00	-33.72	-4.73	3	Horizontal	112	2.45	-	45.01	26.16	3.37	34.26
PK	4.01G	42.07	74.00	-31.93	2.75	3	Horizontal	250	1.86	-	39.32	30.78	6.22	34.25
PK	5.046G	43.89	74.00	-30.11	5.75	3	Horizontal	309	1.46	-	38.14	33.02	7.00	34.27



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.822G	50.07	54.00	-3.93	Vertical
Mode 2	Pass	AV	4.822G	50.87	54.00	-3.13	Vertical
Mode 3	Pass	AV	4.822G	49.04	54.00	-4.96	Vertical
Mode 4	Pass	AV	4.822G	47.93	54.00	-6.07	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.392G	28.03	54.00	-25.97	3	Vertical	91	1.95	-
Mode 1	Pass	AV	4.822G	50.07	54.00	-3.93	3	Vertical	52	1.46	-
Mode 1	Pass	AV	7.25G	47.71	54.00	-6.29	3	Vertical	280	1.91	-
Mode 1	Pass	PK	1.392G	36.94	74.00	-37.06	3	Vertical	91	1.95	-
Mode 1	Pass	PK	4.822G	54.90	74.00	-19.10	3	Vertical	52	1.46	-
Mode 1	Pass	PK	7.25G	51.55	68.20	-16.65	3	Vertical	280	1.91	-
Mode 1	Pass	AV	1.224G	29.73	54.00	-24.27	3	Horizontal	107	1.24	-
Mode 1	Pass	AV	4.822G	47.74	54.00	-6.26	3	Horizontal	137	2.34	-
Mode 1	Pass	AV	6.824G	39.52	68.20	-28.68	3	Horizontal	31	1.84	-
Mode 1	Pass	PK	1.224G	38.90	74.00	-35.10	3	Horizontal	107	1.24	-
Mode 1	Pass	PK	4.822G	52.91	74.00	-21.09	3	Horizontal	137	2.34	-
Mode 1	Pass	PK	6.824G	48.88	68.20	-19.32	3	Horizontal	31	1.84	-
Mode 2	Pass	AV	1.392G	27.54	54.00	-26.46	3	Vertical	21	1.17	-
Mode 2	Pass	AV	4.822G	50.87	54.00	-3.13	3	Vertical	273	1.08	-
Mode 2	Pass	AV	7.25G	43.30	54.00	-10.70	3	Vertical	94	1.14	-
Mode 2	Pass	PK	1.392G	37.33	74.00	-36.67	3	Vertical	21	1.17	-
Mode 2	Pass	PK	4.822G	54.43	74.00	-19.57	3	Vertical	273	1.08	-
Mode 2	Pass	PK	7.25G	50.63	74.00	-23.37	3	Vertical	94	1.14	-
Mode 2	Pass	AV	1.21G	27.93	54.00	-26.07	3	Horizontal	166	2.39	-
Mode 2	Pass	AV	4.822G	44.51	54.00	-9.49	3	Horizontal	225	1.86	-
Mode 2	Pass	AV	6.572G	37.39	68.20	-30.81	3	Horizontal	314	1.41	-
Mode 2	Pass	PK	1.21G	38.72	74.00	-35.28	3	Horizontal	166	2.39	-
Mode 2	Pass	PK	4.822G	48.73	74.00	-25.27	3	Horizontal	225	1.86	-
Mode 2	Pass	PK	6.572G	48.27	68.20	-19.93	3	Horizontal	314	1.41	-
Mode 3	Pass	AV	1.224G	29.70	54.00	-24.30	3	Vertical	77	1.45	-
Mode 3	Pass	AV	4.276G	39.38	54.00	-14.62	3	Vertical	190	1.40	-
Mode 3	Pass	AV	4.822G	49.04	54.00	-4.96	3	Vertical	179	2.34	-
Mode 3	Pass	PK	1.224G	42.34	74.00	-31.66	3	Vertical	77	1.45	-
Mode 3	Pass	PK	4.276G	44.28	74.00	-29.72	3	Vertical	190	1.40	-
Mode 3	Pass	PK	4.822G	54.78	74.00	-19.22	3	Vertical	179	2.34	-
Mode 3	Pass	AV	1.238G	29.23	54.00	-24.77	3	Horizontal	133	1.52	-
Mode 3	Pass	AV	1.406G	26.87	54.00	-27.13	3	Horizontal	246	1.43	-
Mode 3	Pass	AV	4.822G	47.61	54.00	-6.39	3	Horizontal	83	2.50	-
Mode 3	Pass	PK	1.238G	39.24	74.00	-34.76	3	Horizontal	133	1.52	-
Mode 3	Pass	PK	1.406G	40.65	74.00	-33.35	3	Horizontal	246	1.43	-
Mode 3	Pass	PK	4.822G	51.02	74.00	-22.98	3	Horizontal	83	2.50	-
Mode 4	Pass	AV	1.224G	31.25	54.00	-22.75	3	Vertical	251	1.33	-
Mode 4	Pass	AV	1.406G	32.13	54.00	-21.87	3	Vertical	258	1.55	-
Mode 4	Pass	AV	4.822G	47.93	54.00	-6.07	3	Vertical	302	1.38	-
Mode 4	Pass	PK	1.224G	40.22	74.00	-33.78	3	Vertical	251	1.33	-
Mode 4	Pass	PK	1.406G	38.83	74.00	-35.17	3	Vertical	258	1.55	-
Mode 4	Pass	PK	4.822G	53.22	74.00	-20.78	3	Vertical	302	1.38	-
Mode 4	Pass	AV	1.21G	30.41	54.00	-23.59	3	Horizontal	297	2.01	-
Mode 4	Pass	AV	4.234G	36.34	54.00	-17.66	3	Horizontal	193	1.47	-
Mode 4	Pass	AV	4.822G	41.37	54.00	-12.63	3	Horizontal	182	1.83	-
Mode 4	Pass	PK	1.21G	37.91	74.00	-36.09	3	Horizontal	297	2.01	-
Mode 4	Pass	PK	4.234G	43.39	74.00	-30.61	3	Horizontal	193	1.47	-
Mode 4	Pass	PK	4.822G	49.65	74.00	-24.35	3	Horizontal	182	1.83	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	28.03	54.00	-25.97	-4.93	3	Vertical	91	1.95	-	32.96	25.40	3.63	33.96
AV	4.822G	50.07	54.00	-3.93	5.20	3	Vertical	52	1.46	-	44.87	32.59	6.90	34.29
AV	7.25G	47.71	54.00	-6.29	10.56	3	Vertical	280	1.91	-	37.15	36.90	8.46	34.80
PK	1.392G	36.94	74.00	-37.06	-4.93	3	Vertical	91	1.95	-	41.87	25.40	3.63	33.96
PK	4.822G	54.90	74.00	-19.10	5.20	3	Vertical	52	1.46	-	49.70	32.59	6.90	34.29
PK	7.25G	51.55	68.20	-16.65	10.57	3	Vertical	280	1.91	-	40.98	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	29.73	54.00	-24.27	-4.74	3	Horizontal	107	1.24	-	34.47	26.10	3.39	34.23
AV	4.822G	47.74	54.00	-6.26	5.20	3	Horizontal	137	2.34	-	42.54	32.59	6.90	34.29
AV	6.824G	39.52	68.20	-28.68	9.35	3	Horizontal	31	1.84	-	30.17	35.85	8.21	34.71
PK	1.224G	38.90	74.00	-35.10	-4.74	3	Horizontal	107	1.24	-	43.64	26.10	3.39	34.23
PK	4.822G	52.91	74.00	-21.09	5.20	3	Horizontal	137	2.34	-	47.71	32.59	6.90	34.29
PK	6.824G	48.88	68.20	-19.32	9.35	3	Horizontal	31	1.84	-	39.53	35.85	8.21	34.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	27.54	54.00	-26.46	-4.93	3	Vertical	21	1.17	-	32.47	25.40	3.63	33.96
AV	4.822G	50.87	54.00	-3.13	5.20	3	Vertical	273	1.08	-	45.67	32.59	6.90	34.29
AV	7.25G	43.30	54.00	-10.70	10.56	3	Vertical	94	1.14	-	32.74	36.90	8.46	34.80
PK	1.392G	37.33	74.00	-36.67	-4.93	3	Vertical	21	1.17	-	42.26	25.40	3.63	33.96
PK	4.822G	54.43	74.00	-19.57	5.20	3	Vertical	273	1.08	-	49.23	32.59	6.90	34.29
PK	7.25G	50.63	74.00	-23.37	10.56	3	Vertical	94	1.14	-	40.07	36.90	8.46	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	27.93	54.00	-26.07	-4.73	3	Horizontal	166	2.39	-	32.66	26.16	3.37	34.26
AV	4.822G	44.51	54.00	-9.49	5.20	3	Horizontal	225	1.86	-	39.31	32.59	6.90	34.29
AV	6.572G	37.39	68.20	-30.81	9.24	3	Horizontal	314	1.41	-	28.15	35.73	8.14	34.63
PK	1.21G	38.72	74.00	-35.28	-4.73	3	Horizontal	166	2.39	-	43.45	26.16	3.37	34.26
PK	4.822G	48.73	74.00	-25.27	5.20	3	Horizontal	225	1.86	-	43.53	32.59	6.90	34.29
PK	6.572G	48.27	68.20	-19.93	9.24	3	Horizontal	314	1.41	-	39.03	35.73	8.14	34.63

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	29.70	54.00	-24.30	-4.74	3	Vertical	77	1.45	-	34.44	26.10	3.39	34.23
AV	4.276G	39.38	54.00	-14.62	3.64	3	Vertical	190	1.40	-	35.74	31.50	6.43	34.29
AV	4.822G	49.04	54.00	-4.96	5.20	3	Vertical	179	2.34	-	43.84	32.59	6.90	34.29
PK	1.224G	42.34	74.00	-31.66	-4.74	3	Vertical	77	1.45	-	47.08	26.10	3.39	34.23
PK	4.276G	44.28	74.00	-29.72	3.64	3	Vertical	190	1.40	-	40.64	31.50	6.43	34.29
PK	4.822G	54.78	74.00	-19.22	5.20	3	Vertical	179	2.34	-	49.58	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	29.23	54.00	-24.77	-4.75	3	Horizontal	133	1.52	-	33.98	26.05	3.41	34.21
AV	1.406G	26.87	54.00	-27.13	-4.98	3	Horizontal	246	1.43	-	31.85	25.30	3.65	33.93
AV	4.822G	47.61	54.00	-6.39	5.20	3	Horizontal	83	2.50	-	42.41	32.59	6.90	34.29
PK	1.238G	39.24	74.00	-34.76	-4.75	3	Horizontal	133	1.52	-	43.99	26.05	3.41	34.21
PK	1.406G	40.65	74.00	-33.35	-4.98	3	Horizontal	246	1.43	-	45.63	25.30	3.65	33.93
PK	4.822G	51.02	74.00	-22.98	5.20	3	Horizontal	83	2.50	-	45.82	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	31.25	54.00	-22.75	-4.74	3	Vertical	251	1.33	-	35.99	26.10	3.39	34.23
AV	1.406G	32.13	54.00	-21.87	-4.98	3	Vertical	258	1.55	-	37.11	25.30	3.65	33.93
AV	4.822G	47.93	54.00	-6.07	5.20	3	Vertical	302	1.38	-	42.73	32.59	6.90	34.29
PK	1.224G	40.22	74.00	-33.78	-4.74	3	Vertical	251	1.33	-	44.96	26.10	3.39	34.23
PK	1.406G	38.83	74.00	-35.17	-4.98	3	Vertical	258	1.55	-	43.81	25.30	3.65	33.93
PK	4.822G	53.22	74.00	-20.78	5.20	3	Vertical	302	1.38	-	48.02	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	30.41	54.00	-23.59	-4.73	3	Horizontal	297	2.01	-	35.14	26.16	3.37	34.26
AV	4.234G	36.34	54.00	-17.66	3.36	3	Horizontal	193	1.47	-	32.98	31.27	6.38	34.29
AV	4.822G	41.37	54.00	-12.63	5.20	3	Horizontal	182	1.83	-	36.17	32.59	6.90	34.29
PK	1.21G	37.91	74.00	-36.09	-4.73	3	Horizontal	297	2.01	-	42.64	26.16	3.37	34.26
PK	4.234G	43.39	74.00	-30.61	3.36	3	Horizontal	193	1.47	-	40.03	31.27	6.38	34.29
PK	4.822G	49.65	74.00	-24.35	5.20	3	Horizontal	182	1.83	-	44.45	32.59	6.90	34.29



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.822G	48.34	54.00	-5.66	Vertical
Mode 2	Pass	AV	4.822G	49.67	54.00	-4.33	Vertical
Mode 3	Pass	AV	7.25G	47.21	54.00	-6.79	Vertical
Mode 4	Pass	AV	4.822G	47.81	54.00	-6.19	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.406G	31.44	54.00	-22.56	3	Vertical	315	1.71	-
Mode 1	Pass	AV	4.822G	48.34	54.00	-5.66	3	Vertical	22	1.49	-
Mode 1	Pass	AV	7.25G	45.51	54.00	-8.49	3	Vertical	127	1.84	-
Mode 1	Pass	PK	1.406G	40.10	74.00	-33.90	3	Vertical	235	1.71	-
Mode 1	Pass	PK	4.822G	51.27	74.00	-22.73	3	Vertical	315	1.49	-
Mode 1	Pass	PK	7.25G	50.26	68.20	-17.94	3	Vertical	127	1.84	-
Mode 1	Pass	PK	1.224G	40.78	74.00	-33.22	3	Horizontal	40	1.96	-
Mode 1	Pass	PK	3.674G	40.77	74.00	-33.23	3	Horizontal	328	2.38	-
Mode 1	Pass	PK	4.808G	43.41	74.00	-30.59	3	Horizontal	151	1.46	-
Mode 1	Pass	AV	1.227G	33.51	54.00	-20.49	3	Horizontal	40	1.96	-
Mode 1	Pass	AV	3.664G	32.21	54.00	-21.79	3	Horizontal	328	2.38	-
Mode 1	Pass	AV	4.828G	39.72	54.00	-14.28	3	Horizontal	151	1.46	-
Mode 2	Pass	AV	1.392G	29.65	54.00	-24.35	3	Vertical	248	1.75	-
Mode 2	Pass	AV	1.742G	29.32	68.20	-38.88	3	Vertical	124	2.16	-
Mode 2	Pass	AV	4.822G	49.67	54.00	-4.33	3	Vertical	77	1.37	-
Mode 2	Pass	PK	1.392G	39.51	74.00	-34.49	3	Vertical	248	1.75	-
Mode 2	Pass	PK	1.742G	42.28	68.20	-25.92	3	Vertical	124	2.16	-
Mode 2	Pass	PK	4.822G	54.84	74.00	-19.16	3	Vertical	77	1.37	-
Mode 2	Pass	AV	1.21G	29.54	54.00	-24.46	3	Horizontal	108	1.02	-
Mode 2	Pass	AV	1.728G	29.09	68.20	-39.11	3	Horizontal	18	2.38	-
Mode 2	Pass	AV	4.822G	42.34	54.00	-11.66	3	Horizontal	52	1.61	-
Mode 2	Pass	PK	1.21G	41.20	74.00	-32.80	3	Horizontal	108	1.02	-
Mode 2	Pass	PK	1.728G	37.69	68.20	-30.51	3	Horizontal	18	2.38	-
Mode 2	Pass	PK	4.822G	48.06	74.00	-25.94	3	Horizontal	52	1.61	-
Mode 3	Pass	AV	2.12G	34.35	68.20	-33.85	3	Vertical	309	2.46	-
Mode 3	Pass	AV	2.12G	44.02	68.20	-24.18	3	Vertical	225	2.01	-
Mode 3	Pass	AV	7.25G	47.21	54.00	-6.79	3	Vertical	59	1.64	-
Mode 3	Pass	PK	2.12G	38.82	68.20	-29.38	3	Vertical	309	2.46	-
Mode 3	Pass	PK	4.822G	54.92	74.00	-19.08	3	Vertical	225	2.01	-
Mode 3	Pass	PK	7.25G	50.67	68.20	-17.53	3	Vertical	59	1.64	-
Mode 3	Pass	AV	1.238G	27.90	54.00	-26.10	3	Horizontal	215	1.04	-
Mode 3	Pass	AV	1.742G	29.59	68.20	-38.61	3	Horizontal	272	1.80	-
Mode 3	Pass	AV	4.822G	38.93	54.00	-15.07	3	Horizontal	39	2.31	-
Mode 3	Pass	PK	1.238G	38.99	74.00	-35.01	3	Horizontal	215	1.04	-
Mode 3	Pass	PK	1.742G	39.93	68.20	-28.27	3	Horizontal	272	1.80	-
Mode 3	Pass	PK	4.822G	43.37	74.00	-30.63	3	Horizontal	39	2.31	-
Mode 4	Pass	AV	1.406G	30.16	54.00	-23.84	3	Vertical	188	1.70	-
Mode 4	Pass	AV	4.822G	47.81	54.00	-6.19	3	Vertical	51	1.18	-
Mode 4	Pass	AV	7.25G	43.27	54.00	-10.73	3	Vertical	156	1.85	-
Mode 4	Pass	PK	1.406G	36.83	74.00	-37.17	3	Vertical	188	1.70	-
Mode 4	Pass	PK	4.822G	53.36	74.00	-20.64	3	Vertical	51	1.18	-
Mode 4	Pass	PK	7.25G	50.34	68.20	-17.86	3	Vertical	156	1.85	-
Mode 4	Pass	AV	1.196G	29.46	54.00	-24.54	3	Horizontal	35	1.77	-
Mode 4	Pass	AV	4.388G	36.49	54.00	-17.51	3	Horizontal	232	1.73	-
Mode 4	Pass	AV	4.822G	39.18	54.00	-14.82	3	Horizontal	99	1.42	-
Mode 4	Pass	PK	1.196G	41.53	74.00	-32.47	3	Horizontal	35	1.77	-
Mode 4	Pass	PK	4.388G	43.23	74.00	-30.77	3	Horizontal	232	1.73	-
Mode 4	Pass	PK	4.822G	44.44	74.00	-29.56	3	Horizontal	99	1.42	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.406G	31.44	54.00	-22.56	-4.98	3	Vertical	315	1.71	-	36.42	25.30	3.65	33.93
AV	4.822G	48.34	54.00	-5.66	5.20	3	Vertical	22	1.49	-	43.14	32.59	6.90	34.29
AV	7.25G	45.51	54.00	-8.49	10.56	3	Vertical	127	1.84	-	34.95	36.90	8.46	34.80
PK	1.406G	40.10	74.00	-33.90	-4.98	3	Vertical	235	1.71	-	45.08	25.30	3.65	33.93
PK	4.822G	51.27	74.00	-22.73	5.20	3	Vertical	315	1.49	-	46.07	32.59	6.90	34.29
PK	7.25G	50.26	68.20	-17.94	10.57	3	Vertical	127	1.84	-	39.69	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.224G	40.78	74.00	-33.22	-4.74	3	Horizontal	40	1.96	-	45.52	26.10	3.39	34.23
PK	3.674G	40.77	74.00	-33.23	1.47	3	Horizontal	328	2.38	-	39.30	29.75	5.96	34.24
PK	4.808G	43.41	74.00	-30.59	5.14	3	Horizontal	151	1.46	-	38.27	32.53	6.90	34.29
AV	1.227G	33.51	54.00	-20.49	-4.74	3	Horizontal	40	1.96	-	38.25	26.09	3.40	34.23
AV	3.664G	32.21	54.00	-21.79	1.45	3	Horizontal	328	2.38	-	30.76	29.73	5.96	34.24
AV	4.828G	39.72	54.00	-14.28	5.22	3	Horizontal	151	1.46	-	34.50	32.61	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	29.65	54.00	-24.35	-4.93	3	Vertical	248	1.75	-	34.58	25.40	3.63	33.96
AV	1.742G	29.32	68.20	-38.88	-4.52	3	Vertical	124	2.16	-	33.84	25.20	4.07	33.79
AV	4.822G	49.67	54.00	-4.33	5.20	3	Vertical	77	1.37	-	44.47	32.59	6.90	34.29
PK	1.392G	39.51	74.00	-34.49	-4.93	3	Vertical	248	1.75	-	44.44	25.40	3.63	33.96
PK	1.742G	42.28	68.20	-25.92	-4.52	3	Vertical	124	2.16	-	46.80	25.20	4.07	33.79
PK	4.822G	54.84	74.00	-19.16	5.20	3	Vertical	77	1.37	-	49.64	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	29.54	54.00	-24.46	-4.73	3	Horizontal	108	1.02	-	34.27	26.16	3.37	34.26
AV	1.728G	29.09	68.20	-39.11	-4.53	3	Horizontal	18	2.38	-	33.62	25.20	4.06	33.79
AV	4.822G	42.34	54.00	-11.66	5.20	3	Horizontal	52	1.61	-	37.14	32.59	6.90	34.29
PK	1.21G	41.20	74.00	-32.80	-4.73	3	Horizontal	108	1.02	-	45.93	26.16	3.37	34.26
PK	1.728G	37.69	68.20	-30.51	-4.53	3	Horizontal	18	2.38	-	42.22	25.20	4.06	33.79
PK	4.822G	48.06	74.00	-25.94	5.20	3	Horizontal	52	1.61	-	42.86	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.12G	34.35	68.20	-33.85	-1.79	3	Vertical	309	2.46	-	36.14	27.54	4.51	33.84
AV	2.12G	44.02	68.20	-24.18	-1.79	3	Vertical	225	2.01	-	45.81	27.54	4.51	33.84
AV	7.25G	47.21	54.00	-6.79	10.56	3	Vertical	59	1.64	-	36.65	36.90	8.46	34.80
PK	2.12G	38.82	68.20	-29.38	-1.79	3	Vertical	309	2.46	-	40.61	27.54	4.51	33.84
PK	4.822G	54.92	74.00	-19.08	5.20	3	Vertical	225	2.01	-	49.72	32.59	6.90	34.29
PK	7.25G	50.67	68.20	-17.53	10.57	3	Vertical	59	1.64	-	40.10	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	27.90	54.00	-26.10	-4.75	3	Horizontal	215	1.04	-	32.65	26.05	3.41	34.21
AV	1.742G	29.59	68.20	-38.61	-4.52	3	Horizontal	272	1.80	-	34.11	25.20	4.07	33.79
AV	4.822G	38.93	54.00	-15.07	5.20	3	Horizontal	39	2.31	-	33.73	32.59	6.90	34.29
PK	1.238G	38.99	74.00	-35.01	-4.75	3	Horizontal	215	1.04	-	43.74	26.05	3.41	34.21
PK	1.742G	39.93	68.20	-28.27	-4.52	3	Horizontal	272	1.80	-	44.45	25.20	4.07	33.79
PK	4.822G	43.37	74.00	-30.63	5.20	3	Horizontal	39	2.31	-	38.17	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.406G	30.16	54.00	-23.84	-4.98	3	Vertical	188	1.70	-	35.14	25.30	3.65	33.93
AV	4.822G	47.81	54.00	-6.19	5.20	3	Vertical	51	1.18	-	42.61	32.59	6.90	34.29
AV	7.25G	43.27	54.00	-10.73	10.56	3	Vertical	156	1.85	-	32.71	36.90	8.46	34.80
PK	1.406G	36.83	74.00	-37.17	-4.98	3	Vertical	188	1.70	-	41.81	25.30	3.65	33.93
PK	4.822G	53.36	74.00	-20.64	5.20	3	Vertical	51	1.18	-	48.16	32.59	6.90	34.29
PK	7.25G	50.34	68.20	-17.86	10.57	3	Vertical	156	1.85	-	39.77	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.196G	29.46	54.00	-24.54	-4.73	3	Horizontal	35	1.77	-	34.19	26.20	3.35	34.28
AV	4.388G	36.49	54.00	-17.51	4.05	3	Horizontal	232	1.73	-	32.44	31.80	6.56	34.31
AV	4.822G	39.18	54.00	-14.82	5.20	3	Horizontal	99	1.42	-	33.98	32.59	6.90	34.29
PK	1.196G	41.53	74.00	-32.47	-4.73	3	Horizontal	35	1.77	-	46.26	26.20	3.35	34.28
PK	4.388G	43.23	74.00	-30.77	4.05	3	Horizontal	232	1.73	-	39.18	31.80	6.56	34.31
PK	4.822G	44.44	74.00	-29.56	5.20	3	Horizontal	99	1.42	-	39.24	32.59	6.90	34.29