


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	96.47	Inf	-Inf	9.65	3	Vertical	52	2.25	-	86.82	33.70	10.15	34.20
PK	5.6346G	59.13	68.20	-9.07	9.13	3	Vertical	52	2.25	-	50.00	33.24	10.09	34.20
PK	5.7462G	107.43	Inf	-Inf	9.63	3	Vertical	52	2.25	-	97.80	33.68	10.15	34.20
PK	6.0318G	59.94	68.20	-8.26	10.27	3	Vertical	52	2.25	-	49.67	34.13	10.36	34.22


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	109.00	Inf	-Inf	9.63	3	Horizontal	135	2.52	-	99.37	33.68	10.15	34.20
PK	5.6466G	65.37	68.20	-2.83	9.19	3	Horizontal	135	2.52	-	56.18	33.29	10.10	34.20
PK	5.7414G	122.38	Inf	-Inf	9.60	3	Horizontal	135	2.52	-	112.78	33.65	10.15	34.20
PK	5.9634G	59.59	68.20	-8.61	10.30	3	Horizontal	135	2.52	-	49.29	34.22	10.30	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48608G	41.90	54.00	-12.10	17.98	3	Vertical	191	1.39	-	23.92	38.93	13.11	34.06
PK	11.48944G	54.89	74.00	-19.11	17.97	3	Vertical	191	1.39	-	36.92	38.92	13.11	34.06
PK	17.24572G	62.03	68.20	-6.17	21.49	3	Vertical	274	2.20	-	40.54	38.54	16.22	33.27


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4896G	43.15	54.00	-10.85	17.97	3	Horizontal	332	2.39	-	25.18	38.92	13.11	34.06
PK	11.49248G	55.68	74.00	-18.32	17.97	3	Horizontal	332	2.39	-	37.71	38.92	13.11	34.06
PK	17.24524G	62.17	68.20	-6.03	21.49	3	Horizontal	360	2.10	-	40.68	38.54	16.22	33.27

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	96.49	Inf	-Inf	9.72	3	Vertical	45	2.86	-	86.77	33.76	10.17	34.21
PK	5.6122G	59.32	68.20	-8.88	9.03	3	Vertical	45	2.86	-	50.29	33.15	10.08	34.20
PK	5.7778G	107.78	Inf	-Inf	9.72	3	Vertical	45	2.86	-	98.06	33.76	10.17	34.21
PK	5.971G	60.10	68.20	-8.10	10.26	3	Vertical	45	2.86	-	49.84	34.17	10.31	34.22


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	108.18	Inf	-Inf	9.72	3	Horizontal	135	2.50	-	98.46	33.76	10.17	34.21
PK	5.6386G	66.52	68.20	-1.68	9.14	3	Horizontal	135	2.50	-	57.38	33.25	10.09	34.20
PK	5.7778G	119.39	Inf	-Inf	9.72	3	Horizontal	135	2.50	-	109.67	33.76	10.17	34.21
PK	5.9686G	60.65	68.20	-7.55	10.28	3	Horizontal	135	2.50	-	50.37	34.19	10.31	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56368G	41.40	54.00	-12.60	17.82	3	Vertical	278	2.05	-	23.58	38.77	13.14	34.09
PK	11.55344G	54.28	74.00	-19.72	17.84	3	Vertical	278	2.05	-	36.44	38.79	13.14	34.09
PK	17.36124G	61.97	68.20	-6.23	21.88	3	Vertical	214	2.13	-	40.09	38.88	16.24	33.24


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56456G	41.80	54.00	-12.20	17.82	3	Horizontal	332	1.50	-	23.98	38.77	13.14	34.09
PK	11.5732G	54.42	74.00	-19.58	17.79	3	Horizontal	332	1.50	-	36.63	38.75	13.14	34.10
PK	17.3698G	62.51	68.20	-5.69	21.92	3	Horizontal	177	2.97	-	40.59	38.91	16.24	33.23

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	95.97	Inf	-Inf	9.95	3	Vertical	59	2.80	-	86.02	33.96	10.20	34.21
PK	5.525G	59.08	68.20	-9.12	8.75	3	Vertical	59	2.80	-	50.33	32.90	10.04	34.19
PK	5.819G	106.16	Inf	-Inf	9.89	3	Vertical	59	2.80	-	96.27	33.91	10.19	34.21
PK	6.0134G	60.17	68.20	-8.03	10.17	3	Vertical	59	2.80	-	50.00	34.05	10.34	34.22


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	106.03	Inf	-Inf	9.95	3	Horizontal	136	2.56	-	96.08	33.96	10.20	34.21
PK	5.633G	63.15	68.20	-5.05	9.12	3	Horizontal	136	2.56	-	54.03	33.23	10.09	34.20
PK	5.8298G	117.00	Inf	-Inf	9.97	3	Horizontal	136	2.56	-	107.03	33.98	10.20	34.21
PK	6.047G	60.63	68.20	-7.57	10.35	3	Horizontal	136	2.56	-	50.28	34.19	10.38	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64984G	41.47	54.00	-12.53	17.68	3	Vertical	289	2.40	-	23.79	38.65	13.17	34.14
PK	11.6428G	54.22	74.00	-19.78	17.69	3	Vertical	289	2.40	-	36.53	38.66	13.17	34.14
PK	17.45636G	62.46	68.20	-5.74	22.15	3	Vertical	342	2.94	-	40.31	39.11	16.25	33.21


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.63952G	41.53	54.00	-12.47	17.69	3	Horizontal	330	1.50	-	23.84	38.66	13.17	34.14
PK	11.66376G	54.31	74.00	-19.69	17.67	3	Horizontal	330	1.50	-	36.64	38.64	13.18	34.15
PK	17.46916G	62.33	68.20	-5.87	22.19	3	Horizontal	341	1.50	-	40.14	39.14	16.26	33.21

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.78	54.00	-7.22	8.90	3	Vertical	53	2.80	-	37.88	33.20	9.83	34.13
AV	5.1782G	89.43	Inf	-Inf	8.86	3	Vertical	53	2.80	-	80.57	33.14	9.85	34.13
PK	5.1392G	59.49	74.00	-14.51	8.90	3	Vertical	53	2.80	-	50.59	33.20	9.83	34.13
PK	5.174G	101.68	Inf	-Inf	8.87	3	Vertical	53	2.80	-	92.81	33.15	9.85	34.13

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.63	54.00	-0.37	8.90	3	Horizontal	139	2.88	-	44.73	33.20	9.83	34.13
AV	5.1782G	105.11	Inf	-Inf	8.86	3	Horizontal	139	2.88	-	96.25	33.14	9.85	34.13
PK	5.147G	73.14	74.00	-0.86	8.90	3	Horizontal	139	2.88	-	64.24	33.20	9.83	34.13
PK	5.1746G	118.11	Inf	-Inf	8.87	3	Horizontal	139	2.88	-	109.24	33.15	9.85	34.13

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52096G	48.40	54.00	-5.60	19.95	3	Vertical	78	2.58	-	28.45	38.70	15.67	34.42
PK	10.364G	55.21	68.20	-12.99	16.74	3	Vertical	192	1.30	-	38.47	38.66	12.67	34.59
PK	15.53312G	61.96	74.00	-12.04	19.94	3	Vertical	78	2.58	-	42.02	38.70	15.67	34.43

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52G	48.45	54.00	-5.55	19.94	3	Horizontal	228	1.72	-	28.51	38.70	15.66	34.42
PK	10.35624G	54.78	68.20	-13.42	16.74	3	Horizontal	185	2.09	-	38.04	38.66	12.67	34.59
PK	15.52528G	61.75	74.00	-12.25	19.95	3	Horizontal	228	1.72	-	41.80	38.70	15.67	34.42



802.11ax HEW20\_Nss2,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.13	54.00	-6.87	8.90	3	Vertical	239	2.94	-	38.23	33.20	9.83	34.13
AV	5.1982G	92.74	Inf	-Inf	8.82	3	Vertical	239	2.94	-	83.92	33.10	9.86	34.14
PK	5.1328G	59.54	74.00	-14.46	8.90	3	Vertical	239	2.94	-	50.64	33.20	9.82	34.12
PK	5.1976G	105.78	Inf	-Inf	8.82	3	Vertical	239	2.94	-	96.96	33.10	9.86	34.14


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.91	54.00	-0.09	8.90	3	Horizontal	327	2.73	-	45.01	33.20	9.83	34.13
AV	5.2012G	107.15	Inf	-Inf	8.82	3	Horizontal	327	2.73	-	98.33	33.10	9.86	34.14
PK	5.1472G	70.50	74.00	-3.50	8.90	3	Horizontal	327	2.73	-	61.60	33.20	9.83	34.13
PK	5.2012G	119.52	Inf	-Inf	8.82	3	Horizontal	327	2.73	-	110.70	33.10	9.86	34.14

**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58184G	47.33	54.00	-6.67	19.95	3	Vertical	24	1.89	-	27.38	38.70	15.71	34.46
PK	10.40368G	57.47	68.20	-10.73	16.83	3	Vertical	190	1.23	-	40.64	38.70	12.69	34.56
PK	15.60632G	60.29	74.00	-13.71	19.93	3	Vertical	24	1.89	-	40.36	38.67	15.73	34.47


**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58368G	47.37	54.00	-6.63	19.95	3	Horizontal	44	2.22	-	27.42	38.70	15.71	34.46
PK	10.40544G	54.95	68.20	-13.25	16.82	3	Horizontal	176	1.50	-	38.13	38.69	12.69	34.56
PK	15.5912G	60.54	74.00	-13.46	19.96	3	Horizontal	44	2.22	-	40.58	38.70	15.72	34.46

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	46.56	54.00	-7.44	8.90	3	Vertical	198	2.97	-	37.66	33.20	9.83	34.13
AV	5.2364G	91.32	Inf	-Inf	8.70	3	Vertical	198	2.97	-	82.62	32.95	9.89	34.14
AV	5.3654G	45.98	54.00	-8.02	8.54	3	Vertical	198	2.97	-	37.44	32.73	9.98	34.17
PK	5.1026G	58.79	74.00	-15.21	8.89	3	Vertical	198	2.97	-	49.90	33.20	9.81	34.12
PK	5.2388G	103.72	Inf	-Inf	8.69	3	Vertical	198	2.97	-	95.03	32.94	9.89	34.14
PK	5.3528G	58.47	74.00	-15.53	8.52	3	Vertical	198	2.97	-	49.95	32.71	9.97	34.16


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	8.90	3	Horizontal	321	1.01	-	44.86	33.20	9.83	34.13
AV	5.2382G	109.20	Inf	-Inf	8.70	3	Horizontal	321	1.01	-	100.50	32.95	9.89	34.14
AV	5.35G	51.34	54.00	-2.66	8.51	3	Horizontal	321	1.01	-	42.83	32.70	9.97	34.16
PK	5.147G	69.59	74.00	-4.41	8.90	3	Horizontal	321	1.01	-	60.69	33.20	9.83	34.13
PK	5.2442G	122.57	Inf	-Inf	8.67	3	Horizontal	321	1.01	-	113.90	32.92	9.89	34.14
PK	5.3516G	64.40	74.00	-9.60	8.51	3	Horizontal	321	1.01	-	55.89	32.70	9.97	34.16

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70104G	46.47	54.00	-7.53	19.48	3	Vertical	205	3.00	-	26.99	38.20	15.80	34.52
PK	10.48384G	59.26	68.20	-8.94	16.84	3	Vertical	188	1.01	-	42.42	38.62	12.72	34.50
PK	15.70248G	60.65	74.00	-13.35	19.48	3	Vertical	205	3.00	-	41.17	38.20	15.80	34.52


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70544G	46.32	54.00	-7.68	19.46	3	Horizontal	287	1.13	-	26.86	38.19	15.80	34.53
PK	10.48296G	55.41	68.20	-12.79	16.84	3	Horizontal	179	1.50	-	38.57	38.62	12.72	34.50
PK	15.70176G	59.76	74.00	-14.24	19.48	3	Horizontal	287	1.13	-	40.28	38.20	15.80	34.52

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	94.55	Inf	-Inf	9.63	3	Vertical	54	2.15	-	84.92	33.68	10.15	34.20
PK	5.6082G	59.45	68.20	-8.75	9.00	3	Vertical	54	2.15	-	50.45	33.13	10.07	34.20
PK	5.7474G	108.07	Inf	-Inf	9.63	3	Vertical	54	2.15	-	98.44	33.68	10.15	34.20
PK	5.9622G	59.98	68.20	-8.22	10.31	3	Vertical	54	2.15	-	49.67	34.23	10.30	34.22


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	108.87	Inf	-Inf	9.64	3	Horizontal	136	2.44	-	99.23	33.69	10.15	34.20
PK	5.6538G	69.22	71.01	-1.79	9.21	3	Horizontal	136	2.44	-	60.01	33.31	10.10	34.20
PK	5.7486G	121.28	Inf	-Inf	9.64	3	Horizontal	136	2.44	-	111.64	33.69	10.15	34.20
PK	5.967G	59.53	68.20	-8.67	10.29	3	Horizontal	136	2.44	-	49.24	34.20	10.31	34.22

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48952G	42.18	54.00	-11.82	17.97	3	Vertical	179	1.31	-	24.21	38.92	13.11	34.06
PK	11.50488G	55.26	74.00	-18.74	17.95	3	Vertical	179	1.31	-	37.31	38.89	13.12	34.06
PK	17.23308G	62.19	68.20	-6.01	21.45	3	Vertical	99	1.84	-	40.74	38.50	16.22	33.27


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49144G	45.22	54.00	-8.78	17.97	3	Horizontal	150	2.32	-	27.25	38.92	13.11	34.06
PK	11.49112G	59.23	74.00	-14.77	17.97	3	Horizontal	150	2.32	-	41.26	38.92	13.11	34.06
PK	17.039G	62.32	68.20	-5.88	21.33	3	Horizontal	349	1.04	-	40.99	38.46	16.19	33.32

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	94.91	Inf	-Inf	9.72	3	Vertical	40	2.71	-	85.19	33.76	10.17	34.21
PK	5.6494G	58.66	68.20	-9.54	9.20	3	Vertical	40	2.71	-	49.46	33.30	10.10	34.20
PK	5.7826G	106.20	Inf	-Inf	9.73	3	Vertical	40	2.71	-	96.47	33.77	10.17	34.21
PK	6.0406G	60.92	68.20	-7.28	10.31	3	Vertical	40	2.71	-	50.61	34.16	10.37	34.22

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	107.33	Inf	-Inf	9.72	3	Horizontal	320	2.91	-	97.61	33.76	10.17	34.21
PK	5.641G	64.00	68.20	-4.20	9.15	3	Horizontal	320	2.91	-	54.85	33.26	10.09	34.20
PK	5.785G	119.80	Inf	-Inf	9.73	3	Horizontal	320	2.91	-	110.07	33.77	10.17	34.21
PK	6.0514G	60.23	68.20	-7.97	10.36	3	Horizontal	320	2.91	-	49.87	34.20	10.38	34.22

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57048G	42.81	54.00	-11.19	17.80	3	Vertical	322	2.62	-	25.01	38.76	13.14	34.10
PK	11.56736G	57.24	74.00	-16.76	17.81	3	Vertical	322	2.62	-	39.43	38.77	13.14	34.10
PK	17.3722G	62.17	68.20	-6.03	21.93	3	Vertical	156	2.40	-	40.24	38.92	16.24	33.23

802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5708G	43.21	54.00	-10.79	17.80	3	Horizontal	186	2.26	-	25.41	38.76	13.14	34.10
PK	11.57392G	56.27	74.00	-17.73	17.79	3	Horizontal	186	2.26	-	38.48	38.75	13.14	34.10
PK	17.36172G	62.32	68.20	-5.88	21.89	3	Horizontal	167	2.30	-	40.43	38.89	16.24	33.24



802.11ax HEW20\_Nss2,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	92.20	Inf	-Inf	9.93	3	Vertical	45	2.95	-	82.27	33.94	10.20	34.21
PK	5.6042G	59.53	68.20	-8.67	8.99	3	Vertical	45	2.95	-	50.54	33.12	10.07	34.20
PK	5.8226G	104.26	Inf	-Inf	9.93	3	Vertical	45	2.95	-	94.33	33.94	10.20	34.21
PK	6.0818G	60.51	68.20	-7.69	10.32	3	Vertical	45	2.95	-	50.19	34.14	10.41	34.23


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	106.02	Inf	-Inf	9.92	3	Horizontal	318	1.02	-	96.10	33.93	10.20	34.21
PK	5.6426G	66.87	68.20	-1.33	9.16	3	Horizontal	318	1.02	-	57.71	33.27	10.09	34.20
PK	5.8262G	118.02	Inf	-Inf	9.95	3	Horizontal	318	1.02	-	108.07	33.96	10.20	34.21
PK	6.1154G	60.40	68.20	-7.80	10.32	3	Horizontal	318	1.02	-	50.08	34.10	10.45	34.23

**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64488G	43.57	54.00	-10.43	17.69	3	Vertical	324	2.51	-	25.88	38.66	13.17	34.14
PK	11.65144G	58.26	74.00	-15.74	17.68	3	Vertical	324	2.51	-	40.58	38.65	13.17	34.14
PK	17.46676G	62.15	68.20	-6.05	22.17	3	Vertical	197	2.50	-	39.98	39.13	16.25	33.21


**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64952G	43.24	54.00	-10.76	17.68	3	Horizontal	151	2.73	-	25.56	38.65	13.17	34.14
PK	11.65776G	56.42	74.00	-17.58	17.67	3	Horizontal	151	2.73	-	38.75	38.64	13.18	34.15
PK	17.48228G	61.81	68.20	-6.39	22.22	3	Horizontal	31	1.21	-	39.59	39.16	16.26	33.20

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1396G	48.51	54.00	-5.49	8.90	3	Vertical	71	2.34	-	39.61	33.20	9.83	34.13
AV	5.2056G	83.04	Inf	-Inf	8.80	3	Vertical	71	2.34	-	74.24	33.08	9.86	34.14
PK	5.1396G	59.42	74.00	-14.58	8.90	3	Vertical	71	2.34	-	50.52	33.20	9.83	34.13
PK	5.1952G	94.29	Inf	-Inf	8.83	3	Vertical	71	2.34	-	85.46	33.11	9.86	34.14


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.01	54.00	-0.99	8.90	3	Horizontal	138	2.42	-	44.11	33.20	9.83	34.13
AV	5.186G	99.39	Inf	-Inf	8.85	3	Horizontal	138	2.42	-	90.54	33.13	9.85	34.13
PK	5.148G	67.41	74.00	-6.59	8.90	3	Horizontal	138	2.42	-	58.51	33.20	9.83	34.13
PK	5.1868G	112.04	Inf	-Inf	8.85	3	Horizontal	138	2.42	-	103.19	33.13	9.85	34.13

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55236G	49.33	54.00	-4.67	19.95	3	Vertical	156	2.21	-	29.38	38.70	15.69	34.44
PK	10.37556G	53.50	68.20	-14.70	16.78	3	Vertical	83	1.01	-	36.72	38.68	12.68	34.58
PK	15.54516G	60.66	74.00	-13.34	19.94	3	Vertical	156	2.21	-	40.72	38.70	15.68	34.44


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54072G	49.28	54.00	-4.72	19.95	3	Horizontal	173	1.72	-	29.33	38.70	15.68	34.43
PK	10.3896G	53.03	68.20	-15.17	16.80	3	Horizontal	310	2.26	-	36.23	38.69	12.68	34.57
PK	15.5526G	60.85	74.00	-13.15	19.95	3	Horizontal	173	1.72	-	40.90	38.70	15.69	34.44

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.56	54.00	-5.44	8.90	3	Vertical	226	1.50	-	39.66	33.20	9.83	34.13
AV	5.2356G	83.17	Inf	-Inf	8.70	3	Vertical	226	1.50	-	74.47	32.96	9.88	34.14
PK	5.1428G	58.60	74.00	-15.40	8.90	3	Vertical	226	1.50	-	49.70	33.20	9.83	34.13
PK	5.2356G	95.36	Inf	-Inf	8.70	3	Vertical	226	1.50	-	86.66	32.96	9.88	34.14


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	8.90	3	Horizontal	136	2.40	-	44.97	33.20	9.83	34.13
AV	5.2352G	103.21	Inf	-Inf	8.70	3	Horizontal	136	2.40	-	94.51	32.96	9.88	34.14
PK	5.1476G	68.58	74.00	-5.42	8.90	3	Horizontal	136	2.40	-	59.68	33.20	9.83	34.13
PK	5.2356G	115.71	Inf	-Inf	8.70	3	Horizontal	136	2.40	-	107.01	32.96	9.88	34.14

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68604G	48.04	54.00	-5.96	19.55	3	Vertical	66	1.22	-	28.49	38.27	15.79	34.51
PK	10.4552G	54.79	68.20	-13.41	16.83	3	Vertical	191	1.25	-	37.96	38.64	12.71	34.52
PK	15.67848G	60.52	74.00	-13.48	19.58	3	Vertical	66	1.22	-	40.94	38.31	15.78	34.51


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69912G	48.23	54.00	-5.77	19.48	3	Horizontal	320	1.50	-	28.75	38.20	15.80	34.52
PK	10.43432G	53.53	68.20	-14.67	16.83	3	Horizontal	317	1.00	-	36.70	38.67	12.70	34.54
PK	15.67224G	60.20	74.00	-13.80	19.61	3	Horizontal	320	1.50	-	40.59	38.34	15.78	34.51

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	93.88	Inf	-Inf	9.67	3	Vertical	52	2.57	-	84.21	33.72	10.16	34.21
PK	5.647G	59.24	68.20	-8.96	9.19	3	Vertical	52	2.57	-	50.05	33.29	10.10	34.20
PK	5.767G	104.13	Inf	-Inf	9.68	3	Vertical	52	2.57	-	94.45	33.73	10.16	34.21
PK	6.0406G	59.79	68.20	-8.41	10.31	3	Vertical	52	2.57	-	49.48	34.16	10.37	34.22


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	105.70	Inf	-Inf	9.67	3	Horizontal	135	2.50	-	96.03	33.72	10.16	34.21
PK	5.641G	67.26	68.20	-0.94	9.15	3	Horizontal	135	2.50	-	58.11	33.26	10.09	34.20
PK	5.7598G	117.38	Inf	-Inf	9.67	3	Horizontal	135	2.50	-	107.71	33.72	10.16	34.21
PK	6.019G	60.65	68.20	-7.55	10.21	3	Horizontal	135	2.50	-	50.44	34.08	10.35	34.22

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49704G	42.46	54.00	-11.54	17.96	3	Vertical	223	2.34	-	24.50	38.91	13.11	34.06
PK	11.51984G	54.29	74.00	-19.71	17.91	3	Vertical	223	2.34	-	36.38	38.86	13.12	34.07
PK	17.25588G	61.53	68.20	-6.67	21.53	3	Vertical	308	1.98	-	40.00	38.57	16.22	33.26

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5755MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51732G	42.05	54.00	-11.95	17.92	3	Horizontal	154	1.71	-	24.13	38.87	13.12	34.07
PK	11.52212G	53.57	74.00	-20.43	17.91	3	Horizontal	154	1.71	-	35.66	38.86	13.12	34.07
PK	17.23632G	62.44	68.20	-5.76	21.46	3	Horizontal	36	1.46	-	40.98	38.51	16.22	33.27



802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	94.09	Inf	-Inf	9.72	3	Vertical	43	2.86	-	84.37	33.76	10.17	34.21
PK	5.621G	59.18	68.20	-9.02	9.06	3	Vertical	43	2.86	-	50.12	33.18	10.08	34.20
PK	5.7914G	104.77	Inf	-Inf	9.75	3	Vertical	43	2.86	-	95.02	33.78	10.18	34.21
PK	6.0278G	60.50	68.20	-7.70	10.25	3	Vertical	43	2.86	-	50.25	34.11	10.36	34.22


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	105.52	Inf	-Inf	9.72	3	Horizontal	136	2.49	-	95.80	33.76	10.17	34.21
PK	5.6474G	67.44	68.20	-0.76	9.19	3	Horizontal	136	2.49	-	58.25	33.29	10.10	34.20
PK	5.7926G	116.48	Inf	-Inf	9.76	3	Horizontal	136	2.49	-	106.72	33.79	10.18	34.21
PK	5.9702G	60.12	68.20	-8.08	10.27	3	Horizontal	136	2.49	-	49.85	34.18	10.31	34.22

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5666G	42.15	54.00	-11.85	17.81	3	Vertical	116	2.40	-	24.34	38.77	13.14	34.10
PK	11.59672G	54.54	74.00	-19.46	17.75	3	Vertical	116	2.40	-	36.79	38.71	13.15	34.11
PK	17.36988G	61.91	68.20	-6.29	21.92	3	Vertical	360	2.93	-	39.99	38.91	16.24	33.23


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5654G	42.11	54.00	-11.89	17.81	3	Horizontal	59	2.11	-	24.30	38.77	13.14	34.10
PK	11.56312G	53.34	74.00	-20.66	17.82	3	Horizontal	59	2.11	-	35.52	38.77	13.14	34.09
PK	17.38236G	62.40	68.20	-5.80	21.96	3	Horizontal	112	2.36	-	40.44	38.95	16.24	33.23

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1474G	46.68	54.00	-7.32	8.90	3	Vertical	57	2.79	-	37.78	33.20	9.83	34.13
AV	5.196G	85.90	Inf	-Inf	8.83	3	Vertical	57	2.79	-	77.07	33.11	9.86	34.14
PK	5.1276G	58.91	74.00	-15.09	8.90	3	Vertical	57	2.79	-	50.01	33.20	9.82	34.12
PK	5.1942G	98.05	Inf	-Inf	8.84	3	Vertical	57	2.79	-	89.21	33.11	9.86	34.13

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.75	54.00	-0.25	8.90	3	Horizontal	136	2.47	-	44.85	33.20	9.83	34.13
AV	5.1834G	100.18	Inf	-Inf	8.85	3	Horizontal	136	2.47	-	91.33	33.13	9.85	34.13
PK	5.1498G	69.90	74.00	-4.10	8.90	3	Horizontal	136	2.47	-	61.00	33.20	9.83	34.13
PK	5.1822G	112.70	Inf	-Inf	8.86	3	Horizontal	136	2.47	-	103.84	33.14	9.85	34.13

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5556G	47.74	54.00	-6.26	19.95	3	Vertical	356	1.28	-	27.79	38.70	15.69	34.44
PK	10.36048G	52.81	68.20	-15.39	16.74	3	Vertical	299	1.70	-	36.07	38.66	12.67	34.59
PK	15.5896G	60.62	74.00	-13.38	19.96	3	Vertical	356	1.28	-	40.66	38.70	15.72	34.46

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55064G	47.90	54.00	-6.10	19.95	3	Horizontal	127	1.20	-	27.95	38.70	15.69	34.44
PK	10.38992G	54.19	68.20	-14.01	16.80	3	Horizontal	1	1.50	-	37.39	38.69	12.68	34.57
PK	15.55232G	60.35	74.00	-13.65	19.95	3	Horizontal	127	1.20	-	40.40	38.70	15.69	34.44

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.17	54.00	-5.83	8.90	3	Vertical	56	2.86	-	39.27	33.20	9.83	34.13
AV	5.2252G	90.42	Inf	-Inf	8.74	3	Vertical	56	2.86	-	81.68	33.00	9.88	34.14
AV	5.356G	46.20	54.00	-7.80	8.52	3	Vertical	56	2.86	-	37.68	32.71	9.97	34.16
PK	5.143G	60.94	74.00	-13.06	8.90	3	Vertical	56	2.86	-	52.04	33.20	9.83	34.13
PK	5.2348G	102.74	Inf	-Inf	8.70	3	Vertical	56	2.86	-	94.04	32.96	9.88	34.14
PK	5.3764G	58.04	74.00	-15.96	8.56	3	Vertical	56	2.86	-	49.48	32.75	9.98	34.17


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.91	54.00	-0.09	8.90	3	Horizontal	324	3.00	-	45.01	33.20	9.83	34.13
AV	5.236G	105.00	Inf	-Inf	8.71	3	Horizontal	324	3.00	-	96.29	32.96	9.89	34.14
AV	5.35G	50.58	54.00	-3.42	8.51	3	Horizontal	324	3.00	-	42.07	32.70	9.97	34.16
PK	5.1454G	68.81	74.00	-5.19	8.90	3	Horizontal	324	3.00	-	59.91	33.20	9.83	34.13
PK	5.2324G	117.26	Inf	-Inf	8.71	3	Horizontal	324	3.00	-	108.55	32.97	9.88	34.14
PK	5.3518G	63.22	74.00	-10.78	8.51	3	Horizontal	324	3.00	-	54.71	32.70	9.97	34.16

**802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6828G	46.56	54.00	-7.44	19.57	3	Vertical	156	2.54	-	26.99	38.29	15.79	34.51
PK	10.47384G	54.79	68.20	-13.41	16.83	3	Vertical	191	1.35	-	37.96	38.63	12.71	34.51
PK	15.67384G	59.82	74.00	-14.18	19.60	3	Vertical	156	2.54	-	40.22	38.33	15.78	34.51


**802.11ax HEW40\_Nss2,(MCS0)\_2TX  
5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67432G	46.51	54.00	-7.49	19.60	3	Horizontal	37	2.03	-	26.91	38.33	15.78	34.51
PK	10.46472G	53.75	68.20	-14.45	16.83	3	Horizontal	360	1.48	-	36.92	38.64	12.71	34.52
PK	15.67528G	59.79	74.00	-14.21	19.59	3	Horizontal	37	2.03	-	40.20	38.32	15.78	34.51

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	90.08	Inf	-Inf	9.64	3	Vertical	51	2.76	-	80.44	33.70	10.15	34.21
PK	5.647G	59.98	68.20	-8.22	9.19	3	Vertical	51	2.76	-	50.79	33.29	10.10	34.20
PK	5.7514G	103.29	Inf	-Inf	9.64	3	Vertical	51	2.76	-	93.65	33.70	10.15	34.21
PK	6.0166G	60.31	68.20	-7.89	10.20	3	Vertical	51	2.76	-	50.11	34.07	10.35	34.22


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	104.54	Inf	-Inf	9.64	3	Horizontal	136	2.53	-	94.90	33.69	10.15	34.20
PK	5.6338G	68.04	68.20	-0.16	9.13	3	Horizontal	136	2.53	-	58.91	33.24	10.09	34.20
PK	5.7466G	117.29	Inf	-Inf	9.63	3	Horizontal	136	2.53	-	107.66	33.68	10.15	34.20
PK	5.9254G	60.48	68.20	-7.72	10.25	3	Horizontal	136	2.53	-	50.23	34.20	10.27	34.22

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52512G	41.14	54.00	-12.86	17.90	3	Vertical	38	1.50	-	23.24	38.85	13.12	34.07
PK	11.51416G	54.72	74.00	-19.28	17.92	3	Vertical	38	1.50	-	36.80	38.87	13.12	34.07
PK	17.28356G	62.27	68.20	-5.93	21.62	3	Vertical	17	1.73	-	40.65	38.65	16.23	33.26

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5755MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52456G	41.06	54.00	-12.94	17.90	3	Horizontal	4	1.14	-	23.16	38.85	13.12	34.07
PK	11.51152G	54.32	74.00	-19.68	17.93	3	Horizontal	4	1.14	-	36.39	38.88	13.12	34.07
PK	17.27796G	62.17	68.20	-6.03	21.59	3	Horizontal	288	1.19	-	40.58	38.63	16.22	33.26



802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7806G	90.86	Inf	-Inf	9.72	3	Vertical	51	2.89	-	81.14	33.76	10.17	34.21
PK	5.507G	59.67	68.20	-8.53	8.82	3	Vertical	51	2.89	-	50.85	32.97	10.04	34.19
PK	5.7818G	103.53	Inf	-Inf	9.72	3	Vertical	51	2.89	-	93.81	33.76	10.17	34.21
PK	5.9582G	60.96	68.20	-7.24	10.33	3	Vertical	51	2.89	-	50.63	34.25	10.30	34.22

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7818G	104.39	Inf	-Inf	9.72	3	Horizontal	136	2.52	-	94.67	33.76	10.17	34.21
PK	5.6486G	67.51	68.20	-0.69	9.19	3	Horizontal	136	2.52	-	58.32	33.29	10.10	34.20
PK	5.7938G	117.39	Inf	-Inf	9.76	3	Horizontal	136	2.52	-	107.63	33.79	10.18	34.21
PK	6.0326G	60.04	68.20	-8.16	10.27	3	Horizontal	136	2.52	-	49.77	34.13	10.36	34.22

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59072G	41.00	54.00	-13.00	17.76	3	Vertical	213	1.98	-	23.24	38.72	13.15	34.11
PK	11.59904G	54.67	74.00	-19.33	17.74	3	Vertical	213	1.98	-	36.93	38.70	13.15	34.11
PK	17.38492G	62.24	68.20	-5.96	21.96	3	Vertical	203	2.30	-	40.28	38.95	16.24	33.23

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57784G	41.70	54.00	-12.30	17.79	3	Horizontal	328	1.00	-	23.91	38.74	13.15	34.10
PK	11.58848G	55.15	74.00	-18.85	17.76	3	Horizontal	328	1.00	-	37.39	38.72	13.15	34.11
PK	17.4042G	62.43	68.20	-5.77	22.03	3	Horizontal	115	2.57	-	40.40	39.01	16.24	33.22

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.139G	48.11	54.00	-5.89	8.90	3	Vertical	61	2.34	-	39.21	33.20	9.83	34.13
AV	5.221G	79.82	Inf	-Inf	8.75	3	Vertical	61	2.34	-	71.07	33.02	9.87	34.14
AV	5.404G	48.01	54.00	-5.99	8.64	3	Vertical	61	2.34	-	39.37	32.81	10.00	34.17
PK	5.024G	59.46	74.00	-14.54	8.66	3	Vertical	61	2.34	-	50.80	33.00	9.76	34.10
PK	5.221G	91.54	Inf	-Inf	8.75	3	Vertical	61	2.34	-	82.79	33.02	9.87	34.14
PK	5.382G	58.75	74.00	-15.25	8.58	3	Vertical	61	2.34	-	50.17	32.76	9.99	34.17


802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.58	54.00	-0.42	8.90	3	Horizontal	138	2.43	-	44.68	33.20	9.83	34.13
AV	5.195G	95.99	Inf	-Inf	8.83	3	Horizontal	138	2.43	-	87.16	33.11	9.86	34.14
AV	5.352G	49.54	54.00	-4.46	8.51	3	Horizontal	138	2.43	-	41.03	32.70	9.97	34.16
PK	5.15G	65.77	74.00	-8.23	8.90	3	Horizontal	138	2.43	-	56.87	33.20	9.83	34.13
PK	5.192G	108.03	Inf	-Inf	8.85	3	Horizontal	138	2.43	-	99.18	33.12	9.86	34.13
PK	5.354G	59.99	74.00	-14.01	8.52	3	Horizontal	138	2.43	-	51.47	32.71	9.97	34.16

**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60456G	48.42	54.00	-5.58	19.94	3	Vertical	10	1.15	-	28.48	38.68	15.73	34.47
PK	10.41216G	53.71	68.20	-14.49	16.83	3	Vertical	9	1.08	-	36.88	38.69	12.69	34.55
PK	15.63176G	60.27	74.00	-13.73	19.81	3	Vertical	10	1.15	-	40.46	38.54	15.75	34.48


**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61768G	48.51	54.00	-5.49	19.87	3	Horizontal	219	1.54	-	28.64	38.61	15.74	34.48
PK	10.42432G	53.40	68.20	-14.80	16.84	3	Horizontal	308	3.00	-	36.56	38.68	12.70	34.54
PK	15.60664G	60.26	74.00	-13.74	19.93	3	Horizontal	219	1.54	-	40.33	38.67	15.73	34.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	88.67	Inf	-Inf	9.68	3	Vertical	57	2.87	-	78.99	33.73	10.16	34.21
PK	5.6154G	59.65	68.20	-8.55	9.04	3	Vertical	57	2.87	-	50.61	33.16	10.08	34.20
PK	5.7786G	100.04	Inf	-Inf	9.72	3	Vertical	57	2.87	-	90.32	33.76	10.17	34.21
PK	6.0438G	60.28	68.20	-7.92	10.33	3	Vertical	57	2.87	-	49.95	34.18	10.37	34.22

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	99.23	Inf	-Inf	9.67	3	Horizontal	327	2.90	-	89.56	33.72	10.16	34.21
PK	5.6442G	67.23	68.20	-0.97	9.17	3	Horizontal	327	2.90	-	58.06	33.28	10.09	34.20
PK	5.7774G	110.92	Inf	-Inf	9.71	3	Horizontal	327	2.90	-	101.21	33.75	10.17	34.21
PK	6.0486G	60.54	68.20	-7.66	10.35	3	Horizontal	327	2.90	-	50.19	34.19	10.38	34.22

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54264G	42.49	54.00	-11.51	17.86	3	Vertical	227	2.91	-	24.63	38.81	13.13	34.08
PK	11.5308G	54.52	74.00	-19.48	17.89	3	Vertical	227	2.91	-	36.63	38.84	13.13	34.08
PK	17.34476G	62.94	68.20	-5.26	21.83	3	Vertical	18	1.80	-	41.11	38.83	16.24	33.24

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54816G	42.42	54.00	-11.58	17.84	3	Horizontal	2	1.00	-	24.58	38.80	13.13	34.09
PK	11.54648G	54.64	74.00	-19.36	17.85	3	Horizontal	2	1.00	-	36.79	38.81	13.13	34.09
PK	17.34492G	62.35	68.20	-5.85	21.83	3	Horizontal	84	1.50	-	40.52	38.83	16.24	33.24

802.11ax HEW80\_Nss2,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	46.73	54.00	-7.27	8.90	3	Vertical	58	2.79	-	37.83	33.20	9.83	34.13
AV	5.199G	82.57	Inf	-Inf	8.82	3	Vertical	58	2.79	-	73.75	33.10	9.86	34.14
AV	5.352G	46.19	54.00	-7.81	8.51	3	Vertical	58	2.79	-	37.68	32.70	9.97	34.16
PK	5.118G	60.23	74.00	-13.77	8.89	3	Vertical	58	2.79	-	51.34	33.20	9.81	34.12
PK	5.2G	96.40	Inf	-Inf	8.82	3	Vertical	58	2.79	-	87.58	33.10	9.86	34.14
PK	5.371G	58.49	74.00	-15.51	8.55	3	Vertical	58	2.79	-	49.94	32.74	9.98	34.17


802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	8.90	3	Horizontal	136	2.46	-	44.86	33.20	9.83	34.13
AV	5.192G	96.93	Inf	-Inf	8.85	3	Horizontal	136	2.46	-	88.08	33.12	9.86	34.13
AV	5.357G	49.60	54.00	-4.40	8.52	3	Horizontal	136	2.46	-	41.08	32.71	9.97	34.16
PK	5.149G	68.79	74.00	-5.21	8.90	3	Horizontal	136	2.46	-	59.89	33.20	9.83	34.13
PK	5.18G	111.01	Inf	-Inf	8.86	3	Horizontal	136	2.46	-	102.15	33.14	9.85	34.13
PK	5.364G	62.52	74.00	-11.48	8.53	3	Horizontal	136	2.46	-	53.99	32.73	9.97	34.17

**802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62064G	47.02	54.00	-6.98	19.86	3	Vertical	228	1.36	-	27.16	38.60	15.74	34.48
PK	10.4048G	53.81	68.20	-14.39	16.83	3	Vertical	192	1.13	-	36.98	38.70	12.69	34.56
PK	15.61272G	60.14	74.00	-13.86	19.90	3	Vertical	228	1.36	-	40.24	38.64	15.73	34.47

**802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61504G	47.10	54.00	-6.90	19.89	3	Horizontal	350	1.15	-	27.21	38.62	15.74	34.47
PK	10.43112G	53.33	68.20	-14.87	16.83	3	Horizontal	151	2.69	-	36.50	38.67	12.70	34.54
PK	15.63624G	61.63	74.00	-12.37	19.78	3	Horizontal	350	1.15	-	41.85	38.52	15.75	34.49



802.11ax HEW80\_Nss2,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	85.28	Inf	-Inf	9.68	3	Vertical	60	2.91	-	75.60	33.73	10.16	34.21
PK	5.6334G	59.51	68.20	-8.69	9.12	3	Vertical	60	2.91	-	50.39	33.23	10.09	34.20
PK	5.7654G	99.98	Inf	-Inf	9.68	3	Vertical	60	2.91	-	90.30	33.73	10.16	34.21
PK	5.9658G	60.15	68.20	-8.05	10.29	3	Vertical	60	2.91	-	49.86	34.21	10.30	34.22


802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.757G	98.70	Inf	-Inf	9.66	3	Horizontal	138	2.64	-	89.04	33.71	10.16	34.21
PK	5.6442G	67.44	68.20	-0.76	9.17	3	Horizontal	138	2.64	-	58.27	33.28	10.09	34.20
PK	5.7678G	111.95	Inf	-Inf	9.69	3	Horizontal	138	2.64	-	102.26	33.74	10.16	34.21
PK	5.937G	60.19	68.20	-8.01	10.31	3	Horizontal	138	2.64	-	49.88	34.25	10.28	34.22

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5352G	40.72	54.00	-13.28	17.88	3	Vertical	335	2.32	-	22.84	38.83	13.13	34.08
PK	11.54584G	54.00	74.00	-20.00	17.86	3	Vertical	335	2.32	-	36.14	38.81	13.13	34.08
PK	17.33748G	63.08	68.20	-5.12	21.80	3	Vertical	347	1.35	-	41.28	38.81	16.23	33.24

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53G	40.97	54.00	-13.03	17.89	3	Horizontal	101	1.50	-	23.08	38.84	13.13	34.08
PK	11.55912G	55.36	74.00	-18.64	17.83	3	Horizontal	101	1.50	-	37.53	38.78	13.14	34.09
PK	17.33476G	62.02	68.20	-6.18	21.79	3	Horizontal	213	2.02	-	40.23	38.80	16.23	33.24



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	51.34M	33.21	40.00	-6.79	3	Vertical	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	51.34M	33.21	40.00	-6.79	3	Vertical	0	1.00	-
5775MHz	Pass	PK	111.48M	33.98	43.50	-9.52	3	Vertical	0	1.00	-
5775MHz	Pass	PK	289.96M	35.53	46.00	-10.47	3	Vertical	0	1.00	-
5775MHz	Pass	PK	404.42M	37.00	46.00	-9.00	3	Vertical	0	1.00	-
5775MHz	Pass	PK	732.28M	35.61	46.00	-10.39	3	Vertical	0	1.00	-
5775MHz	Pass	PK	885.54M	35.55	46.00	-10.45	3	Vertical	0	1.00	-
5775MHz	Pass	PK	39.7M	32.92	40.00	-7.08	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	92.08M	35.84	43.50	-7.66	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	181.32M	35.31	43.50	-8.19	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	272.5M	37.74	46.00	-8.26	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	324.88M	37.98	46.00	-8.02	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	889.42M	38.22	46.00	-7.78	3	Horizontal	360	1.00	-

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX


#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	51.34M	33.21	40.00	-6.79	-13.69	3	Vertical	0	1.00	-	46.90	12.72	1.05	27.46
PK	111.48M	33.98	43.50	-9.52	-9.16	3	Vertical	0	1.00	-	43.14	17.14	1.49	27.79
PK	289.96M	35.53	46.00	-10.47	-6.60	3	Vertical	0	1.00	-	42.13	18.12	2.46	27.18
PK	404.42M	37.00	46.00	-9.00	-3.74	3	Vertical	0	1.00	-	40.74	21.24	2.90	27.88
PK	732.28M	35.61	46.00	-10.39	0.35	3	Vertical	0	1.00	-	35.26	24.72	3.91	28.28
PK	885.54M	35.55	46.00	-10.45	2.26	3	Vertical	0	1.00	-	33.29	25.62	4.42	27.78

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	39.7M	32.92	40.00	-7.08	-7.84	3	Horizontal	360	1.00	-	40.76	17.92	1.03	26.79
PK	92.08M	35.84	43.50	-7.66	-11.91	3	Horizontal	360	1.00	-	47.75	14.55	1.38	27.84
PK	181.32M	35.31	43.50	-8.19	-11.11	3	Horizontal	360	1.00	-	46.42	14.45	1.93	27.49
PK	272.5M	37.74	46.00	-8.26	-6.78	3	Horizontal	360	1.00	-	44.52	18.02	2.37	27.17
PK	324.88M	37.98	46.00	-8.02	-5.91	3	Horizontal	360	1.00	-	43.89	18.82	2.61	27.34
PK	889.42M	38.22	46.00	-7.78	2.31	3	Horizontal	360	1.00	-	35.91	25.65	4.44	27.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	360	2.24	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.1482G	53.85	54.00	-0.15	3	Horizontal	354	1.68	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	53.85	54.00	-0.15	3	Vertical	341	2.46	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.77	54.00	-0.23	3	Vertical	342	2.75	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.1492G	53.87	54.00	-0.13	3	Horizontal	356	1.44	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.52	54.00	-0.48	3	Vertical	343	2.57	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.148G	52.71	54.00	-1.29	3	Horizontal	3	3.00	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	353	1.78	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.6382G	65.47	68.20	-2.73	3	Vertical	355	1.50	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.643G	67.46	68.20	-0.74	3	Horizontal	342	1.86	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.633G	66.84	68.20	-1.36	3	Vertical	0	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.6382G	67.40	68.20	-0.80	3	Vertical	5	1.59	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6482G	67.86	68.20	-0.34	3	Vertical	357	1.74	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.6494G	67.24	68.20	-0.96	3	Horizontal	338	1.68	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.649G	67.52	68.20	-0.68	3	Horizontal	342	1.82	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6502G	68.22	68.35	-0.13	3	Horizontal	340	1.68	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.86	54.00	-1.14	3	Vertical	13	2.46	-
5180MHz	Pass	AV	5.1824G	100.28	Inf	-Inf	3	Vertical	13	2.46	-
5180MHz	Pass	PK	5.1476G	70.82	74.00	-3.18	3	Vertical	13	2.46	-
5180MHz	Pass	PK	5.1824G	110.57	Inf	-Inf	3	Vertical	13	2.46	-
5180MHz	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	360	2.24	-
5180MHz	Pass	AV	5.1842G	101.80	Inf	-Inf	3	Horizontal	360	2.24	-
5180MHz	Pass	PK	5.147G	71.37	74.00	-2.63	3	Horizontal	360	2.24	-
5180MHz	Pass	PK	5.1848G	111.02	Inf	-Inf	3	Horizontal	360	2.24	-
5180MHz	Pass	AV	15.53408G	49.29	54.00	-4.71	3	Vertical	177	2.61	-
5180MHz	Pass	PK	10.35516G	56.42	68.20	-11.78	3	Vertical	182	1.50	-
5180MHz	Pass	PK	15.54444G	62.16	74.00	-11.84	3	Vertical	177	2.61	-
5180MHz	Pass	AV	15.53396G	49.19	54.00	-4.81	3	Horizontal	128	2.15	-
5180MHz	Pass	PK	10.35352G	55.22	68.20	-12.98	3	Horizontal	242	1.20	-
5180MHz	Pass	PK	15.53832G	62.87	74.00	-11.13	3	Horizontal	128	2.15	-
5200MHz	Pass	AV	5.15G	52.97	54.00	-1.03	3	Vertical	16	2.71	-
5200MHz	Pass	AV	5.1982G	103.28	Inf	-Inf	3	Vertical	16	2.71	-
5200MHz	Pass	PK	5.1478G	69.01	74.00	-4.99	3	Vertical	16	2.71	-
5200MHz	Pass	PK	5.1976G	113.12	Inf	-Inf	3	Vertical	16	2.71	-
5200MHz	Pass	AV	5.1496G	53.84	54.00	-0.16	3	Horizontal	0	2.73	-
5200MHz	Pass	AV	5.2024G	104.87	Inf	-Inf	3	Horizontal	0	2.73	-
5200MHz	Pass	PK	5.149G	69.57	74.00	-4.43	3	Horizontal	0	2.73	-
5200MHz	Pass	PK	5.2048G	114.85	Inf	-Inf	3	Horizontal	0	2.73	-
5200MHz	Pass	AV	15.59656G	48.88	54.00	-5.12	3	Vertical	153	2.63	-
5200MHz	Pass	PK	10.39748G	58.09	68.20	-10.11	3	Vertical	180	1.31	-
5200MHz	Pass	PK	15.60412G	61.96	74.00	-12.04	3	Vertical	153	2.63	-
5200MHz	Pass	AV	15.59924G	48.40	54.00	-5.60	3	Horizontal	360	2.89	-
5200MHz	Pass	PK	10.40012G	57.35	68.20	-10.85	3	Horizontal	251	2.21	-
5200MHz	Pass	PK	15.60076G	61.70	74.00	-12.30	3	Horizontal	360	2.89	-
5240MHz	Pass	AV	5.15G	48.62	54.00	-5.38	3	Vertical	341	2.55	-
5240MHz	Pass	AV	5.2424G	104.72	Inf	-Inf	3	Vertical	341	2.55	-
5240MHz	Pass	AV	5.3504G	47.98	54.00	-6.02	3	Vertical	341	2.55	-
5240MHz	Pass	PK	5.141G	61.23	74.00	-12.77	3	Vertical	341	2.55	-
5240MHz	Pass	PK	5.2448G	114.89	Inf	-Inf	3	Vertical	341	2.55	-
5240MHz	Pass	PK	5.3582G	60.69	74.00	-13.31	3	Vertical	341	2.55	-
5240MHz	Pass	AV	5.1476G	49.39	54.00	-4.61	3	Horizontal	360	2.28	-
5240MHz	Pass	AV	5.2424G	105.64	Inf	-Inf	3	Horizontal	360	2.28	-
5240MHz	Pass	AV	5.3588G	48.06	54.00	-5.94	3	Horizontal	360	2.28	-
5240MHz	Pass	PK	5.141G	63.53	74.00	-10.47	3	Horizontal	360	2.28	-
5240MHz	Pass	PK	5.2394G	115.69	Inf	-Inf	3	Horizontal	360	2.28	-
5240MHz	Pass	PK	5.35G	61.32	74.00	-12.68	3	Horizontal	360	2.28	-
5240MHz	Pass	AV	15.7112G	47.14	54.00	-6.86	3	Vertical	219	1.50	-
5240MHz	Pass	PK	10.47748G	57.96	68.20	-10.24	3	Vertical	184	1.50	-
5240MHz	Pass	PK	15.71408G	59.93	74.00	-14.07	3	Vertical	219	1.50	-
5240MHz	Pass	AV	15.7116G	47.22	54.00	-6.78	3	Horizontal	244	1.50	-
5240MHz	Pass	PK	10.47812G	56.44	68.20	-11.76	3	Horizontal	254	2.22	-
5240MHz	Pass	PK	15.72516G	60.62	74.00	-13.38	3	Horizontal	244	1.50	-
5745MHz	Pass	AV	5.7414G	102.42	Inf	-Inf	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.6382G	65.47	68.20	-2.73	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.7414G	113.18	Inf	-Inf	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.9886G	60.28	68.20	-7.92	3	Vertical	355	1.50	-
5745MHz	Pass	AV	5.7474G	103.64	Inf	-Inf	3	Horizontal	337	1.68	-
5745MHz	Pass	PK	5.637G	64.38	68.20	-3.82	3	Horizontal	337	1.68	-
5745MHz	Pass	PK	5.7522G	114.72	Inf	-Inf	3	Horizontal	337	1.68	-
5745MHz	Pass	PK	6.0426G	61.71	68.20	-6.49	3	Horizontal	337	1.68	-
5745MHz	Pass	AV	11.49204G	43.03	54.00	-10.97	3	Vertical	182	2.50	-
5745MHz	Pass	PK	11.4888G	55.97	74.00	-18.03	3	Vertical	182	2.50	-
5745MHz	Pass	PK	17.24412G	63.39	68.20	-4.81	3	Vertical	150	1.35	-
5745MHz	Pass	AV	11.4996G	42.59	54.00	-11.41	3	Horizontal	154	1.93	-
5745MHz	Pass	PK	11.49832G	55.75	74.00	-18.25	3	Horizontal	154	1.93	-
5745MHz	Pass	PK	17.24272G	63.99	68.20	-4.21	3	Horizontal	63	1.50	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7874G	101.91	Inf	-Inf	3	Vertical	-0	1.50	-
5785MHz	Pass	PK	5.6218G	61.59	68.20	-6.61	3	Vertical	-0	1.50	-
5785MHz	Pass	PK	5.779G	112.44	Inf	-Inf	3	Vertical	-0	1.50	-
5785MHz	Pass	PK	6.0214G	60.35	68.20	-7.85	3	Vertical	-0	1.50	-
5785MHz	Pass	AV	5.7826G	103.70	Inf	-Inf	3	Horizontal	339	1.75	-
5785MHz	Pass	PK	5.6398G	63.50	68.20	-4.70	3	Horizontal	339	1.75	-
5785MHz	Pass	PK	5.7838G	114.68	Inf	-Inf	3	Horizontal	339	1.75	-
5785MHz	Pass	PK	6.0262G	60.94	68.20	-7.26	3	Horizontal	339	1.75	-
5785MHz	Pass	AV	11.56012G	41.63	54.00	-12.37	3	Vertical	184	1.50	-
5785MHz	Pass	PK	11.56596G	54.84	74.00	-19.16	3	Vertical	184	1.50	-
5785MHz	Pass	PK	17.36108G	63.75	68.20	-4.45	3	Vertical	299	1.30	-
5785MHz	Pass	AV	11.5622G	42.06	54.00	-11.94	3	Horizontal	81	1.50	-
5785MHz	Pass	PK	11.5662G	54.60	74.00	-19.40	3	Horizontal	81	1.50	-
5785MHz	Pass	PK	17.35728G	62.69	68.20	-5.51	3	Horizontal	264	1.50	-
5825MHz	Pass	AV	5.8274G	99.40	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.6438G	62.22	68.20	-5.98	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.8298G	110.06	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	6.0722G	60.11	68.20	-8.09	3	Vertical	0	1.50	-
5825MHz	Pass	AV	5.8226G	102.18	Inf	-Inf	3	Horizontal	339	1.68	-
5825MHz	Pass	PK	5.6438G	64.57	68.20	-3.63	3	Horizontal	339	1.68	-
5825MHz	Pass	PK	5.8238G	113.28	Inf	-Inf	3	Horizontal	339	1.68	-
5825MHz	Pass	PK	6.0062G	61.28	68.20	-6.92	3	Horizontal	339	1.68	-
5825MHz	Pass	AV	11.64608G	41.88	54.00	-12.12	3	Vertical	313	2.10	-
5825MHz	Pass	PK	11.65624G	54.51	74.00	-19.49	3	Vertical	313	2.10	-
5825MHz	Pass	PK	17.46784G	62.87	68.20	-5.33	3	Vertical	315	1.50	-
5825MHz	Pass	AV	11.65412G	41.72	54.00	-12.28	3	Horizontal	224	2.44	-
5825MHz	Pass	PK	11.65184G	55.52	74.00	-18.48	3	Horizontal	224	2.44	-
5825MHz	Pass	PK	17.47456G	62.96	68.20	-5.24	3	Horizontal	212	2.60	-
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.147G	52.27	54.00	-1.73	3	Vertical	341	2.85	-
5180MHz	Pass	AV	5.1782G	105.06	Inf	-Inf	3	Vertical	341	2.85	-
5180MHz	Pass	PK	5.1476G	70.56	74.00	-3.44	3	Vertical	341	2.85	-
5180MHz	Pass	PK	5.1836G	114.18	Inf	-Inf	3	Vertical	341	2.85	-
5180MHz	Pass	AV	5.1482G	53.85	54.00	-0.15	3	Horizontal	354	1.68	-
5180MHz	Pass	AV	5.1842G	104.32	Inf	-Inf	3	Horizontal	354	1.68	-
5180MHz	Pass	PK	5.1488G	73.82	74.00	-0.18	3	Horizontal	354	1.68	-
5180MHz	Pass	PK	5.1842G	113.68	Inf	-Inf	3	Horizontal	354	1.68	-
5180MHz	Pass	AV	15.53789G	48.57	54.00	-5.43	3	Vertical	76	2.19	-
5180MHz	Pass	PK	10.35829G	53.75	68.20	-14.45	3	Vertical	10	2.85	-
5180MHz	Pass	PK	15.54215G	61.61	74.00	-12.39	3	Vertical	76	2.19	-
5180MHz	Pass	AV	15.54071G	48.62	54.00	-5.38	3	Horizontal	195	1.59	-
5180MHz	Pass	PK	10.36097G	54.52	68.20	-13.68	3	Horizontal	279	2.61	-
5180MHz	Pass	PK	15.54029G	62.03	74.00	-11.97	3	Horizontal	195	1.59	-
5200MHz	Pass	AV	5.15G	52.88	54.00	-1.12	3	Vertical	344	2.85	-
5200MHz	Pass	AV	5.1982G	107.66	Inf	-Inf	3	Vertical	344	2.85	-
5200MHz	Pass	PK	5.15G	70.04	74.00	-3.96	3	Vertical	344	2.85	-
5200MHz	Pass	PK	5.1934G	117.16	Inf	-Inf	3	Vertical	344	2.85	-
5200MHz	Pass	AV	5.15G	53.82	54.00	-0.18	3	Horizontal	352	1.77	-
5200MHz	Pass	AV	5.194G	106.79	Inf	-Inf	3	Horizontal	352	1.77	-
5200MHz	Pass	PK	5.15G	72.57	74.00	-1.43	3	Horizontal	352	1.77	-
5200MHz	Pass	PK	5.1946G	116.77	Inf	-Inf	3	Horizontal	352	1.77	-
5200MHz	Pass	AV	15.59922G	51.08	54.00	-2.92	3	Vertical	177	2.84	-
5200MHz	Pass	PK	10.39862G	61.82	68.20	-6.38	3	Vertical	177	1.61	-
5200MHz	Pass	PK	15.59976G	64.99	74.00	-9.01	3	Vertical	177	2.84	-
5200MHz	Pass	AV	15.60042G	48.84	54.00	-5.16	3	Horizontal	175	2.74	-
5200MHz	Pass	PK	10.40438G	58.24	68.20	-9.96	3	Horizontal	172	1.50	-
5200MHz	Pass	PK	15.60084G	62.20	74.00	-11.80	3	Horizontal	175	2.74	-
5240MHz	Pass	AV	5.1488G	51.18	54.00	-2.82	3	Vertical	343	2.67	-
5240MHz	Pass	AV	5.243G	109.46	Inf	-Inf	3	Vertical	343	2.67	-
5240MHz	Pass	AV	5.351G	50.26	54.00	-3.74	3	Vertical	343	2.67	-
5240MHz	Pass	PK	5.144G	66.47	74.00	-7.53	3	Vertical	343	2.67	-
5240MHz	Pass	PK	5.243G	119.73	Inf	-Inf	3	Vertical	343	2.67	-





RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3564G	64.48	74.00	-9.52	3	Vertical	343	2.67	-
5240MHz	Pass	AV	5.15G	52.78	54.00	-1.22	3	Horizontal	352	1.76	-
5240MHz	Pass	AV	5.2346G	107.77	Inf	-Inf	3	Horizontal	352	1.76	-
5240MHz	Pass	AV	5.3528G	50.01	54.00	-3.99	3	Horizontal	352	1.76	-
5240MHz	Pass	PK	5.1488G	69.16	74.00	-4.84	3	Horizontal	352	1.76	-
5240MHz	Pass	PK	5.2442G	118.29	Inf	-Inf	3	Horizontal	352	1.76	-
5240MHz	Pass	PK	5.3534G	63.98	74.00	-10.02	3	Horizontal	352	1.76	-
5240MHz	Pass	AV	15.72036G	50.14	54.00	-3.86	3	Vertical	179	1.50	-
5240MHz	Pass	PK	10.4785G	62.41	68.20	-5.79	3	Vertical	179	1.74	-
5240MHz	Pass	PK	15.72078G	62.79	74.00	-11.21	3	Vertical	179	1.50	-
5240MHz	Pass	AV	15.7158G	48.25	54.00	-5.75	3	Horizontal	189	2.58	-
5240MHz	Pass	PK	10.48006G	56.84	68.20	-11.36	3	Horizontal	171	1.50	-
5240MHz	Pass	PK	15.71088G	61.54	74.00	-12.46	3	Horizontal	189	2.58	-
5745MHz	Pass	AV	5.7414G	105.65	Inf	-Inf	3	Vertical	-0	1.54	-
5745MHz	Pass	PK	5.6418G	65.73	68.20	-2.47	3	Vertical	-0	1.54	-
5745MHz	Pass	PK	5.7402G	116.70	Inf	-Inf	3	Vertical	-0	1.54	-
5745MHz	Pass	PK	5.9394G	60.73	68.20	-7.47	3	Vertical	-0	1.54	-
5745MHz	Pass	AV	5.7486G	106.98	Inf	-Inf	3	Horizontal	342	1.86	-
5745MHz	Pass	PK	5.643G	67.46	68.20	-0.74	3	Horizontal	342	1.86	-
5745MHz	Pass	PK	5.7486G	118.67	Inf	-Inf	3	Horizontal	342	1.86	-
5745MHz	Pass	PK	5.9886G	61.89	68.20	-6.31	3	Horizontal	342	1.86	-
5745MHz	Pass	AV	11.49078G	43.41	54.00	-10.59	3	Vertical	167	1.57	-
5745MHz	Pass	PK	11.48994G	56.28	74.00	-17.72	3	Vertical	167	1.57	-
5745MHz	Pass	PK	17.23266G	67.12	68.20	-1.08	3	Vertical	210	2.90	-
5745MHz	Pass	AV	11.49066G	42.73	54.00	-11.27	3	Horizontal	79	1.92	-
5745MHz	Pass	PK	11.49096G	55.41	74.00	-18.59	3	Horizontal	79	1.92	-
5745MHz	Pass	PK	17.23488G	63.45	68.20	-4.75	3	Horizontal	192	2.30	-
5785MHz	Pass	AV	5.7814G	104.71	Inf	-Inf	3	Vertical	10	1.70	-
5785MHz	Pass	PK	5.6446G	65.36	68.20	-2.84	3	Vertical	10	1.70	-
5785MHz	Pass	PK	5.791G	115.41	Inf	-Inf	3	Vertical	10	1.70	-
5785MHz	Pass	PK	5.935G	60.42	68.20	-7.78	3	Vertical	10	1.70	-
5785MHz	Pass	AV	5.779G	107.01	Inf	-Inf	3	Horizontal	342	1.87	-
5785MHz	Pass	PK	5.6482G	65.64	68.20	-2.56	3	Horizontal	342	1.87	-
5785MHz	Pass	PK	5.7886G	118.03	Inf	-Inf	3	Horizontal	342	1.87	-
5785MHz	Pass	PK	5.941G	60.57	68.20	-7.63	3	Horizontal	342	1.87	-
5785MHz	Pass	AV	11.5697G	43.27	54.00	-10.73	3	Vertical	198	1.57	-
5785MHz	Pass	PK	11.57006G	56.22	74.00	-17.78	3	Vertical	198	1.57	-
5785MHz	Pass	PK	17.35296G	65.81	68.20	-2.39	3	Vertical	210	2.97	-
5785MHz	Pass	AV	11.56724G	41.67	54.00	-12.33	3	Horizontal	47	1.50	-
5785MHz	Pass	PK	11.55914G	54.86	74.00	-19.14	3	Horizontal	47	1.50	-
5785MHz	Pass	PK	17.3436G	63.30	68.20	-4.90	3	Horizontal	322	1.83	-
5825MHz	Pass	AV	5.8262G	102.56	Inf	-Inf	3	Vertical	360	1.80	-
5825MHz	Pass	PK	5.639G	65.42	68.20	-2.78	3	Vertical	360	1.80	-
5825MHz	Pass	PK	5.831G	113.09	Inf	-Inf	3	Vertical	360	1.80	-
5825MHz	Pass	PK	6.0554G	60.92	68.20	-7.28	3	Vertical	360	1.80	-
5825MHz	Pass	AV	5.8178G	104.68	Inf	-Inf	3	Horizontal	343	1.71	-
5825MHz	Pass	PK	5.6414G	65.65	68.20	-2.55	3	Horizontal	343	1.71	-
5825MHz	Pass	PK	5.8178G	114.95	Inf	-Inf	3	Horizontal	343	1.71	-
5825MHz	Pass	PK	6.0218G	60.85	68.20	-7.35	3	Horizontal	343	1.71	-
5825MHz	Pass	AV	11.64994G	43.63	54.00	-10.37	3	Vertical	199	1.69	-
5825MHz	Pass	PK	11.65972G	57.26	74.00	-16.74	3	Vertical	199	1.69	-
5825MHz	Pass	PK	17.47164G	64.55	68.20	-3.65	3	Vertical	185	2.81	-
5825MHz	Pass	AV	11.66446G	41.30	54.00	-12.70	3	Horizontal	360	1.68	-
5825MHz	Pass	PK	11.64082G	55.34	74.00	-18.66	3	Horizontal	360	1.68	-
5825MHz	Pass	PK	17.48988G	62.52	68.20	-5.68	3	Horizontal	356	1.50	-
802.11ax HEW20_Nss1_(MCS0)_1TX_(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	52.22	54.00	-1.78	3	Vertical	337	2.44	-
5180MHz	Pass	AV	5.1794G	98.91	Inf	-Inf	3	Vertical	337	2.44	-
5180MHz	Pass	PK	5.15G	69.35	74.00	-4.65	3	Vertical	337	2.44	-
5180MHz	Pass	PK	5.1824G	112.16	Inf	-Inf	3	Vertical	337	2.44	-
5180MHz	Pass	AV	5.15G	53.55	54.00	-0.45	3	Horizontal	357	2.37	-
5180MHz	Pass	AV	5.1782G	99.22	Inf	-Inf	3	Horizontal	357	2.37	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.1488G	71.31	74.00	-2.69	3	Horizontal	357	2.37	-
5180MHz	Pass	PK	5.1836G	113.45	Inf	-Inf	3	Horizontal	357	2.37	-
5180MHz	Pass	AV	15.53444G	49.24	54.00	-4.76	3	Vertical	43	1.50	-
5180MHz	Pass	PK	10.359G	57.02	68.20	-11.18	3	Vertical	182	1.50	-
5180MHz	Pass	PK	15.53208G	62.41	74.00	-11.59	3	Vertical	43	1.50	-
5180MHz	Pass	AV	15.53468G	49.28	54.00	-4.72	3	Horizontal	18	1.33	-
5180MHz	Pass	PK	10.3646G	55.56	68.20	-12.64	3	Horizontal	135	2.95	-
5180MHz	Pass	PK	15.53044G	62.48	74.00	-11.52	3	Horizontal	18	1.33	-
5200MHz	Pass	AV	5.15G	53.85	54.00	-0.15	3	Vertical	341	2.46	-
5200MHz	Pass	AV	5.1928G	101.34	Inf	-Inf	3	Vertical	341	2.46	-
5200MHz	Pass	PK	5.1478G	70.97	74.00	-3.03	3	Vertical	341	2.46	-
5200MHz	Pass	PK	5.1964G	114.99	Inf	-Inf	3	Vertical	341	2.46	-
5200MHz	Pass	AV	5.15G	53.72	54.00	-0.28	3	Horizontal	360	3.00	-
5200MHz	Pass	AV	5.2054G	102.76	Inf	-Inf	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	5.15G	71.33	74.00	-2.67	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	5.1922G	116.40	Inf	-Inf	3	Horizontal	360	3.00	-
5200MHz	Pass	AV	15.60432G	48.69	54.00	-5.31	3	Vertical	155	2.88	-
5200MHz	Pass	PK	10.39664G	57.74	68.20	-10.46	3	Vertical	181	1.40	-
5200MHz	Pass	PK	15.60716G	62.21	74.00	-11.79	3	Vertical	155	2.88	-
5200MHz	Pass	AV	15.6024G	48.43	54.00	-5.57	3	Horizontal	80	1.07	-
5200MHz	Pass	PK	10.39616G	55.80	68.20	-12.40	3	Horizontal	254	1.00	-
5200MHz	Pass	PK	15.59236G	61.57	74.00	-12.43	3	Horizontal	80	1.07	-
5240MHz	Pass	AV	5.15G	52.03	54.00	-1.97	3	Vertical	340	2.53	-
5240MHz	Pass	AV	5.2454G	104.75	Inf	-Inf	3	Vertical	340	2.53	-
5240MHz	Pass	AV	5.35G	49.33	54.00	-4.67	3	Vertical	340	2.53	-
5240MHz	Pass	PK	5.15G	67.95	74.00	-6.05	3	Vertical	340	2.53	-
5240MHz	Pass	PK	5.2412G	116.92	Inf	-Inf	3	Vertical	340	2.53	-
5240MHz	Pass	PK	5.354G	62.00	74.00	-12.00	3	Vertical	340	2.53	-
5240MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	360	3.00	-
5240MHz	Pass	AV	5.243G	105.44	Inf	-Inf	3	Horizontal	360	3.00	-
5240MHz	Pass	AV	5.35G	51.28	54.00	-2.72	3	Horizontal	360	3.00	-
5240MHz	Pass	PK	5.1494G	68.79	74.00	-5.21	3	Horizontal	360	3.00	-
5240MHz	Pass	PK	5.237G	117.80	Inf	-Inf	3	Horizontal	360	3.00	-
5240MHz	Pass	PK	5.3504G	65.45	74.00	-8.55	3	Horizontal	360	3.00	-
5240MHz	Pass	AV	15.7194G	47.30	54.00	-6.70	3	Vertical	0	1.43	-
5240MHz	Pass	PK	10.48236G	61.27	68.20	-6.93	3	Vertical	175	3.00	-
5240MHz	Pass	PK	15.72636G	60.16	74.00	-13.84	3	Vertical	0	1.43	-
5240MHz	Pass	AV	15.7114G	47.13	54.00	-6.87	3	Horizontal	39	2.10	-
5240MHz	Pass	PK	10.47808G	56.46	68.20	-11.74	3	Horizontal	249	2.03	-
5240MHz	Pass	PK	15.71192G	59.47	74.00	-14.53	3	Horizontal	39	2.10	-
5745MHz	Pass	AV	5.7438G	101.79	Inf	-Inf	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.6466G	66.60	68.20	-1.60	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.7498G	113.68	Inf	-Inf	3	Vertical	355	1.50	-
5745MHz	Pass	PK	5.9826G	60.80	68.20	-7.40	3	Vertical	355	1.50	-
5745MHz	Pass	AV	5.7462G	102.62	Inf	-Inf	3	Horizontal	338	1.69	-
5745MHz	Pass	PK	5.637G	66.48	68.20	-1.72	3	Horizontal	338	1.69	-
5745MHz	Pass	PK	5.7438G	113.87	Inf	-Inf	3	Horizontal	338	1.69	-
5745MHz	Pass	PK	5.9466G	60.82	68.20	-7.38	3	Horizontal	338	1.69	-
5745MHz	Pass	AV	11.48556G	41.92	54.00	-12.08	3	Vertical	178	2.67	-
5745MHz	Pass	PK	11.48772G	54.55	74.00	-19.45	3	Vertical	178	2.67	-
5745MHz	Pass	PK	17.22444G	62.03	68.20	-6.17	3	Vertical	151	1.90	-
5745MHz	Pass	AV	11.49672G	42.02	54.00	-11.98	3	Horizontal	89	2.49	-
5745MHz	Pass	PK	11.48844G	54.22	74.00	-19.78	3	Horizontal	89	2.49	-
5745MHz	Pass	PK	17.238G	62.04	68.20	-6.16	3	Horizontal	269	2.71	-
5785MHz	Pass	AV	5.7874G	100.93	Inf	-Inf	3	Vertical	0	1.50	-
5785MHz	Pass	PK	5.6374G	66.06	68.20	-2.14	3	Vertical	0	1.50	-
5785MHz	Pass	PK	5.7838G	112.01	Inf	-Inf	3	Vertical	0	1.50	-
5785MHz	Pass	PK	5.9914G	60.75	68.20	-7.45	3	Vertical	0	1.50	-
5785MHz	Pass	AV	5.7802G	102.91	Inf	-Inf	3	Horizontal	339	1.76	-
5785MHz	Pass	PK	5.6074G	65.90	68.20	-2.30	3	Horizontal	339	1.76	-
5785MHz	Pass	PK	5.7778G	114.40	Inf	-Inf	3	Horizontal	339	1.76	-
5785MHz	Pass	PK	6.067G	60.38	68.20	-7.82	3	Horizontal	339	1.76	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.5574G	40.76	54.00	-13.24	3	Vertical	279	1.46	-
5785MHz	Pass	PK	11.5607G	53.53	74.00	-20.47	3	Vertical	279	1.46	-
5785MHz	Pass	PK	17.3682G	61.84	68.20	-6.36	3	Vertical	41	1.75	-
5785MHz	Pass	AV	11.56592G	40.74	54.00	-13.26	3	Horizontal	357	1.68	-
5785MHz	Pass	PK	11.56226G	53.58	74.00	-20.42	3	Horizontal	357	1.68	-
5785MHz	Pass	PK	17.35764G	61.65	68.20	-6.55	3	Horizontal	275	1.03	-
5825MHz	Pass	AV	5.8226G	98.73	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.633G	66.84	68.20	-1.36	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.8238G	109.73	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	6.1178G	60.95	68.20	-7.25	3	Vertical	0	1.50	-
5825MHz	Pass	AV	5.8202G	101.69	Inf	-Inf	3	Horizontal	339	1.70	-
5825MHz	Pass	PK	5.6438G	66.16	68.20	-2.04	3	Horizontal	339	1.70	-
5825MHz	Pass	PK	5.825G	113.63	Inf	-Inf	3	Horizontal	339	1.70	-
5825MHz	Pass	PK	6.0074G	60.26	68.20	-7.94	3	Horizontal	339	1.70	-
5825MHz	Pass	AV	11.65792G	40.84	54.00	-13.16	3	Vertical	9	2.88	-
5825MHz	Pass	PK	11.63746G	53.59	74.00	-20.41	3	Vertical	9	2.88	-
5825MHz	Pass	PK	17.4891G	62.45	68.20	-5.75	3	Vertical	312	1.88	-
5825MHz	Pass	AV	11.64922G	40.94	54.00	-13.06	3	Horizontal	21	1.33	-
5825MHz	Pass	PK	11.6392G	53.87	74.00	-20.13	3	Horizontal	21	1.33	-
5825MHz	Pass	PK	17.47704G	61.49	68.20	-6.71	3	Horizontal	183	2.28	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.77	54.00	-0.23	3	Vertical	342	2.75	-
5180MHz	Pass	AV	5.1764G	100.51	Inf	-Inf	3	Vertical	342	2.75	-
5180MHz	Pass	PK	5.1494G	70.73	74.00	-3.27	3	Vertical	342	2.75	-
5180MHz	Pass	PK	5.189G	113.13	Inf	-Inf	3	Vertical	342	2.75	-
5180MHz	Pass	AV	5.15G	52.75	54.00	-1.25	3	Horizontal	360	2.75	-
5180MHz	Pass	AV	5.1782G	99.88	Inf	-Inf	3	Horizontal	360	2.75	-
5180MHz	Pass	PK	5.1446G	69.07	74.00	-4.93	3	Horizontal	360	2.75	-
5180MHz	Pass	PK	5.1746G	112.51	Inf	-Inf	3	Horizontal	360	2.75	-
5180MHz	Pass	AV	15.54G	47.97	54.00	-6.03	3	Vertical	209	1.39	-
5180MHz	Pass	PK	10.35846G	54.86	68.20	-13.34	3	Vertical	213	1.70	-
5180MHz	Pass	PK	15.54027G	61.23	74.00	-12.77	3	Vertical	209	1.39	-
5180MHz	Pass	AV	15.53925G	47.99	54.00	-6.01	3	Horizontal	345	1.13	-
5180MHz	Pass	PK	10.36073G	54.11	68.20	-14.09	3	Horizontal	209	1.61	-
5180MHz	Pass	PK	15.53781G	61.59	74.00	-12.41	3	Horizontal	345	1.13	-
5200MHz	Pass	AV	5.15G	53.77	54.00	-0.23	3	Vertical	343	2.58	-
5200MHz	Pass	AV	5.1964G	104.44	Inf	-Inf	3	Vertical	343	2.58	-
5200MHz	Pass	PK	5.15G	70.14	74.00	-3.86	3	Vertical	343	2.58	-
5200MHz	Pass	PK	5.203G	116.86	Inf	-Inf	3	Vertical	343	2.58	-
5200MHz	Pass	AV	5.15G	53.30	54.00	-0.70	3	Horizontal	360	3.00	-
5200MHz	Pass	AV	5.206G	103.19	Inf	-Inf	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	5.15G	69.53	74.00	-4.47	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	5.2048G	115.79	Inf	-Inf	3	Horizontal	360	3.00	-
5200MHz	Pass	AV	15.59884G	47.12	54.00	-6.88	3	Vertical	293	1.25	-
5200MHz	Pass	PK	10.40234G	54.59	68.20	-13.61	3	Vertical	122	1.71	-
5200MHz	Pass	PK	15.60216G	61.41	74.00	-12.59	3	Vertical	293	1.25	-
5200MHz	Pass	AV	15.59812G	47.17	54.00	-6.83	3	Horizontal	5	2.77	-
5200MHz	Pass	PK	10.39938G	53.79	68.20	-14.41	3	Horizontal	312	2.41	-
5200MHz	Pass	PK	15.60111G	61.38	74.00	-12.62	3	Horizontal	5	2.77	-
5240MHz	Pass	AV	5.1482G	49.46	54.00	-4.54	3	Vertical	346	2.82	-
5240MHz	Pass	AV	5.2418G	105.12	Inf	-Inf	3	Vertical	346	2.82	-
5240MHz	Pass	AV	5.35G	48.13	54.00	-5.87	3	Vertical	346	2.82	-
5240MHz	Pass	PK	5.1434G	64.63	74.00	-9.37	3	Vertical	346	2.82	-
5240MHz	Pass	PK	5.24G	118.71	Inf	-Inf	3	Vertical	346	2.82	-
5240MHz	Pass	PK	5.3594G	61.09	74.00	-12.91	3	Vertical	346	2.82	-
5240MHz	Pass	AV	5.15G	51.01	54.00	-2.99	3	Horizontal	0	3.00	-
5240MHz	Pass	AV	5.2424G	103.71	Inf	-Inf	3	Horizontal	0	3.00	-
5240MHz	Pass	AV	5.35G	48.55	54.00	-5.45	3	Horizontal	0	3.00	-
5240MHz	Pass	PK	5.1452G	66.43	74.00	-7.57	3	Horizontal	0	3.00	-
5240MHz	Pass	PK	5.2472G	116.64	Inf	-Inf	3	Horizontal	0	3.00	-
5240MHz	Pass	PK	5.36G	63.00	74.00	-11.00	3	Horizontal	0	3.00	-
5240MHz	Pass	AV	15.7142G	49.22	54.00	-4.78	3	Vertical	177	3.00	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.4837G	61.63	68.20	-6.57	3	Vertical	177	1.69	-
5240MHz	Pass	PK	15.71416G	64.29	74.00	-9.71	3	Vertical	177	3.00	-
5240MHz	Pass	AV	15.7142G	47.84	54.00	-6.16	3	Horizontal	212	3.00	-
5240MHz	Pass	PK	10.48368G	57.76	68.20	-10.44	3	Horizontal	172	2.03	-
5240MHz	Pass	PK	15.711G	61.37	74.00	-12.63	3	Horizontal	212	3.00	-
5745MHz	Pass	AV	5.7462G	103.03	Inf	-Inf	3	Vertical	5	1.59	-
5745MHz	Pass	PK	5.6382G	67.40	68.20	-0.80	3	Vertical	5	1.59	-
5745MHz	Pass	PK	5.7534G	115.76	Inf	-Inf	3	Vertical	5	1.59	-
5745MHz	Pass	PK	6.0306G	60.32	68.20	-7.88	3	Vertical	5	1.59	-
5745MHz	Pass	AV	5.7522G	104.07	Inf	-Inf	3	Horizontal	343	1.89	-
5745MHz	Pass	PK	5.649G	66.85	68.20	-1.35	3	Horizontal	343	1.89	-
5745MHz	Pass	PK	5.751G	115.80	Inf	-Inf	3	Horizontal	343	1.89	-
5745MHz	Pass	PK	5.9442G	60.02	68.20	-8.18	3	Horizontal	343	1.89	-
5745MHz	Pass	AV	11.4916G	42.35	54.00	-11.65	3	Vertical	225	2.83	-
5745MHz	Pass	PK	11.5055G	55.64	74.00	-18.36	3	Vertical	225	2.83	-
5745MHz	Pass	PK	17.2354G	64.52	68.20	-3.68	3	Vertical	232	3.00	-
5745MHz	Pass	AV	11.5015G	41.30	54.00	-12.70	3	Horizontal	270	1.50	-
5745MHz	Pass	PK	11.5058G	54.93	74.00	-19.07	3	Horizontal	270	1.50	-
5745MHz	Pass	PK	17.2377G	62.82	68.20	-5.38	3	Horizontal	168	1.07	-
5785MHz	Pass	AV	5.7778G	101.57	Inf	-Inf	3	Vertical	360	1.75	-
5785MHz	Pass	PK	5.6482G	66.70	68.20	-1.50	3	Vertical	360	1.75	-
5785MHz	Pass	PK	5.7802G	114.48	Inf	-Inf	3	Vertical	360	1.75	-
5785MHz	Pass	PK	6.0502G	60.89	68.20	-7.31	3	Vertical	360	1.75	-
5785MHz	Pass	AV	5.7766G	102.96	Inf	-Inf	3	Horizontal	343	1.82	-
5785MHz	Pass	PK	5.6458G	66.96	68.20	-1.24	3	Horizontal	343	1.82	-
5785MHz	Pass	PK	5.779G	115.61	Inf	-Inf	3	Horizontal	343	1.82	-
5785MHz	Pass	PK	6.0358G	60.55	68.20	-7.65	3	Horizontal	343	1.82	-
5785MHz	Pass	AV	11.5709G	41.82	54.00	-12.18	3	Vertical	208	1.27	-
5785MHz	Pass	PK	11.5839G	55.79	74.00	-18.21	3	Vertical	208	1.27	-
5785MHz	Pass	PK	17.34918G	64.74	68.20	-3.46	3	Vertical	222	2.64	-
5785MHz	Pass	AV	11.56772G	41.35	54.00	-12.65	3	Horizontal	135	2.09	-
5785MHz	Pass	PK	11.56406G	55.12	74.00	-18.88	3	Horizontal	135	2.09	-
5785MHz	Pass	PK	17.35908G	63.62	68.20	-4.58	3	Horizontal	173	2.34	-
5825MHz	Pass	AV	5.8178G	98.60	Inf	-Inf	3	Vertical	360	1.62	-
5825MHz	Pass	PK	5.6414G	64.65	68.20	-3.55	3	Vertical	360	1.62	-
5825MHz	Pass	PK	5.8202G	111.76	Inf	-Inf	3	Vertical	360	1.62	-
5825MHz	Pass	PK	6.0566G	60.40	68.20	-7.80	3	Vertical	360	1.62	-
5825MHz	Pass	AV	5.8166G	101.21	Inf	-Inf	3	Horizontal	341	1.72	-
5825MHz	Pass	PK	5.6414G	65.19	68.20	-3.01	3	Horizontal	341	1.72	-
5825MHz	Pass	PK	5.819G	114.11	Inf	-Inf	3	Horizontal	341	1.72	-
5825MHz	Pass	PK	5.999G	61.05	68.20	-7.15	3	Horizontal	341	1.72	-
5825MHz	Pass	AV	11.6574G	42.79	54.00	-11.21	3	Vertical	195	1.93	-
5825MHz	Pass	PK	11.6585G	56.37	74.00	-17.63	3	Vertical	195	1.93	-
5825MHz	Pass	PK	17.46948G	63.33	68.20	-4.87	3	Vertical	192	3.00	-
5825MHz	Pass	AV	11.65552G	40.75	54.00	-13.25	3	Horizontal	185	2.85	-
5825MHz	Pass	PK	11.65492G	54.64	74.00	-19.36	3	Horizontal	185	2.85	-
5825MHz	Pass	PK	17.46252G	63.34	68.20	-4.86	3	Horizontal	190	1.50	-
802.11ax HEW40_Nss1 (MCS0)_1TX (Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	52.54	54.00	-1.46	3	Vertical	346	2.98	-
5190MHz	Pass	AV	5.202G	96.43	Inf	-Inf	3	Vertical	346	2.98	-
5190MHz	Pass	PK	5.1472G	69.80	74.00	-4.20	3	Vertical	346	2.98	-
5190MHz	Pass	PK	5.1868G	108.81	Inf	-Inf	3	Vertical	346	2.98	-
5190MHz	Pass	AV	5.1492G	53.87	54.00	-0.13	3	Horizontal	356	1.44	-
5190MHz	Pass	AV	5.1964G	95.38	Inf	-Inf	3	Horizontal	356	1.44	-
5190MHz	Pass	PK	5.1484G	68.73	74.00	-5.27	3	Horizontal	356	1.44	-
5190MHz	Pass	PK	5.1868G	107.74	Inf	-Inf	3	Horizontal	356	1.44	-
5190MHz	Pass	AV	15.57186G	49.06	54.00	-4.94	3	Vertical	162	2.65	-
5190MHz	Pass	PK	10.38114G	54.54	68.20	-13.66	3	Vertical	338	2.00	-
5190MHz	Pass	PK	15.5724G	61.65	74.00	-12.35	3	Vertical	162	2.65	-
5190MHz	Pass	AV	15.5675G	49.21	54.00	-4.79	3	Horizontal	215	1.21	-
5190MHz	Pass	PK	10.37767G	54.26	68.20	-13.94	3	Horizontal	297	2.69	-
5190MHz	Pass	PK	15.56872G	60.91	74.00	-13.09	3	Horizontal	215	1.21	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.1492G	51.46	54.00	-2.54	3	Vertical	348	2.82	-
5230MHz	Pass	AV	5.226G	99.71	Inf	-Inf	3	Vertical	348	2.82	-
5230MHz	Pass	PK	5.15G	64.68	74.00	-9.32	3	Vertical	348	2.82	-
5230MHz	Pass	PK	5.2268G	112.40	Inf	-Inf	3	Vertical	348	2.82	-
5230MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	354	1.69	-
5230MHz	Pass	AV	5.2356G	98.03	Inf	-Inf	3	Horizontal	354	1.69	-
5230MHz	Pass	PK	5.15G	66.47	74.00	-7.53	3	Horizontal	354	1.69	-
5230MHz	Pass	PK	5.2356G	109.97	Inf	-Inf	3	Horizontal	354	1.69	-
5230MHz	Pass	AV	15.68959G	47.75	54.00	-6.25	3	Vertical	248	2.96	-
5230MHz	Pass	PK	10.45841G	53.53	68.20	-14.67	3	Vertical	170	1.10	-
5230MHz	Pass	PK	15.69087G	60.37	74.00	-13.63	3	Vertical	248	2.96	-
5230MHz	Pass	AV	15.68923G	47.66	54.00	-6.34	3	Horizontal	100	1.80	-
5230MHz	Pass	PK	10.45865G	53.38	68.20	-14.82	3	Horizontal	267	2.96	-
5230MHz	Pass	PK	15.69232G	60.11	74.00	-13.89	3	Horizontal	100	1.80	-
5755MHz	Pass	AV	5.7598G	99.36	Inf	-Inf	3	Vertical	357	1.74	-
5755MHz	Pass	PK	5.6482G	67.86	68.20	-0.34	3	Vertical	357	1.74	-
5755MHz	Pass	PK	5.7526G	110.81	Inf	-Inf	3	Vertical	357	1.74	-
5755MHz	Pass	PK	5.9446G	60.13	68.20	-8.07	3	Vertical	357	1.74	-
5755MHz	Pass	AV	5.761G	100.21	Inf	-Inf	3	Horizontal	343	1.68	-
5755MHz	Pass	PK	5.6482G	67.02	68.20	-1.18	3	Horizontal	343	1.68	-
5755MHz	Pass	PK	5.7598G	111.14	Inf	-Inf	3	Horizontal	343	1.68	-
5755MHz	Pass	PK	6.0406G	60.05	68.20	-8.15	3	Horizontal	343	1.68	-
5755MHz	Pass	AV	11.52224G	43.14	54.00	-10.86	3	Vertical	166	2.09	-
5755MHz	Pass	PK	11.49968G	55.14	74.00	-18.86	3	Vertical	166	2.09	-
5755MHz	Pass	PK	17.27382G	62.54	68.20	-5.66	3	Vertical	33	1.50	-
5755MHz	Pass	AV	11.50592G	42.87	54.00	-11.13	3	Horizontal	64	1.29	-
5755MHz	Pass	PK	11.50178G	55.46	74.00	-18.54	3	Horizontal	64	1.29	-
5755MHz	Pass	PK	17.27046G	62.89	68.20	-5.31	3	Horizontal	159	2.99	-
5795MHz	Pass	AV	5.7974G	98.63	Inf	-Inf	3	Vertical	355	1.73	-
5795MHz	Pass	PK	5.6258G	66.64	68.20	-1.56	3	Vertical	355	1.73	-
5795MHz	Pass	PK	5.7914G	109.48	Inf	-Inf	3	Vertical	355	1.73	-
5795MHz	Pass	PK	6.0842G	59.96	68.20	-8.24	3	Vertical	355	1.73	-
5795MHz	Pass	AV	5.801G	100.17	Inf	-Inf	3	Horizontal	346	1.67	-
5795MHz	Pass	PK	5.6438G	67.67	68.20	-0.53	3	Horizontal	346	1.67	-
5795MHz	Pass	PK	5.801G	110.38	Inf	-Inf	3	Horizontal	346	1.67	-
5795MHz	Pass	PK	6.0914G	59.66	68.20	-8.54	3	Horizontal	346	1.67	-
5795MHz	Pass	AV	11.57518G	42.66	54.00	-11.34	3	Vertical	-0	1.50	-
5795MHz	Pass	PK	11.59234G	54.81	74.00	-19.19	3	Vertical	-0	1.50	-
5795MHz	Pass	PK	17.37528G	63.99	68.20	-4.21	3	Vertical	219	3.00	-
5795MHz	Pass	AV	11.59036G	42.50	54.00	-11.50	3	Horizontal	175	1.80	-
5795MHz	Pass	PK	11.5762G	54.47	74.00	-19.53	3	Horizontal	175	1.80	-
5795MHz	Pass	PK	17.3733G	62.85	68.20	-5.35	3	Horizontal	0	1.77	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1498G	53.38	54.00	-0.62	3	Vertical	344	2.73	-
5190MHz	Pass	AV	5.1762G	96.64	Inf	-Inf	3	Vertical	344	2.73	-
5190MHz	Pass	PK	5.1498G	70.38	74.00	-3.62	3	Vertical	344	2.73	-
5190MHz	Pass	PK	5.181G	109.43	Inf	-Inf	3	Vertical	344	2.73	-
5190MHz	Pass	AV	5.1498G	53.04	54.00	-0.96	3	Horizontal	349	1.77	-
5190MHz	Pass	AV	5.1936G	95.92	Inf	-Inf	3	Horizontal	349	1.77	-
5190MHz	Pass	PK	5.1498G	70.48	74.00	-3.52	3	Horizontal	349	1.77	-
5190MHz	Pass	PK	5.2044G	109.63	Inf	-Inf	3	Horizontal	349	1.77	-
5190MHz	Pass	AV	15.56752G	47.47	54.00	-6.53	3	Vertical	183	1.93	-
5190MHz	Pass	PK	10.38179G	54.51	68.20	-13.69	3	Vertical	281	1.42	-
5190MHz	Pass	PK	15.56767G	60.67	74.00	-13.33	3	Vertical	183	1.93	-
5190MHz	Pass	AV	15.56781G	47.42	54.00	-6.58	3	Horizontal	118	1.18	-
5190MHz	Pass	PK	10.3786G	54.06	68.20	-14.14	3	Horizontal	58	2.48	-
5190MHz	Pass	PK	15.56805G	61.32	74.00	-12.68	3	Horizontal	118	1.18	-
5230MHz	Pass	AV	5.15G	53.52	54.00	-0.48	3	Vertical	343	2.57	-
5230MHz	Pass	AV	5.2288G	100.61	Inf	-Inf	3	Vertical	343	2.57	-
5230MHz	Pass	AV	5.35G	49.03	54.00	-4.97	3	Vertical	343	2.57	-
5230MHz	Pass	PK	5.1472G	69.14	74.00	-4.86	3	Vertical	343	2.57	-
5230MHz	Pass	PK	5.2294G	113.45	Inf	-Inf	3	Vertical	343	2.57	-



RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	5.3524G	62.30	74.00	-11.70	3	Vertical	343	2.57	-
5230MHz	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	350	1.75	-
5230MHz	Pass	AV	5.227G	99.23	Inf	-Inf	3	Horizontal	350	1.75	-
5230MHz	Pass	AV	5.35G	48.49	54.00	-5.51	3	Horizontal	350	1.75	-
5230MHz	Pass	PK	5.1496G	68.72	74.00	-5.28	3	Horizontal	350	1.75	-
5230MHz	Pass	PK	5.245G	111.79	Inf	-Inf	3	Horizontal	350	1.75	-
5230MHz	Pass	PK	5.3734G	60.65	74.00	-13.35	3	Horizontal	350	1.75	-
5230MHz	Pass	AV	15.68948G	46.31	54.00	-7.69	3	Vertical	110	1.00	-
5230MHz	Pass	PK	10.46208G	53.96	68.20	-14.24	3	Vertical	75	2.40	-
5230MHz	Pass	PK	15.68934G	59.31	74.00	-14.69	3	Vertical	110	1.00	-
5230MHz	Pass	AV	15.68889G	46.27	54.00	-7.73	3	Horizontal	21	1.10	-
5230MHz	Pass	PK	10.45752G	54.64	68.20	-13.56	3	Horizontal	108	1.96	-
5230MHz	Pass	PK	15.69154G	59.73	74.00	-14.27	3	Horizontal	21	1.10	-
5755MHz	Pass	AV	5.7574G	100.66	Inf	-Inf	3	Vertical	360	1.48	-
5755MHz	Pass	PK	5.6422G	65.95	68.20	-2.25	3	Vertical	360	1.48	-
5755MHz	Pass	PK	5.7598G	112.97	Inf	-Inf	3	Vertical	360	1.48	-
5755MHz	Pass	PK	6.0298G	60.86	68.20	-7.34	3	Vertical	360	1.48	-
5755MHz	Pass	AV	5.7598G	101.81	Inf	-Inf	3	Horizontal	338	1.68	-
5755MHz	Pass	PK	5.6494G	67.24	68.20	-0.96	3	Horizontal	338	1.68	-
5755MHz	Pass	PK	5.7598G	115.43	Inf	-Inf	3	Horizontal	338	1.68	-
5755MHz	Pass	PK	6.0406G	61.64	68.20	-6.56	3	Horizontal	338	1.68	-
5755MHz	Pass	AV	11.50676G	41.65	54.00	-12.35	3	Vertical	197	2.09	-
5755MHz	Pass	PK	11.50826G	55.58	74.00	-18.42	3	Vertical	197	2.09	-
5755MHz	Pass	PK	17.25498G	62.61	68.20	-5.59	3	Vertical	155	2.53	-
5755MHz	Pass	AV	11.52464G	41.40	54.00	-12.60	3	Horizontal	164	1.50	-
5755MHz	Pass	PK	11.50016G	54.97	74.00	-19.03	3	Horizontal	164	1.50	-
5755MHz	Pass	PK	17.27448G	62.61	68.20	-5.59	3	Horizontal	203	1.50	-
5795MHz	Pass	AV	5.7902G	99.51	Inf	-Inf	3	Vertical	356	1.71	-
5795MHz	Pass	PK	5.639G	65.51	68.20	-2.69	3	Vertical	356	1.71	-
5795MHz	Pass	PK	5.7782G	111.62	Inf	-Inf	3	Vertical	356	1.71	-
5795MHz	Pass	PK	6.0278G	61.08	68.20	-7.12	3	Vertical	356	1.71	-
5795MHz	Pass	AV	5.789G	101.24	Inf	-Inf	3	Horizontal	338	1.76	-
5795MHz	Pass	PK	5.651G	67.67	68.94	-1.27	3	Horizontal	338	1.76	-
5795MHz	Pass	PK	5.7854G	114.20	Inf	-Inf	3	Horizontal	338	1.76	-
5795MHz	Pass	PK	6.0638G	60.67	68.20	-7.53	3	Horizontal	338	1.76	-
5795MHz	Pass	AV	11.5912G	40.91	54.00	-13.09	3	Vertical	200	2.32	-
5795MHz	Pass	PK	11.58124G	54.95	74.00	-19.05	3	Vertical	200	2.32	-
5795MHz	Pass	PK	17.39328G	63.48	68.20	-4.72	3	Vertical	211	3.00	-
5795MHz	Pass	AV	11.5783G	41.13	54.00	-12.87	3	Horizontal	154	2.78	-
5795MHz	Pass	PK	11.59006G	54.14	74.00	-19.86	3	Horizontal	154	2.78	-
5795MHz	Pass	PK	17.39946G	62.78	68.20	-5.42	3	Horizontal	166	1.91	-
802.11ax HEW80_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	52.47	54.00	-1.53	3	Vertical	342	2.42	-
5210MHz	Pass	AV	5.221G	90.66	Inf	-Inf	3	Vertical	342	2.42	-
5210MHz	Pass	AV	5.362G	48.19	54.00	-5.81	3	Vertical	342	2.42	-
5210MHz	Pass	PK	5.135G	68.24	74.00	-5.76	3	Vertical	342	2.42	-
5210MHz	Pass	PK	5.247G	102.94	Inf	-Inf	3	Vertical	342	2.42	-
5210MHz	Pass	PK	5.387G	59.19	74.00	-14.81	3	Vertical	342	2.42	-
5210MHz	Pass	AV	5.148G	52.71	54.00	-1.29	3	Horizontal	3	3.00	-
5210MHz	Pass	AV	5.218G	91.48	Inf	-Inf	3	Horizontal	3	3.00	-
5210MHz	Pass	AV	5.355G	49.05	54.00	-4.95	3	Horizontal	3	3.00	-
5210MHz	Pass	PK	5.15G	67.73	74.00	-6.27	3	Horizontal	3	3.00	-
5210MHz	Pass	PK	5.212G	103.76	Inf	-Inf	3	Horizontal	3	3.00	-
5210MHz	Pass	PK	5.351G	60.24	74.00	-13.76	3	Horizontal	3	3.00	-
5210MHz	Pass	AV	15.62782G	48.14	54.00	-5.86	3	Vertical	344	1.50	-
5210MHz	Pass	PK	10.42158G	53.90	68.20	-14.30	3	Vertical	59	2.94	-
5210MHz	Pass	PK	15.62925G	60.42	74.00	-13.58	3	Vertical	344	1.50	-
5210MHz	Pass	AV	15.62926G	48.18	54.00	-5.82	3	Horizontal	45	2.23	-
5210MHz	Pass	PK	10.41822G	55.23	68.20	-12.97	3	Horizontal	115	1.96	-
5210MHz	Pass	PK	15.63169G	59.94	74.00	-14.06	3	Horizontal	45	2.23	-
5775MHz	Pass	AV	5.7606G	94.79	Inf	-Inf	3	Vertical	351	1.49	-
5775MHz	Pass	PK	5.6466G	67.11	68.20	-1.09	3	Vertical	351	1.49	-




RSE TX above 1GHz\_Non-Beamforming\_Panel

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.757G	106.21	Inf	-Inf	3	Vertical	351	1.49	-
5775MHz	Pass	PK	5.9754G	60.88	68.20	-7.32	3	Vertical	351	1.49	-
5775MHz	Pass	AV	5.7606G	95.88	Inf	-Inf	3	Horizontal	342	1.82	-
5775MHz	Pass	PK	5.649G	67.52	68.20	-0.68	3	Horizontal	342	1.82	-
5775MHz	Pass	PK	5.7774G	106.75	Inf	-Inf	3	Horizontal	342	1.82	-
5775MHz	Pass	PK	5.937G	59.70	68.20	-8.50	3	Horizontal	342	1.82	-
5775MHz	Pass	AV	11.5386G	42.56	54.00	-11.44	3	Vertical	209	1.50	-
5775MHz	Pass	PK	11.5512G	55.18	74.00	-18.82	3	Vertical	209	1.50	-
5775MHz	Pass	PK	17.31918G	62.50	68.20	-5.70	3	Vertical	84	1.97	-
5775MHz	Pass	AV	11.55354G	42.71	54.00	-11.29	3	Horizontal	225	1.50	-
5775MHz	Pass	PK	11.54712G	50.02	74.00	-18.98	3	Horizontal	225	1.50	-
5775MHz	Pass	PK	17.33142G	63.83	68.20	-4.37	3	Horizontal	315	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	52.14	54.00	-1.86	3	Vertical	341	2.81	-
5210MHz	Pass	AV	5.224G	94.49	Inf	-Inf	3	Vertical	341	2.81	-
5210MHz	Pass	AV	5.352G	48.79	54.00	-5.21	3	Vertical	341	2.81	-
5210MHz	Pass	PK	5.148G	71.36	74.00	-2.64	3	Vertical	341	2.81	-
5210MHz	Pass	PK	5.23G	107.09	Inf	-Inf	3	Vertical	341	2.81	-
5210MHz	Pass	PK	5.387G	60.94	74.00	-13.06	3	Vertical	341	2.81	-
5210MHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Horizontal	353	1.78	-
5210MHz	Pass	AV	5.198G	93.89	Inf	-Inf	3	Horizontal	353	1.78	-
5210MHz	Pass	AV	5.35G	48.42	54.00	-5.58	3	Horizontal	353	1.78	-
5210MHz	Pass	PK	5.15G	72.19	74.00	-1.81	3	Horizontal	353	1.78	-
5210MHz	Pass	PK	5.18G	107.14	Inf	-Inf	3	Horizontal	353	1.78	-
5210MHz	Pass	PK	5.362G	60.46	74.00	-13.54	3	Horizontal	353	1.78	-
5210MHz	Pass	AV	15.62879G	46.73	54.00	-7.27	3	Vertical	65	2.41	-
5210MHz	Pass	PK	10.42192G	53.93	68.20	-14.27	3	Vertical	238	2.64	-
5210MHz	Pass	PK	15.62919G	60.75	74.00	-13.25	3	Vertical	65	2.41	-
5210MHz	Pass	AV	15.62834G	46.81	54.00	-7.19	3	Horizontal	36	1.86	-
5210MHz	Pass	PK	10.42133G	53.96	68.20	-14.24	3	Horizontal	284	1.57	-
5210MHz	Pass	PK	15.62845G	60.46	74.00	-13.54	3	Horizontal	36	1.86	-
5775MHz	Pass	AV	5.763G	95.94	Inf	-Inf	3	Vertical	360	1.65	-
5775MHz	Pass	PK	5.6466G	66.60	68.20	-1.60	3	Vertical	360	1.65	-
5775MHz	Pass	PK	5.763G	109.47	Inf	-Inf	3	Vertical	360	1.65	-
5775MHz	Pass	PK	6.0126G	60.58	68.20	-7.62	3	Vertical	360	1.65	-
5775MHz	Pass	AV	5.763G	97.11	Inf	-Inf	3	Horizontal	340	1.68	-
5775MHz	Pass	PK	5.6502G	68.22	68.35	-0.13	3	Horizontal	340	1.68	-
5775MHz	Pass	PK	5.763G	109.50	Inf	-Inf	3	Horizontal	340	1.68	-
5775MHz	Pass	PK	5.9406G	60.67	68.20	-7.53	3	Horizontal	340	1.68	-
5775MHz	Pass	AV	11.5374G	41.28	54.00	-12.72	3	Vertical	8	1.90	-
5775MHz	Pass	PK	11.54244G	54.57	74.00	-19.43	3	Vertical	8	1.90	-
5775MHz	Pass	PK	17.33916G	62.69	68.20	-5.51	3	Vertical	179	2.57	-
5775MHz	Pass	AV	11.53704G	41.36	54.00	-12.64	3	Horizontal	19	1.50	-
5775MHz	Pass	PK	11.53668G	54.41	74.00	-19.59	3	Horizontal	19	1.50	-
5775MHz	Pass	PK	17.32476G	63.15	68.20	-5.05	3	Horizontal	225	1.30	-

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.86	54.00	-1.14	8.90	3	Vertical	13	2.46	-	43.96	33.20	9.83	34.13
AV	5.1824G	100.28	Inf	-Inf	8.86	3	Vertical	13	2.46	-	91.42	33.14	9.85	34.13
PK	5.1476G	70.82	74.00	-3.18	8.90	3	Vertical	13	2.46	-	61.92	33.20	9.83	34.13
PK	5.1824G	110.57	Inf	-Inf	8.86	3	Vertical	13	2.46	-	101.71	33.14	9.85	34.13

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	8.90	3	Horizontal	360	2.24	-	44.97	33.20	9.83	34.13
AV	5.1842G	101.80	Inf	-Inf	8.85	3	Horizontal	360	2.24	-	92.95	33.13	9.85	34.13
PK	5.147G	71.37	74.00	-2.63	8.90	3	Horizontal	360	2.24	-	62.47	33.20	9.83	34.13
PK	5.1848G	111.02	Inf	-Inf	8.85	3	Horizontal	360	2.24	-	102.17	33.13	9.85	34.13



802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53408G	49.29	54.00	-4.71	19.95	3	Vertical	177	2.61	-	29.34	38.70	15.68	34.43
PK	10.35516G	56.42	68.20	-11.78	16.74	3	Vertical	182	1.50	-	39.68	38.66	12.67	34.59
PK	15.54444G	62.16	74.00	-11.84	19.95	3	Vertical	177	2.61	-	42.21	38.70	15.68	34.43

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53396G	49.19	54.00	-4.81	19.95	3	Horizontal	128	2.15	-	29.24	38.70	15.68	34.43
PK	10.35352G	55.22	68.20	-12.98	16.72	3	Horizontal	242	1.20	-	38.50	38.65	12.67	34.60
PK	15.53832G	62.87	74.00	-11.13	19.95	3	Horizontal	128	2.15	-	42.92	38.70	15.68	34.43

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.97	54.00	-1.03	8.90	3	Vertical	16	2.71	-	44.07	33.20	9.83	34.13
AV	5.1982G	103.28	Inf	-Inf	8.82	3	Vertical	16	2.71	-	94.46	33.10	9.86	34.14
PK	5.1478G	69.01	74.00	-4.99	8.90	3	Vertical	16	2.71	-	60.11	33.20	9.83	34.13
PK	5.1976G	113.12	Inf	-Inf	8.82	3	Vertical	16	2.71	-	104.30	33.10	9.86	34.14

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.84	54.00	-0.16	8.90	3	Horizontal	0	2.73	-	44.94	33.20	9.83	34.13
AV	5.2024G	104.87	Inf	-Inf	8.81	3	Horizontal	0	2.73	-	96.06	33.09	9.86	34.14
PK	5.149G	69.57	74.00	-4.43	8.90	3	Horizontal	0	2.73	-	60.67	33.20	9.83	34.13
PK	5.2048G	114.85	Inf	-Inf	8.80	3	Horizontal	0	2.73	-	106.05	33.08	9.86	34.14

### 802.11a\_Nss1,(6Mbps)\_1TX(Port2)


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59656G	48.88	54.00	-5.12	19.96	3	Vertical	153	2.63	-	28.92	38.70	15.72	34.46
PK	10.39748G	58.09	68.20	-10.11	16.83	3	Vertical	180	1.31	-	41.26	38.70	12.69	34.56
PK	15.60412G	61.96	74.00	-12.04	19.94	3	Vertical	153	2.63	-	42.02	38.68	15.73	34.47

### 802.11a\_Nss1,(6Mbps)\_1TX(Port2)


#### 5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59924G	48.40	54.00	-5.60	19.95	3	Horizontal	360	2.89	-	28.45	38.70	15.72	34.47
PK	10.40012G	57.35	68.20	-10.85	16.83	3	Horizontal	251	2.21	-	40.52	38.70	12.69	34.56
PK	15.60076G	61.70	74.00	-12.30	19.95	3	Horizontal	360	2.89	-	41.75	38.70	15.72	34.47

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.62	54.00	-5.38	8.90	3	Vertical	341	2.55	-	39.72	33.20	9.83	34.13
AV	5.2424G	104.72	Inf	-Inf	8.68	3	Vertical	341	2.55	-	96.04	32.93	9.89	34.14
AV	5.3504G	47.98	54.00	-6.02	8.51	3	Vertical	341	2.55	-	39.47	32.70	9.97	34.16
PK	5.141G	61.23	74.00	-12.77	8.90	3	Vertical	341	2.55	-	52.33	33.20	9.83	34.13
PK	5.2448G	114.89	Inf	-Inf	8.67	3	Vertical	341	2.55	-	106.22	32.92	9.89	34.14
PK	5.3582G	60.69	74.00	-13.31	8.53	3	Vertical	341	2.55	-	52.16	32.72	9.97	34.16

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	49.39	54.00	-4.61	8.90	3	Horizontal	360	2.28	-	40.49	33.20	9.83	34.13
AV	5.2424G	105.64	Inf	-Inf	8.68	3	Horizontal	360	2.28	-	96.96	32.93	9.89	34.14
AV	5.3588G	48.06	54.00	-5.94	8.53	3	Horizontal	360	2.28	-	39.53	32.72	9.97	34.16
PK	5.141G	63.53	74.00	-10.47	8.90	3	Horizontal	360	2.28	-	54.63	33.20	9.83	34.13
PK	5.2394G	115.69	Inf	-Inf	8.69	3	Horizontal	360	2.28	-	107.00	32.94	9.89	34.14
PK	5.35G	61.32	74.00	-12.68	8.51	3	Horizontal	360	2.28	-	52.81	32.70	9.97	34.16

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71112G	47.14	54.00	-6.86	19.47	3	Vertical	219	1.50	-	27.67	38.19	15.81	34.53
PK	10.47748G	57.96	68.20	-10.24	16.83	3	Vertical	184	1.50	-	41.13	38.62	12.72	34.51
PK	15.71408G	59.93	74.00	-14.07	19.47	3	Vertical	219	1.50	-	40.46	38.19	15.81	34.53

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7116G	47.22	54.00	-6.78	19.47	3	Horizontal	244	1.50	-	27.75	38.19	15.81	34.53
PK	10.47812G	56.44	68.20	-11.76	16.83	3	Horizontal	254	2.22	-	39.61	38.62	12.72	34.51
PK	15.72516G	60.62	74.00	-13.38	19.45	3	Horizontal	244	1.50	-	41.17	38.17	15.82	34.54

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	102.42	Inf	-Inf	9.60	3	Vertical	355	1.50	-	92.82	33.65	10.15	34.20
PK	5.6382G	65.47	68.20	-2.73	9.14	3	Vertical	355	1.50	-	56.33	33.25	10.09	34.20
PK	5.7414G	113.18	Inf	-Inf	9.60	3	Vertical	355	1.50	-	103.58	33.65	10.15	34.20
PK	5.9886G	60.28	68.20	-7.92	10.17	3	Vertical	355	1.50	-	50.11	34.07	10.32	34.22

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	103.64	Inf	-Inf	9.63	3	Horizontal	337	1.68	-	94.01	33.68	10.15	34.20
PK	5.637G	64.38	68.20	-3.82	9.14	3	Horizontal	337	1.68	-	55.24	33.25	10.09	34.20
PK	5.7522G	114.72	Inf	-Inf	9.64	3	Horizontal	337	1.68	-	105.08	33.70	10.15	34.21
PK	6.0426G	61.71	68.20	-6.49	10.32	3	Horizontal	337	1.68	-	51.39	34.17	10.37	34.22

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49204G	43.03	54.00	-10.97	17.97	3	Vertical	182	2.50	-	25.06	38.92	13.11	34.06
PK	11.4888G	55.97	74.00	-18.03	17.97	3	Vertical	182	2.50	-	38.00	38.92	13.11	34.06
PK	17.24412G	63.39	68.20	-4.81	21.48	3	Vertical	150	1.35	-	41.91	38.53	16.22	33.27

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4996G	42.59	54.00	-11.41	17.95	3	Horizontal	154	1.93	-	24.64	38.90	13.11	34.06
PK	11.49832G	55.75	74.00	-18.25	17.95	3	Horizontal	154	1.93	-	37.80	38.90	13.11	34.06
PK	17.24272G	63.99	68.20	-4.21	21.48	3	Horizontal	63	1.50	-	42.51	38.53	16.22	33.27

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.91	Inf	-Inf	9.73	3	Vertical	-0	1.50	-	92.18	33.77	10.17	34.21
PK	5.6218G	61.59	68.20	-6.61	9.07	3	Vertical	-0	1.50	-	52.52	33.19	10.08	34.20
PK	5.779G	112.44	Inf	-Inf	9.72	3	Vertical	-0	1.50	-	102.72	33.76	10.17	34.21
PK	6.0214G	60.35	68.20	-7.85	10.22	3	Vertical	-0	1.50	-	50.13	34.09	10.35	34.22

802.11a\_Nss1,(6Mbps)\_1TX(Port2)

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	103.70	Inf	-Inf	9.73	3	Horizontal	339	1.75	-	93.97	33.77	10.17	34.21
PK	5.6398G	63.50	68.20	-4.70	9.15	3	Horizontal	339	1.75	-	54.35	33.26	10.09	34.20
PK	5.7838G	114.68	Inf	-Inf	9.73	3	Horizontal	339	1.75	-	104.95	33.77	10.17	34.21
PK	6.0262G	60.94	68.20	-7.26	10.24	3	Horizontal	339	1.75	-	50.70	34.10	10.36	34.22



802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56012G	41.63	54.00	-12.37	17.83	3	Vertical	184	1.50	-	23.80	38.78	13.14	34.09
PK	11.56596G	54.84	74.00	-19.16	17.81	3	Vertical	184	1.50	-	37.03	38.77	13.14	34.10
PK	17.36108G	63.75	68.20	-4.45	21.88	3	Vertical	299	1.30	-	41.87	38.88	16.24	33.24

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5622G	42.06	54.00	-11.94	17.83	3	Horizontal	81	1.50	-	24.23	38.78	13.14	34.09
PK	11.5662G	54.60	74.00	-19.40	17.81	3	Horizontal	81	1.50	-	36.79	38.77	13.14	34.10
PK	17.35728G	62.69	68.20	-5.51	21.87	3	Horizontal	264	1.50	-	40.82	38.87	16.24	33.24

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	99.40	Inf	-Inf	9.95	3	Vertical	0	1.50	-	89.45	33.96	10.20	34.21
PK	5.6438G	62.22	68.20	-5.98	9.17	3	Vertical	0	1.50	-	53.05	33.28	10.09	34.20
PK	5.8298G	110.06	Inf	-Inf	9.97	3	Vertical	0	1.50	-	100.09	33.98	10.20	34.21
PK	6.0722G	60.11	68.20	-8.09	10.33	3	Vertical	0	1.50	-	49.78	34.16	10.40	34.23

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.18	Inf	-Inf	9.93	3	Horizontal	339	1.68	-	92.25	33.94	10.20	34.21
PK	5.6438G	64.57	68.20	-3.63	9.17	3	Horizontal	339	1.68	-	55.40	33.28	10.09	34.20
PK	5.8238G	113.28	Inf	-Inf	9.93	3	Horizontal	339	1.68	-	103.35	33.94	10.20	34.21
PK	6.0062G	61.28	68.20	-6.92	10.14	3	Horizontal	339	1.68	-	51.14	34.02	10.34	34.22

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64608G	41.88	54.00	-12.12	17.68	3	Vertical	313	2.10	-	24.20	38.65	13.17	34.14
PK	11.65624G	54.51	74.00	-19.49	17.68	3	Vertical	313	2.10	-	36.83	38.64	13.18	34.14
PK	17.46784G	62.87	68.20	-5.33	22.18	3	Vertical	315	1.50	-	40.69	39.14	16.25	33.21

802.11a\_Nss1,(6Mbps)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65412G	41.72	54.00	-12.28	17.69	3	Horizontal	224	2.44	-	24.03	38.65	13.18	34.14
PK	11.65184G	55.52	74.00	-18.48	17.68	3	Horizontal	224	2.44	-	37.84	38.65	13.17	34.14
PK	17.47456G	62.96	68.20	-5.24	22.20	3	Horizontal	212	2.60	-	40.76	39.15	16.26	33.21

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	52.27	54.00	-1.73	8.90	3	Vertical	341	2.85	-	43.37	33.20	9.83	34.13
AV	5.1782G	105.06	Inf	-Inf	8.86	3	Vertical	341	2.85	-	96.20	33.14	9.85	34.13
PK	5.1476G	70.56	74.00	-3.44	8.90	3	Vertical	341	2.85	-	61.66	33.20	9.83	34.13
PK	5.1836G	114.18	Inf	-Inf	8.85	3	Vertical	341	2.85	-	105.33	33.13	9.85	34.13


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	53.85	54.00	-0.15	8.90	3	Horizontal	354	1.68	-	44.95	33.20	9.83	34.13
AV	5.1842G	104.32	Inf	-Inf	8.85	3	Horizontal	354	1.68	-	95.47	33.13	9.85	34.13
PK	5.1488G	73.82	74.00	-0.18	8.90	3	Horizontal	354	1.68	-	64.92	33.20	9.83	34.13
PK	5.1842G	113.68	Inf	-Inf	8.85	3	Horizontal	354	1.68	-	104.83	33.13	9.85	34.13

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53789G	48.57	54.00	-5.43	19.95	3	Vertical	76	2.19	-	28.62	38.70	15.68	34.43
PK	10.35829G	53.75	68.20	-14.45	16.74	3	Vertical	10	2.85	-	37.01	38.66	12.67	34.59
PK	15.54215G	61.61	74.00	-12.39	19.95	3	Vertical	76	2.19	-	41.66	38.70	15.68	34.43


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54071G	48.62	54.00	-5.38	19.95	3	Horizontal	195	1.59	-	28.67	38.70	15.68	34.43
PK	10.36097G	54.52	68.20	-13.68	16.74	3	Horizontal	279	2.61	-	37.78	38.66	12.67	34.59
PK	15.54029G	62.03	74.00	-11.97	19.95	3	Horizontal	195	1.59	-	42.08	38.70	15.68	34.43

802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.88	54.00	-1.12	8.90	3	Vertical	344	2.85	-	43.98	33.20	9.83	34.13
AV	5.1982G	107.66	Inf	-Inf	8.82	3	Vertical	344	2.85	-	98.84	33.10	9.86	34.14
PK	5.15G	70.04	74.00	-3.96	8.90	3	Vertical	344	2.85	-	61.14	33.20	9.83	34.13
PK	5.1934G	117.16	Inf	-Inf	8.84	3	Vertical	344	2.85	-	108.32	33.11	9.86	34.13


802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.82	54.00	-0.18	8.90	3	Horizontal	352	1.77	-	44.92	33.20	9.83	34.13
AV	5.194G	106.79	Inf	-Inf	8.84	3	Horizontal	352	1.77	-	97.95	33.11	9.86	34.13
PK	5.15G	72.57	74.00	-1.43	8.90	3	Horizontal	352	1.77	-	63.67	33.20	9.83	34.13
PK	5.1946G	116.77	Inf	-Inf	8.83	3	Horizontal	352	1.77	-	107.94	33.11	9.86	34.14

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59922G	51.08	54.00	-2.92	19.95	3	Vertical	177	2.84	-	31.13	38.70	15.72	34.47
PK	10.39862G	61.82	68.20	-6.38	16.83	3	Vertical	177	1.61	-	44.99	38.70	12.69	34.56
PK	15.59976G	64.99	74.00	-9.01	19.95	3	Vertical	177	2.84	-	45.04	38.70	15.72	34.47


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60042G	48.84	54.00	-5.16	19.95	3	Horizontal	175	2.74	-	28.89	38.70	15.72	34.47
PK	10.40438G	58.24	68.20	-9.96	16.83	3	Horizontal	172	1.50	-	41.41	38.70	12.69	34.56
PK	15.60084G	62.20	74.00	-11.80	19.95	3	Horizontal	175	2.74	-	42.25	38.70	15.72	34.47

802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	51.18	54.00	-2.82	8.90	3	Vertical	343	2.67	-	42.28	33.20	9.83	34.13
AV	5.243G	109.46	Inf	-Inf	8.68	3	Vertical	343	2.67	-	100.78	32.93	9.89	34.14
AV	5.351G	50.26	54.00	-3.74	8.51	3	Vertical	343	2.67	-	41.75	32.70	9.97	34.16
PK	5.144G	66.47	74.00	-7.53	8.90	3	Vertical	343	2.67	-	57.57	33.20	9.83	34.13
PK	5.243G	119.73	Inf	-Inf	8.68	3	Vertical	343	2.67	-	111.05	32.93	9.89	34.14
PK	5.3564G	64.48	74.00	-9.52	8.52	3	Vertical	343	2.67	-	55.96	32.71	9.97	34.16

802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.78	54.00	-1.22	8.90	3	Horizontal	352	1.76	-	43.88	33.20	9.83	34.13
AV	5.2346G	107.77	Inf	-Inf	8.70	3	Horizontal	352	1.76	-	99.07	32.96	9.88	34.14
AV	5.3528G	50.01	54.00	-3.99	8.52	3	Horizontal	352	1.76	-	41.49	32.71	9.97	34.16
PK	5.1488G	69.16	74.00	-4.84	8.90	3	Horizontal	352	1.76	-	60.26	33.20	9.83	34.13
PK	5.2442G	118.29	Inf	-Inf	8.67	3	Horizontal	352	1.76	-	109.62	32.92	9.89	34.14
PK	5.3534G	63.98	74.00	-10.02	8.52	3	Horizontal	352	1.76	-	55.46	32.71	9.97	34.16




**802.11a\_Nss1,(6Mbps)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72036G	50.14	54.00	-3.86	19.46	3	Vertical	179	1.50	-	30.68	38.18	15.81	34.53
PK	10.4785G	62.41	68.20	-5.79	16.83	3	Vertical	179	1.74	-	45.58	38.62	12.72	34.51
PK	15.72078G	62.79	74.00	-11.21	19.46	3	Vertical	179	1.50	-	43.33	38.18	15.81	34.53


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7158G	48.25	54.00	-5.75	19.46	3	Horizontal	189	2.58	-	28.79	38.18	15.81	34.53
PK	10.48006G	56.84	68.20	-11.36	16.84	3	Horizontal	171	1.50	-	40.00	38.62	12.72	34.50
PK	15.71088G	61.54	74.00	-12.46	19.47	3	Horizontal	189	2.58	-	42.07	38.19	15.81	34.53

802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7414G	105.65	Inf	-Inf	9.60	3	Vertical	-0	1.54	-	96.05	33.65	10.15	34.20
PK	5.6418G	65.73	68.20	-2.47	9.16	3	Vertical	-0	1.54	-	56.57	33.27	10.09	34.20
PK	5.7402G	116.70	Inf	-Inf	9.59	3	Vertical	-0	1.54	-	107.11	33.64	10.15	34.20
PK	5.9394G	60.73	68.20	-7.47	10.32	3	Vertical	-0	1.54	-	50.41	34.26	10.28	34.22


802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	106.98	Inf	-Inf	9.64	3	Horizontal	342	1.86	-	97.34	33.69	10.15	34.20
PK	5.643G	67.46	68.20	-0.74	9.16	3	Horizontal	342	1.86	-	58.30	33.27	10.09	34.20
PK	5.7486G	118.67	Inf	-Inf	9.64	3	Horizontal	342	1.86	-	109.03	33.69	10.15	34.20
PK	5.9886G	61.89	68.20	-6.31	10.17	3	Horizontal	342	1.86	-	51.72	34.07	10.32	34.22

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49078G	43.41	54.00	-10.59	17.97	3	Vertical	167	1.57	-	25.44	38.92	13.11	34.06
PK	11.48994G	56.28	74.00	-17.72	17.97	3	Vertical	167	1.57	-	38.31	38.92	13.11	34.06
PK	17.23266G	67.12	68.20	-1.08	21.45	3	Vertical	210	2.90	-	45.67	38.50	16.22	33.27


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49066G	42.73	54.00	-11.27	17.97	3	Horizontal	79	1.92	-	24.76	38.92	13.11	34.06
PK	11.49096G	55.41	74.00	-18.59	17.97	3	Horizontal	79	1.92	-	37.44	38.92	13.11	34.06
PK	17.23488G	63.45	68.20	-4.75	21.45	3	Horizontal	192	2.30	-	42.00	38.50	16.22	33.27

802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	104.71	Inf	-Inf	9.72	3	Vertical	10	1.70	-	94.99	33.76	10.17	34.21
PK	5.6446G	65.36	68.20	-2.84	9.17	3	Vertical	10	1.70	-	56.19	33.28	10.09	34.20
PK	5.791G	115.41	Inf	-Inf	9.75	3	Vertical	10	1.70	-	105.66	33.78	10.18	34.21
PK	5.935G	60.42	68.20	-7.78	10.30	3	Vertical	10	1.70	-	50.12	34.24	10.28	34.22


802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	107.01	Inf	-Inf	9.72	3	Horizontal	342	1.87	-	97.29	33.76	10.17	34.21
PK	5.6482G	65.64	68.20	-2.56	9.19	3	Horizontal	342	1.87	-	56.45	33.29	10.10	34.20
PK	5.7886G	118.03	Inf	-Inf	9.74	3	Horizontal	342	1.87	-	108.29	33.78	10.17	34.21
PK	5.941G	60.57	68.20	-7.63	10.33	3	Horizontal	342	1.87	-	50.24	34.26	10.29	34.22

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5697G	43.27	54.00	-10.73	17.80	3	Vertical	198	1.57	-	25.47	38.76	13.14	34.10
PK	11.57006G	56.22	74.00	-17.78	17.80	3	Vertical	198	1.57	-	38.42	38.76	13.14	34.10
PK	17.35296G	65.81	68.20	-2.39	21.86	3	Vertical	210	2.97	-	43.95	38.86	16.24	33.24


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56724G	41.67	54.00	-12.33	17.81	3	Horizontal	47	1.50	-	23.86	38.77	13.14	34.10
PK	11.55914G	54.86	74.00	-19.14	17.83	3	Horizontal	47	1.50	-	37.03	38.78	13.14	34.09
PK	17.3436G	63.30	68.20	-4.90	21.82	3	Horizontal	322	1.83	-	41.48	38.83	16.23	33.24

### 802.11a\_Nss1,(6Mbps)\_2TX


#### 5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	102.56	Inf	-Inf	9.95	3	Vertical	360	1.80	-	92.61	33.96	10.20	34.21
PK	5.639G	65.42	68.20	-2.78	9.15	3	Vertical	360	1.80	-	56.27	33.26	10.09	34.20
PK	5.831G	113.09	Inf	-Inf	9.98	3	Vertical	360	1.80	-	103.11	33.99	10.20	34.21
PK	6.0554G	60.92	68.20	-7.28	10.36	3	Vertical	360	1.80	-	50.56	34.19	10.39	34.22


### 802.11a\_Nss1,(6Mbps)\_2TX

#### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	104.68	Inf	-Inf	9.89	3	Horizontal	343	1.71	-	94.79	33.91	10.19	34.21
PK	5.6414G	65.65	68.20	-2.55	9.16	3	Horizontal	343	1.71	-	56.49	33.27	10.09	34.20
PK	5.8178G	114.95	Inf	-Inf	9.89	3	Horizontal	343	1.71	-	105.06	33.91	10.19	34.21
PK	6.0218G	60.85	68.20	-7.35	10.22	3	Horizontal	343	1.71	-	50.63	34.09	10.35	34.22

**802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64994G	43.63	54.00	-10.37	17.68	3	Vertical	199	1.69	-	25.95	38.65	13.17	34.14
PK	11.65972G	57.26	74.00	-16.74	17.67	3	Vertical	199	1.69	-	39.59	38.64	13.18	34.15
PK	17.47164G	64.55	68.20	-3.65	22.19	3	Vertical	185	2.81	-	42.36	39.14	16.26	33.21


**802.11a\_Nss1,(6Mbps)\_2TX**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66446G	41.30	54.00	-12.70	17.67	3	Horizontal	360	1.68	-	23.63	38.64	13.18	34.15
PK	11.64082G	55.34	74.00	-18.66	17.69	3	Horizontal	360	1.68	-	37.65	38.66	13.17	34.14
PK	17.48988G	62.52	68.20	-5.68	22.24	3	Horizontal	356	1.50	-	40.28	39.18	16.26	33.20

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.22	54.00	-1.78	8.90	3	Vertical	337	2.44	-	43.32	33.20	9.83	34.13
AV	5.1794G	98.91	Inf	-Inf	8.86	3	Vertical	337	2.44	-	90.05	33.14	9.85	34.13
PK	5.15G	69.35	74.00	-4.65	8.90	3	Vertical	337	2.44	-	60.45	33.20	9.83	34.13
PK	5.1824G	112.16	Inf	-Inf	8.86	3	Vertical	337	2.44	-	103.30	33.14	9.85	34.13

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.55	54.00	-0.45	8.90	3	Horizontal	357	2.37	-	44.65	33.20	9.83	34.13
AV	5.1782G	99.22	Inf	-Inf	8.86	3	Horizontal	357	2.37	-	90.36	33.14	9.85	34.13
PK	5.1488G	71.31	74.00	-2.69	8.90	3	Horizontal	357	2.37	-	62.41	33.20	9.83	34.13
PK	5.1836G	113.45	Inf	-Inf	8.85	3	Horizontal	357	2.37	-	104.60	33.13	9.85	34.13




**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53444G	49.24	54.00	-4.76	19.95	3	Vertical	43	1.50	-	29.29	38.70	15.68	34.43
PK	10.359G	57.02	68.20	-11.18	16.74	3	Vertical	182	1.50	-	40.28	38.66	12.67	34.59
PK	15.53208G	62.41	74.00	-11.59	19.94	3	Vertical	43	1.50	-	42.47	38.70	15.67	34.43


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53468G	49.28	54.00	-4.72	19.95	3	Horizontal	18	1.33	-	29.33	38.70	15.68	34.43
PK	10.3646G	55.56	68.20	-12.64	16.74	3	Horizontal	135	2.95	-	38.82	38.66	12.67	34.59
PK	15.53044G	62.48	74.00	-11.52	19.94	3	Horizontal	18	1.33	-	42.54	38.70	15.67	34.43

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.85	54.00	-0.15	8.90	3	Vertical	341	2.46	-	44.95	33.20	9.83	34.13
AV	5.1928G	101.34	Inf	-Inf	8.84	3	Vertical	341	2.46	-	92.50	33.11	9.86	34.13
PK	5.1478G	70.97	74.00	-3.03	8.90	3	Vertical	341	2.46	-	62.07	33.20	9.83	34.13
PK	5.1964G	114.99	Inf	-Inf	8.83	3	Vertical	341	2.46	-	106.16	33.11	9.86	34.14


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.72	54.00	-0.28	8.90	3	Horizontal	360	3.00	-	44.82	33.20	9.83	34.13
AV	5.2054G	102.76	Inf	-Inf	8.80	3	Horizontal	360	3.00	-	93.96	33.08	9.86	34.14
PK	5.15G	71.33	74.00	-2.67	8.90	3	Horizontal	360	3.00	-	62.43	33.20	9.83	34.13
PK	5.1922G	116.40	Inf	-Inf	8.85	3	Horizontal	360	3.00	-	107.55	33.12	9.86	34.13

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60432G	48.69	54.00	-5.31	19.94	3	Vertical	155	2.88	-	28.75	38.68	15.73	34.47
PK	10.39664G	57.74	68.20	-10.46	16.82	3	Vertical	181	1.40	-	40.92	38.70	12.68	34.56
PK	15.60716G	62.21	74.00	-11.79	19.92	3	Vertical	155	2.88	-	42.29	38.66	15.73	34.47


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6024G	48.43	54.00	-5.57	19.95	3	Horizontal	80	1.07	-	28.48	38.69	15.73	34.47
PK	10.39616G	55.80	68.20	-12.40	16.82	3	Horizontal	254	1.00	-	38.98	38.70	12.68	34.56
PK	15.59236G	61.57	74.00	-12.43	19.96	3	Horizontal	80	1.07	-	41.61	38.70	15.72	34.46

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.03	54.00	-1.97	8.90	3	Vertical	340	2.53	-	43.13	33.20	9.83	34.13
AV	5.2454G	104.75	Inf	-Inf	8.67	3	Vertical	340	2.53	-	96.08	32.92	9.89	34.14
AV	5.35G	49.33	54.00	-4.67	8.51	3	Vertical	340	2.53	-	40.82	32.70	9.97	34.16
PK	5.15G	67.95	74.00	-6.05	8.90	3	Vertical	340	2.53	-	59.05	33.20	9.83	34.13
PK	5.2412G	116.92	Inf	-Inf	8.69	3	Vertical	340	2.53	-	108.23	32.94	9.89	34.14
PK	5.354G	62.00	74.00	-12.00	8.52	3	Vertical	340	2.53	-	53.48	32.71	9.97	34.16


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	8.90	3	Horizontal	360	3.00	-	44.46	33.20	9.83	34.13
AV	5.243G	105.44	Inf	-Inf	8.68	3	Horizontal	360	3.00	-	96.76	32.93	9.89	34.14
AV	5.35G	51.28	54.00	-2.72	8.51	3	Horizontal	360	3.00	-	42.77	32.70	9.97	34.16
PK	5.1494G	68.79	74.00	-5.21	8.90	3	Horizontal	360	3.00	-	59.89	33.20	9.83	34.13
PK	5.237G	117.80	Inf	-Inf	8.70	3	Horizontal	360	3.00	-	109.10	32.95	9.89	34.14
PK	5.3504G	65.45	74.00	-8.55	8.51	3	Horizontal	360	3.00	-	56.94	32.70	9.97	34.16

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7194G	47.30	54.00	-6.70	19.46	3	Vertical	0	1.43	-	27.84	38.18	15.81	34.53
PK	10.48236G	61.27	68.20	-6.93	16.84	3	Vertical	175	3.00	-	44.43	38.62	12.72	34.50
PK	15.72636G	60.16	74.00	-13.84	19.45	3	Vertical	0	1.43	-	40.71	38.17	15.82	34.54


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7114G	47.13	54.00	-6.87	19.47	3	Horizontal	39	2.10	-	27.66	38.19	15.81	34.53
PK	10.47808G	56.46	68.20	-11.74	16.83	3	Horizontal	249	2.03	-	39.63	38.62	12.72	34.51
PK	15.71192G	59.47	74.00	-14.53	19.47	3	Horizontal	39	2.10	-	40.00	38.19	15.81	34.53

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	101.79	Inf	-Inf	9.61	3	Vertical	355	1.50	-	92.18	33.66	10.15	34.20
PK	5.6466G	66.60	68.20	-1.60	9.19	3	Vertical	355	1.50	-	57.41	33.29	10.10	34.20
PK	5.7498G	113.68	Inf	-Inf	9.65	3	Vertical	355	1.50	-	104.03	33.70	10.15	34.20
PK	5.9826G	60.80	68.20	-7.40	10.20	3	Vertical	355	1.50	-	50.60	34.10	10.32	34.22


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	102.62	Inf	-Inf	9.63	3	Horizontal	338	1.69	-	92.99	33.68	10.15	34.20
PK	5.637G	66.48	68.20	-1.72	9.14	3	Horizontal	338	1.69	-	57.34	33.25	10.09	34.20
PK	5.7438G	113.87	Inf	-Inf	9.61	3	Horizontal	338	1.69	-	104.26	33.66	10.15	34.20
PK	5.9466G	60.82	68.20	-7.38	10.36	3	Horizontal	338	1.69	-	50.46	34.29	10.29	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48556G	41.92	54.00	-12.08	17.98	3	Vertical	178	2.67	-	23.94	38.93	13.11	34.06
PK	11.48772G	54.55	74.00	-19.45	17.97	3	Vertical	178	2.67	-	36.58	38.92	13.11	34.06
PK	17.22444G	62.03	68.20	-6.17	21.42	3	Vertical	151	1.90	-	40.61	38.47	16.22	33.27


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49672G	42.02	54.00	-11.98	17.96	3	Horizontal	89	2.49	-	24.06	38.91	13.11	34.06
PK	11.48844G	54.22	74.00	-19.78	17.97	3	Horizontal	89	2.49	-	36.25	38.92	13.11	34.06
PK	17.238G	62.04	68.20	-6.16	21.46	3	Horizontal	269	2.71	-	40.58	38.51	16.22	33.27

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	100.93	Inf	-Inf	9.73	3	Vertical	0	1.50	-	91.20	33.77	10.17	34.21
PK	5.6374G	66.06	68.20	-2.14	9.14	3	Vertical	0	1.50	-	56.92	33.25	10.09	34.20
PK	5.7838G	112.01	Inf	-Inf	9.73	3	Vertical	0	1.50	-	102.28	33.77	10.17	34.21
PK	5.9914G	60.75	68.20	-7.45	10.15	3	Vertical	0	1.50	-	50.60	34.05	10.32	34.22

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	102.91	Inf	-Inf	9.72	3	Horizontal	339	1.76	-	93.19	33.76	10.17	34.21
PK	5.6074G	65.90	68.20	-2.30	9.00	3	Horizontal	339	1.76	-	56.90	33.13	10.07	34.20
PK	5.7778G	114.40	Inf	-Inf	9.72	3	Horizontal	339	1.76	-	104.68	33.76	10.17	34.21
PK	6.067G	60.38	68.20	-7.82	10.34	3	Horizontal	339	1.76	-	50.04	34.17	10.40	34.23




**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5574G	40.76	54.00	-13.24	17.84	3	Vertical	279	1.46	-	22.92	38.79	13.14	34.09
PK	11.5607G	53.53	74.00	-20.47	17.83	3	Vertical	279	1.46	-	35.70	38.78	13.14	34.09
PK	17.3682G	61.84	68.20	-6.36	21.91	3	Vertical	41	1.75	-	39.93	38.90	16.24	33.23


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56592G	40.74	54.00	-13.26	17.81	3	Horizontal	357	1.68	-	22.93	38.77	13.14	34.10
PK	11.56226G	53.58	74.00	-20.42	17.83	3	Horizontal	357	1.68	-	35.75	38.78	13.14	34.09
PK	17.35764G	61.65	68.20	-6.55	21.87	3	Horizontal	275	1.03	-	39.78	38.87	16.24	33.24

802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	98.73	Inf	-Inf	9.93	3	Vertical	0	1.50	-	88.80	33.94	10.20	34.21
PK	5.633G	66.84	68.20	-1.36	9.12	3	Vertical	0	1.50	-	57.72	33.23	10.09	34.20
PK	5.8238G	109.73	Inf	-Inf	9.93	3	Vertical	0	1.50	-	99.80	33.94	10.20	34.21
PK	6.1178G	60.95	68.20	-7.25	10.32	3	Vertical	0	1.50	-	50.63	34.10	10.45	34.23


802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	101.69	Inf	-Inf	9.91	3	Horizontal	339	1.70	-	91.78	33.92	10.20	34.21
PK	5.6438G	66.16	68.20	-2.04	9.17	3	Horizontal	339	1.70	-	56.99	33.28	10.09	34.20
PK	5.825G	113.63	Inf	-Inf	9.94	3	Horizontal	339	1.70	-	103.69	33.95	10.20	34.21
PK	6.0074G	60.26	68.20	-7.94	10.15	3	Horizontal	339	1.70	-	50.11	34.03	10.34	34.22

**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65792G	40.84	54.00	-13.16	17.67	3	Vertical	9	2.88	-	23.17	38.64	13.18	34.15
PK	11.63746G	53.59	74.00	-20.41	17.70	3	Vertical	9	2.88	-	35.89	38.66	13.17	34.13
PK	17.4891G	62.45	68.20	-5.75	22.24	3	Vertical	312	1.88	-	40.21	39.18	16.26	33.20


**802.11ax HEW20\_Nss1,(MCS0)\_1TX(Port2)**  
**5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64922G	40.94	54.00	-13.06	17.68	3	Horizontal	21	1.33	-	23.26	38.65	13.17	34.14
PK	11.6392G	53.87	74.00	-20.13	17.69	3	Horizontal	21	1.33	-	36.18	38.66	13.17	34.14
PK	17.47704G	61.49	68.20	-6.71	22.20	3	Horizontal	183	2.28	-	39.29	39.15	16.26	33.21

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.77	54.00	-0.23	8.90	3	Vertical	342	2.75	-	44.87	33.20	9.83	34.13
AV	5.1764G	100.51	Inf	-Inf	8.87	3	Vertical	342	2.75	-	91.64	33.15	9.85	34.13
PK	5.1494G	70.73	74.00	-3.27	8.90	3	Vertical	342	2.75	-	61.83	33.20	9.83	34.13
PK	5.189G	113.13	Inf	-Inf	8.84	3	Vertical	342	2.75	-	104.29	33.12	9.85	34.13


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.75	54.00	-1.25	8.90	3	Horizontal	360	2.75	-	43.85	33.20	9.83	34.13
AV	5.1782G	99.88	Inf	-Inf	8.86	3	Horizontal	360	2.75	-	91.02	33.14	9.85	34.13
PK	5.1446G	69.07	74.00	-4.93	8.90	3	Horizontal	360	2.75	-	60.17	33.20	9.83	34.13
PK	5.1746G	112.51	Inf	-Inf	8.87	3	Horizontal	360	2.75	-	103.64	33.15	9.85	34.13

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54G	47.97	54.00	-6.03	19.95	3	Vertical	209	1.39	-	28.02	38.70	15.68	34.43
PK	10.35846G	54.86	68.20	-13.34	16.74	3	Vertical	213	1.70	-	38.12	38.66	12.67	34.59
PK	15.54027G	61.23	74.00	-12.77	19.95	3	Vertical	209	1.39	-	41.28	38.70	15.68	34.43


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53925G	47.99	54.00	-6.01	19.95	3	Horizontal	345	1.13	-	28.04	38.70	15.68	34.43
PK	10.36073G	54.11	68.20	-14.09	16.74	3	Horizontal	209	1.61	-	37.37	38.66	12.67	34.59
PK	15.53781G	61.59	74.00	-12.41	19.95	3	Horizontal	345	1.13	-	41.64	38.70	15.68	34.43

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.77	54.00	-0.23	8.90	3	Vertical	343	2.58	-	44.87	33.20	9.83	34.13
AV	5.1964G	104.44	Inf	-Inf	8.83	3	Vertical	343	2.58	-	95.61	33.11	9.86	34.14
PK	5.15G	70.14	74.00	-3.86	8.90	3	Vertical	343	2.58	-	61.24	33.20	9.83	34.13
PK	5.203G	116.86	Inf	-Inf	8.81	3	Vertical	343	2.58	-	108.05	33.09	9.86	34.14


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.30	54.00	-0.70	8.90	3	Horizontal	360	3.00	-	44.40	33.20	9.83	34.13
AV	5.206G	103.19	Inf	-Inf	8.80	3	Horizontal	360	3.00	-	94.39	33.08	9.86	34.14
PK	5.15G	69.53	74.00	-4.47	8.90	3	Horizontal	360	3.00	-	60.63	33.20	9.83	34.13
PK	5.2048G	115.79	Inf	-Inf	8.80	3	Horizontal	360	3.00	-	106.99	33.08	9.86	34.14

**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59884G	47.12	54.00	-6.88	19.95	3	Vertical	293	1.25	-	27.17	38.70	15.72	34.47
PK	10.40234G	54.59	68.20	-13.61	16.83	3	Vertical	122	1.71	-	37.76	38.70	12.69	34.56
PK	15.60216G	61.41	74.00	-12.59	19.95	3	Vertical	293	1.25	-	41.46	38.69	15.73	34.47


**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5200MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59812G	47.17	54.00	-6.83	19.96	3	Horizontal	5	2.77	-	27.21	38.70	15.72	34.46
PK	10.39938G	53.79	68.20	-14.41	16.83	3	Horizontal	312	2.41	-	36.96	38.70	12.69	34.56
PK	15.60111G	61.38	74.00	-12.62	19.94	3	Horizontal	5	2.77	-	41.44	38.69	15.72	34.47

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	49.46	54.00	-4.54	8.90	3	Vertical	346	2.82	-	40.56	33.20	9.83	34.13
AV	5.2418G	105.12	Inf	-Inf	8.68	3	Vertical	346	2.82	-	96.44	32.93	9.89	34.14
AV	5.35G	48.13	54.00	-5.87	8.51	3	Vertical	346	2.82	-	39.62	32.70	9.97	34.16
PK	5.1434G	64.63	74.00	-9.37	8.90	3	Vertical	346	2.82	-	55.73	33.20	9.83	34.13
PK	5.24G	118.71	Inf	-Inf	8.69	3	Vertical	346	2.82	-	110.02	32.94	9.89	34.14
PK	5.3594G	61.09	74.00	-12.91	8.53	3	Vertical	346	2.82	-	52.56	32.72	9.97	34.16

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.01	54.00	-2.99	8.90	3	Horizontal	0	3.00	-	42.11	33.20	9.83	34.13
AV	5.2424G	103.71	Inf	-Inf	8.68	3	Horizontal	0	3.00	-	95.03	32.93	9.89	34.14
AV	5.35G	48.55	54.00	-5.45	8.51	3	Horizontal	0	3.00	-	40.04	32.70	9.97	34.16
PK	5.1452G	66.43	74.00	-7.57	8.90	3	Horizontal	0	3.00	-	57.53	33.20	9.83	34.13
PK	5.2472G	116.64	Inf	-Inf	8.66	3	Horizontal	0	3.00	-	107.98	32.91	9.89	34.14
PK	5.36G	63.00	74.00	-11.00	8.53	3	Horizontal	0	3.00	-	54.47	32.72	9.97	34.16




**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7142G	49.22	54.00	-4.78	19.47	3	Vertical	177	3.00	-	29.75	38.19	15.81	34.53
PK	10.4837G	61.63	68.20	-6.57	16.84	3	Vertical	177	1.69	-	44.79	38.62	12.72	34.50
PK	15.71416G	64.29	74.00	-9.71	19.47	3	Vertical	177	3.00	-	44.82	38.19	15.81	34.53


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7142G	47.84	54.00	-6.16	19.47	3	Horizontal	212	3.00	-	28.37	38.19	15.81	34.53
PK	10.48368G	57.76	68.20	-10.44	16.84	3	Horizontal	172	2.03	-	40.92	38.62	12.72	34.50
PK	15.711G	61.37	74.00	-12.63	19.47	3	Horizontal	212	3.00	-	41.90	38.19	15.81	34.53

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	103.03	Inf	-Inf	9.63	3	Vertical	5	1.59	-	93.40	33.68	10.15	34.20
PK	5.6382G	67.40	68.20	-0.80	9.14	3	Vertical	5	1.59	-	58.26	33.25	10.09	34.20
PK	5.7534G	115.76	Inf	-Inf	9.65	3	Vertical	5	1.59	-	106.11	33.71	10.15	34.21
PK	6.0306G	60.32	68.20	-7.88	10.26	3	Vertical	5	1.59	-	50.06	34.12	10.36	34.22


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	104.07	Inf	-Inf	9.64	3	Horizontal	343	1.89	-	94.43	33.70	10.15	34.21
PK	5.649G	66.85	68.20	-1.35	9.20	3	Horizontal	343	1.89	-	57.65	33.30	10.10	34.20
PK	5.751G	115.80	Inf	-Inf	9.64	3	Horizontal	343	1.89	-	106.16	33.70	10.15	34.21
PK	5.9442G	60.02	68.20	-8.18	10.35	3	Horizontal	343	1.89	-	49.67	34.28	10.29	34.22

**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4916G	42.35	54.00	-11.65	17.97	3	Vertical	225	2.83	-	24.38	38.92	13.11	34.06
PK	11.5055G	55.64	74.00	-18.36	17.95	3	Vertical	225	2.83	-	37.69	38.89	13.12	34.06
PK	17.2354G	64.52	68.20	-3.68	21.46	3	Vertical	232	3.00	-	43.06	38.51	16.22	33.27


**802.11ax HEW20\_Nss2,(MCS0)\_2TX**  
**5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5015G	41.30	54.00	-12.70	17.96	3	Horizontal	270	1.50	-	23.34	38.90	13.12	34.06
PK	11.5058G	54.93	74.00	-19.07	17.95	3	Horizontal	270	1.50	-	36.98	38.89	13.12	34.06
PK	17.2377G	62.82	68.20	-5.38	21.46	3	Horizontal	168	1.07	-	41.36	38.51	16.22	33.27

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	101.57	Inf	-Inf	9.72	3	Vertical	360	1.75	-	91.85	33.76	10.17	34.21
PK	5.6482G	66.70	68.20	-1.50	9.19	3	Vertical	360	1.75	-	57.51	33.29	10.10	34.20
PK	5.7802G	114.48	Inf	-Inf	9.72	3	Vertical	360	1.75	-	104.76	33.76	10.17	34.21
PK	6.0502G	60.89	68.20	-7.31	10.36	3	Vertical	360	1.75	-	50.53	34.20	10.38	34.22


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7766G	102.96	Inf	-Inf	9.71	3	Horizontal	343	1.82	-	93.25	33.75	10.17	34.21
PK	5.6458G	66.96	68.20	-1.24	9.18	3	Horizontal	343	1.82	-	57.78	33.28	10.10	34.20
PK	5.779G	115.61	Inf	-Inf	9.72	3	Horizontal	343	1.82	-	105.89	33.76	10.17	34.21
PK	6.0358G	60.55	68.20	-7.65	10.29	3	Horizontal	343	1.82	-	50.26	34.14	10.37	34.22

**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5709G	41.82	54.00	-12.18	17.80	3	Vertical	208	1.27	-	24.02	38.76	13.14	34.10
PK	11.5839G	55.79	74.00	-18.21	17.77	3	Vertical	208	1.27	-	38.02	38.73	13.15	34.11
PK	17.34918G	64.74	68.20	-3.46	21.85	3	Vertical	222	2.64	-	42.89	38.85	16.24	33.24


**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56772G	41.35	54.00	-12.65	17.80	3	Horizontal	135	2.09	-	23.55	38.76	13.14	34.10
PK	11.56406G	55.12	74.00	-18.88	17.82	3	Horizontal	135	2.09	-	37.30	38.77	13.14	34.09
PK	17.35908G	63.62	68.20	-4.58	21.88	3	Horizontal	173	2.34	-	41.74	38.88	16.24	33.24

802.11ax HEW20\_Nss2,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	98.60	Inf	-Inf	9.89	3	Vertical	360	1.62	-	88.71	33.91	10.19	34.21
PK	5.6414G	64.65	68.20	-3.55	9.16	3	Vertical	360	1.62	-	55.49	33.27	10.09	34.20
PK	5.8202G	111.76	Inf	-Inf	9.91	3	Vertical	360	1.62	-	101.85	33.92	10.20	34.21
PK	6.0566G	60.40	68.20	-7.80	10.36	3	Vertical	360	1.62	-	50.04	34.19	10.39	34.22


802.11ax HEW20\_Nss2,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	101.21	Inf	-Inf	9.88	3	Horizontal	341	1.72	-	91.33	33.90	10.19	34.21
PK	5.6414G	65.19	68.20	-3.01	9.16	3	Horizontal	341	1.72	-	56.03	33.27	10.09	34.20
PK	5.819G	114.11	Inf	-Inf	9.89	3	Horizontal	341	1.72	-	104.22	33.91	10.19	34.21
PK	5.999G	61.05	68.20	-7.15	10.12	3	Horizontal	341	1.72	-	50.93	34.01	10.33	34.22

**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6574G	42.79	54.00	-11.21	17.68	3	Vertical	195	1.93	-	25.11	38.64	13.18	34.14
PK	11.6585G	56.37	74.00	-17.63	17.67	3	Vertical	195	1.93	-	38.70	38.64	13.18	34.15
PK	17.46948G	63.33	68.20	-4.87	22.19	3	Vertical	192	3.00	-	41.14	39.14	16.26	33.21


**802.11ax HEW20\_Nss2,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65552G	40.75	54.00	-13.25	17.68	3	Horizontal	185	2.85	-	23.07	38.64	13.18	34.14
PK	11.65492G	54.64	74.00	-19.36	17.69	3	Horizontal	185	2.85	-	36.95	38.65	13.18	34.14
PK	17.46252G	63.34	68.20	-4.86	22.17	3	Horizontal	190	1.50	-	41.17	39.13	16.25	33.21

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.54	54.00	-1.46	8.90	3	Vertical	346	2.98	-	43.64	33.20	9.83	34.13
AV	5.202G	96.43	Inf	-Inf	8.81	3	Vertical	346	2.98	-	87.62	33.09	9.86	34.14
PK	5.1472G	69.80	74.00	-4.20	8.90	3	Vertical	346	2.98	-	60.90	33.20	9.83	34.13
PK	5.1868G	108.81	Inf	-Inf	8.85	3	Vertical	346	2.98	-	99.96	33.13	9.85	34.13

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.87	54.00	-0.13	8.90	3	Horizontal	356	1.44	-	44.97	33.20	9.83	34.13
AV	5.1964G	95.38	Inf	-Inf	8.83	3	Horizontal	356	1.44	-	86.55	33.11	9.86	34.14
PK	5.1484G	68.73	74.00	-5.27	8.90	3	Horizontal	356	1.44	-	59.83	33.20	9.83	34.13
PK	5.1868G	107.74	Inf	-Inf	8.85	3	Horizontal	356	1.44	-	98.89	33.13	9.85	34.13




**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57186G	49.06	54.00	-4.94	19.95	3	Vertical	162	2.65	-	29.11	38.70	15.70	34.45
PK	10.38114G	54.54	68.20	-13.66	16.78	3	Vertical	338	2.00	-	37.76	38.68	12.68	34.58
PK	15.5724G	61.65	74.00	-12.35	19.95	3	Vertical	162	2.65	-	41.70	38.70	15.70	34.45


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5675G	49.21	54.00	-4.79	19.95	3	Horizontal	215	1.21	-	29.26	38.70	15.70	34.45
PK	10.37767G	54.26	68.20	-13.94	16.78	3	Horizontal	297	2.69	-	37.48	38.68	12.68	34.58
PK	15.56872G	60.91	74.00	-13.09	19.95	3	Horizontal	215	1.21	-	40.96	38.70	15.70	34.45

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.46	54.00	-2.54	8.90	3	Vertical	348	2.82	-	42.56	33.20	9.83	34.13
AV	5.226G	99.71	Inf	-Inf	8.74	3	Vertical	348	2.82	-	90.97	33.00	9.88	34.14
PK	5.15G	64.68	74.00	-9.32	8.90	3	Vertical	348	2.82	-	55.78	33.20	9.83	34.13
PK	5.2268G	112.40	Inf	-Inf	8.73	3	Vertical	348	2.82	-	103.67	32.99	9.88	34.14


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	8.90	3	Horizontal	354	1.69	-	44.76	33.20	9.83	34.13
AV	5.2356G	98.03	Inf	-Inf	8.70	3	Horizontal	354	1.69	-	89.33	32.96	9.88	34.14
PK	5.15G	66.47	74.00	-7.53	8.90	3	Horizontal	354	1.69	-	57.57	33.20	9.83	34.13
PK	5.2356G	109.97	Inf	-Inf	8.70	3	Horizontal	354	1.69	-	101.27	32.96	9.88	34.14

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68959G	47.75	54.00	-6.25	19.52	3	Vertical	248	2.96	-	28.23	38.25	15.79	34.52
PK	10.45841G	53.53	68.20	-14.67	16.83	3	Vertical	170	1.10	-	36.70	38.64	12.71	34.52
PK	15.69087G	60.37	74.00	-13.63	19.52	3	Vertical	248	2.96	-	40.85	38.25	15.79	34.52


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68923G	47.66	54.00	-6.34	19.52	3	Horizontal	100	1.80	-	28.14	38.25	15.79	34.52
PK	10.45865G	53.38	68.20	-14.82	16.83	3	Horizontal	267	2.96	-	36.55	38.64	12.71	34.52
PK	15.69232G	60.11	74.00	-13.89	19.51	3	Horizontal	100	1.80	-	40.60	38.24	15.79	34.52

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	99.36	Inf	-Inf	9.67	3	Vertical	357	1.74	-	89.69	33.72	10.16	34.21
PK	5.6482G	67.86	68.20	-0.34	9.19	3	Vertical	357	1.74	-	58.67	33.29	10.10	34.20
PK	5.7526G	110.81	Inf	-Inf	9.65	3	Vertical	357	1.74	-	101.16	33.71	10.15	34.21
PK	5.9446G	60.13	68.20	-8.07	10.35	3	Vertical	357	1.74	-	49.78	34.28	10.29	34.22


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	100.21	Inf	-Inf	9.67	3	Horizontal	343	1.68	-	90.54	33.72	10.16	34.21
PK	5.6482G	67.02	68.20	-1.18	9.19	3	Horizontal	343	1.68	-	57.83	33.29	10.10	34.20
PK	5.7598G	111.14	Inf	-Inf	9.67	3	Horizontal	343	1.68	-	101.47	33.72	10.16	34.21
PK	6.0406G	60.05	68.20	-8.15	10.31	3	Horizontal	343	1.68	-	49.74	34.16	10.37	34.22

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52224G	43.14	54.00	-10.86	17.91	3	Vertical	166	2.09	-	25.23	38.86	13.12	34.07
PK	11.49968G	55.14	74.00	-18.86	17.95	3	Vertical	166	2.09	-	37.19	38.90	13.11	34.06
PK	17.27382G	62.54	68.20	-5.66	21.58	3	Vertical	33	1.50	-	40.96	38.62	16.22	33.26


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50592G	42.87	54.00	-11.13	17.95	3	Horizontal	64	1.29	-	24.92	38.89	13.12	34.06
PK	11.50178G	55.46	74.00	-18.54	17.96	3	Horizontal	64	1.29	-	37.50	38.90	13.12	34.06
PK	17.27046G	62.89	68.20	-5.31	21.57	3	Horizontal	159	2.99	-	41.32	38.61	16.22	33.26

802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	98.63	Inf	-Inf	9.76	3	Vertical	355	1.73	-	88.87	33.79	10.18	34.21
PK	5.6258G	66.64	68.20	-1.56	9.08	3	Vertical	355	1.73	-	57.56	33.20	10.08	34.20
PK	5.7914G	109.48	Inf	-Inf	9.75	3	Vertical	355	1.73	-	99.73	33.78	10.18	34.21
PK	6.0842G	59.96	68.20	-8.24	10.31	3	Vertical	355	1.73	-	49.65	34.13	10.41	34.23


802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	100.17	Inf	-Inf	9.78	3	Horizontal	346	1.67	-	90.39	33.81	10.18	34.21
PK	5.6438G	67.67	68.20	-0.53	9.17	3	Horizontal	346	1.67	-	58.50	33.28	10.09	34.20
PK	5.801G	110.38	Inf	-Inf	9.78	3	Horizontal	346	1.67	-	100.60	33.81	10.18	34.21
PK	6.0914G	59.66	68.20	-8.54	10.31	3	Horizontal	346	1.67	-	49.35	34.12	10.42	34.23

**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57518G	42.66	54.00	-11.34	17.79	3	Vertical	-0	1.50	-	24.87	38.75	13.14	34.10
PK	11.59234G	54.81	74.00	-19.19	17.76	3	Vertical	-0	1.50	-	37.05	38.72	13.15	34.11
PK	17.37528G	63.99	68.20	-4.21	21.94	3	Vertical	219	3.00	-	42.05	38.93	16.24	33.23


**802.11ax HEW40\_Nss1,(MCS0)\_1TX(Port2)**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59036G	42.50	54.00	-11.50	17.76	3	Horizontal	175	1.80	-	24.74	38.72	13.15	34.11
PK	11.5762G	54.47	74.00	-19.53	17.79	3	Horizontal	175	1.80	-	36.68	38.75	13.14	34.10
PK	17.3733G	62.85	68.20	-5.35	21.93	3	Horizontal	0	1.77	-	40.92	38.92	16.24	33.23

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.38	54.00	-0.62	8.90	3	Vertical	344	2.73	-	44.48	33.20	9.83	34.13
AV	5.1762G	96.64	Inf	-Inf	8.87	3	Vertical	344	2.73	-	87.77	33.15	9.85	34.13
PK	5.1498G	70.38	74.00	-3.62	8.90	3	Vertical	344	2.73	-	61.48	33.20	9.83	34.13
PK	5.181G	109.43	Inf	-Inf	8.86	3	Vertical	344	2.73	-	100.57	33.14	9.85	34.13

802.11ax HEW40\_Nss2,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.04	54.00	-0.96	8.90	3	Horizontal	349	1.77	-	44.14	33.20	9.83	34.13
AV	5.1936G	95.92	Inf	-Inf	8.84	3	Horizontal	349	1.77	-	87.08	33.11	9.86	34.13
PK	5.1498G	70.48	74.00	-3.52	8.90	3	Horizontal	349	1.77	-	61.58	33.20	9.83	34.13
PK	5.2044G	109.63	Inf	-Inf	8.80	3	Horizontal	349	1.77	-	100.83	33.08	9.86	34.14



802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56752G	47.47	54.00	-6.53	19.95	3	Vertical	183	1.93	-	27.52	38.70	15.70	34.45
PK	10.38179G	54.51	68.20	-13.69	16.78	3	Vertical	281	1.42	-	37.73	38.68	12.68	34.58
PK	15.56767G	60.67	74.00	-13.33	19.95	3	Vertical	183	1.93	-	40.72	38.70	15.70	34.45

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56781G	47.42	54.00	-6.58	19.95	3	Horizontal	118	1.18	-	27.47	38.70	15.70	34.45
PK	10.3786G	54.06	68.20	-14.14	16.78	3	Horizontal	58	2.48	-	37.28	38.68	12.68	34.58
PK	15.56805G	61.32	74.00	-12.68	19.95	3	Horizontal	118	1.18	-	41.37	38.70	15.70	34.45

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.52	54.00	-0.48	8.90	3	Vertical	343	2.57	-	44.62	33.20	9.83	34.13
AV	5.2288G	100.61	Inf	-Inf	8.72	3	Vertical	343	2.57	-	91.89	32.98	9.88	34.14
AV	5.35G	49.03	54.00	-4.97	8.51	3	Vertical	343	2.57	-	40.52	32.70	9.97	34.16
PK	5.1472G	69.14	74.00	-4.86	8.90	3	Vertical	343	2.57	-	60.24	33.20	9.83	34.13
PK	5.2294G	113.45	Inf	-Inf	8.72	3	Vertical	343	2.57	-	104.73	32.98	9.88	34.14
PK	5.3524G	62.30	74.00	-11.70	8.51	3	Vertical	343	2.57	-	53.79	32.70	9.97	34.16


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	8.90	3	Horizontal	350	1.75	-	44.50	33.20	9.83	34.13
AV	5.227G	99.23	Inf	-Inf	8.73	3	Horizontal	350	1.75	-	90.50	32.99	9.88	34.14
AV	5.35G	48.49	54.00	-5.51	8.51	3	Horizontal	350	1.75	-	39.98	32.70	9.97	34.16
PK	5.1496G	68.72	74.00	-5.28	8.90	3	Horizontal	350	1.75	-	59.82	33.20	9.83	34.13
PK	5.245G	111.79	Inf	-Inf	8.67	3	Horizontal	350	1.75	-	103.12	32.92	9.89	34.14
PK	5.3734G	60.65	74.00	-13.35	8.56	3	Horizontal	350	1.75	-	52.09	32.75	9.98	34.17

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68948G	46.31	54.00	-7.69	19.52	3	Vertical	110	1.00	-	26.79	38.25	15.79	34.52
PK	10.46208G	53.96	68.20	-14.24	16.83	3	Vertical	75	2.40	-	37.13	38.64	12.71	34.52
PK	15.68934G	59.31	74.00	-14.69	19.52	3	Vertical	110	1.00	-	39.79	38.25	15.79	34.52


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68889G	46.27	54.00	-7.73	19.53	3	Horizontal	21	1.10	-	26.74	38.26	15.79	34.52
PK	10.45752G	54.64	68.20	-13.56	16.83	3	Horizontal	108	1.96	-	37.81	38.64	12.71	34.52
PK	15.69154G	59.73	74.00	-14.27	19.51	3	Horizontal	21	1.10	-	40.22	38.24	15.79	34.52

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	100.66	Inf	-Inf	9.66	3	Vertical	360	1.48	-	91.00	33.71	10.16	34.21
PK	5.6422G	65.95	68.20	-2.25	9.16	3	Vertical	360	1.48	-	56.79	33.27	10.09	34.20
PK	5.7598G	112.97	Inf	-Inf	9.67	3	Vertical	360	1.48	-	103.30	33.72	10.16	34.21
PK	6.0298G	60.86	68.20	-7.34	10.26	3	Vertical	360	1.48	-	50.60	34.12	10.36	34.22


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	101.81	Inf	-Inf	9.67	3	Horizontal	338	1.68	-	92.14	33.72	10.16	34.21
PK	5.6494G	67.24	68.20	-0.96	9.20	3	Horizontal	338	1.68	-	58.04	33.30	10.10	34.20
PK	5.7598G	115.43	Inf	-Inf	9.67	3	Horizontal	338	1.68	-	105.76	33.72	10.16	34.21
PK	6.0406G	61.64	68.20	-6.56	10.31	3	Horizontal	338	1.68	-	51.33	34.16	10.37	34.22

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50676G	41.65	54.00	-12.35	17.95	3	Vertical	197	2.09	-	23.70	38.89	13.12	34.06
PK	11.50826G	55.58	74.00	-18.42	17.94	3	Vertical	197	2.09	-	37.64	38.88	13.12	34.06
PK	17.25498G	62.61	68.20	-5.59	21.52	3	Vertical	155	2.53	-	41.09	38.56	16.22	33.26


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52464G	41.40	54.00	-12.60	17.90	3	Horizontal	164	1.50	-	23.50	38.85	13.12	34.07
PK	11.50016G	54.97	74.00	-19.03	17.96	3	Horizontal	164	1.50	-	37.01	38.90	13.12	34.06
PK	17.27448G	62.61	68.20	-5.59	21.58	3	Horizontal	203	1.50	-	41.03	38.62	16.22	33.26

802.11ax HEW40\_Nss2,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	99.51	Inf	-Inf	9.74	3	Vertical	356	1.71	-	89.77	33.78	10.17	34.21
PK	5.639G	65.51	68.20	-2.69	9.15	3	Vertical	356	1.71	-	56.36	33.26	10.09	34.20
PK	5.7782G	111.62	Inf	-Inf	9.72	3	Vertical	356	1.71	-	101.90	33.76	10.17	34.21
PK	6.0278G	61.08	68.20	-7.12	10.25	3	Vertical	356	1.71	-	50.83	34.11	10.36	34.22


802.11ax HEW40\_Nss2,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	101.24	Inf	-Inf	9.74	3	Horizontal	338	1.76	-	91.50	33.78	10.17	34.21
PK	5.651G	67.67	68.94	-1.27	9.20	3	Horizontal	338	1.76	-	58.47	33.30	10.10	34.20
PK	5.7854G	114.20	Inf	-Inf	9.73	3	Horizontal	338	1.76	-	104.47	33.77	10.17	34.21
PK	6.0638G	60.67	68.20	-7.53	10.33	3	Horizontal	338	1.76	-	50.34	34.17	10.39	34.23

**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5912G	40.91	54.00	-13.09	17.76	3	Vertical	200	2.32	-	23.15	38.72	13.15	34.11
PK	11.58124G	54.95	74.00	-19.05	17.79	3	Vertical	200	2.32	-	37.16	38.74	13.15	34.10
PK	17.39328G	63.48	68.20	-4.72	21.99	3	Vertical	211	3.00	-	41.49	38.98	16.24	33.23


**802.11ax HEW40\_Nss2,(MCS0)\_2TX**  
**5795MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5783G	41.13	54.00	-12.87	17.79	3	Horizontal	154	2.78	-	23.34	38.74	13.15	34.10
PK	11.59006G	54.14	74.00	-19.86	17.76	3	Horizontal	154	2.78	-	36.38	38.72	13.15	34.11
PK	17.39946G	62.78	68.20	-5.42	22.01	3	Horizontal	166	1.91	-	40.77	39.00	16.24	33.23

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.47	54.00	-1.53	8.90	3	Vertical	342	2.42	-	43.57	33.20	9.83	34.13
AV	5.221G	90.66	Inf	-Inf	8.75	3	Vertical	342	2.42	-	81.91	33.02	9.87	34.14
AV	5.362G	48.19	54.00	-5.81	8.52	3	Vertical	342	2.42	-	39.67	32.72	9.97	34.17
PK	5.135G	68.24	74.00	-5.76	8.90	3	Vertical	342	2.42	-	59.34	33.20	9.82	34.12
PK	5.247G	102.94	Inf	-Inf	8.66	3	Vertical	342	2.42	-	94.28	32.91	9.89	34.14
PK	5.387G	59.19	74.00	-14.81	8.59	3	Vertical	342	2.42	-	50.60	32.77	9.99	34.17

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	52.71	54.00	-1.29	8.90	3	Horizontal	3	3.00	-	43.81	33.20	9.83	34.13
AV	5.218G	91.48	Inf	-Inf	8.76	3	Horizontal	3	3.00	-	82.72	33.03	9.87	34.14
AV	5.355G	49.05	54.00	-4.95	8.52	3	Horizontal	3	3.00	-	40.53	32.71	9.97	34.16
PK	5.15G	67.73	74.00	-6.27	8.90	3	Horizontal	3	3.00	-	58.83	33.20	9.83	34.13
PK	5.212G	103.76	Inf	-Inf	8.78	3	Horizontal	3	3.00	-	94.98	33.05	9.87	34.14
PK	5.351G	60.24	74.00	-13.76	8.51	3	Horizontal	3	3.00	-	51.73	32.70	9.97	34.16




**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62782G	48.14	54.00	-5.86	19.82	3	Vertical	344	1.50	-	28.32	38.56	15.74	34.48
PK	10.42158G	53.90	68.20	-14.30	16.82	3	Vertical	59	2.94	-	37.08	38.68	12.69	34.55
PK	15.62925G	60.42	74.00	-13.58	19.82	3	Vertical	344	1.50	-	40.60	38.55	15.75	34.48


**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62926G	48.18	54.00	-5.82	19.82	3	Horizontal	45	2.23	-	28.36	38.55	15.75	34.48
PK	10.41822G	55.23	68.20	-12.97	16.82	3	Horizontal	115	1.96	-	38.41	38.68	12.69	34.55
PK	15.63169G	59.94	74.00	-14.06	19.81	3	Horizontal	45	2.23	-	40.13	38.54	15.75	34.48

802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	94.79	Inf	-Inf	9.67	3	Vertical	351	1.49	-	85.12	33.72	10.16	34.21
PK	5.6466G	67.11	68.20	-1.09	9.19	3	Vertical	351	1.49	-	57.92	33.29	10.10	34.20
PK	5.757G	106.21	Inf	-Inf	9.66	3	Vertical	351	1.49	-	96.55	33.71	10.16	34.21
PK	5.9754G	60.88	68.20	-7.32	10.24	3	Vertical	351	1.49	-	50.64	34.15	10.31	34.22


802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	95.88	Inf	-Inf	9.67	3	Horizontal	342	1.82	-	86.21	33.72	10.16	34.21
PK	5.649G	67.52	68.20	-0.68	9.20	3	Horizontal	342	1.82	-	58.32	33.30	10.10	34.20
PK	5.7774G	106.75	Inf	-Inf	9.71	3	Horizontal	342	1.82	-	97.04	33.75	10.17	34.21
PK	5.937G	59.70	68.20	-8.50	10.31	3	Horizontal	342	1.82	-	49.39	34.25	10.28	34.22

**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5386G	42.56	54.00	-11.44	17.87	3	Vertical	209	1.50	-	24.69	38.82	13.13	34.08
PK	11.5512G	55.18	74.00	-18.82	17.84	3	Vertical	209	1.50	-	37.34	38.80	13.13	34.09
PK	17.31918G	62.50	68.20	-5.70	21.74	3	Vertical	84	1.97	-	40.76	38.76	16.23	33.25


**802.11ax HEW80\_Nss1,(MCS0)\_1TX(Port2)**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55354G	42.71	54.00	-11.29	17.84	3	Horizontal	225	1.50	-	24.87	38.79	13.14	34.09
PK	11.54712G	55.02	74.00	-18.98	17.85	3	Horizontal	225	1.50	-	37.17	38.81	13.13	34.09
PK	17.33142G	63.83	68.20	-4.37	21.78	3	Horizontal	315	1.50	-	42.05	38.79	16.23	33.24

802.11ax HEW80\_Nss2,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.14	54.00	-1.86	8.90	3	Vertical	341	2.81	-	43.24	33.20	9.83	34.13
AV	5.224G	94.49	Inf	-Inf	8.74	3	Vertical	341	2.81	-	85.75	33.00	9.88	34.14
AV	5.352G	48.79	54.00	-5.21	8.51	3	Vertical	341	2.81	-	40.28	32.70	9.97	34.16
PK	5.148G	71.36	74.00	-2.64	8.90	3	Vertical	341	2.81	-	62.46	33.20	9.83	34.13
PK	5.23G	107.09	Inf	-Inf	8.72	3	Vertical	341	2.81	-	98.37	32.98	9.88	34.14
PK	5.387G	60.94	74.00	-13.06	8.59	3	Vertical	341	2.81	-	52.35	32.77	9.99	34.17


802.11ax HEW80\_Nss2,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.81	54.00	-0.19	8.90	3	Horizontal	353	1.78	-	44.91	33.20	9.83	34.13
AV	5.198G	93.89	Inf	-Inf	8.82	3	Horizontal	353	1.78	-	85.07	33.10	9.86	34.14
AV	5.35G	48.42	54.00	-5.58	8.51	3	Horizontal	353	1.78	-	39.91	32.70	9.97	34.16
PK	5.15G	72.19	74.00	-1.81	8.90	3	Horizontal	353	1.78	-	63.29	33.20	9.83	34.13
PK	5.18G	107.14	Inf	-Inf	8.86	3	Horizontal	353	1.78	-	98.28	33.14	9.85	34.13
PK	5.362G	60.46	74.00	-13.54	8.52	3	Horizontal	353	1.78	-	51.94	32.72	9.97	34.17

**802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62879G	46.73	54.00	-7.27	19.83	3	Vertical	65	2.41	-	26.90	38.56	15.75	34.48
PK	10.42192G	53.93	68.20	-14.27	16.82	3	Vertical	238	2.64	-	37.11	38.68	12.69	34.55
PK	15.62919G	60.75	74.00	-13.25	19.82	3	Vertical	65	2.41	-	40.93	38.55	15.75	34.48


**802.11ax HEW80\_Nss2,(MCS0)\_2TX  
5210MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62834G	46.81	54.00	-7.19	19.82	3	Horizontal	36	1.86	-	26.99	38.56	15.74	34.48
PK	10.42133G	53.96	68.20	-14.24	16.82	3	Horizontal	284	1.57	-	37.14	38.68	12.69	34.55
PK	15.62845G	60.46	74.00	-13.54	19.83	3	Horizontal	36	1.86	-	40.63	38.56	15.75	34.48

802.11ax HEW80\_Nss2,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	95.94	Inf	-Inf	9.68	3	Vertical	360	1.65	-	86.26	33.73	10.16	34.21
PK	5.6466G	66.60	68.20	-1.60	9.19	3	Vertical	360	1.65	-	57.41	33.29	10.10	34.20
PK	5.763G	109.47	Inf	-Inf	9.68	3	Vertical	360	1.65	-	99.79	33.73	10.16	34.21
PK	6.0126G	60.58	68.20	-7.62	10.17	3	Vertical	360	1.65	-	50.41	34.05	10.34	34.22


802.11ax HEW80\_Nss2,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	97.11	Inf	-Inf	9.68	3	Horizontal	340	1.68	-	87.43	33.73	10.16	34.21
PK	5.6502G	68.22	68.35	-0.13	9.20	3	Horizontal	340	1.68	-	59.02	33.30	10.10	34.20
PK	5.763G	109.50	Inf	-Inf	9.68	3	Horizontal	340	1.68	-	99.82	33.73	10.16	34.21
PK	5.9406G	60.67	68.20	-7.53	10.33	3	Horizontal	340	1.68	-	50.34	34.26	10.29	34.22

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5374G	41.28	54.00	-12.72	17.88	3	Vertical	8	1.90	-	23.40	38.83	13.13	34.08
PK	11.54244G	54.57	74.00	-19.43	17.87	3	Vertical	8	1.90	-	36.70	38.82	13.13	34.08
PK	17.33916G	62.69	68.20	-5.51	21.81	3	Vertical	179	2.57	-	40.88	38.82	16.23	33.24

**802.11ax HEW80\_Nss2,(MCS0)\_2TX**  
**5775MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53704G	41.36	54.00	-12.64	17.88	3	Horizontal	19	1.50	-	23.48	38.83	13.13	34.08
PK	11.53668G	54.41	74.00	-19.59	17.88	3	Horizontal	19	1.50	-	36.53	38.83	13.13	34.08
PK	17.32476G	63.15	68.20	-5.05	21.75	3	Horizontal	225	1.30	-	41.40	38.77	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	43.58M	36.85	40.00	-3.15	3	Horizontal	360	1.00	-






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	30M	35.99	40.00	-4.01	3	Vertical	0	1.00	-
5775MHz	Pass	PK	61.04M	36.46	40.00	-3.54	3	Vertical	0	1.00	-
5775MHz	Pass	PK	90.14M	37.38	43.50	-6.12	3	Vertical	0	1.00	-
5775MHz	Pass	PK	165.8M	34.76	43.50	-8.74	3	Vertical	0	1.00	-
5775MHz	Pass	PK	350.1M	41.81	46.00	-4.19	3	Vertical	0	1.00	-
5775MHz	Pass	PK	449.04M	38.66	46.00	-7.34	3	Vertical	0	1.00	-
5775MHz	Pass	PK	43.58M	36.85	40.00	-3.15	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	59.1M	35.60	40.00	-4.40	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	150.28M	37.67	43.50	-5.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	216M	37.16	43.50	-6.34	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	350.1M	41.41	46.00	-4.59	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	449.04M	38.78	46.00	-7.22	3	Horizontal	360	1.00	-

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	35.99	40.00	-4.01	-9.03	3	Vertical	0	1.00	-	45.02	16.94	1.02	26.99
PK	61.04M	36.46	40.00	-3.54	-9.46	3	Vertical	0	1.00	-	45.92	17.19	1.13	27.78
PK	90.14M	37.38	43.50	-6.12	-9.06	3	Vertical	0	1.00	-	46.44	17.42	1.36	27.84
PK	165.8M	34.76	43.50	-8.74	-7.65	3	Vertical	0	1.00	-	42.41	18.03	1.82	27.50
PK	350.1M	41.81	46.00	-4.19	-5.12	3	Vertical	0	1.00	-	46.93	19.50	2.71	27.33
PK	449.04M	38.66	46.00	-7.34	-4.69	3	Vertical	0	1.00	-	43.35	20.29	3.08	28.06

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5775MHz\_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	36.85	40.00	-3.15	-9.43	3	Horizontal	360	1.00	-	46.28	17.05	1.03	27.51
PK	59.1M	35.60	40.00	-4.40	-9.48	3	Horizontal	360	1.00	-	45.08	17.17	1.11	27.76
PK	150.28M	37.67	43.50	-5.83	-7.93	3	Horizontal	360	1.00	-	45.60	17.90	1.73	27.56
PK	216M	37.16	43.50	-6.34	-6.69	3	Horizontal	360	1.00	-	43.85	18.43	2.10	27.22
PK	350.1M	41.41	46.00	-4.59	-5.12	3	Horizontal	360	1.00	-	46.53	19.50	2.71	27.33
PK	449.04M	38.78	46.00	-7.22	-4.69	3	Horizontal	360	1.00	-	43.47	20.29	3.08	28.06



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.89	54.00	-0.11	3	Horizontal	58	1.86	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.75	54.00	-0.25	3	Horizontal	61	1.95	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.145G	53.83	54.00	-0.17	3	Horizontal	55	2.06	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.643G	67.89	68.20	-0.31	3	Horizontal	55	2.13	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6494G	67.77	68.20	-0.43	3	Horizontal	54	2.49	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6226G	67.11	68.20	-1.09	3	Horizontal	53	3.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.148G	49.57	54.00	-4.43	3	Vertical	7	1.24	-
5180MHz	Pass	AV	5.1714G	101.29	Inf	-Inf	3	Vertical	7	1.24	-
5180MHz	Pass	PK	5.1426G	66.22	74.00	-7.78	3	Vertical	7	1.24	-
5180MHz	Pass	PK	5.1734G	113.29	Inf	-Inf	3	Vertical	7	1.24	-
5180MHz	Pass	AV	5.1496G	53.89	54.00	-0.11	3	Horizontal	58	1.86	-
5180MHz	Pass	AV	5.1782G	106.48	Inf	-Inf	3	Horizontal	58	1.86	-
5180MHz	Pass	PK	5.1498G	71.32	74.00	-2.68	3	Horizontal	58	1.86	-
5180MHz	Pass	PK	5.187G	118.84	Inf	-Inf	3	Horizontal	58	1.86	-
5180MHz	Pass	AV	15.54108G	48.94	54.00	-5.06	3	Vertical	14	1.50	-
5180MHz	Pass	PK	10.3528G	55.77	68.20	-12.43	3	Vertical	343	1.45	-
5180MHz	Pass	PK	15.54162G	63.67	74.00	-10.33	3	Vertical	14	1.50	-
5180MHz	Pass	AV	15.5472G	49.72	54.00	-4.28	3	Horizontal	312	1.79	-
5180MHz	Pass	PK	10.36036G	55.78	68.20	-12.42	3	Horizontal	360	1.50	-
5180MHz	Pass	PK	15.54864G	65.53	74.00	-8.47	3	Horizontal	312	1.79	-
5200MHz	Pass	AV	5.148G	49.24	54.00	-4.76	3	Vertical	360	1.34	-
5200MHz	Pass	AV	5.2024G	103.60	Inf	-Inf	3	Vertical	360	1.34	-
5200MHz	Pass	PK	5.15G	64.84	74.00	-9.16	3	Vertical	360	1.34	-
5200MHz	Pass	PK	5.2048G	115.57	Inf	-Inf	3	Vertical	360	1.34	-
5200MHz	Pass	AV	5.1484G	52.06	54.00	-1.94	3	Horizontal	64	1.98	-
5200MHz	Pass	AV	5.192G	108.00	Inf	-Inf	3	Horizontal	64	1.98	-
5200MHz	Pass	PK	5.1492G	70.52	74.00	-3.48	3	Horizontal	64	1.98	-
5200MHz	Pass	PK	5.192G	119.91	Inf	-Inf	3	Horizontal	64	1.98	-
5200MHz	Pass	AV	15.6027G	52.90	54.00	-1.10	3	Vertical	339	1.56	-
5200MHz	Pass	PK	10.39586G	57.86	68.20	-10.34	3	Vertical	28	1.75	-
5200MHz	Pass	PK	15.60702G	68.89	74.00	-5.11	3	Vertical	339	1.56	-
5200MHz	Pass	AV	15.5937G	53.67	54.00	-0.33	3	Horizontal	314	1.71	-
5200MHz	Pass	PK	10.38326G	57.95	68.20	-10.25	3	Horizontal	20	1.50	-
5200MHz	Pass	PK	15.58254G	69.65	74.00	-4.35	3	Horizontal	314	1.71	-
5240MHz	Pass	AV	5.1482G	48.83	54.00	-5.17	3	Vertical	0	1.24	-
5240MHz	Pass	AV	5.2454G	106.13	Inf	-Inf	3	Vertical	0	1.24	-
5240MHz	Pass	AV	5.35G	47.44	54.00	-6.56	3	Vertical	0	1.24	-
5240MHz	Pass	PK	5.1476G	64.18	74.00	-9.82	3	Vertical	0	1.24	-
5240MHz	Pass	PK	5.2454G	118.10	Inf	-Inf	3	Vertical	0	1.24	-
5240MHz	Pass	PK	5.3552G	61.91	74.00	-12.09	3	Vertical	0	1.24	-
5240MHz	Pass	AV	5.1476G	53.26	54.00	-0.74	3	Horizontal	58	1.91	-
5240MHz	Pass	AV	5.237G	110.71	Inf	-Inf	3	Horizontal	58	1.91	-
5240MHz	Pass	AV	5.35G	49.88	54.00	-4.12	3	Horizontal	58	1.91	-
5240MHz	Pass	PK	5.15G	67.47	74.00	-6.53	3	Horizontal	58	1.91	-
5240MHz	Pass	PK	5.2454G	122.87	Inf	-Inf	3	Horizontal	58	1.91	-
5240MHz	Pass	PK	5.354G	62.71	74.00	-11.29	3	Horizontal	58	1.91	-
5240MHz	Pass	AV	15.70632G	49.82	54.00	-4.18	3	Vertical	12	1.50	-
5240MHz	Pass	PK	10.4686G	59.78	68.20	-8.42	3	Vertical	15	1.68	-
5240MHz	Pass	PK	15.70866G	63.00	74.00	-11.00	3	Vertical	12	1.50	-
5240MHz	Pass	AV	15.71298G	49.44	54.00	-4.56	3	Horizontal	313	1.46	-
5240MHz	Pass	PK	10.481G	60.86	68.20	-7.34	3	Horizontal	7	1.45	-
5240MHz	Pass	PK	15.71172G	61.84	74.00	-12.16	3	Horizontal	313	1.46	-
5745MHz	Pass	AV	5.7534G	105.27	Inf	-Inf	3	Vertical	360	1.24	-
5745MHz	Pass	PK	5.6466G	64.73	68.20	-3.47	3	Vertical	360	1.24	-
5745MHz	Pass	PK	5.7534G	114.97	Inf	-Inf	3	Vertical	360	1.24	-
5745MHz	Pass	PK	5.9886G	58.89	68.20	-9.31	3	Vertical	360	1.24	-
5745MHz	Pass	AV	5.7522G	109.07	Inf	-Inf	3	Horizontal	55	2.13	-
5745MHz	Pass	PK	5.643G	67.89	68.20	-0.31	3	Horizontal	55	2.13	-
5745MHz	Pass	PK	5.751G	120.53	Inf	-Inf	3	Horizontal	55	2.13	-
5745MHz	Pass	PK	5.9406G	58.74	68.20	-9.46	3	Horizontal	55	2.13	-
5745MHz	Pass	AV	11.50392G	45.67	54.00	-8.33	3	Vertical	352	1.52	-
5745MHz	Pass	PK	11.50664G	58.03	74.00	-15.97	3	Vertical	352	1.52	-
5745MHz	Pass	PK	17.25036G	64.25	68.20	-3.95	3	Vertical	48	1.47	-
5745MHz	Pass	AV	11.50528G	43.91	54.00	-10.09	3	Horizontal	339	1.50	-
5745MHz	Pass	PK	11.50328G	56.37	74.00	-17.63	3	Horizontal	339	1.50	-
5745MHz	Pass	PK	17.22428G	64.45	68.20	-3.75	3	Horizontal	353	1.18	-



RSE TX above 1GHz\_Beamforming\_Internal

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7778G	104.48	Inf	-Inf	3	Vertical	360	1.20	-
5785MHz	Pass	PK	5.6458G	59.02	68.20	-9.18	3	Vertical	360	1.20	-
5785MHz	Pass	PK	5.7862G	115.94	Inf	-Inf	3	Vertical	360	1.20	-
5785MHz	Pass	PK	6.0454G	59.27	68.20	-8.93	3	Vertical	360	1.20	-
5785MHz	Pass	AV	5.7862G	108.36	Inf	-Inf	3	Horizontal	64	1.80	-
5785MHz	Pass	PK	5.6506G	65.60	68.64	-3.04	3	Horizontal	64	1.80	-
5785MHz	Pass	PK	5.7874G	120.45	Inf	-Inf	3	Horizontal	64	1.80	-
5785MHz	Pass	PK	6.085G	59.54	68.20	-8.66	3	Horizontal	64	1.80	-
5785MHz	Pass	AV	11.56616G	43.83	54.00	-10.17	3	Vertical	353	1.50	-
5785MHz	Pass	PK	11.5592G	56.60	74.00	-17.40	3	Vertical	353	1.50	-
5785MHz	Pass	PK	17.35532G	65.07	68.20	-3.13	3	Vertical	49	1.50	-
5785MHz	Pass	AV	11.56904G	44.23	54.00	-9.77	3	Horizontal	11	1.50	-
5785MHz	Pass	PK	11.56792G	56.61	74.00	-17.39	3	Horizontal	11	1.50	-
5785MHz	Pass	PK	17.36588G	65.69	68.20	-2.51	3	Horizontal	349	1.57	-
5825MHz	Pass	AV	5.8334G	104.00	Inf	-Inf	3	Vertical	359	2.13	-
5825MHz	Pass	PK	5.6162G	58.38	68.20	-9.82	3	Vertical	359	2.13	-
5825MHz	Pass	PK	5.8334G	114.06	Inf	-Inf	3	Vertical	359	2.13	-
5825MHz	Pass	PK	5.9822G	58.46	68.20	-9.74	3	Vertical	359	2.13	-
5825MHz	Pass	AV	5.8178G	107.60	Inf	-Inf	3	Horizontal	59	1.50	-
5825MHz	Pass	PK	5.5742G	60.34	68.20	-7.86	3	Horizontal	59	1.50	-
5825MHz	Pass	PK	5.819G	117.60	Inf	-Inf	3	Horizontal	59	1.50	-
5825MHz	Pass	PK	6.0974G	58.79	68.20	-9.41	3	Horizontal	59	1.50	-
5825MHz	Pass	AV	11.66272G	42.83	54.00	-11.17	3	Vertical	0	1.94	-
5825MHz	Pass	PK	11.6572G	57.23	74.00	-16.77	3	Vertical	0	1.94	-
5825MHz	Pass	PK	17.49268G	65.28	68.20	-2.92	3	Vertical	0	2.86	-
5825MHz	Pass	AV	11.6596G	44.18	54.00	-9.82	3	Horizontal	16	1.50	-
5825MHz	Pass	PK	11.666G	57.25	74.00	-16.75	3	Horizontal	16	1.50	-
5825MHz	Pass	PK	17.47772G	65.48	68.20	-2.72	3	Horizontal	352	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	47.44	54.00	-6.56	3	Vertical	0	1.17	-
5190MHz	Pass	AV	5.208G	94.92	Inf	-Inf	3	Vertical	0	1.17	-
5190MHz	Pass	PK	5.1476G	60.74	74.00	-13.26	3	Vertical	0	1.17	-
5190MHz	Pass	PK	5.2024G	107.64	Inf	-Inf	3	Vertical	0	1.17	-
5190MHz	Pass	AV	5.15G	53.75	54.00	-0.25	3	Horizontal	61	1.95	-
5190MHz	Pass	AV	5.1856G	100.21	Inf	-Inf	3	Horizontal	61	1.95	-
5190MHz	Pass	PK	5.1476G	70.01	74.00	-3.99	3	Horizontal	61	1.95	-
5190MHz	Pass	PK	5.1832G	113.23	Inf	-Inf	3	Horizontal	61	1.95	-
5190MHz	Pass	AV	15.55016G	47.11	54.00	-6.89	3	Vertical	256	1.50	-
5190MHz	Pass	PK	10.36752G	56.03	68.20	-12.17	3	Vertical	219	1.50	-
5190MHz	Pass	PK	15.564G	60.29	74.00	-13.71	3	Vertical	256	1.50	-
5190MHz	Pass	AV	15.55288G	47.19	54.00	-6.81	3	Horizontal	14	1.63	-
5190MHz	Pass	PK	10.39392G	55.26	68.20	-12.94	3	Horizontal	163	1.16	-
5190MHz	Pass	PK	15.55728G	60.01	74.00	-13.99	3	Horizontal	14	1.63	-
5230MHz	Pass	AV	5.15G	49.06	54.00	-4.94	3	Vertical	0	1.15	-
5230MHz	Pass	AV	5.2124G	100.98	Inf	-Inf	3	Vertical	0	1.15	-
5230MHz	Pass	PK	5.14G	64.39	74.00	-9.61	3	Vertical	0	1.15	-
5230MHz	Pass	PK	5.2144G	113.15	Inf	-Inf	3	Vertical	0	1.15	-
5230MHz	Pass	AV	5.148G	53.69	54.00	-0.31	3	Horizontal	52	1.92	-
5230MHz	Pass	AV	5.2372G	105.89	Inf	-Inf	3	Horizontal	52	1.92	-
5230MHz	Pass	PK	5.1488G	70.27	74.00	-3.73	3	Horizontal	52	1.92	-
5230MHz	Pass	PK	5.2384G	118.87	Inf	-Inf	3	Horizontal	52	1.92	-
5230MHz	Pass	AV	15.69732G	47.75	54.00	-6.25	3	Vertical	338	2.92	-
5230MHz	Pass	PK	10.45904G	56.77	68.20	-11.43	3	Vertical	346	1.56	-
5230MHz	Pass	PK	15.69872G	62.04	74.00	-11.96	3	Vertical	338	2.92	-
5230MHz	Pass	AV	15.69696G	46.78	54.00	-7.22	3	Horizontal	314	1.35	-
5230MHz	Pass	PK	10.4686G	57.36	68.20	-10.84	3	Horizontal	352	2.08	-
5230MHz	Pass	PK	15.6824G	61.24	74.00	-12.76	3	Horizontal	314	1.35	-
5755MHz	Pass	AV	5.7382G	99.50	Inf	-Inf	3	Vertical	0	1.50	-
5755MHz	Pass	PK	5.647G	63.27	68.20	-4.93	3	Vertical	0	1.50	-
5755MHz	Pass	PK	5.7514G	113.34	Inf	-Inf	3	Vertical	0	1.50	-
5755MHz	Pass	PK	6.0166G	59.61	68.20	-8.59	3	Vertical	0	1.50	-
5755MHz	Pass	AV	5.7514G	106.25	Inf	-Inf	3	Horizontal	54	2.49	-




RSE TX above 1GHz\_Beamforming\_Internal

Appendix E.10

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.6494G	67.77	68.20	-0.43	3	Horizontal	54	2.49	-
5755MHz	Pass	PK	5.7526G	118.91	Inf	-Inf	3	Horizontal	54	2.49	-
5755MHz	Pass	PK	6.055G	59.30	68.20	-8.90	3	Horizontal	54	2.49	-
5755MHz	Pass	AV	11.51868G	43.52	54.00	-10.48	3	Vertical	352	1.45	-
5755MHz	Pass	PK	11.50976G	58.84	74.00	-15.16	3	Vertical	352	1.45	-
5755MHz	Pass	PK	17.2746G	63.56	68.20	-4.64	3	Vertical	46	1.63	-
5755MHz	Pass	AV	11.51836G	42.99	54.00	-11.01	3	Horizontal	15	1.44	-
5755MHz	Pass	PK	11.50992G	57.82	74.00	-16.18	3	Horizontal	15	1.44	-
5755MHz	Pass	PK	17.26228G	64.38	68.20	-3.82	3	Horizontal	75	2.41	-
5795MHz	Pass	AV	5.789G	100.58	Inf	-Inf	3	Vertical	0	1.50	-
5795MHz	Pass	PK	5.6486G	66.40	68.20	-1.80	3	Vertical	0	1.50	-
5795MHz	Pass	PK	5.7902G	113.30	Inf	-Inf	3	Vertical	0	1.50	-
5795MHz	Pass	PK	6.0434G	60.17	68.20	-8.03	3	Vertical	0	1.50	-
5795MHz	Pass	AV	5.789G	102.10	Inf	-Inf	3	Horizontal	51	2.98	-
5795MHz	Pass	PK	5.6474G	67.33	68.20	-0.87	3	Horizontal	51	2.98	-
5795MHz	Pass	PK	5.777G	115.63	Inf	-Inf	3	Horizontal	51	2.98	-
5795MHz	Pass	PK	6.0746G	59.42	68.20	-8.78	3	Horizontal	51	2.98	-
5795MHz	Pass	AV	11.57056G	43.36	54.00	-10.64	3	Vertical	353	1.49	-
5795MHz	Pass	PK	11.58992G	58.58	74.00	-15.42	3	Vertical	353	1.49	-
5795MHz	Pass	PK	17.38704G	64.83	68.20	-3.37	3	Vertical	43	1.79	-
5795MHz	Pass	AV	11.58224G	43.08	54.00	-10.92	3	Horizontal	12	1.50	-
5795MHz	Pass	PK	11.58984G	60.41	74.00	-13.59	3	Horizontal	12	1.50	-
5795MHz	Pass	PK	17.39268G	64.66	68.20	-3.54	3	Horizontal	352	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.16	54.00	-3.84	3	Vertical	4	1.76	-
5210MHz	Pass	AV	5.214G	91.92	Inf	-Inf	3	Vertical	4	1.76	-
5210MHz	Pass	AV	5.401G	45.75	54.00	-8.25	3	Vertical	4	1.76	-
5210MHz	Pass	PK	5.149G	63.11	74.00	-10.89	3	Vertical	4	1.76	-
5210MHz	Pass	PK	5.198G	103.74	Inf	-Inf	3	Vertical	4	1.76	-
5210MHz	Pass	PK	5.385G	58.34	74.00	-15.66	3	Vertical	4	1.76	-
5210MHz	Pass	AV	5.145G	53.83	54.00	-0.17	3	Horizontal	55	2.06	-
5210MHz	Pass	AV	5.184G	96.65	Inf	-Inf	3	Horizontal	55	2.06	-
5210MHz	Pass	AV	5.35G	47.80	54.00	-6.20	3	Horizontal	55	2.06	-
5210MHz	Pass	PK	5.148G	69.67	74.00	-4.33	3	Horizontal	55	2.06	-
5210MHz	Pass	PK	5.228G	108.74	Inf	-Inf	3	Horizontal	55	2.06	-
5210MHz	Pass	PK	5.357G	59.38	74.00	-14.62	3	Horizontal	55	2.06	-
5210MHz	Pass	AV	15.6116G	46.22	54.00	-7.78	3	Vertical	232	1.68	-
5210MHz	Pass	PK	10.40008G	53.90	68.20	-14.30	3	Vertical	184	2.07	-
5210MHz	Pass	PK	15.62456G	59.03	74.00	-14.97	3	Vertical	232	1.68	-
5210MHz	Pass	AV	15.61368G	46.16	54.00	-7.84	3	Horizontal	240	1.38	-
5210MHz	Pass	PK	10.43448G	55.39	68.20	-12.81	3	Horizontal	246	1.54	-
5210MHz	Pass	PK	15.62808G	59.00	74.00	-15.00	3	Horizontal	240	1.38	-
5775MHz	Pass	AV	5.781G	94.67	Inf	-Inf	3	Vertical	359	1.50	-
5775MHz	Pass	PK	5.6454G	61.87	68.20	-6.33	3	Vertical	359	1.50	-
5775MHz	Pass	PK	5.7774G	106.18	Inf	-Inf	3	Vertical	359	1.50	-
5775MHz	Pass	PK	6.045G	58.34	68.20	-9.86	3	Vertical	359	1.50	-
5775MHz	Pass	AV	5.7462G	98.96	Inf	-Inf	3	Horizontal	53	3.00	-
5775MHz	Pass	PK	5.6226G	67.11	68.20	-1.09	3	Horizontal	53	3.00	-
5775MHz	Pass	PK	5.7426G	113.13	Inf	-Inf	3	Horizontal	53	3.00	-
5775MHz	Pass	PK	5.931G	59.79	68.20	-8.41	3	Horizontal	53	3.00	-
5775MHz	Pass	AV	11.53936G	42.52	54.00	-11.48	3	Vertical	313	2.15	-
5775MHz	Pass	PK	11.53784G	55.19	74.00	-18.81	3	Vertical	313	2.15	-
5775MHz	Pass	PK	17.33212G	62.78	68.20	-5.42	3	Vertical	126	1.58	-
5775MHz	Pass	AV	11.53152G	42.53	54.00	-11.47	3	Horizontal	199	1.20	-
5775MHz	Pass	PK	11.56512G	54.91	74.00	-19.09	3	Horizontal	199	1.20	-
5775MHz	Pass	PK	17.33156G	63.66	68.20	-4.54	3	Horizontal	246	1.88	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


#### 5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.57	54.00	-4.43	7.60	3	Vertical	7	1.24	-	41.97	31.90	9.83	34.13
AV	5.1714G	101.29	Inf	-Inf	7.52	3	Vertical	7	1.24	-	93.77	31.81	9.84	34.13
PK	5.1426G	66.22	74.00	-7.78	7.60	3	Vertical	7	1.24	-	58.62	31.90	9.83	34.13
PK	5.1734G	113.29	Inf	-Inf	7.53	3	Vertical	7	1.24	-	105.76	31.81	9.85	34.13


### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.89	54.00	-0.11	7.60	3	Horizontal	58	1.86	-	46.29	31.90	9.83	34.13
AV	5.1782G	106.48	Inf	-Inf	7.51	3	Horizontal	58	1.86	-	98.97	31.79	9.85	34.13
PK	5.1498G	71.32	74.00	-2.68	7.60	3	Horizontal	58	1.86	-	63.72	31.90	9.83	34.13
PK	5.187G	118.84	Inf	-Inf	7.47	3	Horizontal	58	1.86	-	111.37	31.75	9.85	34.13

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5180MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54108G	48.94	54.00	-5.06	19.20	3	Vertical	14	1.50	-	29.74	37.95	15.68	34.43
PK	10.3528G	55.77	68.20	-12.43	17.38	3	Vertical	343	1.45	-	38.39	39.31	12.67	34.60
PK	15.54162G	63.67	74.00	-10.33	19.20	3	Vertical	14	1.50	-	44.47	37.95	15.68	34.43

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5180MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5472G	49.72	54.00	-4.28	19.16	3	Horizontal	312	1.79	-	30.56	37.92	15.68	34.44
PK	10.36036G	55.78	68.20	-12.42	17.42	3	Horizontal	360	1.50	-	38.36	39.34	12.67	34.59
PK	15.54864G	65.53	74.00	-8.47	19.16	3	Horizontal	312	1.79	-	46.37	37.91	15.69	34.44



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.24	54.00	-4.76	7.60	3	Vertical	360	1.34	-	41.64	31.90	9.83	34.13
AV	5.2024G	103.60	Inf	-Inf	7.41	3	Vertical	360	1.34	-	96.19	31.69	9.86	34.14
PK	5.15G	64.84	74.00	-9.16	7.60	3	Vertical	360	1.34	-	57.24	31.90	9.83	34.13
PK	5.2048G	115.57	Inf	-Inf	7.39	3	Vertical	360	1.34	-	108.18	31.67	9.86	34.14


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	52.06	54.00	-1.94	7.60	3	Horizontal	64	1.98	-	44.46	31.90	9.83	34.13
AV	5.192G	108.00	Inf	-Inf	7.46	3	Horizontal	64	1.98	-	100.54	31.73	9.86	34.13
PK	5.1492G	70.52	74.00	-3.48	7.60	3	Horizontal	64	1.98	-	62.92	31.90	9.83	34.13
PK	5.192G	119.91	Inf	-Inf	7.46	3	Horizontal	64	1.98	-	112.45	31.73	9.86	34.13

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6027G	52.90	54.00	-1.10	18.86	3	Vertical	339	1.56	-	34.04	37.60	15.73	34.47
PK	10.39586G	57.86	68.20	-10.34	17.60	3	Vertical	28	1.75	-	40.26	39.48	12.68	34.56
PK	15.60702G	68.89	74.00	-5.11	18.87	3	Vertical	339	1.56	-	50.02	37.61	15.73	34.47

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5200MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5937G	53.67	54.00	-0.33	18.90	3	Horizontal	314	1.71	-	34.77	37.64	15.72	34.46
PK	10.38326G	57.95	68.20	-10.25	17.54	3	Horizontal	20	1.50	-	40.41	39.43	12.68	34.57
PK	15.58254G	69.65	74.00	-4.35	18.95	3	Horizontal	314	1.71	-	50.70	37.70	15.71	34.46

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	48.83	54.00	-5.17	7.60	3	Vertical	0	1.24	-	41.23	31.90	9.83	34.13
AV	5.2454G	106.13	Inf	-Inf	7.18	3	Vertical	0	1.24	-	98.95	31.43	9.89	34.14
AV	5.35G	47.44	54.00	-6.56	7.11	3	Vertical	0	1.24	-	40.33	31.30	9.97	34.16
PK	5.1476G	64.18	74.00	-9.82	7.60	3	Vertical	0	1.24	-	56.58	31.90	9.83	34.13
PK	5.2454G	118.10	Inf	-Inf	7.18	3	Vertical	0	1.24	-	110.92	31.43	9.89	34.14
PK	5.3552G	61.91	74.00	-12.09	7.15	3	Vertical	0	1.24	-	54.76	31.34	9.97	34.16

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5240MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.26	54.00	-0.74	7.60	3	Horizontal	58	1.91	-	45.66	31.90	9.83	34.13
AV	5.237G	110.71	Inf	-Inf	7.23	3	Horizontal	58	1.91	-	103.48	31.48	9.89	34.14
AV	5.35G	49.88	54.00	-4.12	7.11	3	Horizontal	58	1.91	-	42.77	31.30	9.97	34.16
PK	5.15G	67.47	74.00	-6.53	7.60	3	Horizontal	58	1.91	-	59.87	31.90	9.83	34.13
PK	5.2454G	122.87	Inf	-Inf	7.18	3	Horizontal	58	1.91	-	115.69	31.43	9.89	34.14
PK	5.354G	62.71	74.00	-11.29	7.14	3	Horizontal	58	1.91	-	55.57	31.33	9.97	34.16

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70632G	49.82	54.00	-4.18	18.94	3	Vertical	12	1.50	-	30.88	37.67	15.80	34.53
PK	10.4686G	59.78	68.20	-8.42	17.84	3	Vertical	15	1.68	-	41.94	39.64	12.71	34.51
PK	15.70866G	63.00	74.00	-11.00	18.93	3	Vertical	12	1.50	-	44.07	37.66	15.80	34.53


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5240MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71298G	49.44	54.00	-4.56	18.92	3	Horizontal	313	1.46	-	30.52	37.64	15.81	34.53
PK	10.481G	60.86	68.20	-7.34	17.88	3	Horizontal	7	1.45	-	42.98	39.66	12.72	34.50
PK	15.71172G	61.84	74.00	-12.16	18.92	3	Horizontal	313	1.46	-	42.92	37.64	15.81	34.53

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	105.27	Inf	-Inf	7.95	3	Vertical	360	1.24	-	97.32	32.01	10.15	34.21
PK	5.6466G	64.73	68.20	-3.47	7.51	3	Vertical	360	1.24	-	57.22	31.61	10.10	34.20
PK	5.7534G	114.97	Inf	-Inf	7.95	3	Vertical	360	1.24	-	107.02	32.01	10.15	34.21
PK	5.9886G	58.89	68.20	-9.31	8.60	3	Vertical	360	1.24	-	50.29	32.50	10.32	34.22


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	109.07	Inf	-Inf	7.94	3	Horizontal	55	2.13	-	101.13	32.00	10.15	34.21
PK	5.643G	67.89	68.20	-0.31	7.50	3	Horizontal	55	2.13	-	60.39	31.61	10.09	34.20
PK	5.751G	120.53	Inf	-Inf	7.94	3	Horizontal	55	2.13	-	112.59	32.00	10.15	34.21
PK	5.9406G	58.74	68.20	-9.46	8.57	3	Horizontal	55	2.13	-	50.17	32.50	10.29	34.22

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50392G	45.67	54.00	-8.33	19.15	3	Vertical	352	1.52	-	26.52	40.09	13.12	34.06
PK	11.50664G	58.03	74.00	-15.97	19.14	3	Vertical	352	1.52	-	38.89	40.08	13.12	34.06
PK	17.25036G	64.25	68.20	-3.95	22.51	3	Vertical	48	1.47	-	41.74	39.55	16.22	33.26


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5745MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50528G	43.91	54.00	-10.09	19.14	3	Horizontal	339	1.50	-	24.77	40.08	13.12	34.06
PK	11.50328G	56.37	74.00	-17.63	19.15	3	Horizontal	339	1.50	-	37.22	40.09	13.12	34.06
PK	17.22428G	64.45	68.20	-3.75	22.47	3	Horizontal	353	1.18	-	41.98	39.52	16.22	33.27

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	104.48	Inf	-Inf	8.02	3	Vertical	360	1.20	-	96.46	32.06	10.17	34.21
PK	5.6458G	59.02	68.20	-9.18	7.51	3	Vertical	360	1.20	-	51.51	31.61	10.10	34.20
PK	5.7862G	115.94	Inf	-Inf	8.03	3	Vertical	360	1.20	-	107.91	32.07	10.17	34.21
PK	6.0454G	59.27	68.20	-8.93	8.66	3	Vertical	360	1.20	-	50.61	32.50	10.38	34.22


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	108.36	Inf	-Inf	8.03	3	Horizontal	64	1.80	-	100.33	32.07	10.17	34.21
PK	5.6506G	65.60	68.64	-3.04	7.50	3	Horizontal	64	1.80	-	58.10	31.60	10.10	34.20
PK	5.7874G	120.45	Inf	-Inf	8.03	3	Horizontal	64	1.80	-	112.42	32.07	10.17	34.21
PK	6.085G	59.54	68.20	-8.66	8.61	3	Horizontal	64	1.80	-	50.93	32.43	10.41	34.23

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56616G	43.83	54.00	-10.17	18.94	3	Vertical	353	1.50	-	24.89	39.90	13.14	34.10
PK	11.5592G	56.60	74.00	-17.40	18.97	3	Vertical	353	1.50	-	37.63	39.92	13.14	34.09
PK	17.35532G	65.07	68.20	-3.13	23.15	3	Vertical	49	1.50	-	41.92	40.15	16.24	33.24

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5785MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56904G	44.23	54.00	-9.77	18.93	3	Horizontal	11	1.50	-	25.30	39.89	13.14	34.10
PK	11.56792G	56.61	74.00	-17.39	18.94	3	Horizontal	11	1.50	-	37.67	39.90	13.14	34.10
PK	17.36588G	65.69	68.20	-2.51	23.27	3	Horizontal	349	1.57	-	42.42	40.26	16.24	33.23



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	104.00	Inf	-Inf	8.23	3	Vertical	359	2.13	-	95.77	32.23	10.21	34.21
PK	5.6162G	58.38	68.20	-9.82	7.55	3	Vertical	359	2.13	-	50.83	31.67	10.08	34.20
PK	5.8334G	114.06	Inf	-Inf	8.23	3	Vertical	359	2.13	-	105.83	32.23	10.21	34.21
PK	5.9822G	58.46	68.20	-9.74	8.60	3	Vertical	359	2.13	-	49.86	32.50	10.32	34.22


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	107.60	Inf	-Inf	8.15	3	Horizontal	59	1.50	-	99.45	32.17	10.19	34.21
PK	5.5742G	60.34	68.20	-7.86	7.62	3	Horizontal	59	1.50	-	52.72	31.75	10.06	34.19
PK	5.819G	117.60	Inf	-Inf	8.16	3	Horizontal	59	1.50	-	109.44	32.18	10.19	34.21
PK	6.0974G	58.79	68.20	-9.41	8.61	3	Horizontal	59	1.50	-	50.18	32.41	10.43	34.23

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66272G	42.83	54.00	-11.17	18.45	3	Vertical	0	1.94	-	24.38	39.42	13.18	34.15
PK	11.6572G	57.23	74.00	-16.77	18.50	3	Vertical	0	1.94	-	38.73	39.46	13.18	34.14
PK	17.49268G	65.28	68.20	-2.92	23.94	3	Vertical	0	2.86	-	41.34	40.88	16.26	33.20


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5825MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6596G	44.18	54.00	-9.82	18.47	3	Horizontal	16	1.50	-	25.71	39.44	13.18	34.15
PK	11.666G	57.25	74.00	-16.75	18.43	3	Horizontal	16	1.50	-	38.82	39.40	13.18	34.15
PK	17.47772G	65.48	68.20	-2.72	23.88	3	Horizontal	352	1.50	-	41.60	40.83	16.26	33.21

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	47.44	54.00	-6.56	7.60	3	Vertical	0	1.17	-	39.84	31.90	9.83	34.13
AV	5.208G	94.92	Inf	-Inf	7.38	3	Vertical	0	1.17	-	87.54	31.65	9.87	34.14
PK	5.1476G	60.74	74.00	-13.26	7.60	3	Vertical	0	1.17	-	53.14	31.90	9.83	34.13
PK	5.2024G	107.64	Inf	-Inf	7.41	3	Vertical	0	1.17	-	100.23	31.69	9.86	34.14


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.75	54.00	-0.25	7.60	3	Horizontal	61	1.95	-	46.15	31.90	9.83	34.13
AV	5.1856G	100.21	Inf	-Inf	7.48	3	Horizontal	61	1.95	-	92.73	31.76	9.85	34.13
PK	5.1476G	70.01	74.00	-3.99	7.60	3	Horizontal	61	1.95	-	62.41	31.90	9.83	34.13
PK	5.1832G	113.23	Inf	-Inf	7.49	3	Horizontal	61	1.95	-	105.74	31.77	9.85	34.13

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55016G	47.11	54.00	-6.89	19.15	3	Vertical	256	1.50	-	27.96	37.90	15.69	34.44
PK	10.36752G	56.03	68.20	-12.17	17.45	3	Vertical	219	1.50	-	38.58	39.37	12.67	34.59
PK	15.564G	60.29	74.00	-13.71	19.07	3	Vertical	256	1.50	-	41.22	37.82	15.70	34.45


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5190MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55288G	47.19	54.00	-6.81	19.13	3	Horizontal	14	1.63	-	28.06	37.88	15.69	34.44
PK	10.39392G	55.26	68.20	-12.94	17.59	3	Horizontal	163	1.16	-	37.67	39.48	12.68	34.57
PK	15.55728G	60.01	74.00	-13.99	19.11	3	Horizontal	14	1.63	-	40.90	37.86	15.69	34.44

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.06	54.00	-4.94	7.60	3	Vertical	0	1.15	-	41.46	31.90	9.83	34.13
AV	5.2124G	100.98	Inf	-Inf	7.36	3	Vertical	0	1.15	-	93.62	31.63	9.87	34.14
PK	5.14G	64.39	74.00	-9.61	7.60	3	Vertical	0	1.15	-	56.79	31.90	9.83	34.13
PK	5.2144G	113.15	Inf	-Inf	7.34	3	Vertical	0	1.15	-	105.81	31.61	9.87	34.14


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.69	54.00	-0.31	7.60	3	Horizontal	52	1.92	-	46.09	31.90	9.83	34.13
AV	5.2372G	105.89	Inf	-Inf	7.23	3	Horizontal	52	1.92	-	98.66	31.48	9.89	34.14
PK	5.1488G	70.27	74.00	-3.73	7.60	3	Horizontal	52	1.92	-	62.67	31.90	9.83	34.13
PK	5.2384G	118.87	Inf	-Inf	7.22	3	Horizontal	52	1.92	-	111.65	31.47	9.89	34.14

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69732G	47.75	54.00	-6.25	18.98	3	Vertical	338	2.92	-	28.77	37.70	15.80	34.52
PK	10.45904G	56.77	68.20	-11.43	17.81	3	Vertical	346	1.56	-	38.96	39.62	12.71	34.52
PK	15.69872G	62.04	74.00	-11.96	18.98	3	Vertical	338	2.92	-	43.06	37.70	15.80	34.52


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5230MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69696G	46.78	54.00	-7.22	18.98	3	Horizontal	314	1.35	-	27.80	37.70	15.80	34.52
PK	10.4686G	57.36	68.20	-10.84	17.84	3	Horizontal	352	2.08	-	39.52	39.64	12.71	34.51
PK	15.6824G	61.24	74.00	-12.76	18.95	3	Horizontal	314	1.35	-	42.29	37.68	15.78	34.51

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7382G	99.50	Inf	-Inf	7.93	3	Vertical	0	1.50	-	91.57	31.98	10.15	34.20
PK	5.647G	63.27	68.20	-4.93	7.51	3	Vertical	0	1.50	-	55.76	31.61	10.10	34.20
PK	5.7514G	113.34	Inf	-Inf	7.94	3	Vertical	0	1.50	-	105.40	32.00	10.15	34.21
PK	6.0166G	59.61	68.20	-8.59	8.63	3	Vertical	0	1.50	-	50.98	32.50	10.35	34.22


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	106.25	Inf	-Inf	7.94	3	Horizontal	54	2.49	-	98.31	32.00	10.15	34.21
PK	5.6494G	67.77	68.20	-0.43	7.50	3	Horizontal	54	2.49	-	60.27	31.60	10.10	34.20
PK	5.7526G	118.91	Inf	-Inf	7.95	3	Horizontal	54	2.49	-	110.96	32.01	10.15	34.21
PK	6.055G	59.30	68.20	-8.90	8.65	3	Horizontal	54	2.49	-	50.65	32.49	10.38	34.22

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51868G	43.52	54.00	-10.48	19.09	3	Vertical	352	1.45	-	24.43	40.04	13.12	34.07
PK	11.50976G	58.84	74.00	-15.16	19.12	3	Vertical	352	1.45	-	39.72	40.07	13.12	34.07
PK	17.2746G	63.56	68.20	-4.64	22.53	3	Vertical	46	1.63	-	41.03	39.57	16.22	33.26

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5755MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51836G	42.99	54.00	-11.01	19.09	3	Horizontal	15	1.44	-	23.90	40.04	13.12	34.07
PK	11.50992G	57.82	74.00	-16.18	19.12	3	Horizontal	15	1.44	-	38.70	40.07	13.12	34.07
PK	17.26228G	64.38	68.20	-3.82	22.52	3	Horizontal	75	2.41	-	41.86	39.56	16.22	33.26