



802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55304G	48.29	54.00	-5.71	19.95	3	Vertical	14	1.50	-	28.34	38.70	15.69	34.44
PK	10.36632G	54.72	68.20	-13.48	16.75	3	Vertical	147	1.13	-	37.97	38.67	12.67	34.59
PK	15.56064G	60.34	74.00	-13.66	19.95	3	Vertical	14	1.50	-	40.39	38.70	15.69	34.44


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56048G	48.05	54.00	-5.95	19.95	3	Horizontal	195	1.50	-	28.10	38.70	15.69	34.44
PK	10.37608G	54.93	68.20	-13.27	16.78	3	Horizontal	0	1.44	-	38.15	38.68	12.68	34.58
PK	15.55352G	60.99	74.00	-13.01	19.95	3	Horizontal	195	1.50	-	41.04	38.70	15.69	34.44

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.27	54.00	-2.73	8.90	3	Vertical	360	3.00	-	42.37	33.20	9.83	34.13
AV	5.2372G	99.31	Inf	-Inf	8.70	3	Vertical	360	3.00	-	90.61	32.95	9.89	34.14
AV	5.3518G	48.21	54.00	-5.79	8.51	3	Vertical	360	3.00	-	39.70	32.70	9.97	34.16
PK	5.1472G	66.68	74.00	-7.32	8.90	3	Vertical	360	3.00	-	57.78	33.20	9.83	34.13
PK	5.2348G	111.45	Inf	-Inf	8.70	3	Vertical	360	3.00	-	102.75	32.96	9.88	34.14
PK	5.3704G	61.26	74.00	-12.74	8.55	3	Vertical	360	3.00	-	52.71	32.74	9.98	34.17


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	8.90	3	Horizontal	68	1.94	-	44.96	33.20	9.83	34.13
AV	5.2222G	102.86	Inf	-Inf	8.75	3	Horizontal	68	1.94	-	94.11	33.01	9.88	34.14
AV	5.3506G	49.21	54.00	-4.79	8.51	3	Horizontal	68	1.94	-	40.70	32.70	9.97	34.16
PK	5.1496G	70.49	74.00	-3.51	8.90	3	Horizontal	68	1.94	-	61.59	33.20	9.83	34.13
PK	5.2162G	115.54	Inf	-Inf	8.77	3	Horizontal	68	1.94	-	106.77	33.04	9.87	34.14
PK	5.3512G	61.09	74.00	-12.91	8.51	3	Horizontal	68	1.94	-	52.58	32.70	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68904G	47.58	54.00	-6.42	19.52	3	Vertical	315	1.50	-	28.06	38.25	15.79	34.52
PK	10.4664G	55.13	68.20	-13.07	16.83	3	Vertical	360	1.54	-	38.30	38.63	12.71	34.51
PK	15.67016G	59.20	74.00	-14.80	19.62	3	Vertical	315	1.50	-	39.58	38.35	15.78	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68576G	47.19	54.00	-6.81	19.55	3	Horizontal	299	1.50	-	27.64	38.27	15.79	34.51
PK	10.45952G	55.21	68.20	-12.99	16.83	3	Horizontal	29	1.49	-	38.38	38.64	12.71	34.52
PK	15.7052G	59.07	74.00	-14.93	19.47	3	Horizontal	299	1.50	-	39.60	38.19	15.80	34.52

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	98.32	Inf	-Inf	9.64	3	Vertical	7	2.81	-	88.68	33.70	10.15	34.21
PK	5.6422G	62.25	68.20	-5.95	9.16	3	Vertical	7	2.81	-	53.09	33.27	10.09	34.20
PK	5.7502G	110.64	Inf	-Inf	9.64	3	Vertical	7	2.81	-	101.00	33.70	10.15	34.21
PK	6.0238G	60.47	68.20	-7.73	10.23	3	Vertical	7	2.81	-	50.24	34.10	10.35	34.22


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	103.19	Inf	-Inf	9.64	3	Horizontal	63	1.88	-	93.55	33.69	10.15	34.20
PK	5.647G	67.57	68.20	-0.63	9.19	3	Horizontal	63	1.88	-	58.38	33.29	10.10	34.20
PK	5.767G	116.62	Inf	-Inf	9.68	3	Horizontal	63	1.88	-	106.94	33.73	10.16	34.21
PK	5.965G	60.07	68.20	-8.13	10.29	3	Horizontal	63	1.88	-	49.78	34.21	10.30	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51688G	43.86	54.00	-10.14	17.92	3	Vertical	341	1.49	-	25.94	38.87	13.12	34.07
PK	11.52152G	55.47	74.00	-18.53	17.91	3	Vertical	341	1.49	-	37.56	38.86	13.12	34.07
PK	17.27212G	62.67	68.20	-5.53	21.58	3	Vertical	0	1.00	-	41.09	38.62	16.22	33.26


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51344G	44.52	54.00	-9.48	17.92	3	Horizontal	349	1.50	-	26.60	38.87	13.12	34.07
PK	11.5172G	56.06	74.00	-17.94	17.92	3	Horizontal	349	1.50	-	38.14	38.87	13.12	34.07
PK	17.265G	63.33	68.20	-4.87	21.56	3	Horizontal	274	1.50	-	41.77	38.60	16.22	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	100.37	Inf	-Inf	9.77	3	Vertical	12	3.00	-	90.60	33.80	10.18	34.21
PK	5.6426G	62.74	68.20	-5.46	9.16	3	Vertical	12	3.00	-	53.58	33.27	10.09	34.20
PK	5.8022G	113.17	Inf	-Inf	9.78	3	Vertical	12	3.00	-	103.39	33.81	10.18	34.21
PK	6.0638G	61.58	68.20	-6.62	10.33	3	Vertical	12	3.00	-	51.25	34.17	10.39	34.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	105.27	Inf	-Inf	9.77	3	Horizontal	62	1.98	-	95.50	33.80	10.18	34.21
PK	5.6474G	67.39	68.20	-0.81	9.19	3	Horizontal	62	1.98	-	58.20	33.29	10.10	34.20
PK	5.8022G	117.84	Inf	-Inf	9.78	3	Horizontal	62	1.98	-	108.06	33.81	10.18	34.21
PK	5.9678G	60.33	68.20	-7.87	10.28	3	Horizontal	62	1.98	-	50.05	34.19	10.31	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58296G	43.52	54.00	-10.48	17.78	3	Vertical	21	1.24	-	25.74	38.73	13.15	34.10
PK	11.59G	55.41	74.00	-18.59	17.76	3	Vertical	21	1.24	-	37.65	38.72	13.15	34.11
PK	17.38404G	64.03	68.20	-4.17	21.96	3	Vertical	322	1.50	-	42.07	38.95	16.24	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.586G	43.81	54.00	-10.19	17.77	3	Horizontal	0	1.33	-	26.04	38.73	13.15	34.11
PK	11.59112G	55.98	74.00	-18.02	17.76	3	Horizontal	0	1.33	-	38.22	38.72	13.15	34.11
PK	17.40188G	63.70	68.20	-4.50	22.01	3	Horizontal	47	2.07	-	41.69	39.00	16.24	33.23

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.31	54.00	-4.69	7.60	3	Vertical	360	1.74	-	41.71	31.90	9.83	34.13
AV	5.1928G	92.19	Inf	-Inf	7.46	3	Vertical	360	1.74	-	84.73	31.73	9.86	34.13
PK	5.1492G	63.13	74.00	-10.87	7.60	3	Vertical	360	1.74	-	55.53	31.90	9.83	34.13
PK	5.1868G	105.08	Inf	-Inf	7.47	3	Vertical	360	1.74	-	97.61	31.75	9.85	34.13


802.11ax HEW40_Nss2,(MCS0)_2TX

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.74	54.00	-0.26	8.90	3	Horizontal	62	2.24	-	44.84	33.20	9.83	34.13
AV	5.184G	98.92	Inf	-Inf	8.85	3	Horizontal	62	2.24	-	90.07	33.13	9.85	34.13
PK	5.1496G	66.61	74.00	-7.39	8.90	3	Horizontal	62	2.24	-	57.71	33.20	9.83	34.13
PK	5.1892G	111.67	Inf	-Inf	8.84	3	Horizontal	62	2.24	-	102.83	33.12	9.85	34.13

802.11ax HEW40_Nss2,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55192G	48.24	54.00	-5.76	19.14	3	Vertical	337	1.50	-	29.10	37.89	15.69	34.44
PK	10.38032G	54.57	68.20	-13.63	17.52	3	Vertical	343	1.50	-	37.05	39.42	12.68	34.58
PK	15.56264G	60.41	74.00	-13.59	19.07	3	Vertical	337	1.50	-	41.34	37.82	15.70	34.45


802.11ax HEW40_Nss2,(MCS0)_2TX
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55648G	48.34	54.00	-5.66	19.11	3	Horizontal	360	1.50	-	29.23	37.86	15.69	34.44
PK	10.3924G	54.39	68.20	-13.81	17.58	3	Horizontal	322	1.50	-	36.81	39.47	12.68	34.57
PK	15.5788G	60.32	74.00	-13.68	18.99	3	Horizontal	360	1.50	-	41.33	37.73	15.71	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.91	54.00	-5.09	7.60	3	Vertical	311	1.19	-	41.31	31.90	9.83	34.13
AV	5.2352G	97.07	Inf	-Inf	7.23	3	Vertical	311	1.19	-	89.84	31.49	9.88	34.14
PK	5.1464G	62.06	74.00	-11.94	7.60	3	Vertical	311	1.19	-	54.46	31.90	9.83	34.13
PK	5.2388G	109.54	Inf	-Inf	7.22	3	Vertical	311	1.19	-	102.32	31.47	9.89	34.14


802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.77	54.00	-0.23	8.90	3	Horizontal	56	2.30	-	44.87	33.20	9.83	34.13
AV	5.224G	103.80	Inf	-Inf	8.74	3	Horizontal	56	2.30	-	95.06	33.00	9.88	34.14
PK	5.1492G	69.65	74.00	-4.35	8.90	3	Horizontal	56	2.30	-	60.75	33.20	9.83	34.13
PK	5.2364G	117.17	Inf	-Inf	8.70	3	Horizontal	56	2.30	-	108.47	32.95	9.89	34.14

**802.11ax HEW40_Nss2,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68592G	47.79	54.00	-6.21	18.97	3	Vertical	338	1.58	-	28.82	37.69	15.79	34.51
PK	10.47224G	55.89	68.20	-12.31	17.84	3	Vertical	345	1.50	-	38.05	39.64	12.71	34.51
PK	15.70024G	59.66	74.00	-14.34	18.98	3	Vertical	338	1.58	-	40.68	37.70	15.80	34.52


**802.11ax HEW40_Nss2,(MCS0)_2TX
5230MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68104G	47.38	54.00	-6.62	18.95	3	Horizontal	69	1.50	-	28.43	37.68	15.78	34.51
PK	10.46296G	56.49	68.20	-11.71	17.82	3	Horizontal	6	1.50	-	38.67	39.63	12.71	34.52
PK	15.68184G	59.54	74.00	-14.46	18.95	3	Horizontal	69	1.50	-	40.59	37.68	15.78	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7574G	99.08	Inf	-Inf	9.66	3	Vertical	352	1.50	-	89.42	33.71	10.16	34.21
PK	5.647G	66.38	68.20	-1.82	9.19	3	Vertical	352	1.50	-	57.19	33.29	10.10	34.20
PK	5.743G	111.82	Inf	-Inf	9.61	3	Vertical	352	1.50	-	102.21	33.66	10.15	34.20
PK	6.0514G	60.28	68.20	-7.92	10.36	3	Vertical	352	1.50	-	49.92	34.20	10.38	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	105.86	Inf	-Inf	9.64	3	Horizontal	57	2.78	-	96.22	33.70	10.15	34.21
PK	5.6482G	67.95	68.20	-0.25	9.19	3	Horizontal	57	2.78	-	58.76	33.29	10.10	34.20
PK	5.7538G	117.25	Inf	-Inf	9.65	3	Horizontal	57	2.78	-	107.60	33.71	10.15	34.21
PK	6.0502G	60.09	68.20	-8.11	10.36	3	Horizontal	57	2.78	-	49.73	34.20	10.38	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51104G	44.41	54.00	-9.59	19.12	3	Vertical	347	1.67	-	25.29	40.07	13.12	34.07
PK	11.51656G	56.48	74.00	-17.52	19.10	3	Vertical	347	1.67	-	37.38	40.05	13.12	34.07
PK	17.27956G	63.15	68.20	-5.05	22.54	3	Vertical	360	1.50	-	40.61	39.58	16.22	33.26


802.11ax HEW40_Nss2,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5096G	44.45	54.00	-9.55	19.12	3	Horizontal	11	1.39	-	25.33	40.07	13.12	34.07
PK	11.50456G	56.09	74.00	-17.91	19.15	3	Horizontal	11	1.39	-	36.94	40.09	13.12	34.06
PK	17.27852G	63.59	68.20	-4.61	22.54	3	Horizontal	348	1.50	-	41.05	39.58	16.22	33.26

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	100.29	Inf	-Inf	9.78	3	Vertical	354	1.25	-	90.51	33.81	10.18	34.21
PK	5.6474G	63.53	68.20	-4.67	9.19	3	Vertical	354	1.25	-	54.34	33.29	10.10	34.20
PK	5.8082G	112.55	Inf	-Inf	9.83	3	Vertical	354	1.25	-	102.72	33.85	10.19	34.21
PK	5.9918G	60.80	68.20	-7.40	10.15	3	Vertical	354	1.25	-	50.65	34.05	10.32	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	106.14	Inf	-Inf	8.04	3	Horizontal	54	2.67	-	98.10	32.08	10.17	34.21
PK	5.7974G	117.12	Inf	-Inf	8.06	3	Horizontal	54	2.67	-	109.06	32.09	10.18	34.21
PK	5.6498G	66.88	68.20	-1.32	7.50	3	Horizontal	54	2.67	-	59.38	31.60	10.10	34.20
PK	6.0722G	58.79	68.20	-9.41	8.63	3	Horizontal	54	2.67	-	50.16	32.46	10.40	34.23

802.11ax HEW40_Nss2,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59144G	43.13	54.00	-10.87	18.87	3	Vertical	347	1.53	-	24.26	39.83	13.15	34.11
PK	11.59104G	55.05	74.00	-18.95	18.87	3	Vertical	347	1.53	-	36.18	39.83	13.15	34.11
PK	17.37012G	63.58	68.20	-4.62	23.31	3	Vertical	360	1.50	-	40.27	40.30	16.24	33.23


802.11ax HEW40_Nss2,(MCS0)_2TX
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58832G	44.08	54.00	-9.92	18.88	3	Horizontal	11	1.49	-	25.20	39.84	13.15	34.11
PK	11.59136G	56.61	74.00	-17.39	18.87	3	Horizontal	11	1.49	-	37.74	39.83	13.15	34.11
PK	17.3818G	63.27	68.20	-4.93	23.43	3	Horizontal	71	2.48	-	39.84	40.42	16.24	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.37	54.00	-6.63	8.90	3	Vertical	28	2.95	-	38.47	33.20	9.83	34.13
AV	5.213G	87.24	Inf	-Inf	8.78	3	Vertical	28	2.95	-	78.46	33.05	9.87	34.14
AV	5.364G	46.77	54.00	-7.23	8.53	3	Vertical	28	2.95	-	38.24	32.73	9.97	34.17
PK	5.132G	59.37	74.00	-14.63	8.90	3	Vertical	28	2.95	-	50.47	33.20	9.82	34.12
PK	5.212G	100.20	Inf	-Inf	8.78	3	Vertical	28	2.95	-	91.42	33.05	9.87	34.14
PK	5.38G	59.44	74.00	-14.56	8.58	3	Vertical	28	2.95	-	50.86	32.76	9.99	34.17


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.79	54.00	-0.21	8.90	3	Horizontal	66	2.01	-	44.89	33.20	9.83	34.13
AV	5.195G	95.06	Inf	-Inf	8.83	3	Horizontal	66	2.01	-	86.23	33.11	9.86	34.14
AV	5.354G	48.66	54.00	-5.34	8.52	3	Horizontal	66	2.01	-	40.14	32.71	9.97	34.16
PK	5.146G	66.97	74.00	-7.03	8.90	3	Horizontal	66	2.01	-	58.07	33.20	9.83	34.13
PK	5.22G	108.29	Inf	-Inf	8.75	3	Horizontal	66	2.01	-	99.54	33.02	9.87	34.14
PK	5.394G	60.84	74.00	-13.16	8.62	3	Horizontal	66	2.01	-	52.22	32.79	10.00	34.17

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62202G	47.77	54.00	-6.23	19.85	3	Vertical	14	1.02	-	27.92	38.59	15.74	34.48
PK	10.42816G	55.01	68.20	-13.19	16.83	3	Vertical	0	1.53	-	38.18	38.67	12.70	34.54
PK	15.62838G	60.94	74.00	-13.06	19.83	3	Vertical	14	1.02	-	41.11	38.56	15.75	34.48


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61728G	47.50	54.00	-6.50	19.87	3	Horizontal	1	1.50	-	27.63	38.61	15.74	34.48
PK	10.42204G	54.92	68.20	-13.28	16.82	3	Horizontal	271	1.50	-	38.10	38.68	12.69	34.55
PK	15.61812G	59.28	74.00	-14.72	19.87	3	Horizontal	1	1.50	-	39.41	38.61	15.74	34.48

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	90.90	Inf	-Inf	9.74	3	Vertical	20	2.93	-	81.16	33.78	10.17	34.21
PK	5.649G	60.83	68.20	-7.37	9.20	3	Vertical	20	2.93	-	51.63	33.30	10.10	34.20
PK	5.8062G	103.18	Inf	-Inf	9.81	3	Vertical	20	2.93	-	93.37	33.84	10.18	34.21
PK	5.9622G	60.17	68.20	-8.03	10.31	3	Vertical	20	2.93	-	49.86	34.23	10.30	34.22


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7846G	97.92	Inf	-Inf	9.73	3	Horizontal	57	1.87	-	88.19	33.77	10.17	34.21
PK	5.6418G	67.64	68.20	-0.56	9.16	3	Horizontal	57	1.87	-	58.48	33.27	10.09	34.20
PK	5.7858G	112.29	Inf	-Inf	9.73	3	Horizontal	57	1.87	-	102.56	33.77	10.17	34.21
PK	5.9862G	61.17	68.20	-7.03	10.18	3	Horizontal	57	1.87	-	50.99	34.08	10.32	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55984G	43.65	54.00	-10.35	17.83	3	Vertical	132	2.74	-	25.82	38.78	13.14	34.09
PK	11.55744G	55.42	74.00	-18.58	17.84	3	Vertical	132	2.74	-	37.58	38.79	13.14	34.09
PK	17.33334G	63.79	68.20	-4.41	21.79	3	Vertical	324	1.50	-	42.00	38.80	16.23	33.24


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54082G	43.66	54.00	-10.34	17.87	3	Horizontal	59	2.60	-	25.79	38.82	13.13	34.08
PK	11.55762G	55.50	74.00	-18.50	17.83	3	Horizontal	59	2.60	-	37.67	38.78	13.14	34.09
PK	17.3262G	63.33	68.20	-4.87	21.76	3	Horizontal	0	2.13	-	41.57	38.78	16.23	33.25

802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.17	54.00	-4.83	7.60	3	Vertical	314	1.75	-	41.57	31.90	9.83	34.13
AV	5.199G	88.68	Inf	-Inf	7.42	3	Vertical	314	1.75	-	81.26	31.70	9.86	34.14
AV	5.354G	46.52	54.00	-7.48	7.14	3	Vertical	314	1.75	-	39.38	31.33	9.97	34.16
PK	5.144G	62.24	74.00	-11.76	7.60	3	Vertical	314	1.75	-	54.64	31.90	9.83	34.13
PK	5.203G	101.53	Inf	-Inf	7.40	3	Vertical	314	1.75	-	94.13	31.68	9.86	34.14
PK	5.367G	58.14	74.00	-15.86	7.25	3	Vertical	314	1.75	-	50.89	31.44	9.98	34.17


802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.72	54.00	-0.28	8.90	3	Horizontal	62	2.22	-	44.82	33.20	9.83	34.13
AV	5.204G	95.63	Inf	-Inf	8.80	3	Horizontal	62	2.22	-	86.83	33.08	9.86	34.14
AV	5.352G	48.55	54.00	-5.45	8.51	3	Horizontal	62	2.22	-	40.04	32.70	9.97	34.16
PK	5.14G	67.69	74.00	-6.31	8.90	3	Horizontal	62	2.22	-	58.79	33.20	9.83	34.13
PK	5.198G	108.75	Inf	-Inf	8.82	3	Horizontal	62	2.22	-	99.93	33.10	9.86	34.14
PK	5.353G	61.53	74.00	-12.47	8.52	3	Horizontal	62	2.22	-	53.01	32.71	9.97	34.16

**802.11ax HEW80_Nss2,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6204G	49.01	54.00	-4.99	18.88	3	Vertical	350	1.50	-	30.13	37.62	15.74	34.48
PK	10.4062G	54.28	68.20	-13.92	17.64	3	Vertical	277	1.50	-	36.64	39.51	12.69	34.56
PK	15.62718G	60.04	74.00	-13.96	18.89	3	Vertical	350	1.50	-	41.15	37.63	15.74	34.48


**802.11ax HEW80_Nss2,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6186G	49.05	54.00	-4.95	18.88	3	Horizontal	170	1.53	-	30.17	37.62	15.74	34.48
PK	10.42426G	54.82	68.20	-13.38	17.71	3	Horizontal	16	1.86	-	37.11	39.55	12.70	34.54
PK	15.63954G	59.21	74.00	-14.79	18.90	3	Horizontal	170	1.53	-	40.31	37.64	15.75	34.49

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	97.58	Inf	-Inf	7.98	3	Vertical	0	1.90	-	89.60	32.03	10.16	34.21
PK	5.6502G	64.24	68.35	-4.11	7.50	3	Vertical	0	1.90	-	56.74	31.60	10.10	34.20
PK	5.7774G	107.48	Inf	-Inf	8.01	3	Vertical	0	1.90	-	99.47	32.05	10.17	34.21
PK	6.0678G	58.57	68.20	-9.63	8.63	3	Vertical	0	1.90	-	49.94	32.46	10.40	34.23


802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7702G	101.44	Inf	-Inf	7.99	3	Horizontal	51	2.45	-	93.45	32.04	10.16	34.21
PK	5.6298G	67.20	68.20	-1.00	7.53	3	Horizontal	51	2.45	-	59.67	31.64	10.09	34.20
PK	5.7702G	111.05	Inf	-Inf	7.99	3	Horizontal	51	2.45	-	103.06	32.04	10.16	34.21
PK	6.0342G	58.39	68.20	-9.81	8.64	3	Horizontal	51	2.45	-	49.75	32.50	10.36	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54796G	45.16	54.00	-8.84	19.00	3	Vertical	346	1.82	-	26.16	39.96	13.13	34.09
PK	11.54022G	55.65	74.00	-18.35	19.03	3	Vertical	346	1.82	-	36.62	39.98	13.13	34.08
PK	17.34G	63.65	68.20	-4.55	22.99	3	Vertical	360	1.76	-	40.66	40.00	16.23	33.24

802.11ax HEW80_Nss2,(MCS0)_2TX
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54472G	44.78	54.00	-9.22	19.02	3	Horizontal	132	1.46	-	25.76	39.97	13.13	34.08
PK	11.5359G	55.15	74.00	-18.85	19.04	3	Horizontal	132	1.46	-	36.11	39.99	13.13	34.08
PK	17.32314G	63.47	68.20	-4.73	22.81	3	Horizontal	172	1.00	-	40.66	39.83	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	249.22M	38.75	46.00	-7.25	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	59.1M	31.69	40.00	-8.31	3	Vertical	360	1.00	-
5775MHz	Pass	PK	90.14M	34.13	43.50	-9.37	3	Vertical	360	1.00	-
5775MHz	Pass	PK	119.24M	34.02	43.50	-9.48	3	Vertical	360	1.00	-
5775MHz	Pass	PK	309.36M	33.31	46.00	-12.69	3	Vertical	360	1.00	-
5775MHz	Pass	PK	404.42M	32.62	46.00	-13.38	3	Vertical	360	1.00	-
5775MHz	Pass	QP	39.7M	31.24	40.00	-8.76	3	Vertical	87	1.00	-
5775MHz	Pass	PK	37.76M	32.38	40.00	-7.62	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	119.24M	32.24	43.50	-11.26	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	249.22M	38.75	46.00	-7.25	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	309.36M	36.13	46.00	-9.87	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	350.1M	36.86	46.00	-9.14	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	390.84M	34.61	46.00	-11.39	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	59.1M	31.69	40.00	-8.31	-14.98	3	Vertical	360	1.00	-	46.67	11.57	1.11	27.66
PK	90.14M	34.13	43.50	-9.37	-12.38	3	Vertical	360	1.00	-	46.51	14.10	1.36	27.84
PK	119.24M	34.02	43.50	-9.48	-8.75	3	Vertical	360	1.00	-	42.77	17.48	1.54	27.77
PK	309.36M	33.31	46.00	-12.69	-6.05	3	Vertical	360	1.00	-	39.36	18.65	2.55	27.25
PK	404.42M	32.62	46.00	-13.38	-3.74	3	Vertical	360	1.00	-	36.36	21.24	2.90	27.88
QP	39.7M	31.24	40.00	-8.76	-7.84	3	Vertical	87	1.00	-	39.08	17.92	1.03	26.79

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	32.38	40.00	-7.62	-6.67	3	Horizontal	0	1.00	-	39.05	19.02	1.03	26.72
PK	119.24M	32.24	43.50	-11.26	-8.75	3	Horizontal	0	1.00	-	40.99	17.48	1.54	27.77
PK	249.22M	38.75	46.00	-7.25	-7.43	3	Horizontal	0	1.00	-	46.18	17.47	2.26	27.16
PK	309.36M	36.13	46.00	-9.87	-6.05	3	Horizontal	0	1.00	-	42.18	18.65	2.55	27.25
PK	350.1M	36.86	46.00	-9.14	-5.20	3	Horizontal	0	1.00	-	42.06	19.59	2.71	27.50
PK	390.84M	34.61	46.00	-11.39	-4.43	3	Horizontal	0	1.00	-	39.04	20.50	2.85	27.78



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	AV	5.15G	53.45	54.00	-0.55	3	Horizontal	321	3.00	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.1482G	73.85	74.00	-0.15	3	Vertical	338	1.71	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.15G	53.50	54.00	-0.50	3	Horizontal	323	3.00	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.87	54.00	-0.13	3	Vertical	145	1.66	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	325	2.56	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.76	54.00	-0.24	3	Vertical	146	1.50	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	AV	5.143G	53.30	54.00	-0.70	3	Horizontal	321	1.00	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.59	54.00	-0.41	3	Vertical	340	1.87	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port1)	Pass	PK	5.6414G	67.34	68.20	-0.86	3	Horizontal	309	1.10	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.635G	67.72	68.20	-0.48	3	Vertical	330	1.83	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.6514G	68.34	69.24	-0.90	3	Horizontal	311	1.00	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.6382G	67.23	68.20	-0.97	3	Vertical	332	1.86	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.6458G	67.05	68.20	-1.15	3	Horizontal	326	2.89	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.651G	68.49	68.94	-0.45	3	Vertical	1	1.65	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	Pass	PK	5.6442G	68.08	68.20	-0.12	3	Horizontal	324	2.90	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6454G	66.94	68.20	-1.26	3	Vertical	149	1.85	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	47.67	54.00	-6.33	3	Vertical	71	2.56	-
5180MHz	Pass	AV	5.1818G	91.83	Inf	-Inf	3	Vertical	71	2.56	-
5180MHz	Pass	PK	5.141G	60.93	74.00	-13.07	3	Vertical	71	2.56	-
5180MHz	Pass	PK	5.1818G	102.09	Inf	-Inf	3	Vertical	71	2.56	-
5180MHz	Pass	AV	5.15G	52.99	54.00	-1.01	3	Horizontal	317	2.87	-
5180MHz	Pass	AV	5.1776G	103.42	Inf	-Inf	3	Horizontal	317	2.87	-
5180MHz	Pass	PK	5.1488G	71.33	74.00	-2.67	3	Horizontal	317	2.87	-
5180MHz	Pass	PK	5.1818G	113.60	Inf	-Inf	3	Horizontal	317	2.87	-
5180MHz	Pass	AV	15.53516G	50.93	54.00	-3.07	3	Vertical	278	2.53	-
5180MHz	Pass	PK	10.35936G	55.72	68.20	-12.48	3	Vertical	170	1.98	-
5180MHz	Pass	PK	15.54296G	66.11	74.00	-7.89	3	Vertical	278	2.53	-
5180MHz	Pass	AV	15.54108G	49.39	54.00	-4.61	3	Horizontal	0	3.00	-
5180MHz	Pass	PK	10.35512G	55.20	68.20	-13.00	3	Horizontal	177	1.76	-
5180MHz	Pass	PK	15.53748G	63.75	74.00	-10.25	3	Horizontal	0	3.00	-
5200MHz	Pass	AV	5.1496G	47.85	54.00	-6.15	3	Vertical	43	2.48	-
5200MHz	Pass	AV	5.2042G	96.15	Inf	-Inf	3	Vertical	43	2.48	-
5200MHz	Pass	PK	5.1496G	60.96	74.00	-13.04	3	Vertical	43	2.48	-
5200MHz	Pass	PK	5.2048G	106.22	Inf	-Inf	3	Vertical	43	2.48	-
5200MHz	Pass	AV	5.15G	53.45	54.00	-0.55	3	Horizontal	321	3.00	-
5200MHz	Pass	AV	5.203G	106.19	Inf	-Inf	3	Horizontal	321	3.00	-
5200MHz	Pass	PK	5.15G	69.46	74.00	-4.54	3	Horizontal	321	3.00	-
5200MHz	Pass	PK	5.2024G	116.17	Inf	-Inf	3	Horizontal	321	3.00	-
5200MHz	Pass	AV	15.59512G	52.03	54.00	-1.97	3	Vertical	209	3.00	-
5200MHz	Pass	PK	10.39748G	58.12	68.20	-10.08	3	Vertical	170	2.32	-
5200MHz	Pass	PK	15.59188G	65.50	74.00	-8.50	3	Vertical	209	3.00	-
5200MHz	Pass	AV	15.59508G	49.59	54.00	-4.41	3	Horizontal	72	3.00	-
5200MHz	Pass	PK	10.394G	55.25	68.20	-12.95	3	Horizontal	177	1.00	-
5200MHz	Pass	PK	15.60532G	63.16	74.00	-10.84	3	Horizontal	72	3.00	-
5240MHz	Pass	AV	5.144G	47.26	54.00	-6.74	3	Vertical	61	2.39	-
5240MHz	Pass	AV	5.2328G	93.60	Inf	-Inf	3	Vertical	61	2.39	-
5240MHz	Pass	AV	5.35G	46.64	54.00	-7.36	3	Vertical	61	2.39	-
5240MHz	Pass	PK	5.1458G	59.28	74.00	-14.72	3	Vertical	61	2.39	-
5240MHz	Pass	PK	5.234G	103.79	Inf	-Inf	3	Vertical	61	2.39	-
5240MHz	Pass	PK	5.3594G	58.88	74.00	-15.12	3	Vertical	61	2.39	-
5240MHz	Pass	AV	5.147G	50.63	54.00	-3.37	3	Horizontal	317	2.80	-
5240MHz	Pass	AV	5.2424G	106.48	Inf	-Inf	3	Horizontal	317	2.80	-
5240MHz	Pass	AV	5.3504G	48.65	54.00	-5.35	3	Horizontal	317	2.80	-
5240MHz	Pass	PK	5.1422G	65.65	74.00	-8.35	3	Horizontal	317	2.80	-
5240MHz	Pass	PK	5.2454G	116.94	Inf	-Inf	3	Horizontal	317	2.80	-
5240MHz	Pass	PK	5.3504G	64.15	74.00	-9.85	3	Horizontal	317	2.80	-
5240MHz	Pass	AV	15.72216G	47.03	54.00	-6.97	3	Vertical	187	2.62	-
5240MHz	Pass	PK	10.4776G	58.73	68.20	-9.47	3	Vertical	170	2.13	-
5240MHz	Pass	PK	15.71976G	60.29	74.00	-13.71	3	Vertical	187	2.62	-
5240MHz	Pass	AV	15.72284G	46.86	54.00	-7.14	3	Horizontal	58	3.00	-
5240MHz	Pass	PK	10.4774G	55.97	68.20	-12.23	3	Horizontal	328	2.10	-
5240MHz	Pass	PK	15.71964G	59.81	74.00	-14.19	3	Horizontal	58	3.00	-
5745MHz	Pass	AV	5.7474G	95.16	Inf	-Inf	3	Vertical	250	1.96	-
5745MHz	Pass	PK	5.4642G	59.07	68.20	-9.13	3	Vertical	250	1.96	-
5745MHz	Pass	PK	5.7498G	105.14	Inf	-Inf	3	Vertical	250	1.96	-
5745MHz	Pass	PK	6.0066G	60.42	68.20	-7.78	3	Vertical	250	1.96	-
5745MHz	Pass	AV	5.7474G	106.05	Inf	-Inf	3	Horizontal	321	2.55	-
5745MHz	Pass	PK	5.6346G	63.80	68.20	-4.40	3	Horizontal	321	2.55	-
5745MHz	Pass	PK	5.751G	116.78	Inf	-Inf	3	Horizontal	321	2.55	-
5745MHz	Pass	PK	6.021G	60.33	68.20	-7.87	3	Horizontal	321	2.55	-
5745MHz	Pass	AV	11.4812G	41.16	54.00	-12.84	3	Vertical	115	2.98	-
5745MHz	Pass	PK	11.48588G	54.39	74.00	-19.61	3	Vertical	115	2.98	-
5745MHz	Pass	PK	17.22884G	62.77	68.20	-5.43	3	Vertical	111	1.73	-
5745MHz	Pass	AV	11.48948G	41.81	54.00	-12.19	3	Horizontal	139	1.54	-
5745MHz	Pass	PK	11.49408G	54.41	74.00	-19.59	3	Horizontal	139	1.54	-
5745MHz	Pass	PK	17.22932G	62.79	68.20	-5.41	3	Horizontal	257	2.33	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7874G	94.32	Inf	-Inf	3	Vertical	224	1.97	-
5785MHz	Pass	PK	5.647G	59.38	68.20	-8.82	3	Vertical	224	1.97	-
5785MHz	Pass	PK	5.7886G	104.53	Inf	-Inf	3	Vertical	224	1.97	-
5785MHz	Pass	PK	5.9602G	60.03	68.20	-8.17	3	Vertical	224	1.97	-
5785MHz	Pass	AV	5.7826G	106.26	Inf	-Inf	3	Horizontal	320	1.01	-
5785MHz	Pass	PK	5.6122G	60.49	68.20	-7.71	3	Horizontal	320	1.01	-
5785MHz	Pass	PK	5.7838G	116.46	Inf	-Inf	3	Horizontal	320	1.01	-
5785MHz	Pass	PK	6.0502G	60.39	68.20	-7.81	3	Horizontal	320	1.01	-
5785MHz	Pass	AV	11.57696G	40.80	54.00	-13.20	3	Vertical	96	1.24	-
5785MHz	Pass	PK	11.56812G	53.90	74.00	-20.10	3	Vertical	96	1.24	-
5785MHz	Pass	PK	17.35064G	63.01	68.20	-5.19	3	Vertical	48	1.09	-
5785MHz	Pass	AV	11.56748G	40.63	54.00	-13.37	3	Horizontal	12	2.63	-
5785MHz	Pass	PK	11.56868G	53.21	74.00	-20.79	3	Horizontal	12	2.63	-
5785MHz	Pass	PK	17.35272G	62.81	68.20	-5.39	3	Horizontal	245	1.37	-
5825MHz	Pass	AV	5.8274G	94.54	Inf	-Inf	3	Vertical	222	1.96	-
5825MHz	Pass	PK	5.6066G	59.46	68.20	-8.74	3	Vertical	222	1.96	-
5825MHz	Pass	PK	5.8262G	105.26	Inf	-Inf	3	Vertical	222	1.96	-
5825MHz	Pass	PK	6.0254G	60.64	68.20	-7.56	3	Vertical	222	1.96	-
5825MHz	Pass	AV	5.8274G	104.82	Inf	-Inf	3	Horizontal	309	1.10	-
5825MHz	Pass	PK	5.6414G	67.34	68.20	-0.86	3	Horizontal	309	1.10	-
5825MHz	Pass	PK	5.8286G	116.05	Inf	-Inf	3	Horizontal	309	1.10	-
5825MHz	Pass	PK	6.0518G	61.34	68.20	-6.86	3	Horizontal	309	1.10	-
5825MHz	Pass	AV	11.64812G	42.60	54.00	-11.40	3	Vertical	319	2.05	-
5825MHz	Pass	PK	11.64764G	56.03	74.00	-17.97	3	Vertical	319	2.05	-
5825MHz	Pass	PK	17.47912G	61.69	68.20	-6.51	3	Vertical	289	1.54	-
5825MHz	Pass	AV	11.65896G	41.14	54.00	-12.86	3	Horizontal	20	2.06	-
5825MHz	Pass	PK	11.65852G	54.46	74.00	-19.54	3	Horizontal	20	2.06	-
5825MHz	Pass	PK	17.485G	62.60	68.20	-5.60	3	Horizontal	179	1.91	-
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1482G	51.20	54.00	-2.80	3	Vertical	338	1.71	-
5180MHz	Pass	AV	5.1788G	107.24	Inf	-Inf	3	Vertical	338	1.71	-
5180MHz	Pass	PK	5.1482G	73.85	74.00	-0.15	3	Vertical	338	1.71	-
5180MHz	Pass	PK	5.1836G	117.35	Inf	-Inf	3	Vertical	338	1.71	-
5180MHz	Pass	AV	5.1464G	47.78	54.00	-6.22	3	Horizontal	203	1.56	-
5180MHz	Pass	AV	5.1836G	93.23	Inf	-Inf	3	Horizontal	203	1.56	-
5180MHz	Pass	PK	5.1488G	60.04	74.00	-13.96	3	Horizontal	203	1.56	-
5180MHz	Pass	PK	5.1842G	102.30	Inf	-Inf	3	Horizontal	203	1.56	-
5180MHz	Pass	AV	15.53124G	48.91	54.00	-5.09	3	Vertical	48	1.97	-
5180MHz	Pass	PK	10.35836G	53.92	68.20	-14.28	3	Vertical	197	1.29	-
5180MHz	Pass	PK	15.53032G	62.06	74.00	-11.94	3	Vertical	48	1.97	-
5180MHz	Pass	AV	15.54528G	48.99	54.00	-5.01	3	Horizontal	341	1.50	-
5180MHz	Pass	PK	10.36844G	53.96	68.20	-14.24	3	Horizontal	66	2.12	-
5180MHz	Pass	PK	15.533G	62.11	74.00	-11.89	3	Horizontal	341	1.50	-
5200MHz	Pass	AV	5.149G	52.90	54.00	-1.10	3	Vertical	338	1.91	-
5200MHz	Pass	AV	5.1934G	111.06	Inf	-Inf	3	Vertical	338	1.91	-
5200MHz	Pass	PK	5.1442G	72.83	74.00	-1.17	3	Vertical	338	1.91	-
5200MHz	Pass	PK	5.2042G	120.60	Inf	-Inf	3	Vertical	338	1.91	-
5200MHz	Pass	AV	5.15G	47.79	54.00	-6.21	3	Horizontal	202	1.44	-
5200MHz	Pass	AV	5.2042G	96.80	Inf	-Inf	3	Horizontal	202	1.44	-
5200MHz	Pass	PK	5.1424G	59.30	74.00	-14.70	3	Horizontal	202	1.44	-
5200MHz	Pass	PK	5.2048G	106.00	Inf	-Inf	3	Horizontal	202	1.44	-
5200MHz	Pass	AV	15.59512G	48.90	54.00	-5.10	3	Vertical	198	2.95	-
5200MHz	Pass	PK	10.3976G	55.63	68.20	-12.57	3	Vertical	200	1.48	-
5200MHz	Pass	PK	15.6064G	61.57	74.00	-12.43	3	Vertical	198	2.95	-
5200MHz	Pass	AV	15.59304G	48.46	54.00	-5.54	3	Horizontal	360	3.00	-
5200MHz	Pass	PK	10.39772G	56.09	68.20	-12.11	3	Horizontal	360	2.95	-
5200MHz	Pass	PK	15.59508G	62.08	74.00	-11.92	3	Horizontal	360	3.00	-
5240MHz	Pass	AV	5.144G	53.74	54.00	-0.26	3	Vertical	337	1.82	-
5240MHz	Pass	AV	5.234G	113.00	Inf	-Inf	3	Vertical	337	1.82	-
5240MHz	Pass	AV	5.35G	50.16	54.00	-3.84	3	Vertical	337	1.82	-
5240MHz	Pass	PK	5.1464G	71.14	74.00	-2.86	3	Vertical	337	1.82	-
5240MHz	Pass	PK	5.234G	123.13	Inf	-Inf	3	Vertical	337	1.82	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.35G	63.79	74.00	-10.21	3	Vertical	337	1.82	-
5240MHz	Pass	AV	5.1446G	47.69	54.00	-6.31	3	Horizontal	201	1.12	-
5240MHz	Pass	AV	5.2448G	97.69	Inf	-Inf	3	Horizontal	201	1.12	-
5240MHz	Pass	AV	5.3612G	47.20	54.00	-6.80	3	Horizontal	201	1.12	-
5240MHz	Pass	PK	5.147G	59.42	74.00	-14.58	3	Horizontal	201	1.12	-
5240MHz	Pass	PK	5.2448G	108.19	Inf	-Inf	3	Horizontal	201	1.12	-
5240MHz	Pass	PK	5.3888G	59.72	74.00	-14.28	3	Horizontal	201	1.12	-
5240MHz	Pass	AV	15.72024G	48.49	54.00	-5.51	3	Vertical	198	2.93	-
5240MHz	Pass	PK	10.47128G	55.31	68.20	-12.89	3	Vertical	199	1.10	-
5240MHz	Pass	PK	15.72448G	61.19	74.00	-12.81	3	Vertical	198	2.93	-
5240MHz	Pass	AV	15.72032G	49.52	54.00	-4.48	3	Horizontal	55	3.00	-
5240MHz	Pass	PK	10.48324G	57.45	68.20	-10.75	3	Horizontal	339	2.47	-
5240MHz	Pass	PK	15.72404G	62.95	74.00	-11.05	3	Horizontal	55	3.00	-
5745MHz	Pass	AV	5.7474G	111.06	Inf	-Inf	3	Vertical	324	1.50	-
5745MHz	Pass	PK	5.6514G	67.82	69.24	-1.42	3	Vertical	324	1.50	-
5745MHz	Pass	PK	5.7426G	121.23	Inf	-Inf	3	Vertical	324	1.50	-
5745MHz	Pass	PK	6.027G	61.14	68.20	-7.06	3	Vertical	324	1.50	-
5745MHz	Pass	AV	5.7486G	95.45	Inf	-Inf	3	Horizontal	206	1.47	-
5745MHz	Pass	PK	5.6322G	59.77	68.20	-8.43	3	Horizontal	206	1.47	-
5745MHz	Pass	PK	5.7486G	105.58	Inf	-Inf	3	Horizontal	206	1.47	-
5745MHz	Pass	PK	6.0426G	61.47	68.20	-6.73	3	Horizontal	206	1.47	-
5745MHz	Pass	AV	11.49076G	45.24	54.00	-8.76	3	Vertical	20	2.25	-
5745MHz	Pass	PK	11.48108G	58.18	74.00	-15.82	3	Vertical	20	2.25	-
5745MHz	Pass	PK	17.22948G	64.12	68.20	-4.08	3	Vertical	234	2.12	-
5745MHz	Pass	AV	11.48588G	42.87	54.00	-11.13	3	Horizontal	85	1.15	-
5745MHz	Pass	PK	11.48996G	56.20	74.00	-17.80	3	Horizontal	85	1.15	-
5745MHz	Pass	PK	17.22504G	63.07	68.20	-5.13	3	Horizontal	360	1.16	-
5785MHz	Pass	AV	5.7802G	111.30	Inf	-Inf	3	Vertical	330	1.83	-
5785MHz	Pass	PK	5.635G	67.72	68.20	-0.48	3	Vertical	330	1.83	-
5785MHz	Pass	PK	5.7802G	121.27	Inf	-Inf	3	Vertical	330	1.83	-
5785MHz	Pass	PK	5.9482G	60.97	68.20	-7.23	3	Vertical	330	1.83	-
5785MHz	Pass	AV	5.779G	95.75	Inf	-Inf	3	Horizontal	209	1.50	-
5785MHz	Pass	PK	5.6146G	59.48	68.20	-8.72	3	Horizontal	209	1.50	-
5785MHz	Pass	PK	5.7802G	105.45	Inf	-Inf	3	Horizontal	209	1.50	-
5785MHz	Pass	PK	6.0226G	61.33	68.20	-6.87	3	Horizontal	209	1.50	-
5785MHz	Pass	AV	11.57084G	43.25	54.00	-10.75	3	Vertical	314	1.50	-
5785MHz	Pass	PK	11.56252G	56.22	74.00	-17.78	3	Vertical	314	1.50	-
5785MHz	Pass	PK	17.35488G	63.31	68.20	-4.89	3	Vertical	320	1.50	-
5785MHz	Pass	AV	11.5708G	42.39	54.00	-11.61	3	Horizontal	259	1.00	-
5785MHz	Pass	PK	11.57208G	55.54	74.00	-18.46	3	Horizontal	259	1.00	-
5785MHz	Pass	PK	17.35888G	63.54	68.20	-4.66	3	Horizontal	201	1.50	-
5825MHz	Pass	AV	5.8202G	108.98	Inf	-Inf	3	Vertical	330	1.82	-
5825MHz	Pass	PK	5.6498G	67.63	68.20	-0.57	3	Vertical	330	1.82	-
5825MHz	Pass	PK	5.8202G	119.25	Inf	-Inf	3	Vertical	330	1.82	-
5825MHz	Pass	PK	6.1022G	61.17	68.20	-7.03	3	Vertical	330	1.82	-
5825MHz	Pass	AV	5.819G	93.76	Inf	-Inf	3	Horizontal	209	1.67	-
5825MHz	Pass	PK	5.5574G	59.96	68.20	-8.24	3	Horizontal	209	1.67	-
5825MHz	Pass	PK	5.8238G	103.93	Inf	-Inf	3	Horizontal	209	1.67	-
5825MHz	Pass	PK	6.0506G	60.80	68.20	-7.40	3	Horizontal	209	1.67	-
5825MHz	Pass	AV	11.6526G	44.74	54.00	-9.26	3	Vertical	314	2.35	-
5825MHz	Pass	PK	11.64748G	58.61	74.00	-15.39	3	Vertical	314	2.35	-
5825MHz	Pass	PK	17.48192G	63.86	68.20	-4.34	3	Vertical	90	2.06	-
5825MHz	Pass	AV	11.64724G	42.14	54.00	-11.86	3	Horizontal	336	2.48	-
5825MHz	Pass	PK	11.64708G	55.09	74.00	-18.91	3	Horizontal	336	2.48	-
5825MHz	Pass	PK	17.48296G	62.82	68.20	-5.38	3	Horizontal	64	1.59	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	48.39	54.00	-5.61	3	Vertical	76	2.31	-
5180MHz	Pass	AV	5.1728G	92.24	Inf	-Inf	3	Vertical	76	2.31	-
5180MHz	Pass	PK	5.1392G	61.75	74.00	-12.25	3	Vertical	76	2.31	-
5180MHz	Pass	PK	5.1734G	104.10	Inf	-Inf	3	Vertical	76	2.31	-
5180MHz	Pass	AV	5.15G	52.47	54.00	-1.53	3	Horizontal	322	1.09	-
5180MHz	Pass	AV	5.1752G	102.71	Inf	-Inf	3	Horizontal	322	1.09	-



RSE TX above 1GHz_Non-Beamforming Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.15G	73.49	74.00	-0.51	3	Horizontal	322	1.09	-
5180MHz	Pass	PK	5.177G	116.42	Inf	-Inf	3	Horizontal	322	1.09	-
5180MHz	Pass	AV	15.54104G	50.57	54.00	-3.43	3	Vertical	90	2.70	-
5180MHz	Pass	PK	10.3616G	54.56	68.20	-13.64	3	Vertical	170	2.83	-
5180MHz	Pass	PK	15.54116G	65.57	74.00	-8.43	3	Vertical	90	2.70	-
5180MHz	Pass	AV	15.53688G	49.01	54.00	-4.99	3	Horizontal	196	1.50	-
5180MHz	Pass	PK	10.3582G	54.85	68.20	-13.35	3	Horizontal	180	1.00	-
5180MHz	Pass	PK	15.53416G	61.69	74.00	-12.31	3	Horizontal	196	1.50	-
5200MHz	Pass	AV	5.1496G	48.20	54.00	-5.80	3	Vertical	78	2.15	-
5200MHz	Pass	AV	5.1934G	94.27	Inf	-Inf	3	Vertical	78	2.15	-
5200MHz	Pass	PK	5.15G	61.25	74.00	-12.75	3	Vertical	78	2.15	-
5200MHz	Pass	PK	5.197G	107.41	Inf	-Inf	3	Vertical	78	2.15	-
5200MHz	Pass	AV	5.15G	53.50	54.00	-0.50	3	Horizontal	323	3.00	-
5200MHz	Pass	AV	5.203G	106.46	Inf	-Inf	3	Horizontal	323	3.00	-
5200MHz	Pass	PK	5.15G	70.24	74.00	-3.76	3	Horizontal	323	3.00	-
5200MHz	Pass	PK	5.2012G	118.40	Inf	-Inf	3	Horizontal	323	3.00	-
5200MHz	Pass	AV	15.59848G	51.90	54.00	-2.10	3	Vertical	83	1.89	-
5200MHz	Pass	PK	10.39672G	55.96	68.20	-12.24	3	Vertical	171	2.75	-
5200MHz	Pass	PK	15.59092G	65.14	74.00	-8.86	3	Vertical	83	1.89	-
5200MHz	Pass	AV	15.59972G	48.51	54.00	-5.49	3	Horizontal	180	1.08	-
5200MHz	Pass	PK	10.4035G	54.77	68.20	-13.43	3	Horizontal	179	1.09	-
5200MHz	Pass	PK	15.59096G	61.38	74.00	-12.62	3	Horizontal	180	1.08	-
5240MHz	Pass	AV	5.1428G	47.92	54.00	-6.08	3	Vertical	168	2.95	-
5240MHz	Pass	AV	5.2328G	93.48	Inf	-Inf	3	Vertical	168	2.95	-
5240MHz	Pass	AV	5.3564G	47.32	54.00	-6.68	3	Vertical	168	2.95	-
5240MHz	Pass	PK	5.1314G	60.04	74.00	-13.96	3	Vertical	168	2.95	-
5240MHz	Pass	PK	5.2334G	105.03	Inf	-Inf	3	Vertical	168	2.95	-
5240MHz	Pass	PK	5.3756G	58.93	74.00	-15.07	3	Vertical	168	2.95	-
5240MHz	Pass	AV	5.1464G	51.87	54.00	-2.13	3	Horizontal	318	2.95	-
5240MHz	Pass	AV	5.2412G	107.37	Inf	-Inf	3	Horizontal	318	2.95	-
5240MHz	Pass	AV	5.35G	50.51	54.00	-3.49	3	Horizontal	318	2.95	-
5240MHz	Pass	PK	5.1494G	66.88	74.00	-7.12	3	Horizontal	318	2.95	-
5240MHz	Pass	PK	5.237G	120.19	Inf	-Inf	3	Horizontal	318	2.95	-
5240MHz	Pass	PK	5.3522G	64.19	74.00	-9.81	3	Horizontal	318	2.95	-
5240MHz	Pass	AV	15.71968G	48.44	54.00	-5.56	3	Vertical	84	1.95	-
5240MHz	Pass	PK	10.48224G	58.67	68.20	-9.53	3	Vertical	172	2.17	-
5240MHz	Pass	PK	15.71348G	61.64	74.00	-12.36	3	Vertical	84	1.95	-
5240MHz	Pass	AV	15.71356G	46.80	54.00	-7.20	3	Horizontal	187	1.50	-
5240MHz	Pass	PK	10.47668G	55.93	68.20	-12.27	3	Horizontal	180	1.00	-
5240MHz	Pass	PK	15.71148G	59.65	74.00	-14.35	3	Horizontal	187	1.50	-
5745MHz	Pass	AV	5.7498G	96.07	Inf	-Inf	3	Vertical	251	2.08	-
5745MHz	Pass	PK	5.643G	59.20	68.20	-9.00	3	Vertical	251	2.08	-
5745MHz	Pass	PK	5.7498G	106.78	Inf	-Inf	3	Vertical	251	2.08	-
5745MHz	Pass	PK	6.0402G	60.92	68.20	-7.28	3	Vertical	251	2.08	-
5745MHz	Pass	AV	5.7462G	106.95	Inf	-Inf	3	Horizontal	311	1.00	-
5745MHz	Pass	PK	5.6514G	68.34	69.24	-0.90	3	Horizontal	311	1.00	-
5745MHz	Pass	PK	5.7438G	117.97	Inf	-Inf	3	Horizontal	311	1.00	-
5745MHz	Pass	PK	5.937G	59.93	68.20	-8.27	3	Horizontal	311	1.00	-
5745MHz	Pass	AV	11.4938G	43.25	54.00	-10.75	3	Vertical	23	2.13	-
5745MHz	Pass	PK	11.49212G	56.27	74.00	-17.73	3	Vertical	23	2.13	-
5745MHz	Pass	PK	17.23724G	63.09	68.20	-5.11	3	Vertical	1	1.50	-
5745MHz	Pass	AV	11.48152G	41.56	54.00	-12.44	3	Horizontal	195	2.03	-
5745MHz	Pass	PK	11.48392G	55.02	74.00	-18.98	3	Horizontal	195	2.03	-
5745MHz	Pass	PK	17.24308G	61.86	68.20	-6.34	3	Horizontal	3	1.22	-
5785MHz	Pass	AV	5.7802G	94.91	Inf	-Inf	3	Vertical	216	1.52	-
5785MHz	Pass	PK	5.6026G	59.48	68.20	-8.72	3	Vertical	216	1.52	-
5785MHz	Pass	PK	5.7838G	105.81	Inf	-Inf	3	Vertical	216	1.52	-
5785MHz	Pass	PK	5.9842G	60.89	68.20	-7.31	3	Vertical	216	1.52	-
5785MHz	Pass	AV	5.7838G	106.72	Inf	-Inf	3	Horizontal	309	1.01	-
5785MHz	Pass	PK	5.6194G	62.44	68.20	-5.76	3	Horizontal	309	1.01	-
5785MHz	Pass	PK	5.7862G	118.52	Inf	-Inf	3	Horizontal	309	1.01	-
5785MHz	Pass	PK	5.9302G	60.22	68.20	-7.98	3	Horizontal	309	1.01	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.57336G	42.78	54.00	-11.22	3	Vertical	23	2.35	-
5785MHz	Pass	PK	11.56816G	55.74	74.00	-18.26	3	Vertical	23	2.35	-
5785MHz	Pass	PK	17.34856G	62.36	68.20	-5.84	3	Vertical	226	2.56	-
5785MHz	Pass	AV	11.56576G	41.65	54.00	-12.35	3	Horizontal	23	1.55	-
5785MHz	Pass	PK	11.56188G	55.07	74.00	-18.93	3	Horizontal	23	1.55	-
5785MHz	Pass	PK	17.35112G	62.83	68.20	-5.37	3	Horizontal	178	1.80	-
5825MHz	Pass	AV	5.8262G	93.83	Inf	-Inf	3	Vertical	226	1.50	-
5825MHz	Pass	PK	5.6318G	59.13	68.20	-9.07	3	Vertical	226	1.50	-
5825MHz	Pass	PK	5.8226G	106.34	Inf	-Inf	3	Vertical	226	1.50	-
5825MHz	Pass	PK	5.9462G	60.06	68.20	-8.14	3	Vertical	226	1.50	-
5825MHz	Pass	AV	5.8262G	105.01	Inf	-Inf	3	Horizontal	323	2.60	-
5825MHz	Pass	PK	5.6474G	63.01	68.20	-5.19	3	Horizontal	323	2.60	-
5825MHz	Pass	PK	5.8166G	115.71	Inf	-Inf	3	Horizontal	323	2.60	-
5825MHz	Pass	PK	6.0566G	60.74	68.20	-7.46	3	Horizontal	323	2.60	-
5825MHz	Pass	AV	11.64852G	42.27	54.00	-11.73	3	Vertical	324	1.90	-
5825MHz	Pass	PK	11.64208G	54.75	74.00	-19.25	3	Vertical	324	1.90	-
5825MHz	Pass	PK	17.47936G	62.48	68.20	-5.72	3	Vertical	205	1.50	-
5825MHz	Pass	AV	11.65584G	41.07	54.00	-12.93	3	Horizontal	177	1.00	-
5825MHz	Pass	PK	11.6478G	53.90	74.00	-20.10	3	Horizontal	177	1.00	-
5825MHz	Pass	PK	17.48256G	62.04	68.20	-6.16	3	Horizontal	255	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.28	54.00	-0.72	3	Vertical	163	1.78	-
5180MHz	Pass	AV	5.1788G	104.31	Inf	-Inf	3	Vertical	163	1.78	-
5180MHz	Pass	PK	5.15G	70.74	74.00	-3.26	3	Vertical	163	1.78	-
5180MHz	Pass	PK	5.1812G	117.52	Inf	-Inf	3	Vertical	163	1.78	-
5180MHz	Pass	AV	5.15G	47.62	54.00	-6.38	3	Horizontal	170	2.80	-
5180MHz	Pass	AV	5.1836G	89.00	Inf	-Inf	3	Horizontal	170	2.80	-
5180MHz	Pass	PK	5.1386G	59.51	74.00	-14.49	3	Horizontal	170	2.80	-
5180MHz	Pass	PK	5.1812G	101.45	Inf	-Inf	3	Horizontal	170	2.80	-
5180MHz	Pass	AV	15.5302G	48.65	54.00	-5.35	3	Vertical	187	1.50	-
5180MHz	Pass	PK	10.36164G	56.68	68.20	-11.52	3	Vertical	186	1.39	-
5180MHz	Pass	PK	15.54092G	62.47	74.00	-11.53	3	Vertical	187	1.50	-
5180MHz	Pass	AV	15.53064G	48.61	54.00	-5.39	3	Horizontal	329	1.04	-
5180MHz	Pass	PK	10.3616G	54.00	68.20	-14.20	3	Horizontal	20	2.83	-
5180MHz	Pass	PK	15.54272G	62.91	74.00	-11.09	3	Horizontal	329	1.04	-
5200MHz	Pass	AV	5.15G	53.87	54.00	-0.13	3	Vertical	145	1.66	-
5200MHz	Pass	AV	5.2036G	107.17	Inf	-Inf	3	Vertical	145	1.66	-
5200MHz	Pass	PK	5.1496G	69.88	74.00	-4.12	3	Vertical	145	1.66	-
5200MHz	Pass	PK	5.206G	118.93	Inf	-Inf	3	Vertical	145	1.66	-
5200MHz	Pass	AV	5.15G	46.99	54.00	-7.01	3	Horizontal	177	1.38	-
5200MHz	Pass	AV	5.2012G	90.74	Inf	-Inf	3	Horizontal	177	1.38	-
5200MHz	Pass	PK	5.134G	58.77	74.00	-15.23	3	Horizontal	177	1.38	-
5200MHz	Pass	PK	5.1976G	102.85	Inf	-Inf	3	Horizontal	177	1.38	-
5200MHz	Pass	AV	15.59304G	47.84	54.00	-6.16	3	Vertical	289	1.09	-
5200MHz	Pass	PK	10.40364G	58.53	68.20	-9.67	3	Vertical	160	1.99	-
5200MHz	Pass	PK	15.60988G	61.86	74.00	-12.14	3	Vertical	289	1.09	-
5200MHz	Pass	AV	15.5908G	47.69	54.00	-6.31	3	Horizontal	95	1.50	-
5200MHz	Pass	PK	10.40364G	57.65	68.20	-10.55	3	Horizontal	178	2.12	-
5200MHz	Pass	PK	15.59892G	61.46	74.00	-12.54	3	Horizontal	95	1.50	-
5240MHz	Pass	AV	5.15G	53.86	54.00	-0.14	3	Vertical	340	1.87	-
5240MHz	Pass	AV	5.2472G	109.39	Inf	-Inf	3	Vertical	340	1.87	-
5240MHz	Pass	AV	5.35G	50.25	54.00	-3.75	3	Vertical	340	1.87	-
5240MHz	Pass	PK	5.1494G	70.36	74.00	-3.64	3	Vertical	340	1.87	-
5240MHz	Pass	PK	5.2472G	121.93	Inf	-Inf	3	Vertical	340	1.87	-
5240MHz	Pass	PK	5.3774G	64.02	74.00	-9.98	3	Vertical	340	1.87	-
5240MHz	Pass	AV	5.15G	47.63	54.00	-6.37	3	Horizontal	167	2.88	-
5240MHz	Pass	AV	5.2382G	94.56	Inf	-Inf	3	Horizontal	167	2.88	-
5240MHz	Pass	AV	5.3534G	46.86	54.00	-7.14	3	Horizontal	167	2.88	-
5240MHz	Pass	PK	5.1458G	60.45	74.00	-13.55	3	Horizontal	167	2.88	-
5240MHz	Pass	PK	5.2376G	106.61	Inf	-Inf	3	Horizontal	167	2.88	-
5240MHz	Pass	PK	5.3546G	58.99	74.00	-15.01	3	Horizontal	167	2.88	-
5240MHz	Pass	AV	15.71376G	46.91	54.00	-7.09	3	Vertical	23	3.00	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.48376G	61.41	68.20	-6.79	3	Vertical	186	2.20	-
5240MHz	Pass	PK	15.7142G	60.01	74.00	-13.99	3	Vertical	23	3.00	-
5240MHz	Pass	AV	15.71156G	46.60	54.00	-7.40	3	Horizontal	203	1.50	-
5240MHz	Pass	PK	10.48368G	58.29	68.20	-9.91	3	Horizontal	179	2.12	-
5240MHz	Pass	PK	15.71G	59.75	74.00	-14.25	3	Horizontal	203	1.50	-
5745MHz	Pass	AV	5.7462G	108.27	Inf	-Inf	3	Vertical	332	1.86	-
5745MHz	Pass	PK	5.6382G	67.23	68.20	-0.97	3	Vertical	332	1.86	-
5745MHz	Pass	PK	5.7414G	120.58	Inf	-Inf	3	Vertical	332	1.86	-
5745MHz	Pass	PK	5.9274G	60.12	68.20	-8.08	3	Vertical	332	1.86	-
5745MHz	Pass	AV	5.7426G	90.67	Inf	-Inf	3	Horizontal	174	1.50	-
5745MHz	Pass	PK	5.6454G	59.49	68.20	-8.71	3	Horizontal	174	1.50	-
5745MHz	Pass	PK	5.7414G	102.20	Inf	-Inf	3	Horizontal	174	1.50	-
5745MHz	Pass	PK	6.0258G	60.51	68.20	-7.69	3	Horizontal	174	1.50	-
5745MHz	Pass	AV	11.4908G	43.27	54.00	-10.73	3	Vertical	323	2.10	-
5745MHz	Pass	PK	11.49128G	56.50	74.00	-17.50	3	Vertical	323	2.10	-
5745MHz	Pass	PK	17.22972G	63.04	68.20	-5.16	3	Vertical	184	2.92	-
5745MHz	Pass	AV	11.4914G	41.72	54.00	-12.28	3	Horizontal	161	1.20	-
5745MHz	Pass	PK	11.4832G	55.43	74.00	-18.57	3	Horizontal	161	1.20	-
5745MHz	Pass	PK	17.23804G	63.02	68.20	-5.18	3	Horizontal	360	2.92	-
5785MHz	Pass	AV	5.7778G	107.28	Inf	-Inf	3	Vertical	330	1.68	-
5785MHz	Pass	PK	5.6446G	63.70	68.20	-4.50	3	Vertical	330	1.68	-
5785MHz	Pass	PK	5.7778G	118.47	Inf	-Inf	3	Vertical	330	1.68	-
5785MHz	Pass	PK	6.0394G	61.55	68.20	-6.65	3	Vertical	330	1.68	-
5785MHz	Pass	AV	5.7814G	90.70	Inf	-Inf	3	Horizontal	177	1.50	-
5785MHz	Pass	PK	5.5582G	60.60	68.20	-7.60	3	Horizontal	177	1.50	-
5785MHz	Pass	PK	5.779G	102.52	Inf	-Inf	3	Horizontal	177	1.50	-
5785MHz	Pass	PK	6.0454G	60.73	68.20	-7.47	3	Horizontal	177	1.50	-
5785MHz	Pass	AV	11.57008G	43.23	54.00	-10.77	3	Vertical	321	1.88	-
5785MHz	Pass	PK	11.57352G	56.70	74.00	-17.30	3	Vertical	321	1.88	-
5785MHz	Pass	PK	17.35216G	63.33	68.20	-4.87	3	Vertical	142	1.50	-
5785MHz	Pass	AV	11.56016G	41.38	54.00	-12.62	3	Horizontal	167	1.32	-
5785MHz	Pass	PK	11.57536G	55.26	74.00	-18.74	3	Horizontal	167	1.32	-
5785MHz	Pass	PK	17.35068G	62.55	68.20	-5.65	3	Horizontal	126	1.50	-
5825MHz	Pass	AV	5.8262G	105.46	Inf	-Inf	3	Vertical	333	1.81	-
5825MHz	Pass	PK	5.6342G	62.47	68.20	-5.73	3	Vertical	333	1.81	-
5825MHz	Pass	PK	5.8226G	118.23	Inf	-Inf	3	Vertical	333	1.81	-
5825MHz	Pass	PK	6.0146G	60.81	68.20	-7.39	3	Vertical	333	1.81	-
5825MHz	Pass	AV	5.8178G	88.08	Inf	-Inf	3	Horizontal	45	1.00	-
5825MHz	Pass	PK	5.5658G	59.20	68.20	-9.00	3	Horizontal	45	1.00	-
5825MHz	Pass	PK	5.8202G	99.77	Inf	-Inf	3	Horizontal	45	1.00	-
5825MHz	Pass	PK	5.9342G	60.48	68.20	-7.72	3	Horizontal	45	1.00	-
5825MHz	Pass	AV	11.6522G	42.78	54.00	-11.22	3	Vertical	325	1.70	-
5825MHz	Pass	PK	11.64816G	55.87	74.00	-18.13	3	Vertical	325	1.70	-
5825MHz	Pass	PK	17.47888G	62.75	68.20	-5.45	3	Vertical	18	1.50	-
5825MHz	Pass	AV	11.6518G	41.18	54.00	-12.82	3	Horizontal	355	2.74	-
5825MHz	Pass	PK	11.64624G	55.07	74.00	-18.93	3	Horizontal	355	2.74	-
5825MHz	Pass	PK	17.48072G	62.89	68.20	-5.31	3	Horizontal	195	2.53	-
802.11ax HEW40_Nss1 (MCS0)_1TX (Port1)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	50.13	54.00	-3.87	3	Vertical	78	3.00	-
5190MHz	Pass	AV	5.1768G	90.78	Inf	-Inf	3	Vertical	78	3.00	-
5190MHz	Pass	PK	5.1456G	62.20	74.00	-11.80	3	Vertical	78	3.00	-
5190MHz	Pass	PK	5.176G	102.95	Inf	-Inf	3	Vertical	78	3.00	-
5190MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Horizontal	324	1.09	-
5190MHz	Pass	AV	5.1768G	98.50	Inf	-Inf	3	Horizontal	324	1.09	-
5190MHz	Pass	PK	5.1496G	71.45	74.00	-2.55	3	Horizontal	324	1.09	-
5190MHz	Pass	PK	5.1772G	110.27	Inf	-Inf	3	Horizontal	324	1.09	-
5190MHz	Pass	AV	15.56344G	49.52	54.00	-4.48	3	Vertical	154	1.50	-
5190MHz	Pass	PK	10.37716G	54.36	68.20	-13.84	3	Vertical	72	2.11	-
5190MHz	Pass	PK	15.57312G	62.03	74.00	-11.97	3	Vertical	154	1.50	-
5190MHz	Pass	AV	15.5642G	49.30	54.00	-4.70	3	Horizontal	280	1.34	-
5190MHz	Pass	PK	10.37592G	55.08	68.20	-13.12	3	Horizontal	203	2.50	-
5190MHz	Pass	PK	15.56496G	61.19	74.00	-12.81	3	Horizontal	280	1.34	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.1492G	48.87	54.00	-5.13	3	Vertical	239	2.10	-
5230MHz	Pass	AV	5.2356G	88.00	Inf	-Inf	3	Vertical	239	2.10	-
5230MHz	Pass	PK	5.148G	60.92	74.00	-13.08	3	Vertical	239	2.10	-
5230MHz	Pass	PK	5.2352G	100.22	Inf	-Inf	3	Vertical	239	2.10	-
5230MHz	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	325	2.56	-
5230MHz	Pass	AV	5.2356G	101.90	Inf	-Inf	3	Horizontal	325	2.56	-
5230MHz	Pass	PK	5.1484G	67.52	74.00	-6.48	3	Horizontal	325	2.56	-
5230MHz	Pass	PK	5.2356G	114.26	Inf	-Inf	3	Horizontal	325	2.56	-
5230MHz	Pass	AV	15.69684G	48.61	54.00	-5.39	3	Vertical	187	1.31	-
5230MHz	Pass	PK	10.46828G	57.46	68.20	-10.74	3	Vertical	169	3.00	-
5230MHz	Pass	PK	15.68152G	61.43	74.00	-12.57	3	Vertical	187	1.31	-
5230MHz	Pass	AV	15.69268G	48.36	54.00	-5.64	3	Horizontal	360	1.98	-
5230MHz	Pass	PK	10.46156G	55.65	68.20	-12.55	3	Horizontal	179	1.08	-
5230MHz	Pass	PK	15.68664G	60.48	74.00	-13.52	3	Horizontal	360	1.98	-
5755MHz	Pass	AV	5.761G	92.23	Inf	-Inf	3	Vertical	217	1.49	-
5755MHz	Pass	PK	5.6494G	60.02	68.20	-8.18	3	Vertical	217	1.49	-
5755MHz	Pass	PK	5.7514G	103.48	Inf	-Inf	3	Vertical	217	1.49	-
5755MHz	Pass	PK	6.043G	59.86	68.20	-8.34	3	Vertical	217	1.49	-
5755MHz	Pass	AV	5.761G	103.22	Inf	-Inf	3	Horizontal	326	2.89	-
5755MHz	Pass	PK	5.6458G	67.05	68.20	-1.15	3	Horizontal	326	2.89	-
5755MHz	Pass	PK	5.7526G	115.19	Inf	-Inf	3	Horizontal	326	2.89	-
5755MHz	Pass	PK	6.037G	60.03	68.20	-8.17	3	Horizontal	326	2.89	-
5755MHz	Pass	AV	11.51168G	44.84	54.00	-9.16	3	Vertical	21	2.40	-
5755MHz	Pass	PK	11.50476G	57.03	74.00	-16.97	3	Vertical	21	2.40	-
5755MHz	Pass	PK	17.26528G	62.70	68.20	-5.50	3	Vertical	159	1.50	-
5755MHz	Pass	AV	11.5012G	43.89	54.00	-10.11	3	Horizontal	294	1.50	-
5755MHz	Pass	PK	11.50724G	55.89	74.00	-18.11	3	Horizontal	294	1.50	-
5755MHz	Pass	PK	17.26932G	62.35	68.20	-5.85	3	Horizontal	2	1.50	-
5795MHz	Pass	AV	5.7914G	92.32	Inf	-Inf	3	Vertical	218	1.68	-
5795MHz	Pass	PK	5.6426G	60.56	68.20	-7.64	3	Vertical	218	1.68	-
5795MHz	Pass	PK	5.7914G	104.02	Inf	-Inf	3	Vertical	218	1.68	-
5795MHz	Pass	PK	5.9402G	61.03	68.20	-7.17	3	Vertical	218	1.68	-
5795MHz	Pass	AV	5.7974G	103.49	Inf	-Inf	3	Horizontal	327	3.00	-
5795MHz	Pass	PK	5.645G	66.21	68.20	-1.99	3	Horizontal	327	3.00	-
5795MHz	Pass	PK	5.7926G	114.67	Inf	-Inf	3	Horizontal	327	3.00	-
5795MHz	Pass	PK	6.059G	60.02	68.20	-8.18	3	Horizontal	327	3.00	-
5795MHz	Pass	AV	11.57768G	41.85	54.00	-12.15	3	Vertical	143	1.50	-
5795MHz	Pass	PK	11.5832G	55.03	74.00	-18.97	3	Vertical	143	1.50	-
5795MHz	Pass	PK	17.36836G	62.22	68.20	-5.98	3	Vertical	330	2.55	-
5795MHz	Pass	AV	11.57992G	41.49	54.00	-12.51	3	Horizontal	176	1.06	-
5795MHz	Pass	PK	11.59512G	53.83	74.00	-20.17	3	Horizontal	176	1.06	-
5795MHz	Pass	PK	17.37404G	62.61	68.20	-5.59	3	Horizontal	0	1.07	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Vertical	146	1.50	-
5190MHz	Pass	AV	5.1888G	99.09	Inf	-Inf	3	Vertical	146	1.50	-
5190MHz	Pass	PK	5.1496G	67.84	74.00	-6.16	3	Vertical	146	1.50	-
5190MHz	Pass	PK	5.194G	112.27	Inf	-Inf	3	Vertical	146	1.50	-
5190MHz	Pass	AV	5.1484G	47.08	54.00	-6.92	3	Horizontal	51	1.50	-
5190MHz	Pass	AV	5.184G	82.57	Inf	-Inf	3	Horizontal	51	1.50	-
5190MHz	Pass	PK	5.1352G	59.43	74.00	-14.57	3	Horizontal	51	1.50	-
5190MHz	Pass	PK	5.1808G	95.25	Inf	-Inf	3	Horizontal	51	1.50	-
5190MHz	Pass	AV	15.55854G	47.77	54.00	-6.23	3	Vertical	83	1.71	-
5190MHz	Pass	PK	10.38732G	53.45	68.20	-14.75	3	Vertical	84	1.53	-
5190MHz	Pass	PK	15.57684G	61.49	74.00	-12.51	3	Vertical	83	1.71	-
5190MHz	Pass	AV	15.5565G	47.77	54.00	-6.23	3	Horizontal	291	2.27	-
5190MHz	Pass	PK	10.37772G	53.73	68.20	-14.47	3	Horizontal	46	2.05	-
5190MHz	Pass	PK	15.57978G	61.02	74.00	-12.98	3	Horizontal	291	2.27	-
5230MHz	Pass	AV	5.15G	53.44	54.00	-0.56	3	Vertical	335	1.91	-
5230MHz	Pass	AV	5.2244G	103.80	Inf	-Inf	3	Vertical	335	1.91	-
5230MHz	Pass	PK	5.1476G	69.49	74.00	-4.51	3	Vertical	335	1.91	-
5230MHz	Pass	PK	5.222G	116.83	Inf	-Inf	3	Vertical	335	1.91	-
5230MHz	Pass	AV	5.1496G	47.46	54.00	-6.54	3	Horizontal	280	1.07	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.2336G	89.25	Inf	-Inf	3	Horizontal	280	1.07	-
5230MHz	Pass	PK	5.1328G	58.95	74.00	-15.05	3	Horizontal	280	1.07	-
5230MHz	Pass	PK	5.2264G	102.07	Inf	-Inf	3	Horizontal	280	1.07	-
5230MHz	Pass	AV	15.67764G	46.54	54.00	-7.46	3	Vertical	239	2.21	-
5230MHz	Pass	PK	10.46222G	53.20	68.20	-15.00	3	Vertical	166	2.40	-
5230MHz	Pass	PK	15.67776G	59.82	74.00	-14.18	3	Vertical	239	2.21	-
5230MHz	Pass	AV	15.675G	46.52	54.00	-7.48	3	Horizontal	22	2.93	-
5230MHz	Pass	PK	10.44668G	53.92	68.20	-14.28	3	Horizontal	62	1.92	-
5230MHz	Pass	PK	15.67638G	59.89	74.00	-14.11	3	Horizontal	22	2.93	-
5755MHz	Pass	AV	5.7502G	103.22	Inf	-Inf	3	Vertical	148	1.88	-
5755MHz	Pass	PK	5.6458G	67.54	68.20	-0.66	3	Vertical	148	1.88	-
5755MHz	Pass	PK	5.7598G	115.85	Inf	-Inf	3	Vertical	148	1.88	-
5755MHz	Pass	PK	6.049G	59.94	68.20	-8.26	3	Vertical	148	1.88	-
5755MHz	Pass	AV	5.749G	88.23	Inf	-Inf	3	Horizontal	166	2.47	-
5755MHz	Pass	PK	5.5666G	58.63	68.20	-9.57	3	Horizontal	166	2.47	-
5755MHz	Pass	PK	5.7562G	100.49	Inf	-Inf	3	Horizontal	166	2.47	-
5755MHz	Pass	PK	5.9434G	60.25	68.20	-7.95	3	Horizontal	166	2.47	-
5755MHz	Pass	AV	11.50598G	41.06	54.00	-12.94	3	Vertical	80	1.15	-
5755MHz	Pass	PK	11.51018G	54.22	74.00	-19.78	3	Vertical	80	1.15	-
5755MHz	Pass	PK	17.26938G	61.52	68.20	-6.68	3	Vertical	281	2.68	-
5755MHz	Pass	AV	11.504G	41.00	54.00	-13.00	3	Horizontal	73	2.78	-
5755MHz	Pass	PK	11.52398G	53.63	74.00	-20.37	3	Horizontal	73	2.78	-
5755MHz	Pass	PK	17.25366G	61.09	68.20	-7.11	3	Horizontal	65	1.00	-
5795MHz	Pass	AV	5.7782G	102.98	Inf	-Inf	3	Vertical	1	1.65	-
5795MHz	Pass	PK	5.651G	68.49	68.94	-0.45	3	Vertical	1	1.65	-
5795MHz	Pass	PK	5.783G	115.00	Inf	-Inf	3	Vertical	1	1.65	-
5795MHz	Pass	PK	6.0146G	59.95	68.20	-8.25	3	Vertical	1	1.65	-
5795MHz	Pass	AV	5.777G	87.35	Inf	-Inf	3	Horizontal	167	2.35	-
5795MHz	Pass	PK	5.6426G	59.55	68.20	-8.65	3	Horizontal	167	2.35	-
5795MHz	Pass	PK	5.7806G	99.67	Inf	-Inf	3	Horizontal	167	2.35	-
5795MHz	Pass	PK	5.957G	60.19	68.20	-8.01	3	Horizontal	167	2.35	-
5795MHz	Pass	AV	11.57758G	40.50	54.00	-13.50	3	Vertical	209	2.19	-
5795MHz	Pass	PK	11.59786G	54.21	74.00	-19.79	3	Vertical	209	2.19	-
5795MHz	Pass	PK	17.38788G	62.63	68.20	-5.57	3	Vertical	40	2.50	-
5795MHz	Pass	AV	11.5774G	40.50	54.00	-13.50	3	Horizontal	356	2.65	-
5795MHz	Pass	PK	11.57596G	53.52	74.00	-20.48	3	Horizontal	356	2.65	-
5795MHz	Pass	PK	17.38902G	61.91	68.20	-6.29	3	Horizontal	231	1.87	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	50.15	54.00	-3.85	3	Vertical	36	2.35	-
5210MHz	Pass	AV	5.201G	85.26	Inf	-Inf	3	Vertical	36	2.35	-
5210MHz	Pass	AV	5.377G	49.44	54.00	-4.56	3	Vertical	36	2.35	-
5210MHz	Pass	PK	5.124G	60.17	74.00	-13.83	3	Vertical	36	2.35	-
5210MHz	Pass	PK	5.213G	96.67	Inf	-Inf	3	Vertical	36	2.35	-
5210MHz	Pass	PK	5.392G	59.55	74.00	-14.45	3	Vertical	36	2.35	-
5210MHz	Pass	AV	5.143G	53.30	54.00	-0.70	3	Horizontal	321	1.00	-
5210MHz	Pass	AV	5.201G	95.71	Inf	-Inf	3	Horizontal	321	1.00	-
5210MHz	Pass	AV	5.364G	50.90	54.00	-3.10	3	Horizontal	321	1.00	-
5210MHz	Pass	PK	5.15G	62.64	74.00	-11.36	3	Horizontal	321	1.00	-
5210MHz	Pass	PK	5.198G	105.71	Inf	-Inf	3	Horizontal	321	1.00	-
5210MHz	Pass	PK	5.37G	59.45	74.00	-14.55	3	Horizontal	321	1.00	-
5210MHz	Pass	AV	15.60264G	50.50	54.00	-3.50	3	Vertical	321	1.18	-
5210MHz	Pass	PK	10.40912G	54.88	68.20	-13.32	3	Vertical	248	2.08	-
5210MHz	Pass	PK	15.61064G	60.80	74.00	-13.20	3	Vertical	321	1.18	-
5210MHz	Pass	AV	15.59592G	50.77	54.00	-3.23	3	Horizontal	51	2.42	-
5210MHz	Pass	PK	10.38864G	54.42	68.20	-13.78	3	Horizontal	162	1.57	-
5210MHz	Pass	PK	15.62792G	61.22	74.00	-12.78	3	Horizontal	51	2.42	-
5775MHz	Pass	AV	5.7606G	89.41	Inf	-Inf	3	Vertical	136	1.23	-
5775MHz	Pass	PK	5.6418G	60.37	68.20	-7.83	3	Vertical	136	1.23	-
5775MHz	Pass	PK	5.7654G	99.25	Inf	-Inf	3	Vertical	136	1.23	-
5775MHz	Pass	PK	5.9418G	61.84	68.20	-6.36	3	Vertical	136	1.23	-
5775MHz	Pass	AV	5.7606G	101.23	Inf	-Inf	3	Horizontal	324	2.90	-
5775MHz	Pass	PK	5.6442G	68.08	68.20	-0.12	3	Horizontal	324	2.90	-




RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.757G	112.37	Inf	-Inf	3	Horizontal	324	2.90	-
5775MHz	Pass	PK	6.0534G	62.02	68.20	-6.18	3	Horizontal	324	2.90	-
5775MHz	Pass	AV	11.51752G	45.13	54.00	-8.87	3	Vertical	332	1.28	-
5775MHz	Pass	PK	11.53592G	54.81	74.00	-19.19	3	Vertical	332	1.28	-
5775MHz	Pass	PK	17.29236G	63.00	68.20	-5.20	3	Vertical	104	1.25	-
5775MHz	Pass	AV	11.51176G	45.07	54.00	-8.93	3	Horizontal	136	1.57	-
5775MHz	Pass	PK	11.54488G	54.54	74.00	-19.46	3	Horizontal	136	1.57	-
5775MHz	Pass	PK	17.34788G	62.79	68.20	-5.41	3	Horizontal	64	1.89	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.59	54.00	-0.41	3	Vertical	340	1.87	-
5210MHz	Pass	AV	5.217G	96.13	Inf	-Inf	3	Vertical	340	1.87	-
5210MHz	Pass	AV	5.35G	48.56	54.00	-5.44	3	Vertical	340	1.87	-
5210MHz	Pass	PK	5.144G	69.79	74.00	-4.21	3	Vertical	340	1.87	-
5210MHz	Pass	PK	5.216G	108.11	Inf	-Inf	3	Vertical	340	1.87	-
5210MHz	Pass	PK	5.355G	60.41	74.00	-13.59	3	Vertical	340	1.87	-
5210MHz	Pass	AV	5.15G	46.94	54.00	-7.06	3	Horizontal	165	2.71	-
5210MHz	Pass	AV	5.223G	80.41	Inf	-Inf	3	Horizontal	165	2.71	-
5210MHz	Pass	AV	5.363G	46.41	54.00	-7.59	3	Horizontal	165	2.71	-
5210MHz	Pass	PK	5.091G	58.84	74.00	-15.16	3	Horizontal	165	2.71	-
5210MHz	Pass	PK	5.183G	93.06	Inf	-Inf	3	Horizontal	165	2.71	-
5210MHz	Pass	PK	5.448G	58.89	74.00	-15.11	3	Horizontal	165	2.71	-
5210MHz	Pass	AV	15.63132G	49.77	54.00	-4.23	3	Vertical	101	1.05	-
5210MHz	Pass	PK	10.43422G	53.78	68.20	-14.42	3	Vertical	10	1.97	-
5210MHz	Pass	PK	15.62052G	60.05	74.00	-13.95	3	Vertical	101	1.05	-
5210MHz	Pass	AV	15.61662G	49.81	54.00	-4.19	3	Horizontal	281	2.01	-
5210MHz	Pass	PK	10.41862G	53.93	68.20	-14.27	3	Horizontal	334	2.53	-
5210MHz	Pass	PK	15.62292G	60.75	74.00	-13.25	3	Horizontal	281	2.01	-
5775MHz	Pass	AV	5.763G	98.30	Inf	-Inf	3	Vertical	149	1.85	-
5775MHz	Pass	PK	5.6454G	66.94	68.20	-1.26	3	Vertical	149	1.85	-
5775MHz	Pass	PK	5.763G	110.49	Inf	-Inf	3	Vertical	149	1.85	-
5775MHz	Pass	PK	6.0486G	60.40	68.20	-7.80	3	Vertical	149	1.85	-
5775MHz	Pass	AV	5.7438G	82.74	Inf	-Inf	3	Horizontal	167	2.40	-
5775MHz	Pass	PK	5.6178G	59.46	68.20	-8.74	3	Horizontal	167	2.40	-
5775MHz	Pass	PK	5.7378G	94.95	Inf	-Inf	3	Horizontal	167	2.40	-
5775MHz	Pass	PK	5.973G	60.36	68.20	-7.84	3	Horizontal	167	2.40	-
5775MHz	Pass	AV	11.5431G	43.45	54.00	-10.55	3	Vertical	359	2.51	-
5775MHz	Pass	PK	11.55294G	53.92	74.00	-20.08	3	Vertical	359	2.51	-
5775MHz	Pass	PK	17.32512G	61.43	68.20	-6.77	3	Vertical	171	1.25	-
5775MHz	Pass	AV	11.53974G	43.26	54.00	-10.74	3	Horizontal	110	2.23	-
5775MHz	Pass	PK	11.55042G	54.47	74.00	-19.53	3	Horizontal	110	2.23	-
5775MHz	Pass	PK	17.316G	61.85	68.20	-6.35	3	Horizontal	151	2.33	-

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.67	54.00	-6.33	8.90	3	Vertical	71	2.56	-	38.77	33.20	9.83	34.13
AV	5.1818G	91.83	Inf	-Inf	8.86	3	Vertical	71	2.56	-	82.97	33.14	9.85	34.13
PK	5.141G	60.93	74.00	-13.07	8.90	3	Vertical	71	2.56	-	52.03	33.20	9.83	34.13
PK	5.1818G	102.09	Inf	-Inf	8.86	3	Vertical	71	2.56	-	93.23	33.14	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.99	54.00	-1.01	8.90	3	Horizontal	317	2.87	-	44.09	33.20	9.83	34.13
AV	5.1776G	103.42	Inf	-Inf	8.86	3	Horizontal	317	2.87	-	94.56	33.14	9.85	34.13
PK	5.1488G	71.33	74.00	-2.67	8.90	3	Horizontal	317	2.87	-	62.43	33.20	9.83	34.13
PK	5.1818G	113.60	Inf	-Inf	8.86	3	Horizontal	317	2.87	-	104.74	33.14	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53516G	50.93	54.00	-3.07	19.95	3	Vertical	278	2.53	-	30.98	38.70	15.68	34.43
PK	10.35936G	55.72	68.20	-12.48	16.74	3	Vertical	170	1.98	-	38.98	38.66	12.67	34.59
PK	15.54296G	66.11	74.00	-7.89	19.95	3	Vertical	278	2.53	-	46.16	38.70	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54108G	49.39	54.00	-4.61	19.95	3	Horizontal	0	3.00	-	29.44	38.70	15.68	34.43
PK	10.35512G	55.20	68.20	-13.00	16.74	3	Horizontal	177	1.76	-	38.46	38.66	12.67	34.59
PK	15.53748G	63.75	74.00	-10.25	19.95	3	Horizontal	0	3.00	-	43.80	38.70	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.85	54.00	-6.15	8.90	3	Vertical	43	2.48	-	38.95	33.20	9.83	34.13
AV	5.2042G	96.15	Inf	-Inf	8.80	3	Vertical	43	2.48	-	87.35	33.08	9.86	34.14
PK	5.1496G	60.96	74.00	-13.04	8.90	3	Vertical	43	2.48	-	52.06	33.20	9.83	34.13
PK	5.2048G	106.22	Inf	-Inf	8.80	3	Vertical	43	2.48	-	97.42	33.08	9.86	34.14


802.11a_Nss1,(6Mbps)_1TX(Port1)

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.45	54.00	-0.55	8.90	3	Horizontal	321	3.00	-	44.55	33.20	9.83	34.13
AV	5.203G	106.19	Inf	-Inf	8.81	3	Horizontal	321	3.00	-	97.38	33.09	9.86	34.14
PK	5.15G	69.46	74.00	-4.54	8.90	3	Horizontal	321	3.00	-	60.56	33.20	9.83	34.13
PK	5.2024G	116.17	Inf	-Inf	8.81	3	Horizontal	321	3.00	-	107.36	33.09	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port1)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59512G	52.03	54.00	-1.97	19.96	3	Vertical	209	3.00	-	32.07	38.70	15.72	34.46
PK	10.39748G	58.12	68.20	-10.08	16.83	3	Vertical	170	2.32	-	41.29	38.70	12.69	34.56
PK	15.59188G	65.50	74.00	-8.50	19.96	3	Vertical	209	3.00	-	45.54	38.70	15.72	34.46


802.11a_Nss1,(6Mbps)_1TX(Port1)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59508G	49.59	54.00	-4.41	19.96	3	Horizontal	72	3.00	-	29.63	38.70	15.72	34.46
PK	10.394G	55.25	68.20	-12.95	16.80	3	Horizontal	177	1.00	-	38.45	38.69	12.68	34.57
PK	15.60532G	63.16	74.00	-10.84	19.93	3	Horizontal	72	3.00	-	43.23	38.67	15.73	34.47

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	47.26	54.00	-6.74	8.90	3	Vertical	61	2.39	-	38.36	33.20	9.83	34.13
AV	5.2328G	93.60	Inf	-Inf	8.71	3	Vertical	61	2.39	-	84.89	32.97	9.88	34.14
AV	5.35G	46.64	54.00	-7.36	8.51	3	Vertical	61	2.39	-	38.13	32.70	9.97	34.16
PK	5.1458G	59.28	74.00	-14.72	8.90	3	Vertical	61	2.39	-	50.38	33.20	9.83	34.13
PK	5.234G	103.79	Inf	-Inf	8.70	3	Vertical	61	2.39	-	95.09	32.96	9.88	34.14
PK	5.3594G	58.88	74.00	-15.12	8.53	3	Vertical	61	2.39	-	50.35	32.72	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	50.63	54.00	-3.37	8.90	3	Horizontal	317	2.80	-	41.73	33.20	9.83	34.13
AV	5.2424G	106.48	Inf	-Inf	8.68	3	Horizontal	317	2.80	-	97.80	32.93	9.89	34.14
AV	5.3504G	48.65	54.00	-5.35	8.51	3	Horizontal	317	2.80	-	40.14	32.70	9.97	34.16
PK	5.1422G	65.65	74.00	-8.35	8.90	3	Horizontal	317	2.80	-	56.75	33.20	9.83	34.13
PK	5.2454G	116.94	Inf	-Inf	8.67	3	Horizontal	317	2.80	-	108.27	32.92	9.89	34.14
PK	5.3504G	64.15	74.00	-9.85	8.51	3	Horizontal	317	2.80	-	55.64	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72216G	47.03	54.00	-6.97	19.46	3	Vertical	187	2.62	-	27.57	38.18	15.81	34.53
PK	10.4776G	58.73	68.20	-9.47	16.83	3	Vertical	170	2.13	-	41.90	38.62	12.72	34.51
PK	15.71976G	60.29	74.00	-13.71	19.46	3	Vertical	187	2.62	-	40.83	38.18	15.81	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72284G	46.86	54.00	-7.14	19.46	3	Horizontal	58	3.00	-	27.40	38.18	15.81	34.53
PK	10.4774G	55.97	68.20	-12.23	16.83	3	Horizontal	328	2.10	-	39.14	38.62	12.72	34.51
PK	15.71964G	59.81	74.00	-14.19	19.46	3	Horizontal	58	3.00	-	40.35	38.18	15.81	34.53

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	95.16	Inf	-Inf	9.63	3	Vertical	250	1.96	-	85.53	33.68	10.15	34.20
PK	5.4642G	59.07	68.20	-9.13	8.77	3	Vertical	250	1.96	-	50.30	32.93	10.02	34.18
PK	5.7498G	105.14	Inf	-Inf	9.65	3	Vertical	250	1.96	-	95.49	33.70	10.15	34.20
PK	6.0066G	60.42	68.20	-7.78	10.15	3	Vertical	250	1.96	-	50.27	34.03	10.34	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	106.05	Inf	-Inf	9.63	3	Horizontal	321	2.55	-	96.42	33.68	10.15	34.20
PK	5.6346G	63.80	68.20	-4.40	9.13	3	Horizontal	321	2.55	-	54.67	33.24	10.09	34.20
PK	5.751G	116.78	Inf	-Inf	9.64	3	Horizontal	321	2.55	-	107.14	33.70	10.15	34.21
PK	6.021G	60.33	68.20	-7.87	10.21	3	Horizontal	321	2.55	-	50.12	34.08	10.35	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4812G	41.16	54.00	-12.84	17.99	3	Vertical	115	2.98	-	23.17	38.94	13.11	34.06
PK	11.48588G	54.39	74.00	-19.61	17.98	3	Vertical	115	2.98	-	36.41	38.93	13.11	34.06
PK	17.22884G	62.77	68.20	-5.43	21.44	3	Vertical	111	1.73	-	41.33	38.49	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48948G	41.81	54.00	-12.19	17.97	3	Horizontal	139	1.54	-	23.84	38.92	13.11	34.06
PK	11.49408G	54.41	74.00	-19.59	17.96	3	Horizontal	139	1.54	-	36.45	38.91	13.11	34.06
PK	17.22932G	62.79	68.20	-5.41	21.44	3	Horizontal	257	2.33	-	41.35	38.49	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	94.32	Inf	-Inf	9.73	3	Vertical	224	1.97	-	84.59	33.77	10.17	34.21
PK	5.647G	59.38	68.20	-8.82	9.19	3	Vertical	224	1.97	-	50.19	33.29	10.10	34.20
PK	5.7886G	104.53	Inf	-Inf	9.74	3	Vertical	224	1.97	-	94.79	33.78	10.17	34.21
PK	5.9602G	60.03	68.20	-8.17	10.32	3	Vertical	224	1.97	-	49.71	34.24	10.30	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	106.26	Inf	-Inf	9.73	3	Horizontal	320	1.01	-	96.53	33.77	10.17	34.21
PK	5.6122G	60.49	68.20	-7.71	9.03	3	Horizontal	320	1.01	-	51.46	33.15	10.08	34.20
PK	5.7838G	116.46	Inf	-Inf	9.73	3	Horizontal	320	1.01	-	106.73	33.77	10.17	34.21
PK	6.0502G	60.39	68.20	-7.81	10.36	3	Horizontal	320	1.01	-	50.03	34.20	10.38	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57696G	40.80	54.00	-13.20	17.80	3	Vertical	96	1.24	-	23.00	38.75	13.15	34.10
PK	11.56812G	53.90	74.00	-20.10	17.80	3	Vertical	96	1.24	-	36.10	38.76	13.14	34.10
PK	17.35064G	63.01	68.20	-5.19	21.85	3	Vertical	48	1.09	-	41.16	38.85	16.24	33.24

802.11a_Nss1,(6Mbps)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56748G	40.63	54.00	-13.37	17.81	3	Horizontal	12	2.63	-	22.82	38.77	13.14	34.10
PK	11.56868G	53.21	74.00	-20.79	17.80	3	Horizontal	12	2.63	-	35.41	38.76	13.14	34.10
PK	17.35272G	62.81	68.20	-5.39	21.86	3	Horizontal	245	1.37	-	40.95	38.86	16.24	33.24

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	94.54	Inf	-Inf	9.95	3	Vertical	222	1.96	-	84.59	33.96	10.20	34.21
PK	5.6066G	59.46	68.20	-8.74	9.00	3	Vertical	222	1.96	-	50.46	33.13	10.07	34.20
PK	5.8262G	105.26	Inf	-Inf	9.95	3	Vertical	222	1.96	-	95.31	33.96	10.20	34.21
PK	6.0254G	60.64	68.20	-7.56	10.24	3	Vertical	222	1.96	-	50.40	34.10	10.36	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	104.82	Inf	-Inf	9.95	3	Horizontal	309	1.10	-	94.87	33.96	10.20	34.21
PK	5.6414G	67.34	68.20	-0.86	9.16	3	Horizontal	309	1.10	-	58.18	33.27	10.09	34.20
PK	5.8286G	116.05	Inf	-Inf	9.96	3	Horizontal	309	1.10	-	106.09	33.97	10.20	34.21
PK	6.0518G	61.34	68.20	-6.86	10.36	3	Horizontal	309	1.10	-	50.98	34.20	10.38	34.22

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64812G	42.60	54.00	-11.40	17.68	3	Vertical	319	2.05	-	24.92	38.65	13.17	34.14
PK	11.64764G	56.03	74.00	-17.97	17.68	3	Vertical	319	2.05	-	38.35	38.65	13.17	34.14
PK	17.47912G	61.69	68.20	-6.51	22.21	3	Vertical	289	1.54	-	39.48	39.16	16.26	33.21

802.11a_Nss1,(6Mbps)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65896G	41.14	54.00	-12.86	17.67	3	Horizontal	20	2.06	-	23.47	38.64	13.18	34.15
PK	11.65852G	54.46	74.00	-19.54	17.67	3	Horizontal	20	2.06	-	36.79	38.64	13.18	34.15
PK	17.485G	62.60	68.20	-5.60	22.23	3	Horizontal	179	1.91	-	40.37	39.17	16.26	33.20

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	51.20	54.00	-2.80	8.90	3	Vertical	338	1.71	-	42.30	33.20	9.83	34.13
AV	5.1788G	107.24	Inf	-Inf	8.86	3	Vertical	338	1.71	-	98.38	33.14	9.85	34.13
PK	5.1482G	73.85	74.00	-0.15	8.90	3	Vertical	338	1.71	-	64.95	33.20	9.83	34.13
PK	5.1836G	117.35	Inf	-Inf	8.85	3	Vertical	338	1.71	-	108.50	33.13	9.85	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	47.78	54.00	-6.22	8.90	3	Horizontal	203	1.56	-	38.88	33.20	9.83	34.13
AV	5.1836G	93.23	Inf	-Inf	8.85	3	Horizontal	203	1.56	-	84.38	33.13	9.85	34.13
PK	5.1488G	60.04	74.00	-13.96	8.90	3	Horizontal	203	1.56	-	51.14	33.20	9.83	34.13
PK	5.1842G	102.30	Inf	-Inf	8.85	3	Horizontal	203	1.56	-	93.45	33.13	9.85	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53124G	48.91	54.00	-5.09	19.94	3	Vertical	48	1.97	-	28.97	38.70	15.67	34.43
PK	10.35836G	53.92	68.20	-14.28	16.74	3	Vertical	197	1.29	-	37.18	38.66	12.67	34.59
PK	15.53032G	62.06	74.00	-11.94	19.94	3	Vertical	48	1.97	-	42.12	38.70	15.67	34.43

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54528G	48.99	54.00	-5.01	19.94	3	Horizontal	341	1.50	-	29.05	38.70	15.68	34.44
PK	10.36844G	53.96	68.20	-14.24	16.76	3	Horizontal	66	2.12	-	37.20	38.67	12.67	34.58
PK	15.533G	62.11	74.00	-11.89	19.94	3	Horizontal	341	1.50	-	42.17	38.70	15.67	34.43

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	52.90	54.00	-1.10	8.90	3	Vertical	338	1.91	-	44.00	33.20	9.83	34.13
AV	5.1934G	111.06	Inf	-Inf	8.84	3	Vertical	338	1.91	-	102.22	33.11	9.86	34.13
PK	5.1442G	72.83	74.00	-1.17	8.90	3	Vertical	338	1.91	-	63.93	33.20	9.83	34.13
PK	5.2042G	120.60	Inf	-Inf	8.80	3	Vertical	338	1.91	-	111.80	33.08	9.86	34.14


802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.79	54.00	-6.21	8.90	3	Horizontal	202	1.44	-	38.89	33.20	9.83	34.13
AV	5.2042G	96.80	Inf	-Inf	8.80	3	Horizontal	202	1.44	-	88.00	33.08	9.86	34.14
PK	5.1424G	59.30	74.00	-14.70	8.90	3	Horizontal	202	1.44	-	50.40	33.20	9.83	34.13
PK	5.2048G	106.00	Inf	-Inf	8.80	3	Horizontal	202	1.44	-	97.20	33.08	9.86	34.14

802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59512G	48.90	54.00	-5.10	19.96	3	Vertical	198	2.95	-	28.94	38.70	15.72	34.46
PK	10.3976G	55.63	68.20	-12.57	16.83	3	Vertical	200	1.48	-	38.80	38.70	12.69	34.56
PK	15.6064G	61.57	74.00	-12.43	19.93	3	Vertical	198	2.95	-	41.64	38.67	15.73	34.47


802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59304G	48.46	54.00	-5.54	19.96	3	Horizontal	360	3.00	-	28.50	38.70	15.72	34.46
PK	10.39772G	56.09	68.20	-12.11	16.83	3	Horizontal	360	2.95	-	39.26	38.70	12.69	34.56
PK	15.59508G	62.08	74.00	-11.92	19.96	3	Horizontal	360	3.00	-	42.12	38.70	15.72	34.46

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.74	54.00	-0.26	8.90	3	Vertical	337	1.82	-	44.84	33.20	9.83	34.13
AV	5.234G	113.00	Inf	-Inf	8.70	3	Vertical	337	1.82	-	104.30	32.96	9.88	34.14
AV	5.35G	50.16	54.00	-3.84	8.51	3	Vertical	337	1.82	-	41.65	32.70	9.97	34.16
PK	5.1464G	71.14	74.00	-2.86	8.90	3	Vertical	337	1.82	-	62.24	33.20	9.83	34.13
PK	5.234G	123.13	Inf	-Inf	8.70	3	Vertical	337	1.82	-	114.43	32.96	9.88	34.14
PK	5.35G	63.79	74.00	-10.21	8.51	3	Vertical	337	1.82	-	55.28	32.70	9.97	34.16


802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	47.69	54.00	-6.31	8.90	3	Horizontal	201	1.12	-	38.79	33.20	9.83	34.13
AV	5.2448G	97.69	Inf	-Inf	8.67	3	Horizontal	201	1.12	-	89.02	32.92	9.89	34.14
AV	5.3612G	47.20	54.00	-6.80	8.52	3	Horizontal	201	1.12	-	38.68	32.72	9.97	34.17
PK	5.147G	59.42	74.00	-14.58	8.90	3	Horizontal	201	1.12	-	50.52	33.20	9.83	34.13
PK	5.2448G	108.19	Inf	-Inf	8.67	3	Horizontal	201	1.12	-	99.52	32.92	9.89	34.14
PK	5.3888G	59.72	74.00	-14.28	8.60	3	Horizontal	201	1.12	-	51.12	32.78	9.99	34.17

802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72024G	48.49	54.00	-5.51	19.46	3	Vertical	198	2.93	-	29.03	38.18	15.81	34.53
PK	10.47128G	55.31	68.20	-12.89	16.83	3	Vertical	199	1.10	-	38.48	38.63	12.71	34.51
PK	15.72448G	61.19	74.00	-12.81	19.46	3	Vertical	198	2.93	-	41.73	38.18	15.82	34.54


802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72032G	49.52	54.00	-4.48	19.46	3	Horizontal	55	3.00	-	30.06	38.18	15.81	34.53
PK	10.48324G	57.45	68.20	-10.75	16.84	3	Horizontal	339	2.47	-	40.61	38.62	12.72	34.50
PK	15.72404G	62.95	74.00	-11.05	19.46	3	Horizontal	55	3.00	-	43.49	38.18	15.82	34.54

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	111.06	Inf	-Inf	9.63	3	Vertical	324	1.50	-	101.43	33.68	10.15	34.20
PK	5.6514G	67.82	69.24	-1.42	9.20	3	Vertical	324	1.50	-	58.62	33.30	10.10	34.20
PK	5.7426G	121.23	Inf	-Inf	9.61	3	Vertical	324	1.50	-	111.62	33.66	10.15	34.20
PK	6.027G	61.14	68.20	-7.06	10.25	3	Vertical	324	1.50	-	50.89	34.11	10.36	34.22


802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	95.45	Inf	-Inf	9.64	3	Horizontal	206	1.47	-	85.81	33.69	10.15	34.20
PK	5.6322G	59.77	68.20	-8.43	9.12	3	Horizontal	206	1.47	-	50.65	33.23	10.09	34.20
PK	5.7486G	105.58	Inf	-Inf	9.64	3	Horizontal	206	1.47	-	95.94	33.69	10.15	34.20
PK	6.0426G	61.47	68.20	-6.73	10.32	3	Horizontal	206	1.47	-	51.15	34.17	10.37	34.22

802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49076G	45.24	54.00	-8.76	17.97	3	Vertical	20	2.25	-	27.27	38.92	13.11	34.06
PK	11.48108G	58.18	74.00	-15.82	17.99	3	Vertical	20	2.25	-	40.19	38.94	13.11	34.06
PK	17.22948G	64.12	68.20	-4.08	21.44	3	Vertical	234	2.12	-	42.68	38.49	16.22	33.27


802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48588G	42.87	54.00	-11.13	17.98	3	Horizontal	85	1.15	-	24.89	38.93	13.11	34.06
PK	11.48996G	56.20	74.00	-17.80	17.97	3	Horizontal	85	1.15	-	38.23	38.92	13.11	34.06
PK	17.22504G	63.07	68.20	-5.13	21.43	3	Horizontal	360	1.16	-	41.64	38.48	16.22	33.27

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	111.30	Inf	-Inf	9.72	3	Vertical	330	1.83	-	101.58	33.76	10.17	34.21
PK	5.635G	67.72	68.20	-0.48	9.13	3	Vertical	330	1.83	-	58.59	33.24	10.09	34.20
PK	5.7802G	121.27	Inf	-Inf	9.72	3	Vertical	330	1.83	-	111.55	33.76	10.17	34.21
PK	5.9482G	60.97	68.20	-7.23	10.36	3	Vertical	330	1.83	-	50.61	34.29	10.29	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	95.75	Inf	-Inf	9.72	3	Horizontal	209	1.50	-	86.03	33.76	10.17	34.21
PK	5.6146G	59.48	68.20	-8.72	9.04	3	Horizontal	209	1.50	-	50.44	33.16	10.08	34.20
PK	5.7802G	105.45	Inf	-Inf	9.72	3	Horizontal	209	1.50	-	95.73	33.76	10.17	34.21
PK	6.0226G	61.33	68.20	-6.87	10.22	3	Horizontal	209	1.50	-	51.11	34.09	10.35	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57084G	43.25	54.00	-10.75	17.80	3	Vertical	314	1.50	-	25.45	38.76	13.14	34.10
PK	11.56252G	56.22	74.00	-17.78	17.82	3	Vertical	314	1.50	-	38.40	38.77	13.14	34.09
PK	17.35488G	63.31	68.20	-4.89	21.86	3	Vertical	320	1.50	-	41.45	38.86	16.24	33.24

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5708G	42.39	54.00	-11.61	17.80	3	Horizontal	259	1.00	-	24.59	38.76	13.14	34.10
PK	11.57208G	55.54	74.00	-18.46	17.80	3	Horizontal	259	1.00	-	37.74	38.76	13.14	34.10
PK	17.35888G	63.54	68.20	-4.66	21.88	3	Horizontal	201	1.50	-	41.66	38.88	16.24	33.24

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	108.98	Inf	-Inf	9.91	3	Vertical	330	1.82	-	99.07	33.92	10.20	34.21
PK	5.6498G	67.63	68.20	-0.57	9.20	3	Vertical	330	1.82	-	58.43	33.30	10.10	34.20
PK	5.8202G	119.25	Inf	-Inf	9.91	3	Vertical	330	1.82	-	109.34	33.92	10.20	34.21
PK	6.1022G	61.17	68.20	-7.03	10.30	3	Vertical	330	1.82	-	50.87	34.10	10.43	34.23


802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.819G	93.76	Inf	-Inf	9.89	3	Horizontal	209	1.67	-	83.87	33.91	10.19	34.21
PK	5.5574G	59.96	68.20	-8.24	8.71	3	Horizontal	209	1.67	-	51.25	32.84	10.06	34.19
PK	5.8238G	103.93	Inf	-Inf	9.93	3	Horizontal	209	1.67	-	94.00	33.94	10.20	34.21
PK	6.0506G	60.80	68.20	-7.40	10.36	3	Horizontal	209	1.67	-	50.44	34.20	10.38	34.22

802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6526G	44.74	54.00	-9.26	17.68	3	Vertical	314	2.35	-	27.06	38.65	13.17	34.14
PK	11.64748G	58.61	74.00	-15.39	17.68	3	Vertical	314	2.35	-	40.93	38.65	13.17	34.14
PK	17.48192G	63.86	68.20	-4.34	22.22	3	Vertical	90	2.06	-	41.64	39.16	16.26	33.20


802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64724G	42.14	54.00	-11.86	17.68	3	Horizontal	336	2.48	-	24.46	38.65	13.17	34.14
PK	11.64708G	55.09	74.00	-18.91	17.68	3	Horizontal	336	2.48	-	37.41	38.65	13.17	34.14
PK	17.48296G	62.82	68.20	-5.38	22.23	3	Horizontal	64	1.59	-	40.59	39.17	16.26	33.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.39	54.00	-5.61	8.90	3	Vertical	76	2.31	-	39.49	33.20	9.83	34.13
AV	5.1728G	92.24	Inf	-Inf	8.87	3	Vertical	76	2.31	-	83.37	33.15	9.85	34.13
PK	5.1392G	61.75	74.00	-12.25	8.90	3	Vertical	76	2.31	-	52.85	33.20	9.83	34.13
PK	5.1734G	104.10	Inf	-Inf	8.87	3	Vertical	76	2.31	-	95.23	33.15	9.85	34.13


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.47	54.00	-1.53	8.90	3	Horizontal	322	1.09	-	43.57	33.20	9.83	34.13
AV	5.1752G	102.71	Inf	-Inf	8.87	3	Horizontal	322	1.09	-	93.84	33.15	9.85	34.13
PK	5.15G	73.49	74.00	-0.51	8.90	3	Horizontal	322	1.09	-	64.59	33.20	9.83	34.13
PK	5.177G	116.42	Inf	-Inf	8.87	3	Horizontal	322	1.09	-	107.55	33.15	9.85	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54104G	50.57	54.00	-3.43	19.95	3	Vertical	90	2.70	-	30.62	38.70	15.68	34.43
PK	10.3616G	54.56	68.20	-13.64	16.74	3	Vertical	170	2.83	-	37.82	38.66	12.67	34.59
PK	15.54116G	65.57	74.00	-8.43	19.95	3	Vertical	90	2.70	-	45.62	38.70	15.68	34.43


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53688G	49.01	54.00	-4.99	19.95	3	Horizontal	196	1.50	-	29.06	38.70	15.68	34.43
PK	10.3582G	54.85	68.20	-13.35	16.74	3	Horizontal	180	1.00	-	38.11	38.66	12.67	34.59
PK	15.53416G	61.69	74.00	-12.31	19.95	3	Horizontal	196	1.50	-	41.74	38.70	15.68	34.43

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	48.20	54.00	-5.80	8.90	3	Vertical	78	2.15	-	39.30	33.20	9.83	34.13
AV	5.1934G	94.27	Inf	-Inf	8.84	3	Vertical	78	2.15	-	85.43	33.11	9.86	34.13
PK	5.15G	61.25	74.00	-12.75	8.90	3	Vertical	78	2.15	-	52.35	33.20	9.83	34.13
PK	5.197G	107.41	Inf	-Inf	8.83	3	Vertical	78	2.15	-	98.58	33.11	9.86	34.14


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.50	54.00	-0.50	8.90	3	Horizontal	323	3.00	-	44.60	33.20	9.83	34.13
AV	5.203G	106.46	Inf	-Inf	8.81	3	Horizontal	323	3.00	-	97.65	33.09	9.86	34.14
PK	5.15G	70.24	74.00	-3.76	8.90	3	Horizontal	323	3.00	-	61.34	33.20	9.83	34.13
PK	5.2012G	118.40	Inf	-Inf	8.82	3	Horizontal	323	3.00	-	109.58	33.10	9.86	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59848G	51.90	54.00	-2.10	19.95	3	Vertical	83	1.89	-	31.95	38.70	15.72	34.47
PK	10.39672G	55.96	68.20	-12.24	16.82	3	Vertical	171	2.75	-	39.14	38.70	12.68	34.56
PK	15.59092G	65.14	74.00	-8.86	19.96	3	Vertical	83	1.89	-	45.18	38.70	15.72	34.46


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59972G	48.51	54.00	-5.49	19.95	3	Horizontal	180	1.08	-	28.56	38.70	15.72	34.47
PK	10.4035G	54.77	68.20	-13.43	16.83	3	Horizontal	179	1.09	-	37.94	38.70	12.69	34.56
PK	15.59096G	61.38	74.00	-12.62	19.96	3	Horizontal	180	1.08	-	41.42	38.70	15.72	34.46

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	47.92	54.00	-6.08	8.90	3	Vertical	168	2.95	-	39.02	33.20	9.83	34.13
AV	5.2328G	93.48	Inf	-Inf	8.71	3	Vertical	168	2.95	-	84.77	32.97	9.88	34.14
AV	5.3564G	47.32	54.00	-6.68	8.52	3	Vertical	168	2.95	-	38.80	32.71	9.97	34.16
PK	5.1314G	60.04	74.00	-13.96	8.90	3	Vertical	168	2.95	-	51.14	33.20	9.82	34.12
PK	5.2334G	105.03	Inf	-Inf	8.71	3	Vertical	168	2.95	-	96.32	32.97	9.88	34.14
PK	5.3756G	58.93	74.00	-15.07	8.56	3	Vertical	168	2.95	-	50.37	32.75	9.98	34.17


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	51.87	54.00	-2.13	8.90	3	Horizontal	318	2.95	-	42.97	33.20	9.83	34.13
AV	5.2412G	107.37	Inf	-Inf	8.69	3	Horizontal	318	2.95	-	98.68	32.94	9.89	34.14
AV	5.35G	50.51	54.00	-3.49	8.51	3	Horizontal	318	2.95	-	42.00	32.70	9.97	34.16
PK	5.1494G	66.88	74.00	-7.12	8.90	3	Horizontal	318	2.95	-	57.98	33.20	9.83	34.13
PK	5.237G	120.19	Inf	-Inf	8.70	3	Horizontal	318	2.95	-	111.49	32.95	9.89	34.14
PK	5.3522G	64.19	74.00	-9.81	8.51	3	Horizontal	318	2.95	-	55.68	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71968G	48.44	54.00	-5.56	19.46	3	Vertical	84	1.95	-	28.98	38.18	15.81	34.53
PK	10.48224G	58.67	68.20	-9.53	16.84	3	Vertical	172	2.17	-	41.83	38.62	12.72	34.50
PK	15.71348G	61.64	74.00	-12.36	19.47	3	Vertical	84	1.95	-	42.17	38.19	15.81	34.53


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71356G	46.80	54.00	-7.20	19.47	3	Horizontal	187	1.50	-	27.33	38.19	15.81	34.53
PK	10.47668G	55.93	68.20	-12.27	16.83	3	Horizontal	180	1.00	-	39.10	38.62	12.72	34.51
PK	15.71148G	59.65	74.00	-14.35	19.47	3	Horizontal	187	1.50	-	40.18	38.19	15.81	34.53

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	96.07	Inf	-Inf	9.65	3	Vertical	251	2.08	-	86.42	33.70	10.15	34.20
PK	5.643G	59.20	68.20	-9.00	9.16	3	Vertical	251	2.08	-	50.04	33.27	10.09	34.20
PK	5.7498G	106.78	Inf	-Inf	9.65	3	Vertical	251	2.08	-	97.13	33.70	10.15	34.20
PK	6.0402G	60.92	68.20	-7.28	10.31	3	Vertical	251	2.08	-	50.61	34.16	10.37	34.22


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	106.95	Inf	-Inf	9.63	3	Horizontal	311	1.00	-	97.32	33.68	10.15	34.20
PK	5.6514G	68.34	69.24	-0.90	9.20	3	Horizontal	311	1.00	-	59.14	33.30	10.10	34.20
PK	5.7438G	117.97	Inf	-Inf	9.61	3	Horizontal	311	1.00	-	108.36	33.66	10.15	34.20
PK	5.937G	59.93	68.20	-8.27	10.31	3	Horizontal	311	1.00	-	49.62	34.25	10.28	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4938G	43.25	54.00	-10.75	17.96	3	Vertical	23	2.13	-	25.29	38.91	13.11	34.06
PK	11.49212G	56.27	74.00	-17.73	17.97	3	Vertical	23	2.13	-	38.30	38.92	13.11	34.06
PK	17.23724G	63.09	68.20	-5.11	21.46	3	Vertical	1	1.50	-	41.63	38.51	16.22	33.27


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48152G	41.56	54.00	-12.44	17.99	3	Horizontal	195	2.03	-	23.57	38.94	13.11	34.06
PK	11.48392G	55.02	74.00	-18.98	17.98	3	Horizontal	195	2.03	-	37.04	38.93	13.11	34.06
PK	17.24308G	61.86	68.20	-6.34	21.48	3	Horizontal	3	1.22	-	40.38	38.53	16.22	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	94.91	Inf	-Inf	9.72	3	Vertical	216	1.52	-	85.19	33.76	10.17	34.21
PK	5.6026G	59.48	68.20	-8.72	8.98	3	Vertical	216	1.52	-	50.50	33.11	10.07	34.20
PK	5.7838G	105.81	Inf	-Inf	9.73	3	Vertical	216	1.52	-	96.08	33.77	10.17	34.21
PK	5.9842G	60.89	68.20	-7.31	10.19	3	Vertical	216	1.52	-	50.70	34.09	10.32	34.22


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.72	Inf	-Inf	9.73	3	Horizontal	309	1.01	-	96.99	33.77	10.17	34.21
PK	5.6194G	62.44	68.20	-5.76	9.06	3	Horizontal	309	1.01	-	53.38	33.18	10.08	34.20
PK	5.7862G	118.52	Inf	-Inf	9.73	3	Horizontal	309	1.01	-	108.79	33.77	10.17	34.21
PK	5.9302G	60.22	68.20	-7.98	10.28	3	Horizontal	309	1.01	-	49.94	34.22	10.28	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57336G	42.78	54.00	-11.22	17.79	3	Vertical	23	2.35	-	24.99	38.75	13.14	34.10
PK	11.56816G	55.74	74.00	-18.26	17.80	3	Vertical	23	2.35	-	37.94	38.76	13.14	34.10
PK	17.34856G	62.36	68.20	-5.84	21.85	3	Vertical	226	2.56	-	40.51	38.85	16.24	33.24


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56576G	41.65	54.00	-12.35	17.81	3	Horizontal	23	1.55	-	23.84	38.77	13.14	34.10
PK	11.56188G	55.07	74.00	-18.93	17.83	3	Horizontal	23	1.55	-	37.24	38.78	13.14	34.09
PK	17.35112G	62.83	68.20	-5.37	21.85	3	Horizontal	178	1.80	-	40.98	38.85	16.24	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	93.83	Inf	-Inf	9.95	3	Vertical	226	1.50	-	83.88	33.96	10.20	34.21
PK	5.6318G	59.13	68.20	-9.07	9.12	3	Vertical	226	1.50	-	50.01	33.23	10.09	34.20
PK	5.8226G	106.34	Inf	-Inf	9.93	3	Vertical	226	1.50	-	96.41	33.94	10.20	34.21
PK	5.9462G	60.06	68.20	-8.14	10.35	3	Vertical	226	1.50	-	49.71	34.28	10.29	34.22


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	105.01	Inf	-Inf	9.95	3	Horizontal	323	2.60	-	95.06	33.96	10.20	34.21
PK	5.6474G	63.01	68.20	-5.19	9.19	3	Horizontal	323	2.60	-	53.82	33.29	10.10	34.20
PK	5.8166G	115.71	Inf	-Inf	9.88	3	Horizontal	323	2.60	-	105.83	33.90	10.19	34.21
PK	6.0566G	60.74	68.20	-7.46	10.36	3	Horizontal	323	2.60	-	50.38	34.19	10.39	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64852G	42.27	54.00	-11.73	17.68	3	Vertical	324	1.90	-	24.59	38.65	13.17	34.14
PK	11.64208G	54.75	74.00	-19.25	17.69	3	Vertical	324	1.90	-	37.06	38.66	13.17	34.14
PK	17.47936G	62.48	68.20	-5.72	22.21	3	Vertical	205	1.50	-	40.27	39.16	16.26	33.21


802.11ax HEW20_Nss1,(MCS0)_1TX(Port1)
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65584G	41.07	54.00	-12.93	17.68	3	Horizontal	177	1.00	-	23.39	38.64	13.18	34.14
PK	11.6478G	53.90	74.00	-20.10	17.68	3	Horizontal	177	1.00	-	36.22	38.65	13.17	34.14
PK	17.48256G	62.04	68.20	-6.16	22.23	3	Horizontal	255	1.50	-	39.81	39.17	16.26	33.20

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.28	54.00	-0.72	8.90	3	Vertical	163	1.78	-	44.38	33.20	9.83	34.13
AV	5.1788G	104.31	Inf	-Inf	8.86	3	Vertical	163	1.78	-	95.45	33.14	9.85	34.13
PK	5.15G	70.74	74.00	-3.26	8.90	3	Vertical	163	1.78	-	61.84	33.20	9.83	34.13
PK	5.1812G	117.52	Inf	-Inf	8.86	3	Vertical	163	1.78	-	108.66	33.14	9.85	34.13

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.62	54.00	-6.38	8.90	3	Horizontal	170	2.80	-	38.72	33.20	9.83	34.13
AV	5.1836G	89.00	Inf	-Inf	8.85	3	Horizontal	170	2.80	-	80.15	33.13	9.85	34.13
PK	5.1386G	59.51	74.00	-14.49	8.91	3	Horizontal	170	2.80	-	50.60	33.20	9.83	34.12
PK	5.1812G	101.45	Inf	-Inf	8.86	3	Horizontal	170	2.80	-	92.59	33.14	9.85	34.13

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5302G	48.65	54.00	-5.35	19.94	3	Vertical	187	1.50	-	28.71	38.70	15.67	34.43
PK	10.36164G	56.68	68.20	-11.52	16.74	3	Vertical	186	1.39	-	39.94	38.66	12.67	34.59
PK	15.54092G	62.47	74.00	-11.53	19.95	3	Vertical	187	1.50	-	42.52	38.70	15.68	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53064G	48.61	54.00	-5.39	19.94	3	Horizontal	329	1.04	-	28.67	38.70	15.67	34.43
PK	10.3616G	54.00	68.20	-14.20	16.74	3	Horizontal	20	2.83	-	37.26	38.66	12.67	34.59
PK	15.54272G	62.91	74.00	-11.09	19.95	3	Horizontal	329	1.04	-	42.96	38.70	15.68	34.43

802.11ax HEW20_Nss2,(MCS0)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.87	54.00	-0.13	8.90	3	Vertical	145	1.66	-	44.97	33.20	9.83	34.13
AV	5.2036G	107.17	Inf	-Inf	8.81	3	Vertical	145	1.66	-	98.36	33.09	9.86	34.14
PK	5.1496G	69.88	74.00	-4.12	8.90	3	Vertical	145	1.66	-	60.98	33.20	9.83	34.13
PK	5.206G	118.93	Inf	-Inf	8.80	3	Vertical	145	1.66	-	110.13	33.08	9.86	34.14


802.11ax HEW20_Nss2,(MCS0)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.99	54.00	-7.01	8.90	3	Horizontal	177	1.38	-	38.09	33.20	9.83	34.13
AV	5.2012G	90.74	Inf	-Inf	8.82	3	Horizontal	177	1.38	-	81.92	33.10	9.86	34.14
PK	5.134G	58.77	74.00	-15.23	8.90	3	Horizontal	177	1.38	-	49.87	33.20	9.82	34.12
PK	5.1976G	102.85	Inf	-Inf	8.82	3	Horizontal	177	1.38	-	94.03	33.10	9.86	34.14

**802.11ax HEW20_Nss2,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59304G	47.84	54.00	-6.16	19.96	3	Vertical	289	1.09	-	27.88	38.70	15.72	34.46
PK	10.40364G	58.53	68.20	-9.67	16.83	3	Vertical	160	1.99	-	41.70	38.70	12.69	34.56
PK	15.60988G	61.86	74.00	-12.14	19.91	3	Vertical	289	1.09	-	41.95	38.65	15.73	34.47


**802.11ax HEW20_Nss2,(MCS0)_2TX
5200MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5908G	47.69	54.00	-6.31	19.96	3	Horizontal	95	1.50	-	27.73	38.70	15.72	34.46
PK	10.40364G	57.65	68.20	-10.55	16.83	3	Horizontal	178	2.12	-	40.82	38.70	12.69	34.56
PK	15.59892G	61.46	74.00	-12.54	19.95	3	Horizontal	95	1.50	-	41.51	38.70	15.72	34.47

802.11ax HEW20_Nss2,(MCS0)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.86	54.00	-0.14	8.90	3	Vertical	340	1.87	-	44.96	33.20	9.83	34.13
AV	5.2472G	109.39	Inf	-Inf	8.66	3	Vertical	340	1.87	-	100.73	32.91	9.89	34.14
AV	5.35G	50.25	54.00	-3.75	8.51	3	Vertical	340	1.87	-	41.74	32.70	9.97	34.16
PK	5.1494G	70.36	74.00	-3.64	8.90	3	Vertical	340	1.87	-	61.46	33.20	9.83	34.13
PK	5.2472G	121.93	Inf	-Inf	8.66	3	Vertical	340	1.87	-	113.27	32.91	9.89	34.14
PK	5.3774G	64.02	74.00	-9.98	8.56	3	Vertical	340	1.87	-	55.46	32.75	9.98	34.17


802.11ax HEW20_Nss2,(MCS0)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.63	54.00	-6.37	8.90	3	Horizontal	167	2.88	-	38.73	33.20	9.83	34.13
AV	5.2382G	94.56	Inf	-Inf	8.70	3	Horizontal	167	2.88	-	85.86	32.95	9.89	34.14
AV	5.3534G	46.86	54.00	-7.14	8.52	3	Horizontal	167	2.88	-	38.34	32.71	9.97	34.16
PK	5.1458G	60.45	74.00	-13.55	8.90	3	Horizontal	167	2.88	-	51.55	33.20	9.83	34.13
PK	5.2376G	106.61	Inf	-Inf	8.70	3	Horizontal	167	2.88	-	97.91	32.95	9.89	34.14
PK	5.3546G	58.99	74.00	-15.01	8.52	3	Horizontal	167	2.88	-	50.47	32.71	9.97	34.16

**802.11ax HEW20_Nss2,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71376G	46.91	54.00	-7.09	19.47	3	Vertical	23	3.00	-	27.44	38.19	15.81	34.53
PK	10.48376G	61.41	68.20	-6.79	16.84	3	Vertical	186	2.20	-	44.57	38.62	12.72	34.50
PK	15.7142G	60.01	74.00	-13.99	19.47	3	Vertical	23	3.00	-	40.54	38.19	15.81	34.53


**802.11ax HEW20_Nss2,(MCS0)_2TX
5240MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71156G	46.60	54.00	-7.40	19.47	3	Horizontal	203	1.50	-	27.13	38.19	15.81	34.53
PK	10.48368G	58.29	68.20	-9.91	16.84	3	Horizontal	179	2.12	-	41.45	38.62	12.72	34.50
PK	15.71G	59.75	74.00	-14.25	19.47	3	Horizontal	203	1.50	-	40.28	38.19	15.81	34.53

802.11ax HEW20_Nss2,(MCS0)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	108.27	Inf	-Inf	9.63	3	Vertical	332	1.86	-	98.64	33.68	10.15	34.20
PK	5.6382G	67.23	68.20	-0.97	9.14	3	Vertical	332	1.86	-	58.09	33.25	10.09	34.20
PK	5.7414G	120.58	Inf	-Inf	9.60	3	Vertical	332	1.86	-	110.98	33.65	10.15	34.20
PK	5.9274G	60.12	68.20	-8.08	10.27	3	Vertical	332	1.86	-	49.85	34.21	10.28	34.22


802.11ax HEW20_Nss2,(MCS0)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	90.67	Inf	-Inf	9.61	3	Horizontal	174	1.50	-	81.06	33.66	10.15	34.20
PK	5.6454G	59.49	68.20	-8.71	9.17	3	Horizontal	174	1.50	-	50.32	33.28	10.09	34.20
PK	5.7414G	102.20	Inf	-Inf	9.60	3	Horizontal	174	1.50	-	92.60	33.65	10.15	34.20
PK	6.0258G	60.51	68.20	-7.69	10.24	3	Horizontal	174	1.50	-	50.27	34.10	10.36	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4908G	43.27	54.00	-10.73	17.97	3	Vertical	323	2.10	-	25.30	38.92	13.11	34.06
PK	11.49128G	56.50	74.00	-17.50	17.97	3	Vertical	323	2.10	-	38.53	38.92	13.11	34.06
PK	17.22972G	63.04	68.20	-5.16	21.44	3	Vertical	184	2.92	-	41.60	38.49	16.22	33.27


802.11ax HEW20_Nss2,(MCS0)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4914G	41.72	54.00	-12.28	17.97	3	Horizontal	161	1.20	-	23.75	38.92	13.11	34.06
PK	11.4832G	55.43	74.00	-18.57	17.98	3	Horizontal	161	1.20	-	37.45	38.93	13.11	34.06
PK	17.23804G	63.02	68.20	-5.18	21.46	3	Horizontal	360	2.92	-	41.56	38.51	16.22	33.27

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	107.28	Inf	-Inf	9.72	3	Vertical	330	1.68	-	97.56	33.76	10.17	34.21
PK	5.6446G	63.70	68.20	-4.50	9.17	3	Vertical	330	1.68	-	54.53	33.28	10.09	34.20
PK	5.7778G	118.47	Inf	-Inf	9.72	3	Vertical	330	1.68	-	108.75	33.76	10.17	34.21
PK	6.0394G	61.55	68.20	-6.65	10.31	3	Vertical	330	1.68	-	51.24	34.16	10.37	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	90.70	Inf	-Inf	9.72	3	Horizontal	177	1.50	-	80.98	33.76	10.17	34.21
PK	5.5582G	60.60	68.20	-7.60	8.72	3	Horizontal	177	1.50	-	51.88	32.85	10.06	34.19
PK	5.779G	102.52	Inf	-Inf	9.72	3	Horizontal	177	1.50	-	92.80	33.76	10.17	34.21
PK	6.0454G	60.73	68.20	-7.47	10.34	3	Horizontal	177	1.50	-	50.39	34.18	10.38	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57008G	43.23	54.00	-10.77	17.80	3	Vertical	321	1.88	-	25.43	38.76	13.14	34.10
PK	11.57352G	56.70	74.00	-17.30	17.79	3	Vertical	321	1.88	-	38.91	38.75	13.14	34.10
PK	17.35216G	63.33	68.20	-4.87	21.86	3	Vertical	142	1.50	-	41.47	38.86	16.24	33.24

802.11ax HEW20_Nss2,(MCS0)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56016G	41.38	54.00	-12.62	17.83	3	Horizontal	167	1.32	-	23.55	38.78	13.14	34.09
PK	11.57536G	55.26	74.00	-18.74	17.79	3	Horizontal	167	1.32	-	37.47	38.75	13.14	34.10
PK	17.35068G	62.55	68.20	-5.65	21.85	3	Horizontal	126	1.50	-	40.70	38.85	16.24	33.24

802.11ax HEW20_Nss2,(MCS0)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	105.46	Inf	-Inf	9.95	3	Vertical	333	1.81	-	95.51	33.96	10.20	34.21
PK	5.6342G	62.47	68.20	-5.73	9.13	3	Vertical	333	1.81	-	53.34	33.24	10.09	34.20
PK	5.8226G	118.23	Inf	-Inf	9.93	3	Vertical	333	1.81	-	108.30	33.94	10.20	34.21
PK	6.0146G	60.81	68.20	-7.39	10.18	3	Vertical	333	1.81	-	50.63	34.06	10.34	34.22


802.11ax HEW20_Nss2,(MCS0)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	88.08	Inf	-Inf	9.89	3	Horizontal	45	1.00	-	78.19	33.91	10.19	34.21
PK	5.5658G	59.20	68.20	-9.00	8.76	3	Horizontal	45	1.00	-	50.44	32.89	10.06	34.19
PK	5.8202G	99.77	Inf	-Inf	9.91	3	Horizontal	45	1.00	-	89.86	33.92	10.20	34.21
PK	5.9342G	60.48	68.20	-7.72	10.30	3	Horizontal	45	1.00	-	50.18	34.24	10.28	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6522G	42.78	54.00	-11.22	17.68	3	Vertical	325	1.70	-	25.10	38.65	13.17	34.14
PK	11.64816G	55.87	74.00	-18.13	17.68	3	Vertical	325	1.70	-	38.19	38.65	13.17	34.14
PK	17.47888G	62.75	68.20	-5.45	22.21	3	Vertical	18	1.50	-	40.54	39.16	16.26	33.21


802.11ax HEW20_Nss2,(MCS0)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6518G	41.18	54.00	-12.82	17.68	3	Horizontal	355	2.74	-	23.50	38.65	13.17	34.14
PK	11.64624G	55.07	74.00	-18.93	17.68	3	Horizontal	355	2.74	-	37.39	38.65	13.17	34.14
PK	17.48072G	62.89	68.20	-5.31	22.21	3	Horizontal	195	2.53	-	40.68	39.16	16.26	33.21

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.13	54.00	-3.87	8.90	3	Vertical	78	3.00	-	41.23	33.20	9.83	34.13
AV	5.1768G	90.78	Inf	-Inf	8.87	3	Vertical	78	3.00	-	81.91	33.15	9.85	34.13
PK	5.1456G	62.20	74.00	-11.80	8.90	3	Vertical	78	3.00	-	53.30	33.20	9.83	34.13
PK	5.176G	102.95	Inf	-Inf	8.87	3	Vertical	78	3.00	-	94.08	33.15	9.85	34.13


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.64	54.00	-0.36	8.90	3	Horizontal	324	1.09	-	44.74	33.20	9.83	34.13
AV	5.1768G	98.50	Inf	-Inf	8.87	3	Horizontal	324	1.09	-	89.63	33.15	9.85	34.13
PK	5.1496G	71.45	74.00	-2.55	8.90	3	Horizontal	324	1.09	-	62.55	33.20	9.83	34.13
PK	5.1772G	110.27	Inf	-Inf	8.87	3	Horizontal	324	1.09	-	101.40	33.15	9.85	34.13

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56344G	49.52	54.00	-4.48	19.95	3	Vertical	154	1.50	-	29.57	38.70	15.70	34.45
PK	10.37716G	54.36	68.20	-13.84	16.78	3	Vertical	72	2.11	-	37.58	38.68	12.68	34.58
PK	15.57312G	62.03	74.00	-11.97	19.95	3	Vertical	154	1.50	-	42.08	38.70	15.70	34.45


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5642G	49.30	54.00	-4.70	19.95	3	Horizontal	280	1.34	-	29.35	38.70	15.70	34.45
PK	10.37592G	55.08	68.20	-13.12	16.78	3	Horizontal	203	2.50	-	38.30	38.68	12.68	34.58
PK	15.56496G	61.19	74.00	-12.81	19.95	3	Horizontal	280	1.34	-	41.24	38.70	15.70	34.45

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	48.87	54.00	-5.13	8.90	3	Vertical	239	2.10	-	39.97	33.20	9.83	34.13
AV	5.2356G	88.00	Inf	-Inf	8.70	3	Vertical	239	2.10	-	79.30	32.96	9.88	34.14
PK	5.148G	60.92	74.00	-13.08	8.90	3	Vertical	239	2.10	-	52.02	33.20	9.83	34.13
PK	5.2352G	100.22	Inf	-Inf	8.70	3	Vertical	239	2.10	-	91.52	32.96	9.88	34.14


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.80	54.00	-0.20	8.90	3	Horizontal	325	2.56	-	44.90	33.20	9.83	34.13
AV	5.2356G	101.90	Inf	-Inf	8.70	3	Horizontal	325	2.56	-	93.20	32.96	9.88	34.14
PK	5.1484G	67.52	74.00	-6.48	8.90	3	Horizontal	325	2.56	-	58.62	33.20	9.83	34.13
PK	5.2356G	114.26	Inf	-Inf	8.70	3	Horizontal	325	2.56	-	105.56	32.96	9.88	34.14

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69684G	48.61	54.00	-5.39	19.50	3	Vertical	187	1.31	-	29.11	38.22	15.80	34.52
PK	10.46828G	57.46	68.20	-10.74	16.83	3	Vertical	169	3.00	-	40.63	38.63	12.71	34.51
PK	15.68152G	61.43	74.00	-12.57	19.56	3	Vertical	187	1.31	-	41.87	38.29	15.78	34.51


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69268G	48.36	54.00	-5.64	19.51	3	Horizontal	360	1.98	-	28.85	38.24	15.79	34.52
PK	10.46156G	55.65	68.20	-12.55	16.83	3	Horizontal	179	1.08	-	38.82	38.64	12.71	34.52
PK	15.68664G	60.48	74.00	-13.52	19.55	3	Horizontal	360	1.98	-	40.93	38.27	15.79	34.51

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	92.23	Inf	-Inf	9.67	3	Vertical	217	1.49	-	82.56	33.72	10.16	34.21
PK	5.6494G	60.02	68.20	-8.18	9.20	3	Vertical	217	1.49	-	50.82	33.30	10.10	34.20
PK	5.7514G	103.48	Inf	-Inf	9.64	3	Vertical	217	1.49	-	93.84	33.70	10.15	34.21
PK	6.043G	59.86	68.20	-8.34	10.32	3	Vertical	217	1.49	-	49.54	34.17	10.37	34.22


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	103.22	Inf	-Inf	9.67	3	Horizontal	326	2.89	-	93.55	33.72	10.16	34.21
PK	5.6458G	67.05	68.20	-1.15	9.18	3	Horizontal	326	2.89	-	57.87	33.28	10.10	34.20
PK	5.7526G	115.19	Inf	-Inf	9.65	3	Horizontal	326	2.89	-	105.54	33.71	10.15	34.21
PK	6.037G	60.03	68.20	-8.17	10.30	3	Horizontal	326	2.89	-	49.73	34.15	10.37	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51168G	44.84	54.00	-9.16	17.93	3	Vertical	21	2.40	-	26.91	38.88	13.12	34.07
PK	11.50476G	57.03	74.00	-16.97	17.95	3	Vertical	21	2.40	-	39.08	38.89	13.12	34.06
PK	17.26528G	62.70	68.20	-5.50	21.56	3	Vertical	159	1.50	-	41.14	38.60	16.22	33.26


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5012G	43.89	54.00	-10.11	17.96	3	Horizontal	294	1.50	-	25.93	38.90	13.12	34.06
PK	11.50724G	55.89	74.00	-18.11	17.95	3	Horizontal	294	1.50	-	37.94	38.89	13.12	34.06
PK	17.26932G	62.35	68.20	-5.85	21.57	3	Horizontal	2	1.50	-	40.78	38.61	16.22	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	92.32	Inf	-Inf	9.75	3	Vertical	218	1.68	-	82.57	33.78	10.18	34.21
PK	5.6426G	60.56	68.20	-7.64	9.16	3	Vertical	218	1.68	-	51.40	33.27	10.09	34.20
PK	5.7914G	104.02	Inf	-Inf	9.75	3	Vertical	218	1.68	-	94.27	33.78	10.18	34.21
PK	5.9402G	61.03	68.20	-7.17	10.33	3	Vertical	218	1.68	-	50.70	34.26	10.29	34.22


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7974G	103.49	Inf	-Inf	9.76	3	Horizontal	327	3.00	-	93.73	33.79	10.18	34.21
PK	5.645G	66.21	68.20	-1.99	9.17	3	Horizontal	327	3.00	-	57.04	33.28	10.09	34.20
PK	5.7926G	114.67	Inf	-Inf	9.76	3	Horizontal	327	3.00	-	104.91	33.79	10.18	34.21
PK	6.059G	60.02	68.20	-8.18	10.35	3	Horizontal	327	3.00	-	49.67	34.18	10.39	34.22

802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57768G	41.85	54.00	-12.15	17.79	3	Vertical	143	1.50	-	24.06	38.74	13.15	34.10
PK	11.5832G	55.03	74.00	-18.97	17.78	3	Vertical	143	1.50	-	37.25	38.73	13.15	34.10
PK	17.36836G	62.22	68.20	-5.98	21.92	3	Vertical	330	2.55	-	40.30	38.91	16.24	33.23


802.11ax HEW40_Nss1,(MCS0)_1TX(Port1)
5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57992G	41.49	54.00	-12.51	17.79	3	Horizontal	176	1.06	-	23.70	38.74	13.15	34.10
PK	11.59512G	53.83	74.00	-20.17	17.75	3	Horizontal	176	1.06	-	36.08	38.71	13.15	34.11
PK	17.37404G	62.61	68.20	-5.59	21.93	3	Horizontal	0	1.07	-	40.68	38.92	16.24	33.23

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.76	54.00	-0.24	8.90	3	Vertical	146	1.50	-	44.86	33.20	9.83	34.13
AV	5.1888G	99.09	Inf	-Inf	8.84	3	Vertical	146	1.50	-	90.25	33.12	9.85	34.13
PK	5.1496G	67.84	74.00	-6.16	8.90	3	Vertical	146	1.50	-	58.94	33.20	9.83	34.13
PK	5.194G	112.27	Inf	-Inf	8.84	3	Vertical	146	1.50	-	103.43	33.11	9.86	34.13

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.08	54.00	-6.92	8.90	3	Horizontal	51	1.50	-	38.18	33.20	9.83	34.13
AV	5.184G	82.57	Inf	-Inf	8.85	3	Horizontal	51	1.50	-	73.72	33.13	9.85	34.13
PK	5.1352G	59.43	74.00	-14.57	8.90	3	Horizontal	51	1.50	-	50.53	33.20	9.82	34.12
PK	5.1808G	95.25	Inf	-Inf	8.86	3	Horizontal	51	1.50	-	86.39	33.14	9.85	34.13

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55854G	47.77	54.00	-6.23	19.95	3	Vertical	83	1.71	-	27.82	38.70	15.69	34.44
PK	10.38732G	53.45	68.20	-14.75	16.80	3	Vertical	84	1.53	-	36.65	38.69	12.68	34.57
PK	15.57684G	61.49	74.00	-12.51	19.96	3	Vertical	83	1.71	-	41.53	38.70	15.71	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX


5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5565G	47.77	54.00	-6.23	19.95	3	Horizontal	291	2.27	-	27.82	38.70	15.69	34.44
PK	10.37772G	53.73	68.20	-14.47	16.78	3	Horizontal	46	2.05	-	36.95	38.68	12.68	34.58
PK	15.57978G	61.02	74.00	-12.98	19.96	3	Horizontal	291	2.27	-	41.06	38.70	15.71	34.45

802.11ax HEW40_Nss2,(MCS0)_2TX


5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.44	54.00	-0.56	8.90	3	Vertical	335	1.91	-	44.54	33.20	9.83	34.13
AV	5.2244G	103.80	Inf	-Inf	8.74	3	Vertical	335	1.91	-	95.06	33.00	9.88	34.14
PK	5.1476G	69.49	74.00	-4.51	8.90	3	Vertical	335	1.91	-	60.59	33.20	9.83	34.13
PK	5.222G	116.83	Inf	-Inf	8.75	3	Vertical	335	1.91	-	108.08	33.01	9.88	34.14


802.11ax HEW40_Nss2,(MCS0)_2TX

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.46	54.00	-6.54	8.90	3	Horizontal	280	1.07	-	38.56	33.20	9.83	34.13
AV	5.2336G	89.25	Inf	-Inf	8.71	3	Horizontal	280	1.07	-	80.54	32.97	9.88	34.14
PK	5.1328G	58.95	74.00	-15.05	8.90	3	Horizontal	280	1.07	-	50.05	33.20	9.82	34.12
PK	5.2264G	102.07	Inf	-Inf	8.73	3	Horizontal	280	1.07	-	93.34	32.99	9.88	34.14

802.11ax HEW40_Nss2,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67764G	46.54	54.00	-7.46	19.58	3	Vertical	239	2.21	-	26.96	38.31	15.78	34.51
PK	10.46222G	53.20	68.20	-15.00	16.83	3	Vertical	166	2.40	-	36.37	38.64	12.71	34.52
PK	15.67776G	59.82	74.00	-14.18	19.58	3	Vertical	239	2.21	-	40.24	38.31	15.78	34.51


802.11ax HEW40_Nss2,(MCS0)_2TX
5230MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.675G	46.52	54.00	-7.48	19.60	3	Horizontal	22	2.93	-	26.92	38.33	15.78	34.51
PK	10.44668G	53.92	68.20	-14.28	16.82	3	Horizontal	62	1.92	-	37.10	38.65	12.70	34.53
PK	15.67638G	59.89	74.00	-14.11	19.59	3	Horizontal	22	2.93	-	40.30	38.32	15.78	34.51

802.11ax HEW40_Nss2,(MCS0)_2TX


5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7502G	103.22	Inf	-Inf	9.64	3	Vertical	148	1.88	-	93.58	33.70	10.15	34.21
PK	5.6458G	67.54	68.20	-0.66	9.18	3	Vertical	148	1.88	-	58.36	33.28	10.10	34.20
PK	5.7598G	115.85	Inf	-Inf	9.67	3	Vertical	148	1.88	-	106.18	33.72	10.16	34.21
PK	6.049G	59.94	68.20	-8.26	10.36	3	Vertical	148	1.88	-	49.58	34.20	10.38	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	88.23	Inf	-Inf	9.64	3	Horizontal	166	2.47	-	78.59	33.69	10.15	34.20
PK	5.5666G	58.63	68.20	-9.57	8.77	3	Horizontal	166	2.47	-	49.86	32.90	10.06	34.19
PK	5.7562G	100.49	Inf	-Inf	9.66	3	Horizontal	166	2.47	-	90.83	33.71	10.16	34.21
PK	5.9434G	60.25	68.20	-7.95	10.34	3	Horizontal	166	2.47	-	49.91	34.27	10.29	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50598G	41.06	54.00	-12.94	17.95	3	Vertical	80	1.15	-	23.11	38.89	13.12	34.06
PK	11.51018G	54.22	74.00	-19.78	17.93	3	Vertical	80	1.15	-	36.29	38.88	13.12	34.07
PK	17.26938G	61.52	68.20	-6.68	21.57	3	Vertical	281	2.68	-	39.95	38.61	16.22	33.26


802.11ax HEW40_Nss2,(MCS0)_2TX
5755MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.504G	41.00	54.00	-13.00	17.95	3	Horizontal	73	2.78	-	23.05	38.89	13.12	34.06
PK	11.52398G	53.63	74.00	-20.37	17.90	3	Horizontal	73	2.78	-	35.73	38.85	13.12	34.07
PK	17.25366G	61.09	68.20	-7.11	21.52	3	Horizontal	65	1.00	-	39.57	38.56	16.22	33.26

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7782G	102.98	Inf	-Inf	9.72	3	Vertical	1	1.65	-	93.26	33.76	10.17	34.21
PK	5.651G	68.49	68.94	-0.45	9.20	3	Vertical	1	1.65	-	59.29	33.30	10.10	34.20
PK	5.783G	115.00	Inf	-Inf	9.73	3	Vertical	1	1.65	-	105.27	33.77	10.17	34.21
PK	6.0146G	59.95	68.20	-8.25	10.18	3	Vertical	1	1.65	-	49.77	34.06	10.34	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.777G	87.35	Inf	-Inf	9.71	3	Horizontal	167	2.35	-	77.64	33.75	10.17	34.21
PK	5.6426G	59.55	68.20	-8.65	9.16	3	Horizontal	167	2.35	-	50.39	33.27	10.09	34.20
PK	5.7806G	99.67	Inf	-Inf	9.72	3	Horizontal	167	2.35	-	89.95	33.76	10.17	34.21
PK	5.957G	60.19	68.20	-8.01	10.34	3	Horizontal	167	2.35	-	49.85	34.26	10.30	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57758G	40.50	54.00	-13.50	17.79	3	Vertical	209	2.19	-	22.71	38.74	13.15	34.10
PK	11.59786G	54.21	74.00	-19.79	17.74	3	Vertical	209	2.19	-	36.47	38.70	13.15	34.11
PK	17.38788G	62.63	68.20	-5.57	21.97	3	Vertical	40	2.50	-	40.66	38.96	16.24	33.23

802.11ax HEW40_Nss2,(MCS0)_2TX


5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5774G	40.50	54.00	-13.50	17.80	3	Horizontal	356	2.65	-	22.70	38.75	13.15	34.10
PK	11.57596G	53.52	74.00	-20.48	17.79	3	Horizontal	356	2.65	-	35.73	38.75	13.14	34.10
PK	17.38902G	61.91	68.20	-6.29	21.98	3	Horizontal	231	1.87	-	39.93	38.97	16.24	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.15	54.00	-3.85	8.90	3	Vertical	36	2.35	-	41.25	33.20	9.83	34.13
AV	5.201G	85.26	Inf	-Inf	8.82	3	Vertical	36	2.35	-	76.44	33.10	9.86	34.14
AV	5.377G	49.44	54.00	-4.56	8.56	3	Vertical	36	2.35	-	40.88	32.75	9.98	34.17
PK	5.124G	60.17	74.00	-13.83	8.90	3	Vertical	36	2.35	-	51.27	33.20	9.82	34.12
PK	5.213G	96.67	Inf	-Inf	8.78	3	Vertical	36	2.35	-	87.89	33.05	9.87	34.14
PK	5.392G	59.55	74.00	-14.45	8.60	3	Vertical	36	2.35	-	50.95	32.78	9.99	34.17


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	53.30	54.00	-0.70	8.90	3	Horizontal	321	1.00	-	44.40	33.20	9.83	34.13
AV	5.201G	95.71	Inf	-Inf	8.82	3	Horizontal	321	1.00	-	86.89	33.10	9.86	34.14
AV	5.364G	50.90	54.00	-3.10	8.53	3	Horizontal	321	1.00	-	42.37	32.73	9.97	34.17
PK	5.15G	62.64	74.00	-11.36	8.90	3	Horizontal	321	1.00	-	53.74	33.20	9.83	34.13
PK	5.198G	105.71	Inf	-Inf	8.82	3	Horizontal	321	1.00	-	96.89	33.10	9.86	34.14
PK	5.37G	59.45	74.00	-14.55	8.55	3	Horizontal	321	1.00	-	50.90	32.74	9.98	34.17

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)
5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60264G	50.50	54.00	-3.50	19.95	3	Vertical	321	1.18	-	30.55	38.69	15.73	34.47
PK	10.40912G	54.88	68.20	-13.32	16.82	3	Vertical	248	2.08	-	38.06	38.69	12.69	34.56
PK	15.61064G	60.80	74.00	-13.20	19.91	3	Vertical	321	1.18	-	40.89	38.65	15.73	34.47


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)
5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59592G	50.77	54.00	-3.23	19.96	3	Horizontal	51	2.42	-	30.81	38.70	15.72	34.46
PK	10.38864G	54.42	68.20	-13.78	16.80	3	Horizontal	162	1.57	-	37.62	38.69	12.68	34.57
PK	15.62792G	61.22	74.00	-12.78	19.82	3	Horizontal	51	2.42	-	41.40	38.56	15.74	34.48

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	89.41	Inf	-Inf	9.67	3	Vertical	136	1.23	-	79.74	33.72	10.16	34.21
PK	5.6418G	60.37	68.20	-7.83	9.16	3	Vertical	136	1.23	-	51.21	33.27	10.09	34.20
PK	5.7654G	99.25	Inf	-Inf	9.68	3	Vertical	136	1.23	-	89.57	33.73	10.16	34.21
PK	5.9418G	61.84	68.20	-6.36	10.34	3	Vertical	136	1.23	-	51.50	34.27	10.29	34.22


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	101.23	Inf	-Inf	9.67	3	Horizontal	324	2.90	-	91.56	33.72	10.16	34.21
PK	5.6442G	68.08	68.20	-0.12	9.17	3	Horizontal	324	2.90	-	58.91	33.28	10.09	34.20
PK	5.757G	112.37	Inf	-Inf	9.66	3	Horizontal	324	2.90	-	102.71	33.71	10.16	34.21
PK	6.0534G	62.02	68.20	-6.18	10.35	3	Horizontal	324	2.90	-	51.67	34.19	10.38	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51752G	45.13	54.00	-8.87	17.91	3	Vertical	332	1.28	-	27.22	38.86	13.12	34.07
PK	11.53592G	54.81	74.00	-19.19	17.88	3	Vertical	332	1.28	-	36.93	38.83	13.13	34.08
PK	17.29236G	63.00	68.20	-5.20	21.66	3	Vertical	104	1.25	-	41.34	38.68	16.23	33.25


802.11ax HEW80_Nss1,(MCS0)_1TX(Port1)
5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51176G	45.07	54.00	-8.93	17.93	3	Horizontal	136	1.57	-	27.14	38.88	13.12	34.07
PK	11.54488G	54.54	74.00	-19.46	17.86	3	Horizontal	136	1.57	-	36.68	38.81	13.13	34.08
PK	17.34788G	62.79	68.20	-5.41	21.84	3	Horizontal	64	1.89	-	40.95	38.84	16.24	33.24

802.11ax HEW80_Nss2,(MCS0)_2TX


5210MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.59	54.00	-0.41	8.90	3	Vertical	340	1.87	-	44.69	33.20	9.83	34.13
AV	5.217G	96.13	Inf	-Inf	8.76	3	Vertical	340	1.87	-	87.37	33.03	9.87	34.14
AV	5.35G	48.56	54.00	-5.44	8.51	3	Vertical	340	1.87	-	40.05	32.70	9.97	34.16
PK	5.144G	69.79	74.00	-4.21	8.90	3	Vertical	340	1.87	-	60.89	33.20	9.83	34.13
PK	5.216G	108.11	Inf	-Inf	8.77	3	Vertical	340	1.87	-	99.34	33.04	9.87	34.14
PK	5.355G	60.41	74.00	-13.59	8.52	3	Vertical	340	1.87	-	51.89	32.71	9.97	34.16


802.11ax HEW80_Nss2,(MCS0)_2TX

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.94	54.00	-7.06	8.90	3	Horizontal	165	2.71	-	38.04	33.20	9.83	34.13
AV	5.223G	80.41	Inf	-Inf	8.75	3	Horizontal	165	2.71	-	71.66	33.01	9.88	34.14
AV	5.363G	46.41	54.00	-7.59	8.53	3	Horizontal	165	2.71	-	37.88	32.73	9.97	34.17
PK	5.091G	58.84	74.00	-15.16	8.83	3	Horizontal	165	2.71	-	50.01	33.15	9.80	34.12
PK	5.183G	93.06	Inf	-Inf	8.85	3	Horizontal	165	2.71	-	84.21	33.13	9.85	34.13
PK	5.448G	58.89	74.00	-15.11	8.74	3	Horizontal	165	2.71	-	50.15	32.90	10.02	34.18

**802.11ax HEW80_Nss2,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63132G	49.77	54.00	-4.23	19.81	3	Vertical	101	1.05	-	29.96	38.54	15.75	34.48
PK	10.43422G	53.78	68.20	-14.42	16.83	3	Vertical	10	1.97	-	36.95	38.67	12.70	34.54
PK	15.62052G	60.05	74.00	-13.95	19.86	3	Vertical	101	1.05	-	40.19	38.60	15.74	34.48


**802.11ax HEW80_Nss2,(MCS0)_2TX
5210MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61662G	49.81	54.00	-4.19	19.88	3	Horizontal	281	2.01	-	29.93	38.62	15.74	34.48
PK	10.41862G	53.93	68.20	-14.27	16.82	3	Horizontal	334	2.53	-	37.11	38.68	12.69	34.55
PK	15.62292G	60.75	74.00	-13.25	19.85	3	Horizontal	281	2.01	-	40.90	38.59	15.74	34.48

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.763G	98.30	Inf	-Inf	9.68	3	Vertical	149	1.85	-	88.62	33.73	10.16	34.21
PK	5.6454G	66.94	68.20	-1.26	9.17	3	Vertical	149	1.85	-	57.77	33.28	10.09	34.20
PK	5.763G	110.49	Inf	-Inf	9.68	3	Vertical	149	1.85	-	100.81	33.73	10.16	34.21
PK	6.0486G	60.40	68.20	-7.80	10.35	3	Vertical	149	1.85	-	50.05	34.19	10.38	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	82.74	Inf	-Inf	9.61	3	Horizontal	167	2.40	-	73.13	33.66	10.15	34.20
PK	5.6178G	59.46	68.20	-8.74	9.05	3	Horizontal	167	2.40	-	50.41	33.17	10.08	34.20
PK	5.7378G	94.95	Inf	-Inf	9.58	3	Horizontal	167	2.40	-	85.37	33.63	10.15	34.20
PK	5.973G	60.36	68.20	-7.84	10.25	3	Horizontal	167	2.40	-	50.11	34.16	10.31	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5431G	43.45	54.00	-10.55	17.86	3	Vertical	359	2.51	-	25.59	38.81	13.13	34.08
PK	11.55294G	53.92	74.00	-20.08	17.84	3	Vertical	359	2.51	-	36.08	38.79	13.14	34.09
PK	17.32512G	61.43	68.20	-6.77	21.76	3	Vertical	171	1.25	-	39.67	38.78	16.23	33.25

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53974G	43.26	54.00	-10.74	17.87	3	Horizontal	110	2.23	-	25.39	38.82	13.13	34.08
PK	11.55042G	54.47	74.00	-19.53	17.84	3	Horizontal	110	2.23	-	36.63	38.80	13.13	34.09
PK	17.316G	61.85	68.20	-6.35	21.73	3	Horizontal	151	2.33	-	40.12	38.75	16.23	33.25



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	33.88M	32.72	40.00	-7.28	3	Horizontal	0	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	57.16M	30.55	40.00	-9.45	3	Vertical	360	1.00	-
5775MHz	Pass	PK	90.14M	34.72	43.50	-8.78	3	Vertical	360	1.00	-
5775MHz	Pass	PK	119.24M	33.28	43.50	-10.22	3	Vertical	360	1.00	-
5775MHz	Pass	PK	328.76M	33.42	46.00	-12.58	3	Vertical	360	1.00	-
5775MHz	Pass	PK	404.42M	33.40	46.00	-12.60	3	Vertical	360	1.00	-
5775MHz	Pass	QP	37.76M	32.60	40.00	-7.40	3	Vertical	360	1.00	-
5775MHz	Pass	PK	33.88M	32.72	40.00	-7.28	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	59.1M	31.03	40.00	-8.97	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	111.48M	36.15	43.50	-7.35	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	181.32M	32.23	43.50	-11.27	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	361.74M	38.65	46.00	-7.35	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	449.04M	36.01	46.00	-9.99	3	Horizontal	0	1.00	-

802.11ax HEW80_Nss2,(MCS0)_2TX


5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	57.16M	30.55	40.00	-9.45	-14.69	3	Vertical	360	1.00	-	45.24	11.83	1.10	27.62
PK	90.14M	34.72	43.50	-8.78	-12.38	3	Vertical	360	1.00	-	47.10	14.10	1.36	27.84
PK	119.24M	33.28	43.50	-10.22	-8.75	3	Vertical	360	1.00	-	42.03	17.48	1.54	27.77
PK	328.76M	33.42	46.00	-12.58	-5.88	3	Vertical	360	1.00	-	39.30	18.86	2.63	27.37
PK	404.42M	33.40	46.00	-12.60	-3.74	3	Vertical	360	1.00	-	37.14	21.24	2.90	27.88
QP	37.76M	32.60	40.00	-7.40	-6.67	3	Vertical	360	1.00	-	39.27	19.02	1.03	26.72

802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	32.72	40.00	-7.28	-4.57	3	Horizontal	0	1.00	-	37.29	21.11	1.02	26.70
PK	59.1M	31.03	40.00	-8.97	-14.98	3	Horizontal	0	1.00	-	46.01	11.57	1.11	27.66
PK	111.48M	36.15	43.50	-7.35	-9.16	3	Horizontal	0	1.00	-	45.31	17.14	1.49	27.79
PK	181.32M	32.23	43.50	-11.27	-11.11	3	Horizontal	0	1.00	-	43.34	14.45	1.93	27.49
PK	361.74M	38.65	46.00	-7.35	-4.88	3	Horizontal	0	1.00	-	43.53	19.95	2.75	27.58
PK	449.04M	36.01	46.00	-9.99	-3.29	3	Horizontal	0	1.00	-	39.30	21.89	3.08	28.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.1496G	53.79	54.00	-0.21	3	Horizontal	137	2.44	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.78	54.00	-0.22	3	Horizontal	325	2.73	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.1494G	53.78	54.00	-0.22	3	Horizontal	137	2.39	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	327	2.73	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	136	2.40	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	324	3.00	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.15G	53.58	54.00	-0.42	3	Horizontal	138	2.43	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	136	2.46	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.6466G	67.13	68.20	-1.07	3	Horizontal	136	2.52	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6502G	67.60	68.35	-0.75	3	Horizontal	137	2.55	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6386G	66.52	68.20	-1.68	3	Horizontal	135	2.50	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.6426G	66.87	68.20	-1.33	3	Horizontal	318	1.02	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6474G	67.44	68.20	-0.76	3	Horizontal	136	2.49	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.6338G	68.04	68.20	-0.16	3	Horizontal	136	2.53	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.6442G	67.23	68.20	-0.97	3	Horizontal	327	2.90	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6442G	67.44	68.20	-0.76	3	Horizontal	138	2.64	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1476G	47.65	54.00	-6.35	3	Vertical	72	2.34	-
5180MHz	Pass	AV	5.1818G	87.20	Inf	-Inf	3	Vertical	72	2.34	-
5180MHz	Pass	PK	5.051G	59.49	74.00	-14.51	3	Vertical	72	2.34	-
5180MHz	Pass	PK	5.1812G	97.54	Inf	-Inf	3	Vertical	72	2.34	-
5180MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	135	2.54	-
5180MHz	Pass	AV	5.1842G	105.88	Inf	-Inf	3	Horizontal	135	2.54	-
5180MHz	Pass	PK	5.1452G	70.99	74.00	-3.01	3	Horizontal	135	2.54	-
5180MHz	Pass	PK	5.1848G	115.24	Inf	-Inf	3	Horizontal	135	2.54	-
5180MHz	Pass	AV	15.53016G	48.61	54.00	-5.39	3	Vertical	206	1.50	-
5180MHz	Pass	PK	10.36088G	55.49	68.20	-12.71	3	Vertical	183	1.06	-
5180MHz	Pass	PK	15.53428G	61.77	74.00	-12.23	3	Vertical	206	1.50	-
5180MHz	Pass	AV	15.53224G	48.68	54.00	-5.32	3	Horizontal	170	1.89	-
5180MHz	Pass	PK	10.35764G	54.33	68.20	-13.87	3	Horizontal	134	2.31	-
5180MHz	Pass	PK	15.53628G	61.47	74.00	-12.53	3	Horizontal	170	1.89	-
5200MHz	Pass	AV	5.14G	47.41	54.00	-6.59	3	Vertical	169	1.50	-
5200MHz	Pass	AV	5.2024G	83.02	Inf	-Inf	3	Vertical	169	1.50	-
5200MHz	Pass	PK	5.1412G	59.22	74.00	-14.78	3	Vertical	169	1.50	-
5200MHz	Pass	PK	5.2018G	92.68	Inf	-Inf	3	Vertical	169	1.50	-
5200MHz	Pass	AV	5.1496G	53.79	54.00	-0.21	3	Horizontal	137	2.44	-
5200MHz	Pass	AV	5.194G	107.81	Inf	-Inf	3	Horizontal	137	2.44	-
5200MHz	Pass	PK	5.1478G	72.40	74.00	-1.60	3	Horizontal	137	2.44	-
5200MHz	Pass	PK	5.1952G	117.84	Inf	-Inf	3	Horizontal	137	2.44	-
5200MHz	Pass	AV	15.59496G	47.74	54.00	-6.26	3	Vertical	83	1.50	-
5200MHz	Pass	PK	10.39528G	58.18	68.20	-10.02	3	Vertical	182	1.24	-
5200MHz	Pass	PK	15.59736G	60.82	74.00	-13.18	3	Vertical	83	1.50	-
5200MHz	Pass	AV	15.59088G	47.77	54.00	-6.23	3	Horizontal	197	1.50	-
5200MHz	Pass	PK	10.39996G	55.58	68.20	-12.62	3	Horizontal	326	1.00	-
5200MHz	Pass	PK	15.59468G	61.14	74.00	-12.86	3	Horizontal	197	1.50	-
5240MHz	Pass	AV	5.1416G	47.39	54.00	-6.61	3	Vertical	238	2.04	-
5240MHz	Pass	AV	5.2382G	88.29	Inf	-Inf	3	Vertical	238	2.04	-
5240MHz	Pass	AV	5.3726G	47.05	54.00	-6.95	3	Vertical	238	2.04	-
5240MHz	Pass	PK	5.1392G	59.16	74.00	-14.84	3	Vertical	238	2.04	-
5240MHz	Pass	PK	5.2352G	98.52	Inf	-Inf	3	Vertical	238	2.04	-
5240MHz	Pass	PK	5.366G	59.19	74.00	-14.81	3	Vertical	238	2.04	-
5240MHz	Pass	AV	5.147G	52.54	54.00	-1.46	3	Horizontal	136	2.40	-
5240MHz	Pass	AV	5.2424G	109.61	Inf	-Inf	3	Horizontal	136	2.40	-
5240MHz	Pass	AV	5.351G	50.40	54.00	-3.60	3	Horizontal	136	2.40	-
5240MHz	Pass	PK	5.1458G	68.75	74.00	-5.25	3	Horizontal	136	2.40	-
5240MHz	Pass	PK	5.2388G	119.98	Inf	-Inf	3	Horizontal	136	2.40	-
5240MHz	Pass	PK	5.3558G	63.88	74.00	-10.12	3	Horizontal	136	2.40	-
5240MHz	Pass	AV	15.7168G	46.73	54.00	-7.27	3	Vertical	-0	1.50	-
5240MHz	Pass	PK	10.47768G	60.10	68.20	-8.10	3	Vertical	184	1.29	-
5240MHz	Pass	PK	15.71144G	59.77	74.00	-14.23	3	Vertical	-0	1.50	-
5240MHz	Pass	AV	15.7102G	46.56	54.00	-7.44	3	Horizontal	285	1.50	-
5240MHz	Pass	PK	10.47772G	59.80	68.20	-8.40	3	Horizontal	325	1.00	-
5240MHz	Pass	PK	15.72332G	59.88	74.00	-14.12	3	Horizontal	285	1.50	-
5745MHz	Pass	AV	5.7474G	97.56	Inf	-Inf	3	Vertical	50	2.59	-
5745MHz	Pass	PK	5.5242G	59.66	68.20	-8.54	3	Vertical	50	2.59	-
5745MHz	Pass	PK	5.7498G	106.90	Inf	-Inf	3	Vertical	50	2.59	-
5745MHz	Pass	PK	6.0186G	59.68	68.20	-8.52	3	Vertical	50	2.59	-
5745MHz	Pass	AV	5.7474G	109.95	Inf	-Inf	3	Horizontal	136	2.52	-
5745MHz	Pass	PK	5.6466G	67.13	68.20	-1.07	3	Horizontal	136	2.52	-
5745MHz	Pass	PK	5.7414G	119.92	Inf	-Inf	3	Horizontal	136	2.52	-
5745MHz	Pass	PK	6.0438G	61.00	68.20	-7.20	3	Horizontal	136	2.52	-
5745MHz	Pass	AV	11.48992G	41.64	54.00	-12.36	3	Vertical	310	1.87	-
5745MHz	Pass	PK	11.4956G	54.42	74.00	-19.58	3	Vertical	310	1.87	-
5745MHz	Pass	PK	17.23828G	63.70	68.20	-4.50	3	Vertical	213	2.74	-
5745MHz	Pass	AV	11.49092G	44.37	54.00	-9.63	3	Horizontal	329	1.08	-
5745MHz	Pass	PK	11.48976G	56.93	74.00	-17.07	3	Horizontal	329	1.08	-
5745MHz	Pass	PK	17.23016G	62.66	68.20	-5.54	3	Horizontal	138	1.50	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.779G	97.67	Inf	-Inf	3	Vertical	44	2.86	-
5785MHz	Pass	PK	5.5366G	59.56	68.20	-8.64	3	Vertical	44	2.86	-
5785MHz	Pass	PK	5.7826G	108.04	Inf	-Inf	3	Vertical	44	2.86	-
5785MHz	Pass	PK	5.9638G	60.00	68.20	-8.20	3	Vertical	44	2.86	-
5785MHz	Pass	AV	5.779G	109.19	Inf	-Inf	3	Horizontal	137	2.48	-
5785MHz	Pass	PK	5.6434G	66.22	68.20	-1.98	3	Horizontal	137	2.48	-
5785MHz	Pass	PK	5.7778G	119.12	Inf	-Inf	3	Horizontal	137	2.48	-
5785MHz	Pass	PK	5.9302G	60.51	68.20	-7.69	3	Horizontal	137	2.48	-
5785MHz	Pass	AV	11.56972G	41.88	54.00	-12.12	3	Vertical	226	3.00	-
5785MHz	Pass	PK	11.56692G	54.94	74.00	-19.06	3	Vertical	226	3.00	-
5785MHz	Pass	PK	17.35356G	62.45	68.20	-5.75	3	Vertical	338	2.04	-
5785MHz	Pass	AV	11.57044G	43.47	54.00	-10.53	3	Horizontal	330	2.32	-
5785MHz	Pass	PK	11.57356G	56.54	74.00	-17.46	3	Horizontal	330	2.32	-
5785MHz	Pass	PK	17.35804G	62.29	68.20	-5.91	3	Horizontal	299	1.50	-
5825MHz	Pass	AV	5.8274G	96.04	Inf	-Inf	3	Vertical	59	2.80	-
5825MHz	Pass	PK	5.6486G	59.29	68.20	-8.91	3	Vertical	59	2.80	-
5825MHz	Pass	PK	5.8298G	106.41	Inf	-Inf	3	Vertical	59	2.80	-
5825MHz	Pass	PK	6.0398G	60.30	68.20	-7.90	3	Vertical	59	2.80	-
5825MHz	Pass	AV	5.8274G	107.44	Inf	-Inf	3	Horizontal	134	2.46	-
5825MHz	Pass	PK	5.6318G	65.06	68.20	-3.14	3	Horizontal	134	2.46	-
5825MHz	Pass	PK	5.825G	117.32	Inf	-Inf	3	Horizontal	134	2.46	-
5825MHz	Pass	PK	6.0566G	59.97	68.20	-8.23	3	Horizontal	134	2.46	-
5825MHz	Pass	AV	11.65348G	43.01	54.00	-10.99	3	Vertical	166	1.05	-
5825MHz	Pass	PK	11.63542G	55.81	74.00	-18.19	3	Vertical	166	1.05	-
5825MHz	Pass	PK	17.48604G	60.00	68.20	-8.20	3	Vertical	43	2.44	-
5825MHz	Pass	AV	11.64572G	42.54	54.00	-11.46	3	Horizontal	142	1.00	-
5825MHz	Pass	PK	11.64672G	55.49	74.00	-18.51	3	Horizontal	142	1.00	-
5825MHz	Pass	PK	17.47232G	61.65	68.20	-6.55	3	Horizontal	39	2.32	-
802.11a_Nss1(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	47.79	54.00	-6.21	3	Vertical	61	2.85	-
5180MHz	Pass	AV	5.1824G	94.53	Inf	-Inf	3	Vertical	61	2.85	-
5180MHz	Pass	PK	5.033G	59.42	74.00	-14.58	3	Vertical	61	2.85	-
5180MHz	Pass	PK	5.183G	103.68	Inf	-Inf	3	Vertical	61	2.85	-
5180MHz	Pass	AV	5.1494G	52.62	54.00	-1.38	3	Horizontal	327	2.75	-
5180MHz	Pass	AV	5.174G	109.07	Inf	-Inf	3	Horizontal	327	2.75	-
5180MHz	Pass	PK	5.1494G	71.24	74.00	-2.76	3	Horizontal	327	2.75	-
5180MHz	Pass	PK	5.1734G	118.24	Inf	-Inf	3	Horizontal	327	2.75	-
5180MHz	Pass	AV	15.52032G	49.06	54.00	-4.94	3	Vertical	182	1.50	-
5180MHz	Pass	PK	10.36608G	54.85	68.20	-13.35	3	Vertical	193	1.50	-
5180MHz	Pass	PK	15.53176G	62.39	74.00	-11.61	3	Vertical	182	1.50	-
5180MHz	Pass	AV	15.52088G	49.09	54.00	-4.91	3	Horizontal	276	1.50	-
5180MHz	Pass	PK	10.36408G	54.15	68.20	-14.05	3	Horizontal	184	2.00	-
5180MHz	Pass	PK	15.55512G	61.94	74.00	-12.06	3	Horizontal	276	1.50	-
5200MHz	Pass	AV	5.1484G	48.09	54.00	-5.91	3	Vertical	66	2.67	-
5200MHz	Pass	AV	5.203G	96.74	Inf	-Inf	3	Vertical	66	2.67	-
5200MHz	Pass	PK	5.1436G	59.47	74.00	-14.53	3	Vertical	66	2.67	-
5200MHz	Pass	PK	5.1976G	106.13	Inf	-Inf	3	Vertical	66	2.67	-
5200MHz	Pass	AV	5.15G	53.78	54.00	-0.22	3	Horizontal	325	2.73	-
5200MHz	Pass	AV	5.1958G	112.41	Inf	-Inf	3	Horizontal	325	2.73	-
5200MHz	Pass	PK	5.1448G	72.69	74.00	-1.31	3	Horizontal	325	2.73	-
5200MHz	Pass	PK	5.2054G	121.44	Inf	-Inf	3	Horizontal	325	2.73	-
5200MHz	Pass	AV	15.58296G	48.05	54.00	-5.95	3	Vertical	17	1.50	-
5200MHz	Pass	PK	10.39752G	59.72	68.20	-8.48	3	Vertical	189	1.05	-
5200MHz	Pass	PK	15.59704G	61.28	74.00	-12.72	3	Vertical	17	1.50	-
5200MHz	Pass	AV	15.58192G	48.05	54.00	-5.95	3	Horizontal	129	1.64	-
5200MHz	Pass	PK	10.39832G	57.24	68.20	-10.96	3	Horizontal	178	2.05	-
5200MHz	Pass	PK	15.6172G	61.51	74.00	-12.49	3	Horizontal	129	1.64	-
5240MHz	Pass	AV	5.1458G	47.73	54.00	-6.27	3	Vertical	322	2.96	-
5240MHz	Pass	AV	5.234G	95.86	Inf	-Inf	3	Vertical	322	2.96	-
5240MHz	Pass	AV	5.3858G	47.27	54.00	-6.73	3	Vertical	322	2.96	-
5240MHz	Pass	PK	5.1392G	60.05	74.00	-13.95	3	Vertical	322	2.96	-
5240MHz	Pass	PK	5.2388G	105.83	Inf	-Inf	3	Vertical	322	2.96	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3798G	59.06	74.00	-14.94	3	Vertical	322	2.96	-
5240MHz	Pass	AV	5.1374G	53.17	54.00	-0.83	3	Horizontal	322	1.01	-
5240MHz	Pass	AV	5.2424G	114.90	Inf	-Inf	3	Horizontal	322	1.01	-
5240MHz	Pass	AV	5.3528G	51.57	54.00	-2.43	3	Horizontal	322	1.01	-
5240MHz	Pass	PK	5.1446G	66.25	74.00	-7.75	3	Horizontal	322	1.01	-
5240MHz	Pass	PK	5.2376G	124.49	Inf	-Inf	3	Horizontal	322	1.01	-
5240MHz	Pass	PK	5.35G	65.64	74.00	-8.36	3	Horizontal	322	1.01	-
5240MHz	Pass	AV	15.7204G	49.60	54.00	-4.40	3	Vertical	228	2.96	-
5240MHz	Pass	PK	10.47744G	60.06	68.20	-8.14	3	Vertical	190	1.15	-
5240MHz	Pass	PK	15.72048G	62.42	74.00	-11.58	3	Vertical	228	2.96	-
5240MHz	Pass	AV	15.7048G	47.27	54.00	-6.73	3	Horizontal	62	2.99	-
5240MHz	Pass	PK	10.47896G	54.85	68.20	-13.35	3	Horizontal	179	1.50	-
5240MHz	Pass	PK	15.71248G	59.97	74.00	-14.03	3	Horizontal	62	2.99	-
5745MHz	Pass	AV	5.751G	96.99	Inf	-Inf	3	Vertical	47	2.97	-
5745MHz	Pass	PK	5.6442G	59.00	68.20	-9.20	3	Vertical	47	2.97	-
5745MHz	Pass	PK	5.751G	107.12	Inf	-Inf	3	Vertical	47	2.97	-
5745MHz	Pass	PK	5.9418G	59.86	68.20	-8.34	3	Vertical	47	2.97	-
5745MHz	Pass	AV	5.739G	112.99	Inf	-Inf	3	Horizontal	137	2.55	-
5745MHz	Pass	PK	5.6502G	67.60	68.35	-0.75	3	Horizontal	137	2.55	-
5745MHz	Pass	PK	5.7438G	123.07	Inf	-Inf	3	Horizontal	137	2.55	-
5745MHz	Pass	PK	6.039G	60.15	68.20	-8.05	3	Horizontal	137	2.55	-
5745MHz	Pass	AV	11.49088G	43.83	54.00	-10.17	3	Vertical	175	2.30	-
5745MHz	Pass	PK	11.49112G	57.43	74.00	-16.57	3	Vertical	175	2.30	-
5745MHz	Pass	PK	17.24956G	62.62	68.20	-5.58	3	Vertical	360	1.97	-
5745MHz	Pass	AV	11.49088G	45.67	54.00	-8.33	3	Horizontal	184	2.38	-
5745MHz	Pass	PK	11.49032G	58.18	74.00	-15.82	3	Horizontal	184	2.38	-
5745MHz	Pass	PK	17.23492G	62.67	68.20	-5.53	3	Horizontal	189	1.19	-
5785MHz	Pass	AV	5.7826G	96.67	Inf	-Inf	3	Vertical	56	2.02	-
5785MHz	Pass	PK	5.6458G	59.97	68.20	-8.23	3	Vertical	56	2.02	-
5785MHz	Pass	PK	5.779G	106.36	Inf	-Inf	3	Vertical	56	2.02	-
5785MHz	Pass	PK	5.941G	59.80	68.20	-8.40	3	Vertical	56	2.02	-
5785MHz	Pass	AV	5.779G	111.76	Inf	-Inf	3	Horizontal	316	1.05	-
5785MHz	Pass	PK	5.6482G	65.80	68.20	-2.40	3	Horizontal	316	1.05	-
5785MHz	Pass	PK	5.785G	121.43	Inf	-Inf	3	Horizontal	316	1.05	-
5785MHz	Pass	PK	6.061G	60.29	68.20	-7.91	3	Horizontal	316	1.05	-
5785MHz	Pass	AV	11.5724G	44.64	54.00	-9.36	3	Vertical	323	2.24	-
5785MHz	Pass	PK	11.57728G	57.23	74.00	-16.77	3	Vertical	323	2.24	-
5785MHz	Pass	PK	17.37444G	61.94	68.20	-6.26	3	Vertical	142	2.25	-
5785MHz	Pass	AV	11.57296G	45.19	54.00	-8.81	3	Horizontal	328	1.02	-
5785MHz	Pass	PK	11.5576G	58.01	74.00	-15.99	3	Horizontal	328	1.02	-
5785MHz	Pass	PK	17.33836G	63.26	68.20	-4.94	3	Horizontal	296	2.20	-
5825MHz	Pass	AV	5.8322G	93.84	Inf	-Inf	3	Vertical	55	3.00	-
5825MHz	Pass	PK	5.6426G	59.54	68.20	-8.66	3	Vertical	55	3.00	-
5825MHz	Pass	PK	5.8274G	104.11	Inf	-Inf	3	Vertical	55	3.00	-
5825MHz	Pass	PK	6.107G	60.21	68.20	-7.99	3	Vertical	55	3.00	-
5825MHz	Pass	AV	5.8226G	110.07	Inf	-Inf	3	Horizontal	318	1.04	-
5825MHz	Pass	PK	5.6318G	66.71	68.20	-1.49	3	Horizontal	318	1.04	-
5825MHz	Pass	PK	5.8226G	120.81	Inf	-Inf	3	Horizontal	318	1.04	-
5825MHz	Pass	PK	5.9606G	60.44	68.20	-7.76	3	Horizontal	318	1.04	-
5825MHz	Pass	AV	11.65216G	44.85	54.00	-9.15	3	Vertical	322	2.07	-
5825MHz	Pass	PK	11.6472G	58.19	74.00	-15.81	3	Vertical	322	2.07	-
5825MHz	Pass	PK	17.46548G	63.03	68.20	-5.17	3	Vertical	205	1.27	-
5825MHz	Pass	AV	11.6528G	43.33	54.00	-10.67	3	Horizontal	152	2.66	-
5825MHz	Pass	PK	11.65696G	55.98	74.00	-18.02	3	Horizontal	152	2.66	-
5825MHz	Pass	PK	17.495G	62.54	68.20	-5.66	3	Horizontal	290	1.49	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	47.89	54.00	-6.11	3	Vertical	72	2.34	-
5180MHz	Pass	AV	5.1782G	86.05	Inf	-Inf	3	Vertical	72	2.34	-
5180MHz	Pass	PK	5.15G	59.68	74.00	-14.32	3	Vertical	72	2.34	-
5180MHz	Pass	PK	5.1812G	97.94	Inf	-Inf	3	Vertical	72	2.34	-
5180MHz	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	139	2.70	-
5180MHz	Pass	AV	5.1728G	104.24	Inf	-Inf	3	Horizontal	139	2.70	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.15G	73.37	74.00	-0.63	3	Horizontal	139	2.70	-
5180MHz	Pass	PK	5.177G	116.00	Inf	-Inf	3	Horizontal	139	2.70	-
5180MHz	Pass	AV	15.52328G	48.96	54.00	-5.04	3	Vertical	92	2.25	-
5180MHz	Pass	PK	10.35952G	54.09	68.20	-14.11	3	Vertical	190	1.33	-
5180MHz	Pass	PK	15.53808G	60.77	74.00	-13.23	3	Vertical	92	2.25	-
5180MHz	Pass	AV	15.52008G	49.03	54.00	-4.97	3	Horizontal	334	2.50	-
5180MHz	Pass	PK	10.34776G	53.83	68.20	-14.37	3	Horizontal	360	1.23	-
5180MHz	Pass	PK	15.5236G	61.60	74.00	-12.40	3	Horizontal	334	2.50	-
5200MHz	Pass	AV	5.1418G	47.56	54.00	-6.44	3	Vertical	195	3.00	-
5200MHz	Pass	AV	5.1946G	89.89	Inf	-Inf	3	Vertical	195	3.00	-
5200MHz	Pass	PK	5.095G	58.93	74.00	-15.07	3	Vertical	195	3.00	-
5200MHz	Pass	PK	5.1922G	100.66	Inf	-Inf	3	Vertical	195	3.00	-
5200MHz	Pass	AV	5.1496G	53.53	54.00	-0.47	3	Horizontal	138	2.42	-
5200MHz	Pass	AV	5.1928G	106.77	Inf	-Inf	3	Horizontal	138	2.42	-
5200MHz	Pass	PK	5.15G	69.98	74.00	-4.02	3	Horizontal	138	2.42	-
5200MHz	Pass	PK	5.1964G	118.70	Inf	-Inf	3	Horizontal	138	2.42	-
5200MHz	Pass	AV	15.60144G	48.07	54.00	-5.93	3	Vertical	197	2.77	-
5200MHz	Pass	PK	10.39576G	56.78	68.20	-11.42	3	Vertical	189	1.33	-
5200MHz	Pass	PK	15.582G	61.03	74.00	-12.97	3	Vertical	197	2.77	-
5200MHz	Pass	AV	15.5812G	47.97	54.00	-6.03	3	Horizontal	3	2.76	-
5200MHz	Pass	PK	10.3992G	54.33	68.20	-13.87	3	Horizontal	6	2.36	-
5200MHz	Pass	PK	15.60224G	60.27	74.00	-13.73	3	Horizontal	3	2.76	-
5240MHz	Pass	AV	5.1368G	47.64	54.00	-6.36	3	Vertical	226	1.50	-
5240MHz	Pass	AV	5.2334G	88.54	Inf	-Inf	3	Vertical	226	1.50	-
5240MHz	Pass	AV	5.3774G	47.21	54.00	-6.79	3	Vertical	226	1.50	-
5240MHz	Pass	PK	5.1128G	59.60	74.00	-14.40	3	Vertical	226	1.50	-
5240MHz	Pass	PK	5.2352G	100.49	Inf	-Inf	3	Vertical	226	1.50	-
5240MHz	Pass	PK	5.378G	58.85	74.00	-15.15	3	Vertical	226	1.50	-
5240MHz	Pass	AV	5.1494G	53.78	54.00	-0.22	3	Horizontal	137	2.39	-
5240MHz	Pass	AV	5.2382G	108.71	Inf	-Inf	3	Horizontal	137	2.39	-
5240MHz	Pass	AV	5.35G	50.74	54.00	-3.26	3	Horizontal	137	2.39	-
5240MHz	Pass	PK	5.1452G	69.30	74.00	-4.70	3	Horizontal	137	2.39	-
5240MHz	Pass	PK	5.2424G	120.46	Inf	-Inf	3	Horizontal	137	2.39	-
5240MHz	Pass	PK	5.3654G	63.68	74.00	-10.32	3	Horizontal	137	2.39	-
5240MHz	Pass	AV	15.70104G	47.28	54.00	-6.72	3	Vertical	114	2.38	-
5240MHz	Pass	PK	10.48272G	58.16	68.20	-10.04	3	Vertical	190	1.14	-
5240MHz	Pass	PK	15.70136G	60.10	74.00	-13.90	3	Vertical	114	2.38	-
5240MHz	Pass	AV	15.70016G	47.07	54.00	-6.93	3	Horizontal	84	1.50	-
5240MHz	Pass	PK	10.478G	56.53	68.20	-11.67	3	Horizontal	115	2.64	-
5240MHz	Pass	PK	15.70904G	59.90	74.00	-14.10	3	Horizontal	84	1.50	-
5745MHz	Pass	AV	5.7498G	96.47	Inf	-Inf	3	Vertical	52	2.25	-
5745MHz	Pass	PK	5.6346G	59.13	68.20	-9.07	3	Vertical	52	2.25	-
5745MHz	Pass	PK	5.7462G	107.43	Inf	-Inf	3	Vertical	52	2.25	-
5745MHz	Pass	PK	6.0318G	59.94	68.20	-8.26	3	Vertical	52	2.25	-
5745MHz	Pass	AV	5.7462G	109.00	Inf	-Inf	3	Horizontal	135	2.52	-
5745MHz	Pass	PK	5.6466G	65.37	68.20	-2.83	3	Horizontal	135	2.52	-
5745MHz	Pass	PK	5.7414G	122.38	Inf	-Inf	3	Horizontal	135	2.52	-
5745MHz	Pass	PK	5.9634G	59.59	68.20	-8.61	3	Horizontal	135	2.52	-
5745MHz	Pass	AV	11.48608G	41.90	54.00	-12.10	3	Vertical	191	1.39	-
5745MHz	Pass	PK	11.48944G	54.89	74.00	-19.11	3	Vertical	191	1.39	-
5745MHz	Pass	PK	17.24572G	62.03	68.20	-6.17	3	Vertical	274	2.20	-
5745MHz	Pass	AV	11.4896G	43.15	54.00	-10.85	3	Horizontal	332	2.39	-
5745MHz	Pass	PK	11.49248G	55.68	74.00	-18.32	3	Horizontal	332	2.39	-
5745MHz	Pass	PK	17.24524G	62.17	68.20	-6.03	3	Horizontal	360	2.10	-
5785MHz	Pass	AV	5.7802G	96.49	Inf	-Inf	3	Vertical	45	2.86	-
5785MHz	Pass	PK	5.6122G	59.32	68.20	-8.88	3	Vertical	45	2.86	-
5785MHz	Pass	PK	5.7778G	107.78	Inf	-Inf	3	Vertical	45	2.86	-
5785MHz	Pass	PK	5.971G	60.10	68.20	-8.10	3	Vertical	45	2.86	-
5785MHz	Pass	AV	5.7802G	108.18	Inf	-Inf	3	Horizontal	135	2.50	-
5785MHz	Pass	PK	5.6386G	66.52	68.20	-1.68	3	Horizontal	135	2.50	-
5785MHz	Pass	PK	5.7778G	119.39	Inf	-Inf	3	Horizontal	135	2.50	-
5785MHz	Pass	PK	5.9686G	60.65	68.20	-7.55	3	Horizontal	135	2.50	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	11.56368G	41.40	54.00	-12.60	3	Vertical	278	2.05	-
5785MHz	Pass	PK	11.55344G	54.28	74.00	-19.72	3	Vertical	278	2.05	-
5785MHz	Pass	PK	17.36124G	61.97	68.20	-6.23	3	Vertical	214	2.13	-
5785MHz	Pass	AV	11.56456G	41.80	54.00	-12.20	3	Horizontal	332	1.50	-
5785MHz	Pass	PK	11.5732G	54.42	74.00	-19.58	3	Horizontal	332	1.50	-
5785MHz	Pass	PK	17.3698G	62.51	68.20	-5.69	3	Horizontal	177	2.97	-
5825MHz	Pass	AV	5.8274G	95.97	Inf	-Inf	3	Vertical	59	2.80	-
5825MHz	Pass	PK	5.525G	59.08	68.20	-9.12	3	Vertical	59	2.80	-
5825MHz	Pass	PK	5.819G	106.16	Inf	-Inf	3	Vertical	59	2.80	-
5825MHz	Pass	PK	6.0134G	60.17	68.20	-8.03	3	Vertical	59	2.80	-
5825MHz	Pass	AV	5.8274G	106.03	Inf	-Inf	3	Horizontal	136	2.56	-
5825MHz	Pass	PK	5.633G	63.15	68.20	-5.05	3	Horizontal	136	2.56	-
5825MHz	Pass	PK	5.8298G	117.00	Inf	-Inf	3	Horizontal	136	2.56	-
5825MHz	Pass	PK	6.047G	60.63	68.20	-7.57	3	Horizontal	136	2.56	-
5825MHz	Pass	AV	11.64984G	41.47	54.00	-12.53	3	Vertical	289	2.40	-
5825MHz	Pass	PK	11.6428G	54.22	74.00	-19.78	3	Vertical	289	2.40	-
5825MHz	Pass	PK	17.45636G	62.46	68.20	-5.74	3	Vertical	342	2.94	-
5825MHz	Pass	AV	11.63952G	41.53	54.00	-12.47	3	Horizontal	330	1.50	-
5825MHz	Pass	PK	11.66376G	54.31	74.00	-19.69	3	Horizontal	330	1.50	-
5825MHz	Pass	PK	17.46916G	62.33	68.20	-5.87	3	Horizontal	341	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	46.78	54.00	-7.22	3	Vertical	53	2.80	-
5180MHz	Pass	AV	5.1782G	89.43	Inf	-Inf	3	Vertical	53	2.80	-
5180MHz	Pass	PK	5.1392G	59.49	74.00	-14.51	3	Vertical	53	2.80	-
5180MHz	Pass	PK	5.174G	101.68	Inf	-Inf	3	Vertical	53	2.80	-
5180MHz	Pass	AV	5.1494G	53.63	54.00	-0.37	3	Horizontal	139	2.88	-
5180MHz	Pass	AV	5.1782G	105.11	Inf	-Inf	3	Horizontal	139	2.88	-
5180MHz	Pass	PK	5.147G	73.14	74.00	-0.86	3	Horizontal	139	2.88	-
5180MHz	Pass	PK	5.1746G	118.11	Inf	-Inf	3	Horizontal	139	2.88	-
5180MHz	Pass	AV	15.52096G	48.40	54.00	-5.60	3	Vertical	78	2.58	-
5180MHz	Pass	PK	10.364G	55.21	68.20	-12.99	3	Vertical	192	1.30	-
5180MHz	Pass	PK	15.53312G	61.96	74.00	-12.04	3	Vertical	78	2.58	-
5180MHz	Pass	AV	15.52G	48.45	54.00	-5.55	3	Horizontal	228	1.72	-
5180MHz	Pass	PK	10.35624G	54.78	68.20	-13.42	3	Horizontal	185	2.09	-
5180MHz	Pass	PK	15.52528G	61.75	74.00	-12.25	3	Horizontal	228	1.72	-
5200MHz	Pass	AV	5.15G	47.13	54.00	-6.87	3	Vertical	239	2.94	-
5200MHz	Pass	AV	5.1982G	92.74	Inf	-Inf	3	Vertical	239	2.94	-
5200MHz	Pass	PK	5.1328G	59.54	74.00	-14.46	3	Vertical	239	2.94	-
5200MHz	Pass	PK	5.1976G	105.78	Inf	-Inf	3	Vertical	239	2.94	-
5200MHz	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	327	2.73	-
5200MHz	Pass	AV	5.2012G	107.15	Inf	-Inf	3	Horizontal	327	2.73	-
5200MHz	Pass	PK	5.1472G	70.50	74.00	-3.50	3	Horizontal	327	2.73	-
5200MHz	Pass	PK	5.2012G	119.52	Inf	-Inf	3	Horizontal	327	2.73	-
5200MHz	Pass	AV	15.58184G	47.33	54.00	-6.67	3	Vertical	24	1.89	-
5200MHz	Pass	PK	10.40368G	57.47	68.20	-10.73	3	Vertical	190	1.23	-
5200MHz	Pass	PK	15.60632G	60.29	74.00	-13.71	3	Vertical	24	1.89	-
5200MHz	Pass	AV	15.58368G	47.37	54.00	-6.63	3	Horizontal	44	2.22	-
5200MHz	Pass	PK	10.40544G	54.95	68.20	-13.25	3	Horizontal	176	1.50	-
5200MHz	Pass	PK	15.5912G	60.54	74.00	-13.46	3	Horizontal	44	2.22	-
5240MHz	Pass	AV	5.144G	46.56	54.00	-7.44	3	Vertical	198	2.97	-
5240MHz	Pass	AV	5.2364G	91.32	Inf	-Inf	3	Vertical	198	2.97	-
5240MHz	Pass	AV	5.3654G	45.98	54.00	-8.02	3	Vertical	198	2.97	-
5240MHz	Pass	PK	5.1026G	58.79	74.00	-15.21	3	Vertical	198	2.97	-
5240MHz	Pass	PK	5.2388G	103.72	Inf	-Inf	3	Vertical	198	2.97	-
5240MHz	Pass	PK	5.3528G	58.47	74.00	-15.53	3	Vertical	198	2.97	-
5240MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	321	1.01	-
5240MHz	Pass	AV	5.2382G	109.20	Inf	-Inf	3	Horizontal	321	1.01	-
5240MHz	Pass	AV	5.35G	51.34	54.00	-2.66	3	Horizontal	321	1.01	-
5240MHz	Pass	PK	5.147G	69.59	74.00	-4.41	3	Horizontal	321	1.01	-
5240MHz	Pass	PK	5.2442G	122.57	Inf	-Inf	3	Horizontal	321	1.01	-
5240MHz	Pass	PK	5.3516G	64.40	74.00	-9.60	3	Horizontal	321	1.01	-
5240MHz	Pass	AV	15.70104G	46.47	54.00	-7.53	3	Vertical	205	3.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	10.48384G	59.26	68.20	-8.94	3	Vertical	188	1.01	-
5240MHz	Pass	PK	15.70248G	60.65	74.00	-13.35	3	Vertical	205	3.00	-
5240MHz	Pass	AV	15.70544G	46.32	54.00	-7.68	3	Horizontal	287	1.13	-
5240MHz	Pass	PK	10.48296G	55.41	68.20	-12.79	3	Horizontal	179	1.50	-
5240MHz	Pass	PK	15.70176G	59.76	74.00	-14.24	3	Horizontal	287	1.13	-
5745MHz	Pass	AV	5.7462G	94.55	Inf	-Inf	3	Vertical	54	2.15	-
5745MHz	Pass	PK	5.6082G	59.45	68.20	-8.75	3	Vertical	54	2.15	-
5745MHz	Pass	PK	5.7474G	108.07	Inf	-Inf	3	Vertical	54	2.15	-
5745MHz	Pass	PK	5.9622G	59.98	68.20	-8.22	3	Vertical	54	2.15	-
5745MHz	Pass	AV	5.7486G	108.87	Inf	-Inf	3	Horizontal	136	2.44	-
5745MHz	Pass	PK	5.6538G	69.22	71.01	-1.79	3	Horizontal	136	2.44	-
5745MHz	Pass	PK	5.7486G	121.28	Inf	-Inf	3	Horizontal	136	2.44	-
5745MHz	Pass	PK	5.967G	59.53	68.20	-8.67	3	Horizontal	136	2.44	-
5745MHz	Pass	AV	11.48952G	42.18	54.00	-11.82	3	Vertical	179	1.31	-
5745MHz	Pass	PK	11.50488G	55.26	74.00	-18.74	3	Vertical	179	1.31	-
5745MHz	Pass	PK	17.23308G	62.19	68.20	-6.01	3	Vertical	99	1.84	-
5745MHz	Pass	AV	11.49144G	45.22	54.00	-8.78	3	Horizontal	150	2.32	-
5745MHz	Pass	PK	11.49112G	59.23	74.00	-14.77	3	Horizontal	150	2.32	-
5745MHz	Pass	PK	17.039G	62.32	68.20	-5.88	3	Horizontal	349	1.04	-
5785MHz	Pass	AV	5.7778G	94.91	Inf	-Inf	3	Vertical	40	2.71	-
5785MHz	Pass	PK	5.6494G	58.66	68.20	-9.54	3	Vertical	40	2.71	-
5785MHz	Pass	PK	5.7826G	106.20	Inf	-Inf	3	Vertical	40	2.71	-
5785MHz	Pass	PK	6.0406G	60.92	68.20	-7.28	3	Vertical	40	2.71	-
5785MHz	Pass	AV	5.7778G	107.33	Inf	-Inf	3	Horizontal	320	2.91	-
5785MHz	Pass	PK	5.641G	64.00	68.20	-4.20	3	Horizontal	320	2.91	-
5785MHz	Pass	PK	5.785G	119.80	Inf	-Inf	3	Horizontal	320	2.91	-
5785MHz	Pass	PK	6.0514G	60.23	68.20	-7.97	3	Horizontal	320	2.91	-
5785MHz	Pass	AV	11.57048G	42.81	54.00	-11.19	3	Vertical	322	2.62	-
5785MHz	Pass	PK	11.56736G	57.24	74.00	-16.76	3	Vertical	322	2.62	-
5785MHz	Pass	PK	17.3722G	62.17	68.20	-6.03	3	Vertical	156	2.40	-
5785MHz	Pass	AV	11.5708G	43.21	54.00	-10.79	3	Horizontal	186	2.26	-
5785MHz	Pass	PK	11.57392G	56.27	74.00	-17.73	3	Horizontal	186	2.26	-
5785MHz	Pass	PK	17.36172G	62.32	68.20	-5.88	3	Horizontal	167	2.30	-
5825MHz	Pass	AV	5.8238G	92.20	Inf	-Inf	3	Vertical	45	2.95	-
5825MHz	Pass	PK	5.6042G	59.53	68.20	-8.67	3	Vertical	45	2.95	-
5825MHz	Pass	PK	5.8226G	104.26	Inf	-Inf	3	Vertical	45	2.95	-
5825MHz	Pass	PK	6.0818G	60.51	68.20	-7.69	3	Vertical	45	2.95	-
5825MHz	Pass	AV	5.8214G	106.02	Inf	-Inf	3	Horizontal	318	1.02	-
5825MHz	Pass	PK	5.6426G	66.87	68.20	-1.33	3	Horizontal	318	1.02	-
5825MHz	Pass	PK	5.8262G	118.02	Inf	-Inf	3	Horizontal	318	1.02	-
5825MHz	Pass	PK	6.1154G	60.40	68.20	-7.80	3	Horizontal	318	1.02	-
5825MHz	Pass	AV	11.64488G	43.57	54.00	-10.43	3	Vertical	324	2.51	-
5825MHz	Pass	PK	11.65144G	58.26	74.00	-15.74	3	Vertical	324	2.51	-
5825MHz	Pass	PK	17.46676G	62.15	68.20	-6.05	3	Vertical	197	2.50	-
5825MHz	Pass	AV	11.64952G	43.24	54.00	-10.76	3	Horizontal	151	2.73	-
5825MHz	Pass	PK	11.65776G	56.42	74.00	-17.58	3	Horizontal	151	2.73	-
5825MHz	Pass	PK	17.48228G	61.81	68.20	-6.39	3	Horizontal	31	1.21	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1396G	48.51	54.00	-5.49	3	Vertical	71	2.34	-
5190MHz	Pass	AV	5.2056G	83.04	Inf	-Inf	3	Vertical	71	2.34	-
5190MHz	Pass	PK	5.1396G	59.42	74.00	-14.58	3	Vertical	71	2.34	-
5190MHz	Pass	PK	5.1952G	94.29	Inf	-Inf	3	Vertical	71	2.34	-
5190MHz	Pass	AV	5.1496G	53.01	54.00	-0.99	3	Horizontal	138	2.42	-
5190MHz	Pass	AV	5.186G	99.39	Inf	-Inf	3	Horizontal	138	2.42	-
5190MHz	Pass	PK	5.148G	67.41	74.00	-6.59	3	Horizontal	138	2.42	-
5190MHz	Pass	PK	5.1868G	112.04	Inf	-Inf	3	Horizontal	138	2.42	-
5190MHz	Pass	AV	15.55236G	49.33	54.00	-4.67	3	Vertical	156	2.21	-
5190MHz	Pass	PK	10.37556G	53.50	68.20	-14.70	3	Vertical	83	1.01	-
5190MHz	Pass	PK	15.54516G	60.66	74.00	-13.34	3	Vertical	156	2.21	-
5190MHz	Pass	AV	15.54072G	49.28	54.00	-4.72	3	Horizontal	173	1.72	-
5190MHz	Pass	PK	10.3896G	53.03	68.20	-15.17	3	Horizontal	310	2.26	-
5190MHz	Pass	PK	15.5526G	60.85	74.00	-13.15	3	Horizontal	173	1.72	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.1496G	48.56	54.00	-5.44	3	Vertical	226	1.50	-
5230MHz	Pass	AV	5.2356G	83.17	Inf	-Inf	3	Vertical	226	1.50	-
5230MHz	Pass	PK	5.1428G	58.60	74.00	-15.40	3	Vertical	226	1.50	-
5230MHz	Pass	PK	5.2356G	95.36	Inf	-Inf	3	Vertical	226	1.50	-
5230MHz	Pass	AV	5.15G	53.87	54.00	-0.13	3	Horizontal	136	2.40	-
5230MHz	Pass	AV	5.2352G	103.21	Inf	-Inf	3	Horizontal	136	2.40	-
5230MHz	Pass	PK	5.1476G	68.58	74.00	-5.42	3	Horizontal	136	2.40	-
5230MHz	Pass	PK	5.2356G	115.71	Inf	-Inf	3	Horizontal	136	2.40	-
5230MHz	Pass	AV	15.68604G	48.04	54.00	-5.96	3	Vertical	66	1.22	-
5230MHz	Pass	PK	10.4552G	54.79	68.20	-13.41	3	Vertical	191	1.25	-
5230MHz	Pass	PK	15.67848G	60.52	74.00	-13.48	3	Vertical	66	1.22	-
5230MHz	Pass	AV	15.69912G	48.23	54.00	-5.77	3	Horizontal	320	1.50	-
5230MHz	Pass	PK	10.43432G	53.53	68.20	-14.67	3	Horizontal	317	1.00	-
5230MHz	Pass	PK	15.67224G	60.20	74.00	-13.80	3	Horizontal	320	1.50	-
5755MHz	Pass	AV	5.761G	93.88	Inf	-Inf	3	Vertical	52	2.57	-
5755MHz	Pass	PK	5.647G	59.24	68.20	-8.96	3	Vertical	52	2.57	-
5755MHz	Pass	PK	5.767G	104.13	Inf	-Inf	3	Vertical	52	2.57	-
5755MHz	Pass	PK	6.0406G	59.79	68.20	-8.41	3	Vertical	52	2.57	-
5755MHz	Pass	AV	5.7598G	105.70	Inf	-Inf	3	Horizontal	135	2.50	-
5755MHz	Pass	PK	5.641G	67.26	68.20	-0.94	3	Horizontal	135	2.50	-
5755MHz	Pass	PK	5.7598G	117.38	Inf	-Inf	3	Horizontal	135	2.50	-
5755MHz	Pass	PK	6.019G	60.65	68.20	-7.55	3	Horizontal	135	2.50	-
5755MHz	Pass	AV	11.49704G	42.46	54.00	-11.54	3	Vertical	223	2.34	-
5755MHz	Pass	PK	11.51984G	54.29	74.00	-19.71	3	Vertical	223	2.34	-
5755MHz	Pass	PK	17.25588G	61.53	68.20	-6.67	3	Vertical	308	1.98	-
5755MHz	Pass	AV	11.51732G	42.05	54.00	-11.95	3	Horizontal	154	1.71	-
5755MHz	Pass	PK	11.52212G	53.57	74.00	-20.43	3	Horizontal	154	1.71	-
5755MHz	Pass	PK	17.23632G	62.44	68.20	-5.76	3	Horizontal	36	1.46	-
5795MHz	Pass	AV	5.7782G	94.09	Inf	-Inf	3	Vertical	43	2.86	-
5795MHz	Pass	PK	5.621G	59.18	68.20	-9.02	3	Vertical	43	2.86	-
5795MHz	Pass	PK	5.7914G	104.77	Inf	-Inf	3	Vertical	43	2.86	-
5795MHz	Pass	PK	6.0278G	60.50	68.20	-7.70	3	Vertical	43	2.86	-
5795MHz	Pass	AV	5.7818G	105.52	Inf	-Inf	3	Horizontal	136	2.49	-
5795MHz	Pass	PK	5.6474G	67.44	68.20	-0.76	3	Horizontal	136	2.49	-
5795MHz	Pass	PK	5.7926G	116.48	Inf	-Inf	3	Horizontal	136	2.49	-
5795MHz	Pass	PK	5.9702G	60.12	68.20	-8.08	3	Horizontal	136	2.49	-
5795MHz	Pass	AV	11.5666G	42.15	54.00	-11.85	3	Vertical	116	2.40	-
5795MHz	Pass	PK	11.59672G	54.54	74.00	-19.46	3	Vertical	116	2.40	-
5795MHz	Pass	PK	17.36988G	61.91	68.20	-6.29	3	Vertical	360	2.93	-
5795MHz	Pass	AV	11.5654G	42.11	54.00	-11.89	3	Horizontal	59	2.11	-
5795MHz	Pass	PK	11.56312G	53.34	74.00	-20.66	3	Horizontal	59	2.11	-
5795MHz	Pass	PK	17.38236G	62.40	68.20	-5.80	3	Horizontal	112	2.36	-
802.11ax HEW40_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1474G	46.68	54.00	-7.32	3	Vertical	57	2.79	-
5190MHz	Pass	AV	5.196G	85.90	Inf	-Inf	3	Vertical	57	2.79	-
5190MHz	Pass	PK	5.1276G	58.91	74.00	-15.09	3	Vertical	57	2.79	-
5190MHz	Pass	PK	5.1942G	98.05	Inf	-Inf	3	Vertical	57	2.79	-
5190MHz	Pass	AV	5.1498G	53.75	54.00	-0.25	3	Horizontal	136	2.47	-
5190MHz	Pass	AV	5.1834G	100.18	Inf	-Inf	3	Horizontal	136	2.47	-
5190MHz	Pass	PK	5.1498G	69.90	74.00	-4.10	3	Horizontal	136	2.47	-
5190MHz	Pass	PK	5.1822G	112.70	Inf	-Inf	3	Horizontal	136	2.47	-
5190MHz	Pass	AV	15.5556G	47.74	54.00	-6.26	3	Vertical	356	1.28	-
5190MHz	Pass	PK	10.36048G	52.81	68.20	-15.39	3	Vertical	299	1.70	-
5190MHz	Pass	PK	15.5896G	60.62	74.00	-13.38	3	Vertical	356	1.28	-
5190MHz	Pass	AV	15.55064G	47.90	54.00	-6.10	3	Horizontal	127	1.20	-
5190MHz	Pass	PK	10.38992G	54.19	68.20	-14.01	3	Horizontal	1	1.50	-
5190MHz	Pass	PK	15.55232G	60.35	74.00	-13.65	3	Horizontal	127	1.20	-
5230MHz	Pass	AV	5.15G	48.17	54.00	-5.83	3	Vertical	56	2.86	-
5230MHz	Pass	AV	5.2252G	90.42	Inf	-Inf	3	Vertical	56	2.86	-
5230MHz	Pass	AV	5.356G	46.20	54.00	-7.80	3	Vertical	56	2.86	-
5230MHz	Pass	PK	5.143G	60.94	74.00	-13.06	3	Vertical	56	2.86	-
5230MHz	Pass	PK	5.2348G	102.74	Inf	-Inf	3	Vertical	56	2.86	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	PK	5.3764G	58.04	74.00	-15.96	3	Vertical	56	2.86	-
5230MHz	Pass	AV	5.15G	53.91	54.00	-0.09	3	Horizontal	324	3.00	-
5230MHz	Pass	AV	5.236G	105.00	Inf	-Inf	3	Horizontal	324	3.00	-
5230MHz	Pass	AV	5.35G	50.58	54.00	-3.42	3	Horizontal	324	3.00	-
5230MHz	Pass	PK	5.1454G	68.81	74.00	-5.19	3	Horizontal	324	3.00	-
5230MHz	Pass	PK	5.2324G	117.26	Inf	-Inf	3	Horizontal	324	3.00	-
5230MHz	Pass	PK	5.3518G	63.22	74.00	-10.78	3	Horizontal	324	3.00	-
5230MHz	Pass	AV	15.6828G	46.56	54.00	-7.44	3	Vertical	156	2.54	-
5230MHz	Pass	PK	10.47384G	54.79	68.20	-13.41	3	Vertical	191	1.35	-
5230MHz	Pass	PK	15.67384G	59.82	74.00	-14.18	3	Vertical	156	2.54	-
5230MHz	Pass	AV	15.67432G	46.51	54.00	-7.49	3	Horizontal	37	2.03	-
5230MHz	Pass	PK	10.46472G	53.75	68.20	-14.45	3	Horizontal	360	1.48	-
5230MHz	Pass	PK	15.67528G	59.79	74.00	-14.21	3	Horizontal	37	2.03	-
5755MHz	Pass	AV	5.7502G	90.08	Inf	-Inf	3	Vertical	51	2.76	-
5755MHz	Pass	PK	5.647G	59.98	68.20	-8.22	3	Vertical	51	2.76	-
5755MHz	Pass	PK	5.7514G	103.29	Inf	-Inf	3	Vertical	51	2.76	-
5755MHz	Pass	PK	6.0166G	60.31	68.20	-7.89	3	Vertical	51	2.76	-
5755MHz	Pass	AV	5.749G	104.54	Inf	-Inf	3	Horizontal	136	2.53	-
5755MHz	Pass	PK	5.6338G	68.04	68.20	-0.16	3	Horizontal	136	2.53	-
5755MHz	Pass	PK	5.7466G	117.29	Inf	-Inf	3	Horizontal	136	2.53	-
5755MHz	Pass	PK	5.9254G	60.48	68.20	-7.72	3	Horizontal	136	2.53	-
5755MHz	Pass	AV	11.52512G	41.14	54.00	-12.86	3	Vertical	38	1.50	-
5755MHz	Pass	PK	11.51416G	54.72	74.00	-19.28	3	Vertical	38	1.50	-
5755MHz	Pass	PK	17.28356G	62.27	68.20	-5.93	3	Vertical	17	1.73	-
5755MHz	Pass	AV	11.52456G	41.06	54.00	-12.94	3	Horizontal	4	1.14	-
5755MHz	Pass	PK	11.51152G	54.32	74.00	-19.68	3	Horizontal	4	1.14	-
5755MHz	Pass	PK	17.27796G	62.17	68.20	-6.03	3	Horizontal	288	1.19	-
5795MHz	Pass	AV	5.7806G	90.86	Inf	-Inf	3	Vertical	51	2.89	-
5795MHz	Pass	PK	5.507G	59.67	68.20	-8.53	3	Vertical	51	2.89	-
5795MHz	Pass	PK	5.7818G	103.53	Inf	-Inf	3	Vertical	51	2.89	-
5795MHz	Pass	PK	5.9582G	60.96	68.20	-7.24	3	Vertical	51	2.89	-
5795MHz	Pass	AV	5.7818G	104.39	Inf	-Inf	3	Horizontal	136	2.52	-
5795MHz	Pass	PK	5.6486G	67.51	68.20	-0.69	3	Horizontal	136	2.52	-
5795MHz	Pass	PK	5.7938G	117.39	Inf	-Inf	3	Horizontal	136	2.52	-
5795MHz	Pass	PK	6.0326G	60.04	68.20	-8.16	3	Horizontal	136	2.52	-
5795MHz	Pass	AV	11.59072G	41.00	54.00	-13.00	3	Vertical	213	1.98	-
5795MHz	Pass	PK	11.59904G	54.67	74.00	-19.33	3	Vertical	213	1.98	-
5795MHz	Pass	PK	17.38492G	62.24	68.20	-5.96	3	Vertical	203	2.30	-
5795MHz	Pass	AV	11.57784G	41.70	54.00	-12.30	3	Horizontal	328	1.00	-
5795MHz	Pass	PK	11.58848G	55.15	74.00	-18.85	3	Horizontal	328	1.00	-
5795MHz	Pass	PK	17.4042G	62.43	68.20	-5.77	3	Horizontal	115	2.57	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.139G	48.11	54.00	-5.89	3	Vertical	61	2.34	-
5210MHz	Pass	AV	5.221G	79.82	Inf	-Inf	3	Vertical	61	2.34	-
5210MHz	Pass	AV	5.404G	48.01	54.00	-5.99	3	Vertical	61	2.34	-
5210MHz	Pass	PK	5.024G	59.46	74.00	-14.54	3	Vertical	61	2.34	-
5210MHz	Pass	PK	5.221G	91.54	Inf	-Inf	3	Vertical	61	2.34	-
5210MHz	Pass	PK	5.382G	58.75	74.00	-15.25	3	Vertical	61	2.34	-
5210MHz	Pass	AV	5.15G	53.58	54.00	-0.42	3	Horizontal	138	2.43	-
5210MHz	Pass	AV	5.195G	95.99	Inf	-Inf	3	Horizontal	138	2.43	-
5210MHz	Pass	AV	5.352G	49.54	54.00	-4.46	3	Horizontal	138	2.43	-
5210MHz	Pass	PK	5.15G	65.77	74.00	-8.23	3	Horizontal	138	2.43	-
5210MHz	Pass	PK	5.192G	108.03	Inf	-Inf	3	Horizontal	138	2.43	-
5210MHz	Pass	PK	5.354G	59.99	74.00	-14.01	3	Horizontal	138	2.43	-
5210MHz	Pass	AV	15.60456G	48.42	54.00	-5.58	3	Vertical	10	1.15	-
5210MHz	Pass	PK	10.41216G	53.71	68.20	-14.49	3	Vertical	9	1.08	-
5210MHz	Pass	PK	15.63176G	60.27	74.00	-13.73	3	Vertical	10	1.15	-
5210MHz	Pass	AV	15.61768G	48.51	54.00	-5.49	3	Horizontal	219	1.54	-
5210MHz	Pass	PK	10.42432G	53.40	68.20	-14.80	3	Horizontal	308	3.00	-
5210MHz	Pass	PK	15.60664G	60.26	74.00	-13.74	3	Horizontal	219	1.54	-
5775MHz	Pass	AV	5.7666G	88.67	Inf	-Inf	3	Vertical	57	2.87	-
5775MHz	Pass	PK	5.6154G	59.65	68.20	-8.55	3	Vertical	57	2.87	-




RSE TX above 1GHz_Non-Beamforming_Omni

Appendix E.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.7786G	100.04	Inf	-Inf	3	Vertical	57	2.87	-
5775MHz	Pass	PK	6.0438G	60.28	68.20	-7.92	3	Vertical	57	2.87	-
5775MHz	Pass	AV	5.7606G	99.23	Inf	-Inf	3	Horizontal	327	2.90	-
5775MHz	Pass	PK	5.6442G	67.23	68.20	-0.97	3	Horizontal	327	2.90	-
5775MHz	Pass	PK	5.7774G	110.92	Inf	-Inf	3	Horizontal	327	2.90	-
5775MHz	Pass	PK	6.0486G	60.54	68.20	-7.66	3	Horizontal	327	2.90	-
5775MHz	Pass	AV	11.54264G	42.49	54.00	-11.51	3	Vertical	227	2.91	-
5775MHz	Pass	PK	11.5308G	54.52	74.00	-19.48	3	Vertical	227	2.91	-
5775MHz	Pass	PK	17.34476G	62.94	68.20	-5.26	3	Vertical	18	1.80	-
5775MHz	Pass	AV	11.54816G	42.42	54.00	-11.58	3	Horizontal	2	1.00	-
5775MHz	Pass	PK	11.54648G	54.64	74.00	-19.36	3	Horizontal	2	1.00	-
5775MHz	Pass	PK	17.34492G	62.35	68.20	-5.85	3	Horizontal	84	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	46.73	54.00	-7.27	3	Vertical	58	2.79	-
5210MHz	Pass	AV	5.199G	82.57	Inf	-Inf	3	Vertical	58	2.79	-
5210MHz	Pass	AV	5.352G	46.19	54.00	-7.81	3	Vertical	58	2.79	-
5210MHz	Pass	PK	5.118G	60.23	74.00	-13.77	3	Vertical	58	2.79	-
5210MHz	Pass	PK	5.2G	96.40	Inf	-Inf	3	Vertical	58	2.79	-
5210MHz	Pass	PK	5.371G	58.49	74.00	-15.51	3	Vertical	58	2.79	-
5210MHz	Pass	AV	5.15G	53.76	54.00	-0.24	3	Horizontal	136	2.46	-
5210MHz	Pass	AV	5.192G	96.93	Inf	-Inf	3	Horizontal	136	2.46	-
5210MHz	Pass	AV	5.357G	49.60	54.00	-4.40	3	Horizontal	136	2.46	-
5210MHz	Pass	PK	5.149G	68.79	74.00	-5.21	3	Horizontal	136	2.46	-
5210MHz	Pass	PK	5.18G	111.01	Inf	-Inf	3	Horizontal	136	2.46	-
5210MHz	Pass	PK	5.364G	62.52	74.00	-11.48	3	Horizontal	136	2.46	-
5210MHz	Pass	AV	15.62064G	47.02	54.00	-6.98	3	Vertical	228	1.36	-
5210MHz	Pass	PK	10.4048G	53.81	68.20	-14.39	3	Vertical	192	1.13	-
5210MHz	Pass	PK	15.61272G	60.14	74.00	-13.86	3	Vertical	228	1.36	-
5210MHz	Pass	AV	15.61504G	47.10	54.00	-6.90	3	Horizontal	350	1.15	-
5210MHz	Pass	PK	10.43112G	53.33	68.20	-14.87	3	Horizontal	151	2.69	-
5210MHz	Pass	PK	15.63624G	61.63	74.00	-12.37	3	Horizontal	350	1.15	-
5775MHz	Pass	AV	5.7642G	85.28	Inf	-Inf	3	Vertical	60	2.91	-
5775MHz	Pass	PK	5.6334G	59.51	68.20	-8.69	3	Vertical	60	2.91	-
5775MHz	Pass	PK	5.7654G	99.98	Inf	-Inf	3	Vertical	60	2.91	-
5775MHz	Pass	PK	5.9658G	60.15	68.20	-8.05	3	Vertical	60	2.91	-
5775MHz	Pass	AV	5.757G	98.70	Inf	-Inf	3	Horizontal	138	2.64	-
5775MHz	Pass	PK	5.6442G	67.44	68.20	-0.76	3	Horizontal	138	2.64	-
5775MHz	Pass	PK	5.7678G	111.95	Inf	-Inf	3	Horizontal	138	2.64	-
5775MHz	Pass	PK	5.937G	60.19	68.20	-8.01	3	Horizontal	138	2.64	-
5775MHz	Pass	AV	11.5352G	40.72	54.00	-13.28	3	Vertical	335	2.32	-
5775MHz	Pass	PK	11.54584G	54.00	74.00	-20.00	3	Vertical	335	2.32	-
5775MHz	Pass	PK	17.33748G	63.08	68.20	-5.12	3	Vertical	347	1.35	-
5775MHz	Pass	AV	11.53G	40.97	54.00	-13.03	3	Horizontal	101	1.50	-
5775MHz	Pass	PK	11.55912G	55.36	74.00	-18.64	3	Horizontal	101	1.50	-
5775MHz	Pass	PK	17.33476G	62.02	68.20	-6.18	3	Horizontal	213	2.02	-

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	47.65	54.00	-6.35	8.90	3	Vertical	72	2.34	-	38.75	33.20	9.83	34.13
AV	5.1818G	87.20	Inf	-Inf	8.86	3	Vertical	72	2.34	-	78.34	33.14	9.85	34.13
PK	5.051G	59.49	74.00	-14.51	8.58	3	Vertical	72	2.34	-	50.91	32.91	9.78	34.11
PK	5.1812G	97.54	Inf	-Inf	8.86	3	Vertical	72	2.34	-	88.68	33.14	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	8.90	3	Horizontal	135	2.54	-	44.76	33.20	9.83	34.13
AV	5.1842G	105.88	Inf	-Inf	8.85	3	Horizontal	135	2.54	-	97.03	33.13	9.85	34.13
PK	5.1452G	70.99	74.00	-3.01	8.90	3	Horizontal	135	2.54	-	62.09	33.20	9.83	34.13
PK	5.1848G	115.24	Inf	-Inf	8.85	3	Horizontal	135	2.54	-	106.39	33.13	9.85	34.13

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53016G	48.61	54.00	-5.39	19.94	3	Vertical	206	1.50	-	28.67	38.70	15.67	34.43
PK	10.36088G	55.49	68.20	-12.71	16.74	3	Vertical	183	1.06	-	38.75	38.66	12.67	34.59
PK	15.53428G	61.77	74.00	-12.23	19.95	3	Vertical	206	1.50	-	41.82	38.70	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53224G	48.68	54.00	-5.32	19.94	3	Horizontal	170	1.89	-	28.74	38.70	15.67	34.43
PK	10.35764G	54.33	68.20	-13.87	16.74	3	Horizontal	134	2.31	-	37.59	38.66	12.67	34.59
PK	15.53628G	61.47	74.00	-12.53	19.95	3	Horizontal	170	1.89	-	41.52	38.70	15.68	34.43

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.14G	47.41	54.00	-6.59	8.90	3	Vertical	169	1.50	-	38.51	33.20	9.83	34.13
AV	5.2024G	83.02	Inf	-Inf	8.81	3	Vertical	169	1.50	-	74.21	33.09	9.86	34.14
PK	5.1412G	59.22	74.00	-14.78	8.90	3	Vertical	169	1.50	-	50.32	33.20	9.83	34.13
PK	5.2018G	92.68	Inf	-Inf	8.81	3	Vertical	169	1.50	-	83.87	33.09	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.79	54.00	-0.21	8.90	3	Horizontal	137	2.44	-	44.89	33.20	9.83	34.13
AV	5.194G	107.81	Inf	-Inf	8.84	3	Horizontal	137	2.44	-	98.97	33.11	9.86	34.13
PK	5.1478G	72.40	74.00	-1.60	8.90	3	Horizontal	137	2.44	-	63.50	33.20	9.83	34.13
PK	5.1952G	117.84	Inf	-Inf	8.83	3	Horizontal	137	2.44	-	109.01	33.11	9.86	34.14

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59496G	47.74	54.00	-6.26	19.96	3	Vertical	83	1.50	-	27.78	38.70	15.72	34.46
PK	10.39528G	58.18	68.20	-10.02	16.81	3	Vertical	182	1.24	-	41.37	38.70	12.68	34.57
PK	15.59736G	60.82	74.00	-13.18	19.96	3	Vertical	83	1.50	-	40.86	38.70	15.72	34.46

802.11a_Nss1,(6Mbps)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59088G	47.77	54.00	-6.23	19.96	3	Horizontal	197	1.50	-	27.81	38.70	15.72	34.46
PK	10.39996G	55.58	68.20	-12.62	16.83	3	Horizontal	326	1.00	-	38.75	38.70	12.69	34.56
PK	15.59468G	61.14	74.00	-12.86	19.96	3	Horizontal	197	1.50	-	41.18	38.70	15.72	34.46

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	47.39	54.00	-6.61	8.90	3	Vertical	238	2.04	-	38.49	33.20	9.83	34.13
AV	5.2382G	88.29	Inf	-Inf	8.70	3	Vertical	238	2.04	-	79.59	32.95	9.89	34.14
AV	5.3726G	47.05	54.00	-6.95	8.56	3	Vertical	238	2.04	-	38.49	32.75	9.98	34.17
PK	5.1392G	59.16	74.00	-14.84	8.90	3	Vertical	238	2.04	-	50.26	33.20	9.83	34.13
PK	5.2352G	98.52	Inf	-Inf	8.70	3	Vertical	238	2.04	-	89.82	32.96	9.88	34.14
PK	5.366G	59.19	74.00	-14.81	8.54	3	Vertical	238	2.04	-	50.65	32.73	9.98	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	52.54	54.00	-1.46	8.90	3	Horizontal	136	2.40	-	43.64	33.20	9.83	34.13
AV	5.2424G	109.61	Inf	-Inf	8.68	3	Horizontal	136	2.40	-	100.93	32.93	9.89	34.14
AV	5.351G	50.40	54.00	-3.60	8.51	3	Horizontal	136	2.40	-	41.89	32.70	9.97	34.16
PK	5.1458G	68.75	74.00	-5.25	8.90	3	Horizontal	136	2.40	-	59.85	33.20	9.83	34.13
PK	5.2388G	119.98	Inf	-Inf	8.69	3	Horizontal	136	2.40	-	111.29	32.94	9.89	34.14
PK	5.3558G	63.88	74.00	-10.12	8.52	3	Horizontal	136	2.40	-	55.36	32.71	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7168G	46.73	54.00	-7.27	19.46	3	Vertical	-0	1.50	-	27.27	38.18	15.81	34.53
PK	10.47768G	60.10	68.20	-8.10	16.83	3	Vertical	184	1.29	-	43.27	38.62	12.72	34.51
PK	15.71144G	59.77	74.00	-14.23	19.47	3	Vertical	-0	1.50	-	40.30	38.19	15.81	34.53

802.11a_Nss1,(6Mbps)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7102G	46.56	54.00	-7.44	19.47	3	Horizontal	285	1.50	-	27.09	38.19	15.81	34.53
PK	10.47772G	59.80	68.20	-8.40	16.83	3	Horizontal	325	1.00	-	42.97	38.62	12.72	34.51
PK	15.72332G	59.88	74.00	-14.12	19.46	3	Horizontal	285	1.50	-	40.42	38.18	15.82	34.54

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	97.56	Inf	-Inf	9.63	3	Vertical	50	2.59	-	87.93	33.68	10.15	34.20
PK	5.5242G	59.66	68.20	-8.54	8.75	3	Vertical	50	2.59	-	50.91	32.90	10.04	34.19
PK	5.7498G	106.90	Inf	-Inf	9.65	3	Vertical	50	2.59	-	97.25	33.70	10.15	34.20
PK	6.0186G	59.68	68.20	-8.52	10.20	3	Vertical	50	2.59	-	49.48	34.07	10.35	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	109.95	Inf	-Inf	9.63	3	Horizontal	136	2.52	-	100.32	33.68	10.15	34.20
PK	5.6466G	67.13	68.20	-1.07	9.19	3	Horizontal	136	2.52	-	57.94	33.29	10.10	34.20
PK	5.7414G	119.92	Inf	-Inf	9.60	3	Horizontal	136	2.52	-	110.32	33.65	10.15	34.20
PK	6.0438G	61.00	68.20	-7.20	10.33	3	Horizontal	136	2.52	-	50.67	34.18	10.37	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48992G	41.64	54.00	-12.36	17.97	3	Vertical	310	1.87	-	23.67	38.92	13.11	34.06
PK	11.4956G	54.42	74.00	-19.58	17.96	3	Vertical	310	1.87	-	36.46	38.91	13.11	34.06
PK	17.23828G	63.70	68.20	-4.50	21.46	3	Vertical	213	2.74	-	42.24	38.51	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port2)


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49092G	44.37	54.00	-9.63	17.97	3	Horizontal	329	1.08	-	26.40	38.92	13.11	34.06
PK	11.48976G	56.93	74.00	-17.07	17.97	3	Horizontal	329	1.08	-	38.96	38.92	13.11	34.06
PK	17.23016G	62.66	68.20	-5.54	21.44	3	Horizontal	138	1.50	-	41.22	38.49	16.22	33.27

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	97.67	Inf	-Inf	9.72	3	Vertical	44	2.86	-	87.95	33.76	10.17	34.21
PK	5.5366G	59.56	68.20	-8.64	8.71	3	Vertical	44	2.86	-	50.85	32.85	10.05	34.19
PK	5.7826G	108.04	Inf	-Inf	9.73	3	Vertical	44	2.86	-	98.31	33.77	10.17	34.21
PK	5.9638G	60.00	68.20	-8.20	10.30	3	Vertical	44	2.86	-	49.70	34.22	10.30	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	109.19	Inf	-Inf	9.72	3	Horizontal	137	2.48	-	99.47	33.76	10.17	34.21
PK	5.6434G	66.22	68.20	-1.98	9.16	3	Horizontal	137	2.48	-	57.06	33.27	10.09	34.20
PK	5.7778G	119.12	Inf	-Inf	9.72	3	Horizontal	137	2.48	-	109.40	33.76	10.17	34.21
PK	5.9302G	60.51	68.20	-7.69	10.28	3	Horizontal	137	2.48	-	50.23	34.22	10.28	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56972G	41.88	54.00	-12.12	17.80	3	Vertical	226	3.00	-	24.08	38.76	13.14	34.10
PK	11.56692G	54.94	74.00	-19.06	17.81	3	Vertical	226	3.00	-	37.13	38.77	13.14	34.10
PK	17.35356G	62.45	68.20	-5.75	21.86	3	Vertical	338	2.04	-	40.59	38.86	16.24	33.24

802.11a_Nss1,(6Mbps)_1TX(Port2)


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57044G	43.47	54.00	-10.53	17.80	3	Horizontal	330	2.32	-	25.67	38.76	13.14	34.10
PK	11.57356G	56.54	74.00	-17.46	17.79	3	Horizontal	330	2.32	-	38.75	38.75	13.14	34.10
PK	17.35804G	62.29	68.20	-5.91	21.87	3	Horizontal	299	1.50	-	40.42	38.87	16.24	33.24

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	96.04	Inf	-Inf	9.95	3	Vertical	59	2.80	-	86.09	33.96	10.20	34.21
PK	5.6486G	59.29	68.20	-8.91	9.19	3	Vertical	59	2.80	-	50.10	33.29	10.10	34.20
PK	5.8298G	106.41	Inf	-Inf	9.97	3	Vertical	59	2.80	-	96.44	33.98	10.20	34.21
PK	6.0398G	60.30	68.20	-7.90	10.31	3	Vertical	59	2.80	-	49.99	34.16	10.37	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	107.44	Inf	-Inf	9.95	3	Horizontal	134	2.46	-	97.49	33.96	10.20	34.21
PK	5.6318G	65.06	68.20	-3.14	9.12	3	Horizontal	134	2.46	-	55.94	33.23	10.09	34.20
PK	5.825G	117.32	Inf	-Inf	9.94	3	Horizontal	134	2.46	-	107.38	33.95	10.20	34.21
PK	6.0566G	59.97	68.20	-8.23	10.36	3	Horizontal	134	2.46	-	49.61	34.19	10.39	34.22

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65348G	43.01	54.00	-10.99	17.68	3	Vertical	166	1.05	-	25.33	38.65	13.17	34.14
PK	11.63542G	55.81	74.00	-18.19	17.70	3	Vertical	166	1.05	-	38.11	38.66	13.17	34.13
PK	17.48604G	60.00	68.20	-8.20	22.23	3	Vertical	43	2.44	-	37.77	39.17	16.26	33.20

5.725-5.85GHz_802.11a_Nss1,(6Mbps)_1TX(Port2)


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64572G	42.54	54.00	-11.46	17.68	3	Horizontal	142	1.00	-	24.86	38.65	13.17	34.14
PK	11.64672G	55.49	74.00	-18.51	17.68	3	Horizontal	142	1.00	-	37.81	38.65	13.17	34.14
PK	17.47232G	61.65	68.20	-6.55	22.19	3	Horizontal	39	2.32	-	39.46	39.14	16.26	33.21

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	47.79	54.00	-6.21	8.90	3	Vertical	61	2.85	-	38.89	33.20	9.83	34.13
AV	5.1824G	94.53	Inf	-Inf	8.86	3	Vertical	61	2.85	-	85.67	33.14	9.85	34.13
PK	5.033G	59.42	74.00	-14.58	8.63	3	Vertical	61	2.85	-	50.79	32.97	9.77	34.11
PK	5.183G	103.68	Inf	-Inf	8.85	3	Vertical	61	2.85	-	94.83	33.13	9.85	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	52.62	54.00	-1.38	8.90	3	Horizontal	327	2.75	-	43.72	33.20	9.83	34.13
AV	5.174G	109.07	Inf	-Inf	8.87	3	Horizontal	327	2.75	-	100.20	33.15	9.85	34.13
PK	5.1494G	71.24	74.00	-2.76	8.90	3	Horizontal	327	2.75	-	62.34	33.20	9.83	34.13
PK	5.1734G	118.24	Inf	-Inf	8.87	3	Horizontal	327	2.75	-	109.37	33.15	9.85	34.13

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52032G	49.06	54.00	-4.94	19.95	3	Vertical	182	1.50	-	29.11	38.70	15.67	34.42
PK	10.36608G	54.85	68.20	-13.35	16.75	3	Vertical	193	1.50	-	38.10	38.67	12.67	34.59
PK	15.53176G	62.39	74.00	-11.61	19.94	3	Vertical	182	1.50	-	42.45	38.70	15.67	34.43

802.11a_Nss1,(6Mbps)_2TX


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52088G	49.09	54.00	-4.91	19.95	3	Horizontal	276	1.50	-	29.14	38.70	15.67	34.42
PK	10.36408G	54.15	68.20	-14.05	16.74	3	Horizontal	184	2.00	-	37.41	38.66	12.67	34.59
PK	15.55512G	61.94	74.00	-12.06	19.95	3	Horizontal	276	1.50	-	41.99	38.70	15.69	34.44

802.11a_Nss1,(6Mbps)_2TX


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	48.09	54.00	-5.91	8.90	3	Vertical	66	2.67	-	39.19	33.20	9.83	34.13
AV	5.203G	96.74	Inf	-Inf	8.81	3	Vertical	66	2.67	-	87.93	33.09	9.86	34.14
PK	5.1436G	59.47	74.00	-14.53	8.90	3	Vertical	66	2.67	-	50.57	33.20	9.83	34.13
PK	5.1976G	106.13	Inf	-Inf	8.82	3	Vertical	66	2.67	-	97.31	33.10	9.86	34.14


802.11a_Nss1,(6Mbps)_2TX

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.78	54.00	-0.22	8.90	3	Horizontal	325	2.73	-	44.88	33.20	9.83	34.13
AV	5.1958G	112.41	Inf	-Inf	8.83	3	Horizontal	325	2.73	-	103.58	33.11	9.86	34.14
PK	5.1448G	72.69	74.00	-1.31	8.90	3	Horizontal	325	2.73	-	63.79	33.20	9.83	34.13
PK	5.2054G	121.44	Inf	-Inf	8.80	3	Horizontal	325	2.73	-	112.64	33.08	9.86	34.14

802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58296G	48.05	54.00	-5.95	19.95	3	Vertical	17	1.50	-	28.10	38.70	15.71	34.46
PK	10.39752G	59.72	68.20	-8.48	16.83	3	Vertical	189	1.05	-	42.89	38.70	12.69	34.56
PK	15.59704G	61.28	74.00	-12.72	19.96	3	Vertical	17	1.50	-	41.32	38.70	15.72	34.46


802.11a_Nss1,(6Mbps)_2TX
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58192G	48.05	54.00	-5.95	19.95	3	Horizontal	129	1.64	-	28.10	38.70	15.71	34.46
PK	10.39832G	57.24	68.20	-10.96	16.83	3	Horizontal	178	2.05	-	40.41	38.70	12.69	34.56
PK	15.6172G	61.51	74.00	-12.49	19.87	3	Horizontal	129	1.64	-	41.64	38.61	15.74	34.48

802.11a_Nss1,(6Mbps)_2TX


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	47.73	54.00	-6.27	8.90	3	Vertical	322	2.96	-	38.83	33.20	9.83	34.13
AV	5.234G	95.86	Inf	-Inf	8.70	3	Vertical	322	2.96	-	87.16	32.96	9.88	34.14
AV	5.3858G	47.27	54.00	-6.73	8.59	3	Vertical	322	2.96	-	38.68	32.77	9.99	34.17
PK	5.1392G	60.05	74.00	-13.95	8.90	3	Vertical	322	2.96	-	51.15	33.20	9.83	34.13
PK	5.2388G	105.83	Inf	-Inf	8.69	3	Vertical	322	2.96	-	97.14	32.94	9.89	34.14
PK	5.3798G	59.06	74.00	-14.94	8.58	3	Vertical	322	2.96	-	50.48	32.76	9.99	34.17


802.11a_Nss1,(6Mbps)_2TX

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	53.17	54.00	-0.83	8.91	3	Horizontal	322	1.01	-	44.26	33.20	9.83	34.12
AV	5.2424G	114.90	Inf	-Inf	8.68	3	Horizontal	322	1.01	-	106.22	32.93	9.89	34.14
AV	5.3528G	51.57	54.00	-2.43	8.52	3	Horizontal	322	1.01	-	43.05	32.71	9.97	34.16
PK	5.1446G	66.25	74.00	-7.75	8.90	3	Horizontal	322	1.01	-	57.35	33.20	9.83	34.13
PK	5.2376G	124.49	Inf	-Inf	8.70	3	Horizontal	322	1.01	-	115.79	32.95	9.89	34.14
PK	5.35G	65.64	74.00	-8.36	8.51	3	Horizontal	322	1.01	-	57.13	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7204G	49.60	54.00	-4.40	19.46	3	Vertical	228	2.96	-	30.14	38.18	15.81	34.53
PK	10.47744G	60.06	68.20	-8.14	16.83	3	Vertical	190	1.15	-	43.23	38.62	12.72	34.51
PK	15.72048G	62.42	74.00	-11.58	19.46	3	Vertical	228	2.96	-	42.96	38.18	15.81	34.53


802.11a_Nss1,(6Mbps)_2TX
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7048G	47.27	54.00	-6.73	19.48	3	Horizontal	62	2.99	-	27.79	38.20	15.80	34.52
PK	10.47896G	54.85	68.20	-13.35	16.83	3	Horizontal	179	1.50	-	38.02	38.62	12.72	34.51
PK	15.71248G	59.97	74.00	-14.03	19.47	3	Horizontal	62	2.99	-	40.50	38.19	15.81	34.53

802.11a_Nss1,(6Mbps)_2TX


5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	96.99	Inf	-Inf	9.64	3	Vertical	47	2.97	-	87.35	33.70	10.15	34.21
PK	5.6442G	59.00	68.20	-9.20	9.17	3	Vertical	47	2.97	-	49.83	33.28	10.09	34.20
PK	5.751G	107.12	Inf	-Inf	9.64	3	Vertical	47	2.97	-	97.48	33.70	10.15	34.21
PK	5.9418G	59.86	68.20	-8.34	10.34	3	Vertical	47	2.97	-	49.52	34.27	10.29	34.22


802.11a_Nss1,(6Mbps)_2TX

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.739G	112.99	Inf	-Inf	9.58	3	Horizontal	137	2.55	-	103.41	33.63	10.15	34.20
PK	5.6502G	67.60	68.35	-0.75	9.20	3	Horizontal	137	2.55	-	58.40	33.30	10.10	34.20
PK	5.7438G	123.07	Inf	-Inf	9.61	3	Horizontal	137	2.55	-	113.46	33.66	10.15	34.20
PK	6.039G	60.15	68.20	-8.05	10.31	3	Horizontal	137	2.55	-	49.84	34.16	10.37	34.22

802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49088G	43.83	54.00	-10.17	17.97	3	Vertical	175	2.30	-	25.86	38.92	13.11	34.06
PK	11.49112G	57.43	74.00	-16.57	17.97	3	Vertical	175	2.30	-	39.46	38.92	13.11	34.06
PK	17.24956G	62.62	68.20	-5.58	21.50	3	Vertical	360	1.97	-	41.12	38.55	16.22	33.27


802.11a_Nss1,(6Mbps)_2TX
5745MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49088G	45.67	54.00	-8.33	17.97	3	Horizontal	184	2.38	-	27.70	38.92	13.11	34.06
PK	11.49032G	58.18	74.00	-15.82	17.97	3	Horizontal	184	2.38	-	40.21	38.92	13.11	34.06
PK	17.23492G	62.67	68.20	-5.53	21.45	3	Horizontal	189	1.19	-	41.22	38.50	16.22	33.27

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	96.67	Inf	-Inf	9.73	3	Vertical	56	2.02	-	86.94	33.77	10.17	34.21
PK	5.6458G	59.97	68.20	-8.23	9.18	3	Vertical	56	2.02	-	50.79	33.28	10.10	34.20
PK	5.779G	106.36	Inf	-Inf	9.72	3	Vertical	56	2.02	-	96.64	33.76	10.17	34.21
PK	5.941G	59.80	68.20	-8.40	10.33	3	Vertical	56	2.02	-	49.47	34.26	10.29	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.779G	111.76	Inf	-Inf	9.72	3	Horizontal	316	1.05	-	102.04	33.76	10.17	34.21
PK	5.6482G	65.80	68.20	-2.40	9.19	3	Horizontal	316	1.05	-	56.61	33.29	10.10	34.20
PK	5.785G	121.43	Inf	-Inf	9.73	3	Horizontal	316	1.05	-	111.70	33.77	10.17	34.21
PK	6.061G	60.29	68.20	-7.91	10.35	3	Horizontal	316	1.05	-	49.94	34.18	10.39	34.22

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5724G	44.64	54.00	-9.36	17.80	3	Vertical	323	2.24	-	26.84	38.76	13.14	34.10
PK	11.57728G	57.23	74.00	-16.77	17.80	3	Vertical	323	2.24	-	39.43	38.75	13.15	34.10
PK	17.37444G	61.94	68.20	-6.26	21.93	3	Vertical	142	2.25	-	40.01	38.92	16.24	33.23

802.11a_Nss1,(6Mbps)_2TX


5785MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57296G	45.19	54.00	-8.81	17.79	3	Horizontal	328	1.02	-	27.40	38.75	13.14	34.10
PK	11.5576G	58.01	74.00	-15.99	17.83	3	Horizontal	328	1.02	-	40.18	38.78	13.14	34.09
PK	17.33836G	63.26	68.20	-4.94	21.81	3	Horizontal	296	2.20	-	41.45	38.82	16.23	33.24

802.11a_Nss1,(6Mbps)_2TX


5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	93.84	Inf	-Inf	9.98	3	Vertical	55	3.00	-	83.86	33.99	10.20	34.21
PK	5.6426G	59.54	68.20	-8.66	9.16	3	Vertical	55	3.00	-	50.38	33.27	10.09	34.20
PK	5.8274G	104.11	Inf	-Inf	9.95	3	Vertical	55	3.00	-	94.16	33.96	10.20	34.21
PK	6.107G	60.21	68.20	-7.99	10.31	3	Vertical	55	3.00	-	49.90	34.10	10.44	34.23


802.11a_Nss1,(6Mbps)_2TX

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	110.07	Inf	-Inf	9.93	3	Horizontal	318	1.04	-	100.14	33.94	10.20	34.21
PK	5.6318G	66.71	68.20	-1.49	9.12	3	Horizontal	318	1.04	-	57.59	33.23	10.09	34.20
PK	5.8226G	120.81	Inf	-Inf	9.93	3	Horizontal	318	1.04	-	110.88	33.94	10.20	34.21
PK	5.9606G	60.44	68.20	-7.76	10.32	3	Horizontal	318	1.04	-	50.12	34.24	10.30	34.22

802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65216G	44.85	54.00	-9.15	17.68	3	Vertical	322	2.07	-	27.17	38.65	13.17	34.14
PK	11.6472G	58.19	74.00	-15.81	17.68	3	Vertical	322	2.07	-	40.51	38.65	13.17	34.14
PK	17.46548G	63.03	68.20	-5.17	22.17	3	Vertical	205	1.27	-	40.86	39.13	16.25	33.21


802.11a_Nss1,(6Mbps)_2TX
5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6528G	43.33	54.00	-10.67	17.68	3	Horizontal	152	2.66	-	25.65	38.65	13.17	34.14
PK	11.65696G	55.98	74.00	-18.02	17.68	3	Horizontal	152	2.66	-	38.30	38.64	13.18	34.14
PK	17.495G	62.54	68.20	-5.66	22.25	3	Horizontal	290	1.49	-	40.29	39.19	16.26	33.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	47.89	54.00	-6.11	8.90	3	Vertical	72	2.34	-	38.99	33.20	9.83	34.13
AV	5.1782G	86.05	Inf	-Inf	8.86	3	Vertical	72	2.34	-	77.19	33.14	9.85	34.13
PK	5.15G	59.68	74.00	-14.32	8.90	3	Vertical	72	2.34	-	50.78	33.20	9.83	34.13
PK	5.1812G	97.94	Inf	-Inf	8.86	3	Vertical	72	2.34	-	89.08	33.14	9.85	34.13


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	8.90	3	Horizontal	139	2.70	-	44.50	33.20	9.83	34.13
AV	5.1728G	104.24	Inf	-Inf	8.87	3	Horizontal	139	2.70	-	95.37	33.15	9.85	34.13
PK	5.15G	73.37	74.00	-0.63	8.90	3	Horizontal	139	2.70	-	64.47	33.20	9.83	34.13
PK	5.177G	116.00	Inf	-Inf	8.87	3	Horizontal	139	2.70	-	107.13	33.15	9.85	34.13

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52328G	48.96	54.00	-5.04	19.95	3	Vertical	92	2.25	-	29.01	38.70	15.67	34.42
PK	10.35952G	54.09	68.20	-14.11	16.74	3	Vertical	190	1.33	-	37.35	38.66	12.67	34.59
PK	15.53808G	60.77	74.00	-13.23	19.95	3	Vertical	92	2.25	-	40.82	38.70	15.68	34.43


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52008G	49.03	54.00	-4.97	19.94	3	Horizontal	334	2.50	-	29.09	38.70	15.66	34.42
PK	10.34776G	53.83	68.20	-14.37	16.72	3	Horizontal	360	1.23	-	37.11	38.65	12.67	34.60
PK	15.5236G	61.60	74.00	-12.40	19.95	3	Horizontal	334	2.50	-	41.65	38.70	15.67	34.42

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1418G	47.56	54.00	-6.44	8.90	3	Vertical	195	3.00	-	38.66	33.20	9.83	34.13
AV	5.1946G	89.89	Inf	-Inf	8.83	3	Vertical	195	3.00	-	81.06	33.11	9.86	34.14
PK	5.095G	58.93	74.00	-15.07	8.85	3	Vertical	195	3.00	-	50.08	33.17	9.80	34.12
PK	5.1922G	100.66	Inf	-Inf	8.85	3	Vertical	195	3.00	-	91.81	33.12	9.86	34.13


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.53	54.00	-0.47	8.90	3	Horizontal	138	2.42	-	44.63	33.20	9.83	34.13
AV	5.1928G	106.77	Inf	-Inf	8.84	3	Horizontal	138	2.42	-	97.93	33.11	9.86	34.13
PK	5.15G	69.98	74.00	-4.02	8.90	3	Horizontal	138	2.42	-	61.08	33.20	9.83	34.13
PK	5.1964G	118.70	Inf	-Inf	8.83	3	Horizontal	138	2.42	-	109.87	33.11	9.86	34.14

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60144G	48.07	54.00	-5.93	19.95	3	Vertical	197	2.77	-	28.12	38.69	15.73	34.47
PK	10.39576G	56.78	68.20	-11.42	16.81	3	Vertical	189	1.33	-	39.97	38.70	12.68	34.57
PK	15.582G	61.03	74.00	-12.97	19.95	3	Vertical	197	2.77	-	41.08	38.70	15.71	34.46


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5200MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5812G	47.97	54.00	-6.03	19.95	3	Horizontal	3	2.76	-	28.02	38.70	15.71	34.46
PK	10.3992G	54.33	68.20	-13.87	16.83	3	Horizontal	6	2.36	-	37.50	38.70	12.69	34.56
PK	15.60224G	60.27	74.00	-13.73	19.95	3	Horizontal	3	2.76	-	40.32	38.69	15.73	34.47

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	47.64	54.00	-6.36	8.91	3	Vertical	226	1.50	-	38.73	33.20	9.83	34.12
AV	5.2334G	88.54	Inf	-Inf	8.71	3	Vertical	226	1.50	-	79.83	32.97	9.88	34.14
AV	5.3774G	47.21	54.00	-6.79	8.56	3	Vertical	226	1.50	-	38.65	32.75	9.98	34.17
PK	5.1128G	59.60	74.00	-14.40	8.89	3	Vertical	226	1.50	-	50.71	33.20	9.81	34.12
PK	5.2352G	100.49	Inf	-Inf	8.70	3	Vertical	226	1.50	-	91.79	32.96	9.88	34.14
PK	5.378G	58.85	74.00	-15.15	8.57	3	Vertical	226	1.50	-	50.28	32.76	9.98	34.17


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.78	54.00	-0.22	8.90	3	Horizontal	137	2.39	-	44.88	33.20	9.83	34.13
AV	5.2382G	108.71	Inf	-Inf	8.70	3	Horizontal	137	2.39	-	100.01	32.95	9.89	34.14
AV	5.35G	50.74	54.00	-3.26	8.51	3	Horizontal	137	2.39	-	42.23	32.70	9.97	34.16
PK	5.1452G	69.30	74.00	-4.70	8.90	3	Horizontal	137	2.39	-	60.40	33.20	9.83	34.13
PK	5.2424G	120.46	Inf	-Inf	8.68	3	Horizontal	137	2.39	-	111.78	32.93	9.89	34.14
PK	5.3654G	63.68	74.00	-10.32	8.54	3	Horizontal	137	2.39	-	55.14	32.73	9.98	34.17

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70104G	47.28	54.00	-6.72	19.48	3	Vertical	114	2.38	-	27.80	38.20	15.80	34.52
PK	10.48272G	58.16	68.20	-10.04	16.84	3	Vertical	190	1.14	-	41.32	38.62	12.72	34.50
PK	15.70136G	60.10	74.00	-13.90	19.48	3	Vertical	114	2.38	-	40.62	38.20	15.80	34.52

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5240MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.70016G	47.07	54.00	-6.93	19.48	3	Horizontal	84	1.50	-	27.59	38.20	15.80	34.52
PK	10.478G	56.53	68.20	-11.67	16.83	3	Horizontal	115	2.64	-	39.70	38.62	12.72	34.51
PK	15.70904G	59.90	74.00	-14.10	19.46	3	Horizontal	84	1.50	-	40.44	38.19	15.80	34.53