



**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3814G	48.09	54.00	-5.91	35.54	3	Vertical	300	2.87	-	12.55	27.26	8.28	-
AV	2.4406G	94.71	Inf	-Inf	35.78	3	Vertical	300	2.87	-	58.93	27.46	8.32	-
AV	2.4835G	50.38	54.00	-3.62	36.04	3	Vertical	300	2.87	-	14.34	27.70	8.34	-
PK	2.3798G	59.71	74.00	-14.29	35.53	3	Vertical	300	2.87	-	24.18	27.26	8.27	-
PK	2.4386G	106.95	Inf	-Inf	35.77	3	Vertical	300	2.87	-	71.18	27.45	8.32	-
PK	2.4858G	67.82	74.00	-6.18	36.06	3	Vertical	300	2.87	-	31.76	27.71	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.72	54.00	-4.28	35.56	3	Horizontal	332	3.00	-	14.16	27.28	8.28	-
AV	2.4398G	102.04	Inf	-Inf	35.78	3	Horizontal	332	3.00	-	66.26	27.46	8.32	-
AV	2.4835G	53.34	54.00	-0.66	36.04	3	Horizontal	332	3.00	-	17.30	27.70	8.34	-
PK	2.3874G	65.49	74.00	-8.51	35.55	3	Horizontal	332	3.00	-	29.94	27.27	8.28	-
PK	2.4402G	115.69	Inf	-Inf	35.78	3	Horizontal	332	3.00	-	79.91	27.46	8.32	-
PK	2.4854G	73.19	74.00	-0.81	36.06	3	Horizontal	332	3.00	-	37.13	27.71	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3752G	47.97	54.00	-6.03	35.52	3	Vertical	296	2.59	-	12.45	27.25	8.27	-
AV	2.4448G	92.64	Inf	-Inf	35.80	3	Vertical	296	2.59	-	56.84	27.48	8.32	-
AV	2.4835G	49.47	54.00	-4.53	36.04	3	Vertical	296	2.59	-	13.43	27.70	8.34	-
PK	2.3864G	60.12	74.00	-13.88	35.55	3	Vertical	296	2.59	-	24.57	27.27	8.28	-
PK	2.4452G	105.59	Inf	-Inf	35.80	3	Vertical	296	2.59	-	69.79	27.48	8.32	-
PK	2.4864G	66.85	74.00	-7.15	36.07	3	Vertical	296	2.59	-	30.78	27.72	8.35	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.49	54.00	-4.51	35.56	3	Horizontal	335	2.13	-	13.93	27.28	8.28	-
AV	2.4456G	100.29	Inf	-Inf	35.80	3	Horizontal	335	2.13	-	64.49	27.48	8.32	-
AV	2.4872G	53.60	54.00	-0.40	36.07	3	Horizontal	335	2.13	-	17.53	27.72	8.35	-
PK	2.3832G	61.57	74.00	-12.43	35.55	3	Horizontal	335	2.13	-	26.02	27.27	8.28	-
PK	2.4452G	113.38	Inf	-Inf	35.80	3	Horizontal	335	2.13	-	77.58	27.48	8.32	-
PK	2.4856G	72.26	74.00	-1.74	36.06	3	Horizontal	335	2.13	-	36.20	27.71	8.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.904G	48.85	74.00	-25.15	8.28	3	Vertical	105	1.17	-	40.57	32.72	9.71	34.15
AV	4.91012G	33.74	54.00	-20.26	8.31	3	Vertical	105	1.17	-	25.43	32.74	9.71	34.14
PK	7.34688G	50.05	74.00	-23.95	13.52	3	Vertical	96	1.41	-	36.53	36.69	11.33	34.50
AV	7.35312G	36.88	54.00	-17.12	13.52	3	Vertical	96	1.41	-	23.36	36.68	11.33	34.49

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8836G	35.84	54.00	-18.16	8.21	3	Horizontal	319	2.92	-	27.63	32.67	9.70	34.16
AV	7.35564G	37.11	54.00	-16.89	13.51	3	Horizontal	285	1.65	-	23.60	36.67	11.33	34.49
PK	4.8902G	52.08	74.00	-21.92	8.24	3	Horizontal	319	2.92	-	43.84	32.68	9.71	34.15
PK	7.35752G	50.26	74.00	-23.74	13.49	3	Horizontal	285	1.65	-	36.77	36.65	11.33	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	350.1M	42.85	46.00	-3.15	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	111.48M	37.49	43.50	-6.01	3	Vertical	0	1.00	-
2437MHz	Pass	PK	177.44M	30.57	43.50	-12.93	3	Vertical	0	1.00	-
2437MHz	Pass	PK	249.22M	32.39	46.00	-13.61	3	Vertical	0	1.00	-
2437MHz	Pass	PK	307.42M	34.64	46.00	-11.36	3	Vertical	0	1.00	-
2437MHz	Pass	PK	350.1M	36.13	46.00	-9.87	3	Vertical	0	1.00	-
2437MHz	Pass	QP	53.56M	31.98	40.00	-8.02	3	Vertical	157	1.00	-
2437MHz	Pass	PK	109.54M	34.19	43.50	-9.31	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	177.44M	34.14	43.50	-9.36	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	249.22M	39.60	46.00	-6.40	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	350.1M	42.85	46.00	-3.15	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	449.04M	33.40	46.00	-12.60	3	Horizontal	360	1.00	-
2437MHz	Pass	QP	49.22M	26.40	40.00	-13.60	3	Horizontal	162	2.95	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	111.48M	37.49	43.50	-6.01	-9.16	3	Vertical	0	1.00	-	46.65	17.14	1.49	27.79
PK	177.44M	30.57	43.50	-12.93	-10.99	3	Vertical	0	1.00	-	41.56	14.63	1.90	27.52
PK	249.22M	32.39	46.00	-13.61	-7.43	3	Vertical	0	1.00	-	39.82	17.47	2.26	27.16
PK	307.42M	34.64	46.00	-11.36	-6.10	3	Vertical	0	1.00	-	40.74	18.60	2.54	27.24
PK	350.1M	36.13	46.00	-9.87	-5.20	3	Vertical	0	1.00	-	41.33	19.59	2.71	27.50
QP	53.56M	31.98	40.00	-8.02	-14.28	3	Vertical	157	1.00	-	46.26	12.18	1.07	27.53

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	109.54M	34.19	43.50	-9.31	-9.25	3	Horizontal	360	1.00	-	43.44	17.07	1.48	27.80
PK	177.44M	34.14	43.50	-9.36	-10.99	3	Horizontal	360	1.00	-	45.13	14.63	1.90	27.52
PK	249.22M	39.60	46.00	-6.40	-7.43	3	Horizontal	360	1.00	-	47.03	17.47	2.26	27.16
PK	350.1M	42.85	46.00	-3.15	-5.20	3	Horizontal	360	1.00	-	48.05	19.59	2.71	27.50
PK	449.04M	33.40	46.00	-12.60	-3.29	3	Horizontal	360	1.00	-	36.69	21.89	3.08	28.26
QP	49.22M	26.40	40.00	-13.60	-12.83	3	Horizontal	162	2.95	-	39.23	13.51	1.04	27.38



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	2.389G	73.61	74.00	-0.39	3	Horizontal	336	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.39G	53.76	54.00	-0.24	3	Horizontal	140	3.00	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3898G	51.00	54.00	-3.00	3	Vertical	235	2.96	-
2412MHz	Pass	AV	2.4088G	97.90	Inf	-Inf	3	Vertical	235	2.96	-
2412MHz	Pass	PK	2.39G	71.57	74.00	-2.43	3	Vertical	235	2.96	-
2412MHz	Pass	PK	2.416G	110.75	Inf	-Inf	3	Vertical	235	2.96	-
2412MHz	Pass	AV	2.39G	50.67	54.00	-3.33	3	Horizontal	336	1.50	-
2412MHz	Pass	AV	2.4042G	103.24	Inf	-Inf	3	Horizontal	336	1.50	-
2412MHz	Pass	PK	2.389G	73.61	74.00	-0.39	3	Horizontal	336	1.50	-
2412MHz	Pass	PK	2.4046G	115.22	Inf	-Inf	3	Horizontal	336	1.50	-
2412MHz	Pass	AV	4.82488G	36.12	54.00	-17.88	3	Vertical	166	1.02	-
2412MHz	Pass	PK	4.832G	49.84	74.00	-24.16	3	Vertical	166	1.02	-
2412MHz	Pass	AV	4.83172G	39.82	54.00	-14.18	3	Horizontal	318	1.50	-
2412MHz	Pass	PK	4.834G	56.46	74.00	-17.54	3	Horizontal	318	1.50	-
2417MHz	Pass	AV	2.39G	49.20	54.00	-4.80	3	Vertical	29	2.46	-
2417MHz	Pass	AV	2.4154G	95.77	Inf	-Inf	3	Vertical	29	2.46	-
2417MHz	Pass	PK	2.3894G	63.95	74.00	-10.05	3	Vertical	29	2.46	-
2417MHz	Pass	PK	2.4138G	109.26	Inf	-Inf	3	Vertical	29	2.46	-
2417MHz	Pass	AV	2.39G	53.05	54.00	-0.95	3	Horizontal	136	1.19	-
2417MHz	Pass	AV	2.4116G	109.35	Inf	-Inf	3	Horizontal	136	1.19	-
2417MHz	Pass	PK	2.3894G	73.25	74.00	-0.75	3	Horizontal	136	1.19	-
2417MHz	Pass	PK	2.411G	121.28	Inf	-Inf	3	Horizontal	136	1.19	-
2437MHz	Pass	AV	2.3442G	48.16	54.00	-5.84	3	Vertical	186	1.53	-
2437MHz	Pass	AV	2.4282G	94.47	Inf	-Inf	3	Vertical	186	1.53	-
2437MHz	Pass	AV	2.4954G	48.48	54.00	-5.52	3	Vertical	186	1.53	-
2437MHz	Pass	PK	2.3442G	60.03	74.00	-13.97	3	Vertical	186	1.53	-
2437MHz	Pass	PK	2.4302G	106.02	Inf	-Inf	3	Vertical	186	1.53	-
2437MHz	Pass	PK	2.4978G	60.86	74.00	-13.14	3	Vertical	186	1.53	-
2437MHz	Pass	AV	2.3898G	53.43	54.00	-0.57	3	Horizontal	327	1.81	-
2437MHz	Pass	AV	2.4282G	107.37	Inf	-Inf	3	Horizontal	327	1.81	-
2437MHz	Pass	AV	2.4835G	51.95	54.00	-2.05	3	Horizontal	327	1.81	-
2437MHz	Pass	PK	2.3894G	72.83	74.00	-1.17	3	Horizontal	327	1.81	-
2437MHz	Pass	PK	2.4282G	119.20	Inf	-Inf	3	Horizontal	327	1.81	-
2437MHz	Pass	PK	2.4862G	71.12	74.00	-2.88	3	Horizontal	327	1.81	-
2437MHz	Pass	AV	4.8765G	35.39	54.00	-18.61	3	Vertical	166	1.43	-
2437MHz	Pass	AV	7.3123G	38.65	54.00	-15.35	3	Vertical	172	1.50	-
2437MHz	Pass	PK	4.8848G	48.27	74.00	-25.73	3	Vertical	166	1.43	-
2437MHz	Pass	PK	7.3026G	51.51	74.00	-22.49	3	Vertical	172	1.50	-
2437MHz	Pass	AV	4.8811G	46.96	54.00	-7.04	3	Horizontal	143	2.89	-
2437MHz	Pass	AV	7.3063G	41.61	54.00	-12.39	3	Horizontal	25	1.18	-
2437MHz	Pass	PK	4.8818G	62.99	74.00	-11.01	3	Horizontal	143	2.89	-
2437MHz	Pass	PK	7.3071G	55.93	74.00	-18.07	3	Horizontal	25	1.18	-
2457MHz	Pass	AV	2.455G	97.45	Inf	-Inf	3	Vertical	67	2.59	-
2457MHz	Pass	AV	2.4908G	49.56	54.00	-4.44	3	Vertical	67	2.59	-
2457MHz	Pass	PK	2.4554G	110.03	Inf	-Inf	3	Vertical	67	2.59	-
2457MHz	Pass	PK	2.4836G	63.81	74.00	-10.19	3	Vertical	67	2.59	-
2457MHz	Pass	AV	2.4622G	105.15	Inf	-Inf	3	Horizontal	130	2.90	-
2457MHz	Pass	AV	2.4835G	52.91	54.00	-1.09	3	Horizontal	130	2.90	-
2457MHz	Pass	PK	2.4616G	118.44	Inf	-Inf	3	Horizontal	130	2.90	-
2457MHz	Pass	PK	2.4836G	73.23	74.00	-0.77	3	Horizontal	130	2.90	-
2462MHz	Pass	AV	2.4534G	100.13	Inf	-Inf	3	Vertical	65	2.82	-
2462MHz	Pass	AV	2.4962G	50.07	54.00	-3.93	3	Vertical	65	2.82	-
2462MHz	Pass	PK	2.4534G	112.33	Inf	-Inf	3	Vertical	65	2.82	-
2462MHz	Pass	PK	2.484G	64.27	74.00	-9.73	3	Vertical	65	2.82	-
2462MHz	Pass	AV	2.4614G	103.40	Inf	-Inf	3	Horizontal	130	2.89	-
2462MHz	Pass	AV	2.4835G	52.92	54.00	-1.08	3	Horizontal	130	2.89	-
2462MHz	Pass	PK	2.4606G	115.47	Inf	-Inf	3	Horizontal	130	2.89	-
2462MHz	Pass	PK	2.4835G	72.35	74.00	-1.65	3	Horizontal	130	2.89	-
2462MHz	Pass	AV	4.9285G	34.60	54.00	-19.40	3	Vertical	209	1.50	-
2462MHz	Pass	AV	7.3977G	37.80	54.00	-16.20	3	Vertical	295	1.50	-
2462MHz	Pass	PK	4.9303G	47.22	74.00	-26.78	3	Vertical	209	1.50	-
2462MHz	Pass	PK	7.3771G	50.20	74.00	-23.80	3	Vertical	295	1.50	-



RSE TX above 1GHz_Beamforming_Omni

Appendix F.14


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	4.9251G	41.03	54.00	-12.97	3	Horizontal	138	2.54	-
2462MHz	Pass	AV	7.3785G	38.41	54.00	-15.59	3	Horizontal	201	1.00	-
2462MHz	Pass	PK	4.928G	54.95	74.00	-19.05	3	Horizontal	138	2.54	-
2462MHz	Pass	PK	7.3885G	51.87	74.00	-22.13	3	Horizontal	201	1.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	49.70	54.00	-4.30	3	Vertical	45	2.93	-
2422MHz	Pass	AV	2.4196G	95.21	Inf	-Inf	3	Vertical	45	2.93	-
2422MHz	Pass	AV	2.488G	48.66	54.00	-5.34	3	Vertical	45	2.93	-
2422MHz	Pass	PK	2.39G	65.79	74.00	-8.21	3	Vertical	45	2.93	-
2422MHz	Pass	PK	2.4184G	107.69	Inf	-Inf	3	Vertical	45	2.93	-
2422MHz	Pass	PK	2.4835G	60.55	74.00	-13.45	3	Vertical	45	2.93	-
2422MHz	Pass	AV	2.39G	53.76	54.00	-0.24	3	Horizontal	140	3.00	-
2422MHz	Pass	AV	2.4048G	102.45	Inf	-Inf	3	Horizontal	140	3.00	-
2422MHz	Pass	AV	2.4884G	48.58	54.00	-5.42	3	Horizontal	140	3.00	-
2422MHz	Pass	PK	2.3856G	70.62	74.00	-3.38	3	Horizontal	140	3.00	-
2422MHz	Pass	PK	2.4056G	115.56	Inf	-Inf	3	Horizontal	140	3.00	-
2422MHz	Pass	PK	2.4908G	60.83	74.00	-13.17	3	Horizontal	140	3.00	-
2422MHz	Pass	AV	4.84048G	32.74	54.00	-21.26	3	Vertical	191	2.78	-
2422MHz	Pass	AV	7.2566G	37.22	54.00	-16.78	3	Vertical	16	1.50	-
2422MHz	Pass	PK	4.844G	46.56	74.00	-27.44	3	Vertical	191	2.78	-
2422MHz	Pass	PK	7.27428G	50.75	74.00	-23.25	3	Vertical	16	1.50	-
2422MHz	Pass	AV	4.8464G	38.26	54.00	-15.74	3	Horizontal	319	2.97	-
2422MHz	Pass	AV	7.25644G	37.01	54.00	-16.99	3	Horizontal	360	2.43	-
2422MHz	Pass	PK	4.8496G	57.51	74.00	-16.49	3	Horizontal	319	2.97	-
2422MHz	Pass	PK	7.26044G	50.68	74.00	-23.32	3	Horizontal	360	2.43	-
2427MHz	Pass	AV	2.3898G	49.32	54.00	-4.68	3	Vertical	45	2.94	-
2427MHz	Pass	AV	2.4194G	94.96	Inf	-Inf	3	Vertical	45	2.94	-
2427MHz	Pass	AV	2.4986G	48.75	54.00	-5.25	3	Vertical	45	2.94	-
2427MHz	Pass	PK	2.3882G	65.31	74.00	-8.69	3	Vertical	45	2.94	-
2427MHz	Pass	PK	2.4162G	106.61	Inf	-Inf	3	Vertical	45	2.94	-
2427MHz	Pass	PK	2.4906G	61.20	74.00	-12.80	3	Vertical	45	2.94	-
2427MHz	Pass	AV	2.3894G	53.49	54.00	-0.51	3	Horizontal	137	3.00	-
2427MHz	Pass	AV	2.413G	100.95	Inf	-Inf	3	Horizontal	137	3.00	-
2427MHz	Pass	AV	2.4978G	48.67	54.00	-5.33	3	Horizontal	137	3.00	-
2427MHz	Pass	PK	2.3894G	67.61	74.00	-6.39	3	Horizontal	137	3.00	-
2427MHz	Pass	PK	2.413G	114.22	Inf	-Inf	3	Horizontal	137	3.00	-
2427MHz	Pass	PK	2.489G	60.41	74.00	-13.59	3	Horizontal	137	3.00	-
2437MHz	Pass	AV	2.3898G	48.25	54.00	-5.75	3	Vertical	48	2.56	-
2437MHz	Pass	AV	2.455G	95.88	Inf	-Inf	3	Vertical	48	2.56	-
2437MHz	Pass	AV	2.4838G	52.41	54.00	-1.59	3	Vertical	48	2.56	-
2437MHz	Pass	PK	2.3894G	62.51	74.00	-11.49	3	Vertical	48	2.56	-
2437MHz	Pass	PK	2.451G	108.99	Inf	-Inf	3	Vertical	48	2.56	-
2437MHz	Pass	PK	2.4835G	69.16	74.00	-4.84	3	Vertical	48	2.56	-
2437MHz	Pass	AV	2.3898G	53.47	54.00	-0.53	3	Horizontal	322	2.73	-
2437MHz	Pass	AV	2.4214G	102.66	Inf	-Inf	3	Horizontal	322	2.73	-
2437MHz	Pass	AV	2.4835G	51.02	54.00	-2.98	3	Horizontal	322	2.73	-
2437MHz	Pass	PK	2.3882G	70.28	74.00	-3.72	3	Horizontal	322	2.73	-
2437MHz	Pass	PK	2.4202G	115.99	Inf	-Inf	3	Horizontal	322	2.73	-
2437MHz	Pass	PK	2.4838G	67.53	74.00	-6.47	3	Horizontal	322	2.73	-
2437MHz	Pass	AV	4.874G	34.18	54.00	-19.82	3	Vertical	283	2.38	-
2437MHz	Pass	AV	7.33164G	37.17	54.00	-16.83	3	Vertical	139	1.20	-
2437MHz	Pass	PK	4.87432G	47.87	74.00	-26.13	3	Vertical	283	2.38	-
2437MHz	Pass	PK	7.30508G	49.56	74.00	-24.44	3	Vertical	139	1.20	-
2437MHz	Pass	AV	4.89288G	39.23	54.00	-14.77	3	Horizontal	138	1.46	-
2437MHz	Pass	AV	7.32508G	37.80	54.00	-16.20	3	Horizontal	200	2.04	-
2437MHz	Pass	PK	4.89192G	54.10	74.00	-19.90	3	Horizontal	138	1.46	-
2437MHz	Pass	PK	7.33996G	50.86	74.00	-23.14	3	Horizontal	200	2.04	-
2447MHz	Pass	AV	2.389G	48.41	54.00	-5.59	3	Vertical	243	2.57	-
2447MHz	Pass	AV	2.4298G	92.81	Inf	-Inf	3	Vertical	243	2.57	-
2447MHz	Pass	AV	2.4846G	49.29	54.00	-4.71	3	Vertical	243	2.57	-
2447MHz	Pass	PK	2.385G	60.85	74.00	-13.15	3	Vertical	243	2.57	-
2447MHz	Pass	PK	2.4426G	107.20	Inf	-Inf	3	Vertical	243	2.57	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.4842G	67.19	74.00	-6.81	3	Vertical	243	2.57	-
2447MHz	Pass	AV	2.3898G	49.93	54.00	-4.07	3	Horizontal	322	2.71	-
2447MHz	Pass	AV	2.4358G	103.18	Inf	-Inf	3	Horizontal	322	2.71	-
2447MHz	Pass	AV	2.4835G	52.34	54.00	-1.66	3	Horizontal	322	2.71	-
2447MHz	Pass	PK	2.4298G	116.48	Inf	-Inf	3	Horizontal	322	2.71	-
2447MHz	Pass	PK	2.3842G	64.67	74.00	-9.33	3	Horizontal	322	2.71	-
2447MHz	Pass	PK	2.4838G	73.40	74.00	-0.60	3	Horizontal	322	2.71	-
2452MHz	Pass	AV	2.3556G	47.96	54.00	-6.04	3	Vertical	44	2.79	-
2452MHz	Pass	AV	2.4584G	97.72	Inf	-Inf	3	Vertical	44	2.79	-
2452MHz	Pass	AV	2.4835G	50.22	54.00	-3.78	3	Vertical	44	2.79	-
2452MHz	Pass	PK	2.3592G	59.92	74.00	-14.08	3	Vertical	44	2.79	-
2452MHz	Pass	PK	2.4548G	109.83	Inf	-Inf	3	Vertical	44	2.79	-
2452MHz	Pass	PK	2.484G	66.87	74.00	-7.13	3	Vertical	44	2.79	-
2452MHz	Pass	AV	2.39G	48.72	54.00	-5.28	3	Horizontal	135	2.91	-
2452MHz	Pass	AV	2.4388G	100.25	Inf	-Inf	3	Horizontal	135	2.91	-
2452MHz	Pass	AV	2.484G	53.62	54.00	-0.38	3	Horizontal	135	2.91	-
2452MHz	Pass	PK	2.4424G	113.10	Inf	-Inf	3	Horizontal	135	2.91	-
2452MHz	Pass	PK	2.358G	61.31	74.00	-12.69	3	Horizontal	135	2.91	-
2452MHz	Pass	PK	2.4976G	72.38	74.00	-1.62	3	Horizontal	135	2.91	-
2452MHz	Pass	PK	4.93024G	46.68	74.00	-27.32	3	Vertical	190	3.00	-
2452MHz	Pass	AV	4.88352G	34.20	54.00	-19.80	3	Vertical	190	3.00	-
2452MHz	Pass	PK	7.34368G	50.71	74.00	-23.29	3	Vertical	20	1.66	-
2452MHz	Pass	AV	7.34256G	37.19	54.00	-16.81	3	Vertical	20	1.66	-
2452MHz	Pass	AV	4.89648G	35.77	54.00	-18.23	3	Horizontal	138	2.78	-
2452MHz	Pass	AV	7.34336G	37.29	54.00	-16.71	3	Horizontal	-0	2.87	-
2452MHz	Pass	PK	4.89376G	50.64	74.00	-23.36	3	Horizontal	138	2.78	-
2452MHz	Pass	PK	7.33776G	50.19	74.00	-23.81	3	Horizontal	-0	2.87	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.00	54.00	-3.00	35.56	3	Vertical	235	2.96	-	15.44	27.28	8.28	-
AV	2.4088G	97.90	Inf	-Inf	35.64	3	Vertical	235	2.96	-	62.26	27.34	8.30	-
PK	2.39G	71.57	74.00	-2.43	35.56	3	Vertical	235	2.96	-	36.01	27.28	8.28	-
PK	2.416G	110.75	Inf	-Inf	35.66	3	Vertical	235	2.96	-	75.09	27.36	8.30	-


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.67	54.00	-3.33	35.56	3	Horizontal	336	1.50	-	15.11	27.28	8.28	-
AV	2.4042G	103.24	Inf	-Inf	35.61	3	Horizontal	336	1.50	-	67.63	27.32	8.29	-
PK	2.389G	73.61	74.00	-0.39	35.56	3	Horizontal	336	1.50	-	38.05	27.28	8.28	-
PK	2.4046G	115.22	Inf	-Inf	35.61	3	Horizontal	336	1.50	-	79.61	27.32	8.29	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82488G	36.12	54.00	-17.88	8.05	3	Vertical	166	1.02	-	28.07	32.55	9.68	34.18
PK	4.832G	49.84	74.00	-24.16	8.06	3	Vertical	166	1.02	-	41.78	32.56	9.68	34.18


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83172G	39.82	54.00	-14.18	8.06	3	Horizontal	318	1.50	-	31.76	32.56	9.68	34.18
PK	4.834G	56.46	74.00	-17.54	8.07	3	Horizontal	318	1.50	-	48.39	32.57	9.68	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.20	54.00	-4.80	35.56	3	Vertical	29	2.46	-	13.64	27.28	8.28	-
AV	2.4154G	95.77	Inf	-Inf	35.66	3	Vertical	29	2.46	-	60.11	27.36	8.30	-
PK	2.3894G	63.95	74.00	-10.05	35.56	3	Vertical	29	2.46	-	28.39	27.28	8.28	-
PK	2.4138G	109.26	Inf	-Inf	35.66	3	Vertical	29	2.46	-	73.60	27.36	8.30	-


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.05	54.00	-0.95	35.56	3	Horizontal	136	1.19	-	17.49	27.28	8.28	-
AV	2.4116G	109.35	Inf	-Inf	35.65	3	Horizontal	136	1.19	-	73.70	27.35	8.30	-
PK	2.3894G	73.25	74.00	-0.75	35.56	3	Horizontal	136	1.19	-	37.69	27.28	8.28	-
PK	2.411G	121.28	Inf	-Inf	35.64	3	Horizontal	136	1.19	-	85.64	27.34	8.30	-

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3442G	48.16	54.00	-5.84	35.43	3	Vertical	186	1.53	-	12.73	27.18	8.25	-
AV	2.4282G	94.47	Inf	-Inf	35.72	3	Vertical	186	1.53	-	58.75	27.41	8.31	-
AV	2.4954G	48.48	54.00	-5.52	36.12	3	Vertical	186	1.53	-	12.36	27.77	8.35	-
PK	2.3442G	60.03	74.00	-13.97	35.43	3	Vertical	186	1.53	-	24.60	27.18	8.25	-
PK	2.4302G	106.02	Inf	-Inf	35.73	3	Vertical	186	1.53	-	70.29	27.42	8.31	-
PK	2.4978G	60.86	74.00	-13.14	36.14	3	Vertical	186	1.53	-	24.72	27.79	8.35	-


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.43	54.00	-0.57	35.56	3	Horizontal	327	1.81	-	17.87	27.28	8.28	-
AV	2.4282G	107.37	Inf	-Inf	35.72	3	Horizontal	327	1.81	-	71.65	27.41	8.31	-
AV	2.4835G	51.95	54.00	-2.05	36.04	3	Horizontal	327	1.81	-	15.91	27.70	8.34	-
PK	2.3894G	72.83	74.00	-1.17	35.56	3	Horizontal	327	1.81	-	37.27	27.28	8.28	-
PK	2.4282G	119.20	Inf	-Inf	35.72	3	Horizontal	327	1.81	-	83.48	27.41	8.31	-
PK	2.4862G	71.12	74.00	-2.88	36.07	3	Horizontal	327	1.81	-	35.05	27.72	8.35	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8765G	35.39	54.00	-18.61	8.19	3	Vertical	166	1.43	-	27.20	32.65	9.70	34.16
AV	7.3123G	38.65	54.00	-15.35	13.44	3	Vertical	172	1.50	-	25.21	36.62	11.32	34.50
PK	4.8848G	48.27	74.00	-25.73	8.21	3	Vertical	166	1.43	-	40.06	32.67	9.70	34.16
PK	7.3026G	51.51	74.00	-22.49	13.43	3	Vertical	172	1.50	-	38.08	36.61	11.32	34.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8811G	46.96	54.00	-7.04	8.20	3	Horizontal	143	2.89	-	38.76	32.66	9.70	34.16
AV	7.3063G	41.61	54.00	-12.39	13.43	3	Horizontal	25	1.18	-	28.18	36.61	11.32	34.50
PK	4.8818G	62.99	74.00	-11.01	8.20	3	Horizontal	143	2.89	-	54.79	32.66	9.70	34.16
PK	7.3071G	55.93	74.00	-18.07	13.43	3	Horizontal	25	1.18	-	42.50	36.61	11.32	34.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	97.45	Inf	-Inf	35.86	3	Vertical	67	2.59	-	61.59	27.53	8.33	-
AV	2.4908G	49.56	54.00	-4.44	36.09	3	Vertical	67	2.59	-	13.47	27.74	8.35	-
PK	2.4554G	110.03	Inf	-Inf	35.86	3	Vertical	67	2.59	-	74.17	27.53	8.33	-
PK	2.4836G	63.81	74.00	-10.19	36.04	3	Vertical	67	2.59	-	27.77	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4622G	105.15	Inf	-Inf	35.90	3	Horizontal	130	2.90	-	69.25	27.57	8.33	-
AV	2.4835G	52.91	54.00	-1.09	36.04	3	Horizontal	130	2.90	-	16.87	27.70	8.34	-
PK	2.4616G	118.44	Inf	-Inf	35.90	3	Horizontal	130	2.90	-	82.54	27.57	8.33	-
PK	2.4836G	73.23	74.00	-0.77	36.04	3	Horizontal	130	2.90	-	37.19	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4534G	100.13	Inf	-Inf	35.84	3	Vertical	65	2.82	-	64.29	27.52	8.32	-
AV	2.4962G	50.07	54.00	-3.93	36.13	3	Vertical	65	2.82	-	13.94	27.78	8.35	-
PK	2.4534G	112.33	Inf	-Inf	35.84	3	Vertical	65	2.82	-	76.49	27.52	8.32	-
PK	2.484G	64.27	74.00	-9.73	36.04	3	Vertical	65	2.82	-	28.23	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4614G	103.40	Inf	-Inf	35.90	3	Horizontal	130	2.89	-	67.50	27.57	8.33	-
AV	2.4835G	52.92	54.00	-1.08	36.04	3	Horizontal	130	2.89	-	16.88	27.70	8.34	-
PK	2.4606G	115.47	Inf	-Inf	35.89	3	Horizontal	130	2.89	-	79.58	27.56	8.33	-
PK	2.4835G	72.35	74.00	-1.65	36.04	3	Horizontal	130	2.89	-	36.31	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9285G	34.60	54.00	-19.40	8.40	3	Vertical	209	1.50	-	26.20	32.81	9.72	34.13
AV	7.3977G	37.80	54.00	-16.20	13.26	3	Vertical	295	1.50	-	24.54	36.41	11.34	34.49
PK	4.9303G	47.22	74.00	-26.78	8.41	3	Vertical	209	1.50	-	38.81	32.82	9.72	34.13
PK	7.3771G	50.20	74.00	-23.80	13.39	3	Vertical	295	1.50	-	36.81	36.54	11.34	34.49


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9251G	41.03	54.00	-12.97	8.38	3	Horizontal	138	2.54	-	32.65	32.80	9.72	34.14
AV	7.3785G	38.41	54.00	-15.59	13.38	3	Horizontal	201	1.00	-	25.03	36.53	11.34	34.49
PK	4.928G	54.95	74.00	-19.05	8.40	3	Horizontal	138	2.54	-	46.55	32.81	9.72	34.13
PK	7.3885G	51.87	74.00	-22.13	13.32	3	Horizontal	201	1.00	-	38.55	36.47	11.34	34.49

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.70	54.00	-4.30	35.56	3	Vertical	45	2.93	-	14.14	27.28	8.28	-
AV	2.4196G	95.21	Inf	-Inf	35.68	3	Vertical	45	2.93	-	59.53	27.38	8.30	-
AV	2.488G	48.66	54.00	-5.34	36.08	3	Vertical	45	2.93	-	12.58	27.73	8.35	-
PK	2.39G	65.79	74.00	-8.21	35.56	3	Vertical	45	2.93	-	30.23	27.28	8.28	-
PK	2.4184G	107.69	Inf	-Inf	35.67	3	Vertical	45	2.93	-	72.02	27.37	8.30	-
PK	2.4835G	60.55	74.00	-13.45	36.04	3	Vertical	45	2.93	-	24.51	27.70	8.34	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.76	54.00	-0.24	35.56	3	Horizontal	140	3.00	-	18.20	27.28	8.28	-
AV	2.4048G	102.45	Inf	-Inf	35.61	3	Horizontal	140	3.00	-	66.84	27.32	8.29	-
AV	2.4884G	48.58	54.00	-5.42	36.08	3	Horizontal	140	3.00	-	12.50	27.73	8.35	-
PK	2.3856G	70.62	74.00	-3.38	35.55	3	Horizontal	140	3.00	-	35.07	27.27	8.28	-
PK	2.4056G	115.56	Inf	-Inf	35.61	3	Horizontal	140	3.00	-	79.95	27.32	8.29	-
PK	2.4908G	60.83	74.00	-13.17	36.09	3	Horizontal	140	3.00	-	24.74	27.74	8.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84048G	32.74	54.00	-21.26	8.09	3	Vertical	191	2.78	-	24.65	32.58	9.69	34.18
AV	7.2566G	37.22	54.00	-16.78	13.50	3	Vertical	16	1.50	-	23.72	36.69	11.31	34.50
PK	4.844G	46.56	74.00	-27.44	8.11	3	Vertical	191	2.78	-	38.45	32.59	9.69	34.17
PK	7.27428G	50.75	74.00	-23.25	13.46	3	Vertical	16	1.50	-	37.29	36.65	11.31	34.50


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8464G	38.26	54.00	-15.74	8.11	3	Horizontal	319	2.97	-	30.15	32.59	9.69	34.17
AV	7.25644G	37.01	54.00	-16.99	13.50	3	Horizontal	360	2.43	-	23.51	36.69	11.31	34.50
PK	4.8496G	57.51	74.00	-16.49	8.12	3	Horizontal	319	2.97	-	49.39	32.60	9.69	34.17
PK	7.26044G	50.68	74.00	-23.32	13.49	3	Horizontal	360	2.43	-	37.19	36.68	11.31	34.50

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.32	54.00	-4.68	35.56	3	Vertical	45	2.94	-	13.76	27.28	8.28	-
AV	2.4194G	94.96	Inf	-Inf	35.68	3	Vertical	45	2.94	-	59.28	27.38	8.30	-
AV	2.4986G	48.75	54.00	-5.25	36.14	3	Vertical	45	2.94	-	12.61	27.79	8.35	-
PK	2.3882G	65.31	74.00	-8.69	35.56	3	Vertical	45	2.94	-	29.75	27.28	8.28	-
PK	2.4162G	106.61	Inf	-Inf	35.66	3	Vertical	45	2.94	-	70.95	27.36	8.30	-
PK	2.4906G	61.20	74.00	-12.80	36.09	3	Vertical	45	2.94	-	25.11	27.74	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.49	54.00	-0.51	35.56	3	Horizontal	137	3.00	-	17.93	27.28	8.28	-
AV	2.413G	100.95	Inf	-Inf	35.65	3	Horizontal	137	3.00	-	65.30	27.35	8.30	-
AV	2.4978G	48.67	54.00	-5.33	36.14	3	Horizontal	137	3.00	-	12.53	27.79	8.35	-
PK	2.3894G	67.61	74.00	-6.39	35.56	3	Horizontal	137	3.00	-	32.05	27.28	8.28	-
PK	2.413G	114.22	Inf	-Inf	35.65	3	Horizontal	137	3.00	-	78.57	27.35	8.30	-
PK	2.489G	60.41	74.00	-13.59	36.08	3	Horizontal	137	3.00	-	24.33	27.73	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.25	54.00	-5.75	35.56	3	Vertical	48	2.56	-	12.69	27.28	8.28	-
AV	2.455G	95.88	Inf	-Inf	35.86	3	Vertical	48	2.56	-	60.02	27.53	8.33	-
AV	2.4838G	52.41	54.00	-1.59	36.04	3	Vertical	48	2.56	-	16.37	27.70	8.34	-
PK	2.3894G	62.51	74.00	-11.49	35.56	3	Vertical	48	2.56	-	26.95	27.28	8.28	-
PK	2.451G	108.99	Inf	-Inf	35.83	3	Vertical	48	2.56	-	73.16	27.51	8.32	-
PK	2.4835G	69.16	74.00	-4.84	36.04	3	Vertical	48	2.56	-	33.12	27.70	8.34	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.47	54.00	-0.53	35.56	3	Horizontal	322	2.73	-	17.91	27.28	8.28	-
AV	2.4214G	102.66	Inf	-Inf	35.69	3	Horizontal	322	2.73	-	66.97	27.39	8.30	-
AV	2.4835G	51.02	54.00	-2.98	36.04	3	Horizontal	322	2.73	-	14.98	27.70	8.34	-
PK	2.3882G	70.28	74.00	-3.72	35.56	3	Horizontal	322	2.73	-	34.72	27.28	8.28	-
PK	2.4202G	115.99	Inf	-Inf	35.68	3	Horizontal	322	2.73	-	80.31	27.38	8.30	-
PK	2.4838G	67.53	74.00	-6.47	36.04	3	Horizontal	322	2.73	-	31.49	27.70	8.34	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	34.18	54.00	-19.82	8.19	3	Vertical	283	2.38	-	25.99	32.65	9.70	34.16
AV	7.33164G	37.17	54.00	-16.83	13.49	3	Vertical	139	1.20	-	23.68	36.66	11.33	34.50
PK	4.87432G	47.87	74.00	-26.13	8.19	3	Vertical	283	2.38	-	39.68	32.65	9.70	34.16
PK	7.30508G	49.56	74.00	-24.44	13.43	3	Vertical	139	1.20	-	36.13	36.61	11.32	34.50


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89288G	39.23	54.00	-14.77	8.25	3	Horizontal	138	1.46	-	30.98	32.69	9.71	34.15
AV	7.32508G	37.80	54.00	-16.20	13.48	3	Horizontal	200	2.04	-	24.32	36.65	11.33	34.50
PK	4.89192G	54.10	74.00	-19.90	8.24	3	Horizontal	138	1.46	-	45.86	32.68	9.71	34.15
PK	7.33996G	50.86	74.00	-23.14	13.51	3	Horizontal	200	2.04	-	37.35	36.68	11.33	34.50

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.41	54.00	-5.59	35.56	3	Vertical	243	2.57	-	12.85	27.28	8.28	-
AV	2.4298G	92.81	Inf	-Inf	35.73	3	Vertical	243	2.57	-	57.08	27.42	8.31	-
AV	2.4846G	49.29	54.00	-4.71	36.05	3	Vertical	243	2.57	-	13.24	27.71	8.34	-
PK	2.385G	60.85	74.00	-13.15	35.55	3	Vertical	243	2.57	-	25.30	27.27	8.28	-
PK	2.4426G	107.20	Inf	-Inf	35.79	3	Vertical	243	2.57	-	71.41	27.47	8.32	-
PK	2.4842G	67.19	74.00	-6.81	36.05	3	Vertical	243	2.57	-	31.14	27.71	8.34	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.93	54.00	-4.07	35.56	3	Horizontal	322	2.71	-	14.37	27.28	8.28	-
AV	2.4358G	103.18	Inf	-Inf	35.75	3	Horizontal	322	2.71	-	67.43	27.44	8.31	-
AV	2.4835G	52.34	54.00	-1.66	36.04	3	Horizontal	322	2.71	-	16.30	27.70	8.34	-
PK	2.4298G	116.48	Inf	-Inf	35.73	3	Horizontal	322	2.71	-	80.75	27.42	8.31	-
PK	2.3842G	64.67	74.00	-9.33	35.55	3	Horizontal	322	2.71	-	29.12	27.27	8.28	-
PK	2.4838G	73.40	74.00	-0.60	36.04	3	Horizontal	322	2.71	-	37.36	27.70	8.34	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3556G	47.96	54.00	-6.04	35.47	3	Vertical	44	2.79	-	12.49	27.21	8.26	-
AV	2.4584G	97.72	Inf	-Inf	35.88	3	Vertical	44	2.79	-	61.84	27.55	8.33	-
AV	2.4835G	50.22	54.00	-3.78	36.04	3	Vertical	44	2.79	-	14.18	27.70	8.34	-
PK	2.3592G	59.92	74.00	-14.08	35.48	3	Vertical	44	2.79	-	24.44	27.22	8.26	-
PK	2.4548G	109.83	Inf	-Inf	35.86	3	Vertical	44	2.79	-	73.97	27.53	8.33	-
PK	2.484G	66.87	74.00	-7.13	36.04	3	Vertical	44	2.79	-	30.83	27.70	8.34	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.72	54.00	-5.28	35.56	3	Horizontal	135	2.91	-	13.16	27.28	8.28	-
AV	2.4388G	100.25	Inf	-Inf	35.78	3	Horizontal	135	2.91	-	64.47	27.46	8.32	-
AV	2.484G	53.62	54.00	-0.38	36.04	3	Horizontal	135	2.91	-	17.58	27.70	8.34	-
PK	2.4424G	113.10	Inf	-Inf	35.79	3	Horizontal	135	2.91	-	77.31	27.47	8.32	-
PK	2.358G	61.31	74.00	-12.69	35.48	3	Horizontal	135	2.91	-	25.83	27.22	8.26	-
PK	2.4976G	72.38	74.00	-1.62	36.14	3	Horizontal	135	2.91	-	36.24	27.79	8.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.93024G	46.68	74.00	-27.32	8.41	3	Vertical	190	3.00	-	38.27	32.82	9.72	34.13
AV	4.88352G	34.20	54.00	-19.80	8.21	3	Vertical	190	3.00	-	25.99	32.67	9.70	34.16
PK	7.34368G	50.71	74.00	-23.29	13.52	3	Vertical	20	1.66	-	37.19	36.69	11.33	34.50
AV	7.34256G	37.19	54.00	-16.81	13.52	3	Vertical	20	1.66	-	23.67	36.69	11.33	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89648G	35.77	54.00	-18.23	8.25	3	Horizontal	138	2.78	-	27.52	32.69	9.71	34.15
AV	7.34336G	37.29	54.00	-16.71	13.52	3	Horizontal	-0	2.87	-	23.77	36.69	11.33	34.50
PK	4.89376G	50.64	74.00	-23.36	8.25	3	Horizontal	138	2.78	-	42.39	32.69	9.71	34.15
PK	7.33776G	50.19	74.00	-23.81	13.51	3	Horizontal	-0	2.87	-	36.68	36.68	11.33	34.50



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	249.22M	42.36	46.00	-3.64	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	109.54M	35.47	43.50	-8.03	3	Vertical	0	1.00	-
2437MHz	Pass	PK	249.22M	35.30	46.00	-10.70	3	Vertical	0	1.00	-
2437MHz	Pass	PK	350.1M	36.10	46.00	-9.90	3	Vertical	0	1.00	-
2437MHz	Pass	PK	375.32M	40.16	46.00	-5.84	3	Vertical	0	1.00	-
2437MHz	Pass	PK	385.02M	39.65	46.00	-6.35	3	Vertical	0	1.00	-
2437MHz	Pass	QP	37.76M	34.61	40.00	-5.39	3	Vertical	188	1.00	-
2437MHz	Pass	PK	37.76M	35.96	40.00	-4.04	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	148.34M	34.39	43.50	-9.11	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	249.22M	42.36	46.00	-3.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	350.1M	41.23	46.00	-4.77	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	404.42M	34.63	46.00	-11.37	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	449.04M	30.11	46.00	-15.89	3	Horizontal	360	1.00	-

802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	109.54M	35.47	43.50	-8.03	-9.25	3	Vertical	0	1.00	-	44.72	17.07	1.48	27.80
PK	249.22M	35.30	46.00	-10.70	-7.43	3	Vertical	0	1.00	-	42.73	17.47	2.26	27.16
PK	350.1M	36.10	46.00	-9.90	-5.20	3	Vertical	0	1.00	-	41.30	19.59	2.71	27.50
PK	375.32M	40.16	46.00	-5.84	-4.80	3	Vertical	0	1.00	-	44.96	20.07	2.80	27.67
PK	385.02M	39.65	46.00	-6.35	-4.65	3	Vertical	0	1.00	-	44.30	20.26	2.83	27.74
QP	37.76M	34.61	40.00	-5.39	-6.67	3	Vertical	188	1.00	-	41.28	19.02	1.03	26.72

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	35.96	40.00	-4.04	-6.67	3	Horizontal	360	1.00	-	42.63	19.02	1.03	26.72
PK	148.34M	34.39	43.50	-9.11	-10.24	3	Horizontal	360	1.00	-	44.63	15.72	1.72	27.68
PK	249.22M	42.36	46.00	-3.64	-7.43	3	Horizontal	360	1.00	-	49.79	17.47	2.26	27.16
PK	350.1M	41.23	46.00	-4.77	-5.20	3	Horizontal	360	1.00	-	46.43	19.59	2.71	27.50
PK	404.42M	34.63	46.00	-11.37	-3.74	3	Horizontal	360	1.00	-	38.37	21.24	2.90	27.88
PK	449.04M	30.11	46.00	-15.89	-3.29	3	Horizontal	360	1.00	-	33.40	21.89	3.08	28.26



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3898G	53.82	54.00	-0.18	3	Vertical	15.1	1.62	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3896G	53.89	54.00	-0.11	3	Vertical	14	1.65	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3892G	52.71	54.00	-1.29	3	Vertical	12	2.09	-
2412MHz	Pass	AV	2.408G	103.75	Inf	-Inf	3	Vertical	12	2.09	-
2412MHz	Pass	PK	2.39G	73.67	74.00	-0.33	3	Vertical	12	2.09	-
2412MHz	Pass	PK	2.418G	116.20	Inf	-Inf	3	Vertical	12	2.09	-
2412MHz	Pass	AV	2.3898G	50.13	54.00	-3.87	3	Horizontal	42	1.47	-
2412MHz	Pass	AV	2.4202G	99.12	Inf	-Inf	3	Horizontal	42	1.47	-
2412MHz	Pass	PK	2.3892G	64.77	74.00	-9.23	3	Horizontal	42	1.47	-
2412MHz	Pass	PK	2.4182G	110.02	Inf	-Inf	3	Horizontal	42	1.47	-
2412MHz	Pass	AV	4.82556G	34.87	54.00	-19.13	3	Vertical	340	1.50	-
2412MHz	Pass	PK	4.82112G	49.55	74.00	-24.45	3	Vertical	340	1.50	-
2412MHz	Pass	AV	4.82604G	34.42	54.00	-19.58	3	Horizontal	360	1.41	-
2412MHz	Pass	PK	4.82544G	48.11	74.00	-25.89	3	Horizontal	360	1.41	-
2417MHz	Pass	AV	2.39G	53.41	54.00	-0.59	3	Vertical	17	1.64	-
2417MHz	Pass	AV	2.4182G	105.10	Inf	-Inf	3	Vertical	17	1.64	-
2417MHz	Pass	PK	2.39G	71.23	74.00	-2.77	3	Vertical	17	1.64	-
2417MHz	Pass	PK	2.4232G	117.19	Inf	-Inf	3	Vertical	17	1.64	-
2417MHz	Pass	PK	2.3898G	71.44	74.00	-2.56	3	Horizontal	-0	1.44	-
2417MHz	Pass	PK	2.4208G	113.86	Inf	-Inf	3	Horizontal	-0	1.44	-
2417MHz	Pass	AV	2.4256G	97.22	Inf	-Inf	3	Horizontal	-0	1.44	-
2417MHz	Pass	AV	2.39G	52.81	54.00	-1.19	3	Horizontal	-0	1.44	-
2437MHz	Pass	AV	2.3898G	53.82	54.00	-0.18	3	Vertical	15.1	1.62	-
2437MHz	Pass	AV	2.4286G	107.42	Inf	-Inf	3	Vertical	15.1	1.62	-
2437MHz	Pass	AV	2.4846G	52.84	54.00	-1.16	3	Vertical	15.1	1.62	-
2437MHz	Pass	PK	2.389G	67.74	74.00	-6.26	3	Vertical	15.1	1.62	-
2437MHz	Pass	PK	2.4434G	118.07	Inf	-Inf	3	Vertical	15.1	1.62	-
2437MHz	Pass	PK	2.4842G	68.80	74.00	-5.20	3	Vertical	15.1	1.62	-
2437MHz	Pass	AV	2.3886G	50.78	54.00	-3.22	3	Horizontal	47	1.65	-
2437MHz	Pass	AV	2.431G	106.25	Inf	-Inf	3	Horizontal	47	1.65	-
2437MHz	Pass	AV	2.4838G	50.60	54.00	-3.40	3	Horizontal	47	1.65	-
2437MHz	Pass	PK	2.383G	66.90	74.00	-7.10	3	Horizontal	47	1.65	-
2437MHz	Pass	PK	2.4302G	118.23	Inf	-Inf	3	Horizontal	47	1.65	-
2437MHz	Pass	PK	2.4842G	66.51	74.00	-7.49	3	Horizontal	47	1.65	-
2437MHz	Pass	AV	4.86344G	37.99	54.00	-16.01	3	Vertical	342	1.53	-
2437MHz	Pass	AV	7.29732G	39.64	54.00	-14.36	3	Vertical	64	1.39	-
2437MHz	Pass	PK	4.86136G	51.93	74.00	-22.07	3	Vertical	342	1.53	-
2437MHz	Pass	PK	7.29216G	53.96	74.00	-20.04	3	Vertical	64	1.39	-
2437MHz	Pass	AV	4.86344G	37.35	54.00	-16.65	3	Horizontal	350	1.53	-
2437MHz	Pass	AV	7.31364G	39.81	54.00	-14.19	3	Horizontal	324	2.50	-
2437MHz	Pass	PK	4.86464G	50.29	74.00	-23.71	3	Horizontal	350	1.53	-
2437MHz	Pass	PK	7.3176G	53.85	74.00	-20.15	3	Horizontal	324	2.50	-
2457MHz	Pass	AV	2.4558G	104.59	Inf	-Inf	3	Vertical	9	2.07	-
2457MHz	Pass	AV	2.4836G	52.39	54.00	-1.61	3	Vertical	9	2.07	-
2457MHz	Pass	PK	2.463G	117.80	Inf	-Inf	3	Vertical	9	2.07	-
2457MHz	Pass	PK	2.4838G	73.28	74.00	-0.72	3	Vertical	9	2.07	-
2457MHz	Pass	AV	2.4656G	101.76	Inf	-Inf	3	Horizontal	333	2.23	-
2457MHz	Pass	AV	2.4835G	51.34	54.00	-2.66	3	Horizontal	333	2.23	-
2457MHz	Pass	PK	2.465G	112.18	Inf	-Inf	3	Horizontal	333	2.23	-
2457MHz	Pass	PK	2.4838G	69.31	74.00	-4.69	3	Horizontal	333	2.23	-
2462MHz	Pass	AV	2.4652G	102.75	Inf	-Inf	3	Vertical	-0	2.20	-
2462MHz	Pass	AV	2.4835G	52.76	54.00	-1.24	3	Vertical	-0	2.20	-
2462MHz	Pass	PK	2.468G	115.64	Inf	-Inf	3	Vertical	-0	2.20	-
2462MHz	Pass	PK	2.4835G	73.32	74.00	-0.68	3	Vertical	-0	2.20	-
2462MHz	Pass	AV	2.471G	96.26	Inf	-Inf	3	Horizontal	44	1.50	-
2462MHz	Pass	AV	2.4836G	49.87	54.00	-4.13	3	Horizontal	44	1.50	-
2462MHz	Pass	PK	2.4682G	108.39	Inf	-Inf	3	Horizontal	44	1.50	-
2462MHz	Pass	PK	2.4842G	68.46	74.00	-5.54	3	Horizontal	44	1.50	-
2462MHz	Pass	AV	4.924G	36.29	54.00	-17.71	3	Vertical	281	2.91	-
2462MHz	Pass	AV	7.37352G	37.88	54.00	-16.12	3	Vertical	153	1.00	-
2462MHz	Pass	PK	4.92364G	48.56	74.00	-25.44	3	Vertical	281	2.91	-
2462MHz	Pass	PK	7.40472G	50.28	74.00	-23.72	3	Vertical	153	1.00	-



RSE TX above 1GHz_Beamforming_Panel

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	PK	4.92748G	48.26	74.00	-25.74	3	Horizontal	355	1.38	-
2462MHz	Pass	AV	4.93108G	34.65	54.00	-19.35	3	Horizontal	355	1.38	-
2462MHz	Pass	PK	7.38024G	50.00	74.00	-24.00	3	Horizontal	27	2.22	-
2462MHz	Pass	AV	7.37736G	37.82	54.00	-16.18	3	Horizontal	27	2.22	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3896G	53.89	54.00	-0.11	3	Vertical	14	1.65	-
2422MHz	Pass	AV	2.418G	100.43	Inf	-Inf	3	Vertical	14	1.65	-
2422MHz	Pass	AV	2.4835G	48.93	54.00	-5.07	3	Vertical	14	1.65	-
2422MHz	Pass	PK	2.3792G	68.09	74.00	-5.91	3	Vertical	14	1.65	-
2422MHz	Pass	PK	2.4248G	112.07	Inf	-Inf	3	Vertical	14	1.65	-
2422MHz	Pass	PK	2.4984G	59.88	74.00	-14.12	3	Vertical	14	1.65	-
2422MHz	Pass	AV	2.3884G	51.18	54.00	-2.82	3	Horizontal	46	1.68	-
2422MHz	Pass	AV	2.4172G	98.79	Inf	-Inf	3	Horizontal	46	1.68	-
2422MHz	Pass	AV	2.484G	48.77	54.00	-5.23	3	Horizontal	46	1.68	-
2422MHz	Pass	PK	2.3856G	69.77	74.00	-4.23	3	Horizontal	46	1.68	-
2422MHz	Pass	PK	2.4168G	109.70	Inf	-Inf	3	Horizontal	46	1.68	-
2422MHz	Pass	PK	2.4892G	60.08	74.00	-13.92	3	Horizontal	46	1.68	-
2422MHz	Pass	PK	4.8304G	45.45	74.00	-28.55	3	Vertical	172	1.50	-
2422MHz	Pass	AV	4.84464G	32.64	54.00	-21.36	3	Vertical	172	1.50	-
2422MHz	Pass	PK	7.2628G	50.59	74.00	-23.41	3	Vertical	53	2.46	-
2422MHz	Pass	AV	7.2568G	37.03	54.00	-16.97	3	Vertical	53	2.46	-
2422MHz	Pass	PK	4.8344G	45.60	74.00	-28.40	3	Horizontal	142	1.93	-
2422MHz	Pass	AV	4.84608G	31.59	54.00	-22.41	3	Horizontal	142	1.93	-
2422MHz	Pass	PK	7.25844G	50.20	74.00	-23.80	3	Horizontal	73	2.32	-
2422MHz	Pass	AV	7.25648G	37.21	54.00	-16.79	3	Horizontal	73	2.32	-
2427MHz	Pass	AV	2.3898G	53.71	54.00	-0.29	3	Vertical	360	2.06	-
2427MHz	Pass	AV	2.4194G	100.88	Inf	-Inf	3	Vertical	360	2.06	-
2427MHz	Pass	AV	2.4838G	49.42	54.00	-4.58	3	Vertical	360	2.06	-
2427MHz	Pass	PK	2.3878G	73.09	74.00	-0.91	3	Vertical	360	2.06	-
2427MHz	Pass	PK	2.4202G	112.70	Inf	-Inf	3	Vertical	360	2.06	-
2427MHz	Pass	PK	2.4842G	63.40	74.00	-10.60	3	Vertical	360	2.06	-
2427MHz	Pass	AV	2.3898G	50.94	54.00	-3.06	3	Horizontal	47	1.65	-
2427MHz	Pass	AV	2.415G	99.19	Inf	-Inf	3	Horizontal	47	1.65	-
2427MHz	Pass	AV	2.4878G	48.95	54.00	-5.05	3	Horizontal	47	1.65	-
2427MHz	Pass	PK	2.3886G	71.71	74.00	-2.29	3	Horizontal	47	1.65	-
2427MHz	Pass	PK	2.4158G	110.67	Inf	-Inf	3	Horizontal	47	1.65	-
2427MHz	Pass	PK	2.4858G	60.99	74.00	-13.01	3	Horizontal	47	1.65	-
2437MHz	Pass	AV	2.3898G	53.68	54.00	-0.32	3	Vertical	-0	2.08	-
2437MHz	Pass	AV	2.4226G	101.20	Inf	-Inf	3	Vertical	-0	2.08	-
2437MHz	Pass	AV	2.4835G	52.98	54.00	-1.02	3	Vertical	-0	2.08	-
2437MHz	Pass	PK	2.3886G	72.39	74.00	-1.61	3	Vertical	-0	2.08	-
2437MHz	Pass	PK	2.4198G	113.35	Inf	-Inf	3	Vertical	-0	2.08	-
2437MHz	Pass	PK	2.4862G	67.08	74.00	-6.92	3	Vertical	-0	2.08	-
2437MHz	Pass	AV	2.3898G	51.39	54.00	-2.61	3	Horizontal	48	1.50	-
2437MHz	Pass	AV	2.4314G	100.12	Inf	-Inf	3	Horizontal	48	1.50	-
2437MHz	Pass	AV	2.4838G	49.81	54.00	-4.19	3	Horizontal	48	1.50	-
2437MHz	Pass	PK	2.3886G	65.15	74.00	-8.85	3	Horizontal	48	1.50	-
2437MHz	Pass	PK	2.4294G	112.48	Inf	-Inf	3	Horizontal	48	1.50	-
2437MHz	Pass	PK	2.4846G	64.51	74.00	-9.49	3	Horizontal	48	1.50	-
2437MHz	Pass	AV	4.8492G	33.00	54.00	-21.00	3	Vertical	234	2.05	-
2437MHz	Pass	AV	7.34348G	37.31	54.00	-16.69	3	Vertical	98	1.50	-
2437MHz	Pass	PK	4.86056G	45.86	74.00	-28.14	3	Vertical	234	2.05	-
2437MHz	Pass	PK	7.28748G	50.17	74.00	-23.83	3	Vertical	98	1.50	-
2437MHz	Pass	PK	4.85368G	45.54	74.00	-28.46	3	Horizontal	352	1.26	-
2437MHz	Pass	AV	4.86088G	33.17	54.00	-20.83	3	Horizontal	352	1.26	-
2437MHz	Pass	PK	7.28924G	50.11	74.00	-23.89	3	Horizontal	189	2.76	-
2437MHz	Pass	AV	7.34956G	37.26	54.00	-16.74	3	Horizontal	189	2.76	-
2447MHz	Pass	AV	2.3854G	49.58	54.00	-4.42	3	Vertical	10	1.88	-
2447MHz	Pass	AV	2.4326G	100.09	Inf	-Inf	3	Vertical	10	1.88	-
2447MHz	Pass	AV	2.4862G	53.72	54.00	-0.28	3	Vertical	10	1.88	-
2447MHz	Pass	PK	2.387G	61.79	74.00	-12.21	3	Vertical	10	1.88	-
2447MHz	Pass	PK	2.4558G	111.72	Inf	-Inf	3	Vertical	10	1.88	-




RSE TX above 1GHz_Beamforming_Panel

Appendix F.16

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	PK	2.4874G	67.22	74.00	-6.78	3	Vertical	10	1.88	-
2447MHz	Pass	AV	2.3898G	48.68	54.00	-5.32	3	Horizontal	58	1.90	-
2447MHz	Pass	AV	2.4294G	98.71	Inf	-Inf	3	Horizontal	58	1.90	-
2447MHz	Pass	AV	2.4874G	49.75	54.00	-4.25	3	Horizontal	58	1.90	-
2447MHz	Pass	PK	2.3794G	60.18	74.00	-13.82	3	Horizontal	58	1.90	-
2447MHz	Pass	PK	2.4322G	109.63	Inf	-Inf	3	Horizontal	58	1.90	-
2447MHz	Pass	PK	2.4858G	61.45	74.00	-12.55	3	Horizontal	58	1.90	-
2452MHz	Pass	AV	2.39G	49.26	54.00	-4.74	3	Vertical	12	1.77	-
2452MHz	Pass	AV	2.4552G	99.60	Inf	-Inf	3	Vertical	12	1.77	-
2452MHz	Pass	AV	2.4884G	53.28	54.00	-0.72	3	Vertical	12	1.77	-
2452MHz	Pass	PK	2.362G	60.62	74.00	-13.38	3	Vertical	12	1.77	-
2452MHz	Pass	PK	2.466G	111.81	Inf	-Inf	3	Vertical	12	1.77	-
2452MHz	Pass	PK	2.4924G	66.60	74.00	-7.40	3	Vertical	12	1.77	-
2452MHz	Pass	AV	2.3668G	48.77	54.00	-5.23	3	Horizontal	339	2.29	-
2452MHz	Pass	AV	2.4344G	98.39	Inf	-Inf	3	Horizontal	339	2.29	-
2452MHz	Pass	AV	2.4876G	51.99	54.00	-2.01	3	Horizontal	339	2.29	-
2452MHz	Pass	PK	2.3704G	60.09	74.00	-13.91	3	Horizontal	339	2.29	-
2452MHz	Pass	PK	2.4336G	108.71	Inf	-Inf	3	Horizontal	339	2.29	-
2452MHz	Pass	PK	2.488G	68.79	74.00	-5.21	3	Horizontal	339	2.29	-
2452MHz	Pass	PK	4.88896G	46.54	74.00	-27.46	3	Vertical	283	2.84	-
2452MHz	Pass	AV	4.8848G	33.08	54.00	-20.92	3	Vertical	283	2.84	-
2452MHz	Pass	PK	7.31792G	49.98	74.00	-24.02	3	Vertical	356	2.93	-
2452MHz	Pass	AV	7.3408G	37.30	54.00	-16.70	3	Vertical	356	2.93	-
2452MHz	Pass	PK	4.91536G	44.35	74.00	-29.65	3	Horizontal	312	2.47	-
2452MHz	Pass	AV	4.88448G	33.25	54.00	-20.75	3	Horizontal	312	2.47	-
2452MHz	Pass	PK	7.3816G	49.60	74.00	-24.40	3	Horizontal	192	1.18	-
2452MHz	Pass	AV	7.37728G	37.22	54.00	-16.78	3	Horizontal	192	1.18	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.71	54.00	-1.29	35.56	3	Vertical	12	2.09	-	17.15	27.28	8.28	-
AV	2.408G	103.75	Inf	-Inf	35.63	3	Vertical	12	2.09	-	68.12	27.33	8.30	-
PK	2.39G	73.67	74.00	-0.33	35.56	3	Vertical	12	2.09	-	38.11	27.28	8.28	-
PK	2.418G	116.20	Inf	-Inf	35.67	3	Vertical	12	2.09	-	80.53	27.37	8.30	-


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.13	54.00	-3.87	35.56	3	Horizontal	42	1.47	-	14.57	27.28	8.28	-
AV	2.4202G	99.12	Inf	-Inf	35.68	3	Horizontal	42	1.47	-	63.44	27.38	8.30	-
PK	2.3892G	64.77	74.00	-9.23	35.56	3	Horizontal	42	1.47	-	29.21	27.28	8.28	-
PK	2.4182G	110.02	Inf	-Inf	35.67	3	Horizontal	42	1.47	-	74.35	27.37	8.30	-

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82556G	34.87	54.00	-19.13	8.05	3	Vertical	340	1.50	-	26.82	32.55	9.68	34.18
PK	4.82112G	49.55	74.00	-24.45	8.03	3	Vertical	340	1.50	-	41.52	32.54	9.68	34.19


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82604G	34.42	54.00	-19.58	8.05	3	Horizontal	360	1.41	-	26.37	32.55	9.68	34.18
PK	4.82544G	48.11	74.00	-25.89	8.05	3	Horizontal	360	1.41	-	40.06	32.55	9.68	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.41	54.00	-0.59	35.56	3	Vertical	17	1.64	-	17.85	27.28	8.28	-
AV	2.4182G	105.10	Inf	-Inf	35.67	3	Vertical	17	1.64	-	69.43	27.37	8.30	-
PK	2.39G	71.23	74.00	-2.77	35.56	3	Vertical	17	1.64	-	35.67	27.28	8.28	-
PK	2.4232G	117.19	Inf	-Inf	35.70	3	Vertical	17	1.64	-	81.49	27.39	8.31	-


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.44	74.00	-2.56	35.56	3	Horizontal	-0	1.44	-	35.88	27.28	8.28	-
PK	2.4208G	113.86	Inf	-Inf	35.68	3	Horizontal	-0	1.44	-	78.18	27.38	8.30	-
AV	2.4256G	97.22	Inf	-Inf	35.71	3	Horizontal	-0	1.44	-	61.51	27.40	8.31	-
AV	2.39G	52.81	54.00	-1.19	35.56	3	Horizontal	-0	1.44	-	17.25	27.28	8.28	-

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.82	54.00	-0.18	35.56	3	Vertical	15.1	1.62	-	18.26	27.28	8.28	-
AV	2.4286G	107.42	Inf	-Inf	35.72	3	Vertical	15.1	1.62	-	71.70	27.41	8.31	-
AV	2.4846G	52.84	54.00	-1.16	36.05	3	Vertical	15.1	1.62	-	16.79	27.71	8.34	-
PK	2.389G	67.74	74.00	-6.26	35.56	3	Vertical	15.1	1.62	-	32.18	27.28	8.28	-
PK	2.4434G	118.07	Inf	-Inf	35.79	3	Vertical	15.1	1.62	-	82.28	27.47	8.32	-
PK	2.4842G	68.80	74.00	-5.20	36.05	3	Vertical	15.1	1.62	-	32.75	27.71	8.34	-


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	50.78	54.00	-3.22	35.56	3	Horizontal	47	1.65	-	15.22	27.28	8.28	-
AV	2.431G	106.25	Inf	-Inf	35.73	3	Horizontal	47	1.65	-	70.52	27.42	8.31	-
AV	2.4838G	50.60	54.00	-3.40	36.04	3	Horizontal	47	1.65	-	14.56	27.70	8.34	-
PK	2.383G	66.90	74.00	-7.10	35.55	3	Horizontal	47	1.65	-	31.35	27.27	8.28	-
PK	2.4302G	118.23	Inf	-Inf	35.73	3	Horizontal	47	1.65	-	82.50	27.42	8.31	-
PK	2.4842G	66.51	74.00	-7.49	36.05	3	Horizontal	47	1.65	-	30.46	27.71	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86344G	37.99	54.00	-16.01	8.16	3	Vertical	342	1.53	-	29.83	32.63	9.70	34.17
AV	7.29732G	39.64	54.00	-14.36	13.43	3	Vertical	64	1.39	-	26.21	36.61	11.32	34.50
PK	4.86136G	51.93	74.00	-22.07	8.14	3	Vertical	342	1.53	-	43.79	32.62	9.69	34.17
PK	7.29216G	53.96	74.00	-20.04	13.44	3	Vertical	64	1.39	-	40.52	36.62	11.32	34.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86344G	37.35	54.00	-16.65	8.16	3	Horizontal	350	1.53	-	29.19	32.63	9.70	34.17
AV	7.31364G	39.81	54.00	-14.19	13.45	3	Horizontal	324	2.50	-	26.36	36.63	11.32	34.50
PK	4.86464G	50.29	74.00	-23.71	8.17	3	Horizontal	350	1.53	-	42.12	32.63	9.70	34.16
PK	7.3176G	53.85	74.00	-20.15	13.46	3	Horizontal	324	2.50	-	40.39	36.64	11.32	34.50

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4558G	104.59	Inf	-Inf	35.86	3	Vertical	9	2.07	-	68.73	27.53	8.33	-
AV	2.4836G	52.39	54.00	-1.61	36.04	3	Vertical	9	2.07	-	16.35	27.70	8.34	-
PK	2.463G	117.80	Inf	-Inf	35.91	3	Vertical	9	2.07	-	81.89	27.58	8.33	-
PK	2.4838G	73.28	74.00	-0.72	36.04	3	Vertical	9	2.07	-	37.24	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4656G	101.76	Inf	-Inf	35.92	3	Horizontal	333	2.23	-	65.84	27.59	8.33	-
AV	2.4835G	51.34	54.00	-2.66	36.04	3	Horizontal	333	2.23	-	15.30	27.70	8.34	-
PK	2.465G	112.18	Inf	-Inf	35.92	3	Horizontal	333	2.23	-	76.26	27.59	8.33	-
PK	2.4838G	69.31	74.00	-4.69	36.04	3	Horizontal	333	2.23	-	33.27	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	102.75	Inf	-Inf	35.92	3	Vertical	-0	2.20	-	66.83	27.59	8.33	-
AV	2.4835G	52.76	54.00	-1.24	36.04	3	Vertical	-0	2.20	-	16.72	27.70	8.34	-
PK	2.468G	115.64	Inf	-Inf	35.94	3	Vertical	-0	2.20	-	79.70	27.61	8.33	-
PK	2.4835G	73.32	74.00	-0.68	36.04	3	Vertical	-0	2.20	-	37.28	27.70	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.471G	96.26	Inf	-Inf	35.97	3	Horizontal	44	1.50	-	60.29	27.63	8.34	-
AV	2.4836G	49.87	54.00	-4.13	36.04	3	Horizontal	44	1.50	-	13.83	27.70	8.34	-
PK	2.4682G	108.39	Inf	-Inf	35.94	3	Horizontal	44	1.50	-	72.45	27.61	8.33	-
PK	2.4842G	68.46	74.00	-5.54	36.05	3	Horizontal	44	1.50	-	32.41	27.71	8.34	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	36.29	54.00	-17.71	8.38	3	Vertical	281	2.91	-	27.91	32.80	9.72	34.14
AV	7.37352G	37.88	54.00	-16.12	13.40	3	Vertical	153	1.00	-	24.48	36.56	11.33	34.49
PK	4.92364G	48.56	74.00	-25.44	8.37	3	Vertical	281	2.91	-	40.19	32.79	9.72	34.14
PK	7.40472G	50.28	74.00	-23.72	13.23	3	Vertical	153	1.00	-	37.05	36.38	11.34	34.49


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.92748G	48.26	74.00	-25.74	8.40	3	Horizontal	355	1.38	-	39.86	32.81	9.72	34.13
AV	4.93108G	34.65	54.00	-19.35	8.41	3	Horizontal	355	1.38	-	26.24	32.82	9.72	34.13
PK	7.38024G	50.00	74.00	-24.00	13.37	3	Horizontal	27	2.22	-	36.63	36.52	11.34	34.49
AV	7.37736G	37.82	54.00	-16.18	13.39	3	Horizontal	27	2.22	-	24.43	36.54	11.34	34.49

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.89	54.00	-0.11	35.56	3	Vertical	14	1.65	-	18.33	27.28	8.28	-
AV	2.418G	100.43	Inf	-Inf	35.67	3	Vertical	14	1.65	-	64.76	27.37	8.30	-
AV	2.4835G	48.93	54.00	-5.07	36.04	3	Vertical	14	1.65	-	12.89	27.70	8.34	-
PK	2.3792G	68.09	74.00	-5.91	35.53	3	Vertical	14	1.65	-	32.56	27.26	8.27	-
PK	2.4248G	112.07	Inf	-Inf	35.71	3	Vertical	14	1.65	-	76.36	27.40	8.31	-
PK	2.4984G	59.88	74.00	-14.12	36.14	3	Vertical	14	1.65	-	23.74	27.79	8.35	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	51.18	54.00	-2.82	35.56	3	Horizontal	46	1.68	-	15.62	27.28	8.28	-
AV	2.4172G	98.79	Inf	-Inf	35.67	3	Horizontal	46	1.68	-	63.12	27.37	8.30	-
AV	2.484G	48.77	54.00	-5.23	36.04	3	Horizontal	46	1.68	-	12.73	27.70	8.34	-
PK	2.3856G	69.77	74.00	-4.23	35.55	3	Horizontal	46	1.68	-	34.22	27.27	8.28	-
PK	2.4168G	109.70	Inf	-Inf	35.67	3	Horizontal	46	1.68	-	74.03	27.37	8.30	-
PK	2.4892G	60.08	74.00	-13.92	36.09	3	Horizontal	46	1.68	-	23.99	27.74	8.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.8304G	45.45	74.00	-28.55	8.06	3	Vertical	172	1.50	-	37.39	32.56	9.68	34.18
AV	4.84464G	32.64	54.00	-21.36	8.11	3	Vertical	172	1.50	-	24.53	32.59	9.69	34.17
PK	7.2628G	50.59	74.00	-23.41	13.48	3	Vertical	53	2.46	-	37.11	36.67	11.31	34.50
AV	7.2568G	37.03	54.00	-16.97	13.50	3	Vertical	53	2.46	-	23.53	36.69	11.31	34.50


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.8344G	45.60	74.00	-28.40	8.07	3	Horizontal	142	1.93	-	37.53	32.57	9.68	34.18
AV	4.84608G	31.59	54.00	-22.41	8.11	3	Horizontal	142	1.93	-	23.48	32.59	9.69	34.17
PK	7.25844G	50.20	74.00	-23.80	13.49	3	Horizontal	73	2.32	-	36.71	36.68	11.31	34.50
AV	7.25648G	37.21	54.00	-16.79	13.50	3	Horizontal	73	2.32	-	23.71	36.69	11.31	34.50

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.71	54.00	-0.29	35.56	3	Vertical	360	2.06	-	18.15	27.28	8.28	-
AV	2.4194G	100.88	Inf	-Inf	35.68	3	Vertical	360	2.06	-	65.20	27.38	8.30	-
AV	2.4838G	49.42	54.00	-4.58	36.04	3	Vertical	360	2.06	-	13.38	27.70	8.34	-
PK	2.3878G	73.09	74.00	-0.91	35.56	3	Vertical	360	2.06	-	37.53	27.28	8.28	-
PK	2.4202G	112.70	Inf	-Inf	35.68	3	Vertical	360	2.06	-	77.02	27.38	8.30	-
PK	2.4842G	63.40	74.00	-10.60	36.05	3	Vertical	360	2.06	-	27.35	27.71	8.34	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.94	54.00	-3.06	35.56	3	Horizontal	47	1.65	-	15.38	27.28	8.28	-
AV	2.415G	99.19	Inf	-Inf	35.66	3	Horizontal	47	1.65	-	63.53	27.36	8.30	-
AV	2.4878G	48.95	54.00	-5.05	36.08	3	Horizontal	47	1.65	-	12.87	27.73	8.35	-
PK	2.3886G	71.71	74.00	-2.29	35.56	3	Horizontal	47	1.65	-	36.15	27.28	8.28	-
PK	2.4158G	110.67	Inf	-Inf	35.66	3	Horizontal	47	1.65	-	75.01	27.36	8.30	-
PK	2.4858G	60.99	74.00	-13.01	36.06	3	Horizontal	47	1.65	-	24.93	27.71	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.68	54.00	-0.32	35.56	3	Vertical	-0	2.08	-	18.12	27.28	8.28	-
AV	2.4226G	101.20	Inf	-Inf	35.69	3	Vertical	-0	2.08	-	65.51	27.39	8.30	-
AV	2.4835G	52.98	54.00	-1.02	36.04	3	Vertical	-0	2.08	-	16.94	27.70	8.34	-
PK	2.3886G	72.39	74.00	-1.61	35.56	3	Vertical	-0	2.08	-	36.83	27.28	8.28	-
PK	2.4198G	113.35	Inf	-Inf	35.68	3	Vertical	-0	2.08	-	77.67	27.38	8.30	-
PK	2.4862G	67.08	74.00	-6.92	36.07	3	Vertical	-0	2.08	-	31.01	27.72	8.35	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.39	54.00	-2.61	35.56	3	Horizontal	48	1.50	-	15.83	27.28	8.28	-
AV	2.4314G	100.12	Inf	-Inf	35.74	3	Horizontal	48	1.50	-	64.38	27.43	8.31	-
AV	2.4838G	49.81	54.00	-4.19	36.04	3	Horizontal	48	1.50	-	13.77	27.70	8.34	-
PK	2.3886G	65.15	74.00	-8.85	35.56	3	Horizontal	48	1.50	-	29.59	27.28	8.28	-
PK	2.4294G	112.48	Inf	-Inf	35.73	3	Horizontal	48	1.50	-	76.75	27.42	8.31	-
PK	2.4846G	64.51	74.00	-9.49	36.05	3	Horizontal	48	1.50	-	28.46	27.71	8.34	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8492G	33.00	54.00	-21.00	8.12	3	Vertical	234	2.05	-	24.88	32.60	9.69	34.17
AV	7.34348G	37.31	54.00	-16.69	13.52	3	Vertical	98	1.50	-	23.79	36.69	11.33	34.50
PK	4.86056G	45.86	74.00	-28.14	8.14	3	Vertical	234	2.05	-	37.72	32.62	9.69	34.17
PK	7.28748G	50.17	74.00	-23.83	13.45	3	Vertical	98	1.50	-	36.72	36.63	11.32	34.50


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.85368G	45.54	74.00	-28.46	8.13	3	Horizontal	352	1.26	-	37.41	32.61	9.69	34.17
AV	4.86088G	33.17	54.00	-20.83	8.14	3	Horizontal	352	1.26	-	25.03	32.62	9.69	34.17
PK	7.28924G	50.11	74.00	-23.89	13.44	3	Horizontal	189	2.76	-	36.67	36.62	11.32	34.50
AV	7.34956G	37.26	54.00	-16.74	13.53	3	Horizontal	189	2.76	-	23.73	36.70	11.33	34.50

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3854G	49.58	54.00	-4.42	35.55	3	Vertical	10	1.88	-	14.03	27.27	8.28	-
AV	2.4326G	100.09	Inf	-Inf	35.74	3	Vertical	10	1.88	-	64.35	27.43	8.31	-
AV	2.4862G	53.72	54.00	-0.28	36.07	3	Vertical	10	1.88	-	17.65	27.72	8.35	-
PK	2.387G	61.79	74.00	-12.21	35.55	3	Vertical	10	1.88	-	26.24	27.27	8.28	-
PK	2.4558G	111.72	Inf	-Inf	35.86	3	Vertical	10	1.88	-	75.86	27.53	8.33	-
PK	2.4874G	67.22	74.00	-6.78	36.07	3	Vertical	10	1.88	-	31.15	27.72	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2447MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.68	54.00	-5.32	35.56	3	Horizontal	58	1.90	-	13.12	27.28	8.28	-
AV	2.4294G	98.71	Inf	-Inf	35.73	3	Horizontal	58	1.90	-	62.98	27.42	8.31	-
AV	2.4874G	49.75	54.00	-4.25	36.07	3	Horizontal	58	1.90	-	13.68	27.72	8.35	-
PK	2.3794G	60.18	74.00	-13.82	35.53	3	Horizontal	58	1.90	-	24.65	27.26	8.27	-
PK	2.4322G	109.63	Inf	-Inf	35.74	3	Horizontal	58	1.90	-	73.89	27.43	8.31	-
PK	2.4858G	61.45	74.00	-12.55	36.06	3	Horizontal	58	1.90	-	25.39	27.71	8.35	-

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.26	54.00	-4.74	35.56	3	Vertical	12	1.77	-	13.70	27.28	8.28	-
AV	2.4552G	99.60	Inf	-Inf	35.86	3	Vertical	12	1.77	-	63.74	27.53	8.33	-
AV	2.4884G	53.28	54.00	-0.72	36.08	3	Vertical	12	1.77	-	17.20	27.73	8.35	-
PK	2.362G	60.62	74.00	-13.38	35.48	3	Vertical	12	1.77	-	25.14	27.22	8.26	-
PK	2.466G	111.81	Inf	-Inf	35.93	3	Vertical	12	1.77	-	75.88	27.60	8.33	-
PK	2.4924G	66.60	74.00	-7.40	36.10	3	Vertical	12	1.77	-	30.50	27.75	8.35	-


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3668G	48.77	54.00	-5.23	35.50	3	Horizontal	339	2.29	-	13.27	27.23	8.27	-
AV	2.4344G	98.39	Inf	-Inf	35.75	3	Horizontal	339	2.29	-	62.64	27.44	8.31	-
AV	2.4876G	51.99	54.00	-2.01	36.08	3	Horizontal	339	2.29	-	15.91	27.73	8.35	-
PK	2.3704G	60.09	74.00	-13.91	35.51	3	Horizontal	339	2.29	-	24.58	27.24	8.27	-
PK	2.4336G	108.71	Inf	-Inf	35.74	3	Horizontal	339	2.29	-	72.97	27.43	8.31	-
PK	2.488G	68.79	74.00	-5.21	36.08	3	Horizontal	339	2.29	-	32.71	27.73	8.35	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.88896G	46.54	74.00	-27.46	8.24	3	Vertical	283	2.84	-	38.30	32.68	9.71	34.15
AV	4.8848G	33.08	54.00	-20.92	8.21	3	Vertical	283	2.84	-	24.87	32.67	9.70	34.16
PK	7.31792G	49.98	74.00	-24.02	13.46	3	Vertical	356	2.93	-	36.52	36.64	11.32	34.50
AV	7.3408G	37.30	54.00	-16.70	13.51	3	Vertical	356	2.93	-	23.79	36.68	11.33	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	4.91536G	44.35	74.00	-29.65	8.34	3	Horizontal	312	2.47	-	36.01	32.76	9.72	34.14
AV	4.88448G	33.25	54.00	-20.75	8.21	3	Horizontal	312	2.47	-	25.04	32.67	9.70	34.16
PK	7.3816G	49.60	74.00	-24.40	13.36	3	Horizontal	192	1.18	-	36.24	36.51	11.34	34.49
AV	7.37728G	37.22	54.00	-16.78	13.39	3	Horizontal	192	1.18	-	23.83	36.54	11.34	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.82398G	50.33	54.00	-3.67	Vertical
Mode 2	Pass	AV	4.82398G	50.47	54.00	-3.53	Vertical
Mode 3	Pass	AV	4.822G	50.67	54.00	-3.33	Vertical
Mode 4	Pass	AV	4.822G	46.36	54.00	-7.64	Vertical




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.056G	23.66	54.00	-30.34	3	Vertical	168	1.82	-
Mode 1	Pass	AV	1.224G	25.81	54.00	-28.19	3	Vertical	20	2.18	-
Mode 1	Pass	AV	1.406G	31.23	54.00	-22.77	3	Vertical	234	1.28	-
Mode 1	Pass	AV	3.198G	35.86	68.20	-32.34	3	Vertical	27	1.99	-
Mode 1	Pass	AV	4.82398G	50.33	54.00	-3.67	3	Vertical	140	1.22	-
Mode 1	Pass	PK	1.056G	43.62	74.00	-30.38	3	Vertical	168	1.82	-
Mode 1	Pass	PK	1.224G	44.11	74.00	-29.89	3	Vertical	20	2.18	-
Mode 1	Pass	PK	1.406G	47.60	74.00	-26.40	3	Vertical	234	1.28	-
Mode 1	Pass	PK	3.198G	44.59	68.20	-23.61	3	Vertical	27	1.99	-
Mode 1	Pass	PK	4.82398G	52.36	74.00	-21.64	3	Vertical	140	1.22	-
Mode 1	Pass	AV	1.05714G	27.33	54.00	-26.67	3	Horizontal	149	1.01	-
Mode 1	Pass	AV	1.22914G	30.93	54.00	-23.07	3	Horizontal	248	2.62	-
Mode 1	Pass	AV	1.40018G	30.97	54.00	-23.03	3	Horizontal	240	2.22	-
Mode 1	Pass	AV	1.75343G	33.10	68.20	-35.10	3	Horizontal	256	1.50	-
Mode 1	Pass	AV	4.82392G	44.65	54.00	-9.35	3	Horizontal	335	1.50	-
Mode 1	Pass	PK	1.05714G	42.41	74.00	-31.59	3	Horizontal	149	1.01	-
Mode 1	Pass	PK	1.22914G	42.48	74.00	-31.52	3	Horizontal	248	2.62	-
Mode 1	Pass	PK	1.40018G	42.66	74.00	-31.34	3	Horizontal	240	2.22	-
Mode 1	Pass	PK	1.75343G	40.21	68.20	-27.99	3	Horizontal	256	1.50	-
Mode 1	Pass	PK	4.82392G	45.70	74.00	-28.30	3	Horizontal	335	1.50	-
Mode 2	Pass	AV	1.42067G	32.21	54.00	-21.79	3	Vertical	311	2.37	-
Mode 2	Pass	AV	1.77G	30.27	68.20	-37.93	3	Vertical	58	1.81	-
Mode 2	Pass	AV	2.232G	31.85	54.00	-22.15	3	Vertical	150	1.53	-
Mode 2	Pass	AV	3.016G	34.52	68.20	-33.68	3	Vertical	348	2.04	-
Mode 2	Pass	AV	4.82398G	50.47	54.00	-3.53	3	Vertical	152	2.86	-
Mode 2	Pass	AV	5.13G	38.52	54.00	-15.48	3	Vertical	178	2.00	-
Mode 2	Pass	PK	1.42067G	51.43	74.00	-22.57	3	Vertical	311	2.37	-
Mode 2	Pass	PK	1.77G	44.07	68.20	-24.13	3	Vertical	58	1.81	-
Mode 2	Pass	PK	2.232G	50.28	74.00	-23.72	3	Vertical	150	1.53	-
Mode 2	Pass	PK	3.016G	47.61	68.20	-20.59	3	Vertical	348	2.04	-
Mode 2	Pass	PK	4.82398G	53.53	74.00	-20.47	3	Vertical	152	2.86	-
Mode 2	Pass	PK	5.13G	49.32	74.00	-24.68	3	Vertical	178	2.00	-
Mode 2	Pass	AV	1.238G	31.55	54.00	-22.45	3	Horizontal	39	2.03	-
Mode 2	Pass	AV	1.406G	31.04	54.00	-22.96	3	Horizontal	27	1.66	-
Mode 2	Pass	AV	2.232G	33.22	54.00	-20.78	3	Horizontal	107	1.81	-
Mode 2	Pass	AV	2.988G	32.91	68.20	-35.29	3	Horizontal	294	1.48	-
Mode 2	Pass	AV	3.184G	35.53	68.20	-32.67	3	Horizontal	23	1.36	-
Mode 2	Pass	AV	4.822G	47.56	54.00	-6.44	3	Horizontal	355	1.80	-
Mode 2	Pass	PK	1.238G	46.61	74.00	-27.39	3	Horizontal	39	2.03	-
Mode 2	Pass	PK	1.406G	46.65	74.00	-27.35	3	Horizontal	27	1.66	-
Mode 2	Pass	PK	2.232G	43.16	74.00	-30.84	3	Horizontal	107	1.81	-
Mode 2	Pass	PK	2.988G	45.25	68.20	-22.95	3	Horizontal	294	1.48	-
Mode 2	Pass	PK	3.184G	47.86	68.20	-20.34	3	Horizontal	23	1.36	-
Mode 2	Pass	PK	4.822G	49.03	74.00	-24.97	3	Horizontal	355	1.80	-
Mode 3	Pass	AV	1.238G	30.11	54.00	-23.89	3	Vertical	55	1.17	-
Mode 3	Pass	AV	1.406G	31.52	54.00	-22.48	3	Vertical	359	1.32	-
Mode 3	Pass	AV	1.77G	34.01	68.20	-34.19	3	Vertical	147	1.28	-
Mode 3	Pass	AV	4.822G	50.67	54.00	-3.33	3	Vertical	16	2.20	-
Mode 3	Pass	PK	1.238G	43.53	74.00	-30.47	3	Vertical	55	1.17	-
Mode 3	Pass	PK	1.406G	43.98	74.00	-30.02	3	Vertical	359	1.32	-




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 3	Pass	PK	1.77G	42.41	68.20	-25.79	3	Vertical	147	1.28	-
Mode 3	Pass	PK	4.822G	53.51	74.00	-20.49	3	Vertical	16	2.20	-
Mode 3	Pass	AV	1.238G	30.57	54.00	-23.43	3	Horizontal	24	1.81	-
Mode 3	Pass	AV	1.406G	31.25	54.00	-22.75	3	Horizontal	42	2.36	-
Mode 3	Pass	AV	2.358G	32.13	54.00	-21.87	3	Horizontal	209	1.96	-
Mode 3	Pass	AV	4.822G	43.83	54.00	-10.17	3	Horizontal	136	1.32	-
Mode 3	Pass	PK	1.238G	46.95	74.00	-27.05	3	Horizontal	24	1.81	-
Mode 3	Pass	PK	1.406G	43.81	74.00	-30.19	3	Horizontal	42	2.36	-
Mode 3	Pass	PK	2.358G	42.31	74.00	-31.69	3	Horizontal	209	1.96	-
Mode 3	Pass	PK	4.822G	46.00	74.00	-28.00	3	Horizontal	136	1.32	-
Mode 4	Pass	AV	1.056G	31.25	54.00	-22.75	3	Vertical	73	1.68	-
Mode 4	Pass	AV	1.238G	36.31	54.00	-17.69	3	Vertical	256	2.37	-
Mode 4	Pass	AV	1.406G	32.36	54.00	-21.64	3	Vertical	129	1.32	-
Mode 4	Pass	AV	2.582G	30.58	68.20	-37.62	3	Vertical	21	2.25	-
Mode 4	Pass	AV	4.822G	46.36	54.00	-7.64	3	Vertical	63	1.30	-
Mode 4	Pass	PK	1.056G	44.38	74.00	-29.62	3	Vertical	73	1.68	-
Mode 4	Pass	PK	1.238G	42.37	74.00	-31.63	3	Vertical	256	2.37	-
Mode 4	Pass	PK	1.406G	44.17	74.00	-29.83	3	Vertical	129	1.32	-
Mode 4	Pass	PK	2.582G	45.44	68.20	-22.76	3	Vertical	21	2.25	-
Mode 4	Pass	PK	4.822G	47.24	74.00	-26.76	3	Vertical	63	1.30	-
Mode 4	Pass	AV	1.238G	34.21	54.00	-19.79	3	Horizontal	196	2.04	-
Mode 4	Pass	AV	1.406G	32.01	54.00	-21.99	3	Horizontal	79	1.13	-
Mode 4	Pass	AV	3.002G	33.47	68.20	-34.73	3	Horizontal	57	2.36	-
Mode 4	Pass	AV	4.822G	45.25	54.00	-8.75	3	Horizontal	39	2.25	-
Mode 4	Pass	PK	1.238G	47.85	74.00	-26.15	3	Horizontal	196	2.04	-
Mode 4	Pass	PK	1.406G	43.88	74.00	-30.12	3	Horizontal	79	1.13	-
Mode 4	Pass	PK	3.002G	43.11	68.20	-25.09	3	Horizontal	57	2.36	-
Mode 4	Pass	PK	4.822G	49.03	74.00	-24.97	3	Horizontal	39	2.25	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.056G	23.66	54.00	-30.34	-6.35	3	Vertical	168	1.82	-	30.01	25.02	3.14	34.51
AV	1.224G	25.81	54.00	-28.19	-4.74	3	Vertical	20	2.18	-	30.55	26.10	3.39	34.23
AV	1.406G	31.23	54.00	-22.77	-4.98	3	Vertical	234	1.28	-	36.21	25.30	3.65	33.93
AV	3.198G	35.86	68.20	-32.34	1.18	3	Vertical	27	1.99	-	34.68	29.80	5.55	34.17
AV	4.82398G	50.33	54.00	-3.67	5.21	3	Vertical	140	1.22	-	45.12	32.60	6.90	34.29
PK	1.056G	43.62	74.00	-30.38	-6.35	3	Vertical	168	1.82	-	49.97	25.02	3.14	34.51
PK	1.224G	44.11	74.00	-29.89	-4.74	3	Vertical	20	2.18	-	48.85	26.10	3.39	34.23
PK	1.406G	47.60	74.00	-26.40	-4.98	3	Vertical	234	1.28	-	52.58	25.30	3.65	33.93
PK	3.198G	44.59	68.20	-23.61	1.18	3	Vertical	27	1.99	-	43.41	29.80	5.55	34.17
PK	4.82398G	52.36	74.00	-21.64	5.21	3	Vertical	140	1.22	-	47.15	32.60	6.90	34.29

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.05714G	27.33	54.00	-26.67	-6.33	3	Horizontal	149	1.01	-	33.66	25.03	3.15	34.51
AV	1.22914G	30.93	54.00	-23.07	-4.74	3	Horizontal	248	2.62	-	35.67	26.08	3.40	34.22
AV	1.40018G	30.97	54.00	-23.03	-5.00	3	Horizontal	240	2.22	-	35.97	25.30	3.64	33.94
AV	1.75343G	33.10	68.20	-35.10	-4.53	3	Horizontal	256	1.50	-	37.63	25.18	4.09	33.80
AV	4.82392G	44.65	54.00	-9.35	5.21	3	Horizontal	335	1.50	-	39.44	32.60	6.90	34.29
PK	1.05714G	42.41	74.00	-31.59	-6.33	3	Horizontal	149	1.01	-	48.74	25.03	3.15	34.51
PK	1.22914G	42.48	74.00	-31.52	-4.74	3	Horizontal	248	2.62	-	47.22	26.08	3.40	34.22
PK	1.40018G	42.66	74.00	-31.34	-5.00	3	Horizontal	240	2.22	-	47.66	25.30	3.64	33.94
PK	1.75343G	40.21	68.20	-27.99	-4.53	3	Horizontal	256	1.50	-	44.74	25.18	4.09	33.80
PK	4.82392G	45.70	74.00	-28.30	5.21	3	Horizontal	335	1.50	-	40.49	32.60	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.42067G	32.21	54.00	-21.79	-4.94	3	Vertical	311	2.37	-	37.15	25.30	3.67	33.91
AV	1.77G	30.27	68.20	-37.93	-4.61	3	Vertical	58	1.81	-	34.88	25.08	4.11	33.80
AV	2.232G	31.85	54.00	-22.15	-1.99	3	Vertical	150	1.53	-	33.84	27.31	4.57	33.87
AV	3.016G	34.52	68.20	-33.68	0.83	3	Vertical	348	2.04	-	33.69	29.50	5.46	34.13
AV	4.82398G	50.47	54.00	-3.53	5.21	3	Vertical	152	2.86	-	45.26	32.60	6.90	34.29
AV	5.13G	38.52	54.00	-15.48	6.05	3	Vertical	178	2.00	-	32.47	33.14	7.17	34.26
PK	1.42067G	51.43	74.00	-22.57	-4.94	3	Vertical	311	2.37	-	56.37	25.30	3.67	33.91
PK	1.77G	44.07	68.20	-24.13	-4.61	3	Vertical	58	1.81	-	48.68	25.08	4.11	33.80
PK	2.232G	50.28	74.00	-23.72	-1.99	3	Vertical	150	1.53	-	52.27	27.31	4.57	33.87
PK	3.016G	47.61	68.20	-20.59	0.83	3	Vertical	348	2.04	-	46.78	29.50	5.46	34.13
PK	4.82398G	53.53	74.00	-20.47	5.21	3	Vertical	152	2.86	-	48.32	32.60	6.90	34.29
PK	5.13G	49.32	74.00	-24.68	6.05	3	Vertical	178	2.00	-	43.27	33.14	7.17	34.26

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	31.55	54.00	-22.45	-4.75	3	Horizontal	39	2.03	-	36.30	26.05	3.41	34.21
AV	1.406G	31.04	54.00	-22.96	-4.98	3	Horizontal	27	1.66	-	36.02	25.30	3.65	33.93
AV	2.232G	33.22	54.00	-20.78	-1.99	3	Horizontal	107	1.81	-	35.21	27.31	4.57	33.87
AV	2.988G	32.91	68.20	-35.29	0.74	3	Horizontal	294	1.48	-	32.17	29.43	5.44	34.13
AV	3.184G	35.53	68.20	-32.67	1.14	3	Horizontal	23	1.36	-	34.39	29.77	5.54	34.17
AV	4.822G	47.56	54.00	-6.44	5.20	3	Horizontal	355	1.80	-	42.36	32.59	6.90	34.29
PK	1.238G	46.61	74.00	-27.39	-4.75	3	Horizontal	39	2.03	-	51.36	26.05	3.41	34.21
PK	1.406G	46.65	74.00	-27.35	-4.98	3	Horizontal	27	1.66	-	51.63	25.30	3.65	33.93
PK	2.232G	43.16	74.00	-30.84	-1.99	3	Horizontal	107	1.81	-	45.15	27.31	4.57	33.87
PK	2.988G	45.25	68.20	-22.95	0.74	3	Horizontal	294	1.48	-	44.51	29.43	5.44	34.13
PK	3.184G	47.86	68.20	-20.34	1.14	3	Horizontal	23	1.36	-	46.72	29.77	5.54	34.17
PK	4.822G	49.03	74.00	-24.97	5.20	3	Horizontal	355	1.80	-	43.83	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	30.11	54.00	-23.89	-4.75	3	Vertical	55	1.17	-	34.86	26.05	3.41	34.21
AV	1.406G	31.52	54.00	-22.48	-4.98	3	Vertical	359	1.32	-	36.50	25.30	3.65	33.93
AV	1.77G	34.01	68.20	-34.19	-4.61	3	Vertical	147	1.28	-	38.62	25.08	4.11	33.80
AV	4.822G	50.67	54.00	-3.33	5.20	3	Vertical	16	2.20	-	45.47	32.59	6.90	34.29
PK	1.238G	43.53	74.00	-30.47	-4.75	3	Vertical	55	1.17	-	48.28	26.05	3.41	34.21
PK	1.406G	43.98	74.00	-30.02	-4.98	3	Vertical	359	1.32	-	48.96	25.30	3.65	33.93
PK	1.77G	42.41	68.20	-25.79	-4.61	3	Vertical	147	1.28	-	47.02	25.08	4.11	33.80
PK	4.822G	53.51	74.00	-20.49	5.20	3	Vertical	16	2.20	-	48.31	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	30.57	54.00	-23.43	-4.75	3	Horizontal	24	1.81	-	35.32	26.05	3.41	34.21
AV	1.406G	31.25	54.00	-22.75	-4.98	3	Horizontal	42	2.36	-	36.23	25.30	3.65	33.93
AV	2.358G	32.13	54.00	-21.87	-2.08	3	Horizontal	209	1.96	-	34.21	27.32	4.50	33.90
AV	4.822G	43.83	54.00	-10.17	5.20	3	Horizontal	136	1.32	-	38.63	32.59	6.90	34.29
PK	1.238G	46.95	74.00	-27.05	-4.75	3	Horizontal	24	1.81	-	51.70	26.05	3.41	34.21
PK	1.406G	43.81	74.00	-30.19	-4.98	3	Horizontal	42	2.36	-	48.79	25.30	3.65	33.93
PK	2.358G	42.31	74.00	-31.69	-2.08	3	Horizontal	209	1.96	-	44.39	27.32	4.50	33.90
PK	4.822G	46.00	74.00	-28.00	5.20	3	Horizontal	136	1.32	-	40.80	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.056G	31.25	54.00	-22.75	-6.35	3	Vertical	73	1.68	-	37.60	25.02	3.14	34.51
AV	1.238G	36.31	54.00	-17.69	-4.75	3	Vertical	256	2.37	-	41.06	26.05	3.41	34.21
AV	1.406G	32.36	54.00	-21.64	-4.98	3	Vertical	129	1.32	-	37.34	25.30	3.65	33.93
AV	2.582G	30.58	68.20	-37.62	-1.34	3	Vertical	21	2.25	-	31.92	28.13	4.50	33.97
AV	4.822G	46.36	54.00	-7.64	5.20	3	Vertical	63	1.30	-	41.16	32.59	6.90	34.29
PK	1.056G	44.38	74.00	-29.62	-6.35	3	Vertical	73	1.68	-	50.73	25.02	3.14	34.51
PK	1.238G	42.37	74.00	-31.63	-4.75	3	Vertical	256	2.37	-	47.12	26.05	3.41	34.21
PK	1.406G	44.17	74.00	-29.83	-4.98	3	Vertical	129	1.32	-	49.15	25.30	3.65	33.93
PK	2.582G	45.44	68.20	-22.76	-1.34	3	Vertical	21	2.25	-	46.78	28.13	4.50	33.97
PK	4.822G	47.24	74.00	-26.76	5.20	3	Vertical	63	1.30	-	42.04	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	34.21	54.00	-19.79	-4.75	3	Horizontal	196	2.04	-	38.96	26.05	3.41	34.21
AV	1.406G	32.01	54.00	-21.99	-4.98	3	Horizontal	79	1.13	-	36.99	25.30	3.65	33.93
AV	3.002G	33.47	68.20	-34.73	0.82	3	Horizontal	57	2.36	-	32.65	29.50	5.45	34.13
AV	4.822G	45.25	54.00	-8.75	5.20	3	Horizontal	39	2.25	-	40.05	32.59	6.90	34.29
PK	1.238G	47.85	74.00	-26.15	-4.75	3	Horizontal	196	2.04	-	52.60	26.05	3.41	34.21
PK	1.406G	43.88	74.00	-30.12	-4.98	3	Horizontal	79	1.13	-	48.86	25.30	3.65	33.93
PK	3.002G	43.11	68.20	-25.09	0.82	3	Horizontal	57	2.36	-	42.29	29.50	5.45	34.13
PK	4.822G	49.03	74.00	-24.97	5.20	3	Horizontal	39	2.25	-	43.83	32.59	6.90	34.29



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.878G	47.58	54.00	-6.42	Vertical
Mode 2	Pass	AV	4.82386G	50.36	54.00	-3.64	Vertical
Mode 3	Pass	AV	4.822G	48.89	54.00	-5.11	Vertical
Mode 4	Pass	AV	4.822G	50.14	54.00	-3.86	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.224G	31.53	54.00	-22.47	3	Vertical	341	1.52	-
Mode 1	Pass	AV	1.406G	30.25	54.00	-23.75	3	Vertical	218	2.24	-
Mode 1	Pass	AV	1.938G	34.58	68.20	-33.62	3	Vertical	187	1.92	-
Mode 1	Pass	AV	4.878G	47.58	54.00	-6.42	3	Vertical	173	1.07	-
Mode 1	Pass	PK	1.224G	41.91	74.00	-32.09	3	Vertical	341	1.52	-
Mode 1	Pass	PK	1.406G	43.67	74.00	-30.33	3	Vertical	218	2.24	-
Mode 1	Pass	PK	1.938G	42.21	68.20	-25.99	3	Vertical	187	1.92	-
Mode 1	Pass	PK	4.878G	50.06	74.00	-23.94	3	Vertical	173	1.07	-
Mode 1	Pass	AV	1.196G	29.58	54.00	-24.42	3	Horizontal	323	1.07	-
Mode 1	Pass	AV	1.406G	36.55	54.00	-17.45	3	Horizontal	214	1.18	-
Mode 1	Pass	AV	2.26G	32.25	54.00	-21.75	3	Horizontal	356	1.50	-
Mode 1	Pass	PK	1.196G	43.37	74.00	-30.63	3	Horizontal	323	1.07	-
Mode 1	Pass	PK	1.406G	41.48	74.00	-32.52	3	Horizontal	214	1.18	-
Mode 1	Pass	PK	2.26G	49.98	74.00	-24.02	3	Horizontal	356	1.50	-
Mode 2	Pass	AV	3.968G	32.55	54.00	-21.45	3	Vertical	227	1.90	-
Mode 2	Pass	AV	4.29G	30.06	54.00	-23.94	3	Vertical	61	1.16	-
Mode 2	Pass	AV	4.82386G	50.36	54.00	-3.64	3	Vertical	195	1.50	-
Mode 2	Pass	PK	3.968G	42.79	74.00	-31.21	3	Vertical	227	1.90	-
Mode 2	Pass	PK	4.29G	43.79	74.00	-30.21	3	Vertical	61	1.16	-
Mode 2	Pass	PK	4.822G	55.45	74.00	-18.55	3	Vertical	195	1.50	-
Mode 2	Pass	AV	1.238G	29.68	54.00	-28.88	3	Horizontal	339	1.13	-
Mode 2	Pass	AV	1.756G	28.59	68.20	-39.61	3	Horizontal	46	1.74	-
Mode 2	Pass	AV	2.358G	29.15	54.00	-24.85	3	Horizontal	285	1.95	-
Mode 2	Pass	PK	1.238G	41.23	74.00	-32.77	3	Horizontal	339	1.13	-
Mode 2	Pass	PK	1.756G	38.51	68.20	-29.69	3	Horizontal	46	1.74	-
Mode 2	Pass	PK	2.358G	44.88	74.00	-29.12	3	Horizontal	285	1.95	-
Mode 3	Pass	AV	1.154G	25.49	54.00	-28.51	3	Vertical	213	1.37	-
Mode 3	Pass	AV	1.406G	28.36	54.00	-31.44	3	Vertical	45	1.25	-
Mode 3	Pass	AV	4.822G	48.89	54.00	-5.11	3	Vertical	341	1.52	-
Mode 3	Pass	PK	1.154G	36.61	74.00	-37.39	3	Vertical	213	1.37	-
Mode 3	Pass	PK	1.406G	37.34	74.00	-36.66	3	Vertical	45	1.25	-
Mode 3	Pass	PK	4.822G	52.88	74.00	-21.12	3	Vertical	341	1.52	-
Mode 3	Pass	AV	1.21G	27.63	54.00	-26.37	3	Horizontal	111	1.19	-
Mode 3	Pass	AV	1.728G	26.32	68.20	-41.88	3	Horizontal	250	2.08	-
Mode 3	Pass	AV	4.822G	39.59	54.00	-14.41	3	Horizontal	66	2.41	-
Mode 3	Pass	PK	1.21G	39.31	74.00	-34.69	3	Horizontal	111	1.19	-
Mode 3	Pass	PK	1.728G	37.77	68.20	-30.43	3	Horizontal	250	2.08	-
Mode 3	Pass	PK	4.822G	46.85	74.00	-27.15	3	Horizontal	66	2.41	-
Mode 4	Pass	AV	1.49G	31.70	54.00	-22.30	3	Vertical	96	1.74	-
Mode 4	Pass	AV	4.822G	50.14	54.00	-3.86	3	Vertical	182	2.49	-
Mode 4	Pass	AV	7.25G	47.49	54.00	-6.51	3	Vertical	221	2.25	-
Mode 4	Pass	PK	1.49G	37.46	74.00	-36.54	3	Vertical	96	1.74	-
Mode 4	Pass	PK	4.822G	56.09	74.00	-17.91	3	Vertical	182	2.49	-
Mode 4	Pass	PK	7.25G	50.89	74.00	-23.11	3	Vertical	221	2.25	-
Mode 4	Pass	AV	1.21G	31.98	54.00	-22.02	3	Horizontal	112	2.45	-
Mode 4	Pass	AV	4.01G	33.14	54.00	-20.86	3	Horizontal	250	1.86	-
Mode 4	Pass	AV	5.046G	35.11	54.00	-18.89	3	Horizontal	309	1.46	-
Mode 4	Pass	PK	1.21G	40.28	74.00	-33.72	3	Horizontal	112	2.45	-
Mode 4	Pass	PK	4.01G	42.07	74.00	-31.93	3	Horizontal	250	1.86	-
Mode 4	Pass	PK	5.046G	43.89	74.00	-30.11	3	Horizontal	309	1.46	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	31.53	54.00	-22.47	-4.74	3	Vertical	341	1.52	-	36.27	26.10	3.39	34.23
AV	1.406G	30.25	54.00	-23.75	-4.98	3	Vertical	218	2.24	-	35.23	25.30	3.65	33.93
AV	1.938G	34.58	68.20	-33.62	-3.42	3	Vertical	187	1.92	-	38.00	26.08	4.31	33.81
AV	4.878G	47.58	54.00	-6.42	5.38	3	Vertical	173	1.07	-	42.20	32.76	6.90	34.28
PK	1.224G	41.91	74.00	-32.09	-4.74	3	Vertical	341	1.52	-	46.65	26.10	3.39	34.23
PK	1.406G	43.67	74.00	-30.33	-4.98	3	Vertical	218	2.24	-	48.65	25.30	3.65	33.93
PK	1.938G	42.21	68.20	-25.99	-3.42	3	Vertical	187	1.92	-	45.63	26.08	4.31	33.81
PK	4.878G	50.06	74.00	-23.94	5.38	3	Vertical	173	1.07	-	44.68	32.76	6.90	34.28

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.196G	29.58	54.00	-24.42	-4.73	3	Horizontal	323	1.07	-	34.31	26.20	3.35	34.28
AV	1.406G	36.55	54.00	-17.45	-4.98	3	Horizontal	214	1.18	-	41.53	25.30	3.65	33.93
AV	2.26G	32.25	54.00	-21.75	-2.15	3	Horizontal	356	1.50	-	34.40	27.18	4.55	33.88
PK	1.196G	43.37	74.00	-30.63	-4.73	3	Horizontal	323	1.07	-	48.10	26.20	3.35	34.28
PK	1.406G	41.48	74.00	-32.52	-4.98	3	Horizontal	214	1.18	-	46.46	25.30	3.65	33.93
PK	2.26G	49.98	74.00	-24.02	-2.15	3	Horizontal	356	1.50	-	52.13	27.18	4.55	33.88

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	3.968G	32.55	54.00	-21.45	2.78	3	Vertical	227	1.90	-	29.77	30.86	6.17	34.25
AV	4.29G	30.06	54.00	-23.94	3.70	3	Vertical	61	1.16	-	26.36	31.56	6.44	34.30
AV	4.82386G	50.36	54.00	-3.64	5.21	3	Vertical	195	1.50	-	45.15	32.60	6.90	34.29
PK	3.968G	42.79	74.00	-31.21	2.78	3	Vertical	227	1.90	-	40.01	30.86	6.17	34.25
PK	4.29G	43.79	74.00	-30.21	3.70	3	Vertical	61	1.16	-	40.09	31.56	6.44	34.30
PK	4.822G	55.45	74.00	-18.55	5.20	3	Vertical	195	1.50	-	50.25	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	29.68	54.00	-28.88	-4.75	3	Horizontal	339	1.13	-	29.87	26.05	3.41	34.21
AV	1.756G	28.59	68.20	-39.61	-4.55	3	Horizontal	46	1.74	-	33.14	25.16	4.09	33.80
AV	2.358G	29.15	54.00	-24.85	-2.08	3	Horizontal	285	1.95	-	31.23	27.32	4.50	33.90
PK	1.238G	41.23	74.00	-32.77	-4.75	3	Horizontal	339	1.13	-	45.98	26.05	3.41	34.21
PK	1.756G	38.51	68.20	-29.69	-4.55	3	Horizontal	46	1.74	-	43.06	25.16	4.09	33.80
PK	2.358G	44.88	74.00	-29.12	-2.08	3	Horizontal	285	1.95	-	46.96	27.32	4.50	33.90

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.154G	25.49	54.00	-28.51	-4.86	3	Vertical	213	1.37	-	30.35	26.20	3.29	34.35
AV	1.406G	28.36	54.00	-31.44	-4.98	3	Vertical	45	1.25	-	27.54	25.30	3.65	33.93
AV	4.822G	48.89	54.00	-5.11	5.20	3	Vertical	341	1.52	-	43.69	32.59	6.90	34.29
PK	1.154G	36.61	74.00	-37.39	-4.86	3	Vertical	213	1.37	-	41.47	26.20	3.29	34.35
PK	1.406G	37.34	74.00	-36.66	-4.98	3	Vertical	45	1.25	-	42.32	25.30	3.65	33.93
PK	4.822G	52.88	74.00	-21.12	5.20	3	Vertical	341	1.52	-	47.68	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	27.63	54.00	-26.37	-4.73	3	Horizontal	111	1.19	-	32.36	26.16	3.37	34.26
AV	1.728G	26.32	68.20	-41.88	-4.53	3	Horizontal	250	2.08	-	30.85	25.20	4.06	33.79
AV	4.822G	39.59	54.00	-14.41	5.20	3	Horizontal	66	2.41	-	34.39	32.59	6.90	34.29
PK	1.21G	39.31	74.00	-34.69	-4.73	3	Horizontal	111	1.19	-	44.04	26.16	3.37	34.26
PK	1.728G	37.77	68.20	-30.43	-4.53	3	Horizontal	250	2.08	-	42.30	25.20	4.06	33.79
PK	4.822G	46.85	74.00	-27.15	5.20	3	Horizontal	66	2.41	-	41.65	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.49G	31.70	54.00	-22.30	-4.66	3	Vertical	96	1.74	-	36.36	25.38	3.76	33.80
AV	4.822G	50.14	54.00	-3.86	5.20	3	Vertical	182	2.49	-	44.94	32.59	6.90	34.29
AV	7.25G	47.49	54.00	-6.51	10.56	3	Vertical	221	2.25	-	36.93	36.90	8.46	34.80
PK	1.49G	37.46	74.00	-36.54	-4.66	3	Vertical	96	1.74	-	42.12	25.38	3.76	33.80
PK	4.822G	56.09	74.00	-17.91	5.20	3	Vertical	182	2.49	-	50.89	32.59	6.90	34.29
PK	7.25G	50.89	74.00	-23.11	10.56	3	Vertical	221	2.25	-	40.33	36.90	8.46	34.80

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	31.98	54.00	-22.02	-4.73	3	Horizontal	112	2.45	-	36.71	26.16	3.37	34.26
AV	4.01G	33.14	54.00	-20.86	2.75	3	Horizontal	250	1.86	-	30.39	30.78	6.22	34.25
AV	5.046G	35.11	54.00	-18.89	5.75	3	Horizontal	309	1.46	-	29.36	33.02	7.00	34.27
PK	1.21G	40.28	74.00	-33.72	-4.73	3	Horizontal	112	2.45	-	45.01	26.16	3.37	34.26
PK	4.01G	42.07	74.00	-31.93	2.75	3	Horizontal	250	1.86	-	39.32	30.78	6.22	34.25
PK	5.046G	43.89	74.00	-30.11	5.75	3	Horizontal	309	1.46	-	38.14	33.02	7.00	34.27



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.822G	50.07	54.00	-3.93	Vertical
Mode 2	Pass	AV	4.822G	50.87	54.00	-3.13	Vertical
Mode 3	Pass	AV	4.822G	49.04	54.00	-4.96	Vertical
Mode 4	Pass	AV	4.822G	47.93	54.00	-6.07	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.392G	28.03	54.00	-25.97	3	Vertical	91	1.95	-
Mode 1	Pass	AV	4.822G	50.07	54.00	-3.93	3	Vertical	52	1.46	-
Mode 1	Pass	AV	7.25G	47.71	54.00	-6.29	3	Vertical	280	1.91	-
Mode 1	Pass	PK	1.392G	36.94	74.00	-37.06	3	Vertical	91	1.95	-
Mode 1	Pass	PK	4.822G	54.90	74.00	-19.10	3	Vertical	52	1.46	-
Mode 1	Pass	PK	7.25G	51.55	68.20	-16.65	3	Vertical	280	1.91	-
Mode 1	Pass	AV	1.224G	29.73	54.00	-24.27	3	Horizontal	107	1.24	-
Mode 1	Pass	AV	4.822G	47.74	54.00	-6.26	3	Horizontal	137	2.34	-
Mode 1	Pass	AV	6.824G	39.52	68.20	-28.68	3	Horizontal	31	1.84	-
Mode 1	Pass	PK	1.224G	38.90	74.00	-35.10	3	Horizontal	107	1.24	-
Mode 1	Pass	PK	4.822G	52.91	74.00	-21.09	3	Horizontal	137	2.34	-
Mode 1	Pass	PK	6.824G	48.88	68.20	-19.32	3	Horizontal	31	1.84	-
Mode 2	Pass	AV	1.392G	27.54	54.00	-26.46	3	Vertical	21	1.17	-
Mode 2	Pass	AV	4.822G	50.87	54.00	-3.13	3	Vertical	273	1.08	-
Mode 2	Pass	AV	7.25G	43.30	54.00	-10.70	3	Vertical	94	1.14	-
Mode 2	Pass	PK	1.392G	37.33	74.00	-36.67	3	Vertical	21	1.17	-
Mode 2	Pass	PK	4.822G	54.43	74.00	-19.57	3	Vertical	273	1.08	-
Mode 2	Pass	PK	7.25G	50.63	74.00	-23.37	3	Vertical	94	1.14	-
Mode 2	Pass	AV	1.21G	27.93	54.00	-26.07	3	Horizontal	166	2.39	-
Mode 2	Pass	AV	4.822G	44.51	54.00	-9.49	3	Horizontal	225	1.86	-
Mode 2	Pass	AV	6.572G	37.39	68.20	-30.81	3	Horizontal	314	1.41	-
Mode 2	Pass	PK	1.21G	38.72	74.00	-35.28	3	Horizontal	166	2.39	-
Mode 2	Pass	PK	4.822G	48.73	74.00	-25.27	3	Horizontal	225	1.86	-
Mode 2	Pass	PK	6.572G	48.27	68.20	-19.93	3	Horizontal	314	1.41	-
Mode 3	Pass	AV	1.224G	29.70	54.00	-24.30	3	Vertical	77	1.45	-
Mode 3	Pass	AV	4.276G	39.38	54.00	-14.62	3	Vertical	190	1.40	-
Mode 3	Pass	AV	4.822G	49.04	54.00	-4.96	3	Vertical	179	2.34	-
Mode 3	Pass	PK	1.224G	42.34	74.00	-31.66	3	Vertical	77	1.45	-
Mode 3	Pass	PK	4.276G	44.28	74.00	-29.72	3	Vertical	190	1.40	-
Mode 3	Pass	PK	4.822G	54.78	74.00	-19.22	3	Vertical	179	2.34	-
Mode 3	Pass	AV	1.238G	29.23	54.00	-24.77	3	Horizontal	133	1.52	-
Mode 3	Pass	AV	1.406G	26.87	54.00	-27.13	3	Horizontal	246	1.43	-
Mode 3	Pass	AV	4.822G	47.61	54.00	-6.39	3	Horizontal	83	2.50	-
Mode 3	Pass	PK	1.238G	39.24	74.00	-34.76	3	Horizontal	133	1.52	-
Mode 3	Pass	PK	1.406G	40.65	74.00	-33.35	3	Horizontal	246	1.43	-
Mode 3	Pass	PK	4.822G	51.02	74.00	-22.98	3	Horizontal	83	2.50	-
Mode 4	Pass	AV	1.224G	31.25	54.00	-22.75	3	Vertical	251	1.33	-
Mode 4	Pass	AV	1.406G	32.13	54.00	-21.87	3	Vertical	258	1.55	-
Mode 4	Pass	AV	4.822G	47.93	54.00	-6.07	3	Vertical	302	1.38	-
Mode 4	Pass	PK	1.224G	40.22	74.00	-33.78	3	Vertical	251	1.33	-
Mode 4	Pass	PK	1.406G	38.83	74.00	-35.17	3	Vertical	258	1.55	-
Mode 4	Pass	PK	4.822G	53.22	74.00	-20.78	3	Vertical	302	1.38	-
Mode 4	Pass	AV	1.21G	30.41	54.00	-23.59	3	Horizontal	297	2.01	-
Mode 4	Pass	AV	4.234G	36.34	54.00	-17.66	3	Horizontal	193	1.47	-
Mode 4	Pass	AV	4.822G	41.37	54.00	-12.63	3	Horizontal	182	1.83	-
Mode 4	Pass	PK	1.21G	37.91	74.00	-36.09	3	Horizontal	297	2.01	-
Mode 4	Pass	PK	4.234G	43.39	74.00	-30.61	3	Horizontal	193	1.47	-
Mode 4	Pass	PK	4.822G	49.65	74.00	-24.35	3	Horizontal	182	1.83	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	28.03	54.00	-25.97	-4.93	3	Vertical	91	1.95	-	32.96	25.40	3.63	33.96
AV	4.822G	50.07	54.00	-3.93	5.20	3	Vertical	52	1.46	-	44.87	32.59	6.90	34.29
AV	7.25G	47.71	54.00	-6.29	10.56	3	Vertical	280	1.91	-	37.15	36.90	8.46	34.80
PK	1.392G	36.94	74.00	-37.06	-4.93	3	Vertical	91	1.95	-	41.87	25.40	3.63	33.96
PK	4.822G	54.90	74.00	-19.10	5.20	3	Vertical	52	1.46	-	49.70	32.59	6.90	34.29
PK	7.25G	51.55	68.20	-16.65	10.57	3	Vertical	280	1.91	-	40.98	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	29.73	54.00	-24.27	-4.74	3	Horizontal	107	1.24	-	34.47	26.10	3.39	34.23
AV	4.822G	47.74	54.00	-6.26	5.20	3	Horizontal	137	2.34	-	42.54	32.59	6.90	34.29
AV	6.824G	39.52	68.20	-28.68	9.35	3	Horizontal	31	1.84	-	30.17	35.85	8.21	34.71
PK	1.224G	38.90	74.00	-35.10	-4.74	3	Horizontal	107	1.24	-	43.64	26.10	3.39	34.23
PK	4.822G	52.91	74.00	-21.09	5.20	3	Horizontal	137	2.34	-	47.71	32.59	6.90	34.29
PK	6.824G	48.88	68.20	-19.32	9.35	3	Horizontal	31	1.84	-	39.53	35.85	8.21	34.71

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	27.54	54.00	-26.46	-4.93	3	Vertical	21	1.17	-	32.47	25.40	3.63	33.96
AV	4.822G	50.87	54.00	-3.13	5.20	3	Vertical	273	1.08	-	45.67	32.59	6.90	34.29
AV	7.25G	43.30	54.00	-10.70	10.56	3	Vertical	94	1.14	-	32.74	36.90	8.46	34.80
PK	1.392G	37.33	74.00	-36.67	-4.93	3	Vertical	21	1.17	-	42.26	25.40	3.63	33.96
PK	4.822G	54.43	74.00	-19.57	5.20	3	Vertical	273	1.08	-	49.23	32.59	6.90	34.29
PK	7.25G	50.63	74.00	-23.37	10.56	3	Vertical	94	1.14	-	40.07	36.90	8.46	34.80

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	27.93	54.00	-26.07	-4.73	3	Horizontal	166	2.39	-	32.66	26.16	3.37	34.26
AV	4.822G	44.51	54.00	-9.49	5.20	3	Horizontal	225	1.86	-	39.31	32.59	6.90	34.29
AV	6.572G	37.39	68.20	-30.81	9.24	3	Horizontal	314	1.41	-	28.15	35.73	8.14	34.63
PK	1.21G	38.72	74.00	-35.28	-4.73	3	Horizontal	166	2.39	-	43.45	26.16	3.37	34.26
PK	4.822G	48.73	74.00	-25.27	5.20	3	Horizontal	225	1.86	-	43.53	32.59	6.90	34.29
PK	6.572G	48.27	68.20	-19.93	9.24	3	Horizontal	314	1.41	-	39.03	35.73	8.14	34.63

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	29.70	54.00	-24.30	-4.74	3	Vertical	77	1.45	-	34.44	26.10	3.39	34.23
AV	4.276G	39.38	54.00	-14.62	3.64	3	Vertical	190	1.40	-	35.74	31.50	6.43	34.29
AV	4.822G	49.04	54.00	-4.96	5.20	3	Vertical	179	2.34	-	43.84	32.59	6.90	34.29
PK	1.224G	42.34	74.00	-31.66	-4.74	3	Vertical	77	1.45	-	47.08	26.10	3.39	34.23
PK	4.276G	44.28	74.00	-29.72	3.64	3	Vertical	190	1.40	-	40.64	31.50	6.43	34.29
PK	4.822G	54.78	74.00	-19.22	5.20	3	Vertical	179	2.34	-	49.58	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	29.23	54.00	-24.77	-4.75	3	Horizontal	133	1.52	-	33.98	26.05	3.41	34.21
AV	1.406G	26.87	54.00	-27.13	-4.98	3	Horizontal	246	1.43	-	31.85	25.30	3.65	33.93
AV	4.822G	47.61	54.00	-6.39	5.20	3	Horizontal	83	2.50	-	42.41	32.59	6.90	34.29
PK	1.238G	39.24	74.00	-34.76	-4.75	3	Horizontal	133	1.52	-	43.99	26.05	3.41	34.21
PK	1.406G	40.65	74.00	-33.35	-4.98	3	Horizontal	246	1.43	-	45.63	25.30	3.65	33.93
PK	4.822G	51.02	74.00	-22.98	5.20	3	Horizontal	83	2.50	-	45.82	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.224G	31.25	54.00	-22.75	-4.74	3	Vertical	251	1.33	-	35.99	26.10	3.39	34.23
AV	1.406G	32.13	54.00	-21.87	-4.98	3	Vertical	258	1.55	-	37.11	25.30	3.65	33.93
AV	4.822G	47.93	54.00	-6.07	5.20	3	Vertical	302	1.38	-	42.73	32.59	6.90	34.29
PK	1.224G	40.22	74.00	-33.78	-4.74	3	Vertical	251	1.33	-	44.96	26.10	3.39	34.23
PK	1.406G	38.83	74.00	-35.17	-4.98	3	Vertical	258	1.55	-	43.81	25.30	3.65	33.93
PK	4.822G	53.22	74.00	-20.78	5.20	3	Vertical	302	1.38	-	48.02	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	30.41	54.00	-23.59	-4.73	3	Horizontal	297	2.01	-	35.14	26.16	3.37	34.26
AV	4.234G	36.34	54.00	-17.66	3.36	3	Horizontal	193	1.47	-	32.98	31.27	6.38	34.29
AV	4.822G	41.37	54.00	-12.63	5.20	3	Horizontal	182	1.83	-	36.17	32.59	6.90	34.29
PK	1.21G	37.91	74.00	-36.09	-4.73	3	Horizontal	297	2.01	-	42.64	26.16	3.37	34.26
PK	4.234G	43.39	74.00	-30.61	3.36	3	Horizontal	193	1.47	-	40.03	31.27	6.38	34.29
PK	4.822G	49.65	74.00	-24.35	5.20	3	Horizontal	182	1.83	-	44.45	32.59	6.90	34.29



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.822G	48.34	54.00	-5.66	Vertical
Mode 2	Pass	AV	4.822G	49.67	54.00	-4.33	Vertical
Mode 3	Pass	AV	7.25G	47.21	54.00	-6.79	Vertical
Mode 4	Pass	AV	4.822G	47.81	54.00	-6.19	Vertical



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
Mode 1	Pass	AV	1.406G	31.44	54.00	-22.56	3	Vertical	315	1.71	-
Mode 1	Pass	AV	4.822G	48.34	54.00	-5.66	3	Vertical	22	1.49	-
Mode 1	Pass	AV	7.25G	45.51	54.00	-8.49	3	Vertical	127	1.84	-
Mode 1	Pass	PK	1.406G	40.10	74.00	-33.90	3	Vertical	235	1.71	-
Mode 1	Pass	PK	4.822G	51.27	74.00	-22.73	3	Vertical	315	1.49	-
Mode 1	Pass	PK	7.25G	50.26	68.20	-17.94	3	Vertical	127	1.84	-
Mode 1	Pass	PK	1.224G	40.78	74.00	-33.22	3	Horizontal	40	1.96	-
Mode 1	Pass	PK	3.674G	40.77	74.00	-33.23	3	Horizontal	328	2.38	-
Mode 1	Pass	PK	4.808G	43.41	74.00	-30.59	3	Horizontal	151	1.46	-
Mode 1	Pass	AV	1.227G	33.51	54.00	-20.49	3	Horizontal	40	1.96	-
Mode 1	Pass	AV	3.664G	32.21	54.00	-21.79	3	Horizontal	328	2.38	-
Mode 1	Pass	AV	4.828G	39.72	54.00	-14.28	3	Horizontal	151	1.46	-
Mode 2	Pass	AV	1.392G	29.65	54.00	-24.35	3	Vertical	248	1.75	-
Mode 2	Pass	AV	1.742G	29.32	68.20	-38.88	3	Vertical	124	2.16	-
Mode 2	Pass	AV	4.822G	49.67	54.00	-4.33	3	Vertical	77	1.37	-
Mode 2	Pass	PK	1.392G	39.51	74.00	-34.49	3	Vertical	248	1.75	-
Mode 2	Pass	PK	1.742G	42.28	68.20	-25.92	3	Vertical	124	2.16	-
Mode 2	Pass	PK	4.822G	54.84	74.00	-19.16	3	Vertical	77	1.37	-
Mode 2	Pass	AV	1.21G	29.54	54.00	-24.46	3	Horizontal	108	1.02	-
Mode 2	Pass	AV	1.728G	29.09	68.20	-39.11	3	Horizontal	18	2.38	-
Mode 2	Pass	AV	4.822G	42.34	54.00	-11.66	3	Horizontal	52	1.61	-
Mode 2	Pass	PK	1.21G	41.20	74.00	-32.80	3	Horizontal	108	1.02	-
Mode 2	Pass	PK	1.728G	37.69	68.20	-30.51	3	Horizontal	18	2.38	-
Mode 2	Pass	PK	4.822G	48.06	74.00	-25.94	3	Horizontal	52	1.61	-
Mode 3	Pass	AV	2.12G	34.35	68.20	-33.85	3	Vertical	309	2.46	-
Mode 3	Pass	AV	2.12G	44.02	68.20	-24.18	3	Vertical	225	2.01	-
Mode 3	Pass	AV	7.25G	47.21	54.00	-6.79	3	Vertical	59	1.64	-
Mode 3	Pass	PK	2.12G	38.82	68.20	-29.38	3	Vertical	309	2.46	-
Mode 3	Pass	PK	4.822G	54.92	74.00	-19.08	3	Vertical	225	2.01	-
Mode 3	Pass	PK	7.25G	50.67	68.20	-17.53	3	Vertical	59	1.64	-
Mode 3	Pass	AV	1.238G	27.90	54.00	-26.10	3	Horizontal	215	1.04	-
Mode 3	Pass	AV	1.742G	29.59	68.20	-38.61	3	Horizontal	272	1.80	-
Mode 3	Pass	AV	4.822G	38.93	54.00	-15.07	3	Horizontal	39	2.31	-
Mode 3	Pass	PK	1.238G	38.99	74.00	-35.01	3	Horizontal	215	1.04	-
Mode 3	Pass	PK	1.742G	39.93	68.20	-28.27	3	Horizontal	272	1.80	-
Mode 3	Pass	PK	4.822G	43.37	74.00	-30.63	3	Horizontal	39	2.31	-
Mode 4	Pass	AV	1.406G	30.16	54.00	-23.84	3	Vertical	188	1.70	-
Mode 4	Pass	AV	4.822G	47.81	54.00	-6.19	3	Vertical	51	1.18	-
Mode 4	Pass	AV	7.25G	43.27	54.00	-10.73	3	Vertical	156	1.85	-
Mode 4	Pass	PK	1.406G	36.83	74.00	-37.17	3	Vertical	188	1.70	-
Mode 4	Pass	PK	4.822G	53.36	74.00	-20.64	3	Vertical	51	1.18	-
Mode 4	Pass	PK	7.25G	50.34	68.20	-17.86	3	Vertical	156	1.85	-
Mode 4	Pass	AV	1.196G	29.46	54.00	-24.54	3	Horizontal	35	1.77	-
Mode 4	Pass	AV	4.388G	36.49	54.00	-17.51	3	Horizontal	232	1.73	-
Mode 4	Pass	AV	4.822G	39.18	54.00	-14.82	3	Horizontal	99	1.42	-
Mode 4	Pass	PK	1.196G	41.53	74.00	-32.47	3	Horizontal	35	1.77	-
Mode 4	Pass	PK	4.388G	43.23	74.00	-30.77	3	Horizontal	232	1.73	-
Mode 4	Pass	PK	4.822G	44.44	74.00	-29.56	3	Horizontal	99	1.42	-

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.406G	31.44	54.00	-22.56	-4.98	3	Vertical	315	1.71	-	36.42	25.30	3.65	33.93
AV	4.822G	48.34	54.00	-5.66	5.20	3	Vertical	22	1.49	-	43.14	32.59	6.90	34.29
AV	7.25G	45.51	54.00	-8.49	10.56	3	Vertical	127	1.84	-	34.95	36.90	8.46	34.80
PK	1.406G	40.10	74.00	-33.90	-4.98	3	Vertical	235	1.71	-	45.08	25.30	3.65	33.93
PK	4.822G	51.27	74.00	-22.73	5.20	3	Vertical	315	1.49	-	46.07	32.59	6.90	34.29
PK	7.25G	50.26	68.20	-17.94	10.57	3	Vertical	127	1.84	-	39.69	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.224G	40.78	74.00	-33.22	-4.74	3	Horizontal	40	1.96	-	45.52	26.10	3.39	34.23
PK	3.674G	40.77	74.00	-33.23	1.47	3	Horizontal	328	2.38	-	39.30	29.75	5.96	34.24
PK	4.808G	43.41	74.00	-30.59	5.14	3	Horizontal	151	1.46	-	38.27	32.53	6.90	34.29
AV	1.227G	33.51	54.00	-20.49	-4.74	3	Horizontal	40	1.96	-	38.25	26.09	3.40	34.23
AV	3.664G	32.21	54.00	-21.79	1.45	3	Horizontal	328	2.38	-	30.76	29.73	5.96	34.24
AV	4.828G	39.72	54.00	-14.28	5.22	3	Horizontal	151	1.46	-	34.50	32.61	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.392G	29.65	54.00	-24.35	-4.93	3	Vertical	248	1.75	-	34.58	25.40	3.63	33.96
AV	1.742G	29.32	68.20	-38.88	-4.52	3	Vertical	124	2.16	-	33.84	25.20	4.07	33.79
AV	4.822G	49.67	54.00	-4.33	5.20	3	Vertical	77	1.37	-	44.47	32.59	6.90	34.29
PK	1.392G	39.51	74.00	-34.49	-4.93	3	Vertical	248	1.75	-	44.44	25.40	3.63	33.96
PK	1.742G	42.28	68.20	-25.92	-4.52	3	Vertical	124	2.16	-	46.80	25.20	4.07	33.79
PK	4.822G	54.84	74.00	-19.16	5.20	3	Vertical	77	1.37	-	49.64	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.21G	29.54	54.00	-24.46	-4.73	3	Horizontal	108	1.02	-	34.27	26.16	3.37	34.26
AV	1.728G	29.09	68.20	-39.11	-4.53	3	Horizontal	18	2.38	-	33.62	25.20	4.06	33.79
AV	4.822G	42.34	54.00	-11.66	5.20	3	Horizontal	52	1.61	-	37.14	32.59	6.90	34.29
PK	1.21G	41.20	74.00	-32.80	-4.73	3	Horizontal	108	1.02	-	45.93	26.16	3.37	34.26
PK	1.728G	37.69	68.20	-30.51	-4.53	3	Horizontal	18	2.38	-	42.22	25.20	4.06	33.79
PK	4.822G	48.06	74.00	-25.94	5.20	3	Horizontal	52	1.61	-	42.86	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	2.12G	34.35	68.20	-33.85	-1.79	3	Vertical	309	2.46	-	36.14	27.54	4.51	33.84
AV	2.12G	44.02	68.20	-24.18	-1.79	3	Vertical	225	2.01	-	45.81	27.54	4.51	33.84
AV	7.25G	47.21	54.00	-6.79	10.56	3	Vertical	59	1.64	-	36.65	36.90	8.46	34.80
PK	2.12G	38.82	68.20	-29.38	-1.79	3	Vertical	309	2.46	-	40.61	27.54	4.51	33.84
PK	4.822G	54.92	74.00	-19.08	5.20	3	Vertical	225	2.01	-	49.72	32.59	6.90	34.29
PK	7.25G	50.67	68.20	-17.53	10.57	3	Vertical	59	1.64	-	40.10	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.238G	27.90	54.00	-26.10	-4.75	3	Horizontal	215	1.04	-	32.65	26.05	3.41	34.21
AV	1.742G	29.59	68.20	-38.61	-4.52	3	Horizontal	272	1.80	-	34.11	25.20	4.07	33.79
AV	4.822G	38.93	54.00	-15.07	5.20	3	Horizontal	39	2.31	-	33.73	32.59	6.90	34.29
PK	1.238G	38.99	74.00	-35.01	-4.75	3	Horizontal	215	1.04	-	43.74	26.05	3.41	34.21
PK	1.742G	39.93	68.20	-28.27	-4.52	3	Horizontal	272	1.80	-	44.45	25.20	4.07	33.79
PK	4.822G	43.37	74.00	-30.63	5.20	3	Horizontal	39	2.31	-	38.17	32.59	6.90	34.29

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.406G	30.16	54.00	-23.84	-4.98	3	Vertical	188	1.70	-	35.14	25.30	3.65	33.93
AV	4.822G	47.81	54.00	-6.19	5.20	3	Vertical	51	1.18	-	42.61	32.59	6.90	34.29
AV	7.25G	43.27	54.00	-10.73	10.56	3	Vertical	156	1.85	-	32.71	36.90	8.46	34.80
PK	1.406G	36.83	74.00	-37.17	-4.98	3	Vertical	188	1.70	-	41.81	25.30	3.65	33.93
PK	4.822G	53.36	74.00	-20.64	5.20	3	Vertical	51	1.18	-	48.16	32.59	6.90	34.29
PK	7.25G	50.34	68.20	-17.86	10.57	3	Vertical	156	1.85	-	39.77	36.90	8.46	34.79

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	1.196G	29.46	54.00	-24.54	-4.73	3	Horizontal	35	1.77	-	34.19	26.20	3.35	34.28
AV	4.388G	36.49	54.00	-17.51	4.05	3	Horizontal	232	1.73	-	32.44	31.80	6.56	34.31
AV	4.822G	39.18	54.00	-14.82	5.20	3	Horizontal	99	1.42	-	33.98	32.59	6.90	34.29
PK	1.196G	41.53	74.00	-32.47	-4.73	3	Horizontal	35	1.77	-	46.26	26.20	3.35	34.28
PK	4.388G	43.23	74.00	-30.77	4.05	3	Horizontal	232	1.73	-	39.18	31.80	6.56	34.31
PK	4.822G	44.44	74.00	-29.56	5.20	3	Horizontal	99	1.42	-	39.24	32.59	6.90	34.29