


802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3822G	51.26	54.00	-2.74	36.02	3	Vertical	162	2.75	-	15.24	27.74	8.28	-
AV	2.4362G	112.74	Inf	-Inf	35.79	3	Vertical	162	2.75	-	76.95	27.48	8.31	-
AV	2.4918G	51.82	54.00	-2.18	35.75	3	Vertical	162	2.75	-	16.07	27.40	8.35	-
PK	2.3894G	62.03	74.00	-11.97	36.00	3	Vertical	162	2.75	-	26.03	27.72	8.28	-
PK	2.4378G	116.65	Inf	-Inf	35.78	3	Vertical	162	2.75	-	80.87	27.47	8.31	-
PK	2.4846G	64.20	74.00	-9.80	35.74	3	Vertical	162	2.75	-	28.46	27.40	8.34	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3822G	48.53	54.00	-5.47	36.02	3	Horizontal	215	1.47	-	12.51	27.74	8.28	-
AV	2.4378G	103.50	Inf	-Inf	35.78	3	Horizontal	215	1.47	-	67.72	27.47	8.31	-
AV	2.4914G	48.10	54.00	-5.90	35.75	3	Horizontal	215	1.47	-	12.35	27.40	8.35	-
PK	2.3806G	60.50	74.00	-13.50	36.02	3	Horizontal	215	1.47	-	24.48	27.74	8.28	-
PK	2.4378G	107.64	Inf	-Inf	35.78	3	Horizontal	215	1.47	-	71.86	27.47	8.31	-
PK	2.4878G	59.16	74.00	-14.84	35.75	3	Horizontal	215	1.47	-	23.41	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	33.42	54.00	-20.58	6.74	3	Vertical	252	1.00	-	26.68	31.20	9.70	34.16
AV	7.30972G	47.14	54.00	-6.86	13.20	3	Vertical	87	2.79	-	33.94	36.38	11.32	34.50
PK	4.87395G	44.93	74.00	-29.07	6.74	3	Vertical	252	1.00	-	38.19	31.20	9.70	34.16
PK	7.30962G	55.60	74.00	-18.40	13.20	3	Vertical	87	2.79	-	42.40	36.38	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87398G	40.72	54.00	-13.28	6.74	3	Horizontal	343	1.50	-	33.98	31.20	9.70	34.16
AV	7.3098G	41.75	54.00	-12.25	13.20	3	Horizontal	307	1.02	-	28.55	36.38	11.32	34.50
PK	4.87402G	47.06	74.00	-26.94	6.74	3	Horizontal	343	1.50	-	40.32	31.20	9.70	34.16
PK	7.3099G	52.58	74.00	-21.42	13.20	3	Horizontal	307	1.02	-	39.38	36.38	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	112.05	Inf	-Inf	35.73	3	Vertical	159	2.39	-	76.32	27.40	8.33	-
AV	2.4838G	52.56	54.00	-1.44	35.74	3	Vertical	159	2.39	-	16.82	27.40	8.34	-
PK	2.456G	115.81	Inf	-Inf	35.73	3	Vertical	159	2.39	-	80.08	27.40	8.33	-
PK	2.4836G	63.53	74.00	-10.47	35.74	3	Vertical	159	2.39	-	27.79	27.40	8.34	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	103.38	Inf	-Inf	35.73	3	Horizontal	179	1.89	-	67.65	27.40	8.33	-
AV	2.4918G	49.09	54.00	-4.91	35.75	3	Horizontal	179	1.89	-	13.34	27.40	8.35	-
PK	2.456G	107.32	Inf	-Inf	35.73	3	Horizontal	179	1.89	-	71.59	27.40	8.33	-
PK	2.4956G	61.69	74.00	-12.31	35.75	3	Horizontal	179	1.89	-	25.94	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	110.25	Inf	-Inf	35.73	3	Vertical	158	2.33	-	74.52	27.40	8.33	-
AV	2.4852G	52.94	54.00	-1.06	35.75	3	Vertical	158	2.33	-	17.19	27.40	8.35	-
PK	2.463G	114.34	Inf	-Inf	35.73	3	Vertical	158	2.33	-	78.61	27.40	8.33	-
PK	2.4856G	63.52	74.00	-10.48	35.75	3	Vertical	158	2.33	-	27.77	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	103.99	Inf	-Inf	35.73	3	Horizontal	213	1.73	-	68.26	27.40	8.33	-
AV	2.4854G	48.80	54.00	-5.20	35.75	3	Horizontal	213	1.73	-	13.05	27.40	8.35	-
PK	2.461G	107.83	Inf	-Inf	35.73	3	Horizontal	213	1.73	-	72.10	27.40	8.33	-
PK	2.4916G	60.27	74.00	-13.73	35.75	3	Horizontal	213	1.73	-	24.52	27.40	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	43.37	54.00	-10.63	6.88	3	Vertical	236	1.49	-	36.49	31.30	9.72	34.14
AV	7.38473G	43.42	54.00	-10.58	13.08	3	Vertical	177	2.48	-	30.34	36.23	11.34	34.49
PK	4.92398G	48.84	74.00	-25.16	6.88	3	Vertical	236	1.49	-	41.96	31.30	9.72	34.14
PK	7.38452G	53.53	74.00	-20.47	13.08	3	Vertical	177	2.48	-	40.45	36.23	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	42.51	54.00	-11.49	6.88	3	Horizontal	300	1.00	-	35.63	31.30	9.72	34.14
AV	7.38517G	39.53	54.00	-14.47	13.08	3	Horizontal	309	1.11	-	26.45	36.23	11.34	34.49
PK	4.92386G	48.34	74.00	-25.66	6.88	3	Horizontal	300	1.00	-	41.46	31.30	9.72	34.14
PK	7.3869G	51.57	74.00	-22.43	13.08	3	Horizontal	309	1.11	-	38.49	36.23	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	50.87	54.00	-3.13	36.00	3	Vertical	23	2.10	-	14.87	27.72	8.28	-
AV	2.4112G	108.85	Inf	-Inf	35.93	3	Vertical	23	2.10	-	72.92	27.63	8.30	-
PK	2.3824G	62.28	74.00	-11.72	36.02	3	Vertical	23	2.10	-	26.26	27.74	8.28	-
PK	2.411G	112.60	Inf	-Inf	35.93	3	Vertical	23	2.10	-	76.67	27.63	8.30	-


802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.74	54.00	-1.26	36.00	3	Horizontal	77	2.30	-	16.74	27.72	8.28	-
AV	2.4112G	111.07	Inf	-Inf	35.93	3	Horizontal	77	2.30	-	75.14	27.63	8.30	-
PK	2.382G	63.70	74.00	-10.30	36.02	3	Horizontal	77	2.30	-	27.68	27.74	8.28	-
PK	2.413G	114.89	Inf	-Inf	35.92	3	Horizontal	77	2.30	-	78.97	27.62	8.30	-

802.11b_Nss1,(1Mbps)_2TX
2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82398G	40.55	54.00	-13.45	6.65	3	Vertical	266	1.50	-	33.90	31.15	9.68	34.18
PK	4.82415G	47.63	74.00	-26.37	6.65	3	Vertical	266	1.50	-	40.98	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX
2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82401G	45.16	54.00	-8.84	6.65	3	Horizontal	275	1.50	-	38.51	31.15	9.68	34.18
PK	4.82408G	50.20	74.00	-23.80	6.65	3	Horizontal	275	1.50	-	43.55	31.15	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	49.61	54.00	-4.39	36.01	3	Vertical	45	2.00	-	13.60	27.73	8.28	-
AV	2.4378G	105.49	Inf	-Inf	35.78	3	Vertical	45	2.00	-	69.71	27.47	8.31	-
AV	2.4846G	49.07	54.00	-4.93	35.74	3	Vertical	45	2.00	-	13.33	27.40	8.34	-
PK	2.3582G	60.93	74.00	-13.07	36.04	3	Vertical	45	2.00	-	24.89	27.78	8.26	-
PK	2.4378G	109.45	Inf	-Inf	35.78	3	Vertical	45	2.00	-	73.67	27.47	8.31	-
PK	2.4878G	60.48	74.00	-13.52	35.75	3	Vertical	45	2.00	-	24.73	27.40	8.35	-


802.11b_Nss1,(1Mbps)_2TX
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.82	54.00	-2.18	36.00	3	Horizontal	68	2.29	-	15.82	27.72	8.28	-
AV	2.4362G	113.79	Inf	-Inf	35.79	3	Horizontal	68	2.29	-	78.00	27.48	8.31	-
AV	2.485G	53.75	54.00	-0.25	35.75	3	Horizontal	68	2.29	-	18.00	27.40	8.35	-
PK	2.3898G	63.31	74.00	-10.69	36.00	3	Horizontal	68	2.29	-	27.31	27.72	8.28	-
PK	2.4378G	117.59	Inf	-Inf	35.78	3	Horizontal	68	2.29	-	81.81	27.47	8.31	-
PK	2.4882G	63.87	74.00	-10.13	35.75	3	Horizontal	68	2.29	-	28.12	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	42.87	54.00	-11.13	6.74	3	Vertical	340	3.00	-	36.13	31.20	9.70	34.16
AV	7.30976G	53.81	54.00	-0.19	13.20	3	Vertical	347	2.72	-	40.61	36.38	11.32	34.50
PK	4.874G	49.11	74.00	-24.89	6.74	3	Vertical	340	3.00	-	42.37	31.20	9.70	34.16
PK	7.3098G	59.58	74.00	-14.42	13.20	3	Vertical	347	2.72	-	46.38	36.38	11.32	34.50

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87399G	48.24	54.00	-5.76	6.74	3	Horizontal	0	1.84	-	41.50	31.20	9.70	34.16
AV	7.31276G	51.00	54.00	-3.00	13.19	3	Horizontal	52	1.87	-	37.81	36.37	11.32	34.50
PK	4.87392G	51.78	74.00	-22.22	6.74	3	Horizontal	0	1.84	-	45.04	31.20	9.70	34.16
PK	7.30936G	57.32	74.00	-16.68	13.20	3	Horizontal	52	1.87	-	44.12	36.38	11.32	34.50

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	107.31	Inf	-Inf	35.73	3	Vertical	4	1.90	-	71.58	27.40	8.33	-
AV	2.4884G	49.36	54.00	-4.64	35.75	3	Vertical	4	1.90	-	13.61	27.40	8.35	-
PK	2.456G	111.10	Inf	-Inf	35.73	3	Vertical	4	1.90	-	75.37	27.40	8.33	-
PK	2.4914G	60.86	74.00	-13.14	35.75	3	Vertical	4	1.90	-	25.11	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	112.77	Inf	-Inf	35.73	3	Horizontal	72	2.67	-	77.04	27.40	8.33	-
AV	2.4884G	53.19	54.00	-0.81	35.75	3	Horizontal	72	2.67	-	17.44	27.40	8.35	-
PK	2.458G	116.72	Inf	-Inf	35.73	3	Horizontal	72	2.67	-	80.99	27.40	8.33	-
PK	2.4835G	64.88	74.00	-9.12	35.74	3	Horizontal	72	2.67	-	29.14	27.40	8.34	-

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91399G	47.55	54.00	-6.45	6.84	3	Vertical	346	2.89	-	40.71	31.26	9.72	34.14
AV	7.37272G	52.11	54.00	-1.89	13.09	3	Vertical	0	2.52	-	39.02	36.25	11.33	34.49
PK	4.91393G	51.27	74.00	-22.73	6.84	3	Vertical	346	2.89	-	44.43	31.26	9.72	34.14
PK	7.37012G	58.48	74.00	-15.52	13.10	3	Vertical	0	2.52	-	45.38	36.26	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91399G	49.10	54.00	-4.90	6.84	3	Horizontal	0	1.50	-	42.26	31.26	9.72	34.14
AV	7.36978G	46.91	54.00	-7.09	13.10	3	Horizontal	33	2.21	-	33.81	36.26	11.33	34.49
PK	4.91408G	52.28	74.00	-21.72	6.84	3	Horizontal	0	1.50	-	45.44	31.26	9.72	34.14
PK	7.37006G	54.76	74.00	-19.24	13.10	3	Horizontal	33	2.21	-	41.66	36.26	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4628G	104.86	Inf	-Inf	35.73	3	Vertical	6	2.08	-	69.13	27.40	8.33	-
AV	2.4835G	48.97	54.00	-5.03	35.74	3	Vertical	6	2.08	-	13.23	27.40	8.34	-
PK	2.463G	108.89	Inf	-Inf	35.73	3	Vertical	6	2.08	-	73.16	27.40	8.33	-
PK	2.486G	60.41	74.00	-13.59	35.75	3	Vertical	6	2.08	-	24.66	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	111.20	Inf	-Inf	35.73	3	Horizontal	77	2.65	-	75.47	27.40	8.33	-
AV	2.4835G	52.42	54.00	-1.58	35.74	3	Horizontal	77	2.65	-	16.68	27.40	8.34	-
PK	2.463G	115.05	Inf	-Inf	35.73	3	Horizontal	77	2.65	-	79.32	27.40	8.33	-
PK	2.4914G	64.45	74.00	-9.55	35.75	3	Horizontal	77	2.65	-	28.70	27.40	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92402G	50.36	54.00	-3.64	6.88	3	Vertical	351	2.94	-	43.48	31.30	9.72	34.14
AV	7.38526G	50.34	54.00	-3.66	13.08	3	Vertical	360	2.58	-	37.26	36.23	11.34	34.49
PK	4.92403G	53.01	74.00	-20.99	6.88	3	Vertical	351	2.94	-	46.13	31.30	9.72	34.14
PK	7.38494G	57.20	74.00	-16.80	13.08	3	Vertical	360	2.58	-	44.12	36.23	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92398G	51.21	54.00	-2.79	6.88	3	Horizontal	-0	1.50	-	44.33	31.30	9.72	34.14
AV	7.38478G	45.57	54.00	-8.43	13.08	3	Horizontal	42	2.35	-	32.49	36.23	11.34	34.49
PK	4.92399G	54.10	74.00	-19.90	6.88	3	Horizontal	-0	1.50	-	47.22	31.30	9.72	34.14
PK	7.3875G	54.18	74.00	-19.82	13.08	3	Horizontal	42	2.35	-	41.10	36.23	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.67	54.00	-3.33	36.00	3	Vertical	106	1.50	-	14.67	27.72	8.28	-
AV	2.4162G	99.09	Inf	-Inf	35.90	3	Vertical	106	1.50	-	63.19	27.60	8.30	-
PK	2.39G	73.71	74.00	-0.29	36.00	3	Vertical	106	1.50	-	37.71	27.72	8.28	-
PK	2.4144G	109.27	Inf	-Inf	35.91	3	Vertical	106	1.50	-	73.36	27.61	8.30	-


802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.386G	48.76	54.00	-5.24	36.01	3	Horizontal	191	1.10	-	12.75	27.73	8.28	-
AV	2.4072G	91.66	Inf	-Inf	35.95	3	Horizontal	191	1.10	-	55.71	27.66	8.29	-
PK	2.3892G	66.63	74.00	-7.37	36.00	3	Horizontal	191	1.10	-	30.63	27.72	8.28	-
PK	2.4054G	101.24	Inf	-Inf	35.96	3	Horizontal	191	1.10	-	65.28	27.67	8.29	-

802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82412G	35.27	54.00	-18.73	6.65	3	Vertical	175	1.00	-	28.62	31.15	9.68	34.18
PK	4.82364G	48.35	74.00	-25.65	6.65	3	Vertical	175	1.00	-	41.70	31.15	9.68	34.18


802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82456G	31.85	54.00	-22.15	6.65	3	Horizontal	306	1.50	-	25.20	31.15	9.68	34.18
PK	4.8222G	44.56	74.00	-29.44	6.63	3	Horizontal	306	1.50	-	37.93	31.14	9.68	34.19

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.94	54.00	-1.06	36.00	3	Vertical	119	3.00	-	16.94	27.72	8.28	-
AV	2.4212G	103.30	Inf	-Inf	35.87	3	Vertical	119	3.00	-	67.43	27.57	8.30	-
PK	2.3872G	71.64	74.00	-2.36	36.01	3	Vertical	119	3.00	-	35.63	27.73	8.28	-
PK	2.4186G	113.37	Inf	-Inf	35.89	3	Vertical	119	3.00	-	77.48	27.59	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	49.60	54.00	-4.40	36.00	3	Horizontal	101	2.65	-	13.60	27.72	8.28	-
AV	2.4188G	95.47	Inf	-Inf	35.89	3	Horizontal	101	2.65	-	59.58	27.59	8.30	-
PK	2.3894G	65.34	74.00	-8.66	36.00	3	Horizontal	101	2.65	-	29.34	27.72	8.28	-
PK	2.4186G	105.70	Inf	-Inf	35.89	3	Horizontal	101	2.65	-	69.81	27.59	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.27	54.00	-1.73	36.00	3	Vertical	107	1.91	-	16.27	27.72	8.28	-
AV	2.441G	104.58	Inf	-Inf	35.77	3	Vertical	107	1.91	-	68.81	27.45	8.32	-
AV	2.4835G	53.73	54.00	-0.27	35.74	3	Vertical	107	1.91	-	17.99	27.40	8.34	-
PK	2.3894G	68.26	74.00	-5.74	36.00	3	Vertical	107	1.91	-	32.26	27.72	8.28	-
PK	2.4386G	114.58	Inf	-Inf	35.79	3	Vertical	107	1.91	-	78.79	27.47	8.32	-
PK	2.4838G	71.63	74.00	-2.37	35.74	3	Vertical	107	1.91	-	35.89	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.349G	48.57	54.00	-5.43	36.05	3	Horizontal	236	1.89	-	12.52	27.80	8.25	-
AV	2.4414G	97.21	Inf	-Inf	35.77	3	Horizontal	236	1.89	-	61.44	27.45	8.32	-
AV	2.4842G	49.09	54.00	-4.91	35.74	3	Horizontal	236	1.89	-	13.35	27.40	8.34	-
PK	2.3722G	60.52	74.00	-13.48	36.03	3	Horizontal	236	1.89	-	24.49	27.76	8.27	-
PK	2.4394G	106.76	Inf	-Inf	35.78	3	Horizontal	236	1.89	-	70.98	27.46	8.32	-
PK	2.4838G	62.84	74.00	-11.16	35.74	3	Horizontal	236	1.89	-	27.10	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87568G	36.13	54.00	-17.87	6.74	3	Vertical	173	1.10	-	29.39	31.20	9.70	34.16
AV	7.31128G	42.06	54.00	-11.94	13.20	3	Vertical	49	2.66	-	28.86	36.38	11.32	34.50
PK	4.8694G	50.92	74.00	-23.08	6.74	3	Vertical	173	1.10	-	44.18	31.20	9.70	34.16
PK	7.31256G	56.33	74.00	-17.67	13.19	3	Vertical	49	2.66	-	43.14	36.37	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	33.13	54.00	-20.87	6.74	3	Horizontal	305	1.50	-	26.39	31.20	9.70	34.16
AV	7.31G	38.32	54.00	-15.68	13.20	3	Horizontal	49	2.34	-	25.12	36.38	11.32	34.50
PK	4.86452G	46.39	74.00	-27.61	6.73	3	Horizontal	305	1.50	-	39.66	31.20	9.70	34.17
PK	7.31476G	51.44	74.00	-22.56	13.19	3	Horizontal	49	2.34	-	38.25	36.37	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	102.08	Inf	-Inf	35.73	3	Vertical	122	2.95	-	66.35	27.40	8.33	-
AV	2.4835G	52.03	54.00	-1.97	35.74	3	Vertical	122	2.95	-	16.29	27.40	8.34	-
PK	2.4596G	112.23	Inf	-Inf	35.73	3	Vertical	122	2.95	-	76.50	27.40	8.33	-
PK	2.4866G	72.52	74.00	-1.48	35.75	3	Vertical	122	2.95	-	36.77	27.40	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.461G	93.69	Inf	-Inf	35.73	3	Horizontal	335	2.09	-	57.96	27.40	8.33	-
AV	2.4835G	48.81	54.00	-5.19	35.74	3	Horizontal	335	2.09	-	13.07	27.40	8.34	-
PK	2.4586G	103.82	Inf	-Inf	35.73	3	Horizontal	335	2.09	-	68.09	27.40	8.33	-
PK	2.4836G	64.46	74.00	-9.54	35.74	3	Horizontal	335	2.09	-	28.72	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	99.41	Inf	-Inf	35.73	3	Vertical	106	1.50	-	63.68	27.40	8.33	-
AV	2.4836G	51.94	54.00	-2.06	35.74	3	Vertical	106	1.50	-	16.20	27.40	8.34	-
PK	2.4646G	109.41	Inf	-Inf	35.73	3	Vertical	106	1.50	-	73.68	27.40	8.33	-
PK	2.4838G	72.96	74.00	-1.04	35.74	3	Vertical	106	1.50	-	37.22	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	91.91	Inf	-Inf	35.73	3	Horizontal	239	2.07	-	56.18	27.40	8.33	-
AV	2.484G	48.61	54.00	-5.39	35.74	3	Horizontal	239	2.07	-	12.87	27.40	8.34	-
PK	2.4644G	101.73	Inf	-Inf	35.73	3	Horizontal	239	2.07	-	66.00	27.40	8.33	-
PK	2.4835G	65.42	74.00	-8.58	35.74	3	Horizontal	239	2.07	-	29.68	27.40	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92384G	34.68	54.00	-19.32	6.88	3	Vertical	172	1.08	-	27.80	31.30	9.72	34.14
AV	7.38068G	37.02	54.00	-16.98	13.09	3	Vertical	335	1.50	-	23.93	36.24	11.34	34.49
PK	4.92204G	47.90	74.00	-26.10	6.87	3	Vertical	172	1.08	-	41.03	31.29	9.72	34.14
PK	7.37796G	50.79	74.00	-23.21	13.09	3	Vertical	335	1.50	-	37.70	36.24	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92408G	32.21	54.00	-21.79	6.88	3	Horizontal	302	1.26	-	25.33	31.30	9.72	34.14
AV	7.3826G	37.07	54.00	-16.93	13.08	3	Horizontal	62	3.00	-	23.99	36.23	11.34	34.49
PK	4.9296G	46.02	74.00	-27.98	6.91	3	Horizontal	302	1.26	-	39.11	31.32	9.72	34.13
PK	7.38176G	50.30	74.00	-23.70	13.09	3	Horizontal	62	3.00	-	37.21	36.24	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.96	54.00	-3.04	36.00	3	Vertical	360	2.28	-	14.96	27.72	8.28	-
AV	2.4144G	102.79	Inf	-Inf	35.91	3	Vertical	360	2.28	-	66.88	27.61	8.30	-
PK	2.39G	73.27	74.00	-0.73	36.00	3	Vertical	360	2.28	-	37.27	27.72	8.28	-
PK	2.4146G	112.05	Inf	-Inf	35.91	3	Vertical	360	2.28	-	76.14	27.61	8.30	-


802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.21	54.00	-2.79	36.00	3	Horizontal	66	2.31	-	15.21	27.72	8.28	-
AV	2.407G	103.40	Inf	-Inf	35.95	3	Horizontal	66	2.31	-	67.45	27.66	8.29	-
PK	2.3886G	70.83	74.00	-3.17	36.00	3	Horizontal	66	2.31	-	34.83	27.72	8.28	-
PK	2.4064G	112.77	Inf	-Inf	35.95	3	Horizontal	66	2.31	-	76.82	27.66	8.29	-

802.11g_Nss1,(6Mbps)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82434G	34.98	54.00	-19.02	6.65	3	Vertical	342	2.53	-	28.33	31.15	9.68	34.18
PK	4.82412G	48.28	74.00	-25.72	6.65	3	Vertical	342	2.53	-	41.63	31.15	9.68	34.18


802.11g_Nss1,(6Mbps)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82406G	35.78	54.00	-18.22	6.65	3	Horizontal	360	1.88	-	29.13	31.15	9.68	34.18
PK	4.8194G	48.85	74.00	-25.15	6.63	3	Horizontal	360	1.88	-	42.22	31.14	9.68	34.19

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3866G	50.10	54.00	-3.90	36.01	3	Vertical	-0	2.29	-	14.09	27.73	8.28	-
AV	2.412G	103.69	Inf	-Inf	35.93	3	Vertical	-0	2.29	-	67.76	27.63	8.30	-
PK	2.3862G	70.48	74.00	-3.52	36.01	3	Vertical	-0	2.29	-	34.47	27.73	8.28	-
PK	2.4114G	113.14	Inf	-Inf	35.93	3	Vertical	-0	2.29	-	77.21	27.63	8.30	-

802.11g_Nss1,(6Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	51.20	54.00	-2.80	36.00	3	Horizontal	70	2.33	-	15.20	27.72	8.28	-
AV	2.4146G	104.16	Inf	-Inf	35.91	3	Horizontal	70	2.33	-	68.25	27.61	8.30	-
PK	2.3836G	71.36	74.00	-2.64	36.01	3	Horizontal	70	2.33	-	35.35	27.73	8.28	-
PK	2.4144G	113.64	Inf	-Inf	35.91	3	Horizontal	70	2.33	-	77.73	27.61	8.30	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	51.78	54.00	-2.22	36.00	3	Vertical	360	2.08	-	15.78	27.72	8.28	-
AV	2.4322G	106.30	Inf	-Inf	35.82	3	Vertical	360	2.08	-	70.48	27.51	8.31	-
AV	2.4835G	49.25	54.00	-4.75	35.74	3	Vertical	360	2.08	-	13.51	27.40	8.34	-
PK	2.3894G	67.29	74.00	-6.71	36.00	3	Vertical	360	2.08	-	31.29	27.72	8.28	-
PK	2.4414G	115.96	Inf	-Inf	35.77	3	Vertical	360	2.08	-	80.19	27.45	8.32	-
PK	2.4835G	62.81	74.00	-11.19	35.74	3	Vertical	360	2.08	-	27.07	27.40	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.94	54.00	-1.06	36.00	3	Horizontal	70	2.30	-	16.94	27.72	8.28	-
AV	2.4346G	106.92	Inf	-Inf	35.80	3	Horizontal	70	2.30	-	71.12	27.49	8.31	-
AV	2.4835G	53.78	54.00	-0.22	35.74	3	Horizontal	70	2.30	-	18.04	27.40	8.34	-
PK	2.3874G	68.03	74.00	-5.97	36.01	3	Horizontal	70	2.30	-	32.02	27.73	8.28	-
PK	2.4346G	116.51	Inf	-Inf	35.80	3	Horizontal	70	2.30	-	80.71	27.49	8.31	-
PK	2.4842G	71.37	74.00	-2.63	35.74	3	Horizontal	70	2.30	-	35.63	27.40	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87318G	36.10	54.00	-17.90	6.74	3	Vertical	351	1.84	-	29.36	31.20	9.70	34.16
AV	7.31074G	43.54	54.00	-10.46	13.20	3	Vertical	346	2.71	-	30.34	36.38	11.32	34.50
PK	4.8733G	51.51	74.00	-22.49	6.74	3	Vertical	351	1.84	-	44.77	31.20	9.70	34.16
PK	7.3123G	58.45	74.00	-15.55	13.20	3	Vertical	346	2.71	-	45.25	36.38	11.32	34.50

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87405G	36.43	54.00	-17.57	6.74	3	Horizontal	0	1.50	-	29.69	31.20	9.70	34.16
AV	7.30878G	42.90	54.00	-11.10	13.20	3	Horizontal	41	1.40	-	29.70	36.38	11.32	34.50
PK	4.87339G	51.27	74.00	-22.73	6.74	3	Horizontal	0	1.50	-	44.53	31.20	9.70	34.16
PK	7.31264G	57.43	74.00	-16.57	13.19	3	Horizontal	41	1.40	-	44.24	36.37	11.32	34.50

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.452G	103.83	Inf	-Inf	35.72	3	Vertical	360	2.04	-	68.11	27.40	8.32	-
AV	2.4836G	48.96	54.00	-5.04	35.74	3	Vertical	360	2.04	-	13.22	27.40	8.34	-
PK	2.4514G	113.41	Inf	-Inf	35.72	3	Vertical	360	2.04	-	77.69	27.40	8.32	-
PK	2.4835G	64.98	74.00	-9.02	35.74	3	Vertical	360	2.04	-	29.24	27.40	8.34	-

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	104.30	Inf	-Inf	35.73	3	Horizontal	68	2.22	-	68.57	27.40	8.33	-
AV	2.4842G	51.26	54.00	-2.74	35.74	3	Horizontal	68	2.22	-	15.52	27.40	8.34	-
PK	2.454G	113.86	Inf	-Inf	35.73	3	Horizontal	68	2.22	-	78.13	27.40	8.33	-
PK	2.4848G	72.96	74.00	-1.04	35.75	3	Horizontal	68	2.22	-	37.21	27.40	8.35	-



802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	102.92	Inf	-Inf	35.73	3	Vertical	360	2.06	-	67.19	27.40	8.33	-
AV	2.4836G	50.42	54.00	-3.58	35.74	3	Vertical	360	2.06	-	14.68	27.40	8.34	-
PK	2.4544G	112.22	Inf	-Inf	35.73	3	Vertical	360	2.06	-	76.49	27.40	8.33	-
PK	2.4835G	70.39	74.00	-3.61	35.74	3	Vertical	360	2.06	-	34.65	27.40	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.457G	102.66	Inf	-Inf	35.73	3	Horizontal	68	2.11	-	66.93	27.40	8.33	-
AV	2.4835G	51.64	54.00	-2.36	35.74	3	Horizontal	68	2.11	-	15.90	27.40	8.34	-
PK	2.4564G	112.17	Inf	-Inf	35.73	3	Horizontal	68	2.11	-	76.44	27.40	8.33	-
PK	2.4854G	72.32	74.00	-1.68	35.75	3	Horizontal	68	2.11	-	36.57	27.40	8.35	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92426G	35.19	54.00	-18.81	6.88	3	Vertical	160	1.88	-	28.31	31.30	9.72	34.14
AV	7.38554G	38.12	54.00	-15.88	13.08	3	Vertical	351	2.86	-	25.04	36.23	11.34	34.49
PK	4.92394G	48.64	74.00	-25.36	6.88	3	Vertical	160	1.88	-	41.76	31.30	9.72	34.14
PK	7.38672G	52.66	74.00	-21.34	13.08	3	Vertical	351	2.86	-	39.58	36.23	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92468G	36.37	54.00	-17.63	6.88	3	Horizontal	0	1.50	-	29.49	31.30	9.72	34.14
AV	7.38412G	38.17	54.00	-15.83	13.08	3	Horizontal	54	3.00	-	25.09	36.23	11.34	34.49
PK	4.91926G	49.88	74.00	-24.12	6.86	3	Horizontal	0	1.50	-	43.02	31.28	9.72	34.14
PK	7.38262G	54.04	74.00	-19.96	13.08	3	Horizontal	54	3.00	-	40.96	36.23	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.30	54.00	-1.70	36.00	3	Vertical	121	3.00	-	16.30	27.72	8.28	-
AV	2.4168G	98.10	Inf	-Inf	35.90	3	Vertical	121	3.00	-	62.20	27.60	8.30	-
PK	2.3866G	72.47	74.00	-1.53	36.01	3	Vertical	121	3.00	-	36.46	27.73	8.28	-
PK	2.409G	111.70	Inf	-Inf	35.95	3	Vertical	121	3.00	-	75.75	27.65	8.30	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.43	54.00	-5.57	36.00	3	Horizontal	102	2.37	-	12.43	27.72	8.28	-
AV	2.415G	91.44	Inf	-Inf	35.91	3	Horizontal	102	2.37	-	55.53	27.61	8.30	-
PK	2.3898G	64.69	74.00	-9.31	36.00	3	Horizontal	102	2.37	-	28.69	27.72	8.28	-
PK	2.409G	104.78	Inf	-Inf	35.95	3	Horizontal	102	2.37	-	68.83	27.65	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	34.44	54.00	-19.56	6.65	3	Vertical	175	1.00	-	27.79	31.15	9.68	34.18
PK	4.82368G	48.44	74.00	-25.56	6.65	3	Vertical	175	1.00	-	41.79	31.15	9.68	34.18


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82392G	31.38	54.00	-22.62	6.65	3	Horizontal	305	2.49	-	24.73	31.15	9.68	34.18
PK	4.8222G	45.12	74.00	-28.88	6.63	3	Horizontal	305	2.49	-	38.49	31.14	9.68	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.45	54.00	-0.55	36.00	3	Vertical	119	2.95	-	17.45	27.72	8.28	-
AV	2.42G	101.53	Inf	-Inf	35.88	3	Vertical	119	2.95	-	65.65	27.58	8.30	-
PK	2.3894G	73.46	74.00	-0.54	36.00	3	Vertical	119	2.95	-	37.46	27.72	8.28	-
PK	2.414G	115.21	Inf	-Inf	35.92	3	Vertical	119	2.95	-	79.29	27.62	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.28	54.00	-4.72	36.00	3	Horizontal	102	2.38	-	13.28	27.72	8.28	-
AV	2.4154G	94.03	Inf	-Inf	35.91	3	Horizontal	102	2.38	-	58.12	27.61	8.30	-
PK	2.3894G	65.54	74.00	-8.46	36.00	3	Horizontal	102	2.38	-	29.54	27.72	8.28	-
PK	2.414G	108.10	Inf	-Inf	35.92	3	Horizontal	102	2.38	-	72.18	27.62	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.72	54.00	-2.28	36.00	3	Vertical	119	2.77	-	15.72	27.72	8.28	-
AV	2.4402G	102.45	Inf	-Inf	35.78	3	Vertical	119	2.77	-	66.67	27.46	8.32	-
AV	2.4835G	53.08	54.00	-0.92	35.74	3	Vertical	119	2.77	-	17.34	27.40	8.34	-
PK	2.3858G	66.61	74.00	-7.39	36.01	3	Vertical	119	2.77	-	30.60	27.73	8.28	-
PK	2.4342G	116.22	Inf	-Inf	35.80	3	Vertical	119	2.77	-	80.42	27.49	8.31	-
PK	2.4835G	71.02	74.00	-2.98	35.74	3	Vertical	119	2.77	-	35.28	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.46	54.00	-5.54	36.00	3	Horizontal	248	1.50	-	12.46	27.72	8.28	-
AV	2.4322G	93.73	Inf	-Inf	35.82	3	Horizontal	248	1.50	-	57.91	27.51	8.31	-
AV	2.4838G	48.30	54.00	-5.70	35.74	3	Horizontal	248	1.50	-	12.56	27.40	8.34	-
PK	2.389G	60.71	74.00	-13.29	36.00	3	Horizontal	248	1.50	-	24.71	27.72	8.28	-
PK	2.4338G	107.86	Inf	-Inf	35.81	3	Horizontal	248	1.50	-	72.05	27.50	8.31	-
PK	2.485G	61.76	74.00	-12.24	35.75	3	Horizontal	248	1.50	-	26.01	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	34.75	54.00	-19.25	6.74	3	Vertical	177	1.00	-	28.01	31.20	9.70	34.16
AV	7.31064G	40.14	54.00	-13.86	13.20	3	Vertical	50	2.65	-	26.94	36.38	11.32	34.50
PK	4.87452G	48.55	74.00	-25.45	6.74	3	Vertical	177	1.00	-	41.81	31.20	9.70	34.16
PK	7.30836G	55.05	74.00	-18.95	13.20	3	Vertical	50	2.65	-	41.85	36.38	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	32.27	54.00	-21.73	6.74	3	Horizontal	305	1.20	-	25.53	31.20	9.70	34.16
AV	7.31088G	37.02	54.00	-16.98	13.20	3	Horizontal	48	2.45	-	23.82	36.38	11.32	34.50
PK	4.87572G	46.13	74.00	-27.87	6.74	3	Horizontal	305	1.20	-	39.39	31.20	9.70	34.16
PK	7.30844G	51.48	74.00	-22.52	13.20	3	Horizontal	48	2.45	-	38.28	36.38	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	100.35	Inf	-Inf	35.73	3	Vertical	118	2.58	-	64.62	27.40	8.33	-
AV	2.4835G	51.49	54.00	-2.51	35.74	3	Vertical	118	2.58	-	15.75	27.40	8.34	-
PK	2.454G	114.45	Inf	-Inf	35.73	3	Vertical	118	2.58	-	78.72	27.40	8.33	-
PK	2.4848G	73.55	74.00	-0.45	35.75	3	Vertical	118	2.58	-	37.80	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4496G	91.65	Inf	-Inf	35.72	3	Horizontal	102	2.92	-	55.93	27.40	8.32	-
AV	2.4835G	48.14	54.00	-5.86	35.74	3	Horizontal	102	2.92	-	12.40	27.40	8.34	-
PK	2.45G	105.57	Inf	-Inf	35.72	3	Horizontal	102	2.92	-	69.85	27.40	8.32	-
PK	2.4888G	62.49	74.00	-11.51	35.75	3	Horizontal	102	2.92	-	26.74	27.40	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4652G	97.04	Inf	-Inf	35.73	3	Vertical	118	2.60	-	61.31	27.40	8.33	-
AV	2.484G	49.86	54.00	-4.14	35.74	3	Vertical	118	2.60	-	14.12	27.40	8.34	-
PK	2.464G	110.82	Inf	-Inf	35.73	3	Vertical	118	2.60	-	75.09	27.40	8.33	-
PK	2.4838G	72.68	74.00	-1.32	35.74	3	Vertical	118	2.60	-	36.94	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.47G	88.59	Inf	-Inf	35.74	3	Horizontal	340	2.37	-	52.85	27.40	8.34	-
AV	2.4835G	47.97	54.00	-6.03	35.74	3	Horizontal	340	2.37	-	12.23	27.40	8.34	-
PK	2.4666G	101.90	Inf	-Inf	35.73	3	Horizontal	340	2.37	-	66.17	27.40	8.33	-
PK	2.4844G	65.81	74.00	-8.19	35.74	3	Horizontal	340	2.37	-	30.07	27.40	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	33.42	54.00	-20.58	6.88	3	Vertical	174	1.09	-	26.54	31.30	9.72	34.14
AV	7.38048G	36.40	54.00	-17.60	13.09	3	Vertical	54	2.48	-	23.31	36.24	11.34	34.49
PK	4.92312G	46.64	74.00	-27.36	6.87	3	Vertical	174	1.09	-	39.77	31.29	9.72	34.14
PK	7.37944G	50.33	74.00	-23.67	13.09	3	Vertical	54	2.48	-	37.24	36.24	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	30.86	54.00	-23.14	6.88	3	Horizontal	303	1.44	-	23.98	31.30	9.72	34.14
AV	7.38364G	36.33	54.00	-17.67	13.08	3	Horizontal	360	1.50	-	23.25	36.23	11.34	34.49
PK	4.9252G	44.41	74.00	-29.59	6.88	3	Horizontal	303	1.44	-	37.53	31.30	9.72	34.14
PK	7.396G	50.51	74.00	-23.49	13.06	3	Horizontal	360	1.50	-	37.45	36.21	11.34	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.22	54.00	-1.78	36.00	3	Vertical	360	2.10	-	16.22	27.72	8.28	-
AV	2.4082G	100.88	Inf	-Inf	35.95	3	Vertical	360	2.10	-	64.93	27.65	8.30	-
PK	2.3898G	70.12	74.00	-3.88	36.00	3	Vertical	360	2.10	-	34.12	27.72	8.28	-
PK	2.4208G	112.34	Inf	-Inf	35.88	3	Vertical	360	2.10	-	76.46	27.58	8.30	-


802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.60	54.00	-0.40	36.00	3	Horizontal	56	2.15	-	17.60	27.72	8.28	-
AV	2.4072G	102.74	Inf	-Inf	35.95	3	Horizontal	56	2.15	-	66.79	27.66	8.29	-
PK	2.39G	73.32	74.00	-0.68	36.00	3	Horizontal	56	2.15	-	37.32	27.72	8.28	-
PK	2.4064G	114.75	Inf	-Inf	35.95	3	Horizontal	56	2.15	-	78.80	27.66	8.29	-

**802.11ax HEW20_Nss2,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	34.87	54.00	-19.13	6.65	3	Vertical	184	1.50	-	28.22	31.15	9.68	34.18
PK	4.82504G	46.72	74.00	-27.28	6.65	3	Vertical	184	1.50	-	40.07	31.15	9.68	34.18


**802.11ax HEW20_Nss2,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	35.21	54.00	-18.79	6.65	3	Horizontal	0	1.50	-	28.56	31.15	9.68	34.18
PK	4.82256G	47.36	74.00	-26.64	6.64	3	Horizontal	0	1.50	-	40.72	31.15	9.68	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.26	54.00	-1.74	36.00	3	Vertical	0	1.76	-	16.26	27.72	8.28	-
AV	2.4196G	101.68	Inf	-Inf	35.88	3	Vertical	0	1.76	-	65.80	27.58	8.30	-
PK	2.39G	67.24	74.00	-6.76	36.00	3	Vertical	0	1.76	-	31.24	27.72	8.28	-
PK	2.4194G	113.72	Inf	-Inf	35.88	3	Vertical	0	1.76	-	77.84	27.58	8.30	-


802.11ax HEW20_Nss2,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.47	54.00	-0.53	36.00	3	Horizontal	60	2.14	-	17.47	27.72	8.28	-
AV	2.413G	103.24	Inf	-Inf	35.92	3	Horizontal	60	2.14	-	67.32	27.62	8.30	-
PK	2.3898G	72.81	74.00	-1.19	36.00	3	Horizontal	60	2.14	-	36.81	27.72	8.28	-
PK	2.4122G	115.39	Inf	-Inf	35.93	3	Horizontal	60	2.14	-	79.46	27.63	8.30	-

**802.11ax HEW20_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	51.23	54.00	-2.77	36.00	3	Vertical	14	1.70	-	15.23	27.72	8.28	-
AV	2.4322G	104.86	Inf	-Inf	35.82	3	Vertical	14	1.70	-	69.04	27.51	8.31	-
AV	2.4862G	50.12	54.00	-3.88	35.75	3	Vertical	14	1.70	-	14.37	27.40	8.35	-
PK	2.3894G	64.69	74.00	-9.31	36.00	3	Vertical	14	1.70	-	28.69	27.72	8.28	-
PK	2.4314G	116.50	Inf	-Inf	35.82	3	Vertical	14	1.70	-	80.68	27.51	8.31	-
PK	2.4835G	62.42	74.00	-11.58	35.74	3	Vertical	14	1.70	-	26.68	27.40	8.34	-


**802.11ax HEW20_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	52.69	54.00	-1.31	36.00	3	Horizontal	49	2.46	-	16.69	27.72	8.28	-
AV	2.4342G	105.38	Inf	-Inf	35.80	3	Horizontal	49	2.46	-	69.58	27.49	8.31	-
AV	2.4835G	53.13	54.00	-0.87	35.74	3	Horizontal	49	2.46	-	17.39	27.40	8.34	-
PK	2.3858G	66.95	74.00	-7.05	36.01	3	Horizontal	49	2.46	-	30.94	27.73	8.28	-
PK	2.4322G	118.03	Inf	-Inf	35.82	3	Horizontal	49	2.46	-	82.21	27.51	8.31	-
PK	2.4846G	69.10	74.00	-4.90	35.74	3	Horizontal	49	2.46	-	33.36	27.40	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87412G	35.78	54.00	-18.22	6.74	3	Vertical	184	1.64	-	29.04	31.20	9.70	34.16
AV	7.316G	41.66	54.00	-12.34	13.19	3	Vertical	352	3.00	-	28.47	36.37	11.32	34.50
PK	4.86878G	47.82	74.00	-26.18	6.74	3	Vertical	184	1.64	-	41.08	31.20	9.70	34.16
PK	7.30604G	57.65	74.00	-16.35	13.21	3	Vertical	352	3.00	-	44.44	36.39	11.32	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87684G	36.49	54.00	-17.51	6.74	3	Horizontal	360	2.02	-	29.75	31.20	9.70	34.16
AV	7.31458G	41.33	54.00	-12.67	13.19	3	Horizontal	40	1.57	-	28.14	36.37	11.32	34.50
PK	4.87706G	48.21	74.00	-25.79	6.74	3	Horizontal	360	2.02	-	41.47	31.20	9.70	34.16
PK	7.31446G	55.97	74.00	-18.03	13.19	3	Horizontal	40	1.57	-	42.78	36.37	11.32	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4504G	102.48	Inf	-Inf	35.72	3	Vertical	1	2.09	-	66.76	27.40	8.32	-
AV	2.484G	50.57	54.00	-3.43	35.74	3	Vertical	1	2.09	-	14.83	27.40	8.34	-
PK	2.4486G	114.11	Inf	-Inf	35.73	3	Vertical	1	2.09	-	78.38	27.41	8.32	-
PK	2.4844G	63.62	74.00	-10.38	35.74	3	Vertical	1	2.09	-	27.88	27.40	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4604G	103.54	Inf	-Inf	35.73	3	Horizontal	61	2.78	-	67.81	27.40	8.33	-
AV	2.484G	53.10	54.00	-0.90	35.74	3	Horizontal	61	2.78	-	17.36	27.40	8.34	-
PK	2.4586G	115.64	Inf	-Inf	35.73	3	Horizontal	61	2.78	-	79.91	27.40	8.33	-
PK	2.4835G	73.17	74.00	-0.83	35.74	3	Horizontal	61	2.78	-	37.43	27.40	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4556G	101.08	Inf	-Inf	35.73	3	Vertical	-0	2.06	-	65.35	27.40	8.33	-
AV	2.4836G	51.01	54.00	-2.99	35.74	3	Vertical	-0	2.06	-	15.27	27.40	8.34	-
PK	2.456G	111.99	Inf	-Inf	35.73	3	Vertical	-0	2.06	-	76.26	27.40	8.33	-
PK	2.484G	70.07	74.00	-3.93	35.74	3	Vertical	-0	2.06	-	34.33	27.40	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4634G	102.12	Inf	-Inf	35.73	3	Horizontal	64	2.54	-	66.39	27.40	8.33	-
AV	2.4835G	53.51	54.00	-0.49	35.74	3	Horizontal	64	2.54	-	17.77	27.40	8.34	-
PK	2.4634G	113.92	Inf	-Inf	35.73	3	Horizontal	64	2.54	-	78.19	27.40	8.33	-
PK	2.4835G	69.52	74.00	-4.48	35.74	3	Horizontal	64	2.54	-	33.78	27.40	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92398G	36.82	54.00	-17.18	6.88	3	Vertical	175	1.05	-	29.94	31.30	9.72	34.14
AV	7.38102G	38.47	54.00	-15.53	13.09	3	Vertical	4	2.79	-	25.38	36.24	11.34	34.49
PK	4.924G	47.74	74.00	-26.26	6.88	3	Vertical	175	1.05	-	40.86	31.30	9.72	34.14
PK	7.38102G	53.37	74.00	-20.63	13.09	3	Vertical	4	2.79	-	40.28	36.24	11.34	34.49


802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92654G	35.15	54.00	-18.85	6.89	3	Horizontal	0	1.81	-	28.26	31.31	9.72	34.14
AV	7.38184G	37.51	54.00	-16.49	13.09	3	Horizontal	306	2.74	-	24.42	36.24	11.34	34.49
PK	4.91926G	47.40	74.00	-26.60	6.86	3	Horizontal	0	1.81	-	40.54	31.28	9.72	34.14
PK	7.38194G	50.60	74.00	-23.40	13.09	3	Horizontal	306	2.74	-	37.51	36.24	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.85	54.00	-0.15	36.00	3	Vertical	215	1.58	-	17.85	27.72	8.28	-
AV	2.4272G	94.94	Inf	-Inf	35.85	3	Vertical	215	1.58	-	59.09	27.54	8.31	-
AV	2.4868G	48.89	54.00	-5.11	35.75	3	Vertical	215	1.58	-	13.14	27.40	8.35	-
PK	2.3896G	69.15	74.00	-4.85	36.00	3	Vertical	215	1.58	-	33.15	27.72	8.28	-
PK	2.4276G	107.41	Inf	-Inf	35.84	3	Vertical	215	1.58	-	71.57	27.53	8.31	-
PK	2.4888G	59.71	74.00	-14.29	35.75	3	Vertical	215	1.58	-	23.96	27.40	8.35	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3876G	49.97	54.00	-4.03	36.00	3	Horizontal	242	1.48	-	13.97	27.72	8.28	-
AV	2.4284G	87.15	Inf	-Inf	35.84	3	Horizontal	242	1.48	-	51.31	27.53	8.31	-
AV	2.4908G	48.36	54.00	-5.64	35.75	3	Horizontal	242	1.48	-	12.61	27.40	8.35	-
PK	2.3876G	60.89	74.00	-13.11	36.00	3	Horizontal	242	1.48	-	24.89	27.72	8.28	-
PK	2.4272G	99.58	Inf	-Inf	35.85	3	Horizontal	242	1.48	-	63.73	27.54	8.31	-
PK	2.4964G	59.36	74.00	-14.64	35.75	3	Horizontal	242	1.48	-	23.61	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84412G	31.32	54.00	-22.68	6.71	3	Vertical	198	1.50	-	24.61	31.19	9.69	34.17
AV	7.25668G	37.89	54.00	-16.11	13.12	3	Vertical	44	1.50	-	24.77	36.31	11.31	34.50
PK	4.84064G	43.54	74.00	-30.46	6.69	3	Vertical	198	1.50	-	36.85	31.18	9.69	34.18
PK	7.26152G	50.28	74.00	-23.72	13.13	3	Vertical	44	1.50	-	37.15	36.32	11.31	34.50


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84264G	31.15	54.00	-22.85	6.70	3	Horizontal	258	3.00	-	24.45	31.19	9.69	34.18
AV	7.2656G	37.70	54.00	-16.30	13.14	3	Horizontal	286	1.50	-	24.56	36.33	11.31	34.50
PK	4.849G	43.24	74.00	-30.76	6.72	3	Horizontal	258	3.00	-	36.52	31.20	9.69	34.17
PK	7.26532G	50.72	74.00	-23.28	13.14	3	Horizontal	286	1.50	-	37.58	36.33	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	53.34	54.00	-0.66	36.00	3	Vertical	129	1.57	-	17.34	27.72	8.28	-
AV	2.4298G	96.52	Inf	-Inf	35.83	3	Vertical	129	1.57	-	60.69	27.52	8.31	-
AV	2.4835G	49.77	54.00	-4.23	35.74	3	Vertical	129	1.57	-	14.03	27.40	8.34	-
PK	2.3818G	66.13	74.00	-7.87	36.02	3	Vertical	129	1.57	-	30.11	27.74	8.28	-
PK	2.4326G	108.86	Inf	-Inf	35.81	3	Vertical	129	1.57	-	73.05	27.50	8.31	-
PK	2.4846G	61.63	74.00	-12.37	35.74	3	Vertical	129	1.57	-	25.89	27.40	8.34	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	49.68	54.00	-4.32	36.00	3	Horizontal	243	1.50	-	13.68	27.72	8.28	-
AV	2.4322G	88.46	Inf	-Inf	35.82	3	Horizontal	243	1.50	-	52.64	27.51	8.31	-
AV	2.4846G	48.51	54.00	-5.49	35.74	3	Horizontal	243	1.50	-	12.77	27.40	8.34	-
PK	2.3862G	61.47	74.00	-12.53	36.01	3	Horizontal	243	1.50	-	25.46	27.73	8.28	-
PK	2.4322G	100.93	Inf	-Inf	35.82	3	Horizontal	243	1.50	-	65.11	27.51	8.31	-
PK	2.487G	59.20	74.00	-14.80	35.75	3	Horizontal	243	1.50	-	23.45	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.90	54.00	-2.10	36.00	3	Vertical	121	1.13	-	15.90	27.72	8.28	-
AV	2.4426G	96.89	Inf	-Inf	35.76	3	Vertical	121	1.13	-	61.13	27.44	8.32	-
AV	2.4842G	53.53	54.00	-0.47	35.74	3	Vertical	121	1.13	-	17.79	27.40	8.34	-
PK	2.3838G	65.10	74.00	-8.90	36.01	3	Vertical	121	1.13	-	29.09	27.73	8.28	-
PK	2.4422G	109.47	Inf	-Inf	35.77	3	Vertical	121	1.13	-	73.70	27.45	8.32	-
PK	2.4838G	66.88	74.00	-7.12	35.74	3	Vertical	121	1.13	-	31.14	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3734G	49.03	54.00	-4.97	36.02	3	Horizontal	240	1.88	-	13.01	27.75	8.27	-
AV	2.4426G	89.87	Inf	-Inf	35.76	3	Horizontal	240	1.88	-	54.11	27.44	8.32	-
AV	2.4842G	50.02	54.00	-3.98	35.74	3	Horizontal	240	1.88	-	14.28	27.40	8.34	-
PK	2.3646G	60.65	74.00	-13.35	36.03	3	Horizontal	240	1.88	-	24.62	27.77	8.26	-
PK	2.4422G	102.37	Inf	-Inf	35.77	3	Horizontal	240	1.88	-	66.60	27.45	8.32	-
PK	2.485G	62.49	74.00	-11.51	35.75	3	Horizontal	240	1.88	-	26.74	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87408G	32.97	54.00	-21.03	6.74	3	Vertical	202	1.50	-	26.23	31.20	9.70	34.16
AV	7.3156G	38.00	54.00	-16.00	13.19	3	Vertical	300	2.98	-	24.81	36.37	11.32	34.50
PK	4.87272G	45.80	74.00	-28.20	6.74	3	Vertical	202	1.50	-	39.06	31.20	9.70	34.16
PK	7.31072G	51.78	74.00	-22.22	13.20	3	Vertical	300	2.98	-	38.58	36.38	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87948G	30.96	54.00	-23.04	6.74	3	Horizontal	242	2.85	-	24.22	31.20	9.70	34.16
AV	7.31772G	37.46	54.00	-16.54	13.18	3	Horizontal	31	1.50	-	24.28	36.36	11.32	34.50
PK	4.88036G	43.34	74.00	-30.66	6.74	3	Horizontal	242	2.85	-	36.60	31.20	9.70	34.16
PK	7.31908G	50.30	74.00	-23.70	13.18	3	Horizontal	31	1.50	-	37.12	36.36	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	49.84	54.00	-4.16	36.00	3	Vertical	114	2.87	-	13.84	27.72	8.28	-
AV	2.4526G	96.19	Inf	-Inf	35.72	3	Vertical	114	2.87	-	60.47	27.40	8.32	-
AV	2.4838G	53.82	54.00	-0.18	35.74	3	Vertical	114	2.87	-	18.08	27.40	8.34	-
PK	2.3618G	61.31	74.00	-12.69	36.04	3	Vertical	114	2.87	-	25.27	27.78	8.26	-
PK	2.445G	108.79	Inf	-Inf	35.75	3	Vertical	114	2.87	-	73.04	27.43	8.32	-
PK	2.4838G	66.86	74.00	-7.14	35.74	3	Vertical	114	2.87	-	31.12	27.40	8.34	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3498G	49.08	54.00	-4.92	36.05	3	Horizontal	244	2.88	-	13.03	27.80	8.25	-
AV	2.4526G	87.99	Inf	-Inf	35.72	3	Horizontal	244	2.88	-	52.27	27.40	8.32	-
AV	2.4846G	49.86	54.00	-4.14	35.74	3	Horizontal	244	2.88	-	14.12	27.40	8.34	-
PK	2.3478G	59.94	74.00	-14.06	36.05	3	Horizontal	244	2.88	-	23.89	27.80	8.25	-
PK	2.4526G	100.41	Inf	-Inf	35.72	3	Horizontal	244	2.88	-	64.69	27.40	8.32	-
PK	2.4898G	61.72	74.00	-12.28	35.75	3	Horizontal	244	2.88	-	25.97	27.40	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.368G	49.53	54.00	-4.47	36.03	3	Vertical	117	2.88	-	13.50	27.76	8.27	-
AV	2.4576G	96.02	Inf	-Inf	35.73	3	Vertical	117	2.88	-	60.29	27.40	8.33	-
AV	2.484G	53.97	54.00	-0.03	35.74	3	Vertical	117	2.88	-	18.23	27.40	8.34	-
PK	2.3584G	60.24	74.00	-13.76	36.04	3	Vertical	117	2.88	-	24.20	27.78	8.26	-
PK	2.4488G	108.70	Inf	-Inf	35.73	3	Vertical	117	2.88	-	72.97	27.41	8.32	-
PK	2.484G	67.72	74.00	-6.28	35.74	3	Vertical	117	2.88	-	31.98	27.40	8.34	-


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3568G	48.82	54.00	-5.18	36.05	3	Horizontal	327	1.47	-	12.77	27.79	8.26	-
AV	2.4388G	87.86	Inf	-Inf	35.79	3	Horizontal	327	1.47	-	52.07	27.47	8.32	-
AV	2.484G	48.78	54.00	-5.22	35.74	3	Horizontal	327	1.47	-	13.04	27.40	8.34	-
PK	2.354G	59.90	74.00	-14.10	36.05	3	Horizontal	327	1.47	-	23.85	27.79	8.26	-
PK	2.4488G	99.72	Inf	-Inf	35.73	3	Horizontal	327	1.47	-	63.99	27.41	8.32	-
PK	2.4835G	59.26	74.00	-14.74	35.74	3	Horizontal	327	1.47	-	23.52	27.40	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90388G	33.44	54.00	-20.56	6.78	3	Vertical	197	1.60	-	26.66	31.22	9.71	34.15
AV	7.35908G	37.60	54.00	-16.40	13.12	3	Vertical	233	2.51	-	24.48	36.28	11.33	34.49
PK	4.90616G	45.59	74.00	-28.41	6.78	3	Vertical	197	1.60	-	38.81	31.22	9.71	34.15
PK	7.3614G	50.01	74.00	-23.99	13.12	3	Vertical	233	2.51	-	36.89	36.28	11.33	34.49


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9106G	31.46	54.00	-22.54	6.81	3	Horizontal	277	1.50	-	24.65	31.24	9.71	34.14
AV	7.35052G	37.45	54.00	-16.55	13.14	3	Horizontal	360	2.74	-	24.31	36.30	11.33	34.49
PK	4.90844G	43.65	74.00	-30.35	6.80	3	Horizontal	277	1.50	-	36.85	31.23	9.71	34.14
PK	7.35232G	50.22	74.00	-23.78	13.14	3	Horizontal	360	2.74	-	37.08	36.30	11.33	34.49

**802.11ax HEW40_Nss2,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3884G	51.88	54.00	-2.12	36.00	3	Vertical	350	2.28	-	15.88	27.72	8.28	-
AV	2.4192G	95.52	Inf	-Inf	35.88	3	Vertical	350	2.28	-	59.64	27.58	8.30	-
AV	2.498G	48.47	54.00	-5.53	35.75	3	Vertical	350	2.28	-	12.72	27.40	8.35	-
PK	2.3884G	68.43	74.00	-5.57	36.00	3	Vertical	350	2.28	-	32.43	27.72	8.28	-
PK	2.4144G	107.15	Inf	-Inf	35.91	3	Vertical	350	2.28	-	71.24	27.61	8.30	-
PK	2.4888G	59.56	74.00	-14.44	35.75	3	Vertical	350	2.28	-	23.81	27.40	8.35	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.44	54.00	-0.56	36.00	3	Horizontal	48	1.91	-	17.44	27.72	8.28	-
AV	2.4192G	95.87	Inf	-Inf	35.88	3	Horizontal	48	1.91	-	59.99	27.58	8.30	-
AV	2.484G	49.42	54.00	-4.58	35.74	3	Horizontal	48	1.91	-	13.68	27.40	8.34	-
PK	2.3896G	73.51	74.00	-0.49	36.00	3	Horizontal	48	1.91	-	37.51	27.72	8.28	-
PK	2.4188G	107.79	Inf	-Inf	35.89	3	Horizontal	48	1.91	-	71.90	27.59	8.30	-
PK	2.4876G	60.79	74.00	-13.21	35.75	3	Horizontal	48	1.91	-	25.04	27.40	8.35	-

802.11ax HEW40_Nss2,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85396G	32.38	54.00	-21.62	6.72	3	Vertical	179	1.50	-	25.66	31.20	9.69	34.17
AV	7.26996G	37.27	54.00	-16.73	13.15	3	Vertical	345	1.93	-	24.12	36.34	11.31	34.50
PK	4.8538G	44.35	74.00	-29.65	6.72	3	Vertical	179	1.50	-	37.63	31.20	9.69	34.17
PK	7.26668G	49.82	74.00	-24.18	13.14	3	Vertical	345	1.93	-	36.68	36.33	11.31	34.50


802.11ax HEW40_Nss2,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.85388G	32.28	54.00	-21.72	6.72	3	Horizontal	5	2.05	-	25.56	31.20	9.69	34.17
AV	7.2686G	37.55	54.00	-16.45	13.15	3	Horizontal	8	2.74	-	24.40	36.34	11.31	34.50
PK	4.84508G	44.46	74.00	-29.54	6.71	3	Horizontal	5	2.05	-	37.75	31.19	9.69	34.17
PK	7.26172G	49.02	74.00	-24.98	13.13	3	Horizontal	8	2.74	-	35.89	36.32	11.31	34.50

**802.11ax HEW40_Nss2,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.50	54.00	-1.50	36.00	3	Vertical	357	1.86	-	16.50	27.72	8.28	-
AV	2.4238G	96.43	Inf	-Inf	35.87	3	Vertical	357	1.86	-	60.56	27.56	8.31	-
AV	2.4835G	48.84	54.00	-5.16	35.74	3	Vertical	357	1.86	-	13.10	27.40	8.34	-
PK	2.3878G	68.24	74.00	-5.76	36.00	3	Vertical	357	1.86	-	32.24	27.72	8.28	-
PK	2.4194G	107.65	Inf	-Inf	35.88	3	Vertical	357	1.86	-	71.77	27.58	8.30	-
PK	2.4962G	60.23	74.00	-13.77	35.75	3	Vertical	357	1.86	-	24.48	27.40	8.35	-

**802.11ax HEW40_Nss2,(MCS0)_2TX
2427MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.83	54.00	-0.17	36.00	3	Horizontal	50	2.40	-	17.83	27.72	8.28	-
AV	2.433G	97.86	Inf	-Inf	35.81	3	Horizontal	50	2.40	-	62.05	27.50	8.31	-
AV	2.4898G	49.92	54.00	-4.08	35.75	3	Horizontal	50	2.40	-	14.17	27.40	8.35	-
PK	2.389G	72.08	74.00	-1.92	36.00	3	Horizontal	50	2.40	-	36.08	27.72	8.28	-
PK	2.4314G	110.01	Inf	-Inf	35.82	3	Horizontal	50	2.40	-	74.19	27.51	8.31	-
PK	2.4842G	63.76	74.00	-10.24	35.74	3	Horizontal	50	2.40	-	28.02	27.40	8.34	-

**802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	51.42	54.00	-2.58	36.00	3	Vertical	360	2.12	-	15.42	27.72	8.28	-
AV	2.4422G	97.37	Inf	-Inf	35.77	3	Vertical	360	2.12	-	61.60	27.45	8.32	-
AV	2.4838G	49.71	54.00	-4.29	35.74	3	Vertical	360	2.12	-	13.97	27.40	8.34	-
PK	2.3878G	65.44	74.00	-8.56	36.00	3	Vertical	360	2.12	-	29.44	27.72	8.28	-
PK	2.4382G	108.81	Inf	-Inf	35.78	3	Vertical	360	2.12	-	73.03	27.47	8.31	-
PK	2.4835G	64.44	74.00	-9.56	35.74	3	Vertical	360	2.12	-	28.70	27.40	8.34	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.78	54.00	-0.22	36.00	3	Horizontal	67	2.55	-	17.78	27.72	8.28	-
AV	2.443G	98.20	Inf	-Inf	35.76	3	Horizontal	67	2.55	-	62.44	27.44	8.32	-
AV	2.4835G	53.22	54.00	-0.78	35.74	3	Horizontal	67	2.55	-	17.48	27.40	8.34	-
PK	2.3898G	68.27	74.00	-5.73	36.00	3	Horizontal	67	2.55	-	32.27	27.72	8.28	-
PK	2.4514G	110.90	Inf	-Inf	35.72	3	Horizontal	67	2.55	-	75.18	27.40	8.32	-
PK	2.4842G	73.51	74.00	-0.49	35.74	3	Horizontal	67	2.55	-	37.77	27.40	8.34	-

802.11ax HEW40_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	32.95	54.00	-21.05	6.74	3	Vertical	188	1.50	-	26.21	31.20	9.70	34.16
AV	7.3137G	38.02	54.00	-15.98	13.19	3	Vertical	41	1.50	-	24.83	36.37	11.32	34.50
PK	4.87734G	45.76	74.00	-28.24	6.74	3	Vertical	188	1.50	-	39.02	31.20	9.70	34.16
PK	7.31322G	50.79	74.00	-23.21	13.19	3	Vertical	41	1.50	-	37.60	36.37	11.32	34.50

802.11ax HEW40_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87888G	32.86	54.00	-21.14	6.74	3	Horizontal	0	1.70	-	26.12	31.20	9.70	34.16
AV	7.31124G	38.15	54.00	-15.85	13.20	3	Horizontal	43	1.70	-	24.95	36.38	11.32	34.50
PK	4.87518G	45.53	74.00	-28.47	6.74	3	Horizontal	0	1.70	-	38.79	31.20	9.70	34.16
PK	7.3063G	51.84	74.00	-22.16	13.21	3	Horizontal	43	1.70	-	38.63	36.39	11.32	34.50

802.11ax HEW40_Nss2,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3718G	49.51	54.00	-4.49	36.03	3	Vertical	-0	2.09	-	13.48	27.76	8.27	-
AV	2.4398G	96.67	Inf	-Inf	35.78	3	Vertical	-0	2.09	-	60.89	27.46	8.32	-
AV	2.4835G	50.55	54.00	-3.45	35.74	3	Vertical	-0	2.09	-	14.81	27.40	8.34	-
PK	2.3874G	60.98	74.00	-13.02	36.01	3	Vertical	-0	2.09	-	24.97	27.73	8.28	-
PK	2.4434G	108.97	Inf	-Inf	35.76	3	Vertical	-0	2.09	-	73.21	27.44	8.32	-
PK	2.4842G	64.02	74.00	-9.98	35.74	3	Vertical	-0	2.09	-	28.28	27.40	8.34	-


802.11ax HEW40_Nss2,(MCS0)_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.381G	50.55	54.00	-3.45	36.02	3	Horizontal	70	2.53	-	14.53	27.74	8.28	-
AV	2.4442G	97.70	Inf	-Inf	35.75	3	Horizontal	70	2.53	-	61.95	27.43	8.32	-
AV	2.4846G	53.50	54.00	-0.50	35.74	3	Horizontal	70	2.53	-	17.76	27.40	8.34	-
PK	2.3854G	62.78	74.00	-11.22	36.01	3	Horizontal	70	2.53	-	26.77	27.73	8.28	-
PK	2.4522G	109.93	Inf	-Inf	35.72	3	Horizontal	70	2.53	-	74.21	27.40	8.32	-
PK	2.487G	69.58	74.00	-4.42	35.75	3	Horizontal	70	2.53	-	33.83	27.40	8.35	-

**802.11ax HEW40_Nss2,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.364G	49.47	54.00	-4.53	36.03	3	Vertical	360	2.11	-	13.44	27.77	8.26	-
AV	2.4452G	95.89	Inf	-Inf	35.75	3	Vertical	360	2.11	-	60.14	27.43	8.32	-
AV	2.4835G	49.83	54.00	-4.17	35.74	3	Vertical	360	2.11	-	14.09	27.40	8.34	-
PK	2.3736G	60.89	74.00	-13.11	36.02	3	Vertical	360	2.11	-	24.87	27.75	8.27	-
PK	2.4484G	108.40	Inf	-Inf	35.73	3	Vertical	360	2.11	-	72.67	27.41	8.32	-
PK	2.4835G	64.97	74.00	-9.03	35.74	3	Vertical	360	2.11	-	29.23	27.40	8.34	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3848G	50.18	54.00	-3.82	36.01	3	Horizontal	71	2.55	-	14.17	27.73	8.28	-
AV	2.4492G	97.09	Inf	-Inf	35.72	3	Horizontal	71	2.55	-	61.37	27.40	8.32	-
AV	2.486G	53.40	54.00	-0.60	35.75	3	Horizontal	71	2.55	-	17.65	27.40	8.35	-
PK	2.382G	61.72	74.00	-12.28	36.02	3	Horizontal	71	2.55	-	25.70	27.74	8.28	-
PK	2.4548G	109.42	Inf	-Inf	35.73	3	Horizontal	71	2.55	-	73.69	27.40	8.33	-
PK	2.4864G	68.57	74.00	-5.43	35.75	3	Horizontal	71	2.55	-	32.82	27.40	8.35	-

802.11ax HEW40_Nss2,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90414G	33.35	54.00	-20.65	6.78	3	Vertical	170	1.50	-	26.57	31.22	9.71	34.15
AV	7.35186G	38.00	54.00	-16.00	13.14	3	Vertical	360	3.00	-	24.86	36.30	11.33	34.49
PK	4.909G	46.04	74.00	-27.96	6.81	3	Vertical	170	1.50	-	39.23	31.24	9.71	34.14
PK	7.35174G	51.63	74.00	-22.37	13.14	3	Vertical	360	3.00	-	38.49	36.30	11.33	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90404G	33.16	54.00	-20.84	6.78	3	Horizontal	360	2.18	-	26.38	31.22	9.71	34.15
AV	7.35238G	37.62	54.00	-16.38	13.14	3	Horizontal	50	1.50	-	24.48	36.30	11.33	34.49
PK	4.9089G	45.85	74.00	-28.15	6.81	3	Horizontal	360	2.18	-	39.04	31.24	9.71	34.14
PK	7.35184G	50.27	74.00	-23.73	13.14	3	Horizontal	50	1.50	-	37.13	36.30	11.33	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	249.22M	42.08	46.00	-3.92	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss2 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	111.48M	33.00	43.50	-10.50	3	Vertical	0	1.00	-
2437MHz	Pass	PK	249.22M	32.36	46.00	-13.64	3	Vertical	0	1.00	-
2437MHz	Pass	PK	350.1M	36.53	46.00	-9.47	3	Vertical	0	1.00	-
2437MHz	Pass	PK	449.04M	34.13	46.00	-11.87	3	Vertical	0	1.00	-
2437MHz	Pass	PK	528.58M	30.72	46.00	-15.28	3	Vertical	0	1.00	-
2437MHz	Pass	QP	39.7M	32.26	40.00	-7.74	3	Vertical	65	1.00	-
2437MHz	Pass	PK	37.76M	33.17	40.00	-6.83	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	111.48M	32.38	43.50	-11.12	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	249.22M	42.08	46.00	-3.92	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	350.1M	40.13	46.00	-5.87	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	449.04M	34.91	46.00	-11.09	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	549.92M	30.61	46.00	-15.39	3	Horizontal	360	1.00	-

802.11ax HEW40_Nss2,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	111.48M	33.00	43.50	-10.50	-9.16	3	Vertical	0	1.00	-	42.16	17.14	1.49	27.79
PK	249.22M	32.36	46.00	-13.64	-7.43	3	Vertical	0	1.00	-	39.79	17.47	2.26	27.16
PK	350.1M	36.53	46.00	-9.47	-5.20	3	Vertical	0	1.00	-	41.73	19.59	2.71	27.50
PK	449.04M	34.13	46.00	-11.87	-3.29	3	Vertical	0	1.00	-	37.42	21.89	3.08	28.26
PK	528.58M	30.72	46.00	-15.28	-2.35	3	Vertical	0	1.00	-	33.07	22.79	3.37	28.51
QP	39.7M	32.26	40.00	-7.74	-7.84	3	Vertical	65	1.00	-	40.10	17.92	1.03	26.79

802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	37.76M	33.17	40.00	-6.83	-6.67	3	Horizontal	360	1.00	-	39.84	19.02	1.03	26.72
PK	111.48M	32.38	43.50	-11.12	-9.16	3	Horizontal	360	1.00	-	41.54	17.14	1.49	27.79
PK	249.22M	42.08	46.00	-3.92	-7.43	3	Horizontal	360	1.00	-	49.51	17.47	2.26	27.16
PK	350.1M	40.13	46.00	-5.87	-5.20	3	Horizontal	360	1.00	-	45.33	19.59	2.71	27.50
PK	449.04M	34.91	46.00	-11.09	-3.29	3	Horizontal	360	1.00	-	38.20	21.89	3.08	28.26
PK	549.92M	30.61	46.00	-15.39	-1.34	3	Horizontal	360	1.00	-	31.95	23.89	3.41	28.64



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	7.31272G	53.61	54.00	-0.39	3	Horizontal	325	2.69	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.389G	53.56	54.00	-0.44	3	Horizontal	338	1.76	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	2.4836G	73.55	74.00	-0.45	3	Horizontal	336	1.69	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.3898G	53.83	54.00	-0.17	3	Horizontal	138	1.32	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	7.38472G	53.46	54.00	-0.54	3	Horizontal	325	2.32	-
802.11g_Nss1,(6Mbps)_2TX	Pass	AV	2.3894G	53.81	54.00	-0.19	3	Horizontal	334	2.74	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	2.4836G	73.82	74.00	-0.18	3	Horizontal	335	1.04	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.3896G	53.86	54.00	-0.14	3	Horizontal	318	2.71	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix F.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.62	54.00	-4.38	3	Vertical	227	2.39	-
2412MHz	Pass	AV	2.4112G	102.61	Inf	-Inf	3	Vertical	227	2.39	-
2412MHz	Pass	PK	2.382G	61.13	74.00	-12.87	3	Vertical	227	2.39	-
2412MHz	Pass	PK	2.411G	106.30	Inf	-Inf	3	Vertical	227	2.39	-
2412MHz	Pass	AV	2.39G	52.95	54.00	-1.05	3	Horizontal	138	2.70	-
2412MHz	Pass	AV	2.4112G	112.04	Inf	-Inf	3	Horizontal	138	2.70	-
2412MHz	Pass	PK	2.387G	63.20	74.00	-10.80	3	Horizontal	138	2.70	-
2412MHz	Pass	PK	2.413G	115.89	Inf	-Inf	3	Horizontal	138	2.70	-
2412MHz	Pass	AV	4.82396G	43.27	54.00	-10.73	3	Vertical	5	2.92	-
2412MHz	Pass	PK	4.82404G	49.49	74.00	-24.51	3	Vertical	5	2.92	-
2412MHz	Pass	AV	4.82388G	48.01	54.00	-5.99	3	Horizontal	139	2.28	-
2412MHz	Pass	PK	4.824G	51.44	74.00	-22.56	3	Horizontal	139	2.28	-
2417MHz	Pass	AV	2.3852G	49.27	54.00	-4.73	3	Vertical	228	2.91	-
2417MHz	Pass	AV	2.4162G	105.10	Inf	-Inf	3	Vertical	228	2.91	-
2417MHz	Pass	PK	2.3898G	60.63	74.00	-13.37	3	Vertical	228	2.91	-
2417MHz	Pass	PK	2.418G	108.95	Inf	-Inf	3	Vertical	228	2.91	-
2417MHz	Pass	AV	2.39G	53.11	54.00	-0.89	3	Horizontal	140	2.72	-
2417MHz	Pass	AV	2.4162G	112.16	Inf	-Inf	3	Horizontal	140	2.72	-
2417MHz	Pass	PK	2.39G	62.89	74.00	-11.11	3	Horizontal	140	2.72	-
2417MHz	Pass	PK	2.418G	115.97	Inf	-Inf	3	Horizontal	140	2.72	-
2417MHz	Pass	AV	4.83398G	40.71	54.00	-13.29	3	Vertical	288	2.62	-
2417MHz	Pass	AV	7.25261G	43.79	54.00	-10.21	3	Vertical	204	2.62	-
2417MHz	Pass	PK	4.834G	48.48	74.00	-25.52	3	Vertical	288	2.62	-
2417MHz	Pass	PK	7.25253G	54.21	74.00	-19.79	3	Vertical	204	2.62	-
2417MHz	Pass	AV	4.83394G	49.25	54.00	-4.75	3	Horizontal	146	2.94	-
2417MHz	Pass	AV	7.25268G	46.02	54.00	-7.98	3	Horizontal	327	1.06	-
2417MHz	Pass	PK	4.83394G	53.27	74.00	-20.73	3	Horizontal	146	2.94	-
2417MHz	Pass	PK	7.25245G	55.43	74.00	-18.57	3	Horizontal	327	1.06	-
2437MHz	Pass	AV	2.389G	48.10	54.00	-5.90	3	Vertical	71	1.05	-
2437MHz	Pass	AV	2.4362G	103.11	Inf	-Inf	3	Vertical	71	1.05	-
2437MHz	Pass	AV	2.4986G	48.46	54.00	-5.54	3	Vertical	71	1.05	-
2437MHz	Pass	PK	2.3894G	59.43	74.00	-14.57	3	Vertical	71	1.05	-
2437MHz	Pass	PK	2.4362G	106.85	Inf	-Inf	3	Vertical	71	1.05	-
2437MHz	Pass	PK	2.4974G	59.66	74.00	-14.34	3	Vertical	71	1.05	-
2437MHz	Pass	AV	2.389G	50.59	54.00	-3.41	3	Horizontal	336	1.27	-
2437MHz	Pass	AV	2.4362G	112.10	Inf	-Inf	3	Horizontal	336	1.27	-
2437MHz	Pass	AV	2.4858G	51.08	54.00	-2.92	3	Horizontal	336	1.27	-
2437MHz	Pass	PK	2.3894G	61.30	74.00	-12.70	3	Horizontal	336	1.27	-
2437MHz	Pass	PK	2.4378G	115.91	Inf	-Inf	3	Horizontal	336	1.27	-
2437MHz	Pass	PK	2.4882G	61.69	74.00	-12.31	3	Horizontal	336	1.27	-
2437MHz	Pass	AV	4.874G	46.57	54.00	-7.43	3	Vertical	80	2.66	-
2437MHz	Pass	AV	7.31268G	50.83	54.00	-3.17	3	Vertical	178	2.95	-
2437MHz	Pass	PK	4.87384G	51.88	74.00	-22.12	3	Vertical	80	2.66	-
2437MHz	Pass	PK	7.31208G	57.80	74.00	-16.20	3	Vertical	178	2.95	-
2437MHz	Pass	AV	4.87392G	51.10	54.00	-2.90	3	Horizontal	141	1.50	-
2437MHz	Pass	AV	7.31272G	53.61	54.00	-0.39	3	Horizontal	325	2.69	-
2437MHz	Pass	PK	4.874G	54.28	74.00	-19.72	3	Horizontal	141	1.50	-
2437MHz	Pass	PK	7.31192G	59.84	74.00	-14.16	3	Horizontal	325	2.69	-
2457MHz	Pass	AV	2.4562G	105.53	Inf	-Inf	3	Vertical	264	2.85	-
2457MHz	Pass	AV	2.4974G	49.04	54.00	-4.96	3	Vertical	264	2.85	-
2457MHz	Pass	PK	2.456G	109.27	Inf	-Inf	3	Vertical	264	2.85	-
2457MHz	Pass	PK	2.4916G	61.28	74.00	-12.72	3	Vertical	264	2.85	-
2457MHz	Pass	AV	2.4562G	113.53	Inf	-Inf	3	Horizontal	331	2.94	-
2457MHz	Pass	AV	2.4886G	52.87	54.00	-1.13	3	Horizontal	331	2.94	-
2457MHz	Pass	PK	2.458G	117.36	Inf	-Inf	3	Horizontal	331	2.94	-
2457MHz	Pass	PK	2.4835G	64.76	74.00	-9.24	3	Horizontal	331	2.94	-
2457MHz	Pass	AV	4.91396G	44.02	54.00	-9.98	3	Vertical	166	3.00	-
2457MHz	Pass	AV	7.3697G	47.14	54.00	-6.86	3	Vertical	205	2.84	-
2457MHz	Pass	PK	4.91392G	49.31	74.00	-24.69	3	Vertical	166	3.00	-
2457MHz	Pass	PK	7.37004G	55.35	74.00	-18.65	3	Vertical	205	2.84	-



RSE TX above 1GHz_Non-Beamforming Dipole

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	4.91406G	50.60	54.00	-3.40	3	Horizontal	140	3.00	-
2457MHz	Pass	AV	7.37284G	52.43	54.00	-1.57	3	Horizontal	326	2.31	-
2457MHz	Pass	PK	4.91402G	54.66	74.00	-19.34	3	Horizontal	140	3.00	-
2457MHz	Pass	PK	7.36996G	58.71	74.00	-15.29	3	Horizontal	326	2.31	-
2462MHz	Pass	AV	2.4612G	102.83	Inf	-Inf	3	Vertical	153	2.89	-
2462MHz	Pass	AV	2.4848G	49.54	54.00	-4.46	3	Vertical	153	2.89	-
2462MHz	Pass	PK	2.463G	106.63	Inf	-Inf	3	Vertical	153	2.89	-
2462MHz	Pass	PK	2.4842G	60.59	74.00	-13.41	3	Vertical	153	2.89	-
2462MHz	Pass	AV	2.4612G	112.42	Inf	-Inf	3	Horizontal	334	1.12	-
2462MHz	Pass	AV	2.4848G	53.22	54.00	-0.78	3	Horizontal	334	1.12	-
2462MHz	Pass	PK	2.463G	116.28	Inf	-Inf	3	Horizontal	334	1.12	-
2462MHz	Pass	PK	2.4964G	64.08	74.00	-9.92	3	Horizontal	334	1.12	-
2462MHz	Pass	AV	4.92392G	44.95	54.00	-9.05	3	Vertical	163	2.76	-
2462MHz	Pass	AV	7.38672G	45.72	54.00	-8.28	3	Vertical	97	3.00	-
2462MHz	Pass	PK	4.92388G	50.40	74.00	-23.60	3	Vertical	163	2.76	-
2462MHz	Pass	PK	7.385G	54.74	74.00	-19.26	3	Vertical	97	3.00	-
2462MHz	Pass	AV	4.92396G	49.14	54.00	-4.86	3	Horizontal	138	1.50	-
2462MHz	Pass	AV	7.38468G	52.47	54.00	-1.53	3	Horizontal	323	2.75	-
2462MHz	Pass	PK	4.92384G	53.52	74.00	-20.48	3	Horizontal	138	1.50	-
2462MHz	Pass	PK	7.38496G	58.81	74.00	-15.19	3	Horizontal	323	2.75	-
802.11q_Nss1,(6Mbps)_1TX(Port2)											
2412MHz	Pass	AV	2.3786G	50.03	54.00	-3.97	3	Vertical	211	2.39	-
2412MHz	Pass	AV	2.408G	93.60	Inf	-Inf	3	Vertical	211	2.39	-
2412MHz	Pass	PK	2.3894G	62.99	74.00	-11.01	3	Vertical	211	2.39	-
2412MHz	Pass	PK	2.4072G	102.22	Inf	-Inf	3	Vertical	211	2.39	-
2412MHz	Pass	AV	2.39G	52.06	54.00	-1.94	3	Horizontal	138	2.72	-
2412MHz	Pass	AV	2.4144G	102.91	Inf	-Inf	3	Horizontal	138	2.72	-
2412MHz	Pass	PK	2.389G	72.33	74.00	-1.67	3	Horizontal	138	2.72	-
2412MHz	Pass	PK	2.4144G	111.94	Inf	-Inf	3	Horizontal	138	2.72	-
2412MHz	Pass	AV	4.82268G	36.00	54.00	-18.00	3	Vertical	40	1.48	-
2412MHz	Pass	PK	4.82796G	46.94	74.00	-27.06	3	Vertical	40	1.48	-
2412MHz	Pass	AV	4.82412G	35.94	54.00	-18.06	3	Horizontal	192	1.45	-
2412MHz	Pass	PK	4.8206G	46.55	74.00	-27.45	3	Horizontal	192	1.45	-
2417MHz	Pass	AV	2.3898G	50.65	54.00	-3.35	3	Vertical	208	2.39	-
2417MHz	Pass	AV	2.4096G	94.65	Inf	-Inf	3	Vertical	208	2.39	-
2417MHz	Pass	PK	2.3872G	66.27	74.00	-7.73	3	Vertical	208	2.39	-
2417MHz	Pass	PK	2.4096G	102.82	Inf	-Inf	3	Vertical	208	2.39	-
2417MHz	Pass	AV	2.3896G	53.40	54.00	-0.60	3	Horizontal	140	2.70	-
2417MHz	Pass	AV	2.4152G	104.71	Inf	-Inf	3	Horizontal	140	2.70	-
2417MHz	Pass	PK	2.3868G	72.73	74.00	-1.27	3	Horizontal	140	2.70	-
2417MHz	Pass	PK	2.4186G	113.51	Inf	-Inf	3	Horizontal	140	2.70	-
2437MHz	Pass	AV	2.383G	49.86	54.00	-4.14	3	Vertical	70	1.03	-
2437MHz	Pass	AV	2.4334G	97.89	Inf	-Inf	3	Vertical	70	1.03	-
2437MHz	Pass	AV	2.4842G	50.31	54.00	-3.69	3	Vertical	70	1.03	-
2437MHz	Pass	PK	2.3898G	60.98	74.00	-13.02	3	Vertical	70	1.03	-
2437MHz	Pass	PK	2.4302G	106.54	Inf	-Inf	3	Vertical	70	1.03	-
2437MHz	Pass	PK	2.4894G	60.08	74.00	-13.92	3	Vertical	70	1.03	-
2437MHz	Pass	AV	2.389G	53.56	54.00	-0.44	3	Horizontal	338	1.76	-
2437MHz	Pass	AV	2.4394G	107.19	Inf	-Inf	3	Horizontal	338	1.76	-
2437MHz	Pass	AV	2.4838G	52.02	54.00	-1.98	3	Horizontal	338	1.76	-
2437MHz	Pass	PK	2.3898G	65.80	74.00	-8.20	3	Horizontal	338	1.76	-
2437MHz	Pass	PK	2.4386G	115.93	Inf	-Inf	3	Horizontal	338	1.76	-
2437MHz	Pass	PK	2.485G	65.76	74.00	-8.24	3	Horizontal	338	1.76	-
2437MHz	Pass	AV	4.87592G	36.90	54.00	-17.10	3	Vertical	78	2.38	-
2437MHz	Pass	AV	7.31044G	44.07	54.00	-9.93	3	Vertical	178	2.94	-
2437MHz	Pass	PK	4.87112G	48.44	74.00	-25.56	3	Vertical	78	2.38	-
2437MHz	Pass	PK	7.3126G	56.69	74.00	-17.31	3	Vertical	178	2.94	-
2437MHz	Pass	AV	4.87664G	39.14	54.00	-14.86	3	Horizontal	141	1.67	-
2437MHz	Pass	AV	7.31044G	45.38	54.00	-8.62	3	Horizontal	326	2.51	-
2437MHz	Pass	PK	4.87744G	50.26	74.00	-23.74	3	Horizontal	141	1.67	-
2437MHz	Pass	PK	7.31236G	58.88	74.00	-15.12	3	Horizontal	326	2.51	-
2457MHz	Pass	AV	2.4542G	96.96	Inf	-Inf	3	Vertical	263	2.84	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4914G	50.38	54.00	-3.62	3	Vertical	263	2.84	-
2457MHz	Pass	PK	2.4586G	105.76	Inf	-Inf	3	Vertical	263	2.84	-
2457MHz	Pass	PK	2.4842G	61.63	74.00	-12.37	3	Vertical	263	2.84	-
2457MHz	Pass	AV	2.4544G	104.51	Inf	-Inf	3	Horizontal	335	2.94	-
2457MHz	Pass	AV	2.4836G	53.17	54.00	-0.83	3	Horizontal	335	2.94	-
2457MHz	Pass	PK	2.4596G	113.42	Inf	-Inf	3	Horizontal	335	2.94	-
2457MHz	Pass	PK	2.485G	68.50	74.00	-5.50	3	Horizontal	335	2.94	-
2462MHz	Pass	AV	2.4662G	93.50	Inf	-Inf	3	Vertical	154	2.89	-
2462MHz	Pass	AV	2.484G	50.72	54.00	-3.28	3	Vertical	154	2.89	-
2462MHz	Pass	PK	2.4634G	102.24	Inf	-Inf	3	Vertical	154	2.89	-
2462MHz	Pass	PK	2.4835G	66.49	74.00	-7.51	3	Vertical	154	2.89	-
2462MHz	Pass	AV	2.4602G	103.31	Inf	-Inf	3	Horizontal	334	1.14	-
2462MHz	Pass	AV	2.484G	53.26	54.00	-0.74	3	Horizontal	334	1.14	-
2462MHz	Pass	PK	2.4646G	112.00	Inf	-Inf	3	Horizontal	334	1.14	-
2462MHz	Pass	PK	2.484G	73.34	74.00	-0.66	3	Horizontal	334	1.14	-
2462MHz	Pass	AV	4.916G	36.30	54.00	-17.70	3	Vertical	188	1.77	-
2462MHz	Pass	AV	7.37616G	41.23	54.00	-12.77	3	Vertical	202	1.23	-
2462MHz	Pass	PK	4.9268G	46.59	74.00	-27.41	3	Vertical	188	1.77	-
2462MHz	Pass	PK	7.388G	55.24	74.00	-18.76	3	Vertical	202	1.23	-
2462MHz	Pass	AV	4.924G	36.98	54.00	-17.02	3	Horizontal	135	2.67	-
2462MHz	Pass	AV	7.38192G	41.65	54.00	-12.35	3	Horizontal	325	2.93	-
2462MHz	Pass	PK	4.91896G	47.16	74.00	-26.84	3	Horizontal	135	2.67	-
2462MHz	Pass	PK	7.38568G	55.64	74.00	-18.36	3	Horizontal	325	2.93	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.57	54.00	-5.43	3	Vertical	65	1.01	-
2412MHz	Pass	AV	2.4182G	90.91	Inf	-Inf	3	Vertical	65	1.01	-
2412MHz	Pass	PK	2.3878G	64.22	74.00	-9.78	3	Vertical	65	1.01	-
2412MHz	Pass	PK	2.4168G	104.70	Inf	-Inf	3	Vertical	65	1.01	-
2412MHz	Pass	AV	2.39G	52.25	54.00	-1.75	3	Horizontal	138	2.69	-
2412MHz	Pass	AV	2.4104G	100.62	Inf	-Inf	3	Horizontal	138	2.69	-
2412MHz	Pass	PK	2.389G	72.87	74.00	-1.13	3	Horizontal	138	2.69	-
2412MHz	Pass	PK	2.409G	114.67	Inf	-Inf	3	Horizontal	138	2.69	-
2412MHz	Pass	AV	4.81908G	32.17	54.00	-21.83	3	Vertical	186	1.23	-
2412MHz	Pass	PK	4.8204G	45.78	74.00	-28.22	3	Vertical	186	1.23	-
2412MHz	Pass	AV	4.81948G	32.18	54.00	-21.82	3	Horizontal	355	1.16	-
2412MHz	Pass	PK	4.81812G	45.77	74.00	-28.23	3	Horizontal	355	1.16	-
2417MHz	Pass	AV	2.3894G	49.26	54.00	-4.74	3	Vertical	65	1.02	-
2417MHz	Pass	AV	2.4198G	92.56	Inf	-Inf	3	Vertical	65	1.02	-
2417MHz	Pass	PK	2.3896G	65.06	74.00	-8.94	3	Vertical	65	1.02	-
2417MHz	Pass	PK	2.4188G	105.90	Inf	-Inf	3	Vertical	65	1.02	-
2417MHz	Pass	AV	2.39G	53.49	54.00	-0.51	3	Horizontal	143	3.00	-
2417MHz	Pass	AV	2.42G	102.12	Inf	-Inf	3	Horizontal	143	3.00	-
2417MHz	Pass	PK	2.389G	73.33	74.00	-0.67	3	Horizontal	143	3.00	-
2417MHz	Pass	PK	2.414G	116.18	Inf	-Inf	3	Horizontal	143	3.00	-
2437MHz	Pass	AV	2.3898G	48.65	54.00	-5.35	3	Vertical	73	1.05	-
2437MHz	Pass	AV	2.4298G	93.92	Inf	-Inf	3	Vertical	73	1.05	-
2437MHz	Pass	AV	2.4838G	48.52	54.00	-5.48	3	Vertical	73	1.05	-
2437MHz	Pass	PK	2.3886G	60.97	74.00	-13.03	3	Vertical	73	1.05	-
2437MHz	Pass	PK	2.4302G	107.01	Inf	-Inf	3	Vertical	73	1.05	-
2437MHz	Pass	PK	2.497G	60.28	74.00	-13.72	3	Vertical	73	1.05	-
2437MHz	Pass	AV	2.3898G	53.07	54.00	-0.93	3	Horizontal	139	1.35	-
2437MHz	Pass	AV	2.4318G	104.74	Inf	-Inf	3	Horizontal	139	1.35	-
2437MHz	Pass	AV	2.4835G	51.94	54.00	-2.06	3	Horizontal	139	1.35	-
2437MHz	Pass	PK	2.389G	69.42	74.00	-4.58	3	Horizontal	139	1.35	-
2437MHz	Pass	PK	2.4338G	119.01	Inf	-Inf	3	Horizontal	139	1.35	-
2437MHz	Pass	PK	2.4866G	71.58	74.00	-2.42	3	Horizontal	139	1.35	-
2437MHz	Pass	AV	4.87408G	33.77	54.00	-20.23	3	Vertical	82	2.52	-
2437MHz	Pass	AV	7.31036G	39.05	54.00	-14.95	3	Vertical	186	1.00	-
2437MHz	Pass	PK	4.88092G	48.09	74.00	-25.91	3	Vertical	82	2.52	-
2437MHz	Pass	PK	7.31808G	53.45	74.00	-20.55	3	Vertical	186	1.00	-
2437MHz	Pass	AV	4.87536G	35.72	54.00	-18.28	3	Horizontal	331	1.09	-
2437MHz	Pass	AV	7.312G	42.45	54.00	-11.55	3	Horizontal	325	1.00	-



RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	4.87224G	51.80	74.00	-22.20	3	Horizontal	331	1.09	-
2437MHz	Pass	PK	7.31856G	58.01	74.00	-15.99	3	Horizontal	325	1.00	-
2457MHz	Pass	AV	2.4498G	93.91	Inf	-Inf	3	Vertical	263	2.84	-
2457MHz	Pass	AV	2.4835G	49.40	54.00	-4.60	3	Vertical	263	2.84	-
2457MHz	Pass	PK	2.454G	107.92	Inf	-Inf	3	Vertical	263	2.84	-
2457MHz	Pass	PK	2.4835G	63.69	74.00	-10.31	3	Vertical	263	2.84	-
2457MHz	Pass	AV	2.455G	101.91	Inf	-Inf	3	Horizontal	332	2.93	-
2457MHz	Pass	AV	2.4835G	53.13	54.00	-0.87	3	Horizontal	332	2.93	-
2457MHz	Pass	PK	2.454G	115.86	Inf	-Inf	3	Horizontal	332	2.93	-
2457MHz	Pass	PK	2.489G	72.57	74.00	-1.43	3	Horizontal	332	2.93	-
2462MHz	Pass	AV	2.4548G	88.73	Inf	-Inf	3	Vertical	40	1.02	-
2462MHz	Pass	AV	2.4854G	48.44	54.00	-5.56	3	Vertical	40	1.02	-
2462MHz	Pass	PK	2.4552G	102.61	Inf	-Inf	3	Vertical	40	1.02	-
2462MHz	Pass	PK	2.4852G	65.26	74.00	-8.74	3	Vertical	40	1.02	-
2462MHz	Pass	AV	2.4566G	97.91	Inf	-Inf	3	Horizontal	336	1.69	-
2462MHz	Pass	AV	2.4835G	50.06	54.00	-3.94	3	Horizontal	336	1.69	-
2462MHz	Pass	PK	2.4588G	111.82	Inf	-Inf	3	Horizontal	336	1.69	-
2462MHz	Pass	PK	2.4836G	73.55	74.00	-0.45	3	Horizontal	336	1.69	-
2462MHz	Pass	AV	4.92124G	32.41	54.00	-21.59	3	Vertical	301	1.74	-
2462MHz	Pass	AV	7.38068G	37.27	54.00	-16.73	3	Vertical	208	1.27	-
2462MHz	Pass	PK	4.91444G	46.47	74.00	-27.53	3	Vertical	301	1.74	-
2462MHz	Pass	PK	7.38264G	50.95	74.00	-23.05	3	Vertical	208	1.27	-
2462MHz	Pass	AV	4.9152G	32.42	54.00	-21.58	3	Horizontal	220	1.13	-
2462MHz	Pass	AV	7.37836G	37.22	54.00	-16.78	3	Horizontal	112	2.15	-
2462MHz	Pass	PK	4.92152G	46.23	74.00	-27.77	3	Horizontal	220	1.13	-
2462MHz	Pass	PK	7.38672G	51.31	74.00	-22.69	3	Horizontal	112	2.15	-
802.11ax HEW40_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.39G	49.22	54.00	-4.78	3	Vertical	65	1.01	-
2422MHz	Pass	AV	2.418G	89.00	Inf	-Inf	3	Vertical	65	1.01	-
2422MHz	Pass	AV	2.4968G	49.33	54.00	-4.67	3	Vertical	65	1.01	-
2422MHz	Pass	PK	2.3852G	61.52	74.00	-12.48	3	Vertical	65	1.01	-
2422MHz	Pass	PK	2.4188G	101.63	Inf	-Inf	3	Vertical	65	1.01	-
2422MHz	Pass	PK	2.4944G	59.23	74.00	-14.77	3	Vertical	65	1.01	-
2422MHz	Pass	AV	2.3896G	53.80	54.00	-0.20	3	Horizontal	138	1.55	-
2422MHz	Pass	AV	2.418G	98.47	Inf	-Inf	3	Horizontal	138	1.55	-
2422MHz	Pass	AV	2.4835G	49.65	54.00	-4.35	3	Horizontal	138	1.55	-
2422MHz	Pass	PK	2.3844G	70.98	74.00	-3.02	3	Horizontal	138	1.55	-
2422MHz	Pass	PK	2.4188G	110.91	Inf	-Inf	3	Horizontal	138	1.55	-
2422MHz	Pass	PK	2.4876G	61.91	74.00	-12.09	3	Horizontal	138	1.55	-
2422MHz	Pass	AV	4.84096G	33.94	54.00	-20.06	3	Vertical	38	1.45	-
2422MHz	Pass	AV	7.25756G	38.45	54.00	-15.55	3	Vertical	61	1.25	-
2422MHz	Pass	PK	4.83912G	45.66	74.00	-28.34	3	Vertical	38	1.45	-
2422MHz	Pass	PK	7.268G	50.33	74.00	-23.67	3	Vertical	61	1.25	-
2422MHz	Pass	AV	4.84176G	33.72	54.00	-20.28	3	Horizontal	163	1.78	-
2422MHz	Pass	AV	7.27268G	38.61	54.00	-15.39	3	Horizontal	98	2.91	-
2422MHz	Pass	PK	4.84388G	45.66	74.00	-28.34	3	Horizontal	163	1.78	-
2422MHz	Pass	PK	7.25964G	51.09	74.00	-22.91	3	Horizontal	98	2.91	-
2427MHz	Pass	AV	2.389G	49.29	54.00	-4.71	3	Vertical	65	1.02	-
2427MHz	Pass	AV	2.421G	89.29	Inf	-Inf	3	Vertical	65	1.02	-
2427MHz	Pass	AV	2.4958G	49.30	54.00	-4.70	3	Vertical	65	1.02	-
2427MHz	Pass	PK	2.3894G	63.85	74.00	-10.15	3	Vertical	65	1.02	-
2427MHz	Pass	PK	2.4238G	101.64	Inf	-Inf	3	Vertical	65	1.02	-
2427MHz	Pass	PK	2.4866G	60.53	74.00	-13.47	3	Vertical	65	1.02	-
2427MHz	Pass	AV	2.3898G	53.83	54.00	-0.17	3	Horizontal	138	1.32	-
2427MHz	Pass	AV	2.4326G	99.19	Inf	-Inf	3	Horizontal	138	1.32	-
2427MHz	Pass	AV	2.4858G	50.08	54.00	-3.92	3	Horizontal	138	1.32	-
2427MHz	Pass	PK	2.389G	73.31	74.00	-0.69	3	Horizontal	138	1.32	-
2427MHz	Pass	PK	2.4322G	111.67	Inf	-Inf	3	Horizontal	138	1.32	-
2427MHz	Pass	PK	2.4835G	63.57	74.00	-10.43	3	Horizontal	138	1.32	-
2437MHz	Pass	AV	2.389G	48.93	54.00	-5.07	3	Vertical	66	1.01	-
2437MHz	Pass	AV	2.4238G	89.06	Inf	-Inf	3	Vertical	66	1.01	-
2437MHz	Pass	AV	2.4882G	49.33	54.00	-4.67	3	Vertical	66	1.01	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	2.3886G	62.51	74.00	-11.49	3	Vertical	66	1.01	-
2437MHz	Pass	PK	2.4246G	100.71	Inf	-Inf	3	Vertical	66	1.01	-
2437MHz	Pass	PK	2.4878G	60.31	74.00	-13.69	3	Vertical	66	1.01	-
2437MHz	Pass	AV	2.3886G	53.36	54.00	-0.64	3	Horizontal	140	1.36	-
2437MHz	Pass	AV	2.4314G	99.46	Inf	-Inf	3	Horizontal	140	1.36	-
2437MHz	Pass	AV	2.4842G	51.74	54.00	-2.26	3	Horizontal	140	1.36	-
2437MHz	Pass	PK	2.3894G	72.75	74.00	-1.25	3	Horizontal	140	1.36	-
2437MHz	Pass	PK	2.4338G	111.96	Inf	-Inf	3	Horizontal	140	1.36	-
2437MHz	Pass	PK	2.4838G	68.59	74.00	-5.41	3	Horizontal	140	1.36	-
2437MHz	Pass	AV	4.86936G	33.75	54.00	-20.25	3	Vertical	73	1.08	-
2437MHz	Pass	AV	7.31312G	38.53	54.00	-15.47	3	Vertical	35	2.87	-
2437MHz	Pass	PK	4.87792G	45.38	74.00	-28.62	3	Vertical	73	1.08	-
2437MHz	Pass	PK	7.3056G	50.43	74.00	-23.57	3	Vertical	35	2.87	-
2437MHz	Pass	AV	4.8688G	33.64	54.00	-20.36	3	Horizontal	22	2.01	-
2437MHz	Pass	AV	7.3088G	38.52	54.00	-15.48	3	Horizontal	171	1.25	-
2437MHz	Pass	PK	4.87716G	45.25	74.00	-28.75	3	Horizontal	22	2.01	-
2437MHz	Pass	PK	7.3164G	50.50	74.00	-23.50	3	Horizontal	171	1.25	-
2447MHz	Pass	AV	2.3874G	48.70	54.00	-5.30	3	Vertical	51	1.03	-
2447MHz	Pass	AV	2.4534G	87.92	Inf	-Inf	3	Vertical	51	1.03	-
2447MHz	Pass	AV	2.4835G	49.85	54.00	-4.15	3	Vertical	51	1.03	-
2447MHz	Pass	PK	2.353G	60.49	74.00	-13.51	3	Vertical	51	1.03	-
2447MHz	Pass	PK	2.4522G	100.36	Inf	-Inf	3	Vertical	51	1.03	-
2447MHz	Pass	PK	2.4835G	62.51	74.00	-11.49	3	Vertical	51	1.03	-
2447MHz	Pass	AV	2.385G	50.48	54.00	-3.52	3	Horizontal	337	1.74	-
2447MHz	Pass	AV	2.4414G	98.42	Inf	-Inf	3	Horizontal	337	1.74	-
2447MHz	Pass	AV	2.485G	53.37	54.00	-0.63	3	Horizontal	337	1.74	-
2447MHz	Pass	PK	2.3894G	61.98	74.00	-12.02	3	Horizontal	337	1.74	-
2447MHz	Pass	PK	2.4438G	110.46	Inf	-Inf	3	Horizontal	337	1.74	-
2447MHz	Pass	PK	2.4838G	70.43	74.00	-3.57	3	Horizontal	337	1.74	-
2452MHz	Pass	AV	2.3536G	48.80	54.00	-5.20	3	Vertical	74	1.00	-
2452MHz	Pass	AV	2.4576G	87.76	Inf	-Inf	3	Vertical	74	1.00	-
2452MHz	Pass	AV	2.4988G	49.53	54.00	-4.47	3	Vertical	74	1.00	-
2452MHz	Pass	PK	2.3744G	59.04	74.00	-14.96	3	Vertical	74	1.00	-
2452MHz	Pass	PK	2.4488G	100.02	Inf	-Inf	3	Vertical	74	1.00	-
2452MHz	Pass	PK	2.4992G	60.94	74.00	-13.06	3	Vertical	74	1.00	-
2452MHz	Pass	AV	2.3888G	49.51	54.00	-4.49	3	Horizontal	142	2.94	-
2452MHz	Pass	AV	2.4576G	98.62	Inf	-Inf	3	Horizontal	142	2.94	-
2452MHz	Pass	AV	2.484G	53.64	54.00	-0.36	3	Horizontal	142	2.94	-
2452MHz	Pass	PK	2.3688G	60.46	74.00	-13.54	3	Horizontal	142	2.94	-
2452MHz	Pass	PK	2.4572G	111.25	Inf	-Inf	3	Horizontal	142	2.94	-
2452MHz	Pass	PK	2.4864G	71.26	74.00	-2.74	3	Horizontal	142	2.94	-
2452MHz	Pass	AV	4.89528G	33.93	54.00	-20.07	3	Vertical	360	2.14	-
2452MHz	Pass	AV	7.349G	38.72	54.00	-15.28	3	Vertical	139	2.59	-
2452MHz	Pass	PK	4.89436G	46.96	74.00	-27.04	3	Vertical	360	2.14	-
2452MHz	Pass	PK	7.3526G	51.05	74.00	-22.95	3	Vertical	139	2.59	-
2452MHz	Pass	AV	4.91128G	33.91	54.00	-20.09	3	Horizontal	112	2.97	-
2452MHz	Pass	AV	7.35696G	38.67	54.00	-15.33	3	Horizontal	280	1.13	-
2452MHz	Pass	PK	4.89572G	46.38	74.00	-27.62	3	Horizontal	112	2.97	-
2452MHz	Pass	PK	7.35836G	51.70	74.00	-22.30	3	Horizontal	280	1.13	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.389G	52.69	54.00	-1.31	3	Horizontal	331	2.74	-
2412MHz	Pass	AV	2.4112G	114.46	Inf	-Inf	3	Horizontal	331	2.74	-
2412MHz	Pass	PK	2.3886G	64.28	74.00	-9.72	3	Horizontal	331	2.74	-
2412MHz	Pass	PK	2.413G	118.45	Inf	-Inf	3	Horizontal	331	2.74	-
2412MHz	Pass	AV	4.82396G	49.73	54.00	-4.27	3	Vertical	7	2.90	-
2412MHz	Pass	PK	4.824G	53.13	74.00	-20.87	3	Vertical	7	2.90	-
2412MHz	Pass	AV	4.82396G	50.14	54.00	-3.86	3	Horizontal	307	1.00	-
2412MHz	Pass	PK	4.82388G	52.73	74.00	-21.27	3	Horizontal	307	1.00	-
2417MHz	Pass	AV	2.3868G	52.92	54.00	-1.08	3	Horizontal	331	3.00	-
2417MHz	Pass	AV	2.4162G	117.18	Inf	-Inf	3	Horizontal	331	3.00	-
2417MHz	Pass	PK	2.39G	64.18	74.00	-9.82	3	Horizontal	331	3.00	-
2417MHz	Pass	PK	2.418G	121.28	Inf	-Inf	3	Horizontal	331	3.00	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2417MHz	Pass	AV	4.83396G	48.59	54.00	-5.41	3	Vertical	160	3.00	-
2417MHz	Pass	AV	7.25163G	45.63	54.00	-8.37	3	Vertical	203	2.25	-
2417MHz	Pass	PK	4.83404G	52.01	74.00	-21.99	3	Vertical	160	3.00	-
2417MHz	Pass	PK	7.25166G	54.82	74.00	-19.18	3	Vertical	203	2.25	-
2417MHz	Pass	AV	4.834G	53.16	54.00	-0.84	3	Horizontal	315	2.96	-
2417MHz	Pass	AV	7.2527G	48.01	54.00	-5.99	3	Horizontal	328	1.04	-
2417MHz	Pass	PK	4.834G	54.78	74.00	-19.22	3	Horizontal	315	2.96	-
2417MHz	Pass	PK	7.25237G	56.14	74.00	-17.86	3	Horizontal	328	1.04	-
2437MHz	Pass	AV	2.383G	49.73	54.00	-4.27	3	Horizontal	311	1.35	-
2437MHz	Pass	AV	2.4362G	113.85	Inf	-Inf	3	Horizontal	311	1.35	-
2437MHz	Pass	AV	2.4874G	49.12	54.00	-4.88	3	Horizontal	311	1.35	-
2437MHz	Pass	PK	2.3866G	61.33	74.00	-12.67	3	Horizontal	311	1.35	-
2437MHz	Pass	PK	2.4378G	117.66	Inf	-Inf	3	Horizontal	311	1.35	-
2437MHz	Pass	PK	2.4974G	61.43	74.00	-12.57	3	Horizontal	311	1.35	-
2437MHz	Pass	AV	4.87396G	48.20	54.00	-5.80	3	Vertical	112	2.98	-
2437MHz	Pass	AV	7.31268G	47.53	54.00	-6.47	3	Vertical	178	2.94	-
2437MHz	Pass	PK	4.87396G	51.74	74.00	-22.26	3	Vertical	112	2.98	-
2437MHz	Pass	PK	7.31188G	55.69	74.00	-18.31	3	Vertical	178	2.94	-
2437MHz	Pass	AV	4.87404G	52.06	54.00	-1.94	3	Horizontal	136	2.70	-
2437MHz	Pass	AV	7.31272G	53.16	54.00	-0.84	3	Horizontal	325	1.03	-
2437MHz	Pass	PK	4.87392G	55.21	74.00	-18.79	3	Horizontal	136	2.70	-
2437MHz	Pass	PK	7.31004G	59.24	74.00	-14.76	3	Horizontal	325	1.03	-
2462MHz	Pass	AV	2.4612G	115.80	Inf	-Inf	3	Horizontal	311	2.95	-
2462MHz	Pass	AV	2.4856G	53.06	54.00	-0.94	3	Horizontal	311	2.95	-
2462MHz	Pass	PK	2.461G	119.64	Inf	-Inf	3	Horizontal	311	2.95	-
2462MHz	Pass	PK	2.4852G	65.04	74.00	-8.96	3	Horizontal	311	2.95	-
2462MHz	Pass	AV	4.92396G	48.31	54.00	-5.69	3	Vertical	22	2.94	-
2462MHz	Pass	AV	7.38776G	47.16	54.00	-6.84	3	Vertical	196	1.31	-
2462MHz	Pass	PK	4.92384G	52.26	74.00	-21.74	3	Vertical	22	2.94	-
2462MHz	Pass	PK	7.38472G	55.36	74.00	-18.64	3	Vertical	196	1.31	-
2462MHz	Pass	AV	4.92388G	52.96	54.00	-1.04	3	Horizontal	317	1.00	-
2462MHz	Pass	AV	7.38472G	53.46	54.00	-0.54	3	Horizontal	325	2.32	-
2462MHz	Pass	PK	4.924G	54.82	74.00	-19.18	3	Horizontal	317	1.00	-
2462MHz	Pass	PK	7.38444G	59.47	74.00	-14.53	3	Horizontal	325	2.32	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3894G	53.81	54.00	-0.19	3	Horizontal	334	2.74	-
2412MHz	Pass	AV	2.4134G	105.40	Inf	-Inf	3	Horizontal	334	2.74	-
2412MHz	Pass	PK	2.3888G	73.53	74.00	-0.47	3	Horizontal	334	2.74	-
2412MHz	Pass	PK	2.4134G	113.79	Inf	-Inf	3	Horizontal	334	2.74	-
2412MHz	Pass	AV	4.8242G	37.90	54.00	-16.10	3	Vertical	3	2.92	-
2412MHz	Pass	PK	4.82392G	48.74	74.00	-25.26	3	Vertical	3	2.92	-
2412MHz	Pass	AV	4.8252G	38.25	54.00	-15.75	3	Horizontal	145	2.54	-
2412MHz	Pass	PK	4.81988G	48.35	74.00	-25.65	3	Horizontal	145	2.54	-
2417MHz	Pass	AV	2.39G	53.65	54.00	-0.35	3	Horizontal	330	3.00	-
2417MHz	Pass	AV	2.4142G	107.47	Inf	-Inf	3	Horizontal	330	3.00	-
2417MHz	Pass	PK	2.3852G	71.33	74.00	-2.67	3	Horizontal	330	3.00	-
2417MHz	Pass	PK	2.4194G	115.44	Inf	-Inf	3	Horizontal	330	3.00	-
2437MHz	Pass	AV	2.3898G	53.60	54.00	-0.40	3	Horizontal	326	2.70	-
2437MHz	Pass	AV	2.4306G	109.80	Inf	-Inf	3	Horizontal	326	2.70	-
2437MHz	Pass	AV	2.485G	51.94	54.00	-2.06	3	Horizontal	326	2.70	-
2437MHz	Pass	PK	2.3874G	67.71	74.00	-6.29	3	Horizontal	326	2.70	-
2437MHz	Pass	PK	2.4302G	117.93	Inf	-Inf	3	Horizontal	326	2.70	-
2437MHz	Pass	PK	2.4846G	66.19	74.00	-7.81	3	Horizontal	326	2.70	-
2437MHz	Pass	AV	4.87412G	38.07	54.00	-15.93	3	Vertical	167	1.37	-
2437MHz	Pass	AV	7.31064G	43.49	54.00	-10.51	3	Vertical	199	2.43	-
2437MHz	Pass	PK	4.87384G	48.38	74.00	-25.62	3	Vertical	167	1.37	-
2437MHz	Pass	PK	7.306G	55.31	74.00	-18.69	3	Vertical	199	2.43	-
2437MHz	Pass	AV	4.8752G	42.65	54.00	-11.35	3	Horizontal	330	1.01	-
2437MHz	Pass	AV	7.3126G	48.34	54.00	-5.66	3	Horizontal	324	1.00	-
2437MHz	Pass	PK	4.876G	52.79	74.00	-21.21	3	Horizontal	330	1.01	-
2437MHz	Pass	PK	7.31236G	61.31	74.00	-12.69	3	Horizontal	324	1.00	-
2457MHz	Pass	AV	2.4544G	107.81	Inf	-Inf	3	Horizontal	331	2.94	-



RSE TX above 1GHz_Non-Beamforming Dipole

Appendix F.4

Table with 12 columns: Mode, Result, Type, Freq (Hz), Level (dBuV/m), Limit (dBuV/m), Margin (dB), Dist (m), Condition, Azimuth (°), Height (m), Comments. It contains multiple rows of test data for frequencies ranging from 2457MHz to 802.11ax HEW40_Nss2,(MCS0)_2TX.




RSE TX above 1GHz_Non-Beamforming_Dipole

Appendix F.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.4956G	60.07	74.00	-13.93	3	Horizontal	318	2.71	-
2422MHz	Pass	AV	4.84364G	33.58	54.00	-20.42	3	Vertical	207	2.94	-
2422MHz	Pass	AV	7.27244G	38.49	54.00	-15.51	3	Vertical	261	2.63	-
2422MHz	Pass	PK	4.8478G	44.59	74.00	-29.41	3	Vertical	207	2.94	-
2422MHz	Pass	PK	7.26112G	50.40	74.00	-23.60	3	Vertical	261	2.63	-
2422MHz	Pass	AV	4.84504G	33.39	54.00	-20.61	3	Horizontal	256	1.70	-
2422MHz	Pass	AV	7.25924G	38.83	54.00	-15.17	3	Horizontal	49	2.55	-
2422MHz	Pass	PK	4.84308G	45.13	74.00	-28.87	3	Horizontal	256	1.70	-
2422MHz	Pass	PK	7.26548G	50.09	74.00	-23.91	3	Horizontal	49	2.55	-
2427MHz	Pass	AV	2.3894G	52.92	54.00	-1.08	3	Horizontal	330	3.00	-
2427MHz	Pass	AV	2.4242G	100.14	Inf	-Inf	3	Horizontal	330	3.00	-
2427MHz	Pass	AV	2.485G	49.74	54.00	-4.26	3	Horizontal	330	3.00	-
2427MHz	Pass	PK	2.3878G	66.32	74.00	-7.68	3	Horizontal	330	3.00	-
2427MHz	Pass	PK	2.4194G	112.08	Inf	-Inf	3	Horizontal	330	3.00	-
2427MHz	Pass	PK	2.4842G	60.62	74.00	-13.38	3	Horizontal	330	3.00	-
2437MHz	Pass	AV	2.3898G	53.84	54.00	-0.16	3	Horizontal	332	2.70	-
2437MHz	Pass	AV	2.4258G	100.94	Inf	-Inf	3	Horizontal	332	2.70	-
2437MHz	Pass	AV	2.4835G	52.50	54.00	-1.50	3	Horizontal	332	2.70	-
2437MHz	Pass	PK	2.3894G	69.06	74.00	-4.94	3	Horizontal	332	2.70	-
2437MHz	Pass	PK	2.4338G	112.04	Inf	-Inf	3	Horizontal	332	2.70	-
2437MHz	Pass	PK	2.4835G	71.83	74.00	-2.17	3	Horizontal	332	2.70	-
2437MHz	Pass	AV	4.86792G	33.55	54.00	-20.45	3	Vertical	358	2.09	-
2437MHz	Pass	AV	7.31876G	38.21	54.00	-15.79	3	Vertical	353	1.13	-
2437MHz	Pass	PK	4.87808G	46.32	74.00	-27.68	3	Vertical	358	2.09	-
2437MHz	Pass	PK	7.31188G	49.87	74.00	-24.13	3	Vertical	353	1.13	-
2437MHz	Pass	AV	4.87632G	33.43	54.00	-20.57	3	Horizontal	294	1.18	-
2437MHz	Pass	AV	7.31808G	38.36	54.00	-15.64	3	Horizontal	31	1.68	-
2437MHz	Pass	PK	4.87312G	45.10	74.00	-28.90	3	Horizontal	294	1.18	-
2437MHz	Pass	PK	7.31636G	50.26	74.00	-23.74	3	Horizontal	31	1.68	-
2447MHz	Pass	AV	2.3882G	50.11	54.00	-3.89	3	Horizontal	319	3.00	-
2447MHz	Pass	AV	2.4442G	98.54	Inf	-Inf	3	Horizontal	319	3.00	-
2447MHz	Pass	AV	2.4835G	53.84	54.00	-0.16	3	Horizontal	319	3.00	-
2447MHz	Pass	PK	2.3794G	60.08	74.00	-13.92	3	Horizontal	319	3.00	-
2447MHz	Pass	PK	2.4402G	109.76	Inf	-Inf	3	Horizontal	319	3.00	-
2447MHz	Pass	PK	2.4866G	67.05	74.00	-6.95	3	Horizontal	319	3.00	-
2452MHz	Pass	AV	2.3888G	50.15	54.00	-3.85	3	Horizontal	317	1.27	-
2452MHz	Pass	AV	2.4384G	97.05	Inf	-Inf	3	Horizontal	317	1.27	-
2452MHz	Pass	AV	2.4852G	53.37	54.00	-0.63	3	Horizontal	317	1.27	-
2452MHz	Pass	PK	2.3868G	61.55	74.00	-12.45	3	Horizontal	317	1.27	-
2452MHz	Pass	PK	2.4584G	108.13	Inf	-Inf	3	Horizontal	317	1.27	-
2452MHz	Pass	PK	2.4884G	65.83	74.00	-8.17	3	Horizontal	317	1.27	-
2452MHz	Pass	AV	4.89548G	33.75	54.00	-20.25	3	Vertical	231	1.37	-
2452MHz	Pass	AV	7.358G	38.48	54.00	-15.52	3	Vertical	311	1.20	-
2452MHz	Pass	PK	4.90984G	45.34	74.00	-28.66	3	Vertical	231	1.37	-
2452MHz	Pass	PK	7.35988G	50.24	74.00	-23.76	3	Vertical	311	1.20	-
2452MHz	Pass	AV	4.89716G	33.85	54.00	-20.15	3	Horizontal	280	2.95	-
2452MHz	Pass	AV	7.36144G	38.62	54.00	-15.38	3	Horizontal	282	1.06	-
2452MHz	Pass	PK	4.9112G	45.94	74.00	-28.06	3	Horizontal	280	2.95	-
2452MHz	Pass	PK	7.35624G	50.29	74.00	-23.71	3	Horizontal	282	1.06	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.62	54.00	-4.38	35.56	3	Vertical	227	2.39	-	14.06	27.28	8.28	-
AV	2.4112G	102.61	Inf	-Inf	35.64	3	Vertical	227	2.39	-	66.97	27.34	8.30	-
PK	2.382G	61.13	74.00	-12.87	35.54	3	Vertical	227	2.39	-	25.59	27.26	8.28	-
PK	2.411G	106.30	Inf	-Inf	35.64	3	Vertical	227	2.39	-	70.66	27.34	8.30	-


802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.95	54.00	-1.05	35.56	3	Horizontal	138	2.70	-	17.39	27.28	8.28	-
AV	2.4112G	112.04	Inf	-Inf	35.64	3	Horizontal	138	2.70	-	76.40	27.34	8.30	-
PK	2.387G	63.20	74.00	-10.80	35.55	3	Horizontal	138	2.70	-	27.65	27.27	8.28	-
PK	2.413G	115.89	Inf	-Inf	35.65	3	Horizontal	138	2.70	-	80.24	27.35	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	43.27	54.00	-10.73	8.05	3	Vertical	5	2.92	-	35.22	32.55	9.68	34.18
PK	4.82404G	49.49	74.00	-24.51	8.05	3	Vertical	5	2.92	-	41.44	32.55	9.68	34.18


802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	48.01	54.00	-5.99	8.05	3	Horizontal	139	2.28	-	39.96	32.55	9.68	34.18
PK	4.824G	51.44	74.00	-22.56	8.05	3	Horizontal	139	2.28	-	43.39	32.55	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3852G	49.27	54.00	-4.73	35.55	3	Vertical	228	2.91	-	13.72	27.27	8.28	-
AV	2.4162G	105.10	Inf	-Inf	35.66	3	Vertical	228	2.91	-	69.44	27.36	8.30	-
PK	2.3898G	60.63	74.00	-13.37	35.56	3	Vertical	228	2.91	-	25.07	27.28	8.28	-
PK	2.418G	108.95	Inf	-Inf	35.67	3	Vertical	228	2.91	-	73.28	27.37	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.11	54.00	-0.89	35.56	3	Horizontal	140	2.72	-	17.55	27.28	8.28	-
AV	2.4162G	112.16	Inf	-Inf	35.66	3	Horizontal	140	2.72	-	76.50	27.36	8.30	-
PK	2.39G	62.89	74.00	-11.11	35.56	3	Horizontal	140	2.72	-	27.33	27.28	8.28	-
PK	2.418G	115.97	Inf	-Inf	35.67	3	Horizontal	140	2.72	-	80.30	27.37	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83398G	40.71	54.00	-13.29	8.07	3	Vertical	288	2.62	-	32.64	32.57	9.68	34.18
AV	7.25261G	43.79	54.00	-10.21	13.50	3	Vertical	204	2.62	-	30.29	36.69	11.31	34.50
PK	4.834G	48.48	74.00	-25.52	8.07	3	Vertical	288	2.62	-	40.41	32.57	9.68	34.18
PK	7.25253G	54.21	74.00	-19.79	13.50	3	Vertical	204	2.62	-	40.71	36.69	11.31	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83394G	49.25	54.00	-4.75	8.07	3	Horizontal	146	2.94	-	41.18	32.57	9.68	34.18
AV	7.25268G	46.02	54.00	-7.98	13.50	3	Horizontal	327	1.06	-	32.52	36.69	11.31	34.50
PK	4.83394G	53.27	74.00	-20.73	8.07	3	Horizontal	146	2.94	-	45.20	32.57	9.68	34.18
PK	7.25245G	55.43	74.00	-18.57	13.51	3	Horizontal	327	1.06	-	41.92	36.70	11.31	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.10	54.00	-5.90	35.56	3	Vertical	71	1.05	-	12.54	27.28	8.28	-
AV	2.4362G	103.11	Inf	-Inf	35.75	3	Vertical	71	1.05	-	67.36	27.44	8.31	-
AV	2.4986G	48.46	54.00	-5.54	36.14	3	Vertical	71	1.05	-	12.32	27.79	8.35	-
PK	2.3894G	59.43	74.00	-14.57	35.56	3	Vertical	71	1.05	-	23.87	27.28	8.28	-
PK	2.4362G	106.85	Inf	-Inf	35.75	3	Vertical	71	1.05	-	71.10	27.44	8.31	-
PK	2.4974G	59.66	74.00	-14.34	36.13	3	Vertical	71	1.05	-	23.53	27.78	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.59	54.00	-3.41	35.56	3	Horizontal	336	1.27	-	15.03	27.28	8.28	-
AV	2.4362G	112.10	Inf	-Inf	35.75	3	Horizontal	336	1.27	-	76.35	27.44	8.31	-
AV	2.4858G	51.08	54.00	-2.92	36.06	3	Horizontal	336	1.27	-	15.02	27.71	8.35	-
PK	2.3894G	61.30	74.00	-12.70	35.56	3	Horizontal	336	1.27	-	25.74	27.28	8.28	-
PK	2.4378G	115.91	Inf	-Inf	35.76	3	Horizontal	336	1.27	-	80.15	27.45	8.31	-
PK	2.4882G	61.69	74.00	-12.31	36.08	3	Horizontal	336	1.27	-	25.61	27.73	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	46.57	54.00	-7.43	8.19	3	Vertical	80	2.66	-	38.38	32.65	9.70	34.16
AV	7.31268G	50.83	54.00	-3.17	13.45	3	Vertical	178	2.95	-	37.38	36.63	11.32	34.50
PK	4.87384G	51.88	74.00	-22.12	8.19	3	Vertical	80	2.66	-	43.69	32.65	9.70	34.16
PK	7.31208G	57.80	74.00	-16.20	13.44	3	Vertical	178	2.95	-	44.36	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87392G	51.10	54.00	-2.90	8.19	3	Horizontal	141	1.50	-	42.91	32.65	9.70	34.16
AV	7.31272G	53.61	54.00	-0.39	13.45	3	Horizontal	325	2.69	-	40.16	36.63	11.32	34.50
PK	4.874G	54.28	74.00	-19.72	8.19	3	Horizontal	141	1.50	-	46.09	32.65	9.70	34.16
PK	7.31192G	59.84	74.00	-14.16	13.44	3	Horizontal	325	2.69	-	46.40	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	105.53	Inf	-Inf	35.87	3	Vertical	264	2.85	-	69.66	27.54	8.33	-
AV	2.4974G	49.04	54.00	-4.96	36.13	3	Vertical	264	2.85	-	12.91	27.78	8.35	-
PK	2.456G	109.27	Inf	-Inf	35.87	3	Vertical	264	2.85	-	73.40	27.54	8.33	-
PK	2.4916G	61.28	74.00	-12.72	36.10	3	Vertical	264	2.85	-	25.18	27.75	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	113.53	Inf	-Inf	35.87	3	Horizontal	331	2.94	-	77.66	27.54	8.33	-
AV	2.4886G	52.87	54.00	-1.13	36.08	3	Horizontal	331	2.94	-	16.79	27.73	8.35	-
PK	2.458G	117.36	Inf	-Inf	35.88	3	Horizontal	331	2.94	-	81.48	27.55	8.33	-
PK	2.4835G	64.76	74.00	-9.24	36.04	3	Horizontal	331	2.94	-	28.72	27.70	8.34	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	44.02	54.00	-9.98	8.34	3	Vertical	166	3.00	-	35.68	32.76	9.72	34.14
AV	7.3697G	47.14	54.00	-6.86	13.42	3	Vertical	205	2.84	-	33.72	36.58	11.33	34.49
PK	4.91392G	49.31	74.00	-24.69	8.34	3	Vertical	166	3.00	-	40.97	32.76	9.72	34.14
PK	7.37004G	55.35	74.00	-18.65	13.42	3	Vertical	205	2.84	-	41.93	36.58	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91406G	50.60	54.00	-3.40	8.34	3	Horizontal	140	3.00	-	42.26	32.76	9.72	34.14
AV	7.37284G	52.43	54.00	-1.57	13.40	3	Horizontal	326	2.31	-	39.03	36.56	11.33	34.49
PK	4.91402G	54.66	74.00	-19.34	8.34	3	Horizontal	140	3.00	-	46.32	32.76	9.72	34.14
PK	7.36996G	58.71	74.00	-15.29	13.42	3	Horizontal	326	2.31	-	45.29	36.58	11.33	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	102.83	Inf	-Inf	35.90	3	Vertical	153	2.89	-	66.93	27.57	8.33	-
AV	2.4848G	49.54	54.00	-4.46	36.06	3	Vertical	153	2.89	-	13.48	27.71	8.35	-
PK	2.463G	106.63	Inf	-Inf	35.91	3	Vertical	153	2.89	-	70.72	27.58	8.33	-
PK	2.4842G	60.59	74.00	-13.41	36.05	3	Vertical	153	2.89	-	24.54	27.71	8.34	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	112.42	Inf	-Inf	35.90	3	Horizontal	334	1.12	-	76.52	27.57	8.33	-
AV	2.4848G	53.22	54.00	-0.78	36.06	3	Horizontal	334	1.12	-	17.16	27.71	8.35	-
PK	2.463G	116.28	Inf	-Inf	35.91	3	Horizontal	334	1.12	-	80.37	27.58	8.33	-
PK	2.4964G	64.08	74.00	-9.92	36.13	3	Horizontal	334	1.12	-	27.95	27.78	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	44.95	54.00	-9.05	8.38	3	Vertical	163	2.76	-	36.57	32.80	9.72	34.14
AV	7.38672G	45.72	54.00	-8.28	13.33	3	Vertical	97	3.00	-	32.39	36.48	11.34	34.49
PK	4.92388G	50.40	74.00	-23.60	8.38	3	Vertical	163	2.76	-	42.02	32.80	9.72	34.14
PK	7.385G	54.74	74.00	-19.26	13.34	3	Vertical	97	3.00	-	41.40	36.49	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	49.14	54.00	-4.86	8.38	3	Horizontal	138	1.50	-	40.76	32.80	9.72	34.14
AV	7.38468G	52.47	54.00	-1.53	13.34	3	Horizontal	323	2.75	-	39.13	36.49	11.34	34.49
PK	4.92384G	53.52	74.00	-20.48	8.38	3	Horizontal	138	1.50	-	45.14	32.80	9.72	34.14
PK	7.38496G	58.81	74.00	-15.19	13.34	3	Horizontal	323	2.75	-	45.47	36.49	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3786G	50.03	54.00	-3.97	35.53	3	Vertical	211	2.39	-	14.50	27.26	8.27	-
AV	2.408G	93.60	Inf	-Inf	35.63	3	Vertical	211	2.39	-	57.97	27.33	8.30	-
PK	2.3894G	62.99	74.00	-11.01	35.56	3	Vertical	211	2.39	-	27.43	27.28	8.28	-
PK	2.4072G	102.22	Inf	-Inf	35.62	3	Vertical	211	2.39	-	66.60	27.33	8.29	-


802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.06	54.00	-1.94	35.56	3	Horizontal	138	2.72	-	16.50	27.28	8.28	-
AV	2.4144G	102.91	Inf	-Inf	35.66	3	Horizontal	138	2.72	-	67.25	27.36	8.30	-
PK	2.389G	72.33	74.00	-1.67	35.56	3	Horizontal	138	2.72	-	36.77	27.28	8.28	-
PK	2.4144G	111.94	Inf	-Inf	35.66	3	Horizontal	138	2.72	-	76.28	27.36	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82268G	36.00	54.00	-18.00	8.04	3	Vertical	40	1.48	-	27.96	32.55	9.68	34.19
PK	4.82796G	46.94	74.00	-27.06	8.06	3	Vertical	40	1.48	-	38.88	32.56	9.68	34.18


802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82412G	35.94	54.00	-18.06	8.05	3	Horizontal	192	1.45	-	27.89	32.55	9.68	34.18
PK	4.8206G	46.55	74.00	-27.45	8.03	3	Horizontal	192	1.45	-	38.52	32.54	9.68	34.19

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.65	54.00	-3.35	35.56	3	Vertical	208	2.39	-	15.09	27.28	8.28	-
AV	2.4096G	94.65	Inf	-Inf	35.64	3	Vertical	208	2.39	-	59.01	27.34	8.30	-
PK	2.3872G	66.27	74.00	-7.73	35.55	3	Vertical	208	2.39	-	30.72	27.27	8.28	-
PK	2.4096G	102.82	Inf	-Inf	35.64	3	Vertical	208	2.39	-	67.18	27.34	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.40	54.00	-0.60	35.56	3	Horizontal	140	2.70	-	17.84	27.28	8.28	-
AV	2.4152G	104.71	Inf	-Inf	35.66	3	Horizontal	140	2.70	-	69.05	27.36	8.30	-
PK	2.3868G	72.73	74.00	-1.27	35.55	3	Horizontal	140	2.70	-	37.18	27.27	8.28	-
PK	2.4186G	113.51	Inf	-Inf	35.67	3	Horizontal	140	2.70	-	77.84	27.37	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.383G	49.86	54.00	-4.14	35.55	3	Vertical	70	1.03	-	14.31	27.27	8.28	-
AV	2.4334G	97.89	Inf	-Inf	35.74	3	Vertical	70	1.03	-	62.15	27.43	8.31	-
AV	2.4842G	50.31	54.00	-3.69	36.05	3	Vertical	70	1.03	-	14.26	27.71	8.34	-
PK	2.3898G	60.98	74.00	-13.02	35.56	3	Vertical	70	1.03	-	25.42	27.28	8.28	-
PK	2.4302G	106.54	Inf	-Inf	35.73	3	Vertical	70	1.03	-	70.81	27.42	8.31	-
PK	2.4894G	60.08	74.00	-13.92	36.09	3	Vertical	70	1.03	-	23.99	27.74	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	53.56	54.00	-0.44	35.56	3	Horizontal	338	1.76	-	18.00	27.28	8.28	-
AV	2.4394G	107.19	Inf	-Inf	35.78	3	Horizontal	338	1.76	-	71.41	27.46	8.32	-
AV	2.4838G	52.02	54.00	-1.98	36.04	3	Horizontal	338	1.76	-	15.98	27.70	8.34	-
PK	2.3898G	65.80	74.00	-8.20	35.56	3	Horizontal	338	1.76	-	30.24	27.28	8.28	-
PK	2.4386G	115.93	Inf	-Inf	35.77	3	Horizontal	338	1.76	-	80.16	27.45	8.32	-
PK	2.485G	65.76	74.00	-8.24	36.06	3	Horizontal	338	1.76	-	29.70	27.71	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87592G	36.90	54.00	-17.10	8.19	3	Vertical	78	2.38	-	28.71	32.65	9.70	34.16
AV	7.31044G	44.07	54.00	-9.93	13.44	3	Vertical	178	2.94	-	30.63	36.62	11.32	34.50
PK	4.87112G	48.44	74.00	-25.56	8.18	3	Vertical	78	2.38	-	40.26	32.64	9.70	34.16
PK	7.3126G	56.69	74.00	-17.31	13.45	3	Vertical	178	2.94	-	43.24	36.63	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87664G	39.14	54.00	-14.86	8.19	3	Horizontal	141	1.67	-	30.95	32.65	9.70	34.16
AV	7.31044G	45.38	54.00	-8.62	13.44	3	Horizontal	326	2.51	-	31.94	36.62	11.32	34.50
PK	4.87744G	50.26	74.00	-23.74	8.19	3	Horizontal	141	1.67	-	42.07	32.65	9.70	34.16
PK	7.31236G	58.88	74.00	-15.12	13.44	3	Horizontal	326	2.51	-	45.44	36.62	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4542G	96.96	Inf	-Inf	35.86	3	Vertical	263	2.84	-	61.10	27.53	8.33	-
AV	2.4914G	50.38	54.00	-3.62	36.10	3	Vertical	263	2.84	-	14.28	27.75	8.35	-
PK	2.4586G	105.76	Inf	-Inf	35.88	3	Vertical	263	2.84	-	69.88	27.55	8.33	-
PK	2.4842G	61.63	74.00	-12.37	36.05	3	Vertical	263	2.84	-	25.58	27.71	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	104.51	Inf	-Inf	35.86	3	Horizontal	335	2.94	-	68.65	27.53	8.33	-
AV	2.4836G	53.17	54.00	-0.83	36.04	3	Horizontal	335	2.94	-	17.13	27.70	8.34	-
PK	2.4596G	113.42	Inf	-Inf	35.89	3	Horizontal	335	2.94	-	77.53	27.56	8.33	-
PK	2.485G	68.50	74.00	-5.50	36.06	3	Horizontal	335	2.94	-	32.44	27.71	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4662G	93.50	Inf	-Inf	35.93	3	Vertical	154	2.89	-	57.57	27.60	8.33	-
AV	2.484G	50.72	54.00	-3.28	36.04	3	Vertical	154	2.89	-	14.68	27.70	8.34	-
PK	2.4634G	102.24	Inf	-Inf	35.91	3	Vertical	154	2.89	-	66.33	27.58	8.33	-
PK	2.4835G	66.49	74.00	-7.51	36.04	3	Vertical	154	2.89	-	30.45	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4602G	103.31	Inf	-Inf	35.89	3	Horizontal	334	1.14	-	67.42	27.56	8.33	-
AV	2.484G	53.26	54.00	-0.74	36.04	3	Horizontal	334	1.14	-	17.22	27.70	8.34	-
PK	2.4646G	112.00	Inf	-Inf	35.92	3	Horizontal	334	1.14	-	76.08	27.59	8.33	-
PK	2.484G	73.34	74.00	-0.66	36.04	3	Horizontal	334	1.14	-	37.30	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.916G	36.30	54.00	-17.70	8.34	3	Vertical	188	1.77	-	27.96	32.76	9.72	34.14
AV	7.37616G	41.23	54.00	-12.77	13.39	3	Vertical	202	1.23	-	27.84	36.54	11.34	34.49
PK	4.9268G	46.59	74.00	-27.41	8.39	3	Vertical	188	1.77	-	38.20	32.81	9.72	34.14
PK	7.388G	55.24	74.00	-18.76	13.32	3	Vertical	202	1.23	-	41.92	36.47	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	36.98	54.00	-17.02	8.38	3	Horizontal	135	2.67	-	28.60	32.80	9.72	34.14
AV	7.38192G	41.65	54.00	-12.35	13.36	3	Horizontal	325	2.93	-	28.29	36.51	11.34	34.49
PK	4.91896G	47.16	74.00	-26.84	8.36	3	Horizontal	135	2.67	-	38.80	32.78	9.72	34.14
PK	7.38568G	55.64	74.00	-18.36	13.34	3	Horizontal	325	2.93	-	42.30	36.49	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.57	54.00	-5.43	35.56	3	Vertical	65	1.01	-	13.01	27.28	8.28	-
AV	2.4182G	90.91	Inf	-Inf	35.67	3	Vertical	65	1.01	-	55.24	27.37	8.30	-
PK	2.3878G	64.22	74.00	-9.78	35.56	3	Vertical	65	1.01	-	28.66	27.28	8.28	-
PK	2.4168G	104.70	Inf	-Inf	35.67	3	Vertical	65	1.01	-	69.03	27.37	8.30	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.25	54.00	-1.75	35.56	3	Horizontal	138	2.69	-	16.69	27.28	8.28	-
AV	2.4104G	100.62	Inf	-Inf	35.64	3	Horizontal	138	2.69	-	64.98	27.34	8.30	-
PK	2.389G	72.87	74.00	-1.13	35.56	3	Horizontal	138	2.69	-	37.31	27.28	8.28	-
PK	2.409G	114.67	Inf	-Inf	35.64	3	Horizontal	138	2.69	-	79.03	27.34	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81908G	32.17	54.00	-21.83	8.03	3	Vertical	186	1.23	-	24.14	32.54	9.68	34.19
PK	4.8204G	45.78	74.00	-28.22	8.03	3	Vertical	186	1.23	-	37.75	32.54	9.68	34.19


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81948G	32.18	54.00	-21.82	8.03	3	Horizontal	355	1.16	-	24.15	32.54	9.68	34.19
PK	4.81812G	45.77	74.00	-28.23	8.03	3	Horizontal	355	1.16	-	37.74	32.54	9.68	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	49.26	54.00	-4.74	35.56	3	Vertical	65	1.02	-	13.70	27.28	8.28	-
AV	2.4198G	92.56	Inf	-Inf	35.68	3	Vertical	65	1.02	-	56.88	27.38	8.30	-
PK	2.3896G	65.06	74.00	-8.94	35.56	3	Vertical	65	1.02	-	29.50	27.28	8.28	-
PK	2.4188G	105.90	Inf	-Inf	35.68	3	Vertical	65	1.02	-	70.22	27.38	8.30	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.49	54.00	-0.51	35.56	3	Horizontal	143	3.00	-	17.93	27.28	8.28	-
AV	2.42G	102.12	Inf	-Inf	35.68	3	Horizontal	143	3.00	-	66.44	27.38	8.30	-
PK	2.389G	73.33	74.00	-0.67	35.56	3	Horizontal	143	3.00	-	37.77	27.28	8.28	-
PK	2.414G	116.18	Inf	-Inf	35.66	3	Horizontal	143	3.00	-	80.52	27.36	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.65	54.00	-5.35	35.56	3	Vertical	73	1.05	-	13.09	27.28	8.28	-
AV	2.4298G	93.92	Inf	-Inf	35.73	3	Vertical	73	1.05	-	58.19	27.42	8.31	-
AV	2.4838G	48.52	54.00	-5.48	36.04	3	Vertical	73	1.05	-	12.48	27.70	8.34	-
PK	2.3886G	60.97	74.00	-13.03	35.56	3	Vertical	73	1.05	-	25.41	27.28	8.28	-
PK	2.4302G	107.01	Inf	-Inf	35.73	3	Vertical	73	1.05	-	71.28	27.42	8.31	-
PK	2.497G	60.28	74.00	-13.72	36.13	3	Vertical	73	1.05	-	24.15	27.78	8.35	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.07	54.00	-0.93	35.56	3	Horizontal	139	1.35	-	17.51	27.28	8.28	-
AV	2.4318G	104.74	Inf	-Inf	35.74	3	Horizontal	139	1.35	-	69.00	27.43	8.31	-
AV	2.4835G	51.94	54.00	-2.06	36.04	3	Horizontal	139	1.35	-	15.90	27.70	8.34	-
PK	2.389G	69.42	74.00	-4.58	35.56	3	Horizontal	139	1.35	-	33.86	27.28	8.28	-
PK	2.4338G	119.01	Inf	-Inf	35.75	3	Horizontal	139	1.35	-	83.26	27.44	8.31	-
PK	2.4866G	71.58	74.00	-2.42	36.07	3	Horizontal	139	1.35	-	35.51	27.72	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87408G	33.77	54.00	-20.23	8.19	3	Vertical	82	2.52	-	25.58	32.65	9.70	34.16
AV	7.31036G	39.05	54.00	-14.95	13.44	3	Vertical	186	1.00	-	25.61	36.62	11.32	34.50
PK	4.88092G	48.09	74.00	-25.91	8.20	3	Vertical	82	2.52	-	39.89	32.66	9.70	34.16
PK	7.31808G	53.45	74.00	-20.55	13.46	3	Vertical	186	1.00	-	39.99	36.64	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87536G	35.72	54.00	-18.28	8.19	3	Horizontal	331	1.09	-	27.53	32.65	9.70	34.16
AV	7.312G	42.45	54.00	-11.55	13.44	3	Horizontal	325	1.00	-	29.01	36.62	11.32	34.50
PK	4.87224G	51.80	74.00	-22.20	8.18	3	Horizontal	331	1.09	-	43.62	32.64	9.70	34.16
PK	7.31856G	58.01	74.00	-15.99	13.46	3	Horizontal	325	1.00	-	44.55	36.64	11.32	34.50

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4498G	93.91	Inf	-Inf	35.82	3	Vertical	263	2.84	-	58.09	27.50	8.32	-
AV	2.4835G	49.40	54.00	-4.60	36.04	3	Vertical	263	2.84	-	13.36	27.70	8.34	-
PK	2.454G	107.92	Inf	-Inf	35.85	3	Vertical	263	2.84	-	72.07	27.52	8.33	-
PK	2.4835G	63.69	74.00	-10.31	36.04	3	Vertical	263	2.84	-	27.65	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.455G	101.91	Inf	-Inf	35.86	3	Horizontal	332	2.93	-	66.05	27.53	8.33	-
AV	2.4835G	53.13	54.00	-0.87	36.04	3	Horizontal	332	2.93	-	17.09	27.70	8.34	-
PK	2.454G	115.86	Inf	-Inf	35.85	3	Horizontal	332	2.93	-	80.01	27.52	8.33	-
PK	2.489G	72.57	74.00	-1.43	36.08	3	Horizontal	332	2.93	-	36.49	27.73	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	88.73	Inf	-Inf	35.86	3	Vertical	40	1.02	-	52.87	27.53	8.33	-
AV	2.4854G	48.44	54.00	-5.56	36.06	3	Vertical	40	1.02	-	12.38	27.71	8.35	-
PK	2.4552G	102.61	Inf	-Inf	35.86	3	Vertical	40	1.02	-	66.75	27.53	8.33	-
PK	2.4852G	65.26	74.00	-8.74	36.06	3	Vertical	40	1.02	-	29.20	27.71	8.35	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4566G	97.91	Inf	-Inf	35.87	3	Horizontal	336	1.69	-	62.04	27.54	8.33	-
AV	2.4835G	50.06	54.00	-3.94	36.04	3	Horizontal	336	1.69	-	14.02	27.70	8.34	-
PK	2.4588G	111.82	Inf	-Inf	35.88	3	Horizontal	336	1.69	-	75.94	27.55	8.33	-
PK	2.4836G	73.55	74.00	-0.45	36.04	3	Horizontal	336	1.69	-	37.51	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92124G	32.41	54.00	-21.59	8.36	3	Vertical	301	1.74	-	24.05	32.78	9.72	34.14
AV	7.38068G	37.27	54.00	-16.73	13.37	3	Vertical	208	1.27	-	23.90	36.52	11.34	34.49
PK	4.91444G	46.47	74.00	-27.53	8.34	3	Vertical	301	1.74	-	38.13	32.76	9.72	34.14
PK	7.38264G	50.95	74.00	-23.05	13.35	3	Vertical	208	1.27	-	37.60	36.50	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9152G	32.42	54.00	-21.58	8.34	3	Horizontal	220	1.13	-	24.08	32.76	9.72	34.14
AV	7.37836G	37.22	54.00	-16.78	13.38	3	Horizontal	112	2.15	-	23.84	36.53	11.34	34.49
PK	4.92152G	46.23	74.00	-27.77	8.37	3	Horizontal	220	1.13	-	37.86	32.79	9.72	34.14
PK	7.38672G	51.31	74.00	-22.69	13.33	3	Horizontal	112	2.15	-	37.98	36.48	11.34	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.22	54.00	-4.78	35.56	3	Vertical	65	1.01	-	13.66	27.28	8.28	-
AV	2.418G	89.00	Inf	-Inf	35.67	3	Vertical	65	1.01	-	53.33	27.37	8.30	-
AV	2.4968G	49.33	54.00	-4.67	36.13	3	Vertical	65	1.01	-	13.20	27.78	8.35	-
PK	2.3852G	61.52	74.00	-12.48	35.55	3	Vertical	65	1.01	-	25.97	27.27	8.28	-
PK	2.4188G	101.63	Inf	-Inf	35.68	3	Vertical	65	1.01	-	65.95	27.38	8.30	-
PK	2.4944G	59.23	74.00	-14.77	36.12	3	Vertical	65	1.01	-	23.11	27.77	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.80	54.00	-0.20	35.56	3	Horizontal	138	1.55	-	18.24	27.28	8.28	-
AV	2.418G	98.47	Inf	-Inf	35.67	3	Horizontal	138	1.55	-	62.80	27.37	8.30	-
AV	2.4835G	49.65	54.00	-4.35	36.04	3	Horizontal	138	1.55	-	13.61	27.70	8.34	-
PK	2.3844G	70.98	74.00	-3.02	35.55	3	Horizontal	138	1.55	-	35.43	27.27	8.28	-
PK	2.4188G	110.91	Inf	-Inf	35.68	3	Horizontal	138	1.55	-	75.23	27.38	8.30	-
PK	2.4876G	61.91	74.00	-12.09	36.08	3	Horizontal	138	1.55	-	25.83	27.73	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84096G	33.94	54.00	-20.06	8.09	3	Vertical	38	1.45	-	25.85	32.58	9.69	34.18
AV	7.25756G	38.45	54.00	-15.55	13.49	3	Vertical	61	1.25	-	24.96	36.68	11.31	34.50
PK	4.83912G	45.66	74.00	-28.34	8.09	3	Vertical	38	1.45	-	37.57	32.58	9.69	34.18
PK	7.268G	50.33	74.00	-23.67	13.47	3	Vertical	61	1.25	-	36.86	36.66	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84176G	33.72	54.00	-20.28	8.09	3	Horizontal	163	1.78	-	25.63	32.58	9.69	34.18
AV	7.27268G	38.61	54.00	-15.39	13.46	3	Horizontal	98	2.91	-	25.15	36.65	11.31	34.50
PK	4.84388G	45.66	74.00	-28.34	8.11	3	Horizontal	163	1.78	-	37.55	32.59	9.69	34.17
PK	7.25964G	51.09	74.00	-22.91	13.49	3	Horizontal	98	2.91	-	37.60	36.68	11.31	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	49.29	54.00	-4.71	35.56	3	Vertical	65	1.02	-	13.73	27.28	8.28	-
AV	2.421G	89.29	Inf	-Inf	35.68	3	Vertical	65	1.02	-	53.61	27.38	8.30	-
AV	2.4958G	49.30	54.00	-4.70	36.12	3	Vertical	65	1.02	-	13.18	27.77	8.35	-
PK	2.3894G	63.85	74.00	-10.15	35.56	3	Vertical	65	1.02	-	28.29	27.28	8.28	-
PK	2.4238G	101.64	Inf	-Inf	35.71	3	Vertical	65	1.02	-	65.93	27.40	8.31	-
PK	2.4866G	60.53	74.00	-13.47	36.07	3	Vertical	65	1.02	-	24.46	27.72	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.83	54.00	-0.17	35.56	3	Horizontal	138	1.32	-	18.27	27.28	8.28	-
AV	2.4326G	99.19	Inf	-Inf	35.74	3	Horizontal	138	1.32	-	63.45	27.43	8.31	-
AV	2.4858G	50.08	54.00	-3.92	36.06	3	Horizontal	138	1.32	-	14.02	27.71	8.35	-
PK	2.389G	73.31	74.00	-0.69	35.56	3	Horizontal	138	1.32	-	37.75	27.28	8.28	-
PK	2.4322G	111.67	Inf	-Inf	35.74	3	Horizontal	138	1.32	-	75.93	27.43	8.31	-
PK	2.4835G	63.57	74.00	-10.43	36.04	3	Horizontal	138	1.32	-	27.53	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.93	54.00	-5.07	35.56	3	Vertical	66	1.01	-	13.37	27.28	8.28	-
AV	2.4238G	89.06	Inf	-Inf	35.71	3	Vertical	66	1.01	-	53.35	27.40	8.31	-
AV	2.4882G	49.33	54.00	-4.67	36.08	3	Vertical	66	1.01	-	13.25	27.73	8.35	-
PK	2.3886G	62.51	74.00	-11.49	35.56	3	Vertical	66	1.01	-	26.95	27.28	8.28	-
PK	2.4246G	100.71	Inf	-Inf	35.71	3	Vertical	66	1.01	-	65.00	27.40	8.31	-
PK	2.4878G	60.31	74.00	-13.69	36.08	3	Vertical	66	1.01	-	24.23	27.73	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	53.36	54.00	-0.64	35.56	3	Horizontal	140	1.36	-	17.80	27.28	8.28	-
AV	2.4314G	99.46	Inf	-Inf	35.74	3	Horizontal	140	1.36	-	63.72	27.43	8.31	-
AV	2.4842G	51.74	54.00	-2.26	36.05	3	Horizontal	140	1.36	-	15.69	27.71	8.34	-
PK	2.3894G	72.75	74.00	-1.25	35.56	3	Horizontal	140	1.36	-	37.19	27.28	8.28	-
PK	2.4338G	111.96	Inf	-Inf	35.75	3	Horizontal	140	1.36	-	76.21	27.44	8.31	-
PK	2.4838G	68.59	74.00	-5.41	36.04	3	Horizontal	140	1.36	-	32.55	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86936G	33.75	54.00	-20.25	8.18	3	Vertical	73	1.08	-	25.57	32.64	9.70	34.16
AV	7.31312G	38.53	54.00	-15.47	13.45	3	Vertical	35	2.87	-	25.08	36.63	11.32	34.50
PK	4.87792G	45.38	74.00	-28.62	8.20	3	Vertical	73	1.08	-	37.18	32.66	9.70	34.16
PK	7.3056G	50.43	74.00	-23.57	13.43	3	Vertical	35	2.87	-	37.00	36.61	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8688G	33.64	54.00	-20.36	8.18	3	Horizontal	22	2.01	-	25.46	32.64	9.70	34.16
AV	7.3088G	38.52	54.00	-15.48	13.44	3	Horizontal	171	1.25	-	25.08	36.62	11.32	34.50
PK	4.87716G	45.25	74.00	-28.75	8.19	3	Horizontal	22	2.01	-	37.06	32.65	9.70	34.16
PK	7.3164G	50.50	74.00	-23.50	13.45	3	Horizontal	171	1.25	-	37.05	36.63	11.32	34.50

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3874G	48.70	54.00	-5.30	35.55	3	Vertical	51	1.03	-	13.15	27.27	8.28	-
AV	2.4534G	87.92	Inf	-Inf	35.84	3	Vertical	51	1.03	-	52.08	27.52	8.32	-
AV	2.4835G	49.85	54.00	-4.15	36.04	3	Vertical	51	1.03	-	13.81	27.70	8.34	-
PK	2.353G	60.49	74.00	-13.51	35.46	3	Vertical	51	1.03	-	25.03	27.21	8.25	-
PK	2.4522G	100.36	Inf	-Inf	35.83	3	Vertical	51	1.03	-	64.53	27.51	8.32	-
PK	2.4835G	62.51	74.00	-11.49	36.04	3	Vertical	51	1.03	-	26.47	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.385G	50.48	54.00	-3.52	35.55	3	Horizontal	337	1.74	-	14.93	27.27	8.28	-
AV	2.4414G	98.42	Inf	-Inf	35.79	3	Horizontal	337	1.74	-	62.63	27.47	8.32	-
AV	2.485G	53.37	54.00	-0.63	36.06	3	Horizontal	337	1.74	-	17.31	27.71	8.35	-
PK	2.3894G	61.98	74.00	-12.02	35.56	3	Horizontal	337	1.74	-	26.42	27.28	8.28	-
PK	2.4438G	110.46	Inf	-Inf	35.80	3	Horizontal	337	1.74	-	74.66	27.48	8.32	-
PK	2.4838G	70.43	74.00	-3.57	36.04	3	Horizontal	337	1.74	-	34.39	27.70	8.34	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3536G	48.80	54.00	-5.20	35.47	3	Vertical	74	1.00	-	13.33	27.21	8.26	-
AV	2.4576G	87.76	Inf	-Inf	35.88	3	Vertical	74	1.00	-	51.88	27.55	8.33	-
AV	2.4988G	49.53	54.00	-4.47	36.14	3	Vertical	74	1.00	-	13.39	27.79	8.35	-
PK	2.3744G	59.04	74.00	-14.96	35.52	3	Vertical	74	1.00	-	23.52	27.25	8.27	-
PK	2.4488G	100.02	Inf	-Inf	35.82	3	Vertical	74	1.00	-	64.20	27.50	8.32	-
PK	2.4992G	60.94	74.00	-13.06	36.15	3	Vertical	74	1.00	-	24.79	27.80	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	49.51	54.00	-4.49	35.56	3	Horizontal	142	2.94	-	13.95	27.28	8.28	-
AV	2.4576G	98.62	Inf	-Inf	35.88	3	Horizontal	142	2.94	-	62.74	27.55	8.33	-
AV	2.484G	53.64	54.00	-0.36	36.04	3	Horizontal	142	2.94	-	17.60	27.70	8.34	-
PK	2.3688G	60.46	74.00	-13.54	35.51	3	Horizontal	142	2.94	-	24.95	27.24	8.27	-
PK	2.4572G	111.25	Inf	-Inf	35.87	3	Horizontal	142	2.94	-	75.38	27.54	8.33	-
PK	2.4864G	71.26	74.00	-2.74	36.07	3	Horizontal	142	2.94	-	35.19	27.72	8.35	-

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89528G	33.93	54.00	-20.07	8.25	3	Vertical	360	2.14	-	25.68	32.69	9.71	34.15
AV	7.349G	38.72	54.00	-15.28	13.53	3	Vertical	139	2.59	-	25.19	36.70	11.33	34.50
PK	4.89436G	46.96	74.00	-27.04	8.25	3	Vertical	360	2.14	-	38.71	32.69	9.71	34.15
PK	7.3526G	51.05	74.00	-22.95	13.52	3	Vertical	139	2.59	-	37.53	36.68	11.33	34.49

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91128G	33.91	54.00	-20.09	8.32	3	Horizontal	112	2.97	-	25.59	32.75	9.71	34.14
AV	7.35696G	38.67	54.00	-15.33	13.50	3	Horizontal	280	1.13	-	25.17	36.66	11.33	34.49
PK	4.89572G	46.38	74.00	-27.62	8.25	3	Horizontal	112	2.97	-	38.13	32.69	9.71	34.15
PK	7.35836G	51.70	74.00	-22.30	13.49	3	Horizontal	280	1.13	-	38.21	36.65	11.33	34.49

802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	52.69	54.00	-1.31	35.56	3	Horizontal	331	2.74	-	17.13	27.28	8.28	-
AV	2.4112G	114.46	Inf	-Inf	35.64	3	Horizontal	331	2.74	-	78.82	27.34	8.30	-
PK	2.3886G	64.28	74.00	-9.72	35.56	3	Horizontal	331	2.74	-	28.72	27.28	8.28	-
PK	2.413G	118.45	Inf	-Inf	35.65	3	Horizontal	331	2.74	-	82.80	27.35	8.30	-


802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	49.73	54.00	-4.27	8.05	3	Vertical	7	2.90	-	41.68	32.55	9.68	34.18
PK	4.824G	53.13	74.00	-20.87	8.05	3	Vertical	7	2.90	-	45.08	32.55	9.68	34.18

802.11b_Nss1,(1Mbps)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	50.14	54.00	-3.86	8.05	3	Horizontal	307	1.00	-	42.09	32.55	9.68	34.18
PK	4.82388G	52.73	74.00	-21.27	8.05	3	Horizontal	307	1.00	-	44.68	32.55	9.68	34.18


802.11b_Nss1,(1Mbps)_2TX
2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3868G	52.92	54.00	-1.08	35.55	3	Horizontal	331	3.00	-	17.37	27.27	8.28	-
AV	2.4162G	117.18	Inf	-Inf	35.66	3	Horizontal	331	3.00	-	81.52	27.36	8.30	-
PK	2.39G	64.18	74.00	-9.82	35.56	3	Horizontal	331	3.00	-	28.62	27.28	8.28	-
PK	2.418G	121.28	Inf	-Inf	35.67	3	Horizontal	331	3.00	-	85.61	27.37	8.30	-

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83396G	48.59	54.00	-5.41	8.07	3	Vertical	160	3.00	-	40.52	32.57	9.68	34.18
AV	7.25163G	45.63	54.00	-8.37	13.51	3	Vertical	203	2.25	-	32.12	36.70	11.31	34.50
PK	4.83404G	52.01	74.00	-21.99	8.07	3	Vertical	160	3.00	-	43.94	32.57	9.68	34.18
PK	7.25166G	54.82	74.00	-19.18	13.51	3	Vertical	203	2.25	-	41.31	36.70	11.31	34.50

802.11b_Nss1,(1Mbps)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.834G	53.16	54.00	-0.84	8.07	3	Horizontal	315	2.96	-	45.09	32.57	9.68	34.18
AV	7.2527G	48.01	54.00	-5.99	13.50	3	Horizontal	328	1.04	-	34.51	36.69	11.31	34.50
PK	4.834G	54.78	74.00	-19.22	8.07	3	Horizontal	315	2.96	-	46.71	32.57	9.68	34.18
PK	7.25237G	56.14	74.00	-17.86	13.51	3	Horizontal	328	1.04	-	42.63	36.70	11.31	34.50

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.383G	49.73	54.00	-4.27	35.55	3	Horizontal	311	1.35	-	14.18	27.27	8.28	-
AV	2.4362G	113.85	Inf	-Inf	35.75	3	Horizontal	311	1.35	-	78.10	27.44	8.31	-
AV	2.4874G	49.12	54.00	-4.88	36.07	3	Horizontal	311	1.35	-	13.05	27.72	8.35	-
PK	2.3866G	61.33	74.00	-12.67	35.55	3	Horizontal	311	1.35	-	25.78	27.27	8.28	-
PK	2.4378G	117.66	Inf	-Inf	35.76	3	Horizontal	311	1.35	-	81.90	27.45	8.31	-
PK	2.4974G	61.43	74.00	-12.57	36.13	3	Horizontal	311	1.35	-	25.30	27.78	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	48.20	54.00	-5.80	8.19	3	Vertical	112	2.98	-	40.01	32.65	9.70	34.16
AV	7.31268G	47.53	54.00	-6.47	13.45	3	Vertical	178	2.94	-	34.08	36.63	11.32	34.50
PK	4.87396G	51.74	74.00	-22.26	8.19	3	Vertical	112	2.98	-	43.55	32.65	9.70	34.16
PK	7.31188G	55.69	74.00	-18.31	13.44	3	Vertical	178	2.94	-	42.25	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87404G	52.06	54.00	-1.94	8.19	3	Horizontal	136	2.70	-	43.87	32.65	9.70	34.16
AV	7.31272G	53.16	54.00	-0.84	13.45	3	Horizontal	325	1.03	-	39.71	36.63	11.32	34.50
PK	4.87392G	55.21	74.00	-18.79	8.19	3	Horizontal	136	2.70	-	47.02	32.65	9.70	34.16
PK	7.31004G	59.24	74.00	-14.76	13.44	3	Horizontal	325	1.03	-	45.80	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	115.80	Inf	-Inf	35.90	3	Horizontal	311	2.95	-	79.90	27.57	8.33	-
AV	2.4856G	53.06	54.00	-0.94	36.06	3	Horizontal	311	2.95	-	17.00	27.71	8.35	-
PK	2.461G	119.64	Inf	-Inf	35.90	3	Horizontal	311	2.95	-	83.74	27.57	8.33	-
PK	2.4852G	65.04	74.00	-8.96	36.06	3	Horizontal	311	2.95	-	28.98	27.71	8.35	-

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	48.31	54.00	-5.69	8.38	3	Vertical	22	2.94	-	39.93	32.80	9.72	34.14
AV	7.38776G	47.16	54.00	-6.84	13.32	3	Vertical	196	1.31	-	33.84	36.47	11.34	34.49
PK	4.92384G	52.26	74.00	-21.74	8.38	3	Vertical	22	2.94	-	43.88	32.80	9.72	34.14
PK	7.38472G	55.36	74.00	-18.64	13.34	3	Vertical	196	1.31	-	42.02	36.49	11.34	34.49

802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92388G	52.96	54.00	-1.04	8.38	3	Horizontal	317	1.00	-	44.58	32.80	9.72	34.14
AV	7.38472G	53.46	54.00	-0.54	13.34	3	Horizontal	325	2.32	-	40.12	36.49	11.34	34.49
PK	4.924G	54.82	74.00	-19.18	8.38	3	Horizontal	317	1.00	-	46.44	32.80	9.72	34.14
PK	7.38444G	59.47	74.00	-14.53	13.34	3	Horizontal	325	2.32	-	46.13	36.49	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.81	54.00	-0.19	35.56	3	Horizontal	334	2.74	-	18.25	27.28	8.28	-
AV	2.4134G	105.40	Inf	-Inf	35.65	3	Horizontal	334	2.74	-	69.75	27.35	8.30	-
PK	2.3888G	73.53	74.00	-0.47	35.56	3	Horizontal	334	2.74	-	37.97	27.28	8.28	-
PK	2.4134G	113.79	Inf	-Inf	35.65	3	Horizontal	334	2.74	-	78.14	27.35	8.30	-


802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8242G	37.90	54.00	-16.10	8.05	3	Vertical	3	2.92	-	29.85	32.55	9.68	34.18
PK	4.82392G	48.74	74.00	-25.26	8.05	3	Vertical	3	2.92	-	40.69	32.55	9.68	34.18

802.11g_Nss1,(6Mbps)_2TX
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8252G	38.25	54.00	-15.75	8.05	3	Horizontal	145	2.54	-	30.20	32.55	9.68	34.18
PK	4.81988G	48.35	74.00	-25.65	8.03	3	Horizontal	145	2.54	-	40.32	32.54	9.68	34.19


802.11g_Nss1,(6Mbps)_2TX
2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.65	54.00	-0.35	35.56	3	Horizontal	330	3.00	-	18.09	27.28	8.28	-
AV	2.4142G	107.47	Inf	-Inf	35.66	3	Horizontal	330	3.00	-	71.81	27.36	8.30	-
PK	2.3852G	71.33	74.00	-2.67	35.55	3	Horizontal	330	3.00	-	35.78	27.27	8.28	-
PK	2.4194G	115.44	Inf	-Inf	35.68	3	Horizontal	330	3.00	-	79.76	27.38	8.30	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.60	54.00	-0.40	35.56	3	Horizontal	326	2.70	-	18.04	27.28	8.28	-
AV	2.4306G	109.80	Inf	-Inf	35.73	3	Horizontal	326	2.70	-	74.07	27.42	8.31	-
AV	2.485G	51.94	54.00	-2.06	36.06	3	Horizontal	326	2.70	-	15.88	27.71	8.35	-
PK	2.3874G	67.71	74.00	-6.29	35.55	3	Horizontal	326	2.70	-	32.16	27.27	8.28	-
PK	2.4302G	117.93	Inf	-Inf	35.73	3	Horizontal	326	2.70	-	82.20	27.42	8.31	-
PK	2.4846G	66.19	74.00	-7.81	36.05	3	Horizontal	326	2.70	-	30.14	27.71	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87412G	38.07	54.00	-15.93	8.19	3	Vertical	167	1.37	-	29.88	32.65	9.70	34.16
AV	7.31064G	43.49	54.00	-10.51	13.44	3	Vertical	199	2.43	-	30.05	36.62	11.32	34.50
PK	4.87384G	48.38	74.00	-25.62	8.19	3	Vertical	167	1.37	-	40.19	32.65	9.70	34.16
PK	7.306G	55.31	74.00	-18.69	13.43	3	Vertical	199	2.43	-	41.88	36.61	11.32	34.50

802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8752G	42.65	54.00	-11.35	8.19	3	Horizontal	330	1.01	-	34.46	32.65	9.70	34.16
AV	7.3126G	48.34	54.00	-5.66	13.45	3	Horizontal	324	1.00	-	34.89	36.63	11.32	34.50
PK	4.876G	52.79	74.00	-21.21	8.19	3	Horizontal	330	1.01	-	44.60	32.65	9.70	34.16
PK	7.31236G	61.31	74.00	-12.69	13.44	3	Horizontal	324	1.00	-	47.87	36.62	11.32	34.50

802.11g_Nss1,(6Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4544G	107.81	Inf	-Inf	35.86	3	Horizontal	331	2.94	-	71.95	27.53	8.33	-
AV	2.4835G	53.71	54.00	-0.29	36.04	3	Horizontal	331	2.94	-	17.67	27.70	8.34	-
PK	2.4588G	115.63	Inf	-Inf	35.88	3	Horizontal	331	2.94	-	79.75	27.55	8.33	-
PK	2.4838G	72.43	74.00	-1.57	36.04	3	Horizontal	331	2.94	-	36.39	27.70	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4636G	105.96	Inf	-Inf	35.91	3	Horizontal	144	2.96	-	70.05	27.58	8.33	-
AV	2.4842G	53.63	54.00	-0.37	36.05	3	Horizontal	144	2.96	-	17.58	27.71	8.34	-
PK	2.459G	114.16	Inf	-Inf	35.88	3	Horizontal	144	2.96	-	78.28	27.55	8.33	-
PK	2.4835G	71.69	74.00	-2.31	36.04	3	Horizontal	144	2.96	-	35.65	27.70	8.34	-

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92352G	35.38	54.00	-18.62	8.37	3	Vertical	34	2.95	-	27.01	32.79	9.72	34.14
AV	7.39464G	39.91	54.00	-14.09	13.28	3	Vertical	190	1.82	-	26.63	36.43	11.34	34.49
PK	4.91612G	46.35	74.00	-27.65	8.34	3	Vertical	34	2.95	-	38.01	32.76	9.72	34.14
PK	7.38628G	50.45	74.00	-23.55	13.33	3	Vertical	190	1.82	-	37.12	36.48	11.34	34.49

802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92472G	37.43	54.00	-16.57	8.38	3	Horizontal	314	1.00	-	29.05	32.80	9.72	34.14
AV	7.38528G	40.51	54.00	-13.49	13.34	3	Horizontal	230	1.50	-	27.17	36.49	11.34	34.49
PK	4.92452G	48.69	74.00	-25.31	8.38	3	Horizontal	314	1.00	-	40.31	32.80	9.72	34.14
PK	7.38036G	52.59	74.00	-21.41	13.37	3	Horizontal	230	1.50	-	39.22	36.52	11.34	34.49


802.11ax HEW20_Nss2,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.32	54.00	-0.68	35.56	3	Horizontal	331	1.97	-	17.76	27.28	8.28	-
AV	2.4138G	99.09	Inf	-Inf	35.66	3	Horizontal	331	1.97	-	63.43	27.36	8.30	-
PK	2.3884G	72.09	74.00	-1.91	35.56	3	Horizontal	331	1.97	-	36.53	27.28	8.28	-
PK	2.4118G	111.69	Inf	-Inf	35.65	3	Horizontal	331	1.97	-	76.04	27.35	8.30	-

**802.11ax HEW20_Nss2,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82388G	32.63	54.00	-21.37	8.05	3	Vertical	352	1.48	-	24.58	32.55	9.68	34.18
PK	4.81692G	45.64	74.00	-28.36	8.02	3	Vertical	352	1.48	-	37.62	32.53	9.68	34.19


**802.11ax HEW20_Nss2,(MCS0)_2TX
2412MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8188G	32.03	54.00	-21.97	8.03	3	Horizontal	268	2.32	-	24.00	32.54	9.68	34.19
PK	4.8148G	44.64	74.00	-29.36	8.02	3	Horizontal	268	2.32	-	36.62	32.53	9.68	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.68	54.00	-0.32	35.56	3	Horizontal	325	3.00	-	18.12	27.28	8.28	-
AV	2.4188G	102.27	Inf	-Inf	35.68	3	Horizontal	325	3.00	-	66.59	27.38	8.30	-
PK	2.3892G	69.37	74.00	-4.63	35.56	3	Horizontal	325	3.00	-	33.81	27.28	8.28	-
PK	2.42G	115.85	Inf	-Inf	35.68	3	Horizontal	325	3.00	-	80.17	27.38	8.30	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.75	54.00	-1.25	35.56	3	Horizontal	148	2.71	-	17.19	27.28	8.28	-
AV	2.4322G	105.02	Inf	-Inf	35.74	3	Horizontal	148	2.71	-	69.28	27.43	8.31	-
AV	2.4835G	52.35	54.00	-1.65	36.04	3	Horizontal	148	2.71	-	16.31	27.70	8.34	-
PK	2.3882G	66.02	74.00	-7.98	35.56	3	Horizontal	148	2.71	-	30.46	27.28	8.28	-
PK	2.4314G	119.52	Inf	-Inf	35.74	3	Horizontal	148	2.71	-	83.78	27.43	8.31	-
PK	2.4846G	66.58	74.00	-7.42	36.05	3	Horizontal	148	2.71	-	30.53	27.71	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87824G	32.66	54.00	-21.34	8.20	3	Vertical	85	2.94	-	24.46	32.66	9.70	34.16
AV	7.30916G	37.44	54.00	-16.56	13.44	3	Vertical	288	1.37	-	24.00	36.62	11.32	34.50
PK	4.87356G	46.56	74.00	-27.44	8.19	3	Vertical	85	2.94	-	38.37	32.65	9.70	34.16
PK	7.30848G	50.08	74.00	-23.92	13.44	3	Vertical	288	1.37	-	36.64	36.62	11.32	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87204G	32.28	54.00	-21.72	8.18	3	Horizontal	66	1.20	-	24.10	32.64	9.70	34.16
AV	7.31368G	37.29	54.00	-16.71	13.45	3	Horizontal	342	2.83	-	23.84	36.63	11.32	34.50
PK	4.87668G	45.87	74.00	-28.13	8.19	3	Horizontal	66	1.20	-	37.68	32.65	9.70	34.16
PK	7.3112G	50.54	74.00	-23.46	13.44	3	Horizontal	342	2.83	-	37.10	36.62	11.32	34.50

802.11ax HEW20_Nss2,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4552G	102.93	Inf	-Inf	35.86	3	Horizontal	143	2.94	-	67.07	27.53	8.33	-
AV	2.4835G	53.62	54.00	-0.38	36.04	3	Horizontal	143	2.94	-	17.58	27.70	8.34	-
PK	2.4524G	116.58	Inf	-Inf	35.83	3	Horizontal	143	2.94	-	80.75	27.51	8.32	-
PK	2.4842G	69.46	74.00	-4.54	36.05	3	Horizontal	143	2.94	-	33.41	27.71	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.463G	99.90	Inf	-Inf	35.91	3	Horizontal	335	1.04	-	63.99	27.58	8.33	-
AV	2.4835G	52.77	54.00	-1.23	36.04	3	Horizontal	335	1.04	-	16.73	27.70	8.34	-
PK	2.4634G	114.89	Inf	-Inf	35.91	3	Horizontal	335	1.04	-	78.98	27.58	8.33	-
PK	2.4836G	73.82	74.00	-0.18	36.04	3	Horizontal	335	1.04	-	37.78	27.70	8.34	-

802.11ax HEW20_Nss2,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9176G	32.60	54.00	-21.40	8.35	3	Vertical	250	1.94	-	24.25	32.77	9.72	34.14
AV	7.37976G	37.17	54.00	-16.83	13.37	3	Vertical	323	2.51	-	23.80	36.52	11.34	34.49
PK	4.9154G	45.99	74.00	-28.01	8.34	3	Vertical	250	1.94	-	37.65	32.76	9.72	34.14
PK	7.37972G	49.93	74.00	-24.07	13.37	3	Vertical	323	2.51	-	36.56	36.52	11.34	34.49


802.11ax HEW20_Nss2,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91888G	32.34	54.00	-21.66	8.36	3	Horizontal	87	1.51	-	23.98	32.78	9.72	34.14
AV	7.37956G	37.18	54.00	-16.82	13.37	3	Horizontal	102	1.41	-	23.81	36.52	11.34	34.49
PK	4.92936G	46.26	74.00	-27.74	8.41	3	Horizontal	87	1.51	-	37.85	32.82	9.72	34.13
PK	7.38716G	50.15	74.00	-23.85	13.33	3	Horizontal	102	1.41	-	36.82	36.48	11.34	34.49

**802.11ax HEW40_Nss2,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	53.86	54.00	-0.14	35.56	3	Horizontal	318	2.71	-	18.30	27.28	8.28	-
AV	2.4268G	97.42	Inf	-Inf	35.72	3	Horizontal	318	2.71	-	61.70	27.41	8.31	-
AV	2.4835G	49.96	54.00	-4.04	36.04	3	Horizontal	318	2.71	-	13.92	27.70	8.34	-
PK	2.39G	68.10	74.00	-5.90	35.56	3	Horizontal	318	2.71	-	32.54	27.28	8.28	-
PK	2.428G	108.50	Inf	-Inf	35.72	3	Horizontal	318	2.71	-	72.78	27.41	8.31	-
PK	2.4956G	60.07	74.00	-13.93	36.12	3	Horizontal	318	2.71	-	23.95	27.77	8.35	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2422MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84364G	33.58	54.00	-20.42	8.10	3	Vertical	207	2.94	-	25.48	32.59	9.69	34.18
AV	7.27244G	38.49	54.00	-15.51	13.47	3	Vertical	261	2.63	-	25.02	36.66	11.31	34.50
PK	4.8478G	44.59	74.00	-29.41	8.12	3	Vertical	207	2.94	-	36.47	32.60	9.69	34.17
PK	7.26112G	50.40	74.00	-23.60	13.49	3	Vertical	261	2.63	-	36.91	36.68	11.31	34.50

802.11ax HEW40_Nss2,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84504G	33.39	54.00	-20.61	8.11	3	Horizontal	256	1.70	-	25.28	32.59	9.69	34.17
AV	7.25924G	38.83	54.00	-15.17	13.49	3	Horizontal	49	2.55	-	25.34	36.68	11.31	34.50
PK	4.84308G	45.13	74.00	-28.87	8.10	3	Horizontal	256	1.70	-	37.03	32.59	9.69	34.18
PK	7.26548G	50.09	74.00	-23.91	13.48	3	Horizontal	49	2.55	-	36.61	36.67	11.31	34.50


802.11ax HEW40_Nss2,(MCS0)_2TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.92	54.00	-1.08	35.56	3	Horizontal	330	3.00	-	17.36	27.28	8.28	-
AV	2.4242G	100.14	Inf	-Inf	35.71	3	Horizontal	330	3.00	-	64.43	27.40	8.31	-
AV	2.485G	49.74	54.00	-4.26	36.06	3	Horizontal	330	3.00	-	13.68	27.71	8.35	-
PK	2.3878G	66.32	74.00	-7.68	35.56	3	Horizontal	330	3.00	-	30.76	27.28	8.28	-
PK	2.4194G	112.08	Inf	-Inf	35.68	3	Horizontal	330	3.00	-	76.40	27.38	8.30	-
PK	2.4842G	60.62	74.00	-13.38	36.05	3	Horizontal	330	3.00	-	24.57	27.71	8.34	-

**802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.84	54.00	-0.16	35.56	3	Horizontal	332	2.70	-	18.28	27.28	8.28	-
AV	2.4258G	100.94	Inf	-Inf	35.71	3	Horizontal	332	2.70	-	65.23	27.40	8.31	-
AV	2.4835G	52.50	54.00	-1.50	36.04	3	Horizontal	332	2.70	-	16.46	27.70	8.34	-
PK	2.3894G	69.06	74.00	-4.94	35.56	3	Horizontal	332	2.70	-	33.50	27.28	8.28	-
PK	2.4338G	112.04	Inf	-Inf	35.75	3	Horizontal	332	2.70	-	76.29	27.44	8.31	-
PK	2.4835G	71.83	74.00	-2.17	36.04	3	Horizontal	332	2.70	-	35.79	27.70	8.34	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2437MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86792G	33.55	54.00	-20.45	8.18	3	Vertical	358	2.09	-	25.37	32.64	9.70	34.16
AV	7.31876G	38.21	54.00	-15.79	13.46	3	Vertical	353	1.13	-	24.75	36.64	11.32	34.50
PK	4.87808G	46.32	74.00	-27.68	8.20	3	Vertical	358	2.09	-	38.12	32.66	9.70	34.16
PK	7.31188G	49.87	74.00	-24.13	13.44	3	Vertical	353	1.13	-	36.43	36.62	11.32	34.50

802.11ax HEW40_Nss2,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87632G	33.43	54.00	-20.57	8.19	3	Horizontal	294	1.18	-	25.24	32.65	9.70	34.16
AV	7.31808G	38.36	54.00	-15.64	13.46	3	Horizontal	31	1.68	-	24.90	36.64	11.32	34.50
PK	4.87312G	45.10	74.00	-28.90	8.19	3	Horizontal	294	1.18	-	36.91	32.65	9.70	34.16
PK	7.31636G	50.26	74.00	-23.74	13.45	3	Horizontal	31	1.68	-	36.81	36.63	11.32	34.50


802.11ax HEW40_Nss2,(MCS0)_2TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	50.11	54.00	-3.89	35.56	3	Horizontal	319	3.00	-	14.55	27.28	8.28	-
AV	2.4442G	98.54	Inf	-Inf	35.80	3	Horizontal	319	3.00	-	62.74	27.48	8.32	-
AV	2.4835G	53.84	54.00	-0.16	36.04	3	Horizontal	319	3.00	-	17.80	27.70	8.34	-
PK	2.3794G	60.08	74.00	-13.92	35.53	3	Horizontal	319	3.00	-	24.55	27.26	8.27	-
PK	2.4402G	109.76	Inf	-Inf	35.78	3	Horizontal	319	3.00	-	73.98	27.46	8.32	-
PK	2.4866G	67.05	74.00	-6.95	36.07	3	Horizontal	319	3.00	-	30.98	27.72	8.35	-

**802.11ax HEW40_Nss2,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	50.15	54.00	-3.85	35.56	3	Horizontal	317	1.27	-	14.59	27.28	8.28	-
AV	2.4384G	97.05	Inf	-Inf	35.76	3	Horizontal	317	1.27	-	61.29	27.45	8.31	-
AV	2.4852G	53.37	54.00	-0.63	36.06	3	Horizontal	317	1.27	-	17.31	27.71	8.35	-
PK	2.3868G	61.55	74.00	-12.45	35.55	3	Horizontal	317	1.27	-	26.00	27.27	8.28	-
PK	2.4584G	108.13	Inf	-Inf	35.88	3	Horizontal	317	1.27	-	72.25	27.55	8.33	-
PK	2.4884G	65.83	74.00	-8.17	36.08	3	Horizontal	317	1.27	-	29.75	27.73	8.35	-


**802.11ax HEW40_Nss2,(MCS0)_2TX
2452MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89548G	33.75	54.00	-20.25	8.25	3	Vertical	231	1.37	-	25.50	32.69	9.71	34.15
AV	7.358G	38.48	54.00	-15.52	13.49	3	Vertical	311	1.20	-	24.99	36.65	11.33	34.49
PK	4.90984G	45.34	74.00	-28.66	8.31	3	Vertical	231	1.37	-	37.03	32.74	9.71	34.14
PK	7.35988G	50.24	74.00	-23.76	13.48	3	Vertical	311	1.20	-	36.76	36.64	11.33	34.49

802.11ax HEW40_Nss2,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.89716G	33.85	54.00	-20.15	8.25	3	Horizontal	280	2.95	-	25.60	32.69	9.71	34.15
AV	7.36144G	38.62	54.00	-15.38	13.47	3	Horizontal	282	1.06	-	25.15	36.63	11.33	34.49
PK	4.9112G	45.94	74.00	-28.06	8.31	3	Horizontal	280	2.95	-	37.63	32.74	9.71	34.14
PK	7.35624G	50.29	74.00	-23.71	13.50	3	Horizontal	282	1.06	-	36.79	36.66	11.33	34.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2.(MCS0)_2TX	Pass	PK	30M	36.27	40.00	-3.64	3	Horizontal	360	1.00	-




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW40_Nss2 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2437MHz	Pass	PK	111.48M	33.52	43.50	-9.98	3	Vertical	0	1.00	-
2437MHz	Pass	PK	191.02M	25.47	43.50	-18.03	3	Vertical	0	1.00	-
2437MHz	Pass	PK	332.64M	32.34	46.00	-13.66	3	Vertical	0	1.00	-
2437MHz	Pass	PK	450.98M	34.66	46.00	-11.34	3	Vertical	0	1.00	-
2437MHz	Pass	PK	549.92M	30.94	46.00	-15.06	3	Vertical	0	1.00	-
2437MHz	Pass	QP	39.01M	33.71	40.00	-6.29	3	Vertical	0	1.00	-
2437MHz	Pass	PK	30M	36.27	40.00	-3.64	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	119.24M	32.69	43.50	-10.73	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	150.28M	30.41	43.50	-12.96	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	291.9M	34.75	46.00	-11.83	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	322.94M	36.4	46.00	-10.10	3	Horizontal	360	1.00	-
2437MHz	Pass	PK	450.98M	35.74	46.00	-10.45	3	Horizontal	360	1.00	-

802.11ax HEW40_Nss2,(MCS0)_2TX


2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	111.48M	33.52	43.50	-9.98	-9.16	3	Vertical	0	1.00	-	42.68	17.14	1.49	27.79
PK	191.02M	25.47	43.50	-18.03	-11.21	3	Vertical	0	1.00	-	36.68	14.26	1.98	27.45
PK	332.64M	32.34	46.00	-13.66	-5.81	3	Vertical	0	1.00	-	38.15	18.94	2.64	27.39
PK	450.98M	34.66	46.00	-11.34	-3.26	3	Vertical	0	1.00	-	37.92	21.93	3.08	28.27
PK	549.92M	30.94	46.00	-15.06	-1.34	3	Vertical	0	1.00	-	32.28	23.89	3.41	28.64
QP	39.01M	33.71	40.00	-6.29	-7.39	3	Vertical	0	1.00	-	41.10	18.34	1.03	26.76

802.11ax HEW40_Nss2,(MCS0)_2TX

2437MHz_Adapter



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	30M	36.27	40.00	-3.64	-2.68	3	Horizontal	360	1.00	-	39.04	23.26	1.02	26.96
PK	119.24M	32.69	43.50	-10.73	-8.75	3	Horizontal	360	1.00	-	41.52	17.48	1.54	27.77
PK	150.28M	30.41	43.50	-12.96	-10.34	3	Horizontal	360	1.00	-	40.88	15.60	1.73	27.67
PK	291.9M	34.75	46.00	-11.83	-6.55	3	Horizontal	360	1.00	-	40.72	18.17	2.47	27.19
PK	322.94M	36.4	46.00	-10.10	-5.91	3	Horizontal	360	1.00	-	41.81	18.82	2.60	27.33
PK	450.98M	35.74	46.00	-10.45	-3.26	3	Horizontal	360	1.00	-	38.81	21.93	3.08	28.27



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX(Port2)	Pass	AV	2.4966G	53.52	54.00	-0.48	3	Horizontal	332	1.86	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	2.3894G	53.85	54.00	-0.15	3	Horizontal	131	1.30	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	2.4835G	73.72	74.00	-0.28	3	Horizontal	131	1.27	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	2.3898G	53.85	54.00	-0.15	3	Horizontal	135	1.17	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	4.83396G	53.76	54.00	-0.24	3	Horizontal	142	1.00	-
802.11g_Nss1,(6Mbps)_2TX	Pass	PK	2.4836G	73.74	74.00	-0.26	3	Horizontal	327	1.27	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	2.4835G	73.83	74.00	-0.17	3	Horizontal	326	1.29	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.3898G	53.90	54.00	-0.10	3	Horizontal	329	1.10	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11b_Nss1,(1Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3896G	47.60	54.00	-6.40	3	Vertical	238	2.91	-
2412MHz	Pass	AV	2.4132G	99.09	Inf	-Inf	3	Vertical	238	2.91	-
2412MHz	Pass	PK	2.3676G	59.68	74.00	-14.32	3	Vertical	238	2.91	-
2412MHz	Pass	PK	2.413G	103.34	Inf	-Inf	3	Vertical	238	2.91	-
2412MHz	Pass	AV	2.39G	52.69	54.00	-1.31	3	Horizontal	136	1.50	-
2412MHz	Pass	AV	2.4108G	112.42	Inf	-Inf	3	Horizontal	136	1.50	-
2412MHz	Pass	PK	2.3894G	63.46	74.00	-10.54	3	Horizontal	136	1.50	-
2412MHz	Pass	PK	2.413G	116.69	Inf	-Inf	3	Horizontal	136	1.50	-
2412MHz	Pass	AV	4.824G	40.48	54.00	-13.52	3	Vertical	204	1.46	-
2412MHz	Pass	PK	4.824G	46.30	74.00	-27.70	3	Vertical	204	1.46	-
2412MHz	Pass	AV	4.82376G	48.55	54.00	-5.45	3	Horizontal	142	1.50	-
2412MHz	Pass	PK	4.82392G	50.15	74.00	-23.85	3	Horizontal	142	1.50	-
2437MHz	Pass	AV	2.3606G	47.62	54.00	-6.38	3	Vertical	8	1.48	-
2437MHz	Pass	AV	2.4362G	90.49	Inf	-Inf	3	Vertical	8	1.48	-
2437MHz	Pass	AV	2.4906G	48.05	54.00	-5.95	3	Vertical	8	1.48	-
2437MHz	Pass	PK	2.3674G	59.91	74.00	-14.09	3	Vertical	8	1.48	-
2437MHz	Pass	PK	2.4362G	94.17	Inf	-Inf	3	Vertical	8	1.48	-
2437MHz	Pass	PK	2.4938G	59.92	74.00	-14.08	3	Vertical	8	1.48	-
2437MHz	Pass	AV	2.3878G	49.09	54.00	-4.91	3	Horizontal	336	1.28	-
2437MHz	Pass	AV	2.4378G	108.65	Inf	-Inf	3	Horizontal	336	1.28	-
2437MHz	Pass	AV	2.4846G	49.13	54.00	-4.87	3	Horizontal	336	1.28	-
2437MHz	Pass	PK	2.385G	60.73	74.00	-13.27	3	Horizontal	336	1.28	-
2437MHz	Pass	PK	2.4362G	112.93	Inf	-Inf	3	Horizontal	336	1.28	-
2437MHz	Pass	PK	2.4946G	60.49	74.00	-13.51	3	Horizontal	336	1.28	-
2437MHz	Pass	AV	4.87396G	43.72	54.00	-10.28	3	Vertical	229	2.15	-
2437MHz	Pass	AV	7.30972G	46.59	54.00	-7.41	3	Vertical	225	2.74	-
2437MHz	Pass	PK	4.87388G	49.19	74.00	-24.81	3	Vertical	229	2.15	-
2437MHz	Pass	PK	7.31004G	54.91	74.00	-19.09	3	Vertical	225	2.74	-
2437MHz	Pass	AV	4.8738G	53.26	54.00	-0.74	3	Horizontal	325	1.00	-
2437MHz	Pass	AV	7.30964G	49.21	54.00	-4.79	3	Horizontal	79	1.04	-
2437MHz	Pass	PK	4.87392G	58.69	74.00	-15.31	3	Horizontal	325	1.00	-
2437MHz	Pass	PK	7.30988G	56.66	74.00	-17.34	3	Horizontal	79	1.04	-
2462MHz	Pass	AV	2.4612G	106.04	Inf	-Inf	3	Vertical	55	3.00	-
2462MHz	Pass	AV	2.4848G	53.03	54.00	-0.97	3	Vertical	55	3.00	-
2462MHz	Pass	PK	2.463G	109.94	Inf	-Inf	3	Vertical	55	3.00	-
2462MHz	Pass	PK	2.4862G	62.58	74.00	-11.42	3	Vertical	55	3.00	-
2462MHz	Pass	AV	2.4612G	111.40	Inf	-Inf	3	Horizontal	332	1.86	-
2462MHz	Pass	AV	2.4966G	53.52	54.00	-0.48	3	Horizontal	332	1.86	-
2462MHz	Pass	PK	2.463G	115.46	Inf	-Inf	3	Horizontal	332	1.86	-
2462MHz	Pass	PK	2.4844G	64.82	74.00	-9.18	3	Horizontal	332	1.86	-
2462MHz	Pass	AV	4.92396G	44.40	54.00	-9.60	3	Vertical	228	1.32	-
2462MHz	Pass	AV	7.38464G	43.99	54.00	-10.01	3	Vertical	226	3.00	-
2462MHz	Pass	PK	4.92388G	49.60	74.00	-24.40	3	Vertical	228	1.32	-
2462MHz	Pass	PK	7.38508G	53.43	74.00	-20.57	3	Vertical	226	3.00	-
2462MHz	Pass	AV	4.92392G	51.97	54.00	-2.03	3	Horizontal	141	3.00	-
2462MHz	Pass	AV	7.38472G	42.83	54.00	-11.17	3	Horizontal	25	2.52	-
2462MHz	Pass	PK	4.92388G	55.91	74.00	-18.09	3	Horizontal	141	3.00	-
2462MHz	Pass	PK	7.38748G	53.12	74.00	-20.88	3	Horizontal	25	2.52	-
802.11g_Nss1,(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3832G	48.08	54.00	-5.92	3	Vertical	142	1.08	-
2412MHz	Pass	AV	2.416G	87.73	Inf	-Inf	3	Vertical	142	1.08	-
2412MHz	Pass	PK	2.389G	61.49	74.00	-12.51	3	Vertical	142	1.08	-
2412MHz	Pass	PK	2.4144G	97.85	Inf	-Inf	3	Vertical	142	1.08	-
2412MHz	Pass	AV	2.3894G	50.24	54.00	-3.76	3	Horizontal	135	1.50	-
2412MHz	Pass	AV	2.4092G	103.16	Inf	-Inf	3	Horizontal	135	1.50	-
2412MHz	Pass	PK	2.3898G	73.24	74.00	-0.76	3	Horizontal	135	1.50	-
2412MHz	Pass	PK	2.4136G	113.25	Inf	-Inf	3	Horizontal	135	1.50	-
2412MHz	Pass	AV	4.81872G	32.27	54.00	-21.73	3	Vertical	28	1.10	-
2412MHz	Pass	PK	4.8204G	44.90	74.00	-29.10	3	Vertical	28	1.10	-
2412MHz	Pass	AV	4.82094G	32.14	54.00	-21.86	3	Horizontal	288	1.32	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	PK	4.83594G	44.99	74.00	-29.01	3	Horizontal	288	1.32	-
2417MHz	Pass	AV	2.3898G	48.25	54.00	-5.75	3	Vertical	144	1.18	-
2417MHz	Pass	AV	2.4184G	88.40	Inf	-Inf	3	Vertical	144	1.18	-
2417MHz	Pass	PK	2.3884G	60.12	74.00	-13.88	3	Vertical	144	1.18	-
2417MHz	Pass	PK	2.4184G	98.72	Inf	-Inf	3	Vertical	144	1.18	-
2417MHz	Pass	AV	2.39G	53.45	54.00	-0.55	3	Horizontal	135	1.50	-
2417MHz	Pass	AV	2.4124G	105.13	Inf	-Inf	3	Horizontal	135	1.50	-
2417MHz	Pass	PK	2.3898G	73.73	74.00	-0.27	3	Horizontal	135	1.50	-
2417MHz	Pass	PK	2.4142G	114.99	Inf	-Inf	3	Horizontal	135	1.50	-
2437MHz	Pass	AV	2.389G	48.30	54.00	-5.70	3	Vertical	143	1.18	-
2437MHz	Pass	AV	2.441G	92.46	Inf	-Inf	3	Vertical	143	1.18	-
2437MHz	Pass	AV	2.4835G	48.81	54.00	-5.19	3	Vertical	143	1.18	-
2437MHz	Pass	PK	2.3754G	59.59	74.00	-14.41	3	Vertical	143	1.18	-
2437MHz	Pass	PK	2.4394G	102.38	Inf	-Inf	3	Vertical	143	1.18	-
2437MHz	Pass	PK	2.4835G	62.99	74.00	-11.01	3	Vertical	143	1.18	-
2437MHz	Pass	AV	2.3894G	53.85	54.00	-0.15	3	Horizontal	131	1.30	-
2437MHz	Pass	AV	2.4322G	107.14	Inf	-Inf	3	Horizontal	131	1.30	-
2437MHz	Pass	AV	2.4846G	53.22	54.00	-0.78	3	Horizontal	131	1.30	-
2437MHz	Pass	PK	2.3898G	70.40	74.00	-3.60	3	Horizontal	131	1.30	-
2437MHz	Pass	PK	2.4302G	117.27	Inf	-Inf	3	Horizontal	131	1.30	-
2437MHz	Pass	PK	2.4838G	71.78	74.00	-2.22	3	Horizontal	131	1.30	-
2437MHz	Pass	AV	4.86338G	32.32	54.00	-21.68	3	Vertical	80	1.50	-
2437MHz	Pass	AV	7.31436G	37.52	54.00	-16.48	3	Vertical	198	1.90	-
2437MHz	Pass	PK	4.88816G	45.12	74.00	-28.88	3	Vertical	80	1.50	-
2437MHz	Pass	PK	7.30914G	50.21	74.00	-23.79	3	Vertical	198	1.90	-
2437MHz	Pass	AV	4.87556G	43.53	54.00	-10.47	3	Horizontal	326	1.00	-
2437MHz	Pass	AV	7.31076G	43.67	54.00	-10.33	3	Horizontal	81	1.17	-
2437MHz	Pass	PK	4.87352G	56.85	74.00	-17.15	3	Horizontal	326	1.00	-
2437MHz	Pass	PK	7.31262G	57.76	74.00	-16.24	3	Horizontal	81	1.17	-
2457MHz	Pass	AV	2.4524G	89.30	Inf	-Inf	3	Vertical	141	1.05	-
2457MHz	Pass	AV	2.4842G	48.84	54.00	-5.16	3	Vertical	141	1.05	-
2457MHz	Pass	PK	2.4504G	98.99	Inf	-Inf	3	Vertical	141	1.05	-
2457MHz	Pass	PK	2.4856G	62.54	74.00	-11.46	3	Vertical	141	1.05	-
2457MHz	Pass	AV	2.4522G	102.68	Inf	-Inf	3	Horizontal	331	1.28	-
2457MHz	Pass	AV	2.4846G	52.38	54.00	-1.62	3	Horizontal	331	1.28	-
2457MHz	Pass	PK	2.4502G	112.73	Inf	-Inf	3	Horizontal	331	1.28	-
2457MHz	Pass	PK	2.4866G	73.67	74.00	-0.33	3	Horizontal	331	1.28	-
2462MHz	Pass	AV	2.4558G	86.31	Inf	-Inf	3	Vertical	140	1.06	-
2462MHz	Pass	AV	2.4944G	48.63	54.00	-5.37	3	Vertical	140	1.06	-
2462MHz	Pass	PK	2.4554G	96.31	Inf	-Inf	3	Vertical	140	1.06	-
2462MHz	Pass	PK	2.484G	61.51	74.00	-12.49	3	Vertical	140	1.06	-
2462MHz	Pass	AV	2.4572G	101.19	Inf	-Inf	3	Horizontal	131	1.46	-
2462MHz	Pass	AV	2.4835G	51.86	54.00	-2.14	3	Horizontal	131	1.46	-
2462MHz	Pass	PK	2.4554G	111.23	Inf	-Inf	3	Horizontal	131	1.46	-
2462MHz	Pass	PK	2.4836G	73.31	74.00	-0.69	3	Horizontal	131	1.46	-
2462MHz	Pass	AV	4.93408G	32.34	54.00	-21.66	3	Vertical	196	2.75	-
2462MHz	Pass	AV	7.40016G	37.34	54.00	-16.66	3	Vertical	264	1.49	-
2462MHz	Pass	PK	4.9378G	44.83	74.00	-29.17	3	Vertical	196	2.75	-
2462MHz	Pass	PK	7.3923G	49.76	74.00	-24.24	3	Vertical	264	1.49	-
2462MHz	Pass	AV	4.91254G	32.28	54.00	-21.72	3	Horizontal	123	2.64	-
2462MHz	Pass	AV	7.401G	37.33	54.00	-16.67	3	Horizontal	313	2.41	-
2462MHz	Pass	PK	4.91704G	44.83	74.00	-29.17	3	Horizontal	123	2.64	-
2462MHz	Pass	PK	7.3986G	50.23	74.00	-23.77	3	Horizontal	313	2.41	-
802.11ax HEW20_Nss1_(MCS0)_TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	48.94	54.00	-5.06	3	Vertical	139	1.08	-
2412MHz	Pass	AV	2.4098G	88.26	Inf	-Inf	3	Vertical	139	1.08	-
2412MHz	Pass	PK	2.3898G	66.31	74.00	-7.69	3	Vertical	139	1.08	-
2412MHz	Pass	PK	2.409G	102.24	Inf	-Inf	3	Vertical	139	1.08	-
2412MHz	Pass	AV	2.3898G	49.21	54.00	-4.79	3	Horizontal	135	1.50	-
2412MHz	Pass	AV	2.4094G	98.90	Inf	-Inf	3	Horizontal	135	1.50	-
2412MHz	Pass	PK	2.3896G	73.53	74.00	-0.47	3	Horizontal	135	1.50	-
2412MHz	Pass	PK	2.409G	113.00	Inf	-Inf	3	Horizontal	135	1.50	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2412MHz	Pass	AV	4.81854G	31.44	54.00	-22.56	3	Vertical	218	1.92	-
2412MHz	Pass	PK	4.83036G	44.77	74.00	-29.23	3	Vertical	218	1.92	-
2412MHz	Pass	PK	7.2507G	50.74	74.00	-23.26	3	Vertical	175	2.55	-
2412MHz	Pass	AV	4.81566G	31.43	54.00	-22.57	3	Horizontal	225	2.31	-
2412MHz	Pass	PK	4.81704G	44.92	74.00	-29.08	3	Horizontal	225	2.31	-
2417MHz	Pass	AV	2.3892G	47.87	54.00	-6.13	3	Vertical	140	1.10	-
2417MHz	Pass	AV	2.4098G	87.20	Inf	-Inf	3	Vertical	140	1.10	-
2417MHz	Pass	PK	2.3884G	61.03	74.00	-12.97	3	Vertical	140	1.10	-
2417MHz	Pass	PK	2.41G	100.93	Inf	-Inf	3	Vertical	140	1.10	-
2417MHz	Pass	AV	2.39G	51.76	54.00	-2.24	3	Horizontal	135	1.50	-
2417MHz	Pass	AV	2.4124G	102.56	Inf	-Inf	3	Horizontal	135	1.50	-
2417MHz	Pass	PK	2.3898G	71.79	74.00	-2.21	3	Horizontal	135	1.50	-
2417MHz	Pass	PK	2.4138G	116.70	Inf	-Inf	3	Horizontal	135	1.50	-
2437MHz	Pass	AV	2.3898G	47.85	54.00	-6.15	3	Vertical	143	1.17	-
2437MHz	Pass	AV	2.4398G	90.49	Inf	-Inf	3	Vertical	143	1.17	-
2437MHz	Pass	AV	2.4835G	48.49	54.00	-5.51	3	Vertical	143	1.17	-
2437MHz	Pass	PK	2.3542G	59.87	74.00	-14.13	3	Vertical	143	1.17	-
2437MHz	Pass	PK	2.4338G	103.97	Inf	-Inf	3	Vertical	143	1.17	-
2437MHz	Pass	PK	2.4838G	60.71	74.00	-13.29	3	Vertical	143	1.17	-
2437MHz	Pass	AV	2.3898G	52.69	54.00	-1.31	3	Horizontal	138	1.54	-
2437MHz	Pass	AV	2.4286G	104.89	Inf	-Inf	3	Horizontal	138	1.54	-
2437MHz	Pass	AV	2.4835G	52.99	54.00	-1.01	3	Horizontal	138	1.54	-
2437MHz	Pass	PK	2.3886G	67.63	74.00	-6.37	3	Horizontal	138	1.54	-
2437MHz	Pass	PK	2.4338G	118.80	Inf	-Inf	3	Horizontal	138	1.54	-
2437MHz	Pass	PK	2.4846G	72.78	74.00	-1.22	3	Horizontal	138	1.54	-
2437MHz	Pass	AV	4.86314G	31.73	54.00	-22.27	3	Vertical	196	2.46	-
2437MHz	Pass	AV	7.31454G	36.88	54.00	-17.12	3	Vertical	120	1.27	-
2437MHz	Pass	PK	4.87508G	45.34	74.00	-28.66	3	Vertical	196	2.46	-
2437MHz	Pass	PK	7.30536G	50.30	74.00	-23.70	3	Vertical	120	1.27	-
2437MHz	Pass	AV	4.87436G	40.52	54.00	-13.48	3	Horizontal	323	2.45	-
2437MHz	Pass	AV	7.3107G	40.22	54.00	-13.78	3	Horizontal	24	1.09	-
2437MHz	Pass	PK	4.871G	55.80	74.00	-18.20	3	Horizontal	323	2.45	-
2437MHz	Pass	PK	7.31382G	55.93	74.00	-18.07	3	Horizontal	24	1.09	-
2457MHz	Pass	AV	2.4524G	86.94	Inf	-Inf	3	Vertical	141	1.05	-
2457MHz	Pass	AV	2.4886G	48.34	54.00	-5.66	3	Vertical	141	1.05	-
2457MHz	Pass	PK	2.454G	100.81	Inf	-Inf	3	Vertical	141	1.05	-
2457MHz	Pass	PK	2.491G	61.39	74.00	-12.61	3	Vertical	141	1.05	-
2457MHz	Pass	AV	2.4488G	100.35	Inf	-Inf	3	Horizontal	139	1.50	-
2457MHz	Pass	AV	2.4835G	52.17	54.00	-1.83	3	Horizontal	139	1.50	-
2457MHz	Pass	PK	2.4502G	114.28	Inf	-Inf	3	Horizontal	139	1.50	-
2457MHz	Pass	PK	2.4838G	73.66	74.00	-0.34	3	Horizontal	139	1.50	-
2462MHz	Pass	AV	2.4566G	83.20	Inf	-Inf	3	Vertical	142	1.06	-
2462MHz	Pass	AV	2.4992G	48.10	54.00	-5.90	3	Vertical	142	1.06	-
2462MHz	Pass	PK	2.4552G	97.25	Inf	-Inf	3	Vertical	142	1.06	-
2462MHz	Pass	PK	2.4846G	62.49	74.00	-11.51	3	Vertical	142	1.06	-
2462MHz	Pass	AV	2.4548G	97.01	Inf	-Inf	3	Horizontal	131	1.27	-
2462MHz	Pass	AV	2.4835G	50.09	54.00	-3.91	3	Horizontal	131	1.27	-
2462MHz	Pass	PK	2.4588G	111.47	Inf	-Inf	3	Horizontal	131	1.27	-
2462MHz	Pass	PK	2.4835G	73.72	74.00	-0.28	3	Horizontal	131	1.27	-
2462MHz	Pass	AV	4.91242G	31.51	54.00	-22.49	3	Vertical	345	2.81	-
2462MHz	Pass	AV	7.40094G	36.54	54.00	-17.46	3	Vertical	184	2.02	-
2462MHz	Pass	PK	4.9102G	45.05	74.00	-28.95	3	Vertical	345	2.81	-
2462MHz	Pass	PK	7.38576G	50.47	74.00	-23.53	3	Vertical	184	2.02	-
2462MHz	Pass	AV	4.91272G	31.49	54.00	-22.51	3	Horizontal	277	2.70	-
2462MHz	Pass	AV	7.38036G	36.52	54.00	-17.48	3	Horizontal	5	1.87	-
2462MHz	Pass	PK	4.9159G	45.17	74.00	-28.83	3	Horizontal	277	2.70	-
2462MHz	Pass	PK	7.38546G	49.66	74.00	-24.34	3	Horizontal	5	1.87	-
802.11ax HEW40_Nss1_(MCS0)_TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3884G	48.76	54.00	-5.24	3	Vertical	142	1.19	-
2422MHz	Pass	AV	2.418G	83.84	Inf	-Inf	3	Vertical	142	1.19	-
2422MHz	Pass	AV	2.49G	49.25	54.00	-4.75	3	Vertical	142	1.19	-
2422MHz	Pass	PK	2.3504G	60.06	74.00	-13.94	3	Vertical	142	1.19	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2422MHz	Pass	PK	2.4188G	96.15	Inf	-Inf	3	Vertical	142	1.19	-
2422MHz	Pass	PK	2.4844G	59.86	74.00	-14.14	3	Vertical	142	1.19	-
2422MHz	Pass	AV	2.3896G	53.67	54.00	-0.33	3	Horizontal	137	1.50	-
2422MHz	Pass	AV	2.4168G	99.74	Inf	-Inf	3	Horizontal	137	1.50	-
2422MHz	Pass	AV	2.486G	50.08	54.00	-3.92	3	Horizontal	137	1.50	-
2422MHz	Pass	PK	2.39G	71.93	74.00	-2.07	3	Horizontal	137	1.50	-
2422MHz	Pass	PK	2.4188G	112.20	Inf	-Inf	3	Horizontal	137	1.50	-
2422MHz	Pass	PK	2.484G	61.15	74.00	-12.85	3	Horizontal	137	1.50	-
2422MHz	Pass	AV	4.83416G	32.61	54.00	-21.39	3	Vertical	273	1.95	-
2422MHz	Pass	AV	7.25244G	38.07	54.00	-15.93	3	Vertical	220	2.11	-
2422MHz	Pass	PK	4.84946G	44.86	74.00	-29.14	3	Vertical	273	1.95	-
2422MHz	Pass	PK	7.25754G	49.93	74.00	-24.07	3	Vertical	220	2.11	-
2422MHz	Pass	AV	4.84634G	32.55	54.00	-21.45	3	Horizontal	9	2.91	-
2422MHz	Pass	AV	7.25256G	37.89	54.00	-16.11	3	Horizontal	231	2.92	-
2422MHz	Pass	PK	4.85858G	45.23	74.00	-28.77	3	Horizontal	9	2.91	-
2422MHz	Pass	PK	7.25304G	49.92	74.00	-24.08	3	Horizontal	231	2.92	-
2427MHz	Pass	AV	2.3886G	48.61	54.00	-5.39	3	Vertical	143	1.19	-
2427MHz	Pass	AV	2.423G	83.38	Inf	-Inf	3	Vertical	143	1.19	-
2427MHz	Pass	AV	2.4946G	49.00	54.00	-5.00	3	Vertical	143	1.19	-
2427MHz	Pass	PK	2.371G	59.84	74.00	-14.16	3	Vertical	143	1.19	-
2427MHz	Pass	PK	2.4238G	95.84	Inf	-Inf	3	Vertical	143	1.19	-
2427MHz	Pass	PK	2.4878G	59.79	74.00	-14.21	3	Vertical	143	1.19	-
2427MHz	Pass	AV	2.3898G	53.85	54.00	-0.15	3	Horizontal	135	1.17	-
2427MHz	Pass	AV	2.423G	99.80	Inf	-Inf	3	Horizontal	135	1.17	-
2427MHz	Pass	AV	2.4835G	50.44	54.00	-3.56	3	Horizontal	135	1.17	-
2427MHz	Pass	PK	2.3882G	66.60	74.00	-7.40	3	Horizontal	135	1.17	-
2427MHz	Pass	PK	2.4238G	112.28	Inf	-Inf	3	Horizontal	135	1.17	-
2427MHz	Pass	PK	2.489G	61.92	74.00	-12.08	3	Horizontal	135	1.17	-
2437MHz	Pass	AV	2.3498G	48.65	54.00	-5.35	3	Vertical	144	1.18	-
2437MHz	Pass	AV	2.4426G	84.45	Inf	-Inf	3	Vertical	144	1.18	-
2437MHz	Pass	AV	2.485G	49.24	54.00	-4.76	3	Vertical	144	1.18	-
2437MHz	Pass	PK	2.3634G	59.81	74.00	-14.19	3	Vertical	144	1.18	-
2437MHz	Pass	PK	2.4422G	96.93	Inf	-Inf	3	Vertical	144	1.18	-
2437MHz	Pass	PK	2.4842G	60.20	74.00	-13.80	3	Vertical	144	1.18	-
2437MHz	Pass	AV	2.3898G	53.16	54.00	-0.84	3	Horizontal	137	1.50	-
2437MHz	Pass	AV	2.4238G	99.96	Inf	-Inf	3	Horizontal	137	1.50	-
2437MHz	Pass	AV	2.4835G	53.62	54.00	-0.38	3	Horizontal	137	1.50	-
2437MHz	Pass	PK	2.3898G	67.68	74.00	-6.32	3	Horizontal	137	1.50	-
2437MHz	Pass	PK	2.4246G	111.85	Inf	-Inf	3	Horizontal	137	1.50	-
2437MHz	Pass	PK	2.485G	67.78	74.00	-6.22	3	Horizontal	137	1.50	-
2437MHz	Pass	AV	4.86476G	32.82	54.00	-21.18	3	Vertical	249	2.74	-
2437MHz	Pass	AV	7.30554G	38.00	54.00	-16.00	3	Vertical	184	1.92	-
2437MHz	Pass	PK	4.8638G	44.72	74.00	-29.28	3	Vertical	249	2.74	-
2437MHz	Pass	PK	7.32096G	49.98	74.00	-24.02	3	Vertical	184	1.92	-
2437MHz	Pass	AV	4.86254G	32.80	54.00	-21.20	3	Horizontal	271	1.79	-
2437MHz	Pass	AV	7.31208G	37.98	54.00	-16.02	3	Horizontal	32	2.27	-
2437MHz	Pass	PK	4.87346G	45.41	74.00	-28.59	3	Horizontal	271	1.79	-
2437MHz	Pass	PK	7.30944G	55.15	74.00	-18.85	3	Horizontal	32	2.27	-
2447MHz	Pass	AV	2.349G	48.56	54.00	-5.44	3	Vertical	142	1.18	-
2447MHz	Pass	AV	2.4414G	82.95	Inf	-Inf	3	Vertical	142	1.18	-
2447MHz	Pass	AV	2.493G	49.22	54.00	-4.78	3	Vertical	142	1.18	-
2447MHz	Pass	PK	2.3598G	59.54	74.00	-14.46	3	Vertical	142	1.18	-
2447MHz	Pass	PK	2.4438G	95.30	Inf	-Inf	3	Vertical	142	1.18	-
2447MHz	Pass	PK	2.4842G	59.38	74.00	-14.62	3	Vertical	142	1.18	-
2447MHz	Pass	AV	2.3898G	50.35	54.00	-3.65	3	Horizontal	131	1.30	-
2447MHz	Pass	AV	2.431G	97.92	Inf	-Inf	3	Horizontal	131	1.30	-
2447MHz	Pass	AV	2.4846G	53.73	54.00	-0.27	3	Horizontal	131	1.30	-
2447MHz	Pass	PK	2.3818G	61.72	74.00	-12.28	3	Horizontal	131	1.30	-
2447MHz	Pass	PK	2.4438G	109.75	Inf	-Inf	3	Horizontal	131	1.30	-
2447MHz	Pass	PK	2.4835G	68.56	74.00	-5.44	3	Horizontal	131	1.30	-
2452MHz	Pass	AV	2.3684G	48.64	54.00	-5.36	3	Vertical	142	1.04	-
2452MHz	Pass	AV	2.448G	83.16	Inf	-Inf	3	Vertical	142	1.04	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2452MHz	Pass	AV	2.4944G	49.25	54.00	-4.75	3	Vertical	142	1.04	-
2452MHz	Pass	PK	2.3584G	59.44	74.00	-14.56	3	Vertical	142	1.04	-
2452MHz	Pass	PK	2.4488G	95.62	Inf	-Inf	3	Vertical	142	1.04	-
2452MHz	Pass	PK	2.4908G	60.24	74.00	-13.76	3	Vertical	142	1.04	-
2452MHz	Pass	AV	2.386G	49.73	54.00	-4.27	3	Horizontal	139	1.50	-
2452MHz	Pass	AV	2.4468G	97.06	Inf	-Inf	3	Horizontal	139	1.50	-
2452MHz	Pass	AV	2.4835G	53.85	54.00	-0.15	3	Horizontal	139	1.50	-
2452MHz	Pass	PK	2.3852G	61.16	74.00	-12.84	3	Horizontal	139	1.50	-
2452MHz	Pass	PK	2.4488G	109.38	Inf	-Inf	3	Horizontal	139	1.50	-
2452MHz	Pass	PK	2.484G	68.25	74.00	-5.75	3	Horizontal	139	1.50	-
2452MHz	Pass	AV	4.9067G	32.95	54.00	-21.05	3	Vertical	348	2.91	-
2452MHz	Pass	AV	7.35066G	37.84	54.00	-16.16	3	Vertical	142	1.57	-
2452MHz	Pass	PK	4.91264G	45.89	74.00	-28.11	3	Vertical	348	2.91	-
2452MHz	Pass	PK	7.36308G	49.69	74.00	-24.31	3	Vertical	142	1.57	-
2452MHz	Pass	AV	4.9145G	32.91	54.00	-21.09	3	Horizontal	318	1.11	-
2452MHz	Pass	AV	7.36002G	38.06	54.00	-15.94	3	Horizontal	186	1.37	-
2452MHz	Pass	PK	4.89512G	44.73	74.00	-29.27	3	Horizontal	318	1.11	-
2452MHz	Pass	PK	7.36554G	50.82	74.00	-23.18	3	Horizontal	186	1.37	-
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.3878G	48.10	54.00	-5.90	3	Vertical	209	2.21	-
2412MHz	Pass	AV	2.4112G	103.25	Inf	-Inf	3	Vertical	209	2.21	-
2412MHz	Pass	PK	2.3802G	59.98	74.00	-14.02	3	Vertical	209	2.21	-
2412MHz	Pass	PK	2.4112G	107.09	Inf	-Inf	3	Vertical	209	2.21	-
2412MHz	Pass	AV	2.3886G	53.15	54.00	-0.85	3	Horizontal	320	1.50	-
2412MHz	Pass	AV	2.4112G	114.42	Inf	-Inf	3	Horizontal	320	1.50	-
2412MHz	Pass	PK	2.3888G	64.63	74.00	-9.37	3	Horizontal	320	1.50	-
2412MHz	Pass	PK	2.411G	118.27	Inf	-Inf	3	Horizontal	320	1.50	-
2412MHz	Pass	AV	4.82394G	46.15	54.00	-7.85	3	Vertical	246	1.33	-
2412MHz	Pass	PK	4.824G	50.56	74.00	-23.44	3	Vertical	246	1.33	-
2412MHz	Pass	AV	4.82388G	52.59	54.00	-1.41	3	Horizontal	143	1.50	-
2412MHz	Pass	PK	4.82394G	56.98	74.00	-17.02	3	Horizontal	143	1.50	-
2417MHz	Pass	AV	2.3748G	47.66	54.00	-6.34	3	Vertical	141	1.32	-
2417MHz	Pass	AV	2.4162G	94.77	Inf	-Inf	3	Vertical	141	1.32	-
2417MHz	Pass	PK	2.3876G	59.62	74.00	-14.38	3	Vertical	141	1.32	-
2417MHz	Pass	PK	2.418G	98.69	Inf	-Inf	3	Vertical	141	1.32	-
2417MHz	Pass	AV	2.387G	50.30	54.00	-3.70	3	Horizontal	320	1.50	-
2417MHz	Pass	AV	2.4162G	112.92	Inf	-Inf	3	Horizontal	320	1.50	-
2417MHz	Pass	PK	2.3882G	62.14	74.00	-11.86	3	Horizontal	320	1.50	-
2417MHz	Pass	PK	2.416G	116.88	Inf	-Inf	3	Horizontal	320	1.50	-
2417MHz	Pass	AV	4.83394G	46.48	54.00	-7.52	3	Vertical	246	1.50	-
2417MHz	Pass	AV	7.25256G	41.04	54.00	-12.96	3	Vertical	254	1.27	-
2417MHz	Pass	PK	4.83388G	51.25	74.00	-22.75	3	Vertical	246	1.50	-
2417MHz	Pass	PK	7.25226G	52.85	74.00	-21.15	3	Vertical	254	1.27	-
2417MHz	Pass	AV	4.83396G	53.76	54.00	-0.24	3	Horizontal	142	1.00	-
2417MHz	Pass	AV	7.25024G	44.12	54.00	-9.88	3	Horizontal	31	1.00	-
2417MHz	Pass	PK	4.8339G	57.61	74.00	-16.39	3	Horizontal	142	1.00	-
2417MHz	Pass	PK	7.25126G	54.01	74.00	-19.99	3	Horizontal	31	1.00	-
2437MHz	Pass	AV	2.3414G	47.69	54.00	-6.31	3	Vertical	175	1.52	-
2437MHz	Pass	AV	2.4358G	90.05	Inf	-Inf	3	Vertical	175	1.52	-
2437MHz	Pass	AV	2.4986G	48.17	54.00	-5.83	3	Vertical	175	1.52	-
2437MHz	Pass	PK	2.359G	59.63	74.00	-14.37	3	Vertical	175	1.52	-
2437MHz	Pass	PK	2.4362G	95.71	Inf	-Inf	3	Vertical	175	1.52	-
2437MHz	Pass	PK	2.4994G	60.19	74.00	-13.81	3	Vertical	175	1.52	-
2437MHz	Pass	AV	2.3882G	49.68	54.00	-4.32	3	Horizontal	325	1.50	-
2437MHz	Pass	AV	2.4362G	105.90	Inf	-Inf	3	Horizontal	325	1.50	-
2437MHz	Pass	AV	2.4854G	49.37	54.00	-4.63	3	Horizontal	325	1.50	-
2437MHz	Pass	PK	2.3854G	61.12	74.00	-12.88	3	Horizontal	325	1.50	-
2437MHz	Pass	PK	2.4378G	109.89	Inf	-Inf	3	Horizontal	325	1.50	-
2437MHz	Pass	PK	2.4835G	61.04	74.00	-12.96	3	Horizontal	325	1.50	-
2437MHz	Pass	AV	4.87406G	44.84	54.00	-9.16	3	Vertical	237	1.68	-
2437MHz	Pass	AV	7.30962G	45.70	54.00	-8.30	3	Vertical	219	2.67	-
2437MHz	Pass	PK	4.87394G	50.65	74.00	-23.35	3	Vertical	237	1.68	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	PK	7.31142G	54.37	74.00	-19.63	3	Vertical	219	2.67	-
2437MHz	Pass	AV	4.874G	53.71	54.00	-0.29	3	Horizontal	140	1.50	-
2437MHz	Pass	AV	7.30962G	49.01	54.00	-4.99	3	Horizontal	29	1.00	-
2437MHz	Pass	PK	4.87394G	58.00	74.00	-16.00	3	Horizontal	140	1.50	-
2437MHz	Pass	PK	7.30956G	56.11	74.00	-17.89	3	Horizontal	29	1.00	-
2462MHz	Pass	AV	2.4612G	99.53	Inf	-Inf	3	Vertical	144	1.63	-
2462MHz	Pass	AV	2.4846G	48.55	54.00	-5.45	3	Vertical	144	1.63	-
2462MHz	Pass	PK	2.463G	103.50	Inf	-Inf	3	Vertical	144	1.63	-
2462MHz	Pass	PK	2.4852G	60.10	74.00	-13.90	3	Vertical	144	1.63	-
2462MHz	Pass	AV	2.4612G	112.11	Inf	-Inf	3	Horizontal	319	1.00	-
2462MHz	Pass	AV	2.486G	52.48	54.00	-1.52	3	Horizontal	319	1.00	-
2462MHz	Pass	PK	2.4612G	115.81	Inf	-Inf	3	Horizontal	319	1.00	-
2462MHz	Pass	PK	2.4872G	62.14	74.00	-11.86	3	Horizontal	319	1.00	-
2462MHz	Pass	AV	4.92394G	47.24	54.00	-6.76	3	Vertical	236	1.00	-
2462MHz	Pass	AV	7.3851G	41.31	54.00	-12.69	3	Vertical	206	1.66	-
2462MHz	Pass	PK	4.92406G	51.43	74.00	-22.57	3	Vertical	236	1.00	-
2462MHz	Pass	PK	7.38432G	52.00	74.00	-22.00	3	Vertical	206	1.66	-
2462MHz	Pass	AV	4.924G	53.70	54.00	-0.30	3	Horizontal	317	1.02	-
2462MHz	Pass	AV	7.38468G	46.10	54.00	-7.90	3	Horizontal	205	1.16	-
2462MHz	Pass	PK	4.92394G	58.29	74.00	-15.71	3	Horizontal	317	1.02	-
2462MHz	Pass	PK	7.38504G	54.40	74.00	-19.60	3	Horizontal	205	1.16	-
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.363G	48.35	54.00	-5.65	3	Vertical	207	2.10	-
2412MHz	Pass	AV	2.417G	92.35	Inf	-Inf	3	Vertical	207	2.10	-
2412MHz	Pass	PK	2.39G	61.73	74.00	-12.27	3	Vertical	207	2.10	-
2412MHz	Pass	PK	2.417G	101.99	Inf	-Inf	3	Vertical	207	2.10	-
2412MHz	Pass	AV	2.39G	51.69	54.00	-2.31	3	Horizontal	323	1.13	-
2412MHz	Pass	AV	2.416G	104.40	Inf	-Inf	3	Horizontal	323	1.13	-
2412MHz	Pass	PK	2.3898G	73.50	74.00	-0.50	3	Horizontal	323	1.13	-
2412MHz	Pass	PK	2.4158G	113.53	Inf	-Inf	3	Horizontal	323	1.13	-
2412MHz	Pass	AV	4.82418G	40.53	54.00	-13.47	3	Vertical	171	1.62	-
2412MHz	Pass	PK	4.8243G	49.27	74.00	-24.73	3	Vertical	171	1.62	-
2412MHz	Pass	AV	4.82418G	42.67	54.00	-11.33	3	Horizontal	322	1.00	-
2412MHz	Pass	PK	4.8243G	57.56	74.00	-16.44	3	Horizontal	322	1.00	-
2417MHz	Pass	AV	2.39G	50.44	54.00	-3.56	3	Vertical	44	2.82	-
2417MHz	Pass	AV	2.4146G	97.23	Inf	-Inf	3	Vertical	44	2.82	-
2417MHz	Pass	PK	2.387G	67.08	74.00	-6.92	3	Vertical	44	2.82	-
2417MHz	Pass	PK	2.414G	106.82	Inf	-Inf	3	Vertical	44	2.82	-
2417MHz	Pass	AV	2.39G	52.92	54.00	-1.08	3	Horizontal	327	1.50	-
2417MHz	Pass	AV	2.4192G	107.19	Inf	-Inf	3	Horizontal	327	1.50	-
2417MHz	Pass	PK	2.3856G	73.04	74.00	-0.96	3	Horizontal	327	1.50	-
2417MHz	Pass	PK	2.414G	116.34	Inf	-Inf	3	Horizontal	327	1.50	-
2437MHz	Pass	AV	2.3466G	48.15	54.00	-5.85	3	Vertical	176	2.22	-
2437MHz	Pass	AV	2.441G	94.12	Inf	-Inf	3	Vertical	176	2.22	-
2437MHz	Pass	AV	2.4966G	48.71	54.00	-5.29	3	Vertical	176	2.22	-
2437MHz	Pass	PK	2.3558G	59.97	74.00	-14.03	3	Vertical	176	2.22	-
2437MHz	Pass	PK	2.4414G	103.14	Inf	-Inf	3	Vertical	176	2.22	-
2437MHz	Pass	PK	2.4954G	59.92	74.00	-14.08	3	Vertical	176	2.22	-
2437MHz	Pass	AV	2.3894G	53.08	54.00	-0.92	3	Horizontal	322	1.31	-
2437MHz	Pass	AV	2.441G	110.11	Inf	-Inf	3	Horizontal	322	1.31	-
2437MHz	Pass	AV	2.4838G	52.55	54.00	-1.45	3	Horizontal	322	1.31	-
2437MHz	Pass	PK	2.3894G	68.78	74.00	-5.22	3	Horizontal	322	1.31	-
2437MHz	Pass	PK	2.4406G	119.31	Inf	-Inf	3	Horizontal	322	1.31	-
2437MHz	Pass	PK	2.4858G	70.85	74.00	-3.15	3	Horizontal	322	1.31	-
2437MHz	Pass	AV	4.87802G	34.93	54.00	-19.07	3	Vertical	234	1.19	-
2437MHz	Pass	AV	7.31532G	37.95	54.00	-16.05	3	Vertical	109	2.68	-
2437MHz	Pass	PK	4.87316G	49.64	74.00	-24.36	3	Vertical	234	1.19	-
2437MHz	Pass	PK	7.31952G	50.87	74.00	-23.13	3	Vertical	109	2.68	-
2437MHz	Pass	AV	4.87544G	47.19	54.00	-6.81	3	Horizontal	321	2.88	-
2437MHz	Pass	AV	7.31112G	44.13	54.00	-9.87	3	Horizontal	27	1.00	-
2437MHz	Pass	PK	4.8755G	60.38	74.00	-13.62	3	Horizontal	321	2.88	-
2437MHz	Pass	PK	7.31064G	57.89	74.00	-16.11	3	Horizontal	27	1.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2457MHz	Pass	AV	2.4564G	87.78	Inf	-Inf	3	Vertical	142	1.50	-
2457MHz	Pass	AV	2.5G	48.66	54.00	-5.34	3	Vertical	142	1.50	-
2457MHz	Pass	PK	2.4562G	97.27	Inf	-Inf	3	Vertical	142	1.50	-
2457MHz	Pass	PK	2.4848G	60.61	74.00	-13.39	3	Vertical	142	1.50	-
2457MHz	Pass	AV	2.4542G	106.46	Inf	-Inf	3	Horizontal	327	1.27	-
2457MHz	Pass	AV	2.4835G	52.24	54.00	-1.76	3	Horizontal	327	1.27	-
2457MHz	Pass	PK	2.454G	116.09	Inf	-Inf	3	Horizontal	327	1.27	-
2457MHz	Pass	PK	2.4836G	73.74	74.00	-0.26	3	Horizontal	327	1.27	-
2462MHz	Pass	AV	2.4544G	86.85	Inf	-Inf	3	Vertical	144	1.80	-
2462MHz	Pass	AV	2.4996G	48.62	54.00	-5.38	3	Vertical	144	1.80	-
2462MHz	Pass	PK	2.4594G	96.07	Inf	-Inf	3	Vertical	144	1.80	-
2462MHz	Pass	PK	2.4906G	60.07	74.00	-13.93	3	Vertical	144	1.80	-
2462MHz	Pass	AV	2.457G	105.13	Inf	-Inf	3	Horizontal	328	2.94	-
2462MHz	Pass	AV	2.4835G	52.36	54.00	-1.64	3	Horizontal	328	2.94	-
2462MHz	Pass	PK	2.4564G	114.77	Inf	-Inf	3	Horizontal	328	2.94	-
2462MHz	Pass	PK	2.4854G	73.45	74.00	-0.55	3	Horizontal	328	2.94	-
2462MHz	Pass	AV	4.93108G	32.35	54.00	-21.65	3	Vertical	353	1.53	-
2462MHz	Pass	AV	7.39842G	37.29	54.00	-16.71	3	Vertical	13	1.85	-
2462MHz	Pass	PK	4.92796G	44.93	74.00	-29.07	3	Vertical	353	1.53	-
2462MHz	Pass	PK	7.38018G	50.45	74.00	-23.55	3	Vertical	13	1.85	-
2462MHz	Pass	AV	4.9363G	32.18	54.00	-21.82	3	Horizontal	107	2.84	-
2462MHz	Pass	AV	7.39824G	37.28	54.00	-16.72	3	Horizontal	251	1.23	-
2462MHz	Pass	PK	4.90966G	45.21	74.00	-28.79	3	Horizontal	107	2.84	-
2462MHz	Pass	PK	7.38618G	50.19	74.00	-23.81	3	Horizontal	251	1.23	-
802.11ax HEW20_Nss2.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	AV	2.39G	49.36	54.00	-4.64	3	Vertical	312	2.86	-
2412MHz	Pass	AV	2.419G	88.78	Inf	-Inf	3	Vertical	312	2.86	-
2412MHz	Pass	PK	2.3896G	60.84	74.00	-13.16	3	Vertical	312	2.86	-
2412MHz	Pass	PK	2.42G	100.44	Inf	-Inf	3	Vertical	312	2.86	-
2412MHz	Pass	AV	2.39G	53.46	54.00	-0.54	3	Horizontal	327	2.16	-
2412MHz	Pass	AV	2.4148G	102.29	Inf	-Inf	3	Horizontal	327	2.16	-
2412MHz	Pass	PK	2.3884G	72.55	74.00	-1.45	3	Horizontal	327	2.16	-
2412MHz	Pass	PK	2.4148G	114.36	Inf	-Inf	3	Horizontal	327	2.16	-
2412MHz	Pass	AV	4.8138G	32.80	54.00	-21.20	3	Vertical	1	2.51	-
2412MHz	Pass	PK	4.81314G	44.71	74.00	-29.29	3	Vertical	1	2.51	-
2412MHz	Pass	AV	4.81818G	33.10	54.00	-20.90	3	Horizontal	255	2.59	-
2412MHz	Pass	PK	4.8168G	44.82	74.00	-29.18	3	Horizontal	255	2.59	-
2417MHz	Pass	AV	2.39G	49.68	54.00	-4.32	3	Vertical	243	2.88	-
2417MHz	Pass	AV	2.4188G	95.44	Inf	-Inf	3	Vertical	243	2.88	-
2417MHz	Pass	PK	2.39G	61.94	74.00	-12.06	3	Vertical	243	2.88	-
2417MHz	Pass	PK	2.4142G	109.63	Inf	-Inf	3	Vertical	243	2.88	-
2417MHz	Pass	AV	2.39G	53.63	54.00	-0.37	3	Horizontal	324	2.70	-
2417MHz	Pass	AV	2.4154G	102.50	Inf	-Inf	3	Horizontal	324	2.70	-
2417MHz	Pass	PK	2.3898G	70.94	74.00	-3.06	3	Horizontal	324	2.70	-
2417MHz	Pass	PK	2.4114G	116.49	Inf	-Inf	3	Horizontal	324	2.70	-
2437MHz	Pass	AV	2.3418G	47.61	54.00	-6.39	3	Vertical	144	2.21	-
2437MHz	Pass	AV	2.4386G	88.01	Inf	-Inf	3	Vertical	144	2.21	-
2437MHz	Pass	AV	2.4982G	48.15	54.00	-5.85	3	Vertical	144	2.21	-
2437MHz	Pass	PK	2.347G	60.09	74.00	-13.91	3	Vertical	144	2.21	-
2437MHz	Pass	PK	2.4342G	100.83	Inf	-Inf	3	Vertical	144	2.21	-
2437MHz	Pass	PK	2.489G	60.43	74.00	-13.57	3	Vertical	144	2.21	-
2437MHz	Pass	AV	2.3898G	52.63	54.00	-1.37	3	Horizontal	326	1.72	-
2437MHz	Pass	AV	2.4406G	105.52	Inf	-Inf	3	Horizontal	326	1.72	-
2437MHz	Pass	AV	2.4835G	52.86	54.00	-1.14	3	Horizontal	326	1.72	-
2437MHz	Pass	PK	2.3898G	70.86	74.00	-3.14	3	Horizontal	326	1.72	-
2437MHz	Pass	PK	2.4406G	118.10	Inf	-Inf	3	Horizontal	326	1.72	-
2437MHz	Pass	PK	2.4842G	73.25	74.00	-0.75	3	Horizontal	326	1.72	-
2437MHz	Pass	AV	4.87952G	31.63	54.00	-22.37	3	Vertical	155	2.86	-
2437MHz	Pass	AV	7.31256G	37.34	54.00	-16.66	3	Vertical	109	2.70	-
2437MHz	Pass	PK	4.87862G	45.31	74.00	-28.69	3	Vertical	155	2.86	-
2437MHz	Pass	PK	7.30974G	51.14	74.00	-22.86	3	Vertical	109	2.70	-
2437MHz	Pass	AV	4.87424G	41.92	54.00	-12.08	3	Horizontal	323	1.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	7.30968G	40.81	54.00	-13.19	3	Horizontal	26	1.00	-
2437MHz	Pass	PK	4.87628G	57.38	74.00	-16.62	3	Horizontal	323	1.00	-
2437MHz	Pass	PK	7.30992G	55.54	74.00	-18.46	3	Horizontal	26	1.00	-
2457MHz	Pass	AV	2.4492G	86.69	Inf	-Inf	3	Vertical	142	1.04	-
2457MHz	Pass	AV	2.4835G	48.49	54.00	-5.51	3	Vertical	142	1.04	-
2457MHz	Pass	PK	2.4508G	100.07	Inf	-Inf	3	Vertical	142	1.04	-
2457MHz	Pass	PK	2.4894G	62.90	74.00	-11.10	3	Vertical	142	1.04	-
2457MHz	Pass	AV	2.4552G	102.64	Inf	-Inf	3	Horizontal	328	1.28	-
2457MHz	Pass	AV	2.4835G	52.40	54.00	-1.60	3	Horizontal	328	1.28	-
2457MHz	Pass	PK	2.4522G	115.81	Inf	-Inf	3	Horizontal	328	1.28	-
2457MHz	Pass	PK	2.49G	72.39	74.00	-1.61	3	Horizontal	328	1.28	-
2462MHz	Pass	AV	2.4542G	84.81	Inf	-Inf	3	Vertical	141	1.26	-
2462MHz	Pass	AV	2.4846G	48.50	54.00	-5.50	3	Vertical	141	1.26	-
2462MHz	Pass	PK	2.4556G	98.04	Inf	-Inf	3	Vertical	141	1.26	-
2462MHz	Pass	PK	2.4856G	63.21	74.00	-10.79	3	Vertical	141	1.26	-
2462MHz	Pass	AV	2.4582G	101.60	Inf	-Inf	3	Horizontal	326	1.29	-
2462MHz	Pass	AV	2.4835G	53.59	54.00	-0.41	3	Horizontal	326	1.29	-
2462MHz	Pass	PK	2.4534G	114.20	Inf	-Inf	3	Horizontal	326	1.29	-
2462MHz	Pass	PK	2.4835G	73.83	74.00	-0.17	3	Horizontal	326	1.29	-
2462MHz	Pass	AV	4.91002G	31.64	54.00	-22.36	3	Vertical	171	1.65	-
2462MHz	Pass	AV	7.40088G	36.70	54.00	-17.30	3	Vertical	100	2.85	-
2462MHz	Pass	PK	4.92454G	44.79	74.00	-29.21	3	Vertical	171	1.65	-
2462MHz	Pass	PK	7.39704G	50.75	74.00	-23.25	3	Vertical	100	2.85	-
2462MHz	Pass	AV	4.91002G	31.66	54.00	-22.34	3	Horizontal	313	2.19	-
2462MHz	Pass	AV	7.38054G	36.64	54.00	-17.36	3	Horizontal	267	2.99	-
2462MHz	Pass	PK	4.93504G	44.97	74.00	-29.03	3	Horizontal	313	2.19	-
2462MHz	Pass	PK	7.37784G	50.15	74.00	-23.85	3	Horizontal	267	2.99	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	AV	2.3224G	47.77	54.00	-6.23	3	Vertical	142	1.85	-
2422MHz	Pass	AV	2.428G	81.45	Inf	-Inf	3	Vertical	142	1.85	-
2422MHz	Pass	AV	2.5G	48.21	54.00	-5.79	3	Vertical	142	1.85	-
2422MHz	Pass	PK	2.354G	60.64	74.00	-13.36	3	Vertical	142	1.85	-
2422MHz	Pass	PK	2.428G	93.94	Inf	-Inf	3	Vertical	142	1.85	-
2422MHz	Pass	PK	2.4868G	59.85	74.00	-14.15	3	Vertical	142	1.85	-
2422MHz	Pass	AV	2.39G	53.62	54.00	-0.38	3	Horizontal	328	1.50	-
2422MHz	Pass	AV	2.4168G	98.36	Inf	-Inf	3	Horizontal	328	1.50	-
2422MHz	Pass	AV	2.4835G	49.16	54.00	-4.84	3	Horizontal	328	1.50	-
2422MHz	Pass	PK	2.3852G	69.30	74.00	-4.70	3	Horizontal	328	1.50	-
2422MHz	Pass	PK	2.4264G	110.83	Inf	-Inf	3	Horizontal	328	1.50	-
2422MHz	Pass	PK	2.4904G	61.40	74.00	-12.60	3	Horizontal	328	1.50	-
2422MHz	Pass	AV	4.83104G	31.38	54.00	-22.62	3	Vertical	184	2.35	-
2422MHz	Pass	AV	7.251G	36.87	54.00	-17.13	3	Vertical	249	2.27	-
2422MHz	Pass	PK	4.8356G	45.05	74.00	-28.95	3	Vertical	184	2.35	-
2422MHz	Pass	PK	7.2522G	49.84	74.00	-24.16	3	Vertical	249	2.27	-
2422MHz	Pass	AV	4.859G	31.48	54.00	-22.52	3	Horizontal	135	2.93	-
2422MHz	Pass	AV	7.25202G	36.83	54.00	-17.17	3	Horizontal	243	1.72	-
2422MHz	Pass	PK	4.85492G	44.70	74.00	-29.30	3	Horizontal	135	2.93	-
2422MHz	Pass	PK	7.26936G	50.94	74.00	-23.06	3	Horizontal	243	1.72	-
2427MHz	Pass	AV	2.3854G	47.72	54.00	-6.28	3	Vertical	143	1.08	-
2427MHz	Pass	AV	2.4298G	82.14	Inf	-Inf	3	Vertical	143	1.08	-
2427MHz	Pass	AV	2.4986G	48.27	54.00	-5.73	3	Vertical	143	1.08	-
2427MHz	Pass	PK	2.361G	59.72	74.00	-14.28	3	Vertical	143	1.08	-
2427MHz	Pass	PK	2.4234G	95.59	Inf	-Inf	3	Vertical	143	1.08	-
2427MHz	Pass	PK	2.4966G	60.07	74.00	-13.93	3	Vertical	143	1.08	-
2427MHz	Pass	AV	2.3898G	53.89	54.00	-0.11	3	Horizontal	329	1.46	-
2427MHz	Pass	AV	2.4214G	99.31	Inf	-Inf	3	Horizontal	329	1.46	-
2427MHz	Pass	AV	2.4886G	49.72	54.00	-4.28	3	Horizontal	329	1.46	-
2427MHz	Pass	PK	2.3898G	69.17	74.00	-4.83	3	Horizontal	329	1.46	-
2427MHz	Pass	PK	2.4262G	111.75	Inf	-Inf	3	Horizontal	329	1.46	-
2427MHz	Pass	PK	2.4878G	63.68	74.00	-10.32	3	Horizontal	329	1.46	-
2437MHz	Pass	AV	2.3898G	47.87	54.00	-6.13	3	Vertical	142	1.06	-
2437MHz	Pass	AV	2.4418G	84.21	Inf	-Inf	3	Vertical	142	1.06	-




RSE TX above 1GHz_Non-Beamforming_Omni

Appendix F.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2437MHz	Pass	AV	2.4846G	48.56	54.00	-5.44	3	Vertical	142	1.06	-
2437MHz	Pass	PK	2.3814G	60.09	74.00	-13.91	3	Vertical	142	1.06	-
2437MHz	Pass	PK	2.4414G	97.28	Inf	-Inf	3	Vertical	142	1.06	-
2437MHz	Pass	PK	2.4886G	61.50	74.00	-12.50	3	Vertical	142	1.06	-
2437MHz	Pass	AV	2.3898G	53.90	54.00	-0.10	3	Horizontal	329	1.10	-
2437MHz	Pass	AV	2.4234G	99.49	Inf	-Inf	3	Horizontal	329	1.10	-
2437MHz	Pass	AV	2.4835G	53.14	54.00	-0.86	3	Horizontal	329	1.10	-
2437MHz	Pass	PK	2.387G	70.80	74.00	-3.20	3	Horizontal	329	1.10	-
2437MHz	Pass	PK	2.429G	112.15	Inf	-Inf	3	Horizontal	329	1.10	-
2437MHz	Pass	PK	2.4858G	69.99	74.00	-4.01	3	Horizontal	329	1.10	-
2437MHz	Pass	AV	4.86476G	31.66	54.00	-22.34	3	Vertical	262	2.54	-
2437MHz	Pass	AV	7.31094G	36.94	54.00	-17.06	3	Vertical	4	3.00	-
2437MHz	Pass	PK	4.86266G	44.93	74.00	-29.07	3	Vertical	262	2.54	-
2437MHz	Pass	PK	7.31412G	50.05	74.00	-23.95	3	Vertical	4	3.00	-
2437MHz	Pass	AV	4.86338G	31.99	54.00	-22.01	3	Horizontal	6	1.34	-
2437MHz	Pass	AV	7.30818G	36.89	54.00	-17.11	3	Horizontal	294	2.17	-
2437MHz	Pass	PK	4.86926G	44.90	74.00	-29.10	3	Horizontal	6	1.34	-
2437MHz	Pass	PK	7.30218G	50.03	74.00	-23.97	3	Horizontal	294	2.17	-
2447MHz	Pass	AV	2.3886G	49.04	54.00	-4.96	3	Vertical	59	3.00	-
2447MHz	Pass	AV	2.4546G	90.86	Inf	-Inf	3	Vertical	59	3.00	-
2447MHz	Pass	AV	2.4835G	53.84	54.00	-0.16	3	Vertical	59	3.00	-
2447MHz	Pass	PK	2.3802G	60.78	74.00	-13.22	3	Vertical	59	3.00	-
2447MHz	Pass	PK	2.4558G	105.95	Inf	-Inf	3	Vertical	59	3.00	-
2447MHz	Pass	PK	2.487G	68.28	74.00	-5.72	3	Vertical	59	3.00	-
2447MHz	Pass	AV	2.389G	50.18	54.00	-3.82	3	Horizontal	313	1.18	-
2447MHz	Pass	AV	2.4398G	96.27	Inf	-Inf	3	Horizontal	313	1.18	-
2447MHz	Pass	AV	2.4835G	53.69	54.00	-0.31	3	Horizontal	313	1.18	-
2447MHz	Pass	PK	2.3826G	62.89	74.00	-11.11	3	Horizontal	313	1.18	-
2447MHz	Pass	PK	2.4434G	112.41	Inf	-Inf	3	Horizontal	313	1.18	-
2447MHz	Pass	PK	2.4846G	70.47	74.00	-3.53	3	Horizontal	313	1.18	-
2452MHz	Pass	AV	2.3896G	47.60	54.00	-6.40	3	Vertical	238	2.91	-
2452MHz	Pass	AV	2.4132G	99.09	Inf	-Inf	3	Vertical	238	2.91	-
2452MHz	Pass	PK	2.3676G	59.68	74.00	-14.32	3	Vertical	238	2.91	-
2452MHz	Pass	PK	2.413G	103.34	Inf	-Inf	3	Vertical	238	2.91	-
2452MHz	Pass	AV	2.39G	52.69	54.00	-1.31	3	Horizontal	136	1.50	-
2452MHz	Pass	AV	2.4108G	112.42	Inf	-Inf	3	Horizontal	136	1.50	-
2452MHz	Pass	PK	2.3894G	63.46	74.00	-10.54	3	Horizontal	136	1.50	-
2452MHz	Pass	PK	2.413G	116.69	Inf	-Inf	3	Horizontal	136	1.50	-
2452MHz	Pass	AV	4.824G	40.48	54.00	-13.52	3	Vertical	204	1.46	-
2452MHz	Pass	PK	4.824G	46.30	74.00	-27.70	3	Vertical	204	1.46	-
2452MHz	Pass	AV	4.82376G	48.55	54.00	-5.45	3	Horizontal	142	1.50	-
2452MHz	Pass	PK	4.82392G	50.15	74.00	-23.85	3	Horizontal	142	1.50	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	47.60	54.00	-6.40	35.56	3	Vertical	238	2.91	-	12.04	27.28	8.28	-
AV	2.4132G	99.09	Inf	-Inf	35.65	3	Vertical	238	2.91	-	63.44	27.35	8.30	-
PK	2.3676G	59.68	74.00	-14.32	35.51	3	Vertical	238	2.91	-	24.17	27.24	8.27	-
PK	2.413G	103.34	Inf	-Inf	35.65	3	Vertical	238	2.91	-	67.69	27.35	8.30	-


802.11b_Nss1,(1Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	52.69	54.00	-1.31	35.56	3	Horizontal	136	1.50	-	17.13	27.28	8.28	-
AV	2.4108G	112.42	Inf	-Inf	35.64	3	Horizontal	136	1.50	-	76.78	27.34	8.30	-
PK	2.3894G	63.46	74.00	-10.54	35.56	3	Horizontal	136	1.50	-	27.90	27.28	8.28	-
PK	2.413G	116.69	Inf	-Inf	35.65	3	Horizontal	136	1.50	-	81.04	27.35	8.30	-

802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.824G	40.48	54.00	-13.52	8.05	3	Vertical	204	1.46	-	32.43	32.55	9.68	34.18
PK	4.824G	46.30	74.00	-27.70	8.05	3	Vertical	204	1.46	-	38.25	32.55	9.68	34.18


802.11b_Nss1,(1Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82376G	48.55	54.00	-5.45	8.05	3	Horizontal	142	1.50	-	40.50	32.55	9.68	34.18
PK	4.82392G	50.15	74.00	-23.85	8.05	3	Horizontal	142	1.50	-	42.10	32.55	9.68	34.18

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3606G	47.62	54.00	-6.38	35.48	3	Vertical	8	1.48	-	12.14	27.22	8.26	-
AV	2.4362G	90.49	Inf	-Inf	35.75	3	Vertical	8	1.48	-	54.74	27.44	8.31	-
AV	2.4906G	48.05	54.00	-5.95	36.09	3	Vertical	8	1.48	-	11.96	27.74	8.35	-
PK	2.3674G	59.91	74.00	-14.09	35.50	3	Vertical	8	1.48	-	24.41	27.23	8.27	-
PK	2.4362G	94.17	Inf	-Inf	35.75	3	Vertical	8	1.48	-	58.42	27.44	8.31	-
PK	2.4938G	59.92	74.00	-14.08	36.11	3	Vertical	8	1.48	-	23.81	27.76	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	49.09	54.00	-4.91	35.56	3	Horizontal	336	1.28	-	13.53	27.28	8.28	-
AV	2.4378G	108.65	Inf	-Inf	35.76	3	Horizontal	336	1.28	-	72.89	27.45	8.31	-
AV	2.4846G	49.13	54.00	-4.87	36.05	3	Horizontal	336	1.28	-	13.08	27.71	8.34	-
PK	2.385G	60.73	74.00	-13.27	35.55	3	Horizontal	336	1.28	-	25.18	27.27	8.28	-
PK	2.4362G	112.93	Inf	-Inf	35.75	3	Horizontal	336	1.28	-	77.18	27.44	8.31	-
PK	2.4946G	60.49	74.00	-13.51	36.12	3	Horizontal	336	1.28	-	24.37	27.77	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87396G	43.72	54.00	-10.28	8.19	3	Vertical	229	2.15	-	35.53	32.65	9.70	34.16
AV	7.30972G	46.59	54.00	-7.41	13.44	3	Vertical	225	2.74	-	33.15	36.62	11.32	34.50
PK	4.87388G	49.19	74.00	-24.81	8.19	3	Vertical	229	2.15	-	41.00	32.65	9.70	34.16
PK	7.31004G	54.91	74.00	-19.09	13.44	3	Vertical	225	2.74	-	41.47	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87388G	53.26	54.00	-0.74	8.19	3	Horizontal	325	1.00	-	45.07	32.65	9.70	34.16
AV	7.30964G	49.21	54.00	-4.79	13.44	3	Horizontal	79	1.04	-	35.77	36.62	11.32	34.50
PK	4.87392G	58.69	74.00	-15.31	8.19	3	Horizontal	325	1.00	-	50.50	32.65	9.70	34.16
PK	7.30988G	56.66	74.00	-17.34	13.44	3	Horizontal	79	1.04	-	43.22	36.62	11.32	34.50

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	106.04	Inf	-Inf	35.90	3	Vertical	55	3.00	-	70.14	27.57	8.33	-
AV	2.4848G	53.03	54.00	-0.97	36.06	3	Vertical	55	3.00	-	16.97	27.71	8.35	-
PK	2.463G	109.94	Inf	-Inf	35.91	3	Vertical	55	3.00	-	74.03	27.58	8.33	-
PK	2.4862G	62.58	74.00	-11.42	36.07	3	Vertical	55	3.00	-	26.51	27.72	8.35	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	111.40	Inf	-Inf	35.90	3	Horizontal	332	1.86	-	75.50	27.57	8.33	-
AV	2.4966G	53.52	54.00	-0.48	36.13	3	Horizontal	332	1.86	-	17.39	27.78	8.35	-
PK	2.463G	115.46	Inf	-Inf	35.91	3	Horizontal	332	1.86	-	79.55	27.58	8.33	-
PK	2.4844G	64.82	74.00	-9.18	36.05	3	Horizontal	332	1.86	-	28.77	27.71	8.34	-

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92396G	44.40	54.00	-9.60	8.38	3	Vertical	228	1.32	-	36.02	32.80	9.72	34.14
AV	7.38464G	43.99	54.00	-10.01	13.34	3	Vertical	226	3.00	-	30.65	36.49	11.34	34.49
PK	4.92388G	49.60	74.00	-24.40	8.38	3	Vertical	228	1.32	-	41.22	32.80	9.72	34.14
PK	7.38508G	53.43	74.00	-20.57	13.34	3	Vertical	226	3.00	-	40.09	36.49	11.34	34.49

802.11b_Nss1,(1Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92392G	51.97	54.00	-2.03	8.38	3	Horizontal	141	3.00	-	43.59	32.80	9.72	34.14
AV	7.38472G	42.83	54.00	-11.17	13.34	3	Horizontal	25	2.52	-	29.49	36.49	11.34	34.49
PK	4.92388G	55.91	74.00	-18.09	8.38	3	Horizontal	141	3.00	-	47.53	32.80	9.72	34.14
PK	7.38748G	53.12	74.00	-20.88	13.33	3	Horizontal	25	2.52	-	39.79	36.48	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3832G	48.08	54.00	-5.92	35.55	3	Vertical	142	1.08	-	12.53	27.27	8.28	-
AV	2.416G	87.73	Inf	-Inf	35.66	3	Vertical	142	1.08	-	52.07	27.36	8.30	-
PK	2.389G	61.49	74.00	-12.51	35.56	3	Vertical	142	1.08	-	25.93	27.28	8.28	-
PK	2.4144G	97.85	Inf	-Inf	35.66	3	Vertical	142	1.08	-	62.19	27.36	8.30	-


802.11g_Nss1,(6Mbps)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	50.24	54.00	-3.76	35.56	3	Horizontal	135	1.50	-	14.68	27.28	8.28	-
AV	2.4092G	103.16	Inf	-Inf	35.64	3	Horizontal	135	1.50	-	67.52	27.34	8.30	-
PK	2.3898G	73.24	74.00	-0.76	35.56	3	Horizontal	135	1.50	-	37.68	27.28	8.28	-
PK	2.4136G	113.25	Inf	-Inf	35.65	3	Horizontal	135	1.50	-	77.60	27.35	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81872G	32.27	54.00	-21.73	8.03	3	Vertical	28	1.10	-	24.24	32.54	9.68	34.19
PK	4.8204G	44.90	74.00	-29.10	8.03	3	Vertical	28	1.10	-	36.87	32.54	9.68	34.19


802.11g_Nss1,(6Mbps)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82094G	32.14	54.00	-21.86	8.03	3	Horizontal	288	1.32	-	24.11	32.54	9.68	34.19
PK	4.83594G	44.99	74.00	-29.01	8.07	3	Horizontal	288	1.32	-	36.92	32.57	9.68	34.18

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.25	54.00	-5.75	35.56	3	Vertical	144	1.18	-	12.69	27.28	8.28	-
AV	2.4184G	88.40	Inf	-Inf	35.67	3	Vertical	144	1.18	-	52.73	27.37	8.30	-
PK	2.3884G	60.12	74.00	-13.88	35.56	3	Vertical	144	1.18	-	24.56	27.28	8.28	-
PK	2.4184G	98.72	Inf	-Inf	35.67	3	Vertical	144	1.18	-	63.05	27.37	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.45	54.00	-0.55	35.56	3	Horizontal	135	1.50	-	17.89	27.28	8.28	-
AV	2.4124G	105.13	Inf	-Inf	35.65	3	Horizontal	135	1.50	-	69.48	27.35	8.30	-
PK	2.3898G	73.73	74.00	-0.27	35.56	3	Horizontal	135	1.50	-	38.17	27.28	8.28	-
PK	2.4142G	114.99	Inf	-Inf	35.66	3	Horizontal	135	1.50	-	79.33	27.36	8.30	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	48.30	54.00	-5.70	35.56	3	Vertical	143	1.18	-	12.74	27.28	8.28	-
AV	2.441G	92.46	Inf	-Inf	35.78	3	Vertical	143	1.18	-	56.68	27.46	8.32	-
AV	2.4835G	48.81	54.00	-5.19	36.04	3	Vertical	143	1.18	-	12.77	27.70	8.34	-
PK	2.3754G	59.59	74.00	-14.41	35.52	3	Vertical	143	1.18	-	24.07	27.25	8.27	-
PK	2.4394G	102.38	Inf	-Inf	35.78	3	Vertical	143	1.18	-	66.60	27.46	8.32	-
PK	2.4835G	62.99	74.00	-11.01	36.04	3	Vertical	143	1.18	-	26.95	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	53.85	54.00	-0.15	35.56	3	Horizontal	131	1.30	-	18.29	27.28	8.28	-
AV	2.4322G	107.14	Inf	-Inf	35.74	3	Horizontal	131	1.30	-	71.40	27.43	8.31	-
AV	2.4846G	53.22	54.00	-0.78	36.05	3	Horizontal	131	1.30	-	17.17	27.71	8.34	-
PK	2.3898G	70.40	74.00	-3.60	35.56	3	Horizontal	131	1.30	-	34.84	27.28	8.28	-
PK	2.4302G	117.27	Inf	-Inf	35.73	3	Horizontal	131	1.30	-	81.54	27.42	8.31	-
PK	2.4838G	71.78	74.00	-2.22	36.04	3	Horizontal	131	1.30	-	35.74	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86338G	32.32	54.00	-21.68	8.16	3	Vertical	80	1.50	-	24.16	32.63	9.70	34.17
AV	7.31436G	37.52	54.00	-16.48	13.45	3	Vertical	198	1.90	-	24.07	36.63	11.32	34.50
PK	4.88816G	45.12	74.00	-28.88	8.24	3	Vertical	80	1.50	-	36.88	32.68	9.71	34.15
PK	7.30914G	50.21	74.00	-23.79	13.44	3	Vertical	198	1.90	-	36.77	36.62	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87556G	43.53	54.00	-10.47	8.19	3	Horizontal	326	1.00	-	35.34	32.65	9.70	34.16
AV	7.31076G	43.67	54.00	-10.33	13.44	3	Horizontal	81	1.17	-	30.23	36.62	11.32	34.50
PK	4.87352G	56.85	74.00	-17.15	8.19	3	Horizontal	326	1.00	-	48.66	32.65	9.70	34.16
PK	7.31262G	57.76	74.00	-16.24	13.45	3	Horizontal	81	1.17	-	44.31	36.63	11.32	34.50

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4524G	89.30	Inf	-Inf	35.83	3	Vertical	141	1.05	-	53.47	27.51	8.32	-
AV	2.4842G	48.84	54.00	-5.16	36.05	3	Vertical	141	1.05	-	12.79	27.71	8.34	-
PK	2.4504G	98.99	Inf	-Inf	35.82	3	Vertical	141	1.05	-	63.17	27.50	8.32	-
PK	2.4856G	62.54	74.00	-11.46	36.06	3	Vertical	141	1.05	-	26.48	27.71	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4522G	102.68	Inf	-Inf	35.83	3	Horizontal	331	1.28	-	66.85	27.51	8.32	-
AV	2.4846G	52.38	54.00	-1.62	36.05	3	Horizontal	331	1.28	-	16.33	27.71	8.34	-
PK	2.4502G	112.73	Inf	-Inf	35.82	3	Horizontal	331	1.28	-	76.91	27.50	8.32	-
PK	2.4866G	73.67	74.00	-0.33	36.07	3	Horizontal	331	1.28	-	37.60	27.72	8.35	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4558G	86.31	Inf	-Inf	35.86	3	Vertical	140	1.06	-	50.45	27.53	8.33	-
AV	2.4944G	48.63	54.00	-5.37	36.12	3	Vertical	140	1.06	-	12.51	27.77	8.35	-
PK	2.4554G	96.31	Inf	-Inf	35.86	3	Vertical	140	1.06	-	60.45	27.53	8.33	-
PK	2.484G	61.51	74.00	-12.49	36.04	3	Vertical	140	1.06	-	25.47	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4572G	101.19	Inf	-Inf	35.87	3	Horizontal	131	1.46	-	65.32	27.54	8.33	-
AV	2.4835G	51.86	54.00	-2.14	36.04	3	Horizontal	131	1.46	-	15.82	27.70	8.34	-
PK	2.4554G	111.23	Inf	-Inf	35.86	3	Horizontal	131	1.46	-	75.37	27.53	8.33	-
PK	2.4836G	73.31	74.00	-0.69	36.04	3	Horizontal	131	1.46	-	37.27	27.70	8.34	-

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.93408G	32.34	54.00	-21.66	8.43	3	Vertical	196	2.75	-	23.91	32.84	9.72	34.13
AV	7.40016G	37.34	54.00	-16.66	13.25	3	Vertical	264	1.49	-	24.09	36.40	11.34	34.49
PK	4.9378G	44.83	74.00	-29.17	8.45	3	Vertical	196	2.75	-	36.38	32.85	9.73	34.13
PK	7.3923G	49.76	74.00	-24.24	13.30	3	Vertical	264	1.49	-	36.46	36.45	11.34	34.49

802.11g_Nss1,(6Mbps)_1TX(Port2)


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91254G	32.28	54.00	-21.72	8.33	3	Horizontal	123	2.64	-	23.95	32.75	9.72	34.14
AV	7.401G	37.33	54.00	-16.67	13.25	3	Horizontal	313	2.41	-	24.08	36.40	11.34	34.49
PK	4.91704G	44.83	74.00	-29.17	8.35	3	Horizontal	123	2.64	-	36.48	32.77	9.72	34.14
PK	7.3986G	50.23	74.00	-23.77	13.26	3	Horizontal	313	2.41	-	36.97	36.41	11.34	34.49

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.94	54.00	-5.06	35.56	3	Vertical	139	1.08	-	13.38	27.28	8.28	-
AV	2.4098G	88.26	Inf	-Inf	35.64	3	Vertical	139	1.08	-	52.62	27.34	8.30	-
PK	2.3898G	66.31	74.00	-7.69	35.56	3	Vertical	139	1.08	-	30.75	27.28	8.28	-
PK	2.409G	102.24	Inf	-Inf	35.64	3	Vertical	139	1.08	-	66.60	27.34	8.30	-


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	49.21	54.00	-4.79	35.56	3	Horizontal	135	1.50	-	13.65	27.28	8.28	-
AV	2.4094G	98.90	Inf	-Inf	35.64	3	Horizontal	135	1.50	-	63.26	27.34	8.30	-
PK	2.3896G	73.53	74.00	-0.47	35.56	3	Horizontal	135	1.50	-	37.97	27.28	8.28	-
PK	2.409G	113.00	Inf	-Inf	35.64	3	Horizontal	135	1.50	-	77.36	27.34	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81854G	31.44	54.00	-22.56	8.03	3	Vertical	218	1.92	-	23.41	32.54	9.68	34.19
PK	4.83036G	44.77	74.00	-29.23	8.06	3	Vertical	218	1.92	-	36.71	32.56	9.68	34.18
PK	7.2507G	50.74	74.00	-23.26	13.51	3	Vertical	175	2.55	-	37.23	36.70	11.31	34.50


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.81566G	31.43	54.00	-22.57	8.02	3	Horizontal	225	2.31	-	23.41	32.53	9.68	34.19
PK	4.81704G	44.92	74.00	-29.08	8.02	3	Horizontal	225	2.31	-	36.90	32.53	9.68	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	47.87	54.00	-6.13	35.56	3	Vertical	140	1.10	-	12.31	27.28	8.28	-
AV	2.4098G	87.20	Inf	-Inf	35.64	3	Vertical	140	1.10	-	51.56	27.34	8.30	-
PK	2.3884G	61.03	74.00	-12.97	35.56	3	Vertical	140	1.10	-	25.47	27.28	8.28	-
PK	2.41G	100.93	Inf	-Inf	35.64	3	Vertical	140	1.10	-	65.29	27.34	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	51.76	54.00	-2.24	35.56	3	Horizontal	135	1.50	-	16.20	27.28	8.28	-
AV	2.4124G	102.56	Inf	-Inf	35.65	3	Horizontal	135	1.50	-	66.91	27.35	8.30	-
PK	2.3898G	71.79	74.00	-2.21	35.56	3	Horizontal	135	1.50	-	36.23	27.28	8.28	-
PK	2.4138G	116.70	Inf	-Inf	35.66	3	Horizontal	135	1.50	-	81.04	27.36	8.30	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.85	54.00	-6.15	35.56	3	Vertical	143	1.17	-	12.29	27.28	8.28	-
AV	2.4398G	90.49	Inf	-Inf	35.78	3	Vertical	143	1.17	-	54.71	27.46	8.32	-
AV	2.4835G	48.49	54.00	-5.51	36.04	3	Vertical	143	1.17	-	12.45	27.70	8.34	-
PK	2.3542G	59.87	74.00	-14.13	35.47	3	Vertical	143	1.17	-	24.40	27.21	8.26	-
PK	2.4338G	103.97	Inf	-Inf	35.75	3	Vertical	143	1.17	-	68.22	27.44	8.31	-
PK	2.4838G	60.71	74.00	-13.29	36.04	3	Vertical	143	1.17	-	24.67	27.70	8.34	-

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	52.69	54.00	-1.31	35.56	3	Horizontal	138	1.54	-	17.13	27.28	8.28	-
AV	2.4286G	104.89	Inf	-Inf	35.72	3	Horizontal	138	1.54	-	69.17	27.41	8.31	-
AV	2.4835G	52.99	54.00	-1.01	36.04	3	Horizontal	138	1.54	-	16.95	27.70	8.34	-
PK	2.3886G	67.63	74.00	-6.37	35.56	3	Horizontal	138	1.54	-	32.07	27.28	8.28	-
PK	2.4338G	118.80	Inf	-Inf	35.75	3	Horizontal	138	1.54	-	83.05	27.44	8.31	-
PK	2.4846G	72.78	74.00	-1.22	36.05	3	Horizontal	138	1.54	-	36.73	27.71	8.34	-