


802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	48.61	54.00	-5.39	8.90	3	Vertical	326	1.96	-	39.71	33.20	9.83	34.13
AV	5.2792G	95.54	Inf	-Inf	8.73	3	Vertical	326	1.96	-	86.81	32.96	9.92	34.15
AV	5.35G	53.17	54.00	-0.83	8.51	3	Vertical	326	1.96	-	44.66	32.70	9.97	34.16
PK	5.1364G	61.10	74.00	-12.90	8.91	3	Vertical	326	1.96	-	52.19	33.20	9.83	34.12
PK	5.2864G	109.22	Inf	-Inf	8.74	3	Vertical	326	1.96	-	100.48	32.97	9.92	34.15
PK	5.3644G	69.51	74.00	-4.49	8.54	3	Vertical	326	1.96	-	60.97	32.73	9.98	34.17


802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	46.69	54.00	-7.31	8.90	3	Horizontal	243	2.00	-	37.79	33.20	9.83	34.13
AV	5.2972G	81.30	Inf	-Inf	8.77	3	Horizontal	243	2.00	-	72.53	32.99	9.93	34.15
AV	5.35G	46.64	54.00	-7.36	8.51	3	Horizontal	243	2.00	-	38.13	32.70	9.97	34.16
PK	5.0176G	58.63	74.00	-15.37	8.69	3	Horizontal	243	2.00	-	49.94	33.03	9.76	34.10
PK	5.2984G	93.51	Inf	-Inf	8.78	3	Horizontal	243	2.00	-	84.73	33.00	9.93	34.15
PK	5.5396G	58.67	68.20	-9.53	8.70	3	Horizontal	243	2.00	-	49.97	32.84	10.05	34.19

802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86238G	49.90	54.00	-4.10	19.60	3	Vertical	47	1.91	-	30.30	38.29	15.92	34.61
PK	10.59332G	53.22	68.20	-14.98	17.23	3	Vertical	72	1.94	-	35.99	38.88	12.76	34.41
PK	15.88398G	61.17	74.00	-12.83	19.65	3	Vertical	47	1.91	-	41.52	38.35	15.93	34.63


802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87576G	49.74	54.00	-4.26	19.64	3	Horizontal	240	1.10	-	30.10	38.33	15.93	34.62
PK	10.57202G	53.55	68.20	-14.65	17.14	3	Horizontal	39	2.93	-	36.41	38.82	12.75	34.43
PK	15.86916G	60.53	74.00	-13.47	19.61	3	Horizontal	240	1.10	-	40.92	38.31	15.92	34.62

802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.84	54.00	-4.16	8.76	3	Vertical	346	1.50	-	41.08	32.92	10.02	34.18
AV	5.541G	95.95	Inf	-Inf	8.70	3	Vertical	346	1.50	-	87.25	32.84	10.05	34.19
PK	5.47G	66.96	68.20	-1.24	8.78	3	Vertical	346	1.50	-	58.18	32.94	10.02	34.18
PK	5.518G	107.69	Inf	-Inf	8.78	3	Vertical	346	1.50	-	98.91	32.93	10.04	34.19
PK	5.768G	60.49	68.20	-7.71	9.69	3	Vertical	346	1.50	-	50.80	33.74	10.16	34.21


802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.382G	46.31	54.00	-7.69	8.58	3	Horizontal	111	2.12	-	37.73	32.76	9.99	34.17
AV	5.541G	77.01	Inf	-Inf	8.70	3	Horizontal	111	2.12	-	68.31	32.84	10.05	34.19
PK	5.29G	59.77	68.20	-8.43	8.75	3	Horizontal	111	2.12	-	51.02	32.98	9.92	34.15
PK	5.542G	88.97	Inf	-Inf	8.69	3	Horizontal	111	2.12	-	80.28	32.83	10.05	34.19
PK	5.76G	59.63	68.20	-8.57	9.67	3	Horizontal	111	2.12	-	49.96	33.72	10.16	34.21

**802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0573G	43.50	54.00	-10.50	17.70	3	Vertical	268	2.04	-	25.80	38.80	12.94	34.04
PK	11.05994G	54.25	74.00	-19.75	17.70	3	Vertical	268	2.04	-	36.55	38.80	12.94	34.04
PK	16.58268G	61.41	68.20	-6.79	20.60	3	Vertical	354	1.09	-	40.81	38.68	16.11	34.19


**802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05226G	43.26	54.00	-10.74	17.70	3	Horizontal	99	1.53	-	25.56	38.80	12.94	34.04
PK	11.0525G	53.54	74.00	-20.46	17.70	3	Horizontal	99	1.53	-	35.84	38.80	12.94	34.04
PK	16.57788G	61.03	68.20	-7.17	20.59	3	Horizontal	148	2.33	-	40.44	38.68	16.11	34.20

802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.93	54.00	-2.07	8.76	3	Vertical	332	1.84	-	43.17	32.92	10.02	34.18
AV	5.598G	99.98	Inf	-Inf	8.96	3	Vertical	332	1.84	-	91.02	33.09	10.07	34.20
PK	5.464G	65.39	68.20	-2.81	8.77	3	Vertical	332	1.84	-	56.62	32.93	10.02	34.18
PK	5.596G	112.53	Inf	-Inf	8.95	3	Vertical	332	1.84	-	103.58	33.08	10.07	34.20
PK	5.726G	67.52	68.20	-0.68	9.50	3	Vertical	332	1.84	-	58.02	33.56	10.14	34.20


802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.383G	46.26	54.00	-7.74	8.59	3	Horizontal	339	3.00	-	37.67	32.77	9.99	34.17
AV	5.622G	81.39	Inf	-Inf	9.07	3	Horizontal	339	3.00	-	72.32	33.19	10.08	34.20
PK	5.461G	57.44	68.20	-10.76	8.76	3	Horizontal	339	3.00	-	48.68	32.92	10.02	34.18
PK	5.635G	94.09	Inf	-Inf	9.13	3	Horizontal	339	3.00	-	84.96	33.24	10.09	34.20
PK	5.832G	60.47	68.20	-7.73	9.98	3	Horizontal	339	3.00	-	50.49	33.99	10.20	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22762G	43.74	54.00	-10.26	17.92	3	Vertical	36	2.66	-	25.82	38.96	13.01	34.05
PK	11.2221G	54.33	74.00	-19.67	17.90	3	Vertical	36	2.66	-	36.43	38.94	13.01	34.05
PK	16.83372G	61.09	68.20	-7.11	20.81	3	Vertical	136	1.60	-	40.28	38.33	16.15	33.67

802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20638G	43.76	54.00	-10.24	17.86	3	Horizontal	106	1.10	-	25.90	38.91	13.00	34.05
PK	11.22282G	53.62	74.00	-20.38	17.91	3	Horizontal	106	1.10	-	35.71	38.95	13.01	34.05
PK	16.82922G	60.61	68.20	-7.59	20.80	3	Horizontal	6	1.32	-	39.81	38.33	16.15	33.68

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.81	54.00	-0.19	8.76	3	Vertical	149	1.94	-	45.05	32.92	10.02	34.18
AV	5.678G	101.92	Inf	-Inf	9.27	3	Vertical	149	1.94	-	92.65	33.36	10.11	34.20
PK	5.4668G	67.22	68.20	-0.98	8.77	3	Vertical	149	1.94	-	58.45	32.93	10.02	34.18
PK	5.6756G	113.80	Inf	-Inf	9.26	3	Vertical	149	1.94	-	104.54	33.35	10.11	34.20
PK	5.8568G	65.70	68.20	-2.50	10.11	3	Vertical	149	1.94	-	55.59	34.10	10.22	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.402G	46.28	54.00	-7.72	8.63	3	Horizontal	341	1.40	-	37.65	32.80	10.00	34.17
AV	5.6744G	84.35	Inf	-Inf	9.26	3	Horizontal	341	1.40	-	75.09	33.35	10.11	34.20
PK	5.4656G	56.98	68.20	-11.22	8.77	3	Horizontal	341	1.40	-	48.21	32.93	10.02	34.18
PK	5.6816G	96.40	Inf	-Inf	9.27	3	Horizontal	341	1.40	-	87.13	33.36	10.11	34.20
PK	5.9252G	60.76	68.20	-7.44	10.25	3	Horizontal	341	1.40	-	50.51	34.20	10.27	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36902G	43.51	54.00	-10.49	18.11	3	Vertical	354	2.93	-	25.40	39.10	13.06	34.05
PK	11.36848G	53.63	74.00	-20.37	18.11	3	Vertical	354	2.93	-	35.52	39.10	13.06	34.05
PK	17.0625G	62.40	68.20	-5.80	21.32	3	Vertical	189	2.81	-	41.08	38.44	16.19	33.31


802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38864G	44.04	54.00	-9.96	18.11	3	Horizontal	74	2.29	-	25.93	39.10	13.07	34.06
PK	11.37058G	54.81	74.00	-19.19	18.11	3	Horizontal	74	2.29	-	36.70	39.10	13.06	34.05
PK	17.05776G	63.34	68.20	-4.86	21.32	3	Horizontal	247	1.52	-	42.02	38.44	16.19	33.31

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	50.23	54.00	-3.77	8.90	3	Vertical	152	2.15	-	41.33	33.20	9.83	34.13
AV	5.1756G	76.65	Inf	-Inf	8.87	3	Vertical	152	2.15	-	67.78	33.15	9.85	34.13
AV	5.3532G	49.65	54.00	-4.35	8.52	3	Vertical	152	2.15	-	41.13	32.71	9.97	34.16
PK	5.0496G	60.41	74.00	-13.59	8.57	3	Vertical	152	2.15	-	51.84	32.90	9.78	34.11
PK	5.1768G	86.59	Inf	-Inf	8.87	3	Vertical	152	2.15	-	77.72	33.15	9.85	34.13
PK	5.5044G	59.32	68.20	-8.88	8.83	3	Vertical	152	2.15	-	50.49	32.98	10.04	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1372G	53.38	54.00	-0.62	8.91	3	Horizontal	320	1.02	-	44.47	33.20	9.83	34.12
AV	5.1744G	89.30	Inf	-Inf	8.87	3	Horizontal	320	1.02	-	80.43	33.15	9.85	34.13
AV	5.3772G	52.78	54.00	-1.22	8.56	3	Horizontal	320	1.02	-	44.22	32.75	9.98	34.17
PK	5.1168G	61.83	74.00	-12.17	8.89	3	Horizontal	320	1.02	-	52.94	33.20	9.81	34.12
PK	5.2884G	99.34	Inf	-Inf	8.75	3	Horizontal	320	1.02	-	90.59	32.98	9.92	34.15
PK	5.5068G	59.19	68.20	-9.01	8.82	3	Horizontal	320	1.02	-	50.37	32.97	10.04	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7868G	50.42	54.00	-3.58	19.40	3	Vertical	353	1.73	-	31.02	38.11	15.86	34.57
PK	10.54128G	55.19	68.20	-13.01	17.01	3	Vertical	6	2.40	-	38.18	38.72	12.74	34.45
PK	15.75032G	60.02	74.00	-13.98	19.44	3	Vertical	353	1.73	-	40.58	38.15	15.84	34.55

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68088G	50.06	54.00	-3.94	19.57	3	Horizontal	94	1.51	-	30.49	38.30	15.78	34.51
PK	10.52208G	55.10	68.20	-13.10	16.93	3	Horizontal	126	2.12	-	38.17	38.67	12.73	34.47
PK	15.82584G	60.66	74.00	-13.34	19.48	3	Horizontal	94	1.51	-	41.18	38.18	15.89	34.59

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3564G	49.86	54.00	-4.14	8.52	3	Vertical	31	2.20	-	41.34	32.71	9.97	34.16
AV	5.5832G	81.52	Inf	-Inf	8.87	3	Vertical	31	2.20	-	72.65	33.00	10.06	34.19
PK	5.2832G	59.76	68.20	-8.44	8.74	3	Vertical	31	2.20	-	51.02	32.97	9.92	34.15
PK	5.5736G	90.99	Inf	-Inf	8.81	3	Vertical	31	2.20	-	82.18	32.94	10.06	34.19
PK	5.8292G	61.53	68.20	-6.67	9.97	3	Vertical	31	2.20	-	51.56	33.98	10.20	34.21


802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	53.52	54.00	-0.48	8.75	3	Horizontal	314	1.00	-	44.77	32.91	10.02	34.18
AV	5.5928G	91.46	Inf	-Inf	8.93	3	Horizontal	314	1.00	-	82.53	33.06	10.07	34.20
PK	5.4632G	61.56	68.20	-6.64	8.77	3	Horizontal	314	1.00	-	52.79	32.93	10.02	34.18
PK	5.5928G	101.65	Inf	-Inf	8.93	3	Horizontal	314	1.00	-	92.72	33.06	10.07	34.20
PK	5.738G	61.77	68.20	-6.43	9.58	3	Horizontal	314	1.00	-	52.19	33.63	10.15	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21264G	45.03	54.00	-8.97	17.88	3	Vertical	140	2.08	-	27.15	38.93	13.00	34.05
PK	11.14576G	55.39	74.00	-18.61	17.78	3	Vertical	140	2.08	-	37.61	38.85	12.98	34.05
PK	16.74872G	61.68	68.20	-6.52	20.90	3	Vertical	314	2.02	-	40.78	38.61	16.14	33.85


802.11ax HEW160_Nss1,(MCS0)_1TX(Port1)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.196G	44.86	54.00	-9.14	17.85	3	Horizontal	49	2.62	-	27.01	38.90	13.00	34.05
PK	11.0984G	55.25	74.00	-18.75	17.72	3	Horizontal	49	2.62	-	37.53	38.80	12.96	34.04
PK	16.70232G	62.66	68.20	-5.54	21.08	3	Horizontal	106	1.33	-	41.58	38.89	16.13	33.94

802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1G	53.14	54.00	-0.86	8.88	3	Vertical	158	1.05	-	44.26	33.20	9.80	34.12
AV	5.2728G	91.82	Inf	-Inf	8.71	3	Vertical	158	1.05	-	83.11	32.95	9.91	34.15
AV	5.3856G	52.51	54.00	-1.49	8.59	3	Vertical	158	1.05	-	43.92	32.77	9.99	34.17
PK	5.1492G	69.01	74.00	-4.99	8.90	3	Vertical	158	1.05	-	60.11	33.20	9.83	34.13
PK	5.31G	103.75	Inf	-Inf	8.72	3	Vertical	158	1.05	-	95.03	32.94	9.94	34.16
PK	5.4624G	65.59	68.20	-2.61	8.76	3	Vertical	158	1.05	-	56.83	32.92	10.02	34.18


802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	47.47	54.00	-6.53	8.90	3	Horizontal	224	1.50	-	38.57	33.20	9.83	34.13
AV	5.3004G	78.30	Inf	-Inf	8.78	3	Horizontal	224	1.50	-	69.52	33.00	9.93	34.15
AV	5.35G	47.02	54.00	-6.98	8.51	3	Horizontal	224	1.50	-	38.51	32.70	9.97	34.16
PK	5.1348G	60.02	74.00	-13.98	8.90	3	Horizontal	224	1.50	-	51.12	33.20	9.82	34.12
PK	5.268G	90.35	Inf	-Inf	8.70	3	Horizontal	224	1.50	-	81.65	32.94	9.91	34.15
PK	5.5476G	58.52	68.20	-9.68	8.67	3	Horizontal	224	1.50	-	49.85	32.81	10.05	34.19

802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7608G	45.95	54.00	-8.05	19.42	3	Vertical	92	2.52	-	26.53	38.14	15.84	34.56
PK	10.50558G	53.94	68.20	-14.26	16.87	3	Vertical	296	2.94	-	37.07	38.62	12.73	34.48
PK	15.73776G	59.38	74.00	-14.62	19.45	3	Vertical	92	2.52	-	39.93	38.16	15.83	34.54


802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.735G	45.92	54.00	-8.08	19.45	3	Horizontal	322	1.90	-	26.47	38.17	15.82	34.54
PK	10.50144G	54.00	68.20	-14.20	16.84	3	Horizontal	197	2.26	-	37.16	38.60	12.73	34.49
PK	15.75324G	58.83	74.00	-15.17	19.44	3	Horizontal	322	1.90	-	39.39	38.15	15.84	34.55

802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3864G	51.36	54.00	-2.64	8.59	3	Vertical	151	1.57	-	42.77	32.77	9.99	34.17
AV	5.5556G	92.06	Inf	-Inf	8.69	3	Vertical	151	1.57	-	83.37	32.83	10.05	34.19
PK	5.4668G	64.31	68.20	-3.89	8.77	3	Vertical	151	1.57	-	55.54	32.93	10.02	34.18
PK	5.552G	104.76	Inf	-Inf	8.67	3	Vertical	151	1.57	-	96.09	32.81	10.05	34.19
PK	5.7428G	64.00	68.20	-4.20	9.61	3	Vertical	151	1.57	-	54.39	33.66	10.15	34.20


802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3756G	46.74	54.00	-7.26	8.56	3	Horizontal	205	1.37	-	38.18	32.75	9.98	34.17
AV	5.588G	77.36	Inf	-Inf	8.90	3	Horizontal	205	1.37	-	68.46	33.03	10.07	34.20
PK	5.2844G	59.55	68.20	-8.65	8.74	3	Horizontal	205	1.37	-	50.81	32.97	9.92	34.15
PK	5.5844G	89.82	Inf	-Inf	8.87	3	Horizontal	205	1.37	-	80.95	33.01	10.06	34.20
PK	5.8544G	59.92	68.20	-8.28	10.11	3	Horizontal	205	1.37	-	49.81	34.10	10.22	34.21

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13892G	40.76	54.00	-13.24	17.76	3	Vertical	8	1.41	-	23.00	38.84	12.97	34.05
PK	11.13532G	53.75	74.00	-20.25	17.76	3	Vertical	8	1.41	-	35.99	38.84	12.97	34.05
PK	16.70946G	62.33	68.20	-5.87	21.04	3	Vertical	319	2.23	-	41.29	38.84	16.13	33.93

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14132G	40.83	54.00	-13.17	17.77	3	Horizontal	245	1.87	-	23.06	38.84	12.98	34.05
PK	11.13448G	53.89	74.00	-20.11	17.75	3	Horizontal	245	1.87	-	36.14	38.83	12.97	34.05
PK	16.70904G	61.59	68.20	-6.61	21.05	3	Horizontal	232	2.09	-	40.54	38.85	16.13	33.93



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.35G	53.77	54.00	-0.23	3	Horizontal	136	2.36	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.3554G	53.62	54.00	-0.38	3	Horizontal	323	1.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.35G	73.81	74.00	-0.19	3	Horizontal	322	2.92	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.3518G	53.60	54.00	-0.40	3	Horizontal	136	2.79	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.35G	53.89	54.00	-0.11	3	Horizontal	323	2.91	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	320	1.00	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.352G	53.79	54.00	-0.21	3	Horizontal	137	2.62	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.351G	53.68	54.00	-0.32	3	Horizontal	317	1.00	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.1468G	53.53	54.00	-0.47	3	Horizontal	137	2.70	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.0988G	53.66	54.00	-0.34	3	Horizontal	320	1.00	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.4694G	66.66	68.20	-1.54	3	Horizontal	136	2.58	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	67.46	68.20	-0.74	3	Horizontal	324	3.00	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.7252G	68.09	68.20	-0.11	3	Horizontal	138	2.53	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.4694G	67.32	68.20	-0.88	3	Horizontal	140	2.60	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.8504G	67.60	68.20	-0.60	3	Horizontal	137	2.54	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.8528G	67.28	68.20	-0.92	3	Horizontal	141	2.56	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.728G	67.91	68.20	-0.29	3	Horizontal	138	2.62	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.4596G	53.82	54.00	-0.18	3	Horizontal	138	2.48	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.414G	53.42	54.00	-0.58	3	Horizontal	327	2.58	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.3984G	53.86	54.00	-0.14	3	Horizontal	141	2.56	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	47.47	54.00	-6.53	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.2576G	88.46	Inf	-Inf	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.3968G	47.04	54.00	-6.96	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.1112G	58.90	74.00	-15.10	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.2588G	98.91	Inf	-Inf	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.3938G	59.14	74.00	-14.86	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.149G	50.09	54.00	-3.91	3	Horizontal	322	2.82	-
5260MHz	Pass	AV	5.2624G	109.23	Inf	-Inf	3	Horizontal	322	2.82	-
5260MHz	Pass	AV	5.353G	51.55	54.00	-2.45	3	Horizontal	322	2.82	-
5260MHz	Pass	PK	5.1448G	63.49	74.00	-10.51	3	Horizontal	322	2.82	-
5260MHz	Pass	PK	5.2636G	119.52	Inf	-Inf	3	Horizontal	322	2.82	-
5260MHz	Pass	PK	5.3566G	67.04	74.00	-6.96	3	Horizontal	322	2.82	-
5260MHz	Pass	AV	15.77688G	46.59	54.00	-7.41	3	Vertical	237	2.15	-
5260MHz	Pass	PK	10.52456G	58.92	68.20	-9.28	3	Vertical	183	1.25	-
5260MHz	Pass	PK	15.78024G	59.91	74.00	-14.09	3	Vertical	237	2.15	-
5260MHz	Pass	AV	15.77752G	46.48	54.00	-7.52	3	Horizontal	360	1.09	-
5260MHz	Pass	PK	10.51732G	61.95	68.20	-6.25	3	Horizontal	325	1.00	-
5260MHz	Pass	PK	15.77128G	60.00	74.00	-14.00	3	Horizontal	360	1.09	-
5300MHz	Pass	AV	5.3018G	92.84	Inf	-Inf	3	Vertical	62	2.15	-
5300MHz	Pass	AV	5.35G	47.64	54.00	-6.36	3	Vertical	62	2.15	-
5300MHz	Pass	PK	5.3054G	102.60	Inf	-Inf	3	Vertical	62	2.15	-
5300MHz	Pass	PK	5.35G	61.07	74.00	-12.93	3	Vertical	62	2.15	-
5300MHz	Pass	AV	5.3024G	108.45	Inf	-Inf	3	Horizontal	136	2.36	-
5300MHz	Pass	AV	5.35G	53.77	54.00	-0.23	3	Horizontal	136	2.36	-
5300MHz	Pass	PK	5.3018G	118.41	Inf	-Inf	3	Horizontal	136	2.36	-
5300MHz	Pass	PK	5.3504G	72.24	74.00	-1.76	3	Horizontal	136	2.36	-
5300MHz	Pass	AV	15.89872G	47.79	54.00	-6.21	3	Vertical	248	2.86	-
5300MHz	Pass	PK	10.59732G	56.02	68.20	-12.18	3	Vertical	169	2.03	-
5300MHz	Pass	PK	15.90588G	62.32	74.00	-11.68	3	Vertical	248	2.86	-
5300MHz	Pass	AV	15.89952G	47.41	54.00	-6.59	3	Horizontal	181	1.50	-
5300MHz	Pass	PK	10.59856G	56.03	68.20	-12.17	3	Horizontal	324	1.00	-
5300MHz	Pass	PK	15.89044G	60.97	74.00	-13.03	3	Horizontal	181	1.50	-
5320MHz	Pass	AV	5.3224G	86.02	Inf	-Inf	3	Vertical	124	2.92	-
5320MHz	Pass	AV	5.3566G	47.08	54.00	-6.92	3	Vertical	124	2.92	-
5320MHz	Pass	PK	5.3212G	96.31	Inf	-Inf	3	Vertical	124	2.92	-
5320MHz	Pass	PK	5.4652G	58.69	68.20	-9.51	3	Vertical	124	2.92	-
5320MHz	Pass	AV	5.3182G	106.08	Inf	-Inf	3	Horizontal	322	2.92	-
5320MHz	Pass	AV	5.3506G	53.62	54.00	-0.38	3	Horizontal	322	2.92	-
5320MHz	Pass	PK	5.3218G	116.40	Inf	-Inf	3	Horizontal	322	2.92	-
5320MHz	Pass	PK	5.3512G	72.01	74.00	-1.99	3	Horizontal	322	2.92	-
5320MHz	Pass	AV	10.64268G	41.51	54.00	-12.49	3	Vertical	5	2.20	-
5320MHz	Pass	AV	15.9502G	47.51	54.00	-6.49	3	Vertical	263	3.00	-
5320MHz	Pass	PK	10.63864G	54.59	74.00	-19.41	3	Vertical	5	2.20	-
5320MHz	Pass	PK	15.95024G	60.88	74.00	-13.12	3	Vertical	263	3.00	-
5320MHz	Pass	AV	10.64156G	42.10	54.00	-11.90	3	Horizontal	325	1.00	-
5320MHz	Pass	AV	15.96564G	47.48	54.00	-6.52	3	Horizontal	271	2.99	-
5320MHz	Pass	PK	10.63288G	54.98	74.00	-19.02	3	Horizontal	325	1.00	-
5320MHz	Pass	PK	15.96448G	60.45	74.00	-13.55	3	Horizontal	271	2.99	-
5500MHz	Pass	AV	5.374G	47.16	54.00	-6.84	3	Vertical	54	2.28	-
5500MHz	Pass	AV	5.4952G	89.84	Inf	-Inf	3	Vertical	54	2.28	-
5500MHz	Pass	PK	5.4682G	58.81	68.20	-9.39	3	Vertical	54	2.28	-
5500MHz	Pass	PK	5.4952G	99.49	Inf	-Inf	3	Vertical	54	2.28	-
5500MHz	Pass	AV	5.4568G	48.06	54.00	-5.94	3	Horizontal	136	2.58	-
5500MHz	Pass	AV	5.4982G	103.29	Inf	-Inf	3	Horizontal	136	2.58	-
5500MHz	Pass	PK	5.4694G	66.66	68.20	-1.54	3	Horizontal	136	2.58	-
5500MHz	Pass	PK	5.5024G	113.41	Inf	-Inf	3	Horizontal	136	2.58	-
5500MHz	Pass	AV	10.99328G	41.24	54.00	-12.76	3	Vertical	143	1.00	-
5500MHz	Pass	PK	11.00548G	54.95	74.00	-19.05	3	Vertical	143	1.00	-
5500MHz	Pass	PK	16.49968G	63.06	68.20	-5.14	3	Vertical	69	1.50	-
5500MHz	Pass	AV	10.99656G	42.10	54.00	-11.90	3	Horizontal	325	1.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	10.99096G	54.72	74.00	-19.28	3	Horizontal	325	1.00	-
5500MHz	Pass	PK	16.50456G	62.11	68.20	-6.09	3	Horizontal	3	1.50	-
5580MHz	Pass	AV	5.4444G	46.96	54.00	-7.04	3	Vertical	51	2.21	-
5580MHz	Pass	AV	5.5824G	97.90	Inf	-Inf	3	Vertical	51	2.21	-
5580MHz	Pass	PK	5.463G	58.04	68.20	-10.16	3	Vertical	51	2.21	-
5580MHz	Pass	PK	5.5836G	108.24	Inf	-Inf	3	Vertical	51	2.21	-
5580MHz	Pass	PK	5.7264G	59.52	68.20	-8.68	3	Vertical	51	2.21	-
5580MHz	Pass	AV	5.46G	49.61	54.00	-4.39	3	Horizontal	323	1.04	-
5580MHz	Pass	AV	5.5824G	110.20	Inf	-Inf	3	Horizontal	323	1.04	-
5580MHz	Pass	PK	5.4642G	64.32	68.20	-3.88	3	Horizontal	323	1.04	-
5580MHz	Pass	PK	5.5818G	120.32	Inf	-Inf	3	Horizontal	323	1.04	-
5580MHz	Pass	PK	5.7276G	59.04	68.20	-9.16	3	Horizontal	323	1.04	-
5580MHz	Pass	AV	11.1562G	41.48	54.00	-12.52	3	Vertical	165	1.15	-
5580MHz	Pass	PK	11.15232G	54.70	74.00	-19.30	3	Vertical	165	1.15	-
5580MHz	Pass	PK	16.74904G	61.70	68.20	-6.50	3	Vertical	137	1.50	-
5580MHz	Pass	AV	11.15992G	43.84	54.00	-10.16	3	Horizontal	323	1.00	-
5580MHz	Pass	PK	11.16112G	56.92	74.00	-17.08	3	Horizontal	323	1.00	-
5580MHz	Pass	PK	16.73628G	62.39	68.20	-5.81	3	Horizontal	360	1.40	-
5700MHz	Pass	AV	5.7042G	83.11	Inf	-Inf	3	Vertical	129	1.50	-
5700MHz	Pass	PK	5.7018G	92.20	Inf	-Inf	3	Vertical	129	1.50	-
5700MHz	Pass	PK	5.8428G	60.33	68.20	-7.87	3	Vertical	129	1.50	-
5700MHz	Pass	AV	5.7024G	103.43	Inf	-Inf	3	Horizontal	136	2.54	-
5700MHz	Pass	PK	5.7018G	113.84	Inf	-Inf	3	Horizontal	136	2.54	-
5700MHz	Pass	PK	5.7264G	66.51	68.20	-1.69	3	Horizontal	136	2.54	-
5700MHz	Pass	AV	11.39688G	41.22	54.00	-12.78	3	Vertical	138	2.48	-
5700MHz	Pass	PK	11.40188G	53.63	74.00	-20.37	3	Vertical	138	2.48	-
5700MHz	Pass	PK	17.0956G	62.59	68.20	-5.61	3	Vertical	122	1.91	-
5700MHz	Pass	AV	11.40244G	41.68	54.00	-12.32	3	Horizontal	120	2.51	-
5700MHz	Pass	PK	11.39732G	55.65	74.00	-18.35	3	Horizontal	120	2.51	-
5700MHz	Pass	PK	17.10944G	63.58	68.20	-4.62	3	Horizontal	242	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	46.88	54.00	-7.12	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	94.13	Inf	-Inf	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.63	68.20	-10.57	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	104.65	Inf	-Inf	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9828G	59.93	68.20	-8.27	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.66	54.00	-5.34	3	Horizontal	137	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	111.02	Inf	-Inf	3	Horizontal	137	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	60.34	68.20	-7.86	3	Horizontal	137	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7272G	121.92	Inf	-Inf	3	Horizontal	137	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	62.78	68.20	-5.42	3	Horizontal	137	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43936G	42.18	54.00	-11.82	3	Vertical	175	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43636G	54.95	74.00	-19.05	3	Vertical	175	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15504G	63.53	68.20	-4.67	3	Vertical	211	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44212G	44.67	54.00	-9.33	3	Horizontal	330	2.31	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43772G	57.62	74.00	-16.38	3	Horizontal	330	2.31	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16872G	63.64	68.20	-4.56	3	Horizontal	360	2.09	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.149G	47.76	54.00	-6.24	3	Vertical	61	2.92	-
5260MHz	Pass	AV	5.2624G	99.45	Inf	-Inf	3	Vertical	61	2.92	-
5260MHz	Pass	AV	5.3656G	47.43	54.00	-6.57	3	Vertical	61	2.92	-
5260MHz	Pass	PK	5.1304G	59.74	74.00	-14.26	3	Vertical	61	2.92	-
5260MHz	Pass	PK	5.2624G	108.85	Inf	-Inf	3	Vertical	61	2.92	-
5260MHz	Pass	PK	5.3674G	59.02	74.00	-14.98	3	Vertical	61	2.92	-
5260MHz	Pass	AV	5.1496G	50.71	54.00	-3.29	3	Horizontal	323	1.00	-
5260MHz	Pass	AV	5.2618G	114.48	Inf	-Inf	3	Horizontal	323	1.00	-
5260MHz	Pass	AV	5.3554G	53.62	54.00	-0.38	3	Horizontal	323	1.00	-
5260MHz	Pass	PK	5.1262G	63.38	74.00	-10.62	3	Horizontal	323	1.00	-
5260MHz	Pass	PK	5.2612G	124.05	Inf	-Inf	3	Horizontal	323	1.00	-
5260MHz	Pass	PK	5.356G	64.89	74.00	-9.11	3	Horizontal	323	1.00	-
5260MHz	Pass	AV	15.77792G	47.16	54.00	-6.84	3	Vertical	0	2.00	-
5260MHz	Pass	PK	10.51824G	59.10	68.20	-9.10	3	Vertical	191	1.96	-
5260MHz	Pass	PK	15.76008G	59.50	74.00	-14.50	3	Vertical	0	2.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	AV	15.7784G	46.63	54.00	-7.37	3	Horizontal	306	1.50	-
5260MHz	Pass	PK	10.5188G	57.49	68.20	-10.71	3	Horizontal	179	1.94	-
5260MHz	Pass	PK	15.7644G	59.29	74.00	-14.71	3	Horizontal	306	1.50	-
5300MHz	Pass	AV	5.3024G	97.42	Inf	-Inf	3	Vertical	236	2.91	-
5300MHz	Pass	AV	5.35G	47.52	54.00	-6.48	3	Vertical	236	2.91	-
5300MHz	Pass	PK	5.297G	106.41	Inf	-Inf	3	Vertical	236	2.91	-
5300MHz	Pass	PK	5.3636G	59.15	74.00	-14.85	3	Vertical	236	2.91	-
5300MHz	Pass	AV	5.2994G	113.05	Inf	-Inf	3	Horizontal	326	2.93	-
5300MHz	Pass	AV	5.3504G	53.30	54.00	-0.70	3	Horizontal	326	2.93	-
5300MHz	Pass	PK	5.2994G	122.37	Inf	-Inf	3	Horizontal	326	2.93	-
5300MHz	Pass	PK	5.3504G	72.23	74.00	-1.77	3	Horizontal	326	2.93	-
5300MHz	Pass	AV	15.90496G	48.43	54.00	-5.57	3	Vertical	360	2.03	-
5300MHz	Pass	PK	10.59784G	56.12	68.20	-12.08	3	Vertical	188	2.03	-
5300MHz	Pass	PK	15.9104G	61.09	74.00	-12.91	3	Vertical	360	2.03	-
5300MHz	Pass	AV	15.88208G	47.76	54.00	-6.24	3	Horizontal	293	2.18	-
5300MHz	Pass	PK	10.6G	56.26	68.20	-11.94	3	Horizontal	148	1.00	-
5300MHz	Pass	PK	15.9108G	60.98	74.00	-13.02	3	Horizontal	293	2.18	-
5320MHz	Pass	AV	5.3236G	88.31	Inf	-Inf	3	Vertical	99	1.50	-
5320MHz	Pass	AV	5.3806G	47.20	54.00	-6.80	3	Vertical	99	1.50	-
5320MHz	Pass	PK	5.3188G	97.25	Inf	-Inf	3	Vertical	99	1.50	-
5320MHz	Pass	PK	5.4604G	57.46	68.20	-10.74	3	Vertical	99	1.50	-
5320MHz	Pass	AV	5.3212G	109.60	Inf	-Inf	3	Horizontal	323	1.00	-
5320MHz	Pass	AV	5.3518G	53.14	54.00	-0.86	3	Horizontal	323	1.00	-
5320MHz	Pass	PK	5.3212G	119.13	Inf	-Inf	3	Horizontal	323	1.00	-
5320MHz	Pass	PK	5.3512G	70.24	74.00	-3.76	3	Horizontal	323	1.00	-
5320MHz	Pass	AV	10.63968G	42.99	54.00	-11.01	3	Vertical	163	2.61	-
5320MHz	Pass	AV	15.94024G	48.06	54.00	-5.94	3	Vertical	-0	2.56	-
5320MHz	Pass	PK	10.6436G	55.78	74.00	-18.22	3	Vertical	163	2.61	-
5320MHz	Pass	PK	15.95608G	61.01	74.00	-12.99	3	Vertical	-0	2.56	-
5320MHz	Pass	AV	10.64184G	41.94	54.00	-12.06	3	Horizontal	330	2.61	-
5320MHz	Pass	AV	15.96952G	48.03	54.00	-5.97	3	Horizontal	176	1.50	-
5320MHz	Pass	PK	10.6424G	54.82	74.00	-19.18	3	Horizontal	330	2.61	-
5320MHz	Pass	PK	15.96672G	60.85	74.00	-13.15	3	Horizontal	176	1.50	-
5500MHz	Pass	AV	5.3608G	47.25	54.00	-6.75	3	Vertical	187	1.50	-
5500MHz	Pass	AV	5.5054G	85.82	Inf	-Inf	3	Vertical	187	1.50	-
5500MHz	Pass	PK	5.4682G	58.43	68.20	-9.77	3	Vertical	187	1.50	-
5500MHz	Pass	PK	5.5048G	95.13	Inf	-Inf	3	Vertical	187	1.50	-
5500MHz	Pass	AV	5.4556G	48.73	54.00	-5.27	3	Horizontal	324	2.88	-
5500MHz	Pass	AV	5.4958G	107.31	Inf	-Inf	3	Horizontal	324	2.88	-
5500MHz	Pass	PK	5.47G	65.60	68.20	-2.60	3	Horizontal	324	2.88	-
5500MHz	Pass	PK	5.5018G	116.25	Inf	-Inf	3	Horizontal	324	2.88	-
5500MHz	Pass	AV	10.99488G	41.45	54.00	-12.55	3	Vertical	321	1.50	-
5500MHz	Pass	PK	10.99464G	54.27	74.00	-19.73	3	Vertical	321	1.50	-
5500MHz	Pass	PK	16.49928G	62.39	68.20	-5.81	3	Vertical	221	1.50	-
5500MHz	Pass	AV	11.00056G	43.08	54.00	-10.92	3	Horizontal	327	1.01	-
5500MHz	Pass	PK	11.00048G	55.70	74.00	-18.30	3	Horizontal	327	1.01	-
5500MHz	Pass	PK	16.48768G	62.74	68.20	-5.46	3	Horizontal	196	1.50	-
5580MHz	Pass	AV	5.439G	46.99	54.00	-7.01	3	Vertical	57	2.31	-
5580MHz	Pass	AV	5.5854G	97.56	Inf	-Inf	3	Vertical	57	2.31	-
5580MHz	Pass	PK	5.4642G	58.93	68.20	-9.27	3	Vertical	57	2.31	-
5580MHz	Pass	PK	5.5848G	107.89	Inf	-Inf	3	Vertical	57	2.31	-
5580MHz	Pass	PK	5.7276G	59.89	68.20	-8.31	3	Vertical	57	2.31	-
5580MHz	Pass	AV	5.46G	49.80	54.00	-4.20	3	Horizontal	328	2.68	-
5580MHz	Pass	AV	5.5824G	114.31	Inf	-Inf	3	Horizontal	328	2.68	-
5580MHz	Pass	PK	5.4684G	64.01	68.20	-4.19	3	Horizontal	328	2.68	-
5580MHz	Pass	PK	5.5776G	124.04	Inf	-Inf	3	Horizontal	328	2.68	-
5580MHz	Pass	PK	5.7252G	61.66	68.20	-6.54	3	Horizontal	328	2.68	-
5580MHz	Pass	AV	11.15976G	42.19	54.00	-11.81	3	Vertical	338	2.47	-
5580MHz	Pass	PK	11.17304G	55.12	74.00	-18.88	3	Vertical	338	2.47	-
5580MHz	Pass	PK	16.74664G	62.81	68.20	-5.39	3	Vertical	16	1.96	-
5580MHz	Pass	AV	11.16208G	48.70	54.00	-5.30	3	Horizontal	328	1.00	-
5580MHz	Pass	PK	11.15768G	61.37	74.00	-12.63	3	Horizontal	328	1.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	PK	16.74848G	62.62	68.20	-5.58	3	Horizontal	28	2.72	-
5700MHz	Pass	AV	5.6952G	92.44	Inf	-Inf	3	Vertical	55	2.45	-
5700MHz	Pass	PK	5.7048G	102.35	Inf	-Inf	3	Vertical	55	2.45	-
5700MHz	Pass	PK	5.7368G	59.84	68.20	-8.36	3	Vertical	55	2.45	-
5700MHz	Pass	AV	5.6956G	107.04	Inf	-Inf	3	Horizontal	324	3.00	-
5700MHz	Pass	PK	5.6956G	115.98	Inf	-Inf	3	Horizontal	324	3.00	-
5700MHz	Pass	PK	5.7252G	67.46	68.20	-0.74	3	Horizontal	324	3.00	-
5700MHz	Pass	AV	11.38352G	41.56	54.00	-12.44	3	Vertical	65	2.80	-
5700MHz	Pass	PK	11.38696G	54.71	74.00	-19.29	3	Vertical	65	2.80	-
5700MHz	Pass	PK	17.09416G	61.65	68.20	-6.55	3	Vertical	55	2.63	-
5700MHz	Pass	AV	11.39904G	42.41	54.00	-11.59	3	Horizontal	186	2.48	-
5700MHz	Pass	PK	11.3836G	55.31	74.00	-18.69	3	Horizontal	186	2.48	-
5700MHz	Pass	PK	17.09024G	62.11	68.20	-6.09	3	Horizontal	355	2.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	46.37	54.00	-7.63	3	Vertical	182	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	90.43	Inf	-Inf	3	Vertical	182	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	57.31	68.20	-10.89	3	Vertical	182	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	101.73	Inf	-Inf	3	Vertical	182	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9252G	60.24	68.20	-7.96	3	Vertical	182	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	51.14	54.00	-2.86	3	Horizontal	137	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	113.82	Inf	-Inf	3	Horizontal	137	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	67.45	68.20	-0.75	3	Horizontal	137	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	124.40	Inf	-Inf	3	Horizontal	137	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.35	68.20	-1.85	3	Horizontal	137	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44088G	43.42	54.00	-10.58	3	Vertical	177	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44144G	55.57	74.00	-18.43	3	Vertical	177	2.41	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15768G	62.98	68.20	-5.22	3	Vertical	226	2.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44072G	46.84	54.00	-7.16	3	Horizontal	329	2.18	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4408G	59.41	74.00	-14.59	3	Horizontal	329	2.18	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16144G	62.32	68.20	-5.88	3	Horizontal	296	2.16	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1454G	47.57	54.00	-6.43	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.2582G	87.00	Inf	-Inf	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.3566G	47.16	54.00	-6.84	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.119G	59.27	74.00	-14.73	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.2612G	98.49	Inf	-Inf	3	Vertical	171	1.98	-
5260MHz	Pass	PK	5.4046G	58.51	74.00	-15.49	3	Vertical	171	1.98	-
5260MHz	Pass	AV	5.1472G	49.51	54.00	-4.49	3	Horizontal	324	2.83	-
5260MHz	Pass	AV	5.263G	107.41	Inf	-Inf	3	Horizontal	324	2.83	-
5260MHz	Pass	AV	5.353G	51.54	54.00	-2.46	3	Horizontal	324	2.83	-
5260MHz	Pass	PK	5.14G	60.88	74.00	-13.12	3	Horizontal	324	2.83	-
5260MHz	Pass	PK	5.2582G	119.75	Inf	-Inf	3	Horizontal	324	2.83	-
5260MHz	Pass	PK	5.35G	66.88	74.00	-7.12	3	Horizontal	324	2.83	-
5260MHz	Pass	AV	15.774G	46.70	54.00	-7.30	3	Vertical	179	1.63	-
5260MHz	Pass	PK	10.51624G	56.95	68.20	-11.25	3	Vertical	188	1.30	-
5260MHz	Pass	PK	15.77096G	59.32	74.00	-14.68	3	Vertical	179	1.63	-
5260MHz	Pass	AV	15.77056G	46.77	54.00	-7.23	3	Horizontal	29	1.19	-
5260MHz	Pass	PK	10.52152G	56.69	68.20	-11.51	3	Horizontal	332	2.20	-
5260MHz	Pass	PK	15.79192G	59.67	74.00	-14.33	3	Horizontal	29	1.19	-
5300MHz	Pass	AV	5.303G	91.47	Inf	-Inf	3	Vertical	63	2.15	-
5300MHz	Pass	AV	5.354G	47.47	54.00	-6.53	3	Vertical	63	2.15	-
5300MHz	Pass	PK	5.3006G	102.98	Inf	-Inf	3	Vertical	63	2.15	-
5300MHz	Pass	PK	5.351G	59.43	74.00	-14.57	3	Vertical	63	2.15	-
5300MHz	Pass	AV	5.2982G	106.90	Inf	-Inf	3	Horizontal	135	2.48	-
5300MHz	Pass	AV	5.3504G	52.69	54.00	-1.31	3	Horizontal	135	2.48	-
5300MHz	Pass	PK	5.297G	120.09	Inf	-Inf	3	Horizontal	135	2.48	-
5300MHz	Pass	PK	5.35G	69.62	74.00	-4.38	3	Horizontal	135	2.48	-
5300MHz	Pass	AV	15.90056G	47.93	54.00	-6.07	3	Vertical	41	2.54	-
5300MHz	Pass	PK	10.60216G	55.04	74.00	-18.96	3	Vertical	164	2.01	-
5300MHz	Pass	PK	15.89792G	60.09	74.00	-13.91	3	Vertical	41	2.54	-
5300MHz	Pass	AV	15.90776G	47.83	54.00	-6.17	3	Horizontal	112	2.67	-
5300MHz	Pass	PK	10.61984G	53.70	74.00	-20.30	3	Horizontal	327	1.50	-
5300MHz	Pass	PK	15.89976G	60.27	74.00	-13.73	3	Horizontal	112	2.67	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	AV	5.323G	84.97	Inf	-Inf	3	Vertical	124	2.91	-
5320MHz	Pass	AV	5.35G	47.22	54.00	-6.78	3	Vertical	124	2.91	-
5320MHz	Pass	PK	5.329G	95.98	Inf	-Inf	3	Vertical	124	2.91	-
5320MHz	Pass	PK	5.461G	57.97	68.20	-10.23	3	Vertical	124	2.91	-
5320MHz	Pass	AV	5.3182G	104.27	Inf	-Inf	3	Horizontal	322	2.92	-
5320MHz	Pass	AV	5.3506G	52.19	54.00	-1.81	3	Horizontal	322	2.92	-
5320MHz	Pass	PK	5.3134G	115.95	Inf	-Inf	3	Horizontal	322	2.92	-
5320MHz	Pass	PK	5.35G	73.81	74.00	-0.19	3	Horizontal	322	2.92	-
5320MHz	Pass	AV	10.65168G	41.51	54.00	-12.49	3	Vertical	235	1.50	-
5320MHz	Pass	AV	15.94528G	48.20	54.00	-5.80	3	Vertical	347	1.94	-
5320MHz	Pass	PK	10.64952G	54.97	74.00	-19.03	3	Vertical	235	1.50	-
5320MHz	Pass	PK	15.94808G	61.24	74.00	-12.76	3	Vertical	347	1.94	-
5320MHz	Pass	AV	10.65328G	41.41	54.00	-12.59	3	Horizontal	130	1.50	-
5320MHz	Pass	AV	15.9444G	48.27	54.00	-5.73	3	Horizontal	260	2.84	-
5320MHz	Pass	PK	10.64144G	54.47	74.00	-19.53	3	Horizontal	130	1.50	-
5320MHz	Pass	PK	15.9512G	60.23	74.00	-13.77	3	Horizontal	260	2.84	-
5500MHz	Pass	AV	5.3788G	47.19	54.00	-6.81	3	Vertical	53	2.51	-
5500MHz	Pass	AV	5.4928G	89.07	Inf	-Inf	3	Vertical	53	2.51	-
5500MHz	Pass	PK	5.4622G	58.70	68.20	-9.50	3	Vertical	53	2.51	-
5500MHz	Pass	PK	5.4928G	101.23	Inf	-Inf	3	Vertical	53	2.51	-
5500MHz	Pass	AV	5.4592G	48.35	54.00	-5.65	3	Horizontal	136	2.56	-
5500MHz	Pass	AV	5.4982G	103.42	Inf	-Inf	3	Horizontal	136	2.56	-
5500MHz	Pass	PK	5.4682G	68.05	68.20	-0.15	3	Horizontal	136	2.56	-
5500MHz	Pass	PK	5.4964G	115.48	Inf	-Inf	3	Horizontal	136	2.56	-
5500MHz	Pass	AV	11.00104G	41.43	54.00	-12.57	3	Vertical	259	1.14	-
5500MHz	Pass	PK	11.01032G	54.22	74.00	-19.78	3	Vertical	259	1.14	-
5500MHz	Pass	PK	16.4984G	61.98	68.20	-6.22	3	Vertical	331	2.40	-
5500MHz	Pass	AV	10.99984G	41.68	54.00	-12.32	3	Horizontal	328	2.38	-
5500MHz	Pass	PK	10.99288G	54.06	74.00	-19.94	3	Horizontal	328	2.38	-
5500MHz	Pass	PK	16.50584G	62.58	68.20	-5.62	3	Horizontal	257	1.05	-
5580MHz	Pass	AV	5.4558G	47.26	54.00	-6.74	3	Vertical	54	2.47	-
5580MHz	Pass	AV	5.5848G	96.79	Inf	-Inf	3	Vertical	54	2.47	-
5580MHz	Pass	PK	5.466G	57.69	68.20	-10.51	3	Vertical	54	2.47	-
5580MHz	Pass	PK	5.5812G	108.05	Inf	-Inf	3	Vertical	54	2.47	-
5580MHz	Pass	PK	5.7264G	59.30	68.20	-8.90	3	Vertical	54	2.47	-
5580MHz	Pass	AV	5.457G	49.86	54.00	-4.14	3	Horizontal	323	1.00	-
5580MHz	Pass	AV	5.583G	109.18	Inf	-Inf	3	Horizontal	323	1.00	-
5580MHz	Pass	PK	5.4666G	64.30	68.20	-3.90	3	Horizontal	323	1.00	-
5580MHz	Pass	PK	5.577G	121.79	Inf	-Inf	3	Horizontal	323	1.00	-
5580MHz	Pass	PK	5.727G	59.39	68.20	-8.81	3	Horizontal	323	1.00	-
5580MHz	Pass	AV	11.16512G	41.67	54.00	-12.33	3	Vertical	227	2.89	-
5580MHz	Pass	PK	11.17144G	54.16	74.00	-19.84	3	Vertical	227	2.89	-
5580MHz	Pass	PK	16.74544G	62.47	68.20	-5.73	3	Vertical	77	1.05	-
5580MHz	Pass	AV	11.16144G	43.72	54.00	-10.28	3	Horizontal	329	2.24	-
5580MHz	Pass	PK	11.17176G	55.59	74.00	-18.41	3	Horizontal	329	2.24	-
5580MHz	Pass	PK	16.75504G	61.58	68.20	-6.62	3	Horizontal	55	1.89	-
5700MHz	Pass	AV	5.6982G	81.25	Inf	-Inf	3	Vertical	131	1.56	-
5700MHz	Pass	PK	5.7042G	91.82	Inf	-Inf	3	Vertical	131	1.56	-
5700MHz	Pass	PK	5.769G	60.09	68.20	-8.11	3	Vertical	131	1.56	-
5700MHz	Pass	AV	5.703G	101.52	Inf	-Inf	3	Horizontal	138	2.53	-
5700MHz	Pass	PK	5.6982G	112.46	Inf	-Inf	3	Horizontal	138	2.53	-
5700MHz	Pass	PK	5.7252G	68.09	68.20	-0.11	3	Horizontal	138	2.53	-
5700MHz	Pass	AV	11.3892G	41.49	54.00	-12.51	3	Vertical	151	1.41	-
5700MHz	Pass	PK	11.3824G	53.56	74.00	-20.44	3	Vertical	151	1.41	-
5700MHz	Pass	PK	17.08224G	62.93	68.20	-5.27	3	Vertical	140	1.73	-
5700MHz	Pass	AV	11.39336G	41.18	54.00	-12.82	3	Horizontal	338	2.23	-
5700MHz	Pass	PK	11.4028G	53.99	74.00	-20.01	3	Horizontal	338	2.23	-
5700MHz	Pass	PK	17.11112G	61.82	68.20	-6.38	3	Horizontal	127	1.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.432G	46.94	54.00	-7.06	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	93.61	Inf	-Inf	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.42	68.20	-10.78	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	104.67	Inf	-Inf	3	Vertical	61	3.00	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9408G	59.85	68.20	-8.35	3	Vertical	61	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	49.55	54.00	-4.45	3	Horizontal	135	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	110.01	Inf	-Inf	3	Horizontal	135	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	62.82	68.20	-5.38	3	Horizontal	135	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	121.11	Inf	-Inf	3	Horizontal	135	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.56	68.20	-3.64	3	Horizontal	135	2.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43984G	42.42	54.00	-11.58	3	Vertical	305	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43936G	54.61	74.00	-19.39	3	Vertical	305	2.82	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15864G	61.70	68.20	-6.50	3	Vertical	128	2.91	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4372G	43.98	54.00	-10.02	3	Horizontal	142	2.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44168G	56.42	74.00	-17.58	3	Horizontal	142	2.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15104G	63.37	68.20	-4.83	3	Horizontal	335	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.143G	46.48	54.00	-7.52	3	Vertical	189	2.93	-
5260MHz	Pass	AV	5.2678G	90.21	Inf	-Inf	3	Vertical	189	2.93	-
5260MHz	Pass	AV	5.3542G	46.15	54.00	-7.85	3	Vertical	189	2.93	-
5260MHz	Pass	PK	5.1448G	58.54	74.00	-15.46	3	Vertical	189	2.93	-
5260MHz	Pass	PK	5.2666G	101.82	Inf	-Inf	3	Vertical	189	2.93	-
5260MHz	Pass	PK	5.3812G	59.16	74.00	-14.84	3	Vertical	189	2.93	-
5260MHz	Pass	AV	5.15G	51.36	54.00	-2.64	3	Horizontal	136	2.79	-
5260MHz	Pass	AV	5.2618G	109.76	Inf	-Inf	3	Horizontal	136	2.79	-
5260MHz	Pass	AV	5.3518G	53.60	54.00	-0.40	3	Horizontal	136	2.79	-
5260MHz	Pass	PK	5.1472G	65.75	74.00	-8.25	3	Horizontal	136	2.79	-
5260MHz	Pass	PK	5.2642G	122.61	Inf	-Inf	3	Horizontal	136	2.79	-
5260MHz	Pass	PK	5.3524G	70.01	74.00	-3.99	3	Horizontal	136	2.79	-
5260MHz	Pass	AV	15.77G	46.08	54.00	-7.92	3	Vertical	145	2.13	-
5260MHz	Pass	PK	10.52392G	59.19	68.20	-9.01	3	Vertical	192	1.96	-
5260MHz	Pass	PK	15.78696G	59.14	74.00	-14.86	3	Vertical	145	2.13	-
5260MHz	Pass	AV	15.78384G	46.00	54.00	-8.00	3	Horizontal	86	2.49	-
5260MHz	Pass	PK	10.5212G	58.52	68.20	-9.68	3	Horizontal	143	1.00	-
5260MHz	Pass	PK	15.76384G	59.10	74.00	-14.90	3	Horizontal	86	2.49	-
5300MHz	Pass	AV	5.2964G	90.41	Inf	-Inf	3	Vertical	196	2.91	-
5300MHz	Pass	AV	5.35G	46.05	54.00	-7.95	3	Vertical	196	2.91	-
5300MHz	Pass	PK	5.2958G	102.70	Inf	-Inf	3	Vertical	196	2.91	-
5300MHz	Pass	PK	5.3636G	59.22	74.00	-14.78	3	Vertical	196	2.91	-
5300MHz	Pass	AV	5.2964G	107.72	Inf	-Inf	3	Horizontal	318	1.00	-
5300MHz	Pass	AV	5.35G	53.35	54.00	-0.65	3	Horizontal	318	1.00	-
5300MHz	Pass	PK	5.2964G	120.02	Inf	-Inf	3	Horizontal	318	1.00	-
5300MHz	Pass	PK	5.3522G	68.78	74.00	-5.22	3	Horizontal	318	1.00	-
5300MHz	Pass	AV	15.91056G	47.37	54.00	-6.63	3	Vertical	323	2.72	-
5300MHz	Pass	PK	10.59912G	56.49	68.20	-11.71	3	Vertical	165	2.20	-
5300MHz	Pass	PK	15.91368G	60.37	74.00	-13.63	3	Vertical	323	2.72	-
5300MHz	Pass	AV	15.91096G	47.19	54.00	-6.81	3	Horizontal	191	1.56	-
5300MHz	Pass	PK	10.59664G	55.82	68.20	-12.38	3	Horizontal	148	2.70	-
5300MHz	Pass	PK	15.9184G	60.22	74.00	-13.78	3	Horizontal	191	1.56	-
5320MHz	Pass	AV	5.3218G	86.38	Inf	-Inf	3	Vertical	114	2.96	-
5320MHz	Pass	AV	5.35G	46.19	54.00	-7.81	3	Vertical	114	2.96	-
5320MHz	Pass	PK	5.3212G	98.87	Inf	-Inf	3	Vertical	114	2.96	-
5320MHz	Pass	PK	5.4658G	57.27	68.20	-10.93	3	Vertical	114	2.96	-
5320MHz	Pass	AV	5.3188G	105.22	Inf	-Inf	3	Horizontal	137	2.48	-
5320MHz	Pass	AV	5.3506G	53.35	54.00	-0.65	3	Horizontal	137	2.48	-
5320MHz	Pass	PK	5.3212G	118.74	Inf	-Inf	3	Horizontal	137	2.48	-
5320MHz	Pass	PK	5.3518G	69.72	74.00	-4.28	3	Horizontal	137	2.48	-
5320MHz	Pass	AV	10.63704G	41.26	54.00	-12.74	3	Vertical	324	2.72	-
5320MHz	Pass	AV	15.97752G	47.58	54.00	-6.42	3	Vertical	160	2.24	-
5320MHz	Pass	PK	10.6476G	54.26	74.00	-19.74	3	Vertical	324	2.72	-
5320MHz	Pass	PK	15.95304G	60.39	74.00	-13.61	3	Vertical	160	2.24	-
5320MHz	Pass	AV	10.65656G	40.72	54.00	-13.28	3	Horizontal	120	2.40	-
5320MHz	Pass	AV	15.9508G	47.54	54.00	-6.46	3	Horizontal	235	2.90	-
5320MHz	Pass	PK	10.62592G	53.65	74.00	-20.35	3	Horizontal	120	2.40	-
5320MHz	Pass	PK	15.97528G	60.90	74.00	-13.10	3	Horizontal	235	2.90	-
5500MHz	Pass	AV	5.359G	45.95	54.00	-8.05	3	Vertical	180	1.50	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	5.491G	84.20	Inf	-Inf	3	Vertical	180	1.50	-
5500MHz	Pass	PK	5.4604G	58.28	68.20	-9.92	3	Vertical	180	1.50	-
5500MHz	Pass	PK	5.491G	96.56	Inf	-Inf	3	Vertical	180	1.50	-
5500MHz	Pass	AV	5.4598G	48.66	54.00	-5.34	3	Horizontal	140	2.60	-
5500MHz	Pass	AV	5.4982G	104.66	Inf	-Inf	3	Horizontal	140	2.60	-
5500MHz	Pass	PK	5.4694G	67.32	68.20	-0.88	3	Horizontal	140	2.60	-
5500MHz	Pass	PK	5.503G	117.40	Inf	-Inf	3	Horizontal	140	2.60	-
5500MHz	Pass	AV	11.01488G	40.83	54.00	-13.17	3	Vertical	233	1.50	-
5500MHz	Pass	PK	11.01072G	54.52	74.00	-19.48	3	Vertical	233	1.50	-
5500MHz	Pass	PK	16.4828G	62.07	68.20	-6.13	3	Vertical	239	2.86	-
5500MHz	Pass	AV	10.99456G	41.92	54.00	-12.08	3	Horizontal	329	2.47	-
5500MHz	Pass	PK	10.99896G	55.77	74.00	-18.23	3	Horizontal	329	2.47	-
5500MHz	Pass	PK	16.49864G	62.25	68.20	-5.95	3	Horizontal	338	2.25	-
5580MHz	Pass	AV	5.4582G	45.94	54.00	-8.06	3	Vertical	60	2.16	-
5580MHz	Pass	AV	5.5788G	95.49	Inf	-Inf	3	Vertical	60	2.16	-
5580MHz	Pass	PK	5.463G	57.34	68.20	-10.86	3	Vertical	60	2.16	-
5580MHz	Pass	PK	5.5872G	108.04	Inf	-Inf	3	Vertical	60	2.16	-
5580MHz	Pass	PK	5.7288G	58.17	68.20	-10.03	3	Vertical	60	2.16	-
5580MHz	Pass	AV	5.46G	49.93	54.00	-4.07	3	Horizontal	142	2.54	-
5580MHz	Pass	AV	5.5836G	110.47	Inf	-Inf	3	Horizontal	142	2.54	-
5580MHz	Pass	PK	5.463G	66.81	68.20	-1.39	3	Horizontal	142	2.54	-
5580MHz	Pass	PK	5.5812G	123.57	Inf	-Inf	3	Horizontal	142	2.54	-
5580MHz	Pass	PK	5.7276G	61.17	68.20	-7.03	3	Horizontal	142	2.54	-
5580MHz	Pass	AV	11.1584G	41.40	54.00	-12.60	3	Vertical	176	1.78	-
5580MHz	Pass	PK	11.16G	55.04	74.00	-18.96	3	Vertical	176	1.78	-
5580MHz	Pass	PK	16.72248G	62.06	68.20	-6.14	3	Vertical	205	1.61	-
5580MHz	Pass	AV	11.16152G	45.72	54.00	-8.28	3	Horizontal	148	2.21	-
5580MHz	Pass	PK	11.17112G	59.37	74.00	-14.63	3	Horizontal	148	2.21	-
5580MHz	Pass	PK	16.72128G	61.68	68.20	-6.52	3	Horizontal	56	1.14	-
5700MHz	Pass	AV	5.6928G	85.49	Inf	-Inf	3	Vertical	317	2.46	-
5700MHz	Pass	PK	5.6934G	98.31	Inf	-Inf	3	Vertical	317	2.46	-
5700MHz	Pass	PK	5.8056G	59.47	68.20	-8.73	3	Vertical	317	2.46	-
5700MHz	Pass	AV	5.6928G	102.73	Inf	-Inf	3	Horizontal	139	2.58	-
5700MHz	Pass	PK	5.6946G	115.66	Inf	-Inf	3	Horizontal	139	2.58	-
5700MHz	Pass	PK	5.7252G	66.85	68.20	-1.35	3	Horizontal	139	2.58	-
5700MHz	Pass	AV	11.38784G	41.04	54.00	-12.96	3	Vertical	240	1.56	-
5700MHz	Pass	PK	11.39344G	54.59	74.00	-19.41	3	Vertical	240	1.56	-
5700MHz	Pass	PK	17.10912G	62.05	68.20	-6.15	3	Vertical	183	2.70	-
5700MHz	Pass	AV	11.38136G	41.02	54.00	-12.98	3	Horizontal	292	1.50	-
5700MHz	Pass	PK	11.4012G	54.20	74.00	-19.80	3	Horizontal	292	1.50	-
5700MHz	Pass	PK	17.11928G	62.59	68.20	-5.61	3	Horizontal	164	2.23	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	45.86	54.00	-8.14	3	Vertical	181	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	88.43	Inf	-Inf	3	Vertical	181	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	57.68	68.20	-10.52	3	Vertical	181	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	100.21	Inf	-Inf	3	Vertical	181	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9144G	60.49	68.20	-7.71	3	Vertical	181	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	49.66	54.00	-4.34	3	Horizontal	141	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	109.38	Inf	-Inf	3	Horizontal	141	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	64.81	68.20	-3.39	3	Horizontal	141	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	122.27	Inf	-Inf	3	Horizontal	141	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.64	68.20	-1.56	3	Horizontal	141	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44152G	42.31	54.00	-11.69	3	Vertical	178	1.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44464G	55.09	74.00	-18.91	3	Vertical	178	1.03	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15584G	63.44	68.20	-4.76	3	Vertical	228	2.95	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44136G	45.23	54.00	-8.77	3	Horizontal	150	2.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43864G	60.40	74.00	-13.60	3	Horizontal	150	2.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16136G	62.12	68.20	-6.08	3	Horizontal	-0	2.07	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2776G	83.54	Inf	-Inf	3	Vertical	170	2.80	-
5270MHz	Pass	AV	5.3688G	47.99	54.00	-6.01	3	Vertical	170	2.80	-
5270MHz	Pass	PK	5.2752G	95.84	Inf	-Inf	3	Vertical	170	2.80	-
5270MHz	Pass	PK	5.354G	59.06	74.00	-14.94	3	Vertical	170	2.80	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	AV	5.2756G	102.96	Inf	-Inf	3	Horizontal	324	1.02	-
5270MHz	Pass	AV	5.3508G	53.50	54.00	-0.50	3	Horizontal	324	1.02	-
5270MHz	Pass	PK	5.2752G	115.43	Inf	-Inf	3	Horizontal	324	1.02	-
5270MHz	Pass	PK	5.3516G	68.04	74.00	-5.96	3	Horizontal	324	1.02	-
5270MHz	Pass	AV	15.82884G	47.53	54.00	-6.47	3	Vertical	276	1.47	-
5270MHz	Pass	PK	10.5394G	55.79	68.20	-12.41	3	Vertical	325	2.17	-
5270MHz	Pass	PK	15.831G	59.38	74.00	-14.62	3	Vertical	276	1.47	-
5270MHz	Pass	AV	15.82368G	47.59	54.00	-6.41	3	Horizontal	173	2.17	-
5270MHz	Pass	PK	10.53964G	52.87	68.20	-15.33	3	Horizontal	184	1.57	-
5270MHz	Pass	PK	15.80784G	59.51	74.00	-14.49	3	Horizontal	173	2.17	-
5310MHz	Pass	AV	5.312G	79.83	Inf	-Inf	3	Vertical	181	2.88	-
5310MHz	Pass	AV	5.3636G	48.09	54.00	-5.91	3	Vertical	181	2.88	-
5310MHz	Pass	PK	5.3156G	92.21	Inf	-Inf	3	Vertical	181	2.88	-
5310MHz	Pass	PK	5.3828G	58.80	74.00	-15.20	3	Vertical	181	2.88	-
5310MHz	Pass	AV	5.3156G	99.78	Inf	-Inf	3	Horizontal	323	2.91	-
5310MHz	Pass	AV	5.35G	53.89	54.00	-0.11	3	Horizontal	323	2.91	-
5310MHz	Pass	PK	5.3156G	112.25	Inf	-Inf	3	Horizontal	323	2.91	-
5310MHz	Pass	PK	5.352G	67.52	74.00	-6.48	3	Horizontal	323	2.91	-
5310MHz	Pass	AV	10.62912G	42.02	54.00	-11.98	3	Vertical	202	1.50	-
5310MHz	Pass	AV	15.93084G	48.70	54.00	-5.30	3	Vertical	71	2.01	-
5310MHz	Pass	PK	10.60824G	54.72	74.00	-19.28	3	Vertical	202	1.50	-
5310MHz	Pass	PK	15.92532G	60.34	74.00	-13.66	3	Vertical	71	2.01	-
5310MHz	Pass	AV	10.61064G	42.23	54.00	-11.77	3	Horizontal	41	1.05	-
5310MHz	Pass	AV	15.9384G	48.85	54.00	-5.15	3	Horizontal	15	2.31	-
5310MHz	Pass	PK	10.63128G	53.18	74.00	-20.82	3	Horizontal	41	1.05	-
5310MHz	Pass	PK	15.90168G	60.21	74.00	-13.79	3	Horizontal	15	2.31	-
5510MHz	Pass	AV	5.418G	47.64	54.00	-6.36	3	Vertical	50	2.05	-
5510MHz	Pass	AV	5.506G	85.77	Inf	-Inf	3	Vertical	50	2.05	-
5510MHz	Pass	PK	5.4648G	59.21	68.20	-8.99	3	Vertical	50	2.05	-
5510MHz	Pass	PK	5.5088G	96.63	Inf	-Inf	3	Vertical	50	2.05	-
5510MHz	Pass	AV	5.4596G	50.51	54.00	-3.49	3	Horizontal	133	2.55	-
5510MHz	Pass	AV	5.5156G	101.04	Inf	-Inf	3	Horizontal	133	2.55	-
5510MHz	Pass	PK	5.468G	66.78	68.20	-1.42	3	Horizontal	133	2.55	-
5510MHz	Pass	PK	5.5068G	113.26	Inf	-Inf	3	Horizontal	133	2.55	-
5510MHz	Pass	AV	11.01268G	42.07	54.00	-11.93	3	Vertical	329	1.98	-
5510MHz	Pass	PK	11.01196G	54.26	74.00	-19.74	3	Vertical	329	1.98	-
5510MHz	Pass	PK	16.5018G	62.13	68.20	-6.07	3	Vertical	99	1.19	-
5510MHz	Pass	AV	11.00824G	42.02	54.00	-11.98	3	Horizontal	225	1.07	-
5510MHz	Pass	PK	11.03344G	54.33	74.00	-19.67	3	Horizontal	225	1.07	-
5510MHz	Pass	PK	16.55556G	61.23	68.20	-6.97	3	Horizontal	240	2.04	-
5550MHz	Pass	AV	5.458G	47.82	54.00	-6.18	3	Vertical	55	2.38	-
5550MHz	Pass	AV	5.546G	90.55	Inf	-Inf	3	Vertical	55	2.38	-
5550MHz	Pass	PK	5.4684G	58.86	68.20	-9.34	3	Vertical	55	2.38	-
5550MHz	Pass	PK	5.5552G	102.96	Inf	-Inf	3	Vertical	55	2.38	-
5550MHz	Pass	AV	5.4596G	51.67	54.00	-2.33	3	Horizontal	135	2.53	-
5550MHz	Pass	AV	5.5432G	104.14	Inf	-Inf	3	Horizontal	135	2.53	-
5550MHz	Pass	PK	5.4684G	66.50	68.20	-1.70	3	Horizontal	135	2.53	-
5550MHz	Pass	PK	5.5468G	116.59	Inf	-Inf	3	Horizontal	135	2.53	-
5550MHz	Pass	AV	11.12604G	41.87	54.00	-12.13	3	Vertical	79	1.50	-
5550MHz	Pass	PK	11.0898G	53.98	74.00	-20.02	3	Vertical	79	1.50	-
5550MHz	Pass	PK	16.66668G	61.92	68.20	-6.28	3	Vertical	17	1.43	-
5550MHz	Pass	AV	11.08308G	41.65	54.00	-12.35	3	Horizontal	358	1.93	-
5550MHz	Pass	PK	11.1168G	53.06	74.00	-20.94	3	Horizontal	358	1.93	-
5550MHz	Pass	PK	16.63716G	60.73	68.20	-7.47	3	Horizontal	68	2.95	-
5670MHz	Pass	AV	5.676G	90.58	Inf	-Inf	3	Vertical	54	2.15	-
5670MHz	Pass	PK	5.667G	101.74	Inf	-Inf	3	Vertical	54	2.15	-
5670MHz	Pass	PK	5.7804G	60.50	68.20	-7.70	3	Vertical	54	2.15	-
5670MHz	Pass	AV	5.6658G	102.65	Inf	-Inf	3	Horizontal	135	2.44	-
5670MHz	Pass	PK	5.6688G	114.00	Inf	-Inf	3	Horizontal	135	2.44	-
5670MHz	Pass	PK	5.7252G	67.00	68.20	-1.20	3	Horizontal	135	2.44	-
5670MHz	Pass	AV	11.36196G	42.62	54.00	-11.38	3	Vertical	147	2.26	-
5670MHz	Pass	PK	11.3586G	54.05	74.00	-19.95	3	Vertical	147	2.26	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	PK	16.99848G	62.03	68.20	-6.17	3	Vertical	269	2.48	-
5670MHz	Pass	AV	11.3574G	41.85	54.00	-12.15	3	Horizontal	248	2.62	-
5670MHz	Pass	PK	11.34708G	54.46	74.00	-19.54	3	Horizontal	248	2.62	-
5670MHz	Pass	PK	17.02344G	62.57	68.20	-5.63	3	Horizontal	200	2.69	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	48.04	54.00	-5.96	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	93.80	Inf	-Inf	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.73	74.00	-15.27	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4604G	58.73	68.20	-9.47	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	105.60	Inf	-Inf	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	61.26	68.20	-6.94	3	Vertical	44	2.79	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	52.71	54.00	-1.29	3	Horizontal	137	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	107.71	Inf	-Inf	3	Horizontal	137	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	67.56	68.20	-0.64	3	Horizontal	137	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	117.85	Inf	-Inf	3	Horizontal	137	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	67.60	68.20	-0.60	3	Horizontal	137	2.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41664G	41.99	54.00	-12.01	3	Vertical	177	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43176G	53.66	74.00	-20.34	3	Vertical	177	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11104G	62.50	68.20	-5.70	3	Vertical	164	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42024G	43.08	54.00	-10.92	3	Horizontal	332	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41736G	55.07	74.00	-18.93	3	Horizontal	332	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12952G	62.62	68.20	-5.58	3	Horizontal	31	1.50	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1446G	46.44	54.00	-7.56	3	Vertical	179	1.53	-
5270MHz	Pass	AV	5.2634G	84.39	Inf	-Inf	3	Vertical	179	1.53	-
5270MHz	Pass	AV	5.3534G	46.03	54.00	-7.97	3	Vertical	179	1.53	-
5270MHz	Pass	PK	5.129G	59.06	74.00	-14.94	3	Vertical	179	1.53	-
5270MHz	Pass	PK	5.2688G	96.54	Inf	-Inf	3	Vertical	179	1.53	-
5270MHz	Pass	PK	5.4182G	58.34	74.00	-15.66	3	Vertical	179	1.53	-
5270MHz	Pass	AV	5.1482G	49.74	54.00	-4.26	3	Horizontal	135	2.63	-
5270MHz	Pass	AV	5.264G	104.05	Inf	-Inf	3	Horizontal	135	2.63	-
5270MHz	Pass	AV	5.35G	53.53	54.00	-0.47	3	Horizontal	135	2.63	-
5270MHz	Pass	PK	5.1446G	63.16	74.00	-10.84	3	Horizontal	135	2.63	-
5270MHz	Pass	PK	5.2694G	117.27	Inf	-Inf	3	Horizontal	135	2.63	-
5270MHz	Pass	PK	5.3528G	69.86	74.00	-4.14	3	Horizontal	135	2.63	-
5270MHz	Pass	AV	15.82664G	46.11	54.00	-7.89	3	Vertical	60	2.16	-
5270MHz	Pass	PK	10.44536G	54.65	68.20	-13.55	3	Vertical	85	1.50	-
5270MHz	Pass	PK	15.79272G	58.90	74.00	-15.10	3	Vertical	60	2.16	-
5270MHz	Pass	AV	15.8228G	46.12	54.00	-7.88	3	Horizontal	139	2.81	-
5270MHz	Pass	PK	10.52296G	53.75	68.20	-14.45	3	Horizontal	354	1.50	-
5270MHz	Pass	PK	15.79912G	59.02	74.00	-14.98	3	Horizontal	139	2.81	-
5310MHz	Pass	AV	5.2968G	82.21	Inf	-Inf	3	Vertical	196	2.92	-
5310MHz	Pass	AV	5.352G	46.14	54.00	-7.86	3	Vertical	196	2.92	-
5310MHz	Pass	PK	5.316G	94.40	Inf	-Inf	3	Vertical	196	2.92	-
5310MHz	Pass	PK	5.4414G	58.31	74.00	-15.69	3	Vertical	196	2.92	-
5310MHz	Pass	AV	5.316G	99.70	Inf	-Inf	3	Horizontal	320	1.00	-
5310MHz	Pass	AV	5.35G	53.75	54.00	-0.25	3	Horizontal	320	1.00	-
5310MHz	Pass	PK	5.3178G	112.18	Inf	-Inf	3	Horizontal	320	1.00	-
5310MHz	Pass	PK	5.3544G	69.25	74.00	-4.75	3	Horizontal	320	1.00	-
5310MHz	Pass	AV	10.63592G	40.54	54.00	-13.46	3	Vertical	208	2.01	-
5310MHz	Pass	AV	15.94408G	47.43	54.00	-6.57	3	Vertical	214	1.11	-
5310MHz	Pass	PK	10.61512G	53.45	74.00	-20.55	3	Vertical	208	2.01	-
5310MHz	Pass	PK	15.93352G	60.83	74.00	-13.17	3	Vertical	214	1.11	-
5310MHz	Pass	AV	10.6316G	40.51	54.00	-13.49	3	Horizontal	210	2.81	-
5310MHz	Pass	AV	15.94832G	47.48	54.00	-6.52	3	Horizontal	311	2.98	-
5310MHz	Pass	PK	10.63056G	54.30	74.00	-19.70	3	Horizontal	210	2.81	-
5310MHz	Pass	PK	15.91912G	61.20	74.00	-12.80	3	Horizontal	311	2.98	-
5510MHz	Pass	AV	5.366G	45.97	54.00	-8.03	3	Vertical	182	1.50	-
5510MHz	Pass	AV	5.4926G	76.57	Inf	-Inf	3	Vertical	182	1.50	-
5510MHz	Pass	PK	5.4692G	58.20	68.20	-10.00	3	Vertical	182	1.50	-
5510MHz	Pass	PK	5.4932G	90.41	Inf	-Inf	3	Vertical	182	1.50	-
5510MHz	Pass	AV	5.459G	49.16	54.00	-4.84	3	Horizontal	140	2.58	-
5510MHz	Pass	AV	5.516G	100.35	Inf	-Inf	3	Horizontal	140	2.58	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	PK	5.4668G	66.79	68.20	-1.41	3	Horizontal	140	2.58	-
5510MHz	Pass	PK	5.5124G	113.60	Inf	-Inf	3	Horizontal	140	2.58	-
5510MHz	Pass	AV	11.00992G	40.71	54.00	-13.29	3	Vertical	207	2.63	-
5510MHz	Pass	PK	11.0368G	54.03	74.00	-19.97	3	Vertical	207	2.63	-
5510MHz	Pass	PK	16.51872G	61.97	68.20	-6.23	3	Vertical	130	1.67	-
5510MHz	Pass	AV	11.01216G	40.51	54.00	-13.49	3	Horizontal	258	2.73	-
5510MHz	Pass	PK	11.0232G	53.20	74.00	-20.80	3	Horizontal	258	2.73	-
5510MHz	Pass	PK	16.51624G	61.60	68.20	-6.60	3	Horizontal	138	1.86	-
5550MHz	Pass	AV	5.4462G	45.93	54.00	-8.07	3	Vertical	55	2.36	-
5550MHz	Pass	AV	5.5632G	89.53	Inf	-Inf	3	Vertical	55	2.36	-
5550MHz	Pass	PK	5.4642G	58.85	68.20	-9.35	3	Vertical	55	2.36	-
5550MHz	Pass	PK	5.5644G	102.64	Inf	-Inf	3	Vertical	55	2.36	-
5550MHz	Pass	PK	5.5422G	116.98	Inf	-Inf	3	Horizontal	142	2.46	-
5550MHz	Pass	PK	5.4696G	65.56	68.20	-2.64	3	Horizontal	142	2.46	-
5550MHz	Pass	AV	5.544G	103.57	Inf	-Inf	3	Horizontal	142	2.46	-
5550MHz	Pass	AV	5.46G	49.00	54.00	-5.00	3	Horizontal	142	2.46	-
5550MHz	Pass	AV	11.08256G	40.34	54.00	-13.66	3	Vertical	14	1.50	-
5550MHz	Pass	PK	11.08728G	54.36	74.00	-19.64	3	Vertical	14	1.50	-
5550MHz	Pass	PK	16.65104G	61.28	68.20	-6.92	3	Vertical	77	2.91	-
5550MHz	Pass	AV	11.08056G	40.36	54.00	-13.64	3	Horizontal	118	1.50	-
5550MHz	Pass	PK	11.08096G	54.79	74.00	-19.21	3	Horizontal	118	1.50	-
5550MHz	Pass	PK	16.63104G	61.96	68.20	-6.24	3	Horizontal	291	2.13	-
5670MHz	Pass	AV	5.6646G	88.66	Inf	-Inf	3	Vertical	55	2.43	-
5670MHz	Pass	PK	5.6652G	101.32	Inf	-Inf	3	Vertical	55	2.43	-
5670MHz	Pass	PK	5.7696G	59.91	68.20	-8.29	3	Vertical	55	2.43	-
5670MHz	Pass	AV	5.6646G	101.85	Inf	-Inf	3	Horizontal	137	2.61	-
5670MHz	Pass	PK	5.6622G	115.19	Inf	-Inf	3	Horizontal	137	2.61	-
5670MHz	Pass	PK	5.7282G	66.96	68.20	-1.24	3	Horizontal	137	2.61	-
5670MHz	Pass	AV	11.34736G	41.07	54.00	-12.93	3	Vertical	34	1.10	-
5670MHz	Pass	PK	11.35216G	54.44	74.00	-19.56	3	Vertical	34	1.10	-
5670MHz	Pass	PK	17.00744G	63.01	68.20	-5.19	3	Vertical	208	1.06	-
5670MHz	Pass	AV	11.35888G	40.98	54.00	-13.02	3	Horizontal	23	1.56	-
5670MHz	Pass	PK	11.33048G	54.19	74.00	-19.81	3	Horizontal	23	1.56	-
5670MHz	Pass	PK	17.01704G	62.09	68.20	-6.11	3	Horizontal	33	2.16	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4436G	46.08	54.00	-7.92	3	Vertical	58	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	91.67	Inf	-Inf	3	Vertical	58	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	58.62	68.20	-9.58	3	Vertical	58	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	104.51	Inf	-Inf	3	Vertical	58	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9812G	60.13	68.20	-8.07	3	Vertical	58	2.37	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	49.98	54.00	-4.02	3	Horizontal	141	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	106.73	Inf	-Inf	3	Horizontal	141	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	66.94	68.20	-1.26	3	Horizontal	141	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	119.35	Inf	-Inf	3	Horizontal	141	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	67.28	68.20	-0.92	3	Horizontal	141	2.56	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41472G	41.78	54.00	-12.22	3	Vertical	177	1.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42336G	55.28	74.00	-18.72	3	Vertical	177	1.27	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.132G	61.91	68.20	-6.29	3	Vertical	296	2.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41888G	42.80	54.00	-11.20	3	Horizontal	188	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41336G	56.11	74.00	-17.89	3	Horizontal	188	2.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14616G	62.25	68.20	-5.95	3	Horizontal	319	2.03	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.097G	48.11	54.00	-5.89	3	Vertical	44	2.15	-
5290MHz	Pass	AV	5.317G	81.44	Inf	-Inf	3	Vertical	44	2.15	-
5290MHz	Pass	AV	5.359G	48.08	54.00	-5.92	3	Vertical	44	2.15	-
5290MHz	Pass	PK	5.147G	58.62	74.00	-15.38	3	Vertical	44	2.15	-
5290MHz	Pass	PK	5.317G	93.70	Inf	-Inf	3	Vertical	44	2.15	-
5290MHz	Pass	PK	5.481G	58.11	68.20	-10.09	3	Vertical	44	2.15	-
5290MHz	Pass	AV	5.142G	50.26	54.00	-3.74	3	Horizontal	137	2.62	-
5290MHz	Pass	AV	5.28G	95.88	Inf	-Inf	3	Horizontal	137	2.62	-
5290MHz	Pass	AV	5.352G	53.79	54.00	-0.21	3	Horizontal	137	2.62	-
5290MHz	Pass	PK	5.134G	60.92	74.00	-13.08	3	Horizontal	137	2.62	-
5290MHz	Pass	PK	5.293G	107.18	Inf	-Inf	3	Horizontal	137	2.62	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.352G	67.01	74.00	-6.99	3	Horizontal	137	2.62	-
5290MHz	Pass	AV	15.89224G	48.52	54.00	-5.48	3	Vertical	24	1.50	-
5290MHz	Pass	PK	10.57184G	53.46	68.20	-14.74	3	Vertical	200	1.84	-
5290MHz	Pass	PK	15.88616G	60.27	74.00	-13.73	3	Vertical	24	1.50	-
5290MHz	Pass	AV	15.88712G	48.33	54.00	-5.67	3	Horizontal	300	1.50	-
5290MHz	Pass	PK	10.58816G	53.09	68.20	-15.11	3	Horizontal	40	2.71	-
5290MHz	Pass	PK	15.89496G	60.33	74.00	-13.67	3	Horizontal	300	1.50	-
5530MHz	Pass	AV	5.363G	48.15	54.00	-5.85	3	Vertical	61	2.06	-
5530MHz	Pass	AV	5.521G	83.19	Inf	-Inf	3	Vertical	61	2.06	-
5530MHz	Pass	PK	5.284G	59.08	68.20	-9.12	3	Vertical	61	2.06	-
5530MHz	Pass	PK	5.527G	94.78	Inf	-Inf	3	Vertical	61	2.06	-
5530MHz	Pass	PK	5.776G	59.69	68.20	-8.51	3	Vertical	61	2.06	-
5530MHz	Pass	AV	5.46G	51.75	54.00	-2.25	3	Horizontal	138	2.55	-
5530MHz	Pass	AV	5.52G	97.60	Inf	-Inf	3	Horizontal	138	2.55	-
5530MHz	Pass	PK	5.461G	67.60	68.20	-0.60	3	Horizontal	138	2.55	-
5530MHz	Pass	PK	5.533G	109.40	Inf	-Inf	3	Horizontal	138	2.55	-
5530MHz	Pass	PK	5.78G	60.17	68.20	-8.03	3	Horizontal	138	2.55	-
5530MHz	Pass	AV	11.0528G	41.54	54.00	-12.46	3	Vertical	65	2.56	-
5530MHz	Pass	PK	11.04992G	53.17	74.00	-20.83	3	Vertical	65	2.56	-
5530MHz	Pass	PK	16.61192G	61.41	68.20	-6.79	3	Vertical	38	1.57	-
5530MHz	Pass	AV	11.02G	41.85	54.00	-12.15	3	Horizontal	232	1.55	-
5530MHz	Pass	PK	11.04512G	53.50	74.00	-20.50	3	Horizontal	232	1.55	-
5530MHz	Pass	PK	16.55832G	61.04	68.20	-7.16	3	Horizontal	341	2.42	-
5610MHz	Pass	AV	5.458G	47.95	54.00	-6.05	3	Vertical	54	2.32	-
5610MHz	Pass	AV	5.596G	89.74	Inf	-Inf	3	Vertical	54	2.32	-
5610MHz	Pass	PK	5.455G	59.51	74.00	-14.49	3	Vertical	54	2.32	-
5610MHz	Pass	PK	5.464G	59.25	68.20	-8.95	3	Vertical	54	2.32	-
5610MHz	Pass	PK	5.598G	100.61	Inf	-Inf	3	Vertical	54	2.32	-
5610MHz	Pass	PK	5.725G	59.94	68.20	-8.26	3	Vertical	54	2.32	-
5610MHz	Pass	AV	5.457G	53.36	54.00	-0.64	3	Horizontal	138	2.62	-
5610MHz	Pass	AV	5.601G	101.65	Inf	-Inf	3	Horizontal	138	2.62	-
5610MHz	Pass	PK	5.466G	66.07	68.20	-2.13	3	Horizontal	138	2.62	-
5610MHz	Pass	PK	5.592G	113.19	Inf	-Inf	3	Horizontal	138	2.62	-
5610MHz	Pass	PK	5.728G	67.91	68.20	-0.29	3	Horizontal	138	2.62	-
5610MHz	Pass	AV	11.22624G	41.97	54.00	-12.03	3	Vertical	247	2.22	-
5610MHz	Pass	PK	11.18688G	53.92	74.00	-20.08	3	Vertical	247	2.22	-
5610MHz	Pass	PK	16.8052G	61.12	68.20	-7.08	3	Vertical	252	1.64	-
5610MHz	Pass	AV	11.19216G	42.16	54.00	-11.84	3	Horizontal	23	1.40	-
5610MHz	Pass	PK	11.24432G	54.54	74.00	-19.46	3	Horizontal	23	1.40	-
5610MHz	Pass	PK	16.80056G	61.33	68.20	-6.87	3	Horizontal	125	1.73	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.396G	47.89	54.00	-6.11	3	Vertical	57	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6984G	92.08	Inf	-Inf	3	Vertical	57	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	58.26	68.20	-9.94	3	Vertical	57	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	102.98	Inf	-Inf	3	Vertical	57	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9324G	60.92	68.20	-7.28	3	Vertical	57	2.57	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.05	54.00	-0.95	3	Horizontal	138	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	103.51	Inf	-Inf	3	Horizontal	138	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	64.72	68.20	-3.48	3	Horizontal	138	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	115.66	Inf	-Inf	3	Horizontal	138	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.66	68.20	-2.54	3	Horizontal	138	2.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36136G	42.41	54.00	-11.59	3	Vertical	85	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36288G	54.74	74.00	-19.26	3	Vertical	85	1.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05816G	63.10	68.20	-5.10	3	Vertical	360	1.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36176G	43.38	54.00	-10.62	3	Horizontal	329	2.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37488G	55.30	74.00	-18.70	3	Horizontal	329	2.37	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05008G	62.74	68.20	-5.46	3	Horizontal	144	2.30	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	46.53	54.00	-7.47	3	Vertical	197	2.95	-
5290MHz	Pass	AV	5.293G	78.62	Inf	-Inf	3	Vertical	197	2.95	-
5290MHz	Pass	AV	5.361G	46.23	54.00	-7.77	3	Vertical	197	2.95	-
5290MHz	Pass	PK	5.075G	59.60	74.00	-14.40	3	Vertical	197	2.95	-
5290MHz	Pass	PK	5.278G	91.29	Inf	-Inf	3	Vertical	197	2.95	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.493G	58.86	68.20	-9.34	3	Vertical	197	2.95	-
5290MHz	Pass	AV	5.149G	49.13	54.00	-4.87	3	Horizontal	317	1.00	-
5290MHz	Pass	AV	5.297G	96.92	Inf	-Inf	3	Horizontal	317	1.00	-
5290MHz	Pass	AV	5.351G	53.68	54.00	-0.32	3	Horizontal	317	1.00	-
5290MHz	Pass	PK	5.146G	62.45	74.00	-11.55	3	Horizontal	317	1.00	-
5290MHz	Pass	PK	5.319G	109.92	Inf	-Inf	3	Horizontal	317	1.00	-
5290MHz	Pass	PK	5.351G	71.82	74.00	-2.18	3	Horizontal	317	1.00	-
5290MHz	Pass	AV	15.87536G	46.93	54.00	-7.07	3	Vertical	298	1.17	-
5290MHz	Pass	PK	10.598G	53.29	68.20	-14.91	3	Vertical	183	2.63	-
5290MHz	Pass	PK	15.88472G	60.88	74.00	-13.12	3	Vertical	298	1.17	-
5290MHz	Pass	AV	15.88784G	46.94	54.00	-7.06	3	Horizontal	298	1.89	-
5290MHz	Pass	PK	10.58784G	53.15	68.20	-15.05	3	Horizontal	340	1.87	-
5290MHz	Pass	PK	15.87112G	60.37	74.00	-13.63	3	Horizontal	298	1.89	-
5530MHz	Pass	AV	5.375G	46.12	54.00	-7.88	3	Vertical	56	2.44	-
5530MHz	Pass	AV	5.518G	81.92	Inf	-Inf	3	Vertical	56	2.44	-
5530MHz	Pass	PK	5.339G	59.14	68.20	-9.06	3	Vertical	56	2.44	-
5530MHz	Pass	PK	5.518G	95.99	Inf	-Inf	3	Vertical	56	2.44	-
5530MHz	Pass	PK	5.779G	59.68	68.20	-8.52	3	Vertical	56	2.44	-
5530MHz	Pass	AV	5.459G	49.79	54.00	-4.21	3	Horizontal	139	2.59	-
5530MHz	Pass	AV	5.541G	97.51	Inf	-Inf	3	Horizontal	139	2.59	-
5530MHz	Pass	PK	5.467G	67.11	68.20	-1.09	3	Horizontal	139	2.59	-
5530MHz	Pass	PK	5.518G	111.45	Inf	-Inf	3	Horizontal	139	2.59	-
5530MHz	Pass	PK	5.728G	60.09	68.20	-8.11	3	Horizontal	139	2.59	-
5530MHz	Pass	AV	11.04G	40.47	54.00	-13.53	3	Vertical	154	2.57	-
5530MHz	Pass	PK	11.06184G	53.62	74.00	-20.38	3	Vertical	154	2.57	-
5530MHz	Pass	PK	16.58144G	61.32	68.20	-6.88	3	Vertical	134	1.29	-
5530MHz	Pass	AV	11.0452G	40.49	54.00	-13.51	3	Horizontal	87	2.69	-
5530MHz	Pass	PK	11.05568G	54.00	74.00	-20.00	3	Horizontal	87	2.69	-
5530MHz	Pass	PK	16.60864G	61.67	68.20	-6.53	3	Horizontal	297	1.56	-
5610MHz	Pass	AV	5.384G	46.03	54.00	-7.97	3	Vertical	55	2.12	-
5610MHz	Pass	AV	5.615G	87.51	Inf	-Inf	3	Vertical	55	2.12	-
5610MHz	Pass	PK	5.467G	58.46	68.20	-9.74	3	Vertical	55	2.12	-
5610MHz	Pass	PK	5.616G	100.62	Inf	-Inf	3	Vertical	55	2.12	-
5610MHz	Pass	PK	5.853G	60.07	68.20	-8.13	3	Vertical	55	2.12	-
5610MHz	Pass	AV	5.46G	51.01	54.00	-2.99	3	Horizontal	138	2.66	-
5610MHz	Pass	AV	5.598G	100.81	Inf	-Inf	3	Horizontal	138	2.66	-
5610MHz	Pass	PK	5.47G	65.32	68.20	-2.88	3	Horizontal	138	2.66	-
5610MHz	Pass	PK	5.625G	113.80	Inf	-Inf	3	Horizontal	138	2.66	-
5610MHz	Pass	PK	5.728G	66.44	68.20	-1.76	3	Horizontal	138	2.66	-
5610MHz	Pass	AV	11.20144G	40.89	54.00	-13.11	3	Vertical	0	2.72	-
5610MHz	Pass	PK	11.23896G	54.78	74.00	-19.22	3	Vertical	0	2.72	-
5610MHz	Pass	PK	16.83976G	61.66	68.20	-6.54	3	Vertical	20	1.06	-
5610MHz	Pass	AV	11.21224G	40.83	54.00	-13.17	3	Horizontal	139	1.98	-
5610MHz	Pass	PK	11.21536G	53.88	74.00	-20.12	3	Horizontal	139	1.98	-
5610MHz	Pass	PK	16.81488G	61.21	68.20	-6.99	3	Horizontal	140	2.49	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	46.37	54.00	-7.63	3	Vertical	49	2.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6732G	90.47	Inf	-Inf	3	Vertical	49	2.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	59.48	68.20	-8.72	3	Vertical	49	2.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	103.93	Inf	-Inf	3	Vertical	49	2.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.942G	60.38	68.20	-7.82	3	Vertical	49	2.45	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.82	54.00	-0.18	3	Horizontal	138	2.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.672G	103.42	Inf	-Inf	3	Horizontal	138	2.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	67.97	68.20	-0.23	3	Horizontal	138	2.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.66G	117.05	Inf	-Inf	3	Horizontal	138	2.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	67.43	68.20	-0.77	3	Horizontal	138	2.48	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36176G	41.25	54.00	-12.75	3	Vertical	360	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36416G	54.60	74.00	-19.40	3	Vertical	360	2.56	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08152G	63.03	68.20	-5.17	3	Vertical	216	2.95	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37656G	41.75	54.00	-12.25	3	Horizontal	186	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.39456G	55.99	74.00	-18.01	3	Horizontal	186	2.30	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05032G	62.02	68.20	-6.18	3	Horizontal	340	2.09	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Por12)	-	-	-	-	-	-	-	-	-	-	-



RSE TX above 1GHz_Non-Beamforming_Omni

Appendix D.3


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	49.66	54.00	-4.34	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2728G	76.77	Inf	-Inf	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3664G	49.34	54.00	-4.66	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1144G	59.30	74.00	-14.70	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2692G	87.15	Inf	-Inf	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.526G	59.22	68.20	-8.98	3	Vertical	61	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	53.53	54.00	-0.47	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1744G	90.85	Inf	-Inf	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.364G	52.74	54.00	-1.26	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	63.02	74.00	-10.98	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1864G	100.20	Inf	-Inf	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.55G	59.83	68.20	-8.37	3	Horizontal	137	2.70	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.76824G	48.92	54.00	-5.08	3	Vertical	315	1.59	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48584G	54.18	68.20	-14.02	3	Vertical	121	2.91	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.76728G	59.06	74.00	-14.94	3	Vertical	315	1.59	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.7376G	48.81	54.00	-5.19	3	Horizontal	70	1.23	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48072G	52.77	68.20	-15.43	3	Horizontal	88	1.98	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74312G	58.91	74.00	-15.09	3	Horizontal	70	1.23	-
5570MHz	Pass	AV	5.3696G	49.55	54.00	-4.45	3	Vertical	53	2.52	-
5570MHz	Pass	AV	5.5916G	79.76	Inf	-Inf	3	Vertical	53	2.52	-
5570MHz	Pass	PK	5.3216G	58.74	68.20	-9.46	3	Vertical	53	2.52	-
5570MHz	Pass	PK	5.588G	89.70	Inf	-Inf	3	Vertical	53	2.52	-
5570MHz	Pass	PK	5.7716G	59.93	68.20	-8.27	3	Vertical	53	2.52	-
5570MHz	Pass	AV	5.414G	53.42	54.00	-0.58	3	Horizontal	327	2.58	-
5570MHz	Pass	AV	5.5412G	92.98	Inf	-Inf	3	Horizontal	327	2.58	-
5570MHz	Pass	PK	5.4644G	61.33	68.20	-6.87	3	Horizontal	327	2.58	-
5570MHz	Pass	PK	5.5328G	103.09	Inf	-Inf	3	Horizontal	327	2.58	-
5570MHz	Pass	PK	5.7272G	62.69	68.20	-5.51	3	Horizontal	327	2.58	-
5570MHz	Pass	AV	11.12696G	43.45	54.00	-10.55	3	Vertical	236	2.12	-
5570MHz	Pass	PK	11.1268G	53.82	74.00	-20.18	3	Vertical	236	2.12	-
5570MHz	Pass	PK	16.69624G	61.22	68.20	-6.98	3	Vertical	266	1.19	-
5570MHz	Pass	AV	11.13936G	43.14	54.00	-10.86	3	Horizontal	354	2.71	-
5570MHz	Pass	PK	11.12368G	53.39	74.00	-20.61	3	Horizontal	354	2.71	-
5570MHz	Pass	PK	16.69064G	61.15	68.20	-7.05	3	Horizontal	133	1.33	-
802.11ax HEW160_Nss2(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1468G	46.61	54.00	-7.39	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3076G	75.05	Inf	-Inf	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	46.19	54.00	-7.81	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0064G	58.99	74.00	-15.01	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3112G	88.12	Inf	-Inf	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.5056G	59.50	68.20	-8.70	3	Vertical	189	2.92	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0988G	53.66	54.00	-0.34	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3112G	92.42	Inf	-Inf	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4048G	53.42	54.00	-0.58	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	68.58	74.00	-5.42	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2872G	106.18	Inf	-Inf	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	63.30	68.20	-4.90	3	Horizontal	320	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.76528G	45.93	54.00	-8.07	3	Vertical	307	1.04	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51608G	52.58	68.20	-15.62	3	Vertical	302	1.52	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.73824G	59.66	74.00	-14.34	3	Vertical	307	1.04	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.73472G	45.93	54.00	-8.07	3	Horizontal	39	1.67	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.5024G	52.72	68.20	-15.48	3	Horizontal	349	2.52	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74768G	61.21	74.00	-12.79	3	Horizontal	39	1.67	-
5570MHz	Pass	AV	5.4068G	46.35	54.00	-7.65	3	Vertical	57	2.46	-
5570MHz	Pass	AV	5.6276G	79.92	Inf	-Inf	3	Vertical	57	2.46	-
5570MHz	Pass	PK	5.2988G	59.31	68.20	-8.89	3	Vertical	57	2.46	-
5570MHz	Pass	PK	5.6324G	92.93	Inf	-Inf	3	Vertical	57	2.46	-
5570MHz	Pass	PK	5.7452G	60.60	68.20	-7.60	3	Vertical	57	2.46	-
5570MHz	Pass	AV	5.3984G	53.86	54.00	-0.14	3	Horizontal	141	2.56	-
5570MHz	Pass	AV	5.594G	93.96	Inf	-Inf	3	Horizontal	141	2.56	-
5570MHz	Pass	PK	5.4656G	64.45	68.20	-3.75	3	Horizontal	141	2.56	-
5570MHz	Pass	PK	5.5856G	107.82	Inf	-Inf	3	Horizontal	141	2.56	-



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	PK	5.7452G	65.91	68.20	-2.29	3	Horizontal	141	2.56	-
5570MHz	Pass	AV	11.14248G	40.59	54.00	-13.41	3	Vertical	45	1.58	-
5570MHz	Pass	PK	11.13856G	54.46	74.00	-19.54	3	Vertical	45	1.58	-
5570MHz	Pass	PK	16.70112G	61.67	68.20	-6.53	3	Vertical	347	2.88	-
5570MHz	Pass	AV	11.14232G	40.52	54.00	-13.48	3	Horizontal	11	2.20	-
5570MHz	Pass	PK	11.12256G	53.74	74.00	-20.26	3	Horizontal	11	2.20	-
5570MHz	Pass	PK	16.69336G	61.63	68.20	-6.57	3	Horizontal	190	1.91	-

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.47	54.00	-6.53	8.90	3	Vertical	171	1.98	-	38.57	33.20	9.83	34.13
AV	5.2576G	88.46	Inf	-Inf	8.67	3	Vertical	171	1.98	-	79.79	32.92	9.90	34.15
AV	5.3968G	47.04	54.00	-6.96	8.62	3	Vertical	171	1.98	-	38.42	32.79	10.00	34.17
PK	5.1112G	58.90	74.00	-15.10	8.89	3	Vertical	171	1.98	-	50.01	33.20	9.81	34.12
PK	5.2588G	98.91	Inf	-Inf	8.67	3	Vertical	171	1.98	-	90.24	32.92	9.90	34.15
PK	5.3938G	59.14	74.00	-14.86	8.62	3	Vertical	171	1.98	-	50.52	32.79	10.00	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	50.09	54.00	-3.91	8.90	3	Horizontal	322	2.82	-	41.19	33.20	9.83	34.13
AV	5.2624G	109.23	Inf	-Inf	8.67	3	Horizontal	322	2.82	-	100.56	32.92	9.90	34.15
AV	5.353G	51.55	54.00	-2.45	8.52	3	Horizontal	322	2.82	-	43.03	32.71	9.97	34.16
PK	5.1448G	63.49	74.00	-10.51	8.90	3	Horizontal	322	2.82	-	54.59	33.20	9.83	34.13
PK	5.2636G	119.52	Inf	-Inf	8.68	3	Horizontal	322	2.82	-	110.84	32.93	9.90	34.15
PK	5.3566G	67.04	74.00	-6.96	8.52	3	Horizontal	322	2.82	-	58.52	32.71	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77688G	46.59	54.00	-7.41	19.40	3	Vertical	237	2.15	-	27.19	38.12	15.85	34.57
PK	10.52456G	58.92	68.20	-9.28	16.93	3	Vertical	183	1.25	-	41.99	38.67	12.73	34.47
PK	15.78024G	59.91	74.00	-14.09	19.41	3	Vertical	237	2.15	-	40.50	38.12	15.86	34.57

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77752G	46.48	54.00	-7.52	19.41	3	Horizontal	360	1.09	-	27.07	38.12	15.86	34.57
PK	10.51732G	61.95	68.20	-6.25	16.91	3	Horizontal	325	1.00	-	45.04	38.65	12.73	34.47
PK	15.77128G	60.00	74.00	-14.00	19.42	3	Horizontal	360	1.09	-	40.58	38.13	15.85	34.56

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3018G	92.84	Inf	-Inf	8.77	3	Vertical	62	2.15	-	84.07	32.99	9.93	34.15
AV	5.35G	47.64	54.00	-6.36	8.51	3	Vertical	62	2.15	-	39.13	32.70	9.97	34.16
PK	5.3054G	102.60	Inf	-Inf	8.75	3	Vertical	62	2.15	-	93.85	32.97	9.93	34.15
PK	5.35G	61.07	74.00	-12.93	8.51	3	Vertical	62	2.15	-	52.56	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	108.45	Inf	-Inf	8.77	3	Horizontal	136	2.36	-	99.68	32.99	9.93	34.15
AV	5.35G	53.77	54.00	-0.23	8.51	3	Horizontal	136	2.36	-	45.26	32.70	9.97	34.16
PK	5.3018G	118.41	Inf	-Inf	8.77	3	Horizontal	136	2.36	-	109.64	32.99	9.93	34.15
PK	5.3504G	72.24	74.00	-1.76	8.51	3	Horizontal	136	2.36	-	63.73	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89872G	47.79	54.00	-6.21	19.72	3	Vertical	248	2.86	-	28.07	38.40	15.95	34.63
PK	10.59732G	56.02	68.20	-12.18	17.25	3	Vertical	169	2.03	-	38.77	38.89	12.76	34.40
PK	15.90588G	62.32	74.00	-11.68	19.70	3	Vertical	248	2.86	-	42.62	38.39	15.95	34.64

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89952G	47.41	54.00	-6.59	19.72	3	Horizontal	181	1.50	-	27.69	38.40	15.95	34.63
PK	10.59856G	56.03	68.20	-12.17	17.26	3	Horizontal	324	1.00	-	38.77	38.90	12.76	34.40
PK	15.89044G	60.97	74.00	-13.03	19.68	3	Horizontal	181	1.50	-	41.29	38.37	15.94	34.63

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3224G	86.02	Inf	-Inf	8.66	3	Vertical	124	2.92	-	77.36	32.87	9.95	34.16
AV	5.3566G	47.08	54.00	-6.92	8.52	3	Vertical	124	2.92	-	38.56	32.71	9.97	34.16
PK	5.3212G	96.31	Inf	-Inf	8.65	3	Vertical	124	2.92	-	87.66	32.87	9.94	34.16
PK	5.4652G	58.69	68.20	-9.51	8.77	3	Vertical	124	2.92	-	49.92	32.93	10.02	34.18

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	106.08	Inf	-Inf	8.67	3	Horizontal	322	2.92	-	97.41	32.89	9.94	34.16
AV	5.3506G	53.62	54.00	-0.38	8.51	3	Horizontal	322	2.92	-	45.11	32.70	9.97	34.16
PK	5.3218G	116.40	Inf	-Inf	8.66	3	Horizontal	322	2.92	-	107.74	32.87	9.95	34.16
PK	5.3512G	72.01	74.00	-1.99	8.51	3	Horizontal	322	2.92	-	63.50	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64268G	41.51	54.00	-12.49	17.28	3	Vertical	5	2.20	-	24.23	38.86	12.78	34.36
AV	15.9502G	47.51	54.00	-6.49	19.67	3	Vertical	263	3.00	-	27.84	38.35	15.98	34.66
PK	10.63864G	54.59	74.00	-19.41	17.27	3	Vertical	5	2.20	-	37.32	38.86	12.78	34.37
PK	15.95024G	60.88	74.00	-13.12	19.67	3	Vertical	263	3.00	-	41.21	38.35	15.98	34.66

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64156G	42.10	54.00	-11.90	17.28	3	Horizontal	325	1.00	-	24.82	38.86	12.78	34.36
AV	15.96564G	47.48	54.00	-6.52	19.65	3	Horizontal	271	2.99	-	27.83	38.33	15.99	34.67
PK	10.63288G	54.98	74.00	-19.02	17.28	3	Horizontal	325	1.00	-	37.70	38.87	12.78	34.37
PK	15.96448G	60.45	74.00	-13.55	19.66	3	Horizontal	271	2.99	-	40.79	38.34	15.99	34.67

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.374G	47.16	54.00	-6.84	8.56	3	Vertical	54	2.28	-	38.60	32.75	9.98	34.17
AV	5.4952G	89.84	Inf	-Inf	8.83	3	Vertical	54	2.28	-	81.01	32.99	10.03	34.19
PK	5.4682G	58.81	68.20	-9.39	8.78	3	Vertical	54	2.28	-	50.03	32.94	10.02	34.18
PK	5.4952G	99.49	Inf	-Inf	8.83	3	Vertical	54	2.28	-	90.66	32.99	10.03	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	48.06	54.00	-5.94	8.75	3	Horizontal	136	2.58	-	39.31	32.91	10.02	34.18
AV	5.4982G	103.29	Inf	-Inf	8.84	3	Horizontal	136	2.58	-	94.45	33.00	10.03	34.19
PK	5.4694G	66.66	68.20	-1.54	8.78	3	Horizontal	136	2.58	-	57.88	32.94	10.02	34.18
PK	5.5024G	113.41	Inf	-Inf	8.84	3	Horizontal	136	2.58	-	104.57	32.99	10.04	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99328G	41.24	54.00	-12.76	17.67	3	Vertical	143	1.00	-	23.57	38.80	12.92	34.05
PK	11.00548G	54.95	74.00	-19.05	17.68	3	Vertical	143	1.00	-	37.27	38.80	12.92	34.04
PK	16.49968G	63.06	68.20	-5.14	20.34	3	Vertical	69	1.50	-	42.72	38.60	16.10	34.36

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99656G	42.10	54.00	-11.90	17.68	3	Horizontal	325	1.00	-	24.42	38.80	12.92	34.04
PK	10.99096G	54.72	74.00	-19.28	17.67	3	Horizontal	325	1.00	-	37.05	38.80	12.92	34.05
PK	16.50456G	62.11	68.20	-6.09	20.35	3	Horizontal	3	1.50	-	41.76	38.60	16.10	34.35

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	46.96	54.00	-7.04	8.73	3	Vertical	51	2.21	-	38.23	32.89	10.02	34.18
AV	5.5824G	97.90	Inf	-Inf	8.86	3	Vertical	51	2.21	-	89.04	32.99	10.06	34.19
PK	5.463G	58.04	68.20	-10.16	8.77	3	Vertical	51	2.21	-	49.27	32.93	10.02	34.18
PK	5.5836G	108.24	Inf	-Inf	8.86	3	Vertical	51	2.21	-	99.38	33.00	10.06	34.20
PK	5.7264G	59.52	68.20	-8.68	9.50	3	Vertical	51	2.21	-	50.02	33.56	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.61	54.00	-4.39	8.76	3	Horizontal	323	1.04	-	40.85	32.92	10.02	34.18
AV	5.5824G	110.20	Inf	-Inf	8.86	3	Horizontal	323	1.04	-	101.34	32.99	10.06	34.19
PK	5.4642G	64.32	68.20	-3.88	8.77	3	Horizontal	323	1.04	-	55.55	32.93	10.02	34.18
PK	5.5818G	120.32	Inf	-Inf	8.86	3	Horizontal	323	1.04	-	111.46	32.99	10.06	34.19
PK	5.7276G	59.04	68.20	-9.16	9.51	3	Horizontal	323	1.04	-	49.53	33.57	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1562G	41.48	54.00	-12.52	17.79	3	Vertical	165	1.15	-	23.69	38.86	12.98	34.05
PK	11.15232G	54.70	74.00	-19.30	17.78	3	Vertical	165	1.15	-	36.92	38.85	12.98	34.05
PK	16.74904G	61.70	68.20	-6.50	20.90	3	Vertical	137	1.50	-	40.80	38.61	16.14	33.85

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15992G	43.84	54.00	-10.16	17.79	3	Horizontal	323	1.00	-	26.05	38.86	12.98	34.05
PK	11.16112G	56.92	74.00	-17.08	17.79	3	Horizontal	323	1.00	-	39.13	38.86	12.98	34.05
PK	16.73628G	62.39	68.20	-5.81	20.95	3	Horizontal	360	1.40	-	41.44	38.68	16.14	33.87

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7042G	83.11	Inf	-Inf	9.36	3	Vertical	129	1.50	-	73.75	33.43	10.13	34.20
PK	5.7018G	92.20	Inf	-Inf	9.34	3	Vertical	129	1.50	-	82.86	33.41	10.13	34.20
PK	5.8428G	60.33	68.20	-7.87	10.06	3	Vertical	129	1.50	-	50.27	34.06	10.21	34.21

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7024G	103.43	Inf	-Inf	9.34	3	Horizontal	136	2.54	-	94.09	33.41	10.13	34.20
PK	5.7018G	113.84	Inf	-Inf	9.34	3	Horizontal	136	2.54	-	104.50	33.41	10.13	34.20
PK	5.7264G	66.51	68.20	-1.69	9.50	3	Horizontal	136	2.54	-	57.01	33.56	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39688G	41.22	54.00	-12.78	18.11	3	Vertical	138	2.48	-	23.11	39.10	13.07	34.06
PK	11.40188G	53.63	74.00	-20.37	18.12	3	Vertical	138	2.48	-	35.51	39.10	13.08	34.06
PK	17.0956G	62.59	68.20	-5.61	21.29	3	Vertical	122	1.91	-	41.30	38.40	16.20	33.31

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40244G	41.68	54.00	-12.32	18.12	3	Horizontal	120	2.51	-	23.56	39.10	13.08	34.06
PK	11.39732G	55.65	74.00	-18.35	18.11	3	Horizontal	120	2.51	-	37.54	39.10	13.07	34.06
PK	17.10944G	63.58	68.20	-4.62	21.30	3	Horizontal	242	1.50	-	42.28	38.40	16.20	33.30

802.11a_Nss1,(6Mbps)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	46.88	54.00	-7.12	8.75	3	Vertical	61	3.00	-	38.13	32.91	10.02	34.18
AV	5.7128G	94.13	Inf	-Inf	9.41	3	Vertical	61	3.00	-	84.72	33.48	10.13	34.20
PK	5.4608G	57.63	68.20	-10.57	8.76	3	Vertical	61	3.00	-	48.87	32.92	10.02	34.18
PK	5.7236G	104.65	Inf	-Inf	9.48	3	Vertical	61	3.00	-	95.17	33.54	10.14	34.20
PK	5.9828G	59.93	68.20	-8.27	10.20	3	Vertical	61	3.00	-	49.73	34.10	10.32	34.22


802.11a_Nss1,(6Mbps)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.66	54.00	-5.34	8.76	3	Horizontal	137	2.52	-	39.90	32.92	10.02	34.18
AV	5.7224G	111.02	Inf	-Inf	9.47	3	Horizontal	137	2.52	-	101.55	33.53	10.14	34.20
PK	5.4632G	60.34	68.20	-7.86	8.77	3	Horizontal	137	2.52	-	51.57	32.93	10.02	34.18
PK	5.7272G	121.92	Inf	-Inf	9.50	3	Horizontal	137	2.52	-	112.42	33.56	10.14	34.20
PK	5.852G	62.78	68.20	-5.42	10.11	3	Horizontal	137	2.52	-	52.67	34.10	10.22	34.21

802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX




802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX



802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	47.76	54.00	-6.24	8.90	3	Vertical	61	2.92	-	38.86	33.20	9.83	34.13
AV	5.2624G	99.45	Inf	-Inf	8.67	3	Vertical	61	2.92	-	90.78	32.92	9.90	34.15
AV	5.3656G	47.43	54.00	-6.57	8.54	3	Vertical	61	2.92	-	38.89	32.73	9.98	34.17
PK	5.1304G	59.74	74.00	-14.26	8.90	3	Vertical	61	2.92	-	50.84	33.20	9.82	34.12
PK	5.2624G	108.85	Inf	-Inf	8.67	3	Vertical	61	2.92	-	100.18	32.92	9.90	34.15
PK	5.3674G	59.02	74.00	-14.98	8.54	3	Vertical	61	2.92	-	50.48	32.73	9.98	34.17


802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.71	54.00	-3.29	8.90	3	Horizontal	323	1.00	-	41.81	33.20	9.83	34.13
AV	5.2618G	114.48	Inf	-Inf	8.67	3	Horizontal	323	1.00	-	105.81	32.92	9.90	34.15
AV	5.3554G	53.62	54.00	-0.38	8.52	3	Horizontal	323	1.00	-	45.10	32.71	9.97	34.16
PK	5.1262G	63.38	74.00	-10.62	8.90	3	Horizontal	323	1.00	-	54.48	33.20	9.82	34.12
PK	5.2612G	124.05	Inf	-Inf	8.67	3	Horizontal	323	1.00	-	115.38	32.92	9.90	34.15
PK	5.356G	64.89	74.00	-9.11	8.52	3	Horizontal	323	1.00	-	56.37	32.71	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77792G	47.16	54.00	-6.84	19.41	3	Vertical	0	2.00	-	27.75	38.12	15.86	34.57
PK	10.51824G	59.10	68.20	-9.10	16.91	3	Vertical	191	1.96	-	42.19	38.65	12.73	34.47
PK	15.76008G	59.50	74.00	-14.50	19.42	3	Vertical	0	2.00	-	40.08	38.14	15.84	34.56


802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7784G	46.63	54.00	-7.37	19.41	3	Horizontal	306	1.50	-	27.22	38.12	15.86	34.57
PK	10.5188G	57.49	68.20	-10.71	16.92	3	Horizontal	179	1.94	-	40.57	38.66	12.73	34.47
PK	15.7644G	59.29	74.00	-14.71	19.43	3	Horizontal	306	1.50	-	39.86	38.14	15.85	34.56

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	97.42	Inf	-Inf	8.77	3	Vertical	236	2.91	-	88.65	32.99	9.93	34.15
AV	5.35G	47.52	54.00	-6.48	8.51	3	Vertical	236	2.91	-	39.01	32.70	9.97	34.16
PK	5.297G	106.41	Inf	-Inf	8.77	3	Vertical	236	2.91	-	97.64	32.99	9.93	34.15
PK	5.3636G	59.15	74.00	-14.85	8.53	3	Vertical	236	2.91	-	50.62	32.73	9.97	34.17


802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2994G	113.05	Inf	-Inf	8.78	3	Horizontal	326	2.93	-	104.27	33.00	9.93	34.15
AV	5.3504G	53.30	54.00	-0.70	8.51	3	Horizontal	326	2.93	-	44.79	32.70	9.97	34.16
PK	5.2994G	122.37	Inf	-Inf	8.78	3	Horizontal	326	2.93	-	113.59	33.00	9.93	34.15
PK	5.3504G	72.23	74.00	-1.77	8.51	3	Horizontal	326	2.93	-	63.72	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90496G	48.43	54.00	-5.57	19.71	3	Vertical	360	2.03	-	28.72	38.40	15.95	34.64
PK	10.59784G	56.12	68.20	-12.08	17.25	3	Vertical	188	2.03	-	38.87	38.89	12.76	34.40
PK	15.9104G	61.09	74.00	-12.91	19.70	3	Vertical	360	2.03	-	41.39	38.39	15.95	34.64


802.11a_Nss1,(6Mbps)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88208G	47.76	54.00	-6.24	19.66	3	Horizontal	293	2.18	-	28.10	38.35	15.93	34.62
PK	10.6G	56.26	68.20	-11.94	17.26	3	Horizontal	148	1.00	-	39.00	38.90	12.76	34.40
PK	15.9108G	60.98	74.00	-13.02	19.70	3	Horizontal	293	2.18	-	41.28	38.39	15.95	34.64

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3236G	88.31	Inf	-Inf	8.65	3	Vertical	99	1.50	-	79.66	32.86	9.95	34.16
AV	5.3806G	47.20	54.00	-6.80	8.58	3	Vertical	99	1.50	-	38.62	32.76	9.99	34.17
PK	5.3188G	97.25	Inf	-Inf	8.67	3	Vertical	99	1.50	-	88.58	32.89	9.94	34.16
PK	5.4604G	57.46	68.20	-10.74	8.76	3	Vertical	99	1.50	-	48.70	32.92	10.02	34.18

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	109.60	Inf	-Inf	8.65	3	Horizontal	323	1.00	-	100.95	32.87	9.94	34.16
AV	5.3518G	53.14	54.00	-0.86	8.51	3	Horizontal	323	1.00	-	44.63	32.70	9.97	34.16
PK	5.3212G	119.13	Inf	-Inf	8.65	3	Horizontal	323	1.00	-	110.48	32.87	9.94	34.16
PK	5.3512G	70.24	74.00	-3.76	8.51	3	Horizontal	323	1.00	-	61.73	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63968G	42.99	54.00	-11.01	17.28	3	Vertical	163	2.61	-	25.71	38.86	12.78	34.36
AV	15.94024G	48.06	54.00	-5.94	19.68	3	Vertical	-0	2.56	-	28.38	38.36	15.98	34.66
PK	10.6436G	55.78	74.00	-18.22	17.28	3	Vertical	163	2.61	-	38.50	38.86	12.78	34.36
PK	15.95608G	61.01	74.00	-12.99	19.66	3	Vertical	-0	2.56	-	41.35	38.34	15.99	34.67

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64184G	41.94	54.00	-12.06	17.28	3	Horizontal	330	2.61	-	24.66	38.86	12.78	34.36
AV	15.96952G	48.03	54.00	-5.97	19.66	3	Horizontal	176	1.50	-	28.37	38.33	16.00	34.67
PK	10.6424G	54.82	74.00	-19.18	17.28	3	Horizontal	330	2.61	-	37.54	38.86	12.78	34.36
PK	15.96672G	60.85	74.00	-13.15	19.66	3	Horizontal	176	1.50	-	41.19	38.33	16.00	34.67

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3608G	47.25	54.00	-6.75	8.53	3	Vertical	187	1.50	-	38.72	32.72	9.97	34.16
AV	5.5054G	85.82	Inf	-Inf	8.83	3	Vertical	187	1.50	-	76.99	32.98	10.04	34.19
PK	5.4682G	58.43	68.20	-9.77	8.78	3	Vertical	187	1.50	-	49.65	32.94	10.02	34.18
PK	5.5048G	95.13	Inf	-Inf	8.83	3	Vertical	187	1.50	-	86.30	32.98	10.04	34.19


802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4556G	48.73	54.00	-5.27	8.75	3	Horizontal	324	2.88	-	39.98	32.91	10.02	34.18
AV	5.4958G	107.31	Inf	-Inf	8.83	3	Horizontal	324	2.88	-	98.48	32.99	10.03	34.19
PK	5.47G	65.60	68.20	-2.60	8.78	3	Horizontal	324	2.88	-	56.82	32.94	10.02	34.18
PK	5.5018G	116.25	Inf	-Inf	8.84	3	Horizontal	324	2.88	-	107.41	32.99	10.04	34.19

802.11a_Nss1,(6Mbps)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99488G	41.45	54.00	-12.55	17.68	3	Vertical	321	1.50	-	23.77	38.80	12.92	34.04
PK	10.99464G	54.27	74.00	-19.73	17.68	3	Vertical	321	1.50	-	36.59	38.80	12.92	34.04
PK	16.49928G	62.39	68.20	-5.81	20.34	3	Vertical	221	1.50	-	42.05	38.60	16.10	34.36


802.11a_Nss1,(6Mbps)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00056G	43.08	54.00	-10.92	17.68	3	Horizontal	327	1.01	-	25.40	38.80	12.92	34.04
PK	11.00048G	55.70	74.00	-18.30	17.68	3	Horizontal	327	1.01	-	38.02	38.80	12.92	34.04
PK	16.48768G	62.74	68.20	-5.46	20.29	3	Horizontal	196	1.50	-	42.45	38.56	16.10	34.37

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.439G	46.99	54.00	-7.01	8.71	3	Vertical	57	2.31	-	38.28	32.88	10.01	34.18
AV	5.5854G	97.56	Inf	-Inf	8.87	3	Vertical	57	2.31	-	88.69	33.01	10.06	34.20
PK	5.4642G	58.93	68.20	-9.27	8.77	3	Vertical	57	2.31	-	50.16	32.93	10.02	34.18
PK	5.5848G	107.89	Inf	-Inf	8.87	3	Vertical	57	2.31	-	99.02	33.01	10.06	34.20
PK	5.7276G	59.89	68.20	-8.31	9.51	3	Vertical	57	2.31	-	50.38	33.57	10.14	34.20


802.11a_Nss1,(6Mbps)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.80	54.00	-4.20	8.76	3	Horizontal	328	2.68	-	41.04	32.92	10.02	34.18
AV	5.5824G	114.31	Inf	-Inf	8.86	3	Horizontal	328	2.68	-	105.45	32.99	10.06	34.19
PK	5.4684G	64.01	68.20	-4.19	8.78	3	Horizontal	328	2.68	-	55.23	32.94	10.02	34.18
PK	5.5776G	124.04	Inf	-Inf	8.84	3	Horizontal	328	2.68	-	115.20	32.97	10.06	34.19
PK	5.7252G	61.66	68.20	-6.54	9.49	3	Horizontal	328	2.68	-	52.17	33.55	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15976G	42.19	54.00	-11.81	17.79	3	Vertical	338	2.47	-	24.40	38.86	12.98	34.05
PK	11.17304G	55.12	74.00	-18.88	17.81	3	Vertical	338	2.47	-	37.31	38.87	12.99	34.05
PK	16.74664G	62.81	68.20	-5.39	20.91	3	Vertical	16	1.96	-	41.90	38.62	16.14	33.85

802.11a_Nss1,(6Mbps)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16208G	48.70	54.00	-5.30	17.79	3	Horizontal	328	1.00	-	30.91	38.86	12.98	34.05
PK	11.15768G	61.37	74.00	-12.63	17.79	3	Horizontal	328	1.00	-	43.58	38.86	12.98	34.05
PK	16.74848G	62.62	68.20	-5.58	20.90	3	Horizontal	28	2.72	-	41.72	38.61	16.14	33.85

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	92.44	Inf	-Inf	9.31	3	Vertical	55	2.45	-	83.13	33.39	10.12	34.20
PK	5.7048G	102.35	Inf	-Inf	9.36	3	Vertical	55	2.45	-	92.99	33.43	10.13	34.20
PK	5.7368G	59.84	68.20	-8.36	9.57	3	Vertical	55	2.45	-	50.27	33.62	10.15	34.20

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6956G	107.04	Inf	-Inf	9.31	3	Horizontal	324	3.00	-	97.73	33.39	10.12	34.20
PK	5.6956G	115.98	Inf	-Inf	9.31	3	Horizontal	324	3.00	-	106.67	33.39	10.12	34.20
PK	5.7252G	67.46	68.20	-0.74	9.49	3	Horizontal	324	3.00	-	57.97	33.55	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38352G	41.56	54.00	-12.44	18.11	3	Vertical	65	2.80	-	23.45	39.10	13.07	34.06
PK	11.38696G	54.71	74.00	-19.29	18.11	3	Vertical	65	2.80	-	36.60	39.10	13.07	34.06
PK	17.09416G	61.65	68.20	-6.55	21.30	3	Vertical	55	2.63	-	40.35	38.41	16.20	33.31


802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39904G	42.41	54.00	-11.59	18.12	3	Horizontal	186	2.48	-	24.29	39.10	13.08	34.06
PK	11.3836G	55.31	74.00	-18.69	18.11	3	Horizontal	186	2.48	-	37.20	39.10	13.07	34.06
PK	17.09024G	62.11	68.20	-6.09	21.29	3	Horizontal	355	2.48	-	40.82	38.41	16.19	33.31

802.11a_Nss1,(6Mbps)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	46.37	54.00	-7.63	8.70	3	Vertical	182	1.50	-	37.67	32.87	10.01	34.18
AV	5.714G	90.43	Inf	-Inf	9.41	3	Vertical	182	1.50	-	81.02	33.48	10.13	34.20
PK	5.4668G	57.31	68.20	-10.89	8.77	3	Vertical	182	1.50	-	48.54	32.93	10.02	34.18
PK	5.714G	101.73	Inf	-Inf	9.41	3	Vertical	182	1.50	-	92.32	33.48	10.13	34.20
PK	5.9252G	60.24	68.20	-7.96	10.25	3	Vertical	182	1.50	-	49.99	34.20	10.27	34.22


802.11a_Nss1,(6Mbps)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	51.14	54.00	-2.86	8.76	3	Horizontal	137	2.56	-	42.38	32.92	10.02	34.18
AV	5.714G	113.82	Inf	-Inf	9.41	3	Horizontal	137	2.56	-	104.41	33.48	10.13	34.20
PK	5.4656G	67.45	68.20	-0.75	8.77	3	Horizontal	137	2.56	-	58.68	32.93	10.02	34.18
PK	5.7248G	124.40	Inf	-Inf	9.49	3	Horizontal	137	2.56	-	114.91	33.55	10.14	34.20
PK	5.8508G	66.35	68.20	-1.85	10.11	3	Horizontal	137	2.56	-	56.24	34.10	10.22	34.21

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44088G	43.42	54.00	-10.58	18.05	3	Vertical	177	2.41	-	25.37	39.02	13.09	34.06
PK	11.44144G	55.57	74.00	-18.43	18.05	3	Vertical	177	2.41	-	37.52	39.02	13.09	34.06
PK	17.15768G	62.98	68.20	-5.22	21.32	3	Vertical	226	2.85	-	41.66	38.40	16.21	33.29


802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44072G	46.84	54.00	-7.16	18.05	3	Horizontal	329	2.18	-	28.79	39.02	13.09	34.06
PK	11.4408G	59.41	74.00	-14.59	18.05	3	Horizontal	329	2.18	-	41.36	39.02	13.09	34.06
PK	17.16144G	62.32	68.20	-5.88	21.32	3	Horizontal	296	2.16	-	41.00	38.40	16.21	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	47.57	54.00	-6.43	8.90	3	Vertical	171	1.98	-	38.67	33.20	9.83	34.13
AV	5.2582G	87.00	Inf	-Inf	8.67	3	Vertical	171	1.98	-	78.33	32.92	9.90	34.15
AV	5.3566G	47.16	54.00	-6.84	8.52	3	Vertical	171	1.98	-	38.64	32.71	9.97	34.16
PK	5.119G	59.27	74.00	-14.73	8.90	3	Vertical	171	1.98	-	50.37	33.20	9.82	34.12
PK	5.2612G	98.49	Inf	-Inf	8.67	3	Vertical	171	1.98	-	89.82	32.92	9.90	34.15
PK	5.4046G	58.51	74.00	-15.49	8.64	3	Vertical	171	1.98	-	49.87	32.81	10.00	34.17


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.51	54.00	-4.49	8.90	3	Horizontal	324	2.83	-	40.61	33.20	9.83	34.13
AV	5.263G	107.41	Inf	-Inf	8.68	3	Horizontal	324	2.83	-	98.73	32.93	9.90	34.15
AV	5.353G	51.54	54.00	-2.46	8.52	3	Horizontal	324	2.83	-	43.02	32.71	9.97	34.16
PK	5.14G	60.88	74.00	-13.12	8.90	3	Horizontal	324	2.83	-	51.98	33.20	9.83	34.13
PK	5.2582G	119.75	Inf	-Inf	8.67	3	Horizontal	324	2.83	-	111.08	32.92	9.90	34.15
PK	5.35G	66.88	74.00	-7.12	8.51	3	Horizontal	324	2.83	-	58.37	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.774G	46.70	54.00	-7.30	19.42	3	Vertical	179	1.63	-	27.28	38.13	15.85	34.56
PK	10.51624G	56.95	68.20	-11.25	16.90	3	Vertical	188	1.30	-	40.05	38.65	12.73	34.48
PK	15.77096G	59.32	74.00	-14.68	19.42	3	Vertical	179	1.63	-	39.90	38.13	15.85	34.56


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77056G	46.77	54.00	-7.23	19.42	3	Horizontal	29	1.19	-	27.35	38.13	15.85	34.56
PK	10.52152G	56.69	68.20	-11.51	16.92	3	Horizontal	332	2.20	-	39.77	38.66	12.73	34.47
PK	15.79192G	59.67	74.00	-14.33	19.41	3	Horizontal	29	1.19	-	40.26	38.11	15.87	34.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.303G	91.47	Inf	-Inf	8.76	3	Vertical	63	2.15	-	82.71	32.98	9.93	34.15
AV	5.354G	47.47	54.00	-6.53	8.52	3	Vertical	63	2.15	-	38.95	32.71	9.97	34.16
PK	5.3006G	102.98	Inf	-Inf	8.78	3	Vertical	63	2.15	-	94.20	33.00	9.93	34.15
PK	5.351G	59.43	74.00	-14.57	8.51	3	Vertical	63	2.15	-	50.92	32.70	9.97	34.16


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2982G	106.90	Inf	-Inf	8.78	3	Horizontal	135	2.48	-	98.12	33.00	9.93	34.15
AV	5.3504G	52.69	54.00	-1.31	8.51	3	Horizontal	135	2.48	-	44.18	32.70	9.97	34.16
PK	5.297G	120.09	Inf	-Inf	8.77	3	Horizontal	135	2.48	-	111.32	32.99	9.93	34.15
PK	5.35G	69.62	74.00	-4.38	8.51	3	Horizontal	135	2.48	-	61.11	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90056G	47.93	54.00	-6.07	19.72	3	Vertical	41	2.54	-	28.21	38.40	15.95	34.63
PK	10.60216G	55.04	74.00	-18.96	17.26	3	Vertical	164	2.01	-	37.78	38.90	12.76	34.40
PK	15.89792G	60.09	74.00	-13.91	19.70	3	Vertical	41	2.54	-	40.39	38.39	15.94	34.63


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90776G	47.83	54.00	-6.17	19.70	3	Horizontal	112	2.67	-	28.13	38.39	15.95	34.64
PK	10.61984G	53.70	74.00	-20.30	17.27	3	Horizontal	327	1.50	-	36.43	38.88	12.77	34.38
PK	15.88976G	60.27	74.00	-13.73	19.68	3	Horizontal	112	2.67	-	40.59	38.37	15.94	34.63

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	84.97	Inf	-Inf	8.65	3	Vertical	124	2.91	-	76.32	32.86	9.95	34.16
AV	5.35G	47.22	54.00	-6.78	8.51	3	Vertical	124	2.91	-	38.71	32.70	9.97	34.16
PK	5.329G	95.98	Inf	-Inf	8.62	3	Vertical	124	2.91	-	87.36	32.83	9.95	34.16
PK	5.461G	57.97	68.20	-10.23	8.76	3	Vertical	124	2.91	-	49.21	32.92	10.02	34.18

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	104.27	Inf	-Inf	8.67	3	Horizontal	322	2.92	-	95.60	32.89	9.94	34.16
AV	5.3506G	52.19	54.00	-1.81	8.51	3	Horizontal	322	2.92	-	43.68	32.70	9.97	34.16
PK	5.3134G	115.95	Inf	-Inf	8.70	3	Horizontal	322	2.92	-	107.25	32.92	9.94	34.16
PK	5.35G	73.81	74.00	-0.19	8.51	3	Horizontal	322	2.92	-	65.30	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65168G	41.51	54.00	-12.49	17.28	3	Vertical	235	1.50	-	24.23	38.85	12.78	34.35
AV	15.94528G	48.20	54.00	-5.80	19.67	3	Vertical	347	1.94	-	28.53	38.35	15.98	34.66
PK	10.64952G	54.97	74.00	-19.03	17.27	3	Vertical	235	1.50	-	37.70	38.85	12.78	34.36
PK	15.94808G	61.24	74.00	-12.76	19.67	3	Vertical	347	1.94	-	41.57	38.35	15.98	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65328G	41.41	54.00	-12.59	17.28	3	Horizontal	130	1.50	-	24.13	38.85	12.78	34.35
AV	15.9444G	48.27	54.00	-5.73	19.68	3	Horizontal	260	2.84	-	28.59	38.36	15.98	34.66
PK	10.64144G	54.47	74.00	-19.53	17.28	3	Horizontal	130	1.50	-	37.19	38.86	12.78	34.36
PK	15.9512G	60.23	74.00	-13.77	19.67	3	Horizontal	260	2.84	-	40.56	38.35	15.98	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3788G	47.19	54.00	-6.81	8.58	3	Vertical	53	2.51	-	38.61	32.76	9.99	34.17
AV	5.4928G	89.07	Inf	-Inf	8.83	3	Vertical	53	2.51	-	80.24	32.99	10.03	34.19
PK	5.4622G	58.70	68.20	-9.50	8.76	3	Vertical	53	2.51	-	49.94	32.92	10.02	34.18
PK	5.4928G	101.23	Inf	-Inf	8.83	3	Vertical	53	2.51	-	92.40	32.99	10.03	34.19


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.35	54.00	-5.65	8.76	3	Horizontal	136	2.56	-	39.59	32.92	10.02	34.18
AV	5.4982G	103.42	Inf	-Inf	8.84	3	Horizontal	136	2.56	-	94.58	33.00	10.03	34.19
PK	5.4682G	68.05	68.20	-0.15	8.78	3	Horizontal	136	2.56	-	59.27	32.94	10.02	34.18
PK	5.4964G	115.48	Inf	-Inf	8.83	3	Horizontal	136	2.56	-	106.65	32.99	10.03	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00104G	41.43	54.00	-12.57	17.68	3	Vertical	259	1.14	-	23.75	38.80	12.92	34.04
PK	11.01032G	54.22	74.00	-19.78	17.68	3	Vertical	259	1.14	-	36.54	38.80	12.92	34.04
PK	16.4984G	61.98	68.20	-6.22	20.34	3	Vertical	331	2.40	-	41.64	38.60	16.10	34.36


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99984G	41.68	54.00	-12.32	17.68	3	Horizontal	328	2.38	-	24.00	38.80	12.92	34.04
PK	10.99288G	54.06	74.00	-19.94	17.67	3	Horizontal	328	2.38	-	36.39	38.80	12.92	34.05
PK	16.50584G	62.58	68.20	-5.62	20.36	3	Horizontal	257	1.05	-	42.22	38.61	16.10	34.35

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	47.26	54.00	-6.74	8.75	3	Vertical	54	2.47	-	38.51	32.91	10.02	34.18
AV	5.5848G	96.79	Inf	-Inf	8.87	3	Vertical	54	2.47	-	87.92	33.01	10.06	34.20
PK	5.466G	57.69	68.20	-10.51	8.77	3	Vertical	54	2.47	-	48.92	32.93	10.02	34.18
PK	5.5812G	108.05	Inf	-Inf	8.86	3	Vertical	54	2.47	-	99.19	32.99	10.06	34.19
PK	5.7264G	59.30	68.20	-8.90	9.50	3	Vertical	54	2.47	-	49.80	33.56	10.14	34.20


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	49.86	54.00	-4.14	8.75	3	Horizontal	323	1.00	-	41.11	32.91	10.02	34.18
AV	5.583G	109.18	Inf	-Inf	8.87	3	Horizontal	323	1.00	-	100.31	33.00	10.06	34.19
PK	5.4666G	64.30	68.20	-3.90	8.77	3	Horizontal	323	1.00	-	55.53	32.93	10.02	34.18
PK	5.577G	121.79	Inf	-Inf	8.83	3	Horizontal	323	1.00	-	112.96	32.96	10.06	34.19
PK	5.727G	59.39	68.20	-8.81	9.50	3	Horizontal	323	1.00	-	49.89	33.56	10.14	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16512G	41.67	54.00	-12.33	17.80	3	Vertical	227	2.89	-	23.87	38.87	12.98	34.05
PK	11.17144G	54.16	74.00	-19.84	17.81	3	Vertical	227	2.89	-	36.35	38.87	12.99	34.05
PK	16.74544G	62.47	68.20	-5.73	20.92	3	Vertical	77	1.05	-	41.55	38.63	16.14	33.85

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16144G	43.72	54.00	-10.28	17.79	3	Horizontal	329	2.24	-	25.93	38.86	12.98	34.05
PK	11.17176G	55.59	74.00	-18.41	17.81	3	Horizontal	329	2.24	-	37.78	38.87	12.99	34.05
PK	16.75504G	61.58	68.20	-6.62	20.88	3	Horizontal	55	1.89	-	40.70	38.57	16.14	33.83

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6982G	81.25	Inf	-Inf	9.32	3	Vertical	131	1.56	-	71.93	33.40	10.12	34.20
PK	5.7042G	91.82	Inf	-Inf	9.36	3	Vertical	131	1.56	-	82.46	33.43	10.13	34.20
PK	5.769G	60.09	68.20	-8.11	9.69	3	Vertical	131	1.56	-	50.40	33.74	10.16	34.21

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.703G	101.52	Inf	-Inf	9.35	3	Horizontal	138	2.53	-	92.17	33.42	10.13	34.20
PK	5.6982G	112.46	Inf	-Inf	9.32	3	Horizontal	138	2.53	-	103.14	33.40	10.12	34.20
PK	5.7252G	68.09	68.20	-0.11	9.49	3	Horizontal	138	2.53	-	58.60	33.55	10.14	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3892G	41.49	54.00	-12.51	18.11	3	Vertical	151	1.41	-	23.38	39.10	13.07	34.06
PK	11.3824G	53.56	74.00	-20.44	18.11	3	Vertical	151	1.41	-	35.45	39.10	13.07	34.06
PK	17.08224G	62.93	68.20	-5.27	21.30	3	Vertical	140	1.73	-	41.63	38.42	16.19	33.31


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39336G	41.18	54.00	-12.82	18.11	3	Horizontal	338	2.23	-	23.07	39.10	13.07	34.06
PK	11.4028G	53.99	74.00	-20.01	18.11	3	Horizontal	338	2.23	-	35.88	39.09	13.08	34.06
PK	17.11112G	61.82	68.20	-6.38	21.30	3	Horizontal	127	1.27	-	40.52	38.40	16.20	33.30

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.432G	46.94	54.00	-7.06	8.69	3	Vertical	61	3.00	-	38.25	32.86	10.01	34.18
AV	5.7128G	93.61	Inf	-Inf	9.41	3	Vertical	61	3.00	-	84.20	33.48	10.13	34.20
PK	5.4608G	57.42	68.20	-10.78	8.76	3	Vertical	61	3.00	-	48.66	32.92	10.02	34.18
PK	5.7164G	104.67	Inf	-Inf	9.43	3	Vertical	61	3.00	-	95.24	33.50	10.13	34.20
PK	5.9408G	59.85	68.20	-8.35	10.33	3	Vertical	61	3.00	-	49.52	34.26	10.29	34.22

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	49.55	54.00	-4.45	8.74	3	Horizontal	135	2.52	-	40.81	32.90	10.02	34.18
AV	5.7224G	110.01	Inf	-Inf	9.47	3	Horizontal	135	2.52	-	100.54	33.53	10.14	34.20
PK	5.462G	62.82	68.20	-5.38	8.76	3	Horizontal	135	2.52	-	54.06	32.92	10.02	34.18
PK	5.7212G	121.11	Inf	-Inf	9.47	3	Horizontal	135	2.52	-	111.64	33.53	10.14	34.20
PK	5.8508G	64.56	68.20	-3.64	10.11	3	Horizontal	135	2.52	-	54.45	34.10	10.22	34.21

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43984G	42.42	54.00	-11.58	18.05	3	Vertical	305	2.82	-	24.37	39.02	13.09	34.06
PK	11.43936G	54.61	74.00	-19.39	18.05	3	Vertical	305	2.82	-	36.56	39.02	13.09	34.06
PK	17.15864G	61.70	68.20	-6.50	21.32	3	Vertical	128	2.91	-	40.38	38.40	16.21	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4372G	43.98	54.00	-10.02	18.06	3	Horizontal	142	2.15	-	25.92	39.03	13.09	34.06
PK	11.44168G	56.42	74.00	-17.58	18.05	3	Horizontal	142	2.15	-	38.37	39.02	13.09	34.06
PK	17.15104G	63.37	68.20	-4.83	21.31	3	Horizontal	335	1.50	-	42.06	38.40	16.20	33.29

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	46.48	54.00	-7.52	8.90	3	Vertical	189	2.93	-	37.58	33.20	9.83	34.13
AV	5.2678G	90.21	Inf	-Inf	8.70	3	Vertical	189	2.93	-	81.51	32.94	9.91	34.15
AV	5.3542G	46.15	54.00	-7.85	8.52	3	Vertical	189	2.93	-	37.63	32.71	9.97	34.16
PK	5.1448G	58.54	74.00	-15.46	8.90	3	Vertical	189	2.93	-	49.64	33.20	9.83	34.13
PK	5.2666G	101.82	Inf	-Inf	8.69	3	Vertical	189	2.93	-	93.13	32.93	9.91	34.15
PK	5.3812G	59.16	74.00	-14.84	8.58	3	Vertical	189	2.93	-	50.58	32.76	9.99	34.17


802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.36	54.00	-2.64	8.90	3	Horizontal	136	2.79	-	42.46	33.20	9.83	34.13
AV	5.2618G	109.76	Inf	-Inf	8.67	3	Horizontal	136	2.79	-	101.09	32.92	9.90	34.15
AV	5.3518G	53.60	54.00	-0.40	8.51	3	Horizontal	136	2.79	-	45.09	32.70	9.97	34.16
PK	5.1472G	65.75	74.00	-8.25	8.90	3	Horizontal	136	2.79	-	56.85	33.20	9.83	34.13
PK	5.2642G	122.61	Inf	-Inf	8.68	3	Horizontal	136	2.79	-	113.93	32.93	9.90	34.15
PK	5.3524G	70.01	74.00	-3.99	8.51	3	Horizontal	136	2.79	-	61.50	32.70	9.97	34.16

**802.11ax HEW20_Nss2,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77G	46.08	54.00	-7.92	19.42	3	Vertical	145	2.13	-	26.66	38.13	15.85	34.56
PK	10.52392G	59.19	68.20	-9.01	16.93	3	Vertical	192	1.96	-	42.26	38.67	12.73	34.47
PK	15.78696G	59.14	74.00	-14.86	19.40	3	Vertical	145	2.13	-	39.74	38.11	15.86	34.57


**802.11ax HEW20_Nss2,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78384G	46.00	54.00	-8.00	19.41	3	Horizontal	86	2.49	-	26.59	38.12	15.86	34.57
PK	10.5212G	58.52	68.20	-9.68	16.92	3	Horizontal	143	1.00	-	41.60	38.66	12.73	34.47
PK	15.76384G	59.10	74.00	-14.90	19.43	3	Horizontal	86	2.49	-	39.67	38.14	15.85	34.56

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	90.41	Inf	-Inf	8.77	3	Vertical	196	2.91	-	81.64	32.99	9.93	34.15
AV	5.35G	46.05	54.00	-7.95	8.51	3	Vertical	196	2.91	-	37.54	32.70	9.97	34.16
PK	5.2958G	102.70	Inf	-Inf	8.77	3	Vertical	196	2.91	-	93.93	32.99	9.93	34.15
PK	5.3636G	59.22	74.00	-14.78	8.53	3	Vertical	196	2.91	-	50.69	32.73	9.97	34.17


802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2964G	107.72	Inf	-Inf	8.77	3	Horizontal	318	1.00	-	98.95	32.99	9.93	34.15
AV	5.35G	53.35	54.00	-0.65	8.51	3	Horizontal	318	1.00	-	44.84	32.70	9.97	34.16
PK	5.2964G	120.02	Inf	-Inf	8.77	3	Horizontal	318	1.00	-	111.25	32.99	9.93	34.15
PK	5.3522G	68.78	74.00	-5.22	8.51	3	Horizontal	318	1.00	-	60.27	32.70	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91056G	47.37	54.00	-6.63	19.70	3	Vertical	323	2.72	-	27.67	38.39	15.95	34.64
PK	10.59912G	56.49	68.20	-11.71	17.26	3	Vertical	165	2.20	-	39.23	38.90	12.76	34.40
PK	15.91368G	60.37	74.00	-13.63	19.71	3	Vertical	323	2.72	-	40.66	38.39	15.96	34.64


802.11ax HEW20_Nss2,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91096G	47.19	54.00	-6.81	19.70	3	Horizontal	191	1.56	-	27.49	38.39	15.95	34.64
PK	10.59664G	55.82	68.20	-12.38	17.25	3	Horizontal	148	2.70	-	38.57	38.89	12.76	34.40
PK	15.9184G	60.22	74.00	-13.78	19.70	3	Horizontal	191	1.56	-	40.52	38.38	15.96	34.64

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	86.38	Inf	-Inf	8.66	3	Vertical	114	2.96	-	77.72	32.87	9.95	34.16
AV	5.35G	46.19	54.00	-7.81	8.51	3	Vertical	114	2.96	-	37.68	32.70	9.97	34.16
PK	5.3212G	98.87	Inf	-Inf	8.65	3	Vertical	114	2.96	-	90.22	32.87	9.94	34.16
PK	5.4658G	57.27	68.20	-10.93	8.77	3	Vertical	114	2.96	-	48.50	32.93	10.02	34.18

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3188G	105.22	Inf	-Inf	8.67	3	Horizontal	137	2.48	-	96.55	32.89	9.94	34.16
AV	5.3506G	53.35	54.00	-0.65	8.51	3	Horizontal	137	2.48	-	44.84	32.70	9.97	34.16
PK	5.3212G	118.74	Inf	-Inf	8.65	3	Horizontal	137	2.48	-	110.09	32.87	9.94	34.16
PK	5.3518G	69.72	74.00	-4.28	8.51	3	Horizontal	137	2.48	-	61.21	32.70	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63704G	41.26	54.00	-12.74	17.27	3	Vertical	324	2.72	-	23.99	38.86	12.78	34.37
AV	15.97752G	47.58	54.00	-6.42	19.64	3	Vertical	160	2.24	-	27.94	38.32	16.00	34.68
PK	10.6476G	54.26	74.00	-19.74	17.27	3	Vertical	324	2.72	-	36.99	38.85	12.78	34.36
PK	15.95304G	60.39	74.00	-13.61	19.68	3	Vertical	160	2.24	-	40.71	38.35	15.99	34.66

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65656G	40.72	54.00	-13.28	17.28	3	Horizontal	120	2.40	-	23.44	38.84	12.79	34.35
AV	15.9508G	47.54	54.00	-6.46	19.67	3	Horizontal	235	2.90	-	27.87	38.35	15.98	34.66
PK	10.62592G	53.65	74.00	-20.35	17.26	3	Horizontal	120	2.40	-	36.39	38.87	12.77	34.38
PK	15.97528G	60.90	74.00	-13.10	19.64	3	Horizontal	235	2.90	-	41.26	38.32	16.00	34.68

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.359G	45.95	54.00	-8.05	8.53	3	Vertical	180	1.50	-	37.42	32.72	9.97	34.16
AV	5.491G	84.20	Inf	-Inf	8.82	3	Vertical	180	1.50	-	75.38	32.98	10.03	34.19
PK	5.4604G	58.28	68.20	-9.92	8.76	3	Vertical	180	1.50	-	49.52	32.92	10.02	34.18
PK	5.491G	96.56	Inf	-Inf	8.82	3	Vertical	180	1.50	-	87.74	32.98	10.03	34.19


802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.66	54.00	-5.34	8.76	3	Horizontal	140	2.60	-	39.90	32.92	10.02	34.18
AV	5.4982G	104.66	Inf	-Inf	8.84	3	Horizontal	140	2.60	-	95.82	33.00	10.03	34.19
PK	5.4694G	67.32	68.20	-0.88	8.78	3	Horizontal	140	2.60	-	58.54	32.94	10.02	34.18
PK	5.503G	117.40	Inf	-Inf	8.84	3	Horizontal	140	2.60	-	108.56	32.99	10.04	34.19

**802.11ax HEW20_Nss2,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01488G	40.83	54.00	-13.17	17.69	3	Vertical	233	1.50	-	23.14	38.80	12.93	34.04
PK	11.01072G	54.52	74.00	-19.48	17.68	3	Vertical	233	1.50	-	36.84	38.80	12.92	34.04
PK	16.4828G	62.07	68.20	-6.13	20.28	3	Vertical	239	2.86	-	41.79	38.55	16.10	34.37


**802.11ax HEW20_Nss2,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99456G	41.92	54.00	-12.08	17.68	3	Horizontal	329	2.47	-	24.24	38.80	12.92	34.04
PK	10.99896G	55.77	74.00	-18.23	17.68	3	Horizontal	329	2.47	-	38.09	38.80	12.92	34.04
PK	16.49864G	62.25	68.20	-5.95	20.34	3	Horizontal	338	2.25	-	41.91	38.60	16.10	34.36

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	45.94	54.00	-8.06	8.76	3	Vertical	60	2.16	-	37.18	32.92	10.02	34.18
AV	5.5788G	95.49	Inf	-Inf	8.84	3	Vertical	60	2.16	-	86.65	32.97	10.06	34.19
PK	5.463G	57.34	68.20	-10.86	8.77	3	Vertical	60	2.16	-	48.57	32.93	10.02	34.18
PK	5.5872G	108.04	Inf	-Inf	8.89	3	Vertical	60	2.16	-	99.15	33.02	10.07	34.20
PK	5.7288G	58.17	68.20	-10.03	9.51	3	Vertical	60	2.16	-	48.66	33.57	10.14	34.20


802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.93	54.00	-4.07	8.76	3	Horizontal	142	2.54	-	41.17	32.92	10.02	34.18
AV	5.5836G	110.47	Inf	-Inf	8.86	3	Horizontal	142	2.54	-	101.61	33.00	10.06	34.20
PK	5.463G	66.81	68.20	-1.39	8.77	3	Horizontal	142	2.54	-	58.04	32.93	10.02	34.18
PK	5.5812G	123.57	Inf	-Inf	8.86	3	Horizontal	142	2.54	-	114.71	32.99	10.06	34.19
PK	5.7276G	61.17	68.20	-7.03	9.51	3	Horizontal	142	2.54	-	51.66	33.57	10.14	34.20

802.11ax HEW20_Nss2,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1584G	41.40	54.00	-12.60	17.79	3	Vertical	176	1.78	-	23.61	38.86	12.98	34.05
PK	11.16G	55.04	74.00	-18.96	17.79	3	Vertical	176	1.78	-	37.25	38.86	12.98	34.05
PK	16.72248G	62.06	68.20	-6.14	21.01	3	Vertical	205	1.61	-	41.05	38.77	16.14	33.90

802.11ax HEW20_Nss2,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16152G	45.72	54.00	-8.28	17.79	3	Horizontal	148	2.21	-	27.93	38.86	12.98	34.05
PK	11.17112G	59.37	74.00	-14.63	17.81	3	Horizontal	148	2.21	-	41.56	38.87	12.99	34.05
PK	16.72128G	61.68	68.20	-6.52	21.01	3	Horizontal	56	1.14	-	40.67	38.77	16.14	33.90

802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	85.49	Inf	-Inf	9.31	3	Vertical	317	2.46	-	76.18	33.39	10.12	34.20
PK	5.6934G	98.31	Inf	-Inf	9.31	3	Vertical	317	2.46	-	89.00	33.39	10.12	34.20
PK	5.8056G	59.47	68.20	-8.73	9.80	3	Vertical	317	2.46	-	49.67	33.83	10.18	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	102.73	Inf	-Inf	9.31	3	Horizontal	139	2.58	-	93.42	33.39	10.12	34.20
PK	5.6946G	115.66	Inf	-Inf	9.31	3	Horizontal	139	2.58	-	106.35	33.39	10.12	34.20
PK	5.7252G	66.85	68.20	-1.35	9.49	3	Horizontal	139	2.58	-	57.36	33.55	10.14	34.20

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38784G	41.04	54.00	-12.96	18.11	3	Vertical	240	1.56	-	22.93	39.10	13.07	34.06
PK	11.39344G	54.59	74.00	-19.41	18.11	3	Vertical	240	1.56	-	36.48	39.10	13.07	34.06
PK	17.10912G	62.05	68.20	-6.15	21.30	3	Vertical	183	2.70	-	40.75	38.40	16.20	33.30

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38136G	41.02	54.00	-12.98	18.11	3	Horizontal	292	1.50	-	22.91	39.10	13.07	34.06
PK	11.4012G	54.20	74.00	-19.80	18.12	3	Horizontal	292	1.50	-	36.08	39.10	13.08	34.06
PK	17.11928G	62.59	68.20	-5.61	21.30	3	Horizontal	164	2.23	-	41.29	38.40	16.20	33.30

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	45.86	54.00	-8.14	8.74	3	Vertical	181	1.50	-	37.12	32.90	10.02	34.18
AV	5.714G	88.43	Inf	-Inf	9.41	3	Vertical	181	1.50	-	79.02	33.48	10.13	34.20
PK	5.4608G	57.68	68.20	-10.52	8.76	3	Vertical	181	1.50	-	48.92	32.92	10.02	34.18
PK	5.7212G	100.21	Inf	-Inf	9.47	3	Vertical	181	1.50	-	90.74	33.53	10.14	34.20
PK	5.9144G	60.49	68.20	-7.71	10.22	3	Vertical	181	1.50	-	50.27	34.16	10.27	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	49.66	54.00	-4.34	8.75	3	Horizontal	141	2.56	-	40.91	32.91	10.02	34.18
AV	5.7164G	109.38	Inf	-Inf	9.43	3	Horizontal	141	2.56	-	99.95	33.50	10.13	34.20
PK	5.468G	64.81	68.20	-3.39	8.78	3	Horizontal	141	2.56	-	56.03	32.94	10.02	34.18
PK	5.7188G	122.27	Inf	-Inf	9.45	3	Horizontal	141	2.56	-	112.82	33.51	10.14	34.20
PK	5.8544G	66.64	68.20	-1.56	10.11	3	Horizontal	141	2.56	-	56.53	34.10	10.22	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44152G	42.31	54.00	-11.69	18.05	3	Vertical	178	1.03	-	24.26	39.02	13.09	34.06
PK	11.44464G	55.09	74.00	-18.91	18.04	3	Vertical	178	1.03	-	37.05	39.01	13.09	34.06
PK	17.15584G	63.44	68.20	-4.76	21.31	3	Vertical	228	2.95	-	42.13	38.40	16.20	33.29


802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44136G	45.23	54.00	-8.77	18.05	3	Horizontal	150	2.50	-	27.18	39.02	13.09	34.06
PK	11.43864G	60.40	74.00	-13.60	18.05	3	Horizontal	150	2.50	-	42.35	39.02	13.09	34.06
PK	17.16136G	62.12	68.20	-6.08	21.32	3	Horizontal	-0	2.07	-	40.80	38.40	16.21	33.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2776G	83.54	Inf	-Inf	8.72	3	Vertical	170	2.80	-	74.82	32.96	9.91	34.15
AV	5.3688G	47.99	54.00	-6.01	8.55	3	Vertical	170	2.80	-	39.44	32.74	9.98	34.17
PK	5.2752G	95.84	Inf	-Inf	8.71	3	Vertical	170	2.80	-	87.13	32.95	9.91	34.15
PK	5.354G	59.06	74.00	-14.94	8.52	3	Vertical	170	2.80	-	50.54	32.71	9.97	34.16


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	102.96	Inf	-Inf	8.71	3	Horizontal	324	1.02	-	94.25	32.95	9.91	34.15
AV	5.3508G	53.50	54.00	-0.50	8.51	3	Horizontal	324	1.02	-	44.99	32.70	9.97	34.16
PK	5.2752G	115.43	Inf	-Inf	8.71	3	Horizontal	324	1.02	-	106.72	32.95	9.91	34.15
PK	5.3516G	68.04	74.00	-5.96	8.51	3	Horizontal	324	1.02	-	59.53	32.70	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82884G	47.53	54.00	-6.47	19.49	3	Vertical	276	1.47	-	28.04	38.19	15.89	34.59
PK	10.5394G	55.79	68.20	-12.41	17.01	3	Vertical	325	2.17	-	38.78	38.72	12.74	34.45
PK	15.831G	59.38	74.00	-14.62	19.48	3	Vertical	276	1.47	-	39.90	38.19	15.89	34.60


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82368G	47.59	54.00	-6.41	19.47	3	Horizontal	173	2.17	-	28.12	38.17	15.89	34.59
PK	10.53964G	52.87	68.20	-15.33	17.01	3	Horizontal	184	1.57	-	35.86	38.72	12.74	34.45
PK	15.80784G	59.51	74.00	-14.49	19.42	3	Horizontal	173	2.17	-	40.09	38.12	15.88	34.58

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	79.83	Inf	-Inf	8.71	3	Vertical	181	2.88	-	71.12	32.93	9.94	34.16
AV	5.3636G	48.09	54.00	-5.91	8.53	3	Vertical	181	2.88	-	39.56	32.73	9.97	34.17
PK	5.3156G	92.21	Inf	-Inf	8.69	3	Vertical	181	2.88	-	83.52	32.91	9.94	34.16
PK	5.3828G	58.80	74.00	-15.20	8.59	3	Vertical	181	2.88	-	50.21	32.77	9.99	34.17

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	99.78	Inf	-Inf	8.69	3	Horizontal	323	2.91	-	91.09	32.91	9.94	34.16
AV	5.35G	53.89	54.00	-0.11	8.51	3	Horizontal	323	2.91	-	45.38	32.70	9.97	34.16
PK	5.3156G	112.25	Inf	-Inf	8.69	3	Horizontal	323	2.91	-	103.56	32.91	9.94	34.16
PK	5.352G	67.52	74.00	-6.48	8.51	3	Horizontal	323	2.91	-	59.01	32.70	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62912G	42.02	54.00	-11.98	17.28	3	Vertical	202	1.50	-	24.74	38.87	12.78	34.37
AV	15.93084G	48.70	54.00	-5.30	19.69	3	Vertical	71	2.01	-	29.01	38.37	15.97	34.65
PK	10.60824G	54.72	74.00	-19.28	17.27	3	Vertical	202	1.50	-	37.45	38.89	12.77	34.39
PK	15.92532G	60.34	74.00	-13.66	19.68	3	Vertical	71	2.01	-	40.66	38.37	15.96	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61064G	42.23	54.00	-11.77	17.27	3	Horizontal	41	1.05	-	24.96	38.89	12.77	34.39
AV	15.9384G	48.85	54.00	-5.15	19.67	3	Horizontal	15	2.31	-	29.18	38.36	15.97	34.66
PK	10.63128G	53.18	74.00	-20.82	17.28	3	Horizontal	41	1.05	-	35.90	38.87	12.78	34.37
PK	15.90168G	60.21	74.00	-13.79	19.72	3	Horizontal	15	2.31	-	40.49	38.40	15.95	34.63

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.418G	47.64	54.00	-6.36	8.67	3	Vertical	50	2.05	-	38.97	32.84	10.01	34.18
AV	5.506G	85.77	Inf	-Inf	8.83	3	Vertical	50	2.05	-	76.94	32.98	10.04	34.19
PK	5.4648G	59.21	68.20	-8.99	8.77	3	Vertical	50	2.05	-	50.44	32.93	10.02	34.18
PK	5.5088G	96.63	Inf	-Inf	8.81	3	Vertical	50	2.05	-	87.82	32.96	10.04	34.19


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.51	54.00	-3.49	8.76	3	Horizontal	133	2.55	-	41.75	32.92	10.02	34.18
AV	5.5156G	101.04	Inf	-Inf	8.79	3	Horizontal	133	2.55	-	92.25	32.94	10.04	34.19
PK	5.468G	66.78	68.20	-1.42	8.78	3	Horizontal	133	2.55	-	58.00	32.94	10.02	34.18
PK	5.5068G	113.26	Inf	-Inf	8.82	3	Horizontal	133	2.55	-	104.44	32.97	10.04	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01268G	42.07	54.00	-11.93	17.68	3	Vertical	329	1.98	-	24.39	38.80	12.92	34.04
PK	11.01196G	54.26	74.00	-19.74	17.68	3	Vertical	329	1.98	-	36.58	38.80	12.92	34.04
PK	16.5018G	62.13	68.20	-6.07	20.34	3	Vertical	99	1.19	-	41.79	38.60	16.10	34.36


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00824G	42.02	54.00	-11.98	17.68	3	Horizontal	225	1.07	-	24.34	38.80	12.92	34.04
PK	11.03344G	54.33	74.00	-19.67	17.69	3	Horizontal	225	1.07	-	36.64	38.80	12.93	34.04
PK	16.55556G	61.23	68.20	-6.97	20.52	3	Horizontal	240	2.04	-	40.71	38.66	16.11	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.82	54.00	-6.18	8.76	3	Vertical	55	2.38	-	39.06	32.92	10.02	34.18
AV	5.546G	90.55	Inf	-Inf	8.68	3	Vertical	55	2.38	-	81.87	32.82	10.05	34.19
PK	5.4684G	58.86	68.20	-9.34	8.78	3	Vertical	55	2.38	-	50.08	32.94	10.02	34.18
PK	5.5552G	102.96	Inf	-Inf	8.69	3	Vertical	55	2.38	-	94.27	32.83	10.05	34.19


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	51.67	54.00	-2.33	8.76	3	Horizontal	135	2.53	-	42.91	32.92	10.02	34.18
AV	5.5432G	104.14	Inf	-Inf	8.69	3	Horizontal	135	2.53	-	95.45	32.83	10.05	34.19
PK	5.4684G	66.50	68.20	-1.70	8.78	3	Horizontal	135	2.53	-	57.72	32.94	10.02	34.18
PK	5.5468G	116.59	Inf	-Inf	8.67	3	Horizontal	135	2.53	-	107.92	32.81	10.05	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12604G	41.87	54.00	-12.13	17.75	3	Vertical	79	1.50	-	24.12	38.83	12.97	34.05
PK	11.0898G	53.98	74.00	-20.02	17.72	3	Vertical	79	1.50	-	36.26	38.80	12.96	34.04
PK	16.66668G	61.92	68.20	-6.28	20.94	3	Vertical	17	1.43	-	40.98	38.83	16.13	34.02

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08308G	41.65	54.00	-12.35	17.71	3	Horizontal	358	1.93	-	23.94	38.80	12.95	34.04
PK	11.1168G	53.06	74.00	-20.94	17.75	3	Horizontal	358	1.93	-	35.31	38.82	12.97	34.04
PK	16.63716G	60.73	68.20	-7.47	20.81	3	Horizontal	68	2.95	-	39.92	38.77	16.12	34.08

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	90.58	Inf	-Inf	9.26	3	Vertical	54	2.15	-	81.32	33.35	10.11	34.20
PK	5.667G	101.74	Inf	-Inf	9.24	3	Vertical	54	2.15	-	92.50	33.33	10.11	34.20
PK	5.7804G	60.50	68.20	-7.70	9.72	3	Vertical	54	2.15	-	50.78	33.76	10.17	34.21

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6658G	102.65	Inf	-Inf	9.24	3	Horizontal	135	2.44	-	93.41	33.33	10.11	34.20
PK	5.6688G	114.00	Inf	-Inf	9.25	3	Horizontal	135	2.44	-	104.75	33.34	10.11	34.20
PK	5.7252G	67.00	68.20	-1.20	9.49	3	Horizontal	135	2.44	-	57.51	33.55	10.14	34.20

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36196G	42.62	54.00	-11.38	18.11	3	Vertical	147	2.26	-	24.51	39.10	13.06	34.05
PK	11.3586G	54.05	74.00	-19.95	18.11	3	Vertical	147	2.26	-	35.94	39.10	13.06	34.05
PK	16.99848G	62.03	68.20	-6.17	21.35	3	Vertical	269	2.48	-	40.68	38.50	16.18	33.33


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3574G	41.85	54.00	-12.15	18.11	3	Horizontal	248	2.62	-	23.74	39.10	13.06	34.05
PK	11.34708G	54.46	74.00	-19.54	18.11	3	Horizontal	248	2.62	-	36.35	39.10	13.06	34.05
PK	17.02344G	62.57	68.20	-5.63	21.34	3	Horizontal	200	2.69	-	41.23	38.48	16.18	33.32

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.04	54.00	-5.96	8.76	3	Vertical	44	2.79	-	39.28	32.92	10.02	34.18
AV	5.7064G	93.80	Inf	-Inf	9.37	3	Vertical	44	2.79	-	84.43	33.44	10.13	34.20
PK	5.46G	58.73	74.00	-15.27	8.76	3	Vertical	44	2.79	-	49.97	32.92	10.02	34.18
PK	5.4604G	58.73	68.20	-9.47	8.76	3	Vertical	44	2.79	-	49.97	32.92	10.02	34.18
PK	5.7064G	105.60	Inf	-Inf	9.37	3	Vertical	44	2.79	-	96.23	33.44	10.13	34.20
PK	5.8516G	61.26	68.20	-6.94	10.11	3	Vertical	44	2.79	-	51.15	34.10	10.22	34.21


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	52.71	54.00	-1.29	8.76	3	Horizontal	137	2.54	-	43.95	32.92	10.02	34.18
AV	5.7124G	107.71	Inf	-Inf	9.40	3	Horizontal	137	2.54	-	98.31	33.47	10.13	34.20
PK	5.4664G	67.56	68.20	-0.64	8.77	3	Horizontal	137	2.54	-	58.79	32.93	10.02	34.18
PK	5.7184G	117.85	Inf	-Inf	9.45	3	Horizontal	137	2.54	-	108.40	33.51	10.14	34.20
PK	5.8504G	67.60	68.20	-0.60	10.11	3	Horizontal	137	2.54	-	57.49	34.10	10.22	34.21

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41664G	41.99	54.00	-12.01	18.09	3	Vertical	177	1.50	-	23.90	39.07	13.08	34.06
PK	11.43176G	53.66	74.00	-20.34	18.07	3	Vertical	177	1.50	-	35.59	39.04	13.09	34.06
PK	17.11104G	62.50	68.20	-5.70	21.30	3	Vertical	164	1.50	-	41.20	38.40	16.20	33.30


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42024G	43.08	54.00	-10.92	18.08	3	Horizontal	332	1.38	-	25.00	39.06	13.08	34.06
PK	11.41736G	55.07	74.00	-18.93	18.09	3	Horizontal	332	1.38	-	36.98	39.07	13.08	34.06
PK	17.12952G	62.62	68.20	-5.58	21.30	3	Horizontal	31	1.50	-	41.32	38.40	16.20	33.30

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	46.44	54.00	-7.56	8.90	3	Vertical	179	1.53	-	37.54	33.20	9.83	34.13
AV	5.2634G	84.39	Inf	-Inf	8.68	3	Vertical	179	1.53	-	75.71	32.93	9.90	34.15
AV	5.3534G	46.03	54.00	-7.97	8.52	3	Vertical	179	1.53	-	37.51	32.71	9.97	34.16
PK	5.129G	59.06	74.00	-14.94	8.90	3	Vertical	179	1.53	-	50.16	33.20	9.82	34.12
PK	5.2688G	96.54	Inf	-Inf	8.70	3	Vertical	179	1.53	-	87.84	32.94	9.91	34.15
PK	5.4182G	58.34	74.00	-15.66	8.67	3	Vertical	179	1.53	-	49.67	32.84	10.01	34.18


802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	49.74	54.00	-4.26	8.90	3	Horizontal	135	2.63	-	40.84	33.20	9.83	34.13
AV	5.264G	104.05	Inf	-Inf	8.68	3	Horizontal	135	2.63	-	95.37	32.93	9.90	34.15
AV	5.35G	53.53	54.00	-0.47	8.51	3	Horizontal	135	2.63	-	45.02	32.70	9.97	34.16
PK	5.1446G	63.16	74.00	-10.84	8.90	3	Horizontal	135	2.63	-	54.26	33.20	9.83	34.13
PK	5.2694G	117.27	Inf	-Inf	8.70	3	Horizontal	135	2.63	-	108.57	32.94	9.91	34.15
PK	5.3528G	69.86	74.00	-4.14	8.52	3	Horizontal	135	2.63	-	61.34	32.71	9.97	34.16

**802.11ax HEW40_Nss2,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82664G	46.11	54.00	-7.89	19.48	3	Vertical	60	2.16	-	26.63	38.18	15.89	34.59
PK	10.44536G	54.65	68.20	-13.55	16.82	3	Vertical	85	1.50	-	37.83	38.65	12.70	34.53
PK	15.79272G	58.90	74.00	-15.10	19.41	3	Vertical	60	2.16	-	39.49	38.11	15.87	34.57


**802.11ax HEW40_Nss2,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8228G	46.12	54.00	-7.88	19.47	3	Horizontal	139	2.81	-	26.65	38.17	15.89	34.59
PK	10.52296G	53.75	68.20	-14.45	16.93	3	Horizontal	354	1.50	-	36.82	38.67	12.73	34.47
PK	15.79912G	59.02	74.00	-14.98	19.39	3	Horizontal	139	2.81	-	39.63	38.10	15.87	34.58

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	82.21	Inf	-Inf	8.77	3	Vertical	196	2.92	-	73.44	32.99	9.93	34.15
AV	5.352G	46.14	54.00	-7.86	8.51	3	Vertical	196	2.92	-	37.63	32.70	9.97	34.16
PK	5.316G	94.40	Inf	-Inf	8.68	3	Vertical	196	2.92	-	85.72	32.90	9.94	34.16
PK	5.4414G	58.31	74.00	-15.69	8.71	3	Vertical	196	2.92	-	49.60	32.88	10.01	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.316G	99.70	Inf	-Inf	8.68	3	Horizontal	320	1.00	-	91.02	32.90	9.94	34.16
AV	5.35G	53.75	54.00	-0.25	8.51	3	Horizontal	320	1.00	-	45.24	32.70	9.97	34.16
PK	5.3178G	112.18	Inf	-Inf	8.67	3	Horizontal	320	1.00	-	103.51	32.89	9.94	34.16
PK	5.3544G	69.25	74.00	-4.75	8.52	3	Horizontal	320	1.00	-	60.73	32.71	9.97	34.16

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63592G	40.54	54.00	-13.46	17.27	3	Vertical	208	2.01	-	23.27	38.86	12.78	34.37
AV	15.94408G	47.43	54.00	-6.57	19.68	3	Vertical	214	1.11	-	27.75	38.36	15.98	34.66
PK	10.61512G	53.45	74.00	-20.55	17.26	3	Vertical	208	2.01	-	36.19	38.88	12.77	34.39
PK	15.93352G	60.83	74.00	-13.17	19.69	3	Vertical	214	1.11	-	41.14	38.37	15.97	34.65

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6316G	40.51	54.00	-13.49	17.28	3	Horizontal	210	2.81	-	23.23	38.87	12.78	34.37
AV	15.94832G	47.48	54.00	-6.52	19.67	3	Horizontal	311	2.98	-	27.81	38.35	15.98	34.66
PK	10.63056G	54.30	74.00	-19.70	17.28	3	Horizontal	210	2.81	-	37.02	38.87	12.78	34.37
PK	15.91912G	61.20	74.00	-12.80	19.70	3	Horizontal	311	2.98	-	41.50	38.38	15.96	34.64

802.11ax HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.366G	45.97	54.00	-8.03	8.54	3	Vertical	182	1.50	-	37.43	32.73	9.98	34.17
AV	5.4926G	76.57	Inf	-Inf	8.83	3	Vertical	182	1.50	-	67.74	32.99	10.03	34.19
PK	5.4692G	58.20	68.20	-10.00	8.78	3	Vertical	182	1.50	-	49.42	32.94	10.02	34.18
PK	5.4932G	90.41	Inf	-Inf	8.83	3	Vertical	182	1.50	-	81.58	32.99	10.03	34.19


802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.16	54.00	-4.84	8.76	3	Horizontal	140	2.58	-	40.40	32.92	10.02	34.18
AV	5.516G	100.35	Inf	-Inf	8.79	3	Horizontal	140	2.58	-	91.56	32.94	10.04	34.19
PK	5.4668G	66.79	68.20	-1.41	8.77	3	Horizontal	140	2.58	-	58.02	32.93	10.02	34.18
PK	5.5124G	113.60	Inf	-Inf	8.80	3	Horizontal	140	2.58	-	104.80	32.95	10.04	34.19

**802.11ax HEW40_Nss2,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00992G	40.71	54.00	-13.29	17.68	3	Vertical	207	2.63	-	23.03	38.80	12.92	34.04
PK	11.0368G	54.03	74.00	-19.97	17.69	3	Vertical	207	2.63	-	36.34	38.80	12.93	34.04
PK	16.51872G	61.97	68.20	-6.23	20.40	3	Vertical	130	1.67	-	41.57	38.62	16.10	34.32


**802.11ax HEW40_Nss2,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01216G	40.51	54.00	-13.49	17.68	3	Horizontal	258	2.73	-	22.83	38.80	12.92	34.04
PK	11.0232G	53.20	74.00	-20.80	17.69	3	Horizontal	258	2.73	-	35.51	38.80	12.93	34.04
PK	16.51624G	61.60	68.20	-6.60	20.39	3	Horizontal	138	1.86	-	41.21	38.62	16.10	34.33

802.11ax HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4462G	45.93	54.00	-8.07	8.73	3	Vertical	55	2.36	-	37.20	32.89	10.02	34.18
AV	5.5632G	89.53	Inf	-Inf	8.75	3	Vertical	55	2.36	-	80.78	32.88	10.06	34.19
PK	5.4642G	58.85	68.20	-9.35	8.77	3	Vertical	55	2.36	-	50.08	32.93	10.02	34.18
PK	5.5644G	102.64	Inf	-Inf	8.76	3	Vertical	55	2.36	-	93.88	32.89	10.06	34.19


802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	5.5422G	116.98	Inf	-Inf	8.69	3	Horizontal	142	2.46	-	108.29	32.83	10.05	34.19
PK	5.4696G	65.56	68.20	-2.64	8.78	3	Horizontal	142	2.46	-	56.78	32.94	10.02	34.18
AV	5.544G	103.57	Inf	-Inf	8.68	3	Horizontal	142	2.46	-	94.89	32.82	10.05	34.19
AV	5.46G	49.00	54.00	-5.00	8.76	3	Horizontal	142	2.46	-	40.24	32.92	10.02	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08256G	40.34	54.00	-13.66	17.71	3	Vertical	14	1.50	-	22.63	38.80	12.95	34.04
PK	11.08728G	54.36	74.00	-19.64	17.71	3	Vertical	14	1.50	-	36.65	38.80	12.95	34.04
PK	16.65104G	61.28	68.20	-6.92	20.87	3	Vertical	77	2.91	-	40.41	38.80	16.12	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08056G	40.36	54.00	-13.64	17.71	3	Horizontal	118	1.50	-	22.65	38.80	12.95	34.04
PK	11.08096G	54.79	74.00	-19.21	17.71	3	Horizontal	118	1.50	-	37.08	38.80	12.95	34.04
PK	16.63104G	61.96	68.20	-6.24	20.79	3	Horizontal	291	2.13	-	41.17	38.76	16.12	34.09

**802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6646G	88.66	Inf	-Inf	9.24	3	Vertical	55	2.43	-	79.42	33.33	10.11	34.20
PK	5.6652G	101.32	Inf	-Inf	9.24	3	Vertical	55	2.43	-	92.08	33.33	10.11	34.20
PK	5.7696G	59.91	68.20	-8.29	9.69	3	Vertical	55	2.43	-	50.22	33.74	10.16	34.21

**802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6646G	101.85	Inf	-Inf	9.24	3	Horizontal	137	2.61	-	92.61	33.33	10.11	34.20
PK	5.6622G	115.19	Inf	-Inf	9.22	3	Horizontal	137	2.61	-	105.97	33.32	10.10	34.20
PK	5.7282G	66.96	68.20	-1.24	9.51	3	Horizontal	137	2.61	-	57.45	33.57	10.14	34.20

**802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34736G	41.07	54.00	-12.93	18.11	3	Vertical	34	1.10	-	22.96	39.10	13.06	34.05
PK	11.35216G	54.44	74.00	-19.56	18.11	3	Vertical	34	1.10	-	36.33	39.10	13.06	34.05
PK	17.00744G	63.01	68.20	-5.19	21.34	3	Vertical	208	1.06	-	41.67	38.49	16.18	33.33


**802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35888G	40.98	54.00	-13.02	18.11	3	Horizontal	23	1.56	-	22.87	39.10	13.06	34.05
PK	11.33048G	54.19	74.00	-19.81	18.10	3	Horizontal	23	1.56	-	36.09	39.10	13.05	34.05
PK	17.01704G	62.09	68.20	-6.11	21.33	3	Horizontal	33	2.16	-	40.76	38.48	16.18	33.33

802.11ax HEW40_Nss2,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4436G	46.08	54.00	-7.92	8.73	3	Vertical	58	2.37	-	37.35	32.89	10.02	34.18
AV	5.698G	91.67	Inf	-Inf	9.32	3	Vertical	58	2.37	-	82.35	33.40	10.12	34.20
PK	5.4676G	58.62	68.20	-9.58	8.78	3	Vertical	58	2.37	-	49.84	32.94	10.02	34.18
PK	5.698G	104.51	Inf	-Inf	9.32	3	Vertical	58	2.37	-	95.19	33.40	10.12	34.20
PK	5.9812G	60.13	68.20	-8.07	10.21	3	Vertical	58	2.37	-	49.92	34.11	10.32	34.22


802.11ax HEW40_Nss2,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	49.98	54.00	-4.02	8.76	3	Horizontal	141	2.56	-	41.22	32.92	10.02	34.18
AV	5.716G	106.73	Inf	-Inf	9.43	3	Horizontal	141	2.56	-	97.30	33.50	10.13	34.20
PK	5.4664G	66.94	68.20	-1.26	8.77	3	Horizontal	141	2.56	-	58.17	32.93	10.02	34.18
PK	5.6932G	119.35	Inf	-Inf	9.31	3	Horizontal	141	2.56	-	110.04	33.39	10.12	34.20
PK	5.8528G	67.28	68.20	-0.92	10.11	3	Horizontal	141	2.56	-	57.17	34.10	10.22	34.21

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41472G	41.78	54.00	-12.22	18.09	3	Vertical	177	1.27	-	23.69	39.07	13.08	34.06
PK	11.42336G	55.28	74.00	-18.72	18.08	3	Vertical	177	1.27	-	37.20	39.05	13.09	34.06
PK	17.132G	61.91	68.20	-6.29	21.30	3	Vertical	296	2.59	-	40.61	38.40	16.20	33.30


802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41888G	42.80	54.00	-11.20	18.08	3	Horizontal	188	2.50	-	24.72	39.06	13.08	34.06
PK	11.41336G	56.11	74.00	-17.89	18.09	3	Horizontal	188	2.50	-	38.02	39.07	13.08	34.06
PK	17.14616G	62.25	68.20	-5.95	21.31	3	Horizontal	319	2.03	-	40.94	38.40	16.20	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.097G	48.11	54.00	-5.89	8.86	3	Vertical	44	2.15	-	39.25	33.18	9.80	34.12
AV	5.317G	81.44	Inf	-Inf	8.68	3	Vertical	44	2.15	-	72.76	32.90	9.94	34.16
AV	5.359G	48.08	54.00	-5.92	8.53	3	Vertical	44	2.15	-	39.55	32.72	9.97	34.16
PK	5.147G	58.62	74.00	-15.38	8.90	3	Vertical	44	2.15	-	49.72	33.20	9.83	34.13
PK	5.317G	93.70	Inf	-Inf	8.68	3	Vertical	44	2.15	-	85.02	32.90	9.94	34.16
PK	5.481G	58.11	68.20	-10.09	8.80	3	Vertical	44	2.15	-	49.31	32.96	10.03	34.19


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	50.26	54.00	-3.74	8.90	3	Horizontal	137	2.62	-	41.36	33.20	9.83	34.13
AV	5.28G	95.88	Inf	-Inf	8.73	3	Horizontal	137	2.62	-	87.15	32.96	9.92	34.15
AV	5.352G	53.79	54.00	-0.21	8.51	3	Horizontal	137	2.62	-	45.28	32.70	9.97	34.16
PK	5.134G	60.92	74.00	-13.08	8.90	3	Horizontal	137	2.62	-	52.02	33.20	9.82	34.12
PK	5.293G	107.18	Inf	-Inf	8.77	3	Horizontal	137	2.62	-	98.41	32.99	9.93	34.15
PK	5.352G	67.01	74.00	-6.99	8.51	3	Horizontal	137	2.62	-	58.50	32.70	9.97	34.16

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89224G	48.52	54.00	-5.48	19.69	3	Vertical	24	1.50	-	28.83	38.38	15.94	34.63
PK	10.57184G	53.46	68.20	-14.74	17.14	3	Vertical	200	1.84	-	36.32	38.82	12.75	34.43
PK	15.88616G	60.27	74.00	-13.73	19.67	3	Vertical	24	1.50	-	40.60	38.36	15.94	34.63


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88712G	48.33	54.00	-5.67	19.67	3	Horizontal	300	1.50	-	28.66	38.36	15.94	34.63
PK	10.58816G	53.09	68.20	-15.11	17.21	3	Horizontal	40	2.71	-	35.88	38.86	12.76	34.41
PK	15.89496G	60.33	74.00	-13.67	19.69	3	Horizontal	300	1.50	-	40.64	38.38	15.94	34.63

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.363G	48.15	54.00	-5.85	8.53	3	Vertical	61	2.06	-	39.62	32.73	9.97	34.17
AV	5.521G	83.19	Inf	-Inf	8.77	3	Vertical	61	2.06	-	74.42	32.92	10.04	34.19
PK	5.284G	59.08	68.20	-9.12	8.74	3	Vertical	61	2.06	-	50.34	32.97	9.92	34.15
PK	5.527G	94.78	Inf	-Inf	8.74	3	Vertical	61	2.06	-	86.04	32.89	10.04	34.19
PK	5.776G	59.69	68.20	-8.51	9.71	3	Vertical	61	2.06	-	49.98	33.75	10.17	34.21


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.75	54.00	-2.25	8.76	3	Horizontal	138	2.55	-	42.99	32.92	10.02	34.18
AV	5.52G	97.60	Inf	-Inf	8.77	3	Horizontal	138	2.55	-	88.83	32.92	10.04	34.19
PK	5.461G	67.60	68.20	-0.60	8.76	3	Horizontal	138	2.55	-	58.84	32.92	10.02	34.18
PK	5.533G	109.40	Inf	-Inf	8.73	3	Horizontal	138	2.55	-	100.67	32.87	10.05	34.19
PK	5.78G	60.17	68.20	-8.03	9.72	3	Horizontal	138	2.55	-	50.45	33.76	10.17	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0528G	41.54	54.00	-12.46	17.70	3	Vertical	65	2.56	-	23.84	38.80	12.94	34.04
PK	11.04992G	53.17	74.00	-20.83	17.70	3	Vertical	65	2.56	-	35.47	38.80	12.94	34.04
PK	16.61192G	61.41	68.20	-6.79	20.71	3	Vertical	38	1.57	-	40.70	38.72	16.12	34.13


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02G	41.85	54.00	-12.15	17.69	3	Horizontal	232	1.55	-	24.16	38.80	12.93	34.04
PK	11.04512G	53.50	74.00	-20.50	17.70	3	Horizontal	232	1.55	-	35.80	38.80	12.94	34.04
PK	16.55832G	61.04	68.20	-7.16	20.53	3	Horizontal	341	2.42	-	40.51	38.66	16.11	34.24

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.95	54.00	-6.05	8.76	3	Vertical	54	2.32	-	39.19	32.92	10.02	34.18
AV	5.596G	89.74	Inf	-Inf	8.95	3	Vertical	54	2.32	-	80.79	33.08	10.07	34.20
PK	5.455G	59.51	74.00	-14.49	8.75	3	Vertical	54	2.32	-	50.76	32.91	10.02	34.18
PK	5.464G	59.25	68.20	-8.95	8.77	3	Vertical	54	2.32	-	50.48	32.93	10.02	34.18
PK	5.598G	100.61	Inf	-Inf	8.96	3	Vertical	54	2.32	-	91.65	33.09	10.07	34.20
PK	5.725G	59.94	68.20	-8.26	9.49	3	Vertical	54	2.32	-	50.45	33.55	10.14	34.20


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	53.36	54.00	-0.64	8.75	3	Horizontal	138	2.62	-	44.61	32.91	10.02	34.18
AV	5.601G	101.65	Inf	-Inf	8.97	3	Horizontal	138	2.62	-	92.68	33.10	10.07	34.20
PK	5.466G	66.07	68.20	-2.13	8.77	3	Horizontal	138	2.62	-	57.30	32.93	10.02	34.18
PK	5.592G	113.19	Inf	-Inf	8.92	3	Horizontal	138	2.62	-	104.27	33.05	10.07	34.20
PK	5.728G	67.91	68.20	-0.29	9.51	3	Horizontal	138	2.62	-	58.40	33.57	10.14	34.20

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22624G	41.97	54.00	-12.03	17.91	3	Vertical	247	2.22	-	24.06	38.95	13.01	34.05
PK	11.18688G	53.92	74.00	-20.08	17.83	3	Vertical	247	2.22	-	36.09	38.89	12.99	34.05
PK	16.8052G	61.12	68.20	-7.08	20.73	3	Vertical	252	1.64	-	40.39	38.31	16.15	33.73


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19216G	42.16	54.00	-11.84	17.83	3	Horizontal	23	1.40	-	24.33	38.89	12.99	34.05
PK	11.24432G	54.54	74.00	-19.46	17.96	3	Horizontal	23	1.40	-	36.58	38.99	13.02	34.05
PK	16.80056G	61.33	68.20	-6.87	20.71	3	Horizontal	125	1.73	-	40.62	38.30	16.15	33.74

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.396G	47.89	54.00	-6.11	8.62	3	Vertical	57	2.57	-	39.27	32.79	10.00	34.17
AV	5.6984G	92.08	Inf	-Inf	9.32	3	Vertical	57	2.57	-	82.76	33.40	10.12	34.20
PK	5.4656G	58.26	68.20	-9.94	8.77	3	Vertical	57	2.57	-	49.49	32.93	10.02	34.18
PK	5.6936G	102.98	Inf	-Inf	9.31	3	Vertical	57	2.57	-	93.67	33.39	10.12	34.20
PK	5.9324G	60.92	68.20	-7.28	10.29	3	Vertical	57	2.57	-	50.63	34.23	10.28	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.05	54.00	-0.95	8.76	3	Horizontal	138	2.54	-	44.29	32.92	10.02	34.18
AV	5.7032G	103.51	Inf	-Inf	9.35	3	Horizontal	138	2.54	-	94.16	33.42	10.13	34.20
PK	5.4668G	64.72	68.20	-3.48	8.77	3	Horizontal	138	2.54	-	55.95	32.93	10.02	34.18
PK	5.6924G	115.66	Inf	-Inf	9.30	3	Horizontal	138	2.54	-	106.36	33.38	10.12	34.20
PK	5.8508G	65.66	68.20	-2.54	10.11	3	Horizontal	138	2.54	-	55.55	34.10	10.22	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36136G	42.41	54.00	-11.59	18.11	3	Vertical	85	1.83	-	24.30	39.10	13.06	34.05
PK	11.36288G	54.74	74.00	-19.26	18.11	3	Vertical	85	1.83	-	36.63	39.10	13.06	34.05
PK	17.05816G	63.10	68.20	-5.10	21.32	3	Vertical	360	1.84	-	41.78	38.44	16.19	33.31

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36176G	43.38	54.00	-10.62	18.11	3	Horizontal	329	2.37	-	25.27	39.10	13.06	34.05
PK	11.37488G	55.30	74.00	-18.70	18.12	3	Horizontal	329	2.37	-	37.18	39.10	13.07	34.05
PK	17.05008G	62.74	68.20	-5.46	21.32	3	Horizontal	144	2.30	-	41.42	38.45	16.19	33.32

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	46.53	54.00	-7.47	8.90	3	Vertical	197	2.95	-	37.63	33.20	9.83	34.13
AV	5.293G	78.62	Inf	-Inf	8.77	3	Vertical	197	2.95	-	69.85	32.99	9.93	34.15
AV	5.361G	46.23	54.00	-7.77	8.53	3	Vertical	197	2.95	-	37.70	32.72	9.97	34.16
PK	5.075G	59.60	74.00	-14.40	8.73	3	Vertical	197	2.95	-	50.87	33.05	9.79	34.11
PK	5.278G	91.29	Inf	-Inf	8.72	3	Vertical	197	2.95	-	82.57	32.96	9.91	34.15
PK	5.493G	58.86	68.20	-9.34	8.83	3	Vertical	197	2.95	-	50.03	32.99	10.03	34.19


802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.13	54.00	-4.87	8.90	3	Horizontal	317	1.00	-	40.23	33.20	9.83	34.13
AV	5.297G	96.92	Inf	-Inf	8.77	3	Horizontal	317	1.00	-	88.15	32.99	9.93	34.15
AV	5.351G	53.68	54.00	-0.32	8.51	3	Horizontal	317	1.00	-	45.17	32.70	9.97	34.16
PK	5.146G	62.45	74.00	-11.55	8.90	3	Horizontal	317	1.00	-	53.55	33.20	9.83	34.13
PK	5.319G	109.92	Inf	-Inf	8.67	3	Horizontal	317	1.00	-	101.25	32.89	9.94	34.16
PK	5.351G	71.82	74.00	-2.18	8.51	3	Horizontal	317	1.00	-	63.31	32.70	9.97	34.16

**802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87536G	46.93	54.00	-7.07	19.64	3	Vertical	298	1.17	-	27.29	38.33	15.93	34.62
PK	10.598G	53.29	68.20	-14.91	17.25	3	Vertical	183	2.63	-	36.04	38.89	12.76	34.40
PK	15.88472G	60.88	74.00	-13.12	19.65	3	Vertical	298	1.17	-	41.23	38.35	15.93	34.63


**802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88784G	46.94	54.00	-7.06	19.67	3	Horizontal	298	1.89	-	27.27	38.36	15.94	34.63
PK	10.58784G	53.15	68.20	-15.05	17.21	3	Horizontal	340	1.87	-	35.94	38.86	12.76	34.41
PK	15.87112G	60.37	74.00	-13.63	19.61	3	Horizontal	298	1.89	-	40.76	38.31	15.92	34.62

802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.375G	46.12	54.00	-7.88	8.56	3	Vertical	56	2.44	-	37.56	32.75	9.98	34.17
AV	5.518G	81.92	Inf	-Inf	8.78	3	Vertical	56	2.44	-	73.14	32.93	10.04	34.19
PK	5.339G	59.14	68.20	-9.06	8.57	3	Vertical	56	2.44	-	50.57	32.77	9.96	34.16
PK	5.518G	95.99	Inf	-Inf	8.78	3	Vertical	56	2.44	-	87.21	32.93	10.04	34.19
PK	5.779G	59.68	68.20	-8.52	9.72	3	Vertical	56	2.44	-	49.96	33.76	10.17	34.21


802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.79	54.00	-4.21	8.76	3	Horizontal	139	2.59	-	41.03	32.92	10.02	34.18
AV	5.541G	97.51	Inf	-Inf	8.70	3	Horizontal	139	2.59	-	88.81	32.84	10.05	34.19
PK	5.467G	67.11	68.20	-1.09	8.77	3	Horizontal	139	2.59	-	58.34	32.93	10.02	34.18
PK	5.518G	111.45	Inf	-Inf	8.78	3	Horizontal	139	2.59	-	102.67	32.93	10.04	34.19
PK	5.728G	60.09	68.20	-8.11	9.51	3	Horizontal	139	2.59	-	50.58	33.57	10.14	34.20

802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04G	40.47	54.00	-13.53	17.70	3	Vertical	154	2.57	-	22.77	38.80	12.94	34.04
PK	11.06184G	53.62	74.00	-20.38	17.70	3	Vertical	154	2.57	-	35.92	38.80	12.94	34.04
PK	16.58144G	61.32	68.20	-6.88	20.60	3	Vertical	134	1.29	-	40.72	38.68	16.11	34.19


802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0452G	40.49	54.00	-13.51	17.70	3	Horizontal	87	2.69	-	22.79	38.80	12.94	34.04
PK	11.05568G	54.00	74.00	-20.00	17.70	3	Horizontal	87	2.69	-	36.30	38.80	12.94	34.04
PK	16.60864G	61.67	68.20	-6.53	20.70	3	Horizontal	297	1.56	-	40.97	38.72	16.12	34.14

802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.384G	46.03	54.00	-7.97	8.59	3	Vertical	55	2.12	-	37.44	32.77	9.99	34.17
AV	5.615G	87.51	Inf	-Inf	9.04	3	Vertical	55	2.12	-	78.47	33.16	10.08	34.20
PK	5.467G	58.46	68.20	-9.74	8.77	3	Vertical	55	2.12	-	49.69	32.93	10.02	34.18
PK	5.616G	100.62	Inf	-Inf	9.04	3	Vertical	55	2.12	-	91.58	33.16	10.08	34.20
PK	5.853G	60.07	68.20	-8.13	10.11	3	Vertical	55	2.12	-	49.96	34.10	10.22	34.21


802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.01	54.00	-2.99	8.76	3	Horizontal	138	2.66	-	42.25	32.92	10.02	34.18
AV	5.598G	100.81	Inf	-Inf	8.96	3	Horizontal	138	2.66	-	91.85	33.09	10.07	34.20
PK	5.47G	65.32	68.20	-2.88	8.78	3	Horizontal	138	2.66	-	56.54	32.94	10.02	34.18
PK	5.625G	113.80	Inf	-Inf	9.08	3	Horizontal	138	2.66	-	104.72	33.20	10.08	34.20
PK	5.728G	66.44	68.20	-1.76	9.51	3	Horizontal	138	2.66	-	56.93	33.57	10.14	34.20

**802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20144G	40.89	54.00	-13.11	17.85	3	Vertical	0	2.72	-	23.04	38.90	13.00	34.05
PK	11.23896G	54.78	74.00	-19.22	17.94	3	Vertical	0	2.72	-	36.84	38.98	13.01	34.05
PK	16.83976G	61.66	68.20	-6.54	20.83	3	Vertical	20	1.06	-	40.83	38.34	16.15	33.66


**802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21224G	40.83	54.00	-13.17	17.87	3	Horizontal	139	1.98	-	22.96	38.92	13.00	34.05
PK	11.21536G	53.88	74.00	-20.12	17.88	3	Horizontal	139	1.98	-	36.00	38.93	13.00	34.05
PK	16.81488G	61.21	68.20	-6.99	20.75	3	Horizontal	140	2.49	-	40.46	38.31	16.15	33.71

802.11ax HEW80_Nss2,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	46.37	54.00	-7.63	8.74	3	Vertical	49	2.45	-	37.63	32.90	10.02	34.18
AV	5.6732G	90.47	Inf	-Inf	9.26	3	Vertical	49	2.45	-	81.21	33.35	10.11	34.20
PK	5.4632G	59.48	68.20	-8.72	8.77	3	Vertical	49	2.45	-	50.71	32.93	10.02	34.18
PK	5.6804G	103.93	Inf	-Inf	9.27	3	Vertical	49	2.45	-	94.66	33.36	10.11	34.20
PK	5.942G	60.38	68.20	-7.82	10.34	3	Vertical	49	2.45	-	50.04	34.27	10.29	34.22


802.11ax HEW80_Nss2,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.82	54.00	-0.18	8.76	3	Horizontal	138	2.48	-	45.06	32.92	10.02	34.18
AV	5.672G	103.42	Inf	-Inf	9.25	3	Horizontal	138	2.48	-	94.17	33.34	10.11	34.20
PK	5.4692G	67.97	68.20	-0.23	8.78	3	Horizontal	138	2.48	-	59.19	32.94	10.02	34.18
PK	5.66G	117.05	Inf	-Inf	9.22	3	Horizontal	138	2.48	-	107.83	33.32	10.10	34.20
PK	5.852G	67.43	68.20	-0.77	10.11	3	Horizontal	138	2.48	-	57.32	34.10	10.22	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36176G	41.25	54.00	-12.75	18.11	3	Vertical	360	2.56	-	23.14	39.10	13.06	34.05
PK	11.36416G	54.60	74.00	-19.40	18.11	3	Vertical	360	2.56	-	36.49	39.10	13.06	34.05
PK	17.08152G	63.03	68.20	-5.17	21.30	3	Vertical	216	2.95	-	41.73	38.42	16.19	33.31


802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37656G	41.75	54.00	-12.25	18.11	3	Horizontal	186	2.30	-	23.64	39.10	13.07	34.06
PK	11.39456G	55.99	74.00	-18.01	18.11	3	Horizontal	186	2.30	-	37.88	39.10	13.07	34.06
PK	17.05032G	62.02	68.20	-6.18	21.32	3	Horizontal	340	2.09	-	40.70	38.45	16.19	33.32

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.66	54.00	-4.34	8.90	3	Vertical	61	2.85	-	40.76	33.20	9.83	34.13
AV	5.2728G	76.77	Inf	-Inf	8.71	3	Vertical	61	2.85	-	68.06	32.95	9.91	34.15
AV	5.3664G	49.34	54.00	-4.66	8.54	3	Vertical	61	2.85	-	40.80	32.73	9.98	34.17
PK	5.1144G	59.30	74.00	-14.70	8.89	3	Vertical	61	2.85	-	50.41	33.20	9.81	34.12
PK	5.2692G	87.15	Inf	-Inf	8.70	3	Vertical	61	2.85	-	78.45	32.94	9.91	34.15
PK	5.526G	59.22	68.20	-8.98	8.75	3	Vertical	61	2.85	-	50.47	32.90	10.04	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	53.53	54.00	-0.47	8.90	3	Horizontal	137	2.70	-	44.63	33.20	9.83	34.13
AV	5.1744G	90.85	Inf	-Inf	8.87	3	Horizontal	137	2.70	-	81.98	33.15	9.85	34.13
AV	5.364G	52.74	54.00	-1.26	8.53	3	Horizontal	137	2.70	-	44.21	32.73	9.97	34.17
PK	5.1468G	63.02	74.00	-10.98	8.90	3	Horizontal	137	2.70	-	54.12	33.20	9.83	34.13
PK	5.1864G	100.20	Inf	-Inf	8.85	3	Horizontal	137	2.70	-	91.35	33.13	9.85	34.13
PK	5.55G	59.83	68.20	-8.37	8.66	3	Horizontal	137	2.70	-	51.17	32.80	10.05	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76824G	48.92	54.00	-5.08	19.42	3	Vertical	315	1.59	-	29.50	38.13	15.85	34.56
PK	10.48584G	54.18	68.20	-14.02	16.83	3	Vertical	121	2.91	-	37.35	38.61	12.72	34.50
PK	15.76728G	59.06	74.00	-14.94	19.42	3	Vertical	315	1.59	-	39.64	38.13	15.85	34.56

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7376G	48.81	54.00	-5.19	19.45	3	Horizontal	70	1.23	-	29.36	38.16	15.83	34.54
PK	10.48072G	52.77	68.20	-15.43	16.84	3	Horizontal	88	1.98	-	35.93	38.62	12.72	34.50
PK	15.74312G	58.91	74.00	-15.09	19.44	3	Horizontal	70	1.23	-	39.47	38.16	15.83	34.55

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3696G	49.55	54.00	-4.45	8.55	3	Vertical	53	2.52	-	41.00	32.74	9.98	34.17
AV	5.5916G	79.76	Inf	-Inf	8.92	3	Vertical	53	2.52	-	70.84	33.05	10.07	34.20
PK	5.3216G	58.74	68.20	-9.46	8.66	3	Vertical	53	2.52	-	50.08	32.87	9.95	34.16
PK	5.588G	89.70	Inf	-Inf	8.90	3	Vertical	53	2.52	-	80.80	33.03	10.07	34.20
PK	5.7716G	59.93	68.20	-8.27	9.69	3	Vertical	53	2.52	-	50.24	33.74	10.16	34.21


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.414G	53.42	54.00	-0.58	8.66	3	Horizontal	327	2.58	-	44.76	32.83	10.00	34.17
AV	5.5412G	92.98	Inf	-Inf	8.70	3	Horizontal	327	2.58	-	84.28	32.84	10.05	34.19
PK	5.4644G	61.33	68.20	-6.87	8.77	3	Horizontal	327	2.58	-	52.56	32.93	10.02	34.18
PK	5.5328G	103.09	Inf	-Inf	8.73	3	Horizontal	327	2.58	-	94.36	32.87	10.05	34.19
PK	5.7272G	62.69	68.20	-5.51	9.50	3	Horizontal	327	2.58	-	53.19	33.56	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12696G	43.45	54.00	-10.55	17.75	3	Vertical	236	2.12	-	25.70	38.83	12.97	34.05
PK	11.1268G	53.82	74.00	-20.18	17.75	3	Vertical	236	2.12	-	36.07	38.83	12.97	34.05
PK	16.69624G	61.22	68.20	-6.98	21.06	3	Vertical	266	1.19	-	40.16	38.89	16.13	33.96


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13936G	43.14	54.00	-10.86	17.76	3	Horizontal	354	2.71	-	25.38	38.84	12.97	34.05
PK	11.12368G	53.39	74.00	-20.61	17.75	3	Horizontal	354	2.71	-	35.64	38.82	12.97	34.04
PK	16.69064G	61.15	68.20	-7.05	21.04	3	Horizontal	133	1.33	-	40.11	38.88	16.13	33.97

802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	46.61	54.00	-7.39	8.90	3	Vertical	189	2.92	-	37.71	33.20	9.83	34.13
AV	5.3076G	75.05	Inf	-Inf	8.73	3	Vertical	189	2.92	-	66.32	32.95	9.94	34.16
AV	5.3832G	46.19	54.00	-7.81	8.59	3	Vertical	189	2.92	-	37.60	32.77	9.99	34.17
PK	5.0064G	58.99	74.00	-15.01	8.72	3	Vertical	189	2.92	-	50.27	33.07	9.75	34.10
PK	5.3112G	88.12	Inf	-Inf	8.71	3	Vertical	189	2.92	-	79.41	32.93	9.94	34.16
PK	5.5056G	59.50	68.20	-8.70	8.83	3	Vertical	189	2.92	-	50.67	32.98	10.04	34.19


802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0988G	53.66	54.00	-0.34	8.87	3	Horizontal	320	1.00	-	44.79	33.19	9.80	34.12
AV	5.3112G	92.42	Inf	-Inf	8.71	3	Horizontal	320	1.00	-	83.71	32.93	9.94	34.16
AV	5.4048G	53.42	54.00	-0.58	8.64	3	Horizontal	320	1.00	-	44.78	32.81	10.00	34.17
PK	5.1468G	68.58	74.00	-5.42	8.90	3	Horizontal	320	1.00	-	59.68	33.20	9.83	34.13
PK	5.2872G	106.18	Inf	-Inf	8.74	3	Horizontal	320	1.00	-	97.44	32.97	9.92	34.15
PK	5.4612G	63.30	68.20	-4.90	8.76	3	Horizontal	320	1.00	-	54.54	32.92	10.02	34.18

802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.76528G	45.93	54.00	-8.07	19.42	3	Vertical	307	1.04	-	26.51	38.13	15.85	34.56
PK	10.51608G	52.58	68.20	-15.62	16.90	3	Vertical	302	1.52	-	35.68	38.65	12.73	34.48
PK	15.73824G	59.66	74.00	-14.34	19.45	3	Vertical	307	1.04	-	40.21	38.16	15.83	34.54


802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73472G	45.93	54.00	-8.07	19.45	3	Horizontal	39	1.67	-	26.48	38.17	15.82	34.54
PK	10.5024G	52.72	68.20	-15.48	16.85	3	Horizontal	349	2.52	-	35.87	38.61	12.73	34.49
PK	15.74768G	61.21	74.00	-12.79	19.43	3	Horizontal	39	1.67	-	41.78	38.15	15.83	34.55

802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4068G	46.35	54.00	-7.65	8.64	3	Vertical	57	2.46	-	37.71	32.81	10.00	34.17
AV	5.6276G	79.92	Inf	-Inf	9.10	3	Vertical	57	2.46	-	70.82	33.21	10.09	34.20
PK	5.2988G	59.31	68.20	-8.89	8.78	3	Vertical	57	2.46	-	50.53	33.00	9.93	34.15
PK	5.6324G	92.93	Inf	-Inf	9.12	3	Vertical	57	2.46	-	83.81	33.23	10.09	34.20
PK	5.7452G	60.60	68.20	-7.60	9.62	3	Vertical	57	2.46	-	50.98	33.67	10.15	34.20


802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3984G	53.86	54.00	-0.14	8.63	3	Horizontal	141	2.56	-	45.23	32.80	10.00	34.17
AV	5.594G	93.96	Inf	-Inf	8.93	3	Horizontal	141	2.56	-	85.03	33.06	10.07	34.20
PK	5.4656G	64.45	68.20	-3.75	8.77	3	Horizontal	141	2.56	-	55.68	32.93	10.02	34.18
PK	5.5856G	107.82	Inf	-Inf	8.87	3	Horizontal	141	2.56	-	98.95	33.01	10.06	34.20
PK	5.7452G	65.91	68.20	-2.29	9.62	3	Horizontal	141	2.56	-	56.29	33.67	10.15	34.20

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14248G	40.59	54.00	-13.41	17.77	3	Vertical	45	1.58	-	22.82	38.84	12.98	34.05
PK	11.13856G	54.46	74.00	-19.54	17.76	3	Vertical	45	1.58	-	36.70	38.84	12.97	34.05
PK	16.70112G	61.67	68.20	-6.53	21.07	3	Vertical	347	2.88	-	40.60	38.89	16.13	33.95

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14232G	40.52	54.00	-13.48	17.77	3	Horizontal	11	2.20	-	22.75	38.84	12.98	34.05
PK	11.12256G	53.74	74.00	-20.26	17.75	3	Horizontal	11	2.20	-	35.99	38.82	12.97	34.04
PK	16.69336G	61.63	68.20	-6.57	21.06	3	Horizontal	190	1.91	-	40.57	38.89	16.13	33.96



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	AV	5.35G	53.73	54.00	-0.27	3	Horizontal	358	1.98	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	15.90036G	53.89	54.00	-0.11	3	Vertical	211	2.30	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.35G	73.65	74.00	-0.35	3	Horizontal	360	2.91	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.84	54.00	-0.16	3	Vertical	339	2.73	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.3504G	53.76	54.00	-0.24	3	Horizontal	355	1.57	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.67	54.00	-0.33	3	Vertical	343	2.39	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.353G	53.53	54.00	-0.47	3	Horizontal	360	2.39	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.62	54.00	-0.38	3	Vertical	338	2.39	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.3868G	53.77	54.00	-0.23	3	Vertical	344	2.40	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	AV	5.394G	53.80	54.00	-0.20	3	Vertical	342	2.79	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX(Port2)	Pass	PK	5.7264G	68.05	68.20	-0.15	3	Horizontal	340	1.36	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7294G	68.06	68.20	-0.14	3	Horizontal	341	1.88	-
802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.47G	68.05	68.20	-0.15	3	Horizontal	360	3.00	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.7264G	68.00	68.20	-0.20	3	Horizontal	342	1.62	-
802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)	Pass	PK	5.4696G	68.04	68.20	-0.16	3	Vertical	3	1.72	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.7396G	67.91	68.20	-0.29	3	Horizontal	343	1.76	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.46G	53.50	54.00	-0.50	3	Horizontal	345	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.4596G	53.91	54.00	-0.09	3	Vertical	360	1.59	-
802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)	Pass	AV	5.456G	53.56	54.00	-0.44	3	Horizontal	346	1.79	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	PK	5.4692G	67.54	68.20	-0.66	3	Horizontal	-0	1.50	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	47.84	54.00	-6.16	3	Vertical	340	2.66	-
5260MHz	Pass	AV	5.2624G	105.10	Inf	-Inf	3	Vertical	340	2.66	-
5260MHz	Pass	AV	5.3524G	49.91	54.00	-4.09	3	Vertical	340	2.66	-
5260MHz	Pass	PK	5.1442G	61.19	74.00	-12.81	3	Vertical	340	2.66	-
5260MHz	Pass	PK	5.2648G	115.42	Inf	-Inf	3	Vertical	340	2.66	-
5260MHz	Pass	PK	5.3614G	63.76	74.00	-10.24	3	Vertical	340	2.66	-
5260MHz	Pass	AV	5.15G	48.62	54.00	-5.38	3	Horizontal	4	2.97	-
5260MHz	Pass	AV	5.2624G	106.52	Inf	-Inf	3	Horizontal	4	2.97	-
5260MHz	Pass	AV	5.3548G	50.47	54.00	-3.53	3	Horizontal	4	2.97	-
5260MHz	Pass	PK	5.146G	61.35	74.00	-12.65	3	Horizontal	4	2.97	-
5260MHz	Pass	PK	5.263G	116.96	Inf	-Inf	3	Horizontal	4	2.97	-
5260MHz	Pass	PK	5.3524G	64.03	74.00	-9.97	3	Horizontal	4	2.97	-
5260MHz	Pass	AV	15.78744G	47.29	54.00	-6.71	3	Vertical	178	3.00	-
5260MHz	Pass	PK	10.51744G	62.40	68.20	-5.80	3	Vertical	173	3.00	-
5260MHz	Pass	PK	15.77832G	60.48	74.00	-13.52	3	Vertical	178	3.00	-
5260MHz	Pass	AV	15.78972G	46.99	54.00	-7.01	3	Horizontal	28	1.50	-
5260MHz	Pass	PK	10.51656G	57.34	68.20	-10.86	3	Horizontal	250	2.15	-
5260MHz	Pass	PK	15.7784G	60.15	74.00	-13.85	3	Horizontal	28	1.50	-
5300MHz	Pass	AV	5.2976G	101.22	Inf	-Inf	3	Vertical	360	1.50	-
5300MHz	Pass	AV	5.3504G	51.65	54.00	-2.35	3	Vertical	360	1.50	-
5300MHz	Pass	PK	5.2976G	110.98	Inf	-Inf	3	Vertical	360	1.50	-
5300MHz	Pass	PK	5.3516G	67.00	74.00	-7.00	3	Vertical	360	1.50	-
5300MHz	Pass	AV	5.2952G	103.35	Inf	-Inf	3	Horizontal	358	1.98	-
5300MHz	Pass	AV	5.35G	53.73	54.00	-0.27	3	Horizontal	358	1.98	-
5300MHz	Pass	PK	5.2952G	113.73	Inf	-Inf	3	Horizontal	358	1.98	-
5300MHz	Pass	PK	5.3504G	69.04	74.00	-4.96	3	Horizontal	358	1.98	-
5300MHz	Pass	AV	10.60176G	46.74	54.00	-7.26	3	Vertical	172	3.00	-
5300MHz	Pass	AV	15.90588G	47.98	54.00	-6.02	3	Vertical	142	1.50	-
5300MHz	Pass	PK	10.60136G	60.01	74.00	-13.99	3	Vertical	172	3.00	-
5300MHz	Pass	PK	15.90764G	61.42	74.00	-12.58	3	Vertical	142	1.50	-
5300MHz	Pass	AV	10.60056G	42.70	54.00	-11.30	3	Horizontal	252	2.27	-
5300MHz	Pass	AV	15.90532G	48.08	54.00	-5.92	3	Horizontal	179	1.50	-
5300MHz	Pass	PK	10.60708G	56.02	74.00	-17.98	3	Horizontal	252	2.27	-
5300MHz	Pass	PK	15.89152G	61.01	74.00	-12.99	3	Horizontal	179	1.50	-
5320MHz	Pass	AV	5.3182G	99.31	Inf	-Inf	3	Vertical	0	1.50	-
5320MHz	Pass	AV	5.35G	53.36	54.00	-0.64	3	Vertical	0	1.50	-
5320MHz	Pass	PK	5.3224G	108.82	Inf	-Inf	3	Vertical	0	1.50	-
5320MHz	Pass	PK	5.35G	70.93	74.00	-3.07	3	Vertical	0	1.50	-
5320MHz	Pass	AV	5.3242G	99.55	Inf	-Inf	3	Horizontal	352	1.40	-
5320MHz	Pass	AV	5.35G	52.93	54.00	-1.07	3	Horizontal	352	1.40	-
5320MHz	Pass	PK	5.3224G	109.38	Inf	-Inf	3	Horizontal	352	1.40	-
5320MHz	Pass	PK	5.35G	73.39	74.00	-0.61	3	Horizontal	352	1.40	-
5320MHz	Pass	AV	10.63804G	42.75	54.00	-11.25	3	Vertical	161	2.25	-
5320MHz	Pass	AV	15.954G	48.33	54.00	-5.67	3	Vertical	168	1.90	-
5320MHz	Pass	PK	10.63404G	56.94	74.00	-17.06	3	Vertical	161	2.25	-
5320MHz	Pass	PK	15.95424G	61.42	74.00	-12.58	3	Vertical	168	1.90	-
5320MHz	Pass	AV	10.63416G	42.21	54.00	-11.79	3	Horizontal	178	1.46	-
5320MHz	Pass	AV	15.96352G	48.36	54.00	-5.64	3	Horizontal	59	1.50	-
5320MHz	Pass	PK	10.64856G	54.94	74.00	-19.06	3	Horizontal	178	1.46	-
5320MHz	Pass	PK	15.9656G	61.62	74.00	-12.38	3	Horizontal	59	1.50	-
5500MHz	Pass	AV	5.4598G	47.45	54.00	-6.55	3	Vertical	356	1.48	-
5500MHz	Pass	AV	5.5042G	99.38	Inf	-Inf	3	Vertical	356	1.48	-
5500MHz	Pass	PK	5.4682G	67.34	68.20	-0.86	3	Vertical	356	1.48	-
5500MHz	Pass	PK	5.5036G	108.59	Inf	-Inf	3	Vertical	356	1.48	-
5500MHz	Pass	AV	5.4598G	47.72	54.00	-6.28	3	Horizontal	349	1.96	-
5500MHz	Pass	AV	5.4952G	100.02	Inf	-Inf	3	Horizontal	349	1.96	-
5500MHz	Pass	PK	5.4682G	67.01	68.20	-1.19	3	Horizontal	349	1.96	-
5500MHz	Pass	PK	5.4952G	109.82	Inf	-Inf	3	Horizontal	349	1.96	-
5500MHz	Pass	AV	10.99376G	42.31	54.00	-11.69	3	Vertical	275	1.45	-
5500MHz	Pass	PK	10.9934G	55.24	74.00	-18.76	3	Vertical	275	1.45	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	16.49708G	62.79	68.20	-5.41	3	Vertical	312	1.50	-
5500MHz	Pass	AV	10.99628G	42.15	54.00	-11.85	3	Horizontal	24	1.93	-
5500MHz	Pass	PK	10.99488G	55.55	74.00	-18.45	3	Horizontal	24	1.93	-
5500MHz	Pass	PK	16.50092G	63.12	68.20	-5.08	3	Horizontal	237	1.50	-
5580MHz	Pass	AV	5.4588G	49.77	54.00	-4.23	3	Vertical	334	2.65	-
5580MHz	Pass	AV	5.5818G	106.65	Inf	-Inf	3	Vertical	334	2.65	-
5580MHz	Pass	PK	5.466G	66.77	68.20	-1.43	3	Vertical	334	2.65	-
5580MHz	Pass	PK	5.5836G	117.98	Inf	-Inf	3	Vertical	334	2.65	-
5580MHz	Pass	PK	5.7264G	59.46	68.20	-8.74	3	Vertical	334	2.65	-
5580MHz	Pass	AV	5.4558G	48.78	54.00	-5.22	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	5.5824G	105.26	Inf	-Inf	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.4672G	62.79	68.20	-5.41	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.5794G	115.92	Inf	-Inf	3	Horizontal	339	1.50	-
5580MHz	Pass	PK	5.7288G	60.62	68.20	-7.58	3	Horizontal	339	1.50	-
5580MHz	Pass	AV	11.1648G	42.28	54.00	-11.72	3	Vertical	201	1.01	-
5580MHz	Pass	PK	11.1662G	54.89	74.00	-19.11	3	Vertical	201	1.01	-
5580MHz	Pass	PK	16.73116G	62.59	68.20	-5.61	3	Vertical	16	1.50	-
5580MHz	Pass	AV	11.1534G	42.09	54.00	-11.91	3	Horizontal	36	1.27	-
5580MHz	Pass	PK	11.16752G	54.96	74.00	-19.04	3	Horizontal	36	1.27	-
5580MHz	Pass	PK	16.7352G	63.12	68.20	-5.08	3	Horizontal	360	1.50	-
5700MHz	Pass	AV	5.6936G	99.36	Inf	-Inf	3	Vertical	354	1.33	-
5700MHz	Pass	PK	5.6928G	108.49	Inf	-Inf	3	Vertical	354	1.33	-
5700MHz	Pass	PK	5.7264G	66.53	68.20	-1.67	3	Vertical	354	1.33	-
5700MHz	Pass	AV	5.694G	99.76	Inf	-Inf	3	Horizontal	340	1.36	-
5700MHz	Pass	PK	5.6932G	110.01	Inf	-Inf	3	Horizontal	340	1.36	-
5700MHz	Pass	PK	5.7264G	68.05	68.20	-0.15	3	Horizontal	340	1.36	-
5700MHz	Pass	AV	11.39756G	42.55	54.00	-11.45	3	Vertical	0	1.50	-
5700MHz	Pass	PK	11.39796G	55.42	74.00	-18.58	3	Vertical	0	1.50	-
5700MHz	Pass	PK	17.10964G	63.66	68.20	-4.54	3	Vertical	178	2.92	-
5700MHz	Pass	AV	11.392G	42.47	54.00	-11.53	3	Horizontal	244	1.17	-
5700MHz	Pass	PK	11.40204G	55.43	74.00	-18.57	3	Horizontal	244	1.17	-
5700MHz	Pass	PK	17.10344G	63.18	68.20	-5.02	3	Horizontal	0	1.92	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	47.61	54.00	-6.39	3	Vertical	354	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	103.22	Inf	-Inf	3	Vertical	354	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.70	68.20	-9.50	3	Vertical	354	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	113.62	Inf	-Inf	3	Vertical	354	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9588G	60.54	68.20	-7.66	3	Vertical	354	1.34	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.55	54.00	-6.45	3	Horizontal	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	104.37	Inf	-Inf	3	Horizontal	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	58.16	68.20	-10.04	3	Horizontal	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	115.14	Inf	-Inf	3	Horizontal	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	60.96	68.20	-7.24	3	Horizontal	337	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4364G	42.79	54.00	-11.21	3	Vertical	185	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43568G	55.72	74.00	-18.28	3	Vertical	185	2.56	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1506G	63.63	68.20	-4.57	3	Vertical	207	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44268G	42.47	54.00	-11.53	3	Horizontal	153	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44608G	55.50	74.00	-18.50	3	Horizontal	153	1.49	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15608G	62.95	68.20	-5.25	3	Horizontal	42	2.50	-
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1412G	49.31	54.00	-4.69	3	Vertical	343	2.79	-
5260MHz	Pass	AV	5.263G	109.77	Inf	-Inf	3	Vertical	343	2.79	-
5260MHz	Pass	AV	5.35G	52.77	54.00	-1.23	3	Vertical	343	2.79	-
5260MHz	Pass	PK	5.1442G	64.83	74.00	-9.17	3	Vertical	343	2.79	-
5260MHz	Pass	PK	5.263G	120.38	Inf	-Inf	3	Vertical	343	2.79	-
5260MHz	Pass	PK	5.356G	67.11	74.00	-6.89	3	Vertical	343	2.79	-
5260MHz	Pass	AV	5.1496G	49.71	54.00	-4.29	3	Horizontal	352	2.79	-
5260MHz	Pass	AV	5.2666G	106.22	Inf	-Inf	3	Horizontal	352	2.79	-
5260MHz	Pass	AV	5.353G	51.81	54.00	-2.19	3	Horizontal	352	2.79	-
5260MHz	Pass	PK	5.1388G	63.79	74.00	-10.21	3	Horizontal	352	2.79	-
5260MHz	Pass	PK	5.266G	116.88	Inf	-Inf	3	Horizontal	352	2.79	-
5260MHz	Pass	PK	5.353G	68.38	74.00	-5.62	3	Horizontal	352	2.79	-
5260MHz	Pass	AV	15.7803G	50.90	54.00	-3.10	3	Vertical	179	2.88	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5260MHz	Pass	PK	10.51844G	61.26	68.20	-6.94	3	Vertical	179	1.59	-
5260MHz	Pass	PK	15.77982G	64.25	74.00	-9.75	3	Vertical	179	2.88	-
5260MHz	Pass	AV	15.77616G	49.89	54.00	-4.11	3	Horizontal	182	3.00	-
5260MHz	Pass	PK	10.51328G	57.14	68.20	-11.06	3	Horizontal	171	1.50	-
5260MHz	Pass	PK	15.78204G	62.96	74.00	-11.04	3	Horizontal	182	3.00	-
5300MHz	Pass	AV	5.3024G	105.87	Inf	-Inf	3	Vertical	346	2.18	-
5300MHz	Pass	AV	5.3528G	50.51	54.00	-3.49	3	Vertical	346	2.18	-
5300MHz	Pass	PK	5.2976G	115.20	Inf	-Inf	3	Vertical	346	2.18	-
5300MHz	Pass	PK	5.3522G	67.94	74.00	-6.06	3	Vertical	346	2.18	-
5300MHz	Pass	AV	5.3042G	105.95	Inf	-Inf	3	Horizontal	348	1.69	-
5300MHz	Pass	AV	5.35G	51.58	54.00	-2.42	3	Horizontal	348	1.69	-
5300MHz	Pass	PK	5.3042G	114.98	Inf	-Inf	3	Horizontal	348	1.69	-
5300MHz	Pass	PK	5.35G	68.81	74.00	-5.19	3	Horizontal	348	1.69	-
5300MHz	Pass	AV	15.90036G	53.89	54.00	-0.11	3	Vertical	211	2.30	-
5300MHz	Pass	PK	10.59376G	59.34	68.20	-8.86	3	Vertical	151	3.00	-
5300MHz	Pass	PK	15.89994G	67.32	74.00	-6.68	3	Vertical	211	2.30	-
5300MHz	Pass	AV	15.90438G	49.76	54.00	-4.24	3	Horizontal	197	1.87	-
5300MHz	Pass	PK	10.59262G	55.14	68.20	-13.06	3	Horizontal	246	2.50	-
5300MHz	Pass	PK	15.90468G	62.88	74.00	-11.12	3	Horizontal	197	1.87	-
5320MHz	Pass	AV	5.3218G	102.60	Inf	-Inf	3	Vertical	360	1.77	-
5320MHz	Pass	AV	5.3506G	51.60	54.00	-2.40	3	Vertical	360	1.77	-
5320MHz	Pass	PK	5.3212G	111.94	Inf	-Inf	3	Vertical	360	1.77	-
5320MHz	Pass	PK	5.3512G	70.12	74.00	-3.88	3	Vertical	360	1.77	-
5320MHz	Pass	AV	5.3242G	104.32	Inf	-Inf	3	Horizontal	349	1.98	-
5320MHz	Pass	AV	5.35G	52.99	54.00	-1.01	3	Horizontal	349	1.98	-
5320MHz	Pass	PK	5.3248G	113.38	Inf	-Inf	3	Horizontal	349	1.98	-
5320MHz	Pass	PK	5.3536G	71.60	74.00	-2.40	3	Horizontal	349	1.98	-
5320MHz	Pass	AV	10.64071G	41.55	54.00	-12.45	3	Vertical	115	2.12	-
5320MHz	Pass	AV	15.9621G	47.65	54.00	-6.35	3	Vertical	125	1.69	-
5320MHz	Pass	PK	10.63904G	54.90	74.00	-19.10	3	Vertical	115	2.12	-
5320MHz	Pass	PK	15.96039G	61.22	74.00	-12.78	3	Vertical	125	1.69	-
5320MHz	Pass	AV	10.64125G	41.66	54.00	-12.34	3	Horizontal	295	2.83	-
5320MHz	Pass	AV	15.96078G	47.44	54.00	-6.56	3	Horizontal	237	1.91	-
5320MHz	Pass	PK	10.63992G	55.25	74.00	-18.75	3	Horizontal	295	2.83	-
5320MHz	Pass	PK	15.9595G	60.37	74.00	-13.63	3	Horizontal	237	1.91	-
5500MHz	Pass	AV	5.458G	47.49	54.00	-6.51	3	Vertical	360	1.76	-
5500MHz	Pass	AV	5.5054G	101.28	Inf	-Inf	3	Vertical	360	1.76	-
5500MHz	Pass	PK	5.467G	65.34	68.20	-2.86	3	Vertical	360	1.76	-
5500MHz	Pass	PK	5.5012G	110.69	Inf	-Inf	3	Vertical	360	1.76	-
5500MHz	Pass	AV	5.3956G	47.69	54.00	-6.31	3	Horizontal	344	1.91	-
5500MHz	Pass	AV	5.5042G	102.70	Inf	-Inf	3	Horizontal	344	1.91	-
5500MHz	Pass	PK	5.47G	67.78	68.20	-0.42	3	Horizontal	344	1.91	-
5500MHz	Pass	PK	5.5036G	112.03	Inf	-Inf	3	Horizontal	344	1.91	-
5500MHz	Pass	AV	10.9976G	41.02	54.00	-12.98	3	Vertical	237	2.25	-
5500MHz	Pass	PK	10.99994G	53.81	74.00	-20.19	3	Vertical	237	2.25	-
5500MHz	Pass	PK	16.49906G	62.04	68.20	-6.16	3	Vertical	278	2.38	-
5500MHz	Pass	AV	10.99823G	41.40	54.00	-12.60	3	Horizontal	147	1.89	-
5500MHz	Pass	PK	11.00043G	54.13	74.00	-19.87	3	Horizontal	147	1.89	-
5500MHz	Pass	PK	16.49928G	61.62	68.20	-6.58	3	Horizontal	259	1.98	-
5580MHz	Pass	AV	5.4588G	49.47	54.00	-4.53	3	Vertical	360	1.84	-
5580MHz	Pass	AV	5.5812G	108.51	Inf	-Inf	3	Vertical	360	1.84	-
5580MHz	Pass	PK	5.463G	64.21	68.20	-3.99	3	Vertical	360	1.84	-
5580MHz	Pass	PK	5.5812G	118.90	Inf	-Inf	3	Vertical	360	1.84	-
5580MHz	Pass	PK	5.7276G	61.20	68.20	-7.00	3	Vertical	360	1.84	-
5580MHz	Pass	AV	5.46G	49.51	54.00	-4.49	3	Horizontal	341	1.76	-
5580MHz	Pass	AV	5.5782G	110.20	Inf	-Inf	3	Horizontal	341	1.76	-
5580MHz	Pass	PK	5.466G	67.32	68.20	-0.88	3	Horizontal	341	1.76	-
5580MHz	Pass	PK	5.583G	121.00	Inf	-Inf	3	Horizontal	341	1.76	-
5580MHz	Pass	PK	5.7252G	60.56	68.20	-7.64	3	Horizontal	341	1.76	-
5580MHz	Pass	AV	11.16384G	41.97	54.00	-12.03	3	Vertical	161	2.34	-
5580MHz	Pass	PK	11.1654G	55.21	74.00	-18.79	3	Vertical	161	2.34	-
5580MHz	Pass	PK	16.7436G	65.09	68.20	-3.11	3	Vertical	164	3.00	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5580MHz	Pass	AV	11.15808G	41.74	54.00	-12.26	3	Horizontal	44	1.66	-
5580MHz	Pass	PK	11.14842G	54.38	74.00	-19.62	3	Horizontal	44	1.66	-
5580MHz	Pass	PK	16.74036G	62.45	68.20	-5.75	3	Horizontal	234	2.83	-
5700MHz	Pass	AV	5.6952G	101.65	Inf	-Inf	3	Vertical	360	1.56	-
5700MHz	Pass	PK	5.6958G	110.92	Inf	-Inf	3	Vertical	360	1.56	-
5700MHz	Pass	PK	5.7264G	68.04	68.20	-0.16	3	Vertical	360	1.56	-
5700MHz	Pass	AV	5.6982G	103.18	Inf	-Inf	3	Horizontal	341	1.88	-
5700MHz	Pass	PK	5.6934G	112.62	Inf	-Inf	3	Horizontal	341	1.88	-
5700MHz	Pass	PK	5.7294G	68.06	68.20	-0.14	3	Horizontal	341	1.88	-
5700MHz	Pass	AV	11.39996G	41.34	54.00	-12.66	3	Vertical	1	1.27	-
5700MHz	Pass	PK	11.39929G	54.05	74.00	-19.95	3	Vertical	1	1.27	-
5700MHz	Pass	PK	17.10031G	62.70	68.20	-5.50	3	Vertical	102	1.28	-
5700MHz	Pass	AV	11.39837G	41.40	54.00	-12.60	3	Horizontal	342	2.50	-
5700MHz	Pass	PK	11.40059G	54.55	74.00	-19.45	3	Horizontal	342	2.50	-
5700MHz	Pass	PK	17.10052G	62.31	68.20	-5.89	3	Horizontal	139	1.18	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4464G	47.82	54.00	-6.18	3	Vertical	360	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	106.21	Inf	-Inf	3	Vertical	360	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4608G	58.84	68.20	-9.36	3	Vertical	360	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	116.73	Inf	-Inf	3	Vertical	360	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9684G	60.29	68.20	-7.91	3	Vertical	360	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	47.92	54.00	-6.08	3	Horizontal	343	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	107.41	Inf	-Inf	3	Horizontal	343	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	60.35	68.20	-7.85	3	Horizontal	343	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	118.17	Inf	-Inf	3	Horizontal	343	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	61.42	68.20	-6.78	3	Horizontal	343	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44102G	43.32	54.00	-10.68	3	Vertical	165	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44582G	56.96	74.00	-17.04	3	Vertical	165	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16378G	66.54	68.20	-1.66	3	Vertical	210	2.84	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44024G	42.17	54.00	-11.83	3	Horizontal	193	1.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43232G	55.32	74.00	-18.68	3	Horizontal	193	1.87	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16102G	62.73	68.20	-5.47	3	Horizontal	195	2.57	-
802.11ax HEW20_Nss1_(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	49.02	54.00	-4.98	3	Vertical	341	2.52	-
5260MHz	Pass	AV	5.2654G	104.57	Inf	-Inf	3	Vertical	341	2.52	-
5260MHz	Pass	AV	5.3566G	49.57	54.00	-4.43	3	Vertical	341	2.52	-
5260MHz	Pass	PK	5.1484G	61.38	74.00	-12.62	3	Vertical	341	2.52	-
5260MHz	Pass	PK	5.257G	117.43	Inf	-Inf	3	Vertical	341	2.52	-
5260MHz	Pass	PK	5.35G	62.98	74.00	-11.02	3	Vertical	341	2.52	-
5260MHz	Pass	AV	5.15G	49.61	54.00	-4.39	3	Horizontal	360	2.97	-
5260MHz	Pass	AV	5.2654G	106.26	Inf	-Inf	3	Horizontal	360	2.97	-
5260MHz	Pass	AV	5.3524G	51.13	54.00	-2.87	3	Horizontal	360	2.97	-
5260MHz	Pass	PK	5.149G	60.77	74.00	-13.23	3	Horizontal	360	2.97	-
5260MHz	Pass	PK	5.257G	118.93	Inf	-Inf	3	Horizontal	360	2.97	-
5260MHz	Pass	PK	5.3566G	65.45	74.00	-8.55	3	Horizontal	360	2.97	-
5260MHz	Pass	AV	15.77312G	46.86	54.00	-7.14	3	Vertical	136	2.77	-
5260MHz	Pass	PK	10.5166G	57.99	68.20	-10.21	3	Vertical	182	1.45	-
5260MHz	Pass	PK	15.78572G	59.66	74.00	-14.34	3	Vertical	136	2.77	-
5260MHz	Pass	AV	15.77276G	46.88	54.00	-7.12	3	Horizontal	79	1.55	-
5260MHz	Pass	PK	10.51408G	57.15	68.20	-11.05	3	Horizontal	250	2.17	-
5260MHz	Pass	PK	15.77732G	59.69	74.00	-14.31	3	Horizontal	79	1.55	-
5300MHz	Pass	AV	5.2982G	103.12	Inf	-Inf	3	Vertical	338	2.49	-
5300MHz	Pass	AV	5.35G	53.19	54.00	-0.81	3	Vertical	338	2.49	-
5300MHz	Pass	PK	5.297G	116.06	Inf	-Inf	3	Vertical	338	2.49	-
5300MHz	Pass	PK	5.351G	69.31	74.00	-4.69	3	Vertical	338	2.49	-
5300MHz	Pass	AV	5.2982G	102.85	Inf	-Inf	3	Horizontal	360	2.80	-
5300MHz	Pass	AV	5.3504G	53.23	54.00	-0.77	3	Horizontal	360	2.80	-
5300MHz	Pass	PK	5.3012G	114.97	Inf	-Inf	3	Horizontal	360	2.80	-
5300MHz	Pass	PK	5.35G	68.41	74.00	-5.59	3	Horizontal	360	2.80	-
5300MHz	Pass	AV	15.90488G	48.04	54.00	-5.96	3	Vertical	202	1.89	-
5300MHz	Pass	PK	10.59796G	56.61	68.20	-11.59	3	Vertical	182	1.58	-
5300MHz	Pass	PK	15.90848G	61.42	74.00	-12.58	3	Vertical	202	1.89	-
5300MHz	Pass	AV	15.90564G	47.97	54.00	-6.03	3	Horizontal	27	1.40	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5300MHz	Pass	PK	10.598G	56.22	68.20	-11.98	3	Horizontal	251	2.19	-
5300MHz	Pass	PK	15.89636G	60.44	74.00	-13.56	3	Horizontal	27	1.40	-
5320MHz	Pass	AV	5.323G	100.23	Inf	-Inf	3	Vertical	338	2.38	-
5320MHz	Pass	AV	5.35G	52.85	54.00	-1.15	3	Vertical	338	2.38	-
5320MHz	Pass	PK	5.317G	112.56	Inf	-Inf	3	Vertical	338	2.38	-
5320MHz	Pass	PK	5.35G	73.31	74.00	-0.69	3	Vertical	338	2.38	-
5320MHz	Pass	AV	5.3182G	100.77	Inf	-Inf	3	Horizontal	360	2.91	-
5320MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Horizontal	360	2.91	-
5320MHz	Pass	PK	5.317G	113.76	Inf	-Inf	3	Horizontal	360	2.91	-
5320MHz	Pass	PK	5.35G	73.65	74.00	-0.35	3	Horizontal	360	2.91	-
5320MHz	Pass	AV	10.63812G	43.13	54.00	-10.87	3	Vertical	171	2.94	-
5320MHz	Pass	AV	15.97G	48.69	54.00	-5.31	3	Vertical	37	1.09	-
5320MHz	Pass	PK	10.6452G	56.21	74.00	-17.79	3	Vertical	171	2.94	-
5320MHz	Pass	PK	15.95488G	60.67	74.00	-13.33	3	Vertical	37	1.09	-
5320MHz	Pass	AV	10.63796G	42.19	54.00	-11.81	3	Horizontal	301	1.00	-
5320MHz	Pass	AV	15.96312G	48.39	54.00	-5.61	3	Horizontal	31	1.01	-
5320MHz	Pass	PK	10.63652G	55.59	74.00	-18.41	3	Horizontal	301	1.00	-
5320MHz	Pass	PK	15.9502G	61.02	74.00	-12.98	3	Horizontal	31	1.01	-
5500MHz	Pass	AV	5.4598G	47.82	54.00	-6.18	3	Vertical	338	2.59	-
5500MHz	Pass	AV	5.4928G	99.39	Inf	-Inf	3	Vertical	338	2.59	-
5500MHz	Pass	PK	5.4688G	67.97	68.20	-0.23	3	Vertical	338	2.59	-
5500MHz	Pass	PK	5.4976G	110.77	Inf	-Inf	3	Vertical	338	2.59	-
5500MHz	Pass	AV	5.398G	47.54	54.00	-6.46	3	Horizontal	360	3.00	-
5500MHz	Pass	AV	5.4928G	98.90	Inf	-Inf	3	Horizontal	360	3.00	-
5500MHz	Pass	PK	5.47G	68.05	68.20	-0.15	3	Horizontal	360	3.00	-
5500MHz	Pass	PK	5.497G	112.00	Inf	-Inf	3	Horizontal	360	3.00	-
5500MHz	Pass	AV	10.9962G	42.12	54.00	-11.88	3	Vertical	-0	1.50	-
5500MHz	Pass	PK	11.0018G	54.54	74.00	-19.46	3	Vertical	-0	1.50	-
5500MHz	Pass	PK	16.49252G	62.28	68.20	-5.92	3	Vertical	129	1.07	-
5500MHz	Pass	AV	11.00812G	42.19	54.00	-11.81	3	Horizontal	152	1.50	-
5500MHz	Pass	PK	10.99988G	55.18	74.00	-18.82	3	Horizontal	152	1.50	-
5500MHz	Pass	PK	16.49328G	62.24	68.20	-5.96	3	Horizontal	210	1.68	-
5580MHz	Pass	AV	5.4594G	51.27	54.00	-2.73	3	Vertical	333	2.66	-
5580MHz	Pass	AV	5.5812G	105.85	Inf	-Inf	3	Vertical	333	2.66	-
5580MHz	Pass	PK	5.466G	66.14	68.20	-2.06	3	Vertical	333	2.66	-
5580MHz	Pass	PK	5.5812G	117.84	Inf	-Inf	3	Vertical	333	2.66	-
5580MHz	Pass	PK	5.7282G	61.68	68.20	-6.52	3	Vertical	333	2.66	-
5580MHz	Pass	AV	5.4576G	50.51	54.00	-3.49	3	Horizontal	340	1.50	-
5580MHz	Pass	AV	5.5812G	104.33	Inf	-Inf	3	Horizontal	340	1.50	-
5580MHz	Pass	PK	5.4696G	67.02	68.20	-1.18	3	Horizontal	340	1.50	-
5580MHz	Pass	PK	5.5794G	116.21	Inf	-Inf	3	Horizontal	340	1.50	-
5580MHz	Pass	PK	5.7252G	61.61	68.20	-6.59	3	Horizontal	340	1.50	-
5580MHz	Pass	AV	11.1634G	42.16	54.00	-11.84	3	Vertical	160	1.00	-
5580MHz	Pass	PK	11.16024G	54.88	74.00	-19.12	3	Vertical	160	1.00	-
5580MHz	Pass	PK	16.74872G	62.94	68.20	-5.26	3	Vertical	289	3.00	-
5580MHz	Pass	AV	11.16264G	42.03	54.00	-11.97	3	Horizontal	231	1.50	-
5580MHz	Pass	PK	11.16068G	55.18	74.00	-18.82	3	Horizontal	231	1.50	-
5580MHz	Pass	PK	16.7334G	63.04	68.20	-5.16	3	Horizontal	3	2.71	-
5700MHz	Pass	AV	5.6928G	96.23	Inf	-Inf	3	Vertical	354	1.33	-
5700MHz	Pass	PK	5.6922G	109.42	Inf	-Inf	3	Vertical	354	1.33	-
5700MHz	Pass	PK	5.7258G	66.97	68.20	-1.23	3	Vertical	354	1.33	-
5700MHz	Pass	AV	5.7048G	96.40	Inf	-Inf	3	Horizontal	340	1.36	-
5700MHz	Pass	PK	5.697G	108.91	Inf	-Inf	3	Horizontal	340	1.36	-
5700MHz	Pass	PK	5.7252G	67.14	68.20	-1.06	3	Horizontal	340	1.36	-
5700MHz	Pass	AV	11.41476G	41.51	54.00	-12.49	3	Vertical	166	1.75	-
5700MHz	Pass	PK	11.39952G	54.47	74.00	-19.53	3	Vertical	166	1.75	-
5700MHz	Pass	PK	17.09874G	62.19	68.20	-6.01	3	Vertical	282	1.50	-
5700MHz	Pass	AV	11.388G	41.51	54.00	-12.49	3	Horizontal	200	1.50	-
5700MHz	Pass	PK	11.39934G	54.22	74.00	-19.78	3	Horizontal	200	1.50	-
5700MHz	Pass	PK	17.10306G	61.95	68.20	-6.25	3	Horizontal	53	1.96	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	48.26	54.00	-5.74	3	Vertical	356	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	102.36	Inf	-Inf	3	Vertical	356	1.40	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.99	68.20	-8.21	3	Vertical	356	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	113.57	Inf	-Inf	3	Vertical	356	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8856G	60.50	68.20	-7.70	3	Vertical	356	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.04	54.00	-5.96	3	Horizontal	336	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	103.87	Inf	-Inf	3	Horizontal	336	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	60.35	68.20	-7.85	3	Horizontal	336	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	116.14	Inf	-Inf	3	Horizontal	336	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	61.55	68.20	-6.65	3	Horizontal	336	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43934G	42.24	54.00	-11.76	3	Vertical	186	2.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43448G	55.16	74.00	-18.84	3	Vertical	186	2.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15136G	61.76	68.20	-6.44	3	Vertical	265	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45164G	41.54	54.00	-12.46	3	Horizontal	165	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.45386G	54.04	74.00	-19.96	3	Horizontal	165	1.54	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15682G	61.49	68.20	-6.71	3	Horizontal	283	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	49.20	54.00	-4.80	3	Vertical	342	2.78	-
5260MHz	Pass	AV	5.2636G	106.59	Inf	-Inf	3	Vertical	342	2.78	-
5260MHz	Pass	AV	5.35G	50.60	54.00	-3.40	3	Vertical	342	2.78	-
5260MHz	Pass	PK	5.1484G	63.76	74.00	-10.24	3	Vertical	342	2.78	-
5260MHz	Pass	PK	5.263G	120.01	Inf	-Inf	3	Vertical	342	2.78	-
5260MHz	Pass	PK	5.35G	67.88	74.00	-6.12	3	Vertical	342	2.78	-
5260MHz	Pass	AV	5.15G	49.61	54.00	-4.39	3	Horizontal	354	1.91	-
5260MHz	Pass	AV	5.262G	104.64	Inf	-Inf	3	Horizontal	354	1.91	-
5260MHz	Pass	AV	5.3506G	50.95	54.00	-3.05	3	Horizontal	354	1.91	-
5260MHz	Pass	PK	5.1448G	65.55	74.00	-8.45	3	Horizontal	354	1.91	-
5260MHz	Pass	PK	5.2654G	117.32	Inf	-Inf	3	Horizontal	354	1.91	-
5260MHz	Pass	PK	5.3554G	67.03	74.00	-6.97	3	Horizontal	354	1.91	-
5260MHz	Pass	AV	15.77828G	50.18	54.00	-3.82	3	Vertical	190	1.36	-
5260MHz	Pass	PK	10.5239G	61.87	68.20	-6.33	3	Vertical	188	1.57	-
5260MHz	Pass	PK	15.77996G	65.25	74.00	-8.75	3	Vertical	190	1.36	-
5260MHz	Pass	AV	15.7797G	48.35	54.00	-5.65	3	Horizontal	215	1.94	-
5260MHz	Pass	PK	10.5215G	56.42	68.20	-11.78	3	Horizontal	241	1.88	-
5260MHz	Pass	PK	15.7802G	62.26	74.00	-11.74	3	Horizontal	215	1.94	-
5300MHz	Pass	AV	5.3018G	104.56	Inf	-Inf	3	Vertical	339	2.90	-
5300MHz	Pass	AV	5.35G	53.02	54.00	-0.98	3	Vertical	339	2.90	-
5300MHz	Pass	PK	5.2964G	116.29	Inf	-Inf	3	Vertical	339	2.90	-
5300MHz	Pass	PK	5.35G	68.72	74.00	-5.28	3	Vertical	339	2.90	-
5300MHz	Pass	AV	5.297G	103.12	Inf	-Inf	3	Horizontal	349	1.58	-
5300MHz	Pass	AV	5.35G	53.51	54.00	-0.49	3	Horizontal	349	1.58	-
5300MHz	Pass	PK	5.3078G	115.91	Inf	-Inf	3	Horizontal	349	1.58	-
5300MHz	Pass	PK	5.3522G	66.70	74.00	-7.30	3	Horizontal	349	1.58	-
5300MHz	Pass	AV	15.9008G	49.84	54.00	-4.16	3	Vertical	230	1.25	-
5300MHz	Pass	PK	10.6039G	57.14	74.00	-16.86	3	Vertical	186	1.50	-
5300MHz	Pass	PK	15.9091G	63.46	74.00	-10.54	3	Vertical	230	1.25	-
5300MHz	Pass	AV	15.9017G	49.03	54.00	-4.97	3	Horizontal	214	2.94	-
5300MHz	Pass	PK	10.6059G	55.17	74.00	-18.83	3	Horizontal	182	2.54	-
5300MHz	Pass	PK	15.8952G	63.54	74.00	-10.46	3	Horizontal	214	2.94	-
5320MHz	Pass	AV	5.3164G	102.15	Inf	-Inf	3	Vertical	339	2.73	-
5320MHz	Pass	AV	5.35G	53.84	54.00	-0.16	3	Vertical	339	2.73	-
5320MHz	Pass	PK	5.317G	114.33	Inf	-Inf	3	Vertical	339	2.73	-
5320MHz	Pass	PK	5.3518G	68.43	74.00	-5.57	3	Vertical	339	2.73	-
5320MHz	Pass	AV	5.3212G	100.69	Inf	-Inf	3	Horizontal	312	2.72	-
5320MHz	Pass	AV	5.3506G	52.77	54.00	-1.23	3	Horizontal	312	2.72	-
5320MHz	Pass	PK	5.326G	113.40	Inf	-Inf	3	Horizontal	312	2.72	-
5320MHz	Pass	PK	5.3506G	69.40	74.00	-4.60	3	Horizontal	312	2.72	-
5320MHz	Pass	AV	10.63769G	40.85	54.00	-13.15	3	Vertical	276	1.50	-
5320MHz	Pass	AV	15.9591G	46.88	54.00	-7.12	3	Vertical	51	2.06	-
5320MHz	Pass	PK	10.63996G	53.94	74.00	-20.06	3	Vertical	276	1.50	-
5320MHz	Pass	PK	15.96042G	61.91	74.00	-12.09	3	Vertical	51	2.06	-
5320MHz	Pass	AV	10.64169G	40.86	54.00	-13.14	3	Horizontal	3	1.95	-
5320MHz	Pass	AV	15.95903G	46.89	54.00	-7.11	3	Horizontal	3	1.81	-
5320MHz	Pass	PK	10.64238G	54.31	74.00	-19.69	3	Horizontal	3	1.95	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	15.96113G	61.09	74.00	-12.91	3	Horizontal	3	1.81	-
5500MHz	Pass	AV	5.4592G	47.98	54.00	-6.02	3	Vertical	360	1.71	-
5500MHz	Pass	AV	5.4982G	98.80	Inf	-Inf	3	Vertical	360	1.71	-
5500MHz	Pass	PK	5.467G	67.72	68.20	-0.48	3	Vertical	360	1.71	-
5500MHz	Pass	PK	5.4976G	111.63	Inf	-Inf	3	Vertical	360	1.71	-
5500MHz	Pass	AV	5.4598G	48.08	54.00	-5.92	3	Horizontal	344	1.63	-
5500MHz	Pass	AV	5.4964G	99.58	Inf	-Inf	3	Horizontal	344	1.63	-
5500MHz	Pass	PK	5.4664G	65.04	68.20	-3.16	3	Horizontal	344	1.63	-
5500MHz	Pass	PK	5.4964G	111.88	Inf	-Inf	3	Horizontal	344	1.63	-
5500MHz	Pass	AV	10.9979G	40.47	54.00	-13.53	3	Vertical	337	2.25	-
5500MHz	Pass	PK	10.99772G	53.62	74.00	-20.38	3	Vertical	337	2.25	-
5500MHz	Pass	PK	16.49832G	61.86	68.20	-6.34	3	Vertical	151	2.81	-
5500MHz	Pass	AV	10.99792G	40.90	54.00	-13.10	3	Horizontal	91	2.06	-
5500MHz	Pass	PK	11.0002G	55.16	74.00	-18.84	3	Horizontal	91	2.06	-
5500MHz	Pass	PK	16.50097G	61.66	68.20	-6.54	3	Horizontal	175	2.51	-
5580MHz	Pass	AV	5.46G	50.09	54.00	-3.91	3	Vertical	5	1.65	-
5580MHz	Pass	AV	5.5776G	104.79	Inf	-Inf	3	Vertical	5	1.65	-
5580MHz	Pass	PK	5.4696G	64.58	68.20	-3.62	3	Vertical	5	1.65	-
5580MHz	Pass	PK	5.5854G	117.19	Inf	-Inf	3	Vertical	5	1.65	-
5580MHz	Pass	PK	5.7258G	61.51	68.20	-6.69	3	Vertical	5	1.65	-
5580MHz	Pass	AV	5.46G	50.13	54.00	-3.87	3	Horizontal	344	1.76	-
5580MHz	Pass	AV	5.5818G	105.97	Inf	-Inf	3	Horizontal	344	1.76	-
5580MHz	Pass	PK	5.4672G	65.71	68.20	-2.49	3	Horizontal	344	1.76	-
5580MHz	Pass	PK	5.5824G	119.31	Inf	-Inf	3	Horizontal	344	1.76	-
5580MHz	Pass	PK	5.7276G	63.31	68.20	-4.89	3	Horizontal	344	1.76	-
5580MHz	Pass	AV	11.1816G	40.88	54.00	-13.12	3	Vertical	247	1.48	-
5580MHz	Pass	PK	11.1785G	53.72	74.00	-20.28	3	Vertical	247	1.48	-
5580MHz	Pass	PK	16.7379G	66.01	68.20	-2.19	3	Vertical	177	3.00	-
5580MHz	Pass	AV	11.1837G	40.83	54.00	-13.17	3	Horizontal	0	1.38	-
5580MHz	Pass	PK	11.1436G	53.31	74.00	-20.69	3	Horizontal	0	1.38	-
5580MHz	Pass	PK	16.7493G	64.01	68.20	-4.19	3	Horizontal	217	2.75	-
5700MHz	Pass	AV	5.6982G	97.41	Inf	-Inf	3	Vertical	360	1.60	-
5700MHz	Pass	PK	5.703G	110.26	Inf	-Inf	3	Vertical	360	1.60	-
5700MHz	Pass	PK	5.7258G	65.85	68.20	-2.35	3	Vertical	360	1.60	-
5700MHz	Pass	AV	5.7072G	98.61	Inf	-Inf	3	Horizontal	342	1.62	-
5700MHz	Pass	PK	5.7042G	110.96	Inf	-Inf	3	Horizontal	342	1.62	-
5700MHz	Pass	PK	5.7264G	68.00	68.20	-0.20	3	Horizontal	342	1.62	-
5700MHz	Pass	AV	11.39802G	40.85	54.00	-13.15	3	Vertical	90	1.87	-
5700MHz	Pass	PK	11.40103G	54.30	74.00	-19.70	3	Vertical	90	1.87	-
5700MHz	Pass	PK	17.09906G	62.71	68.20	-5.49	3	Vertical	234	2.12	-
5700MHz	Pass	AV	11.39996G	40.94	54.00	-13.06	3	Horizontal	348	2.09	-
5700MHz	Pass	PK	11.40078G	54.40	74.00	-19.60	3	Horizontal	348	2.09	-
5700MHz	Pass	PK	17.09857G	62.42	68.20	-5.78	3	Horizontal	350	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	47.70	54.00	-6.30	3	Vertical	0	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7176G	102.85	Inf	-Inf	3	Vertical	0	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	62.00	68.20	-6.20	3	Vertical	0	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	114.93	Inf	-Inf	3	Vertical	0	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	62.25	68.20	-5.95	3	Vertical	0	1.64	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	47.65	54.00	-6.35	3	Horizontal	343	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7164G	104.20	Inf	-Inf	3	Horizontal	343	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	60.65	68.20	-7.55	3	Horizontal	343	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	117.40	Inf	-Inf	3	Horizontal	343	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	61.25	68.20	-6.95	3	Horizontal	343	1.85	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4364G	41.33	54.00	-12.67	3	Vertical	70	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4172G	53.92	74.00	-20.08	3	Vertical	70	1.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1559G	63.92	68.20	-4.28	3	Vertical	195	3.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4163G	40.57	54.00	-13.43	3	Horizontal	36	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4613G	53.48	74.00	-20.52	3	Horizontal	36	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1577G	63.01	68.20	-5.19	3	Horizontal	286	1.10	-
802.11ax HEW40_Nss1.(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2752G	97.59	Inf	-Inf	3	Vertical	0	1.79	-
5270MHz	Pass	AV	5.3504G	53.10	54.00	-0.90	3	Vertical	0	1.79	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	5.2752G	109.70	Inf	-Inf	3	Vertical	0	1.79	-
5270MHz	Pass	PK	5.3504G	66.70	74.00	-7.30	3	Vertical	0	1.79	-
5270MHz	Pass	AV	5.2756G	99.22	Inf	-Inf	3	Horizontal	355	1.57	-
5270MHz	Pass	AV	5.3504G	53.76	54.00	-0.24	3	Horizontal	355	1.57	-
5270MHz	Pass	PK	5.2756G	111.15	Inf	-Inf	3	Horizontal	355	1.57	-
5270MHz	Pass	PK	5.3536G	68.23	74.00	-5.77	3	Horizontal	355	1.57	-
5270MHz	Pass	AV	15.80748G	49.49	54.00	-4.51	3	Vertical	188	2.48	-
5270MHz	Pass	PK	10.53556G	56.57	68.20	-11.63	3	Vertical	153	2.93	-
5270MHz	Pass	PK	15.8112G	62.17	74.00	-11.83	3	Vertical	188	2.48	-
5270MHz	Pass	AV	15.80388G	47.89	54.00	-6.11	3	Horizontal	332	1.00	-
5270MHz	Pass	PK	10.53928G	54.87	68.20	-13.33	3	Horizontal	294	2.32	-
5270MHz	Pass	PK	15.81936G	59.93	74.00	-14.07	3	Horizontal	332	1.00	-
5310MHz	Pass	AV	5.3156G	96.52	Inf	-Inf	3	Vertical	350	3.00	-
5310MHz	Pass	AV	5.35G	53.15	54.00	-0.85	3	Vertical	350	3.00	-
5310MHz	Pass	PK	5.3152G	108.98	Inf	-Inf	3	Vertical	350	3.00	-
5310MHz	Pass	PK	5.3508G	69.15	74.00	-4.85	3	Vertical	350	3.00	-
5310MHz	Pass	AV	5.2968G	95.07	Inf	-Inf	3	Horizontal	355	1.50	-
5310MHz	Pass	AV	5.35G	52.28	54.00	-1.72	3	Horizontal	355	1.50	-
5310MHz	Pass	PK	5.3068G	107.34	Inf	-Inf	3	Horizontal	355	1.50	-
5310MHz	Pass	PK	5.3512G	69.41	74.00	-4.59	3	Horizontal	355	1.50	-
5310MHz	Pass	AV	10.61923G	42.35	54.00	-11.65	3	Vertical	113	2.77	-
5310MHz	Pass	AV	15.92907G	48.53	54.00	-5.47	3	Vertical	311	1.53	-
5310MHz	Pass	PK	10.62168G	53.93	74.00	-20.07	3	Vertical	113	2.77	-
5310MHz	Pass	PK	15.93005G	60.51	74.00	-13.49	3	Vertical	311	1.53	-
5310MHz	Pass	AV	10.62196G	42.06	54.00	-11.94	3	Horizontal	102	1.60	-
5310MHz	Pass	AV	15.92959G	48.29	54.00	-5.71	3	Horizontal	329	2.22	-
5310MHz	Pass	PK	10.61792G	54.53	74.00	-19.47	3	Horizontal	102	1.60	-
5310MHz	Pass	PK	15.93161G	60.72	74.00	-13.28	3	Horizontal	329	2.22	-
5510MHz	Pass	AV	5.4592G	48.98	54.00	-5.02	3	Vertical	356	1.87	-
5510MHz	Pass	AV	5.522G	94.25	Inf	-Inf	3	Vertical	356	1.87	-
5510MHz	Pass	PK	5.468G	66.35	68.20	-1.85	3	Vertical	356	1.87	-
5510MHz	Pass	PK	5.5196G	106.40	Inf	-Inf	3	Vertical	356	1.87	-
5510MHz	Pass	AV	5.4596G	49.51	54.00	-4.49	3	Horizontal	349	1.81	-
5510MHz	Pass	AV	5.5156G	94.19	Inf	-Inf	3	Horizontal	349	1.81	-
5510MHz	Pass	PK	5.4684G	66.94	68.20	-1.26	3	Horizontal	349	1.81	-
5510MHz	Pass	PK	5.5152G	106.61	Inf	-Inf	3	Horizontal	349	1.81	-
5510MHz	Pass	AV	11.02133G	42.04	54.00	-11.96	3	Vertical	240	2.72	-
5510MHz	Pass	PK	11.01754G	53.69	74.00	-20.31	3	Vertical	240	2.72	-
5510MHz	Pass	PK	16.52768G	62.58	68.20	-5.62	3	Vertical	46	1.31	-
5510MHz	Pass	AV	11.02068G	42.03	54.00	-11.97	3	Horizontal	291	2.18	-
5510MHz	Pass	PK	11.02072G	54.74	74.00	-19.26	3	Horizontal	291	2.18	-
5510MHz	Pass	PK	16.5317G	62.33	68.20	-5.87	3	Horizontal	312	1.46	-
5550MHz	Pass	AV	5.46G	52.88	54.00	-1.12	3	Vertical	3	1.72	-
5550MHz	Pass	AV	5.552G	99.83	Inf	-Inf	3	Vertical	3	1.72	-
5550MHz	Pass	PK	5.4696G	68.04	68.20	-0.16	3	Vertical	3	1.72	-
5550MHz	Pass	PK	5.5468G	111.81	Inf	-Inf	3	Vertical	3	1.72	-
5550MHz	Pass	AV	5.4596G	53.13	54.00	-0.87	3	Horizontal	346	1.68	-
5550MHz	Pass	AV	5.5556G	99.26	Inf	-Inf	3	Horizontal	346	1.68	-
5550MHz	Pass	PK	5.468G	67.58	68.20	-0.62	3	Horizontal	346	1.68	-
5550MHz	Pass	PK	5.5556G	111.37	Inf	-Inf	3	Horizontal	346	1.68	-
5550MHz	Pass	AV	11.08512G	42.13	54.00	-11.87	3	Vertical	133	3.00	-
5550MHz	Pass	PK	11.10042G	54.25	74.00	-19.75	3	Vertical	133	3.00	-
5550MHz	Pass	PK	16.6581G	61.84	68.20	-6.36	3	Vertical	123	1.50	-
5550MHz	Pass	AV	11.11074G	42.12	54.00	-11.88	3	Horizontal	14	1.45	-
5550MHz	Pass	PK	11.10948G	54.45	74.00	-19.55	3	Horizontal	14	1.45	-
5550MHz	Pass	PK	16.65546G	61.88	68.20	-6.32	3	Horizontal	244	1.50	-
5670MHz	Pass	AV	5.6754G	97.51	Inf	-Inf	3	Vertical	2	1.87	-
5670MHz	Pass	PK	5.667G	109.65	Inf	-Inf	3	Vertical	2	1.87	-
5670MHz	Pass	PK	5.7252G	67.32	68.20	-0.88	3	Vertical	2	1.87	-
5670MHz	Pass	AV	5.6652G	98.05	Inf	-Inf	3	Horizontal	345	1.53	-
5670MHz	Pass	PK	5.667G	110.38	Inf	-Inf	3	Horizontal	345	1.53	-
5670MHz	Pass	PK	5.73G	67.31	68.20	-0.89	3	Horizontal	345	1.53	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5670MHz	Pass	AV	11.33981G	42.54	54.00	-11.46	3	Vertical	300	2.35	-
5670MHz	Pass	PK	11.3411G	54.42	74.00	-19.58	3	Vertical	300	2.35	-
5670MHz	Pass	PK	17.0111G	63.40	68.20	-4.80	3	Vertical	54	2.48	-
5670MHz	Pass	AV	11.34177G	42.78	54.00	-11.22	3	Horizontal	106	2.14	-
5670MHz	Pass	PK	11.3395G	54.36	74.00	-19.64	3	Horizontal	106	2.14	-
5670MHz	Pass	PK	17.01051G	63.06	68.20	-5.14	3	Horizontal	272	2.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	49.91	54.00	-4.09	3	Vertical	9	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	99.17	Inf	-Inf	3	Vertical	9	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	63.75	68.20	-4.45	3	Vertical	9	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	109.85	Inf	-Inf	3	Vertical	9	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	67.14	68.20	-1.06	3	Vertical	9	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4568G	50.15	54.00	-3.85	3	Horizontal	343	1.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	99.91	Inf	-Inf	3	Horizontal	343	1.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	64.91	68.20	-3.29	3	Horizontal	343	1.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	110.27	Inf	-Inf	3	Horizontal	343	1.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	67.26	68.20	-0.94	3	Horizontal	343	1.51	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42744G	42.99	54.00	-11.01	3	Vertical	165	2.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41724G	55.04	74.00	-18.96	3	Vertical	165	2.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1261G	63.96	68.20	-4.24	3	Vertical	199	2.42	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4188G	42.74	54.00	-11.26	3	Horizontal	220	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42102G	55.27	74.00	-18.73	3	Horizontal	220	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11998G	62.69	68.20	-5.51	3	Horizontal	256	1.48	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1482G	48.45	54.00	-5.55	3	Vertical	339	2.79	-
5270MHz	Pass	AV	5.264G	100.96	Inf	-Inf	3	Vertical	339	2.79	-
5270MHz	Pass	AV	5.35G	52.37	54.00	-1.63	3	Vertical	339	2.79	-
5270MHz	Pass	PK	5.1482G	61.54	74.00	-12.46	3	Vertical	339	2.79	-
5270MHz	Pass	PK	5.2622G	114.06	Inf	-Inf	3	Vertical	339	2.79	-
5270MHz	Pass	PK	5.3522G	67.42	74.00	-6.58	3	Vertical	339	2.79	-
5270MHz	Pass	AV	5.1494G	48.86	54.00	-5.14	3	Horizontal	0	2.97	-
5270MHz	Pass	AV	5.2646G	99.41	Inf	-Inf	3	Horizontal	0	2.97	-
5270MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Horizontal	0	2.97	-
5270MHz	Pass	PK	5.1482G	62.33	74.00	-11.67	3	Horizontal	0	2.97	-
5270MHz	Pass	PK	5.2664G	112.64	Inf	-Inf	3	Horizontal	0	2.97	-
5270MHz	Pass	PK	5.3564G	69.06	74.00	-4.94	3	Horizontal	0	2.97	-
5270MHz	Pass	AV	15.81004G	45.81	54.00	-8.19	3	Vertical	73	1.45	-
5270MHz	Pass	PK	10.54075G	53.70	68.20	-14.50	3	Vertical	46	1.17	-
5270MHz	Pass	PK	15.81174G	59.02	74.00	-14.98	3	Vertical	73	1.45	-
5270MHz	Pass	AV	15.80983G	45.79	54.00	-8.21	3	Horizontal	278	2.17	-
5270MHz	Pass	PK	10.53812G	53.75	68.20	-14.45	3	Horizontal	151	1.53	-
5270MHz	Pass	PK	15.81047G	59.04	74.00	-14.96	3	Horizontal	278	2.17	-
5310MHz	Pass	AV	5.304G	96.99	Inf	-Inf	3	Vertical	343	2.39	-
5310MHz	Pass	AV	5.35G	53.67	54.00	-0.33	3	Vertical	343	2.39	-
5310MHz	Pass	PK	5.3166G	110.36	Inf	-Inf	3	Vertical	343	2.39	-
5310MHz	Pass	PK	5.35G	71.67	74.00	-2.33	3	Vertical	343	2.39	-
5310MHz	Pass	AV	5.304G	96.24	Inf	-Inf	3	Horizontal	348	1.66	-
5310MHz	Pass	AV	5.35G	53.23	54.00	-0.77	3	Horizontal	348	1.66	-
5310MHz	Pass	PK	5.3244G	109.42	Inf	-Inf	3	Horizontal	348	1.66	-
5310MHz	Pass	PK	5.3508G	71.25	74.00	-2.75	3	Horizontal	348	1.66	-
5310MHz	Pass	AV	10.62244G	40.62	54.00	-13.38	3	Vertical	57	2.62	-
5310MHz	Pass	AV	15.93075G	46.91	54.00	-7.09	3	Vertical	332	2.00	-
5310MHz	Pass	PK	10.62247G	54.06	74.00	-19.94	3	Vertical	57	2.62	-
5310MHz	Pass	PK	15.92781G	61.26	74.00	-12.74	3	Vertical	332	2.00	-
5310MHz	Pass	AV	10.62214G	40.64	54.00	-13.36	3	Horizontal	219	1.02	-
5310MHz	Pass	AV	15.93043G	46.87	54.00	-7.13	3	Horizontal	42	2.41	-
5310MHz	Pass	PK	10.62209G	54.58	74.00	-19.42	3	Horizontal	219	1.02	-
5310MHz	Pass	PK	15.92928G	60.63	74.00	-13.37	3	Horizontal	42	2.41	-
5510MHz	Pass	AV	5.459G	48.32	54.00	-5.68	3	Vertical	4	1.67	-
5510MHz	Pass	AV	5.5232G	95.83	Inf	-Inf	3	Vertical	4	1.67	-
5510MHz	Pass	PK	5.468G	66.12	68.20	-2.08	3	Vertical	4	1.67	-
5510MHz	Pass	PK	5.498G	108.20	Inf	-Inf	3	Vertical	4	1.67	-
5510MHz	Pass	AV	5.459G	48.63	54.00	-5.37	3	Horizontal	346	1.96	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.5028G	95.85	Inf	-Inf	3	Horizontal	346	1.96	-
5510MHz	Pass	PK	5.4698G	67.68	68.20	-0.52	3	Horizontal	346	1.96	-
5510MHz	Pass	PK	5.5262G	108.42	Inf	-Inf	3	Horizontal	346	1.96	-
5510MHz	Pass	AV	11.02041G	40.69	54.00	-13.31	3	Vertical	143	2.75	-
5510MHz	Pass	PK	11.01836G	53.95	74.00	-20.05	3	Vertical	143	2.75	-
5510MHz	Pass	PK	16.53057G	62.36	68.20	-5.84	3	Vertical	281	2.11	-
5510MHz	Pass	AV	11.01785G	40.69	54.00	-13.31	3	Horizontal	214	1.96	-
5510MHz	Pass	PK	11.0188G	54.34	74.00	-19.66	3	Horizontal	214	1.96	-
5510MHz	Pass	PK	16.53077G	62.49	68.20	-5.71	3	Horizontal	104	1.74	-
5550MHz	Pass	AV	5.46G	53.03	54.00	-0.97	3	Vertical	360	1.67	-
5550MHz	Pass	AV	5.553G	99.82	Inf	-Inf	3	Vertical	360	1.67	-
5550MHz	Pass	PK	5.466G	67.26	68.20	-0.94	3	Vertical	360	1.67	-
5550MHz	Pass	PK	5.544G	112.20	Inf	-Inf	3	Vertical	360	1.67	-
5550MHz	Pass	AV	5.46G	53.17	54.00	-0.83	3	Horizontal	345	1.55	-
5550MHz	Pass	AV	5.5434G	100.10	Inf	-Inf	3	Horizontal	345	1.55	-
5550MHz	Pass	PK	5.4666G	67.87	68.20	-0.33	3	Horizontal	345	1.55	-
5550MHz	Pass	PK	5.5644G	113.59	Inf	-Inf	3	Horizontal	345	1.55	-
5550MHz	Pass	AV	11.10151G	40.48	54.00	-13.52	3	Vertical	202	2.85	-
5550MHz	Pass	PK	11.0985G	54.80	74.00	-19.20	3	Vertical	202	2.85	-
5550MHz	Pass	PK	16.65026G	61.90	68.20	-6.30	3	Vertical	174	2.93	-
5550MHz	Pass	AV	11.10194G	40.50	54.00	-13.50	3	Horizontal	213	1.23	-
5550MHz	Pass	PK	11.10221G	53.99	74.00	-20.01	3	Horizontal	213	1.23	-
5550MHz	Pass	PK	16.65032G	61.83	68.20	-6.37	3	Horizontal	346	1.43	-
5670MHz	Pass	AV	5.673G	99.00	Inf	-Inf	3	Vertical	2	1.58	-
5670MHz	Pass	PK	5.6778G	111.90	Inf	-Inf	3	Vertical	2	1.58	-
5670MHz	Pass	PK	5.7264G	67.75	68.20	-0.45	3	Vertical	2	1.58	-
5670MHz	Pass	AV	5.664G	100.07	Inf	-Inf	3	Horizontal	343	1.76	-
5670MHz	Pass	PK	5.6694G	113.08	Inf	-Inf	3	Horizontal	343	1.76	-
5670MHz	Pass	PK	5.7396G	67.91	68.20	-0.29	3	Horizontal	343	1.76	-
5670MHz	Pass	AV	11.34233G	41.11	54.00	-12.89	3	Vertical	169	2.94	-
5670MHz	Pass	PK	11.34189G	54.42	74.00	-19.58	3	Vertical	169	2.94	-
5670MHz	Pass	PK	17.0089G	63.39	68.20	-4.81	3	Vertical	295	1.32	-
5670MHz	Pass	AV	11.34201G	41.22	54.00	-12.78	3	Horizontal	268	2.83	-
5670MHz	Pass	PK	11.33892G	55.75	74.00	-18.25	3	Horizontal	268	2.83	-
5670MHz	Pass	PK	17.00775G	62.92	68.20	-5.28	3	Horizontal	265	1.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	51.30	54.00	-2.70	3	Vertical	360	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7124G	101.40	Inf	-Inf	3	Vertical	360	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	65.31	68.20	-2.89	3	Vertical	360	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7076G	114.10	Inf	-Inf	3	Vertical	360	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8516G	67.13	68.20	-1.07	3	Vertical	360	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	51.53	54.00	-2.47	3	Horizontal	340	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	102.79	Inf	-Inf	3	Horizontal	340	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4616G	67.30	68.20	-0.90	3	Horizontal	340	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7136G	115.79	Inf	-Inf	3	Horizontal	340	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8552G	67.61	68.20	-0.59	3	Horizontal	340	1.59	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42108G	41.73	54.00	-12.27	3	Vertical	166	1.53	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41874G	55.13	74.00	-18.87	3	Vertical	166	1.53	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11986G	64.22	68.20	-3.98	3	Vertical	207	2.35	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42108G	41.27	54.00	-12.73	3	Horizontal	197	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.411G	54.59	74.00	-19.41	3	Horizontal	197	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1198G	62.88	68.20	-5.32	3	Horizontal	240	2.20	-
802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	48.36	54.00	-5.64	3	Vertical	345	2.50	-
5290MHz	Pass	AV	5.28G	91.63	Inf	-Inf	3	Vertical	345	2.50	-
5290MHz	Pass	AV	5.352G	52.10	54.00	-1.90	3	Vertical	345	2.50	-
5290MHz	Pass	PK	5.141G	59.12	74.00	-14.88	3	Vertical	345	2.50	-
5290MHz	Pass	PK	5.281G	102.73	Inf	-Inf	3	Vertical	345	2.50	-
5290MHz	Pass	PK	5.358G	65.08	74.00	-8.92	3	Vertical	345	2.50	-
5290MHz	Pass	AV	5.146G	48.25	54.00	-5.75	3	Horizontal	360	2.39	-
5290MHz	Pass	AV	5.299G	91.10	Inf	-Inf	3	Horizontal	360	2.39	-
5290MHz	Pass	AV	5.353G	53.53	54.00	-0.47	3	Horizontal	360	2.39	-
5290MHz	Pass	PK	5.092G	59.75	74.00	-14.25	3	Horizontal	360	2.39	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.293G	103.03	Inf	-Inf	3	Horizontal	360	2.39	-
5290MHz	Pass	PK	5.358G	69.40	74.00	-4.60	3	Horizontal	360	2.39	-
5290MHz	Pass	AV	15.86883G	47.96	54.00	-6.04	3	Vertical	32	2.78	-
5290MHz	Pass	PK	10.58001G	53.84	68.20	-14.36	3	Vertical	359	1.54	-
5290MHz	Pass	PK	15.87024G	60.12	74.00	-13.88	3	Vertical	32	2.78	-
5290MHz	Pass	AV	15.87245G	48.12	54.00	-5.88	3	Horizontal	117	1.48	-
5290MHz	Pass	PK	10.57903G	53.68	68.20	-14.52	3	Horizontal	10	1.12	-
5290MHz	Pass	PK	15.8702G	59.83	74.00	-14.17	3	Horizontal	117	1.48	-
5530MHz	Pass	AV	5.46G	50.12	54.00	-3.88	3	Vertical	360	1.42	-
5530MHz	Pass	AV	5.541G	90.96	Inf	-Inf	3	Vertical	360	1.42	-
5530MHz	Pass	PK	5.465G	65.19	68.20	-3.01	3	Vertical	360	1.42	-
5530MHz	Pass	PK	5.544G	102.76	Inf	-Inf	3	Vertical	360	1.42	-
5530MHz	Pass	PK	5.76G	60.68	68.20	-7.52	3	Vertical	360	1.42	-
5530MHz	Pass	AV	5.46G	51.07	54.00	-2.93	3	Horizontal	321	2.95	-
5530MHz	Pass	AV	5.541G	92.87	Inf	-Inf	3	Horizontal	321	2.95	-
5530MHz	Pass	PK	5.469G	67.62	68.20	-0.58	3	Horizontal	321	2.95	-
5530MHz	Pass	PK	5.532G	104.45	Inf	-Inf	3	Horizontal	321	2.95	-
5530MHz	Pass	PK	5.768G	59.63	68.20	-8.57	3	Horizontal	321	2.95	-
5530MHz	Pass	AV	11.05755G	42.12	54.00	-11.88	3	Vertical	21	2.58	-
5530MHz	Pass	PK	11.05858G	54.01	74.00	-19.99	3	Vertical	21	2.58	-
5530MHz	Pass	PK	16.59053G	62.05	68.20	-6.15	3	Vertical	152	2.05	-
5530MHz	Pass	AV	11.05884G	41.84	54.00	-12.16	3	Horizontal	163	2.77	-
5530MHz	Pass	PK	11.05891G	53.60	74.00	-20.40	3	Horizontal	163	2.77	-
5530MHz	Pass	PK	16.59248G	61.76	68.20	-6.44	3	Horizontal	274	1.52	-
5610MHz	Pass	AV	5.456G	53.09	54.00	-0.91	3	Vertical	354	1.44	-
5610MHz	Pass	AV	5.596G	95.24	Inf	-Inf	3	Vertical	354	1.44	-
5610MHz	Pass	PK	5.47G	65.47	68.20	-2.73	3	Vertical	354	1.44	-
5610MHz	Pass	PK	5.592G	107.04	Inf	-Inf	3	Vertical	354	1.44	-
5610MHz	Pass	PK	5.725G	67.31	68.20	-0.89	3	Vertical	354	1.44	-
5610MHz	Pass	AV	5.46G	53.50	54.00	-0.50	3	Horizontal	345	1.50	-
5610MHz	Pass	AV	5.601G	95.75	Inf	-Inf	3	Horizontal	345	1.50	-
5610MHz	Pass	PK	5.464G	65.58	68.20	-2.62	3	Horizontal	345	1.50	-
5610MHz	Pass	PK	5.612G	107.05	Inf	-Inf	3	Horizontal	345	1.50	-
5610MHz	Pass	PK	5.743G	66.19	68.20	-2.01	3	Horizontal	345	1.50	-
5610MHz	Pass	AV	11.22201G	42.57	54.00	-11.43	3	Vertical	345	2.81	-
5610MHz	Pass	PK	11.21936G	54.23	74.00	-19.77	3	Vertical	345	2.81	-
5610MHz	Pass	PK	16.82926G	60.77	68.20	-7.43	3	Vertical	207	1.38	-
5610MHz	Pass	AV	11.22086G	42.79	54.00	-11.21	3	Horizontal	316	1.32	-
5610MHz	Pass	PK	11.22172G	54.63	74.00	-19.37	3	Horizontal	316	1.32	-
5610MHz	Pass	PK	16.83027G	60.74	68.20	-7.46	3	Horizontal	133	1.54	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	53.34	54.00	-0.66	3	Vertical	355	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	96.46	Inf	-Inf	3	Vertical	355	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	65.60	68.20	-2.60	3	Vertical	355	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6912G	108.09	Inf	-Inf	3	Vertical	355	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8532G	65.52	68.20	-2.68	3	Vertical	355	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	52.92	54.00	-1.08	3	Horizontal	340	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	97.13	Inf	-Inf	3	Horizontal	340	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	65.14	68.20	-3.06	3	Horizontal	340	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.666G	108.94	Inf	-Inf	3	Horizontal	340	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.61	68.20	-1.59	3	Horizontal	340	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38089G	42.38	54.00	-11.62	3	Vertical	169	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37795G	54.89	74.00	-19.11	3	Vertical	169	2.09	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06757G	62.79	68.20	-5.41	3	Vertical	263	2.39	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38245G	42.65	54.00	-11.35	3	Horizontal	23	2.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38058G	54.88	74.00	-19.12	3	Horizontal	23	2.67	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07234G	63.31	68.20	-4.89	3	Horizontal	3	2.22	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.149G	48.77	54.00	-5.23	3	Vertical	338	2.39	-
5290MHz	Pass	AV	5.301G	94.48	Inf	-Inf	3	Vertical	338	2.39	-
5290MHz	Pass	AV	5.35G	53.62	54.00	-0.38	3	Vertical	338	2.39	-
5290MHz	Pass	PK	5.141G	60.79	74.00	-13.21	3	Vertical	338	2.39	-
5290MHz	Pass	PK	5.3G	107.81	Inf	-Inf	3	Vertical	338	2.39	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5290MHz	Pass	PK	5.368G	70.56	74.00	-3.44	3	Vertical	338	2.39	-
5290MHz	Pass	AV	5.149G	48.65	54.00	-5.35	3	Horizontal	349	1.86	-
5290MHz	Pass	AV	5.297G	93.44	Inf	-Inf	3	Horizontal	349	1.86	-
5290MHz	Pass	AV	5.35G	53.42	54.00	-0.58	3	Horizontal	349	1.86	-
5290MHz	Pass	PK	5.143G	61.54	74.00	-12.46	3	Horizontal	349	1.86	-
5290MHz	Pass	PK	5.282G	107.05	Inf	-Inf	3	Horizontal	349	1.86	-
5290MHz	Pass	PK	5.369G	71.66	74.00	-2.34	3	Horizontal	349	1.86	-
5290MHz	Pass	AV	15.87159G	46.60	54.00	-7.40	3	Vertical	183	2.13	-
5290MHz	Pass	PK	10.57913G	54.61	68.20	-13.59	3	Vertical	346	1.00	-
5290MHz	Pass	PK	15.87165G	60.11	74.00	-13.89	3	Vertical	183	2.13	-
5290MHz	Pass	AV	15.87127G	46.55	54.00	-7.45	3	Horizontal	318	1.62	-
5290MHz	Pass	PK	10.58125G	54.63	68.20	-13.57	3	Horizontal	286	2.59	-
5290MHz	Pass	PK	15.87047G	60.49	74.00	-13.51	3	Horizontal	318	1.62	-
5530MHz	Pass	AV	5.46G	49.10	54.00	-4.90	3	Vertical	3	1.65	-
5530MHz	Pass	AV	5.541G	93.47	Inf	-Inf	3	Vertical	3	1.65	-
5530MHz	Pass	PK	5.467G	66.75	68.20	-1.45	3	Vertical	3	1.65	-
5530MHz	Pass	PK	5.518G	106.14	Inf	-Inf	3	Vertical	3	1.65	-
5530MHz	Pass	PK	5.766G	61.50	68.20	-6.70	3	Vertical	3	1.65	-
5530MHz	Pass	AV	5.459G	48.98	54.00	-5.02	3	Horizontal	342	1.75	-
5530MHz	Pass	AV	5.543G	93.75	Inf	-Inf	3	Horizontal	342	1.75	-
5530MHz	Pass	PK	5.468G	67.61	68.20	-0.59	3	Horizontal	342	1.75	-
5530MHz	Pass	PK	5.536G	105.90	Inf	-Inf	3	Horizontal	342	1.75	-
5530MHz	Pass	PK	5.74G	60.64	68.20	-7.56	3	Horizontal	342	1.75	-
5530MHz	Pass	AV	11.05895G	40.64	54.00	-13.36	3	Vertical	70	1.76	-
5530MHz	Pass	PK	11.05769G	54.23	74.00	-19.77	3	Vertical	70	1.76	-
5530MHz	Pass	PK	16.59191G	62.16	68.20	-6.04	3	Vertical	324	1.34	-
5530MHz	Pass	AV	11.05926G	40.65	54.00	-13.35	3	Horizontal	193	1.83	-
5530MHz	Pass	PK	11.06228G	53.97	74.00	-20.03	3	Horizontal	193	1.83	-
5530MHz	Pass	PK	16.59118G	61.48	68.20	-6.72	3	Horizontal	331	2.11	-
5610MHz	Pass	AV	5.46G	51.69	54.00	-2.31	3	Vertical	356	1.50	-
5610MHz	Pass	AV	5.598G	96.43	Inf	-Inf	3	Vertical	356	1.50	-
5610MHz	Pass	PK	5.466G	64.91	68.20	-3.29	3	Vertical	356	1.50	-
5610MHz	Pass	PK	5.598G	110.10	Inf	-Inf	3	Vertical	356	1.50	-
5610MHz	Pass	PK	5.727G	66.12	68.20	-2.08	3	Vertical	356	1.50	-
5610MHz	Pass	AV	5.46G	51.74	54.00	-2.26	3	Horizontal	340	1.68	-
5610MHz	Pass	AV	5.599G	98.21	Inf	-Inf	3	Horizontal	340	1.68	-
5610MHz	Pass	PK	5.469G	65.06	68.20	-3.14	3	Horizontal	340	1.68	-
5610MHz	Pass	PK	5.603G	111.84	Inf	-Inf	3	Horizontal	340	1.68	-
5610MHz	Pass	PK	5.726G	66.91	68.20	-1.29	3	Horizontal	340	1.68	-
5610MHz	Pass	AV	11.21997G	41.12	54.00	-12.88	3	Vertical	168	1.41	-
5610MHz	Pass	PK	11.21898G	54.27	74.00	-19.73	3	Vertical	168	1.41	-
5610MHz	Pass	PK	16.82923G	61.26	68.20	-6.94	3	Vertical	276	2.71	-
5610MHz	Pass	AV	11.21755G	41.18	54.00	-12.82	3	Horizontal	100	2.18	-
5610MHz	Pass	PK	11.21971G	55.17	74.00	-18.83	3	Horizontal	100	2.18	-
5610MHz	Pass	PK	16.83129G	61.24	68.20	-6.96	3	Horizontal	196	1.85	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.91	54.00	-0.09	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.678G	98.95	Inf	-Inf	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	66.88	74.00	-7.12	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	66.56	68.20	-1.64	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.696G	110.98	Inf	-Inf	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	65.30	68.20	-2.90	3	Vertical	360	1.59	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4584G	53.83	54.00	-0.17	3	Horizontal	342	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6756G	99.78	Inf	-Inf	3	Horizontal	342	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	67.95	68.20	-0.25	3	Horizontal	342	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6804G	113.14	Inf	-Inf	3	Horizontal	342	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	66.27	68.20	-1.93	3	Horizontal	342	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36614G	41.69	54.00	-12.31	3	Vertical	190	2.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37256G	55.47	74.00	-18.53	3	Vertical	190	2.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07546G	62.82	68.20	-5.38	3	Vertical	197	2.84	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36506G	41.45	54.00	-12.55	3	Horizontal	280	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37094G	55.00	74.00	-19.00	3	Horizontal	280	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05776G	62.96	68.20	-5.24	3	Horizontal	68	2.63	-



RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW160_Nss1,(MCS0)_1TX(Por12)	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	52.73	54.00	-1.27	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2632G	88.81	Inf	-Inf	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3868G	53.77	54.00	-0.23	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1456G	62.26	74.00	-11.74	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2764G	98.83	Inf	-Inf	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3832G	65.23	74.00	-8.77	3	Vertical	344	2.40	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1432G	51.27	54.00	-2.73	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2788G	86.14	Inf	-Inf	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3832G	53.61	54.00	-0.39	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0796G	60.51	74.00	-13.49	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.274G	96.38	Inf	-Inf	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.388G	63.10	74.00	-10.90	3	Horizontal	344	1.17	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74893G	48.72	54.00	-5.28	3	Vertical	292	2.05	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.4994G	54.14	68.20	-14.06	3	Vertical	190	1.31	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75239G	59.58	74.00	-14.42	3	Vertical	292	2.05	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74957G	48.93	54.00	-5.07	3	Horizontal	296	2.99	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50042G	53.72	68.20	-14.48	3	Horizontal	344	2.31	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75143G	59.80	74.00	-14.20	3	Horizontal	296	2.99	-
5570MHz	Pass	AV	5.4524G	53.22	54.00	-0.78	3	Vertical	353	1.34	-
5570MHz	Pass	AV	5.5832G	89.08	Inf	-Inf	3	Vertical	353	1.34	-
5570MHz	Pass	PK	5.4692G	63.70	68.20	-4.50	3	Vertical	353	1.34	-
5570MHz	Pass	PK	5.5328G	98.96	Inf	-Inf	3	Vertical	353	1.34	-
5570MHz	Pass	PK	5.7524G	62.96	68.20	-5.24	3	Vertical	353	1.34	-
5570MHz	Pass	AV	5.456G	53.56	54.00	-0.44	3	Horizontal	346	1.79	-
5570MHz	Pass	AV	5.5832G	89.50	Inf	-Inf	3	Horizontal	346	1.79	-
5570MHz	Pass	PK	5.4644G	61.92	68.20	-6.28	3	Horizontal	346	1.79	-
5570MHz	Pass	PK	5.5736G	99.90	Inf	-Inf	3	Horizontal	346	1.79	-
5570MHz	Pass	PK	5.7272G	64.39	68.20	-3.81	3	Horizontal	346	1.79	-
5570MHz	Pass	AV	11.14071G	43.79	54.00	-10.21	3	Vertical	260	1.49	-
5570MHz	Pass	PK	11.14217G	54.57	74.00	-19.43	3	Vertical	260	1.49	-
5570MHz	Pass	PK	16.70848G	62.21	68.20	-5.99	3	Vertical	34	1.64	-
5570MHz	Pass	AV	11.13782G	43.79	54.00	-10.21	3	Horizontal	80	1.08	-
5570MHz	Pass	PK	11.14241G	55.32	74.00	-18.68	3	Horizontal	80	1.08	-
5570MHz	Pass	PK	16.71214G	62.94	68.20	-5.26	3	Horizontal	29	1.65	-
802.11ax HEW160_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1024G	53.46	54.00	-0.54	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2644G	91.13	Inf	-Inf	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.394G	53.80	54.00	-0.20	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1444G	65.80	74.00	-8.20	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2872G	104.27	Inf	-Inf	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3868G	70.05	74.00	-3.95	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4612G	61.88	68.20	-6.32	3	Vertical	342	2.79	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.0952G	53.10	54.00	-0.90	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1924G	90.04	Inf	-Inf	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.35G	53.00	54.00	-1.00	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1348G	67.20	74.00	-6.80	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1804G	103.55	Inf	-Inf	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3892G	69.96	74.00	-4.04	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4684G	63.21	68.20	-4.99	3	Horizontal	353	1.76	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75174G	45.74	54.00	-8.26	3	Vertical	151	1.33	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50159G	54.22	68.20	-13.98	3	Vertical	248	2.47	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.7512G	59.77	74.00	-14.23	3	Vertical	151	1.33	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.75206G	45.69	54.00	-8.31	3	Horizontal	77	2.42	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.50087G	54.15	68.20	-14.05	3	Horizontal	261	1.08	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75026G	59.45	74.00	-14.55	3	Horizontal	77	2.42	-
5570MHz	Pass	AV	5.4056G	52.16	54.00	-1.84	3	Vertical	0	1.74	-
5570MHz	Pass	AV	5.5508G	90.78	Inf	-Inf	3	Vertical	0	1.74	-
5570MHz	Pass	PK	5.462G	66.00	68.20	-2.20	3	Vertical	0	1.74	-
5570MHz	Pass	PK	5.5868G	103.38	Inf	-Inf	3	Vertical	0	1.74	-
5570MHz	Pass	PK	5.762G	65.34	68.20	-2.86	3	Vertical	0	1.74	-
5570MHz	Pass	AV	5.4032G	53.17	54.00	-0.83	3	Horizontal	342	1.78	-




RSE TX above 1GHz_Non-Beamforming_Panel

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5570MHz	Pass	AV	5.5892G	92.50	Inf	-Inf	3	Horizontal	342	1.78	-
5570MHz	Pass	PK	5.4692G	67.54	68.20	-0.66	3	Horizontal	-0	1.50	-
5570MHz	Pass	PK	5.588G	105.28	Inf	-Inf	3	Horizontal	-0	1.50	-
5570MHz	Pass	PK	5.7284G	67.24	68.20	-0.96	3	Horizontal	-0	1.50	-
5570MHz	Pass	AV	11.13753G	40.91	54.00	-13.09	3	Vertical	61	2.71	-
5570MHz	Pass	PK	11.13945G	54.67	74.00	-19.33	3	Vertical	61	2.71	-
5570MHz	Pass	PK	16.70761G	61.62	68.20	-6.58	3	Vertical	56	2.76	-
5570MHz	Pass	AV	11.13808G	40.87	54.00	-13.13	3	Horizontal	83	2.45	-
5570MHz	Pass	PK	11.13769G	54.47	74.00	-19.53	3	Horizontal	83	2.45	-
5570MHz	Pass	PK	16.71213G	62.32	68.20	-5.88	3	Horizontal	155	1.70	-

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	47.84	54.00	-6.16	8.90	3	Vertical	340	2.66	-	38.94	33.20	9.83	34.13
AV	5.2624G	105.10	Inf	-Inf	8.67	3	Vertical	340	2.66	-	96.43	32.92	9.90	34.15
AV	5.3524G	49.91	54.00	-4.09	8.51	3	Vertical	340	2.66	-	41.40	32.70	9.97	34.16
PK	5.1442G	61.19	74.00	-12.81	8.90	3	Vertical	340	2.66	-	52.29	33.20	9.83	34.13
PK	5.2648G	115.42	Inf	-Inf	8.69	3	Vertical	340	2.66	-	106.73	32.93	9.91	34.15
PK	5.3614G	63.76	74.00	-10.24	8.52	3	Vertical	340	2.66	-	55.24	32.72	9.97	34.17

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.62	54.00	-5.38	8.90	3	Horizontal	4	2.97	-	39.72	33.20	9.83	34.13
AV	5.2624G	106.52	Inf	-Inf	8.67	3	Horizontal	4	2.97	-	97.85	32.92	9.90	34.15
AV	5.3548G	50.47	54.00	-3.53	8.52	3	Horizontal	4	2.97	-	41.95	32.71	9.97	34.16
PK	5.146G	61.35	74.00	-12.65	8.90	3	Horizontal	4	2.97	-	52.45	33.20	9.83	34.13
PK	5.263G	116.96	Inf	-Inf	8.68	3	Horizontal	4	2.97	-	108.28	32.93	9.90	34.15
PK	5.3524G	64.03	74.00	-9.97	8.51	3	Horizontal	4	2.97	-	55.52	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78744G	47.29	54.00	-6.71	19.40	3	Vertical	178	3.00	-	27.89	38.11	15.86	34.57
PK	10.51744G	62.40	68.20	-5.80	16.91	3	Vertical	173	3.00	-	45.49	38.65	12.73	34.47
PK	15.77832G	60.48	74.00	-13.52	19.41	3	Vertical	178	3.00	-	41.07	38.12	15.86	34.57

802.11a_Nss1,(6Mbps)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78972G	46.99	54.00	-7.01	19.40	3	Horizontal	28	1.50	-	27.59	38.11	15.86	34.57
PK	10.51656G	57.34	68.20	-10.86	16.90	3	Horizontal	250	2.15	-	40.44	38.65	12.73	34.48
PK	15.7784G	60.15	74.00	-13.85	19.41	3	Horizontal	28	1.50	-	40.74	38.12	15.86	34.57

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	101.22	Inf	-Inf	8.78	3	Vertical	360	1.50	-	92.44	33.00	9.93	34.15
AV	5.3504G	51.65	54.00	-2.35	8.51	3	Vertical	360	1.50	-	43.14	32.70	9.97	34.16
PK	5.2976G	110.98	Inf	-Inf	8.78	3	Vertical	360	1.50	-	102.20	33.00	9.93	34.15
PK	5.3516G	67.00	74.00	-7.00	8.51	3	Vertical	360	1.50	-	58.49	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	103.35	Inf	-Inf	8.77	3	Horizontal	358	1.98	-	94.58	32.99	9.93	34.15
AV	5.35G	53.73	54.00	-0.27	8.51	3	Horizontal	358	1.98	-	45.22	32.70	9.97	34.16
PK	5.2952G	113.73	Inf	-Inf	8.77	3	Horizontal	358	1.98	-	104.96	32.99	9.93	34.15
PK	5.3504G	69.04	74.00	-4.96	8.51	3	Horizontal	358	1.98	-	60.53	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60176G	46.74	54.00	-7.26	17.26	3	Vertical	172	3.00	-	29.48	38.90	12.76	34.40
AV	15.90588G	47.98	54.00	-6.02	19.70	3	Vertical	142	1.50	-	28.28	38.39	15.95	34.64
PK	10.60136G	60.01	74.00	-13.99	17.26	3	Vertical	172	3.00	-	42.75	38.90	12.76	34.40
PK	15.90764G	61.42	74.00	-12.58	19.70	3	Vertical	142	1.50	-	41.72	38.39	15.95	34.64

802.11a_Nss1,(6Mbps)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60056G	42.70	54.00	-11.30	17.26	3	Horizontal	252	2.27	-	25.44	38.90	12.76	34.40
AV	15.90532G	48.08	54.00	-5.92	19.70	3	Horizontal	179	1.50	-	28.38	38.39	15.95	34.64
PK	10.60708G	56.02	74.00	-17.98	17.27	3	Horizontal	252	2.27	-	38.75	38.89	12.77	34.39
PK	15.89152G	61.01	74.00	-12.99	19.68	3	Horizontal	179	1.50	-	41.33	38.37	15.94	34.63

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	99.31	Inf	-Inf	8.67	3	Vertical	0	1.50	-	90.64	32.89	9.94	34.16
AV	5.35G	53.36	54.00	-0.64	8.51	3	Vertical	0	1.50	-	44.85	32.70	9.97	34.16
PK	5.3224G	108.82	Inf	-Inf	8.66	3	Vertical	0	1.50	-	100.16	32.87	9.95	34.16
PK	5.35G	70.93	74.00	-3.07	8.51	3	Vertical	0	1.50	-	62.42	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	99.55	Inf	-Inf	8.64	3	Horizontal	352	1.40	-	90.91	32.85	9.95	34.16
AV	5.35G	52.93	54.00	-1.07	8.51	3	Horizontal	352	1.40	-	44.42	32.70	9.97	34.16
PK	5.3224G	109.38	Inf	-Inf	8.66	3	Horizontal	352	1.40	-	100.72	32.87	9.95	34.16
PK	5.35G	73.39	74.00	-0.61	8.51	3	Horizontal	352	1.40	-	64.88	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63804G	42.75	54.00	-11.25	17.27	3	Vertical	161	2.25	-	25.48	38.86	12.78	34.37
AV	15.954G	48.33	54.00	-5.67	19.68	3	Vertical	168	1.90	-	28.65	38.35	15.99	34.66
PK	10.63404G	56.94	74.00	-17.06	17.28	3	Vertical	161	2.25	-	39.66	38.87	12.78	34.37
PK	15.95424G	61.42	74.00	-12.58	19.68	3	Vertical	168	1.90	-	41.74	38.35	15.99	34.66

802.11a_Nss1,(6Mbps)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63416G	42.21	54.00	-11.79	17.28	3	Horizontal	178	1.46	-	24.93	38.87	12.78	34.37
AV	15.96352G	48.36	54.00	-5.64	19.66	3	Horizontal	59	1.50	-	28.70	38.34	15.99	34.67
PK	10.64856G	54.94	74.00	-19.06	17.27	3	Horizontal	178	1.46	-	37.67	38.85	12.78	34.36
PK	15.9656G	61.62	74.00	-12.38	19.65	3	Horizontal	59	1.50	-	41.97	38.33	15.99	34.67

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.45	54.00	-6.55	8.76	3	Vertical	356	1.48	-	38.69	32.92	10.02	34.18
AV	5.5042G	99.38	Inf	-Inf	8.83	3	Vertical	356	1.48	-	90.55	32.98	10.04	34.19
PK	5.4682G	67.34	68.20	-0.86	8.78	3	Vertical	356	1.48	-	58.56	32.94	10.02	34.18
PK	5.5036G	108.59	Inf	-Inf	8.84	3	Vertical	356	1.48	-	99.75	32.99	10.04	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.72	54.00	-6.28	8.76	3	Horizontal	349	1.96	-	38.96	32.92	10.02	34.18
AV	5.4952G	100.02	Inf	-Inf	8.83	3	Horizontal	349	1.96	-	91.19	32.99	10.03	34.19
PK	5.4682G	67.01	68.20	-1.19	8.78	3	Horizontal	349	1.96	-	58.23	32.94	10.02	34.18
PK	5.4952G	109.82	Inf	-Inf	8.83	3	Horizontal	349	1.96	-	100.99	32.99	10.03	34.19

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99376G	42.31	54.00	-11.69	17.67	3	Vertical	275	1.45	-	24.64	38.80	12.92	34.05
PK	10.9934G	55.24	74.00	-18.76	17.67	3	Vertical	275	1.45	-	37.57	38.80	12.92	34.05
PK	16.49708G	62.79	68.20	-5.41	20.33	3	Vertical	312	1.50	-	42.46	38.59	16.10	34.36

802.11a_Nss1,(6Mbps)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99628G	42.15	54.00	-11.85	17.68	3	Horizontal	24	1.93	-	24.47	38.80	12.92	34.04
PK	10.99488G	55.55	74.00	-18.45	17.68	3	Horizontal	24	1.93	-	37.87	38.80	12.92	34.04
PK	16.50092G	63.12	68.20	-5.08	20.34	3	Horizontal	237	1.50	-	42.78	38.60	16.10	34.36

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.77	54.00	-4.23	8.76	3	Vertical	334	2.65	-	41.01	32.92	10.02	34.18
AV	5.5818G	106.65	Inf	-Inf	8.86	3	Vertical	334	2.65	-	97.79	32.99	10.06	34.19
PK	5.466G	66.77	68.20	-1.43	8.77	3	Vertical	334	2.65	-	58.00	32.93	10.02	34.18
PK	5.5836G	117.98	Inf	-Inf	8.86	3	Vertical	334	2.65	-	109.12	33.00	10.06	34.20
PK	5.7264G	59.46	68.20	-8.74	9.50	3	Vertical	334	2.65	-	49.96	33.56	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)

5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4558G	48.78	54.00	-5.22	8.75	3	Horizontal	339	1.50	-	40.03	32.91	10.02	34.18
AV	5.5824G	105.26	Inf	-Inf	8.86	3	Horizontal	339	1.50	-	96.40	32.99	10.06	34.19
PK	5.4672G	62.79	68.20	-5.41	8.77	3	Horizontal	339	1.50	-	54.02	32.93	10.02	34.18
PK	5.5794G	115.92	Inf	-Inf	8.85	3	Horizontal	339	1.50	-	107.07	32.98	10.06	34.19
PK	5.7288G	60.62	68.20	-7.58	9.51	3	Horizontal	339	1.50	-	51.11	33.57	10.14	34.20