


802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1648G	42.28	54.00	-11.72	17.79	3	Vertical	201	1.01	-	24.49	38.86	12.98	34.05
PK	11.1662G	54.89	74.00	-19.11	17.80	3	Vertical	201	1.01	-	37.09	38.87	12.98	34.05
PK	16.73116G	62.59	68.20	-5.61	20.97	3	Vertical	16	1.50	-	41.62	38.71	16.14	33.88

802.11a_Nss1,(6Mbps)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1534G	42.09	54.00	-11.91	17.78	3	Horizontal	36	1.27	-	24.31	38.85	12.98	34.05
PK	11.16752G	54.96	74.00	-19.04	17.81	3	Horizontal	36	1.27	-	37.15	38.87	12.99	34.05
PK	16.7352G	63.12	68.20	-5.08	20.95	3	Horizontal	360	1.50	-	42.17	38.69	16.14	33.88

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6936G	99.36	Inf	-Inf	9.31	3	Vertical	354	1.33	-	90.05	33.39	10.12	34.20
PK	5.6928G	108.49	Inf	-Inf	9.31	3	Vertical	354	1.33	-	99.18	33.39	10.12	34.20
PK	5.7264G	66.53	68.20	-1.67	9.50	3	Vertical	354	1.33	-	57.03	33.56	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.694G	99.76	Inf	-Inf	9.31	3	Horizontal	340	1.36	-	90.45	33.39	10.12	34.20
PK	5.6932G	110.01	Inf	-Inf	9.31	3	Horizontal	340	1.36	-	100.70	33.39	10.12	34.20
PK	5.7264G	68.05	68.20	-0.15	9.50	3	Horizontal	340	1.36	-	58.55	33.56	10.14	34.20

802.11a_Nss1,(6Mbps)_1TX(Port2)


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39756G	42.55	54.00	-11.45	18.12	3	Vertical	0	1.50	-	24.43	39.10	13.08	34.06
PK	11.39796G	55.42	74.00	-18.58	18.12	3	Vertical	0	1.50	-	37.30	39.10	13.08	34.06
PK	17.10964G	63.66	68.20	-4.54	21.30	3	Vertical	178	2.92	-	42.36	38.40	16.20	33.30


802.11a_Nss1,(6Mbps)_1TX(Port2)

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.392G	42.47	54.00	-11.53	18.11	3	Horizontal	244	1.17	-	24.36	39.10	13.07	34.06
PK	11.40204G	55.43	74.00	-18.57	18.12	3	Horizontal	244	1.17	-	37.31	39.10	13.08	34.06
PK	17.10344G	63.18	68.20	-5.02	21.30	3	Horizontal	0	1.92	-	41.88	38.40	16.20	33.30

802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	47.61	54.00	-6.39	8.72	3	Vertical	354	1.34	-	38.89	32.89	10.01	34.18
AV	5.7224G	103.22	Inf	-Inf	9.47	3	Vertical	354	1.34	-	93.75	33.53	10.14	34.20
PK	5.4608G	58.70	68.20	-9.50	8.76	3	Vertical	354	1.34	-	49.94	32.92	10.02	34.18
PK	5.7164G	113.62	Inf	-Inf	9.43	3	Vertical	354	1.34	-	104.19	33.50	10.13	34.20
PK	5.9588G	60.54	68.20	-7.66	10.33	3	Vertical	354	1.34	-	50.21	34.25	10.30	34.22

802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.55	54.00	-6.45	8.76	3	Horizontal	337	1.50	-	38.79	32.92	10.02	34.18
AV	5.7224G	104.37	Inf	-Inf	9.47	3	Horizontal	337	1.50	-	94.90	33.53	10.14	34.20
PK	5.4632G	58.16	68.20	-10.04	8.77	3	Horizontal	337	1.50	-	49.39	32.93	10.02	34.18
PK	5.714G	115.14	Inf	-Inf	9.41	3	Horizontal	337	1.50	-	105.73	33.48	10.13	34.20
PK	5.8544G	60.96	68.20	-7.24	10.11	3	Horizontal	337	1.50	-	50.85	34.10	10.22	34.21

802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4364G	42.79	54.00	-11.21	18.06	3	Vertical	185	2.56	-	24.73	39.03	13.09	34.06
PK	11.43568G	55.72	74.00	-18.28	18.06	3	Vertical	185	2.56	-	37.66	39.03	13.09	34.06
PK	17.1506G	63.63	68.20	-4.57	21.31	3	Vertical	207	2.02	-	42.32	38.40	16.20	33.29


802.11a_Nss1,(6Mbps)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44268G	42.47	54.00	-11.53	18.04	3	Horizontal	153	1.49	-	24.43	39.01	13.09	34.06
PK	11.44608G	55.50	74.00	-18.50	18.04	3	Horizontal	153	1.49	-	37.46	39.01	13.09	34.06
PK	17.15608G	62.95	68.20	-5.25	21.31	3	Horizontal	42	2.50	-	41.64	38.40	16.20	33.29

802.11a_Nss1,(6Mbps)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1412G	49.31	54.00	-4.69	8.90	3	Vertical	343	2.79	-	40.41	33.20	9.83	34.13
AV	5.263G	109.77	Inf	-Inf	8.68	3	Vertical	343	2.79	-	101.09	32.93	9.90	34.15
AV	5.35G	52.77	54.00	-1.23	8.51	3	Vertical	343	2.79	-	44.26	32.70	9.97	34.16
PK	5.1442G	64.83	74.00	-9.17	8.90	3	Vertical	343	2.79	-	55.93	33.20	9.83	34.13
PK	5.263G	120.38	Inf	-Inf	8.68	3	Vertical	343	2.79	-	111.70	32.93	9.90	34.15
PK	5.356G	67.11	74.00	-6.89	8.52	3	Vertical	343	2.79	-	58.59	32.71	9.97	34.16


802.11a_Nss1,(6Mbps)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.71	54.00	-4.29	8.90	3	Horizontal	352	2.79	-	40.81	33.20	9.83	34.13
AV	5.2666G	106.22	Inf	-Inf	8.69	3	Horizontal	352	2.79	-	97.53	32.93	9.91	34.15
AV	5.353G	51.81	54.00	-2.19	8.52	3	Horizontal	352	2.79	-	43.29	32.71	9.97	34.16
PK	5.1388G	63.79	74.00	-10.21	8.91	3	Horizontal	352	2.79	-	54.88	33.20	9.83	34.12
PK	5.266G	116.88	Inf	-Inf	8.69	3	Horizontal	352	2.79	-	108.19	32.93	9.91	34.15
PK	5.353G	68.38	74.00	-5.62	8.52	3	Horizontal	352	2.79	-	59.86	32.71	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7803G	50.90	54.00	-3.10	19.41	3	Vertical	179	2.88	-	31.49	38.12	15.86	34.57
PK	10.51844G	61.26	68.20	-6.94	16.92	3	Vertical	179	1.59	-	44.34	38.66	12.73	34.47
PK	15.77982G	64.25	74.00	-9.75	19.41	3	Vertical	179	2.88	-	44.84	38.12	15.86	34.57


802.11a_Nss1,(6Mbps)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77616G	49.89	54.00	-4.11	19.41	3	Horizontal	182	3.00	-	30.48	38.12	15.85	34.56
PK	10.51328G	57.14	68.20	-11.06	16.89	3	Horizontal	171	1.50	-	40.25	38.64	12.73	34.48
PK	15.78204G	62.96	74.00	-11.04	19.41	3	Horizontal	182	3.00	-	43.55	38.12	15.86	34.57

802.11a_Nss1,(6Mbps)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	105.87	Inf	-Inf	8.77	3	Vertical	346	2.18	-	97.10	32.99	9.93	34.15
AV	5.3528G	50.51	54.00	-3.49	8.52	3	Vertical	346	2.18	-	41.99	32.71	9.97	34.16
PK	5.2976G	115.20	Inf	-Inf	8.78	3	Vertical	346	2.18	-	106.42	33.00	9.93	34.15
PK	5.3522G	67.94	74.00	-6.06	8.51	3	Vertical	346	2.18	-	59.43	32.70	9.97	34.16


802.11a_Nss1,(6Mbps)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3042G	105.95	Inf	-Inf	8.75	3	Horizontal	348	1.69	-	97.20	32.97	9.93	34.15
AV	5.35G	51.58	54.00	-2.42	8.51	3	Horizontal	348	1.69	-	43.07	32.70	9.97	34.16
PK	5.3042G	114.98	Inf	-Inf	8.75	3	Horizontal	348	1.69	-	106.23	32.97	9.93	34.15
PK	5.35G	68.81	74.00	-5.19	8.51	3	Horizontal	348	1.69	-	60.30	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90036G	53.89	54.00	-0.11	19.72	3	Vertical	211	2.30	-	34.17	38.40	15.95	34.63
PK	10.59376G	59.34	68.20	-8.86	17.23	3	Vertical	151	3.00	-	42.11	38.88	12.76	34.41
PK	15.89994G	67.32	74.00	-6.68	19.72	3	Vertical	211	2.30	-	47.60	38.40	15.95	34.63


802.11a_Nss1,(6Mbps)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90438G	49.76	54.00	-4.24	19.71	3	Horizontal	197	1.87	-	30.05	38.40	15.95	34.64
PK	10.59262G	55.14	68.20	-13.06	17.23	3	Horizontal	246	2.50	-	37.91	38.88	12.76	34.41
PK	15.90468G	62.88	74.00	-11.12	19.71	3	Horizontal	197	1.87	-	43.17	38.40	15.95	34.64

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	102.60	Inf	-Inf	8.66	3	Vertical	360	1.77	-	93.94	32.87	9.95	34.16
AV	5.3506G	51.60	54.00	-2.40	8.51	3	Vertical	360	1.77	-	43.09	32.70	9.97	34.16
PK	5.3212G	111.94	Inf	-Inf	8.65	3	Vertical	360	1.77	-	103.29	32.87	9.94	34.16
PK	5.3512G	70.12	74.00	-3.88	8.51	3	Vertical	360	1.77	-	61.61	32.70	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	104.32	Inf	-Inf	8.64	3	Horizontal	349	1.98	-	95.68	32.85	9.95	34.16
AV	5.35G	52.99	54.00	-1.01	8.51	3	Horizontal	349	1.98	-	44.48	32.70	9.97	34.16
PK	5.3248G	113.38	Inf	-Inf	8.64	3	Horizontal	349	1.98	-	104.74	32.85	9.95	34.16
PK	5.3536G	71.60	74.00	-2.40	8.52	3	Horizontal	349	1.98	-	63.08	32.71	9.97	34.16

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64071G	41.55	54.00	-12.45	17.28	3	Vertical	115	2.12	-	24.27	38.86	12.78	34.36
AV	15.9621G	47.65	54.00	-6.35	19.66	3	Vertical	125	1.69	-	27.99	38.34	15.99	34.67
PK	10.63904G	54.90	74.00	-19.10	17.28	3	Vertical	115	2.12	-	37.62	38.86	12.78	34.36
PK	15.96039G	61.22	74.00	-12.78	19.66	3	Vertical	125	1.69	-	41.56	38.34	15.99	34.67

802.11a_Nss1,(6Mbps)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64125G	41.66	54.00	-12.34	17.28	3	Horizontal	295	2.83	-	24.38	38.86	12.78	34.36
AV	15.96078G	47.44	54.00	-6.56	19.66	3	Horizontal	237	1.91	-	27.78	38.34	15.99	34.67
PK	10.63992G	55.25	74.00	-18.75	17.28	3	Horizontal	295	2.83	-	37.97	38.86	12.78	34.36
PK	15.9595G	60.37	74.00	-13.63	19.66	3	Horizontal	237	1.91	-	40.71	38.34	15.99	34.67

802.11a_Nss1,(6Mbps)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	47.49	54.00	-6.51	8.76	3	Vertical	360	1.76	-	38.73	32.92	10.02	34.18
AV	5.5054G	101.28	Inf	-Inf	8.83	3	Vertical	360	1.76	-	92.45	32.98	10.04	34.19
PK	5.467G	65.34	68.20	-2.86	8.77	3	Vertical	360	1.76	-	56.57	32.93	10.02	34.18
PK	5.5012G	110.69	Inf	-Inf	8.85	3	Vertical	360	1.76	-	101.84	33.00	10.04	34.19


802.11a_Nss1,(6Mbps)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3956G	47.69	54.00	-6.31	8.62	3	Horizontal	344	1.91	-	39.07	32.79	10.00	34.17
AV	5.5042G	102.70	Inf	-Inf	8.83	3	Horizontal	344	1.91	-	93.87	32.98	10.04	34.19
PK	5.47G	67.78	68.20	-0.42	8.78	3	Horizontal	344	1.91	-	59.00	32.94	10.02	34.18
PK	5.5036G	112.03	Inf	-Inf	8.84	3	Horizontal	344	1.91	-	103.19	32.99	10.04	34.19

802.11a_Nss1,(6Mbps)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9976G	41.02	54.00	-12.98	17.68	3	Vertical	237	2.25	-	23.34	38.80	12.92	34.04
PK	10.99994G	53.81	74.00	-20.19	17.68	3	Vertical	237	2.25	-	36.13	38.80	12.92	34.04
PK	16.49906G	62.04	68.20	-6.16	20.34	3	Vertical	278	2.38	-	41.70	38.60	16.10	34.36


802.11a_Nss1,(6Mbps)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99823G	41.40	54.00	-12.60	17.68	3	Horizontal	147	1.89	-	23.72	38.80	12.92	34.04
PK	11.00043G	54.13	74.00	-19.87	17.68	3	Horizontal	147	1.89	-	36.45	38.80	12.92	34.04
PK	16.49928G	61.62	68.20	-6.58	20.34	3	Horizontal	259	1.98	-	41.28	38.60	16.10	34.36

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.47	54.00	-4.53	8.76	3	Vertical	360	1.84	-	40.71	32.92	10.02	34.18
AV	5.5812G	108.51	Inf	-Inf	8.86	3	Vertical	360	1.84	-	99.65	32.99	10.06	34.19
PK	5.463G	64.21	68.20	-3.99	8.77	3	Vertical	360	1.84	-	55.44	32.93	10.02	34.18
PK	5.5812G	118.90	Inf	-Inf	8.86	3	Vertical	360	1.84	-	110.04	32.99	10.06	34.19
PK	5.7276G	61.20	68.20	-7.00	9.51	3	Vertical	360	1.84	-	51.69	33.57	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.51	54.00	-4.49	8.76	3	Horizontal	341	1.76	-	40.75	32.92	10.02	34.18
AV	5.5782G	110.20	Inf	-Inf	8.84	3	Horizontal	341	1.76	-	101.36	32.97	10.06	34.19
PK	5.466G	67.32	68.20	-0.88	8.77	3	Horizontal	341	1.76	-	58.55	32.93	10.02	34.18
PK	5.583G	121.00	Inf	-Inf	8.87	3	Horizontal	341	1.76	-	112.13	33.00	10.06	34.19
PK	5.7252G	60.56	68.20	-7.64	9.49	3	Horizontal	341	1.76	-	51.07	33.55	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16384G	41.97	54.00	-12.03	17.79	3	Vertical	161	2.34	-	24.18	38.86	12.98	34.05
PK	11.1654G	55.21	74.00	-18.79	17.80	3	Vertical	161	2.34	-	37.41	38.87	12.98	34.05
PK	16.7436G	65.09	68.20	-3.11	20.92	3	Vertical	164	3.00	-	44.17	38.64	16.14	33.86

802.11a_Nss1,(6Mbps)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15808G	41.74	54.00	-12.26	17.79	3	Horizontal	44	1.66	-	23.95	38.86	12.98	34.05
PK	11.14842G	54.38	74.00	-19.62	17.78	3	Horizontal	44	1.66	-	36.60	38.85	12.98	34.05
PK	16.74036G	62.45	68.20	-5.75	20.94	3	Horizontal	234	2.83	-	41.51	38.66	16.14	33.86

802.11a_Nss1,(6Mbps)_2TX


5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	101.65	Inf	-Inf	9.31	3	Vertical	360	1.56	-	92.34	33.39	10.12	34.20
PK	5.6958G	110.92	Inf	-Inf	9.31	3	Vertical	360	1.56	-	101.61	33.39	10.12	34.20
PK	5.7264G	68.04	68.20	-0.16	9.50	3	Vertical	360	1.56	-	58.54	33.56	10.14	34.20


802.11a_Nss1,(6Mbps)_2TX

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6982G	103.18	Inf	-Inf	9.32	3	Horizontal	341	1.88	-	93.86	33.40	10.12	34.20
PK	5.6934G	112.62	Inf	-Inf	9.31	3	Horizontal	341	1.88	-	103.31	33.39	10.12	34.20
PK	5.7294G	68.06	68.20	-0.14	9.52	3	Horizontal	341	1.88	-	58.54	33.58	10.14	34.20

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39996G	41.34	54.00	-12.66	18.12	3	Vertical	1	1.27	-	23.22	39.10	13.08	34.06
PK	11.39929G	54.05	74.00	-19.95	18.12	3	Vertical	1	1.27	-	35.93	39.10	13.08	34.06
PK	17.10031G	62.70	68.20	-5.50	21.30	3	Vertical	102	1.28	-	41.40	38.40	16.20	33.30

802.11a_Nss1,(6Mbps)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39837G	41.40	54.00	-12.60	18.12	3	Horizontal	342	2.50	-	23.28	39.10	13.08	34.06
PK	11.40059G	54.55	74.00	-19.45	18.12	3	Horizontal	342	2.50	-	36.43	39.10	13.08	34.06
PK	17.10052G	62.31	68.20	-5.89	21.30	3	Horizontal	139	1.18	-	41.01	38.40	16.20	33.30

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4464G	47.82	54.00	-6.18	8.73	3	Vertical	360	1.63	-	39.09	32.89	10.02	34.18
AV	5.7212G	106.21	Inf	-Inf	9.47	3	Vertical	360	1.63	-	96.74	33.53	10.14	34.20
PK	5.4608G	58.84	68.20	-9.36	8.76	3	Vertical	360	1.63	-	50.08	32.92	10.02	34.18
PK	5.7152G	116.73	Inf	-Inf	9.42	3	Vertical	360	1.63	-	107.31	33.49	10.13	34.20
PK	5.9684G	60.29	68.20	-7.91	10.28	3	Vertical	360	1.63	-	50.01	34.19	10.31	34.22

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.92	54.00	-6.08	8.76	3	Horizontal	343	1.79	-	39.16	32.92	10.02	34.18
AV	5.7188G	107.41	Inf	-Inf	9.45	3	Horizontal	343	1.79	-	97.96	33.51	10.14	34.20
PK	5.468G	60.35	68.20	-7.85	8.78	3	Horizontal	343	1.79	-	51.57	32.94	10.02	34.18
PK	5.7236G	118.17	Inf	-Inf	9.48	3	Horizontal	343	1.79	-	108.69	33.54	10.14	34.20
PK	5.858G	61.42	68.20	-6.78	10.11	3	Horizontal	343	1.79	-	51.31	34.10	10.22	34.21

802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44102G	43.32	54.00	-10.68	18.05	3	Vertical	165	1.50	-	25.27	39.02	13.09	34.06
PK	11.44582G	56.96	74.00	-17.04	18.04	3	Vertical	165	1.50	-	38.92	39.01	13.09	34.06
PK	17.16378G	66.54	68.20	-1.66	21.32	3	Vertical	210	2.84	-	45.22	38.40	16.21	33.29


802.11a_Nss1,(6Mbps)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44024G	42.17	54.00	-11.83	18.05	3	Horizontal	193	1.87	-	24.12	39.02	13.09	34.06
PK	11.43232G	55.32	74.00	-18.68	18.07	3	Horizontal	193	1.87	-	37.25	39.04	13.09	34.06
PK	17.16102G	62.73	68.20	-5.47	21.32	3	Horizontal	195	2.57	-	41.41	38.40	16.21	33.29

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.02	54.00	-4.98	8.90	3	Vertical	341	2.52	-	40.12	33.20	9.83	34.13
AV	5.2654G	104.57	Inf	-Inf	8.69	3	Vertical	341	2.52	-	95.88	32.93	9.91	34.15
AV	5.3566G	49.57	54.00	-4.43	8.52	3	Vertical	341	2.52	-	41.05	32.71	9.97	34.16
PK	5.1484G	61.38	74.00	-12.62	8.90	3	Vertical	341	2.52	-	52.48	33.20	9.83	34.13
PK	5.257G	117.43	Inf	-Inf	8.66	3	Vertical	341	2.52	-	108.77	32.91	9.90	34.15
PK	5.35G	62.98	74.00	-11.02	8.51	3	Vertical	341	2.52	-	54.47	32.70	9.97	34.16


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.61	54.00	-4.39	8.90	3	Horizontal	360	2.97	-	40.71	33.20	9.83	34.13
AV	5.2654G	106.26	Inf	-Inf	8.69	3	Horizontal	360	2.97	-	97.57	32.93	9.91	34.15
AV	5.3524G	51.13	54.00	-2.87	8.51	3	Horizontal	360	2.97	-	42.62	32.70	9.97	34.16
PK	5.149G	60.77	74.00	-13.23	8.90	3	Horizontal	360	2.97	-	51.87	33.20	9.83	34.13
PK	5.257G	118.93	Inf	-Inf	8.66	3	Horizontal	360	2.97	-	110.27	32.91	9.90	34.15
PK	5.3566G	65.45	74.00	-8.55	8.52	3	Horizontal	360	2.97	-	56.93	32.71	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77312G	46.86	54.00	-7.14	19.42	3	Vertical	136	2.77	-	27.44	38.13	15.85	34.56
PK	10.5166G	57.99	68.20	-10.21	16.90	3	Vertical	182	1.45	-	41.09	38.65	12.73	34.48
PK	15.78572G	59.66	74.00	-14.34	19.40	3	Vertical	136	2.77	-	40.26	38.11	15.86	34.57


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77276G	46.88	54.00	-7.12	19.42	3	Horizontal	79	1.55	-	27.46	38.13	15.85	34.56
PK	10.51408G	57.15	68.20	-11.05	16.89	3	Horizontal	250	2.17	-	40.26	38.64	12.73	34.48
PK	15.77732G	59.69	74.00	-14.31	19.41	3	Horizontal	79	1.55	-	40.28	38.12	15.86	34.57

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2982G	103.12	Inf	-Inf	8.78	3	Vertical	338	2.49	-	94.34	33.00	9.93	34.15
AV	5.35G	53.19	54.00	-0.81	8.51	3	Vertical	338	2.49	-	44.68	32.70	9.97	34.16
PK	5.297G	116.06	Inf	-Inf	8.77	3	Vertical	338	2.49	-	107.29	32.99	9.93	34.15
PK	5.351G	69.31	74.00	-4.69	8.51	3	Vertical	338	2.49	-	60.80	32.70	9.97	34.16


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2982G	102.85	Inf	-Inf	8.78	3	Horizontal	360	2.80	-	94.07	33.00	9.93	34.15
AV	5.3504G	53.23	54.00	-0.77	8.51	3	Horizontal	360	2.80	-	44.72	32.70	9.97	34.16
PK	5.3012G	114.97	Inf	-Inf	8.77	3	Horizontal	360	2.80	-	106.20	32.99	9.93	34.15
PK	5.35G	68.41	74.00	-5.59	8.51	3	Horizontal	360	2.80	-	59.90	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90488G	48.04	54.00	-5.96	19.71	3	Vertical	202	1.89	-	28.33	38.40	15.95	34.64
PK	10.59796G	56.61	68.20	-11.59	17.25	3	Vertical	182	1.58	-	39.36	38.89	12.76	34.40
PK	15.90848G	61.42	74.00	-12.58	19.70	3	Vertical	202	1.89	-	41.72	38.39	15.95	34.64


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90564G	47.97	54.00	-6.03	19.70	3	Horizontal	27	1.40	-	28.27	38.39	15.95	34.64
PK	10.598G	56.22	68.20	-11.98	17.25	3	Horizontal	251	2.19	-	38.97	38.89	12.76	34.40
PK	15.89636G	60.44	74.00	-13.56	19.70	3	Horizontal	27	1.40	-	40.74	38.39	15.94	34.63

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	100.23	Inf	-Inf	8.65	3	Vertical	338	2.38	-	91.58	32.86	9.95	34.16
AV	5.35G	52.85	54.00	-1.15	8.51	3	Vertical	338	2.38	-	44.34	32.70	9.97	34.16
PK	5.317G	112.56	Inf	-Inf	8.68	3	Vertical	338	2.38	-	103.88	32.90	9.94	34.16
PK	5.35G	73.31	74.00	-0.69	8.51	3	Vertical	338	2.38	-	64.80	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3182G	100.77	Inf	-Inf	8.67	3	Horizontal	360	2.91	-	92.10	32.89	9.94	34.16
AV	5.35G	52.98	54.00	-1.02	8.51	3	Horizontal	360	2.91	-	44.47	32.70	9.97	34.16
PK	5.317G	113.76	Inf	-Inf	8.68	3	Horizontal	360	2.91	-	105.08	32.90	9.94	34.16
PK	5.35G	73.65	74.00	-0.35	8.51	3	Horizontal	360	2.91	-	65.14	32.70	9.97	34.16

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63812G	43.13	54.00	-10.87	17.27	3	Vertical	171	2.94	-	25.86	38.86	12.78	34.37
AV	15.97G	48.69	54.00	-5.31	19.66	3	Vertical	37	1.09	-	29.03	38.33	16.00	34.67
PK	10.6452G	56.21	74.00	-17.79	17.27	3	Vertical	171	2.94	-	38.94	38.85	12.78	34.36
PK	15.95488G	60.67	74.00	-13.33	19.68	3	Vertical	37	1.09	-	40.99	38.35	15.99	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63796G	42.19	54.00	-11.81	17.27	3	Horizontal	301	1.00	-	24.92	38.86	12.78	34.37
AV	15.96312G	48.39	54.00	-5.61	19.66	3	Horizontal	31	1.01	-	28.73	38.34	15.99	34.67
PK	10.63652G	55.59	74.00	-18.41	17.27	3	Horizontal	301	1.00	-	38.32	38.86	12.78	34.37
PK	15.9502G	61.02	74.00	-12.98	19.67	3	Horizontal	31	1.01	-	41.35	38.35	15.98	34.66

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.82	54.00	-6.18	8.76	3	Vertical	338	2.59	-	39.06	32.92	10.02	34.18
AV	5.4928G	99.39	Inf	-Inf	8.83	3	Vertical	338	2.59	-	90.56	32.99	10.03	34.19
PK	5.4688G	67.97	68.20	-0.23	8.78	3	Vertical	338	2.59	-	59.19	32.94	10.02	34.18
PK	5.4976G	110.77	Inf	-Inf	8.84	3	Vertical	338	2.59	-	101.93	33.00	10.03	34.19


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.398G	47.54	54.00	-6.46	8.63	3	Horizontal	360	3.00	-	38.91	32.80	10.00	34.17
AV	5.4928G	98.90	Inf	-Inf	8.83	3	Horizontal	360	3.00	-	90.07	32.99	10.03	34.19
PK	5.47G	68.05	68.20	-0.15	8.78	3	Horizontal	360	3.00	-	59.27	32.94	10.02	34.18
PK	5.497G	112.00	Inf	-Inf	8.83	3	Horizontal	360	3.00	-	103.17	32.99	10.03	34.19

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9962G	42.12	54.00	-11.88	17.68	3	Vertical	-0	1.50	-	24.44	38.80	12.92	34.04
PK	11.0018G	54.54	74.00	-19.46	17.68	3	Vertical	-0	1.50	-	36.86	38.80	12.92	34.04
PK	16.49252G	62.28	68.20	-5.92	20.32	3	Vertical	129	1.07	-	41.96	38.58	16.10	34.36


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00812G	42.19	54.00	-11.81	17.68	3	Horizontal	152	1.50	-	24.51	38.80	12.92	34.04
PK	10.99988G	55.18	74.00	-18.82	17.68	3	Horizontal	152	1.50	-	37.50	38.80	12.92	34.04
PK	16.49328G	62.24	68.20	-5.96	20.32	3	Horizontal	210	1.68	-	41.92	38.58	16.10	34.36

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	51.27	54.00	-2.73	8.76	3	Vertical	333	2.66	-	42.51	32.92	10.02	34.18
AV	5.5812G	105.85	Inf	-Inf	8.86	3	Vertical	333	2.66	-	96.99	32.99	10.06	34.19
PK	5.466G	66.14	68.20	-2.06	8.77	3	Vertical	333	2.66	-	57.37	32.93	10.02	34.18
PK	5.5812G	117.84	Inf	-Inf	8.86	3	Vertical	333	2.66	-	108.98	32.99	10.06	34.19
PK	5.7282G	61.68	68.20	-6.52	9.51	3	Vertical	333	2.66	-	52.17	33.57	10.14	34.20


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	50.51	54.00	-3.49	8.76	3	Horizontal	340	1.50	-	41.75	32.92	10.02	34.18
AV	5.5812G	104.33	Inf	-Inf	8.86	3	Horizontal	340	1.50	-	95.47	32.99	10.06	34.19
PK	5.4696G	67.02	68.20	-1.18	8.78	3	Horizontal	340	1.50	-	58.24	32.94	10.02	34.18
PK	5.5794G	116.21	Inf	-Inf	8.85	3	Horizontal	340	1.50	-	107.36	32.98	10.06	34.19
PK	5.7252G	61.61	68.20	-6.59	9.49	3	Horizontal	340	1.50	-	52.12	33.55	10.14	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1634G	42.16	54.00	-11.84	17.79	3	Vertical	160	1.00	-	24.37	38.86	12.98	34.05
PK	11.16024G	54.88	74.00	-19.12	17.79	3	Vertical	160	1.00	-	37.09	38.86	12.98	34.05
PK	16.74872G	62.94	68.20	-5.26	20.90	3	Vertical	289	3.00	-	42.04	38.61	16.14	33.85

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16264G	42.03	54.00	-11.97	17.79	3	Horizontal	231	1.50	-	24.24	38.86	12.98	34.05
PK	11.16068G	55.18	74.00	-18.82	17.79	3	Horizontal	231	1.50	-	37.39	38.86	12.98	34.05
PK	16.7334G	63.04	68.20	-5.16	20.96	3	Horizontal	3	2.71	-	42.08	38.70	16.14	33.88

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	96.23	Inf	-Inf	9.31	3	Vertical	354	1.33	-	86.92	33.39	10.12	34.20
PK	5.6922G	109.42	Inf	-Inf	9.30	3	Vertical	354	1.33	-	100.12	33.38	10.12	34.20
PK	5.7258G	66.97	68.20	-1.23	9.49	3	Vertical	354	1.33	-	57.48	33.55	10.14	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7048G	96.40	Inf	-Inf	9.36	3	Horizontal	340	1.36	-	87.04	33.43	10.13	34.20
PK	5.697G	108.91	Inf	-Inf	9.31	3	Horizontal	340	1.36	-	99.60	33.39	10.12	34.20
PK	5.7252G	67.14	68.20	-1.06	9.49	3	Horizontal	340	1.36	-	57.65	33.55	10.14	34.20

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41476G	41.51	54.00	-12.49	18.09	3	Vertical	166	1.75	-	23.42	39.07	13.08	34.06
PK	11.39952G	54.47	74.00	-19.53	18.12	3	Vertical	166	1.75	-	36.35	39.10	13.08	34.06
PK	17.09874G	62.19	68.20	-6.01	21.30	3	Vertical	282	1.50	-	40.89	38.40	16.20	33.30


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.388G	41.51	54.00	-12.49	18.11	3	Horizontal	200	1.50	-	23.40	39.10	13.07	34.06
PK	11.39934G	54.22	74.00	-19.78	18.12	3	Horizontal	200	1.50	-	36.10	39.10	13.08	34.06
PK	17.10306G	61.95	68.20	-6.25	21.30	3	Horizontal	53	1.96	-	40.65	38.40	16.20	33.30

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	48.26	54.00	-5.74	8.74	3	Vertical	356	1.40	-	39.52	32.90	10.02	34.18
AV	5.7164G	102.36	Inf	-Inf	9.43	3	Vertical	356	1.40	-	92.93	33.50	10.13	34.20
PK	5.468G	59.99	68.20	-8.21	8.78	3	Vertical	356	1.40	-	51.21	32.94	10.02	34.18
PK	5.714G	113.57	Inf	-Inf	9.41	3	Vertical	356	1.40	-	104.16	33.48	10.13	34.20
PK	5.8856G	60.50	68.20	-7.70	10.13	3	Vertical	356	1.40	-	50.37	34.10	10.24	34.21


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.04	54.00	-5.96	8.76	3	Horizontal	336	1.50	-	39.28	32.92	10.02	34.18
AV	5.7188G	103.87	Inf	-Inf	9.45	3	Horizontal	336	1.50	-	94.42	33.51	10.14	34.20
PK	5.4692G	60.35	68.20	-7.85	8.78	3	Horizontal	336	1.50	-	51.57	32.94	10.02	34.18
PK	5.7248G	116.14	Inf	-Inf	9.49	3	Horizontal	336	1.50	-	106.65	33.55	10.14	34.20
PK	5.8532G	61.55	68.20	-6.65	10.11	3	Horizontal	336	1.50	-	51.44	34.10	10.22	34.21

802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43934G	42.24	54.00	-11.76	18.05	3	Vertical	186	2.39	-	24.19	39.02	13.09	34.06
PK	11.43448G	55.16	74.00	-18.84	18.06	3	Vertical	186	2.39	-	37.10	39.03	13.09	34.06
PK	17.15136G	61.76	68.20	-6.44	21.31	3	Vertical	265	1.50	-	40.45	38.40	16.20	33.29


802.11ax HEW20_Nss1,(MCS0)_1TX(Port2)
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45164G	41.54	54.00	-12.46	18.04	3	Horizontal	165	1.54	-	23.50	39.00	13.10	34.06
PK	11.45386G	54.04	74.00	-19.96	18.03	3	Horizontal	165	1.54	-	36.01	38.99	13.10	34.06
PK	17.15682G	61.49	68.20	-6.71	21.32	3	Horizontal	283	1.50	-	40.17	38.40	16.21	33.29

802.11ax HEW20_Nss2,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.20	54.00	-4.80	8.90	3	Vertical	342	2.78	-	40.30	33.20	9.83	34.13
AV	5.2636G	106.59	Inf	-Inf	8.68	3	Vertical	342	2.78	-	97.91	32.93	9.90	34.15
AV	5.35G	50.60	54.00	-3.40	8.51	3	Vertical	342	2.78	-	42.09	32.70	9.97	34.16
PK	5.1484G	63.76	74.00	-10.24	8.90	3	Vertical	342	2.78	-	54.86	33.20	9.83	34.13
PK	5.263G	120.01	Inf	-Inf	8.68	3	Vertical	342	2.78	-	111.33	32.93	9.90	34.15
PK	5.35G	67.88	74.00	-6.12	8.51	3	Vertical	342	2.78	-	59.37	32.70	9.97	34.16


802.11ax HEW20_Nss2,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.61	54.00	-4.39	8.90	3	Horizontal	354	1.91	-	40.71	33.20	9.83	34.13
AV	5.2672G	104.64	Inf	-Inf	8.69	3	Horizontal	354	1.91	-	95.95	32.93	9.91	34.15
AV	5.3506G	50.95	54.00	-3.05	8.51	3	Horizontal	354	1.91	-	42.44	32.70	9.97	34.16
PK	5.1448G	65.55	74.00	-8.45	8.90	3	Horizontal	354	1.91	-	56.65	33.20	9.83	34.13
PK	5.2654G	117.32	Inf	-Inf	8.69	3	Horizontal	354	1.91	-	108.63	32.93	9.91	34.15
PK	5.3554G	67.03	74.00	-6.97	8.52	3	Horizontal	354	1.91	-	58.51	32.71	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77828G	50.18	54.00	-3.82	19.41	3	Vertical	190	1.36	-	30.77	38.12	15.86	34.57
PK	10.5239G	61.87	68.20	-6.33	16.93	3	Vertical	188	1.57	-	44.94	38.67	12.73	34.47
PK	15.77996G	65.25	74.00	-8.75	19.41	3	Vertical	190	1.36	-	45.84	38.12	15.86	34.57


802.11ax HEW20_Nss2,(MCS0)_2TX
5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7797G	48.35	54.00	-5.65	19.41	3	Horizontal	215	1.94	-	28.94	38.12	15.86	34.57
PK	10.5215G	56.42	68.20	-11.78	16.92	3	Horizontal	241	1.88	-	39.50	38.66	12.73	34.47
PK	15.7802G	62.26	74.00	-11.74	19.41	3	Horizontal	215	1.94	-	42.85	38.12	15.86	34.57

802.11ax HEW20_Nss2,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3018G	104.56	Inf	-Inf	8.77	3	Vertical	339	2.90	-	95.79	32.99	9.93	34.15
AV	5.35G	53.02	54.00	-0.98	8.51	3	Vertical	339	2.90	-	44.51	32.70	9.97	34.16
PK	5.2964G	116.29	Inf	-Inf	8.77	3	Vertical	339	2.90	-	107.52	32.99	9.93	34.15
PK	5.35G	68.72	74.00	-5.28	8.51	3	Vertical	339	2.90	-	60.21	32.70	9.97	34.16


802.11ax HEW20_Nss2,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.297G	103.12	Inf	-Inf	8.77	3	Horizontal	349	1.58	-	94.35	32.99	9.93	34.15
AV	5.35G	53.51	54.00	-0.49	8.51	3	Horizontal	349	1.58	-	45.00	32.70	9.97	34.16
PK	5.3078G	115.91	Inf	-Inf	8.73	3	Horizontal	349	1.58	-	107.18	32.95	9.94	34.16
PK	5.3522G	66.70	74.00	-7.30	8.51	3	Horizontal	349	1.58	-	58.19	32.70	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9008G	49.84	54.00	-4.16	19.72	3	Vertical	230	1.25	-	30.12	38.40	15.95	34.63
PK	10.6039G	57.14	74.00	-16.86	17.27	3	Vertical	186	1.50	-	39.87	38.90	12.77	34.40
PK	15.9091G	63.46	74.00	-10.54	19.70	3	Vertical	230	1.25	-	43.76	38.39	15.95	34.64


802.11ax HEW20_Nss2,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9017G	49.03	54.00	-4.97	19.72	3	Horizontal	214	2.94	-	29.31	38.40	15.95	34.63
PK	10.6059G	55.17	74.00	-18.83	17.27	3	Horizontal	182	2.54	-	37.90	38.89	12.77	34.39
PK	15.8952G	63.54	74.00	-10.46	19.70	3	Horizontal	214	2.94	-	43.84	38.39	15.94	34.63

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	102.15	Inf	-Inf	8.68	3	Vertical	339	2.73	-	93.47	32.90	9.94	34.16
AV	5.35G	53.84	54.00	-0.16	8.51	3	Vertical	339	2.73	-	45.33	32.70	9.97	34.16
PK	5.317G	114.33	Inf	-Inf	8.68	3	Vertical	339	2.73	-	105.65	32.90	9.94	34.16
PK	5.3518G	68.43	74.00	-5.57	8.51	3	Vertical	339	2.73	-	59.92	32.70	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3212G	100.69	Inf	-Inf	8.65	3	Horizontal	312	2.72	-	92.04	32.87	9.94	34.16
AV	5.3506G	52.77	54.00	-1.23	8.51	3	Horizontal	312	2.72	-	44.26	32.70	9.97	34.16
PK	5.326G	113.40	Inf	-Inf	8.63	3	Horizontal	312	2.72	-	104.77	32.84	9.95	34.16
PK	5.3506G	69.40	74.00	-4.60	8.51	3	Horizontal	312	2.72	-	60.89	32.70	9.97	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63769G	40.85	54.00	-13.15	17.27	3	Vertical	276	1.50	-	23.58	38.86	12.78	34.37
AV	15.9591G	46.88	54.00	-7.12	19.66	3	Vertical	51	2.06	-	27.22	38.34	15.99	34.67
PK	10.63996G	53.94	74.00	-20.06	17.28	3	Vertical	276	1.50	-	36.66	38.86	12.78	34.36
PK	15.96042G	61.91	74.00	-12.09	19.66	3	Vertical	51	2.06	-	42.25	38.34	15.99	34.67

802.11ax HEW20_Nss2,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64169G	40.86	54.00	-13.14	17.28	3	Horizontal	3	1.95	-	23.58	38.86	12.78	34.36
AV	15.95903G	46.89	54.00	-7.11	19.66	3	Horizontal	3	1.81	-	27.23	38.34	15.99	34.67
PK	10.64238G	54.31	74.00	-19.69	17.28	3	Horizontal	3	1.95	-	37.03	38.86	12.78	34.36
PK	15.96113G	61.09	74.00	-12.91	19.66	3	Horizontal	3	1.81	-	41.43	38.34	15.99	34.67

802.11ax HEW20_Nss2,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.98	54.00	-6.02	8.76	3	Vertical	360	1.71	-	39.22	32.92	10.02	34.18
AV	5.4982G	98.80	Inf	-Inf	8.84	3	Vertical	360	1.71	-	89.96	33.00	10.03	34.19
PK	5.467G	67.72	68.20	-0.48	8.77	3	Vertical	360	1.71	-	58.95	32.93	10.02	34.18
PK	5.4976G	111.63	Inf	-Inf	8.84	3	Vertical	360	1.71	-	102.79	33.00	10.03	34.19


802.11ax HEW20_Nss2,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.08	54.00	-5.92	8.76	3	Horizontal	344	1.63	-	39.32	32.92	10.02	34.18
AV	5.4964G	99.58	Inf	-Inf	8.83	3	Horizontal	344	1.63	-	90.75	32.99	10.03	34.19
PK	5.4664G	65.04	68.20	-3.16	8.77	3	Horizontal	344	1.63	-	56.27	32.93	10.02	34.18
PK	5.4964G	111.88	Inf	-Inf	8.83	3	Horizontal	344	1.63	-	103.05	32.99	10.03	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99792G	40.47	54.00	-13.53	17.68	3	Vertical	337	2.25	-	22.79	38.80	12.92	34.04
PK	10.99772G	53.62	74.00	-20.38	17.68	3	Vertical	337	2.25	-	35.94	38.80	12.92	34.04
PK	16.49832G	61.86	68.20	-6.34	20.33	3	Vertical	151	2.81	-	41.53	38.59	16.10	34.36


802.11ax HEW20_Nss2,(MCS0)_2TX
5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99792G	40.90	54.00	-13.10	17.68	3	Horizontal	91	2.06	-	23.22	38.80	12.92	34.04
PK	11.0002G	55.16	74.00	-18.84	17.68	3	Horizontal	91	2.06	-	37.48	38.80	12.92	34.04
PK	16.50097G	61.66	68.20	-6.54	20.34	3	Horizontal	175	2.51	-	41.32	38.60	16.10	34.36

802.11ax HEW20_Nss2,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.09	54.00	-3.91	8.76	3	Vertical	5	1.65	-	41.33	32.92	10.02	34.18
AV	5.5776G	104.79	Inf	-Inf	8.84	3	Vertical	5	1.65	-	95.95	32.97	10.06	34.19
PK	5.4696G	64.58	68.20	-3.62	8.78	3	Vertical	5	1.65	-	55.80	32.94	10.02	34.18
PK	5.5854G	117.19	Inf	-Inf	8.87	3	Vertical	5	1.65	-	108.32	33.01	10.06	34.20
PK	5.7258G	61.51	68.20	-6.69	9.49	3	Vertical	5	1.65	-	52.02	33.55	10.14	34.20


802.11ax HEW20_Nss2,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.13	54.00	-3.87	8.76	3	Horizontal	344	1.76	-	41.37	32.92	10.02	34.18
AV	5.5818G	105.97	Inf	-Inf	8.86	3	Horizontal	344	1.76	-	97.11	32.99	10.06	34.19
PK	5.4672G	65.71	68.20	-2.49	8.77	3	Horizontal	344	1.76	-	56.94	32.93	10.02	34.18
PK	5.5824G	119.31	Inf	-Inf	8.86	3	Horizontal	344	1.76	-	110.45	32.99	10.06	34.19
PK	5.7276G	63.31	68.20	-4.89	9.51	3	Horizontal	344	1.76	-	53.80	33.57	10.14	34.20

802.11ax HEW20_Nss2,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1816G	40.88	54.00	-13.12	17.82	3	Vertical	247	1.48	-	23.06	38.88	12.99	34.05
PK	11.1785G	53.72	74.00	-20.28	17.82	3	Vertical	247	1.48	-	35.90	38.88	12.99	34.05
PK	16.7379G	66.01	68.20	-2.19	20.94	3	Vertical	177	3.00	-	45.07	38.67	16.14	33.87

802.11ax HEW20_Nss2,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1837G	40.83	54.00	-13.17	17.82	3	Horizontal	0	1.38	-	23.01	38.88	12.99	34.05
PK	11.1436G	53.31	74.00	-20.69	17.77	3	Horizontal	0	1.38	-	35.54	38.84	12.98	34.05
PK	16.7493G	64.01	68.20	-4.19	20.89	3	Horizontal	217	2.75	-	43.12	38.60	16.14	33.85

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6982G	97.41	Inf	-Inf	9.32	3	Vertical	360	1.60	-	88.09	33.40	10.12	34.20
PK	5.703G	110.26	Inf	-Inf	9.35	3	Vertical	360	1.60	-	100.91	33.42	10.13	34.20
PK	5.7258G	65.85	68.20	-2.35	9.49	3	Vertical	360	1.60	-	56.36	33.55	10.14	34.20

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7072G	98.61	Inf	-Inf	9.37	3	Horizontal	342	1.62	-	89.24	33.44	10.13	34.20
PK	5.7042G	110.96	Inf	-Inf	9.36	3	Horizontal	342	1.62	-	101.60	33.43	10.13	34.20
PK	5.7264G	68.00	68.20	-0.20	9.50	3	Horizontal	342	1.62	-	58.50	33.56	10.14	34.20

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39802G	40.85	54.00	-13.15	18.12	3	Vertical	90	1.87	-	22.73	39.10	13.08	34.06
PK	11.40103G	54.30	74.00	-19.70	18.12	3	Vertical	90	1.87	-	36.18	39.10	13.08	34.06
PK	17.09906G	62.71	68.20	-5.49	21.30	3	Vertical	234	2.12	-	41.41	38.40	16.20	33.30

**802.11ax HEW20_Nss2,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39996G	40.94	54.00	-13.06	18.12	3	Horizontal	348	2.09	-	22.82	39.10	13.08	34.06
PK	11.40078G	54.40	74.00	-19.60	18.12	3	Horizontal	348	2.09	-	36.28	39.10	13.08	34.06
PK	17.09857G	62.42	68.20	-5.78	21.30	3	Horizontal	350	2.97	-	41.12	38.40	16.20	33.30

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	47.70	54.00	-6.30	8.75	3	Vertical	0	1.64	-	38.95	32.91	10.02	34.18
AV	5.7176G	102.85	Inf	-Inf	9.44	3	Vertical	0	1.64	-	93.41	33.51	10.13	34.20
PK	5.4644G	62.00	68.20	-6.20	8.77	3	Vertical	0	1.64	-	53.23	32.93	10.02	34.18
PK	5.714G	114.93	Inf	-Inf	9.41	3	Vertical	0	1.64	-	105.52	33.48	10.13	34.20
PK	5.8508G	62.25	68.20	-5.95	10.11	3	Vertical	0	1.64	-	52.14	34.10	10.22	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.65	54.00	-6.35	8.76	3	Horizontal	343	1.85	-	38.89	32.92	10.02	34.18
AV	5.7164G	104.20	Inf	-Inf	9.43	3	Horizontal	343	1.85	-	94.77	33.50	10.13	34.20
PK	5.4656G	60.65	68.20	-7.55	8.77	3	Horizontal	343	1.85	-	51.88	32.93	10.02	34.18
PK	5.7236G	117.40	Inf	-Inf	9.48	3	Horizontal	343	1.85	-	107.92	33.54	10.14	34.20
PK	5.8556G	61.25	68.20	-6.95	10.11	3	Horizontal	343	1.85	-	51.14	34.10	10.22	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4364G	41.33	54.00	-12.67	18.06	3	Vertical	70	1.65	-	23.27	39.03	13.09	34.06
PK	11.4172G	53.92	74.00	-20.08	18.09	3	Vertical	70	1.65	-	35.83	39.07	13.08	34.06
PK	17.1559G	63.92	68.20	-4.28	21.31	3	Vertical	195	3.00	-	42.61	38.40	16.20	33.29


802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4163G	40.57	54.00	-13.43	18.09	3	Horizontal	36	1.47	-	22.48	39.07	13.08	34.06
PK	11.4613G	53.48	74.00	-20.52	18.02	3	Horizontal	36	1.47	-	35.46	38.98	13.10	34.06
PK	17.1577G	63.01	68.20	-5.19	21.32	3	Horizontal	286	1.10	-	41.69	38.40	16.21	33.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2752G	97.59	Inf	-Inf	8.71	3	Vertical	0	1.79	-	88.88	32.95	9.91	34.15
AV	5.3504G	53.10	54.00	-0.90	8.51	3	Vertical	0	1.79	-	44.59	32.70	9.97	34.16
PK	5.2752G	109.70	Inf	-Inf	8.71	3	Vertical	0	1.79	-	100.99	32.95	9.91	34.15
PK	5.3504G	66.70	74.00	-7.30	8.51	3	Vertical	0	1.79	-	58.19	32.70	9.97	34.16


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	99.22	Inf	-Inf	8.71	3	Horizontal	355	1.57	-	90.51	32.95	9.91	34.15
AV	5.3504G	53.76	54.00	-0.24	8.51	3	Horizontal	355	1.57	-	45.25	32.70	9.97	34.16
PK	5.2756G	111.15	Inf	-Inf	8.71	3	Horizontal	355	1.57	-	102.44	32.95	9.91	34.15
PK	5.3536G	68.23	74.00	-5.77	8.52	3	Horizontal	355	1.57	-	59.71	32.71	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80748G	49.49	54.00	-4.51	19.42	3	Vertical	188	2.48	-	30.07	38.12	15.88	34.58
PK	10.53556G	56.57	68.20	-11.63	16.99	3	Vertical	153	2.93	-	39.58	38.71	12.74	34.46
PK	15.8112G	62.17	74.00	-11.83	19.43	3	Vertical	188	2.48	-	42.74	38.13	15.88	34.58


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80388G	47.89	54.00	-6.11	19.40	3	Horizontal	332	1.00	-	28.49	38.11	15.87	34.58
PK	10.53928G	54.87	68.20	-13.33	17.01	3	Horizontal	294	2.32	-	37.86	38.72	12.74	34.45
PK	15.81936G	59.93	74.00	-14.07	19.46	3	Horizontal	332	1.00	-	40.47	38.16	15.89	34.59

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	96.52	Inf	-Inf	8.69	3	Vertical	350	3.00	-	87.83	32.91	9.94	34.16
AV	5.35G	53.15	54.00	-0.85	8.51	3	Vertical	350	3.00	-	44.64	32.70	9.97	34.16
PK	5.3152G	108.98	Inf	-Inf	8.69	3	Vertical	350	3.00	-	100.29	32.91	9.94	34.16
PK	5.3508G	69.15	74.00	-4.85	8.51	3	Vertical	350	3.00	-	60.64	32.70	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2968G	95.07	Inf	-Inf	8.77	3	Horizontal	355	1.50	-	86.30	32.99	9.93	34.15
AV	5.35G	52.28	54.00	-1.72	8.51	3	Horizontal	355	1.50	-	43.77	32.70	9.97	34.16
PK	5.3068G	107.34	Inf	-Inf	8.73	3	Horizontal	355	1.50	-	98.61	32.96	9.93	34.16
PK	5.3512G	69.41	74.00	-4.59	8.51	3	Horizontal	355	1.50	-	60.90	32.70	9.97	34.16

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61923G	42.35	54.00	-11.65	17.27	3	Vertical	113	2.77	-	25.08	38.88	12.77	34.38
AV	15.92907G	48.53	54.00	-5.47	19.69	3	Vertical	311	1.53	-	28.84	38.37	15.97	34.65
PK	10.62168G	53.93	74.00	-20.07	17.27	3	Vertical	113	2.77	-	36.66	38.88	12.77	34.38
PK	15.93005G	60.51	74.00	-13.49	19.69	3	Vertical	311	1.53	-	40.82	38.37	15.97	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62196G	42.06	54.00	-11.94	17.27	3	Horizontal	102	1.60	-	24.79	38.88	12.77	34.38
AV	15.92959G	48.29	54.00	-5.71	19.69	3	Horizontal	329	2.22	-	28.60	38.37	15.97	34.65
PK	10.61792G	54.53	74.00	-19.47	17.27	3	Horizontal	102	1.60	-	37.26	38.88	12.77	34.38
PK	15.93161G	60.72	74.00	-13.28	19.69	3	Horizontal	329	2.22	-	41.03	38.37	15.97	34.65

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.98	54.00	-5.02	8.76	3	Vertical	356	1.87	-	40.22	32.92	10.02	34.18
AV	5.522G	94.25	Inf	-Inf	8.76	3	Vertical	356	1.87	-	85.49	32.91	10.04	34.19
PK	5.468G	66.35	68.20	-1.85	8.78	3	Vertical	356	1.87	-	57.57	32.94	10.02	34.18
PK	5.5196G	106.40	Inf	-Inf	8.77	3	Vertical	356	1.87	-	97.63	32.92	10.04	34.19


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.51	54.00	-4.49	8.76	3	Horizontal	349	1.81	-	40.75	32.92	10.02	34.18
AV	5.5156G	94.19	Inf	-Inf	8.79	3	Horizontal	349	1.81	-	85.40	32.94	10.04	34.19
PK	5.4684G	66.94	68.20	-1.26	8.78	3	Horizontal	349	1.81	-	58.16	32.94	10.02	34.18
PK	5.5152G	106.61	Inf	-Inf	8.79	3	Horizontal	349	1.81	-	97.82	32.94	10.04	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02133G	42.04	54.00	-11.96	17.69	3	Vertical	240	2.72	-	24.35	38.80	12.93	34.04
PK	11.01754G	53.69	74.00	-20.31	17.69	3	Vertical	240	2.72	-	36.00	38.80	12.93	34.04
PK	16.52768G	62.58	68.20	-5.62	20.43	3	Vertical	46	1.31	-	42.15	38.63	16.10	34.30


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02068G	42.03	54.00	-11.97	17.69	3	Horizontal	291	2.18	-	24.34	38.80	12.93	34.04
PK	11.02072G	54.74	74.00	-19.26	17.69	3	Horizontal	291	2.18	-	37.05	38.80	12.93	34.04
PK	16.5317G	62.33	68.20	-5.87	20.45	3	Horizontal	312	1.46	-	41.88	38.63	16.11	34.29

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.88	54.00	-1.12	8.76	3	Vertical	3	1.72	-	44.12	32.92	10.02	34.18
AV	5.552G	99.83	Inf	-Inf	8.67	3	Vertical	3	1.72	-	91.16	32.81	10.05	34.19
PK	5.4696G	68.04	68.20	-0.16	8.78	3	Vertical	3	1.72	-	59.26	32.94	10.02	34.18
PK	5.5468G	111.81	Inf	-Inf	8.67	3	Vertical	3	1.72	-	103.14	32.81	10.05	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.13	54.00	-0.87	8.76	3	Horizontal	346	1.68	-	44.37	32.92	10.02	34.18
AV	5.5556G	99.26	Inf	-Inf	8.69	3	Horizontal	346	1.68	-	90.57	32.83	10.05	34.19
PK	5.468G	67.58	68.20	-0.62	8.78	3	Horizontal	346	1.68	-	58.80	32.94	10.02	34.18
PK	5.5556G	111.37	Inf	-Inf	8.69	3	Horizontal	346	1.68	-	102.68	32.83	10.05	34.19

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08512G	42.13	54.00	-11.87	17.71	3	Vertical	133	3.00	-	24.42	38.80	12.95	34.04
PK	11.10042G	54.25	74.00	-19.75	17.72	3	Vertical	133	3.00	-	36.53	38.80	12.96	34.04
PK	16.6581G	61.84	68.20	-6.36	20.92	3	Vertical	123	1.50	-	40.92	38.82	16.13	34.03

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11074G	42.12	54.00	-11.88	17.73	3	Horizontal	14	1.45	-	24.39	38.81	12.96	34.04
PK	11.10948G	54.45	74.00	-19.55	17.73	3	Horizontal	14	1.45	-	36.72	38.81	12.96	34.04
PK	16.65546G	61.88	68.20	-6.32	20.89	3	Horizontal	244	1.50	-	40.99	38.81	16.12	34.04

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	97.51	Inf	-Inf	9.26	3	Vertical	2	1.87	-	88.25	33.35	10.11	34.20
PK	5.667G	109.65	Inf	-Inf	9.24	3	Vertical	2	1.87	-	100.41	33.33	10.11	34.20
PK	5.7252G	67.32	68.20	-0.88	9.49	3	Vertical	2	1.87	-	57.83	33.55	10.14	34.20

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	98.05	Inf	-Inf	9.24	3	Horizontal	345	1.53	-	88.81	33.33	10.11	34.20
PK	5.667G	110.38	Inf	-Inf	9.24	3	Horizontal	345	1.53	-	101.14	33.33	10.11	34.20
PK	5.73G	67.31	68.20	-0.89	9.52	3	Horizontal	345	1.53	-	57.79	33.58	10.14	34.20

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33981G	42.54	54.00	-11.46	18.10	3	Vertical	300	2.35	-	24.44	39.10	13.05	34.05
PK	11.3411G	54.42	74.00	-19.58	18.10	3	Vertical	300	2.35	-	36.32	39.10	13.05	34.05
PK	17.0111G	63.40	68.20	-4.80	21.34	3	Vertical	54	2.48	-	42.06	38.49	16.18	33.33


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34177G	42.78	54.00	-11.22	18.10	3	Horizontal	106	2.14	-	24.68	39.10	13.05	34.05
PK	11.3395G	54.36	74.00	-19.64	18.10	3	Horizontal	106	2.14	-	36.26	39.10	13.05	34.05
PK	17.01051G	63.06	68.20	-5.14	21.34	3	Horizontal	272	2.57	-	41.72	38.49	16.18	33.33

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	49.91	54.00	-4.09	8.74	3	Vertical	9	1.61	-	41.17	32.90	10.02	34.18
AV	5.7148G	99.17	Inf	-Inf	9.42	3	Vertical	9	1.61	-	89.75	33.49	10.13	34.20
PK	5.4664G	63.75	68.20	-4.45	8.77	3	Vertical	9	1.61	-	54.98	32.93	10.02	34.18
PK	5.7196G	109.85	Inf	-Inf	9.46	3	Vertical	9	1.61	-	100.39	33.52	10.14	34.20
PK	5.8504G	67.14	68.20	-1.06	10.11	3	Vertical	9	1.61	-	57.03	34.10	10.22	34.21


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	50.15	54.00	-3.85	8.75	3	Horizontal	343	1.51	-	41.40	32.91	10.02	34.18
AV	5.716G	99.91	Inf	-Inf	9.43	3	Horizontal	343	1.51	-	90.48	33.50	10.13	34.20
PK	5.464G	64.91	68.20	-3.29	8.77	3	Horizontal	343	1.51	-	56.14	32.93	10.02	34.18
PK	5.7184G	110.27	Inf	-Inf	9.45	3	Horizontal	343	1.51	-	100.82	33.51	10.14	34.20
PK	5.8504G	67.26	68.20	-0.94	10.11	3	Horizontal	343	1.51	-	57.15	34.10	10.22	34.21

802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42744G	42.99	54.00	-11.01	18.08	3	Vertical	165	2.01	-	24.91	39.05	13.09	34.06
PK	11.41724G	55.04	74.00	-18.96	18.09	3	Vertical	165	2.01	-	36.95	39.07	13.08	34.06
PK	17.1261G	63.96	68.20	-4.24	21.30	3	Vertical	199	2.42	-	42.66	38.40	16.20	33.30


802.11ax HEW40_Nss1,(MCS0)_1TX(Port2)
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4188G	42.74	54.00	-11.26	18.08	3	Horizontal	220	1.50	-	24.66	39.06	13.08	34.06
PK	11.42102G	55.27	74.00	-18.73	18.08	3	Horizontal	220	1.50	-	37.19	39.06	13.08	34.06
PK	17.11998G	62.69	68.20	-5.51	21.30	3	Horizontal	256	1.48	-	41.39	38.40	16.20	33.30

802.11ax HEW40_Nss2,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	48.45	54.00	-5.55	8.90	3	Vertical	339	2.79	-	39.55	33.20	9.83	34.13
AV	5.264G	100.96	Inf	-Inf	8.68	3	Vertical	339	2.79	-	92.28	32.93	9.90	34.15
AV	5.35G	52.37	54.00	-1.63	8.51	3	Vertical	339	2.79	-	43.86	32.70	9.97	34.16
PK	5.1482G	61.54	74.00	-12.46	8.90	3	Vertical	339	2.79	-	52.64	33.20	9.83	34.13
PK	5.2622G	114.06	Inf	-Inf	8.67	3	Vertical	339	2.79	-	105.39	32.92	9.90	34.15
PK	5.3522G	67.42	74.00	-6.58	8.51	3	Vertical	339	2.79	-	58.91	32.70	9.97	34.16


802.11ax HEW40_Nss2,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	48.86	54.00	-5.14	8.90	3	Horizontal	0	2.97	-	39.96	33.20	9.83	34.13
AV	5.2646G	99.41	Inf	-Inf	8.69	3	Horizontal	0	2.97	-	90.72	32.93	9.91	34.15
AV	5.35G	52.98	54.00	-1.02	8.51	3	Horizontal	0	2.97	-	44.47	32.70	9.97	34.16
PK	5.1482G	62.33	74.00	-11.67	8.90	3	Horizontal	0	2.97	-	53.43	33.20	9.83	34.13
PK	5.2664G	112.64	Inf	-Inf	8.69	3	Horizontal	0	2.97	-	103.95	32.93	9.91	34.15
PK	5.3564G	69.06	74.00	-4.94	8.52	3	Horizontal	0	2.97	-	60.54	32.71	9.97	34.16

**802.11ax HEW40_Nss2,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81004G	45.81	54.00	-8.19	19.43	3	Vertical	73	1.45	-	26.38	38.13	15.88	34.58
PK	10.54075G	53.70	68.20	-14.50	17.01	3	Vertical	46	1.17	-	36.69	38.72	12.74	34.45
PK	15.81174G	59.02	74.00	-14.98	19.44	3	Vertical	73	1.45	-	39.58	38.14	15.88	34.58


**802.11ax HEW40_Nss2,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80983G	45.79	54.00	-8.21	19.43	3	Horizontal	278	2.17	-	26.36	38.13	15.88	34.58
PK	10.53812G	53.75	68.20	-14.45	16.99	3	Horizontal	151	1.53	-	36.76	38.71	12.74	34.46
PK	15.81047G	59.04	74.00	-14.96	19.43	3	Horizontal	278	2.17	-	39.61	38.13	15.88	34.58

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	96.99	Inf	-Inf	8.76	3	Vertical	343	2.39	-	88.23	32.98	9.93	34.15
AV	5.35G	53.67	54.00	-0.33	8.51	3	Vertical	343	2.39	-	45.16	32.70	9.97	34.16
PK	5.3166G	110.36	Inf	-Inf	8.68	3	Vertical	343	2.39	-	101.68	32.90	9.94	34.16
PK	5.35G	71.67	74.00	-2.33	8.51	3	Vertical	343	2.39	-	63.16	32.70	9.97	34.16

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	96.24	Inf	-Inf	8.76	3	Horizontal	348	1.66	-	87.48	32.98	9.93	34.15
AV	5.35G	53.23	54.00	-0.77	8.51	3	Horizontal	348	1.66	-	44.72	32.70	9.97	34.16
PK	5.3244G	109.42	Inf	-Inf	8.64	3	Horizontal	348	1.66	-	100.78	32.85	9.95	34.16
PK	5.3508G	71.25	74.00	-2.75	8.51	3	Horizontal	348	1.66	-	62.74	32.70	9.97	34.16

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62244G	40.62	54.00	-13.38	17.27	3	Vertical	57	2.62	-	23.35	38.88	12.77	34.38
AV	15.93075G	46.91	54.00	-7.09	19.69	3	Vertical	332	2.00	-	27.22	38.37	15.97	34.65
PK	10.62247G	54.06	74.00	-19.94	17.27	3	Vertical	57	2.62	-	36.79	38.88	12.77	34.38
PK	15.92781G	61.26	74.00	-12.74	19.69	3	Vertical	332	2.00	-	41.57	38.37	15.97	34.65

802.11ax HEW40_Nss2,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62214G	40.64	54.00	-13.36	17.27	3	Horizontal	219	1.02	-	23.37	38.88	12.77	34.38
AV	15.93043G	46.87	54.00	-7.13	19.69	3	Horizontal	42	2.41	-	27.18	38.37	15.97	34.65
PK	10.62209G	54.58	74.00	-19.42	17.27	3	Horizontal	219	1.02	-	37.31	38.88	12.77	34.38
PK	15.92928G	60.63	74.00	-13.37	19.69	3	Horizontal	42	2.41	-	40.94	38.37	15.97	34.65

802.11ax HEW40_Nss2,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.32	54.00	-5.68	8.76	3	Vertical	4	1.67	-	39.56	32.92	10.02	34.18
AV	5.5232G	95.83	Inf	-Inf	8.76	3	Vertical	4	1.67	-	87.07	32.91	10.04	34.19
PK	5.468G	66.12	68.20	-2.08	8.78	3	Vertical	4	1.67	-	57.34	32.94	10.02	34.18
PK	5.498G	108.20	Inf	-Inf	8.84	3	Vertical	4	1.67	-	99.36	33.00	10.03	34.19


802.11ax HEW40_Nss2,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.63	54.00	-5.37	8.76	3	Horizontal	346	1.96	-	39.87	32.92	10.02	34.18
AV	5.5028G	95.85	Inf	-Inf	8.84	3	Horizontal	346	1.96	-	87.01	32.99	10.04	34.19
PK	5.4698G	67.68	68.20	-0.52	8.78	3	Horizontal	346	1.96	-	58.90	32.94	10.02	34.18
PK	5.5262G	108.42	Inf	-Inf	8.75	3	Horizontal	346	1.96	-	99.67	32.90	10.04	34.19

**802.11ax HEW40_Nss2,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02041G	40.69	54.00	-13.31	17.69	3	Vertical	143	2.75	-	23.00	38.80	12.93	34.04
PK	11.01836G	53.95	74.00	-20.05	17.69	3	Vertical	143	2.75	-	36.26	38.80	12.93	34.04
PK	16.53057G	62.36	68.20	-5.84	20.43	3	Vertical	281	2.11	-	41.93	38.63	16.10	34.30


**802.11ax HEW40_Nss2,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01785G	40.69	54.00	-13.31	17.69	3	Horizontal	214	1.96	-	23.00	38.80	12.93	34.04
PK	11.0188G	54.34	74.00	-19.66	17.69	3	Horizontal	214	1.96	-	36.65	38.80	12.93	34.04
PK	16.53077G	62.49	68.20	-5.71	20.43	3	Horizontal	104	1.74	-	42.06	38.63	16.10	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.03	54.00	-0.97	8.76	3	Vertical	360	1.67	-	44.27	32.92	10.02	34.18
AV	5.553G	99.82	Inf	-Inf	8.68	3	Vertical	360	1.67	-	91.14	32.82	10.05	34.19
PK	5.466G	67.26	68.20	-0.94	8.77	3	Vertical	360	1.67	-	58.49	32.93	10.02	34.18
PK	5.544G	112.20	Inf	-Inf	8.68	3	Vertical	360	1.67	-	103.52	32.82	10.05	34.19


802.11ax HEW40_Nss2,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.17	54.00	-0.83	8.76	3	Horizontal	345	1.55	-	44.41	32.92	10.02	34.18
AV	5.5434G	100.10	Inf	-Inf	8.69	3	Horizontal	345	1.55	-	91.41	32.83	10.05	34.19
PK	5.4666G	67.87	68.20	-0.33	8.77	3	Horizontal	345	1.55	-	59.10	32.93	10.02	34.18
PK	5.5644G	113.59	Inf	-Inf	8.76	3	Horizontal	345	1.55	-	104.83	32.89	10.06	34.19

802.11ax HEW40_Nss2,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10151G	40.48	54.00	-13.52	17.72	3	Vertical	202	2.85	-	22.76	38.80	12.96	34.04
PK	11.0985G	54.80	74.00	-19.20	17.72	3	Vertical	202	2.85	-	37.08	38.80	12.96	34.04
PK	16.65026G	61.90	68.20	-6.30	20.87	3	Vertical	174	2.93	-	41.03	38.80	16.12	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10194G	40.50	54.00	-13.50	17.72	3	Horizontal	213	1.23	-	22.78	38.80	12.96	34.04
PK	11.10221G	53.99	74.00	-20.01	17.72	3	Horizontal	213	1.23	-	36.27	38.80	12.96	34.04
PK	16.65032G	61.83	68.20	-6.37	20.87	3	Horizontal	346	1.43	-	40.96	38.80	16.12	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.673G	99.00	Inf	-Inf	9.26	3	Vertical	2	1.58	-	89.74	33.35	10.11	34.20
PK	5.6778G	111.90	Inf	-Inf	9.27	3	Vertical	2	1.58	-	102.63	33.36	10.11	34.20
PK	5.7264G	67.75	68.20	-0.45	9.50	3	Vertical	2	1.58	-	58.25	33.56	10.14	34.20

802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	100.07	Inf	-Inf	9.24	3	Horizontal	343	1.76	-	90.83	33.33	10.11	34.20
PK	5.6694G	113.08	Inf	-Inf	9.25	3	Horizontal	343	1.76	-	103.83	33.34	10.11	34.20
PK	5.7396G	67.91	68.20	-0.29	9.59	3	Horizontal	343	1.76	-	58.32	33.64	10.15	34.20

802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34233G	41.11	54.00	-12.89	18.10	3	Vertical	169	2.94	-	23.01	39.10	13.05	34.05
PK	11.34189G	54.42	74.00	-19.58	18.10	3	Vertical	169	2.94	-	36.32	39.10	13.05	34.05
PK	17.0089G	63.39	68.20	-4.81	21.34	3	Vertical	295	1.32	-	42.05	38.49	16.18	33.33

802.11ax HEW40_Nss2,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34201G	41.22	54.00	-12.78	18.10	3	Horizontal	268	2.83	-	23.12	39.10	13.05	34.05
PK	11.33892G	55.75	74.00	-18.25	18.10	3	Horizontal	268	2.83	-	37.65	39.10	13.05	34.05
PK	17.00775G	62.92	68.20	-5.28	21.34	3	Horizontal	265	1.94	-	41.58	38.49	16.18	33.33

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.30	54.00	-2.70	8.76	3	Vertical	360	1.61	-	42.54	32.92	10.02	34.18
AV	5.7124G	101.40	Inf	-Inf	9.40	3	Vertical	360	1.61	-	92.00	33.47	10.13	34.20
PK	5.4616G	65.31	68.20	-2.89	8.76	3	Vertical	360	1.61	-	56.55	32.92	10.02	34.18
PK	5.7076G	114.10	Inf	-Inf	9.38	3	Vertical	360	1.61	-	104.72	33.45	10.13	34.20
PK	5.8516G	67.13	68.20	-1.07	10.11	3	Vertical	360	1.61	-	57.02	34.10	10.22	34.21

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	51.53	54.00	-2.47	8.76	3	Horizontal	340	1.59	-	42.77	32.92	10.02	34.18
AV	5.7088G	102.79	Inf	-Inf	9.38	3	Horizontal	340	1.59	-	93.41	33.45	10.13	34.20
PK	5.4616G	67.30	68.20	-0.90	8.76	3	Horizontal	340	1.59	-	58.54	32.92	10.02	34.18
PK	5.7136G	115.79	Inf	-Inf	9.41	3	Horizontal	340	1.59	-	106.38	33.48	10.13	34.20
PK	5.8552G	67.61	68.20	-0.59	10.11	3	Horizontal	340	1.59	-	57.50	34.10	10.22	34.21

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42108G	41.73	54.00	-12.27	18.08	3	Vertical	166	1.53	-	23.65	39.06	13.08	34.06
PK	11.41874G	55.13	74.00	-18.87	18.08	3	Vertical	166	1.53	-	37.05	39.06	13.08	34.06
PK	17.11986G	64.22	68.20	-3.98	21.30	3	Vertical	207	2.35	-	42.92	38.40	16.20	33.30


802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42108G	41.27	54.00	-12.73	18.08	3	Horizontal	197	1.50	-	23.19	39.06	13.08	34.06
PK	11.4111G	54.59	74.00	-19.41	18.10	3	Horizontal	197	1.50	-	36.49	39.08	13.08	34.06
PK	17.1198G	62.88	68.20	-5.32	21.30	3	Horizontal	240	2.20	-	41.58	38.40	16.20	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.36	54.00	-5.64	8.90	3	Vertical	345	2.50	-	39.46	33.20	9.83	34.13
AV	5.28G	91.63	Inf	-Inf	8.73	3	Vertical	345	2.50	-	82.90	32.96	9.92	34.15
AV	5.352G	52.10	54.00	-1.90	8.51	3	Vertical	345	2.50	-	43.59	32.70	9.97	34.16
PK	5.141G	59.12	74.00	-14.88	8.90	3	Vertical	345	2.50	-	50.22	33.20	9.83	34.13
PK	5.281G	102.73	Inf	-Inf	8.73	3	Vertical	345	2.50	-	94.00	32.96	9.92	34.15
PK	5.358G	65.08	74.00	-8.92	8.53	3	Vertical	345	2.50	-	56.55	32.72	9.97	34.16


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.25	54.00	-5.75	8.90	3	Horizontal	360	2.39	-	39.35	33.20	9.83	34.13
AV	5.299G	91.10	Inf	-Inf	8.78	3	Horizontal	360	2.39	-	82.32	33.00	9.93	34.15
AV	5.353G	53.53	54.00	-0.47	8.52	3	Horizontal	360	2.39	-	45.01	32.71	9.97	34.16
PK	5.092G	59.75	74.00	-14.25	8.83	3	Horizontal	360	2.39	-	50.92	33.15	9.80	34.12
PK	5.293G	103.03	Inf	-Inf	8.77	3	Horizontal	360	2.39	-	94.26	32.99	9.93	34.15
PK	5.358G	69.40	74.00	-4.60	8.53	3	Horizontal	360	2.39	-	60.87	32.72	9.97	34.16

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86883G	47.96	54.00	-6.04	19.61	3	Vertical	32	2.78	-	28.35	38.31	15.92	34.62
PK	10.58001G	53.84	68.20	-14.36	17.18	3	Vertical	359	1.54	-	36.66	38.84	12.76	34.42
PK	15.87024G	60.12	74.00	-13.88	19.61	3	Vertical	32	2.78	-	40.51	38.31	15.92	34.62


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87245G	48.12	54.00	-5.88	19.63	3	Horizontal	117	1.48	-	28.49	38.32	15.93	34.62
PK	10.57903G	53.68	68.20	-14.52	17.18	3	Horizontal	10	1.12	-	36.50	38.84	12.76	34.42
PK	15.8702G	59.83	74.00	-14.17	19.61	3	Horizontal	117	1.48	-	40.22	38.31	15.92	34.62

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.12	54.00	-3.88	8.76	3	Vertical	360	1.42	-	41.36	32.92	10.02	34.18
AV	5.541G	90.96	Inf	-Inf	8.70	3	Vertical	360	1.42	-	82.26	32.84	10.05	34.19
PK	5.465G	65.19	68.20	-3.01	8.77	3	Vertical	360	1.42	-	56.42	32.93	10.02	34.18
PK	5.544G	102.76	Inf	-Inf	8.68	3	Vertical	360	1.42	-	94.08	32.82	10.05	34.19
PK	5.76G	60.68	68.20	-7.52	9.67	3	Vertical	360	1.42	-	51.01	33.72	10.16	34.21


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.07	54.00	-2.93	8.76	3	Horizontal	321	2.95	-	42.31	32.92	10.02	34.18
AV	5.541G	92.87	Inf	-Inf	8.70	3	Horizontal	321	2.95	-	84.17	32.84	10.05	34.19
PK	5.469G	67.62	68.20	-0.58	8.78	3	Horizontal	321	2.95	-	58.84	32.94	10.02	34.18
PK	5.532G	104.45	Inf	-Inf	8.73	3	Horizontal	321	2.95	-	95.72	32.87	10.05	34.19
PK	5.768G	59.63	68.20	-8.57	9.69	3	Horizontal	321	2.95	-	49.94	33.74	10.16	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05755G	42.12	54.00	-11.88	17.70	3	Vertical	21	2.58	-	24.42	38.80	12.94	34.04
PK	11.05858G	54.01	74.00	-19.99	17.70	3	Vertical	21	2.58	-	36.31	38.80	12.94	34.04
PK	16.59053G	62.05	68.20	-6.15	20.63	3	Vertical	152	2.05	-	41.42	38.69	16.11	34.17


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05884G	41.84	54.00	-12.16	17.70	3	Horizontal	163	2.77	-	24.14	38.80	12.94	34.04
PK	11.05891G	53.60	74.00	-20.40	17.70	3	Horizontal	163	2.77	-	35.90	38.80	12.94	34.04
PK	16.59248G	61.76	68.20	-6.44	20.63	3	Horizontal	274	1.52	-	41.13	38.69	16.11	34.17

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.09	54.00	-0.91	8.75	3	Vertical	354	1.44	-	44.34	32.91	10.02	34.18
AV	5.596G	95.24	Inf	-Inf	8.95	3	Vertical	354	1.44	-	86.29	33.08	10.07	34.20
PK	5.47G	65.47	68.20	-2.73	8.78	3	Vertical	354	1.44	-	56.69	32.94	10.02	34.18
PK	5.592G	107.04	Inf	-Inf	8.92	3	Vertical	354	1.44	-	98.12	33.05	10.07	34.20
PK	5.725G	67.31	68.20	-0.89	9.49	3	Vertical	354	1.44	-	57.82	33.55	10.14	34.20


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.50	54.00	-0.50	8.76	3	Horizontal	345	1.50	-	44.74	32.92	10.02	34.18
AV	5.601G	95.75	Inf	-Inf	8.97	3	Horizontal	345	1.50	-	86.78	33.10	10.07	34.20
PK	5.464G	65.58	68.20	-2.62	8.77	3	Horizontal	345	1.50	-	56.81	32.93	10.02	34.18
PK	5.612G	107.05	Inf	-Inf	9.03	3	Horizontal	345	1.50	-	98.02	33.15	10.08	34.20
PK	5.743G	66.19	68.20	-2.01	9.61	3	Horizontal	345	1.50	-	56.58	33.66	10.15	34.20

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22201G	42.57	54.00	-11.43	17.90	3	Vertical	345	2.81	-	24.67	38.94	13.01	34.05
PK	11.21936G	54.23	74.00	-19.77	17.90	3	Vertical	345	2.81	-	36.33	38.94	13.01	34.05
PK	16.82926G	60.77	68.20	-7.43	20.80	3	Vertical	207	1.38	-	39.97	38.33	16.15	33.68


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22086G	42.79	54.00	-11.21	17.90	3	Horizontal	316	1.32	-	24.89	38.94	13.01	34.05
PK	11.22172G	54.63	74.00	-19.37	17.90	3	Horizontal	316	1.32	-	36.73	38.94	13.01	34.05
PK	16.83027G	60.74	68.20	-7.46	20.80	3	Horizontal	133	1.54	-	39.94	38.33	16.15	33.68

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	53.34	54.00	-0.66	8.76	3	Vertical	355	1.47	-	44.58	32.92	10.02	34.18
AV	5.6756G	96.46	Inf	-Inf	9.26	3	Vertical	355	1.47	-	87.20	33.35	10.11	34.20
PK	5.4656G	65.60	68.20	-2.60	8.77	3	Vertical	355	1.47	-	56.83	32.93	10.02	34.18
PK	5.6912G	108.09	Inf	-Inf	9.30	3	Vertical	355	1.47	-	98.79	33.38	10.12	34.20
PK	5.8532G	65.52	68.20	-2.68	10.11	3	Vertical	355	1.47	-	55.41	34.10	10.22	34.21


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	52.92	54.00	-1.08	8.76	3	Horizontal	340	1.68	-	44.16	32.92	10.02	34.18
AV	5.7152G	97.13	Inf	-Inf	9.42	3	Horizontal	340	1.68	-	87.71	33.49	10.13	34.20
PK	5.4656G	65.14	68.20	-3.06	8.77	3	Horizontal	340	1.68	-	56.37	32.93	10.02	34.18
PK	5.666G	108.94	Inf	-Inf	9.24	3	Horizontal	340	1.68	-	99.70	33.33	10.11	34.20
PK	5.8508G	66.61	68.20	-1.59	10.11	3	Horizontal	340	1.68	-	56.50	34.10	10.22	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38089G	42.38	54.00	-11.62	18.11	3	Vertical	169	2.09	-	24.27	39.10	13.07	34.06
PK	11.37795G	54.89	74.00	-19.11	18.11	3	Vertical	169	2.09	-	36.78	39.10	13.07	34.06
PK	17.06757G	62.79	68.20	-5.41	21.31	3	Vertical	263	2.39	-	41.48	38.43	16.19	33.31


802.11ax HEW80_Nss1,(MCS0)_1TX(Port2)
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38245G	42.65	54.00	-11.35	18.11	3	Horizontal	23	2.67	-	24.54	39.10	13.07	34.06
PK	11.38058G	54.88	74.00	-19.12	18.11	3	Horizontal	23	2.67	-	36.77	39.10	13.07	34.06
PK	17.07234G	63.31	68.20	-4.89	21.31	3	Horizontal	3	2.22	-	42.00	38.43	16.19	33.31

802.11ax HEW80_Nss2,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.77	54.00	-5.23	8.90	3	Vertical	338	2.39	-	39.87	33.20	9.83	34.13
AV	5.301G	94.48	Inf	-Inf	8.77	3	Vertical	338	2.39	-	85.71	32.99	9.93	34.15
AV	5.35G	53.62	54.00	-0.38	8.51	3	Vertical	338	2.39	-	45.11	32.70	9.97	34.16
PK	5.141G	60.79	74.00	-13.21	8.90	3	Vertical	338	2.39	-	51.89	33.20	9.83	34.13
PK	5.3G	107.81	Inf	-Inf	8.78	3	Vertical	338	2.39	-	99.03	33.00	9.93	34.15
PK	5.368G	70.56	74.00	-3.44	8.55	3	Vertical	338	2.39	-	62.01	32.74	9.98	34.17


802.11ax HEW80_Nss2,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	48.65	54.00	-5.35	8.90	3	Horizontal	349	1.86	-	39.75	33.20	9.83	34.13
AV	5.297G	93.44	Inf	-Inf	8.77	3	Horizontal	349	1.86	-	84.67	32.99	9.93	34.15
AV	5.35G	53.42	54.00	-0.58	8.51	3	Horizontal	349	1.86	-	44.91	32.70	9.97	34.16
PK	5.143G	61.54	74.00	-12.46	8.90	3	Horizontal	349	1.86	-	52.64	33.20	9.83	34.13
PK	5.282G	107.05	Inf	-Inf	8.73	3	Horizontal	349	1.86	-	98.32	32.96	9.92	34.15
PK	5.369G	71.66	74.00	-2.34	8.55	3	Horizontal	349	1.86	-	63.11	32.74	9.98	34.17

**802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87159G	46.60	54.00	-7.40	19.61	3	Vertical	183	2.13	-	26.99	38.31	15.92	34.62
PK	10.57913G	54.61	68.20	-13.59	17.18	3	Vertical	346	1.00	-	37.43	38.84	12.76	34.42
PK	15.87165G	60.11	74.00	-13.89	19.62	3	Vertical	183	2.13	-	40.49	38.31	15.93	34.62


**802.11ax HEW80_Nss2,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87127G	46.55	54.00	-7.45	19.61	3	Horizontal	318	1.62	-	26.94	38.31	15.92	34.62
PK	10.58125G	54.63	68.20	-13.57	17.18	3	Horizontal	286	2.59	-	37.45	38.84	12.76	34.42
PK	15.87047G	60.49	74.00	-13.51	19.61	3	Horizontal	318	1.62	-	40.88	38.31	15.92	34.62

802.11ax HEW80_Nss2,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.10	54.00	-4.90	8.76	3	Vertical	3	1.65	-	40.34	32.92	10.02	34.18
AV	5.541G	93.47	Inf	-Inf	8.70	3	Vertical	3	1.65	-	84.77	32.84	10.05	34.19
PK	5.467G	66.75	68.20	-1.45	8.77	3	Vertical	3	1.65	-	57.98	32.93	10.02	34.18
PK	5.518G	106.14	Inf	-Inf	8.78	3	Vertical	3	1.65	-	97.36	32.93	10.04	34.19
PK	5.766G	61.50	68.20	-6.70	9.68	3	Vertical	3	1.65	-	51.82	33.73	10.16	34.21


802.11ax HEW80_Nss2,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	48.98	54.00	-5.02	8.76	3	Horizontal	342	1.75	-	40.22	32.92	10.02	34.18
AV	5.543G	93.75	Inf	-Inf	8.69	3	Horizontal	342	1.75	-	85.06	32.83	10.05	34.19
PK	5.468G	67.61	68.20	-0.59	8.78	3	Horizontal	342	1.75	-	58.83	32.94	10.02	34.18
PK	5.536G	105.90	Inf	-Inf	8.72	3	Horizontal	342	1.75	-	97.18	32.86	10.05	34.19
PK	5.74G	60.64	68.20	-7.56	9.59	3	Horizontal	342	1.75	-	51.05	33.64	10.15	34.20

802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05895G	40.64	54.00	-13.36	17.70	3	Vertical	70	1.76	-	22.94	38.80	12.94	34.04
PK	11.05769G	54.23	74.00	-19.77	17.70	3	Vertical	70	1.76	-	36.53	38.80	12.94	34.04
PK	16.59191G	62.16	68.20	-6.04	20.63	3	Vertical	324	1.34	-	41.53	38.69	16.11	34.17


802.11ax HEW80_Nss2,(MCS0)_2TX
5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05926G	40.65	54.00	-13.35	17.70	3	Horizontal	193	1.83	-	22.95	38.80	12.94	34.04
PK	11.06228G	53.97	74.00	-20.03	17.70	3	Horizontal	193	1.83	-	36.27	38.80	12.94	34.04
PK	16.59118G	61.48	68.20	-6.72	20.63	3	Horizontal	331	2.11	-	40.85	38.69	16.11	34.17

802.11ax HEW80_Nss2,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.69	54.00	-2.31	8.76	3	Vertical	356	1.50	-	42.93	32.92	10.02	34.18
AV	5.598G	96.43	Inf	-Inf	8.96	3	Vertical	356	1.50	-	87.47	33.09	10.07	34.20
PK	5.466G	64.91	68.20	-3.29	8.77	3	Vertical	356	1.50	-	56.14	32.93	10.02	34.18
PK	5.598G	110.10	Inf	-Inf	8.96	3	Vertical	356	1.50	-	101.14	33.09	10.07	34.20
PK	5.727G	66.12	68.20	-2.08	9.50	3	Vertical	356	1.50	-	56.62	33.56	10.14	34.20


802.11ax HEW80_Nss2,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.74	54.00	-2.26	8.76	3	Horizontal	340	1.68	-	42.98	32.92	10.02	34.18
AV	5.599G	98.21	Inf	-Inf	8.96	3	Horizontal	340	1.68	-	89.25	33.09	10.07	34.20
PK	5.469G	65.06	68.20	-3.14	8.78	3	Horizontal	340	1.68	-	56.28	32.94	10.02	34.18
PK	5.603G	111.84	Inf	-Inf	8.98	3	Horizontal	340	1.68	-	102.86	33.11	10.07	34.20
PK	5.726G	66.91	68.20	-1.29	9.50	3	Horizontal	340	1.68	-	57.41	33.56	10.14	34.20

802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21997G	41.12	54.00	-12.88	17.90	3	Vertical	168	1.41	-	23.22	38.94	13.01	34.05
PK	11.21898G	54.27	74.00	-19.73	17.90	3	Vertical	168	1.41	-	36.37	38.94	13.01	34.05
PK	16.82923G	61.26	68.20	-6.94	20.80	3	Vertical	276	2.71	-	40.46	38.33	16.15	33.68

802.11ax HEW80_Nss2,(MCS0)_2TX
5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21755G	41.18	54.00	-12.82	17.89	3	Horizontal	100	2.18	-	23.29	38.94	13.00	34.05
PK	11.21971G	55.17	74.00	-18.83	17.90	3	Horizontal	100	2.18	-	37.27	38.94	13.01	34.05
PK	16.83129G	61.24	68.20	-6.96	20.80	3	Horizontal	196	1.85	-	40.44	38.33	16.15	33.68

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.91	54.00	-0.09	8.76	3	Vertical	360	1.59	-	45.15	32.92	10.02	34.18
AV	5.678G	98.95	Inf	-Inf	9.27	3	Vertical	360	1.59	-	89.68	33.36	10.11	34.20
PK	5.4596G	66.88	74.00	-7.12	8.76	3	Vertical	360	1.59	-	58.12	32.92	10.02	34.18
PK	5.468G	66.56	68.20	-1.64	8.78	3	Vertical	360	1.59	-	57.78	32.94	10.02	34.18
PK	5.696G	110.98	Inf	-Inf	9.31	3	Vertical	360	1.59	-	101.67	33.39	10.12	34.20
PK	5.8508G	65.30	68.20	-2.90	10.11	3	Vertical	360	1.59	-	55.19	34.10	10.22	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	53.83	54.00	-0.17	8.76	3	Horizontal	342	1.65	-	45.07	32.92	10.02	34.18
AV	5.6756G	99.78	Inf	-Inf	9.26	3	Horizontal	342	1.65	-	90.52	33.35	10.11	34.20
PK	5.4692G	67.95	68.20	-0.25	8.78	3	Horizontal	342	1.65	-	59.17	32.94	10.02	34.18
PK	5.6804G	113.14	Inf	-Inf	9.27	3	Horizontal	342	1.65	-	103.87	33.36	10.11	34.20
PK	5.858G	66.27	68.20	-1.93	10.11	3	Horizontal	342	1.65	-	56.16	34.10	10.22	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36614G	41.69	54.00	-12.31	18.11	3	Vertical	190	2.84	-	23.58	39.10	13.06	34.05
PK	11.37256G	55.47	74.00	-18.53	18.12	3	Vertical	190	2.84	-	37.35	39.10	13.07	34.05
PK	17.07546G	62.82	68.20	-5.38	21.30	3	Vertical	197	2.84	-	41.52	38.42	16.19	33.31


802.11ax HEW80_Nss2,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36506G	41.45	54.00	-12.55	18.11	3	Horizontal	280	1.06	-	23.34	39.10	13.06	34.05
PK	11.37094G	55.00	74.00	-19.00	18.11	3	Horizontal	280	1.06	-	36.89	39.10	13.06	34.05
PK	17.05776G	62.96	68.20	-5.24	21.32	3	Horizontal	68	2.63	-	41.64	38.44	16.19	33.31

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	52.73	54.00	-1.27	8.90	3	Vertical	344	2.40	-	43.83	33.20	9.83	34.13
AV	5.2632G	88.81	Inf	-Inf	8.68	3	Vertical	344	2.40	-	80.13	32.93	9.90	34.15
AV	5.3868G	53.77	54.00	-0.23	8.59	3	Vertical	344	2.40	-	45.18	32.77	9.99	34.17
PK	5.1456G	62.26	74.00	-11.74	8.90	3	Vertical	344	2.40	-	53.36	33.20	9.83	34.13
PK	5.2764G	98.83	Inf	-Inf	8.71	3	Vertical	344	2.40	-	90.12	32.95	9.91	34.15
PK	5.3832G	65.23	74.00	-8.77	8.59	3	Vertical	344	2.40	-	56.64	32.77	9.99	34.17

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1432G	51.27	54.00	-2.73	8.90	3	Horizontal	344	1.17	-	42.37	33.20	9.83	34.13
AV	5.2788G	86.14	Inf	-Inf	8.73	3	Horizontal	344	1.17	-	77.41	32.96	9.92	34.15
AV	5.3832G	53.61	54.00	-0.39	8.59	3	Horizontal	344	1.17	-	45.02	32.77	9.99	34.17
PK	5.0796G	60.51	74.00	-13.49	8.76	3	Horizontal	344	1.17	-	51.75	33.08	9.79	34.11
PK	5.274G	96.38	Inf	-Inf	8.71	3	Horizontal	344	1.17	-	87.67	32.95	9.91	34.15
PK	5.388G	63.10	74.00	-10.90	8.60	3	Horizontal	344	1.17	-	54.50	32.78	9.99	34.17

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74893G	48.72	54.00	-5.28	19.43	3	Vertical	292	2.05	-	29.29	38.15	15.83	34.55
PK	10.4994G	54.14	68.20	-14.06	16.83	3	Vertical	190	1.31	-	37.31	38.60	12.72	34.49
PK	15.75239G	59.58	74.00	-14.42	19.44	3	Vertical	292	2.05	-	40.14	38.15	15.84	34.55

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74957G	48.93	54.00	-5.07	19.43	3	Horizontal	296	2.99	-	29.50	38.15	15.83	34.55
PK	10.50042G	53.72	68.20	-14.48	16.84	3	Horizontal	344	2.31	-	36.88	38.60	12.73	34.49
PK	15.75143G	59.80	74.00	-14.20	19.44	3	Horizontal	296	2.99	-	40.36	38.15	15.84	34.55

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4524G	53.22	54.00	-0.78	8.74	3	Vertical	353	1.34	-	44.48	32.90	10.02	34.18
AV	5.5832G	89.08	Inf	-Inf	8.87	3	Vertical	353	1.34	-	80.21	33.00	10.06	34.19
PK	5.4692G	63.70	68.20	-4.50	8.78	3	Vertical	353	1.34	-	54.92	32.94	10.02	34.18
PK	5.5328G	98.96	Inf	-Inf	8.73	3	Vertical	353	1.34	-	90.23	32.87	10.05	34.19
PK	5.7524G	62.96	68.20	-5.24	9.64	3	Vertical	353	1.34	-	53.32	33.70	10.15	34.21


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	53.56	54.00	-0.44	8.75	3	Horizontal	346	1.79	-	44.81	32.91	10.02	34.18
AV	5.5832G	89.50	Inf	-Inf	8.87	3	Horizontal	346	1.79	-	80.63	33.00	10.06	34.19
PK	5.4644G	61.92	68.20	-6.28	8.77	3	Horizontal	346	1.79	-	53.15	32.93	10.02	34.18
PK	5.5736G	99.90	Inf	-Inf	8.81	3	Horizontal	346	1.79	-	91.09	32.94	10.06	34.19
PK	5.7272G	64.39	68.20	-3.81	9.50	3	Horizontal	346	1.79	-	54.89	33.56	10.14	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14071G	43.79	54.00	-10.21	17.76	3	Vertical	260	1.49	-	26.03	38.84	12.97	34.05
PK	11.14217G	54.57	74.00	-19.43	17.77	3	Vertical	260	1.49	-	36.80	38.84	12.98	34.05
PK	16.70848G	62.21	68.20	-5.99	21.05	3	Vertical	34	1.64	-	41.16	38.85	16.13	33.93


802.11ax HEW160_Nss1,(MCS0)_1TX(Port2)
5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13782G	43.79	54.00	-10.21	17.76	3	Horizontal	80	1.08	-	26.03	38.84	12.97	34.05
PK	11.14241G	55.32	74.00	-18.68	17.77	3	Horizontal	80	1.08	-	37.55	38.84	12.98	34.05
PK	16.71214G	62.94	68.20	-5.26	21.04	3	Horizontal	29	1.65	-	41.90	38.83	16.13	33.92

802.11ax HEW160_Nss2,(MCS0)_2TX


5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1024G	53.46	54.00	-0.54	8.89	3	Vertical	342	2.79	-	44.57	33.20	9.81	34.12
AV	5.2644G	91.13	Inf	-Inf	8.69	3	Vertical	342	2.79	-	82.44	32.93	9.91	34.15
AV	5.394G	53.80	54.00	-0.20	8.62	3	Vertical	342	2.79	-	45.18	32.79	10.00	34.17
PK	5.1444G	65.80	74.00	-8.20	8.90	3	Vertical	342	2.79	-	56.90	33.20	9.83	34.13
PK	5.2872G	104.27	Inf	-Inf	8.74	3	Vertical	342	2.79	-	95.53	32.97	9.92	34.15
PK	5.3868G	70.05	74.00	-3.95	8.59	3	Vertical	342	2.79	-	61.46	32.77	9.99	34.17
PK	5.4612G	61.88	68.20	-6.32	8.76	3	Vertical	342	2.79	-	53.12	32.92	10.02	34.18


802.11ax HEW160_Nss2,(MCS0)_2TX

5250MHz Straddle 5.25-5.35GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.0952G	53.10	54.00	-0.90	8.85	3	Horizontal	353	1.76	-	44.25	33.17	9.80	34.12
AV	5.1924G	90.04	Inf	-Inf	8.85	3	Horizontal	353	1.76	-	81.19	33.12	9.86	34.13
AV	5.35G	53.00	54.00	-1.00	8.51	3	Horizontal	353	1.76	-	44.49	32.70	9.97	34.16
PK	5.1348G	67.20	74.00	-6.80	8.90	3	Horizontal	353	1.76	-	58.30	33.20	9.82	34.12
PK	5.1804G	103.55	Inf	-Inf	8.86	3	Horizontal	353	1.76	-	94.69	33.14	9.85	34.13
PK	5.3892G	69.96	74.00	-4.04	8.60	3	Horizontal	353	1.76	-	61.36	32.78	9.99	34.17
PK	5.4684G	63.21	68.20	-4.99	8.78	3	Horizontal	353	1.76	-	54.43	32.94	10.02	34.18

802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75174G	45.74	54.00	-8.26	19.44	3	Vertical	151	1.33	-	26.30	38.15	15.84	34.55
PK	10.50159G	54.22	68.20	-13.98	16.84	3	Vertical	248	2.47	-	37.38	38.60	12.73	34.49
PK	15.7512G	59.77	74.00	-14.23	19.44	3	Vertical	151	1.33	-	40.33	38.15	15.84	34.55


802.11ax HEW160_Nss2,(MCS0)_2TX
5250MHz Straddle 5.25-5.35GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75206G	45.69	54.00	-8.31	19.44	3	Horizontal	77	2.42	-	26.25	38.15	15.84	34.55
PK	10.50087G	54.15	68.20	-14.05	16.84	3	Horizontal	261	1.08	-	37.31	38.60	12.73	34.49
PK	15.75026G	59.45	74.00	-14.55	19.44	3	Horizontal	77	2.42	-	40.01	38.15	15.84	34.55

802.11ax HEW160_Nss2,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4056G	52.16	54.00	-1.84	8.64	3	Vertical	0	1.74	-	43.52	32.81	10.00	34.17
AV	5.5508G	90.78	Inf	-Inf	8.66	3	Vertical	0	1.74	-	82.12	32.80	10.05	34.19
PK	5.462G	66.00	68.20	-2.20	8.76	3	Vertical	0	1.74	-	57.24	32.92	10.02	34.18
PK	5.5868G	103.38	Inf	-Inf	8.89	3	Vertical	0	1.74	-	94.49	33.02	10.07	34.20
PK	5.762G	65.34	68.20	-2.86	9.67	3	Vertical	0	1.74	-	55.67	33.72	10.16	34.21


802.11ax HEW160_Nss2,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4032G	53.17	54.00	-0.83	8.64	3	Horizontal	342	1.78	-	44.53	32.81	10.00	34.17
AV	5.5892G	92.50	Inf	-Inf	8.91	3	Horizontal	342	1.78	-	83.59	33.04	10.07	34.20
PK	5.4692G	67.54	68.20	-0.66	8.78	3	Horizontal	-0	1.50	-	58.76	32.94	10.02	34.18
PK	5.588G	105.28	Inf	-Inf	8.90	3	Horizontal	-0	1.50	-	96.38	33.03	10.07	34.20
PK	5.7284G	67.24	68.20	-0.96	9.51	3	Horizontal	-0	1.50	-	57.73	33.57	10.14	34.20

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13753G	40.91	54.00	-13.09	17.76	3	Vertical	61	2.71	-	23.15	38.84	12.97	34.05
PK	11.13945G	54.67	74.00	-19.33	17.76	3	Vertical	61	2.71	-	36.91	38.84	12.97	34.05
PK	16.70761G	61.62	68.20	-6.58	21.05	3	Vertical	56	2.76	-	40.57	38.85	16.13	33.93

**802.11ax HEW160_Nss2,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13808G	40.87	54.00	-13.13	17.76	3	Horizontal	83	2.45	-	23.11	38.84	12.97	34.05
PK	11.13769G	54.47	74.00	-19.53	17.76	3	Horizontal	83	2.45	-	36.71	38.84	12.97	34.05
PK	16.71213G	62.32	68.20	-5.88	21.04	3	Horizontal	155	1.70	-	41.28	38.83	16.13	33.92



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	53.67	54.00	-0.33	3	Horizontal	58	2.40	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3504G	52.75	54.00	-1.25	3	Horizontal	65	2.23	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.354G	73.73	74.00	-0.27	3	Horizontal	51	2.21	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1336G	53.61	54.00	-0.39	3	Horizontal	59	2.28	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4694G	67.93	68.20	-0.27	3	Horizontal	56	1.92	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	67.69	68.20	-0.51	3	Horizontal	64	2.23	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.78	68.20	-0.42	3	Horizontal	50	2.86	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	67.45	68.20	-0.75	3	Horizontal	50	2.54	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	47.59	54.00	-6.41	3	Vertical	1	1.21	-
5260MHz	Pass	AV	5.2642G	107.22	Inf	-Inf	3	Vertical	1	1.21	-
5260MHz	Pass	AV	5.3512G	49.87	54.00	-4.13	3	Vertical	1	1.21	-
5260MHz	Pass	PK	5.1364G	60.13	74.00	-13.87	3	Vertical	1	1.21	-
5260MHz	Pass	PK	5.2618G	118.85	Inf	-Inf	3	Vertical	1	1.21	-
5260MHz	Pass	PK	5.3512G	63.19	74.00	-10.81	3	Vertical	1	1.21	-
5260MHz	Pass	AV	5.15G	50.57	54.00	-3.43	3	Horizontal	56	2.18	-
5260MHz	Pass	AV	5.2516G	110.34	Inf	-Inf	3	Horizontal	56	2.18	-
5260MHz	Pass	AV	5.3518G	53.42	54.00	-0.58	3	Horizontal	56	2.18	-
5260MHz	Pass	PK	5.15G	63.85	74.00	-10.15	3	Horizontal	56	2.18	-
5260MHz	Pass	PK	5.254G	122.22	Inf	-Inf	3	Horizontal	56	2.18	-
5260MHz	Pass	PK	5.356G	68.93	74.00	-5.07	3	Horizontal	56	2.18	-
5260MHz	Pass	AV	15.78468G	50.83	54.00	-3.17	3	Vertical	356	1.42	-
5260MHz	Pass	PK	10.52504G	60.94	68.20	-7.26	3	Vertical	347	1.56	-
5260MHz	Pass	PK	15.79062G	63.95	74.00	-10.05	3	Vertical	356	1.42	-
5260MHz	Pass	AV	15.77514G	49.14	54.00	-4.86	3	Horizontal	313	1.44	-
5260MHz	Pass	PK	10.51874G	58.95	68.20	-9.25	3	Horizontal	10	1.50	-
5260MHz	Pass	PK	15.79062G	61.32	74.00	-12.68	3	Horizontal	313	1.44	-
5300MHz	Pass	AV	5.3088G	104.99	Inf	-Inf	3	Vertical	0	1.30	-
5300MHz	Pass	AV	5.3524G	48.18	54.00	-5.82	3	Vertical	0	1.30	-
5300MHz	Pass	PK	5.3092G	116.84	Inf	-Inf	3	Vertical	0	1.30	-
5300MHz	Pass	PK	5.3504G	63.38	74.00	-10.62	3	Vertical	0	1.30	-
5300MHz	Pass	AV	5.3024G	110.49	Inf	-Inf	3	Horizontal	58	2.40	-
5300MHz	Pass	AV	5.3504G	53.67	54.00	-0.33	3	Horizontal	58	2.40	-
5300MHz	Pass	PK	5.3016G	122.22	Inf	-Inf	3	Horizontal	58	2.40	-
5300MHz	Pass	PK	5.35G	70.78	74.00	-3.22	3	Horizontal	58	2.40	-
5300MHz	Pass	AV	10.60184G	46.33	54.00	-7.67	3	Vertical	349	1.50	-
5300MHz	Pass	AV	15.89584G	51.88	54.00	-2.12	3	Vertical	357	1.50	-
5300MHz	Pass	PK	10.60048G	59.50	74.00	-14.50	3	Vertical	349	1.50	-
5300MHz	Pass	PK	15.89456G	65.17	74.00	-8.83	3	Vertical	357	1.50	-
5300MHz	Pass	AV	10.60064G	46.84	54.00	-7.16	3	Horizontal	12	1.54	-
5300MHz	Pass	AV	15.90536G	51.58	54.00	-2.42	3	Horizontal	0	1.50	-
5300MHz	Pass	PK	10.606G	60.86	74.00	-13.14	3	Horizontal	12	1.54	-
5300MHz	Pass	PK	15.90816G	65.95	74.00	-8.05	3	Horizontal	0	1.50	-
5320MHz	Pass	AV	5.3116G	101.09	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3508G	48.69	54.00	-5.31	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.312G	112.99	Inf	-Inf	3	Vertical	0	1.28	-
5320MHz	Pass	PK	5.3528G	64.96	74.00	-9.04	3	Vertical	0	1.28	-
5320MHz	Pass	AV	5.3172G	105.32	Inf	-Inf	3	Horizontal	67	1.85	-
5320MHz	Pass	AV	5.3504G	53.67	54.00	-0.33	3	Horizontal	67	1.85	-
5320MHz	Pass	PK	5.3154G	117.49	Inf	-Inf	3	Horizontal	67	1.85	-
5320MHz	Pass	PK	5.3518G	70.47	74.00	-3.53	3	Horizontal	67	1.85	-
5320MHz	Pass	AV	10.63824G	44.75	54.00	-9.25	3	Vertical	16	1.67	-
5320MHz	Pass	AV	15.964G	50.01	54.00	-3.99	3	Vertical	355	1.46	-
5320MHz	Pass	PK	10.6476G	56.28	74.00	-17.72	3	Vertical	16	1.67	-
5320MHz	Pass	PK	15.97128G	64.11	74.00	-9.89	3	Vertical	355	1.46	-
5320MHz	Pass	AV	10.64144G	44.79	54.00	-9.21	3	Horizontal	12	1.50	-
5320MHz	Pass	AV	15.96104G	50.85	54.00	-3.15	3	Horizontal	29	1.65	-
5320MHz	Pass	PK	10.62912G	58.70	74.00	-15.30	3	Horizontal	12	1.50	-
5320MHz	Pass	PK	15.96024G	65.05	74.00	-8.95	3	Horizontal	29	1.65	-
5500MHz	Pass	AV	5.46G	47.47	54.00	-6.53	3	Vertical	5	1.50	-
5500MHz	Pass	AV	5.5088G	101.16	Inf	-Inf	3	Vertical	5	1.50	-
5500MHz	Pass	PK	5.4698G	66.33	68.20	-1.87	3	Vertical	5	1.50	-
5500MHz	Pass	PK	5.5084G	114.18	Inf	-Inf	3	Vertical	5	1.50	-
5500MHz	Pass	AV	5.46G	48.21	54.00	-5.79	3	Horizontal	56	1.92	-
5500MHz	Pass	AV	5.5028G	104.84	Inf	-Inf	3	Horizontal	56	1.92	-
5500MHz	Pass	PK	5.4694G	67.93	68.20	-0.27	3	Horizontal	56	1.92	-
5500MHz	Pass	PK	5.5016G	117.55	Inf	-Inf	3	Horizontal	56	1.92	-
5500MHz	Pass	AV	11.0012G	45.41	54.00	-8.59	3	Vertical	18	1.66	-
5500MHz	Pass	PK	10.9992G	57.97	74.00	-16.03	3	Vertical	18	1.66	-



RSE TX above 1GHz_Beamforming_Internal

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	16.48304G	62.73	68.20	-5.47	3	Vertical	329	1.50	-
5500MHz	Pass	AV	10.9996G	44.90	54.00	-9.10	3	Horizontal	0	1.56	-
5500MHz	Pass	PK	10.99696G	57.74	74.00	-16.26	3	Horizontal	0	1.56	-
5500MHz	Pass	PK	16.50424G	63.57	68.20	-4.63	3	Horizontal	326	1.42	-
5580MHz	Pass	AV	5.4564G	46.33	54.00	-7.67	3	Vertical	21	1.34	-
5580MHz	Pass	AV	5.5716G	106.92	Inf	-Inf	3	Vertical	21	1.34	-
5580MHz	Pass	PK	5.4696G	61.26	68.20	-6.94	3	Vertical	21	1.34	-
5580MHz	Pass	PK	5.5728G	118.53	Inf	-Inf	3	Vertical	21	1.34	-
5580MHz	Pass	PK	5.7288G	58.33	68.20	-9.87	3	Vertical	21	1.34	-
5580MHz	Pass	AV	5.46G	49.21	54.00	-4.79	3	Horizontal	57	2.84	-
5580MHz	Pass	AV	5.5716G	114.60	Inf	-Inf	3	Horizontal	57	2.84	-
5580MHz	Pass	PK	5.466G	67.43	68.20	-0.77	3	Horizontal	57	2.84	-
5580MHz	Pass	PK	5.571G	124.86	Inf	-Inf	3	Horizontal	57	2.84	-
5580MHz	Pass	PK	5.7252G	59.59	68.20	-8.61	3	Horizontal	57	2.84	-
5580MHz	Pass	AV	11.16112G	45.49	54.00	-8.51	3	Vertical	20	1.49	-
5580MHz	Pass	PK	11.15872G	58.68	74.00	-15.32	3	Vertical	20	1.49	-
5580MHz	Pass	PK	16.74456G	67.62	68.20	-0.58	3	Vertical	353	1.71	-
5580MHz	Pass	AV	11.15504G	45.36	54.00	-8.64	3	Horizontal	352	1.50	-
5580MHz	Pass	PK	11.15112G	58.79	74.00	-15.21	3	Horizontal	352	1.50	-
5580MHz	Pass	PK	16.74848G	67.54	68.20	-0.66	3	Horizontal	335	1.64	-
5700MHz	Pass	AV	5.6944G	99.14	Inf	-Inf	3	Vertical	0	1.69	-
5700MHz	Pass	PK	5.6944G	111.48	Inf	-Inf	3	Vertical	0	1.69	-
5700MHz	Pass	PK	5.7256G	65.43	68.20	-2.77	3	Vertical	0	1.69	-
5700MHz	Pass	AV	5.7044G	103.07	Inf	-Inf	3	Horizontal	58	2.11	-
5700MHz	Pass	PK	5.7048G	115.06	Inf	-Inf	3	Horizontal	58	2.11	-
5700MHz	Pass	PK	5.7252G	66.75	68.20	-1.45	3	Horizontal	58	2.11	-
5700MHz	Pass	AV	11.3956G	42.14	54.00	-11.86	3	Vertical	170	1.50	-
5700MHz	Pass	PK	11.39024G	54.86	74.00	-19.14	3	Vertical	170	1.50	-
5700MHz	Pass	PK	17.08432G	63.93	68.20	-4.27	3	Vertical	96	1.50	-
5700MHz	Pass	AV	11.3888G	42.86	54.00	-11.14	3	Horizontal	274	1.94	-
5700MHz	Pass	PK	11.41368G	56.32	74.00	-17.68	3	Horizontal	274	1.94	-
5700MHz	Pass	PK	17.11352G	64.49	68.20	-3.71	3	Horizontal	328	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4428G	45.55	54.00	-8.45	3	Vertical	349	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	107.16	Inf	-Inf	3	Vertical	349	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.20	68.20	-11.00	3	Vertical	349	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	118.31	Inf	-Inf	3	Vertical	349	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.906G	59.17	68.20	-9.03	3	Vertical	349	1.38	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	46.82	54.00	-7.18	3	Horizontal	60	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	110.40	Inf	-Inf	3	Horizontal	60	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	58.80	68.20	-9.40	3	Horizontal	60	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	121.89	Inf	-Inf	3	Horizontal	60	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	60.74	68.20	-7.46	3	Horizontal	60	1.79	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.436G	43.45	54.00	-10.55	3	Vertical	352	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43944G	57.66	74.00	-16.34	3	Vertical	352	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16232G	64.36	68.20	-3.84	3	Vertical	328	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43864G	43.48	54.00	-10.52	3	Horizontal	27	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43808G	56.49	74.00	-17.51	3	Horizontal	27	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15984G	65.15	68.20	-3.05	3	Horizontal	350	1.61	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2644G	102.12	Inf	-Inf	3	Vertical	360	1.20	-
5270MHz	Pass	AV	5.35G	50.28	54.00	-3.72	3	Vertical	360	1.20	-
5270MHz	Pass	PK	5.2672G	114.50	Inf	-Inf	3	Vertical	360	1.20	-
5270MHz	Pass	PK	5.3508G	64.66	74.00	-9.34	3	Vertical	360	1.20	-
5270MHz	Pass	AV	5.2876G	105.91	Inf	-Inf	3	Horizontal	65	2.23	-
5270MHz	Pass	AV	5.3504G	52.75	54.00	-1.25	3	Horizontal	65	2.23	-
5270MHz	Pass	PK	5.258G	118.58	Inf	-Inf	3	Horizontal	65	2.23	-
5270MHz	Pass	PK	5.3532G	70.11	74.00	-3.89	3	Horizontal	65	2.23	-
5270MHz	Pass	AV	15.80024G	47.28	54.00	-6.72	3	Vertical	356	1.50	-
5270MHz	Pass	PK	10.54G	58.32	68.20	-9.88	3	Vertical	28	1.50	-
5270MHz	Pass	PK	15.8176G	60.65	74.00	-13.35	3	Vertical	356	1.50	-
5270MHz	Pass	AV	15.80124G	46.12	54.00	-7.88	3	Horizontal	0	1.50	-
5270MHz	Pass	PK	10.54G	59.98	68.20	-8.22	3	Horizontal	10	1.47	-



RSE TX above 1GHz_Beamforming_Internal

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.80108G	60.51	74.00	-13.49	3	Horizontal	0	1.50	-
5310MHz	Pass	AV	5.2996G	96.95	Inf	-Inf	3	Vertical	0	1.09	-
5310MHz	Pass	AV	5.3524G	47.31	54.00	-6.69	3	Vertical	0	1.09	-
5310MHz	Pass	PK	5.3028G	109.78	Inf	-Inf	3	Vertical	0	1.09	-
5310MHz	Pass	PK	5.3504G	65.79	74.00	-8.21	3	Vertical	0	1.09	-
5310MHz	Pass	AV	5.2924G	101.21	Inf	-Inf	3	Horizontal	63	2.23	-
5310MHz	Pass	AV	5.3528G	49.58	54.00	-4.42	3	Horizontal	63	2.23	-
5310MHz	Pass	PK	5.3032G	114.79	Inf	-Inf	3	Horizontal	63	2.23	-
5310MHz	Pass	PK	5.3516G	72.34	74.00	-1.66	3	Horizontal	63	2.23	-
5310MHz	Pass	AV	10.60128G	42.46	54.00	-11.54	3	Vertical	349	1.70	-
5310MHz	Pass	AV	15.93792G	46.99	54.00	-7.01	3	Vertical	355	1.50	-
5310MHz	Pass	PK	10.6088G	55.91	74.00	-18.09	3	Vertical	349	1.70	-
5310MHz	Pass	PK	15.92672G	59.93	74.00	-14.07	3	Vertical	355	1.50	-
5310MHz	Pass	AV	10.60384G	42.55	54.00	-11.45	3	Horizontal	12	1.37	-
5310MHz	Pass	AV	15.94312G	46.97	54.00	-7.03	3	Horizontal	28	1.72	-
5310MHz	Pass	PK	10.62G	56.28	74.00	-17.72	3	Horizontal	12	1.37	-
5310MHz	Pass	PK	15.92992G	60.10	74.00	-13.90	3	Horizontal	28	1.72	-
5510MHz	Pass	AV	5.4588G	46.72	54.00	-7.28	3	Vertical	5	1.59	-
5510MHz	Pass	AV	5.5168G	96.86	Inf	-Inf	3	Vertical	5	1.59	-
5510MHz	Pass	PK	5.4692G	65.64	68.20	-2.56	3	Vertical	5	1.59	-
5510MHz	Pass	PK	5.5136G	110.05	Inf	-Inf	3	Vertical	5	1.59	-
5510MHz	Pass	AV	5.4588G	48.17	54.00	-5.83	3	Horizontal	53	1.25	-
5510MHz	Pass	AV	5.528G	100.37	Inf	-Inf	3	Horizontal	53	1.25	-
5510MHz	Pass	PK	5.4608G	67.01	68.20	-1.19	3	Horizontal	53	1.25	-
5510MHz	Pass	PK	5.524G	113.83	Inf	-Inf	3	Horizontal	53	1.25	-
5510MHz	Pass	AV	11.014G	42.41	54.00	-11.59	3	Vertical	256	1.50	-
5510MHz	Pass	PK	11.02192G	55.90	74.00	-18.10	3	Vertical	256	1.50	-
5510MHz	Pass	PK	16.52192G	62.71	68.20	-5.49	3	Vertical	190	2.96	-
5510MHz	Pass	AV	11.01384G	42.65	54.00	-11.35	3	Horizontal	260	1.53	-
5510MHz	Pass	PK	11.02352G	56.21	74.00	-17.79	3	Horizontal	260	1.53	-
5510MHz	Pass	PK	16.52448G	62.45	68.20	-5.75	3	Horizontal	158	2.41	-
5550MHz	Pass	AV	5.46G	46.67	54.00	-7.33	3	Vertical	325	1.33	-
5550MHz	Pass	AV	5.5536G	101.15	Inf	-Inf	3	Vertical	325	1.33	-
5550MHz	Pass	PK	5.464G	62.56	68.20	-5.64	3	Vertical	325	1.33	-
5550MHz	Pass	PK	5.5528G	113.44	Inf	-Inf	3	Vertical	325	1.33	-
5550MHz	Pass	AV	5.46G	49.85	54.00	-4.15	3	Horizontal	56	1.93	-
5550MHz	Pass	AV	5.5444G	106.33	Inf	-Inf	3	Horizontal	56	1.93	-
5550MHz	Pass	PK	5.47G	67.30	68.20	-0.90	3	Horizontal	56	1.93	-
5550MHz	Pass	PK	5.5456G	119.45	Inf	-Inf	3	Horizontal	56	1.93	-
5550MHz	Pass	AV	11.09316G	43.51	54.00	-10.49	3	Vertical	18	1.50	-
5550MHz	Pass	PK	11.10004G	59.34	74.00	-14.66	3	Vertical	18	1.50	-
5550MHz	Pass	PK	16.64964G	63.08	68.20	-5.12	3	Vertical	26	1.50	-
5550MHz	Pass	AV	11.095G	43.94	54.00	-10.06	3	Horizontal	77	1.72	-
5550MHz	Pass	PK	11.10012G	59.33	74.00	-14.67	3	Horizontal	77	1.72	-
5550MHz	Pass	PK	16.65524G	63.26	68.20	-4.94	3	Horizontal	326	1.39	-
5670MHz	Pass	AV	5.6676G	98.89	Inf	-Inf	3	Vertical	0	1.50	-
5670MHz	Pass	PK	5.6724G	111.57	Inf	-Inf	3	Vertical	0	1.50	-
5670MHz	Pass	PK	5.7282G	63.90	68.20	-4.30	3	Vertical	0	1.50	-
5670MHz	Pass	AV	5.6652G	103.68	Inf	-Inf	3	Horizontal	64	2.23	-
5670MHz	Pass	PK	5.6652G	116.08	Inf	-Inf	3	Horizontal	64	2.23	-
5670MHz	Pass	PK	5.7252G	67.69	68.20	-0.51	3	Horizontal	64	2.23	-
5670MHz	Pass	AV	11.33504G	42.39	54.00	-11.61	3	Vertical	2	2.48	-
5670MHz	Pass	PK	11.33228G	55.97	74.00	-18.03	3	Vertical	2	2.48	-
5670MHz	Pass	PK	17.00128G	65.26	68.20	-2.94	3	Vertical	0	1.67	-
5670MHz	Pass	AV	11.34556G	41.86	54.00	-12.14	3	Horizontal	340	1.66	-
5670MHz	Pass	PK	11.33984G	55.38	74.00	-18.62	3	Horizontal	340	1.66	-
5670MHz	Pass	PK	17.01208G	65.32	68.20	-2.88	3	Horizontal	246	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	46.95	54.00	-7.05	3	Vertical	0	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	102.76	Inf	-Inf	3	Vertical	0	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	59.62	68.20	-8.58	3	Vertical	0	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.698G	114.31	Inf	-Inf	3	Vertical	0	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8504G	62.06	68.20	-6.14	3	Vertical	0	1.54	-



RSE TX above 1GHz_Beamforming_Internal

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	49.83	54.00	-4.17	3	Horizontal	55	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6956G	106.95	Inf	-Inf	3	Horizontal	55	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	66.69	68.20	-1.51	3	Horizontal	55	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	118.98	Inf	-Inf	3	Horizontal	55	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	67.24	68.20	-0.96	3	Horizontal	55	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41768G	43.38	54.00	-10.62	3	Vertical	353	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41048G	56.54	74.00	-17.46	3	Vertical	353	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14856G	64.81	68.20	-3.39	3	Vertical	352	1.54	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4156G	42.82	54.00	-11.18	3	Horizontal	340	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42008G	56.14	74.00	-17.86	3	Horizontal	340	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11848G	64.23	68.20	-3.97	3	Horizontal	348	2.09	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	46.42	54.00	-7.58	3	Vertical	0	1.04	-
5290MHz	Pass	AV	5.264G	93.07	Inf	-Inf	3	Vertical	0	1.04	-
5290MHz	Pass	AV	5.36G	47.63	54.00	-6.37	3	Vertical	0	1.04	-
5290MHz	Pass	PK	5.119G	59.49	74.00	-14.51	3	Vertical	0	1.04	-
5290MHz	Pass	PK	5.256G	108.25	Inf	-Inf	3	Vertical	0	1.04	-
5290MHz	Pass	PK	5.361G	67.57	74.00	-6.43	3	Vertical	0	1.04	-
5290MHz	Pass	AV	5.15G	48.71	54.00	-5.29	3	Horizontal	51	2.21	-
5290MHz	Pass	AV	5.288G	98.69	Inf	-Inf	3	Horizontal	51	2.21	-
5290MHz	Pass	AV	5.35G	52.01	54.00	-1.99	3	Horizontal	51	2.21	-
5290MHz	Pass	PK	5.15G	60.66	74.00	-13.34	3	Horizontal	51	2.21	-
5290MHz	Pass	PK	5.263G	113.91	Inf	-Inf	3	Horizontal	51	2.21	-
5290MHz	Pass	PK	5.354G	73.73	74.00	-0.27	3	Horizontal	51	2.21	-
5290MHz	Pass	AV	15.87456G	45.84	54.00	-8.16	3	Vertical	240	2.80	-
5290MHz	Pass	PK	10.57224G	54.31	68.20	-13.89	3	Vertical	98	1.89	-
5290MHz	Pass	PK	15.8736G	58.87	74.00	-15.13	3	Vertical	240	2.80	-
5290MHz	Pass	AV	15.86768G	45.70	54.00	-8.30	3	Horizontal	294	2.50	-
5290MHz	Pass	PK	10.58952G	54.01	68.20	-14.19	3	Horizontal	82	2.81	-
5290MHz	Pass	PK	15.86344G	59.01	74.00	-14.99	3	Horizontal	294	2.50	-
5530MHz	Pass	AV	5.46G	47.50	54.00	-6.50	3	Vertical	315	1.51	-
5530MHz	Pass	AV	5.529G	94.16	Inf	-Inf	3	Vertical	315	1.51	-
5530MHz	Pass	PK	5.47G	65.23	68.20	-2.97	3	Vertical	315	1.51	-
5530MHz	Pass	PK	5.505G	107.75	Inf	-Inf	3	Vertical	315	1.51	-
5530MHz	Pass	PK	5.726G	59.29	68.20	-8.91	3	Vertical	315	1.51	-
5530MHz	Pass	AV	5.46G	48.58	54.00	-5.42	3	Horizontal	50	2.86	-
5530MHz	Pass	AV	5.492G	94.49	Inf	-Inf	3	Horizontal	50	2.86	-
5530MHz	Pass	PK	5.468G	67.78	68.20	-0.42	3	Horizontal	50	2.86	-
5530MHz	Pass	PK	5.506G	112.46	Inf	-Inf	3	Horizontal	50	2.86	-
5530MHz	Pass	PK	5.734G	59.38	68.20	-8.82	3	Horizontal	50	2.86	-
5530MHz	Pass	AV	11.04208G	42.40	54.00	-11.60	3	Vertical	39	1.31	-
5530MHz	Pass	PK	11.04192G	55.62	74.00	-18.38	3	Vertical	39	1.31	-
5530MHz	Pass	PK	16.57096G	60.67	68.20	-7.53	3	Vertical	228	2.85	-
5530MHz	Pass	AV	11.04296G	42.41	54.00	-11.59	3	Horizontal	166	1.84	-
5530MHz	Pass	PK	11.04696G	56.26	74.00	-17.74	3	Horizontal	166	1.84	-
5530MHz	Pass	PK	16.60832G	60.86	68.20	-7.34	3	Horizontal	65	2.07	-
5610MHz	Pass	AV	5.459G	49.01	54.00	-4.99	3	Vertical	2	1.50	-
5610MHz	Pass	AV	5.598G	97.14	Inf	-Inf	3	Vertical	2	1.50	-
5610MHz	Pass	PK	5.47G	63.64	68.20	-4.56	3	Vertical	2	1.50	-
5610MHz	Pass	PK	5.577G	110.83	Inf	-Inf	3	Vertical	2	1.50	-
5610MHz	Pass	PK	5.727G	65.73	68.20	-2.47	3	Vertical	2	1.50	-
5610MHz	Pass	AV	5.459G	51.77	54.00	-2.23	3	Horizontal	55	1.77	-
5610MHz	Pass	AV	5.598G	102.84	Inf	-Inf	3	Horizontal	55	1.77	-
5610MHz	Pass	PK	5.462G	65.43	68.20	-2.77	3	Horizontal	55	1.77	-
5610MHz	Pass	PK	5.586G	117.31	Inf	-Inf	3	Horizontal	55	1.77	-
5610MHz	Pass	PK	5.727G	67.67	68.20	-0.53	3	Horizontal	55	1.77	-
5610MHz	Pass	AV	11.21808G	42.04	54.00	-11.96	3	Vertical	56	1.85	-
5610MHz	Pass	PK	11.2228G	55.38	74.00	-18.62	3	Vertical	56	1.85	-
5610MHz	Pass	PK	16.82368G	61.86	68.20	-6.34	3	Vertical	334	2.89	-
5610MHz	Pass	AV	11.20224G	42.11	54.00	-11.89	3	Horizontal	131	1.31	-
5610MHz	Pass	PK	11.22312G	54.78	74.00	-19.22	3	Horizontal	131	1.31	-
5610MHz	Pass	PK	16.81792G	62.36	68.20	-5.84	3	Horizontal	146	1.89	-




RSE TX above 1GHz_Beamforming_Internal

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	49.02	54.00	-4.98	3	Vertical	353	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6768G	99.89	Inf	-Inf	3	Vertical	353	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	62.38	68.20	-5.82	3	Vertical	353	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6732G	111.88	Inf	-Inf	3	Vertical	353	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.48	68.20	-4.72	3	Vertical	353	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.47	54.00	-0.53	3	Horizontal	58	2.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6708G	104.35	Inf	-Inf	3	Horizontal	58	2.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	66.30	68.20	-1.90	3	Horizontal	58	2.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.678G	116.49	Inf	-Inf	3	Horizontal	58	2.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.852G	66.70	68.20	-1.50	3	Horizontal	58	2.18	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.36G	42.35	54.00	-11.65	3	Vertical	175	2.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37328G	55.55	74.00	-18.45	3	Vertical	175	2.83	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06096G	63.47	68.20	-4.73	3	Vertical	30	1.05	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3652G	42.47	54.00	-11.53	3	Horizontal	191	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.36856G	55.59	74.00	-18.41	3	Horizontal	191	1.65	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06512G	63.01	68.20	-5.19	3	Horizontal	179	1.89	-
802.11ax HEW160-BF_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz	Pass	AV	5.1468G	50.57	54.00	-3.43	3	Vertical	0	1.44	-
5250MHz	Pass	AV	5.1816G	88.45	Inf	-Inf	3	Vertical	0	1.44	-
5250MHz	Pass	AV	5.3856G	47.56	54.00	-6.44	3	Vertical	0	1.44	-
5250MHz	Pass	PK	5.1468G	63.44	74.00	-10.56	3	Vertical	0	1.44	-
5250MHz	Pass	PK	5.2428G	100.46	Inf	-Inf	3	Vertical	0	1.44	-
5250MHz	Pass	PK	5.37G	63.80	74.00	-10.20	3	Vertical	0	1.44	-
5250MHz	Pass	AV	5.1336G	53.61	54.00	-0.39	3	Horizontal	59	2.28	-
5250MHz	Pass	AV	5.292G	94.06	Inf	-Inf	3	Horizontal	59	2.28	-
5250MHz	Pass	AV	5.3664G	50.13	54.00	-3.87	3	Horizontal	59	2.28	-
5250MHz	Pass	PK	5.094G	69.97	74.00	-4.03	3	Horizontal	59	2.28	-
5250MHz	Pass	PK	5.1828G	110.85	Inf	-Inf	3	Horizontal	59	2.28	-
5250MHz	Pass	PK	5.382G	68.74	74.00	-5.26	3	Horizontal	59	2.28	-
5250MHz	Pass	AV	15.75616G	45.46	54.00	-8.54	3	Vertical	331	1.35	-
5250MHz	Pass	PK	10.50192G	54.71	68.20	-13.49	3	Vertical	128	1.28	-
5250MHz	Pass	PK	15.75424G	58.21	74.00	-15.79	3	Vertical	331	1.35	-
5250MHz	Pass	AV	15.73016G	45.38	54.00	-8.62	3	Horizontal	220	2.69	-
5250MHz	Pass	PK	10.50552G	54.19	68.20	-14.01	3	Horizontal	150	2.57	-
5250MHz	Pass	PK	15.76088G	58.93	74.00	-15.07	3	Horizontal	220	2.69	-
5570MHz	Pass	AV	5.3936G	49.15	54.00	-4.85	3	Vertical	0	1.50	-
5570MHz	Pass	AV	5.5556G	88.69	Inf	-Inf	3	Vertical	0	1.50	-
5570MHz	Pass	PK	5.468G	59.63	68.20	-8.57	3	Vertical	0	1.50	-
5570MHz	Pass	PK	5.5148G	100.76	Inf	-Inf	3	Vertical	0	1.50	-
5570MHz	Pass	PK	5.7572G	60.99	68.20	-7.21	3	Vertical	0	1.50	-
5570MHz	Pass	AV	5.3696G	51.61	54.00	-2.39	3	Horizontal	50	2.54	-
5570MHz	Pass	AV	5.5424G	92.73	Inf	-Inf	3	Horizontal	50	2.54	-
5570MHz	Pass	PK	5.4692G	67.45	68.20	-0.75	3	Horizontal	50	2.54	-
5570MHz	Pass	PK	5.6264G	105.15	Inf	-Inf	3	Horizontal	50	2.54	-
5570MHz	Pass	PK	5.762G	64.32	68.20	-3.88	3	Horizontal	50	2.54	-
5570MHz	Pass	AV	11.12912G	42.08	54.00	-11.92	3	Vertical	70	2.07	-
5570MHz	Pass	PK	11.12072G	54.47	74.00	-19.53	3	Vertical	70	2.07	-
5570MHz	Pass	PK	16.71112G	61.61	68.20	-6.59	3	Vertical	227	1.78	-
5570MHz	Pass	AV	11.13456G	42.11	54.00	-11.89	3	Horizontal	250	2.95	-
5570MHz	Pass	PK	11.13472G	54.81	74.00	-19.19	3	Horizontal	250	2.95	-
5570MHz	Pass	PK	16.722G	62.02	68.20	-6.18	3	Horizontal	63	1.70	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.59	54.00	-6.41	7.60	3	Vertical	1	1.21	-	39.99	31.90	9.83	34.13
AV	5.2642G	107.22	Inf	-Inf	7.12	3	Vertical	1	1.21	-	100.10	31.37	9.90	34.15
AV	5.3512G	49.87	54.00	-4.13	7.12	3	Vertical	1	1.21	-	42.75	31.31	9.97	34.16
PK	5.1364G	60.13	74.00	-13.87	7.61	3	Vertical	1	1.21	-	52.52	31.90	9.83	34.12
PK	5.2618G	118.85	Inf	-Inf	7.13	3	Vertical	1	1.21	-	111.72	31.38	9.90	34.15
PK	5.3512G	63.19	74.00	-10.81	7.12	3	Vertical	1	1.21	-	56.07	31.31	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.57	54.00	-3.43	7.60	3	Horizontal	56	2.18	-	42.97	31.90	9.83	34.13
AV	5.2516G	110.34	Inf	-Inf	7.15	3	Horizontal	56	2.18	-	103.19	31.40	9.90	34.15
AV	5.3518G	53.42	54.00	-0.58	7.12	3	Horizontal	56	2.18	-	46.30	31.31	9.97	34.16
PK	5.15G	63.85	74.00	-10.15	7.60	3	Horizontal	56	2.18	-	56.25	31.90	9.83	34.13
PK	5.254G	122.22	Inf	-Inf	7.14	3	Horizontal	56	2.18	-	115.08	31.39	9.90	34.15
PK	5.356G	68.93	74.00	-5.07	7.16	3	Horizontal	56	2.18	-	61.77	31.35	9.97	34.16

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78468G	50.83	54.00	-3.17	18.57	3	Vertical	356	1.42	-	32.26	37.28	15.86	34.57
PK	10.52504G	60.94	68.20	-7.26	17.96	3	Vertical	347	1.56	-	42.98	39.70	12.73	34.47
PK	15.79062G	63.95	74.00	-10.05	18.55	3	Vertical	356	1.42	-	45.40	37.25	15.87	34.57


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77514G	49.14	54.00	-4.86	18.61	3	Horizontal	313	1.44	-	30.53	37.32	15.85	34.56
PK	10.51874G	58.95	68.20	-9.25	17.96	3	Horizontal	10	1.50	-	40.99	39.70	12.73	34.47
PK	15.79062G	61.32	74.00	-12.68	18.55	3	Horizontal	313	1.44	-	42.77	37.25	15.87	34.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3088G	104.99	Inf	-Inf	7.08	3	Vertical	0	1.30	-	97.91	31.30	9.94	34.16
AV	5.3524G	48.18	54.00	-5.82	7.13	3	Vertical	0	1.30	-	41.05	31.32	9.97	34.16
PK	5.3092G	116.84	Inf	-Inf	7.08	3	Vertical	0	1.30	-	109.76	31.30	9.94	34.16
PK	5.3504G	63.38	74.00	-10.62	7.11	3	Vertical	0	1.30	-	56.27	31.30	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	110.49	Inf	-Inf	7.08	3	Horizontal	58	2.40	-	103.41	31.30	9.93	34.15
AV	5.3504G	53.67	54.00	-0.33	7.11	3	Horizontal	58	2.40	-	46.56	31.30	9.97	34.16
PK	5.3016G	122.22	Inf	-Inf	7.08	3	Horizontal	58	2.40	-	115.14	31.30	9.93	34.15
PK	5.35G	70.78	74.00	-3.22	7.11	3	Horizontal	58	2.40	-	63.67	31.30	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60184G	46.33	54.00	-7.67	18.06	3	Vertical	349	1.50	-	28.27	39.70	12.76	34.40
AV	15.89584G	51.88	54.00	-2.12	18.22	3	Vertical	357	1.50	-	33.66	36.91	15.94	34.63
PK	10.60048G	59.50	74.00	-14.50	18.06	3	Vertical	349	1.50	-	41.44	39.70	12.76	34.40
PK	15.89456G	65.17	74.00	-8.83	18.23	3	Vertical	357	1.50	-	46.94	36.92	15.94	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60064G	46.84	54.00	-7.16	18.06	3	Horizontal	12	1.54	-	28.78	39.70	12.76	34.40
AV	15.90536G	51.58	54.00	-2.42	18.22	3	Horizontal	0	1.50	-	33.36	36.91	15.95	34.64
PK	10.606G	60.86	74.00	-13.14	18.08	3	Horizontal	12	1.54	-	42.78	39.70	12.77	34.39
PK	15.90816G	65.95	74.00	-8.05	18.23	3	Horizontal	0	1.50	-	47.72	36.92	15.95	34.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3116G	101.09	Inf	-Inf	7.08	3	Vertical	0	1.28	-	94.01	31.30	9.94	34.16
AV	5.3508G	48.69	54.00	-5.31	7.12	3	Vertical	0	1.28	-	41.57	31.31	9.97	34.16
PK	5.312G	112.99	Inf	-Inf	7.08	3	Vertical	0	1.28	-	105.91	31.30	9.94	34.16
PK	5.3528G	64.96	74.00	-9.04	7.13	3	Vertical	0	1.28	-	57.83	31.32	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	105.32	Inf	-Inf	7.08	3	Horizontal	67	1.85	-	98.24	31.30	9.94	34.16
AV	5.3504G	53.67	54.00	-0.33	7.11	3	Horizontal	67	1.85	-	46.56	31.30	9.97	34.16
PK	5.3154G	117.49	Inf	-Inf	7.08	3	Horizontal	67	1.85	-	110.41	31.30	9.94	34.16
PK	5.3518G	70.47	74.00	-3.53	7.12	3	Horizontal	67	1.85	-	63.35	31.31	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63824G	44.75	54.00	-9.25	18.11	3	Vertical	16	1.67	-	26.64	39.70	12.78	34.37
AV	15.964G	50.01	54.00	-3.99	18.35	3	Vertical	355	1.46	-	31.66	37.03	15.99	34.67
PK	10.6476G	56.28	74.00	-17.72	18.12	3	Vertical	16	1.67	-	38.16	39.70	12.78	34.36
PK	15.97128G	64.11	74.00	-9.89	18.37	3	Vertical	355	1.46	-	45.74	37.04	16.00	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64144G	44.79	54.00	-9.21	18.12	3	Horizontal	12	1.50	-	26.67	39.70	12.78	34.36
AV	15.96104G	50.85	54.00	-3.15	18.34	3	Horizontal	29	1.65	-	32.51	37.02	15.99	34.67
PK	10.62912G	58.70	74.00	-15.30	18.11	3	Horizontal	12	1.50	-	40.59	39.70	12.78	34.37
PK	15.96024G	65.05	74.00	-8.95	18.34	3	Horizontal	29	1.65	-	46.71	37.02	15.99	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.47	54.00	-6.53	7.56	3	Vertical	5	1.50	-	39.91	31.72	10.02	34.18
AV	5.5088G	101.16	Inf	-Inf	7.65	3	Vertical	5	1.50	-	93.51	31.80	10.04	34.19
PK	5.4698G	66.33	68.20	-1.87	7.58	3	Vertical	5	1.50	-	58.75	31.74	10.02	34.18
PK	5.5084G	114.18	Inf	-Inf	7.65	3	Vertical	5	1.50	-	106.53	31.80	10.04	34.19


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.21	54.00	-5.79	7.56	3	Horizontal	56	1.92	-	40.65	31.72	10.02	34.18
AV	5.5028G	104.84	Inf	-Inf	7.65	3	Horizontal	56	1.92	-	97.19	31.80	10.04	34.19
PK	5.4694G	67.93	68.20	-0.27	7.58	3	Horizontal	56	1.92	-	60.35	31.74	10.02	34.18
PK	5.5016G	117.55	Inf	-Inf	7.65	3	Horizontal	56	1.92	-	109.90	31.80	10.04	34.19

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0012G	45.41	54.00	-8.59	19.18	3	Vertical	18	1.66	-	26.23	40.30	12.92	34.04
PK	10.9992G	57.97	74.00	-16.03	19.18	3	Vertical	18	1.66	-	38.79	40.30	12.92	34.04
PK	16.48304G	62.73	68.20	-5.47	20.25	3	Vertical	329	1.50	-	42.48	38.52	16.10	34.37


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.9996G	44.90	54.00	-9.10	19.18	3	Horizontal	0	1.56	-	25.72	40.30	12.92	34.04
PK	10.99696G	57.74	74.00	-16.26	19.17	3	Horizontal	0	1.56	-	38.57	40.29	12.92	34.04
PK	16.50424G	63.57	68.20	-4.63	20.33	3	Horizontal	326	1.42	-	43.24	38.58	16.10	34.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4564G	46.33	54.00	-7.67	7.55	3	Vertical	21	1.34	-	38.78	31.71	10.02	34.18
AV	5.5716G	106.92	Inf	-Inf	7.63	3	Vertical	21	1.34	-	99.29	31.76	10.06	34.19
PK	5.4696G	61.26	68.20	-6.94	7.58	3	Vertical	21	1.34	-	53.68	31.74	10.02	34.18
PK	5.5728G	118.53	Inf	-Inf	7.62	3	Vertical	21	1.34	-	110.91	31.75	10.06	34.19
PK	5.7288G	58.33	68.20	-9.87	7.90	3	Vertical	21	1.34	-	50.43	31.96	10.14	34.20


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.21	54.00	-4.79	7.56	3	Horizontal	57	2.84	-	41.65	31.72	10.02	34.18
AV	5.5716G	114.60	Inf	-Inf	7.63	3	Horizontal	57	2.84	-	106.97	31.76	10.06	34.19
PK	5.466G	67.43	68.20	-0.77	7.57	3	Horizontal	57	2.84	-	59.86	31.73	10.02	34.18
PK	5.571G	124.86	Inf	-Inf	7.63	3	Horizontal	57	2.84	-	117.23	31.76	10.06	34.19
PK	5.7252G	59.59	68.20	-8.61	7.89	3	Horizontal	57	2.84	-	51.70	31.95	10.14	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16112G	45.49	54.00	-8.51	18.59	3	Vertical	20	1.49	-	26.90	39.66	12.98	34.05
PK	11.15872G	58.68	74.00	-15.32	18.60	3	Vertical	20	1.49	-	40.08	39.67	12.98	34.05
PK	16.74456G	67.62	68.20	-0.58	21.66	3	Vertical	353	1.71	-	45.96	39.38	16.14	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15504G	45.36	54.00	-8.64	18.61	3	Horizontal	352	1.50	-	26.75	39.68	12.98	34.05
PK	11.15112G	58.79	74.00	-15.21	18.63	3	Horizontal	352	1.50	-	40.16	39.70	12.98	34.05
PK	16.74848G	67.54	68.20	-0.66	21.68	3	Horizontal	335	1.64	-	45.86	39.39	16.14	33.85

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6944G	99.14	Inf	-Inf	7.79	3	Vertical	0	1.69	-	91.35	31.87	10.12	34.20
PK	5.6944G	111.48	Inf	-Inf	7.79	3	Vertical	0	1.69	-	103.69	31.87	10.12	34.20
PK	5.7256G	65.43	68.20	-2.77	7.89	3	Vertical	0	1.69	-	57.54	31.95	10.14	34.20

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	103.07	Inf	-Inf	7.84	3	Horizontal	58	2.11	-	95.23	31.91	10.13	34.20
PK	5.7048G	115.06	Inf	-Inf	7.84	3	Horizontal	58	2.11	-	107.22	31.91	10.13	34.20
PK	5.7252G	66.75	68.20	-1.45	7.89	3	Horizontal	58	2.11	-	58.86	31.95	10.14	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3956G	42.14	54.00	-11.86	18.90	3	Vertical	170	1.50	-	23.24	39.89	13.07	34.06
PK	11.39024G	54.86	74.00	-19.14	18.88	3	Vertical	170	1.50	-	35.98	39.87	13.07	34.06
PK	17.08432G	63.93	68.20	-4.27	22.56	3	Vertical	96	1.50	-	41.37	39.68	16.19	33.31


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3888G	42.86	54.00	-11.14	18.88	3	Horizontal	274	1.94	-	23.98	39.87	13.07	34.06
PK	11.41368G	56.32	74.00	-17.68	18.95	3	Horizontal	274	1.94	-	37.37	39.93	13.08	34.06
PK	17.11352G	64.49	68.20	-3.71	22.57	3	Horizontal	328	1.50	-	41.92	39.67	16.20	33.30

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4428G	45.55	54.00	-8.45	7.53	3	Vertical	349	1.38	-	38.02	31.70	10.01	34.18
AV	5.7128G	107.16	Inf	-Inf	7.86	3	Vertical	349	1.38	-	99.30	31.93	10.13	34.20
PK	5.4656G	57.20	68.20	-11.00	7.57	3	Vertical	349	1.38	-	49.63	31.73	10.02	34.18
PK	5.72G	118.31	Inf	-Inf	7.88	3	Vertical	349	1.38	-	110.43	31.94	10.14	34.20
PK	5.906G	59.17	68.20	-9.03	8.55	3	Vertical	349	1.38	-	50.62	32.50	10.26	34.21


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	46.82	54.00	-7.18	7.53	3	Horizontal	60	1.79	-	39.29	31.70	10.01	34.18
AV	5.7212G	110.40	Inf	-Inf	7.88	3	Horizontal	60	1.79	-	102.52	31.94	10.14	34.20
PK	5.4644G	58.80	68.20	-9.40	7.57	3	Horizontal	60	1.79	-	51.23	31.73	10.02	34.18
PK	5.7212G	121.89	Inf	-Inf	7.88	3	Horizontal	60	1.79	-	114.01	31.94	10.14	34.20
PK	5.8508G	60.74	68.20	-7.46	8.31	3	Horizontal	60	1.79	-	52.43	32.30	10.22	34.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.436G	43.45	54.00	-10.55	19.00	3	Vertical	352	1.47	-	24.45	39.97	13.09	34.06
PK	11.43944G	57.66	74.00	-16.34	19.01	3	Vertical	352	1.47	-	38.65	39.98	13.09	34.06
PK	17.16232G	64.36	68.20	-3.84	22.50	3	Vertical	328	1.50	-	41.86	39.58	16.21	33.29


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43864G	43.48	54.00	-10.52	19.01	3	Horizontal	27	1.60	-	24.47	39.98	13.09	34.06
PK	11.43808G	56.49	74.00	-17.51	19.01	3	Horizontal	27	1.60	-	37.48	39.98	13.09	34.06
PK	17.15984G	65.15	68.20	-3.05	22.50	3	Horizontal	350	1.61	-	42.65	39.58	16.21	33.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2644G	102.12	Inf	-Inf	7.13	3	Vertical	360	1.20	-	94.99	31.37	9.91	34.15
AV	5.35G	50.28	54.00	-3.72	7.11	3	Vertical	360	1.20	-	43.17	31.30	9.97	34.16
PK	5.2672G	114.50	Inf	-Inf	7.13	3	Vertical	360	1.20	-	107.37	31.37	9.91	34.15
PK	5.3508G	64.66	74.00	-9.34	7.12	3	Vertical	360	1.20	-	57.54	31.31	9.97	34.16


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2876G	105.91	Inf	-Inf	7.09	3	Horizontal	65	2.23	-	98.82	31.32	9.92	34.15
AV	5.3504G	52.75	54.00	-1.25	7.11	3	Horizontal	65	2.23	-	45.64	31.30	9.97	34.16
PK	5.258G	118.58	Inf	-Inf	7.13	3	Horizontal	65	2.23	-	111.45	31.38	9.90	34.15
PK	5.3532G	70.11	74.00	-3.89	7.14	3	Horizontal	65	2.23	-	62.97	31.33	9.97	34.16

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80024G	47.28	54.00	-6.72	18.49	3	Vertical	356	1.50	-	28.79	37.20	15.87	34.58
PK	10.54G	58.32	68.20	-9.88	17.99	3	Vertical	28	1.50	-	40.33	39.70	12.74	34.45
PK	15.8176G	60.65	74.00	-13.35	18.45	3	Vertical	356	1.50	-	42.20	37.15	15.89	34.59


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80124G	46.12	54.00	-7.88	18.49	3	Horizontal	0	1.50	-	27.63	37.20	15.87	34.58
PK	10.54G	59.98	68.20	-8.22	17.99	3	Horizontal	10	1.47	-	41.99	39.70	12.74	34.45
PK	15.80108G	60.51	74.00	-13.49	18.49	3	Horizontal	0	1.50	-	42.02	37.20	15.87	34.58

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2996G	96.95	Inf	-Inf	7.08	3	Vertical	0	1.09	-	89.87	31.30	9.93	34.15
AV	5.3524G	47.31	54.00	-6.69	7.13	3	Vertical	0	1.09	-	40.18	31.32	9.97	34.16
PK	5.3028G	109.78	Inf	-Inf	7.08	3	Vertical	0	1.09	-	102.70	31.30	9.93	34.15
PK	5.3504G	65.79	74.00	-8.21	7.11	3	Vertical	0	1.09	-	58.68	31.30	9.97	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2924G	101.21	Inf	-Inf	7.09	3	Horizontal	63	2.23	-	94.12	31.32	9.92	34.15
AV	5.3528G	49.58	54.00	-4.42	7.13	3	Horizontal	63	2.23	-	42.45	31.32	9.97	34.16
PK	5.3032G	114.79	Inf	-Inf	7.08	3	Horizontal	63	2.23	-	107.71	31.30	9.93	34.15
PK	5.3516G	72.34	74.00	-1.66	7.12	3	Horizontal	63	2.23	-	65.22	31.31	9.97	34.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60128G	42.46	54.00	-11.54	18.06	3	Vertical	349	1.70	-	24.40	39.70	12.76	34.40
AV	15.93792G	46.99	54.00	-7.01	18.29	3	Vertical	355	1.50	-	28.70	36.98	15.97	34.66
PK	10.6088G	55.91	74.00	-18.09	18.08	3	Vertical	349	1.70	-	37.83	39.70	12.77	34.39
PK	15.92672G	59.93	74.00	-14.07	18.27	3	Vertical	355	1.50	-	41.66	36.95	15.97	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60384G	42.55	54.00	-11.45	18.07	3	Horizontal	12	1.37	-	24.48	39.70	12.77	34.40
AV	15.94312G	46.97	54.00	-7.03	18.31	3	Horizontal	28	1.72	-	28.66	36.99	15.98	34.66
PK	10.62G	56.28	74.00	-17.72	18.09	3	Horizontal	12	1.37	-	38.19	39.70	12.77	34.38
PK	15.92992G	60.10	74.00	-13.90	18.28	3	Horizontal	28	1.72	-	41.82	36.96	15.97	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	46.72	54.00	-7.28	7.56	3	Vertical	5	1.59	-	39.16	31.72	10.02	34.18
AV	5.5168G	96.86	Inf	-Inf	7.65	3	Vertical	5	1.59	-	89.21	31.80	10.04	34.19
PK	5.4692G	65.64	68.20	-2.56	7.58	3	Vertical	5	1.59	-	58.06	31.74	10.02	34.18
PK	5.5136G	110.05	Inf	-Inf	7.65	3	Vertical	5	1.59	-	102.40	31.80	10.04	34.19


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.17	54.00	-5.83	7.56	3	Horizontal	53	1.25	-	40.61	31.72	10.02	34.18
AV	5.528G	100.37	Inf	-Inf	7.65	3	Horizontal	53	1.25	-	92.72	31.80	10.04	34.19
PK	5.4608G	67.01	68.20	-1.19	7.56	3	Horizontal	53	1.25	-	59.45	31.72	10.02	34.18
PK	5.524G	113.83	Inf	-Inf	7.65	3	Horizontal	53	1.25	-	106.18	31.80	10.04	34.19

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.014G	42.41	54.00	-11.59	19.13	3	Vertical	256	1.50	-	23.28	40.24	12.93	34.04
PK	11.02192G	55.90	74.00	-18.10	19.10	3	Vertical	256	1.50	-	36.80	40.21	12.93	34.04
PK	16.52192G	62.71	68.20	-5.49	20.30	3	Vertical	190	2.96	-	42.41	38.51	16.10	34.31


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01384G	42.65	54.00	-11.35	19.13	3	Horizontal	260	1.53	-	23.52	40.24	12.93	34.04
PK	11.02352G	56.21	74.00	-17.79	19.10	3	Horizontal	260	1.53	-	37.11	40.21	12.93	34.04
PK	16.52448G	62.45	68.20	-5.75	20.29	3	Horizontal	158	2.41	-	42.16	38.50	16.10	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.67	54.00	-7.33	7.56	3	Vertical	325	1.33	-	39.11	31.72	10.02	34.18
AV	5.5536G	101.15	Inf	-Inf	7.65	3	Vertical	325	1.33	-	93.50	31.79	10.05	34.19
PK	5.464G	62.56	68.20	-5.64	7.57	3	Vertical	325	1.33	-	54.99	31.73	10.02	34.18
PK	5.5528G	113.44	Inf	-Inf	7.65	3	Vertical	325	1.33	-	105.79	31.79	10.05	34.19


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.85	54.00	-4.15	7.56	3	Horizontal	56	1.93	-	42.29	31.72	10.02	34.18
AV	5.5444G	106.33	Inf	-Inf	7.66	3	Horizontal	56	1.93	-	98.67	31.80	10.05	34.19
PK	5.47G	67.30	68.20	-0.90	7.58	3	Horizontal	56	1.93	-	59.72	31.74	10.02	34.18
PK	5.5456G	119.45	Inf	-Inf	7.66	3	Horizontal	56	1.93	-	111.79	31.80	10.05	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09316G	43.51	54.00	-10.49	18.85	3	Vertical	18	1.50	-	24.66	39.93	12.96	34.04
PK	11.10004G	59.34	74.00	-14.66	18.82	3	Vertical	18	1.50	-	40.52	39.90	12.96	34.04
PK	16.64964G	63.08	68.20	-5.12	20.77	3	Vertical	26	1.50	-	42.31	38.70	16.12	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.095G	43.94	54.00	-10.06	18.84	3	Horizontal	77	1.72	-	25.10	39.92	12.96	34.04
PK	11.10012G	59.33	74.00	-14.67	18.82	3	Horizontal	77	1.72	-	40.51	39.90	12.96	34.04
PK	16.65524G	63.26	68.20	-4.94	20.83	3	Horizontal	326	1.39	-	42.43	38.75	16.12	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6676G	98.89	Inf	-Inf	7.62	3	Vertical	0	1.50	-	91.27	31.71	10.11	34.20
PK	5.6724G	111.57	Inf	-Inf	7.64	3	Vertical	0	1.50	-	103.93	31.73	10.11	34.20
PK	5.7282G	63.90	68.20	-4.30	7.90	3	Vertical	0	1.50	-	56.00	31.96	10.14	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6652G	103.68	Inf	-Inf	7.60	3	Horizontal	64	2.23	-	96.08	31.69	10.11	34.20
PK	5.6652G	116.08	Inf	-Inf	7.60	3	Horizontal	64	2.23	-	108.48	31.69	10.11	34.20
PK	5.7252G	67.69	68.20	-0.51	7.89	3	Horizontal	64	2.23	-	59.80	31.95	10.14	34.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33504G	42.39	54.00	-11.61	18.71	3	Vertical	2	2.48	-	23.68	39.71	13.05	34.05
PK	11.33228G	55.97	74.00	-18.03	18.70	3	Vertical	2	2.48	-	37.27	39.70	13.05	34.05
PK	17.00128G	65.26	68.20	-2.94	22.45	3	Vertical	0	1.67	-	42.81	39.60	16.18	33.33


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34556G	41.86	54.00	-12.14	18.74	3	Horizontal	340	1.66	-	23.12	39.74	13.05	34.05
PK	11.33984G	55.38	74.00	-18.62	18.72	3	Horizontal	340	1.66	-	36.66	39.72	13.05	34.05
PK	17.01208G	65.32	68.20	-2.88	22.46	3	Horizontal	246	1.50	-	42.86	39.61	16.18	33.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	46.95	54.00	-7.05	7.56	3	Vertical	0	1.54	-	39.39	31.72	10.02	34.18
AV	5.6956G	102.76	Inf	-Inf	7.79	3	Vertical	0	1.54	-	94.97	31.87	10.12	34.20
PK	5.4688G	59.62	68.20	-8.58	7.58	3	Vertical	0	1.54	-	52.04	31.74	10.02	34.18
PK	5.698G	114.31	Inf	-Inf	7.81	3	Vertical	0	1.54	-	106.50	31.89	10.12	34.20
PK	5.8504G	62.06	68.20	-6.14	8.31	3	Vertical	0	1.54	-	53.75	32.30	10.22	34.21


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.83	54.00	-4.17	7.56	3	Horizontal	55	2.30	-	42.27	31.72	10.02	34.18
AV	5.6956G	106.95	Inf	-Inf	7.79	3	Horizontal	55	2.30	-	99.16	31.87	10.12	34.20
PK	5.47G	66.69	68.20	-1.51	7.58	3	Horizontal	55	2.30	-	59.11	31.74	10.02	34.18
PK	5.6932G	118.98	Inf	-Inf	7.78	3	Horizontal	55	2.30	-	111.20	31.86	10.12	34.20
PK	5.8576G	67.24	68.20	-0.96	8.34	3	Horizontal	55	2.30	-	58.90	32.33	10.22	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41768G	43.38	54.00	-10.62	18.96	3	Vertical	353	1.50	-	24.42	39.94	13.08	34.06
PK	11.41048G	56.54	74.00	-17.46	18.94	3	Vertical	353	1.50	-	37.60	39.92	13.08	34.06
PK	17.14856G	64.81	68.20	-3.39	22.51	3	Vertical	352	1.54	-	42.30	39.60	16.20	33.29


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4156G	42.82	54.00	-11.18	18.95	3	Horizontal	340	1.50	-	23.87	39.93	13.08	34.06
PK	11.42008G	56.14	74.00	-17.86	18.96	3	Horizontal	340	1.50	-	37.18	39.94	13.08	34.06
PK	17.11848G	64.23	68.20	-3.97	22.56	3	Horizontal	348	2.09	-	41.67	39.66	16.20	33.30

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5290MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	46.42	54.00	-7.58	7.60	3	Vertical	0	1.04	-	38.82	31.90	9.83	34.13
AV	5.264G	93.07	Inf	-Inf	7.12	3	Vertical	0	1.04	-	85.95	31.37	9.90	34.15
AV	5.36G	47.63	54.00	-6.37	7.19	3	Vertical	0	1.04	-	40.44	31.38	9.97	34.16
PK	5.119G	59.49	74.00	-14.51	7.60	3	Vertical	0	1.04	-	51.89	31.90	9.82	34.12
PK	5.256G	108.25	Inf	-Inf	7.14	3	Vertical	0	1.04	-	101.11	31.39	9.90	34.15
PK	5.361G	67.57	74.00	-6.43	7.20	3	Vertical	0	1.04	-	60.37	31.39	9.97	34.16


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.71	54.00	-5.29	7.60	3	Horizontal	51	2.21	-	41.11	31.90	9.83	34.13
AV	5.288G	98.69	Inf	-Inf	7.09	3	Horizontal	51	2.21	-	91.60	31.32	9.92	34.15
AV	5.35G	52.01	54.00	-1.99	7.11	3	Horizontal	51	2.21	-	44.90	31.30	9.97	34.16
PK	5.15G	60.66	74.00	-13.34	7.60	3	Horizontal	51	2.21	-	53.06	31.90	9.83	34.13
PK	5.263G	113.91	Inf	-Inf	7.12	3	Horizontal	51	2.21	-	106.79	31.37	9.90	34.15
PK	5.354G	73.73	74.00	-0.27	7.14	3	Horizontal	51	2.21	-	66.59	31.33	9.97	34.16

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87456G	45.84	54.00	-8.16	18.29	3	Vertical	240	2.80	-	27.55	36.98	15.93	34.62
PK	10.57224G	54.31	68.20	-13.89	18.03	3	Vertical	98	1.89	-	36.28	39.70	12.75	34.42
PK	15.87366G	58.87	74.00	-15.13	18.29	3	Vertical	240	2.80	-	40.58	36.98	15.93	34.62


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5290MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86768G	45.70	54.00	-8.30	18.30	3	Horizontal	294	2.50	-	27.40	37.00	15.92	34.62
PK	10.58952G	54.01	68.20	-14.19	18.05	3	Horizontal	82	2.81	-	35.96	39.70	12.76	34.41
PK	15.86344G	59.01	74.00	-14.99	18.32	3	Horizontal	294	2.50	-	40.69	37.01	15.92	34.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5530MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.50	54.00	-6.50	7.56	3	Vertical	315	1.51	-	39.94	31.72	10.02	34.18
AV	5.529G	94.16	Inf	-Inf	7.66	3	Vertical	315	1.51	-	86.50	31.80	10.05	34.19
PK	5.47G	65.23	68.20	-2.97	7.58	3	Vertical	315	1.51	-	57.65	31.74	10.02	34.18
PK	5.505G	107.75	Inf	-Inf	7.65	3	Vertical	315	1.51	-	100.10	31.80	10.04	34.19
PK	5.726G	59.29	68.20	-8.91	7.89	3	Vertical	315	1.51	-	51.40	31.95	10.14	34.20


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.58	54.00	-5.42	7.56	3	Horizontal	50	2.86	-	41.02	31.72	10.02	34.18
AV	5.492G	94.49	Inf	-Inf	7.62	3	Horizontal	50	2.86	-	86.87	31.78	10.03	34.19
PK	5.468G	67.78	68.20	-0.42	7.58	3	Horizontal	50	2.86	-	60.20	31.74	10.02	34.18
PK	5.506G	112.46	Inf	-Inf	7.65	3	Horizontal	50	2.86	-	104.81	31.80	10.04	34.19
PK	5.734G	59.38	68.20	-8.82	7.91	3	Horizontal	50	2.86	-	51.47	31.97	10.14	34.20

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04208G	42.40	54.00	-11.60	19.03	3	Vertical	39	1.31	-	23.37	40.13	12.94	34.04
PK	11.04192G	55.62	74.00	-18.38	19.03	3	Vertical	39	1.31	-	36.59	40.13	12.94	34.04
PK	16.57096G	60.67	68.20	-7.53	20.22	3	Vertical	228	2.85	-	40.45	38.32	16.11	34.21


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5530MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04296G	42.41	54.00	-11.59	19.03	3	Horizontal	166	1.84	-	23.38	40.13	12.94	34.04
PK	11.04696G	56.26	74.00	-17.74	19.01	3	Horizontal	166	1.84	-	37.25	40.11	12.94	34.04
PK	16.60832G	60.86	68.20	-7.34	20.26	3	Horizontal	65	2.07	-	40.60	38.28	16.12	34.14

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5610MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	49.01	54.00	-4.99	7.56	3	Vertical	2	1.50	-	41.45	31.72	10.02	34.18
AV	5.598G	97.14	Inf	-Inf	7.57	3	Vertical	2	1.50	-	89.57	31.70	10.07	34.20
PK	5.47G	63.64	68.20	-4.56	7.58	3	Vertical	2	1.50	-	56.06	31.74	10.02	34.18
PK	5.577G	110.83	Inf	-Inf	7.62	3	Vertical	2	1.50	-	103.21	31.75	10.06	34.19
PK	5.727G	65.73	68.20	-2.47	7.89	3	Vertical	2	1.50	-	57.84	31.95	10.14	34.20


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	51.77	54.00	-2.23	7.56	3	Horizontal	55	1.77	-	44.21	31.72	10.02	34.18
AV	5.598G	102.84	Inf	-Inf	7.57	3	Horizontal	55	1.77	-	95.27	31.70	10.07	34.20
PK	5.462G	65.43	68.20	-2.77	7.56	3	Horizontal	55	1.77	-	57.87	31.72	10.02	34.18
PK	5.586G	117.31	Inf	-Inf	7.60	3	Horizontal	55	1.77	-	109.71	31.73	10.07	34.20
PK	5.727G	67.67	68.20	-0.53	7.89	3	Horizontal	55	1.77	-	59.78	31.95	10.14	34.20

**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21808G	42.04	54.00	-11.96	18.48	3	Vertical	56	1.85	-	23.56	39.52	13.01	34.05
PK	11.2228G	55.38	74.00	-18.62	18.48	3	Vertical	56	1.85	-	36.90	39.52	13.01	34.05
PK	16.82368G	61.86	68.20	-6.34	21.99	3	Vertical	334	2.89	-	39.87	39.53	16.15	33.69


**802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5610MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20224G	42.11	54.00	-11.89	18.45	3	Horizontal	131	1.31	-	23.66	39.50	13.00	34.05
PK	11.22312G	54.78	74.00	-19.22	18.48	3	Horizontal	131	1.31	-	36.30	39.52	13.01	34.05
PK	16.81792G	62.36	68.20	-5.84	21.99	3	Horizontal	146	1.89	-	40.37	39.55	16.15	33.71

802.11ax HEW80-BF_Nss1,(MCS0)_2TX


5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	49.02	54.00	-4.98	7.56	3	Vertical	353	1.50	-	41.46	31.72	10.02	34.18
AV	5.6768G	99.89	Inf	-Inf	7.67	3	Vertical	353	1.50	-	92.22	31.76	10.11	34.20
PK	5.468G	62.38	68.20	-5.82	7.58	3	Vertical	353	1.50	-	54.80	31.74	10.02	34.18
PK	5.6732G	111.88	Inf	-Inf	7.65	3	Vertical	353	1.50	-	104.23	31.74	10.11	34.20
PK	5.8508G	63.48	68.20	-4.72	8.31	3	Vertical	353	1.50	-	55.17	32.30	10.22	34.21


802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.47	54.00	-0.53	7.56	3	Horizontal	58	2.18	-	45.91	31.72	10.02	34.18
AV	5.6708G	104.35	Inf	-Inf	7.63	3	Horizontal	58	2.18	-	96.72	31.72	10.11	34.20
PK	5.468G	66.30	68.20	-1.90	7.58	3	Horizontal	58	2.18	-	58.72	31.74	10.02	34.18
PK	5.678G	116.49	Inf	-Inf	7.68	3	Horizontal	58	2.18	-	108.81	31.77	10.11	34.20
PK	5.852G	66.70	68.20	-1.50	8.32	3	Horizontal	58	2.18	-	58.38	32.31	10.22	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.36G	42.35	54.00	-11.65	18.79	3	Vertical	175	2.83	-	23.56	39.78	13.06	34.05
PK	11.37328G	55.55	74.00	-18.45	18.84	3	Vertical	175	2.83	-	36.71	39.82	13.07	34.05
PK	17.06096G	63.47	68.20	-4.73	22.54	3	Vertical	30	1.05	-	40.93	39.66	16.19	33.31

802.11ax HEW80-BF_Nss1,(MCS0)_2TX
5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3652G	42.47	54.00	-11.53	18.81	3	Horizontal	191	1.65	-	23.66	39.80	13.06	34.05
PK	11.36856G	55.59	74.00	-18.41	18.82	3	Horizontal	191	1.65	-	36.77	39.81	13.06	34.05
PK	17.06512G	63.01	68.20	-5.19	22.55	3	Horizontal	179	1.89	-	40.46	39.67	16.19	33.31

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1468G	50.57	54.00	-3.43	7.60	3	Vertical	0	1.44	-	42.97	31.90	9.83	34.13
AV	5.1816G	88.45	Inf	-Inf	7.49	3	Vertical	0	1.44	-	80.96	31.77	9.85	34.13
AV	5.3856G	47.56	54.00	-6.44	7.40	3	Vertical	0	1.44	-	40.16	31.58	9.99	34.17
PK	5.1468G	63.44	74.00	-10.56	7.60	3	Vertical	0	1.44	-	55.84	31.90	9.83	34.13
PK	5.2428G	100.46	Inf	-Inf	7.19	3	Vertical	0	1.44	-	93.27	31.44	9.89	34.14
PK	5.37G	63.80	74.00	-10.20	7.27	3	Vertical	0	1.44	-	56.53	31.46	9.98	34.17

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1336G	53.61	54.00	-0.39	7.60	3	Horizontal	59	2.28	-	46.01	31.90	9.82	34.12
AV	5.292G	94.06	Inf	-Inf	7.09	3	Horizontal	59	2.28	-	86.97	31.32	9.92	34.15
AV	5.3664G	50.13	54.00	-3.87	7.24	3	Horizontal	59	2.28	-	42.89	31.43	9.98	34.17
PK	5.094G	69.97	74.00	-4.03	7.57	3	Horizontal	59	2.28	-	62.40	31.89	9.80	34.12
PK	5.1828G	110.85	Inf	-Inf	7.49	3	Horizontal	59	2.28	-	103.36	31.77	9.85	34.13
PK	5.382G	68.74	74.00	-5.26	7.38	3	Horizontal	59	2.28	-	61.36	31.56	9.99	34.17

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.75616G	45.46	54.00	-8.54	18.71	3	Vertical	331	1.35	-	26.75	37.42	15.84	34.55
PK	10.50192G	54.71	68.20	-13.49	17.94	3	Vertical	128	1.28	-	36.77	39.70	12.73	34.49
PK	15.75424G	58.21	74.00	-15.79	18.72	3	Vertical	331	1.35	-	39.49	37.43	15.84	34.55


**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5250MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73016G	45.38	54.00	-8.62	18.83	3	Horizontal	220	2.69	-	26.55	37.55	15.82	34.54
PK	10.50552G	54.19	68.20	-14.01	17.94	3	Horizontal	150	2.57	-	36.25	39.70	12.73	34.49
PK	15.76088G	58.93	74.00	-15.07	18.68	3	Horizontal	220	2.69	-	40.25	37.40	15.84	34.56

802.11ax HEW160-BF_Nss1,(MCS0)_2TX


5570MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3936G	49.15	54.00	-4.85	7.48	3	Vertical	0	1.50	-	41.67	31.65	10.00	34.17
AV	5.5556G	88.69	Inf	-Inf	7.65	3	Vertical	0	1.50	-	81.04	31.79	10.05	34.19
PK	5.468G	59.63	68.20	-8.57	7.58	3	Vertical	0	1.50	-	52.05	31.74	10.02	34.18
PK	5.5148G	100.76	Inf	-Inf	7.65	3	Vertical	0	1.50	-	93.11	31.80	10.04	34.19
PK	5.7572G	60.99	68.20	-7.21	7.96	3	Vertical	0	1.50	-	53.03	32.01	10.16	34.21


802.11ax HEW160-BF_Nss1,(MCS0)_2TX

5570MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3696G	51.61	54.00	-2.39	7.27	3	Horizontal	50	2.54	-	44.34	31.46	9.98	34.17
AV	5.5424G	92.73	Inf	-Inf	7.66	3	Horizontal	50	2.54	-	85.07	31.80	10.05	34.19
PK	5.4692G	67.45	68.20	-0.75	7.58	3	Horizontal	50	2.54	-	59.87	31.74	10.02	34.18
PK	5.6264G	105.15	Inf	-Inf	7.53	3	Horizontal	50	2.54	-	97.62	31.65	10.08	34.20
PK	5.762G	64.32	68.20	-3.88	7.97	3	Horizontal	50	2.54	-	56.35	32.02	10.16	34.21

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.12912G	42.08	54.00	-11.92	18.70	3	Vertical	70	2.07	-	23.38	39.78	12.97	34.05
PK	11.12072G	54.47	74.00	-19.53	18.75	3	Vertical	70	2.07	-	35.72	39.82	12.97	34.04
PK	16.71112G	61.61	68.20	-6.59	21.44	3	Vertical	227	1.78	-	40.17	39.24	16.13	33.93

**802.11ax HEW160-BF_Nss1,(MCS0)_2TX
5570MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.13456G	42.11	54.00	-11.89	18.68	3	Horizontal	250	2.95	-	23.43	39.76	12.97	34.05
PK	11.13472G	54.81	74.00	-19.19	18.68	3	Horizontal	250	2.95	-	36.13	39.76	12.97	34.05
PK	16.722G	62.02	68.20	-6.18	21.53	3	Horizontal	63	1.70	-	40.49	39.29	16.14	33.90



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCSO)_2TX	Pass	AV	5.35G	53.76	54.00	-0.24	3	Vertical	26	1.50	-
802.11ax HEW40-BF_Nss1,(MCSO)_2TX	Pass	AV	5.3504G	53.64	54.00	-0.36	3	Vertical	53	1.50	-
802.11ax HEW80-BF_Nss1,(MCSO)_2TX	Pass	AV	5.35G	53.48	54.00	-0.52	3	Vertical	318	1.82	-
802.11ax HEW160-BF_Nss1,(MCSO)_2TX	Pass	AV	5.1456G	53.87	54.00	-0.13	3	Vertical	47	1.66	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCSO)_2TX	Pass	PK	5.4664G	67.75	68.20	-0.45	3	Vertical	25	1.60	-
802.11ax HEW40-BF_Nss1,(MCSO)_2TX	Pass	PK	5.7282G	67.94	68.20	-0.26	3	Vertical	323	1.88	-
802.11ax HEW80-BF_Nss1,(MCSO)_2TX	Pass	PK	5.464G	67.71	68.20	-0.49	3	Vertical	118.8	1.50	-
802.11ax HEW160-BF_Nss1,(MCSO)_2TX	Pass	AV	5.3924G	53.27	54.00	-0.73	3	Vertical	328	1.94	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	50.68	54.00	-3.32	3	Vertical	55	1.41	-
5260MHz	Pass	AV	5.2558G	110.18	Inf	-Inf	3	Vertical	55	1.41	-
5260MHz	Pass	AV	5.353G	52.63	54.00	-1.37	3	Vertical	55	1.41	-
5260MHz	Pass	PK	5.15G	63.62	74.00	-10.38	3	Vertical	55	1.41	-
5260MHz	Pass	PK	5.2564G	122.13	Inf	-Inf	3	Vertical	55	1.41	-
5260MHz	Pass	PK	5.3524G	69.73	74.00	-4.27	3	Vertical	55	1.41	-
5260MHz	Pass	AV	5.1394G	47.49	54.00	-6.51	3	Horizontal	317	1.50	-
5260MHz	Pass	AV	5.2678G	93.70	Inf	-Inf	3	Horizontal	317	1.50	-
5260MHz	Pass	AV	5.3752G	47.15	54.00	-6.85	3	Horizontal	317	1.50	-
5260MHz	Pass	PK	5.137G	59.56	74.00	-14.44	3	Horizontal	317	1.50	-
5260MHz	Pass	PK	5.269G	104.46	Inf	-Inf	3	Horizontal	317	1.50	-
5260MHz	Pass	PK	5.3596G	58.94	74.00	-15.06	3	Horizontal	317	1.50	-
5260MHz	Pass	AV	15.78768G	46.92	54.00	-7.08	3	Vertical	72	2.91	-
5260MHz	Pass	PK	10.51812G	60.57	68.20	-7.63	3	Vertical	168	1.42	-
5260MHz	Pass	PK	15.77816G	60.40	74.00	-13.60	3	Vertical	72	2.91	-
5260MHz	Pass	AV	15.7872G	46.83	54.00	-7.17	3	Horizontal	339	1.50	-
5260MHz	Pass	PK	10.52572G	55.81	68.20	-12.39	3	Horizontal	189	2.97	-
5260MHz	Pass	PK	15.7898G	60.44	74.00	-13.56	3	Horizontal	339	1.50	-
5300MHz	Pass	AV	5.2928G	110.84	Inf	-Inf	3	Vertical	329	1.42	-
5300MHz	Pass	AV	5.3504G	53.63	54.00	-0.37	3	Vertical	329	1.42	-
5300MHz	Pass	PK	5.2934G	121.51	Inf	-Inf	3	Vertical	329	1.42	-
5300MHz	Pass	PK	5.3504G	69.87	74.00	-4.13	3	Vertical	329	1.42	-
5300MHz	Pass	AV	5.3054G	95.17	Inf	-Inf	3	Horizontal	193	2.97	-
5300MHz	Pass	AV	5.3504G	47.64	54.00	-6.36	3	Horizontal	193	2.97	-
5300MHz	Pass	PK	5.297G	107.03	Inf	-Inf	3	Horizontal	193	2.97	-
5300MHz	Pass	PK	5.3576G	59.45	74.00	-14.55	3	Horizontal	193	2.97	-
5300MHz	Pass	AV	15.90708G	47.69	54.00	-6.31	3	Vertical	232	2.80	-
5300MHz	Pass	PK	10.59332G	60.59	68.20	-7.61	3	Vertical	165	1.60	-
5300MHz	Pass	PK	15.90348G	61.41	74.00	-12.59	3	Vertical	232	2.80	-
5300MHz	Pass	AV	15.90392G	47.92	54.00	-6.08	3	Horizontal	256	2.22	-
5300MHz	Pass	PK	10.59672G	55.71	68.20	-12.49	3	Horizontal	29	1.26	-
5300MHz	Pass	PK	15.896G	60.82	74.00	-13.18	3	Horizontal	256	2.22	-
5320MHz	Pass	AV	5.311G	105.16	Inf	-Inf	3	Vertical	26	1.50	-
5320MHz	Pass	AV	5.35G	53.76	54.00	-0.24	3	Vertical	26	1.50	-
5320MHz	Pass	PK	5.3218G	114.97	Inf	-Inf	3	Vertical	26	1.50	-
5320MHz	Pass	PK	5.3524G	68.69	74.00	-5.31	3	Vertical	26	1.50	-
5320MHz	Pass	AV	5.311G	94.07	Inf	-Inf	3	Horizontal	199	1.19	-
5320MHz	Pass	AV	5.35G	48.58	54.00	-5.42	3	Horizontal	199	1.19	-
5320MHz	Pass	PK	5.311G	104.00	Inf	-Inf	3	Horizontal	199	1.19	-
5320MHz	Pass	PK	5.4646G	58.97	68.20	-9.23	3	Horizontal	199	1.19	-
5320MHz	Pass	AV	10.64104G	46.56	54.00	-7.44	3	Vertical	164	1.50	-
5320MHz	Pass	AV	15.9534G	47.92	54.00	-6.08	3	Vertical	340	1.50	-
5320MHz	Pass	PK	10.64024G	59.53	74.00	-14.47	3	Vertical	164	1.50	-
5320MHz	Pass	PK	15.9602G	61.37	74.00	-12.63	3	Vertical	340	1.50	-
5320MHz	Pass	AV	10.6418G	42.96	54.00	-11.04	3	Horizontal	339	2.06	-
5320MHz	Pass	AV	15.96176G	48.01	54.00	-5.99	3	Horizontal	23	1.50	-
5320MHz	Pass	PK	10.6452G	56.09	74.00	-17.91	3	Horizontal	339	2.06	-
5320MHz	Pass	PK	15.95032G	61.51	74.00	-12.49	3	Horizontal	23	1.50	-
5500MHz	Pass	AV	5.4592G	48.34	54.00	-5.66	3	Vertical	25	1.60	-
5500MHz	Pass	AV	5.494G	104.46	Inf	-Inf	3	Vertical	25	1.60	-
5500MHz	Pass	PK	5.4664G	67.75	68.20	-0.45	3	Vertical	25	1.60	-
5500MHz	Pass	PK	5.4964G	117.25	Inf	-Inf	3	Vertical	25	1.60	-
5500MHz	Pass	AV	5.3848G	47.27	54.00	-6.73	3	Horizontal	191	1.06	-
5500MHz	Pass	AV	5.509G	89.48	Inf	-Inf	3	Horizontal	191	1.06	-
5500MHz	Pass	PK	5.4664G	58.56	68.20	-9.64	3	Horizontal	191	1.06	-
5500MHz	Pass	PK	5.5078G	99.16	Inf	-Inf	3	Horizontal	191	1.06	-
5500MHz	Pass	AV	10.99956G	43.79	54.00	-10.21	3	Vertical	161	1.50	-
5500MHz	Pass	PK	10.99652G	56.98	74.00	-17.02	3	Vertical	161	1.50	-
5500MHz	Pass	PK	16.49964G	62.05	68.20	-6.15	3	Vertical	120	1.50	-
5500MHz	Pass	AV	11.00912G	41.85	54.00	-12.15	3	Horizontal	88	2.14	-



RSE TX above 1GHz_Beamforming_Dipole

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	10.99692G	54.89	74.00	-19.11	3	Horizontal	88	2.14	-
5500MHz	Pass	PK	16.4974G	62.28	68.20	-5.92	3	Horizontal	323	1.50	-
5580MHz	Pass	AV	5.4576G	49.86	54.00	-4.14	3	Vertical	30	1.50	-
5580MHz	Pass	AV	5.5716G	110.80	Inf	-Inf	3	Vertical	30	1.50	-
5580MHz	Pass	PK	5.4612G	64.67	68.20	-3.53	3	Vertical	30	1.50	-
5580MHz	Pass	PK	5.574G	120.77	Inf	-Inf	3	Vertical	30	1.50	-
5580MHz	Pass	PK	5.7282G	59.86	68.20	-8.34	3	Vertical	30	1.50	-
5580MHz	Pass	AV	5.4546G	46.97	54.00	-7.03	3	Horizontal	189	1.42	-
5580MHz	Pass	AV	5.583G	92.90	Inf	-Inf	3	Horizontal	189	1.42	-
5580MHz	Pass	PK	5.4636G	57.65	68.20	-10.55	3	Horizontal	189	1.42	-
5580MHz	Pass	PK	5.583G	103.40	Inf	-Inf	3	Horizontal	189	1.42	-
5580MHz	Pass	PK	5.7252G	58.95	68.20	-9.25	3	Horizontal	189	1.42	-
5580MHz	Pass	AV	11.15844G	47.05	54.00	-6.95	3	Vertical	154	1.76	-
5580MHz	Pass	PK	11.15888G	58.17	74.00	-15.83	3	Vertical	154	1.76	-
5580MHz	Pass	PK	16.74456G	63.39	68.20	-4.81	3	Vertical	-0	2.92	-
5580MHz	Pass	AV	11.15904G	41.59	54.00	-12.41	3	Horizontal	222	2.01	-
5580MHz	Pass	PK	11.15944G	54.44	74.00	-19.56	3	Horizontal	222	2.01	-
5580MHz	Pass	PK	16.74908G	61.86	68.20	-6.34	3	Horizontal	267	1.01	-
5700MHz	Pass	AV	5.709G	103.95	Inf	-Inf	3	Vertical	183	1.64	-
5700MHz	Pass	PK	5.7078G	115.20	Inf	-Inf	3	Vertical	183	1.64	-
5700MHz	Pass	PK	5.727G	67.05	68.20	-1.15	3	Vertical	183	1.64	-
5700MHz	Pass	AV	5.7078G	83.38	Inf	-Inf	3	Horizontal	146	1.12	-
5700MHz	Pass	PK	5.7078G	95.39	Inf	-Inf	3	Horizontal	146	1.12	-
5700MHz	Pass	PK	5.838G	60.03	68.20	-8.17	3	Horizontal	146	1.12	-
5700MHz	Pass	AV	11.39136G	41.83	54.00	-12.17	3	Vertical	136	1.50	-
5700MHz	Pass	PK	11.39628G	54.10	74.00	-19.90	3	Vertical	136	1.50	-
5700MHz	Pass	PK	17.10712G	62.87	68.20	-5.33	3	Vertical	174	1.50	-
5700MHz	Pass	AV	11.39396G	41.91	54.00	-12.09	3	Horizontal	279	2.54	-
5700MHz	Pass	PK	11.39528G	54.91	74.00	-19.09	3	Horizontal	279	2.54	-
5700MHz	Pass	PK	17.0938G	63.02	68.20	-5.18	3	Horizontal	224	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	50.85	54.00	-3.15	3	Vertical	163	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	110.91	Inf	-Inf	3	Vertical	163	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	66.48	68.20	-1.72	3	Vertical	163	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	122.26	Inf	-Inf	3	Vertical	163	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	64.56	68.20	-3.64	3	Vertical	163	1.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4488G	47.17	54.00	-6.83	3	Horizontal	147	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.714G	90.89	Inf	-Inf	3	Horizontal	147	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	57.73	68.20	-10.47	3	Horizontal	147	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7116G	100.77	Inf	-Inf	3	Horizontal	147	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9756G	60.05	68.20	-8.15	3	Horizontal	147	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43956G	42.76	54.00	-11.24	3	Vertical	156	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44756G	55.50	74.00	-18.50	3	Vertical	156	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15856G	63.22	68.20	-4.98	3	Vertical	219	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43144G	41.74	54.00	-12.26	3	Horizontal	174	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43188G	55.52	74.00	-18.48	3	Horizontal	174	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15948G	63.28	68.20	-4.92	3	Horizontal	152	2.79	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.278G	105.10	Inf	-Inf	3	Vertical	53	1.50	-
5270MHz	Pass	AV	5.3504G	53.64	54.00	-0.36	3	Vertical	53	1.50	-
5270MHz	Pass	PK	5.2548G	117.88	Inf	-Inf	3	Vertical	53	1.50	-
5270MHz	Pass	PK	5.356G	70.25	74.00	-3.75	3	Vertical	53	1.50	-
5270MHz	Pass	AV	5.2728G	91.83	Inf	-Inf	3	Horizontal	188	2.61	-
5270MHz	Pass	AV	5.3532G	47.87	54.00	-6.13	3	Horizontal	188	2.61	-
5270MHz	Pass	PK	5.2728G	104.46	Inf	-Inf	3	Horizontal	188	2.61	-
5270MHz	Pass	PK	5.368G	60.38	74.00	-13.62	3	Horizontal	188	2.61	-
5270MHz	Pass	AV	15.8582G	46.90	54.00	-7.10	3	Vertical	228	2.27	-
5270MHz	Pass	PK	10.528G	57.04	68.20	-11.16	3	Vertical	159	2.17	-
5270MHz	Pass	PK	15.8584G	59.64	74.00	-14.36	3	Vertical	228	2.27	-
5270MHz	Pass	AV	15.8596G	46.78	54.00	-7.22	3	Horizontal	5	1.98	-
5270MHz	Pass	PK	10.5682G	53.32	68.20	-14.88	3	Horizontal	117	2.76	-
5270MHz	Pass	PK	15.8518G	60.22	74.00	-13.78	3	Horizontal	5	1.98	-
5310MHz	Pass	AV	5.3252G	102.95	Inf	-Inf	3	Vertical	334	1.50	-



RSE TX above 1GHz_Beamforming_Dipole

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.3504G	53.21	54.00	-0.79	3	Vertical	334	1.50	-
5310MHz	Pass	PK	5.3252G	115.30	Inf	-Inf	3	Vertical	334	1.50	-
5310MHz	Pass	PK	5.3508G	73.03	74.00	-0.97	3	Vertical	334	1.50	-
5310MHz	Pass	AV	5.296G	87.62	Inf	-Inf	3	Horizontal	199	3.00	-
5310MHz	Pass	AV	5.3536G	46.94	54.00	-7.06	3	Horizontal	199	3.00	-
5310MHz	Pass	PK	5.2948G	99.83	Inf	-Inf	3	Horizontal	199	3.00	-
5310MHz	Pass	PK	5.3752G	59.17	74.00	-14.83	3	Horizontal	199	3.00	-
5310MHz	Pass	AV	15.9452G	47.67	54.00	-6.33	3	Vertical	127	2.20	-
5310MHz	Pass	PK	10.612G	54.70	74.00	-19.30	3	Vertical	160	1.49	-
5310MHz	Pass	PK	15.9124G	60.82	74.00	-13.18	3	Vertical	127	2.20	-
5310MHz	Pass	AV	15.9768G	47.66	54.00	-6.34	3	Horizontal	255	1.34	-
5310MHz	Pass	PK	10.595G	53.78	68.20	-14.42	3	Horizontal	116	1.91	-
5310MHz	Pass	PK	15.9274G	60.47	74.00	-13.53	3	Horizontal	255	1.34	-
5510MHz	Pass	AV	5.4584G	49.70	54.00	-4.30	3	Vertical	162	1.90	-
5510MHz	Pass	AV	5.528G	102.21	Inf	-Inf	3	Vertical	162	1.90	-
5510MHz	Pass	PK	5.4656G	65.00	68.20	-3.20	3	Vertical	162	1.90	-
5510MHz	Pass	PK	5.5276G	113.93	Inf	-Inf	3	Vertical	162	1.90	-
5510MHz	Pass	AV	5.4416G	46.18	54.00	-7.82	3	Horizontal	211	1.50	-
5510MHz	Pass	AV	5.52G	83.61	Inf	-Inf	3	Horizontal	211	1.50	-
5510MHz	Pass	PK	5.4532G	58.64	74.00	-15.36	3	Horizontal	211	1.50	-
5510MHz	Pass	PK	5.4676G	58.08	68.20	-10.12	3	Horizontal	211	1.50	-
5510MHz	Pass	PK	5.5204G	95.07	Inf	-Inf	3	Horizontal	211	1.50	-
5510MHz	Pass	AV	11.013G	41.22	54.00	-12.78	3	Vertical	158	1.67	-
5510MHz	Pass	PK	10.9956G	54.61	74.00	-19.39	3	Vertical	158	1.67	-
5510MHz	Pass	PK	16.491G	62.64	68.20	-5.56	3	Vertical	204	2.98	-
5510MHz	Pass	AV	11.0078G	40.94	54.00	-13.06	3	Horizontal	224	2.64	-
5510MHz	Pass	PK	10.9876G	53.83	74.00	-20.17	3	Horizontal	224	2.64	-
5510MHz	Pass	PK	16.5266G	62.55	68.20	-5.65	3	Horizontal	25	1.03	-
5550MHz	Pass	AV	5.4594G	50.45	54.00	-3.55	3	Vertical	144	1.70	-
5550MHz	Pass	AV	5.532G	104.52	Inf	-Inf	3	Vertical	144	1.70	-
5550MHz	Pass	PK	5.466G	67.78	68.20	-0.42	3	Vertical	144	1.70	-
5550MHz	Pass	PK	5.532G	118.61	Inf	-Inf	3	Vertical	144	1.70	-
5550MHz	Pass	AV	5.4072G	46.43	54.00	-7.57	3	Horizontal	236	1.09	-
5550MHz	Pass	AV	5.5452G	86.63	Inf	-Inf	3	Horizontal	236	1.09	-
5550MHz	Pass	PK	5.4696G	58.24	68.20	-9.96	3	Horizontal	236	1.09	-
5550MHz	Pass	PK	5.5518G	97.74	Inf	-Inf	3	Horizontal	236	1.09	-
5550MHz	Pass	AV	11.0772G	42.25	54.00	-11.75	3	Vertical	154	1.50	-
5550MHz	Pass	PK	11.0768G	55.95	74.00	-18.05	3	Vertical	154	1.50	-
5550MHz	Pass	PK	16.6504G	62.51	68.20	-5.69	3	Vertical	236	1.79	-
5550MHz	Pass	AV	11.1438G	40.75	54.00	-13.25	3	Horizontal	148	1.36	-
5550MHz	Pass	PK	11.138G	53.26	74.00	-20.74	3	Horizontal	148	1.36	-
5550MHz	Pass	PK	16.6212G	60.91	68.20	-7.29	3	Horizontal	263	1.80	-
5670MHz	Pass	AV	5.6724G	99.47	Inf	-Inf	3	Vertical	323	1.88	-
5670MHz	Pass	PK	5.6664G	116.14	Inf	-Inf	3	Vertical	323	1.88	-
5670MHz	Pass	PK	5.7282G	67.94	68.20	-0.26	3	Vertical	323	1.88	-
5670MHz	Pass	AV	5.6718G	83.52	Inf	-Inf	3	Horizontal	200	1.29	-
5670MHz	Pass	PK	5.6532G	94.83	Inf	-Inf	3	Horizontal	200	1.29	-
5670MHz	Pass	PK	5.7384G	59.70	68.20	-8.50	3	Horizontal	200	1.29	-
5670MHz	Pass	AV	11.343G	41.18	54.00	-12.82	3	Vertical	327	1.50	-
5670MHz	Pass	PK	11.347G	54.41	74.00	-19.59	3	Vertical	327	1.50	-
5670MHz	Pass	PK	17.0192G	62.52	68.20	-5.68	3	Vertical	39	1.66	-
5670MHz	Pass	AV	11.2976G	41.28	54.00	-12.72	3	Horizontal	350	1.80	-
5670MHz	Pass	PK	11.3404G	54.16	74.00	-19.84	3	Horizontal	350	1.80	-
5670MHz	Pass	PK	17.0598G	62.37	68.20	-5.83	3	Horizontal	90	1.62	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	48.26	54.00	-5.74	3	Vertical	145	1.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7184G	106.24	Inf	-Inf	3	Vertical	145	1.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	65.20	68.20	-3.00	3	Vertical	145	1.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7196G	118.90	Inf	-Inf	3	Vertical	145	1.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.854G	63.61	68.20	-4.59	3	Vertical	145	1.85	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.41G	46.37	54.00	-7.63	3	Horizontal	172	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6932G	87.64	Inf	-Inf	3	Horizontal	172	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	57.33	68.20	-10.87	3	Horizontal	172	1.76	-



RSE TX above 1GHz_Beamforming_Dipole

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6932G	99.01	Inf	-Inf	3	Horizontal	172	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.884G	59.98	68.20	-8.22	3	Horizontal	172	1.76	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4216G	41.59	54.00	-12.41	3	Vertical	174	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4458G	55.43	74.00	-18.57	3	Vertical	174	1.46	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1014G	62.92	68.20	-5.28	3	Vertical	90	2.34	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.3758G	41.19	54.00	-12.81	3	Horizontal	198	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.4226G	54.63	74.00	-19.37	3	Horizontal	198	2.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.0832G	61.85	68.20	-6.35	3	Horizontal	285	1.31	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.147G	49.14	54.00	-4.86	3	Vertical	318	1.82	-
5290MHz	Pass	AV	5.327G	97.27	Inf	-Inf	3	Vertical	318	1.82	-
5290MHz	Pass	AV	5.35G	53.48	54.00	-0.52	3	Vertical	318	1.82	-
5290MHz	Pass	PK	5.124G	61.77	74.00	-12.23	3	Vertical	318	1.82	-
5290MHz	Pass	PK	5.327G	109.89	Inf	-Inf	3	Vertical	318	1.82	-
5290MHz	Pass	PK	5.359G	73.05	74.00	-0.95	3	Vertical	318	1.82	-
5290MHz	Pass	AV	5.147G	47.02	54.00	-6.98	3	Horizontal	164	3.00	-
5290MHz	Pass	AV	5.303G	86.46	Inf	-Inf	3	Horizontal	164	3.00	-
5290MHz	Pass	AV	5.35G	47.37	54.00	-6.63	3	Horizontal	164	3.00	-
5290MHz	Pass	PK	5.068G	59.18	74.00	-14.82	3	Horizontal	164	3.00	-
5290MHz	Pass	PK	5.3G	98.53	Inf	-Inf	3	Horizontal	164	3.00	-
5290MHz	Pass	PK	5.525G	58.99	68.20	-9.21	3	Horizontal	164	3.00	-
5290MHz	Pass	AV	15.90616G	47.29	54.00	-6.71	3	Vertical	353	1.72	-
5290MHz	Pass	PK	10.59632G	54.19	68.20	-14.01	3	Vertical	162	1.47	-
5290MHz	Pass	PK	15.89448G	60.84	74.00	-13.16	3	Vertical	353	1.72	-
5290MHz	Pass	AV	15.8828G	47.34	54.00	-6.66	3	Horizontal	189	1.50	-
5290MHz	Pass	PK	10.58736G	53.92	68.20	-14.28	3	Horizontal	82	2.10	-
5290MHz	Pass	PK	15.86328G	60.23	74.00	-13.77	3	Horizontal	189	1.50	-
5530MHz	Pass	AV	5.433G	48.71	54.00	-5.29	3	Vertical	102.8	1.95	-
5530MHz	Pass	AV	5.55G	97.51	Inf	-Inf	3	Vertical	102.8	1.95	-
5530MHz	Pass	PK	5.468G	67.10	68.20	-1.10	3	Vertical	102.8	1.95	-
5530MHz	Pass	PK	5.551G	110.59	Inf	-Inf	3	Vertical	102.8	1.95	-
5530MHz	Pass	PK	5.729G	60.64	68.20	-7.56	3	Vertical	102.8	1.95	-
5530MHz	Pass	AV	5.359G	46.68	54.00	-7.32	3	Horizontal	192	1.51	-
5530MHz	Pass	AV	5.523G	78.78	Inf	-Inf	3	Horizontal	192	1.51	-
5530MHz	Pass	PK	5.307G	59.43	68.20	-8.77	3	Horizontal	192	1.51	-
5530MHz	Pass	PK	5.546G	91.01	Inf	-Inf	3	Horizontal	192	1.51	-
5530MHz	Pass	PK	5.725G	60.14	68.20	-8.06	3	Horizontal	192	1.51	-
5530MHz	Pass	AV	11.03408G	41.87	54.00	-12.13	3	Vertical	157	1.77	-
5530MHz	Pass	PK	11.03152G	55.74	74.00	-18.26	3	Vertical	157	1.77	-
5530MHz	Pass	PK	16.61144G	62.09	68.20	-6.11	3	Vertical	221	3.00	-
5530MHz	Pass	AV	11.02016G	41.11	54.00	-12.89	3	Horizontal	181	2.42	-
5530MHz	Pass	PK	11.0408G	54.26	74.00	-19.74	3	Horizontal	181	2.42	-
5530MHz	Pass	PK	16.55096G	62.08	68.20	-6.12	3	Horizontal	174	1.00	-
5610MHz	Pass	AV	5.459G	52.64	54.00	-1.36	3	Vertical	118.8	1.50	-
5610MHz	Pass	AV	5.591G	99.65	Inf	-Inf	3	Vertical	118.8	1.50	-
5610MHz	Pass	PK	5.464G	67.71	68.20	-0.49	3	Vertical	118.8	1.50	-
5610MHz	Pass	PK	5.597G	116.62	Inf	-Inf	3	Vertical	118.8	1.50	-
5610MHz	Pass	PK	5.728G	67.07	68.20	-1.13	3	Vertical	118.8	1.50	-
5610MHz	Pass	AV	5.409G	46.60	54.00	-7.40	3	Horizontal	248	1.57	-
5610MHz	Pass	AV	5.599G	81.82	Inf	-Inf	3	Horizontal	248	1.57	-
5610MHz	Pass	PK	5.463G	57.03	68.20	-11.17	3	Horizontal	248	1.57	-
5610MHz	Pass	PK	5.603G	93.69	Inf	-Inf	3	Horizontal	248	1.57	-
5610MHz	Pass	PK	5.846G	60.10	68.20	-8.10	3	Horizontal	248	1.57	-
5610MHz	Pass	AV	11.19456G	41.58	54.00	-12.42	3	Vertical	147	1.50	-
5610MHz	Pass	PK	11.22624G	54.36	74.00	-19.64	3	Vertical	147	1.50	-
5610MHz	Pass	PK	16.8188G	61.04	68.20	-7.16	3	Vertical	360	2.42	-
5610MHz	Pass	AV	11.18832G	41.31	54.00	-12.69	3	Horizontal	262	1.50	-
5610MHz	Pass	PK	11.23376G	54.28	74.00	-19.72	3	Horizontal	262	1.50	-
5610MHz	Pass	PK	16.82296G	61.19	68.20	-7.01	3	Horizontal	160	1.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.42	54.00	-1.58	3	Vertical	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6936G	100.56	Inf	-Inf	3	Vertical	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	66.71	68.20	-1.49	3	Vertical	360	1.50	-




RSE TX above 1GHz_Beamforming_Dipole

Appendix D.6

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	113.00	Inf	-Inf	3	Vertical	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	65.07	68.20	-3.13	3	Vertical	360	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4404G	46.68	54.00	-7.32	3	Horizontal	198.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6672G	83.42	Inf	-Inf	3	Horizontal	198.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	56.77	68.20	-11.43	3	Horizontal	198.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6696G	96.38	Inf	-Inf	3	Horizontal	198.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9432G	59.80	68.20	-8.40	3	Horizontal	198.1	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35312G	41.30	54.00	-12.70	3	Vertical	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38496G	54.13	74.00	-19.87	3	Vertical	152	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.03256G	62.66	68.20	-5.54	3	Vertical	189	2.15	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.35328G	41.65	54.00	-12.35	3	Horizontal	156	2.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3936G	54.98	74.00	-19.02	3	Horizontal	156	2.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06904G	62.93	68.20	-5.27	3	Horizontal	12	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1456G	53.87	54.00	-0.13	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.244G	94.34	Inf	-Inf	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.388G	53.04	54.00	-0.96	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.106G	62.19	74.00	-11.81	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2632G	104.80	Inf	-Inf	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.466G	59.25	68.20	-8.95	3	Vertical	47	1.66	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1276G	49.60	54.00	-4.40	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2116G	78.55	Inf	-Inf	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.4516G	48.92	54.00	-5.08	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1468G	58.99	74.00	-15.01	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.298G	89.00	Inf	-Inf	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.544G	59.23	68.20	-8.97	3	Horizontal	188	2.77	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74992G	48.82	54.00	-5.18	3	Vertical	268	2.75	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48464G	53.29	68.20	-14.91	3	Vertical	329	1.56	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.74936G	59.95	74.00	-14.05	3	Vertical	268	2.75	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.74704G	49.12	54.00	-4.88	3	Horizontal	162	2.38	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.48464G	53.53	68.20	-14.67	3	Horizontal	168	2.31	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.75024G	59.42	74.00	-14.58	3	Horizontal	162	2.38	-
5570MHz	Pass	AV	5.3924G	53.27	54.00	-0.73	3	Vertical	328	1.94	-
5570MHz	Pass	AV	5.6216G	95.16	Inf	-Inf	3	Vertical	328	1.94	-
5570MHz	Pass	PK	5.348G	60.52	68.20	-7.68	3	Vertical	328	1.94	-
5570MHz	Pass	PK	5.5052G	108.60	Inf	-Inf	3	Vertical	328	1.94	-
5570MHz	Pass	PK	5.7344G	61.44	68.20	-6.76	3	Vertical	328	1.94	-
5570MHz	Pass	AV	5.39G	48.96	54.00	-5.04	3	Horizontal	239	1.01	-
5570MHz	Pass	AV	5.5532G	76.25	Inf	-Inf	3	Horizontal	239	1.01	-
5570MHz	Pass	PK	5.294G	59.09	68.20	-9.11	3	Horizontal	239	1.01	-
5570MHz	Pass	PK	5.5004G	87.14	Inf	-Inf	3	Horizontal	239	1.01	-
5570MHz	Pass	PK	5.864G	59.78	68.20	-8.42	3	Horizontal	239	1.01	-
5570MHz	Pass	AV	11.14864G	43.71	54.00	-10.29	3	Vertical	1	1.50	-
5570MHz	Pass	PK	11.13032G	54.01	74.00	-19.99	3	Vertical	1	1.50	-
5570MHz	Pass	PK	16.70584G	61.58	68.20	-6.62	3	Vertical	223	2.79	-
5570MHz	Pass	AV	11.15752G	43.84	54.00	-10.16	3	Horizontal	57	2.69	-
5570MHz	Pass	PK	11.13064G	54.24	74.00	-19.76	3	Horizontal	57	2.69	-
5570MHz	Pass	PK	16.70768G	62.46	68.20	-5.74	3	Horizontal	360	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5260MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.68	54.00	-3.32	8.90	3	Vertical	55	1.41	-	41.78	33.20	9.83	34.13
AV	5.2558G	110.18	Inf	-Inf	8.66	3	Vertical	55	1.41	-	101.52	32.91	9.90	34.15
AV	5.353G	52.63	54.00	-1.37	8.52	3	Vertical	55	1.41	-	44.11	32.71	9.97	34.16
PK	5.15G	63.62	74.00	-10.38	8.90	3	Vertical	55	1.41	-	54.72	33.20	9.83	34.13
PK	5.2564G	122.13	Inf	-Inf	8.66	3	Vertical	55	1.41	-	113.47	32.91	9.90	34.15
PK	5.3524G	69.73	74.00	-4.27	8.51	3	Vertical	55	1.41	-	61.22	32.70	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1394G	47.49	54.00	-6.51	8.90	3	Horizontal	317	1.50	-	38.59	33.20	9.83	34.13
AV	5.2678G	93.70	Inf	-Inf	8.70	3	Horizontal	317	1.50	-	85.00	32.94	9.91	34.15
AV	5.3752G	47.15	54.00	-6.85	8.56	3	Horizontal	317	1.50	-	38.59	32.75	9.98	34.17
PK	5.137G	59.56	74.00	-14.44	8.91	3	Horizontal	317	1.50	-	50.65	33.20	9.83	34.12
PK	5.269G	104.46	Inf	-Inf	8.70	3	Horizontal	317	1.50	-	95.76	32.94	9.91	34.15
PK	5.3596G	58.94	74.00	-15.06	8.53	3	Horizontal	317	1.50	-	50.41	32.72	9.97	34.16

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78768G	46.92	54.00	-7.08	19.40	3	Vertical	72	2.91	-	27.52	38.11	15.86	34.57
PK	10.51812G	60.57	68.20	-7.63	16.91	3	Vertical	168	1.42	-	43.66	38.65	12.73	34.47
PK	15.77816G	60.40	74.00	-13.60	19.41	3	Vertical	72	2.91	-	40.99	38.12	15.86	34.57


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5260MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7872G	46.83	54.00	-7.17	19.40	3	Horizontal	339	1.50	-	27.43	38.11	15.86	34.57
PK	10.52572G	55.81	68.20	-12.39	16.95	3	Horizontal	189	2.97	-	38.86	38.68	12.74	34.47
PK	15.7898G	60.44	74.00	-13.56	19.40	3	Horizontal	339	1.50	-	41.04	38.11	15.86	34.57

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	110.84	Inf	-Inf	8.76	3	Vertical	329	1.42	-	102.08	32.99	9.92	34.15
AV	5.3504G	53.63	54.00	-0.37	8.51	3	Vertical	329	1.42	-	45.12	32.70	9.97	34.16
PK	5.2934G	121.51	Inf	-Inf	8.77	3	Vertical	329	1.42	-	112.74	32.99	9.93	34.15
PK	5.3504G	69.87	74.00	-4.13	8.51	3	Vertical	329	1.42	-	61.36	32.70	9.97	34.16


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3054G	95.17	Inf	-Inf	8.75	3	Horizontal	193	2.97	-	86.42	32.97	9.93	34.15
AV	5.3504G	47.64	54.00	-6.36	8.51	3	Horizontal	193	2.97	-	39.13	32.70	9.97	34.16
PK	5.297G	107.03	Inf	-Inf	8.77	3	Horizontal	193	2.97	-	98.26	32.99	9.93	34.15
PK	5.3576G	59.45	74.00	-14.55	8.53	3	Horizontal	193	2.97	-	50.92	32.72	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90708G	47.69	54.00	-6.31	19.70	3	Vertical	232	2.80	-	27.99	38.39	15.95	34.64
PK	10.59332G	60.59	68.20	-7.61	17.23	3	Vertical	165	1.60	-	43.36	38.88	12.76	34.41
PK	15.90348G	61.41	74.00	-12.59	19.71	3	Vertical	232	2.80	-	41.70	38.40	15.95	34.64


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5300MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90392G	47.92	54.00	-6.08	19.71	3	Horizontal	256	2.22	-	28.21	38.40	15.95	34.64
PK	10.59672G	55.71	68.20	-12.49	17.25	3	Horizontal	29	1.26	-	38.46	38.89	12.76	34.40
PK	15.8966G	60.82	74.00	-13.18	19.70	3	Horizontal	256	2.22	-	41.12	38.39	15.94	34.63

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	105.16	Inf	-Inf	8.71	3	Vertical	26	1.50	-	96.45	32.93	9.94	34.16
AV	5.35G	53.76	54.00	-0.24	8.51	3	Vertical	26	1.50	-	45.25	32.70	9.97	34.16
PK	5.3218G	114.97	Inf	-Inf	8.66	3	Vertical	26	1.50	-	106.31	32.87	9.95	34.16
PK	5.3524G	68.69	74.00	-5.31	8.51	3	Vertical	26	1.50	-	60.18	32.70	9.97	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.311G	94.07	Inf	-Inf	8.71	3	Horizontal	199	1.19	-	85.36	32.93	9.94	34.16
AV	5.35G	48.58	54.00	-5.42	8.51	3	Horizontal	199	1.19	-	40.07	32.70	9.97	34.16
PK	5.311G	104.00	Inf	-Inf	8.71	3	Horizontal	199	1.19	-	95.29	32.93	9.94	34.16
PK	5.4646G	58.97	68.20	-9.23	8.77	3	Horizontal	199	1.19	-	50.20	32.93	10.02	34.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64104G	46.56	54.00	-7.44	17.28	3	Vertical	164	1.50	-	29.28	38.86	12.78	34.36
AV	15.9534G	47.92	54.00	-6.08	19.68	3	Vertical	340	1.50	-	28.24	38.35	15.99	34.66
PK	10.64024G	59.53	74.00	-14.47	17.28	3	Vertical	164	1.50	-	42.25	38.86	12.78	34.36
PK	15.9602G	61.37	74.00	-12.63	19.66	3	Vertical	340	1.50	-	41.71	38.34	15.99	34.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5320MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6418G	42.96	54.00	-11.04	17.28	3	Horizontal	339	2.06	-	25.68	38.86	12.78	34.36
AV	15.96176G	48.01	54.00	-5.99	19.66	3	Horizontal	23	1.50	-	28.35	38.34	15.99	34.67
PK	10.6452G	56.09	74.00	-17.91	17.27	3	Horizontal	339	2.06	-	38.82	38.85	12.78	34.36
PK	15.95032G	61.51	74.00	-12.49	19.67	3	Horizontal	23	1.50	-	41.84	38.35	15.98	34.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5500MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.34	54.00	-5.66	8.76	3	Vertical	25	1.60	-	39.58	32.92	10.02	34.18
AV	5.494G	104.46	Inf	-Inf	8.83	3	Vertical	25	1.60	-	95.63	32.99	10.03	34.19
PK	5.4664G	67.75	68.20	-0.45	8.77	3	Vertical	25	1.60	-	58.98	32.93	10.02	34.18
PK	5.4964G	117.25	Inf	-Inf	8.83	3	Vertical	25	1.60	-	108.42	32.99	10.03	34.19


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3848G	47.27	54.00	-6.73	8.59	3	Horizontal	191	1.06	-	38.68	32.77	9.99	34.17
AV	5.509G	89.48	Inf	-Inf	8.81	3	Horizontal	191	1.06	-	80.67	32.96	10.04	34.19
PK	5.4664G	58.56	68.20	-9.64	8.77	3	Horizontal	191	1.06	-	49.79	32.93	10.02	34.18
PK	5.5078G	99.16	Inf	-Inf	8.82	3	Horizontal	191	1.06	-	90.34	32.97	10.04	34.19

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99956G	43.79	54.00	-10.21	17.68	3	Vertical	161	1.50	-	26.11	38.80	12.92	34.04
PK	10.99652G	56.98	74.00	-17.02	17.68	3	Vertical	161	1.50	-	39.30	38.80	12.92	34.04
PK	16.49964G	62.05	68.20	-6.15	20.34	3	Vertical	120	1.50	-	41.71	38.60	16.10	34.36


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5500MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00912G	41.85	54.00	-12.15	17.68	3	Horizontal	88	2.14	-	24.17	38.80	12.92	34.04
PK	10.99692G	54.89	74.00	-19.11	17.68	3	Horizontal	88	2.14	-	37.21	38.80	12.92	34.04
PK	16.4974G	62.28	68.20	-5.92	20.33	3	Horizontal	323	1.50	-	41.95	38.59	16.10	34.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5580MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.86	54.00	-4.14	8.76	3	Vertical	30	1.50	-	41.10	32.92	10.02	34.18
AV	5.5716G	110.80	Inf	-Inf	8.80	3	Vertical	30	1.50	-	102.00	32.93	10.06	34.19
PK	5.4612G	64.67	68.20	-3.53	8.76	3	Vertical	30	1.50	-	55.91	32.92	10.02	34.18
PK	5.574G	120.77	Inf	-Inf	8.81	3	Vertical	30	1.50	-	111.96	32.94	10.06	34.19
PK	5.7282G	59.86	68.20	-8.34	9.51	3	Vertical	30	1.50	-	50.35	33.57	10.14	34.20


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	46.97	54.00	-7.03	8.75	3	Horizontal	189	1.42	-	38.22	32.91	10.02	34.18
AV	5.583G	92.90	Inf	-Inf	8.87	3	Horizontal	189	1.42	-	84.03	33.00	10.06	34.19
PK	5.4636G	57.65	68.20	-10.55	8.77	3	Horizontal	189	1.42	-	48.88	32.93	10.02	34.18
PK	5.583G	103.40	Inf	-Inf	8.87	3	Horizontal	189	1.42	-	94.53	33.00	10.06	34.19
PK	5.7252G	58.95	68.20	-9.25	9.49	3	Horizontal	189	1.42	-	49.46	33.55	10.14	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15844G	47.05	54.00	-6.95	17.79	3	Vertical	154	1.76	-	29.26	38.86	12.98	34.05
PK	11.15888G	58.17	74.00	-15.83	17.79	3	Vertical	154	1.76	-	40.38	38.86	12.98	34.05
PK	16.74456G	63.39	68.20	-4.81	20.91	3	Vertical	-0	2.92	-	42.48	38.63	16.14	33.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15904G	41.59	54.00	-12.41	17.79	3	Horizontal	222	2.01	-	23.80	38.86	12.98	34.05
PK	11.15944G	54.44	74.00	-19.56	17.79	3	Horizontal	222	2.01	-	36.65	38.86	12.98	34.05
PK	16.74908G	61.86	68.20	-6.34	20.90	3	Horizontal	267	1.01	-	40.96	38.61	16.14	33.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.709G	103.95	Inf	-Inf	9.38	3	Vertical	183	1.64	-	94.57	33.45	10.13	34.20
PK	5.7078G	115.20	Inf	-Inf	9.38	3	Vertical	183	1.64	-	105.82	33.45	10.13	34.20
PK	5.727G	67.05	68.20	-1.15	9.50	3	Vertical	183	1.64	-	57.55	33.56	10.14	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7078G	83.38	Inf	-Inf	9.38	3	Horizontal	146	1.12	-	74.00	33.45	10.13	34.20
PK	5.7078G	95.39	Inf	-Inf	9.38	3	Horizontal	146	1.12	-	86.01	33.45	10.13	34.20
PK	5.838G	60.03	68.20	-8.17	10.03	3	Horizontal	146	1.12	-	50.00	34.03	10.21	34.21

**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39136G	41.83	54.00	-12.17	18.11	3	Vertical	136	1.50	-	23.72	39.10	13.07	34.06
PK	11.39628G	54.10	74.00	-19.90	18.11	3	Vertical	136	1.50	-	35.99	39.10	13.07	34.06
PK	17.10712G	62.87	68.20	-5.33	21.30	3	Vertical	174	1.50	-	41.57	38.40	16.20	33.30


**802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5700MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39396G	41.91	54.00	-12.09	18.11	3	Horizontal	279	2.54	-	23.80	39.10	13.07	34.06
PK	11.39528G	54.91	74.00	-19.09	18.11	3	Horizontal	279	2.54	-	36.80	39.10	13.07	34.06
PK	17.0938G	63.02	68.20	-5.18	21.30	3	Horizontal	224	2.71	-	41.72	38.41	16.20	33.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	50.85	54.00	-3.15	8.74	3	Vertical	163	1.71	-	42.11	32.90	10.02	34.18
AV	5.7212G	110.91	Inf	-Inf	9.47	3	Vertical	163	1.71	-	101.44	33.53	10.14	34.20
PK	5.468G	66.48	68.20	-1.72	8.78	3	Vertical	163	1.71	-	57.70	32.94	10.02	34.18
PK	5.7224G	122.26	Inf	-Inf	9.47	3	Vertical	163	1.71	-	112.79	33.53	10.14	34.20
PK	5.8568G	64.56	68.20	-3.64	10.11	3	Vertical	163	1.71	-	54.45	34.10	10.22	34.21


802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4488G	47.17	54.00	-6.83	8.74	3	Horizontal	147	1.50	-	38.43	32.90	10.02	34.18
AV	5.714G	90.89	Inf	-Inf	9.41	3	Horizontal	147	1.50	-	81.48	33.48	10.13	34.20
PK	5.462G	57.73	68.20	-10.47	8.76	3	Horizontal	147	1.50	-	48.97	32.92	10.02	34.18
PK	5.7116G	100.77	Inf	-Inf	9.40	3	Horizontal	147	1.50	-	91.37	33.47	10.13	34.20
PK	5.9756G	60.05	68.20	-8.15	10.24	3	Horizontal	147	1.50	-	49.81	34.15	10.31	34.22

802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43956G	42.76	54.00	-11.24	18.05	3	Vertical	156	1.50	-	24.71	39.02	13.09	34.06
PK	11.44756G	55.50	74.00	-18.50	18.03	3	Vertical	156	1.50	-	37.47	39.00	13.09	34.06
PK	17.15856G	63.22	68.20	-4.98	21.32	3	Vertical	219	1.50	-	41.90	38.40	16.21	33.29


802.11ax HEW20-BF_Nss1,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43144G	41.74	54.00	-12.26	18.07	3	Horizontal	174	1.73	-	23.67	39.04	13.09	34.06
PK	11.43188G	55.52	74.00	-18.48	18.07	3	Horizontal	174	1.73	-	37.45	39.04	13.09	34.06
PK	17.15948G	63.28	68.20	-4.92	21.32	3	Horizontal	152	2.79	-	41.96	38.40	16.21	33.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5270MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.278G	105.10	Inf	-Inf	8.72	3	Vertical	53	1.50	-	96.38	32.96	9.91	34.15
AV	5.3504G	53.64	54.00	-0.36	8.51	3	Vertical	53	1.50	-	45.13	32.70	9.97	34.16
PK	5.2548G	117.88	Inf	-Inf	8.66	3	Vertical	53	1.50	-	109.22	32.91	9.90	34.15
PK	5.356G	70.25	74.00	-3.75	8.52	3	Vertical	53	1.50	-	61.73	32.71	9.97	34.16


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2728G	91.83	Inf	-Inf	8.71	3	Horizontal	188	2.61	-	83.12	32.95	9.91	34.15
AV	5.3532G	47.87	54.00	-6.13	8.52	3	Horizontal	188	2.61	-	39.35	32.71	9.97	34.16
PK	5.2728G	104.46	Inf	-Inf	8.71	3	Horizontal	188	2.61	-	95.75	32.95	9.91	34.15
PK	5.368G	60.38	74.00	-13.62	8.55	3	Horizontal	188	2.61	-	51.83	32.74	9.98	34.17

**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8582G	46.90	54.00	-7.10	19.58	3	Vertical	228	2.27	-	27.32	38.27	15.92	34.61
PK	10.528G	57.04	68.20	-11.16	16.96	3	Vertical	159	2.17	-	40.08	38.68	12.74	34.46
PK	15.8584G	59.64	74.00	-14.36	19.59	3	Vertical	228	2.27	-	40.05	38.28	15.92	34.61


**802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5270MHz_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8596G	46.78	54.00	-7.22	19.59	3	Horizontal	5	1.98	-	27.19	38.28	15.92	34.61
PK	10.5682G	53.32	68.20	-14.88	17.12	3	Horizontal	117	2.76	-	36.20	38.80	12.75	34.43
PK	15.8518G	60.22	74.00	-13.78	19.56	3	Horizontal	5	1.98	-	40.66	38.26	15.91	34.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3252G	102.95	Inf	-Inf	8.64	3	Vertical	334	1.50	-	94.31	32.85	9.95	34.16
AV	5.3504G	53.21	54.00	-0.79	8.51	3	Vertical	334	1.50	-	44.70	32.70	9.97	34.16
PK	5.3252G	115.30	Inf	-Inf	8.64	3	Vertical	334	1.50	-	106.66	32.85	9.95	34.16
PK	5.3508G	73.03	74.00	-0.97	8.51	3	Vertical	334	1.50	-	64.52	32.70	9.97	34.16


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.296G	87.62	Inf	-Inf	8.77	3	Horizontal	199	3.00	-	78.85	32.99	9.93	34.15
AV	5.3536G	46.94	54.00	-7.06	8.52	3	Horizontal	199	3.00	-	38.42	32.71	9.97	34.16
PK	5.2948G	99.83	Inf	-Inf	8.77	3	Horizontal	199	3.00	-	91.06	32.99	9.93	34.15
PK	5.3752G	59.17	74.00	-14.83	8.56	3	Horizontal	199	3.00	-	50.61	32.75	9.98	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9452G	47.67	54.00	-6.33	19.67	3	Vertical	127	2.20	-	28.00	38.35	15.98	34.66
PK	10.612G	54.70	74.00	-19.30	17.27	3	Vertical	160	1.49	-	37.43	38.89	12.77	34.39
PK	15.9124G	60.82	74.00	-13.18	19.71	3	Vertical	127	2.20	-	41.11	38.39	15.96	34.64


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5310MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9768G	47.66	54.00	-6.34	19.64	3	Horizontal	255	1.34	-	28.02	38.32	16.00	34.68
PK	10.595G	53.78	68.20	-14.42	17.24	3	Horizontal	116	1.91	-	36.54	38.88	12.76	34.40
PK	15.9274G	60.47	74.00	-13.53	19.69	3	Horizontal	255	1.34	-	40.78	38.37	15.97	34.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	49.70	54.00	-4.30	8.76	3	Vertical	162	1.90	-	40.94	32.92	10.02	34.18
AV	5.528G	102.21	Inf	-Inf	8.74	3	Vertical	162	1.90	-	93.47	32.89	10.04	34.19
PK	5.4656G	65.00	68.20	-3.20	8.77	3	Vertical	162	1.90	-	56.23	32.93	10.02	34.18
PK	5.5276G	113.93	Inf	-Inf	8.74	3	Vertical	162	1.90	-	105.19	32.89	10.04	34.19


802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4416G	46.18	54.00	-7.82	8.71	3	Horizontal	211	1.50	-	37.47	32.88	10.01	34.18
AV	5.52G	83.61	Inf	-Inf	8.77	3	Horizontal	211	1.50	-	74.84	32.92	10.04	34.19
PK	5.4532G	58.64	74.00	-15.36	8.75	3	Horizontal	211	1.50	-	49.89	32.91	10.02	34.18
PK	5.4676G	58.08	68.20	-10.12	8.78	3	Horizontal	211	1.50	-	49.30	32.94	10.02	34.18
PK	5.5204G	95.07	Inf	-Inf	8.77	3	Horizontal	211	1.50	-	86.30	32.92	10.04	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.013G	41.22	54.00	-12.78	17.69	3	Vertical	158	1.67	-	23.53	38.80	12.93	34.04
PK	10.9956G	54.61	74.00	-19.39	17.68	3	Vertical	158	1.67	-	36.93	38.80	12.92	34.04
PK	16.491G	62.64	68.20	-5.56	20.30	3	Vertical	204	2.98	-	42.34	38.57	16.10	34.37


802.11ax HEW40-BF_Nss1,(MCS0)_2TX
5510MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0078G	40.94	54.00	-13.06	17.68	3	Horizontal	224	2.64	-	23.26	38.80	12.92	34.04
PK	10.9876G	53.83	74.00	-20.17	17.67	3	Horizontal	224	2.64	-	36.16	38.80	12.92	34.05
PK	16.5266G	62.55	68.20	-5.65	20.42	3	Horizontal	25	1.03	-	42.13	38.63	16.10	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX


5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	50.45	54.00	-3.55	8.76	3	Vertical	144	1.70	-	41.69	32.92	10.02	34.18
AV	5.532G	104.52	Inf	-Inf	8.73	3	Vertical	144	1.70	-	95.79	32.87	10.05	34.19
PK	5.466G	67.78	68.20	-0.42	8.77	3	Vertical	144	1.70	-	59.01	32.93	10.02	34.18
PK	5.532G	118.61	Inf	-Inf	8.73	3	Vertical	144	1.70	-	109.88	32.87	10.05	34.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5550MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4072G	46.43	54.00	-7.57	8.64	3	Horizontal	236	1.09	-	37.79	32.81	10.00	34.17
AV	5.5452G	86.63	Inf	-Inf	8.68	3	Horizontal	236	1.09	-	77.95	32.82	10.05	34.19
PK	5.4696G	58.24	68.20	-9.96	8.78	3	Horizontal	236	1.09	-	49.46	32.94	10.02	34.18
PK	5.5518G	97.74	Inf	-Inf	8.67	3	Horizontal	236	1.09	-	89.07	32.81	10.05	34.19