



**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0772G	42.25	54.00	-11.75	17.71	3	Vertical	154	1.50	-	24.54	38.80	12.95	34.04
PK	11.0768G	55.95	74.00	-18.05	17.71	3	Vertical	154	1.50	-	38.24	38.80	12.95	34.04
PK	16.6504G	62.51	68.20	-5.69	20.87	3	Vertical	236	1.79	-	41.64	38.80	16.12	34.05

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1438G	40.75	54.00	-13.25	17.77	3	Horizontal	148	1.36	-	22.98	38.84	12.98	34.05
PK	11.138G	53.26	74.00	-20.74	17.76	3	Horizontal	148	1.36	-	35.50	38.84	12.97	34.05
PK	16.6212G	60.91	68.20	-7.29	20.75	3	Horizontal	263	1.80	-	40.16	38.74	16.12	34.11

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6724G	99.47	Inf	-Inf	9.25	3	Vertical	323	1.88	-	90.22	33.34	10.11	34.20
PK	5.6664G	116.14	Inf	-Inf	9.24	3	Vertical	323	1.88	-	106.90	33.33	10.11	34.20
PK	5.7282G	67.94	68.20	-0.26	9.51	3	Vertical	323	1.88	-	58.43	33.57	10.14	34.20

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6718G	83.52	Inf	-Inf	9.25	3	Horizontal	200	1.29	-	74.27	33.34	10.11	34.20
PK	5.6532G	94.83	Inf	-Inf	9.21	3	Horizontal	200	1.29	-	85.62	33.31	10.10	34.20
PK	5.7384G	59.70	68.20	-8.50	9.58	3	Horizontal	200	1.29	-	50.12	33.63	10.15	34.20

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.343G	41.18	54.00	-12.82	18.10	3	Vertical	327	1.50	-	23.08	39.10	13.05	34.05
PK	11.347G	54.41	74.00	-19.59	18.11	3	Vertical	327	1.50	-	36.30	39.10	13.06	34.05
PK	17.0192G	62.52	68.20	-5.68	21.33	3	Vertical	39	1.66	-	41.19	38.48	16.18	33.33


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2976G	41.28	54.00	-12.72	18.09	3	Horizontal	350	1.80	-	23.19	39.10	13.04	34.05
PK	11.3404G	54.16	74.00	-19.84	18.10	3	Horizontal	350	1.80	-	36.06	39.10	13.05	34.05
PK	17.0598G	62.37	68.20	-5.83	21.32	3	Horizontal	90	1.62	-	41.05	38.44	16.19	33.31

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**


**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.26	54.00	-5.74	8.76	3	Vertical	145	1.85	-	39.50	32.92	10.02	34.18
AV	5.7184G	106.24	Inf	-Inf	9.45	3	Vertical	145	1.85	-	96.79	33.51	10.14	34.20
PK	5.4664G	65.20	68.20	-3.00	8.77	3	Vertical	145	1.85	-	56.43	32.93	10.02	34.18
PK	5.7196G	118.90	Inf	-Inf	9.46	3	Vertical	145	1.85	-	109.44	33.52	10.14	34.20
PK	5.854G	63.61	68.20	-4.59	10.11	3	Vertical	145	1.85	-	53.50	34.10	10.22	34.21


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**

**5710MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.41G	46.37	54.00	-7.63	8.65	3	Horizontal	172	1.76	-	37.72	32.82	10.00	34.17
AV	5.6932G	87.64	Inf	-Inf	9.31	3	Horizontal	172	1.76	-	78.33	33.39	10.12	34.20
PK	5.4688G	57.33	68.20	-10.87	8.78	3	Horizontal	172	1.76	-	48.55	32.94	10.02	34.18
PK	5.6932G	99.01	Inf	-Inf	9.31	3	Horizontal	172	1.76	-	89.70	33.39	10.12	34.20
PK	5.884G	59.98	68.20	-8.22	10.13	3	Horizontal	172	1.76	-	49.85	34.10	10.24	34.21

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4216G	41.59	54.00	-12.41	18.08	3	Vertical	174	1.46	-	23.51	39.06	13.08	34.06
PK	11.4458G	55.43	74.00	-18.57	18.04	3	Vertical	174	1.46	-	37.39	39.01	13.09	34.06
PK	17.1014G	62.92	68.20	-5.28	21.30	3	Vertical	90	2.34	-	41.62	38.40	16.20	33.30


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3758G	41.19	54.00	-12.81	18.11	3	Horizontal	198	2.47	-	23.08	39.10	13.07	34.06
PK	11.4226G	54.63	74.00	-19.37	18.07	3	Horizontal	198	2.47	-	36.56	39.05	13.08	34.06
PK	17.0832G	61.85	68.20	-6.35	21.30	3	Horizontal	285	1.31	-	40.55	38.42	16.19	33.31

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	49.14	54.00	-4.86	8.90	3	Vertical	318	1.82	-	40.24	33.20	9.83	34.13
AV	5.327G	97.27	Inf	-Inf	8.63	3	Vertical	318	1.82	-	88.64	32.84	9.95	34.16
AV	5.35G	53.48	54.00	-0.52	8.51	3	Vertical	318	1.82	-	44.97	32.70	9.97	34.16
PK	5.124G	61.77	74.00	-12.23	8.90	3	Vertical	318	1.82	-	52.87	33.20	9.82	34.12
PK	5.327G	109.89	Inf	-Inf	8.63	3	Vertical	318	1.82	-	101.26	32.84	9.95	34.16
PK	5.359G	73.05	74.00	-0.95	8.53	3	Vertical	318	1.82	-	64.52	32.72	9.97	34.16


802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	47.02	54.00	-6.98	8.90	3	Horizontal	164	3.00	-	38.12	33.20	9.83	34.13
AV	5.303G	86.46	Inf	-Inf	8.76	3	Horizontal	164	3.00	-	77.70	32.98	9.93	34.15
AV	5.35G	47.37	54.00	-6.63	8.51	3	Horizontal	164	3.00	-	38.86	32.70	9.97	34.16
PK	5.068G	59.18	74.00	-14.82	8.69	3	Horizontal	164	3.00	-	50.49	33.01	9.79	34.11
PK	5.3G	98.53	Inf	-Inf	8.78	3	Horizontal	164	3.00	-	89.75	33.00	9.93	34.15
PK	5.525G	58.99	68.20	-9.21	8.75	3	Horizontal	164	3.00	-	50.24	32.90	10.04	34.19

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5290MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.90616G	47.29	54.00	-6.71	19.70	3	Vertical	353	1.72	-	27.59	38.39	15.95	34.64
PK	10.59632G	54.19	68.20	-14.01	17.25	3	Vertical	162	1.47	-	36.94	38.89	12.76	34.40
PK	15.89448G	60.84	74.00	-13.16	19.69	3	Vertical	353	1.72	-	41.15	38.38	15.94	34.63


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5290MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8828G	47.34	54.00	-6.66	19.66	3	Horizontal	189	1.50	-	27.68	38.35	15.93	34.62
PK	10.58736G	53.92	68.20	-14.28	17.21	3	Horizontal	82	2.10	-	36.71	38.86	12.76	34.41
PK	15.86328G	60.23	74.00	-13.77	19.60	3	Horizontal	189	1.50	-	40.63	38.29	15.92	34.61

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.433G	48.71	54.00	-5.29	8.70	3	Vertical	102.8	1.95	-	40.01	32.87	10.01	34.18
AV	5.55G	97.51	Inf	-Inf	8.66	3	Vertical	102.8	1.95	-	88.85	32.80	10.05	34.19
PK	5.468G	67.10	68.20	-1.10	8.78	3	Vertical	102.8	1.95	-	58.32	32.94	10.02	34.18
PK	5.551G	110.59	Inf	-Inf	8.67	3	Vertical	102.8	1.95	-	101.92	32.81	10.05	34.19
PK	5.729G	60.64	68.20	-7.56	9.51	3	Vertical	102.8	1.95	-	51.13	33.57	10.14	34.20

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.359G	46.68	54.00	-7.32	8.53	3	Horizontal	192	1.51	-	38.15	32.72	9.97	34.16
AV	5.523G	78.78	Inf	-Inf	8.76	3	Horizontal	192	1.51	-	70.02	32.91	10.04	34.19
PK	5.307G	59.43	68.20	-8.77	8.73	3	Horizontal	192	1.51	-	50.70	32.96	9.93	34.16
PK	5.546G	91.01	Inf	-Inf	8.68	3	Horizontal	192	1.51	-	82.33	32.82	10.05	34.19
PK	5.725G	60.14	68.20	-8.06	9.49	3	Horizontal	192	1.51	-	50.65	33.55	10.14	34.20




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.03408G	41.87	54.00	-12.13	17.69	3	Vertical	157	1.77	-	24.18	38.80	12.93	34.04
PK	11.03152G	55.74	74.00	-18.26	17.69	3	Vertical	157	1.77	-	38.05	38.80	12.93	34.04
PK	16.61144G	62.09	68.20	-6.11	20.71	3	Vertical	221	3.00	-	41.38	38.72	16.12	34.13


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02016G	41.11	54.00	-12.89	17.69	3	Horizontal	181	2.42	-	23.42	38.80	12.93	34.04
PK	11.0408G	54.26	74.00	-19.74	17.70	3	Horizontal	181	2.42	-	36.56	38.80	12.94	34.04
PK	16.55096G	62.08	68.20	-6.12	20.50	3	Horizontal	174	1.00	-	41.58	38.65	16.11	34.26

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.64	54.00	-1.36	8.76	3	Vertical	118.8	1.50	-	43.88	32.92	10.02	34.18
AV	5.591G	99.65	Inf	-Inf	8.92	3	Vertical	118.8	1.50	-	90.73	33.05	10.07	34.20
PK	5.464G	67.71	68.20	-0.49	8.77	3	Vertical	118.8	1.50	-	58.94	32.93	10.02	34.18
PK	5.597G	116.62	Inf	-Inf	8.95	3	Vertical	118.8	1.50	-	107.67	33.08	10.07	34.20
PK	5.728G	67.07	68.20	-1.13	9.51	3	Vertical	118.8	1.50	-	57.56	33.57	10.14	34.20


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.409G	46.60	54.00	-7.40	8.65	3	Horizontal	248	1.57	-	37.95	32.82	10.00	34.17
AV	5.599G	81.82	Inf	-Inf	8.96	3	Horizontal	248	1.57	-	72.86	33.09	10.07	34.20
PK	5.463G	57.03	68.20	-11.17	8.77	3	Horizontal	248	1.57	-	48.26	32.93	10.02	34.18
PK	5.603G	93.69	Inf	-Inf	8.98	3	Horizontal	248	1.57	-	84.71	33.11	10.07	34.20
PK	5.846G	60.10	68.20	-8.10	10.08	3	Horizontal	248	1.57	-	50.02	34.08	10.21	34.21

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19456G	41.58	54.00	-12.42	17.84	3	Vertical	147	1.50	-	23.74	38.89	13.00	34.05
PK	11.22624G	54.36	74.00	-19.64	17.91	3	Vertical	147	1.50	-	36.45	38.95	13.01	34.05
PK	16.8188G	61.04	68.20	-7.16	20.77	3	Vertical	360	2.42	-	40.27	38.32	16.15	33.70


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18832G	41.31	54.00	-12.69	17.83	3	Horizontal	262	1.50	-	23.48	38.89	12.99	34.05
PK	11.23376G	54.28	74.00	-19.72	17.93	3	Horizontal	262	1.50	-	36.35	38.97	13.01	34.05
PK	16.82296G	61.19	68.20	-7.01	20.78	3	Horizontal	160	1.47	-	40.41	38.32	16.15	33.69

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.42	54.00	-1.58	8.75	3	Vertical	360	1.50	-	43.67	32.91	10.02	34.18
AV	5.6936G	100.56	Inf	-Inf	9.31	3	Vertical	360	1.50	-	91.25	33.39	10.12	34.20
PK	5.4656G	66.71	68.20	-1.49	8.77	3	Vertical	360	1.50	-	57.94	32.93	10.02	34.18
PK	5.6936G	113.00	Inf	-Inf	9.31	3	Vertical	360	1.50	-	103.69	33.39	10.12	34.20
PK	5.8556G	65.07	68.20	-3.13	10.11	3	Vertical	360	1.50	-	54.96	34.10	10.22	34.21


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4404G	46.68	54.00	-7.32	8.71	3	Horizontal	198.1	1.50	-	37.97	32.88	10.01	34.18
AV	5.6672G	83.42	Inf	-Inf	9.24	3	Horizontal	198.1	1.50	-	74.18	33.33	10.11	34.20
PK	5.4632G	56.77	68.20	-11.43	8.77	3	Horizontal	198.1	1.50	-	48.00	32.93	10.02	34.18
PK	5.6696G	96.38	Inf	-Inf	9.25	3	Horizontal	198.1	1.50	-	87.13	33.34	10.11	34.20
PK	5.9432G	59.80	68.20	-8.40	10.34	3	Horizontal	198.1	1.50	-	49.46	34.27	10.29	34.22

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35312G	41.30	54.00	-12.70	18.11	3	Vertical	152	1.50	-	23.19	39.10	13.06	34.05
PK	11.38496G	54.13	74.00	-19.87	18.11	3	Vertical	152	1.50	-	36.02	39.10	13.07	34.06
PK	17.03256G	62.66	68.20	-5.54	21.34	3	Vertical	189	2.15	-	41.32	38.47	16.19	33.32


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35328G	41.65	54.00	-12.35	18.11	3	Horizontal	156	2.06	-	23.54	39.10	13.06	34.05
PK	11.3936G	54.98	74.00	-19.02	18.11	3	Horizontal	156	2.06	-	36.87	39.10	13.07	34.06
PK	17.06904G	62.93	68.20	-5.27	21.31	3	Horizontal	12	1.50	-	41.62	38.43	16.19	33.31

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1456G	53.87	54.00	-0.13	8.90	3	Vertical	47	1.66	-	44.97	33.20	9.83	34.13
AV	5.244G	94.34	Inf	-Inf	8.67	3	Vertical	47	1.66	-	85.67	32.92	9.89	34.14
AV	5.388G	53.04	54.00	-0.96	8.60	3	Vertical	47	1.66	-	44.44	32.78	9.99	34.17
PK	5.106G	62.19	74.00	-11.81	8.89	3	Vertical	47	1.66	-	53.30	33.20	9.81	34.12
PK	5.2632G	104.80	Inf	-Inf	8.68	3	Vertical	47	1.66	-	96.12	32.93	9.90	34.15
PK	5.466G	59.25	68.20	-8.95	8.77	3	Vertical	47	1.66	-	50.48	32.93	10.02	34.18

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1276G	49.60	54.00	-4.40	8.90	3	Horizontal	188	2.77	-	40.70	33.20	9.82	34.12
AV	5.2116G	78.55	Inf	-Inf	8.78	3	Horizontal	188	2.77	-	69.77	33.05	9.87	34.14
AV	5.4516G	48.92	54.00	-5.08	8.74	3	Horizontal	188	2.77	-	40.18	32.90	10.02	34.18
PK	5.1468G	58.99	74.00	-15.01	8.90	3	Horizontal	188	2.77	-	50.09	33.20	9.83	34.13
PK	5.298G	89.00	Inf	-Inf	8.78	3	Horizontal	188	2.77	-	80.22	33.00	9.93	34.15
PK	5.544G	59.23	68.20	-8.97	8.68	3	Horizontal	188	2.77	-	50.55	32.82	10.05	34.19

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74992G	48.82	54.00	-5.18	19.43	3	Vertical	268	2.75	-	29.39	38.15	15.83	34.55
PK	10.48464G	53.29	68.20	-14.91	16.84	3	Vertical	329	1.56	-	36.45	38.62	12.72	34.50
PK	15.74936G	59.95	74.00	-14.05	19.43	3	Vertical	268	2.75	-	40.52	38.15	15.83	34.55

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.74704G	49.12	54.00	-4.88	19.43	3	Horizontal	162	2.38	-	29.69	38.15	15.83	34.55
PK	10.48464G	53.53	68.20	-14.67	16.84	3	Horizontal	168	2.31	-	36.69	38.62	12.72	34.50
PK	15.75024G	59.42	74.00	-14.58	19.44	3	Horizontal	162	2.38	-	39.98	38.15	15.84	34.55

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3924G	53.27	54.00	-0.73	8.60	3	Vertical	328	1.94	-	44.67	32.78	9.99	34.17
AV	5.6216G	95.16	Inf	-Inf	9.07	3	Vertical	328	1.94	-	86.09	33.19	10.08	34.20
PK	5.348G	60.52	68.20	-7.68	8.51	3	Vertical	328	1.94	-	52.01	32.71	9.96	34.16
PK	5.5052G	108.60	Inf	-Inf	8.83	3	Vertical	328	1.94	-	99.77	32.98	10.04	34.19
PK	5.7344G	61.44	68.20	-6.76	9.55	3	Vertical	328	1.94	-	51.89	33.61	10.14	34.20

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.39G	48.96	54.00	-5.04	8.60	3	Horizontal	239	1.01	-	40.36	32.78	9.99	34.17
AV	5.5532G	76.25	Inf	-Inf	8.68	3	Horizontal	239	1.01	-	67.57	32.82	10.05	34.19
PK	5.294G	59.09	68.20	-9.11	8.77	3	Horizontal	239	1.01	-	50.32	32.99	9.93	34.15
PK	5.5004G	87.14	Inf	-Inf	8.85	3	Horizontal	239	1.01	-	78.29	33.00	10.04	34.19
PK	5.864G	59.78	68.20	-8.42	10.12	3	Horizontal	239	1.01	-	49.66	34.10	10.23	34.21




**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14864G	43.71	54.00	-10.29	17.78	3	Vertical	1	1.50	-	25.93	38.85	12.98	34.05
PK	11.13032G	54.01	74.00	-19.99	17.75	3	Vertical	1	1.50	-	36.26	38.83	12.97	34.05
PK	16.70584G	61.58	68.20	-6.62	21.05	3	Vertical	223	2.79	-	40.53	38.86	16.13	33.94

**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15752G	43.84	54.00	-10.16	17.79	3	Horizontal	57	2.69	-	26.05	38.86	12.98	34.05
PK	11.13064G	54.24	74.00	-19.76	17.75	3	Horizontal	57	2.69	-	36.49	38.83	12.97	34.05
PK	16.70768G	62.46	68.20	-5.74	21.05	3	Horizontal	360	1.50	-	41.41	38.85	16.13	33.93



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.46	54.00	-0.54	3	Horizontal	320	2.68	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.52	54.00	-0.48	3	Horizontal	322	2.82	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.355G	53.48	54.00	-0.52	3	Horizontal	319	1.00	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3988G	53.53	54.00	-0.47	3	Horizontal	314	1.21	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7252G	68.01	68.20	-0.19	3	Horizontal	320	2.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.468G	67.65	68.20	-0.55	3	Horizontal	318	1.00	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.4596G	53.20	54.00	-0.80	3	Horizontal	317	1.06	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3876G	53.39	54.00	-0.61	3	Horizontal	138	2.84	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.143G	47.35	54.00	-6.65	3	Vertical	322	2.07	-
5260MHz	Pass	AV	5.2528G	93.69	Inf	-Inf	3	Vertical	322	2.07	-
5260MHz	Pass	AV	5.3506G	46.90	54.00	-7.10	3	Vertical	322	2.07	-
5260MHz	Pass	PK	5.15G	59.58	74.00	-14.42	3	Vertical	322	2.07	-
5260MHz	Pass	PK	5.2558G	104.18	Inf	-Inf	3	Vertical	322	2.07	-
5260MHz	Pass	PK	5.3644G	58.64	74.00	-15.36	3	Vertical	322	2.07	-
5260MHz	Pass	AV	5.15G	51.00	54.00	-3.00	3	Horizontal	316	1.50	-
5260MHz	Pass	AV	5.2558G	110.25	Inf	-Inf	3	Horizontal	316	1.50	-
5260MHz	Pass	AV	5.3554G	53.05	54.00	-0.95	3	Horizontal	316	1.50	-
5260MHz	Pass	PK	5.1466G	63.90	74.00	-10.10	3	Horizontal	316	1.50	-
5260MHz	Pass	PK	5.2654G	122.17	Inf	-Inf	3	Horizontal	316	1.50	-
5260MHz	Pass	PK	5.353G	68.02	74.00	-5.98	3	Horizontal	316	1.50	-
5260MHz	Pass	AV	15.77936G	48.00	54.00	-6.00	3	Vertical	25	1.98	-
5260MHz	Pass	PK	10.5152G	59.09	68.20	-9.11	3	Vertical	165	1.50	-
5260MHz	Pass	PK	15.78344G	62.81	74.00	-11.19	3	Vertical	25	1.98	-
5260MHz	Pass	AV	15.78496G	47.39	54.00	-6.61	3	Horizontal	195	1.01	-
5260MHz	Pass	PK	10.50872G	64.08	68.20	-4.12	3	Horizontal	324	2.42	-
5260MHz	Pass	PK	15.78816G	60.54	74.00	-13.46	3	Horizontal	195	1.01	-
5300MHz	Pass	AV	5.3012G	89.78	Inf	-Inf	3	Vertical	118	2.60	-
5300MHz	Pass	AV	5.3546G	47.10	54.00	-6.90	3	Vertical	118	2.60	-
5300MHz	Pass	PK	5.3006G	101.12	Inf	-Inf	3	Vertical	118	2.60	-
5300MHz	Pass	PK	5.3918G	59.82	74.00	-14.18	3	Vertical	118	2.60	-
5300MHz	Pass	AV	5.2916G	111.47	Inf	-Inf	3	Horizontal	320	2.68	-
5300MHz	Pass	AV	5.35G	53.46	54.00	-0.54	3	Horizontal	320	2.68	-
5300MHz	Pass	PK	5.2928G	122.61	Inf	-Inf	3	Horizontal	320	2.68	-
5300MHz	Pass	PK	5.3564G	70.66	74.00	-3.34	3	Horizontal	320	2.68	-
5300MHz	Pass	AV	15.88878G	49.88	54.00	-4.12	3	Vertical	218	2.89	-
5300MHz	Pass	PK	10.59082G	58.46	68.20	-9.74	3	Vertical	164	1.08	-
5300MHz	Pass	PK	15.89034G	62.02	74.00	-11.98	3	Vertical	218	2.89	-
5300MHz	Pass	AV	10.60108G	44.13	54.00	-9.87	3	Horizontal	326	1.00	-
5300MHz	Pass	AV	15.91158G	48.12	54.00	-5.88	3	Horizontal	38	2.53	-
5300MHz	Pass	PK	10.60264G	56.64	74.00	-17.36	3	Horizontal	326	1.00	-
5300MHz	Pass	PK	15.89964G	61.10	74.00	-12.90	3	Horizontal	38	2.53	-
5320MHz	Pass	AV	5.3164G	87.94	Inf	-Inf	3	Vertical	323	1.28	-
5320MHz	Pass	AV	5.3524G	47.18	54.00	-6.82	3	Vertical	323	1.28	-
5320MHz	Pass	PK	5.317G	98.74	Inf	-Inf	3	Vertical	323	1.28	-
5320MHz	Pass	PK	5.3866G	58.92	74.00	-15.08	3	Vertical	323	1.28	-
5320MHz	Pass	AV	5.3176G	108.25	Inf	-Inf	3	Horizontal	317	1.00	-
5320MHz	Pass	AV	5.3506G	53.31	54.00	-0.69	3	Horizontal	317	1.00	-
5320MHz	Pass	PK	5.3134G	120.24	Inf	-Inf	3	Horizontal	317	1.00	-
5320MHz	Pass	PK	5.3512G	69.07	74.00	-4.93	3	Horizontal	317	1.00	-
5320MHz	Pass	AV	10.63958G	44.51	54.00	-9.49	3	Vertical	164	1.00	-
5320MHz	Pass	AV	15.95922G	48.30	54.00	-5.70	3	Vertical	177	1.50	-
5320MHz	Pass	PK	10.63892G	57.32	74.00	-16.68	3	Vertical	164	1.00	-
5320MHz	Pass	PK	15.96156G	61.35	74.00	-12.65	3	Vertical	177	1.50	-
5320MHz	Pass	AV	10.64708G	43.48	54.00	-10.52	3	Horizontal	323	2.30	-
5320MHz	Pass	AV	15.94944G	48.08	54.00	-5.92	3	Horizontal	197	1.08	-
5320MHz	Pass	PK	10.63592G	55.82	74.00	-18.18	3	Horizontal	323	2.30	-
5320MHz	Pass	PK	15.95718G	61.19	74.00	-12.81	3	Horizontal	197	1.08	-
5500MHz	Pass	AV	5.3824G	47.24	54.00	-6.76	3	Vertical	82	3.00	-
5500MHz	Pass	AV	5.4958G	91.01	Inf	-Inf	3	Vertical	82	3.00	-
5500MHz	Pass	PK	5.4622G	59.19	68.20	-9.01	3	Vertical	82	3.00	-
5500MHz	Pass	PK	5.4958G	103.37	Inf	-Inf	3	Vertical	82	3.00	-
5500MHz	Pass	AV	5.4064G	49.05	54.00	-4.95	3	Horizontal	321	1.03	-
5500MHz	Pass	AV	5.5072G	107.51	Inf	-Inf	3	Horizontal	321	1.03	-
5500MHz	Pass	PK	5.4688G	65.77	68.20	-2.43	3	Horizontal	321	1.03	-
5500MHz	Pass	PK	5.5078G	119.17	Inf	-Inf	3	Horizontal	321	1.03	-
5500MHz	Pass	AV	10.99544G	41.34	54.00	-12.66	3	Vertical	279	1.50	-
5500MHz	Pass	PK	11.00078G	53.99	74.00	-20.01	3	Vertical	279	1.50	-
5500MHz	Pass	PK	16.51266G	62.06	68.20	-6.14	3	Vertical	352	1.50	-



RSE TX above 1GHz\_Beamforming\_Omni

Appendix D.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	AV	11.00162G	43.54	54.00	-10.46	3	Horizontal	325	2.29	-
5500MHz	Pass	PK	11.00228G	57.50	74.00	-16.50	3	Horizontal	325	2.29	-
5500MHz	Pass	PK	16.51428G	62.38	68.20	-5.82	3	Horizontal	321	1.50	-
5580MHz	Pass	AV	5.436G	46.75	54.00	-7.25	3	Vertical	48	2.16	-
5580MHz	Pass	AV	5.5716G	97.61	Inf	-Inf	3	Vertical	48	2.16	-
5580MHz	Pass	PK	5.469G	58.18	68.20	-10.02	3	Vertical	48	2.16	-
5580MHz	Pass	PK	5.5728G	109.42	Inf	-Inf	3	Vertical	48	2.16	-
5580MHz	Pass	PK	5.727G	59.94	68.20	-8.26	3	Vertical	48	2.16	-
5580MHz	Pass	AV	5.4444G	48.14	54.00	-5.86	3	Horizontal	326	1.50	-
5580MHz	Pass	AV	5.577G	109.51	Inf	-Inf	3	Horizontal	326	1.50	-
5580MHz	Pass	PK	5.4612G	59.74	68.20	-8.46	3	Horizontal	326	1.50	-
5580MHz	Pass	PK	5.5764G	119.94	Inf	-Inf	3	Horizontal	326	1.50	-
5580MHz	Pass	PK	5.7282G	60.24	68.20	-7.96	3	Horizontal	326	1.50	-
5580MHz	Pass	AV	11.16114G	42.61	54.00	-11.39	3	Vertical	187	1.50	-
5580MHz	Pass	PK	11.15844G	55.53	74.00	-18.47	3	Vertical	187	1.50	-
5580MHz	Pass	PK	16.74G	62.55	68.20	-5.65	3	Vertical	357	2.85	-
5580MHz	Pass	AV	11.17104G	48.46	54.00	-5.54	3	Horizontal	321	2.22	-
5580MHz	Pass	PK	11.17044G	60.35	74.00	-13.65	3	Horizontal	321	2.22	-
5580MHz	Pass	PK	16.74522G	62.03	68.20	-6.17	3	Horizontal	360	2.43	-
5700MHz	Pass	AV	5.6928G	85.31	Inf	-Inf	3	Vertical	316	2.82	-
5700MHz	Pass	PK	5.694G	96.32	Inf	-Inf	3	Vertical	316	2.82	-
5700MHz	Pass	PK	5.796G	60.51	68.20	-7.69	3	Vertical	316	2.82	-
5700MHz	Pass	AV	5.6934G	103.86	Inf	-Inf	3	Horizontal	320	2.50	-
5700MHz	Pass	PK	5.694G	114.62	Inf	-Inf	3	Horizontal	320	2.50	-
5700MHz	Pass	PK	5.7252G	68.01	68.20	-0.19	3	Horizontal	320	2.50	-
5700MHz	Pass	AV	11.38232G	41.92	54.00	-12.08	3	Vertical	360	1.50	-
5700MHz	Pass	PK	11.38536G	54.62	74.00	-19.38	3	Vertical	360	1.50	-
5700MHz	Pass	PK	17.09152G	62.63	68.20	-5.57	3	Vertical	200	1.23	-
5700MHz	Pass	AV	11.39064G	42.09	54.00	-11.91	3	Horizontal	129	1.50	-
5700MHz	Pass	PK	11.39936G	55.42	74.00	-18.58	3	Horizontal	129	1.50	-
5700MHz	Pass	PK	17.08872G	62.48	68.20	-5.72	3	Horizontal	23	1.63	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4368G	46.82	54.00	-7.18	3	Vertical	146	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	91.92	Inf	-Inf	3	Vertical	146	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	57.30	68.20	-10.90	3	Vertical	146	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	104.19	Inf	-Inf	3	Vertical	146	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9264G	60.16	68.20	-8.04	3	Vertical	146	1.45	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	50.86	54.00	-3.14	3	Horizontal	321	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	112.45	Inf	-Inf	3	Horizontal	321	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	66.71	68.20	-1.49	3	Horizontal	321	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	124.50	Inf	-Inf	3	Horizontal	321	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8544G	66.25	68.20	-1.95	3	Horizontal	321	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43664G	42.39	54.00	-11.61	3	Vertical	186	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43184G	55.05	74.00	-18.95	3	Vertical	186	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16568G	62.64	68.20	-5.56	3	Vertical	178	2.27	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4376G	47.26	54.00	-6.74	3	Horizontal	323	2.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43112G	58.69	74.00	-15.31	3	Horizontal	323	2.46	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1488G	62.04	68.20	-6.16	3	Horizontal	47	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2876G	88.54	Inf	-Inf	3	Vertical	324	1.00	-
5270MHz	Pass	AV	5.3576G	47.10	54.00	-6.90	3	Vertical	324	1.00	-
5270MHz	Pass	PK	5.2836G	100.21	Inf	-Inf	3	Vertical	324	1.00	-
5270MHz	Pass	PK	5.3508G	59.90	74.00	-14.10	3	Vertical	324	1.00	-
5270MHz	Pass	AV	5.288G	106.16	Inf	-Inf	3	Horizontal	322	2.82	-
5270MHz	Pass	AV	5.35G	53.52	54.00	-0.48	3	Horizontal	322	2.82	-
5270MHz	Pass	PK	5.2688G	118.52	Inf	-Inf	3	Horizontal	322	2.82	-
5270MHz	Pass	PK	5.3536G	71.21	74.00	-2.79	3	Horizontal	322	2.82	-
5270MHz	Pass	AV	15.837G	46.94	54.00	-7.06	3	Vertical	264	2.56	-
5270MHz	Pass	PK	10.54G	58.47	68.20	-9.73	3	Vertical	163	1.01	-
5270MHz	Pass	PK	15.82764G	60.17	74.00	-13.83	3	Vertical	264	2.56	-
5270MHz	Pass	AV	15.83988G	46.76	54.00	-7.24	3	Horizontal	360	2.24	-
5270MHz	Pass	PK	10.51396G	57.95	68.20	-10.25	3	Horizontal	324	2.54	-
5270MHz	Pass	PK	15.81828G	60.14	74.00	-13.86	3	Horizontal	360	2.24	-



RSE TX above 1GHz\_Beamforming\_Omni

Appendix D.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	AV	5.3172G	85.51	Inf	-Inf	3	Vertical	116	3.00	-
5310MHz	Pass	AV	5.3532G	46.98	54.00	-7.02	3	Vertical	116	3.00	-
5310MHz	Pass	PK	5.3184G	97.79	Inf	-Inf	3	Vertical	116	3.00	-
5310MHz	Pass	PK	5.3824G	59.43	74.00	-14.57	3	Vertical	116	3.00	-
5310MHz	Pass	AV	5.312G	102.89	Inf	-Inf	3	Horizontal	320	2.80	-
5310MHz	Pass	AV	5.3528G	52.65	54.00	-1.35	3	Horizontal	320	2.80	-
5310MHz	Pass	PK	5.3276G	115.50	Inf	-Inf	3	Horizontal	320	2.80	-
5310MHz	Pass	PK	5.352G	72.71	74.00	-1.29	3	Horizontal	320	2.80	-
5310MHz	Pass	AV	10.61856G	42.02	54.00	-11.98	3	Vertical	163	1.00	-
5310MHz	Pass	AV	15.93552G	47.90	54.00	-6.10	3	Vertical	329	2.29	-
5310MHz	Pass	PK	10.632G	55.16	74.00	-18.84	3	Vertical	163	1.00	-
5310MHz	Pass	PK	15.9372G	60.66	74.00	-13.34	3	Vertical	329	2.29	-
5310MHz	Pass	AV	10.60072G	41.02	54.00	-12.98	3	Horizontal	0	1.50	-
5310MHz	Pass	AV	15.9272G	47.86	54.00	-6.14	3	Horizontal	321	1.20	-
5310MHz	Pass	PK	10.60768G	54.50	74.00	-19.50	3	Horizontal	0	1.50	-
5310MHz	Pass	PK	15.93464G	61.13	74.00	-12.87	3	Horizontal	321	1.20	-
5510MHz	Pass	AV	5.4124G	46.63	54.00	-7.37	3	Vertical	56	2.24	-
5510MHz	Pass	AV	5.5108G	86.99	Inf	-Inf	3	Vertical	56	2.24	-
5510MHz	Pass	PK	5.462G	58.39	68.20	-9.81	3	Vertical	56	2.24	-
5510MHz	Pass	PK	5.506G	99.59	Inf	-Inf	3	Vertical	56	2.24	-
5510MHz	Pass	AV	5.4592G	48.88	54.00	-5.12	3	Horizontal	320	1.00	-
5510MHz	Pass	AV	5.506G	102.44	Inf	-Inf	3	Horizontal	320	1.00	-
5510MHz	Pass	PK	5.4696G	67.64	68.20	-0.56	3	Horizontal	320	1.00	-
5510MHz	Pass	PK	5.5068G	114.97	Inf	-Inf	3	Horizontal	320	1.00	-
5510MHz	Pass	AV	11.00832G	41.29	54.00	-12.71	3	Vertical	4	1.79	-
5510MHz	Pass	PK	11.00952G	54.16	74.00	-19.84	3	Vertical	4	1.79	-
5510MHz	Pass	PK	16.52584G	61.97	68.20	-6.23	3	Vertical	359	1.16	-
5510MHz	Pass	AV	11.00568G	41.22	54.00	-12.78	3	Horizontal	62	1.97	-
5510MHz	Pass	PK	11.01928G	54.16	74.00	-19.84	3	Horizontal	62	1.97	-
5510MHz	Pass	PK	16.54G	61.57	68.20	-6.63	3	Horizontal	271	2.58	-
5550MHz	Pass	AV	5.4532G	46.65	54.00	-7.35	3	Vertical	57	2.42	-
5550MHz	Pass	AV	5.5416G	91.47	Inf	-Inf	3	Vertical	57	2.42	-
5550MHz	Pass	PK	5.4692G	58.88	68.20	-9.32	3	Vertical	57	2.42	-
5550MHz	Pass	PK	5.54G	104.13	Inf	-Inf	3	Vertical	57	2.42	-
5550MHz	Pass	AV	5.4592G	50.08	54.00	-3.92	3	Horizontal	318	1.00	-
5550MHz	Pass	AV	5.5444G	106.97	Inf	-Inf	3	Horizontal	318	1.00	-
5550MHz	Pass	PK	5.468G	67.65	68.20	-0.55	3	Horizontal	318	1.00	-
5550MHz	Pass	PK	5.5556G	119.49	Inf	-Inf	3	Horizontal	318	1.00	-
5550MHz	Pass	AV	11.11656G	40.96	54.00	-13.04	3	Vertical	210	2.97	-
5550MHz	Pass	PK	11.092G	54.73	74.00	-19.27	3	Vertical	210	2.97	-
5550MHz	Pass	PK	16.63856G	60.88	68.20	-7.32	3	Vertical	90	1.97	-
5550MHz	Pass	AV	11.08496G	41.69	54.00	-12.31	3	Horizontal	323	2.55	-
5550MHz	Pass	PK	11.10784G	54.71	74.00	-19.29	3	Horizontal	323	2.55	-
5550MHz	Pass	PK	16.64744G	61.42	68.20	-6.78	3	Horizontal	166	1.54	-
5670MHz	Pass	AV	5.6736G	86.60	Inf	-Inf	3	Vertical	193	3.00	-
5670MHz	Pass	PK	5.667G	99.95	Inf	-Inf	3	Vertical	193	3.00	-
5670MHz	Pass	PK	5.8068G	60.21	68.20	-7.99	3	Vertical	193	3.00	-
5670MHz	Pass	AV	5.6784G	104.76	Inf	-Inf	3	Horizontal	318	1.02	-
5670MHz	Pass	PK	5.6754G	117.69	Inf	-Inf	3	Horizontal	318	1.02	-
5670MHz	Pass	PK	5.7282G	66.98	68.20	-1.22	3	Horizontal	318	1.02	-
5670MHz	Pass	AV	11.35528G	41.68	54.00	-12.32	3	Vertical	211	1.53	-
5670MHz	Pass	PK	11.33944G	54.68	74.00	-19.32	3	Vertical	211	1.53	-
5670MHz	Pass	PK	17.00792G	62.22	68.20	-5.98	3	Vertical	181	1.71	-
5670MHz	Pass	AV	11.34568G	41.56	54.00	-12.44	3	Horizontal	48	2.96	-
5670MHz	Pass	PK	11.3528G	54.05	74.00	-19.95	3	Horizontal	48	2.96	-
5670MHz	Pass	PK	17.02288G	62.82	68.20	-5.38	3	Horizontal	115	2.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4328G	46.64	54.00	-7.36	3	Vertical	147	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7184G	89.37	Inf	-Inf	3	Vertical	147	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4664G	57.79	68.20	-10.41	3	Vertical	147	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7244G	100.84	Inf	-Inf	3	Vertical	147	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.962G	60.33	68.20	-7.87	3	Vertical	147	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4352G	49.89	54.00	-4.11	3	Horizontal	318	1.01	-



RSE TX above 1GHz\_Beamforming\_Omni

Appendix D.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	109.43	Inf	-Inf	3	Horizontal	318	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	67.60	68.20	-0.60	3	Horizontal	318	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7184G	120.84	Inf	-Inf	3	Horizontal	318	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	63.83	68.20	-4.37	3	Horizontal	318	1.01	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40224G	41.55	54.00	-12.45	3	Vertical	47	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.43608G	54.38	74.00	-19.62	3	Vertical	47	2.98	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13396G	61.91	68.20	-6.29	3	Vertical	267	1.83	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.4026G	43.50	54.00	-10.50	3	Horizontal	142	2.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40896G	58.55	74.00	-15.45	3	Horizontal	142	2.73	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13552G	62.97	68.20	-5.23	3	Horizontal	70	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.142G	47.08	54.00	-6.92	3	Vertical	135	2.58	-
5290MHz	Pass	AV	5.278G	79.14	Inf	-Inf	3	Vertical	135	2.58	-
5290MHz	Pass	AV	5.365G	46.67	54.00	-7.33	3	Vertical	135	2.58	-
5290MHz	Pass	PK	5.08G	59.21	74.00	-14.79	3	Vertical	135	2.58	-
5290MHz	Pass	PK	5.296G	91.26	Inf	-Inf	3	Vertical	135	2.58	-
5290MHz	Pass	PK	5.404G	59.09	74.00	-14.91	3	Vertical	135	2.58	-
5290MHz	Pass	AV	5.15G	49.16	54.00	-4.84	3	Horizontal	319	1.00	-
5290MHz	Pass	AV	5.277G	99.05	Inf	-Inf	3	Horizontal	319	1.00	-
5290MHz	Pass	AV	5.355G	53.48	54.00	-0.52	3	Horizontal	319	1.00	-
5290MHz	Pass	PK	5.15G	60.87	74.00	-13.13	3	Horizontal	319	1.00	-
5290MHz	Pass	PK	5.283G	112.42	Inf	-Inf	3	Horizontal	319	1.00	-
5290MHz	Pass	PK	5.351G	72.07	74.00	-1.93	3	Horizontal	319	1.00	-
5290MHz	Pass	AV	10.6008G	40.87	54.00	-13.13	3	Vertical	57	1.30	-
5290MHz	Pass	AV	15.90376G	47.28	54.00	-6.72	3	Vertical	232	2.81	-
5290MHz	Pass	PK	10.58752G	53.61	68.20	-14.59	3	Vertical	57	1.30	-
5290MHz	Pass	PK	15.9028G	61.15	74.00	-12.85	3	Vertical	232	2.81	-
5290MHz	Pass	AV	10.60048G	41.02	54.00	-12.98	3	Horizontal	83	1.50	-
5290MHz	Pass	AV	15.90312G	47.47	54.00	-6.53	3	Horizontal	274	1.50	-
5290MHz	Pass	PK	10.54032G	54.33	68.20	-13.87	3	Horizontal	83	1.50	-
5290MHz	Pass	PK	15.88104G	61.12	74.00	-12.88	3	Horizontal	274	1.50	-
5530MHz	Pass	AV	5.363G	46.72	54.00	-7.28	3	Vertical	62	1.93	-
5530MHz	Pass	AV	5.545G	82.94	Inf	-Inf	3	Vertical	62	1.93	-
5530MHz	Pass	PK	5.462G	57.57	68.20	-10.63	3	Vertical	62	1.93	-
5530MHz	Pass	PK	5.501G	96.54	Inf	-Inf	3	Vertical	62	1.93	-
5530MHz	Pass	PK	5.776G	59.53	68.20	-8.67	3	Vertical	62	1.93	-
5530MHz	Pass	AV	5.395G	49.30	54.00	-4.70	3	Horizontal	135	2.95	-
5530MHz	Pass	AV	5.544G	99.38	Inf	-Inf	3	Horizontal	135	2.95	-
5530MHz	Pass	PK	5.469G	65.79	68.20	-2.41	3	Horizontal	135	2.95	-
5530MHz	Pass	PK	5.536G	112.89	Inf	-Inf	3	Horizontal	135	2.95	-
5530MHz	Pass	PK	5.765G	61.07	68.20	-7.13	3	Horizontal	135	2.95	-
5530MHz	Pass	AV	11.1098G	40.58	54.00	-13.42	3	Vertical	347	2.21	-
5530MHz	Pass	PK	11.0932G	53.01	74.00	-20.99	3	Vertical	347	2.21	-
5530MHz	Pass	PK	16.56G	62.12	68.20	-6.08	3	Vertical	77	1.78	-
5530MHz	Pass	AV	11.0102G	40.79	54.00	-13.21	3	Horizontal	92	1.50	-
5530MHz	Pass	PK	11.0454G	55.11	74.00	-18.89	3	Horizontal	92	1.50	-
5530MHz	Pass	PK	16.552G	62.43	68.20	-5.77	3	Horizontal	0	1.50	-
5610MHz	Pass	AV	5.364G	46.84	54.00	-7.16	3	Vertical	59	2.16	-
5610MHz	Pass	AV	5.591G	89.34	Inf	-Inf	3	Vertical	59	2.16	-
5610MHz	Pass	PK	5.47G	58.61	68.20	-9.59	3	Vertical	59	2.16	-
5610MHz	Pass	PK	5.593G	101.38	Inf	-Inf	3	Vertical	59	2.16	-
5610MHz	Pass	PK	5.822G	60.53	68.20	-7.67	3	Vertical	59	2.16	-
5610MHz	Pass	AV	5.46G	50.49	54.00	-3.51	3	Horizontal	320	2.84	-
5610MHz	Pass	AV	5.597G	101.63	Inf	-Inf	3	Horizontal	320	2.84	-
5610MHz	Pass	PK	5.464G	65.38	68.20	-2.82	3	Horizontal	320	2.84	-
5610MHz	Pass	PK	5.577G	117.11	Inf	-Inf	3	Horizontal	320	2.84	-
5610MHz	Pass	PK	5.731G	67.30	68.20	-0.90	3	Horizontal	320	2.84	-
5610MHz	Pass	AV	11.2694G	41.83	54.00	-12.17	3	Vertical	292	1.42	-
5610MHz	Pass	PK	11.263G	55.37	74.00	-18.63	3	Vertical	292	1.42	-
5610MHz	Pass	PK	16.8758G	62.28	68.20	-5.92	3	Vertical	318	1.88	-
5610MHz	Pass	AV	11.25536G	43.55	54.00	-10.45	3	Horizontal	323	2.70	-
5610MHz	Pass	PK	11.2024G	58.41	74.00	-15.59	3	Horizontal	323	2.70	-




**RSE TX above 1GHz\_Beamforming\_Omni**

**Appendix D.7**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	16.854G	62.65	68.20	-5.55	3	Horizontal	182	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.3936G	46.57	54.00	-7.43	3	Vertical	146	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	84.92	Inf	-Inf	3	Vertical	146	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	57.11	68.20	-11.09	3	Vertical	146	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.66G	97.15	Inf	-Inf	3	Vertical	146	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.9108G	60.42	68.20	-7.78	3	Vertical	146	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	53.20	54.00	-0.80	3	Horizontal	317	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6528G	105.20	Inf	-Inf	3	Horizontal	317	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	66.74	68.20	-1.46	3	Horizontal	317	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6528G	117.57	Inf	-Inf	3	Horizontal	317	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	66.37	68.20	-1.83	3	Horizontal	317	1.06	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34544G	41.82	54.00	-12.18	3	Vertical	238	1.73	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3832G	55.48	74.00	-18.52	3	Vertical	238	1.73	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05496G	63.37	68.20	-4.83	3	Vertical	360	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.34544G	43.22	54.00	-10.78	3	Horizontal	324	2.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38336G	56.22	74.00	-17.78	3	Horizontal	324	2.47	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.05112G	63.57	68.20	-4.63	3	Horizontal	212	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.142G	47.04	54.00	-6.96	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2908G	78.14	Inf	-Inf	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3604G	46.67	54.00	-7.33	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.0292G	59.57	74.00	-14.43	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.2932G	89.64	Inf	-Inf	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.4108G	58.70	74.00	-15.30	3	Vertical	323	1.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1192G	53.44	54.00	-0.56	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1744G	93.08	Inf	-Inf	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3988G	53.53	54.00	-0.47	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1204G	67.45	74.00	-6.55	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.172G	105.93	Inf	-Inf	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3796G	69.26	74.00	-4.74	3	Horizontal	314	1.21	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.67832G	46.69	54.00	-7.31	3	Vertical	158	1.19	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51952G	53.79	68.20	-14.41	3	Vertical	15	2.35	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.68024G	60.49	74.00	-13.51	3	Vertical	158	1.19	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.6748G	46.62	54.00	-7.38	3	Horizontal	169	3.00	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.46288G	53.04	68.20	-15.16	3	Horizontal	152	1.30	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.78552G	59.70	74.00	-14.30	3	Horizontal	169	3.00	-
5570MHz	Pass	AV	5.3528G	46.49	54.00	-7.51	3	Vertical	147	1.51	-
5570MHz	Pass	AV	5.6324G	77.11	Inf	-Inf	3	Vertical	147	1.51	-
5570MHz	Pass	PK	5.462G	59.32	68.20	-8.88	3	Vertical	147	1.51	-
5570MHz	Pass	PK	5.63G	88.06	Inf	-Inf	3	Vertical	147	1.51	-
5570MHz	Pass	PK	5.7836G	60.07	68.20	-8.13	3	Vertical	147	1.51	-
5570MHz	Pass	AV	5.3876G	53.39	54.00	-0.61	3	Horizontal	138	2.84	-
5570MHz	Pass	AV	5.5424G	94.81	Inf	-Inf	3	Horizontal	138	2.84	-
5570MHz	Pass	PK	5.4644G	63.96	68.20	-4.24	3	Horizontal	138	2.84	-
5570MHz	Pass	PK	5.6348G	106.86	Inf	-Inf	3	Horizontal	138	2.84	-
5570MHz	Pass	PK	5.7584G	62.57	68.20	-5.63	3	Horizontal	138	2.84	-
5570MHz	Pass	AV	11.19056G	41.36	54.00	-12.64	3	Vertical	38	1.22	-
5570MHz	Pass	PK	11.18416G	53.96	74.00	-20.04	3	Vertical	38	1.22	-
5570MHz	Pass	PK	16.64952G	61.73	68.20	-6.47	3	Vertical	207	2.74	-
5570MHz	Pass	AV	11.18896G	41.37	54.00	-12.63	3	Horizontal	56	1.47	-
5570MHz	Pass	PK	11.19984G	55.69	74.00	-18.31	3	Horizontal	56	1.47	-
5570MHz	Pass	PK	16.6572G	60.64	68.20	-7.56	3	Horizontal	180	1.42	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	47.35	54.00	-6.65	8.90	3	Vertical	322	2.07	-	38.45	33.20	9.83	34.13
AV	5.2528G	93.69	Inf	-Inf	8.66	3	Vertical	322	2.07	-	85.03	32.91	9.90	34.15
AV	5.3506G	46.90	54.00	-7.10	8.51	3	Vertical	322	2.07	-	38.39	32.70	9.97	34.16
PK	5.15G	59.58	74.00	-14.42	8.90	3	Vertical	322	2.07	-	50.68	33.20	9.83	34.13
PK	5.2558G	104.18	Inf	-Inf	8.66	3	Vertical	322	2.07	-	95.52	32.91	9.90	34.15
PK	5.3644G	58.64	74.00	-15.36	8.54	3	Vertical	322	2.07	-	50.10	32.73	9.98	34.17

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.00	54.00	-3.00	8.90	3	Horizontal	316	1.50	-	42.10	33.20	9.83	34.13
AV	5.2558G	110.25	Inf	-Inf	8.66	3	Horizontal	316	1.50	-	101.59	32.91	9.90	34.15
AV	5.3554G	53.05	54.00	-0.95	8.52	3	Horizontal	316	1.50	-	44.53	32.71	9.97	34.16
PK	5.1466G	63.90	74.00	-10.10	8.90	3	Horizontal	316	1.50	-	55.00	33.20	9.83	34.13
PK	5.2654G	122.17	Inf	-Inf	8.69	3	Horizontal	316	1.50	-	113.48	32.93	9.91	34.15
PK	5.353G	68.02	74.00	-5.98	8.52	3	Horizontal	316	1.50	-	59.50	32.71	9.97	34.16




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77936G	48.00	54.00	-6.00	19.41	3	Vertical	25	1.98	-	28.59	38.12	15.86	34.57
PK	10.5152G	59.09	68.20	-9.11	16.90	3	Vertical	165	1.50	-	42.19	38.65	12.73	34.48
PK	15.78344G	62.81	74.00	-11.19	19.41	3	Vertical	25	1.98	-	43.40	38.12	15.86	34.57


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78496G	47.39	54.00	-6.61	19.41	3	Horizontal	195	1.01	-	27.98	38.12	15.86	34.57
PK	10.50872G	64.08	68.20	-4.12	16.88	3	Horizontal	324	2.42	-	47.20	38.63	12.73	34.48
PK	15.78816G	60.54	74.00	-13.46	19.40	3	Horizontal	195	1.01	-	41.14	38.11	15.86	34.57

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	89.78	Inf	-Inf	8.77	3	Vertical	118	2.60	-	81.01	32.99	9.93	34.15
AV	5.3546G	47.10	54.00	-6.90	8.52	3	Vertical	118	2.60	-	38.58	32.71	9.97	34.16
PK	5.3006G	101.12	Inf	-Inf	8.78	3	Vertical	118	2.60	-	92.34	33.00	9.93	34.15
PK	5.3918G	59.82	74.00	-14.18	8.60	3	Vertical	118	2.60	-	51.22	32.78	9.99	34.17


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2916G	111.47	Inf	-Inf	8.75	3	Horizontal	320	2.68	-	102.72	32.98	9.92	34.15
AV	5.35G	53.46	54.00	-0.54	8.51	3	Horizontal	320	2.68	-	44.95	32.70	9.97	34.16
PK	5.2928G	122.61	Inf	-Inf	8.76	3	Horizontal	320	2.68	-	113.85	32.99	9.92	34.15
PK	5.3564G	70.66	74.00	-3.34	8.52	3	Horizontal	320	2.68	-	62.14	32.71	9.97	34.16

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88878G	49.88	54.00	-4.12	19.68	3	Vertical	218	2.89	-	30.20	38.37	15.94	34.63
PK	10.59082G	58.46	68.20	-9.74	17.22	3	Vertical	164	1.08	-	41.24	38.87	12.76	34.41
PK	15.89034G	62.02	74.00	-11.98	19.68	3	Vertical	218	2.89	-	42.34	38.37	15.94	34.63


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5300MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60108G	44.13	54.00	-9.87	17.26	3	Horizontal	326	1.00	-	26.87	38.90	12.76	34.40
AV	15.91158G	48.12	54.00	-5.88	19.70	3	Horizontal	38	2.53	-	28.42	38.39	15.95	34.64
PK	10.60264G	56.64	74.00	-17.36	17.27	3	Horizontal	326	1.00	-	39.37	38.90	12.77	34.40
PK	15.89964G	61.10	74.00	-12.90	19.72	3	Horizontal	38	2.53	-	41.38	38.40	15.95	34.63

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3164G	87.94	Inf	-Inf	8.68	3	Vertical	323	1.28	-	79.26	32.90	9.94	34.16
AV	5.3524G	47.18	54.00	-6.82	8.51	3	Vertical	323	1.28	-	38.67	32.70	9.97	34.16
PK	5.317G	98.74	Inf	-Inf	8.68	3	Vertical	323	1.28	-	90.06	32.90	9.94	34.16
PK	5.3866G	58.92	74.00	-15.08	8.59	3	Vertical	323	1.28	-	50.33	32.77	9.99	34.17

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3176G	108.25	Inf	-Inf	8.67	3	Horizontal	317	1.00	-	99.58	32.89	9.94	34.16
AV	5.3506G	53.31	54.00	-0.69	8.51	3	Horizontal	317	1.00	-	44.80	32.70	9.97	34.16
PK	5.3134G	120.24	Inf	-Inf	8.70	3	Horizontal	317	1.00	-	111.54	32.92	9.94	34.16
PK	5.3512G	69.07	74.00	-4.93	8.51	3	Horizontal	317	1.00	-	60.56	32.70	9.97	34.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63958G	44.51	54.00	-9.49	17.28	3	Vertical	164	1.00	-	27.23	38.86	12.78	34.36
AV	15.95922G	48.30	54.00	-5.70	19.66	3	Vertical	177	1.50	-	28.64	38.34	15.99	34.67
PK	10.63892G	57.32	74.00	-16.68	17.28	3	Vertical	164	1.00	-	40.04	38.86	12.78	34.36
PK	15.96156G	61.35	74.00	-12.65	19.66	3	Vertical	177	1.50	-	41.69	38.34	15.99	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64708G	43.48	54.00	-10.52	17.27	3	Horizontal	323	2.30	-	26.21	38.85	12.78	34.36
AV	15.94944G	48.08	54.00	-5.92	19.67	3	Horizontal	197	1.08	-	28.41	38.35	15.98	34.66
PK	10.63592G	55.82	74.00	-18.18	17.27	3	Horizontal	323	2.30	-	38.55	38.86	12.78	34.37
PK	15.95718G	61.19	74.00	-12.81	19.66	3	Horizontal	197	1.08	-	41.53	38.34	15.99	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3824G	47.24	54.00	-6.76	8.58	3	Vertical	82	3.00	-	38.66	32.76	9.99	34.17
AV	5.4958G	91.01	Inf	-Inf	8.83	3	Vertical	82	3.00	-	82.18	32.99	10.03	34.19
PK	5.4622G	59.19	68.20	-9.01	8.76	3	Vertical	82	3.00	-	50.43	32.92	10.02	34.18
PK	5.4958G	103.37	Inf	-Inf	8.83	3	Vertical	82	3.00	-	94.54	32.99	10.03	34.19


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4064G	49.05	54.00	-4.95	8.64	3	Horizontal	321	1.03	-	40.41	32.81	10.00	34.17
AV	5.5072G	107.51	Inf	-Inf	8.82	3	Horizontal	321	1.03	-	98.69	32.97	10.04	34.19
PK	5.4688G	65.77	68.20	-2.43	8.78	3	Horizontal	321	1.03	-	56.99	32.94	10.02	34.18
PK	5.5078G	119.17	Inf	-Inf	8.82	3	Horizontal	321	1.03	-	110.35	32.97	10.04	34.19

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99544G	41.34	54.00	-12.66	17.68	3	Vertical	279	1.50	-	23.66	38.80	12.92	34.04
PK	11.00078G	53.99	74.00	-20.01	17.68	3	Vertical	279	1.50	-	36.31	38.80	12.92	34.04
PK	16.51266G	62.06	68.20	-6.14	20.38	3	Vertical	352	1.50	-	41.68	38.61	16.10	34.33


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00162G	43.54	54.00	-10.46	17.68	3	Horizontal	325	2.29	-	25.86	38.80	12.92	34.04
PK	11.00228G	57.50	74.00	-16.50	17.68	3	Horizontal	325	2.29	-	39.82	38.80	12.92	34.04
PK	16.51428G	62.38	68.20	-5.82	20.38	3	Horizontal	321	1.50	-	42.00	38.61	16.10	34.33

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.436G	46.75	54.00	-7.25	8.70	3	Vertical	48	2.16	-	38.05	32.87	10.01	34.18
AV	5.5716G	97.61	Inf	-Inf	8.80	3	Vertical	48	2.16	-	88.81	32.93	10.06	34.19
PK	5.469G	58.18	68.20	-10.02	8.78	3	Vertical	48	2.16	-	49.40	32.94	10.02	34.18
PK	5.5728G	109.42	Inf	-Inf	8.81	3	Vertical	48	2.16	-	100.61	32.94	10.06	34.19
PK	5.727G	59.94	68.20	-8.26	9.50	3	Vertical	48	2.16	-	50.44	33.56	10.14	34.20

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4444G	48.14	54.00	-5.86	8.73	3	Horizontal	326	1.50	-	39.41	32.89	10.02	34.18
AV	5.577G	109.51	Inf	-Inf	8.83	3	Horizontal	326	1.50	-	100.68	32.96	10.06	34.19
PK	5.4612G	59.74	68.20	-8.46	8.76	3	Horizontal	326	1.50	-	50.98	32.92	10.02	34.18
PK	5.5764G	119.94	Inf	-Inf	8.83	3	Horizontal	326	1.50	-	111.11	32.96	10.06	34.19
PK	5.7282G	60.24	68.20	-7.96	9.51	3	Horizontal	326	1.50	-	50.73	33.57	10.14	34.20




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16114G	42.61	54.00	-11.39	17.79	3	Vertical	187	1.50	-	24.82	38.86	12.98	34.05
PK	11.15844G	55.53	74.00	-18.47	17.79	3	Vertical	187	1.50	-	37.74	38.86	12.98	34.05
PK	16.74G	62.55	68.20	-5.65	20.93	3	Vertical	357	2.85	-	41.62	38.66	16.14	33.87

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.17104G	48.46	54.00	-5.54	17.81	3	Horizontal	321	2.22	-	30.65	38.87	12.99	34.05
PK	11.17044G	60.35	74.00	-13.65	17.81	3	Horizontal	321	2.22	-	42.54	38.87	12.99	34.05
PK	16.74522G	62.03	68.20	-6.17	20.92	3	Horizontal	360	2.43	-	41.11	38.63	16.14	33.85

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	85.31	Inf	-Inf	9.31	3	Vertical	316	2.82	-	76.00	33.39	10.12	34.20
PK	5.694G	96.32	Inf	-Inf	9.31	3	Vertical	316	2.82	-	87.01	33.39	10.12	34.20
PK	5.796G	60.51	68.20	-7.69	9.76	3	Vertical	316	2.82	-	50.75	33.79	10.18	34.21

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6934G	103.86	Inf	-Inf	9.31	3	Horizontal	320	2.50	-	94.55	33.39	10.12	34.20
PK	5.694G	114.62	Inf	-Inf	9.31	3	Horizontal	320	2.50	-	105.31	33.39	10.12	34.20
PK	5.7252G	68.01	68.20	-0.19	9.49	3	Horizontal	320	2.50	-	58.52	33.55	10.14	34.20

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38232G	41.92	54.00	-12.08	18.11	3	Vertical	360	1.50	-	23.81	39.10	13.07	34.06
PK	11.38536G	54.62	74.00	-19.38	18.11	3	Vertical	360	1.50	-	36.51	39.10	13.07	34.06
PK	17.09152G	62.63	68.20	-5.57	21.29	3	Vertical	200	1.23	-	41.34	38.41	16.19	33.31


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39064G	42.09	54.00	-11.91	18.11	3	Horizontal	129	1.50	-	23.98	39.10	13.07	34.06
PK	11.39936G	55.42	74.00	-18.58	18.12	3	Horizontal	129	1.50	-	37.30	39.10	13.08	34.06
PK	17.08872G	62.48	68.20	-5.72	21.29	3	Horizontal	23	1.63	-	41.19	38.41	16.19	33.31

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4368G	46.82	54.00	-7.18	8.70	3	Vertical	146	1.45	-	38.12	32.87	10.01	34.18
AV	5.7248G	91.92	Inf	-Inf	9.49	3	Vertical	146	1.45	-	82.43	33.55	10.14	34.20
PK	5.4632G	57.30	68.20	-10.90	8.77	3	Vertical	146	1.45	-	48.53	32.93	10.02	34.18
PK	5.726G	104.19	Inf	-Inf	9.50	3	Vertical	146	1.45	-	94.69	33.56	10.14	34.20
PK	5.9264G	60.16	68.20	-8.04	10.26	3	Vertical	146	1.45	-	49.90	34.21	10.27	34.22


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**

**5720MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.86	54.00	-3.14	8.76	3	Horizontal	321	1.00	-	42.10	32.92	10.02	34.18
AV	5.7224G	112.45	Inf	-Inf	9.47	3	Horizontal	321	1.00	-	102.98	33.53	10.14	34.20
PK	5.4692G	66.71	68.20	-1.49	8.78	3	Horizontal	321	1.00	-	57.93	32.94	10.02	34.18
PK	5.7224G	124.50	Inf	-Inf	9.47	3	Horizontal	321	1.00	-	115.03	33.53	10.14	34.20
PK	5.8544G	66.25	68.20	-1.95	10.11	3	Horizontal	321	1.00	-	56.14	34.10	10.22	34.21

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43664G	42.39	54.00	-11.61	18.06	3	Vertical	186	1.50	-	24.33	39.03	13.09	34.06
PK	11.43184G	55.05	74.00	-18.95	18.07	3	Vertical	186	1.50	-	36.98	39.04	13.09	34.06
PK	17.16568G	62.64	68.20	-5.56	21.32	3	Vertical	178	2.27	-	41.32	38.40	16.21	33.29


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4376G	47.26	54.00	-6.74	18.05	3	Horizontal	323	2.46	-	29.21	39.02	13.09	34.06
PK	11.43112G	58.69	74.00	-15.31	18.07	3	Horizontal	323	2.46	-	40.62	39.04	13.09	34.06
PK	17.1488G	62.04	68.20	-6.16	21.31	3	Horizontal	47	1.50	-	40.73	38.40	16.20	33.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2876G	88.54	Inf	-Inf	8.75	3	Vertical	324	1.00	-	79.79	32.98	9.92	34.15
AV	5.3576G	47.10	54.00	-6.90	8.53	3	Vertical	324	1.00	-	38.57	32.72	9.97	34.16
PK	5.2836G	100.21	Inf	-Inf	8.74	3	Vertical	324	1.00	-	91.47	32.97	9.92	34.15
PK	5.3508G	59.90	74.00	-14.10	8.51	3	Vertical	324	1.00	-	51.39	32.70	9.97	34.16


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.288G	106.16	Inf	-Inf	8.75	3	Horizontal	322	2.82	-	97.41	32.98	9.92	34.15
AV	5.35G	53.52	54.00	-0.48	8.51	3	Horizontal	322	2.82	-	45.01	32.70	9.97	34.16
PK	5.2688G	118.52	Inf	-Inf	8.70	3	Horizontal	322	2.82	-	109.82	32.94	9.91	34.15
PK	5.3536G	71.21	74.00	-2.79	8.52	3	Horizontal	322	2.82	-	62.69	32.71	9.97	34.16

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.837G	46.94	54.00	-7.06	19.51	3	Vertical	264	2.56	-	27.43	38.21	15.90	34.60
PK	10.54G	58.47	68.20	-9.73	17.01	3	Vertical	163	1.01	-	41.46	38.72	12.74	34.45
PK	15.82764G	60.17	74.00	-13.83	19.48	3	Vertical	264	2.56	-	40.69	38.18	15.89	34.59


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.83988G	46.76	54.00	-7.24	19.52	3	Horizontal	360	2.24	-	27.24	38.22	15.90	34.60
PK	10.51396G	57.95	68.20	-10.25	16.89	3	Horizontal	324	2.54	-	41.06	38.64	12.73	34.48
PK	15.81828G	60.14	74.00	-13.86	19.45	3	Horizontal	360	2.24	-	40.69	38.15	15.89	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3172G	85.51	Inf	-Inf	8.68	3	Vertical	116	3.00	-	76.83	32.90	9.94	34.16
AV	5.3532G	46.98	54.00	-7.02	8.52	3	Vertical	116	3.00	-	38.46	32.71	9.97	34.16
PK	5.3184G	97.79	Inf	-Inf	8.67	3	Vertical	116	3.00	-	89.12	32.89	9.94	34.16
PK	5.3824G	59.43	74.00	-14.57	8.58	3	Vertical	116	3.00	-	50.85	32.76	9.99	34.17

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.312G	102.89	Inf	-Inf	8.71	3	Horizontal	320	2.80	-	94.18	32.93	9.94	34.16
AV	5.3528G	52.65	54.00	-1.35	8.52	3	Horizontal	320	2.80	-	44.13	32.71	9.97	34.16
PK	5.3276G	115.50	Inf	-Inf	8.62	3	Horizontal	320	2.80	-	106.88	32.83	9.95	34.16
PK	5.352G	72.71	74.00	-1.29	8.51	3	Horizontal	320	2.80	-	64.20	32.70	9.97	34.16



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61856G	42.02	54.00	-11.98	17.27	3	Vertical	163	1.00	-	24.75	38.88	12.77	34.38
AV	15.93552G	47.90	54.00	-6.10	19.68	3	Vertical	329	2.29	-	28.22	38.36	15.97	34.65
PK	10.632G	55.16	74.00	-18.84	17.28	3	Vertical	163	1.00	-	37.88	38.87	12.78	34.37
PK	15.9372G	60.66	74.00	-13.34	19.68	3	Vertical	329	2.29	-	40.98	38.36	15.97	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60072G	41.02	54.00	-12.98	17.26	3	Horizontal	0	1.50	-	23.76	38.90	12.76	34.40
AV	15.9272G	47.86	54.00	-6.14	19.69	3	Horizontal	321	1.20	-	28.17	38.37	15.97	34.65
PK	10.60768G	54.50	74.00	-19.50	17.27	3	Horizontal	0	1.50	-	37.23	38.89	12.77	34.39
PK	15.93464G	61.13	74.00	-12.87	19.69	3	Horizontal	321	1.20	-	41.44	38.37	15.97	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4124G	46.63	54.00	-7.37	8.65	3	Vertical	56	2.24	-	37.98	32.82	10.00	34.17
AV	5.5108G	86.99	Inf	-Inf	8.81	3	Vertical	56	2.24	-	78.18	32.96	10.04	34.19
PK	5.462G	58.39	68.20	-9.81	8.76	3	Vertical	56	2.24	-	49.63	32.92	10.02	34.18
PK	5.506G	99.59	Inf	-Inf	8.83	3	Vertical	56	2.24	-	90.76	32.98	10.04	34.19


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	48.88	54.00	-5.12	8.76	3	Horizontal	320	1.00	-	40.12	32.92	10.02	34.18
AV	5.506G	102.44	Inf	-Inf	8.83	3	Horizontal	320	1.00	-	93.61	32.98	10.04	34.19
PK	5.4696G	67.64	68.20	-0.56	8.78	3	Horizontal	320	1.00	-	58.86	32.94	10.02	34.18
PK	5.5068G	114.97	Inf	-Inf	8.82	3	Horizontal	320	1.00	-	106.15	32.97	10.04	34.19

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00832G	41.29	54.00	-12.71	17.68	3	Vertical	4	1.79	-	23.61	38.80	12.92	34.04
PK	11.00952G	54.16	74.00	-19.84	17.68	3	Vertical	4	1.79	-	36.48	38.80	12.92	34.04
PK	16.52584G	61.97	68.20	-6.23	20.42	3	Vertical	359	1.16	-	41.55	38.63	16.10	34.31


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00568G	41.22	54.00	-12.78	17.68	3	Horizontal	62	1.97	-	23.54	38.80	12.92	34.04
PK	11.01928G	54.16	74.00	-19.84	17.69	3	Horizontal	62	1.97	-	36.47	38.80	12.93	34.04
PK	16.54G	61.57	68.20	-6.63	20.47	3	Horizontal	271	2.58	-	41.10	38.64	16.11	34.28

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	46.65	54.00	-7.35	8.75	3	Vertical	57	2.42	-	37.90	32.91	10.02	34.18
AV	5.5416G	91.47	Inf	-Inf	8.69	3	Vertical	57	2.42	-	82.78	32.83	10.05	34.19
PK	5.4692G	58.88	68.20	-9.32	8.78	3	Vertical	57	2.42	-	50.10	32.94	10.02	34.18
PK	5.54G	104.13	Inf	-Inf	8.70	3	Vertical	57	2.42	-	95.43	32.84	10.05	34.19


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.08	54.00	-3.92	8.76	3	Horizontal	318	1.00	-	41.32	32.92	10.02	34.18
AV	5.5444G	106.97	Inf	-Inf	8.68	3	Horizontal	318	1.00	-	98.29	32.82	10.05	34.19
PK	5.468G	67.65	68.20	-0.55	8.78	3	Horizontal	318	1.00	-	58.87	32.94	10.02	34.18
PK	5.5556G	119.49	Inf	-Inf	8.69	3	Horizontal	318	1.00	-	110.80	32.83	10.05	34.19

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.11656G	40.96	54.00	-13.04	17.75	3	Vertical	210	2.97	-	23.21	38.82	12.97	34.04
PK	11.092G	54.73	74.00	-19.27	17.72	3	Vertical	210	2.97	-	37.01	38.80	12.96	34.04
PK	16.63856G	60.88	68.20	-7.32	20.83	3	Vertical	90	1.97	-	40.05	38.78	16.12	34.07

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08496G	41.69	54.00	-12.31	17.71	3	Horizontal	323	2.55	-	23.98	38.80	12.95	34.04
PK	11.10784G	54.71	74.00	-19.29	17.73	3	Horizontal	323	2.55	-	36.98	38.81	12.96	34.04
PK	16.64744G	61.42	68.20	-6.78	20.85	3	Horizontal	166	1.54	-	40.57	38.79	16.12	34.06

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6736G	86.60	Inf	-Inf	9.26	3	Vertical	193	3.00	-	77.34	33.35	10.11	34.20
PK	5.667G	99.95	Inf	-Inf	9.24	3	Vertical	193	3.00	-	90.71	33.33	10.11	34.20
PK	5.8068G	60.21	68.20	-7.99	9.82	3	Vertical	193	3.00	-	50.39	33.84	10.19	34.21

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6784G	104.76	Inf	-Inf	9.27	3	Horizontal	318	1.02	-	95.49	33.36	10.11	34.20
PK	5.6754G	117.69	Inf	-Inf	9.26	3	Horizontal	318	1.02	-	108.43	33.35	10.11	34.20
PK	5.7282G	66.98	68.20	-1.22	9.51	3	Horizontal	318	1.02	-	57.47	33.57	10.14	34.20

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35528G	41.68	54.00	-12.32	18.11	3	Vertical	211	1.53	-	23.57	39.10	13.06	34.05
PK	11.33944G	54.68	74.00	-19.32	18.10	3	Vertical	211	1.53	-	36.58	39.10	13.05	34.05
PK	17.00792G	62.22	68.20	-5.98	21.34	3	Vertical	181	1.71	-	40.88	38.49	16.18	33.33


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34568G	41.56	54.00	-12.44	18.10	3	Horizontal	48	2.96	-	23.46	39.10	13.05	34.05
PK	11.3528G	54.05	74.00	-19.95	18.11	3	Horizontal	48	2.96	-	35.94	39.10	13.06	34.05
PK	17.02288G	62.82	68.20	-5.38	21.34	3	Horizontal	115	2.73	-	41.48	38.48	16.18	33.32

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4328G	46.64	54.00	-7.36	8.70	3	Vertical	147	1.50	-	37.94	32.87	10.01	34.18
AV	5.7184G	89.37	Inf	-Inf	9.45	3	Vertical	147	1.50	-	79.92	33.51	10.14	34.20
PK	5.4664G	57.79	68.20	-10.41	8.77	3	Vertical	147	1.50	-	49.02	32.93	10.02	34.18
PK	5.7244G	100.84	Inf	-Inf	9.49	3	Vertical	147	1.50	-	91.35	33.55	10.14	34.20
PK	5.962G	60.33	68.20	-7.87	10.31	3	Vertical	147	1.50	-	50.02	34.23	10.30	34.22

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4352G	49.89	54.00	-4.11	8.70	3	Horizontal	318	1.01	-	41.19	32.87	10.01	34.18
AV	5.6944G	109.43	Inf	-Inf	9.31	3	Horizontal	318	1.01	-	100.12	33.39	10.12	34.20
PK	5.47G	67.60	68.20	-0.60	8.78	3	Horizontal	318	1.01	-	58.82	32.94	10.02	34.18
PK	5.7184G	120.84	Inf	-Inf	9.45	3	Horizontal	318	1.01	-	111.39	33.51	10.14	34.20
PK	5.8564G	63.83	68.20	-4.37	10.11	3	Horizontal	318	1.01	-	53.72	34.10	10.22	34.21




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40224G	41.55	54.00	-12.45	18.12	3	Vertical	47	2.98	-	23.43	39.10	13.08	34.06
PK	11.43608G	54.38	74.00	-19.62	18.06	3	Vertical	47	2.98	-	36.32	39.03	13.09	34.06
PK	17.13396G	61.91	68.20	-6.29	21.30	3	Vertical	267	1.83	-	40.61	38.40	16.20	33.30


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4026G	43.50	54.00	-10.50	18.11	3	Horizontal	142	2.73	-	25.39	39.09	13.08	34.06
PK	11.40896G	58.55	74.00	-15.45	18.10	3	Horizontal	142	2.73	-	40.45	39.08	13.08	34.06
PK	17.13552G	62.97	68.20	-5.23	21.31	3	Horizontal	70	1.50	-	41.66	38.40	16.20	33.29

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.08	54.00	-6.92	8.90	3	Vertical	135	2.58	-	38.18	33.20	9.83	34.13
AV	5.278G	79.14	Inf	-Inf	8.72	3	Vertical	135	2.58	-	70.42	32.96	9.91	34.15
AV	5.365G	46.67	54.00	-7.33	8.54	3	Vertical	135	2.58	-	38.13	32.73	9.98	34.17
PK	5.08G	59.21	74.00	-14.79	8.76	3	Vertical	135	2.58	-	50.45	33.08	9.79	34.11
PK	5.296G	91.26	Inf	-Inf	8.77	3	Vertical	135	2.58	-	82.49	32.99	9.93	34.15
PK	5.404G	59.09	74.00	-14.91	8.64	3	Vertical	135	2.58	-	50.45	32.81	10.00	34.17

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.16	54.00	-4.84	8.90	3	Horizontal	319	1.00	-	40.26	33.20	9.83	34.13
AV	5.277G	99.05	Inf	-Inf	8.71	3	Horizontal	319	1.00	-	90.34	32.95	9.91	34.15
AV	5.355G	53.48	54.00	-0.52	8.52	3	Horizontal	319	1.00	-	44.96	32.71	9.97	34.16
PK	5.15G	60.87	74.00	-13.13	8.90	3	Horizontal	319	1.00	-	51.97	33.20	9.83	34.13
PK	5.283G	112.42	Inf	-Inf	8.74	3	Horizontal	319	1.00	-	103.68	32.97	9.92	34.15
PK	5.351G	72.07	74.00	-1.93	8.51	3	Horizontal	319	1.00	-	63.56	32.70	9.97	34.16

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6008G	40.87	54.00	-13.13	17.26	3	Vertical	57	1.30	-	23.61	38.90	12.76	34.40
AV	15.90376G	47.28	54.00	-6.72	19.71	3	Vertical	232	2.81	-	27.57	38.40	15.95	34.64
PK	10.58752G	53.61	68.20	-14.59	17.21	3	Vertical	57	1.30	-	36.40	38.86	12.76	34.41
PK	15.9028G	61.15	74.00	-12.85	19.71	3	Vertical	232	2.81	-	41.44	38.40	15.95	34.64

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60048G	41.02	54.00	-12.98	17.26	3	Horizontal	83	1.50	-	23.76	38.90	12.76	34.40
AV	15.90312G	47.47	54.00	-6.53	19.71	3	Horizontal	274	1.50	-	27.76	38.40	15.95	34.64
PK	10.54032G	54.33	68.20	-13.87	17.01	3	Horizontal	83	1.50	-	37.32	38.72	12.74	34.45
PK	15.88104G	61.12	74.00	-12.88	19.65	3	Horizontal	274	1.50	-	41.47	38.34	15.93	34.62

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.363G	46.72	54.00	-7.28	8.53	3	Vertical	62	1.93	-	38.19	32.73	9.97	34.17
AV	5.545G	82.94	Inf	-Inf	8.68	3	Vertical	62	1.93	-	74.26	32.82	10.05	34.19
PK	5.462G	57.57	68.20	-10.63	8.76	3	Vertical	62	1.93	-	48.81	32.92	10.02	34.18
PK	5.501G	96.54	Inf	-Inf	8.85	3	Vertical	62	1.93	-	87.69	33.00	10.04	34.19
PK	5.776G	59.53	68.20	-8.67	9.71	3	Vertical	62	1.93	-	49.82	33.75	10.17	34.21


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.395G	49.30	54.00	-4.70	8.62	3	Horizontal	135	2.95	-	40.68	32.79	10.00	34.17
AV	5.544G	99.38	Inf	-Inf	8.68	3	Horizontal	135	2.95	-	90.70	32.82	10.05	34.19
PK	5.469G	65.79	68.20	-2.41	8.78	3	Horizontal	135	2.95	-	57.01	32.94	10.02	34.18
PK	5.536G	112.89	Inf	-Inf	8.72	3	Horizontal	135	2.95	-	104.17	32.86	10.05	34.19
PK	5.765G	61.07	68.20	-7.13	9.68	3	Horizontal	135	2.95	-	51.39	33.73	10.16	34.21

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1098G	40.58	54.00	-13.42	17.73	3	Vertical	347	2.21	-	22.85	38.81	12.96	34.04
PK	11.0932G	53.01	74.00	-20.99	17.72	3	Vertical	347	2.21	-	35.29	38.80	12.96	34.04
PK	16.566G	62.12	68.20	-6.08	20.53	3	Vertical	77	1.78	-	41.59	38.66	16.11	34.24


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0102G	40.79	54.00	-13.21	17.68	3	Horizontal	92	1.50	-	23.11	38.80	12.92	34.04
PK	11.0454G	55.11	74.00	-18.89	17.70	3	Horizontal	92	1.50	-	37.41	38.80	12.94	34.04
PK	16.552G	62.43	68.20	-5.77	20.51	3	Horizontal	0	1.50	-	41.92	38.65	16.11	34.25

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.364G	46.84	54.00	-7.16	8.53	3	Vertical	59	2.16	-	38.31	32.73	9.97	34.17
AV	5.591G	89.34	Inf	-Inf	8.92	3	Vertical	59	2.16	-	80.42	33.05	10.07	34.20
PK	5.47G	58.61	68.20	-9.59	8.78	3	Vertical	59	2.16	-	49.83	32.94	10.02	34.18
PK	5.593G	101.38	Inf	-Inf	8.93	3	Vertical	59	2.16	-	92.45	33.06	10.07	34.20
PK	5.822G	60.53	68.20	-7.67	9.92	3	Vertical	59	2.16	-	50.61	33.93	10.20	34.21


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.49	54.00	-3.51	8.76	3	Horizontal	320	2.84	-	41.73	32.92	10.02	34.18
AV	5.597G	101.63	Inf	-Inf	8.95	3	Horizontal	320	2.84	-	92.68	33.08	10.07	34.20
PK	5.464G	65.38	68.20	-2.82	8.77	3	Horizontal	320	2.84	-	56.61	32.93	10.02	34.18
PK	5.577G	117.11	Inf	-Inf	8.83	3	Horizontal	320	2.84	-	108.28	32.96	10.06	34.19
PK	5.731G	67.30	68.20	-0.90	9.53	3	Horizontal	320	2.84	-	57.77	33.59	10.14	34.20

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2694G	41.83	54.00	-12.17	18.02	3	Vertical	292	1.42	-	23.81	39.04	13.03	34.05
PK	11.263G	55.37	74.00	-18.63	18.00	3	Vertical	292	1.42	-	37.37	39.03	13.02	34.05
PK	16.8758G	62.28	68.20	-5.92	20.95	3	Vertical	318	1.88	-	41.33	38.38	16.16	33.59


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.25536G	43.55	54.00	-10.45	17.98	3	Horizontal	323	2.70	-	25.57	39.01	13.02	34.05
PK	11.2024G	58.41	74.00	-15.59	17.85	3	Horizontal	323	2.70	-	40.56	38.90	13.00	34.05
PK	16.854G	62.65	68.20	-5.55	20.88	3	Horizontal	182	1.50	-	41.77	38.35	16.16	33.63

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3936G	46.57	54.00	-7.43	8.62	3	Vertical	146	1.50	-	37.95	32.79	10.00	34.17
AV	5.6528G	84.92	Inf	-Inf	9.21	3	Vertical	146	1.50	-	75.71	33.31	10.10	34.20
PK	5.4656G	57.11	68.20	-11.09	8.77	3	Vertical	146	1.50	-	48.34	32.93	10.02	34.18
PK	5.66G	97.15	Inf	-Inf	9.22	3	Vertical	146	1.50	-	87.93	33.32	10.10	34.20
PK	5.9108G	60.42	68.20	-7.78	10.19	3	Vertical	146	1.50	-	50.23	34.14	10.26	34.21

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	53.20	54.00	-0.80	8.76	3	Horizontal	317	1.06	-	44.44	32.92	10.02	34.18
AV	5.6528G	105.20	Inf	-Inf	9.21	3	Horizontal	317	1.06	-	95.99	33.31	10.10	34.20
PK	5.4632G	66.74	68.20	-1.46	8.77	3	Horizontal	317	1.06	-	57.97	32.93	10.02	34.18
PK	5.6528G	117.57	Inf	-Inf	9.21	3	Horizontal	317	1.06	-	108.36	33.31	10.10	34.20
PK	5.8508G	66.37	68.20	-1.83	10.11	3	Horizontal	317	1.06	-	56.26	34.10	10.22	34.21




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34544G	41.82	54.00	-12.18	18.10	3	Vertical	238	1.73	-	23.72	39.10	13.05	34.05
PK	11.3832G	55.48	74.00	-18.52	18.11	3	Vertical	238	1.73	-	37.37	39.10	13.07	34.06
PK	17.05496G	63.37	68.20	-4.83	21.32	3	Vertical	360	3.00	-	42.05	38.45	16.19	33.32


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34544G	43.22	54.00	-10.78	18.10	3	Horizontal	324	2.47	-	25.12	39.10	13.05	34.05
PK	11.38336G	56.22	74.00	-17.78	18.11	3	Horizontal	324	2.47	-	38.11	39.10	13.07	34.06
PK	17.05112G	63.57	68.20	-4.63	21.32	3	Horizontal	212	1.50	-	42.25	38.45	16.19	33.32

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.142G	47.04	54.00	-6.96	8.90	3	Vertical	323	1.00	-	38.14	33.20	9.83	34.13
AV	5.2908G	78.14	Inf	-Inf	8.75	3	Vertical	323	1.00	-	69.39	32.98	9.92	34.15
AV	5.3604G	46.67	54.00	-7.33	8.53	3	Vertical	323	1.00	-	38.14	32.72	9.97	34.16
PK	5.0292G	59.57	74.00	-14.43	8.64	3	Vertical	323	1.00	-	50.93	32.98	9.77	34.11
PK	5.2932G	89.64	Inf	-Inf	8.77	3	Vertical	323	1.00	-	80.87	32.99	9.93	34.15
PK	5.4108G	58.70	74.00	-15.30	8.65	3	Vertical	323	1.00	-	50.05	32.82	10.00	34.17

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1192G	53.44	54.00	-0.56	8.90	3	Horizontal	314	1.21	-	44.54	33.20	9.82	34.12
AV	5.1744G	93.08	Inf	-Inf	8.87	3	Horizontal	314	1.21	-	84.21	33.15	9.85	34.13
AV	5.3988G	53.53	54.00	-0.47	8.63	3	Horizontal	314	1.21	-	44.90	32.80	10.00	34.17
PK	5.1204G	67.45	74.00	-6.55	8.90	3	Horizontal	314	1.21	-	58.55	33.20	9.82	34.12
PK	5.172G	105.93	Inf	-Inf	8.87	3	Horizontal	314	1.21	-	97.06	33.16	9.84	34.13
PK	5.3796G	69.26	74.00	-4.74	8.58	3	Horizontal	314	1.21	-	60.68	32.76	9.99	34.17



802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67832G	46.69	54.00	-7.31	19.58	3	Vertical	158	1.19	-	27.11	38.31	15.78	34.51
PK	10.51952G	53.79	68.20	-14.41	16.92	3	Vertical	15	2.35	-	36.87	38.66	12.73	34.47
PK	15.68024G	60.49	74.00	-13.51	19.57	3	Vertical	158	1.19	-	40.92	38.30	15.78	34.51

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6748G	46.62	54.00	-7.38	19.60	3	Horizontal	169	3.00	-	27.02	38.33	15.78	34.51
PK	10.46288G	53.04	68.20	-15.16	16.83	3	Horizontal	152	1.30	-	36.21	38.64	12.71	34.52
PK	15.78552G	59.70	74.00	-14.30	19.40	3	Horizontal	169	3.00	-	40.30	38.11	15.86	34.57

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3528G	46.49	54.00	-7.51	8.52	3	Vertical	147	1.51	-	37.97	32.71	9.97	34.16
AV	5.6324G	77.11	Inf	-Inf	9.12	3	Vertical	147	1.51	-	67.99	33.23	10.09	34.20
PK	5.462G	59.32	68.20	-8.88	8.76	3	Vertical	147	1.51	-	50.56	32.92	10.02	34.18
PK	5.63G	88.06	Inf	-Inf	9.11	3	Vertical	147	1.51	-	78.95	33.22	10.09	34.20
PK	5.7836G	60.07	68.20	-8.13	9.73	3	Vertical	147	1.51	-	50.34	33.77	10.17	34.21


802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX

5570MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3876G	53.39	54.00	-0.61	8.60	3	Horizontal	138	2.84	-	44.79	32.78	9.99	34.17
AV	5.5424G	94.81	Inf	-Inf	8.69	3	Horizontal	138	2.84	-	86.12	32.83	10.05	34.19
PK	5.4644G	63.96	68.20	-4.24	8.77	3	Horizontal	138	2.84	-	55.19	32.93	10.02	34.18
PK	5.6348G	106.86	Inf	-Inf	9.13	3	Horizontal	138	2.84	-	97.73	33.24	10.09	34.20
PK	5.7584G	62.57	68.20	-5.63	9.67	3	Horizontal	138	2.84	-	52.90	33.72	10.16	34.21

**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.19056G	41.36	54.00	-12.64	17.83	3	Vertical	38	1.22	-	23.53	38.89	12.99	34.05
PK	11.18416G	53.96	74.00	-20.04	17.82	3	Vertical	38	1.22	-	36.14	38.88	12.99	34.05
PK	16.64952G	61.73	68.20	-6.47	20.87	3	Vertical	207	2.74	-	40.86	38.80	16.12	34.05

**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.18896G	41.37	54.00	-12.63	17.83	3	Horizontal	56	1.47	-	23.54	38.89	12.99	34.05
PK	11.19984G	55.69	74.00	-18.31	17.85	3	Horizontal	56	1.47	-	37.84	38.90	13.00	34.05
PK	16.6572G	60.64	68.20	-7.56	20.90	3	Horizontal	180	1.42	-	39.74	38.81	16.13	34.04



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.68	54.00	-0.32	3	Horizontal	123	2.72	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.89	54.00	-0.11	3	Vertical	152	2.51	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.32	54.00	-0.68	3	Vertical	190	2.60	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	5.3844G	72.91	74.00	-1.09	3	Horizontal	167	1.68	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7258G	68.00	68.20	-0.20	3	Vertical	190	1.72	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.47G	68.00	68.20	-0.20	3	Vertical	120	2.61	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.469G	67.78	68.20	-0.42	3	Vertical	185	1.50	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	PK	5.4692G	66.87	68.20	-1.33	3	Horizontal	158	1.50	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	48.08	54.00	-5.92	3	Vertical	181	1.74	-
5260MHz	Pass	AV	5.2528G	104.98	Inf	-Inf	3	Vertical	181	1.74	-
5260MHz	Pass	AV	5.3536G	48.68	54.00	-5.32	3	Vertical	181	1.74	-
5260MHz	Pass	PK	5.1448G	60.99	74.00	-13.01	3	Vertical	181	1.74	-
5260MHz	Pass	PK	5.254G	117.43	Inf	-Inf	3	Vertical	181	1.74	-
5260MHz	Pass	PK	5.3512G	62.36	74.00	-11.64	3	Vertical	181	1.74	-
5260MHz	Pass	AV	5.1484G	49.04	54.00	-4.96	3	Horizontal	174	3.00	-
5260MHz	Pass	AV	5.2612G	108.43	Inf	-Inf	3	Horizontal	174	3.00	-
5260MHz	Pass	AV	5.3512G	50.75	54.00	-3.25	3	Horizontal	174	3.00	-
5260MHz	Pass	PK	5.1442G	62.47	74.00	-11.53	3	Horizontal	174	3.00	-
5260MHz	Pass	PK	5.2618G	119.39	Inf	-Inf	3	Horizontal	174	3.00	-
5260MHz	Pass	PK	5.3506G	65.95	74.00	-8.05	3	Horizontal	174	3.00	-
5260MHz	Pass	AV	15.77472G	49.24	54.00	-4.76	3	Vertical	11	2.33	-
5260MHz	Pass	PK	10.5215G	60.54	68.20	-7.66	3	Vertical	339	1.50	-
5260MHz	Pass	PK	15.76512G	64.17	74.00	-9.83	3	Vertical	11	2.33	-
5260MHz	Pass	AV	15.7869G	46.36	54.00	-7.64	3	Horizontal	132	2.51	-
5260MHz	Pass	PK	10.51766G	58.59	68.20	-9.61	3	Horizontal	35	1.01	-
5260MHz	Pass	PK	15.777G	60.32	74.00	-13.68	3	Horizontal	132	2.51	-
5300MHz	Pass	AV	5.297G	107.07	Inf	-Inf	3	Vertical	131	2.52	-
5300MHz	Pass	AV	5.35G	52.69	54.00	-1.31	3	Vertical	131	2.52	-
5300MHz	Pass	PK	5.2964G	119.37	Inf	-Inf	3	Vertical	131	2.52	-
5300MHz	Pass	PK	5.351G	70.94	74.00	-3.06	3	Vertical	131	2.52	-
5300MHz	Pass	AV	5.2988G	106.78	Inf	-Inf	3	Horizontal	123	2.72	-
5300MHz	Pass	AV	5.35G	53.68	54.00	-0.32	3	Horizontal	123	2.72	-
5300MHz	Pass	PK	5.2958G	119.39	Inf	-Inf	3	Horizontal	123	2.72	-
5300MHz	Pass	PK	5.3558G	70.28	74.00	-3.72	3	Horizontal	123	2.72	-
5300MHz	Pass	AV	10.60492G	40.93	54.00	-13.07	3	Vertical	174	1.68	-
5300MHz	Pass	AV	15.91254G	47.40	54.00	-6.60	3	Vertical	267	2.38	-
5300MHz	Pass	PK	10.61152G	54.20	74.00	-19.80	3	Vertical	174	1.68	-
5300MHz	Pass	PK	15.8922G	60.90	74.00	-13.10	3	Vertical	267	2.38	-
5300MHz	Pass	AV	10.60306G	40.97	54.00	-13.03	3	Horizontal	145	2.13	-
5300MHz	Pass	AV	15.9147G	47.38	54.00	-6.62	3	Horizontal	241	2.50	-
5300MHz	Pass	PK	10.6102G	53.94	74.00	-20.06	3	Horizontal	145	2.13	-
5300MHz	Pass	PK	15.90564G	60.86	74.00	-13.14	3	Horizontal	241	2.50	-
5320MHz	Pass	AV	5.3218G	101.33	Inf	-Inf	3	Vertical	180	1.29	-
5320MHz	Pass	AV	5.3506G	51.81	54.00	-2.19	3	Vertical	180	1.29	-
5320MHz	Pass	PK	5.3254G	114.91	Inf	-Inf	3	Vertical	180	1.29	-
5320MHz	Pass	PK	5.353G	68.11	74.00	-5.89	3	Vertical	180	1.29	-
5320MHz	Pass	AV	5.3218G	102.61	Inf	-Inf	3	Horizontal	136	2.98	-
5320MHz	Pass	AV	5.35G	53.68	54.00	-0.32	3	Horizontal	136	2.98	-
5320MHz	Pass	PK	5.323G	116.05	Inf	-Inf	3	Horizontal	136	2.98	-
5320MHz	Pass	PK	5.3518G	71.92	74.00	-2.08	3	Horizontal	136	2.98	-
5320MHz	Pass	AV	10.65332G	41.17	54.00	-12.83	3	Vertical	82	1.75	-
5320MHz	Pass	AV	15.94596G	47.70	54.00	-6.30	3	Vertical	299	2.59	-
5320MHz	Pass	PK	10.65356G	54.67	74.00	-19.33	3	Vertical	82	1.75	-
5320MHz	Pass	PK	15.9516G	61.68	74.00	-12.32	3	Vertical	299	2.59	-
5320MHz	Pass	AV	10.65092G	41.08	54.00	-12.92	3	Horizontal	307	2.45	-
5320MHz	Pass	AV	15.96924G	47.67	54.00	-6.33	3	Horizontal	59	2.95	-
5320MHz	Pass	PK	10.63952G	54.79	74.00	-19.21	3	Horizontal	307	2.45	-
5320MHz	Pass	PK	15.9729G	61.09	74.00	-12.91	3	Horizontal	59	2.95	-
5500MHz	Pass	AV	5.4592G	47.60	54.00	-6.40	3	Vertical	163	1.92	-
5500MHz	Pass	AV	5.491G	103.57	Inf	-Inf	3	Vertical	163	1.92	-
5500MHz	Pass	PK	5.4664G	67.86	68.20	-0.34	3	Vertical	163	1.92	-
5500MHz	Pass	PK	5.491G	116.41	Inf	-Inf	3	Vertical	163	1.92	-
5500MHz	Pass	AV	5.4598G	47.55	54.00	-6.45	3	Horizontal	164	1.99	-
5500MHz	Pass	AV	5.491G	103.62	Inf	-Inf	3	Horizontal	164	1.99	-
5500MHz	Pass	PK	5.4688G	67.35	68.20	-0.85	3	Horizontal	164	1.99	-
5500MHz	Pass	PK	5.491G	116.54	Inf	-Inf	3	Horizontal	164	1.99	-
5500MHz	Pass	AV	11.00852G	41.26	54.00	-12.74	3	Vertical	274	1.31	-
5500MHz	Pass	PK	11.00864G	55.56	74.00	-18.44	3	Vertical	274	1.31	-



RSE TX above 1GHz\_Beamforming\_Panel

Appendix D.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5500MHz	Pass	PK	16.49076G	62.97	68.20	-5.23	3	Vertical	289	2.87	-
5500MHz	Pass	AV	11.01056G	41.23	54.00	-12.77	3	Horizontal	85	2.84	-
5500MHz	Pass	PK	10.99874G	54.66	74.00	-19.34	3	Horizontal	85	2.84	-
5500MHz	Pass	PK	16.48764G	62.39	68.20	-5.81	3	Horizontal	53	2.48	-
5580MHz	Pass	AV	5.46G	50.43	54.00	-3.57	3	Vertical	179	1.46	-
5580MHz	Pass	AV	5.5824G	107.44	Inf	-Inf	3	Vertical	179	1.46	-
5580MHz	Pass	PK	5.4642G	66.90	68.20	-1.30	3	Vertical	179	1.46	-
5580MHz	Pass	PK	5.5818G	120.94	Inf	-Inf	3	Vertical	179	1.46	-
5580MHz	Pass	PK	5.7276G	61.42	68.20	-6.78	3	Vertical	179	1.46	-
5580MHz	Pass	AV	5.46G	49.66	54.00	-4.34	3	Horizontal	145	1.70	-
5580MHz	Pass	AV	5.5716G	108.89	Inf	-Inf	3	Horizontal	145	1.70	-
5580MHz	Pass	PK	5.4678G	64.71	68.20	-3.49	3	Horizontal	145	1.70	-
5580MHz	Pass	PK	5.5812G	119.40	Inf	-Inf	3	Horizontal	145	1.70	-
5580MHz	Pass	PK	5.7252G	61.52	68.20	-6.68	3	Horizontal	145	1.70	-
5580MHz	Pass	AV	11.15754G	42.64	54.00	-11.36	3	Vertical	167	2.05	-
5580MHz	Pass	PK	11.15628G	55.41	74.00	-18.59	3	Vertical	167	2.05	-
5580MHz	Pass	PK	16.74306G	65.60	68.20	-2.60	3	Vertical	29	2.48	-
5580MHz	Pass	AV	11.1495G	42.11	54.00	-11.89	3	Horizontal	185	1.51	-
5580MHz	Pass	PK	11.15202G	55.32	74.00	-18.68	3	Horizontal	185	1.51	-
5580MHz	Pass	PK	16.73586G	62.93	68.20	-5.27	3	Horizontal	346	1.68	-
5700MHz	Pass	AV	5.709G	101.87	Inf	-Inf	3	Vertical	190	1.72	-
5700MHz	Pass	PK	5.7084G	114.40	Inf	-Inf	3	Vertical	190	1.72	-
5700MHz	Pass	PK	5.7258G	68.00	68.20	-0.20	3	Vertical	190	1.72	-
5700MHz	Pass	AV	5.6934G	101.18	Inf	-Inf	3	Horizontal	157	1.87	-
5700MHz	Pass	PK	5.6922G	114.11	Inf	-Inf	3	Horizontal	157	1.87	-
5700MHz	Pass	PK	5.7252G	65.08	68.20	-3.12	3	Horizontal	157	1.87	-
5700MHz	Pass	AV	11.38752G	41.51	54.00	-12.49	3	Vertical	26	1.47	-
5700MHz	Pass	PK	11.4006G	55.08	74.00	-18.92	3	Vertical	26	1.47	-
5700MHz	Pass	PK	17.0919G	62.85	68.20	-5.35	3	Vertical	264	1.71	-
5700MHz	Pass	AV	11.38788G	41.46	54.00	-12.54	3	Horizontal	347	1.89	-
5700MHz	Pass	PK	11.38866G	54.59	74.00	-19.41	3	Horizontal	347	1.89	-
5700MHz	Pass	PK	17.10684G	62.60	68.20	-5.60	3	Horizontal	290	1.62	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	49.07	54.00	-4.93	3	Vertical	172	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7128G	105.57	Inf	-Inf	3	Vertical	172	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	65.68	68.20	-2.52	3	Vertical	172	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7152G	119.29	Inf	-Inf	3	Vertical	172	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8556G	64.26	68.20	-3.94	3	Vertical	172	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.53	54.00	-5.47	3	Horizontal	154	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7284G	106.64	Inf	-Inf	3	Horizontal	154	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	65.09	68.20	-3.11	3	Horizontal	154	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	118.72	Inf	-Inf	3	Horizontal	154	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.86	68.20	-4.34	3	Horizontal	154	1.40	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43562G	41.86	54.00	-12.14	3	Vertical	26	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4313G	54.74	74.00	-19.26	3	Vertical	26	2.97	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.17344G	64.11	68.20	-4.09	3	Vertical	27	2.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44114G	42.06	54.00	-11.94	3	Horizontal	3	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44006G	55.68	74.00	-18.32	3	Horizontal	3	1.73	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14644G	63.19	68.20	-5.01	3	Horizontal	30	1.97	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.274G	103.07	Inf	-Inf	3	Vertical	163	2.66	-
5270MHz	Pass	AV	5.35G	52.56	54.00	-1.44	3	Vertical	163	2.66	-
5270MHz	Pass	PK	5.2752G	115.55	Inf	-Inf	3	Vertical	163	2.66	-
5270MHz	Pass	PK	5.3556G	66.79	74.00	-7.21	3	Vertical	163	2.66	-
5270MHz	Pass	AV	5.276G	102.52	Inf	-Inf	3	Horizontal	133	1.94	-
5270MHz	Pass	AV	5.3504G	53.56	54.00	-0.44	3	Horizontal	133	1.94	-
5270MHz	Pass	PK	5.278G	115.56	Inf	-Inf	3	Horizontal	133	1.94	-
5270MHz	Pass	PK	5.3628G	67.81	74.00	-6.19	3	Horizontal	133	1.94	-
5270MHz	Pass	AV	15.82362G	46.50	54.00	-7.50	3	Vertical	95	1.61	-
5270MHz	Pass	PK	10.53502G	54.38	68.20	-13.82	3	Vertical	261	2.22	-
5270MHz	Pass	PK	15.81492G	59.75	74.00	-14.25	3	Vertical	95	1.61	-
5270MHz	Pass	AV	15.8181G	46.52	54.00	-7.48	3	Horizontal	304	2.63	-
5270MHz	Pass	PK	10.525G	55.65	68.20	-12.55	3	Horizontal	29	1.23	-





RSE TX above 1GHz\_Beamforming\_Panel

Appendix D.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5270MHz	Pass	PK	15.82092G	59.24	74.00	-14.76	3	Horizontal	304	2.63	-
5310MHz	Pass	AV	5.2928G	100.58	Inf	-Inf	3	Vertical	152	2.51	-
5310MHz	Pass	AV	5.3516G	53.89	54.00	-0.11	3	Vertical	152	2.51	-
5310MHz	Pass	PK	5.2952G	113.54	Inf	-Inf	3	Vertical	152	2.51	-
5310MHz	Pass	PK	5.3548G	73.61	74.00	-0.39	3	Vertical	152	2.51	-
5310MHz	Pass	AV	5.3168G	98.65	Inf	-Inf	3	Horizontal	138	3.00	-
5310MHz	Pass	AV	5.35G	52.62	54.00	-1.38	3	Horizontal	138	3.00	-
5310MHz	Pass	PK	5.318G	111.42	Inf	-Inf	3	Horizontal	138	3.00	-
5310MHz	Pass	PK	5.3504G	73.30	74.00	-0.70	3	Horizontal	138	3.00	-
5310MHz	Pass	AV	10.63464G	41.12	54.00	-12.88	3	Vertical	270	1.57	-
5310MHz	Pass	AV	15.93384G	47.78	54.00	-6.22	3	Vertical	229	2.57	-
5310MHz	Pass	PK	10.61958G	54.20	74.00	-19.80	3	Vertical	270	1.57	-
5310MHz	Pass	PK	15.93924G	61.00	74.00	-13.00	3	Vertical	229	2.57	-
5310MHz	Pass	AV	10.63416G	40.96	54.00	-13.04	3	Horizontal	314	2.29	-
5310MHz	Pass	AV	15.93798G	47.84	54.00	-6.16	3	Horizontal	223	1.34	-
5310MHz	Pass	PK	10.6116G	54.56	74.00	-19.44	3	Horizontal	314	2.29	-
5310MHz	Pass	PK	15.93522G	60.93	74.00	-13.07	3	Horizontal	223	1.34	-
5510MHz	Pass	AV	5.456G	47.45	54.00	-6.55	3	Vertical	120	2.61	-
5510MHz	Pass	AV	5.5G	98.81	Inf	-Inf	3	Vertical	120	2.61	-
5510MHz	Pass	PK	5.47G	68.00	68.20	-0.20	3	Vertical	120	2.61	-
5510MHz	Pass	PK	5.4996G	111.28	Inf	-Inf	3	Vertical	120	2.61	-
5510MHz	Pass	AV	5.4584G	47.35	54.00	-6.65	3	Horizontal	120	2.76	-
5510MHz	Pass	AV	5.4988G	98.73	Inf	-Inf	3	Horizontal	120	2.76	-
5510MHz	Pass	PK	5.4692G	64.83	68.20	-3.37	3	Horizontal	120	2.76	-
5510MHz	Pass	PK	5.498G	111.10	Inf	-Inf	3	Horizontal	120	2.76	-
5510MHz	Pass	AV	11.01442G	41.47	54.00	-12.53	3	Vertical	10	1.59	-
5510MHz	Pass	PK	11.03056G	54.28	74.00	-19.72	3	Vertical	10	1.59	-
5510MHz	Pass	PK	16.52472G	62.04	68.20	-6.16	3	Vertical	336	1.93	-
5510MHz	Pass	AV	11.01352G	41.48	54.00	-12.52	3	Horizontal	229	2.09	-
5510MHz	Pass	PK	11.03266G	54.38	74.00	-19.62	3	Horizontal	229	2.09	-
5510MHz	Pass	PK	16.52814G	62.37	68.20	-5.83	3	Horizontal	332	2.98	-
5550MHz	Pass	AV	5.4552G	49.29	54.00	-4.71	3	Vertical	123	2.92	-
5550MHz	Pass	AV	5.5544G	105.23	Inf	-Inf	3	Vertical	123	2.92	-
5550MHz	Pass	PK	5.4696G	67.62	68.20	-0.58	3	Vertical	123	2.92	-
5550MHz	Pass	PK	5.5556G	116.94	Inf	-Inf	3	Vertical	123	2.92	-
5550MHz	Pass	AV	5.4592G	50.45	54.00	-3.55	3	Horizontal	125	2.18	-
5550MHz	Pass	AV	5.5544G	107.67	Inf	-Inf	3	Horizontal	125	2.18	-
5550MHz	Pass	PK	5.4664G	67.50	68.20	-0.70	3	Horizontal	125	2.18	-
5550MHz	Pass	PK	5.5552G	118.72	Inf	-Inf	3	Horizontal	125	2.18	-
5550MHz	Pass	AV	11.10546G	41.01	54.00	-12.99	3	Vertical	226	2.26	-
5550MHz	Pass	PK	11.10396G	54.03	74.00	-19.97	3	Vertical	226	2.26	-
5550MHz	Pass	PK	16.6557G	61.71	68.20	-6.49	3	Vertical	283	2.46	-
5550MHz	Pass	AV	11.1051G	41.08	54.00	-12.92	3	Horizontal	282	1.24	-
5550MHz	Pass	PK	11.09466G	53.66	74.00	-20.34	3	Horizontal	282	1.24	-
5550MHz	Pass	PK	16.65678G	62.14	68.20	-6.06	3	Horizontal	236	1.87	-
5670MHz	Pass	AV	5.6524G	102.14	Inf	-Inf	3	Vertical	176	1.50	-
5670MHz	Pass	PK	5.6536G	114.19	Inf	-Inf	3	Vertical	176	1.50	-
5670MHz	Pass	PK	5.7256G	67.88	68.20	-0.32	3	Vertical	176	1.50	-
5670MHz	Pass	AV	5.664G	102.48	Inf	-Inf	3	Horizontal	156	1.87	-
5670MHz	Pass	PK	5.664G	115.00	Inf	-Inf	3	Horizontal	156	1.87	-
5670MHz	Pass	PK	5.7256G	66.96	68.20	-1.24	3	Horizontal	156	1.87	-
5670MHz	Pass	AV	11.33616G	41.93	54.00	-12.07	3	Vertical	293	1.99	-
5670MHz	Pass	PK	11.35356G	55.07	74.00	-18.93	3	Vertical	293	1.99	-
5670MHz	Pass	PK	17.0199G	63.32	68.20	-4.88	3	Vertical	349	2.68	-
5670MHz	Pass	AV	11.35248G	41.99	54.00	-12.01	3	Horizontal	195	1.35	-
5670MHz	Pass	PK	11.32896G	54.87	74.00	-19.13	3	Horizontal	195	1.35	-
5670MHz	Pass	PK	17.01504G	62.56	68.20	-5.64	3	Horizontal	299	2.97	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	49.41	54.00	-4.59	3	Vertical	183	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7064G	103.08	Inf	-Inf	3	Vertical	183	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	64.76	68.20	-3.44	3	Vertical	183	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.6956G	116.53	Inf	-Inf	3	Vertical	183	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8528G	64.32	68.20	-3.88	3	Vertical	183	1.50	-



RSE TX above 1GHz\_Beamforming\_Panel

Appendix D.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	50.28	54.00	-3.72	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7256G	105.02	Inf	-Inf	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4424G	68.67	74.00	-5.33	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.47G	66.69	68.20	-1.51	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.728G	117.11	Inf	-Inf	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8564G	66.91	68.20	-1.29	3	Horizontal	169	1.87	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42552G	41.61	54.00	-12.39	3	Vertical	14	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42012G	55.56	74.00	-18.44	3	Vertical	14	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.103G	63.03	68.20	-5.17	3	Vertical	70	1.61	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.441G	41.78	54.00	-12.22	3	Horizontal	296	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40236G	55.24	74.00	-18.76	3	Horizontal	296	1.38	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12028G	62.50	68.20	-5.70	3	Horizontal	234	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.143G	48.71	54.00	-5.29	3	Vertical	190	2.60	-
5290MHz	Pass	AV	5.287G	94.71	Inf	-Inf	3	Vertical	190	2.60	-
5290MHz	Pass	AV	5.35G	53.32	54.00	-0.68	3	Vertical	190	2.60	-
5290MHz	Pass	PK	5.147G	60.98	74.00	-13.02	3	Vertical	190	2.60	-
5290MHz	Pass	PK	5.258G	107.65	Inf	-Inf	3	Vertical	190	2.60	-
5290MHz	Pass	PK	5.351G	72.25	74.00	-1.75	3	Vertical	190	2.60	-
5290MHz	Pass	PK	5.479G	59.88	68.20	-8.32	3	Vertical	190	2.60	-
5290MHz	Pass	AV	5.15G	48.33	54.00	-5.67	3	Horizontal	167	1.50	-
5290MHz	Pass	AV	5.259G	93.01	Inf	-Inf	3	Horizontal	167	1.50	-
5290MHz	Pass	AV	5.35G	50.98	54.00	-3.02	3	Horizontal	167	1.50	-
5290MHz	Pass	PK	5.113G	60.97	74.00	-13.03	3	Horizontal	167	1.50	-
5290MHz	Pass	PK	5.265G	108.77	Inf	-Inf	3	Horizontal	167	1.50	-
5290MHz	Pass	PK	5.353G	69.50	74.00	-4.50	3	Horizontal	167	1.50	-
5290MHz	Pass	PK	5.53G	59.81	68.20	-8.39	3	Horizontal	167	1.50	-
5290MHz	Pass	AV	15.8724G	47.51	54.00	-6.49	3	Vertical	22	1.07	-
5290MHz	Pass	PK	10.58032G	54.39	68.20	-13.81	3	Vertical	120	1.91	-
5290MHz	Pass	PK	15.87444G	61.48	74.00	-12.52	3	Vertical	22	1.07	-
5290MHz	Pass	AV	15.87412G	47.33	54.00	-6.67	3	Horizontal	242	2.68	-
5290MHz	Pass	PK	10.58242G	54.21	68.20	-13.99	3	Horizontal	126	2.14	-
5290MHz	Pass	PK	15.86864G	60.99	74.00	-13.01	3	Horizontal	242	2.68	-
5530MHz	Pass	AV	5.458G	48.29	54.00	-5.71	3	Vertical	185	1.50	-
5530MHz	Pass	AV	5.538G	95.23	Inf	-Inf	3	Vertical	185	1.50	-
5530MHz	Pass	PK	5.469G	67.78	68.20	-0.42	3	Vertical	185	1.50	-
5530MHz	Pass	PK	5.497G	109.53	Inf	-Inf	3	Vertical	185	1.50	-
5530MHz	Pass	PK	5.752G	60.52	68.20	-7.68	3	Vertical	185	1.50	-
5530MHz	Pass	AV	5.46G	48.72	54.00	-5.28	3	Horizontal	167	1.54	-
5530MHz	Pass	AV	5.553G	94.66	Inf	-Inf	3	Horizontal	167	1.54	-
5530MHz	Pass	PK	5.469G	67.76	68.20	-0.44	3	Horizontal	167	1.54	-
5530MHz	Pass	PK	5.503G	109.16	Inf	-Inf	3	Horizontal	167	1.54	-
5530MHz	Pass	PK	5.78G	60.13	68.20	-8.07	3	Horizontal	167	1.54	-
5530MHz	Pass	AV	11.05924G	41.45	54.00	-12.55	3	Vertical	10	2.92	-
5530MHz	Pass	PK	11.05608G	55.01	74.00	-18.99	3	Vertical	10	2.92	-
5530MHz	Pass	PK	16.59282G	63.13	68.20	-5.07	3	Vertical	236	2.78	-
5530MHz	Pass	AV	11.05632G	41.37	54.00	-12.63	3	Horizontal	136	2.79	-
5530MHz	Pass	PK	11.06006G	55.37	74.00	-18.63	3	Horizontal	136	2.79	-
5530MHz	Pass	PK	16.5855G	62.12	68.20	-6.08	3	Horizontal	301	1.73	-
5610MHz	Pass	AV	5.458G	51.70	54.00	-2.30	3	Vertical	182	1.74	-
5610MHz	Pass	AV	5.596G	99.28	Inf	-Inf	3	Vertical	182	1.74	-
5610MHz	Pass	PK	5.467G	66.54	68.20	-1.66	3	Vertical	182	1.74	-
5610MHz	Pass	PK	5.577G	114.48	Inf	-Inf	3	Vertical	182	1.74	-
5610MHz	Pass	PK	5.73G	66.39	68.20	-1.81	3	Vertical	182	1.74	-
5610MHz	Pass	AV	5.46G	53.31	54.00	-0.69	3	Horizontal	167	1.50	-
5610MHz	Pass	AV	5.613G	99.44	Inf	-Inf	3	Horizontal	167	1.50	-
5610MHz	Pass	PK	5.47G	66.92	68.20	-1.28	3	Horizontal	167	1.50	-
5610MHz	Pass	PK	5.614G	111.87	Inf	-Inf	3	Horizontal	167	1.50	-
5610MHz	Pass	PK	5.725G	67.69	68.20	-0.51	3	Horizontal	167	1.50	-
5610MHz	Pass	AV	11.22234G	41.85	54.00	-12.15	3	Vertical	207	1.15	-
5610MHz	Pass	PK	11.21724G	54.86	74.00	-19.14	3	Vertical	207	1.15	-
5610MHz	Pass	PK	16.83134G	61.33	68.20	-6.87	3	Vertical	48	2.13	-




**RSE TX above 1GHz\_Beamforming\_Panel**

**Appendix D.8**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	11.21656G	41.90	54.00	-12.10	3	Horizontal	224	2.27	-
5610MHz	Pass	PK	11.21634G	55.04	74.00	-18.96	3	Horizontal	224	2.27	-
5610MHz	Pass	PK	16.82968G	61.98	68.20	-6.22	3	Horizontal	286	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.455G	52.55	54.00	-1.45	3	Vertical	170	1.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.68G	100.51	Inf	-Inf	3	Vertical	170	1.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	66.83	68.20	-1.37	3	Vertical	170	1.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.661G	116.01	Inf	-Inf	3	Vertical	170	1.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.851G	64.62	68.20	-3.58	3	Vertical	170	1.71	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	53.05	54.00	-0.95	3	Horizontal	158	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.677G	102.14	Inf	-Inf	3	Horizontal	158	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.467G	67.43	68.20	-0.77	3	Horizontal	158	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.663G	115.65	Inf	-Inf	3	Horizontal	158	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	67.57	68.20	-0.63	3	Horizontal	158	1.72	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.375G	41.93	54.00	-12.07	3	Vertical	96	2.21	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38072G	55.06	74.00	-18.94	3	Vertical	96	2.21	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06774G	64.16	68.20	-4.04	3	Vertical	71	2.87	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.38038G	41.96	54.00	-12.04	3	Horizontal	298	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3789G	55.13	74.00	-18.87	3	Horizontal	298	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06722G	63.68	68.20	-4.52	3	Horizontal	318	2.26	-
802.11ax HEW160-BF_Nss1_(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.15G	50.44	54.00	-3.56	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.202G	90.86	Inf	-Inf	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3556G	50.86	54.00	-3.14	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.1324G	68.31	74.00	-5.69	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3004G	103.37	Inf	-Inf	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3736G	71.14	74.00	-2.86	3	Vertical	193	2.85	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.1444G	50.05	54.00	-3.95	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.2692G	91.03	Inf	-Inf	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	5.3568G	50.32	54.00	-3.68	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.148G	70.77	74.00	-3.23	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.244G	107.68	Inf	-Inf	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	5.3844G	72.91	74.00	-1.09	3	Horizontal	167	1.68	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.67544G	46.84	54.00	-7.16	3	Vertical	89	1.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51632G	54.06	68.20	-14.14	3	Vertical	240	1.84	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.72024G	58.99	74.00	-15.01	3	Vertical	89	1.16	-
5250MHz Straddle 5.25-5.35GHz	Pass	AV	15.73448G	46.50	54.00	-7.50	3	Horizontal	251	1.72	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	10.51504G	55.27	68.20	-12.93	3	Horizontal	230	2.78	-
5250MHz Straddle 5.25-5.35GHz	Pass	PK	15.77592G	59.14	74.00	-14.86	3	Horizontal	251	1.72	-
5570MHz	Pass	AV	5.3864G	48.68	54.00	-5.32	3	Vertical	180	1.74	-
5570MHz	Pass	AV	5.5952G	92.61	Inf	-Inf	3	Vertical	180	1.74	-
5570MHz	Pass	PK	5.4656G	59.74	68.20	-8.46	3	Vertical	180	1.74	-
5570MHz	Pass	PK	5.5928G	104.41	Inf	-Inf	3	Vertical	180	1.74	-
5570MHz	Pass	PK	5.7272G	61.22	68.20	-6.98	3	Vertical	180	1.74	-
5570MHz	Pass	AV	5.402G	49.22	54.00	-4.78	3	Horizontal	158	1.50	-
5570MHz	Pass	AV	5.6144G	91.99	Inf	-Inf	3	Horizontal	158	1.50	-
5570MHz	Pass	PK	5.4692G	66.87	68.20	-1.33	3	Horizontal	158	1.50	-
5570MHz	Pass	PK	5.5592G	108.62	Inf	-Inf	3	Horizontal	158	1.50	-
5570MHz	Pass	PK	5.7284G	62.49	68.20	-5.71	3	Horizontal	158	1.50	-
5570MHz	Pass	AV	11.1848G	41.41	54.00	-12.59	3	Vertical	233	2.13	-
5570MHz	Pass	PK	11.14256G	53.51	74.00	-20.49	3	Vertical	233	2.13	-
5570MHz	Pass	PK	16.7676G	61.08	68.20	-7.12	3	Vertical	211	2.85	-
5570MHz	Pass	AV	11.2008G	41.36	54.00	-12.64	3	Horizontal	221	1.86	-
5570MHz	Pass	PK	11.17008G	53.43	74.00	-20.57	3	Horizontal	221	1.86	-
5570MHz	Pass	PK	16.64152G	60.84	68.20	-7.36	3	Horizontal	71	2.75	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.08	54.00	-5.92	8.90	3	Vertical	181	1.74	-	39.18	33.20	9.83	34.13
AV	5.2528G	104.98	Inf	-Inf	8.66	3	Vertical	181	1.74	-	96.32	32.91	9.90	34.15
AV	5.3536G	48.68	54.00	-5.32	8.52	3	Vertical	181	1.74	-	40.16	32.71	9.97	34.16
PK	5.1448G	60.99	74.00	-13.01	8.90	3	Vertical	181	1.74	-	52.09	33.20	9.83	34.13
PK	5.254G	117.43	Inf	-Inf	8.66	3	Vertical	181	1.74	-	108.77	32.91	9.90	34.15
PK	5.3512G	62.36	74.00	-11.64	8.51	3	Vertical	181	1.74	-	53.85	32.70	9.97	34.16


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	49.04	54.00	-4.96	8.90	3	Horizontal	174	3.00	-	40.14	33.20	9.83	34.13
AV	5.2612G	108.43	Inf	-Inf	8.67	3	Horizontal	174	3.00	-	99.76	32.92	9.90	34.15
AV	5.3512G	50.75	54.00	-3.25	8.51	3	Horizontal	174	3.00	-	42.24	32.70	9.97	34.16
PK	5.1442G	62.47	74.00	-11.53	8.90	3	Horizontal	174	3.00	-	53.57	33.20	9.83	34.13
PK	5.2618G	119.39	Inf	-Inf	8.67	3	Horizontal	174	3.00	-	110.72	32.92	9.90	34.15
PK	5.3506G	65.95	74.00	-8.05	8.51	3	Horizontal	174	3.00	-	57.44	32.70	9.97	34.16

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77472G	49.24	54.00	-4.76	19.42	3	Vertical	11	2.33	-	29.82	38.13	15.85	34.56
PK	10.5215G	60.54	68.20	-7.66	16.92	3	Vertical	339	1.50	-	43.62	38.66	12.73	34.47
PK	15.76512G	64.17	74.00	-9.83	19.42	3	Vertical	11	2.33	-	44.75	38.13	15.85	34.56


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5260MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7869G	46.36	54.00	-7.64	19.40	3	Horizontal	132	2.51	-	26.96	38.11	15.86	34.57
PK	10.51766G	58.59	68.20	-9.61	16.91	3	Horizontal	35	1.01	-	41.68	38.65	12.73	34.47
PK	15.777G	60.32	74.00	-13.68	19.40	3	Horizontal	132	2.51	-	40.92	38.12	15.85	34.57

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.297G	107.07	Inf	-Inf	8.77	3	Vertical	131	2.52	-	98.30	32.99	9.93	34.15
AV	5.35G	52.69	54.00	-1.31	8.51	3	Vertical	131	2.52	-	44.18	32.70	9.97	34.16
PK	5.2964G	119.37	Inf	-Inf	8.77	3	Vertical	131	2.52	-	110.60	32.99	9.93	34.15
PK	5.351G	70.94	74.00	-3.06	8.51	3	Vertical	131	2.52	-	62.43	32.70	9.97	34.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2988G	106.78	Inf	-Inf	8.78	3	Horizontal	123	2.72	-	98.00	33.00	9.93	34.15
AV	5.35G	53.68	54.00	-0.32	8.51	3	Horizontal	123	2.72	-	45.17	32.70	9.97	34.16
PK	5.2958G	119.39	Inf	-Inf	8.77	3	Horizontal	123	2.72	-	110.62	32.99	9.93	34.15
PK	5.3558G	70.28	74.00	-3.72	8.52	3	Horizontal	123	2.72	-	61.76	32.71	9.97	34.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60492G	40.93	54.00	-13.07	17.27	3	Vertical	174	1.68	-	23.66	38.90	12.77	34.40
AV	15.91254G	47.40	54.00	-6.60	19.71	3	Vertical	267	2.38	-	27.69	38.39	15.96	34.64
PK	10.61152G	54.20	74.00	-19.80	17.27	3	Vertical	174	1.68	-	36.93	38.89	12.77	34.39
PK	15.8922G	60.90	74.00	-13.10	19.69	3	Vertical	267	2.38	-	41.21	38.38	15.94	34.63

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60306G	40.97	54.00	-13.03	17.27	3	Horizontal	145	2.13	-	23.70	38.90	12.77	34.40
AV	15.9147G	47.38	54.00	-6.62	19.71	3	Horizontal	241	2.50	-	27.67	38.39	15.96	34.64
PK	10.6102G	53.94	74.00	-20.06	17.27	3	Horizontal	145	2.13	-	36.67	38.89	12.77	34.39
PK	15.90564G	60.86	74.00	-13.14	19.70	3	Horizontal	241	2.50	-	41.16	38.39	15.95	34.64

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	101.33	Inf	-Inf	8.66	3	Vertical	180	1.29	-	92.67	32.87	9.95	34.16
AV	5.3506G	51.81	54.00	-2.19	8.51	3	Vertical	180	1.29	-	43.30	32.70	9.97	34.16
PK	5.3254G	114.91	Inf	-Inf	8.64	3	Vertical	180	1.29	-	106.27	32.85	9.95	34.16
PK	5.353G	68.11	74.00	-5.89	8.52	3	Vertical	180	1.29	-	59.59	32.71	9.97	34.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	102.61	Inf	-Inf	8.66	3	Horizontal	136	2.98	-	93.95	32.87	9.95	34.16
AV	5.35G	53.68	54.00	-0.32	8.51	3	Horizontal	136	2.98	-	45.17	32.70	9.97	34.16
PK	5.323G	116.05	Inf	-Inf	8.65	3	Horizontal	136	2.98	-	107.40	32.86	9.95	34.16
PK	5.3518G	71.92	74.00	-2.08	8.51	3	Horizontal	136	2.98	-	63.41	32.70	9.97	34.16



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65332G	41.17	54.00	-12.83	17.28	3	Vertical	82	1.75	-	23.89	38.85	12.78	34.35
AV	15.94596G	47.70	54.00	-6.30	19.67	3	Vertical	299	2.59	-	28.03	38.35	15.98	34.66
PK	10.65356G	54.67	74.00	-19.33	17.28	3	Vertical	82	1.75	-	37.39	38.85	12.78	34.35
PK	15.9516G	61.68	74.00	-12.32	19.67	3	Vertical	299	2.59	-	42.01	38.35	15.98	34.66

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65092G	41.08	54.00	-12.92	17.28	3	Horizontal	307	2.45	-	23.80	38.85	12.78	34.35
AV	15.96924G	47.67	54.00	-6.33	19.66	3	Horizontal	59	2.95	-	28.01	38.33	16.00	34.67
PK	10.63952G	54.79	74.00	-19.21	17.28	3	Horizontal	307	2.45	-	37.51	38.86	12.78	34.36
PK	15.9729G	61.09	74.00	-12.91	19.66	3	Horizontal	59	2.95	-	41.43	38.33	16.00	34.67

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	47.60	54.00	-6.40	8.76	3	Vertical	163	1.92	-	38.84	32.92	10.02	34.18
AV	5.491G	103.57	Inf	-Inf	8.82	3	Vertical	163	1.92	-	94.75	32.98	10.03	34.19
PK	5.4664G	67.86	68.20	-0.34	8.77	3	Vertical	163	1.92	-	59.09	32.93	10.02	34.18
PK	5.491G	116.41	Inf	-Inf	8.82	3	Vertical	163	1.92	-	107.59	32.98	10.03	34.19


802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	47.55	54.00	-6.45	8.76	3	Horizontal	164	1.99	-	38.79	32.92	10.02	34.18
AV	5.491G	103.62	Inf	-Inf	8.82	3	Horizontal	164	1.99	-	94.80	32.98	10.03	34.19
PK	5.4688G	67.35	68.20	-0.85	8.78	3	Horizontal	164	1.99	-	58.57	32.94	10.02	34.18
PK	5.491G	116.54	Inf	-Inf	8.82	3	Horizontal	164	1.99	-	107.72	32.98	10.03	34.19

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00852G	41.26	54.00	-12.74	17.68	3	Vertical	274	1.31	-	23.58	38.80	12.92	34.04
PK	11.00864G	55.56	74.00	-18.44	17.68	3	Vertical	274	1.31	-	37.88	38.80	12.92	34.04
PK	16.49076G	62.97	68.20	-5.23	20.30	3	Vertical	289	2.87	-	42.67	38.57	16.10	34.37


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5500MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01056G	41.23	54.00	-12.77	17.68	3	Horizontal	85	2.84	-	23.55	38.80	12.92	34.04
PK	10.99874G	54.66	74.00	-19.34	17.68	3	Horizontal	85	2.84	-	36.98	38.80	12.92	34.04
PK	16.48764G	62.39	68.20	-5.81	20.29	3	Horizontal	53	2.48	-	42.10	38.56	16.10	34.37

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX


#### 5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.43	54.00	-3.57	8.76	3	Vertical	179	1.46	-	41.67	32.92	10.02	34.18
AV	5.5824G	107.44	Inf	-Inf	8.86	3	Vertical	179	1.46	-	98.58	32.99	10.06	34.19
PK	5.4642G	66.90	68.20	-1.30	8.77	3	Vertical	179	1.46	-	58.13	32.93	10.02	34.18
PK	5.5818G	120.94	Inf	-Inf	8.86	3	Vertical	179	1.46	-	112.08	32.99	10.06	34.19
PK	5.7276G	61.42	68.20	-6.78	9.51	3	Vertical	179	1.46	-	51.91	33.57	10.14	34.20


### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

#### 5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.66	54.00	-4.34	8.76	3	Horizontal	145	1.70	-	40.90	32.92	10.02	34.18
AV	5.5716G	108.89	Inf	-Inf	8.80	3	Horizontal	145	1.70	-	100.09	32.93	10.06	34.19
PK	5.4678G	64.71	68.20	-3.49	8.78	3	Horizontal	145	1.70	-	55.93	32.94	10.02	34.18
PK	5.5812G	119.40	Inf	-Inf	8.86	3	Horizontal	145	1.70	-	110.54	32.99	10.06	34.19
PK	5.7252G	61.52	68.20	-6.68	9.49	3	Horizontal	145	1.70	-	52.03	33.55	10.14	34.20

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15754G	42.64	54.00	-11.36	17.79	3	Vertical	167	2.05	-	24.85	38.86	12.98	34.05
PK	11.15628G	55.41	74.00	-18.59	17.79	3	Vertical	167	2.05	-	37.62	38.86	12.98	34.05
PK	16.74306G	65.60	68.20	-2.60	20.92	3	Vertical	29	2.48	-	44.68	38.64	16.14	33.86

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5580MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1495G	42.11	54.00	-11.89	17.78	3	Horizontal	185	1.51	-	24.33	38.85	12.98	34.05
PK	11.15202G	55.32	74.00	-18.68	17.78	3	Horizontal	185	1.51	-	37.54	38.85	12.98	34.05
PK	16.73586G	62.93	68.20	-5.27	20.95	3	Horizontal	346	1.68	-	41.98	38.68	16.14	33.87

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.709G	101.87	Inf	-Inf	9.38	3	Vertical	190	1.72	-	92.49	33.45	10.13	34.20
PK	5.7084G	114.40	Inf	-Inf	9.38	3	Vertical	190	1.72	-	105.02	33.45	10.13	34.20
PK	5.7258G	68.00	68.20	-0.20	9.49	3	Vertical	190	1.72	-	58.51	33.55	10.14	34.20

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6934G	101.18	Inf	-Inf	9.31	3	Horizontal	157	1.87	-	91.87	33.39	10.12	34.20
PK	5.6922G	114.11	Inf	-Inf	9.30	3	Horizontal	157	1.87	-	104.81	33.38	10.12	34.20
PK	5.7252G	65.08	68.20	-3.12	9.49	3	Horizontal	157	1.87	-	55.59	33.55	10.14	34.20

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38752G	41.51	54.00	-12.49	18.11	3	Vertical	26	1.47	-	23.40	39.10	13.07	34.06
PK	11.4006G	55.08	74.00	-18.92	18.12	3	Vertical	26	1.47	-	36.96	39.10	13.08	34.06
PK	17.0919G	62.85	68.20	-5.35	21.29	3	Vertical	264	1.71	-	41.56	38.41	16.19	33.31


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX  
5700MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38788G	41.46	54.00	-12.54	18.11	3	Horizontal	347	1.89	-	23.35	39.10	13.07	34.06
PK	11.38866G	54.59	74.00	-19.41	18.11	3	Horizontal	347	1.89	-	36.48	39.10	13.07	34.06
PK	17.10684G	62.60	68.20	-5.60	21.30	3	Horizontal	290	1.62	-	41.30	38.40	16.20	33.30

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	49.07	54.00	-4.93	8.75	3	Vertical	172	1.48	-	40.32	32.91	10.02	34.18
AV	5.7128G	105.57	Inf	-Inf	9.41	3	Vertical	172	1.48	-	96.16	33.48	10.13	34.20
PK	5.4644G	65.68	68.20	-2.52	8.77	3	Vertical	172	1.48	-	56.91	32.93	10.02	34.18
PK	5.7152G	119.29	Inf	-Inf	9.42	3	Vertical	172	1.48	-	109.87	33.49	10.13	34.20
PK	5.8556G	64.26	68.20	-3.94	10.11	3	Vertical	172	1.48	-	54.15	34.10	10.22	34.21

**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**


**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.53	54.00	-5.47	8.76	3	Horizontal	154	1.40	-	39.77	32.92	10.02	34.18
AV	5.7284G	106.64	Inf	-Inf	9.51	3	Horizontal	154	1.40	-	97.13	33.57	10.14	34.20
PK	5.468G	65.09	68.20	-3.11	8.78	3	Horizontal	154	1.40	-	56.31	32.94	10.02	34.18
PK	5.726G	118.72	Inf	-Inf	9.50	3	Horizontal	154	1.40	-	109.22	33.56	10.14	34.20
PK	5.8508G	63.86	68.20	-4.34	10.11	3	Horizontal	154	1.40	-	53.75	34.10	10.22	34.21




**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43562G	41.86	54.00	-12.14	18.06	3	Vertical	26	2.97	-	23.80	39.03	13.09	34.06
PK	11.4313G	54.74	74.00	-19.26	18.07	3	Vertical	26	2.97	-	36.67	39.04	13.09	34.06
PK	17.17344G	64.11	68.20	-4.09	21.33	3	Vertical	27	2.69	-	42.78	38.40	16.21	33.28


**802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44114G	42.06	54.00	-11.94	18.05	3	Horizontal	3	1.73	-	24.01	39.02	13.09	34.06
PK	11.44006G	55.68	74.00	-18.32	18.05	3	Horizontal	3	1.73	-	37.63	39.02	13.09	34.06
PK	17.14644G	63.19	68.20	-5.01	21.31	3	Horizontal	30	1.97	-	41.88	38.40	16.20	33.29

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.274G	103.07	Inf	-Inf	8.71	3	Vertical	163	2.66	-	94.36	32.95	9.91	34.15
AV	5.35G	52.56	54.00	-1.44	8.51	3	Vertical	163	2.66	-	44.05	32.70	9.97	34.16
PK	5.2752G	115.55	Inf	-Inf	8.71	3	Vertical	163	2.66	-	106.84	32.95	9.91	34.15
PK	5.3556G	66.79	74.00	-7.21	8.52	3	Vertical	163	2.66	-	58.27	32.71	9.97	34.16


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.276G	102.52	Inf	-Inf	8.71	3	Horizontal	133	1.94	-	93.81	32.95	9.91	34.15
AV	5.3504G	53.56	54.00	-0.44	8.51	3	Horizontal	133	1.94	-	45.05	32.70	9.97	34.16
PK	5.278G	115.56	Inf	-Inf	8.72	3	Horizontal	133	1.94	-	106.84	32.96	9.91	34.15
PK	5.3628G	67.81	74.00	-6.19	8.53	3	Horizontal	133	1.94	-	59.28	32.73	9.97	34.17

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.82362G	46.50	54.00	-7.50	19.47	3	Vertical	95	1.61	-	27.03	38.17	15.89	34.59
PK	10.53502G	54.38	68.20	-13.82	16.99	3	Vertical	261	2.22	-	37.39	38.71	12.74	34.46
PK	15.81492G	59.75	74.00	-14.25	19.43	3	Vertical	95	1.61	-	40.32	38.14	15.88	34.59


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5270MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8181G	46.52	54.00	-7.48	19.45	3	Horizontal	304	2.63	-	27.07	38.15	15.89	34.59
PK	10.525G	55.65	68.20	-12.55	16.93	3	Horizontal	29	1.23	-	38.72	38.67	12.73	34.47
PK	15.82092G	59.24	74.00	-14.76	19.46	3	Horizontal	304	2.63	-	39.78	38.16	15.89	34.59

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2928G	100.58	Inf	-Inf	8.76	3	Vertical	152	2.51	-	91.82	32.99	9.92	34.15
AV	5.3516G	53.89	54.00	-0.11	8.51	3	Vertical	152	2.51	-	45.38	32.70	9.97	34.16
PK	5.2952G	113.54	Inf	-Inf	8.77	3	Vertical	152	2.51	-	104.77	32.99	9.93	34.15
PK	5.3548G	73.61	74.00	-0.39	8.52	3	Vertical	152	2.51	-	65.09	32.71	9.97	34.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	98.65	Inf	-Inf	8.68	3	Horizontal	138	3.00	-	89.97	32.90	9.94	34.16
AV	5.35G	52.62	54.00	-1.38	8.51	3	Horizontal	138	3.00	-	44.11	32.70	9.97	34.16
PK	5.318G	111.42	Inf	-Inf	8.67	3	Horizontal	138	3.00	-	102.75	32.89	9.94	34.16
PK	5.3504G	73.30	74.00	-0.70	8.51	3	Horizontal	138	3.00	-	64.79	32.70	9.97	34.16

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63464G	41.12	54.00	-12.88	17.28	3	Vertical	270	1.57	-	23.84	38.87	12.78	34.37
AV	15.93384G	47.78	54.00	-6.22	19.69	3	Vertical	229	2.57	-	28.09	38.37	15.97	34.65
PK	10.61958G	54.20	74.00	-19.80	17.27	3	Vertical	270	1.57	-	36.93	38.88	12.77	34.38
PK	15.93924G	61.00	74.00	-13.00	19.68	3	Vertical	229	2.57	-	41.32	38.36	15.98	34.66

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63416G	40.96	54.00	-13.04	17.28	3	Horizontal	314	2.29	-	23.68	38.87	12.78	34.37
AV	15.93798G	47.84	54.00	-6.16	19.67	3	Horizontal	223	1.34	-	28.17	38.36	15.97	34.66
PK	10.6116G	54.56	74.00	-19.44	17.27	3	Horizontal	314	2.29	-	37.29	38.89	12.77	34.39
PK	15.93522G	60.93	74.00	-13.07	19.68	3	Horizontal	223	1.34	-	41.25	38.36	15.97	34.65

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.45	54.00	-6.55	8.75	3	Vertical	120	2.61	-	38.70	32.91	10.02	34.18
AV	5.5G	98.81	Inf	-Inf	8.85	3	Vertical	120	2.61	-	89.96	33.00	10.04	34.19
PK	5.47G	68.00	68.20	-0.20	8.78	3	Vertical	120	2.61	-	59.22	32.94	10.02	34.18
PK	5.4996G	111.28	Inf	-Inf	8.84	3	Vertical	120	2.61	-	102.44	33.00	10.03	34.19


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	47.35	54.00	-6.65	8.76	3	Horizontal	120	2.76	-	38.59	32.92	10.02	34.18
AV	5.4988G	98.73	Inf	-Inf	8.84	3	Horizontal	120	2.76	-	89.89	33.00	10.03	34.19
PK	5.4692G	64.83	68.20	-3.37	8.78	3	Horizontal	120	2.76	-	56.05	32.94	10.02	34.18
PK	5.498G	111.10	Inf	-Inf	8.84	3	Horizontal	120	2.76	-	102.26	33.00	10.03	34.19

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01442G	41.47	54.00	-12.53	17.69	3	Vertical	10	1.59	-	23.78	38.80	12.93	34.04
PK	11.03056G	54.28	74.00	-19.72	17.69	3	Vertical	10	1.59	-	36.59	38.80	12.93	34.04
PK	16.52472G	62.04	68.20	-6.16	20.41	3	Vertical	336	1.93	-	41.63	38.62	16.10	34.31


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5510MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01352G	41.48	54.00	-12.52	17.69	3	Horizontal	229	2.09	-	23.79	38.80	12.93	34.04
PK	11.03266G	54.38	74.00	-19.62	17.69	3	Horizontal	229	2.09	-	36.69	38.80	12.93	34.04
PK	16.52814G	62.37	68.20	-5.83	20.43	3	Horizontal	332	2.98	-	41.94	38.63	16.10	34.30

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	49.29	54.00	-4.71	8.75	3	Vertical	123	2.92	-	40.54	32.91	10.02	34.18
AV	5.5544G	105.23	Inf	-Inf	8.69	3	Vertical	123	2.92	-	96.54	32.83	10.05	34.19
PK	5.4696G	67.62	68.20	-0.58	8.78	3	Vertical	123	2.92	-	58.84	32.94	10.02	34.18
PK	5.5556G	116.94	Inf	-Inf	8.69	3	Vertical	123	2.92	-	108.25	32.83	10.05	34.19

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	50.45	54.00	-3.55	8.76	3	Horizontal	125	2.18	-	41.69	32.92	10.02	34.18
AV	5.5544G	107.67	Inf	-Inf	8.69	3	Horizontal	125	2.18	-	98.98	32.83	10.05	34.19
PK	5.4664G	67.50	68.20	-0.70	8.77	3	Horizontal	125	2.18	-	58.73	32.93	10.02	34.18
PK	5.5552G	118.72	Inf	-Inf	8.69	3	Horizontal	125	2.18	-	110.03	32.83	10.05	34.19




**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10546G	41.01	54.00	-12.99	17.73	3	Vertical	226	2.26	-	23.28	38.81	12.96	34.04
PK	11.10396G	54.03	74.00	-19.97	17.72	3	Vertical	226	2.26	-	36.31	38.80	12.96	34.04
PK	16.6557G	61.71	68.20	-6.49	20.89	3	Vertical	283	2.46	-	40.82	38.81	16.12	34.04

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5550MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1051G	41.08	54.00	-12.92	17.73	3	Horizontal	282	1.24	-	23.35	38.81	12.96	34.04
PK	11.09466G	53.66	74.00	-20.34	17.72	3	Horizontal	282	1.24	-	35.94	38.80	12.96	34.04
PK	16.65678G	62.14	68.20	-6.06	20.90	3	Horizontal	236	1.87	-	41.24	38.81	16.13	34.04

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6524G	102.14	Inf	-Inf	9.20	3	Vertical	176	1.50	-	92.94	33.30	10.10	34.20
PK	5.6536G	114.19	Inf	-Inf	9.21	3	Vertical	176	1.50	-	104.98	33.31	10.10	34.20
PK	5.7256G	67.88	68.20	-0.32	9.49	3	Vertical	176	1.50	-	58.39	33.55	10.14	34.20

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX  
5670MHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.664G	102.48	Inf	-Inf	9.24	3	Horizontal	156	1.87	-	93.24	33.33	10.11	34.20
PK	5.664G	115.00	Inf	-Inf	9.24	3	Horizontal	156	1.87	-	105.76	33.33	10.11	34.20
PK	5.7256G	66.96	68.20	-1.24	9.49	3	Horizontal	156	1.87	-	57.47	33.55	10.14	34.20

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33616G	41.93	54.00	-12.07	18.10	3	Vertical	293	1.99	-	23.83	39.10	13.05	34.05
PK	11.35356G	55.07	74.00	-18.93	18.11	3	Vertical	293	1.99	-	36.96	39.10	13.06	34.05
PK	17.0199G	63.32	68.20	-4.88	21.34	3	Vertical	349	2.68	-	41.98	38.48	16.18	33.32


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5670MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35248G	41.99	54.00	-12.01	18.11	3	Horizontal	195	1.35	-	23.88	39.10	13.06	34.05
PK	11.32896G	54.87	74.00	-19.13	18.10	3	Horizontal	195	1.35	-	36.77	39.10	13.05	34.05
PK	17.01504G	62.56	68.20	-5.64	21.33	3	Horizontal	299	2.97	-	41.23	38.48	16.18	33.33

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.41	54.00	-4.59	8.76	3	Vertical	183	1.50	-	40.65	32.92	10.02	34.18
AV	5.7064G	103.08	Inf	-Inf	9.37	3	Vertical	183	1.50	-	93.71	33.44	10.13	34.20
PK	5.4688G	64.76	68.20	-3.44	8.78	3	Vertical	183	1.50	-	55.98	32.94	10.02	34.18
PK	5.6956G	116.53	Inf	-Inf	9.31	3	Vertical	183	1.50	-	107.22	33.39	10.12	34.20
PK	5.8528G	64.32	68.20	-3.88	10.11	3	Vertical	183	1.50	-	54.21	34.10	10.22	34.21


802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	50.28	54.00	-3.72	8.76	3	Horizontal	169	1.87	-	41.52	32.92	10.02	34.18
AV	5.7256G	105.02	Inf	-Inf	9.49	3	Horizontal	169	1.87	-	95.53	33.55	10.14	34.20
PK	5.4424G	68.67	74.00	-5.33	8.71	3	Horizontal	169	1.87	-	59.96	32.88	10.01	34.18
PK	5.47G	66.69	68.20	-1.51	8.78	3	Horizontal	169	1.87	-	57.91	32.94	10.02	34.18
PK	5.728G	117.11	Inf	-Inf	9.51	3	Horizontal	169	1.87	-	107.60	33.57	10.14	34.20
PK	5.8564G	66.91	68.20	-1.29	10.11	3	Horizontal	169	1.87	-	56.80	34.10	10.22	34.21

**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42552G	41.61	54.00	-12.39	18.08	3	Vertical	14	1.50	-	23.53	39.05	13.09	34.06
PK	11.42012G	55.56	74.00	-18.44	18.08	3	Vertical	14	1.50	-	37.48	39.06	13.08	34.06
PK	17.103G	63.03	68.20	-5.17	21.30	3	Vertical	70	1.61	-	41.73	38.40	16.20	33.30


**802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.441G	41.78	54.00	-12.22	18.05	3	Horizontal	296	1.38	-	23.73	39.02	13.09	34.06
PK	11.40236G	55.24	74.00	-18.76	18.12	3	Horizontal	296	1.38	-	37.12	39.10	13.08	34.06
PK	17.12028G	62.50	68.20	-5.70	21.30	3	Horizontal	234	1.50	-	41.20	38.40	16.20	33.30

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	48.71	54.00	-5.29	8.90	3	Vertical	190	2.60	-	39.81	33.20	9.83	34.13
AV	5.287G	94.71	Inf	-Inf	8.74	3	Vertical	190	2.60	-	85.97	32.97	9.92	34.15
AV	5.35G	53.32	54.00	-0.68	8.51	3	Vertical	190	2.60	-	44.81	32.70	9.97	34.16
PK	5.147G	60.98	74.00	-13.02	8.90	3	Vertical	190	2.60	-	52.08	33.20	9.83	34.13
PK	5.258G	107.65	Inf	-Inf	8.67	3	Vertical	190	2.60	-	98.98	32.92	9.90	34.15
PK	5.351G	72.25	74.00	-1.75	8.51	3	Vertical	190	2.60	-	63.74	32.70	9.97	34.16
PK	5.479G	59.88	68.20	-8.32	8.80	3	Vertical	190	2.60	-	51.08	32.96	10.03	34.19


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.33	54.00	-5.67	8.90	3	Horizontal	167	1.50	-	39.43	33.20	9.83	34.13
AV	5.259G	93.01	Inf	-Inf	8.67	3	Horizontal	167	1.50	-	84.34	32.92	9.90	34.15
AV	5.35G	50.98	54.00	-3.02	8.51	3	Horizontal	167	1.50	-	42.47	32.70	9.97	34.16
PK	5.113G	60.97	74.00	-13.03	8.89	3	Horizontal	167	1.50	-	52.08	33.20	9.81	34.12
PK	5.265G	108.77	Inf	-Inf	8.69	3	Horizontal	167	1.50	-	100.08	32.93	9.91	34.15
PK	5.353G	69.50	74.00	-4.50	8.52	3	Horizontal	167	1.50	-	60.98	32.71	9.97	34.16
PK	5.53G	59.81	68.20	-8.39	8.74	3	Horizontal	167	1.50	-	51.07	32.88	10.05	34.19

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5290MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8724G	47.51	54.00	-6.49	19.63	3	Vertical	22	1.07	-	27.88	38.32	15.93	34.62
PK	10.58032G	54.39	68.20	-13.81	17.18	3	Vertical	120	1.91	-	37.21	38.84	12.76	34.42
PK	15.87444G	61.48	74.00	-12.52	19.63	3	Vertical	22	1.07	-	41.85	38.32	15.93	34.62


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5290MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87412G	47.33	54.00	-6.67	19.63	3	Horizontal	242	2.68	-	27.70	38.32	15.93	34.62
PK	10.58242G	54.21	68.20	-13.99	17.19	3	Horizontal	126	2.14	-	37.02	38.85	12.76	34.42
PK	15.86864G	60.99	74.00	-13.01	19.61	3	Horizontal	242	2.68	-	41.38	38.31	15.92	34.62

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.29	54.00	-5.71	8.76	3	Vertical	185	1.50	-	39.53	32.92	10.02	34.18
AV	5.538G	95.23	Inf	-Inf	8.71	3	Vertical	185	1.50	-	86.52	32.85	10.05	34.19
PK	5.469G	67.78	68.20	-0.42	8.78	3	Vertical	185	1.50	-	59.00	32.94	10.02	34.18
PK	5.497G	109.53	Inf	-Inf	8.83	3	Vertical	185	1.50	-	100.70	32.99	10.03	34.19
PK	5.752G	60.52	68.20	-7.68	9.64	3	Vertical	185	1.50	-	50.88	33.70	10.15	34.21

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.72	54.00	-5.28	8.76	3	Horizontal	167	1.54	-	39.96	32.92	10.02	34.18
AV	5.553G	94.66	Inf	-Inf	8.68	3	Horizontal	167	1.54	-	85.98	32.82	10.05	34.19
PK	5.469G	67.76	68.20	-0.44	8.78	3	Horizontal	167	1.54	-	58.98	32.94	10.02	34.18
PK	5.503G	109.16	Inf	-Inf	8.84	3	Horizontal	167	1.54	-	100.32	32.99	10.04	34.19
PK	5.78G	60.13	68.20	-8.07	9.72	3	Horizontal	167	1.54	-	50.41	33.76	10.17	34.21




**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05924G	41.45	54.00	-12.55	17.70	3	Vertical	10	2.92	-	23.75	38.80	12.94	34.04
PK	11.05608G	55.01	74.00	-18.99	17.70	3	Vertical	10	2.92	-	37.31	38.80	12.94	34.04
PK	16.59282G	63.13	68.20	-5.07	20.63	3	Vertical	236	2.78	-	42.50	38.69	16.11	34.17


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX  
5530MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05632G	41.37	54.00	-12.63	17.70	3	Horizontal	136	2.79	-	23.67	38.80	12.94	34.04
PK	11.06006G	55.37	74.00	-18.63	17.70	3	Horizontal	136	2.79	-	37.67	38.80	12.94	34.04
PK	16.5855G	62.12	68.20	-6.08	20.62	3	Horizontal	301	1.73	-	41.50	38.69	16.11	34.18

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX


#### 5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	51.70	54.00	-2.30	8.76	3	Vertical	182	1.74	-	42.94	32.92	10.02	34.18
AV	5.596G	99.28	Inf	-Inf	8.95	3	Vertical	182	1.74	-	90.33	33.08	10.07	34.20
PK	5.467G	66.54	68.20	-1.66	8.77	3	Vertical	182	1.74	-	57.77	32.93	10.02	34.18
PK	5.577G	114.48	Inf	-Inf	8.83	3	Vertical	182	1.74	-	105.65	32.96	10.06	34.19
PK	5.73G	66.39	68.20	-1.81	9.52	3	Vertical	182	1.74	-	56.87	33.58	10.14	34.20


### 802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

#### 5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.31	54.00	-0.69	8.76	3	Horizontal	167	1.50	-	44.55	32.92	10.02	34.18
AV	5.613G	99.44	Inf	-Inf	9.03	3	Horizontal	167	1.50	-	90.41	33.15	10.08	34.20
PK	5.47G	66.92	68.20	-1.28	8.78	3	Horizontal	167	1.50	-	58.14	32.94	10.02	34.18
PK	5.614G	111.87	Inf	-Inf	9.04	3	Horizontal	167	1.50	-	102.83	33.16	10.08	34.20
PK	5.725G	67.69	68.20	-0.51	9.49	3	Horizontal	167	1.50	-	58.20	33.55	10.14	34.20

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22234G	41.85	54.00	-12.15	17.90	3	Vertical	207	1.15	-	23.95	38.94	13.01	34.05
PK	11.21724G	54.86	74.00	-19.14	17.88	3	Vertical	207	1.15	-	36.98	38.93	13.00	34.05
PK	16.83134G	61.33	68.20	-6.87	20.80	3	Vertical	48	2.13	-	40.53	38.33	16.15	33.68


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5610MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21656G	41.90	54.00	-12.10	17.88	3	Horizontal	224	2.27	-	24.02	38.93	13.00	34.05
PK	11.21634G	55.04	74.00	-18.96	17.88	3	Horizontal	224	2.27	-	37.16	38.93	13.00	34.05
PK	16.82968G	61.98	68.20	-6.22	20.80	3	Horizontal	286	1.72	-	41.18	38.33	16.15	33.68

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**


**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	52.55	54.00	-1.45	8.75	3	Vertical	170	1.71	-	43.80	32.91	10.02	34.18
AV	5.68G	100.51	Inf	-Inf	9.27	3	Vertical	170	1.71	-	91.24	33.36	10.11	34.20
PK	5.466G	66.83	68.20	-1.37	8.77	3	Vertical	170	1.71	-	58.06	32.93	10.02	34.18
PK	5.661G	116.01	Inf	-Inf	9.22	3	Vertical	170	1.71	-	106.79	33.32	10.10	34.20
PK	5.851G	64.62	68.20	-3.58	10.11	3	Vertical	170	1.71	-	54.51	34.10	10.22	34.21


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**

**5690MHz Straddle 5.47-5.725GHz\_TX**




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.05	54.00	-0.95	8.76	3	Horizontal	158	1.72	-	44.29	32.92	10.02	34.18
AV	5.677G	102.14	Inf	-Inf	9.26	3	Horizontal	158	1.72	-	92.88	33.35	10.11	34.20
PK	5.467G	67.43	68.20	-0.77	8.77	3	Horizontal	158	1.72	-	58.66	32.93	10.02	34.18
PK	5.663G	115.65	Inf	-Inf	9.23	3	Horizontal	158	1.72	-	106.42	33.33	10.10	34.20
PK	5.85G	67.57	68.20	-0.63	10.11	3	Horizontal	158	1.72	-	57.46	34.10	10.22	34.21

**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.375G	41.93	54.00	-12.07	18.12	3	Vertical	96	2.21	-	23.81	39.10	13.07	34.05
PK	11.38072G	55.06	74.00	-18.94	18.11	3	Vertical	96	2.21	-	36.95	39.10	13.07	34.06
PK	17.06774G	64.16	68.20	-4.04	21.31	3	Vertical	71	2.87	-	42.85	38.43	16.19	33.31


**802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX**  
**5690MHz Straddle 5.47-5.725GHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38038G	41.96	54.00	-12.04	18.11	3	Horizontal	298	2.43	-	23.85	39.10	13.07	34.06
PK	11.3789G	55.13	74.00	-18.87	18.11	3	Horizontal	298	2.43	-	37.02	39.10	13.07	34.06
PK	17.06722G	63.68	68.20	-4.52	21.31	3	Horizontal	318	2.26	-	42.37	38.43	16.19	33.31

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.44	54.00	-3.56	8.90	3	Vertical	193	2.85	-	41.54	33.20	9.83	34.13
AV	5.202G	90.86	Inf	-Inf	8.81	3	Vertical	193	2.85	-	82.05	33.09	9.86	34.14
AV	5.3556G	50.86	54.00	-3.14	8.52	3	Vertical	193	2.85	-	42.34	32.71	9.97	34.16
PK	5.1324G	68.31	74.00	-5.69	8.90	3	Vertical	193	2.85	-	59.41	33.20	9.82	34.12
PK	5.3004G	103.37	Inf	-Inf	8.78	3	Vertical	193	2.85	-	94.59	33.00	9.93	34.15
PK	5.3736G	71.14	74.00	-2.86	8.56	3	Vertical	193	2.85	-	62.58	32.75	9.98	34.17

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1444G	50.05	54.00	-3.95	8.90	3	Horizontal	167	1.68	-	41.15	33.20	9.83	34.13
AV	5.2692G	91.03	Inf	-Inf	8.70	3	Horizontal	167	1.68	-	82.33	32.94	9.91	34.15
AV	5.3568G	50.32	54.00	-3.68	8.52	3	Horizontal	167	1.68	-	41.80	32.71	9.97	34.16
PK	5.148G	70.77	74.00	-3.23	8.90	3	Horizontal	167	1.68	-	61.87	33.20	9.83	34.13
PK	5.244G	107.68	Inf	-Inf	8.67	3	Horizontal	167	1.68	-	99.01	32.92	9.89	34.14
PK	5.3844G	72.91	74.00	-1.09	8.59	3	Horizontal	167	1.68	-	64.32	32.77	9.99	34.17

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67544G	46.84	54.00	-7.16	19.59	3	Vertical	89	1.16	-	27.25	38.32	15.78	34.51
PK	10.51632G	54.06	68.20	-14.14	16.90	3	Vertical	240	1.84	-	37.16	38.65	12.73	34.48
PK	15.72024G	58.99	74.00	-15.01	19.46	3	Vertical	89	1.16	-	39.53	38.18	15.81	34.53

802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


5250MHz Straddle 5.25-5.35GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.73448G	46.50	54.00	-7.50	19.45	3	Horizontal	251	1.72	-	27.05	38.17	15.82	34.54
PK	10.51504G	55.27	68.20	-12.93	16.90	3	Horizontal	230	2.78	-	38.37	38.65	12.73	34.48
PK	15.77592G	59.14	74.00	-14.86	19.41	3	Horizontal	251	1.72	-	39.73	38.12	15.85	34.56

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


#### 5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3864G	48.68	54.00	-5.32	8.59	3	Vertical	180	1.74	-	40.09	32.77	9.99	34.17
AV	5.5952G	92.61	Inf	-Inf	8.94	3	Vertical	180	1.74	-	83.67	33.07	10.07	34.20
PK	5.4656G	59.74	68.20	-8.46	8.77	3	Vertical	180	1.74	-	50.97	32.93	10.02	34.18
PK	5.5928G	104.41	Inf	-Inf	8.93	3	Vertical	180	1.74	-	95.48	33.06	10.07	34.20
PK	5.7272G	61.22	68.20	-6.98	9.50	3	Vertical	180	1.74	-	51.72	33.56	10.14	34.20

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX


#### 5570MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.402G	49.22	54.00	-4.78	8.63	3	Horizontal	158	1.50	-	40.59	32.80	10.00	34.17
AV	5.6144G	91.99	Inf	-Inf	9.04	3	Horizontal	158	1.50	-	82.95	33.16	10.08	34.20
PK	5.4692G	66.87	68.20	-1.33	8.78	3	Horizontal	158	1.50	-	58.09	32.94	10.02	34.18
PK	5.5592G	108.62	Inf	-Inf	8.73	3	Horizontal	158	1.50	-	99.89	32.86	10.06	34.19
PK	5.7284G	62.49	68.20	-5.71	9.51	3	Horizontal	158	1.50	-	52.98	33.57	10.14	34.20




**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1848G	41.41	54.00	-12.59	17.82	3	Vertical	233	2.13	-	23.59	38.88	12.99	34.05
PK	11.14256G	53.51	74.00	-20.49	17.77	3	Vertical	233	2.13	-	35.74	38.84	12.98	34.05
PK	16.7676G	61.08	68.20	-7.12	20.82	3	Vertical	211	2.85	-	40.26	38.49	16.14	33.81

**802.11ax HEW160-BF\_Nss1,(MCS0)\_2TX  
5570MHz\_TX**



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2008G	41.36	54.00	-12.64	17.85	3	Horizontal	221	1.86	-	23.51	38.90	13.00	34.05
PK	11.17008G	53.43	74.00	-20.57	17.81	3	Horizontal	221	1.86	-	35.62	38.87	12.99	34.05
PK	16.64152G	60.84	68.20	-7.36	20.83	3	Horizontal	71	2.75	-	40.01	38.78	16.12	34.07