


802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5300MHz\_TX




EUT Y\_1TX Ant 2  
Setting 84  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90078G	56.55	74.00	-17.45	42.37	3	Horizontal	206	2.19	-	37.69	9.37	32.88
AV	15.89656G	43.08	54.00	-10.92	28.88	3	Horizontal	206	2.19	-	37.70	9.37	32.87

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5320MHz\_TX



EUT Y\_1TX Ant 2  
Setting 70  
02-E-B-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	114.81	Inf	-Inf	106.64	3	Vertical	360	1.42	-	33.72	6.06	31.61
AV	5.3184G	100.59	Inf	-Inf	92.42	3	Vertical	360	1.42	-	33.72	6.06	31.61
PK	5.35G	73.80	74.00	-0.20	65.55	3	Vertical	360	1.42	-	33.75	6.08	31.58
AV	5.3508G	51.41	54.00	-2.59	43.16	3	Vertical	360	1.42	-	33.75	6.08	31.58



802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5320MHz\_TX




EUT Y\_1TX Ant 2  
Setting 70  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	100.08	Inf	-Inf	91.91	3	Horizontal	341	1.28	-	33.72	6.06	31.61
AV	5.3232G	86.89	Inf	-Inf	78.71	3	Horizontal	341	1.28	-	33.72	6.06	31.60
PK	5.3512G	61.91	74.00	-12.09	53.66	3	Horizontal	341	1.28	-	33.75	6.08	31.58
AV	5.4192G	47.06	54.00	-6.94	38.65	3	Horizontal	341	1.28	-	33.82	6.12	31.53

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5320MHz\_TX




EUT Y\_1TX Ant 2  
Setting 70  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9553G	56.87	74.00	-17.13	42.83	3	Vertical	179	2.93	-	37.53	9.39	32.88
AV	15.95962G	42.34	54.00	-11.66	28.31	3	Vertical	179	2.93	-	37.52	9.39	32.88

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5320MHz\_TX




EUT Y\_1TX Ant 2  
Setting 70  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95898G	56.11	74.00	-17.89	42.08	3	Horizontal	86	1.41	-	37.52	9.39	32.88
AV	15.95998G	42.31	54.00	-11.69	28.28	3	Horizontal	86	1.41	-	37.52	9.39	32.88

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5500MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.57	74.00	-9.43	56.04	3	Vertical	0	1.58	-	33.86	6.17	31.50
AV	5.46G	48.29	54.00	-5.71	39.76	3	Vertical	0	1.58	-	33.86	6.17	31.50
PK	5.4668G	68.05	68.20	-0.15	59.51	3	Vertical	0	1.58	-	33.87	6.17	31.50
PK	5.4932G	114.40	Inf	-Inf	105.79	3	Vertical	0	1.58	-	33.89	6.20	31.48
AV	5.4928G	100.40	Inf	-Inf	91.79	3	Vertical	0	1.58	-	33.89	6.20	31.48

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5500MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4264G	60.53	74.00	-13.47	52.10	3	Horizontal	341	1.28	-	33.83	6.13	31.53
PK	5.4604G	60.63	68.20	-7.57	52.10	3	Horizontal	341	1.28	-	33.86	6.17	31.50
AV	5.4592G	47.24	54.00	-6.76	38.71	3	Horizontal	341	1.28	-	33.86	6.17	31.50
PK	5.4972G	101.43	Inf	-Inf	92.79	3	Horizontal	341	1.28	-	33.90	6.21	31.47
AV	5.4984G	87.51	Inf	-Inf	78.87	3	Horizontal	341	1.28	-	33.90	6.21	31.47

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5500MHz\_TX



EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00154G	52.44	74.00	-21.56	37.99	3	Vertical	187	1.37	-	38.50	8.71	32.76
AV	11.00238G	38.81	54.00	-15.19	24.36	3	Vertical	187	1.37	-	38.50	8.71	32.76



802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5500MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99682G	52.25	74.00	-21.75	37.80	3	Horizontal	243	1.94	-	38.50	8.71	32.76
AV	10.99924G	38.81	54.00	-15.19	24.36	3	Horizontal	243	1.94	-	38.50	8.71	32.76

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5580MHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	64.70	74.00	-9.30	56.25	3	Vertical	4	1.48	-	33.83	6.14	31.52
PK	5.4696G	65.86	68.20	-2.34	57.30	3	Vertical	4	1.48	-	33.87	6.18	31.49
AV	5.46G	49.68	54.00	-4.32	41.15	3	Vertical	4	1.48	-	33.86	6.17	31.50
PK	5.5768G	120.77	Inf	-Inf	112.06	3	Vertical	4	1.48	-	33.90	6.28	31.47
AV	5.5744G	107.36	Inf	-Inf	98.65	3	Vertical	4	1.48	-	33.90	6.28	31.47
PK	5.7472G	62.51	68.20	-5.69	53.80	3	Vertical	4	1.48	-	33.80	6.37	31.46

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5580MHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.428G	60.03	74.00	-13.97	51.60	3	Horizontal	339	1.26	-	33.83	6.13	31.53
PK	5.4672G	59.77	68.20	-8.43	51.23	3	Horizontal	339	1.26	-	33.87	6.17	31.50
AV	5.4592G	47.32	54.00	-6.68	38.79	3	Horizontal	339	1.26	-	33.86	6.17	31.50
PK	5.5768G	109.44	Inf	-Inf	100.73	3	Horizontal	339	1.26	-	33.90	6.28	31.47
AV	5.5784G	95.36	Inf	-Inf	86.65	3	Horizontal	339	1.26	-	33.90	6.28	31.47
PK	5.7328G	60.56	68.20	-7.64	51.85	3	Horizontal	339	1.26	-	33.80	6.37	31.46

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5580MHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15716G	53.61	74.00	-20.39	39.01	3	Vertical	310	2.28	-	38.63	8.76	32.79
AV	11.16378G	39.66	54.00	-14.34	25.06	3	Vertical	310	2.28	-	38.63	8.76	32.79

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5580MHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16392G	53.34	74.00	-20.66	38.74	3	Horizontal	72	2.58	-	38.63	8.76	32.79
AV	11.16416G	39.66	54.00	-14.34	25.06	3	Horizontal	72	2.58	-	38.63	8.76	32.79

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5700MHz\_TX




EUT Y\_1TX Ant 2  
Setting 50  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6968G	111.22	Inf	-Inf	102.53	3	Vertical	360	1.50	-	33.80	6.35	31.46
AV	5.7028G	97.36	Inf	-Inf	88.67	3	Vertical	360	1.50	-	33.80	6.35	31.46
PK	5.7256G	67.95	68.20	-0.25	59.25	3	Vertical	360	1.50	-	33.80	6.36	31.46

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5700MHz\_TX




EUT Y\_1TX Ant 2  
Setting 50  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	100.77	Inf	-Inf	92.08	3	Horizontal	336	1.56	-	33.80	6.35	31.46
AV	5.698G	87.00	Inf	-Inf	78.31	3	Horizontal	336	1.56	-	33.80	6.35	31.46
PK	5.726G	61.21	68.20	-6.99	52.51	3	Horizontal	336	1.56	-	33.80	6.36	31.46

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5700MHz\_TX



EUT Y\_1TX Ant 2  
Setting 50  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40298G	53.17	74.00	-20.83	38.35	3	Vertical	81	1.51	-	38.82	8.83	32.83
AV	11.405G	39.74	54.00	-14.26	24.92	3	Vertical	81	1.51	-	38.82	8.83	32.83



802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5700MHz\_TX




EUT Y\_1TX Ant 2  
Setting 50  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40102G	53.65	74.00	-20.35	38.83	3	Horizontal	82	1.84	-	38.82	8.83	32.83
AV	11.4011G	39.74	54.00	-14.26	24.92	3	Horizontal	82	1.84	-	38.82	8.83	32.83

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	61.92	74.00	-12.08	53.46	3	Vertical	360	1.35	-	33.84	6.14	31.52
PK	5.4668G	60.59	68.20	-7.61	52.05	3	Vertical	360	1.35	-	33.87	6.17	31.50
AV	5.4572G	48.05	54.00	-5.95	39.53	3	Vertical	360	1.35	-	33.86	6.16	31.50
PK	5.7176G	120.78	Inf	-Inf	112.08	3	Vertical	360	1.35	-	33.80	6.36	31.46
AV	5.7188G	106.54	Inf	-Inf	97.84	3	Vertical	360	1.35	-	33.80	6.36	31.46
PK	5.9396G	62.35	68.20	-5.85	53.33	3	Vertical	360	1.35	-	34.14	6.33	31.45

802.11ax HEW20\_Nss1,(MCS0)\_1TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX Ant 2  
Setting 90  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	60.50	74.00	-13.50	52.00	3	Horizontal	341	1.52	-	33.85	6.16	31.51
AV	5.4416G	47.26	54.00	-6.74	38.79	3	Horizontal	341	1.52	-	33.84	6.15	31.52
PK	5.4632G	59.95	68.20	-8.25	51.42	3	Horizontal	341	1.52	-	33.86	6.17	31.50
PK	5.7248G	109.80	Inf	-Inf	101.10	3	Horizontal	341	1.52	-	33.80	6.36	31.46
AV	5.7224G	96.07	Inf	-Inf	87.37	3	Horizontal	341	1.52	-	33.80	6.36	31.46
PK	5.9576G	60.44	68.20	-7.76	51.41	3	Horizontal	341	1.52	-	34.16	6.32	31.45

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_1TX Ant 2  
 Setting 90  
 02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44464G	53.22	74.00	-20.78	38.36	3	Vertical	74	1.35	-	38.86	8.84	32.84
AV	11.43604G	39.50	54.00	-14.50	24.65	3	Vertical	74	1.35	-	38.85	8.84	32.84

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_1TX Ant 2  
 Setting 90  
 02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44146G	53.16	74.00	-20.84	38.31	3	Horizontal	324	1.72	-	38.85	8.84	32.84
AV	11.44408G	39.48	54.00	-14.52	24.62	3	Horizontal	324	1.72	-	38.86	8.84	32.84

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5270MHz\_TX




EUT Y\_1TX Ant 2  
Setting 78  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	60.65	74.00	-13.35	52.96	3	Vertical	360	1.27	-	33.45	5.97	31.73
AV	5.1494G	48.61	54.00	-5.39	40.92	3	Vertical	360	1.27	-	33.45	5.97	31.73
PK	5.2754G	114.43	Inf	-Inf	106.38	3	Vertical	360	1.27	-	33.65	6.04	31.64
AV	5.276G	102.06	Inf	-Inf	94.01	3	Vertical	360	1.27	-	33.65	6.04	31.64
PK	5.3516G	69.09	74.00	-4.91	60.84	3	Vertical	360	1.27	-	33.75	6.08	31.58
AV	5.35G	53.78	54.00	-0.22	45.53	3	Vertical	360	1.27	-	33.75	6.08	31.58

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5270MHz\_TX




EUT Y\_1TX Ant 2  
Setting 78  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.94	74.00	-15.06	51.25	3	Horizontal	343	1.22	-	33.45	5.97	31.73
AV	5.1254G	47.61	54.00	-6.39	39.96	3	Horizontal	343	1.22	-	33.43	5.96	31.74
PK	5.2754G	101.37	Inf	-Inf	93.32	3	Horizontal	343	1.22	-	33.65	6.04	31.64
AV	5.276G	88.84	Inf	-Inf	80.79	3	Horizontal	343	1.22	-	33.65	6.04	31.64
PK	5.402G	60.13	74.00	-13.87	51.78	3	Horizontal	343	1.22	-	33.80	6.10	31.55
AV	5.3948G	48.70	54.00	-5.30	40.36	3	Horizontal	343	1.22	-	33.79	6.10	31.55

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5270MHz\_TX



EUT Y\_1TX Ant 2  
Setting 78  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80262G	56.49	74.00	-17.51	42.06	3	Vertical	157	2.13	-	37.97	9.33	32.87
AV	15.82158G	44.06	54.00	-9.94	29.67	3	Vertical	157	2.13	-	37.92	9.34	32.87



802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5270MHz\_TX




EUT Y\_1TX Ant 2  
Setting 78  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81432G	56.82	74.00	-17.18	42.41	3	Horizontal	134	1.85	-	37.94	9.34	32.87
AV	15.81018G	44.18	54.00	-9.82	29.76	3	Horizontal	134	1.85	-	37.95	9.34	32.87

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5310MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	110.85	Inf	-Inf	102.71	3	Vertical	360	1.42	-	33.71	6.05	31.62
AV	5.3152G	98.28	Inf	-Inf	90.11	3	Vertical	360	1.42	-	33.72	6.06	31.61
PK	5.3556G	72.49	74.00	-1.51	64.23	3	Vertical	360	1.42	-	33.76	6.08	31.58
AV	5.354G	53.50	54.00	-0.50	45.25	3	Vertical	360	1.42	-	33.75	6.08	31.58

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5310MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	97.57	Inf	-Inf	89.43	3	Horizontal	341	1.83	-	33.71	6.05	31.62
AV	5.3084G	84.97	Inf	-Inf	76.82	3	Horizontal	341	1.83	-	33.71	6.05	31.61
PK	5.35G	60.93	74.00	-13.07	52.68	3	Horizontal	341	1.83	-	33.75	6.08	31.58
AV	5.3548G	48.29	54.00	-5.71	40.04	3	Horizontal	341	1.83	-	33.75	6.08	31.58

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5310MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6347G	53.16	74.00	-20.84	38.50	3	Vertical	309	2.37	-	38.72	8.60	32.66
AV	10.62348G	41.41	54.00	-12.59	26.74	3	Vertical	309	2.37	-	38.73	8.59	32.65
PK	15.936G	56.11	74.00	-17.89	42.02	3	Vertical	164	1.56	-	37.59	9.38	32.88
AV	15.92052G	44.43	54.00	-9.57	30.31	3	Vertical	164	1.56	-	37.63	9.37	32.88

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5310MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61334G	53.76	74.00	-20.24	39.09	3	Horizontal	49	2.92	-	38.73	8.59	32.65
AV	10.62792G	41.16	54.00	-12.84	26.51	3	Horizontal	49	2.92	-	38.72	8.59	32.66
PK	15.93252G	56.05	74.00	-17.95	41.95	3	Horizontal	137	1.48	-	37.60	9.38	32.88
AV	15.94296G	43.89	54.00	-10.11	29.82	3	Horizontal	137	1.48	-	37.57	9.38	32.88

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5510MHz\_TX




EUT Y\_1TX Ant 2  
Setting 57  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	63.36	74.00	-10.64	54.85	3	Vertical	3	1.44	-	33.86	6.16	31.51
AV	5.4588G	49.77	54.00	-4.23	41.25	3	Vertical	3	1.44	-	33.86	6.16	31.50
PK	5.468G	68.00	68.20	-0.20	59.46	3	Vertical	3	1.44	-	33.87	6.17	31.50
PK	5.5068G	110.23	Inf	-Inf	101.58	3	Vertical	3	1.44	-	33.90	6.22	31.47
AV	5.5072G	97.64	Inf	-Inf	88.99	3	Vertical	3	1.44	-	33.90	6.22	31.47

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5510MHz\_TX




EUT Y\_1TX Ant 2  
Setting 57  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	61.29	74.00	-12.71	52.81	3	Horizontal	335	1.53	-	33.84	6.15	31.51
AV	5.4224G	48.49	54.00	-5.51	40.08	3	Horizontal	335	1.53	-	33.82	6.12	31.53
PK	5.4632G	60.12	68.20	-8.08	51.59	3	Horizontal	335	1.53	-	33.86	6.17	31.50
PK	5.5156G	96.79	Inf	-Inf	88.14	3	Horizontal	335	1.53	-	33.90	6.22	31.47
AV	5.5256G	84.75	Inf	-Inf	76.09	3	Horizontal	335	1.53	-	33.90	6.23	31.47

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5510MHz\_TX



EUT Y\_1TX Ant 2  
Setting 57  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03122G	52.38	74.00	-21.62	37.91	3	Vertical	188	2.67	-	38.52	8.72	32.77
AV	11.02384G	40.48	54.00	-13.52	26.00	3	Vertical	188	2.67	-	38.52	8.72	32.76



802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5510MHz\_TX




EUT Y\_1TX Ant 2  
Setting 57  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02918G	53.08	74.00	-20.92	38.61	3	Horizontal	141	1.51	-	38.52	8.72	32.77
AV	11.02774G	40.68	54.00	-13.32	26.20	3	Horizontal	141	1.51	-	38.52	8.72	32.76

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5550MHz\_TX




EUT Y\_1TX Ant 2  
Setting 76  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.56	74.00	-8.44	57.04	3	Vertical	358	1.28	-	33.86	6.16	31.50
AV	5.46G	51.26	54.00	-2.74	42.73	3	Vertical	358	1.28	-	33.86	6.17	31.50
PK	5.4672G	68.11	68.20	-0.09	59.57	3	Vertical	358	1.28	-	33.87	6.17	31.50
PK	5.5554G	115.13	Inf	-Inf	106.44	3	Vertical	358	1.28	-	33.90	6.26	31.47
AV	5.5554G	102.59	Inf	-Inf	93.90	3	Vertical	358	1.28	-	33.90	6.26	31.47

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5550MHz\_TX




EUT Y\_1TX Ant 2  
Setting 76  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	60.67	74.00	-13.33	52.17	3	Horizontal	331	1.63	-	33.85	6.16	31.51
AV	5.4144G	48.50	54.00	-5.50	40.11	3	Horizontal	331	1.63	-	33.81	6.12	31.54
PK	5.4666G	60.23	68.20	-7.97	51.69	3	Horizontal	331	1.63	-	33.87	6.17	31.50
PK	5.5524G	103.17	Inf	-Inf	94.48	3	Horizontal	331	1.63	-	33.90	6.26	31.47
AV	5.5554G	90.06	Inf	-Inf	81.37	3	Horizontal	331	1.63	-	33.90	6.26	31.47

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5550MHz\_TX




EUT Y\_1TX Ant 2  
Setting 76  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1021G	53.17	74.00	-20.83	38.63	3	Vertical	54	2.36	-	38.58	8.74	32.78
AV	11.10504G	41.24	54.00	-12.76	26.70	3	Vertical	54	2.36	-	38.58	8.74	32.78

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5550MHz\_TX




EUT Y\_1TX Ant 2  
Setting 76  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10312G	52.86	74.00	-21.14	38.32	3	Horizontal	31	1.77	-	38.58	8.74	32.78
AV	11.10846G	40.99	54.00	-13.01	26.44	3	Horizontal	31	1.77	-	38.59	8.74	32.78

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5670MHz\_TX




EUT Y\_1TX Ant 2  
Setting 69  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6752G	111.94	Inf	-Inf	103.24	3	Vertical	360	1.42	-	33.82	6.34	31.46
AV	5.6756G	99.25	Inf	-Inf	90.55	3	Vertical	360	1.42	-	33.82	6.34	31.46
PK	5.7256G	67.65	68.20	-0.55	58.95	3	Vertical	360	1.42	-	33.80	6.36	31.46

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5670MHz\_TX




EUT Y\_1TX Ant 2  
Setting 69  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6752G	101.06	Inf	-Inf	92.36	3	Horizontal	336	1.80	-	33.82	6.34	31.46
AV	5.6756G	88.57	Inf	-Inf	79.87	3	Horizontal	336	1.80	-	33.82	6.34	31.46
PK	5.75G	61.52	68.20	-6.68	52.81	3	Horizontal	336	1.80	-	33.80	6.37	31.46

802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5670MHz\_TX



EUT Y\_1TX Ant 2  
Setting 69  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35464G	53.26	74.00	-20.74	38.49	3	Vertical	330	1.54	-	38.78	8.81	32.82
AV	11.34954G	40.67	54.00	-13.33	25.90	3	Vertical	330	1.54	-	38.78	8.81	32.82



802.11ax HEW40\_Nss1,(MCS0)\_1TX

25/09/2020

5670MHz\_TX




EUT Y\_1TX Ant 2  
Setting 69  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33604G	52.67	74.00	-21.33	37.91	3	Horizontal	108	2.62	-	38.77	8.81	32.82
AV	11.32734G	40.86	54.00	-13.14	26.12	3	Horizontal	108	2.62	-	38.76	8.80	32.82

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_1TX Ant 2  
 Setting 93  
 02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	63.81	74.00	-10.19	55.29	3	Vertical	0	1.41	-	33.86	6.16	31.50
AV	5.4592G	50.06	54.00	-3.94	41.53	3	Vertical	0	1.41	-	33.86	6.17	31.50
PK	5.4628G	63.70	68.20	-4.50	55.17	3	Vertical	0	1.41	-	33.86	6.17	31.50
PK	5.7184G	116.40	Inf	-Inf	107.70	3	Vertical	0	1.41	-	33.80	6.36	31.46
AV	5.7148G	104.64	Inf	-Inf	95.94	3	Vertical	0	1.41	-	33.80	6.36	31.46
PK	5.8576G	67.96	68.20	-0.24	59.07	3	Vertical	0	1.41	-	33.97	6.37	31.45

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_1TX Ant 2  
 Setting 93  
 02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4208G	60.34	74.00	-13.66	51.93	3	Horizontal	338	1.80	-	33.82	6.12	31.53
AV	5.4292G	48.31	54.00	-5.69	39.88	3	Horizontal	338	1.80	-	33.83	6.13	31.53
PK	5.4688G	59.45	68.20	-8.75	50.89	3	Horizontal	338	1.80	-	33.87	6.18	31.49
PK	5.7184G	105.92	Inf	-Inf	97.22	3	Horizontal	338	1.80	-	33.80	6.36	31.46
AV	5.722G	94.20	Inf	-Inf	85.50	3	Horizontal	338	1.80	-	33.80	6.36	31.46
PK	5.8552G	62.00	68.20	-6.20	53.11	3	Horizontal	338	1.80	-	33.97	6.37	31.45

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_1TX Ant 2  
 Setting 93  
 02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43398G	53.77	74.00	-20.23	38.92	3	Vertical	55	1.80	-	38.85	8.84	32.84
AV	11.42306G	41.68	54.00	-12.32	26.85	3	Vertical	55	1.80	-	38.84	8.83	32.84

802.11ax HEW40\_Nss1,(MCS0)\_1TX  
5710MHz Straddle 5.47-5.725GHz\_TX

25/09/2020




EUT Y\_1TX Ant 2  
Setting 93  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41244G	53.86	74.00	-20.14	39.03	3	Horizontal	243	2.54	-	38.83	8.83	32.83
AV	11.42906G	41.23	54.00	-12.77	26.40	3	Horizontal	243	2.54	-	38.84	8.83	32.84

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5290MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	60.51	74.00	-13.49	52.83	3	Vertical	360	1.52	-	33.44	5.97	31.73
AV	5.142G	48.24	54.00	-5.76	40.56	3	Vertical	360	1.52	-	33.44	5.97	31.73
PK	5.3012G	107.26	Inf	-Inf	99.13	3	Vertical	360	1.52	-	33.70	6.05	31.62
AV	5.3012G	95.50	Inf	-Inf	87.37	3	Vertical	360	1.52	-	33.70	6.05	31.62
PK	5.3684G	72.16	74.00	-1.84	63.88	3	Vertical	360	1.52	-	33.77	6.08	31.57
AV	5.35G	53.93	54.00	-0.07	45.70	3	Vertical	360	1.52	-	33.75	6.07	31.59

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5290MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1076G	58.80	74.00	-15.20	51.19	3	Horizontal	353	1.04	-	33.41	5.95	31.75
AV	5.1284G	47.20	54.00	-6.80	39.55	3	Horizontal	353	1.04	-	33.43	5.96	31.74
PK	5.3012G	94.22	Inf	-Inf	86.09	3	Horizontal	353	1.04	-	33.70	6.05	31.62
AV	5.3012G	82.56	Inf	-Inf	74.43	3	Horizontal	353	1.04	-	33.70	6.05	31.62
PK	5.3516G	60.87	74.00	-13.13	52.62	3	Horizontal	353	1.04	-	33.75	6.08	31.58
AV	5.426G	48.53	54.00	-5.47	40.10	3	Horizontal	353	1.04	-	33.83	6.13	31.53

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5290MHz\_TX



EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85686G	56.86	74.00	-17.14	42.56	3	Vertical	264	1.80	-	37.82	9.35	32.87
AV	15.8676G	44.19	54.00	-9.81	29.92	3	Vertical	264	1.80	-	37.78	9.36	32.87



802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5290MHz\_TX




EUT Y\_1TX Ant 2  
Setting 64  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8655G	56.81	74.00	-17.19	42.53	3	Horizontal	38	1.80	-	37.79	9.36	32.87
AV	15.87078G	44.25	54.00	-9.75	29.99	3	Horizontal	38	1.80	-	37.77	9.36	32.87

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5530MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	65.89	74.00	-8.11	57.37	3	Vertical	4	1.50	-	33.86	6.16	31.50
AV	5.46G	50.78	54.00	-3.22	42.25	3	Vertical	4	1.50	-	33.86	6.17	31.50
PK	5.469G	68.08	68.20	-0.12	59.52	3	Vertical	4	1.50	-	33.87	6.18	31.49
PK	5.533G	107.48	Inf	-Inf	98.81	3	Vertical	4	1.50	-	33.90	6.24	31.47
AV	5.542G	95.77	Inf	-Inf	87.09	3	Vertical	4	1.50	-	33.90	6.25	31.47
PK	5.743G	60.77	68.20	-7.43	52.06	3	Vertical	4	1.50	-	33.80	6.37	31.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5530MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	59.96	74.00	-14.04	51.50	3	Horizontal	333	1.80	-	33.84	6.14	31.52
AV	5.452G	48.60	54.00	-5.40	40.10	3	Horizontal	333	1.80	-	33.85	6.16	31.51
PK	5.467G	60.49	68.20	-7.71	51.95	3	Horizontal	333	1.80	-	33.87	6.17	31.50
PK	5.547G	95.06	Inf	-Inf	86.38	3	Horizontal	333	1.80	-	33.90	6.25	31.47
AV	5.545G	83.17	Inf	-Inf	74.49	3	Horizontal	333	1.80	-	33.90	6.25	31.47
PK	5.763G	60.83	68.20	-7.37	52.11	3	Horizontal	333	1.80	-	33.80	6.38	31.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5530MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05556G	53.02	74.00	-20.98	38.52	3	Vertical	254	2.92	-	38.54	8.73	32.77
AV	11.04584G	40.55	54.00	-13.45	26.06	3	Vertical	254	2.92	-	38.54	8.72	32.77

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5530MHz\_TX




EUT Y\_1TX Ant 2  
Setting 61  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05064G	52.78	74.00	-21.22	38.29	3	Horizontal	326	2.83	-	38.54	8.72	32.77
AV	11.07086G	40.78	54.00	-13.22	26.26	3	Horizontal	326	2.83	-	38.56	8.73	32.77

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5610MHz\_TX




EUT Y\_1TX Ant 2  
Setting 75  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	63.78	74.00	-10.22	55.28	3	Vertical	7	1.46	-	33.85	6.16	31.51
AV	5.46G	52.20	54.00	-1.80	43.67	3	Vertical	7	1.46	-	33.86	6.17	31.50
PK	5.468G	65.39	68.20	-2.81	56.85	3	Vertical	7	1.46	-	33.87	6.17	31.50
PK	5.614G	110.54	Inf	-Inf	101.81	3	Vertical	7	1.46	-	33.89	6.31	31.47
AV	5.621G	98.28	Inf	-Inf	89.56	3	Vertical	7	1.46	-	33.88	6.31	31.47
PK	5.725G	68.17	68.20	-0.03	59.47	3	Vertical	7	1.46	-	33.80	6.36	31.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5610MHz\_TX




EUT Y\_1TX Ant 2  
Setting 75  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.427G	59.93	74.00	-14.07	51.50	3	Horizontal	334	1.44	-	33.83	6.13	31.53
AV	5.448G	48.47	54.00	-5.53	39.98	3	Horizontal	334	1.44	-	33.85	6.15	31.51
PK	5.47G	59.92	68.20	-8.28	51.36	3	Horizontal	334	1.44	-	33.87	6.18	31.49
PK	5.612G	98.70	Inf	-Inf	89.97	3	Horizontal	334	1.44	-	33.89	6.31	31.47
AV	5.601G	87.05	Inf	-Inf	78.32	3	Horizontal	334	1.44	-	33.90	6.30	31.47
PK	5.73G	61.68	68.20	-6.52	52.98	3	Horizontal	334	1.44	-	33.80	6.36	31.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5610MHz\_TX



EUT Y\_1TX Ant 2  
Setting 75  
02-E-B-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23152G	52.72	74.00	-21.28	38.05	3	Vertical	27	2.02	-	38.69	8.78	32.80
AV	11.229G	40.73	54.00	-13.27	26.07	3	Vertical	27	2.02	-	38.68	8.78	32.80



802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5610MHz\_TX




EUT Y\_1TX Ant 2  
Setting 75  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20752G	52.79	74.00	-21.21	38.15	3	Horizontal	175	1.84	-	38.67	8.77	32.80
AV	11.23194G	40.72	54.00	-13.28	26.05	3	Horizontal	175	1.84	-	38.69	8.78	32.80

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX Ant 2  
Setting 86  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	63.71	74.00	-10.29	55.19	3	Vertical	360	1.39	-	33.86	6.16	31.50
AV	5.4584G	52.46	54.00	-1.54	43.94	3	Vertical	360	1.39	-	33.86	6.16	31.50
PK	5.4692G	64.90	68.20	-3.30	56.34	3	Vertical	360	1.39	-	33.87	6.18	31.49
PK	5.7008G	112.32	Inf	-Inf	103.63	3	Vertical	360	1.39	-	33.80	6.35	31.46
AV	5.672G	100.28	Inf	-Inf	91.57	3	Vertical	360	1.39	-	33.83	6.34	31.46
PK	5.8712G	67.96	68.20	-0.24	59.04	3	Vertical	360	1.39	-	34.01	6.36	31.45

802.11ax HEW80\_Nss1,(MCS0)\_1TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_1TX Ant 2  
Setting 86  
02-E-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4164G	59.83	74.00	-14.17	51.43	3	Horizontal	336	1.54	-	33.82	6.12	31.54
AV	5.432G	48.45	54.00	-5.55	40.00	3	Horizontal	336	1.54	-	33.83	6.14	31.52
PK	5.47G	60.24	68.20	-7.96	51.68	3	Horizontal	336	1.54	-	33.87	6.18	31.49
PK	5.702G	101.82	Inf	-Inf	93.13	3	Horizontal	336	1.54	-	33.80	6.35	31.46
AV	5.6984G	89.74	Inf	-Inf	81.05	3	Horizontal	336	1.54	-	33.80	6.35	31.46
PK	5.8868G	61.12	68.20	-7.08	52.15	3	Horizontal	336	1.54	-	34.06	6.36	31.45

802.11ax HEW80\_Nss1,(MCS0)\_1TX  
5690MHz Straddle 5.47-5.725GHz\_TX

25/09/2020




EUT Y\_1TX Ant 2  
Setting 86  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3824G	53.68	74.00	-20.32	38.88	3	Vertical	84	1.80	-	38.81	8.82	32.83
AV	11.38912G	41.12	54.00	-12.88	26.32	3	Vertical	84	1.80	-	38.81	8.82	32.83

802.11ax HEW80\_Nss1,(MCS0)\_1TX  
5690MHz Straddle 5.47-5.725GHz\_TX

25/09/2020



EUT Y\_1TX Ant 2  
Setting 86  
02-E-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37046G	54.46	74.00	-19.54	39.67	3	Horizontal	83	1.80	-	38.80	8.82	32.83
AV	11.37508G	41.47	54.00	-12.53	26.68	3	Horizontal	83	1.80	-	38.80	8.82	32.83




For non beamforming mode 2TX  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3512G	53.98	54.00	-0.02	3	Vertical	266	1.43	-

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.77	74.00	-11.23	57.55	3	Vertical	360	1.51	-	33.04	4.98	32.80
AV	5.1488G	47.67	54.00	-6.33	42.44	3	Vertical	360	1.51	-	33.05	4.98	32.80
PK	5.2664G	121.43	Inf	-Inf	115.98	3	Vertical	360	1.51	-	33.17	5.03	32.75
AV	5.2568G	111.45	Inf	-Inf	106.02	3	Vertical	360	1.51	-	33.16	5.03	32.76
PK	5.35G	72.44	74.00	-1.56	66.74	3	Vertical	360	1.51	-	33.35	5.07	32.72
AV	5.35G	53.26	54.00	-0.74	47.56	3	Vertical	360	1.51	-	33.35	5.07	32.72

### 802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

### 5260MHz\_TX



EUT Y\_2TX  
Setting 92  
04-D-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0736G	58.21	74.00	-15.79	53.04	3	Horizontal	357	2.96	-	33.03	4.96	32.82
AV	5.0824G	45.12	54.00	-8.88	39.96	3	Horizontal	357	2.96	-	33.02	4.96	32.82
PK	5.2592G	112.47	Inf	-Inf	107.04	3	Horizontal	357	2.96	-	33.16	5.03	32.76
AV	5.2576G	102.55	Inf	-Inf	97.12	3	Horizontal	357	2.96	-	33.16	5.03	32.76
PK	5.3568G	61.66	74.00	-12.34	55.94	3	Horizontal	357	2.96	-	33.37	5.07	32.72
AV	5.3512G	46.72	54.00	-7.28	41.02	3	Horizontal	357	2.96	-	33.35	5.07	32.72



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5260MHz\_TX



EUT Y\_2TX  
Setting 92  
04-D-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52264G	55.99	68.20	-12.21	42.70	3	Vertical	347	1.25	-	39.02	7.71	33.44
PK	15.7798G	59.49	74.00	-14.51	46.20	3	Vertical	335	1.80	-	38.84	8.87	34.42
AV	15.7798G	46.56	54.00	-7.44	33.27	3	Vertical	335	1.80	-	38.84	8.87	34.42



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51892G	56.82	68.20	-11.38	43.52	3	Horizontal	40	2.17	-	39.02	7.71	33.43
PK	15.7711G	59.10	74.00	-14.90	45.80	3	Horizontal	296	1.03	-	38.85	8.87	34.42
AV	15.7801G	46.25	54.00	-7.75	32.96	3	Horizontal	296	1.03	-	38.84	8.87	34.42

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 82  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.297G	118.36	Inf	-Inf	112.85	3	Vertical	360	1.43	-	33.20	5.05	32.74
AV	5.3018G	108.96	Inf	-Inf	103.44	3	Vertical	360	1.43	-	33.21	5.05	32.74
PK	5.351G	73.76	74.00	-0.24	68.06	3	Vertical	360	1.43	-	33.35	5.07	32.72
AV	5.351G	53.20	54.00	-0.80	47.50	3	Vertical	360	1.43	-	33.35	5.07	32.72

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 82  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2934G	108.86	Inf	-Inf	103.36	3	Horizontal	354	2.95	-	33.19	5.05	32.74
AV	5.2982G	99.61	Inf	-Inf	94.10	3	Horizontal	354	2.95	-	33.20	5.05	32.74
PK	5.3528G	65.24	74.00	-8.76	59.53	3	Horizontal	354	2.95	-	33.36	5.07	32.72
AV	5.3528G	46.51	54.00	-7.49	40.80	3	Horizontal	354	2.95	-	33.36	5.07	32.72

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 82  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60204G	55.67	74.00	-18.33	42.32	3	Vertical	304	1.80	-	39.08	7.76	33.49
AV	10.60152G	42.18	54.00	-11.82	28.83	3	Vertical	304	1.80	-	39.08	7.76	33.49
PK	15.89868G	57.37	74.00	-16.63	44.26	3	Vertical	0	2.34	-	38.71	8.90	34.50
AV	15.89958G	44.15	54.00	-9.85	31.04	3	Vertical	0	2.34	-	38.71	8.90	34.50

### 802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

### 5300MHz\_TX




EUT Y\_2TX  
Setting 82  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6001G	55.76	74.00	-18.24	42.41	3	Horizontal	73	1.79	-	39.08	7.76	33.49
AV	10.60106G	42.11	54.00	-11.89	28.76	3	Horizontal	73	1.79	-	39.08	7.76	33.49
PK	15.88536G	57.21	74.00	-16.79	44.08	3	Horizontal	47	1.80	-	38.73	8.89	34.49
AV	15.8934G	44.21	54.00	-9.79	31.10	3	Horizontal	47	1.80	-	38.72	8.89	34.50

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	115.75	Inf	-Inf	110.17	3	Vertical	0	1.61	-	33.25	5.06	32.73
AV	5.3224G	106.59	Inf	-Inf	100.99	3	Vertical	0	1.61	-	33.27	5.06	32.73
PK	5.3518G	73.83	74.00	-0.17	68.12	3	Vertical	0	1.61	-	33.36	5.07	32.72
AV	5.3524G	53.75	54.00	-0.25	48.04	3	Vertical	0	1.61	-	33.36	5.07	32.72
PK	5.46G	58.00	68.20	-10.20	51.90	3	Vertical	0	1.61	-	33.68	5.10	32.68

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5320MHz\_TX



EUT Y\_2TX  
Setting 73  
04-D-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	106.77	Inf	-Inf	101.17	3	Horizontal	344	1.94	-	33.27	5.06	32.73
AV	5.3242G	97.48	Inf	-Inf	91.88	3	Horizontal	344	1.94	-	33.27	5.06	32.73
PK	5.35G	66.00	74.00	-8.00	60.30	3	Horizontal	344	1.94	-	33.35	5.07	32.72
AV	5.35G	48.31	54.00	-5.69	42.61	3	Horizontal	344	1.94	-	33.35	5.07	32.72
PK	5.46G	57.07	68.20	-11.13	50.97	3	Horizontal	344	1.94	-	33.68	5.10	32.68



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5320MHz\_TX



EUT Y\_2TX  
Setting 73  
04-D-P-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.642G	54.66	74.00	-19.34	41.28	3	Vertical	77	1.82	-	39.11	7.79	33.52
AV	10.64026G	41.30	54.00	-12.70	27.92	3	Vertical	77	1.82	-	39.11	7.79	33.52
PK	15.96128G	56.70	74.00	-17.30	43.69	3	Vertical	230	1.80	-	38.64	8.91	34.54
AV	15.9566G	42.44	54.00	-11.56	29.42	3	Vertical	230	1.80	-	38.65	8.91	34.54



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64382G	54.50	74.00	-19.50	41.11	3	Horizontal	265	2.27	-	39.12	7.79	33.52
AV	10.64492G	41.47	54.00	-12.53	28.08	3	Horizontal	265	2.27	-	39.12	7.79	33.52
PK	15.96G	55.81	74.00	-18.19	42.80	3	Horizontal	255	1.80	-	38.64	8.91	34.54
AV	15.9616G	42.85	54.00	-11.15	29.84	3	Horizontal	255	1.80	-	38.64	8.91	34.54

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	59.07	74.00	-14.93	52.99	3	Vertical	343	1.60	-	33.66	5.10	32.68
AV	5.4512G	46.36	54.00	-7.64	40.29	3	Vertical	343	1.60	-	33.65	5.10	32.68
PK	5.4696G	67.59	68.20	-0.61	61.45	3	Vertical	343	1.60	-	33.71	5.11	32.68
PK	5.496G	112.82	Inf	-Inf	106.58	3	Vertical	343	1.60	-	33.79	5.12	32.67
AV	5.4956G	103.61	Inf	-Inf	97.37	3	Vertical	343	1.60	-	33.79	5.12	32.67

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5500MHz\_TX



EUT Y\_2TX  
Setting 58  
04-D-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	58.40	74.00	-15.60	52.30	3	Horizontal	343	1.90	-	33.68	5.10	32.68
AV	5.4412G	45.13	54.00	-8.87	39.10	3	Horizontal	343	1.90	-	33.62	5.10	32.69
PK	5.4692G	60.51	68.20	-7.69	54.37	3	Horizontal	343	1.90	-	33.71	5.11	32.68
PK	5.504G	103.29	Inf	-Inf	97.03	3	Horizontal	343	1.90	-	33.81	5.12	32.67
AV	5.504G	94.12	Inf	-Inf	87.86	3	Horizontal	343	1.90	-	33.81	5.12	32.67



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00364G	54.80	74.00	-19.20	41.15	3	Vertical	92	2.27	-	39.40	8.03	33.78
AV	11.00116G	41.90	54.00	-12.10	28.25	3	Vertical	92	2.27	-	39.40	8.03	33.78

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99768G	54.98	74.00	-19.02	41.33	3	Horizontal	273	1.29	-	39.40	8.03	33.78
AV	10.99902G	42.03	54.00	-11.97	28.38	3	Horizontal	273	1.29	-	39.40	8.03	33.78

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 89  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	61.27	74.00	-12.73	55.19	3	Vertical	355	1.54	-	33.66	5.10	32.68
PK	5.4624G	61.72	68.20	-6.48	55.61	3	Vertical	355	1.54	-	33.69	5.10	32.68
AV	5.4592G	48.32	54.00	-5.68	42.22	3	Vertical	355	1.54	-	33.68	5.10	32.68
PK	5.5816G	120.53	Inf	-Inf	114.12	3	Vertical	355	1.54	-	33.96	5.15	32.70
AV	5.5824G	110.76	Inf	-Inf	104.35	3	Vertical	355	1.54	-	33.96	5.15	32.70
PK	5.7696G	60.52	68.20	-7.68	53.80	3	Vertical	355	1.54	-	34.24	5.23	32.75

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5580MHz\_TX



EUT Y\_2TX  
Setting 89  
04-D-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4304G	57.36	74.00	-16.64	51.37	3	Horizontal	330	1.37	-	33.59	5.09	32.69
PK	5.4656G	57.12	68.20	-11.08	50.99	3	Horizontal	330	1.37	-	33.70	5.11	32.68
AV	5.4576G	45.40	54.00	-8.60	39.31	3	Horizontal	330	1.37	-	33.67	5.10	32.68
PK	5.5776G	110.74	Inf	-Inf	104.33	3	Horizontal	330	1.37	-	33.96	5.15	32.70
AV	5.5784G	100.80	Inf	-Inf	94.39	3	Horizontal	330	1.37	-	33.96	5.15	32.70
PK	5.7472G	57.63	68.20	-10.57	50.97	3	Horizontal	330	1.37	-	34.19	5.22	32.75



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 89  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16384G	54.88	74.00	-19.12	41.42	3	Vertical	45	1.07	-	39.32	8.02	33.88
AV	11.16174G	41.94	54.00	-12.06	28.48	3	Vertical	45	1.07	-	39.32	8.02	33.88
PK	16.74018G	58.44	68.20	-9.76	43.29	3	Vertical	246	2.34	-	40.23	9.42	34.50

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 89  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1587G	55.14	74.00	-18.86	41.68	3	Horizontal	273	2.13	-	39.32	8.02	33.88
AV	11.15944G	41.84	54.00	-12.16	28.38	3	Horizontal	273	2.13	-	39.32	8.02	33.88
PK	16.73718G	58.97	68.20	-9.23	43.83	3	Horizontal	225	1.28	-	40.22	9.42	34.50

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	57.65	74.00	-16.35	51.57	3	Vertical	360	1.49	-	33.66	5.10	32.68
AV	5.4528G	46.05	54.00	-7.95	39.97	3	Vertical	360	1.49	-	33.66	5.10	32.68
PK	5.4636G	57.31	68.20	-10.89	51.19	3	Vertical	360	1.49	-	33.69	5.11	32.68
PK	5.6928G	112.39	Inf	-Inf	105.84	3	Vertical	360	1.49	-	34.09	5.20	32.74
AV	5.6976G	103.22	Inf	-Inf	96.66	3	Vertical	360	1.49	-	34.10	5.20	32.74
PK	5.7264G	67.29	68.20	-0.91	60.68	3	Vertical	360	1.49	-	34.15	5.21	32.75

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 89  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	57.04	74.00	-16.96	51.00	3	Horizontal	330	1.39	-	33.63	5.10	32.69
PK	5.4612G	56.76	68.20	-11.44	50.66	3	Horizontal	330	1.39	-	33.68	5.10	32.68
AV	5.4564G	45.04	54.00	-8.96	38.95	3	Horizontal	330	1.39	-	33.67	5.10	32.68
PK	5.694G	100.52	Inf	-Inf	93.97	3	Horizontal	330	1.39	-	34.09	5.20	32.74
AV	5.7036G	91.86	Inf	-Inf	85.29	3	Horizontal	330	1.39	-	34.11	5.20	32.74
PK	5.7672G	59.15	68.20	-9.05	52.44	3	Horizontal	330	1.39	-	34.23	5.23	32.75

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4017G	54.48	74.00	-19.52	41.29	3	Vertical	51	1.68	-	39.20	8.01	34.02
AV	11.39572G	41.50	54.00	-12.50	28.31	3	Vertical	51	1.68	-	39.20	8.01	34.02
PK	17.09876G	58.84	68.20	-9.36	42.80	3	Vertical	336	2.04	-	40.89	9.62	34.47

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40354G	54.92	74.00	-19.08	41.73	3	Horizontal	90	2.07	-	39.20	8.01	34.02
AV	11.39924G	41.41	54.00	-12.59	28.22	3	Horizontal	90	2.07	-	39.20	8.01	34.02
PK	17.0992G	59.06	68.20	-9.14	43.02	3	Horizontal	268	2.44	-	40.89	9.62	34.47

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	63.64	74.00	-10.36	57.57	3	Vertical	0	1.45	-	33.65	5.10	32.68
AV	5.4536G	47.13	54.00	-6.87	41.05	3	Vertical	0	1.45	-	33.66	5.10	32.68
PK	5.4644G	61.86	68.20	-6.34	55.74	3	Vertical	0	1.45	-	33.69	5.11	32.68
PK	5.7272G	120.45	Inf	-Inf	113.84	3	Vertical	0	1.45	-	34.15	5.21	32.75
AV	5.7176G	109.74	Inf	-Inf	103.13	3	Vertical	0	1.45	-	34.14	5.21	32.74
PK	5.8652G	64.86	68.20	-3.34	57.69	3	Vertical	0	1.45	-	34.69	5.27	32.79

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 92  
04-D-P-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4236G	57.77	74.00	-16.23	51.80	3	Horizontal	335	1.55	-	33.57	5.09	32.69
AV	5.4452G	45.17	54.00	-8.83	39.12	3	Horizontal	335	1.55	-	33.64	5.10	32.69
PK	5.4668G	56.99	68.20	-11.21	50.86	3	Horizontal	335	1.55	-	33.70	5.11	32.68
PK	5.7188G	108.73	Inf	-Inf	102.12	3	Horizontal	335	1.55	-	34.14	5.21	32.74
AV	5.714G	97.83	Inf	-Inf	91.23	3	Horizontal	335	1.55	-	34.13	5.21	32.74
PK	5.9756G	57.71	68.20	-10.49	50.02	3	Horizontal	335	1.55	-	35.20	5.31	32.82



802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4359G	55.39	74.00	-18.61	42.24	3	Vertical	317	1.10	-	39.18	8.01	34.04
AV	11.44444G	41.32	54.00	-12.68	28.18	3	Vertical	317	1.10	-	39.18	8.01	34.05
PK	17.16142G	60.39	68.20	-7.81	44.29	3	Vertical	339	1.71	-	40.95	9.63	34.48

802.11a\_Nss1,(6Mbps)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4436G	54.49	74.00	-19.51	41.35	3	Horizontal	119	2.13	-	39.18	8.01	34.05
AV	11.44408G	41.13	54.00	-12.87	27.99	3	Horizontal	119	2.13	-	39.18	8.01	34.05
PK	17.16018G	60.44	68.20	-7.76	44.35	3	Horizontal	112	1.76	-	40.94	9.63	34.48

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	62.59	74.00	-11.41	57.36	3	Vertical	249	2.17	-	33.05	4.98	32.80
AV	5.1488G	48.24	54.00	-5.76	43.01	3	Vertical	249	2.17	-	33.05	4.98	32.80
PK	5.2528G	120.97	Inf	-Inf	115.55	3	Vertical	249	2.17	-	33.15	5.03	32.76
AV	5.2632G	109.02	Inf	-Inf	103.58	3	Vertical	249	2.17	-	33.16	5.03	32.75
PK	5.3576G	67.77	74.00	-6.23	62.05	3	Vertical	249	2.17	-	33.37	5.07	32.72
AV	5.3528G	53.02	54.00	-0.98	47.31	3	Vertical	249	2.17	-	33.36	5.07	32.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	56.77	74.00	-17.23	51.54	3	Horizontal	258	2.72	-	33.05	4.98	32.80
AV	5.1472G	44.66	54.00	-9.34	39.43	3	Horizontal	258	2.72	-	33.05	4.98	32.80
PK	5.2568G	113.19	Inf	-Inf	107.76	3	Horizontal	258	2.72	-	33.16	5.03	32.76
AV	5.2544G	100.53	Inf	-Inf	95.11	3	Horizontal	258	2.72	-	33.15	5.03	32.76
PK	5.3576G	60.06	74.00	-13.94	54.34	3	Horizontal	258	2.72	-	33.37	5.07	32.72
AV	5.3512G	46.66	54.00	-7.34	40.96	3	Horizontal	258	2.72	-	33.35	5.07	32.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7828G	58.33	74.00	-15.67	45.04	3	Vertical	128	2.34	-	38.84	8.87	34.42
AV	15.78276G	45.14	54.00	-8.86	31.85	3	Vertical	128	2.34	-	38.84	8.87	34.42

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78248G	58.63	74.00	-15.37	45.34	3	Horizontal	330	1.51	-	38.84	8.87	34.42
AV	15.78456G	45.22	54.00	-8.78	31.94	3	Horizontal	330	1.51	-	38.84	8.87	34.43

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2984G	119.39	Inf	-Inf	113.88	3	Vertical	266	1.43	-	33.20	5.05	32.74
AV	5.2984G	107.84	Inf	-Inf	102.33	3	Vertical	266	1.43	-	33.20	5.05	32.74
PK	5.3536G	72.63	74.00	-1.37	66.92	3	Vertical	266	1.43	-	33.36	5.07	32.72
AV	5.3512G	53.98	54.00	-0.02	48.28	3	Vertical	266	1.43	-	33.35	5.07	32.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX



EUT Y\_2TX  
Setting 80  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	111.86	Inf	-Inf	106.35	3	Horizontal	250	2.09	-	33.20	5.05	32.74
AV	5.3016G	99.06	Inf	-Inf	93.55	3	Horizontal	250	2.09	-	33.20	5.05	32.74
PK	5.3512G	65.79	74.00	-8.21	60.09	3	Horizontal	250	2.09	-	33.35	5.07	32.72
AV	5.3516G	47.59	54.00	-6.41	41.89	3	Horizontal	250	2.09	-	33.35	5.07	32.72



802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89112G	58.66	74.00	-15.34	45.55	3	Vertical	136	1.57	-	38.72	8.89	34.50
AV	15.89256G	44.84	54.00	-9.16	31.73	3	Vertical	136	1.57	-	38.72	8.89	34.50

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90836G	58.74	74.00	-15.26	45.65	3	Horizontal	258	1.30	-	38.70	8.90	34.51
AV	15.89804G	44.88	54.00	-9.12	31.77	3	Horizontal	258	1.30	-	38.71	8.90	34.50

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	115.70	Inf	-Inf	110.14	3	Vertical	272	1.48	-	33.24	5.05	32.73
AV	5.3188G	104.01	Inf	-Inf	98.42	3	Vertical	272	1.48	-	33.26	5.06	32.73
PK	5.3536G	73.33	74.00	-0.67	67.62	3	Vertical	272	1.48	-	33.36	5.07	32.72
AV	5.3512G	50.53	54.00	-3.47	44.83	3	Vertical	272	1.48	-	33.35	5.07	32.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	106.31	Inf	-Inf	100.73	3	Horizontal	252	1.80	-	33.25	5.06	32.73
AV	5.322G	93.80	Inf	-Inf	88.20	3	Horizontal	252	1.80	-	33.27	5.06	32.73
PK	5.3516G	63.72	74.00	-10.28	58.02	3	Horizontal	252	1.80	-	33.35	5.07	32.72
AV	5.352G	45.50	54.00	-8.50	39.79	3	Horizontal	252	1.80	-	33.36	5.07	32.72

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63064G	54.43	74.00	-19.57	41.06	3	Vertical	199	2.44	-	39.10	7.78	33.51
AV	10.63008G	41.60	54.00	-12.40	28.23	3	Vertical	199	2.44	-	39.10	7.78	33.51

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64076G	54.81	74.00	-19.19	41.43	3	Horizontal	190	1.74	-	39.11	7.79	33.52
AV	10.64388G	41.58	54.00	-12.42	28.19	3	Horizontal	190	1.74	-	39.12	7.79	33.52

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 60  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.01	74.00	-9.99	57.91	3	Vertical	255	1.44	-	33.68	5.10	32.68
AV	5.46G	46.14	54.00	-7.86	40.04	3	Vertical	255	1.44	-	33.68	5.10	32.68
PK	5.468G	67.69	68.20	-0.51	61.56	3	Vertical	255	1.44	-	33.70	5.11	32.68
PK	5.4932G	115.45	Inf	-Inf	109.22	3	Vertical	255	1.44	-	33.78	5.12	32.67
AV	5.5028G	103.26	Inf	-Inf	97.00	3	Vertical	255	1.44	-	33.81	5.12	32.67

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX



EUT Y\_2TX  
Setting 60  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.21	74.00	-16.79	51.11	3	Horizontal	244	1.75	-	33.68	5.10	32.68
AV	5.4568G	44.36	54.00	-9.64	38.27	3	Horizontal	244	1.75	-	33.67	5.10	32.68
PK	5.4672G	60.74	68.20	-7.46	54.61	3	Horizontal	244	1.75	-	33.70	5.11	32.68
PK	5.4968G	107.02	Inf	-Inf	100.78	3	Horizontal	244	1.75	-	33.79	5.12	32.67
AV	5.4948G	93.89	Inf	-Inf	87.66	3	Horizontal	244	1.75	-	33.78	5.12	32.67



802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 60  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00064G	55.33	74.00	-18.67	41.68	3	Vertical	94	1.65	-	39.40	8.03	33.78
AV	11.00552G	42.36	54.00	-11.64	28.71	3	Vertical	94	1.65	-	39.40	8.03	33.78

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 60  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00936G	56.17	74.00	-17.83	42.53	3	Horizontal	45	2.43	-	39.40	8.03	33.79
AV	11.00308G	42.28	54.00	-11.72	28.63	3	Horizontal	45	2.43	-	39.40	8.03	33.78

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 90  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	66.88	74.00	-7.12	60.78	3	Vertical	248	1.50	-	33.68	5.10	32.68
AV	5.46G	51.92	54.00	-2.08	45.82	3	Vertical	248	1.50	-	33.68	5.10	32.68
PK	5.4656G	67.66	68.20	-0.54	61.53	3	Vertical	248	1.50	-	33.70	5.11	32.68
PK	5.5728G	121.01	Inf	-Inf	114.61	3	Vertical	248	1.50	-	33.95	5.15	32.70
AV	5.5856G	109.40	Inf	-Inf	102.98	3	Vertical	248	1.50	-	33.97	5.15	32.70
PK	5.7416G	63.95	68.20	-4.25	57.30	3	Vertical	248	1.50	-	34.18	5.22	32.75

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 90  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	57.63	74.00	-16.37	51.54	3	Horizontal	242	1.80	-	33.67	5.10	32.68
AV	5.4584G	45.43	54.00	-8.57	39.33	3	Horizontal	242	1.80	-	33.68	5.10	32.68
PK	5.4688G	58.35	68.20	-9.85	52.21	3	Horizontal	242	1.80	-	33.71	5.11	32.68
PK	5.5768G	111.80	Inf	-Inf	105.40	3	Horizontal	242	1.80	-	33.95	5.15	32.70
AV	5.5848G	99.36	Inf	-Inf	92.94	3	Horizontal	242	1.80	-	33.97	5.15	32.70
PK	5.7704G	60.09	68.20	-8.11	53.37	3	Horizontal	242	1.80	-	34.24	5.23	32.75

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 90  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16032G	56.55	74.00	-17.45	43.09	3	Vertical	281	1.97	-	39.32	8.02	33.88
AV	11.16808G	42.41	54.00	-11.59	28.95	3	Vertical	281	1.97	-	39.32	8.02	33.88

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 90  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16344G	55.20	74.00	-18.80	41.74	3	Horizontal	163	1.82	-	39.32	8.02	33.88
AV	11.1694G	42.67	54.00	-11.33	29.21	3	Horizontal	163	1.82	-	39.32	8.02	33.88

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	112.46	Inf	-Inf	105.91	3	Vertical	251	1.44	-	34.09	5.20	32.74
AV	5.7032G	100.09	Inf	-Inf	93.52	3	Vertical	251	1.44	-	34.11	5.20	32.74
PK	5.7252G	67.05	68.20	-1.15	60.44	3	Vertical	251	1.44	-	34.15	5.21	32.75

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX



EUT Y\_2TX  
Setting 49  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	100.44	Inf	-Inf	93.87	3	Horizontal	244	1.82	-	34.11	5.20	32.74
AV	5.7052G	88.64	Inf	-Inf	82.07	3	Horizontal	244	1.82	-	34.11	5.20	32.74



802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX



EUT Y\_2TX  
Setting 49  
04-D-R-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40416G	54.69	74.00	-19.31	41.50	3	Vertical	73	2.00	-	39.20	8.01	34.02
AV	11.39072G	41.60	54.00	-12.40	28.40	3	Vertical	73	2.00	-	39.20	8.01	34.01



802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3998G	54.83	74.00	-19.17	41.64	3	Horizontal	146	1.55	-	39.20	8.01	34.02
AV	11.4044G	41.51	54.00	-12.49	28.32	3	Horizontal	146	1.55	-	39.20	8.01	34.02

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	61.47	74.00	-12.53	55.39	3	Vertical	251	1.47	-	33.66	5.10	32.68
AV	5.456G	47.23	54.00	-6.77	41.14	3	Vertical	251	1.47	-	33.67	5.10	32.68
PK	5.4644G	61.34	68.20	-6.86	55.22	3	Vertical	251	1.47	-	33.69	5.11	32.68
PK	5.7128G	121.41	Inf	-Inf	114.81	3	Vertical	251	1.47	-	34.13	5.21	32.74
AV	5.7128G	108.96	Inf	-Inf	102.36	3	Vertical	251	1.47	-	34.13	5.21	32.74
PK	5.8772G	67.68	68.20	-0.52	60.44	3	Vertical	251	1.47	-	34.76	5.27	32.79

802.11ax HEW20\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 92  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	55.82	74.00	-18.18	49.77	3	Horizontal	234	2.03	-	33.64	5.10	32.69
PK	5.4608G	56.14	68.20	-12.06	50.04	3	Horizontal	234	2.03	-	33.68	5.10	32.68
AV	5.4596G	44.30	54.00	-9.70	38.20	3	Horizontal	234	2.03	-	33.68	5.10	32.68
PK	5.7176G	109.48	Inf	-Inf	102.87	3	Horizontal	234	2.03	-	34.14	5.21	32.74
AV	5.7152G	97.48	Inf	-Inf	90.88	3	Horizontal	234	2.03	-	34.13	5.21	32.74
PK	5.9408G	58.82	68.20	-9.38	51.27	3	Horizontal	234	2.03	-	35.06	5.30	32.81

**802.11ax HEW20\_Nss1,(MCS0)\_2TX**  
**5720MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_2TX  
 Setting 92  
 04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44668G	55.26	74.00	-18.74	42.12	3	Vertical	116	1.95	-	39.18	8.01	34.05
AV	11.44844G	41.64	54.00	-12.36	28.50	3	Vertical	116	1.95	-	39.18	8.01	34.05

802.11ax HEW20\_Nss1,(MCS0)\_2TX  
5720MHz Straddle 5.47-5.725GHz\_TX

25/09/2020




EUT Y\_2TX  
Setting 92  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44944G	55.34	74.00	-18.66	42.20	3	Horizontal	296	2.17	-	39.18	8.01	34.05
AV	11.44568G	41.55	54.00	-12.45	28.41	3	Horizontal	296	2.17	-	39.18	8.01	34.05

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 74  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2752G	116.52	Inf	-Inf	111.05	3	Vertical	266	1.60	-	33.18	5.04	32.75
AV	5.2756G	105.08	Inf	-Inf	99.61	3	Vertical	266	1.60	-	33.18	5.04	32.75
PK	5.3536G	69.66	74.00	-4.34	63.95	3	Vertical	266	1.60	-	33.36	5.07	32.72
AV	5.3512G	53.11	54.00	-0.89	47.41	3	Vertical	266	1.60	-	33.35	5.07	32.72

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX



EUT Y\_2TX  
Setting 74  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2668G	108.98	Inf	-Inf	103.53	3	Horizontal	253	1.88	-	33.17	5.03	32.75
AV	5.2768G	96.69	Inf	-Inf	91.22	3	Horizontal	253	1.88	-	33.18	5.04	32.75
PK	5.352G	62.01	74.00	-11.99	56.30	3	Horizontal	253	1.88	-	33.36	5.07	32.72
AV	5.35G	48.18	54.00	-5.82	42.48	3	Horizontal	253	1.88	-	33.35	5.07	32.72



802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 74  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81784G	58.08	74.00	-15.92	44.85	3	Vertical	225	1.41	-	38.80	8.88	34.45
AV	15.81224G	45.67	54.00	-8.33	32.43	3	Vertical	225	1.41	-	38.81	8.87	34.44

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 74  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81024G	57.95	74.00	-16.05	44.71	3	Horizontal	168	2.14	-	38.81	8.87	34.44
AV	15.82G	45.62	54.00	-8.38	32.39	3	Horizontal	168	2.14	-	38.80	8.88	34.45

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 59  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	111.98	Inf	-Inf	106.39	3	Vertical	268	1.47	-	33.26	5.06	32.73
AV	5.3084G	100.76	Inf	-Inf	95.22	3	Vertical	268	1.47	-	33.23	5.05	32.74
PK	5.3508G	73.27	74.00	-0.73	67.57	3	Vertical	268	1.47	-	33.35	5.07	32.72
AV	5.3508G	52.29	54.00	-1.71	46.59	3	Vertical	268	1.47	-	33.35	5.07	32.72

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 59  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	105.08	Inf	-Inf	99.55	3	Horizontal	241	2.16	-	33.22	5.05	32.74
AV	5.304G	92.47	Inf	-Inf	86.95	3	Horizontal	241	2.16	-	33.21	5.05	32.74
PK	5.3508G	64.64	74.00	-9.36	58.94	3	Horizontal	241	2.16	-	33.35	5.07	32.72
AV	5.3536G	47.25	54.00	-6.75	41.54	3	Horizontal	241	2.16	-	33.36	5.07	32.72

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 59  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61004G	55.36	74.00	-18.64	42.00	3	Vertical	190	1.70	-	39.09	7.77	33.50
AV	10.61288G	42.40	54.00	-11.60	29.04	3	Vertical	190	1.70	-	39.09	7.77	33.50

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 59  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61304G	54.64	74.00	-19.36	41.28	3	Horizontal	265	1.73	-	39.09	7.77	33.50
AV	10.62196G	42.41	54.00	-11.59	29.04	3	Horizontal	265	1.73	-	39.10	7.78	33.51

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	61.80	74.00	-12.20	55.71	3	Vertical	249	1.70	-	33.67	5.10	32.68
AV	5.458G	48.76	54.00	-5.24	42.67	3	Vertical	249	1.70	-	33.67	5.10	32.68
PK	5.4628G	65.08	68.20	-3.12	58.96	3	Vertical	249	1.70	-	33.69	5.11	32.68
PK	5.5152G	113.66	Inf	-Inf	107.38	3	Vertical	249	1.70	-	33.83	5.13	32.68
AV	5.5156G	101.06	Inf	-Inf	94.78	3	Vertical	249	1.70	-	33.83	5.13	32.68

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX



EUT Y\_2TX  
Setting 53  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4252G	58.17	74.00	-15.83	52.19	3	Horizontal	245	1.57	-	33.58	5.09	32.69
PK	5.4632G	58.27	68.20	-9.93	52.15	3	Horizontal	245	1.57	-	33.69	5.11	32.68
AV	5.4484G	46.62	54.00	-7.38	40.56	3	Horizontal	245	1.57	-	33.65	5.10	32.69
PK	5.5068G	104.58	Inf	-Inf	98.32	3	Horizontal	245	1.57	-	33.81	5.12	32.67
AV	5.5044G	92.16	Inf	-Inf	85.90	3	Horizontal	245	1.57	-	33.81	5.12	32.67



802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02156G	55.95	74.00	-18.05	42.32	3	Vertical	106	1.99	-	39.39	8.03	33.79
AV	11.02664G	43.41	54.00	-10.59	29.79	3	Vertical	106	1.99	-	39.39	8.03	33.80

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01428G	55.85	74.00	-18.15	42.22	3	Horizontal	121	2.33	-	39.39	8.03	33.79
AV	11.02796G	43.40	54.00	-10.60	29.78	3	Horizontal	121	2.33	-	39.39	8.03	33.80

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	64.82	74.00	-9.18	58.73	3	Vertical	260	1.47	-	33.67	5.10	32.68
AV	5.458G	50.58	54.00	-3.42	44.49	3	Vertical	260	1.47	-	33.67	5.10	32.68
PK	5.466G	67.55	68.20	-0.65	61.42	3	Vertical	260	1.47	-	33.70	5.11	32.68
PK	5.5556G	116.75	Inf	-Inf	110.39	3	Vertical	260	1.47	-	33.91	5.14	32.69
AV	5.5556G	105.29	Inf	-Inf	98.93	3	Vertical	260	1.47	-	33.91	5.14	32.69

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	61.24	74.00	-12.76	55.16	3	Horizontal	244	1.76	-	33.66	5.10	32.68
AV	5.4572G	48.16	54.00	-5.84	42.07	3	Horizontal	244	1.76	-	33.67	5.10	32.68
PK	5.4672G	61.88	68.20	-6.32	55.75	3	Horizontal	244	1.76	-	33.70	5.11	32.68
PK	5.5468G	108.50	Inf	-Inf	102.16	3	Horizontal	244	1.76	-	33.89	5.14	32.69
AV	5.5372G	96.54	Inf	-Inf	90.22	3	Horizontal	244	1.76	-	33.87	5.13	32.68

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.092G	55.28	74.00	-18.72	41.74	3	Vertical	203	2.52	-	39.35	8.03	33.84
AV	11.09896G	43.23	54.00	-10.77	29.69	3	Vertical	203	2.52	-	39.35	8.03	33.84

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 73  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10264G	54.55	74.00	-19.45	41.02	3	Horizontal	305	1.59	-	39.35	8.02	33.84
AV	11.10736G	42.99	54.00	-11.01	29.46	3	Horizontal	305	1.59	-	39.35	8.02	33.84

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 66  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	115.75	Inf	-Inf	109.22	3	Vertical	264	1.45	-	34.07	5.19	32.73
AV	5.676G	103.15	Inf	-Inf	96.61	3	Vertical	264	1.45	-	34.08	5.19	32.73
PK	5.726G	67.63	68.20	-0.57	61.02	3	Vertical	264	1.45	-	34.15	5.21	32.75

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX



EUT Y\_2TX  
Setting 66  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6668G	105.05	Inf	-Inf	98.52	3	Horizontal	247	1.52	-	34.07	5.19	32.73
AV	5.6644G	92.99	Inf	-Inf	86.47	3	Horizontal	247	1.52	-	34.06	5.19	32.73
PK	5.728G	60.62	68.20	-7.58	54.00	3	Horizontal	247	1.52	-	34.16	5.21	32.75



802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 66  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33476G	54.99	74.00	-19.01	41.73	3	Vertical	144	1.37	-	39.23	8.01	33.98
AV	11.3494G	42.54	54.00	-11.46	29.29	3	Vertical	144	1.37	-	39.23	8.01	33.99

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 66  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34192G	54.51	74.00	-19.49	41.26	3	Horizontal	32	1.43	-	39.23	8.01	33.99
AV	11.33324G	42.37	54.00	-11.63	29.11	3	Horizontal	32	1.43	-	39.23	8.01	33.98

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_2TX  
 Setting 91  
 04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	59.88	74.00	-14.12	53.82	3	Vertical	251	1.42	-	33.65	5.10	32.69
PK	5.4676G	59.54	68.20	-8.66	53.41	3	Vertical	251	1.42	-	33.70	5.11	32.68
AV	5.46G	47.69	54.00	-6.31	41.59	3	Vertical	251	1.42	-	33.68	5.10	32.68
PK	5.7076G	119.13	Inf	-Inf	112.55	3	Vertical	251	1.42	-	34.12	5.20	32.74
AV	5.7052G	107.71	Inf	-Inf	101.14	3	Vertical	251	1.42	-	34.11	5.20	32.74
PK	5.8576G	67.98	68.20	-0.22	60.85	3	Vertical	251	1.42	-	34.65	5.26	32.78

802.11ax HEW40\_Nss1,(MCS0)\_2TX

25/09/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 91  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4316G	57.30	74.00	-16.70	51.31	3	Horizontal	245	1.69	-	33.59	5.09	32.69
AV	5.4412G	45.62	54.00	-8.38	39.59	3	Horizontal	245	1.69	-	33.62	5.10	32.69
PK	5.464G	56.64	68.20	-11.56	50.52	3	Horizontal	245	1.69	-	33.69	5.11	32.68
PK	5.698G	107.35	Inf	-Inf	100.79	3	Horizontal	245	1.69	-	34.10	5.20	32.74
AV	5.7004G	96.30	Inf	-Inf	89.74	3	Horizontal	245	1.69	-	34.10	5.20	32.74
PK	5.8528G	59.59	68.20	-8.61	52.49	3	Horizontal	245	1.69	-	34.62	5.26	32.78

**802.11ax HEW40\_Nss1,(MCS0)\_2TX**  
**5710MHz Straddle 5.47-5.725GHz\_TX**

25/09/2020




EUT Y\_2TX  
 Setting 91  
 04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41336G	54.23	74.00	-19.77	41.06	3	Vertical	176	1.81	-	39.19	8.01	34.03
AV	11.41228G	42.18	54.00	-11.82	29.01	3	Vertical	176	1.81	-	39.19	8.01	34.03

802.11ax HEW40\_Nss1,(MCS0)\_2TX  
5710MHz Straddle 5.47-5.725GHz\_TX

25/09/2020




EUT Y\_2TX  
Setting 91  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42008G	54.80	74.00	-19.20	41.63	3	Horizontal	161	2.18	-	39.19	8.01	34.03
AV	11.421G	42.18	54.00	-11.82	29.01	3	Horizontal	161	2.18	-	39.19	8.01	34.03

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	57.51	74.00	-16.49	52.28	3	Vertical	257	1.62	-	33.05	4.98	32.80
AV	5.15G	46.61	54.00	-7.39	41.38	3	Vertical	257	1.62	-	33.05	4.98	32.80
PK	5.2932G	109.13	Inf	-Inf	103.63	3	Vertical	257	1.62	-	33.19	5.05	32.74
AV	5.2756G	97.66	Inf	-Inf	92.19	3	Vertical	257	1.62	-	33.18	5.04	32.75
PK	5.3564G	71.15	74.00	-2.85	65.43	3	Vertical	257	1.62	-	33.37	5.07	32.72
AV	5.3508G	53.51	54.00	-0.49	47.81	3	Vertical	257	1.62	-	33.35	5.07	32.72
PK	5.462G	58.26	68.20	-9.94	52.15	3	Vertical	257	1.62	-	33.69	5.10	32.68

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX



EUT Y\_2TX  
Setting 61  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1108G	56.76	74.00	-17.24	51.59	3	Horizontal	256	1.86	-	33.01	4.97	32.81
AV	5.0924G	44.59	54.00	-9.41	39.42	3	Horizontal	256	1.86	-	33.01	4.97	32.81
PK	5.302G	100.35	Inf	-Inf	94.83	3	Horizontal	256	1.86	-	33.21	5.05	32.74
AV	5.2796G	89.02	Inf	-Inf	83.55	3	Horizontal	256	1.86	-	33.18	5.04	32.75
PK	5.3652G	63.29	74.00	-10.71	57.53	3	Horizontal	256	1.86	-	33.40	5.07	32.71
AV	5.3524G	47.49	54.00	-6.51	41.78	3	Horizontal	256	1.86	-	33.36	5.07	32.72
PK	5.4788G	57.72	68.20	-10.48	51.55	3	Horizontal	256	1.86	-	33.74	5.11	32.68



802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87608G	58.14	74.00	-15.86	45.00	3	Vertical	286	2.34	-	38.74	8.89	34.49
AV	15.86304G	45.82	54.00	-8.18	32.66	3	Vertical	286	2.34	-	38.75	8.89	34.48

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 61  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86968G	58.88	74.00	-15.12	45.73	3	Horizontal	36	1.27	-	38.74	8.89	34.48
AV	15.86668G	45.84	54.00	-8.16	32.68	3	Horizontal	36	1.27	-	38.75	8.89	34.48

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 57  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3436G	58.59	68.20	-9.61	52.92	3	Vertical	256	1.55	-	33.33	5.06	32.72
PK	5.4532G	66.00	74.00	-8.00	59.92	3	Vertical	256	1.55	-	33.66	5.10	32.68
AV	5.4564G	49.71	54.00	-4.29	43.62	3	Vertical	256	1.55	-	33.67	5.10	32.68
PK	5.4652G	67.46	68.20	-0.74	61.33	3	Vertical	256	1.55	-	33.70	5.11	32.68
PK	5.5332G	111.33	Inf	-Inf	105.01	3	Vertical	256	1.55	-	33.87	5.13	32.68
AV	5.538G	99.22	Inf	-Inf	92.89	3	Vertical	256	1.55	-	33.88	5.14	32.69
PK	5.7276G	59.34	68.20	-8.86	52.72	3	Vertical	256	1.55	-	34.16	5.21	32.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 57  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	57.43	68.20	-10.77	51.80	3	Horizontal	246	1.58	-	33.30	5.06	32.73
PK	5.4292G	58.82	74.00	-15.18	52.83	3	Horizontal	246	1.58	-	33.59	5.09	32.69
AV	5.4484G	47.03	54.00	-6.97	40.97	3	Horizontal	246	1.58	-	33.65	5.10	32.69
PK	5.4692G	58.57	68.20	-9.63	52.43	3	Horizontal	246	1.58	-	33.71	5.11	32.68
PK	5.5276G	101.73	Inf	-Inf	95.42	3	Horizontal	246	1.58	-	33.86	5.13	32.68
AV	5.5196G	90.38	Inf	-Inf	84.09	3	Horizontal	246	1.58	-	33.84	5.13	32.68
PK	5.73G	57.31	68.20	-10.89	50.69	3	Horizontal	246	1.58	-	34.16	5.21	32.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 57  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06672G	55.36	74.00	-18.64	41.78	3	Vertical	93	2.04	-	39.37	8.03	33.82
AV	11.05144G	43.23	54.00	-10.77	29.64	3	Vertical	93	2.04	-	39.37	8.03	33.81

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 57  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05032G	55.27	74.00	-18.73	41.68	3	Horizontal	194	2.58	-	39.37	8.03	33.81
AV	11.0642G	43.13	54.00	-10.87	29.55	3	Horizontal	194	2.58	-	39.37	8.03	33.82

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 71  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.46	74.00	-9.54	58.37	3	Vertical	263	1.49	-	33.67	5.10	32.68
AV	5.458G	51.71	54.00	-2.29	45.62	3	Vertical	263	1.49	-	33.67	5.10	32.68
PK	5.4612G	64.91	68.20	-3.29	58.81	3	Vertical	263	1.49	-	33.68	5.10	32.68
PK	5.6212G	113.63	Inf	-Inf	107.16	3	Vertical	263	1.49	-	34.02	5.17	32.72
AV	5.6012G	102.22	Inf	-Inf	95.77	3	Vertical	263	1.49	-	34.00	5.16	32.71
PK	5.726G	68.15	68.20	-0.05	61.54	3	Vertical	263	1.49	-	34.15	5.21	32.75

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5610MHz\_TX



EUT Y\_2TX  
Setting 71  
04-D-R-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4444G	59.01	74.00	-14.99	52.97	3	Horizontal	244	1.57	-	33.63	5.10	32.69
AV	5.454G	47.91	54.00	-6.09	41.83	3	Horizontal	244	1.57	-	33.66	5.10	32.68
PK	5.4692G	59.04	68.20	-9.16	52.90	3	Horizontal	244	1.57	-	33.71	5.11	32.68
PK	5.5924G	104.61	Inf	-Inf	98.18	3	Horizontal	244	1.57	-	33.98	5.16	32.71
AV	5.5996G	93.11	Inf	-Inf	86.66	3	Horizontal	244	1.57	-	34.00	5.16	32.71
PK	5.73G	60.02	68.20	-8.18	53.40	3	Horizontal	244	1.57	-	34.16	5.21	32.75



802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 71  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21476G	55.09	74.00	-18.91	41.69	3	Vertical	22	1.34	-	39.29	8.02	33.91
AV	11.22628G	42.91	54.00	-11.09	29.52	3	Vertical	22	1.34	-	39.29	8.02	33.92

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 71  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22152G	55.01	74.00	-18.99	41.61	3	Horizontal	17	1.39	-	39.29	8.02	33.91
AV	11.22988G	42.87	54.00	-11.13	29.48	3	Horizontal	17	1.39	-	39.29	8.02	33.92

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 81  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	115.80	Inf	-Inf	109.25	3	Vertical	255	1.50	-	34.09	5.20	32.74
AV	5.698G	103.44	Inf	-Inf	96.88	3	Vertical	255	1.50	-	34.10	5.20	32.74
PK	5.854G	67.96	68.20	-0.24	60.86	3	Vertical	255	1.50	-	34.62	5.26	32.78

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 81  
04-D-R-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	104.00	Inf	-Inf	97.45	3	Horizontal	239	1.97	-	34.09	5.20	32.74
AV	5.6828G	92.42	Inf	-Inf	85.88	3	Horizontal	239	1.97	-	34.08	5.19	32.73
PK	5.874G	59.23	68.20	-8.97	52.01	3	Horizontal	239	1.97	-	34.74	5.27	32.79

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 81  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38644G	55.22	74.00	-18.78	42.01	3	Vertical	229	1.69	-	39.21	8.01	34.01
AV	11.37484G	42.77	54.00	-11.23	29.55	3	Vertical	229	1.69	-	39.21	8.01	34.00

802.11ax HEW80\_Nss1,(MCS0)\_2TX

25/09/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 81  
04-D-R-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38604G	55.79	74.00	-18.21	42.58	3	Horizontal	231	1.80	-	39.21	8.01	34.01
AV	11.37936G	42.63	54.00	-11.37	29.42	3	Horizontal	231	1.80	-	39.21	8.01	34.01




For beamforming mode 2TX  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.7258G	68.15	68.20	-0.05	3	Vertical	349	1.63	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX



EUT Y\_2TX  
Setting 91  
02-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	61.24	74.00	-12.76	53.56	3	Vertical	352	1.70	-	33.44	5.97	31.73
AV	5.15G	49.35	54.00	-4.65	41.66	3	Vertical	352	1.70	-	33.45	5.97	31.73
PK	5.254G	125.31	Inf	-Inf	117.32	3	Vertical	352	1.70	-	33.61	6.03	31.65
AV	5.2534G	113.96	Inf	-Inf	105.97	3	Vertical	352	1.70	-	33.61	6.03	31.65
PK	5.3512G	67.23	74.00	-6.77	58.98	3	Vertical	352	1.70	-	33.75	6.08	31.58
AV	5.3536G	52.67	54.00	-1.33	44.42	3	Vertical	352	1.70	-	33.75	6.08	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	59.28	74.00	-14.72	51.63	3	Horizontal	321	1.55	-	33.43	5.96	31.74
AV	5.15G	47.11	54.00	-6.89	39.42	3	Horizontal	321	1.55	-	33.45	5.97	31.73
PK	5.254G	116.40	Inf	-Inf	108.41	3	Horizontal	321	1.55	-	33.61	6.03	31.65
AV	5.2552G	103.63	Inf	-Inf	95.64	3	Horizontal	321	1.55	-	33.61	6.03	31.65
PK	5.3512G	63.47	74.00	-10.53	55.22	3	Horizontal	321	1.55	-	33.75	6.08	31.58
AV	5.3518G	49.22	54.00	-4.78	40.97	3	Horizontal	321	1.55	-	33.75	6.08	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78282G	56.30	74.00	-17.70	41.81	3	Vertical	326	3.00	-	38.03	9.33	32.87
AV	15.76524G	43.79	54.00	-10.21	29.26	3	Vertical	326	3.00	-	38.08	9.32	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5260MHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7803G	57.45	74.00	-16.55	42.95	3	Horizontal	167	1.27	-	38.04	9.33	32.87
AV	15.77046G	44.44	54.00	-9.56	29.92	3	Horizontal	167	1.27	-	38.07	9.32	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3088G	121.38	Inf	-Inf	113.23	3	Vertical	324	1.80	-	33.71	6.05	31.61
AV	5.3068G	109.66	Inf	-Inf	101.52	3	Vertical	324	1.80	-	33.71	6.05	31.62
PK	5.3572G	72.31	74.00	-1.69	64.05	3	Vertical	324	1.80	-	33.76	6.08	31.58
AV	5.35G	53.58	54.00	-0.42	45.33	3	Vertical	324	1.80	-	33.75	6.08	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	116.57	Inf	-Inf	108.45	3	Horizontal	341	1.89	-	33.69	6.05	31.62
AV	5.2916G	104.37	Inf	-Inf	96.27	3	Horizontal	341	1.89	-	33.68	6.05	31.63
PK	5.3572G	66.11	74.00	-7.89	57.85	3	Horizontal	341	1.89	-	33.76	6.08	31.58
AV	5.3512G	48.75	54.00	-5.25	40.50	3	Horizontal	341	1.89	-	33.75	6.08	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6039G	53.63	74.00	-20.37	38.95	3	Vertical	237	1.54	-	38.74	8.59	32.65
AV	10.61047G	40.57	54.00	-13.43	25.90	3	Vertical	237	1.54	-	38.73	8.59	32.65
PK	15.8856G	56.40	74.00	-17.60	42.18	3	Vertical	41	2.12	-	37.73	9.36	32.87
AV	15.89898G	43.53	54.00	-10.47	29.34	3	Vertical	41	2.12	-	37.69	9.37	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5300MHz\_TX




EUT Y\_2TX  
Setting 80  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60513G	54.56	74.00	-19.44	39.88	3	Horizontal	55	1.80	-	38.74	8.59	32.65
AV	10.6054G	40.66	54.00	-13.34	25.98	3	Horizontal	55	1.80	-	38.74	8.59	32.65
PK	15.8883G	56.81	74.00	-17.19	42.60	3	Horizontal	177	1.14	-	37.72	9.36	32.87
AV	15.8955G	43.47	54.00	-10.53	29.27	3	Horizontal	177	1.14	-	37.70	9.37	32.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX



EUT Y\_2TX  
Setting 63  
02-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.316G	119.24	Inf	-Inf	111.07	3	Vertical	347	1.84	-	33.72	6.06	31.61
AV	5.3176G	106.65	Inf	-Inf	98.48	3	Vertical	347	1.84	-	33.72	6.06	31.61
PK	5.3516G	73.13	74.00	-0.87	64.88	3	Vertical	347	1.84	-	33.75	6.08	31.58
AV	5.3508G	53.93	54.00	-0.07	45.68	3	Vertical	347	1.84	-	33.75	6.08	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3244G	109.06	Inf	-Inf	100.88	3	Horizontal	316	1.74	-	33.72	6.06	31.60
AV	5.3236G	97.32	Inf	-Inf	89.14	3	Horizontal	316	1.74	-	33.72	6.06	31.60
PK	5.3512G	65.87	74.00	-8.13	57.62	3	Horizontal	316	1.74	-	33.75	6.08	31.58
AV	5.35G	49.52	54.00	-4.48	41.27	3	Horizontal	316	1.74	-	33.75	6.08	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64588G	53.31	74.00	-20.69	38.66	3	Vertical	100	2.90	-	38.71	8.60	32.66
AV	10.64432G	40.72	54.00	-13.28	26.07	3	Vertical	100	2.90	-	38.71	8.60	32.66
PK	15.95664G	56.59	74.00	-17.41	42.55	3	Vertical	1	1.31	-	37.53	9.39	32.88
AV	15.96162G	43.27	54.00	-10.73	29.25	3	Vertical	1	1.31	-	37.51	9.39	32.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5320MHz\_TX




EUT Y\_2TX  
Setting 63  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63784G	53.47	74.00	-20.53	38.81	3	Horizontal	174	2.58	-	38.72	8.60	32.66
AV	10.64336G	40.68	54.00	-13.32	26.03	3	Horizontal	174	2.58	-	38.71	8.60	32.66
PK	15.9528G	56.00	74.00	-18.00	41.96	3	Horizontal	57	1.66	-	37.54	9.38	32.88
AV	15.95178G	43.26	54.00	-10.74	29.22	3	Horizontal	57	1.66	-	37.54	9.38	32.88

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX



EUT Y\_2TX  
Setting 58  
02-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	61.39	74.00	-12.61	52.87	3	Vertical	357	1.35	-	33.86	6.16	31.50
AV	5.4588G	48.65	54.00	-5.35	40.13	3	Vertical	357	1.35	-	33.86	6.16	31.50
PK	5.4696G	67.42	68.20	-0.78	58.86	3	Vertical	357	1.35	-	33.87	6.18	31.49
PK	5.493G	118.38	Inf	-Inf	109.77	3	Vertical	357	1.35	-	33.89	6.20	31.48
AV	5.4922G	106.08	Inf	-Inf	97.47	3	Vertical	357	1.35	-	33.89	6.20	31.48



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.22	74.00	-13.78	51.70	3	Horizontal	339	1.80	-	33.86	6.16	31.50
AV	5.4552G	47.60	54.00	-6.40	39.09	3	Horizontal	339	1.80	-	33.86	6.16	31.51
PK	5.4656G	60.94	68.20	-7.26	52.40	3	Horizontal	339	1.80	-	33.87	6.17	31.50
PK	5.496G	108.53	Inf	-Inf	99.89	3	Horizontal	339	1.80	-	33.90	6.21	31.47
AV	5.4988G	96.60	Inf	-Inf	87.96	3	Horizontal	339	1.80	-	33.90	6.21	31.47

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00978G	52.17	74.00	-21.83	37.71	3	Vertical	83	1.57	-	38.51	8.71	32.76
AV	11.015G	39.64	54.00	-14.36	25.18	3	Vertical	83	1.57	-	38.51	8.71	32.76

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5500MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0147G	52.40	74.00	-21.60	37.94	3	Horizontal	99	2.68	-	38.51	8.71	32.76
AV	11.0141G	39.61	54.00	-14.39	25.15	3	Horizontal	99	2.68	-	38.51	8.71	32.76

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX



EUT Y\_2TX  
Setting 88  
02-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	63.00	74.00	-11.00	54.49	3	Vertical	342	1.77	-	33.86	6.16	31.51
AV	5.46G	50.08	54.00	-3.92	41.55	3	Vertical	342	1.77	-	33.86	6.17	31.50
PK	5.47G	66.31	68.20	-1.89	57.75	3	Vertical	342	1.77	-	33.87	6.18	31.49
PK	5.5866G	124.09	Inf	-Inf	115.37	3	Vertical	342	1.77	-	33.90	6.29	31.47
AV	5.586G	112.40	Inf	-Inf	103.68	3	Vertical	342	1.77	-	33.90	6.29	31.47
PK	5.7252G	61.68	68.20	-6.52	52.98	3	Vertical	342	1.77	-	33.80	6.36	31.46



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	60.27	74.00	-13.73	51.77	3	Horizontal	337	1.83	-	33.85	6.16	31.51
PK	5.4654G	59.83	68.20	-8.37	51.29	3	Horizontal	337	1.83	-	33.87	6.17	31.50
AV	5.4594G	47.74	54.00	-6.26	39.21	3	Horizontal	337	1.83	-	33.86	6.17	31.50
PK	5.5866G	115.29	Inf	-Inf	106.57	3	Horizontal	337	1.83	-	33.90	6.29	31.47
AV	5.5872G	104.01	Inf	-Inf	95.29	3	Horizontal	337	1.83	-	33.90	6.29	31.47
PK	5.7276G	60.16	68.20	-8.04	51.46	3	Horizontal	337	1.83	-	33.80	6.36	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.163G	53.96	74.00	-20.04	39.36	3	Vertical	167	2.40	-	38.63	8.76	32.79
AV	11.16306G	40.28	54.00	-13.72	25.68	3	Vertical	167	2.40	-	38.63	8.76	32.79

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5580MHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16768G	54.04	74.00	-19.96	39.44	3	Horizontal	203	1.62	-	38.63	8.76	32.79
AV	11.16396G	40.28	54.00	-13.72	25.68	3	Horizontal	203	1.62	-	38.63	8.76	32.79

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	116.68	Inf	-Inf	107.99	3	Vertical	349	1.63	-	33.80	6.35	31.46
AV	5.7024G	104.00	Inf	-Inf	95.31	3	Vertical	349	1.63	-	33.80	6.35	31.46
PK	5.7258G	68.15	68.20	-0.05	59.45	3	Vertical	349	1.63	-	33.80	6.36	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	107.41	Inf	-Inf	98.72	3	Horizontal	219	1.76	-	33.80	6.35	31.46
AV	5.7024G	95.34	Inf	-Inf	86.65	3	Horizontal	219	1.76	-	33.80	6.35	31.46
PK	5.7256G	61.33	68.20	-6.87	52.63	3	Horizontal	219	1.76	-	33.80	6.36	31.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38914G	53.37	74.00	-20.63	38.57	3	Vertical	162	1.55	-	38.81	8.82	32.83
AV	11.39436G	40.28	54.00	-13.72	25.47	3	Vertical	162	1.55	-	38.82	8.82	32.83

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5700MHz\_TX




EUT Y\_2TX  
Setting 49  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40654G	52.91	74.00	-21.09	38.08	3	Horizontal	336	2.33	-	38.83	8.83	32.83
AV	11.40636G	40.31	54.00	-13.69	25.48	3	Horizontal	336	2.33	-	38.83	8.83	32.83

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 88  
02-E-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	59.22	68.20	-8.98	51.06	3	Vertical	342	1.04	-	33.71	6.06	31.61
PK	5.4446G	60.46	74.00	-13.54	51.98	3	Vertical	342	1.04	-	33.84	6.15	31.51
PK	5.4662G	60.03	68.20	-8.17	51.49	3	Vertical	342	1.04	-	33.87	6.17	31.50
AV	5.459G	48.28	54.00	-5.72	39.76	3	Vertical	342	1.04	-	33.86	6.16	31.50
PK	5.72G	123.57	Inf	-Inf	114.87	3	Vertical	342	1.04	-	33.80	6.36	31.46
AV	5.7218G	111.55	Inf	-Inf	102.85	3	Vertical	342	1.04	-	33.80	6.36	31.46
PK	5.8532G	62.54	68.20	-5.66	53.66	3	Vertical	342	1.04	-	33.96	6.37	31.45



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3222G	58.89	68.20	-9.31	50.71	3	Horizontal	218	1.80	-	33.72	6.06	31.60
PK	5.4104G	59.99	74.00	-14.01	51.61	3	Horizontal	218	1.80	-	33.81	6.11	31.54
PK	5.4662G	59.72	68.20	-8.48	51.18	3	Horizontal	218	1.80	-	33.87	6.17	31.50
AV	5.4536G	47.42	54.00	-6.58	38.92	3	Horizontal	218	1.80	-	33.85	6.16	31.51
PK	5.7218G	110.78	Inf	-Inf	102.08	3	Horizontal	218	1.80	-	33.80	6.36	31.46
AV	5.7218G	100.53	Inf	-Inf	91.83	3	Horizontal	218	1.80	-	33.80	6.36	31.46
PK	5.864G	59.87	68.20	-8.33	50.96	3	Horizontal	218	1.80	-	33.99	6.37	31.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43406G	52.59	74.00	-21.41	37.74	3	Vertical	63	2.09	-	38.85	8.84	32.84
AV	11.42602G	40.38	54.00	-13.62	25.55	3	Vertical	63	2.09	-	38.84	8.83	32.84

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 88  
02-E-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4544G	53.20	74.00	-20.80	38.34	3	Horizontal	180	2.59	-	38.86	8.84	32.84
AV	11.42818G	40.17	54.00	-13.83	25.34	3	Horizontal	180	2.59	-	38.84	8.83	32.84

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 73  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	60.58	74.00	-13.42	52.90	3	Vertical	348	1.75	-	33.44	5.97	31.73
AV	5.1476G	47.93	54.00	-6.07	40.24	3	Vertical	348	1.75	-	33.45	5.97	31.73
PK	5.2526G	117.01	Inf	-Inf	109.02	3	Vertical	348	1.75	-	33.61	6.03	31.65
AV	5.2544G	105.61	Inf	-Inf	97.62	3	Vertical	348	1.75	-	33.61	6.03	31.65
PK	5.354G	71.34	74.00	-2.66	63.09	3	Vertical	348	1.75	-	33.75	6.08	31.58
AV	5.35G	53.85	54.00	-0.15	45.60	3	Vertical	348	1.75	-	33.75	6.08	31.58

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 73  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1362G	58.87	74.00	-15.13	51.19	3	Horizontal	339	1.97	-	33.44	5.97	31.73
AV	5.129G	46.58	54.00	-7.42	38.93	3	Horizontal	339	1.97	-	33.43	5.96	31.74
PK	5.2736G	107.24	Inf	-Inf	99.19	3	Horizontal	339	1.97	-	33.65	6.04	31.64
AV	5.2832G	95.21	Inf	-Inf	87.13	3	Horizontal	339	1.97	-	33.67	6.04	31.63
PK	5.3504G	61.70	74.00	-12.30	53.45	3	Horizontal	339	1.97	-	33.75	6.08	31.58
AV	5.3804G	47.90	54.00	-6.10	39.59	3	Horizontal	339	1.97	-	33.78	6.09	31.56

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 73  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8202G	56.98	74.00	-17.02	42.59	3	Vertical	60	2.89	-	37.92	9.34	32.87
AV	15.7644G	44.37	54.00	-9.63	29.84	3	Vertical	60	2.89	-	38.08	9.32	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5270MHz\_TX




EUT Y\_2TX  
Setting 73  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82G	56.91	74.00	-17.09	42.52	3	Horizontal	139	2.37	-	37.92	9.34	32.87
AV	15.8506G	44.26	54.00	-9.74	29.95	3	Horizontal	139	2.37	-	37.83	9.35	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX



EUT Y\_2TX  
Setting 58  
02-E-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	112.97	Inf	-Inf	104.83	3	Vertical	360	1.88	-	33.71	6.05	31.62
AV	5.302G	101.91	Inf	-Inf	93.78	3	Vertical	360	1.88	-	33.70	6.05	31.62
PK	5.3512G	73.77	74.00	-0.23	65.52	3	Vertical	360	1.88	-	33.75	6.08	31.58
AV	5.35G	50.80	54.00	-3.20	42.55	3	Vertical	360	1.88	-	33.75	6.08	31.58



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3272G	105.80	Inf	-Inf	97.61	3	Horizontal	333	2.11	-	33.73	6.06	31.60
AV	5.3252G	93.50	Inf	-Inf	85.31	3	Horizontal	333	2.11	-	33.73	6.06	31.60
PK	5.35G	63.11	74.00	-10.89	54.86	3	Horizontal	333	2.11	-	33.75	6.08	31.58
AV	5.386G	47.62	54.00	-6.38	39.30	3	Horizontal	333	2.11	-	33.79	6.09	31.56

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61842G	54.62	74.00	-19.38	39.95	3	Vertical	204	2.78	-	38.73	8.59	32.65
AV	10.61634G	40.85	54.00	-13.15	26.18	3	Vertical	204	2.78	-	38.73	8.59	32.65
PK	15.9434G	56.92	74.00	-17.08	42.86	3	Vertical	201	1.34	-	37.56	9.38	32.88
AV	15.8838G	44.30	54.00	-9.70	30.07	3	Vertical	201	1.34	-	37.74	9.36	32.87

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5310MHz\_TX




EUT Y\_2TX  
Setting 58  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62186G	54.34	74.00	-19.66	39.67	3	Horizontal	143	2.44	-	38.73	8.59	32.65
AV	10.61724G	41.05	54.00	-12.95	26.38	3	Horizontal	143	2.44	-	38.73	8.59	32.65
PK	15.927G	57.59	74.00	-16.41	43.48	3	Horizontal	188	1.27	-	37.61	9.38	32.88
AV	15.9724G	44.09	54.00	-9.91	30.10	3	Horizontal	188	1.27	-	37.48	9.39	32.88

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	62.54	74.00	-11.46	54.01	3	Vertical	343	1.85	-	33.86	6.17	31.50
AV	5.4588G	49.83	54.00	-4.17	41.31	3	Vertical	343	1.85	-	33.86	6.16	31.50
PK	5.4696G	67.99	68.20	-0.21	59.43	3	Vertical	343	1.85	-	33.87	6.18	31.49
PK	5.5272G	114.43	Inf	-Inf	105.77	3	Vertical	343	1.85	-	33.90	6.23	31.47
AV	5.5276G	103.44	Inf	-Inf	94.78	3	Vertical	343	1.85	-	33.90	6.23	31.47

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4492G	60.54	74.00	-13.46	52.05	3	Horizontal	338	2.89	-	33.85	6.15	31.51
AV	5.4576G	47.61	54.00	-6.39	39.09	3	Horizontal	338	2.89	-	33.86	6.16	31.50
PK	5.4672G	59.46	68.20	-8.74	50.92	3	Horizontal	338	2.89	-	33.87	6.17	31.50
PK	5.528G	105.37	Inf	-Inf	96.70	3	Horizontal	338	2.89	-	33.90	6.24	31.47
AV	5.5276G	93.86	Inf	-Inf	85.20	3	Horizontal	338	2.89	-	33.90	6.23	31.47

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0382G	53.45	74.00	-20.55	38.97	3	Vertical	358	2.91	-	38.53	8.72	32.77
AV	11.045G	40.84	54.00	-13.16	26.35	3	Vertical	358	2.91	-	38.54	8.72	32.77

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5510MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0252G	53.45	74.00	-20.55	38.97	3	Horizontal	282	2.44	-	38.52	8.72	32.76
AV	11.051G	41.08	54.00	-12.92	26.59	3	Horizontal	282	2.44	-	38.54	8.72	32.77

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX



EUT Y\_2TX  
Setting 72  
02-E-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	63.90	74.00	-10.10	55.37	3	Vertical	1	1.07	-	33.86	6.17	31.50
AV	5.4594G	50.05	54.00	-3.95	41.52	3	Vertical	1	1.07	-	33.86	6.17	31.50
PK	5.4666G	67.97	68.20	-0.23	59.43	3	Vertical	1	1.07	-	33.87	6.17	31.50
PK	5.5608G	118.21	Inf	-Inf	109.52	3	Vertical	1	1.07	-	33.90	6.26	31.47
AV	5.5572G	106.69	Inf	-Inf	98.00	3	Vertical	1	1.07	-	33.90	6.26	31.47



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 72  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4234G	59.54	74.00	-14.46	51.12	3	Horizontal	231	1.79	-	33.82	6.13	31.53
PK	5.4684G	59.56	68.20	-8.64	51.01	3	Horizontal	231	1.79	-	33.87	6.18	31.50
AV	5.4516G	47.66	54.00	-6.34	39.16	3	Horizontal	231	1.79	-	33.85	6.16	31.51
PK	5.532G	108.07	Inf	-Inf	99.40	3	Horizontal	231	1.79	-	33.90	6.24	31.47
AV	5.532G	97.14	Inf	-Inf	88.47	3	Horizontal	231	1.79	-	33.90	6.24	31.47

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 72  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0756G	53.37	74.00	-20.63	38.85	3	Vertical	9	1.39	-	38.56	8.73	32.77
AV	11.089G	40.84	54.00	-13.16	26.31	3	Vertical	9	1.39	-	38.57	8.74	32.78

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5550MHz\_TX




EUT Y\_2TX  
Setting 72  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1079G	53.76	74.00	-20.24	39.21	3	Horizontal	156	2.88	-	38.59	8.74	32.78
AV	11.0889G	41.03	54.00	-12.97	26.50	3	Horizontal	156	2.88	-	38.57	8.74	32.78

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 64  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6808G	116.04	Inf	-Inf	107.34	3	Vertical	344	1.71	-	33.82	6.34	31.46
AV	5.6826G	103.81	Inf	-Inf	95.11	3	Vertical	344	1.71	-	33.82	6.34	31.46
PK	5.7258G	68.08	68.20	-0.12	59.38	3	Vertical	344	1.71	-	33.80	6.36	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 64  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.676G	105.48	Inf	-Inf	96.78	3	Horizontal	222	1.86	-	33.82	6.34	31.46
AV	5.6766G	94.30	Inf	-Inf	85.60	3	Horizontal	222	1.86	-	33.82	6.34	31.46
PK	5.7426G	61.00	68.20	-7.20	52.29	3	Horizontal	222	1.86	-	33.80	6.37	31.46

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 64  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3508G	53.42	74.00	-20.58	38.65	3	Vertical	348	1.48	-	38.78	8.81	32.82
AV	11.3615G	40.94	54.00	-13.06	26.17	3	Vertical	348	1.48	-	38.79	8.81	32.83

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5670MHz\_TX




EUT Y\_2TX  
Setting 64  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3539G	53.27	74.00	-20.73	38.50	3	Horizontal	262	1.89	-	38.78	8.81	32.82
AV	11.3603G	40.86	54.00	-13.14	26.08	3	Horizontal	262	1.89	-	38.79	8.81	32.82

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5710MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 91  
02-E-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	61.37	74.00	-12.63	52.87	3	Vertical	316	1.56	-	33.85	6.16	31.51
AV	5.458G	48.86	54.00	-5.14	40.34	3	Vertical	316	1.56	-	33.86	6.16	31.50
PK	5.4664G	61.26	68.20	-6.94	52.72	3	Vertical	316	1.56	-	33.87	6.17	31.50
PK	5.7208G	120.11	Inf	-Inf	111.41	3	Vertical	316	1.56	-	33.80	6.36	31.46
AV	5.7196G	108.04	Inf	-Inf	99.34	3	Vertical	316	1.56	-	33.80	6.36	31.46
PK	5.8552G	67.96	68.20	-0.24	59.07	3	Vertical	316	1.56	-	33.97	6.37	31.45



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4196G	59.29	74.00	-14.71	50.88	3	Horizontal	212	1.77	-	33.82	6.12	31.53
AV	5.416G	47.41	54.00	-6.59	39.01	3	Horizontal	212	1.77	-	33.82	6.12	31.54
PK	5.4616G	59.59	68.20	-8.61	51.06	3	Horizontal	212	1.77	-	33.86	6.17	31.50
PK	5.7052G	109.32	Inf	-Inf	100.63	3	Horizontal	212	1.77	-	33.80	6.35	31.46
AV	5.704G	99.91	Inf	-Inf	91.22	3	Horizontal	212	1.77	-	33.80	6.35	31.46
PK	5.8528G	60.18	68.20	-8.02	51.30	3	Horizontal	212	1.77	-	33.96	6.37	31.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4035G	53.78	74.00	-20.22	38.96	3	Vertical	62	2.61	-	38.82	8.83	32.83
AV	11.4072G	41.32	54.00	-12.68	26.49	3	Vertical	62	2.61	-	38.83	8.83	32.83

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 91  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4096G	54.16	74.00	-19.84	39.33	3	Horizontal	254	1.45	-	38.83	8.83	32.83
AV	11.4201G	40.99	54.00	-13.01	26.16	3	Horizontal	254	1.45	-	38.84	8.83	32.84

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 55  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	59.62	74.00	-14.38	51.94	3	Vertical	4	1.68	-	33.44	5.97	31.73
AV	5.148G	47.02	54.00	-6.98	39.33	3	Vertical	4	1.68	-	33.45	5.97	31.73
PK	5.3G	110.66	Inf	-Inf	102.53	3	Vertical	4	1.68	-	33.70	6.05	31.62
AV	5.302G	98.51	Inf	-Inf	90.38	3	Vertical	4	1.68	-	33.70	6.05	31.62
PK	5.352G	73.96	74.00	-0.04	65.71	3	Vertical	4	1.68	-	33.75	6.08	31.58
AV	5.351G	49.90	54.00	-4.10	41.65	3	Vertical	4	1.68	-	33.75	6.08	31.58
PK	5.487G	60.13	68.20	-8.07	51.52	3	Vertical	4	1.68	-	33.89	6.20	31.48

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 55  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	58.72	74.00	-15.28	51.03	3	Horizontal	340	1.93	-	33.45	5.97	31.73
AV	5.121G	46.12	54.00	-7.88	38.49	3	Horizontal	340	1.93	-	33.42	5.96	31.75
PK	5.275G	101.81	Inf	-Inf	93.76	3	Horizontal	340	1.93	-	33.65	6.04	31.64
AV	5.275G	88.96	Inf	-Inf	80.91	3	Horizontal	340	1.93	-	33.65	6.04	31.64
PK	5.373G	62.63	74.00	-11.37	54.34	3	Horizontal	340	1.93	-	33.77	6.09	31.57
AV	5.412G	47.36	54.00	-6.64	38.98	3	Horizontal	340	1.93	-	33.81	6.11	31.54
PK	5.51G	59.97	68.20	-8.23	51.32	3	Horizontal	340	1.93	-	33.90	6.22	31.47

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 55  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.894G	57.20	74.00	-16.80	42.99	3	Vertical	280	1.06	-	37.71	9.37	32.87
AV	15.8828G	43.67	54.00	-10.33	29.44	3	Vertical	280	1.06	-	37.74	9.36	32.87

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5290MHz\_TX




EUT Y\_2TX  
Setting 55  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8609G	57.26	74.00	-16.74	42.98	3	Horizontal	202	2.49	-	37.80	9.35	32.87
AV	15.8873G	43.47	54.00	-10.53	29.25	3	Horizontal	202	2.49	-	37.73	9.36	32.87

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX



EUT Y\_2TX  
Setting 53  
02-E-L-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	59.35	68.20	-8.85	51.15	3	Vertical	360	1.70	-	33.73	6.07	31.60
PK	5.432G	64.57	74.00	-9.43	56.12	3	Vertical	360	1.70	-	33.83	6.14	31.52
PK	5.462G	68.13	68.20	-0.07	59.60	3	Vertical	360	1.70	-	33.86	6.17	31.50
AV	5.456G	48.39	54.00	-5.61	39.88	3	Vertical	360	1.70	-	33.86	6.16	31.51
PK	5.529G	108.98	Inf	-Inf	100.31	3	Vertical	360	1.70	-	33.90	6.24	31.47
AV	5.527G	97.90	Inf	-Inf	89.24	3	Vertical	360	1.70	-	33.90	6.23	31.47
PK	5.738G	60.60	68.20	-7.60	51.89	3	Vertical	360	1.70	-	33.80	6.37	31.46



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

25/09/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.287G	58.78	68.20	-9.42	50.70	3	Horizontal	332	1.21	-	33.67	6.04	31.63
PK	5.454G	60.98	74.00	-13.02	52.48	3	Horizontal	332	1.21	-	33.85	6.16	31.51
AV	5.458G	47.25	54.00	-6.75	38.73	3	Horizontal	332	1.21	-	33.86	6.16	31.50
PK	5.466G	60.34	68.20	-7.86	51.80	3	Horizontal	332	1.21	-	33.87	6.17	31.50
PK	5.555G	100.12	Inf	-Inf	91.43	3	Horizontal	332	1.21	-	33.90	6.26	31.47
AV	5.558G	88.20	Inf	-Inf	79.51	3	Horizontal	332	1.21	-	33.90	6.26	31.47
PK	5.728G	60.76	68.20	-7.44	52.06	3	Horizontal	332	1.21	-	33.80	6.36	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5530MHz\_TX



EUT Y\_2TX  
Setting 53  
02-E-K-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0767G	54.37	74.00	-19.63	39.85	3	Vertical	226	1.47	-	38.56	8.73	32.77
AV	11.0832G	40.38	54.00	-13.62	25.85	3	Vertical	226	1.47	-	38.57	8.73	32.77



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

03/10/2020

5530MHz\_TX




EUT Y\_2TX  
Setting 53  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0611G	52.85	74.00	-21.15	38.34	3	Horizontal	29	1.06	-	38.55	8.73	32.77
AV	11.0781G	40.24	54.00	-13.76	25.72	3	Horizontal	29	1.06	-	38.56	8.73	32.77

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 67  
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	64.80	74.00	-9.20	56.28	3	Vertical	355	1.51	-	33.86	6.16	31.50
AV	5.46G	50.56	54.00	-3.44	42.03	3	Vertical	355	1.51	-	33.86	6.17	31.50
PK	5.466G	64.87	68.20	-3.33	56.33	3	Vertical	355	1.51	-	33.87	6.17	31.50
PK	5.624G	115.56	Inf	-Inf	106.84	3	Vertical	355	1.51	-	33.88	6.31	31.47
AV	5.619G	102.29	Inf	-Inf	93.57	3	Vertical	355	1.51	-	33.88	6.31	31.47
PK	5.737G	68.08	68.20	-0.12	59.37	3	Vertical	355	1.51	-	33.80	6.37	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 67  
02-E-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.387G	60.34	74.00	-13.66	52.02	3	Horizontal	225	1.89	-	33.79	6.09	31.56
PK	5.468G	60.31	68.20	-7.89	51.77	3	Horizontal	225	1.89	-	33.87	6.17	31.50
AV	5.458G	47.54	54.00	-6.46	39.02	3	Horizontal	225	1.89	-	33.86	6.16	31.50
PK	5.647G	106.50	Inf	-Inf	97.80	3	Horizontal	225	1.89	-	33.85	6.32	31.47
AV	5.647G	94.43	Inf	-Inf	85.73	3	Horizontal	225	1.89	-	33.85	6.32	31.47
PK	5.811G	61.50	68.20	-6.70	52.74	3	Horizontal	225	1.89	-	33.83	6.39	31.46

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 67  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2144G	54.89	74.00	-19.11	40.25	3	Vertical	231	1.90	-	38.67	8.77	32.80
AV	11.2423G	41.00	54.00	-13.00	26.33	3	Vertical	231	1.90	-	38.69	8.78	32.80

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5610MHz\_TX




EUT Y\_2TX  
Setting 67  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2281G	53.96	74.00	-20.04	39.30	3	Horizontal	178	2.69	-	38.68	8.78	32.80
AV	11.2375G	40.84	54.00	-13.16	26.17	3	Horizontal	178	2.69	-	38.69	8.78	32.80

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 82  
02-E-K-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	64.84	74.00	-9.16	56.34	3	Vertical	352	1.38	-	33.85	6.16	31.51
AV	5.4572G	50.87	54.00	-3.13	42.35	3	Vertical	352	1.38	-	33.86	6.16	31.50
PK	5.4632G	65.00	68.20	-3.20	56.47	3	Vertical	352	1.38	-	33.86	6.17	31.50
PK	5.6684G	117.89	Inf	-Inf	109.19	3	Vertical	352	1.38	-	33.83	6.33	31.46
AV	5.6804G	105.11	Inf	-Inf	96.41	3	Vertical	352	1.38	-	33.82	6.34	31.46
PK	5.8544G	67.86	68.20	-0.34	58.98	3	Vertical	352	1.38	-	33.96	6.37	31.45



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 82  
02-E-K-4-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	61.49	74.00	-12.51	53.03	3	Horizontal	216	1.72	-	33.84	6.14	31.52
AV	5.4464G	47.66	54.00	-6.34	39.17	3	Horizontal	216	1.72	-	33.85	6.15	31.51
PK	5.4608G	59.87	68.20	-8.33	51.34	3	Horizontal	216	1.72	-	33.86	6.17	31.50
PK	5.7044G	110.09	Inf	-Inf	101.40	3	Horizontal	216	1.72	-	33.80	6.35	31.46
AV	5.7008G	96.98	Inf	-Inf	88.29	3	Horizontal	216	1.72	-	33.80	6.35	31.46
PK	5.87G	61.24	68.20	-6.96	52.32	3	Horizontal	216	1.72	-	34.01	6.36	31.45



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 82  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3794G	54.22	74.00	-19.78	39.43	3	Vertical	359	2.04	-	38.80	8.82	32.83
AV	11.4248G	40.87	54.00	-13.13	26.04	3	Vertical	359	2.04	-	38.84	8.83	32.84

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/10/2020

5690MHz Straddle 5.47-5.725GHz\_TX



EUT Y\_2TX  
Setting 82  
02-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3752G	53.89	74.00	-20.11	39.10	3	Horizontal	238	1.72	-	38.80	8.82	32.83
AV	11.3994G	40.93	54.00	-13.07	26.11	3	Horizontal	238	1.72	-	38.82	8.83	32.83