



Profile: 1962097R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.139	31.867	-29.861	74.000	12.272	PK
2	*	15720.000	48.538	30.501	-25.462	74.000	18.038	PK

Profile: 1962097R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	44.242	31.970	-29.758	74.000	12.272	PK
2	*	15720.000	49.427	31.390	-24.573	74.000	18.038	PK

Profile: 1962097R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.746	30.227	-32.254	74.000	11.519	PK
2	*	15540.000	48.626	30.769	-25.374	74.000	17.857	PK

Profile: 1962097R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:12
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.659	30.140	-32.341	74.000	11.519	PK
2	*	15540.000	48.850	30.993	-25.150	74.000	17.857	PK

Profile: 1962097R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.654	29.585	-32.346	74.000	12.070	PK
2	*	15660.000	47.797	30.192	-26.203	74.000	17.605	PK

Profile: 1962097R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.498	29.429	-32.502	74.000	12.070	PK
2	*	15660.000	47.760	30.155	-26.240	74.000	17.605	PK

Profile: 1962097R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.297	29.025	-32.703	74.000	12.272	PK
2	*	15720.000	47.820	29.783	-26.180	74.000	18.038	PK

Profile: 1962097R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.089	30.817	-30.911	74.000	12.272	PK
2	*	15720.000	48.631	30.594	-25.369	74.000	18.038	PK

Profile: 1962097R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.534	31.015	-31.466	74.000	11.519	PK
2	*	15540.000	50.464	32.607	-23.536	74.000	17.857	PK

Profile: 1962097R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.391	31.872	-30.609	74.000	11.519	PK
2	*	15540.000	50.079	32.222	-23.921	74.000	17.857	PK

Profile: 1962097R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	44.731	32.662	-29.269	74.000	12.070	PK
2	*	15660.000	48.627	31.022	-25.373	74.000	17.605	PK

Profile: 1962097R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.899	31.830	-30.101	74.000	12.070	PK
2	*	15660.000	49.428	31.823	-24.572	74.000	17.605	PK

Profile: 1962097R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.984	33.712	-28.016	74.000	12.272	PK
2	*	15720.000	50.312	32.275	-23.688	74.000	18.038	PK

Profile: 1962097R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	45.478	33.206	-28.522	74.000	12.272	PK
2	*	15720.000	50.805	32.768	-23.195	74.000	18.038	PK

Profile: 1962097R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.150	32.500	-29.850	74.000	11.650	PK
2	*	15570.000	50.368	32.494	-23.632	74.000	17.874	PK

Profile: 1962097R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.943	32.293	-30.057	74.000	11.650	PK
2	*	15570.000	49.577	31.703	-24.423	74.000	17.874	PK

Profile: 1962097R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.347	32.283	-29.653	74.000	12.064	PK
2	*	15690.000	49.023	31.165	-24.977	74.000	17.857	PK

Profile: 1962097R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.771	32.707	-29.229	74.000	12.064	PK
2	*	15690.000	48.940	31.082	-25.060	74.000	17.857	PK

Profile: 1962097R	Page No.: 309
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.833	30.183	-32.167	74.000	11.650	PK
2	*	15570.000	49.096	31.222	-24.904	74.000	17.874	PK

Profile: 1962097R	Page No.: 310
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.086	30.436	-31.914	74.000	11.650	PK
2	*	15570.000	48.699	30.825	-25.301	74.000	17.874	PK

Profile: 1962097R	Page No.: 311
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.977	29.913	-32.023	74.000	12.064	PK
2	*	15690.000	49.754	31.896	-24.246	74.000	17.857	PK

Profile: 1962097R	Page No.: 312
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.874	28.810	-33.126	74.000	12.064	PK
2	*	15690.000	47.907	30.049	-26.093	74.000	17.857	PK

Profile: 1962097R	Page No.: 313
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.496	29.846	-32.504	74.000	11.650	PK
2	*	15570.000	48.462	30.588	-25.538	74.000	17.874	PK

Profile: 1962097R	Page No.: 314
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:13
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.164	31.514	-30.836	74.000	11.650	PK
2	*	15570.000	50.691	32.817	-23.309	74.000	17.874	PK

Profile: 1962097R	Page No.: 315
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.908	28.844	-33.092	74.000	12.064	PK
2	*	15690.000	48.569	30.711	-25.431	74.000	17.857	PK

Profile: 1962097R	Page No.: 316
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.403	30.339	-31.597	74.000	12.064	PK
2	*	15690.000	49.743	31.885	-24.257	74.000	17.857	PK

Profile: 1962097R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.178	31.528	-30.822	74.000	11.650	PK
2	*	15570.000	48.720	30.846	-25.280	74.000	17.874	PK

Profile: 1962097R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.959	34.309	-28.041	74.000	11.650	PK
2	*	15570.000	51.679	33.805	-22.321	74.000	17.874	PK

Profile: 1962097R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	44.761	32.697	-29.239	74.000	12.064	PK
2	*	15690.000	51.020	33.162	-22.980	74.000	17.857	PK

Profile: 1962097R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.998	31.934	-30.002	74.000	12.064	PK
2	*	15690.000	48.964	31.106	-25.036	74.000	17.857	PK

Profile: 1962097R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.580	30.498	-31.420	74.000	12.083	PK
2	*	15630.000	48.915	31.175	-25.085	74.000	17.740	PK

Profile: 1962097R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 01:04
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.323	31.241	-30.677	74.000	12.083	PK
2	*	15630.000	50.272	32.532	-23.728	74.000	17.740	PK

Profile: 1962097R	Page No.: 317
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.224	30.142	-31.776	74.000	12.083	PK
2	*	15630.000	48.552	30.812	-25.448	74.000	17.740	PK

Profile: 1962097R	Page No.: 318
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.063	29.981	-31.937	74.000	12.083	PK
2	*	15630.000	48.363	30.623	-25.637	74.000	17.740	PK

Profile: 1962097R	Page No.: 319
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	41.377	29.295	-32.623	74.000	12.083	PK
2	*	15630.000	48.328	30.588	-25.672	74.000	17.740	PK

Profile: 1962097R	Page No.: 320
Engineer: Simon	
Site: AC5	Time: 2019/07/17 - 06:14
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	42.705	30.623	-31.295	74.000	12.083	PK
2	*	15630.000	47.791	30.051	-26.209	74.000	17.740	PK

Profile: 1962097R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	44.009	31.927	-29.991	74.000	12.083	PK
2	*	15630.000	47.890	30.150	-26.110	74.000	17.740	PK

Profile: 1962097R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2019/07/16 - 00:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10420.000	43.662	31.580	-30.338	74.000	12.083	PK
2	*	15630.000	47.793	30.053	-26.207	74.000	17.740	PK

Profile: 1962097R	Page No.: 155
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.469	33.646	-27.531	74.000	12.823	PK
2	*	15780.000	51.551	32.675	-22.449	74.000	18.876	PK

Profile: 1962097R	Page No.: 156
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.881	32.058	-29.119	74.000	12.823	PK
2	*	15780.000	50.431	31.555	-23.569	74.000	18.876	PK

Profile: 1962097R	Page No.: 157
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.288	32.910	-28.712	74.000	12.378	PK
2	*	15900.000	51.938	33.500	-22.062	74.000	18.438	PK

Profile: 1962097R	Page No.: 158
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.110	31.732	-29.890	74.000	12.378	PK
2	*	15900.000	49.616	31.178	-24.384	74.000	18.438	PK

Profile: 1962097R	Page No.: 159
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.327	31.093	-30.673	74.000	12.233	PK
2	*	15960.000	52.771	34.010	-21.229	74.000	18.761	PK

Profile: 1962097R	Page No.: 160
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.391	32.157	-29.609	74.000	12.233	PK
2	*	15960.000	50.464	31.703	-23.536	74.000	18.761	PK

Profile: 1962097R	Page No.: 161
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.995	31.172	-30.005	74.000	12.823	PK
2	*	15780.000	50.279	31.403	-23.721	74.000	18.876	PK

Profile: 1962097R	Page No.: 162
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.718	32.895	-28.282	74.000	12.823	PK
2	*	15780.000	51.221	32.345	-22.779	74.000	18.876	PK

Profile: 1962097R	Page No.: 163
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.996	31.618	-30.004	74.000	12.378	PK
2	*	15900.000	48.686	30.248	-25.314	74.000	18.438	PK

Profile: 1962097R	Page No.: 164
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.394	31.016	-30.606	74.000	12.378	PK
2	*	15900.000	50.539	32.101	-23.461	74.000	18.438	PK

Profile: 1962097R	Page No.: 165
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.148	31.914	-29.852	74.000	12.233	PK
2	*	15960.000	49.361	30.600	-24.639	74.000	18.761	PK

Profile: 1962097R	Page No.: 166
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.112	30.878	-30.888	74.000	12.233	PK
2	*	15960.000	51.133	32.372	-22.867	74.000	18.761	PK

Profile: 1962097R	Page No.: 167
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.060	32.237	-28.940	74.000	12.823	PK
2	*	15780.000	51.247	32.371	-22.753	74.000	18.876	PK

Profile: 1962097R	Page No.: 168
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5260MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.857	33.034	-28.143	74.000	12.823	PK
2	*	15780.000	51.196	32.320	-22.804	74.000	18.876	PK

Profile: 1962097R	Page No.: 169
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.055	31.677	-29.945	74.000	12.378	PK
2	*	15900.000	50.179	31.741	-23.821	74.000	18.438	PK

Profile: 1962097R	Page No.: 170
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5300MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.807	31.429	-30.193	74.000	12.378	PK
2	*	15900.000	49.286	30.848	-24.714	74.000	18.438	PK

Profile: 1962097R	Page No.: 171
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.703	31.469	-30.297	74.000	12.233	PK
2	*	15960.000	50.051	31.290	-23.949	74.000	18.761	PK

Profile: 1962097R	Page No.: 172
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5320MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.636	31.402	-30.364	74.000	12.233	PK
2	*	15960.000	49.806	31.045	-24.194	74.000	18.761	PK

Profile: 1962097R	Page No.: 173
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.338	33.515	-27.662	74.000	12.823	PK
2	*	15780.000	52.663	33.787	-21.337	74.000	18.876	PK

Profile: 1962097R	Page No.: 174
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.726	31.903	-29.274	74.000	12.823	PK
2	*	15780.000	50.542	31.666	-23.458	74.000	18.876	PK

Profile: 1962097R	Page No.: 175
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.033	31.655	-29.967	74.000	12.378	PK
2	*	15900.000	50.347	31.909	-23.653	74.000	18.438	PK

Profile: 1962097R	Page No.: 176
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.180	31.802	-29.820	74.000	12.378	PK
2	*	15900.000	49.946	31.508	-24.054	74.000	18.438	PK

Profile: 1962097R	Page No.: 177
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.961	31.727	-30.039	74.000	12.233	PK
2	*	15960.000	50.272	31.511	-23.728	74.000	18.761	PK

Profile: 1962097R	Page No.: 178
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.346	31.112	-30.654	74.000	12.233	PK
2	*	15960.000	50.515	31.754	-23.485	74.000	18.761	PK

Profile: 1962097R	Page No.: 179
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.839	33.016	-28.161	74.000	12.823	PK
2	*	15780.000	50.907	32.031	-23.093	74.000	18.876	PK

Profile: 1962097R	Page No.: 180
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.326	32.503	-28.674	74.000	12.823	PK
2	*	15780.000	49.653	30.777	-24.347	74.000	18.876	PK

Profile: 1962097R	Page No.: 181
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.260	30.882	-30.740	74.000	12.378	PK
2	*	15900.000	50.743	32.305	-23.257	74.000	18.438	PK

Profile: 1962097R	Page No.: 182
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.541	31.163	-30.459	74.000	12.378	PK
2	*	15900.000	50.001	31.563	-23.999	74.000	18.438	PK

Profile: 1962097R	Page No.: 183
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.529	32.295	-29.471	74.000	12.233	PK
2	*	15960.000	49.843	31.082	-24.157	74.000	18.761	PK

Profile: 1962097R	Page No.: 184
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.035	31.801	-29.965	74.000	12.233	PK
2	*	15960.000	50.178	31.417	-23.822	74.000	18.761	PK

Profile: 1962097R	Page No.: 185
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	43.611	30.788	-30.389	74.000	12.823	PK
2	*	15780.000	49.244	30.368	-24.756	74.000	18.876	PK

Profile: 1962097R	Page No.: 186
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.641	31.818	-29.359	74.000	12.823	PK
2	*	15780.000	50.676	31.800	-23.324	74.000	18.876	PK

Profile: 1962097R	Page No.: 187
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.845	31.467	-30.155	74.000	12.378	PK
2	*	15900.000	50.053	31.615	-23.947	74.000	18.438	PK

Profile: 1962097R	Page No.: 188
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.028	31.650	-29.972	74.000	12.378	PK
2	*	15900.000	49.661	31.223	-24.339	74.000	18.438	PK

Profile: 1962097R	Page No.: 189
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.612	32.378	-29.388	74.000	12.233	PK
2	*	15960.000	50.645	31.884	-23.355	74.000	18.761	PK

Profile: 1962097R	Page No.: 190
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.071	31.837	-29.929	74.000	12.233	PK
2	*	15960.000	50.906	32.145	-23.094	74.000	18.761	PK

Profile: 1962097R	Page No.: 191
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.907	32.084	-29.093	74.000	12.823	PK
2	*	15780.000	50.977	32.101	-23.023	74.000	18.876	PK

Profile: 1962097R	Page No.: 192
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.990	32.167	-29.010	74.000	12.823	PK
2	*	15780.000	51.300	32.424	-22.700	74.000	18.876	PK

Profile: 1962097R	Page No.: 193
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.430	31.052	-30.570	74.000	12.378	PK
2	*	15900.000	49.850	31.412	-24.150	74.000	18.438	PK

Profile: 1962097R	Page No.: 194
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.154	31.776	-29.846	74.000	12.378	PK
2	*	15900.000	50.496	32.058	-23.504	74.000	18.438	PK

Profile: 1962097R	Page No.: 195
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.256	32.022	-29.744	74.000	12.233	PK
2	*	15960.000	50.076	31.315	-23.924	74.000	18.761	PK

Profile: 1962097R	Page No.: 196
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.840	31.606	-30.160	74.000	12.233	PK
2	*	15960.000	50.318	31.557	-23.682	74.000	18.761	PK

Profile: 1962097R	Page No.: 197
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.506	33.665	-27.494	74.000	12.840	PK
2	*	15810.000	52.703	33.857	-21.297	74.000	18.846	PK

Profile: 1962097R	Page No.: 198
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.537	32.696	-28.463	74.000	12.840	PK
2	*	15810.000	49.634	30.788	-24.366	74.000	18.846	PK

Profile: 1962097R	Page No.: 199
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.974	30.628	-30.026	74.000	13.346	PK
2	*	15930.000	51.253	31.952	-22.747	74.000	19.302	PK

Profile: 1962097R	Page No.: 200
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.596	31.250	-29.404	74.000	13.346	PK
2	*	15930.000	51.094	31.793	-22.906	74.000	19.302	PK

Profile: 1962097R	Page No.: 201
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.256	32.415	-28.744	74.000	12.840	PK
2	*	15810.000	50.125	31.279	-23.875	74.000	18.846	PK

Profile: 1962097R	Page No.: 202
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.923	34.082	-27.077	74.000	12.840	PK
2	*	15810.000	51.856	33.010	-22.144	74.000	18.846	PK

Profile: 1962097R	Page No.: 203
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.353	31.007	-29.647	74.000	13.346	PK
2	*	15930.000	51.591	32.290	-22.409	74.000	19.302	PK

Profile: 1962097R	Page No.: 204
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.922	31.576	-29.078	74.000	13.346	PK
2	*	15930.000	51.782	32.481	-22.218	74.000	19.302	PK

Profile: 1962097R	Page No.: 205
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.909	32.068	-29.091	74.000	12.840	PK
2	*	15810.000	49.971	31.125	-24.029	74.000	18.846	PK

Profile: 1962097R	Page No.: 206
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.857	32.016	-29.143	74.000	12.840	PK
2	*	15810.000	50.165	31.319	-23.835	74.000	18.846	PK

Profile: 1962097R	Page No.: 207
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.157	31.811	-28.843	74.000	13.346	PK
2	*	15930.000	50.356	31.055	-23.644	74.000	19.302	PK

Profile: 1962097R	Page No.: 208
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.390	31.044	-29.610	74.000	13.346	PK
2	*	15930.000	51.916	32.615	-22.084	74.000	19.302	PK

Profile: 1962097R	Page No.: 209
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.828	32.987	-28.172	74.000	12.840	PK
2	*	15810.000	50.898	32.052	-23.102	74.000	18.846	PK

Profile: 1962097R	Page No.: 210
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.530	31.689	-29.470	74.000	12.840	PK
2	*	15810.000	49.775	30.929	-24.225	74.000	18.846	PK

Profile: 1962097R	Page No.: 211
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.020	31.674	-28.980	74.000	13.346	PK
2	*	15930.000	51.464	32.163	-22.536	74.000	19.302	PK

Profile: 1962097R	Page No.: 212
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.626	33.280	-27.374	74.000	13.346	PK
2	*	15930.000	51.597	32.296	-22.403	74.000	19.302	PK

Profile: 1962097R	Page No.: 213
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.038	32.215	-28.962	74.000	12.823	PK
2	*	15780.000	51.149	32.273	-22.851	74.000	18.876	PK

Profile: 1962097R	Page No.: 214
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.256	31.433	-29.744	74.000	12.823	PK
2	*	15780.000	50.432	31.556	-23.568	74.000	18.876	PK

Profile: 1962097R	Page No.: 215
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.724	32.346	-29.276	74.000	12.378	PK
2	*	15900.000	50.337	31.899	-23.663	74.000	18.438	PK

Profile: 1962097R	Page No.: 216
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.932	31.554	-30.068	74.000	12.378	PK
2	*	15900.000	50.487	32.049	-23.513	74.000	18.438	PK

Profile: 1962097R	Page No.: 217
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.192	32.958	-28.808	74.000	12.233	PK
2	*	15960.000	50.742	31.981	-23.258	74.000	18.761	PK

Profile: 1962097R	Page No.: 218
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.182	32.948	-28.818	74.000	12.233	PK
2	*	15960.000	49.651	30.890	-24.349	74.000	18.761	PK

Profile: 1962097R	Page No.: 219
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.091	31.268	-29.909	74.000	12.823	PK
2	*	15780.000	50.639	31.763	-23.361	74.000	18.876	PK

Profile: 1962097R	Page No.: 220
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.454	31.631	-29.546	74.000	12.823	PK
2	*	15780.000	49.990	31.114	-24.010	74.000	18.876	PK

Profile: 1962097R	Page No.: 221
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.676	32.298	-29.324	74.000	12.378	PK
2	*	15900.000	50.924	32.486	-23.076	74.000	18.438	PK

Profile: 1962097R	Page No.: 222
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.598	31.220	-30.402	74.000	12.378	PK
2	*	15900.000	48.992	30.554	-25.008	74.000	18.438	PK

Profile: 1962097R	Page No.: 223
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:45
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.204	31.970	-29.796	74.000	12.233	PK
2	*	15960.000	50.153	31.392	-23.847	74.000	18.761	PK

Profile: 1962097R	Page No.: 224
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.628	33.394	-28.372	74.000	12.233	PK
2	*	15960.000	49.595	30.834	-24.405	74.000	18.761	PK

Profile: 1962097R	Page No.: 225
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.243	31.420	-29.757	74.000	12.823	PK
2	*	15780.000	50.080	31.204	-23.920	74.000	18.876	PK

Profile: 1962097R	Page No.: 226
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.643	32.820	-28.357	74.000	12.823	PK
2	*	15780.000	50.293	31.417	-23.707	74.000	18.876	PK

Profile: 1962097R	Page No.: 227
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.269	32.891	-28.731	74.000	12.378	PK
2	*	15900.000	49.405	30.967	-24.595	74.000	18.438	PK

Profile: 1962097R	Page No.: 228
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.269	31.891	-29.731	74.000	12.378	PK
2	*	15900.000	51.323	32.885	-22.677	74.000	18.438	PK

Profile: 1962097R	Page No.: 229
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.736	31.502	-30.264	74.000	12.233	PK
2	*	15960.000	50.513	31.752	-23.487	74.000	18.761	PK

Profile: 1962097R	Page No.: 230
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.164	31.930	-29.836	74.000	12.233	PK
2	*	15960.000	49.930	31.169	-24.070	74.000	18.761	PK

Profile: 1962097R	Page No.: 231
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.671	32.848	-28.329	74.000	12.823	PK
2	*	15780.000	51.679	32.803	-22.321	74.000	18.876	PK

Profile: 1962097R	Page No.: 232
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.365	32.542	-28.635	74.000	12.823	PK
2	*	15780.000	50.350	31.474	-23.650	74.000	18.876	PK

Profile: 1962097R	Page No.: 233
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.026	31.648	-29.974	74.000	12.378	PK
2	*	15900.000	50.363	31.925	-23.637	74.000	18.438	PK

Profile: 1962097R	Page No.: 234
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.874	32.496	-29.126	74.000	12.378	PK
2	*	15900.000	49.858	31.420	-24.142	74.000	18.438	PK

Profile: 1962097R	Page No.: 235
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:46
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.996	32.762	-29.004	74.000	12.233	PK
2	*	15960.000	51.152	32.391	-22.848	74.000	18.761	PK

Profile: 1962097R	Page No.: 236
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.062	31.828	-29.938	74.000	12.233	PK
2	*	15960.000	49.243	30.482	-24.757	74.000	18.761	PK

Profile: 1962097R	Page No.: 237
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.902	33.061	-28.098	74.000	12.840	PK
2	*	15810.000	51.152	32.306	-22.848	74.000	18.846	PK

Profile: 1962097R	Page No.: 238
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.029	32.188	-28.971	74.000	12.840	PK
2	*	15810.000	50.696	31.850	-23.304	74.000	18.846	PK

Profile: 1962097R	Page No.: 239
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.281	31.935	-28.719	74.000	13.346	PK
2	*	15930.000	50.436	31.135	-23.564	74.000	19.302	PK

Profile: 1962097R	Page No.: 240
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.087	32.741	-27.913	74.000	13.346	PK
2	*	15930.000	49.860	30.559	-24.140	74.000	19.302	PK

Profile: 1962097R	Page No.: 241
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.039	32.198	-28.961	74.000	12.840	PK
2	*	15810.000	50.933	32.087	-23.067	74.000	18.846	PK

Profile: 1962097R	Page No.: 242
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.820	31.979	-29.180	74.000	12.840	PK
2	*	15810.000	50.830	31.984	-23.170	74.000	18.846	PK

Profile: 1962097R	Page No.: 243
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.175	32.829	-27.825	74.000	13.346	PK
2	*	15930.000	51.961	32.660	-22.039	74.000	19.302	PK

Profile: 1962097R	Page No.: 244
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.988	31.642	-29.012	74.000	13.346	PK
2	*	15930.000	50.727	31.426	-23.273	74.000	19.302	PK

Profile: 1962097R	Page No.: 245
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.475	31.634	-29.525	74.000	12.840	PK
2	*	15810.000	49.789	30.943	-24.211	74.000	18.846	PK

Profile: 1962097R	Page No.: 246
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.236	32.395	-28.764	74.000	12.840	PK
2	*	15810.000	49.963	31.117	-24.037	74.000	18.846	PK

Profile: 1962097R	Page No.: 247
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.585	31.239	-29.415	74.000	13.346	PK
2	*	15930.000	50.612	31.311	-23.388	74.000	19.302	PK

Profile: 1962097R	Page No.: 248
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:47
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.957	32.611	-28.043	74.000	13.346	PK
2	*	15930.000	51.684	32.383	-22.316	74.000	19.302	PK

Profile: 1962097R	Page No.: 249
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	46.330	33.489	-27.670	74.000	12.840	PK
2	*	15810.000	51.805	32.959	-22.195	74.000	18.846	PK

Profile: 1962097R	Page No.: 250
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.496	32.655	-28.504	74.000	12.840	PK
2	*	15810.000	51.057	32.211	-22.943	74.000	18.846	PK

Profile: 1962097R	Page No.: 251
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.614	31.268	-29.386	74.000	13.346	PK
2	*	15930.000	50.976	31.675	-23.024	74.000	19.302	PK

Profile: 1962097R	Page No.: 252
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.830	32.484	-28.170	74.000	13.346	PK
2	*	15930.000	51.330	32.029	-22.670	74.000	19.302	PK

Profile: 1962097R	Page No.: 253
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.161	31.801	-29.839	74.000	12.360	PK
2	*	15870.000	49.957	31.064	-24.043	74.000	18.893	PK

Profile: 1962097R	Page No.: 254
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:48
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.735	32.375	-29.265	74.000	12.360	PK
2	*	15870.000	50.307	31.414	-23.693	74.000	18.893	PK

Profile: 1962097R	Page No.: 255
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.483	31.123	-30.517	74.000	12.360	PK
2	*	15870.000	50.015	31.122	-23.985	74.000	18.893	PK

Profile: 1962097R	Page No.: 256
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.828	31.468	-30.172	74.000	12.360	PK
2	*	15870.000	50.185	31.292	-23.815	74.000	18.893	PK

Profile: 1962097R	Page No.: 257
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.889	32.529	-29.111	74.000	12.360	PK
2	*	15870.000	49.733	30.840	-24.267	74.000	18.893	PK

Profile: 1962097R	Page No.: 258
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.342	31.982	-29.658	74.000	12.360	PK
2	*	15870.000	49.788	30.895	-24.212	74.000	18.893	PK

Profile: 1962097R	Page No.: 259
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:49
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.565	32.205	-29.435	74.000	12.360	PK
2	*	15870.000	51.372	32.479	-22.628	74.000	18.893	PK

Profile: 1962097R	Page No.: 260
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.431	32.071	-29.569	74.000	12.360	PK
2	*	15870.000	50.394	31.501	-23.606	74.000	18.893	PK

Profile: 1962097R	Page No.: 261
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.313	33.490	-27.687	74.000	12.823	PK
2	*	15780.000	51.118	32.242	-22.882	74.000	18.876	PK

Profile: 1962097R	Page No.: 262
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.765	31.942	-29.235	74.000	12.823	PK
2	*	15780.000	50.791	31.915	-23.209	74.000	18.876	PK

Profile: 1962097R	Page No.: 263
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.928	31.550	-30.072	74.000	12.378	PK
2	*	15900.000	49.327	30.889	-24.673	74.000	18.438	PK

Profile: 1962097R	Page No.: 264
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.558	32.180	-29.442	74.000	12.378	PK
2	*	15900.000	50.340	31.902	-23.660	74.000	18.438	PK

Profile: 1962097R	Page No.: 265
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.160	30.926	-30.840	74.000	12.233	PK
2	*	15960.000	49.995	31.234	-24.005	74.000	18.761	PK

Profile: 1962097R	Page No.: 266
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.329	32.095	-29.671	74.000	12.233	PK
2	*	15960.000	50.438	31.677	-23.562	74.000	18.761	PK

Profile: 1962097R	Page No.: 267
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.340	32.517	-28.660	74.000	12.823	PK
2	*	15780.000	51.968	33.092	-22.032	74.000	18.876	PK

Profile: 1962097R	Page No.: 268
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.618	32.795	-28.382	74.000	12.823	PK
2	*	15780.000	51.592	32.716	-22.408	74.000	18.876	PK

Profile: 1962097R	Page No.: 269
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.825	31.447	-30.175	74.000	12.378	PK
2	*	15900.000	49.305	30.867	-24.695	74.000	18.438	PK

Profile: 1962097R	Page No.: 270
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.997	31.619	-30.003	74.000	12.378	PK
2	*	15900.000	50.322	31.884	-23.678	74.000	18.438	PK

Profile: 1962097R	Page No.: 271
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.813	32.579	-29.187	74.000	12.233	PK
2	*	15960.000	51.780	33.019	-22.220	74.000	18.761	PK

Profile: 1962097R	Page No.: 272
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:50
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.318	31.084	-30.682	74.000	12.233	PK
2	*	15960.000	49.796	31.035	-24.204	74.000	18.761	PK

Profile: 1962097R	Page No.: 273
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.289	33.466	-27.711	74.000	12.823	PK
2	*	15780.000	50.742	31.866	-23.258	74.000	18.876	PK

Profile: 1962097R	Page No.: 274
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.640	31.817	-29.360	74.000	12.823	PK
2	*	15780.000	50.444	31.568	-23.556	74.000	18.876	PK

Profile: 1962097R	Page No.: 275
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.713	31.335	-30.287	74.000	12.378	PK
2	*	15900.000	49.334	30.896	-24.666	74.000	18.438	PK

Profile: 1962097R	Page No.: 276
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.531	32.153	-29.469	74.000	12.378	PK
2	*	15900.000	50.316	31.878	-23.684	74.000	18.438	PK

Profile: 1962097R	Page No.: 277
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.093	32.859	-28.907	74.000	12.233	PK
2	*	15960.000	50.169	31.408	-23.831	74.000	18.761	PK

Profile: 1962097R	Page No.: 278
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.474	33.240	-28.526	74.000	12.233	PK
2	*	15960.000	50.464	31.703	-23.536	74.000	18.761	PK

Profile: 1962097R	Page No.: 279
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.570	32.747	-28.430	74.000	12.823	PK
2	*	15780.000	49.712	30.836	-24.288	74.000	18.876	PK

Profile: 1962097R	Page No.: 280
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5260MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.422	32.599	-28.578	74.000	12.823	PK
2	*	15780.000	50.401	31.525	-23.599	74.000	18.876	PK

Profile: 1962097R	Page No.: 281
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.877	32.499	-29.123	74.000	12.378	PK
2	*	15900.000	51.506	33.068	-22.494	74.000	18.438	PK

Profile: 1962097R	Page No.: 282
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5300MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	45.501	33.123	-28.499	74.000	12.378	PK
2	*	15900.000	51.044	32.606	-22.956	74.000	18.438	PK

Profile: 1962097R	Page No.: 283
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	45.095	32.861	-28.905	74.000	12.233	PK
2	*	15960.000	51.035	32.274	-22.965	74.000	18.761	PK

Profile: 1962097R	Page No.: 284
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 7:Transmit at 5320MHz by 802.11ax (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.299	32.065	-29.701	74.000	12.233	PK
2	*	15960.000	51.600	32.839	-22.400	74.000	18.761	PK

Profile: 1962097R	Page No.: 285
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.762	30.921	-30.238	74.000	12.840	PK
2	*	15810.000	50.777	31.931	-23.223	74.000	18.846	PK

Profile: 1962097R	Page No.: 286
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:51
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.871	32.030	-29.129	74.000	12.840	PK
2	*	15810.000	49.928	31.082	-24.072	74.000	18.846	PK

Profile: 1962097R	Page No.: 287
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.749	31.403	-29.251	74.000	13.346	PK
2	*	15930.000	50.728	31.427	-23.272	74.000	19.302	PK

Profile: 1962097R	Page No.: 288
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.399	32.053	-28.601	74.000	13.346	PK
2	*	15930.000	51.096	31.795	-22.904	74.000	19.302	PK

Profile: 1962097R	Page No.: 289
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.835	32.994	-28.165	74.000	12.840	PK
2	*	15810.000	51.434	32.588	-22.566	74.000	18.846	PK

Profile: 1962097R	Page No.: 290
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.621	31.780	-29.379	74.000	12.840	PK
2	*	15810.000	50.027	31.181	-23.973	74.000	18.846	PK

Profile: 1962097R	Page No.: 291
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.429	32.083	-28.571	74.000	13.346	PK
2	*	15930.000	50.034	30.733	-23.966	74.000	19.302	PK

Profile: 1962097R	Page No.: 292
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.707	31.361	-29.293	74.000	13.346	PK
2	*	15930.000	50.928	31.627	-23.072	74.000	19.302	PK

Profile: 1962097R	Page No.: 293
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.800	32.959	-28.200	74.000	12.840	PK
2	*	15810.000	51.494	32.648	-22.506	74.000	18.846	PK

Profile: 1962097R	Page No.: 294
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.893	32.052	-29.107	74.000	12.840	PK
2	*	15810.000	49.886	31.040	-24.114	74.000	18.846	PK

Profile: 1962097R	Page No.: 295
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	46.128	32.782	-27.872	74.000	13.346	PK
2	*	15930.000	50.637	31.336	-23.363	74.000	19.302	PK

Profile: 1962097R	Page No.: 296
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.260	31.914	-28.740	74.000	13.346	PK
2	*	15930.000	50.917	31.616	-23.083	74.000	19.302	PK

Profile: 1962097R	Page No.: 297
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.926	32.085	-29.074	74.000	12.840	PK
2	*	15810.000	50.403	31.557	-23.597	74.000	18.846	PK

Profile: 1962097R	Page No.: 298
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:52
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5270MHz by 802.11ax (40MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.936	32.095	-29.064	74.000	12.840	PK
2	*	15810.000	50.826	31.980	-23.174	74.000	18.846	PK

Profile: 1962097R	Page No.: 299
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax (40MHz) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.638	31.292	-29.362	74.000	13.346	PK
2	*	15930.000	51.427	32.126	-22.573	74.000	19.302	PK