



Profile: 1962097R	Page No.: 300
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 8:Transmit at 5310MHz by 802.11ax ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	45.958	32.612	-28.042	74.000	13.346	PK
2	*	15930.000	51.307	32.006	-22.693	74.000	19.302	PK

Profile: 1962097R	Page No.: 301
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.037	31.677	-29.963	74.000	12.360	PK
2	*	15870.000	50.711	31.818	-23.289	74.000	18.893	PK

Profile: 1962097R	Page No.: 302
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.384	32.024	-29.616	74.000	12.360	PK
2	*	15870.000	50.637	31.744	-23.363	74.000	18.893	PK

Profile: 1962097R	Page No.: 303
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.034	32.674	-28.966	74.000	12.360	PK
2	*	15870.000	50.825	31.932	-23.175	74.000	18.893	PK

Profile: 1962097R	Page No.: 304
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.653	32.293	-29.347	74.000	12.360	PK
2	*	15870.000	50.028	31.135	-23.972	74.000	18.893	PK

Profile: 1962097R	Page No.: 305
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.402	32.042	-29.598	74.000	12.360	PK
2	*	15870.000	50.862	31.969	-23.138	74.000	18.893	PK

Profile: 1962097R	Page No.: 306
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.392	32.032	-29.608	74.000	12.360	PK
2	*	15870.000	49.658	30.765	-24.342	74.000	18.893	PK


Profile: 1962097R	Page No.: 307
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	44.902	32.542	-29.098	74.000	12.360	PK
2	*	15870.000	49.998	31.105	-24.002	74.000	18.893	PK




Profile: 1962097R	Page No.: 308
Engineer: Simon	
Site: AC5	Time: 2019/09/13 - 16:53
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 9:Transmit at 5290MHz by 802.11ax ( 80MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	45.425	33.065	-28.575	74.000	12.360	PK
2	*	15870.000	51.047	32.154	-22.953	74.000	18.893	PK


**AP305C-Eth2 RSE**

Profile: 1962097R	Page No.: 321
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.939	32.420	-30.061	74.000	11.519	PK
2	*	15540.000	50.783	32.926	-23.217	74.000	17.857	PK

Profile: 1962097R	Page No.: 322
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.103	31.584	-30.897	74.000	11.519	PK
2	*	15540.000	50.371	32.514	-23.629	74.000	17.857	PK

Profile: 1962097R	Page No.: 323
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:21
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.818	30.749	-31.182	74.000	12.070	PK
2	*	15660.000	49.046	31.441	-24.954	74.000	17.605	PK

Profile: 1962097R	Page No.: 324
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.614	31.545	-30.386	74.000	12.070	PK
2	*	15660.000	49.856	32.251	-24.144	74.000	17.605	PK

Profile: 1962097R	Page No.: 325
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.470	30.198	-31.530	74.000	12.272	PK
2	*	15720.000	48.851	30.814	-25.149	74.000	18.038	PK

Profile: 1962097R	Page No.: 326
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.318	30.046	-31.682	74.000	12.272	PK
2	*	15720.000	49.093	31.056	-24.907	74.000	18.038	PK


Profile: 1962097R	Page No.: 327
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.630	30.192	-30.370	74.000	13.438	PK
2	*	17235.000	51.313	29.375	-22.687	74.000	21.938	PK




Profile: 1962097R	Page No.: 328
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:22
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.782	30.344	-30.218	74.000	13.438	PK
2	*	17235.000	52.748	30.810	-21.252	74.000	21.938	PK

Profile: 1962097R	Page No.: 329
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.193	28.557	-31.807	74.000	13.637	PK
2	*	17355.000	52.635	29.594	-21.365	74.000	23.041	PK

Profile: 1962097R	Page No.: 330
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.689	28.053	-32.311	74.000	13.637	PK
2	*	17355.000	52.830	29.789	-21.170	74.000	23.041	PK

Profile: 1962097R	Page No.: 331
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.397	28.218	-31.603	74.000	14.179	PK
2	*	17475.000	49.321	29.969	-24.679	74.000	19.352	PK

Profile: 1962097R	Page No.: 332
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.690	29.511	-30.310	74.000	14.179	PK
2	*	17475.000	50.839	31.487	-23.161	74.000	19.352	PK

Profile: 1962097R	Page No.: 333
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.472	30.953	-31.528	74.000	11.519	PK
2	*	15540.000	48.675	30.818	-25.325	74.000	17.857	PK

Profile: 1962097R	Page No.: 334
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.705	30.186	-32.295	74.000	11.519	PK
2	*	15540.000	48.480	30.623	-25.520	74.000	17.857	PK


Profile: 1962097R	Page No.: 335
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.553	29.484	-32.447	74.000	12.070	PK
2	*	15660.000	48.432	30.827	-25.568	74.000	17.605	PK




Profile: 1962097R	Page No.: 336
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.108	29.039	-32.892	74.000	12.070	PK
2	*	15660.000	47.744	30.139	-26.256	74.000	17.605	PK

Profile: 1962097R	Page No.: 337
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.791	29.519	-32.209	74.000	12.272	PK
2	*	15720.000	47.811	29.774	-26.189	74.000	18.038	PK

Profile: 1962097R	Page No.: 338
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.083	29.811	-31.917	74.000	12.272	PK
2	*	15720.000	49.653	31.616	-24.347	74.000	18.038	PK

Profile: 1962097R	Page No.: 339
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.537	29.099	-31.463	74.000	13.438	PK
2	*	17235.000	51.403	29.465	-22.597	74.000	21.938	PK

Profile: 1962097R	Page No.: 340
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	44.146	30.708	-29.854	74.000	13.438	PK
2	*	17235.000	52.033	30.095	-21.967	74.000	21.938	PK

Profile: 1962097R	Page No.: 341
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.080	29.444	-30.920	74.000	13.637	PK
2	*	17355.000	52.989	29.948	-21.011	74.000	23.041	PK

Profile: 1962097R	Page No.: 342
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.104	29.468	-30.896	74.000	13.637	PK
2	*	17355.000	51.717	28.676	-22.283	74.000	23.041	PK


Profile: 1962097R	Page No.: 343
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.496	29.317	-30.504	74.000	14.179	PK
2	*	17475.000	49.985	30.633	-24.015	74.000	19.352	PK




Profile: 1962097R	Page No.: 344
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.144	29.965	-29.856	74.000	14.179	PK
2	*	17475.000	49.206	29.854	-24.794	74.000	19.352	PK

Profile: 1962097R	Page No.: 345
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.023	30.504	-31.977	74.000	11.519	PK
2	*	15540.000	48.533	30.676	-25.467	74.000	17.857	PK

Profile: 1962097R	Page No.: 346
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5180MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.043	30.524	-31.957	74.000	11.519	PK
2	*	15540.000	48.686	30.829	-25.314	74.000	17.857	PK

Profile: 1962097R	Page No.: 347
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	43.201	31.132	-30.799	74.000	12.070	PK
2	*	15660.000	49.184	31.579	-24.816	74.000	17.605	PK

Profile: 1962097R	Page No.: 348
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5220MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.262	29.193	-32.738	74.000	12.070	PK
2	*	15660.000	48.622	31.017	-25.378	74.000	17.605	PK

Profile: 1962097R	Page No.: 349
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.629	31.357	-30.371	74.000	12.272	PK
2	*	15720.000	49.616	31.579	-24.384	74.000	18.038	PK

Profile: 1962097R	Page No.: 350
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5240MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.997	29.725	-32.003	74.000	12.272	PK
2	*	15720.000	48.439	30.402	-25.561	74.000	18.038	PK


Profile: 1962097R	Page No.: 351
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.020	29.582	-30.980	74.000	13.438	PK
2	*	17235.000	51.385	29.447	-22.615	74.000	21.938	PK




Profile: 1962097R	Page No.: 352
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5745MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.998	30.560	-30.002	74.000	13.438	PK
2	*	17235.000	51.641	29.703	-22.359	74.000	21.938	PK

Profile: 1962097R	Page No.: 353
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.453	28.817	-31.547	74.000	13.637	PK
2	*	17355.000	52.483	29.442	-21.517	74.000	23.041	PK

Profile: 1962097R	Page No.: 354
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5785MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.349	28.713	-31.651	74.000	13.637	PK
2	*	17355.000	52.291	29.250	-21.709	74.000	23.041	PK

Profile: 1962097R	Page No.: 355
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.344	30.165	-29.656	74.000	14.179	PK
2	*	17475.000	49.486	30.134	-24.514	74.000	19.352	PK

Profile: 1962097R	Page No.: 356
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 1:Transmit at 5825MHz by 802.11a CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.054	28.875	-30.946	74.000	14.179	PK
2	*	17475.000	48.947	29.595	-25.053	74.000	19.352	PK

Profile: 1962097R	Page No.: 369
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.656	30.137	-32.344	74.000	11.519	PK
2	*	15540.000	49.304	31.447	-24.696	74.000	17.857	PK

Profile: 1962097R	Page No.: 370
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.463	30.944	-31.537	74.000	11.519	PK
2	*	15540.000	50.345	32.488	-23.655	74.000	17.857	PK


Profile: 1962097R	Page No.: 371
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.532	29.463	-32.468	74.000	12.070	PK
2	*	15660.000	49.310	31.705	-24.690	74.000	17.605	PK




Profile: 1962097R	Page No.: 372
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.242	30.173	-31.758	74.000	12.070	PK
2	*	15660.000	48.240	30.635	-25.760	74.000	17.605	PK

Profile: 1962097R	Page No.: 373
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.516	30.244	-31.484	74.000	12.272	PK
2	*	15720.000	49.312	31.275	-24.688	74.000	18.038	PK

Profile: 1962097R	Page No.: 374
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.575	31.303	-30.425	74.000	12.272	PK
2	*	15720.000	50.165	32.128	-23.835	74.000	18.038	PK

Profile: 1962097R	Page No.: 375
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.896	29.458	-31.104	74.000	13.438	PK
2	*	17235.000	52.202	30.264	-21.798	74.000	21.938	PK

Profile: 1962097R	Page No.: 376
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.554	29.116	-31.446	74.000	13.438	PK
2	*	17235.000	51.639	29.701	-22.361	74.000	21.938	PK

Profile: 1962097R	Page No.: 377
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.470	28.834	-31.530	74.000	13.637	PK
2	*	17355.000	52.985	29.944	-21.015	74.000	23.041	PK

Profile: 1962097R	Page No.: 378
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.379	28.743	-31.621	74.000	13.637	PK
2	*	17355.000	51.605	28.564	-22.395	74.000	23.041	PK


Profile: 1962097R	Page No.: 379
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.937	29.758	-30.063	74.000	14.179	PK
2	*	17475.000	52.134	32.782	-21.866	74.000	19.352	PK




Profile: 1962097R	Page No.: 380
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.528	30.349	-29.472	74.000	14.179	PK
2	*	17475.000	49.985	30.633	-24.015	74.000	19.352	PK

Profile: 1962097R	Page No.: 381
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.781	30.262	-32.219	74.000	11.519	PK
2	*	15540.000	48.658	30.801	-25.342	74.000	17.857	PK

Profile: 1962097R	Page No.: 382
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.372	31.853	-30.628	74.000	11.519	PK
2	*	15540.000	49.742	31.885	-24.258	74.000	17.857	PK

Profile: 1962097R	Page No.: 383
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.583	29.514	-32.417	74.000	12.070	PK
2	*	15660.000	48.097	30.492	-25.903	74.000	17.605	PK

Profile: 1962097R	Page No.: 384
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.791	30.722	-31.209	74.000	12.070	PK
2	*	15660.000	48.623	31.018	-25.377	74.000	17.605	PK

Profile: 1962097R	Page No.: 385
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.991	29.719	-32.009	74.000	12.272	PK
2	*	15720.000	48.432	30.395	-25.568	74.000	18.038	PK

Profile: 1962097R	Page No.: 386
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.713	30.441	-31.287	74.000	12.272	PK
2	*	15720.000	48.275	30.238	-25.725	74.000	18.038	PK


Profile: 1962097R	Page No.: 387
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.240	29.802	-30.760	74.000	13.438	PK
2	*	17235.000	50.946	29.008	-23.054	74.000	21.938	PK




Profile: 1962097R	Page No.: 388
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.927	29.489	-31.073	74.000	13.438	PK
2	*	17235.000	50.303	28.365	-23.697	74.000	21.938	PK

Profile: 1962097R	Page No.: 389
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.491	29.855	-30.509	74.000	13.637	PK
2	*	17355.000	52.980	29.939	-21.020	74.000	23.041	PK

Profile: 1962097R	Page No.: 390
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.632	28.996	-31.368	74.000	13.637	PK
2	*	17355.000	51.769	28.728	-22.231	74.000	23.041	PK

Profile: 1962097R	Page No.: 391
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.054	29.875	-29.946	74.000	14.179	PK
2	*	17475.000	49.455	30.103	-24.545	74.000	19.352	PK

Profile: 1962097R	Page No.: 392
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.974	28.795	-31.026	74.000	14.179	PK
2	*	17475.000	50.070	30.718	-23.930	74.000	19.352	PK

Profile: 1962097R	Page No.: 393
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.853	30.334	-32.147	74.000	11.519	PK
2	*	15540.000	48.457	30.600	-25.543	74.000	17.857	PK

Profile: 1962097R	Page No.: 394
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.643	30.124	-32.357	74.000	11.519	PK
2	*	15540.000	49.469	31.612	-24.531	74.000	17.857	PK


Profile: 1962097R	Page No.: 395
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.328	30.259	-31.672	74.000	12.070	PK
2	*	15660.000	48.644	31.039	-25.356	74.000	17.605	PK




Profile: 1962097R	Page No.: 396
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:29
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.600	29.531	-32.400	74.000	12.070	PK
2	*	15660.000	48.967	31.362	-25.033	74.000	17.605	PK

Profile: 1962097R	Page No.: 397
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.404	30.132	-31.596	74.000	12.272	PK
2	*	15720.000	48.950	30.913	-25.050	74.000	18.038	PK

Profile: 1962097R	Page No.: 398
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.719	30.447	-31.281	74.000	12.272	PK
2	*	15720.000	48.499	30.462	-25.501	74.000	18.038	PK

Profile: 1962097R	Page No.: 399
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.934	29.496	-31.066	74.000	13.438	PK
2	*	17235.000	51.871	29.933	-22.129	74.000	21.938	PK

Profile: 1962097R	Page No.: 400
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	41.894	28.456	-32.106	74.000	13.438	PK
2	*	17235.000	51.249	29.311	-22.751	74.000	21.938	PK

Profile: 1962097R	Page No.: 401
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	41.584	27.948	-32.416	74.000	13.637	PK
2	*	17355.000	52.091	29.050	-21.909	74.000	23.041	PK

Profile: 1962097R	Page No.: 402
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.303	29.667	-30.697	74.000	13.637	PK
2	*	17355.000	52.708	29.667	-21.292	74.000	23.041	PK


Profile: 1962097R	Page No.: 403
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.264	29.085	-30.736	74.000	14.179	PK
2	*	17475.000	49.579	30.227	-24.421	74.000	19.352	PK




Profile: 1962097R	Page No.: 404
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.612	29.433	-30.388	74.000	14.179	PK
2	*	17475.000	49.165	29.813	-24.835	74.000	19.352	PK

Profile: 1962097R	Page No.: 405
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.729	31.210	-31.271	74.000	11.519	PK
2	*	15540.000	49.483	31.626	-24.517	74.000	17.857	PK

Profile: 1962097R	Page No.: 406
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5180MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.458	30.939	-31.542	74.000	11.519	PK
2	*	15540.000	48.991	31.134	-25.009	74.000	17.857	PK

Profile: 1962097R	Page No.: 407
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.197	30.128	-31.803	74.000	12.070	PK
2	*	15660.000	48.008	30.403	-25.992	74.000	17.605	PK

Profile: 1962097R	Page No.: 408
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:30
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5220MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.358	30.289	-31.642	74.000	12.070	PK
2	*	15660.000	47.401	29.796	-26.599	74.000	17.605	PK

Profile: 1962097R	Page No.: 409
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.145	29.873	-31.855	74.000	12.272	PK
2	*	15720.000	48.779	30.742	-25.221	74.000	18.038	PK

Profile: 1962097R	Page No.: 410
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5240MHz by 802.11n ( 20MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.382	30.110	-31.618	74.000	12.272	PK
2	*	15720.000	48.353	30.316	-25.647	74.000	18.038	PK


Profile: 1962097R	Page No.: 411
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.175	29.737	-30.825	74.000	13.438	PK
2	*	17235.000	52.105	30.167	-21.895	74.000	21.938	PK




Profile: 1962097R	Page No.: 412
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5745MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.147	29.709	-30.853	74.000	13.438	PK
2	*	17235.000	51.215	29.277	-22.785	74.000	21.938	PK

Profile: 1962097R	Page No.: 413
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.777	29.141	-31.223	74.000	13.637	PK
2	*	17355.000	52.774	29.733	-21.226	74.000	23.041	PK

Profile: 1962097R	Page No.: 414
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5785MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.504	29.868	-30.496	74.000	13.637	PK
2	*	17355.000	52.609	29.568	-21.391	74.000	23.041	PK

Profile: 1962097R	Page No.: 415
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.446	28.267	-31.554	74.000	14.179	PK
2	*	17475.000	49.922	30.570	-24.078	74.000	19.352	PK

Profile: 1962097R	Page No.: 416
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5825MHz by 802.11n ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.012	28.833	-30.988	74.000	14.179	PK
2	*	17475.000	50.383	31.031	-23.617	74.000	19.352	PK

Profile: 1962097R	Page No.: 417
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.568	30.918	-31.432	74.000	11.650	PK
2	*	15570.000	48.849	30.975	-25.151	74.000	17.874	PK

Profile: 1962097R	Page No.: 418
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.916	31.266	-31.084	74.000	11.650	PK
2	*	15570.000	50.273	32.399	-23.727	74.000	17.874	PK


Profile: 1962097R	Page No.: 419
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.263	29.199	-32.737	74.000	12.064	PK
2	*	15690.000	49.175	31.317	-24.825	74.000	17.857	PK




Profile: 1962097R	Page No.: 420
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.362	29.298	-32.638	74.000	12.064	PK
2	*	15690.000	48.161	30.303	-25.839	74.000	17.857	PK

Profile: 1962097R	Page No.: 421
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.079	29.745	-30.921	74.000	13.334	PK
2	*	17265.000	52.848	29.818	-21.152	74.000	23.030	PK

Profile: 1962097R	Page No.: 422
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.509	29.175	-31.491	74.000	13.334	PK
2	*	17265.000	51.580	28.550	-22.420	74.000	23.030	PK

Profile: 1962097R	Page No.: 423
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.500	28.590	-31.500	74.000	13.909	PK
2	*	17385.000	52.274	30.498	-21.726	74.000	21.775	PK

Profile: 1962097R	Page No.: 424
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.553	29.643	-30.447	74.000	13.909	PK
2	*	17385.000	52.375	30.599	-21.625	74.000	21.775	PK

Profile: 1962097R	Page No.: 425
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.513	30.863	-31.487	74.000	11.650	PK
2	*	15570.000	50.376	32.502	-23.624	74.000	17.874	PK

Profile: 1962097R	Page No.: 426
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.841	31.191	-31.159	74.000	11.650	PK
2	*	15570.000	50.775	32.901	-23.225	74.000	17.874	PK


Profile: 1962097R	Page No.: 427
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.258	29.194	-32.742	74.000	12.064	PK
2	*	15690.000	48.419	30.561	-25.581	74.000	17.857	PK




Profile: 1962097R	Page No.: 428
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.215	29.151	-32.785	74.000	12.064	PK
2	*	15690.000	48.129	30.271	-25.871	74.000	17.857	PK

Profile: 1962097R	Page No.: 429
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	44.066	30.732	-29.934	74.000	13.334	PK
2	*	17265.000	52.199	29.169	-21.801	74.000	23.030	PK

Profile: 1962097R	Page No.: 430
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.247	28.913	-31.753	74.000	13.334	PK
2	*	17265.000	52.554	29.524	-21.446	74.000	23.030	PK

Profile: 1962097R	Page No.: 431
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.249	29.339	-30.751	74.000	13.909	PK
2	*	17385.000	52.924	31.148	-21.076	74.000	21.775	PK

Profile: 1962097R	Page No.: 432
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.573	29.663	-30.427	74.000	13.909	PK
2	*	17385.000	52.521	30.745	-21.479	74.000	21.775	PK

Profile: 1962097R	Page No.: 433
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.499	30.849	-31.501	74.000	11.650	PK
2	*	15570.000	48.765	30.891	-25.235	74.000	17.874	PK

Profile: 1962097R	Page No.: 434
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	41.630	29.980	-32.370	74.000	11.650	PK
2	*	15570.000	48.224	30.350	-25.776	74.000	17.874	PK


Profile: 1962097R	Page No.: 435
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.805	29.741	-32.195	74.000	12.064	PK
2	*	15690.000	47.924	30.066	-26.076	74.000	17.857	PK




Profile: 1962097R	Page No.: 436
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.087	31.023	-30.913	74.000	12.064	PK
2	*	15690.000	48.124	30.266	-25.876	74.000	17.857	PK

Profile: 1962097R	Page No.: 437
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.584	29.250	-31.416	74.000	13.334	PK
2	*	17265.000	52.832	29.802	-21.168	74.000	23.030	PK

Profile: 1962097R	Page No.: 438
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	43.133	29.799	-30.867	74.000	13.334	PK
2	*	17265.000	52.733	29.703	-21.267	74.000	23.030	PK

Profile: 1962097R	Page No.: 439
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.975	30.065	-30.025	74.000	13.909	PK
2	*	17385.000	51.986	30.210	-22.014	74.000	21.775	PK

Profile: 1962097R	Page No.: 440
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.276	29.366	-30.724	74.000	13.909	PK
2	*	17385.000	53.433	31.657	-20.567	74.000	21.775	PK

Profile: 1962097R	Page No.: 441
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	44.513	32.863	-29.487	74.000	11.650	PK
2	*	15570.000	49.150	31.276	-24.850	74.000	17.874	PK

Profile: 1962097R	Page No.: 442
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5190MHz by 802.11n ( 40MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	45.170	33.520	-28.830	74.000	11.650	PK
2	*	15570.000	49.821	31.947	-24.179	74.000	17.874	PK


Profile: 1962097R	Page No.: 443
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	41.590	29.526	-32.410	74.000	12.064	PK
2	*	15690.000	47.646	29.788	-26.354	74.000	17.857	PK




Profile: 1962097R	Page No.: 444
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5230MHz by 802.11n ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	43.232	31.168	-30.768	74.000	12.064	PK
2	*	15690.000	49.208	31.350	-24.792	74.000	17.857	PK

Profile: 1962097R	Page No.: 445
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.631	29.297	-31.369	74.000	13.334	PK
2	*	17265.000	51.651	28.621	-22.349	74.000	23.030	PK

Profile: 1962097R	Page No.: 446
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5755MHz by 802.11n ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.635	29.301	-31.365	74.000	13.334	PK
2	*	17265.000	51.950	28.920	-22.050	74.000	23.030	PK

Profile: 1962097R	Page No.: 447
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	43.120	29.210	-30.880	74.000	13.909	PK
2	*	17385.000	52.604	30.828	-21.396	74.000	21.775	PK

Profile: 1962097R	Page No.: 448
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5795MHz by 802.11n ( 40MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11590.000	42.794	28.884	-31.206	74.000	13.909	PK
2	*	17385.000	51.959	30.183	-22.041	74.000	21.775	PK

Profile: 1962097R	Page No.: 449
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.174	29.655	-32.826	74.000	11.519	PK
2	*	15540.000	49.118	31.261	-24.882	74.000	17.857	PK

Profile: 1962097R	Page No.: 450
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	41.343	29.824	-32.657	74.000	11.519	PK
2	*	15540.000	48.897	31.040	-25.103	74.000	17.857	PK


Profile: 1962097R	Page No.: 451
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.101	30.032	-31.899	74.000	12.070	PK
2	*	15660.000	48.055	30.450	-25.945	74.000	17.605	PK




Profile: 1962097R	Page No.: 452
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.032	29.963	-31.968	74.000	12.070	PK
2	*	15660.000	47.644	30.039	-26.356	74.000	17.605	PK

Profile: 1962097R	Page No.: 453
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.738	29.466	-32.262	74.000	12.272	PK
2	*	15720.000	48.569	30.532	-25.431	74.000	18.038	PK

Profile: 1962097R	Page No.: 454
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.138	29.866	-31.862	74.000	12.272	PK
2	*	15720.000	48.940	30.903	-25.060	74.000	18.038	PK

Profile: 1962097R	Page No.: 455
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.336	29.898	-30.664	74.000	13.438	PK
2	*	17235.000	52.129	30.191	-21.871	74.000	21.938	PK

Profile: 1962097R	Page No.: 456
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.750	30.312	-30.250	74.000	13.438	PK
2	*	17235.000	51.693	29.755	-22.307	74.000	21.938	PK

Profile: 1962097R	Page No.: 457
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.192	29.556	-30.808	74.000	13.637	PK
2	*	17355.000	51.529	28.488	-22.471	74.000	23.041	PK

Profile: 1962097R	Page No.: 458
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.703	29.067	-31.297	74.000	13.637	PK
2	*	17355.000	51.731	28.690	-22.269	74.000	23.041	PK


Profile: 1962097R	Page No.: 459
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.978	29.799	-30.022	74.000	14.179	PK
2	*	17475.000	49.969	30.617	-24.031	74.000	19.352	PK




Profile: 1962097R	Page No.: 460
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.550	29.371	-30.450	74.000	14.179	PK
2	*	17475.000	50.105	30.753	-23.895	74.000	19.352	PK

Profile: 1962097R	Page No.: 461
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.700	32.181	-30.300	74.000	11.519	PK
2	*	15540.000	51.361	33.504	-22.639	74.000	17.857	PK

Profile: 1962097R	Page No.: 462
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	43.048	31.529	-30.952	74.000	11.519	PK
2	*	15540.000	50.309	32.452	-23.691	74.000	17.857	PK

Profile: 1962097R	Page No.: 463
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.412	29.343	-32.588	74.000	12.070	PK
2	*	15660.000	48.184	30.579	-25.816	74.000	17.605	PK

Profile: 1962097R	Page No.: 464
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.505	29.436	-32.495	74.000	12.070	PK
2	*	15660.000	48.681	31.076	-25.319	74.000	17.605	PK

Profile: 1962097R	Page No.: 465
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.448	29.176	-32.552	74.000	12.272	PK
2	*	15720.000	48.375	30.338	-25.625	74.000	18.038	PK

Profile: 1962097R	Page No.: 466
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.031	30.759	-30.969	74.000	12.272	PK
2	*	15720.000	48.194	30.157	-25.806	74.000	18.038	PK


Profile: 1962097R	Page No.: 467
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.360	28.922	-31.640	74.000	13.438	PK
2	*	17235.000	51.727	29.789	-22.273	74.000	21.938	PK




Profile: 1962097R	Page No.: 468
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.152	29.714	-30.848	74.000	13.438	PK
2	*	17235.000	52.322	30.384	-21.678	74.000	21.938	PK

Profile: 1962097R	Page No.: 469
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.185	28.549	-31.815	74.000	13.637	PK
2	*	17355.000	52.326	29.285	-21.674	74.000	23.041	PK

Profile: 1962097R	Page No.: 470
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.030	29.394	-30.970	74.000	13.637	PK
2	*	17355.000	53.103	30.062	-20.897	74.000	23.041	PK

Profile: 1962097R	Page No.: 471
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	44.230	30.051	-29.770	74.000	14.179	PK
2	*	17475.000	49.257	29.905	-24.743	74.000	19.352	PK

Profile: 1962097R	Page No.: 472
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.340	29.161	-30.660	74.000	14.179	PK
2	*	17475.000	50.143	30.791	-23.857	74.000	19.352	PK

Profile: 1962097R	Page No.: 473
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.715	31.196	-31.285	74.000	11.519	PK
2	*	15540.000	49.701	31.844	-24.299	74.000	17.857	PK

Profile: 1962097R	Page No.: 474
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.235	30.716	-31.765	74.000	11.519	PK
2	*	15540.000	49.435	31.578	-24.565	74.000	17.857	PK


Profile: 1962097R	Page No.: 475
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.501	29.432	-32.499	74.000	12.070	PK
2	*	15660.000	47.773	30.168	-26.227	74.000	17.605	PK




Profile: 1962097R	Page No.: 476
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.835	29.766	-32.165	74.000	12.070	PK
2	*	15660.000	48.198	30.593	-25.802	74.000	17.605	PK

Profile: 1962097R	Page No.: 477
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.274	30.002	-31.726	74.000	12.272	PK
2	*	15720.000	48.420	30.383	-25.580	74.000	18.038	PK

Profile: 1962097R	Page No.: 478
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	41.506	29.234	-32.494	74.000	12.272	PK
2	*	15720.000	48.670	30.633	-25.330	74.000	18.038	PK

Profile: 1962097R	Page No.: 479
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.647	30.209	-30.353	74.000	13.438	PK
2	*	17235.000	52.614	30.676	-21.386	74.000	21.938	PK

Profile: 1962097R	Page No.: 480
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	42.422	28.984	-31.578	74.000	13.438	PK
2	*	17235.000	51.353	29.415	-22.647	74.000	21.938	PK

Profile: 1962097R	Page No.: 481
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.317	29.681	-30.683	74.000	13.637	PK
2	*	17355.000	52.711	29.670	-21.289	74.000	23.041	PK

Profile: 1962097R	Page No.: 482
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	43.174	29.538	-30.826	74.000	13.637	PK
2	*	17355.000	52.038	28.997	-21.962	74.000	23.041	PK


Profile: 1962097R	Page No.: 483
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.600	28.421	-31.400	74.000	14.179	PK
2	*	17475.000	50.003	30.651	-23.997	74.000	19.352	PK




Profile: 1962097R	Page No.: 484
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	42.379	28.200	-31.621	74.000	14.179	PK
2	*	17475.000	49.058	29.706	-24.942	74.000	19.352	PK

Profile: 1962097R	Page No.: 485
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.808	31.289	-31.192	74.000	11.519	PK
2	*	15540.000	48.757	30.900	-25.243	74.000	17.857	PK

Profile: 1962097R	Page No.: 486
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5180MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10360.000	42.385	30.866	-31.615	74.000	11.519	PK
2	*	15540.000	49.376	31.519	-24.624	74.000	17.857	PK

Profile: 1962097R	Page No.: 487
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	41.492	29.423	-32.508	74.000	12.070	PK
2	*	15660.000	48.247	30.642	-25.753	74.000	17.605	PK

Profile: 1962097R	Page No.: 488
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5220MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10440.000	42.480	30.411	-31.520	74.000	12.070	PK
2	*	15660.000	47.753	30.148	-26.247	74.000	17.605	PK

Profile: 1962097R	Page No.: 489
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	42.221	29.949	-31.779	74.000	12.272	PK
2	*	15720.000	48.686	30.649	-25.314	74.000	18.038	PK

Profile: 1962097R	Page No.: 490
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5240MHz by 802.11ac ( 20MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10480.000	43.191	30.919	-30.809	74.000	12.272	PK
2	*	15720.000	49.166	31.129	-24.834	74.000	18.038	PK


Profile: 1962097R	Page No.: 491
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:39
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) Beamforming	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.376	29.938	-30.624	74.000	13.438	PK
2	*	17235.000	50.932	28.994	-23.068	74.000	21.938	PK




Profile: 1962097R	Page No.: 492
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5745MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11490.000	43.277	29.839	-30.723	74.000	13.438	PK
2	*	17235.000	51.628	29.690	-22.372	74.000	21.938	PK

Profile: 1962097R	Page No.: 493
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.378	28.742	-31.622	74.000	13.637	PK
2	*	17355.000	52.175	29.134	-21.825	74.000	23.041	PK

Profile: 1962097R	Page No.: 494
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5785MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11570.000	42.426	28.790	-31.574	74.000	13.637	PK
2	*	17355.000	52.661	29.620	-21.339	74.000	23.041	PK

Profile: 1962097R	Page No.: 495
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.237	29.058	-30.763	74.000	14.179	PK
2	*	17475.000	49.429	30.077	-24.571	74.000	19.352	PK

Profile: 1962097R	Page No.: 496
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5825MHz by 802.11ac ( 20MHz ) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11650.000	43.898	29.719	-30.102	74.000	14.179	PK
2	*	17475.000	50.566	31.214	-23.434	74.000	19.352	PK

Profile: 1962097R	Page No.: 497
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac ( 40MHz ) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	43.836	32.186	-30.164	74.000	11.650	PK
2	*	15570.000	50.167	32.293	-23.833	74.000	17.874	PK

Profile: 1962097R	Page No.: 498
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5190MHz by 802.11ac ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10380.000	42.367	30.717	-31.633	74.000	11.650	PK
2	*	15570.000	49.503	31.629	-24.497	74.000	17.874	PK


Profile: 1962097R	Page No.: 499
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	42.590	30.526	-31.410	74.000	12.064	PK
2	*	15690.000	48.592	30.734	-25.408	74.000	17.857	PK




Profile: 1962097R	Page No.: 500
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5230MHz by 802.11ac ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10460.000	40.822	28.758	-33.178	74.000	12.064	PK
2	*	15690.000	49.024	31.166	-24.976	74.000	17.857	PK

Profile: 1962097R	Page No.: 501
Engineer: Simon	
Site: AC5	Time: 2019/07/18 - 04:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5755MHz by 802.11ac ( 40MHz ) ANT 0	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11510.000	42.649	29.315	-31.351	74.000	13.334	PK
2	*	17265.000	51.979	28.949	-22.021	74.000	23.030	PK