



| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 502 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:40 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.495 | 29.161 | -31.505 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.281 | 29.251 | -21.719 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 503 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:40 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.540 | 28.630 | -31.460 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.647 | 30.871 | -21.353 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 504 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:40 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.189 | 29.279 | -30.811 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.014 | 30.238 | -21.986 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 505 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.471 | 30.821 | -31.529 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.250 | 30.376 | -25.750 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 506 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.803 | 31.153 | -31.197 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 49.102 | 31.228 | -24.898 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 507 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.620 | 29.556 | -32.380 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 48.719 | 30.861 | -25.281 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 508 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.379 | 29.315 | -32.621 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 49.114 | 31.256 | -24.886 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 509 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.871 | 29.537 | -31.129 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.098 | 29.068 | -21.902 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 510 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.628 | 29.294 | -31.372 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.559 | 29.529 | -21.441 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 511 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:41 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.068 | 29.158 | -30.932 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.328 | 30.552 | -21.672 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 512 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.239 | 29.329 | -30.761 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 53.450 | 31.674 | -20.550 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 513 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.001 | 30.351 | -31.999 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.667 | 30.793 | -25.333 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 514 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.946 | 31.296 | -31.054 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 50.705 | 32.831 | -23.295 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 515 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.643 | 29.579 | -32.357 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.919 | 30.061 | -26.081 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 516 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.128 | 29.064 | -32.872 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 49.244 | 31.386 | -24.756 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 517 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.560 | 29.226 | -31.440 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.054 | 29.024 | -21.946 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 518 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 43.174 | 29.840 | -30.826 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.638 | 29.608 | -21.362 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 519 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.960 | 29.050 | -31.040 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.248 | 30.472 | -21.752 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 520 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:42 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.380 | 29.470 | -30.620 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.530 | 30.754 | -21.470 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 521 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 43.092 | 31.442 | -30.908 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 49.935 | 32.061 | -24.065 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 522 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5190MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.747 | 31.097 | -31.253 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 49.053 | 31.179 | -24.947 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 523 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 42.270 | 30.206 | -31.730 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 48.155 | 30.297 | -25.845 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 524 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5230MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.162 | 29.098 | -32.838 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.619 | 29.761 | -26.381 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 525 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.640 | 29.306 | -31.360 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 51.758 | 28.728 | -22.242 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 526 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5755MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 43.505 | 30.171 | -30.495 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.304 | 29.274 | -21.696 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 527 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.575 | 29.665 | -30.425 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.294 | 30.518 | -21.706 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 528 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 5:Transmit at 5795MHz by 802.11ac (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.729 | 29.819 | -30.271 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.686 | 30.910 | -21.314 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 529 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.206 | 30.124 | -31.794 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.330 | 30.590 | -25.670 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 530 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 43.346 | 31.264 | -30.654 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 49.004 | 31.264 | -24.996 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 531 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:44 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 43.411 | 29.721 | -30.589 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.168 | 26.992 | -21.832 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 532 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.464 | 28.774 | -31.536 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.905 | 27.729 | -21.095 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 533 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.150 | 30.068 | -31.850 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 50.007 | 32.267 | -23.993 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 534 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.773 | 30.691 | -31.227 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.699 | 30.959 | -25.301 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 535 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 43.754 | 30.064 | -30.246 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.810 | 27.634 | -21.190 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 536 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.267 | 28.577 | -31.733 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.339 | 28.163 | -20.661 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 537 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 44.340 | 32.258 | -29.660 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 49.504 | 31.764 | -24.496 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 538 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.011 | 29.929 | -31.989 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 47.860 | 30.120 | -26.140 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 539 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.099 | 28.409 | -31.901 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 51.423 | 26.247 | -22.577 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 540 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5755MHz by 802.11ac (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 41.823 | 28.133 | -32.177 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.094 | 27.918 | -20.906 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 541 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:45 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 43.010 | 30.928 | -30.990 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.801 | 31.061 | -25.199 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 542 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5210MHz by 802.11ac (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.687 | 30.605 | -31.313 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.369 | 30.629 | -25.631 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 543 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.462 | 28.772 | -31.538 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.067 | 27.891 | -20.933 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 544 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 6:Transmit at 5775MHz by 802.11ac (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.694 | 29.004 | -31.306 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.441 | 27.265 | -21.559 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 545 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.256 | 30.737 | -31.744 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 48.845 | 30.988 | -25.155 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 546 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.111 | 30.592 | -31.889 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 48.557 | 30.700 | -25.443 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 547 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 42.273 | 30.204 | -31.727 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 47.769 | 30.164 | -26.231 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 548 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 41.427 | 29.358 | -32.573 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 48.539 | 30.934 | -25.461 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 549 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 42.679 | 30.407 | -31.321 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 47.828 | 29.791 | -26.172 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 550 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 43.527 | 31.255 | -30.473 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 49.883 | 31.846 | -24.117 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 551 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 42.001 | 28.563 | -31.999 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.706 | 29.768 | -22.294 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 552 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:46 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 42.949 | 29.511 | -31.051 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.287 | 29.349 | -22.713 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 553 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 43.228 | 29.592 | -30.772 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 53.147 | 30.106 | -20.853 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 554 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 42.080 | 28.444 | -31.920 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 51.523 | 28.482 | -22.477 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 555 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 43.065 | 28.886 | -30.935 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 50.528 | 31.176 | -23.472 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 556 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 42.970 | 28.791 | -31.030 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 49.622 | 30.270 | -24.378 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 557 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.363 | 30.844 | -31.637 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 48.432 | 30.575 | -25.568 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 558 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 43.959 | 32.440 | -30.041 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 50.101 | 32.244 | -23.899 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 559 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 41.622 | 29.553 | -32.378 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 47.681 | 30.076 | -26.319 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 560 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 41.263 | 29.194 | -32.737 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 47.639 | 30.034 | -26.361 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 561 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 42.947 | 30.675 | -31.053 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 47.870 | 29.833 | -26.130 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 562 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 42.137 | 29.865 | -31.863 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 47.682 | 29.645 | -26.318 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 563 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 43.684 | 30.246 | -30.316 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.888 | 29.950 | -22.112 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 564 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:47 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 41.841 | 28.403 | -32.159 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.807 | 29.869 | -22.193 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 565 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 41.746 | 28.110 | -32.254 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 52.395 | 29.354 | -21.605 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 566 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 41.654 | 28.018 | -32.346 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 52.789 | 29.748 | -21.211 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 567 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 42.848 | 28.669 | -31.152 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 49.297 | 29.945 | -24.703 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 568 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 44.170 | 29.991 | -29.830 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 50.189 | 30.837 | -23.811 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 569 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.299 | 30.780 | -31.701 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 49.211 | 31.354 | -24.789 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 570 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 43.118 | 31.599 | -30.882 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 49.276 | 31.419 | -24.724 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 571 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 42.281 | 30.212 | -31.719 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 48.894 | 31.289 | -25.106 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 572 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 43.607 | 31.538 | -30.393 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 48.406 | 30.801 | -25.594 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 573 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 41.608 | 29.336 | -32.392 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 48.342 | 30.305 | -25.658 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 574 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:48 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 43.329 | 31.057 | -30.671 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 48.838 | 30.801 | -25.162 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 575 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 43.126 | 29.688 | -30.874 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 50.484 | 28.546 | -23.516 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 576 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 42.728 | 29.290 | -31.272 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.069 | 29.131 | -22.931 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 577 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 42.673 | 29.037 | -31.327 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 52.741 | 29.700 | -21.259 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 578 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 42.453 | 28.817 | -31.547 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 53.574 | 30.533 | -20.426 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 579 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 43.341 | 29.162 | -30.659 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 50.540 | 31.188 | -23.460 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 580 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 42.913 | 28.734 | -31.087 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 49.945 | 30.593 | -24.055 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 581 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.563 | 31.044 | -31.437 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 48.472 | 30.615 | -25.528 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 582 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5180MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10360.000 | 42.359 | 30.840 | -31.641 | 74.000 | 11.519 | PK |
| 2 | * | 15540.000 | 49.029 | 31.172 | -24.971 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 583 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 42.005 | 29.936 | -31.995 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 47.737 | 30.132 | -26.263 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 584 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5220MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10440.000 | 43.753 | 31.684 | -30.247 | 74.000 | 12.070 | PK |
| 2 | * | 15660.000 | 48.475 | 30.870 | -25.525 | 74.000 | 17.605 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 585 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 42.151 | 29.879 | -31.849 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 48.484 | 30.447 | -25.516 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 586 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5240MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10480.000 | 42.615 | 30.343 | -31.385 | 74.000 | 12.272 | PK |
| 2 | * | 15720.000 | 49.416 | 31.379 | -24.584 | 74.000 | 18.038 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 587 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:49 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 42.844 | 29.406 | -31.156 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.180 | 29.242 | -22.820 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 588 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5745MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11490.000 | 43.136 | 29.698 | -30.864 | 74.000 | 13.438 | PK |
| 2 | * | 17235.000 | 51.341 | 29.403 | -22.659 | 74.000 | 21.938 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 589 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 42.616 | 28.980 | -31.384 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 51.645 | 28.604 | -22.355 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 590 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5785MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11570.000 | 42.362 | 28.726 | -31.638 | 74.000 | 13.637 | PK |
| 2 | * | 17355.000 | 53.415 | 30.374 | -20.585 | 74.000 | 23.041 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 591 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 43.779 | 29.600 | -30.221 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 49.511 | 30.159 | -24.489 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 592 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 7:Transmit at 5825MHz by 802.11ax (20MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11650.000 | 43.163 | 28.984 | -30.837 | 74.000 | 14.179 | PK |
| 2 | * | 17475.000 | 49.378 | 30.026 | -24.622 | 74.000 | 19.352 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 593 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.308 | 30.658 | -31.692 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.654 | 30.780 | -25.346 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 594 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 41.771 | 30.121 | -32.229 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 49.186 | 31.312 | -24.814 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 595 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.134 | 29.070 | -32.866 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.877 | 30.019 | -26.123 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 596 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 40.223 | 28.159 | -33.777 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 49.093 | 31.235 | -24.907 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 597 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.058 | 28.724 | -31.942 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.014 | 28.984 | -21.986 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 598 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:50 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.821 | 29.487 | -31.179 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.330 | 29.300 | -21.670 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 599 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.667 | 29.757 | -30.333 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.206 | 30.430 | -21.794 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 600 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.849 | 28.939 | -31.151 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 51.642 | 29.866 | -22.358 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 601 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 40.552 | 28.902 | -33.448 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.878 | 31.004 | -25.122 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 602 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 42.341 | 30.691 | -31.659 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.376 | 30.502 | -25.624 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 603 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.213 | 29.149 | -32.787 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.656 | 29.798 | -26.344 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 604 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 41.210 | 29.146 | -32.790 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.907 | 30.049 | -26.093 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 605 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.717 | 29.383 | -31.283 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.510 | 29.480 | -21.490 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 606 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.324 | 28.990 | -31.676 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.995 | 29.965 | -21.005 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 607 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.869 | 29.959 | -30.131 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.961 | 31.185 | -21.039 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 608 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.184 | 29.274 | -30.816 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 51.736 | 29.960 | -22.264 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 609 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 41.812 | 30.162 | -32.188 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 50.322 | 32.448 | -23.678 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 610 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:51 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 41.261 | 29.611 | -32.739 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.653 | 30.779 | -25.347 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 611 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 40.885 | 28.821 | -33.115 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 49.654 | 31.796 | -24.346 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 612 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 40.763 | 28.699 | -33.237 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 48.901 | 31.043 | -25.099 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 613 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 43.060 | 29.726 | -30.940 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.265 | 29.235 | -21.735 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 614 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 43.189 | 29.855 | -30.811 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 51.616 | 28.586 | -22.384 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 615 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.715 | 28.805 | -31.285 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.099 | 30.323 | -21.901 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 616 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.714 | 28.804 | -31.286 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.044 | 30.268 | -21.956 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 617 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 41.656 | 30.006 | -32.344 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.363 | 30.489 | -25.637 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 618 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5190MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10380.000 | 41.848 | 30.198 | -32.152 | 74.000 | 11.650 | PK |
| 2 | * | 15570.000 | 48.788 | 30.914 | -25.212 | 74.000 | 17.874 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 619 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 40.140 | 28.076 | -33.860 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 48.420 | 30.562 | -25.580 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 620 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5230MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10460.000 | 40.766 | 28.702 | -33.234 | 74.000 | 12.064 | PK |
| 2 | * | 15690.000 | 47.142 | 29.284 | -26.858 | 74.000 | 17.857 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 621 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 42.108 | 28.774 | -31.892 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 52.090 | 29.060 | -21.910 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 622 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:52 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5755MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11510.000 | 43.010 | 29.676 | -30.990 | 74.000 | 13.334 | PK |
| 2 | * | 17265.000 | 53.009 | 29.979 | -20.991 | 74.000 | 23.030 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 623 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 43.511 | 29.601 | -30.489 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.553 | 30.777 | -21.447 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 624 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 8:Transmit at 5795MHz by 802.11ax (40MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11590.000 | 42.568 | 28.658 | -31.432 | 74.000 | 13.909 | PK |
| 2 | * | 17385.000 | 52.044 | 30.268 | -21.956 | 74.000 | 21.775 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 625 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 43.107 | 31.025 | -30.893 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 49.400 | 31.660 | -24.600 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 626 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 43.467 | 31.385 | -30.533 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.878 | 31.138 | -25.122 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 627 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.400 | 28.710 | -31.600 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.609 | 27.433 | -21.391 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 628 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5755MHz by 802.11ax (80MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 43.335 | 29.645 | -30.665 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.342 | 28.166 | -20.658 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 629 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 41.734 | 29.652 | -32.266 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 47.941 | 30.201 | -26.059 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 630 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 43.414 | 31.332 | -30.586 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.950 | 31.210 | -25.050 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 631 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.905 | 29.215 | -31.095 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.368 | 28.192 | -20.632 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 632 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.958 | 29.268 | -31.042 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.747 | 27.571 | -21.253 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 633 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.949 | 30.867 | -31.051 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.345 | 30.605 | -25.655 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 634 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:53 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.428 | 30.346 | -31.572 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 47.342 | 29.602 | -26.658 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 635 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.935 | 29.245 | -31.065 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.853 | 27.677 | -21.147 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 636 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 41.375 | 27.685 | -32.625 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 51.555 | 26.379 | -22.445 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 637 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 40.855 | 28.773 | -33.145 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 47.531 | 29.791 | -26.469 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 638 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5210MHz by 802.11ax (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10420.000 | 42.002 | 29.920 | -31.998 | 74.000 | 12.083 | PK |
| 2 | * | 15630.000 | 48.223 | 30.483 | -25.777 | 74.000 | 17.740 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 639 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 42.925 | 29.235 | -31.075 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 53.457 | 28.281 | -20.543 | 74.000 | 25.176 | PK |

| | |
|--|--------------------------|
| Profile: 1962097R | Page No.: 640 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/18 - 04:54 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 9:Transmit at 5775MHz by 802.11ax (80MHz) Beamforming | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11550.000 | 41.585 | 27.895 | -32.415 | 74.000 | 13.689 | PK |
| 2 | * | 17325.000 | 52.566 | 27.390 | -21.434 | 74.000 | 25.176 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 454 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:21 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 43.028 | 29.959 | -30.972 | 74.000 | 13.069 | PK |
| 2 | * | 17100.000 | 50.779 | 30.929 | -23.221 | 74.000 | 19.850 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 455 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 42.339 | 28.879 | -31.661 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 50.003 | 30.109 | -23.997 | 74.000 | 19.894 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 456 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 0 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 43.212 | 29.752 | -30.788 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 50.537 | 30.643 | -23.463 | 74.000 | 19.894 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 457 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.525 | 32.622 | -28.475 | 74.000 | 12.903 | PK |
| 2 | * | 15780.000 | 49.777 | 31.948 | -24.223 | 74.000 | 17.829 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 458 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 46.891 | 33.988 | -27.109 | 74.000 | 12.903 | PK |
| 2 | * | 15780.000 | 49.920 | 32.091 | -24.080 | 74.000 | 17.829 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 459 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 43.537 | 31.378 | -30.463 | 74.000 | 12.159 | PK |
| 2 | * | 15900.000 | 49.241 | 31.998 | -24.759 | 74.000 | 17.243 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 460 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 42.472 | 30.313 | -31.528 | 74.000 | 12.159 | PK |
| 2 | * | 15900.000 | 48.256 | 31.013 | -25.744 | 74.000 | 17.243 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 461 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.177 | 31.182 | -30.823 | 74.000 | 11.995 | PK |
| 2 | * | 15960.000 | 49.405 | 31.095 | -24.595 | 74.000 | 18.310 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 462 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 42.100 | 30.105 | -31.900 | 74.000 | 11.995 | PK |
| 2 | * | 15960.000 | 48.746 | 30.436 | -25.254 | 74.000 | 18.310 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 463 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.672 | 30.332 | -30.328 | 74.000 | 13.339 | PK |
| 2 | * | 16500.000 | 52.678 | 33.147 | -21.322 | 74.000 | 19.532 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 464 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.415 | 30.075 | -30.585 | 74.000 | 13.339 | PK |
| 2 | * | 16500.000 | 51.996 | 32.465 | -22.004 | 74.000 | 19.532 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 465 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 42.595 | 29.131 | -31.405 | 74.000 | 13.464 | PK |
| 2 | * | 16740.000 | 50.094 | 31.199 | -23.906 | 74.000 | 18.896 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 466 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:22 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 44.228 | 30.764 | -29.772 | 74.000 | 13.464 | PK |
| 2 | * | 16740.000 | 51.932 | 33.037 | -22.068 | 74.000 | 18.896 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 467 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.166 | 29.097 | -31.834 | 74.000 | 13.069 | PK |
| 2 | * | 17100.000 | 51.751 | 31.901 | -22.249 | 74.000 | 19.850 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 468 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.690 | 29.621 | -31.310 | 74.000 | 13.069 | PK |
| 2 | * | 17100.000 | 50.901 | 31.051 | -23.099 | 74.000 | 19.850 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 469 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 43.370 | 29.910 | -30.630 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 50.840 | 30.946 | -23.160 | 74.000 | 19.894 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 470 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) ANT 1 | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 42.640 | 29.180 | -31.360 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 51.036 | 31.142 | -22.964 | 74.000 | 19.894 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 471 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 45.579 | 32.676 | -28.421 | 74.000 | 12.903 | PK |
| 2 | * | 15780.000 | 50.634 | 32.805 | -23.366 | 74.000 | 17.829 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 472 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10520.000 | 48.791 | 35.888 | -25.209 | 74.000 | 12.903 | PK |
| 2 | * | 15780.000 | 49.868 | 32.039 | -24.132 | 74.000 | 17.829 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 473 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.220 | 32.061 | -29.780 | 74.000 | 12.159 | PK |
| 2 | * | 15900.000 | 49.611 | 32.368 | -24.389 | 74.000 | 17.243 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 474 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10600.000 | 44.671 | 32.512 | -29.329 | 74.000 | 12.159 | PK |
| 2 | * | 15900.000 | 49.245 | 32.002 | -24.755 | 74.000 | 17.243 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 475 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 42.651 | 30.656 | -31.349 | 74.000 | 11.995 | PK |
| 2 | * | 15960.000 | 49.655 | 31.345 | -24.345 | 74.000 | 18.310 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 476 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 10640.000 | 43.422 | 31.427 | -30.578 | 74.000 | 11.995 | PK |
| 2 | * | 15960.000 | 51.528 | 33.218 | -22.472 | 74.000 | 18.310 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 477 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 43.874 | 30.534 | -30.126 | 74.000 | 13.339 | PK |
| 2 | * | 16500.000 | 52.430 | 32.899 | -21.570 | 74.000 | 19.532 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 478 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11000.000 | 44.089 | 30.749 | -29.911 | 74.000 | 13.339 | PK |
| 2 | * | 16500.000 | 52.436 | 32.905 | -21.564 | 74.000 | 19.532 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 479 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:23 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 42.307 | 28.843 | -31.693 | 74.000 | 13.464 | PK |
| 2 | * | 16740.000 | 50.549 | 31.654 | -23.451 | 74.000 | 18.896 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 480 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:24 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11160.000 | 43.870 | 30.406 | -30.130 | 74.000 | 13.464 | PK |
| 2 | * | 16740.000 | 51.145 | 32.250 | -22.855 | 74.000 | 18.896 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 481 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:24 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 41.505 | 28.436 | -32.495 | 74.000 | 13.069 | PK |
| 2 | * | 17100.000 | 50.467 | 30.617 | -23.533 | 74.000 | 19.850 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 482 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:24 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) CDD | |




| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11400.000 | 42.459 | 29.390 | -31.541 | 74.000 | 13.069 | PK |
| 2 | * | 17100.000 | 52.636 | 32.786 | -21.364 | 74.000 | 19.850 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 483 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:24 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Horizontal |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 42.989 | 29.529 | -31.011 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 51.102 | 31.208 | -22.898 | 74.000 | 19.894 | PK |

| | |
|---|--------------------------|
| Profile: 1962097R | Page No.: 484 |
| Engineer: Simon | |
| Site: AC5 | Time: 2019/07/24 - 10:24 |
| Limit: FCC_Part15.209_RE(3m) | Margin: 0 |
| Probe: Horn_3117_00167055(1-18GHz) | Polarity: Vertical |
| EUT: Wireless Access Point | Power: AC 120V/60Hz |
| Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) CDD | |



| No | Mark | Frequency (MHz) | Measure Level (dBuV/m) | Reading Level (dBuV) | Over Limit (dB) | Limit (dBuV/m) | Factor (dB) | Type |
|----|------|-----------------|------------------------|----------------------|-----------------|----------------|-------------|------|
| 1 | | 11440.000 | 42.623 | 29.163 | -31.377 | 74.000 | 13.460 | PK |
| 2 | * | 17160.000 | 51.115 | 31.221 | -22.885 | 74.000 | 19.894 | PK |