



Profile: 1962097R	Page No.: 485
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.115	33.212	-27.885	74.000	12.903	PK
2	*	15780.000	50.097	32.268	-23.903	74.000	17.829	PK

Profile: 1962097R	Page No.: 486
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5260MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.752	33.849	-27.248	74.000	12.903	PK
2	*	15780.000	50.227	32.398	-23.773	74.000	17.829	PK

Profile: 1962097R	Page No.: 487
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.884	32.725	-29.116	74.000	12.159	PK
2	*	15900.000	48.865	31.622	-25.135	74.000	17.243	PK

Profile: 1962097R	Page No.: 488
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5300MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.179	31.020	-30.821	74.000	12.159	PK
2	*	15900.000	48.787	31.544	-25.213	74.000	17.243	PK

Profile: 1962097R	Page No.: 489
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.284	30.289	-31.716	74.000	11.995	PK
2	*	15960.000	48.600	30.290	-25.400	74.000	18.310	PK

Profile: 1962097R	Page No.: 490
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:24
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5320MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.755	30.760	-31.245	74.000	11.995	PK
2	*	15960.000	49.823	31.513	-24.177	74.000	18.310	PK

Profile: 1962097R	Page No.: 491
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.602	30.262	-30.398	74.000	13.339	PK
2	*	16500.000	52.057	32.526	-21.943	74.000	19.532	PK

Profile: 1962097R	Page No.: 492
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5500MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	42.992	29.652	-31.008	74.000	13.339	PK
2	*	16500.000	51.600	32.069	-22.400	74.000	19.532	PK

Profile: 1962097R	Page No.: 493
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	42.111	28.647	-31.889	74.000	13.464	PK
2	*	16740.000	50.228	31.333	-23.772	74.000	18.896	PK

Profile: 1962097R	Page No.: 494
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5580MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.908	30.444	-30.092	74.000	13.464	PK
2	*	16740.000	51.128	32.233	-22.872	74.000	18.896	PK

Profile: 1962097R	Page No.: 495
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.904	28.835	-32.096	74.000	13.069	PK
2	*	17100.000	50.522	30.672	-23.478	74.000	19.850	PK

Profile: 1962097R	Page No.: 496
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5700MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.489	29.420	-31.511	74.000	13.069	PK
2	*	17100.000	50.751	30.901	-23.249	74.000	19.850	PK

Profile: 1962097R	Page No.: 497
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.799	30.339	-30.201	74.000	13.460	PK
2	*	17160.000	50.778	30.884	-23.222	74.000	19.894	PK

Profile: 1962097R	Page No.: 498
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 2:Transmit at 5720MHz by 802.11n (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.437	29.977	-30.563	74.000	13.460	PK
2	*	17160.000	50.575	30.681	-23.425	74.000	19.894	PK

Profile: 1962097R	Page No.: 499
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.371	31.526	-29.629	74.000	12.845	PK
2	*	15810.000	50.003	32.353	-23.997	74.000	17.651	PK

Profile: 1962097R	Page No.: 500
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.857	32.012	-29.143	74.000	12.845	PK
2	*	15810.000	50.305	32.655	-23.695	74.000	17.651	PK

Profile: 1962097R	Page No.: 501
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:25
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.217	31.109	-29.783	74.000	13.109	PK
2	*	15930.000	51.237	32.759	-22.763	74.000	18.478	PK

Profile: 1962097R	Page No.: 502
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.464	30.356	-30.536	74.000	13.109	PK
2	*	15930.000	50.087	31.609	-23.913	74.000	18.478	PK

Profile: 1962097R	Page No.: 503
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.690	29.592	-31.310	74.000	13.097	PK
2	*	16530.000	50.596	31.262	-23.404	74.000	19.334	PK

Profile: 1962097R	Page No.: 504
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	42.993	29.895	-31.007	74.000	13.097	PK
2	*	16530.000	51.629	32.295	-22.371	74.000	19.334	PK

Profile: 1962097R	Page No.: 505
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.430	30.553	-30.570	74.000	12.877	PK
2	*	16650.000	51.948	32.037	-22.052	74.000	19.912	PK

Profile: 1962097R	Page No.: 506
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.830	30.953	-30.170	74.000	12.877	PK
2	*	16650.000	51.678	31.767	-22.322	74.000	19.912	PK

Profile: 1962097R	Page No.: 507
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	40.850	27.622	-33.150	74.000	13.228	PK
2	*	17010.000	52.459	28.542	-21.541	74.000	23.917	PK

Profile: 1962097R	Page No.: 508
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.240	29.363	-31.760	74.000	12.877	PK
2	*	17010.000	53.245	29.328	-20.755	74.000	23.917	PK

Profile: 1962097R	Page No.: 509
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.985	29.551	-31.015	74.000	13.433	PK
2	*	17130.000	50.824	30.738	-23.176	74.000	20.086	PK

Profile: 1962097R	Page No.: 510
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.335	28.901	-31.665	74.000	13.433	PK
2	*	17130.000	50.598	30.512	-23.402	74.000	20.086	PK

Profile: 1962097R	Page No.: 511
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.944	32.099	-29.056	74.000	12.845	PK
2	*	15810.000	49.313	31.663	-24.687	74.000	17.651	PK

Profile: 1962097R	Page No.: 512
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.482	32.637	-28.518	74.000	12.845	PK
2	*	15810.000	48.696	31.046	-25.304	74.000	17.651	PK

Profile: 1962097R	Page No.: 513
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.914	31.806	-29.086	74.000	13.109	PK
2	*	15930.000	50.507	32.029	-23.493	74.000	18.478	PK

Profile: 1962097R	Page No.: 514
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:26
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.216	31.108	-29.784	74.000	13.109	PK
2	*	15930.000	49.664	31.186	-24.336	74.000	18.478	PK

Profile: 1962097R	Page No.: 515
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.222	31.124	-29.778	74.000	13.097	PK
2	*	16530.000	51.779	32.445	-22.221	74.000	19.334	PK

Profile: 1962097R	Page No.: 516
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.243	30.145	-30.757	74.000	13.097	PK
2	*	16530.000	51.338	32.004	-22.662	74.000	19.334	PK

Profile: 1962097R	Page No.: 517
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.953	30.076	-31.047	74.000	12.877	PK
2	*	16650.000	52.136	32.225	-21.864	74.000	19.912	PK

Profile: 1962097R	Page No.: 518
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.676	30.799	-30.324	74.000	12.877	PK
2	*	16650.000	52.324	32.413	-21.676	74.000	19.912	PK

Profile: 1962097R	Page No.: 519
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.502	29.274	-31.498	74.000	13.228	PK
2	*	17010.000	52.518	28.601	-21.482	74.000	23.917	PK

Profile: 1962097R	Page No.: 520
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.555	29.327	-31.445	74.000	13.228	PK
2	*	17010.000	53.500	29.583	-20.500	74.000	23.917	PK

Profile: 1962097R	Page No.: 521
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.706	29.272	-31.294	74.000	13.433	PK
2	*	17130.000	50.984	30.898	-23.016	74.000	20.086	PK

Profile: 1962097R	Page No.: 522
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.362	29.928	-30.638	74.000	13.433	PK
2	*	17130.000	51.253	31.167	-22.747	74.000	20.086	PK

Profile: 1962097R	Page No.: 523
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.682	31.837	-29.318	74.000	12.845	PK
2	*	15810.000	49.742	32.092	-24.258	74.000	17.651	PK

Profile: 1962097R	Page No.: 524
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.867	33.022	-28.133	74.000	12.845	PK
2	*	15810.000	50.102	32.452	-23.898	74.000	17.651	PK

Profile: 1962097R	Page No.: 525
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.324	31.216	-29.676	74.000	13.109	PK
2	*	15930.000	50.557	32.079	-23.443	74.000	18.478	PK

Profile: 1962097R	Page No.: 526
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:27
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.595	31.487	-29.405	74.000	13.109	PK
2	*	15930.000	50.580	32.102	-23.420	74.000	18.478	PK

Profile: 1962097R	Page No.: 527
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.524	30.426	-30.476	74.000	13.097	PK
2	*	16530.000	52.026	32.692	-21.974	74.000	19.334	PK

Profile: 1962097R	Page No.: 528
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.763	30.665	-30.237	74.000	13.097	PK
2	*	16530.000	52.105	32.771	-21.895	74.000	19.334	PK

Profile: 1962097R	Page No.: 529
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.273	31.396	-29.727	74.000	12.877	PK
2	*	16650.000	52.243	32.332	-21.757	74.000	19.912	PK

Profile: 1962097R	Page No.: 530
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.670	29.793	-31.330	74.000	12.877	PK
2	*	16650.000	50.785	30.874	-23.215	74.000	19.912	PK

Profile: 1962097R	Page No.: 531
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.658	29.430	-31.342	74.000	13.228	PK
2	*	17010.000	52.478	28.561	-21.522	74.000	23.917	PK

Profile: 1962097R	Page No.: 532
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:28
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	41.734	28.506	-32.266	74.000	13.228	PK
2	*	17010.000	53.258	29.341	-20.742	74.000	23.917	PK

Profile: 1962097R	Page No.: 533
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	42.861	30.016	-31.139	74.000	12.845	PK
2	*	15810.000	47.979	30.329	-26.021	74.000	17.651	PK

Profile: 1962097R	Page No.: 534
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5270MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.193	31.348	-29.807	74.000	12.845	PK
2	*	15810.000	49.235	31.585	-24.765	74.000	17.651	PK

Profile: 1962097R	Page No.: 535
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.776	30.668	-30.224	74.000	13.109	PK
2	*	15930.000	50.086	31.608	-23.914	74.000	18.478	PK

Profile: 1962097R	Page No.: 536
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5310MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.176	31.068	-29.824	74.000	13.109	PK
2	*	15930.000	50.660	32.182	-23.340	74.000	18.478	PK

Profile: 1962097R	Page No.: 537
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.633	30.535	-30.367	74.000	13.097	PK
2	*	16530.000	52.234	32.900	-21.766	74.000	19.334	PK

Profile: 1962097R	Page No.: 538
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5510MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.014	29.916	-30.986	74.000	13.097	PK
2	*	16530.000	50.402	31.068	-23.598	74.000	19.334	PK

Profile: 1962097R	Page No.: 539
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.182	30.305	-30.818	74.000	12.877	PK
2	*	16650.000	52.152	32.241	-21.848	74.000	19.912	PK

Profile: 1962097R	Page No.: 540
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5550MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	44.692	31.815	-29.308	74.000	12.877	PK
2	*	16650.000	51.887	31.976	-22.113	74.000	19.912	PK

Profile: 1962097R	Page No.: 541
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.325	29.097	-31.675	74.000	13.228	PK
2	*	17010.000	52.419	28.502	-21.581	74.000	23.917	PK

Profile: 1962097R	Page No.: 542
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5670MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.677	29.449	-31.323	74.000	13.228	PK
2	*	17010.000	53.398	29.481	-20.602	74.000	23.917	PK

Profile: 1962097R	Page No.: 543
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:31
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.047	29.613	-30.953	74.000	13.433	PK
2	*	17130.000	50.761	30.675	-23.239	74.000	20.086	PK

Profile: 1962097R	Page No.: 544
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 3:Transmit at 5710MHz by 802.11n (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.658	30.224	-30.342	74.000	13.433	PK
2	*	17130.000	51.405	31.319	-22.595	74.000	20.086	PK

Profile: 1962097R	Page No.: 545
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.880	31.977	-29.120	74.000	12.903	PK
2	*	15780.000	50.094	32.265	-23.906	74.000	17.829	PK

Profile: 1962097R	Page No.: 546
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:32
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.440	31.537	-29.560	74.000	12.903	PK
2	*	15780.000	49.790	31.961	-24.210	74.000	17.829	PK

Profile: 1962097R	Page No.: 547
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.941	30.782	-31.059	74.000	12.159	PK
2	*	15900.000	48.760	31.517	-25.240	74.000	17.243	PK

Profile: 1962097R	Page No.: 548
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.338	31.179	-30.662	74.000	12.159	PK
2	*	15900.000	49.118	31.875	-24.882	74.000	17.243	PK

Profile: 1962097R	Page No.: 549
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.548	30.553	-31.452	74.000	11.995	PK
2	*	15960.000	49.520	31.210	-24.480	74.000	18.310	PK

Profile: 1962097R	Page No.: 550
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.213	31.218	-30.787	74.000	11.995	PK
2	*	15960.000	49.557	31.247	-24.443	74.000	18.310	PK

Profile: 1962097R	Page No.: 551
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.578	30.238	-30.422	74.000	13.339	PK
2	*	16500.000	52.201	32.670	-21.799	74.000	19.532	PK

Profile: 1962097R	Page No.: 552
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.110	30.770	-29.890	74.000	13.339	PK
2	*	16500.000	51.058	31.527	-22.942	74.000	19.532	PK

Profile: 1962097R	Page No.: 553
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.570	30.106	-30.430	74.000	13.464	PK
2	*	16740.000	49.811	30.916	-24.189	74.000	18.896	PK

Profile: 1962097R	Page No.: 554
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.883	30.419	-30.117	74.000	13.464	PK
2	*	16740.000	51.872	32.977	-22.128	74.000	18.896	PK

Profile: 1962097R	Page No.: 555
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.392	29.323	-31.608	74.000	13.069	PK
2	*	17100.000	51.109	31.259	-22.891	74.000	19.850	PK

Profile: 1962097R	Page No.: 556
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.667	29.598	-31.333	74.000	13.069	PK
2	*	17100.000	50.621	30.771	-23.379	74.000	19.850	PK

Profile: 1962097R	Page No.: 557
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	42.886	29.426	-31.114	74.000	13.460	PK
2	*	17160.000	50.537	30.643	-23.463	74.000	19.894	PK

Profile: 1962097R	Page No.: 558
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:33
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.042	29.582	-30.958	74.000	13.460	PK
2	*	17160.000	50.554	30.660	-23.446	74.000	19.894	PK

Profile: 1962097R	Page No.: 559
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	44.981	32.078	-29.019	74.000	12.903	PK
2	*	15780.000	50.117	32.288	-23.883	74.000	17.829	PK

Profile: 1962097R	Page No.: 560
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.388	33.485	-27.612	74.000	12.903	PK
2	*	15780.000	49.453	31.624	-24.547	74.000	17.829	PK

Profile: 1962097R	Page No.: 561
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.956	30.797	-31.044	74.000	12.159	PK
2	*	15900.000	49.340	32.097	-24.660	74.000	17.243	PK

Profile: 1962097R	Page No.: 562
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.449	32.290	-29.551	74.000	12.159	PK
2	*	15900.000	49.866	32.623	-24.134	74.000	17.243	PK

Profile: 1962097R	Page No.: 563
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.616	30.621	-31.384	74.000	11.995	PK
2	*	15960.000	49.193	30.883	-24.807	74.000	18.310	PK

Profile: 1962097R	Page No.: 564
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	44.301	32.306	-29.699	74.000	11.995	PK
2	*	15960.000	50.211	31.901	-23.789	74.000	18.310	PK

Profile: 1962097R	Page No.: 565
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.281	29.941	-30.719	74.000	13.339	PK
2	*	16500.000	51.147	31.616	-22.853	74.000	19.532	PK

Profile: 1962097R	Page No.: 566
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.269	29.929	-30.731	74.000	13.339	PK
2	*	16500.000	51.334	31.803	-22.666	74.000	19.532	PK

Profile: 1962097R	Page No.: 567
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.195	29.731	-30.805	74.000	13.464	PK
2	*	16740.000	50.514	31.619	-23.486	74.000	18.896	PK

Profile: 1962097R	Page No.: 568
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.321	29.857	-30.679	74.000	13.464	PK
2	*	16740.000	50.789	31.894	-23.211	74.000	18.896	PK

Profile: 1962097R	Page No.: 569
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:34
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	41.733	28.664	-32.267	74.000	13.069	PK
2	*	17100.000	51.209	31.359	-22.791	74.000	19.850	PK

Profile: 1962097R	Page No.: 570
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.501	29.432	-31.499	74.000	13.069	PK
2	*	17100.000	51.123	31.273	-22.877	74.000	19.850	PK

Profile: 1962097R	Page No.: 571
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	44.262	30.802	-29.738	74.000	13.460	PK
2	*	17160.000	50.023	30.129	-23.977	74.000	19.894	PK

Profile: 1962097R	Page No.: 572
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.003	29.543	-30.997	74.000	13.460	PK
2	*	17160.000	50.394	30.500	-23.606	74.000	19.894	PK

Profile: 1962097R	Page No.: 573
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	45.708	32.805	-28.292	74.000	12.903	PK
2	*	15780.000	49.944	32.115	-24.056	74.000	17.829	PK

Profile: 1962097R	Page No.: 574
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	47.069	34.166	-26.931	74.000	12.903	PK
2	*	15780.000	49.687	31.858	-24.313	74.000	17.829	PK

Profile: 1962097R	Page No.: 575
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	43.440	31.281	-30.560	74.000	12.159	PK
2	*	15900.000	49.304	32.061	-24.696	74.000	17.243	PK

Profile: 1962097R	Page No.: 576
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.815	32.656	-29.185	74.000	12.159	PK
2	*	15900.000	48.887	31.644	-25.113	74.000	17.243	PK

Profile: 1962097R	Page No.: 577
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.020	30.025	-31.980	74.000	11.995	PK
2	*	15960.000	48.392	30.082	-25.608	74.000	18.310	PK

Profile: 1962097R	Page No.: 578
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.741	31.746	-30.259	74.000	11.995	PK
2	*	15960.000	49.725	31.415	-24.275	74.000	18.310	PK

Profile: 1962097R	Page No.: 579
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.372	30.032	-30.628	74.000	13.339	PK
2	*	16500.000	52.204	32.673	-21.796	74.000	19.532	PK

Profile: 1962097R	Page No.: 580
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.416	30.076	-30.584	74.000	13.339	PK
2	*	16500.000	51.535	32.004	-22.465	74.000	19.532	PK

Profile: 1962097R	Page No.: 581
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.370	29.906	-30.630	74.000	13.464	PK
2	*	16740.000	51.361	32.466	-22.639	74.000	18.896	PK

Profile: 1962097R	Page No.: 582
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:35
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.984	30.520	-30.016	74.000	13.464	PK
2	*	16740.000	51.490	32.595	-22.510	74.000	18.896	PK

Profile: 1962097R	Page No.: 583
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.209	29.140	-31.791	74.000	13.069	PK
2	*	17100.000	51.729	31.879	-22.271	74.000	19.850	PK

Profile: 1962097R	Page No.: 584
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.616	29.547	-31.384	74.000	13.069	PK
2	*	17100.000	51.334	31.484	-22.666	74.000	19.850	PK

Profile: 1962097R	Page No.: 585
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.038	29.578	-30.962	74.000	13.460	PK
2	*	17160.000	51.130	31.236	-22.870	74.000	19.894	PK

Profile: 1962097R	Page No.: 586
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.784	30.324	-30.216	74.000	13.460	PK
2	*	17160.000	50.961	31.067	-23.039	74.000	19.894	PK

Profile: 1962097R	Page No.: 587
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.235	33.332	-27.765	74.000	12.903	PK
2	*	15780.000	49.751	31.922	-24.249	74.000	17.829	PK

Profile: 1962097R	Page No.: 588
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5260MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10520.000	46.429	33.526	-27.571	74.000	12.903	PK
2	*	15780.000	50.601	32.772	-23.399	74.000	17.829	PK

Profile: 1962097R	Page No.: 589
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	42.838	30.679	-31.162	74.000	12.159	PK
2	*	15900.000	49.544	32.301	-24.456	74.000	17.243	PK

Profile: 1962097R	Page No.: 590
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5300MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10600.000	44.459	32.300	-29.541	74.000	12.159	PK
2	*	15900.000	49.595	32.352	-24.405	74.000	17.243	PK

Profile: 1962097R	Page No.: 591
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	42.762	30.767	-31.238	74.000	11.995	PK
2	*	15960.000	50.437	32.127	-23.563	74.000	18.310	PK

Profile: 1962097R	Page No.: 592
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5320MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10640.000	43.921	31.926	-30.079	74.000	11.995	PK
2	*	15960.000	50.266	31.956	-23.734	74.000	18.310	PK

Profile: 1962097R	Page No.: 593
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	44.054	30.714	-29.946	74.000	13.339	PK
2	*	16500.000	52.784	33.253	-21.216	74.000	19.532	PK

Profile: 1962097R	Page No.: 594
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:36
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5500MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11000.000	43.081	29.741	-30.919	74.000	13.339	PK
2	*	16500.000	51.239	31.708	-22.761	74.000	19.532	PK

Profile: 1962097R	Page No.: 595
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.461	29.997	-30.539	74.000	13.464	PK
2	*	16740.000	51.569	32.674	-22.431	74.000	18.896	PK

Profile: 1962097R	Page No.: 596
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5580MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11160.000	43.832	30.368	-30.168	74.000	13.464	PK
2	*	16740.000	50.760	31.865	-23.240	74.000	18.896	PK

Profile: 1962097R	Page No.: 597
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	42.436	29.367	-31.564	74.000	13.069	PK
2	*	17100.000	51.035	31.185	-22.965	74.000	19.850	PK

Profile: 1962097R	Page No.: 598
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5700MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11400.000	43.343	30.274	-30.657	74.000	13.069	PK
2	*	17100.000	50.790	30.940	-23.210	74.000	19.850	PK

Profile: 1962097R	Page No.: 599
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.099	29.639	-30.901	74.000	13.460	PK
2	*	17160.000	50.439	30.545	-23.561	74.000	19.894	PK

Profile: 1962097R	Page No.: 600
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 4:Transmit at 5720MHz by 802.11ac (20MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11440.000	43.317	29.857	-30.683	74.000	13.460	PK
2	*	17160.000	50.744	30.850	-23.256	74.000	19.894	PK

Profile: 1962097R	Page No.: 601
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.306	31.461	-29.694	74.000	12.845	PK
2	*	15810.000	49.111	31.461	-24.889	74.000	17.651	PK

Profile: 1962097R	Page No.: 602
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	43.685	30.840	-30.315	74.000	12.845	PK
2	*	15810.000	49.314	31.664	-24.686	74.000	17.651	PK

Profile: 1962097R	Page No.: 603
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.295	31.187	-29.705	74.000	13.109	PK
2	*	15930.000	50.287	31.809	-23.713	74.000	18.478	PK

Profile: 1962097R	Page No.: 604
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.653	31.545	-29.347	74.000	13.109	PK
2	*	15930.000	50.427	31.949	-23.573	74.000	18.478	PK

Profile: 1962097R	Page No.: 605
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.747	30.649	-30.253	74.000	13.097	PK
2	*	16530.000	51.150	31.816	-22.850	74.000	19.334	PK

Profile: 1962097R	Page No.: 606
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.166	30.068	-30.834	74.000	13.097	PK
2	*	16530.000	50.826	31.492	-23.174	74.000	19.334	PK

Profile: 1962097R	Page No.: 607
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:37
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.790	29.913	-31.210	74.000	12.877	PK
2	*	16650.000	51.633	31.722	-22.367	74.000	19.912	PK

Profile: 1962097R	Page No.: 608
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.216	30.339	-30.784	74.000	12.877	PK
2	*	16650.000	51.551	31.640	-22.449	74.000	19.912	PK

Profile: 1962097R	Page No.: 609
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.836	29.608	-31.164	74.000	13.228	PK
2	*	17010.000	52.938	29.021	-21.062	74.000	23.917	PK

Profile: 1962097R	Page No.: 610
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.082	29.854	-30.918	74.000	13.228	PK
2	*	17010.000	53.481	29.564	-20.519	74.000	23.917	PK

Profile: 1962097R	Page No.: 611
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.248	28.814	-31.752	74.000	13.433	PK
2	*	17130.000	50.066	29.980	-23.934	74.000	20.086	PK

Profile: 1962097R	Page No.: 612
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:38
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.667	30.233	-30.333	74.000	13.433	PK
2	*	17130.000	50.806	30.720	-23.194	74.000	20.086	PK

Profile: 1962097R	Page No.: 613
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	44.606	31.761	-29.394	74.000	12.845	PK
2	*	15810.000	49.714	32.064	-24.286	74.000	17.651	PK

Profile: 1962097R	Page No.: 614
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.671	32.826	-28.329	74.000	12.845	PK
2	*	15810.000	49.620	31.970	-24.380	74.000	17.651	PK

Profile: 1962097R	Page No.: 615
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.691	30.583	-30.309	74.000	13.109	PK
2	*	15930.000	49.734	31.256	-24.266	74.000	18.478	PK

Profile: 1962097R	Page No.: 616
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.923	31.815	-29.077	74.000	13.109	PK
2	*	15930.000	50.515	32.037	-23.485	74.000	18.478	PK

Profile: 1962097R	Page No.: 617
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.185	30.087	-30.815	74.000	13.097	PK
2	*	16530.000	51.836	32.502	-22.164	74.000	19.334	PK

Profile: 1962097R	Page No.: 618
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.456	31.358	-29.544	74.000	13.097	PK
2	*	16530.000	52.491	33.157	-21.509	74.000	19.334	PK

Profile: 1962097R	Page No.: 619
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.956	30.079	-31.044	74.000	12.877	PK
2	*	16650.000	51.603	31.692	-22.397	74.000	19.912	PK

Profile: 1962097R	Page No.: 620
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.404	30.527	-30.596	74.000	12.877	PK
2	*	16650.000	52.266	32.355	-21.734	74.000	19.912	PK

Profile: 1962097R	Page No.: 621
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:40
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.363	29.135	-31.637	74.000	13.228	PK
2	*	17010.000	52.246	28.329	-21.754	74.000	23.917	PK

Profile: 1962097R	Page No.: 622
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.193	29.965	-30.807	74.000	13.228	PK
2	*	17010.000	53.015	29.098	-20.985	74.000	23.917	PK

Profile: 1962097R	Page No.: 623
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.175	29.741	-30.825	74.000	13.433	PK
2	*	17130.000	51.158	31.072	-22.842	74.000	20.086	PK

Profile: 1962097R	Page No.: 624
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.942	29.508	-31.058	74.000	13.433	PK
2	*	17130.000	51.033	30.947	-22.967	74.000	20.086	PK

Profile: 1962097R	Page No.: 625
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.256	32.411	-28.744	74.000	12.845	PK
2	*	15810.000	49.848	32.198	-24.152	74.000	17.651	PK

Profile: 1962097R	Page No.: 626
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.050	32.205	-28.950	74.000	12.845	PK
2	*	15810.000	49.916	32.266	-24.084	74.000	17.651	PK

Profile: 1962097R	Page No.: 627
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	43.995	30.887	-30.005	74.000	13.109	PK
2	*	15930.000	50.224	31.746	-23.776	74.000	18.478	PK

Profile: 1962097R	Page No.: 628
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.877	31.769	-29.123	74.000	13.109	PK
2	*	15930.000	50.830	32.352	-23.170	74.000	18.478	PK

Profile: 1962097R	Page No.: 629
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:41
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.728	30.630	-30.272	74.000	13.097	PK
2	*	16530.000	51.447	32.113	-22.553	74.000	19.334	PK

Profile: 1962097R	Page No.: 630
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.068	29.970	-30.932	74.000	13.097	PK
2	*	16530.000	51.605	32.271	-22.395	74.000	19.334	PK

Profile: 1962097R	Page No.: 631
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.871	29.994	-31.129	74.000	12.877	PK
2	*	16650.000	51.514	31.603	-22.486	74.000	19.912	PK

Profile: 1962097R	Page No.: 632
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.210	30.333	-30.790	74.000	12.877	PK
2	*	16650.000	52.263	32.352	-21.737	74.000	19.912	PK

Profile: 1962097R	Page No.: 633
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.678	29.450	-31.322	74.000	13.228	PK
2	*	17010.000	52.478	28.561	-21.522	74.000	23.917	PK

Profile: 1962097R	Page No.: 634
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.170	29.942	-30.830	74.000	13.228	PK
2	*	17010.000	53.271	29.354	-20.729	74.000	23.917	PK

Profile: 1962097R	Page No.: 635
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.918	29.484	-31.082	74.000	13.433	PK
2	*	17130.000	51.111	31.025	-22.889	74.000	20.086	PK

Profile: 1962097R	Page No.: 636
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) CDD	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.368	29.934	-30.632	74.000	13.433	PK
2	*	17130.000	50.702	30.616	-23.298	74.000	20.086	PK

Profile: 1962097R	Page No.: 637
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.292	32.447	-28.708	74.000	12.845	PK
2	*	15810.000	50.265	32.615	-23.735	74.000	17.651	PK

Profile: 1962097R	Page No.: 638
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5270MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10540.000	45.939	33.094	-28.061	74.000	12.845	PK
2	*	15810.000	49.719	32.069	-24.281	74.000	17.651	PK

Profile: 1962097R	Page No.: 639
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.749	31.641	-29.251	74.000	13.109	PK
2	*	15930.000	49.997	31.519	-24.003	74.000	18.478	PK

Profile: 1962097R	Page No.: 640
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5310MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10620.000	44.250	31.142	-29.750	74.000	13.109	PK
2	*	15930.000	50.806	32.328	-23.194	74.000	18.478	PK

Profile: 1962097R	Page No.: 641
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:42
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	44.065	30.967	-29.935	74.000	13.097	PK
2	*	16530.000	51.848	32.514	-22.152	74.000	19.334	PK

Profile: 1962097R	Page No.: 642
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5510MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11020.000	43.519	30.421	-30.481	74.000	13.097	PK
2	*	16530.000	50.160	30.826	-23.840	74.000	19.334	PK

Profile: 1962097R	Page No.: 643
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	43.381	30.504	-30.619	74.000	12.877	PK
2	*	16650.000	52.052	32.141	-21.948	74.000	19.912	PK

Profile: 1962097R	Page No.: 644
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5550MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11100.000	42.824	29.947	-31.176	74.000	12.877	PK
2	*	16650.000	51.539	31.628	-22.461	74.000	19.912	PK

Profile: 1962097R	Page No.: 645
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	43.050	29.822	-30.950	74.000	13.228	PK
2	*	17010.000	52.571	28.654	-21.429	74.000	23.917	PK

Profile: 1962097R	Page No.: 646
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5670MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11340.000	42.718	29.490	-31.282	74.000	13.228	PK
2	*	17010.000	53.629	29.712	-20.371	74.000	23.917	PK

Profile: 1962097R	Page No.: 647
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	43.584	30.150	-30.416	74.000	13.433	PK
2	*	17130.000	51.034	30.948	-22.966	74.000	20.086	PK

Profile: 1962097R	Page No.: 648
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 5:Transmit at 5710MHz by 802.11ac (40MHz) Beamforming	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11420.000	42.562	29.128	-31.438	74.000	13.433	PK
2	*	17130.000	50.247	30.161	-23.753	74.000	20.086	PK

Profile: 1962097R	Page No.: 649
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.960	31.744	-30.040	74.000	12.216	PK
2	*	15870.000	49.378	31.966	-24.622	74.000	17.412	PK

Profile: 1962097R	Page No.: 650
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.769	31.553	-30.231	74.000	12.216	PK
2	*	15870.000	50.076	32.664	-23.924	74.000	17.412	PK

Profile: 1962097R	Page No.: 651
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.615	30.758	-30.385	74.000	12.858	PK
2	*	16590.000	52.377	32.855	-21.623	74.000	19.521	PK

Profile: 1962097R	Page No.: 652
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.491	30.634	-30.509	74.000	12.858	PK
2	*	16590.000	51.270	31.748	-22.730	74.000	19.521	PK

Profile: 1962097R	Page No.: 653
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:43
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.917	29.589	-31.083	74.000	13.328	PK
2	*	17070.000	52.654	33.070	-21.346	74.000	19.584	PK

Profile: 1962097R	Page No.: 654
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 0	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.960	30.632	-30.040	74.000	13.328	PK
2	*	17070.000	52.254	32.670	-21.746	74.000	19.584	PK

Profile: 1962097R	Page No.: 655
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.488	31.272	-30.512	74.000	12.216	PK
2	*	15870.000	48.721	31.309	-25.279	74.000	17.412	PK

Profile: 1962097R	Page No.: 656
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.779	31.563	-30.221	74.000	12.216	PK
2	*	15870.000	49.209	31.797	-24.791	74.000	17.412	PK

Profile: 1962097R	Page No.: 657
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	42.949	30.092	-31.051	74.000	12.858	PK
2	*	16590.000	51.067	31.545	-22.933	74.000	19.521	PK

Profile: 1962097R	Page No.: 658
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5530MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11060.000	43.818	30.961	-30.182	74.000	12.858	PK
2	*	16590.000	52.147	32.625	-21.853	74.000	19.521	PK

Profile: 1962097R	Page No.: 659
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 1	




No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	43.646	30.318	-30.354	74.000	13.328	PK
2	*	17070.000	51.614	32.030	-22.386	74.000	19.584	PK

Profile: 1962097R	Page No.: 660
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Vertical
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5690MHz by 802.11ac (80MHz) ANT 1	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		11380.000	42.949	29.621	-31.051	74.000	13.328	PK
2	*	17070.000	52.001	32.417	-21.999	74.000	19.584	PK

Profile: 1962097R	Page No.: 661
Engineer: Simon	
Site: AC5	Time: 2019/07/24 - 10:44
Limit: FCC_Part15.209_RE(3m)	Margin: 0
Probe: Horn_3117_00167055(1-18GHz)	Polarity: Horizontal
EUT: Wireless Access Point	Power: AC 120V/60Hz
Note: Mode 6:Transmit at 5290MHz by 802.11ac (80MHz) CDD	



No	Mark	Frequency (MHz)	Measure Level (dBuV/m)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV/m)	Factor (dB)	Type
1		10580.000	43.748	31.532	-30.252	74.000	12.216	PK
2	*	15870.000	49.751	32.339	-24.249	74.000	17.412	PK