



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Omni\_2T2S**

**Appendix E.20**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.1478G	73.94	74.00	-0.06	3	Vertical	0	1.70	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.1488G	53.93	54.00	-0.07	3	Vertical	2	1.76	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.1498G	53.69	54.00	-0.31	3	Vertical	231	1.66	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.148G	53.58	54.00	-0.42	3	Vertical	230	1.71	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6482G	68.11	68.20	-0.09	3	Vertical	322	1.66	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.6482G	68.01	68.20	-0.19	3	Vertical	223	1.59	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.933G	67.66	68.20	-0.54	3	Vertical	225	1.62	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6478G	68.02	68.20	-0.18	3	Vertical	227	1.70	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Omni\_2T2S**

**Appendix E.20**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1476G	53.64	54.00	-0.36	3	Vertical	42	1.67	-
5180MHz	Pass	AV	5.1824G	110.52	Inf	-Inf	3	Vertical	42	1.67	-
5180MHz	Pass	PK	5.1476G	72.91	74.00	-1.09	3	Vertical	42	1.67	-
5180MHz	Pass	PK	5.1872G	119.67	Inf	-Inf	3	Vertical	42	1.67	-
5180MHz	Pass	AV	15.52512G	48.76	54.00	-5.24	3	Vertical	166	1.48	-
5180MHz	Pass	PK	10.3552G	57.79	68.20	-10.41	3	Vertical	319	2.05	-
5180MHz	Pass	PK	15.53532G	61.38	74.00	-12.62	3	Vertical	166	1.48	-
5180MHz	Pass	AV	15.52854G	48.62	54.00	-5.38	3	Horizontal	115	1.50	-
5180MHz	Pass	PK	10.3612G	56.29	68.20	-11.91	3	Horizontal	30	1.31	-
5180MHz	Pass	PK	15.53742G	61.78	74.00	-12.22	3	Horizontal	115	1.50	-
5200MHz	Pass	AV	5.1478G	53.17	54.00	-0.83	3	Vertical	0	1.70	-
5200MHz	Pass	AV	5.2024G	114.01	Inf	-Inf	3	Vertical	0	1.70	-
5200MHz	Pass	PK	5.1478G	73.94	74.00	-0.06	3	Vertical	0	1.70	-
5200MHz	Pass	PK	5.1976G	123.34	Inf	-Inf	3	Vertical	0	1.70	-
5200MHz	Pass	AV	15.60258G	48.78	54.00	-5.22	3	Vertical	23	1.90	-
5200MHz	Pass	PK	10.39772G	58.70	68.20	-9.50	3	Vertical	211	1.57	-
5200MHz	Pass	PK	15.59214G	62.84	74.00	-11.16	3	Vertical	23	1.90	-
5200MHz	Pass	AV	15.59892G	49.32	54.00	-4.68	3	Horizontal	44	1.49	-
5200MHz	Pass	PK	10.40498G	57.44	68.20	-10.76	3	Horizontal	351	1.50	-
5200MHz	Pass	PK	15.59352G	62.48	74.00	-11.52	3	Horizontal	44	1.49	-
5240MHz	Pass	AV	5.1476G	53.31	54.00	-0.69	3	Vertical	0	1.49	-
5240MHz	Pass	AV	5.2424G	115.77	Inf	-Inf	3	Vertical	0	1.49	-
5240MHz	Pass	AV	5.351G	50.35	54.00	-3.65	3	Vertical	0	1.49	-
5240MHz	Pass	PK	5.1494G	67.38	74.00	-6.62	3	Vertical	0	1.49	-
5240MHz	Pass	PK	5.2376G	125.96	Inf	-Inf	3	Vertical	0	1.49	-
5240MHz	Pass	PK	5.3504G	66.53	74.00	-7.47	3	Vertical	0	1.49	-
5240MHz	Pass	AV	15.72228G	49.64	54.00	-4.36	3	Vertical	25	1.50	-
5240MHz	Pass	PK	10.47754G	57.71	68.20	-10.49	3	Vertical	341	1.44	-
5240MHz	Pass	PK	15.72396G	62.85	74.00	-11.15	3	Vertical	25	1.50	-
5240MHz	Pass	AV	15.71526G	50.63	54.00	-3.37	3	Horizontal	44	1.50	-
5240MHz	Pass	PK	10.47832G	57.25	68.20	-10.95	3	Horizontal	345	1.43	-
5240MHz	Pass	PK	15.7149G	63.39	74.00	-10.61	3	Horizontal	44	1.50	-
5745MHz	Pass	AV	5.7474G	114.67	Inf	-Inf	3	Vertical	324	1.49	-
5745MHz	Pass	PK	5.6478G	65.84	68.20	-2.36	3	Vertical	324	1.49	-
5745MHz	Pass	PK	5.7426G	124.79	Inf	-Inf	3	Vertical	324	1.49	-
5745MHz	Pass	PK	5.9334G	61.12	68.20	-7.08	3	Vertical	324	1.49	-
5745MHz	Pass	AV	11.48706G	43.01	54.00	-10.99	3	Vertical	31	1.49	-
5745MHz	Pass	PK	11.49156G	55.53	74.00	-18.47	3	Vertical	31	1.49	-
5745MHz	Pass	PK	17.24634G	64.94	68.20	-3.26	3	Vertical	328	1.61	-
5745MHz	Pass	AV	11.49012G	42.62	54.00	-11.38	3	Horizontal	113	1.57	-
5745MHz	Pass	PK	11.48538G	55.19	74.00	-18.81	3	Horizontal	113	1.57	-
5745MHz	Pass	PK	17.24226G	67.03	68.20	-1.17	3	Horizontal	44	1.70	-
5785MHz	Pass	AV	5.7874G	115.40	Inf	-Inf	3	Vertical	322	1.66	-
5785MHz	Pass	PK	5.6482G	68.11	68.20	-0.09	3	Vertical	322	1.66	-
5785MHz	Pass	PK	5.7826G	126.16	Inf	-Inf	3	Vertical	322	1.66	-
5785MHz	Pass	PK	5.9314G	66.85	68.20	-1.35	3	Vertical	322	1.66	-
5785MHz	Pass	AV	11.57144G	45.55	54.00	-8.45	3	Vertical	0	1.61	-

Remark :

Page No. : E2 of E59

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Omni\_2T2S**

**Appendix E.20**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	11.5712G	58.97	74.00	-15.03	3	Vertical	0	1.61	-
5785MHz	Pass	PK	17.3451G	66.60	68.20	-1.60	3	Vertical	80	1.47	-
5785MHz	Pass	AV	11.57108G	43.50	54.00	-10.50	3	Horizontal	117	1.62	-
5785MHz	Pass	PK	11.57132G	57.03	74.00	-16.97	3	Horizontal	117	1.62	-
5785MHz	Pass	PK	17.35476G	68.11	68.20	-0.09	3	Horizontal	19	1.50	-
5825MHz	Pass	AV	5.8274G	112.58	Inf	-Inf	3	Vertical	229	1.61	-
5825MHz	Pass	PK	5.6234G	60.64	68.20	-7.56	3	Vertical	229	1.61	-
5825MHz	Pass	PK	5.8274G	121.57	Inf	-Inf	3	Vertical	229	1.61	-
5825MHz	Pass	PK	5.927G	62.95	68.20	-5.25	3	Vertical	229	1.61	-
5825MHz	Pass	AV	11.65306G	42.35	54.00	-11.65	3	Vertical	52	1.88	-
5825MHz	Pass	PK	11.64616G	53.53	74.00	-20.47	3	Vertical	52	1.88	-
5825MHz	Pass	PK	17.46882G	66.82	68.20	-1.38	3	Vertical	12	1.38	-
5825MHz	Pass	AV	11.65156G	41.15	54.00	-12.85	3	Horizontal	122	1.49	-
5825MHz	Pass	PK	11.65066G	53.61	74.00	-20.39	3	Horizontal	122	1.49	-
5825MHz	Pass	PK	17.4756G	68.04	68.20	-0.16	3	Horizontal	47	1.50	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	53.93	54.00	-0.07	3	Vertical	2	1.76	-
5180MHz	Pass	AV	5.1818G	106.50	Inf	-Inf	3	Vertical	2	1.76	-
5180MHz	Pass	PK	5.15G	69.47	74.00	-4.53	3	Vertical	2	1.76	-
5180MHz	Pass	PK	5.174G	117.54	Inf	-Inf	3	Vertical	2	1.76	-
5180MHz	Pass	AV	15.52548G	49.37	54.00	-4.63	3	Vertical	26	2.65	-
5180MHz	Pass	PK	10.3606G	56.11	68.20	-12.09	3	Vertical	214	1.50	-
5180MHz	Pass	PK	15.52518G	61.46	74.00	-12.54	3	Vertical	26	2.65	-
5180MHz	Pass	AV	15.53538G	49.37	54.00	-4.63	3	Horizontal	125	1.67	-
5180MHz	Pass	PK	10.3639G	55.97	68.20	-12.23	3	Horizontal	349	1.29	-
5180MHz	Pass	PK	15.5274G	61.47	74.00	-12.53	3	Horizontal	125	1.67	-
5200MHz	Pass	AV	5.1496G	53.75	54.00	-0.25	3	Vertical	0	1.68	-
5200MHz	Pass	AV	5.2018G	110.78	Inf	-Inf	3	Vertical	0	1.68	-
5200MHz	Pass	PK	5.1484G	68.85	74.00	-5.15	3	Vertical	0	1.68	-
5200MHz	Pass	PK	5.2024G	121.64	Inf	-Inf	3	Vertical	0	1.68	-
5200MHz	Pass	AV	15.59508G	48.82	54.00	-5.18	3	Vertical	0	2.60	-
5200MHz	Pass	PK	10.40306G	56.83	68.20	-11.37	3	Vertical	212	1.61	-
5200MHz	Pass	PK	15.60588G	61.29	74.00	-12.71	3	Vertical	0	2.60	-
5200MHz	Pass	AV	15.59658G	49.19	54.00	-4.81	3	Horizontal	40	1.48	-
5200MHz	Pass	PK	10.40258G	57.05	68.20	-11.15	3	Horizontal	349	1.38	-
5200MHz	Pass	PK	15.60402G	61.83	74.00	-12.17	3	Horizontal	40	1.48	-
5240MHz	Pass	AV	5.1488G	53.21	54.00	-0.79	3	Vertical	3	1.63	-
5240MHz	Pass	AV	5.2418G	112.77	Inf	-Inf	3	Vertical	3	1.63	-
5240MHz	Pass	AV	5.35G	51.80	54.00	-2.20	3	Vertical	3	1.63	-
5240MHz	Pass	PK	5.1482G	67.48	74.00	-6.52	3	Vertical	3	1.63	-
5240MHz	Pass	PK	5.2424G	123.61	Inf	-Inf	3	Vertical	3	1.63	-
5240MHz	Pass	PK	5.351G	62.31	74.00	-11.69	3	Vertical	3	1.63	-
5240MHz	Pass	AV	15.71778G	49.67	54.00	-4.33	3	Vertical	27	2.47	-
5240MHz	Pass	PK	10.47904G	56.13	68.20	-12.07	3	Vertical	343	1.49	-
5240MHz	Pass	PK	15.72048G	62.06	74.00	-11.94	3	Vertical	27	2.47	-
5240MHz	Pass	AV	15.71466G	51.23	54.00	-2.77	3	Horizontal	44	1.60	-
5240MHz	Pass	PK	10.47874G	56.43	68.20	-11.77	3	Horizontal	346	1.50	-
5240MHz	Pass	PK	15.71808G	64.48	74.00	-9.52	3	Horizontal	44	1.60	-
5745MHz	Pass	AV	5.7474G	112.38	Inf	-Inf	3	Vertical	226	1.61	-

Remark :

Page No. : E3 of E59

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Omni\_2T2S**

**Appendix E.20**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.6514G	67.09	69.24	-2.15	3	Vertical	226	1.61	-
5745MHz	Pass	PK	5.7474G	124.02	Inf	-Inf	3	Vertical	226	1.61	-
5745MHz	Pass	PK	5.9526G	60.73	68.20	-7.47	3	Vertical	226	1.61	-
5745MHz	Pass	AV	11.4904G	43.65	54.00	-10.35	3	Vertical	32	1.49	-
5745MHz	Pass	PK	11.4857G	55.85	74.00	-18.15	3	Vertical	32	1.49	-
5745MHz	Pass	PK	17.2358G	65.14	68.20	-3.06	3	Vertical	46	1.50	-
5745MHz	Pass	AV	11.4936G	43.14	54.00	-10.86	3	Horizontal	117	1.63	-
5745MHz	Pass	PK	11.484G	54.96	74.00	-19.04	3	Horizontal	117	1.63	-
5745MHz	Pass	PK	17.2372G	66.40	68.20	-1.80	3	Horizontal	45	1.66	-
5785MHz	Pass	AV	5.7922G	111.97	Inf	-Inf	3	Vertical	223	1.59	-
5785MHz	Pass	PK	5.6482G	68.01	68.20	-0.19	3	Vertical	223	1.59	-
5785MHz	Pass	PK	5.7874G	123.55	Inf	-Inf	3	Vertical	223	1.59	-
5785MHz	Pass	PK	5.935G	67.96	68.20	-0.24	3	Vertical	223	1.59	-
5785MHz	Pass	AV	11.5531G	44.98	54.00	-9.02	3	Vertical	135	1.06	-
5785MHz	Pass	PK	11.5674G	55.06	74.00	-18.94	3	Vertical	135	1.06	-
5785MHz	Pass	PK	17.3531G	66.01	68.20	-2.19	3	Vertical	282	2.12	-
5785MHz	Pass	AV	11.5719G	42.25	54.00	-11.75	3	Horizontal	17	1.78	-
5785MHz	Pass	PK	11.5675G	53.82	74.00	-20.18	3	Horizontal	17	1.78	-
5785MHz	Pass	PK	17.3471G	67.32	68.20	-0.88	3	Horizontal	21	1.67	-
5825MHz	Pass	AV	5.8274G	110.33	Inf	-Inf	3	Vertical	229	1.68	-
5825MHz	Pass	PK	5.5742G	60.81	68.20	-7.39	3	Vertical	229	1.68	-
5825MHz	Pass	PK	5.8238G	121.57	Inf	-Inf	3	Vertical	229	1.68	-
5825MHz	Pass	PK	5.9282G	62.85	68.20	-5.35	3	Vertical	229	1.68	-
5825MHz	Pass	AV	11.6408G	42.50	54.00	-11.50	3	Vertical	102	1.39	-
5825MHz	Pass	PK	11.6527G	53.31	74.00	-20.69	3	Vertical	102	1.39	-
5825MHz	Pass	PK	17.4784G	67.01	68.20	-1.19	3	Vertical	273	2.27	-
5825MHz	Pass	AV	11.6497G	41.47	54.00	-12.53	3	Horizontal	215	1.84	-
5825MHz	Pass	PK	11.6477G	53.50	74.00	-20.50	3	Horizontal	215	1.84	-
5825MHz	Pass	PK	17.4756G	67.96	68.20	-0.24	3	Horizontal	44	1.53	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1498G	53.69	54.00	-0.31	3	Vertical	231	1.66	-
5190MHz	Pass	AV	5.1858G	101.66	Inf	-Inf	3	Vertical	231	1.66	-
5190MHz	Pass	PK	5.1498G	73.28	74.00	-0.72	3	Vertical	231	1.66	-
5190MHz	Pass	PK	5.1858G	113.30	Inf	-Inf	3	Vertical	231	1.66	-
5190MHz	Pass	AV	15.55956G	48.69	54.00	-5.31	3	Vertical	64	1.49	-
5190MHz	Pass	PK	10.38024G	55.79	68.20	-12.41	3	Vertical	316	2.08	-
5190MHz	Pass	PK	15.57996G	61.72	74.00	-12.28	3	Vertical	64	1.49	-
5190MHz	Pass	AV	15.55602G	48.56	54.00	-5.44	3	Horizontal	219	1.60	-
5190MHz	Pass	PK	10.37544G	53.96	68.20	-14.24	3	Horizontal	354	1.49	-
5190MHz	Pass	PK	15.56832G	60.83	74.00	-13.17	3	Horizontal	219	1.60	-
5230MHz	Pass	AV	5.15G	53.62	54.00	-0.38	3	Vertical	228	1.75	-
5230MHz	Pass	AV	5.2348G	107.01	Inf	-Inf	3	Vertical	228	1.75	-
5230MHz	Pass	AV	5.356G	50.97	54.00	-3.03	3	Vertical	228	1.75	-
5230MHz	Pass	PK	5.1472G	70.83	74.00	-3.17	3	Vertical	228	1.75	-
5230MHz	Pass	PK	5.2342G	118.55	Inf	-Inf	3	Vertical	228	1.75	-
5230MHz	Pass	PK	5.3638G	63.45	74.00	-10.55	3	Vertical	228	1.75	-
5230MHz	Pass	AV	15.6771G	47.71	54.00	-6.29	3	Vertical	360	1.96	-
5230MHz	Pass	PK	10.45694G	54.34	68.20	-13.86	3	Vertical	209	1.48	-
5230MHz	Pass	PK	15.68304G	59.96	74.00	-14.04	3	Vertical	360	1.96	-

Remark :

Page No. : E4 of E59

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Omni\_2T2S**

**Appendix E.20**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.68238G	48.15	54.00	-5.85	3	Horizontal	43	2.41	-
5230MHz	Pass	PK	10.45874G	55.07	68.20	-13.13	3	Horizontal	346	1.47	-
5230MHz	Pass	PK	15.68616G	60.70	74.00	-13.30	3	Horizontal	43	2.41	-
5755MHz	Pass	AV	5.7526G	107.13	Inf	-Inf	3	Vertical	226	1.62	-
5755MHz	Pass	PK	5.653G	69.80	70.42	-0.62	3	Vertical	226	1.62	-
5755MHz	Pass	PK	5.7514G	118.88	Inf	-Inf	3	Vertical	226	1.62	-
5755MHz	Pass	PK	5.9398G	60.17	68.20	-8.03	3	Vertical	226	1.62	-
5755MHz	Pass	AV	11.5131G	41.70	54.00	-12.30	3	Vertical	285	1.05	-
5755MHz	Pass	PK	11.51208G	54.11	74.00	-19.89	3	Vertical	285	1.05	-
5755MHz	Pass	PK	17.26G	66.75	68.20	-1.45	3	Vertical	19	2.03	-
5755MHz	Pass	AV	11.51196G	42.15	54.00	-11.85	3	Horizontal	134	1.40	-
5755MHz	Pass	PK	11.50594G	54.60	74.00	-19.40	3	Horizontal	134	1.40	-
5755MHz	Pass	PK	17.2614G	67.09	68.20	-1.11	3	Horizontal	238	1.12	-
5795MHz	Pass	AV	5.789G	108.31	Inf	-Inf	3	Vertical	225	1.62	-
5795MHz	Pass	PK	5.6486G	63.37	68.20	-4.83	3	Vertical	225	1.62	-
5795MHz	Pass	PK	5.7914G	120.33	Inf	-Inf	3	Vertical	225	1.62	-
5795MHz	Pass	PK	5.933G	67.66	68.20	-0.54	3	Vertical	225	1.62	-
5795MHz	Pass	AV	11.59136G	41.56	54.00	-12.44	3	Vertical	306	1.89	-
5795MHz	Pass	PK	11.5861G	53.98	74.00	-20.02	3	Vertical	306	1.89	-
5795MHz	Pass	PK	17.38368G	66.71	68.20	-1.49	3	Vertical	139	1.62	-
5795MHz	Pass	AV	11.5925G	42.14	54.00	-11.86	3	Horizontal	169	1.66	-
5795MHz	Pass	PK	11.5924G	53.96	74.00	-20.04	3	Horizontal	169	1.66	-
5795MHz	Pass	PK	17.3574G	66.78	68.20	-1.42	3	Horizontal	328	1.43	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.58	54.00	-0.42	3	Vertical	230	1.71	-
5210MHz	Pass	AV	5.227G	99.62	Inf	-Inf	3	Vertical	230	1.71	-
5210MHz	Pass	AV	5.365G	50.66	54.00	-3.34	3	Vertical	230	1.71	-
5210MHz	Pass	PK	5.135G	69.84	74.00	-4.16	3	Vertical	230	1.71	-
5210MHz	Pass	PK	5.231G	109.49	Inf	-Inf	3	Vertical	230	1.71	-
5210MHz	Pass	PK	5.369G	61.17	74.00	-12.83	3	Vertical	230	1.71	-
5210MHz	Pass	AV	15.62874G	48.97	54.00	-5.03	3	Vertical	309	1.44	-
5210MHz	Pass	PK	10.422G	54.39	68.20	-13.81	3	Vertical	81	1.99	-
5210MHz	Pass	PK	15.6322G	59.01	74.00	-14.99	3	Vertical	309	1.44	-
5210MHz	Pass	AV	15.6263G	49.64	54.00	-4.36	3	Horizontal	259	1.40	-
5210MHz	Pass	PK	10.42402G	53.90	68.20	-14.30	3	Horizontal	338	2.47	-
5210MHz	Pass	PK	15.63114G	60.75	74.00	-13.25	3	Horizontal	259	1.40	-
5775MHz	Pass	AV	5.7654G	102.57	Inf	-Inf	3	Vertical	227	1.70	-
5775MHz	Pass	PK	5.6478G	68.02	68.20	-0.18	3	Vertical	227	1.70	-
5775MHz	Pass	PK	5.7474G	112.69	Inf	-Inf	3	Vertical	227	1.70	-
5775MHz	Pass	PK	5.9274G	62.78	68.20	-5.42	3	Vertical	227	1.70	-
5775MHz	Pass	AV	11.55428G	43.96	54.00	-10.04	3	Vertical	115	2.00	-
5775MHz	Pass	PK	11.55036G	54.86	74.00	-19.14	3	Vertical	115	2.00	-
5775MHz	Pass	PK	17.32362G	65.70	68.20	-2.50	3	Vertical	327	2.22	-
5775MHz	Pass	AV	11.55392G	43.32	54.00	-10.68	3	Horizontal	129	1.84	-
5775MHz	Pass	PK	11.55386G	54.13	74.00	-19.87	3	Horizontal	129	1.84	-
5775MHz	Pass	PK	17.32874G	65.92	68.20	-2.28	3	Horizontal	26	2.08	-

Remark :

Page No. : E5 of E59

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)


992608



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.64	54.00	-0.36	4.96	3	Vertical	42	1.67	-	48.68	31.76	7.03	33.83
AV	5.1824G	110.52	Inf	-Inf	5.01	3	Vertical	42	1.67	-	105.51	31.77	7.08	33.84
PK	5.1476G	72.91	74.00	-1.09	4.96	3	Vertical	42	1.67	-	67.95	31.76	7.03	33.83
PK	5.1872G	119.67	Inf	-Inf	5.00	3	Vertical	42	1.67	-	114.67	31.77	7.08	33.85



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52512G	48.76	54.00	-5.24	19.44	3	Vertical	166	1.48	-	29.32	38.86	12.79	32.21
PK	10.3552G	57.79	68.20	-10.41	15.39	3	Vertical	319	2.05	-	42.40	39.36	10.33	34.30
PK	15.53532G	61.38	74.00	-12.62	19.41	3	Vertical	166	1.48	-	41.97	38.82	12.81	32.22



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52854G	48.62	54.00	-5.38	19.42	3	Horizontal	115	1.50	-	29.20	38.84	12.80	32.22
PK	10.3612G	56.29	68.20	-11.91	15.40	3	Horizontal	30	1.31	-	40.89	39.37	10.33	34.30
PK	15.53742G	61.78	74.00	-12.22	19.40	3	Horizontal	115	1.50	-	42.38	38.81	12.81	32.22






802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	53.17	54.00	-0.83	4.96	3	Vertical	0	1.70	-	48.21	31.76	7.03	33.83
AV	5.2024G	114.01	Inf	-Inf	5.03	3	Vertical	0	1.70	-	108.98	31.78	7.10	33.85
PK	5.1478G	73.94	74.00	-0.06	4.96	3	Vertical	0	1.70	-	68.98	31.76	7.03	33.83
PK	5.1976G	123.34	Inf	-Inf	5.03	3	Vertical	0	1.70	-	118.31	31.78	7.10	33.85



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60258G	48.78	54.00	-5.22	19.21	3	Vertical	23	1.90	-	29.57	38.57	12.91	32.27
PK	10.39772G	58.70	68.20	-9.50	15.48	3	Vertical	211	1.57	-	43.22	39.42	10.33	34.27
PK	15.59214G	62.84	74.00	-11.16	19.24	3	Vertical	23	1.90	-	43.60	38.61	12.90	32.27



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59892G	49.32	54.00	-4.68	19.22	3	Horizontal	44	1.49	-	30.10	38.58	12.91	32.27
PK	10.40498G	57.44	68.20	-10.76	15.50	3	Horizontal	351	1.50	-	41.94	39.43	10.34	34.27
PK	15.59352G	62.48	74.00	-11.52	19.23	3	Horizontal	44	1.49	-	43.25	38.60	12.90	32.27



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.31	54.00	-0.69	4.96	3	Vertical	0	1.49	-	48.35	31.76	7.03	33.83
AV	5.2424G	115.77	Inf	-Inf	5.09	3	Vertical	0	1.49	-	110.68	31.80	7.15	33.86
AV	5.351G	50.35	54.00	-3.65	5.24	3	Vertical	0	1.49	-	45.11	31.84	7.29	33.89
PK	5.1494G	67.38	74.00	-6.62	4.97	3	Vertical	0	1.49	-	62.41	31.76	7.04	33.83
PK	5.2376G	125.96	Inf	-Inf	5.09	3	Vertical	0	1.49	-	120.87	31.80	7.15	33.86
PK	5.3504G	66.53	74.00	-7.47	5.24	3	Vertical	0	1.49	-	61.29	31.84	7.29	33.89



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72228G	49.64	54.00	-4.36	18.86	3	Vertical	25	1.50	-	30.78	38.13	13.10	32.37
PK	10.47754G	57.71	68.20	-10.49	15.65	3	Vertical	341	1.44	-	42.06	39.52	10.35	34.22
PK	15.72396G	62.85	74.00	-11.15	18.85	3	Vertical	25	1.50	-	44.00	38.12	13.10	32.37



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71526G	50.63	54.00	-3.37	18.88	3	Horizontal	44	1.50	-	31.75	38.15	13.09	32.36
PK	10.47832G	57.25	68.20	-10.95	15.65	3	Horizontal	345	1.43	-	41.60	39.52	10.35	34.22
PK	15.7149G	63.39	74.00	-10.61	18.88	3	Horizontal	44	1.50	-	44.51	38.15	13.09	32.36



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	114.67	Inf	-Inf	5.93	3	Vertical	324	1.49	-	108.74	32.25	7.64	33.96
PK	5.6478G	65.84	68.20	-2.36	5.74	3	Vertical	324	1.49	-	60.10	32.11	7.57	33.94
PK	5.7426G	124.79	Inf	-Inf	5.91	3	Vertical	324	1.49	-	118.88	32.24	7.63	33.96
PK	5.9334G	61.12	68.20	-7.08	6.28	3	Vertical	324	1.49	-	54.84	32.51	7.76	33.99



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48706G	43.01	54.00	-10.99	16.37	3	Vertical	31	1.49	-	26.64	39.62	10.68	33.93
PK	11.49156G	55.53	74.00	-18.47	16.36	3	Vertical	31	1.49	-	39.17	39.61	10.68	33.93
PK	17.24634G	64.94	68.20	-3.26	24.27	3	Vertical	328	1.61	-	40.67	41.63	13.91	31.27






802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49012G	42.62	54.00	-11.38	16.36	3	Horizontal	113	1.57	-	26.26	39.61	10.68	33.93
PK	11.48538G	55.19	74.00	-18.81	16.37	3	Horizontal	113	1.57	-	38.82	39.62	10.68	33.93
PK	17.24226G	67.03	68.20	-1.17	24.24	3	Horizontal	44	1.70	-	42.79	41.60	13.91	31.27



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	115.40	Inf	-Inf	5.99	3	Vertical	322	1.66	-	109.41	32.30	7.66	33.97
PK	5.6482G	68.11	68.20	-0.09	5.74	3	Vertical	322	1.66	-	62.37	32.11	7.57	33.94
PK	5.7826G	126.16	Inf	-Inf	5.99	3	Vertical	322	1.66	-	120.17	32.30	7.66	33.97
PK	5.9314G	66.85	68.20	-1.35	6.26	3	Vertical	322	1.66	-	60.59	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57144G	45.55	54.00	-8.45	16.29	3	Vertical	0	1.61	-	29.26	39.51	10.72	33.94
PK	11.5712G	58.97	74.00	-15.03	16.29	3	Vertical	0	1.61	-	42.68	39.51	10.72	33.94
PK	17.3451G	66.60	68.20	-1.60	24.94	3	Vertical	80	1.47	-	41.66	42.28	13.94	31.28



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57108G	43.50	54.00	-10.50	16.29	3	Horizontal	117	1.62	-	27.21	39.51	10.72	33.94
PK	11.57132G	57.03	74.00	-16.97	16.29	3	Horizontal	117	1.62	-	40.74	39.51	10.72	33.94
PK	17.35476G	68.11	68.20	-0.09	24.99	3	Horizontal	19	1.50	-	43.12	42.34	13.94	31.29



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	112.58	Inf	-Inf	6.08	3	Vertical	229	1.61	-	106.50	32.36	7.69	33.97
PK	5.6234G	60.64	68.20	-7.56	5.69	3	Vertical	229	1.61	-	54.95	32.07	7.56	33.94
PK	5.8274G	121.57	Inf	-Inf	6.08	3	Vertical	229	1.61	-	115.49	32.36	7.69	33.97
PK	5.927G	62.95	68.20	-5.25	6.26	3	Vertical	229	1.61	-	56.69	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65306G	42.35	54.00	-11.65	16.23	3	Vertical	52	1.88	-	26.12	39.42	10.76	33.95
PK	11.64616G	53.53	74.00	-20.47	16.23	3	Vertical	52	1.88	-	37.30	39.42	10.76	33.95
PK	17.46882G	66.82	68.20	-1.38	25.76	3	Vertical	12	1.38	-	41.06	43.09	13.97	31.30



802.11a\_Nss1,(6Mbps)\_2TX

16/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65156G	41.15	54.00	-12.85	16.23	3	Horizontal	122	1.49	-	24.92	39.42	10.76	33.95
PK	11.65066G	53.61	74.00	-20.39	16.23	3	Horizontal	122	1.49	-	37.38	39.42	10.76	33.95
PK	17.4756G	68.04	68.20	-0.16	25.81	3	Horizontal	47	1.50	-	42.23	43.14	13.97	31.30



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.93	54.00	-0.07	4.96	3	Vertical	2	1.76	-	48.97	31.76	7.03	33.83
AV	5.1818G	106.50	Inf	-Inf	5.01	3	Vertical	2	1.76	-	101.49	31.77	7.08	33.84
PK	5.15G	69.47	74.00	-4.53	4.97	3	Vertical	2	1.76	-	64.50	31.76	7.04	33.83
PK	5.174G	117.54	Inf	-Inf	5.00	3	Vertical	2	1.76	-	112.54	31.77	7.07	33.84






802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52548G	49.37	54.00	-4.63	19.44	3	Vertical	26	2.65	-	29.93	38.86	12.79	32.21
PK	10.3606G	56.11	68.20	-12.09	15.40	3	Vertical	214	1.50	-	40.71	39.37	10.33	34.30
PK	15.52518G	61.46	74.00	-12.54	19.44	3	Vertical	26	2.65	-	42.02	38.86	12.79	32.21



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53538G	49.37	54.00	-4.63	19.41	3	Horizontal	125	1.67	-	29.96	38.82	12.81	32.22
PK	10.3639G	55.97	68.20	-12.23	15.40	3	Horizontal	349	1.29	-	40.57	39.37	10.33	34.30
PK	15.5274G	61.47	74.00	-12.53	19.42	3	Horizontal	125	1.67	-	42.05	38.85	12.79	32.22



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.75	54.00	-0.25	4.97	3	Vertical	0	1.68	-	48.78	31.76	7.04	33.83
AV	5.2018G	110.78	Inf	-Inf	5.03	3	Vertical	0	1.68	-	105.75	31.78	7.10	33.85
PK	5.1484G	68.85	74.00	-5.15	4.96	3	Vertical	0	1.68	-	63.89	31.76	7.03	33.83
PK	5.2024G	121.64	Inf	-Inf	5.03	3	Vertical	0	1.68	-	116.61	31.78	7.10	33.85



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59508G	48.82	54.00	-5.18	19.23	3	Vertical	0	2.60	-	29.59	38.60	12.90	32.27
PK	10.40306G	56.83	68.20	-11.37	15.49	3	Vertical	212	1.61	-	41.34	39.42	10.34	34.27
PK	15.60588G	61.29	74.00	-12.71	19.20	3	Vertical	0	2.60	-	42.09	38.56	12.92	32.28



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59658G	49.19	54.00	-4.81	19.22	3	Horizontal	40	1.48	-	29.97	38.59	12.90	32.27
PK	10.40258G	57.05	68.20	-11.15	15.49	3	Horizontal	349	1.38	-	41.56	39.42	10.34	34.27
PK	15.60402G	61.83	74.00	-12.17	19.20	3	Horizontal	40	1.48	-	42.63	38.57	12.91	32.28



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.21	54.00	-0.79	4.96	3	Vertical	3	1.63	-	48.25	31.76	7.03	33.83
AV	5.2418G	112.77	Inf	-Inf	5.09	3	Vertical	3	1.63	-	107.68	31.80	7.15	33.86
AV	5.35G	51.80	54.00	-2.20	5.24	3	Vertical	3	1.63	-	46.56	31.84	7.29	33.89
PK	5.1482G	67.48	74.00	-6.52	4.96	3	Vertical	3	1.63	-	62.52	31.76	7.03	33.83
PK	5.2424G	123.61	Inf	-Inf	5.09	3	Vertical	3	1.63	-	118.52	31.80	7.15	33.86
PK	5.351G	62.31	74.00	-11.69	5.24	3	Vertical	3	1.63	-	57.07	31.84	7.29	33.89



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71778G	49.67	54.00	-4.33	18.87	3	Vertical	27	2.47	-	30.80	38.14	13.09	32.36
PK	10.47904G	56.13	68.20	-12.07	15.66	3	Vertical	343	1.49	-	40.47	39.52	10.35	34.21
PK	15.72048G	62.06	74.00	-11.94	18.87	3	Vertical	27	2.47	-	43.19	38.13	13.10	32.36



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71466G	51.23	54.00	-2.77	18.89	3	Horizontal	44	1.60	-	32.34	38.16	13.09	32.36
PK	10.47874G	56.43	68.20	-11.77	15.66	3	Horizontal	346	1.50	-	40.77	39.52	10.35	34.21
PK	15.71808G	64.48	74.00	-9.52	18.87	3	Horizontal	44	1.60	-	45.61	38.14	13.09	32.36






802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.38	Inf	-Inf	5.93	3	Vertical	226	1.61	-	106.45	32.25	7.64	33.96
PK	5.6514G	67.09	69.24	-2.15	5.73	3	Vertical	226	1.61	-	61.36	32.11	7.57	33.95
PK	5.7474G	124.02	Inf	-Inf	5.93	3	Vertical	226	1.61	-	118.09	32.25	7.64	33.96
PK	5.9526G	60.73	68.20	-7.47	6.31	3	Vertical	226	1.61	-	54.42	32.53	7.77	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4904G	43.65	54.00	-10.35	16.36	3	Vertical	32	1.49	-	27.29	39.61	10.68	33.93
PK	11.4857G	55.85	74.00	-18.15	16.37	3	Vertical	32	1.49	-	39.48	39.62	10.68	33.93
PK	17.2358G	65.14	68.20	-3.06	24.20	3	Vertical	46	1.50	-	40.94	41.56	13.91	31.27



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4936G	43.14	54.00	-10.86	16.36	3	Horizontal	117	1.63	-	26.78	39.61	10.68	33.93
PK	11.484G	54.96	74.00	-19.04	16.37	3	Horizontal	117	1.63	-	38.59	39.62	10.68	33.93
PK	17.2372G	66.40	68.20	-1.80	24.21	3	Horizontal	45	1.66	-	42.19	41.57	13.91	31.27



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	111.97	Inf	-Inf	6.00	3	Vertical	223	1.59	-	105.97	32.31	7.66	33.97
PK	5.6482G	68.01	68.20	-0.19	5.74	3	Vertical	223	1.59	-	62.27	32.11	7.57	33.94
PK	5.7874G	123.55	Inf	-Inf	5.99	3	Vertical	223	1.59	-	117.56	32.30	7.66	33.97
PK	5.935G	67.96	68.20	-0.24	6.28	3	Vertical	223	1.59	-	61.68	32.51	7.76	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5531G	44.98	54.00	-9.02	16.31	3	Vertical	135	1.06	-	28.67	39.54	10.71	33.94
PK	11.5674G	55.06	74.00	-18.94	16.30	3	Vertical	135	1.06	-	38.76	39.52	10.72	33.94
PK	17.3531G	66.01	68.20	-2.19	24.98	3	Vertical	282	2.12	-	41.03	42.33	13.94	31.29



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5719G	42.25	54.00	-11.75	16.29	3	Horizontal	17	1.78	-	25.96	39.51	10.72	33.94
PK	11.5675G	53.82	74.00	-20.18	16.30	3	Horizontal	17	1.78	-	37.52	39.52	10.72	33.94
PK	17.3471G	67.32	68.20	-0.88	24.95	3	Horizontal	21	1.67	-	42.37	42.29	13.94	31.28



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	110.33	Inf	-Inf	6.08	3	Vertical	229	1.68	-	104.25	32.36	7.69	33.97
PK	5.5742G	60.81	68.20	-7.39	5.59	3	Vertical	229	1.68	-	55.22	32.00	7.52	33.93
PK	5.8238G	121.57	Inf	-Inf	6.06	3	Vertical	229	1.68	-	115.51	32.35	7.68	33.97
PK	5.9282G	62.85	68.20	-5.35	6.26	3	Vertical	229	1.68	-	56.59	32.50	7.75	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6408G	42.50	54.00	-11.50	16.24	3	Vertical	102	1.39	-	26.26	39.43	10.76	33.95
PK	11.6527G	53.31	74.00	-20.69	16.23	3	Vertical	102	1.39	-	37.08	39.42	10.76	33.95
PK	17.4784G	67.01	68.20	-1.19	25.83	3	Vertical	273	2.27	-	41.18	43.16	13.97	31.30






802.11ax HEW20\_Nss2,(MCS0)\_2TX

16/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6497G	41.47	54.00	-12.53	16.23	3	Horizontal	215	1.84	-	25.24	39.42	10.76	33.95
PK	11.6477G	53.50	74.00	-20.50	16.23	3	Horizontal	215	1.84	-	37.27	39.42	10.76	33.95
PK	17.4756G	67.96	68.20	-0.24	25.81	3	Horizontal	44	1.53	-	42.15	43.14	13.97	31.30



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.69	54.00	-0.31	4.97	3	Vertical	231	1.66	-	48.72	31.76	7.04	33.83
AV	5.1858G	101.66	Inf	-Inf	5.00	3	Vertical	231	1.66	-	96.66	31.77	7.08	33.85
PK	5.1498G	73.28	74.00	-0.72	4.97	3	Vertical	231	1.66	-	68.31	31.76	7.04	33.83
PK	5.1858G	113.30	Inf	-Inf	5.00	3	Vertical	231	1.66	-	108.30	31.77	7.08	33.85



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55956G	48.69	54.00	-5.31	19.34	3	Vertical	64	1.49	-	29.35	38.73	12.85	32.24
PK	10.38024G	55.79	68.20	-12.41	15.44	3	Vertical	316	2.08	-	40.35	39.39	10.33	34.28
PK	15.57996G	61.72	74.00	-12.28	19.27	3	Vertical	64	1.49	-	42.45	38.65	12.88	32.26



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55602G	48.56	54.00	-5.44	19.34	3	Horizontal	219	1.60	-	29.22	38.74	12.84	32.24
PK	10.37544G	53.96	68.20	-14.24	15.43	3	Horizontal	354	1.49	-	38.53	39.39	10.33	34.29
PK	15.56832G	60.83	74.00	-13.17	19.31	3	Horizontal	219	1.60	-	41.52	38.70	12.86	32.25



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.62	54.00	-0.38	4.97	3	Vertical	228	1.75	-	48.65	31.76	7.04	33.83
AV	5.2348G	107.01	Inf	-Inf	5.07	3	Vertical	228	1.75	-	101.94	31.79	7.14	33.86
AV	5.356G	50.97	54.00	-3.03	5.25	3	Vertical	228	1.75	-	45.72	31.84	7.30	33.89
PK	5.1472G	70.83	74.00	-3.17	4.96	3	Vertical	228	1.75	-	65.87	31.76	7.03	33.83
PK	5.2342G	118.55	Inf	-Inf	5.07	3	Vertical	228	1.75	-	113.48	31.79	7.14	33.86
PK	5.3638G	63.45	74.00	-10.55	5.26	3	Vertical	228	1.75	-	58.19	31.85	7.30	33.89



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6771G	47.71	54.00	-6.29	18.99	3	Vertical	360	1.96	-	28.72	38.29	13.03	32.33
PK	10.45694G	54.34	68.20	-13.86	15.61	3	Vertical	209	1.48	-	38.73	39.49	10.35	34.23
PK	15.68304G	59.96	74.00	-14.04	18.97	3	Vertical	360	1.96	-	40.99	38.27	13.04	32.34



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68238G	48.15	54.00	-5.85	18.98	3	Horizontal	43	2.41	-	29.17	38.28	13.04	32.34
PK	10.45874G	55.07	68.20	-13.13	15.62	3	Horizontal	346	1.47	-	39.45	39.50	10.35	34.23
PK	15.68616G	60.70	74.00	-13.30	18.96	3	Horizontal	43	2.41	-	41.74	38.26	13.04	32.34



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	107.13	Inf	-Inf	5.93	3	Vertical	226	1.62	-	101.20	32.25	7.64	33.96
PK	5.653G	69.80	70.42	-0.62	5.73	3	Vertical	226	1.62	-	64.07	32.11	7.57	33.95
PK	5.7514G	118.88	Inf	-Inf	5.93	3	Vertical	226	1.62	-	112.95	32.25	7.64	33.96
PK	5.9398G	60.17	68.20	-8.03	6.29	3	Vertical	226	1.62	-	53.88	32.52	7.76	33.99






802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5131G	41.70	54.00	-12.30	16.34	3	Vertical	285	1.05	-	25.36	39.58	10.69	33.93
PK	11.51208G	54.11	74.00	-19.89	16.35	3	Vertical	285	1.05	-	37.76	39.59	10.69	33.93
PK	17.26G	66.75	68.20	-1.45	24.35	3	Vertical	19	2.03	-	42.40	41.72	13.91	31.28



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51196G	42.15	54.00	-11.85	16.35	3	Horizontal	134	1.40	-	25.80	39.59	10.69	33.93
PK	11.50594G	54.60	74.00	-19.40	16.35	3	Horizontal	134	1.40	-	38.25	39.59	10.69	33.93
PK	17.2614G	67.09	68.20	-1.11	24.36	3	Horizontal	238	1.12	-	42.73	41.73	13.91	31.28



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.789G	108.31	Inf	-Inf	5.99	3	Vertical	225	1.62	-	102.32	32.30	7.66	33.97
PK	5.6486G	63.37	68.20	-4.83	5.74	3	Vertical	225	1.62	-	57.63	32.11	7.57	33.94
PK	5.7914G	120.33	Inf	-Inf	6.00	3	Vertical	225	1.62	-	114.33	32.31	7.66	33.97
PK	5.933G	67.66	68.20	-0.54	6.27	3	Vertical	225	1.62	-	61.39	32.51	7.75	33.99



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59136G	41.56	54.00	-12.44	16.28	3	Vertical	306	1.89	-	25.28	39.49	10.73	33.94
PK	11.5861G	53.98	74.00	-20.02	16.29	3	Vertical	306	1.89	-	37.69	39.50	10.73	33.94
PK	17.38368G	66.71	68.20	-1.49	25.19	3	Vertical	139	1.62	-	41.52	42.53	13.95	31.29



802.11ax HEW40\_Nss2,(MCS0)\_2TX

16/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5925G	42.14	54.00	-11.86	16.28	3	Horizontal	169	1.66	-	25.86	39.49	10.73	33.94
PK	11.5924G	53.96	74.00	-20.04	16.28	3	Horizontal	169	1.66	-	37.68	39.49	10.73	33.94
PK	17.3574G	66.78	68.20	-1.42	25.01	3	Horizontal	328	1.43	-	41.77	42.36	13.94	31.29



802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.58	54.00	-0.42	4.96	3	Vertical	230	1.71	-	48.62	31.76	7.03	33.83
AV	5.227G	99.62	Inf	-Inf	5.06	3	Vertical	230	1.71	-	94.56	31.79	7.13	33.86
AV	5.365G	50.66	54.00	-3.34	5.27	3	Vertical	230	1.71	-	45.39	31.85	7.31	33.89
PK	5.135G	69.84	74.00	-4.16	4.94	3	Vertical	230	1.71	-	64.90	31.75	7.02	33.83
PK	5.231G	109.49	Inf	-Inf	5.07	3	Vertical	230	1.71	-	104.42	31.79	7.14	33.86
PK	5.369G	61.17	74.00	-12.83	5.27	3	Vertical	230	1.71	-	55.90	31.85	7.31	33.89



802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62874G	48.97	54.00	-5.03	19.13	3	Vertical	309	1.44	-	29.84	38.47	12.95	32.29
PK	10.422G	54.39	68.20	-13.81	15.54	3	Vertical	81	1.99	-	38.85	39.45	10.34	34.25
PK	15.6322G	59.01	74.00	-14.99	19.12	3	Vertical	309	1.44	-	39.89	38.46	12.96	32.30



802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6263G	49.64	54.00	-4.36	19.14	3	Horizontal	259	1.40	-	30.50	38.48	12.95	32.29
PK	10.42402G	53.90	68.20	-14.30	15.54	3	Horizontal	338	2.47	-	38.36	39.45	10.34	34.25
PK	15.63114G	60.75	74.00	-13.25	19.12	3	Horizontal	259	1.40	-	41.63	38.46	12.96	32.30






802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	102.57	Inf	-Inf	5.96	3	Vertical	227	1.70	-	96.61	32.27	7.65	33.96
PK	5.6478G	68.02	68.20	-0.18	5.74	3	Vertical	227	1.70	-	62.28	32.11	7.57	33.94
PK	5.7474G	112.69	Inf	-Inf	5.93	3	Vertical	227	1.70	-	106.76	32.25	7.64	33.96
PK	5.9274G	62.78	68.20	-5.42	6.26	3	Vertical	227	1.70	-	56.52	32.50	7.75	33.99



802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55428G	43.96	54.00	-10.04	16.30	3	Vertical	115	2.00	-	27.66	39.53	10.71	33.94
PK	11.55036G	54.86	74.00	-19.14	16.31	3	Vertical	115	2.00	-	38.55	39.54	10.71	33.94
PK	17.32362G	65.70	68.20	-2.50	24.79	3	Vertical	327	2.22	-	40.91	42.14	13.93	31.28



802.11ax HEW80\_Nss2,(MCS0)\_2TX

16/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55392G	43.32	54.00	-10.68	16.31	3	Horizontal	129	1.84	-	27.01	39.54	10.71	33.94
PK	11.55386G	54.13	74.00	-19.87	16.31	3	Horizontal	129	1.84	-	37.82	39.54	10.71	33.94
PK	17.32874G	65.92	68.20	-2.28	24.82	3	Horizontal	26	2.08	-	41.10	42.17	13.93	31.28



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	875.84M	38.77	46.00	-7.23	3	Horizontal	360	1.00	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	28.61	40.00	-11.39	3	Vertical	0	1.00	-
5775MHz	Pass	PK	99.84M	28.40	43.50	-15.10	3	Vertical	0	1.00	-
5775MHz	Pass	PK	272.5M	29.28	46.00	-16.72	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	35.25	46.00	-10.75	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	33.36	46.00	-12.64	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	37.12	46.00	-8.88	3	Vertical	0	1.00	-
5775MHz	Pass	PK	99.84M	30.13	43.50	-13.37	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	249.22M	37.49	46.00	-8.51	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	268.62M	34.86	46.00	-11.14	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	375.32M	36.37	46.00	-9.63	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	34.94	46.00	-11.06	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	38.77	46.00	-7.23	3	Horizontal	360	1.00	-



802.11ax HEW80\_Nss1,(MCS0)\_1TX

01/01/1904

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.61	40.00	-11.39	-6.38	3	Vertical	0	1.00	-	34.99	20.36	0.83	27.57
PK	99.84M	28.40	43.50	-15.10	-9.92	3	Vertical	0	1.00	-	38.32	15.94	1.52	27.38
PK	272.5M	29.28	46.00	-16.72	-6.09	3	Vertical	0	1.00	-	35.37	18.03	2.60	26.72
PK	375.32M	35.25	46.00	-10.75	-4.11	3	Vertical	0	1.00	-	39.36	19.95	3.08	27.14
PK	625.58M	33.36	46.00	-12.64	0.16	3	Vertical	0	1.00	-	33.20	24.12	4.13	28.09
PK	875.84M	37.12	46.00	-8.88	2.67	3	Vertical	0	1.00	-	34.45	25.36	4.93	27.62



802.11ax HEW80\_Nss1,(MCS0)\_1TX

01/01/1904

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	30.13	43.50	-13.37	-9.92	3	Horizontal	360	1.00	-	40.05	15.94	1.52	27.38
PK	249.22M	37.49	46.00	-8.51	-6.86	3	Horizontal	360	1.00	-	44.35	17.40	2.48	26.74
PK	268.62M	34.86	46.00	-11.14	-5.99	3	Horizontal	360	1.00	-	40.85	18.15	2.58	26.72
PK	375.32M	36.37	46.00	-9.63	-4.11	3	Horizontal	360	1.00	-	40.48	19.95	3.08	27.14
PK	625.58M	34.94	46.00	-11.06	0.16	3	Horizontal	360	1.00	-	34.78	24.12	4.13	28.09
PK	875.84M	38.77	46.00	-7.23	2.67	3	Horizontal	360	1.00	-	36.10	25.36	4.93	27.62



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	3	1.68	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	4	1.66	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	0	1.49	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.149G	53.87	54.00	-0.13	3	Horizontal	4	1.68	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.24706G	67.97	68.20	-0.23	3	Horizontal	79	1.46	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	17.36058G	68.10	68.20	-0.10	3	Horizontal	121	1.49	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	17.38038G	68.07	68.20	-0.13	3	Horizontal	83	2.24	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.649G	67.69	68.20	-0.51	3	Horizontal	351	2.03	-





**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	44.66	54.00	-9.34	3	Vertical	64	2.88	-
5180MHz	Pass	AV	5.1842G	94.62	Inf	-Inf	3	Vertical	64	2.88	-
5180MHz	Pass	PK	5.1494G	61.44	74.00	-12.56	3	Vertical	64	2.88	-
5180MHz	Pass	PK	5.1824G	104.63	Inf	-Inf	3	Vertical	64	2.88	-
5180MHz	Pass	AV	5.15G	51.44	54.00	-2.56	3	Horizontal	3	2.06	-
5180MHz	Pass	AV	5.1842G	106.28	Inf	-Inf	3	Horizontal	3	2.06	-
5180MHz	Pass	PK	5.15G	73.53	74.00	-0.47	3	Horizontal	3	2.06	-
5180MHz	Pass	PK	5.1818G	116.46	Inf	-Inf	3	Horizontal	3	2.06	-
5180MHz	Pass	AV	15.5304G	48.72	54.00	-5.28	3	Vertical	194	2.22	-
5180MHz	Pass	PK	10.36652G	53.45	68.20	-14.75	3	Vertical	91	1.41	-
5180MHz	Pass	PK	15.54552G	61.99	74.00	-12.01	3	Vertical	194	2.22	-
5180MHz	Pass	AV	15.52758G	48.47	54.00	-5.53	3	Horizontal	236	1.31	-
5180MHz	Pass	PK	10.35442G	54.23	68.20	-13.97	3	Horizontal	306	1.76	-
5180MHz	Pass	PK	15.53022G	61.62	74.00	-12.38	3	Horizontal	236	1.31	-
5200MHz	Pass	AV	5.15G	44.77	54.00	-9.23	3	Vertical	65	3.00	-
5200MHz	Pass	AV	5.2042G	97.80	Inf	-Inf	3	Vertical	65	3.00	-
5200MHz	Pass	PK	5.149G	60.92	74.00	-13.08	3	Vertical	65	3.00	-
5200MHz	Pass	PK	5.2024G	107.64	Inf	-Inf	3	Vertical	65	3.00	-
5200MHz	Pass	AV	5.15G	53.79	54.00	-0.21	3	Horizontal	3	1.68	-
5200MHz	Pass	AV	5.203G	110.79	Inf	-Inf	3	Horizontal	3	1.68	-
5200MHz	Pass	PK	5.1466G	73.68	74.00	-0.32	3	Horizontal	3	1.68	-
5200MHz	Pass	PK	5.2018G	120.90	Inf	-Inf	3	Horizontal	3	1.68	-
5200MHz	Pass	AV	15.60096G	47.46	54.00	-6.54	3	Vertical	202	1.85	-
5200MHz	Pass	PK	10.40546G	53.89	68.20	-14.31	3	Vertical	203	1.03	-
5200MHz	Pass	PK	15.591G	61.25	74.00	-12.75	3	Vertical	202	1.85	-
5200MHz	Pass	AV	15.58614G	47.58	54.00	-6.42	3	Horizontal	103	2.19	-
5200MHz	Pass	PK	10.40522G	54.17	68.20	-14.03	3	Horizontal	214	1.90	-
5200MHz	Pass	PK	15.58836G	60.98	74.00	-13.02	3	Horizontal	103	2.19	-
5240MHz	Pass	AV	5.1464G	44.94	54.00	-9.06	3	Vertical	56	2.95	-
5240MHz	Pass	AV	5.2424G	99.43	Inf	-Inf	3	Vertical	56	2.95	-
5240MHz	Pass	AV	5.3618G	44.20	54.00	-9.80	3	Vertical	56	2.95	-
5240MHz	Pass	PK	5.1488G	57.70	74.00	-16.30	3	Vertical	56	2.95	-
5240MHz	Pass	PK	5.243G	110.02	Inf	-Inf	3	Vertical	56	2.95	-
5240MHz	Pass	PK	5.3582G	56.57	74.00	-17.43	3	Vertical	56	2.95	-
5240MHz	Pass	AV	5.1452G	53.26	54.00	-0.74	3	Horizontal	3	1.32	-
5240MHz	Pass	AV	5.2424G	112.43	Inf	-Inf	3	Horizontal	3	1.32	-
5240MHz	Pass	AV	5.35G	50.47	54.00	-3.53	3	Horizontal	3	1.32	-
5240MHz	Pass	PK	5.1416G	69.85	74.00	-4.15	3	Horizontal	3	1.32	-
5240MHz	Pass	PK	5.2448G	122.86	Inf	-Inf	3	Horizontal	3	1.32	-
5240MHz	Pass	PK	5.3516G	67.02	74.00	-6.98	3	Horizontal	3	1.32	-
5240MHz	Pass	AV	15.71394G	46.82	54.00	-7.18	3	Vertical	291	1.88	-
5240MHz	Pass	PK	10.48282G	54.36	68.20	-13.84	3	Vertical	29	1.47	-
5240MHz	Pass	PK	15.7134G	59.99	74.00	-14.01	3	Vertical	291	1.88	-
5240MHz	Pass	AV	15.714G	47.65	54.00	-6.35	3	Horizontal	66	2.02	-
5240MHz	Pass	PK	10.47472G	53.60	68.20	-14.60	3	Horizontal	359	1.10	-
5240MHz	Pass	PK	15.71724G	60.59	74.00	-13.41	3	Horizontal	66	2.02	-
5745MHz	Pass	AV	5.751G	95.32	Inf	-Inf	3	Vertical	318	2.99	-

Remark :

Page No. : E2 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.6406G	56.55	68.20	-11.65	3	Vertical	318	2.99	-
5745MHz	Pass	PK	5.7402G	105.49	Inf	-Inf	3	Vertical	318	2.99	-
5745MHz	Pass	PK	5.9286G	56.87	68.20	-11.33	3	Vertical	318	2.99	-
5745MHz	Pass	AV	5.7474G	111.69	Inf	-Inf	3	Horizontal	0	1.11	-
5745MHz	Pass	PK	5.643G	67.06	68.20	-1.14	3	Horizontal	0	1.11	-
5745MHz	Pass	PK	5.7486G	121.86	Inf	-Inf	3	Horizontal	0	1.11	-
5745MHz	Pass	PK	5.937G	60.95	68.20	-7.25	3	Horizontal	0	1.11	-
5745MHz	Pass	AV	11.48598G	40.96	54.00	-13.04	3	Vertical	343	1.88	-
5745MHz	Pass	PK	11.49678G	54.03	74.00	-19.97	3	Vertical	343	1.88	-
5745MHz	Pass	PK	17.22552G	67.68	68.20	-0.52	3	Vertical	33	1.49	-
5745MHz	Pass	AV	11.4888G	41.43	54.00	-12.57	3	Horizontal	23	1.39	-
5745MHz	Pass	PK	11.49216G	54.70	74.00	-19.30	3	Horizontal	23	1.39	-
5745MHz	Pass	PK	17.24706G	67.97	68.20	-0.23	3	Horizontal	79	1.46	-
5785MHz	Pass	AV	5.7802G	97.78	Inf	-Inf	3	Vertical	30	2.90	-
5785MHz	Pass	PK	5.5222G	56.55	68.20	-11.65	3	Vertical	30	2.90	-
5785MHz	Pass	PK	5.7862G	107.73	Inf	-Inf	3	Vertical	30	2.90	-
5785MHz	Pass	PK	5.9638G	56.74	68.20	-11.46	3	Vertical	30	2.90	-
5785MHz	Pass	AV	5.7826G	109.61	Inf	-Inf	3	Horizontal	0	1.08	-
5785MHz	Pass	PK	5.647G	59.61	68.20	-8.59	3	Horizontal	0	1.08	-
5785MHz	Pass	PK	5.7862G	119.61	Inf	-Inf	3	Horizontal	0	1.08	-
5785MHz	Pass	PK	5.9398G	60.80	68.20	-7.40	3	Horizontal	0	1.08	-
5785MHz	Pass	AV	11.56484G	40.74	54.00	-13.26	3	Vertical	41	1.65	-
5785MHz	Pass	PK	11.57894G	53.29	74.00	-20.71	3	Vertical	41	1.65	-
5785MHz	Pass	PK	17.3652G	66.58	68.20	-1.62	3	Vertical	123	1.48	-
5785MHz	Pass	AV	11.57624G	40.44	54.00	-13.56	3	Horizontal	329	1.83	-
5785MHz	Pass	PK	11.58458G	53.38	74.00	-20.62	3	Horizontal	329	1.83	-
5785MHz	Pass	PK	17.35494G	67.90	68.20	-0.30	3	Horizontal	121	1.49	-
5825MHz	Pass	AV	5.8262G	93.93	Inf	-Inf	3	Vertical	317	2.94	-
5825MHz	Pass	PK	5.609G	56.87	68.20	-11.33	3	Vertical	317	2.94	-
5825MHz	Pass	PK	5.8274G	103.60	Inf	-Inf	3	Vertical	317	2.94	-
5825MHz	Pass	PK	5.9654G	56.37	68.20	-11.83	3	Vertical	317	2.94	-
5825MHz	Pass	AV	5.8274G	109.99	Inf	-Inf	3	Horizontal	360	1.09	-
5825MHz	Pass	PK	5.5742G	60.12	68.20	-8.08	3	Horizontal	360	1.09	-
5825MHz	Pass	PK	5.8274G	119.48	Inf	-Inf	3	Horizontal	360	1.09	-
5825MHz	Pass	PK	5.9246G	63.86	68.50	-4.64	3	Horizontal	360	1.09	-
5825MHz	Pass	AV	11.66062G	40.34	54.00	-13.66	3	Vertical	97	1.03	-
5825MHz	Pass	PK	11.64322G	53.91	74.00	-20.09	3	Vertical	97	1.03	-
5825MHz	Pass	PK	17.48214G	67.51	68.20	-0.69	3	Vertical	38	1.48	-
5825MHz	Pass	AV	11.65702G	40.56	54.00	-13.44	3	Horizontal	350	1.72	-
5825MHz	Pass	PK	11.6458G	53.41	74.00	-20.59	3	Horizontal	350	1.72	-
5825MHz	Pass	PK	17.47914G	67.92	68.20	-0.28	3	Horizontal	173	1.49	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	45.04	54.00	-8.96	3	Vertical	68	2.87	-
5180MHz	Pass	AV	5.1848G	93.38	Inf	-Inf	3	Vertical	68	2.87	-
5180MHz	Pass	PK	5.1458G	60.64	74.00	-13.36	3	Vertical	68	2.87	-
5180MHz	Pass	PK	5.177G	106.12	Inf	-Inf	3	Vertical	68	2.87	-
5180MHz	Pass	AV	5.1494G	53.34	54.00	-0.66	3	Horizontal	5	1.49	-
5180MHz	Pass	AV	5.183G	105.26	Inf	-Inf	3	Horizontal	5	1.49	-
5180MHz	Pass	PK	5.1488G	72.49	74.00	-1.51	3	Horizontal	5	1.49	-

Remark :

Page No. : E3 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	PK	5.177G	118.35	Inf	-Inf	3	Horizontal	5	1.49	-
5180MHz	Pass	AV	15.53268G	48.43	54.00	-5.57	3	Vertical	23	1.74	-
5180MHz	Pass	PK	10.34902G	53.75	68.20	-14.45	3	Vertical	158	1.45	-
5180MHz	Pass	PK	15.5268G	62.16	74.00	-11.84	3	Vertical	23	1.74	-
5180MHz	Pass	AV	15.525G	48.68	54.00	-5.32	3	Horizontal	328	1.37	-
5180MHz	Pass	PK	10.37134G	53.39	68.20	-14.81	3	Horizontal	53	1.02	-
5180MHz	Pass	PK	15.53076G	61.38	74.00	-12.62	3	Horizontal	328	1.37	-
5200MHz	Pass	AV	5.149G	44.45	54.00	-9.55	3	Vertical	58	2.87	-
5200MHz	Pass	AV	5.2048G	96.70	Inf	-Inf	3	Vertical	58	2.87	-
5200MHz	Pass	PK	5.1496G	58.33	74.00	-15.67	3	Vertical	58	2.87	-
5200MHz	Pass	PK	5.1982G	109.53	Inf	-Inf	3	Vertical	58	2.87	-
5200MHz	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	4	1.66	-
5200MHz	Pass	AV	5.203G	109.20	Inf	-Inf	3	Horizontal	4	1.66	-
5200MHz	Pass	PK	5.1466G	71.53	74.00	-2.47	3	Horizontal	4	1.66	-
5200MHz	Pass	PK	5.197G	122.37	Inf	-Inf	3	Horizontal	4	1.66	-
5200MHz	Pass	AV	15.5892G	47.41	54.00	-6.59	3	Vertical	323	2.13	-
5200MHz	Pass	PK	10.4015G	53.21	68.20	-14.99	3	Vertical	106	2.50	-
5200MHz	Pass	PK	15.5973G	60.68	74.00	-13.32	3	Vertical	323	2.13	-
5200MHz	Pass	AV	15.60246G	47.44	54.00	-6.56	3	Horizontal	213	1.00	-
5200MHz	Pass	PK	10.40726G	55.05	68.20	-13.15	3	Horizontal	248	2.36	-
5200MHz	Pass	PK	15.59418G	60.24	74.00	-13.76	3	Horizontal	213	1.00	-
5240MHz	Pass	AV	5.147G	45.03	54.00	-8.97	3	Vertical	57	2.81	-
5240MHz	Pass	AV	5.243G	97.91	Inf	-Inf	3	Vertical	57	2.81	-
5240MHz	Pass	AV	5.3522G	44.22	54.00	-9.78	3	Vertical	57	2.81	-
5240MHz	Pass	PK	5.1482G	57.70	74.00	-16.30	3	Vertical	57	2.81	-
5240MHz	Pass	PK	5.2424G	111.01	Inf	-Inf	3	Vertical	57	2.81	-
5240MHz	Pass	PK	5.3504G	57.52	74.00	-16.48	3	Vertical	57	2.81	-
5240MHz	Pass	AV	5.1482G	52.83	54.00	-1.17	3	Horizontal	1	1.45	-
5240MHz	Pass	AV	5.2412G	111.30	Inf	-Inf	3	Horizontal	1	1.45	-
5240MHz	Pass	AV	5.35G	51.60	54.00	-2.40	3	Horizontal	1	1.45	-
5240MHz	Pass	PK	5.1488G	70.23	74.00	-3.77	3	Horizontal	1	1.45	-
5240MHz	Pass	PK	5.237G	123.86	Inf	-Inf	3	Horizontal	1	1.45	-
5240MHz	Pass	PK	5.3522G	64.84	74.00	-9.16	3	Horizontal	1	1.45	-
5240MHz	Pass	AV	15.71874G	47.41	54.00	-6.59	3	Vertical	195	1.38	-
5240MHz	Pass	PK	10.48252G	54.16	68.20	-14.04	3	Vertical	29	1.94	-
5240MHz	Pass	PK	15.71532G	60.43	74.00	-13.57	3	Vertical	195	1.38	-
5240MHz	Pass	AV	15.72516G	47.56	54.00	-6.44	3	Horizontal	10	1.43	-
5240MHz	Pass	PK	10.47124G	54.48	68.20	-13.72	3	Horizontal	155	2.12	-
5240MHz	Pass	PK	15.72696G	61.20	74.00	-12.80	3	Horizontal	10	1.43	-
5745MHz	Pass	AV	5.7474G	94.81	Inf	-Inf	3	Vertical	317	3.00	-
5745MHz	Pass	PK	5.5614G	56.69	68.20	-11.51	3	Vertical	317	3.00	-
5745MHz	Pass	PK	5.7414G	107.58	Inf	-Inf	3	Vertical	317	3.00	-
5745MHz	Pass	PK	5.9286G	56.85	68.20	-11.35	3	Vertical	317	3.00	-
5745MHz	Pass	AV	5.7486G	110.68	Inf	-Inf	3	Horizontal	0	1.00	-
5745MHz	Pass	PK	5.6478G	67.69	68.20	-0.51	3	Horizontal	0	1.00	-
5745MHz	Pass	PK	5.7426G	123.98	Inf	-Inf	3	Horizontal	0	1.00	-
5745MHz	Pass	PK	5.9298G	59.25	68.20	-8.95	3	Horizontal	0	1.00	-
5745MHz	Pass	AV	11.48022G	40.75	54.00	-13.25	3	Vertical	22	1.40	-
5745MHz	Pass	PK	11.4978G	54.08	74.00	-19.92	3	Vertical	22	1.40	-

Remark :

Page No. : E4 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	17.23302G	67.20	68.20	-1.00	3	Vertical	33	1.50	-
5745MHz	Pass	AV	11.4813G	40.86	54.00	-13.14	3	Horizontal	344	2.24	-
5745MHz	Pass	PK	11.48454G	54.37	74.00	-19.63	3	Horizontal	344	2.24	-
5745MHz	Pass	PK	17.23596G	67.70	68.20	-0.50	3	Horizontal	125	1.48	-
5785MHz	Pass	AV	5.7874G	93.64	Inf	-Inf	3	Vertical	315	3.00	-
5785MHz	Pass	PK	5.4958G	57.41	68.20	-10.79	3	Vertical	315	3.00	-
5785MHz	Pass	PK	5.7862G	107.29	Inf	-Inf	3	Vertical	315	3.00	-
5785MHz	Pass	PK	5.9398G	57.15	68.20	-11.05	3	Vertical	315	3.00	-
5785MHz	Pass	AV	5.7802G	109.22	Inf	-Inf	3	Horizontal	360	1.11	-
5785MHz	Pass	PK	5.6326G	59.80	68.20	-8.40	3	Horizontal	360	1.11	-
5785MHz	Pass	PK	5.7826G	122.51	Inf	-Inf	3	Horizontal	360	1.11	-
5785MHz	Pass	PK	5.9506G	59.28	68.20	-8.92	3	Horizontal	360	1.11	-
5785MHz	Pass	AV	11.55596G	40.66	54.00	-13.34	3	Vertical	32	1.02	-
5785MHz	Pass	PK	11.56166G	53.89	74.00	-20.11	3	Vertical	32	1.02	-
5785MHz	Pass	PK	17.3481G	67.47	68.20	-0.73	3	Vertical	36	1.48	-
5785MHz	Pass	AV	11.5703G	40.39	54.00	-13.61	3	Horizontal	44	1.03	-
5785MHz	Pass	PK	11.57426G	53.41	74.00	-20.59	3	Horizontal	44	1.03	-
5785MHz	Pass	PK	17.36058G	68.10	68.20	-0.10	3	Horizontal	121	1.49	-
5825MHz	Pass	AV	5.8274G	93.16	Inf	-Inf	3	Vertical	318	2.94	-
5825MHz	Pass	PK	5.5814G	56.71	68.20	-11.49	3	Vertical	318	2.94	-
5825MHz	Pass	PK	5.8214G	105.69	Inf	-Inf	3	Vertical	318	2.94	-
5825MHz	Pass	PK	5.9714G	57.34	68.20	-10.86	3	Vertical	318	2.94	-
5825MHz	Pass	AV	5.8238G	109.13	Inf	-Inf	3	Horizontal	357	1.34	-
5825MHz	Pass	PK	5.573G	60.08	68.20	-8.12	3	Horizontal	357	1.34	-
5825MHz	Pass	PK	5.8226G	122.15	Inf	-Inf	3	Horizontal	357	1.34	-
5825MHz	Pass	PK	5.9258G	62.66	68.20	-5.54	3	Horizontal	357	1.34	-
5825MHz	Pass	AV	11.64346G	40.68	54.00	-13.32	3	Vertical	211	1.96	-
5825MHz	Pass	PK	11.6407G	53.86	74.00	-20.14	3	Vertical	211	1.96	-
5825MHz	Pass	PK	17.46816G	67.52	68.20	-0.68	3	Vertical	36	1.42	-
5825MHz	Pass	AV	11.65138G	40.48	54.00	-13.52	3	Horizontal	169	1.49	-
5825MHz	Pass	PK	11.63884G	53.41	74.00	-20.59	3	Horizontal	169	1.49	-
5825MHz	Pass	PK	17.469G	68.10	68.20	-0.10	3	Horizontal	120	1.49	-
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1492G	44.71	54.00	-9.29	3	Vertical	6	2.02	-
5190MHz	Pass	AV	5.1942G	85.33	Inf	-Inf	3	Vertical	6	2.02	-
5190MHz	Pass	PK	5.1084G	56.21	74.00	-17.79	3	Vertical	6	2.02	-
5190MHz	Pass	PK	5.202G	96.52	Inf	-Inf	3	Vertical	6	2.02	-
5190MHz	Pass	AV	5.1492G	53.80	54.00	-0.20	3	Horizontal	0	1.49	-
5190MHz	Pass	AV	5.1942G	100.17	Inf	-Inf	3	Horizontal	0	1.49	-
5190MHz	Pass	PK	5.1492G	67.65	74.00	-6.35	3	Horizontal	0	1.49	-
5190MHz	Pass	PK	5.1822G	112.23	Inf	-Inf	3	Horizontal	0	1.49	-
5190MHz	Pass	AV	15.56202G	48.88	54.00	-5.12	3	Vertical	109	1.50	-
5190MHz	Pass	PK	10.38462G	54.78	68.20	-13.42	3	Vertical	293	1.99	-
5190MHz	Pass	PK	15.57666G	61.40	74.00	-12.60	3	Vertical	109	1.50	-
5190MHz	Pass	AV	15.55626G	48.74	54.00	-5.26	3	Horizontal	85	1.27	-
5190MHz	Pass	PK	10.3659G	53.84	68.20	-14.36	3	Horizontal	56	1.99	-
5190MHz	Pass	PK	15.56142G	60.92	74.00	-13.08	3	Horizontal	85	1.27	-
5230MHz	Pass	AV	5.149G	45.16	54.00	-8.84	3	Vertical	59	3.00	-
5230MHz	Pass	AV	5.2222G	93.61	Inf	-Inf	3	Vertical	59	3.00	-

Remark :

Page No. : E5 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.3608G	45.09	54.00	-8.91	3	Vertical	59	3.00	-
5230MHz	Pass	PK	5.1466G	57.65	74.00	-16.35	3	Vertical	59	3.00	-
5230MHz	Pass	PK	5.2222G	106.05	Inf	-Inf	3	Vertical	59	3.00	-
5230MHz	Pass	PK	5.3692G	56.58	74.00	-17.42	3	Vertical	59	3.00	-
5230MHz	Pass	AV	5.15G	53.67	54.00	-0.33	3	Horizontal	5	2.02	-
5230MHz	Pass	AV	5.2342G	106.16	Inf	-Inf	3	Horizontal	5	2.02	-
5230MHz	Pass	AV	5.353G	50.47	54.00	-3.53	3	Horizontal	5	2.02	-
5230MHz	Pass	PK	5.1472G	68.63	74.00	-5.37	3	Horizontal	5	2.02	-
5230MHz	Pass	PK	5.215G	117.75	Inf	-Inf	3	Horizontal	5	2.02	-
5230MHz	Pass	PK	5.356G	62.47	74.00	-11.53	3	Horizontal	5	2.02	-
5230MHz	Pass	AV	15.67968G	48.01	54.00	-5.99	3	Vertical	115	1.19	-
5230MHz	Pass	PK	10.4591G	54.04	68.20	-14.16	3	Vertical	317	1.23	-
5230MHz	Pass	PK	15.69072G	60.26	74.00	-13.74	3	Vertical	115	1.19	-
5230MHz	Pass	AV	15.67968G	47.74	54.00	-6.26	3	Horizontal	214	2.24	-
5230MHz	Pass	PK	10.47128G	54.08	68.20	-14.12	3	Horizontal	210	1.25	-
5230MHz	Pass	PK	15.7002G	60.90	74.00	-13.10	3	Horizontal	214	2.24	-
5755MHz	Pass	AV	5.7598G	91.19	Inf	-Inf	3	Vertical	319	3.00	-
5755MHz	Pass	PK	5.6422G	57.49	68.20	-10.71	3	Vertical	319	3.00	-
5755MHz	Pass	PK	5.7394G	103.32	Inf	-Inf	3	Vertical	319	3.00	-
5755MHz	Pass	PK	5.9482G	56.51	68.20	-11.69	3	Vertical	319	3.00	-
5755MHz	Pass	AV	5.7598G	107.13	Inf	-Inf	3	Horizontal	353	2.05	-
5755MHz	Pass	PK	5.647G	68.01	68.20	-0.19	3	Horizontal	353	2.05	-
5755MHz	Pass	PK	5.7394G	119.37	Inf	-Inf	3	Horizontal	353	2.05	-
5755MHz	Pass	PK	5.929G	60.80	68.20	-7.40	3	Horizontal	353	2.05	-
5755MHz	Pass	AV	11.52314G	41.89	54.00	-12.11	3	Vertical	352	2.45	-
5755MHz	Pass	PK	11.516G	54.48	74.00	-19.52	3	Vertical	352	2.45	-
5755MHz	Pass	PK	17.27118G	66.77	68.20	-1.43	3	Vertical	41	1.43	-
5755MHz	Pass	AV	11.5175G	42.24	54.00	-11.76	3	Horizontal	80	1.92	-
5755MHz	Pass	PK	11.4986G	55.05	74.00	-18.95	3	Horizontal	80	1.92	-
5755MHz	Pass	PK	17.26104G	66.15	68.20	-2.05	3	Horizontal	208	1.50	-
5795MHz	Pass	AV	5.7914G	91.96	Inf	-Inf	3	Vertical	315	3.00	-
5795MHz	Pass	PK	5.5406G	56.96	68.20	-11.24	3	Vertical	315	3.00	-
5795MHz	Pass	PK	5.7806G	104.22	Inf	-Inf	3	Vertical	315	3.00	-
5795MHz	Pass	PK	5.9462G	57.18	68.20	-11.02	3	Vertical	315	3.00	-
5795MHz	Pass	AV	5.801G	107.53	Inf	-Inf	3	Horizontal	0	1.01	-
5795MHz	Pass	PK	5.6462G	64.30	68.20	-3.90	3	Horizontal	0	1.01	-
5795MHz	Pass	PK	5.7794G	120.25	Inf	-Inf	3	Horizontal	0	1.01	-
5795MHz	Pass	PK	5.9294G	68.03	68.20	-0.17	3	Horizontal	0	1.01	-
5795MHz	Pass	AV	11.59162G	41.56	54.00	-12.44	3	Vertical	232	2.10	-
5795MHz	Pass	PK	11.57632G	53.67	74.00	-20.33	3	Vertical	232	2.10	-
5795MHz	Pass	PK	17.38686G	67.44	68.20	-0.76	3	Vertical	190	1.49	-
5795MHz	Pass	AV	11.58262G	41.61	54.00	-12.39	3	Horizontal	42	1.36	-
5795MHz	Pass	PK	11.59546G	54.30	74.00	-19.70	3	Horizontal	42	1.36	-
5795MHz	Pass	PK	17.38038G	68.07	68.20	-0.13	3	Horizontal	83	2.24	-
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	45.15	54.00	-8.85	3	Vertical	61	3.00	-
5210MHz	Pass	AV	5.223G	85.15	Inf	-Inf	3	Vertical	61	3.00	-
5210MHz	Pass	AV	5.38G	45.18	54.00	-8.82	3	Vertical	61	3.00	-
5210MHz	Pass	PK	5.113G	57.96	74.00	-16.04	3	Vertical	61	3.00	-

Remark :

Page No. : E6 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_1T1S**

**Appendix E.22**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.223G	97.10	Inf	-Inf	3	Vertical	61	3.00	-
5210MHz	Pass	PK	5.355G	56.44	74.00	-17.56	3	Vertical	61	3.00	-
5210MHz	Pass	AV	5.149G	53.87	54.00	-0.13	3	Horizontal	4	1.68	-
5210MHz	Pass	AV	5.199G	97.75	Inf	-Inf	3	Horizontal	4	1.68	-
5210MHz	Pass	AV	5.352G	49.30	54.00	-4.70	3	Horizontal	4	1.68	-
5210MHz	Pass	PK	5.15G	67.84	74.00	-6.16	3	Horizontal	4	1.68	-
5210MHz	Pass	PK	5.2G	109.44	Inf	-Inf	3	Horizontal	4	1.68	-
5210MHz	Pass	PK	5.373G	60.60	74.00	-13.40	3	Horizontal	4	1.68	-
5210MHz	Pass	AV	15.63732G	48.28	54.00	-5.72	3	Vertical	45	2.02	-
5210MHz	Pass	PK	10.40998G	53.69	68.20	-14.51	3	Vertical	121	1.51	-
5210MHz	Pass	PK	15.61644G	60.49	74.00	-13.51	3	Vertical	45	2.02	-
5210MHz	Pass	AV	15.61548G	48.04	54.00	-5.96	3	Horizontal	5	2.31	-
5210MHz	Pass	PK	10.4167G	54.12	68.20	-14.08	3	Horizontal	48	1.10	-
5210MHz	Pass	PK	15.63804G	60.42	74.00	-13.58	3	Horizontal	5	2.31	-
5775MHz	Pass	AV	5.781G	85.56	Inf	-Inf	3	Vertical	316	2.96	-
5775MHz	Pass	PK	5.6406G	57.41	68.20	-10.79	3	Vertical	316	2.96	-
5775MHz	Pass	PK	5.7738G	97.26	Inf	-Inf	3	Vertical	316	2.96	-
5775MHz	Pass	PK	5.9322G	57.11	68.20	-11.09	3	Vertical	316	2.96	-
5775MHz	Pass	AV	5.7642G	101.02	Inf	-Inf	3	Horizontal	351	2.03	-
5775MHz	Pass	PK	5.649G	67.69	68.20	-0.51	3	Horizontal	351	2.03	-
5775MHz	Pass	PK	5.7738G	113.09	Inf	-Inf	3	Horizontal	351	2.03	-
5775MHz	Pass	PK	5.9322G	64.14	68.20	-4.06	3	Horizontal	351	2.03	-
5775MHz	Pass	AV	11.54904G	41.51	54.00	-12.49	3	Vertical	85	1.13	-
5775MHz	Pass	PK	11.54652G	54.10	74.00	-19.90	3	Vertical	85	1.13	-
5775MHz	Pass	PK	17.33226G	65.45	68.20	-2.75	3	Vertical	196	1.11	-
5775MHz	Pass	AV	11.54406G	41.77	54.00	-12.23	3	Horizontal	86	1.34	-
5775MHz	Pass	PK	11.5554G	54.82	74.00	-19.18	3	Horizontal	86	1.34	-
5775MHz	Pass	PK	17.31696G	65.86	68.20	-2.34	3	Horizontal	291	1.50	-

Remark :

Page No. : E7 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)


992608



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.66	54.00	-9.34	4.97	3	Vertical	64	2.88	-	39.69	31.76	7.04	33.83
AV	5.1842G	94.62	Inf	-Inf	5.00	3	Vertical	64	2.88	-	89.62	31.77	7.08	33.85
PK	5.1494G	61.44	74.00	-12.56	4.97	3	Vertical	64	2.88	-	56.47	31.76	7.04	33.83
PK	5.1824G	104.63	Inf	-Inf	5.01	3	Vertical	64	2.88	-	99.62	31.77	7.08	33.84



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.44	54.00	-2.56	4.97	3	Horizontal	3	2.06	-	46.47	31.76	7.04	33.83
AV	5.1842G	106.28	Inf	-Inf	5.00	3	Horizontal	3	2.06	-	101.28	31.77	7.08	33.85
PK	5.15G	73.53	74.00	-0.47	4.97	3	Horizontal	3	2.06	-	68.56	31.76	7.04	33.83
PK	5.1818G	116.46	Inf	-Inf	5.01	3	Horizontal	3	2.06	-	111.45	31.77	7.08	33.84






802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5304G	48.72	54.00	-5.28	19.42	3	Vertical	194	2.22	-	29.30	38.84	12.80	32.22
PK	10.35652G	53.45	68.20	-14.75	15.39	3	Vertical	91	1.41	-	38.06	39.36	10.33	34.30
PK	15.54552G	61.99	74.00	-12.01	19.37	3	Vertical	194	2.22	-	42.62	38.78	12.82	32.23



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52758G	48.47	54.00	-5.53	19.42	3	Horizontal	236	1.31	-	29.05	38.85	12.79	32.22
PK	10.35442G	54.23	68.20	-13.97	15.39	3	Horizontal	306	1.76	-	38.84	39.36	10.33	34.30
PK	15.53022G	61.62	74.00	-12.38	19.42	3	Horizontal	236	1.31	-	42.20	38.84	12.80	32.22



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	44.77	54.00	-9.23	4.97	3	Vertical	65	3.00	-	39.80	31.76	7.04	33.83
AV	5.2042G	97.80	Inf	-Inf	5.03	3	Vertical	65	3.00	-	92.77	31.78	7.10	33.85
PK	5.149G	60.92	74.00	-13.08	4.97	3	Vertical	65	3.00	-	55.95	31.76	7.04	33.83
PK	5.2024G	107.64	Inf	-Inf	5.03	3	Vertical	65	3.00	-	102.61	31.78	7.10	33.85



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.79	54.00	-0.21	4.97	3	Horizontal	3	1.68	-	48.82	31.76	7.04	33.83
AV	5.203G	110.79	Inf	-Inf	5.03	3	Horizontal	3	1.68	-	105.76	31.78	7.10	33.85
PK	5.1466G	73.68	74.00	-0.32	4.96	3	Horizontal	3	1.68	-	68.72	31.76	7.03	33.83
PK	5.2018G	120.90	Inf	-Inf	5.03	3	Horizontal	3	1.68	-	115.87	31.78	7.10	33.85



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60096G	47.46	54.00	-6.54	19.22	3	Vertical	202	1.85	-	28.24	38.58	12.91	32.27
PK	10.40546G	53.89	68.20	-14.31	15.50	3	Vertical	203	1.03	-	38.39	39.43	10.34	34.27
PK	15.591G	61.25	74.00	-12.75	19.23	3	Vertical	202	1.85	-	42.02	38.61	12.89	32.27



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58614G	47.58	54.00	-6.42	19.26	3	Horizontal	103	2.19	-	28.32	38.63	12.89	32.26
PK	10.40522G	54.17	68.20	-14.03	15.50	3	Horizontal	214	1.90	-	38.67	39.43	10.34	34.27
PK	15.58836G	60.98	74.00	-13.02	19.25	3	Horizontal	103	2.19	-	41.73	38.62	12.89	32.26

802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	44.94	54.00	-9.06	4.96	3	Vertical	56	2.95	-	39.98	31.76	7.03	33.83
AV	5.2424G	99.43	Inf	-Inf	5.09	3	Vertical	56	2.95	-	94.34	31.80	7.15	33.86
AV	5.3618G	44.20	54.00	-9.80	5.25	3	Vertical	56	2.95	-	38.95	31.84	7.30	33.89
PK	5.1488G	57.70	74.00	-16.30	4.96	3	Vertical	56	2.95	-	52.74	31.76	7.03	33.83
PK	5.243G	110.02	Inf	-Inf	5.09	3	Vertical	56	2.95	-	104.93	31.80	7.15	33.86
PK	5.3582G	56.57	74.00	-17.43	5.25	3	Vertical	56	2.95	-	51.32	31.84	7.30	33.89



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1452G	53.26	54.00	-0.74	4.96	3	Horizontal	3	1.32	-	48.30	31.76	7.03	33.83
AV	5.2424G	112.43	Inf	-Inf	5.09	3	Horizontal	3	1.32	-	107.34	31.80	7.15	33.86
AV	5.35G	50.47	54.00	-3.53	5.24	3	Horizontal	3	1.32	-	45.23	31.84	7.29	33.89
PK	5.1416G	69.85	74.00	-4.15	4.96	3	Horizontal	3	1.32	-	64.89	31.76	7.03	33.83
PK	5.2448G	122.86	Inf	-Inf	5.10	3	Horizontal	3	1.32	-	117.76	31.80	7.16	33.86
PK	5.3516G	67.02	74.00	-6.98	5.24	3	Horizontal	3	1.32	-	61.78	31.84	7.29	33.89






802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71394G	46.82	54.00	-7.18	18.89	3	Vertical	291	1.88	-	27.93	38.16	13.09	32.36
PK	10.48282G	54.36	68.20	-13.84	15.67	3	Vertical	29	1.47	-	38.69	39.53	10.35	34.21
PK	15.7134G	59.99	74.00	-14.01	18.89	3	Vertical	291	1.88	-	41.10	38.16	13.09	32.36



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.714G	47.65	54.00	-6.35	18.89	3	Horizontal	66	2.02	-	28.76	38.16	13.09	32.36
PK	10.47472G	53.60	68.20	-14.60	15.65	3	Horizontal	359	1.10	-	37.95	39.52	10.35	34.22
PK	15.71724G	60.59	74.00	-13.41	18.88	3	Horizontal	66	2.02	-	41.71	38.15	13.09	32.36



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	95.32	Inf	-Inf	5.93	3	Vertical	318	2.99	-	89.39	32.25	7.64	33.96
PK	5.6406G	56.55	68.20	-11.65	5.73	3	Vertical	318	2.99	-	50.82	32.10	7.57	33.94
PK	5.7402G	105.49	Inf	-Inf	5.91	3	Vertical	318	2.99	-	99.58	32.24	7.63	33.96
PK	5.9286G	56.87	68.20	-11.33	6.26	3	Vertical	318	2.99	-	50.61	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	111.69	Inf	-Inf	5.93	3	Horizontal	0	1.11	-	105.76	32.25	7.64	33.96
PK	5.643G	67.06	68.20	-1.14	5.73	3	Horizontal	0	1.11	-	61.33	32.10	7.57	33.94
PK	5.7486G	121.86	Inf	-Inf	5.93	3	Horizontal	0	1.11	-	115.93	32.25	7.64	33.96
PK	5.937G	60.95	68.20	-7.25	6.28	3	Horizontal	0	1.11	-	54.67	32.51	7.76	33.99



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48598G	40.96	54.00	-13.04	16.37	3	Vertical	343	1.88	-	24.59	39.62	10.68	33.93
PK	11.49678G	54.03	74.00	-19.97	16.35	3	Vertical	343	1.88	-	37.68	39.60	10.68	33.93
PK	17.22552G	67.68	68.20	-0.52	24.12	3	Vertical	33	1.49	-	43.56	41.49	13.90	31.27



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4888G	41.43	54.00	-12.57	16.36	3	Horizontal	23	1.39	-	25.07	39.61	10.68	33.93
PK	11.49216G	54.70	74.00	-19.30	16.36	3	Horizontal	23	1.39	-	38.34	39.61	10.68	33.93
PK	17.24706G	67.97	68.20	-0.23	24.27	3	Horizontal	79	1.46	-	43.70	41.63	13.91	31.27



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	97.78	Inf	-Inf	5.98	3	Vertical	30	2.90	-	91.80	32.29	7.66	33.97
PK	5.5222G	56.55	68.20	-11.65	5.50	3	Vertical	30	2.90	-	51.05	31.93	7.49	33.92
PK	5.7862G	107.73	Inf	-Inf	5.99	3	Vertical	30	2.90	-	101.74	32.30	7.66	33.97
PK	5.9638G	56.74	68.20	-11.46	6.33	3	Vertical	30	2.90	-	50.41	32.55	7.77	33.99



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7826G	109.61	Inf	-Inf	5.99	3	Horizontal	0	1.08	-	103.62	32.30	7.66	33.97
PK	5.647G	59.61	68.20	-8.59	5.74	3	Horizontal	0	1.08	-	53.87	32.11	7.57	33.94
PK	5.7862G	119.61	Inf	-Inf	5.99	3	Horizontal	0	1.08	-	113.62	32.30	7.66	33.97
PK	5.9398G	60.80	68.20	-7.40	6.29	3	Horizontal	0	1.08	-	54.51	32.52	7.76	33.99






802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56484G	40.74	54.00	-13.26	16.30	3	Vertical	41	1.65	-	24.44	39.52	10.72	33.94
PK	11.57894G	53.29	74.00	-20.71	16.29	3	Vertical	41	1.65	-	37.00	39.51	10.72	33.94
PK	17.3652G	66.58	68.20	-1.62	25.06	3	Vertical	123	1.48	-	41.52	42.41	13.94	31.29



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57624G	40.44	54.00	-13.56	16.29	3	Horizontal	329	1.83	-	24.15	39.51	10.72	33.94
PK	11.58458G	53.38	74.00	-20.62	16.29	3	Horizontal	329	1.83	-	37.09	39.50	10.73	33.94
PK	17.35494G	67.90	68.20	-0.30	24.99	3	Horizontal	121	1.49	-	42.91	42.34	13.94	31.29



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	93.93	Inf	-Inf	6.08	3	Vertical	317	2.94	-	87.85	32.36	7.69	33.97
PK	5.609G	56.87	68.20	-11.33	5.66	3	Vertical	317	2.94	-	51.21	32.05	7.55	33.94
PK	5.8274G	103.60	Inf	-Inf	6.08	3	Vertical	317	2.94	-	97.52	32.36	7.69	33.97
PK	5.9654G	56.37	68.20	-11.83	6.34	3	Vertical	317	2.94	-	50.03	32.55	7.78	33.99



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	109.99	Inf	-Inf	6.08	3	Horizontal	360	1.09	-	103.91	32.36	7.69	33.97
PK	5.5742G	60.12	68.20	-8.08	5.59	3	Horizontal	360	1.09	-	54.53	32.00	7.52	33.93
PK	5.8274G	119.48	Inf	-Inf	6.08	3	Horizontal	360	1.09	-	113.40	32.36	7.69	33.97
PK	5.9246G	63.86	68.50	-4.64	6.26	3	Horizontal	360	1.09	-	57.60	32.49	7.75	33.98



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66062G	40.34	54.00	-13.66	16.21	3	Vertical	97	1.03	-	24.13	39.41	10.76	33.96
PK	11.64322G	53.91	74.00	-20.09	16.24	3	Vertical	97	1.03	-	37.67	39.43	10.76	33.95
PK	17.48214G	67.51	68.20	-0.69	25.85	3	Vertical	38	1.48	-	41.66	43.18	13.97	31.30



802.11a\_Nss1,(6Mbps)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65702G	40.56	54.00	-13.44	16.21	3	Horizontal	350	1.72	-	24.35	39.41	10.76	33.96
PK	11.6458G	53.41	74.00	-20.59	16.24	3	Horizontal	350	1.72	-	37.17	39.43	10.76	33.95
PK	17.47914G	67.92	68.20	-0.28	25.83	3	Horizontal	173	1.49	-	42.09	43.16	13.97	31.30



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.04	54.00	-8.96	4.97	3	Vertical	68	2.87	-	40.07	31.76	7.04	33.83
AV	5.1848G	93.38	Inf	-Inf	5.00	3	Vertical	68	2.87	-	88.38	31.77	7.08	33.85
PK	5.1458G	60.64	74.00	-13.36	4.96	3	Vertical	68	2.87	-	55.68	31.76	7.03	33.83
PK	5.177G	106.12	Inf	-Inf	5.00	3	Vertical	68	2.87	-	101.12	31.77	7.07	33.84



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.34	54.00	-0.66	4.97	3	Horizontal	5	1.49	-	48.37	31.76	7.04	33.83
AV	5.183G	105.26	Inf	-Inf	5.01	3	Horizontal	5	1.49	-	100.25	31.77	7.08	33.84
PK	5.1488G	72.49	74.00	-1.51	4.96	3	Horizontal	5	1.49	-	67.53	31.76	7.03	33.83
PK	5.177G	118.35	Inf	-Inf	5.00	3	Horizontal	5	1.49	-	113.35	31.77	7.07	33.84






802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53268G	48.43	54.00	-5.57	19.41	3	Vertical	23	1.74	-	29.02	38.83	12.80	32.22
PK	10.34902G	53.75	68.20	-14.45	15.37	3	Vertical	158	1.45	-	38.38	39.35	10.33	34.31
PK	15.5268G	62.16	74.00	-11.84	19.42	3	Vertical	23	1.74	-	42.74	38.85	12.79	32.22



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.525G	48.68	54.00	-5.32	19.44	3	Horizontal	328	1.37	-	29.24	38.86	12.79	32.21
PK	10.37134G	53.39	68.20	-14.81	15.42	3	Horizontal	53	1.02	-	37.97	39.38	10.33	34.29
PK	15.53076G	61.38	74.00	-12.62	19.42	3	Horizontal	328	1.37	-	41.96	38.84	12.80	32.22



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.45	54.00	-9.55	4.97	3	Vertical	58	2.87	-	39.48	31.76	7.04	33.83
AV	5.2048G	96.70	Inf	-Inf	5.04	3	Vertical	58	2.87	-	91.66	31.78	7.11	33.85
PK	5.1496G	58.33	74.00	-15.67	4.97	3	Vertical	58	2.87	-	53.36	31.76	7.04	33.83
PK	5.1982G	109.53	Inf	-Inf	5.03	3	Vertical	58	2.87	-	104.50	31.78	7.10	33.85



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.70	54.00	-0.30	4.97	3	Horizontal	4	1.66	-	48.73	31.76	7.04	33.83
AV	5.203G	109.20	Inf	-Inf	5.03	3	Horizontal	4	1.66	-	104.17	31.78	7.10	33.85
PK	5.1466G	71.53	74.00	-2.47	4.96	3	Horizontal	4	1.66	-	66.57	31.76	7.03	33.83
PK	5.197G	122.37	Inf	-Inf	5.03	3	Horizontal	4	1.66	-	117.34	31.78	7.10	33.85



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5892G	47.41	54.00	-6.59	19.25	3	Vertical	323	2.13	-	28.16	38.62	12.89	32.26
PK	10.4015G	53.21	68.20	-14.99	15.49	3	Vertical	106	2.50	-	37.72	39.42	10.34	34.27
PK	15.5973G	60.68	74.00	-13.32	19.22	3	Vertical	323	2.13	-	41.46	38.59	12.90	32.27



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60246G	47.44	54.00	-6.56	19.21	3	Horizontal	213	1.00	-	28.23	38.57	12.91	32.27
PK	10.40726G	55.05	68.20	-13.15	15.51	3	Horizontal	248	2.36	-	39.54	39.43	10.34	34.26
PK	15.59418G	60.24	74.00	-13.76	19.23	3	Horizontal	213	1.00	-	41.01	38.60	12.90	32.27



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	45.03	54.00	-8.97	4.96	3	Vertical	57	2.81	-	40.07	31.76	7.03	33.83
AV	5.243G	97.91	Inf	-Inf	5.09	3	Vertical	57	2.81	-	92.82	31.80	7.15	33.86
AV	5.3522G	44.22	54.00	-9.78	5.24	3	Vertical	57	2.81	-	38.98	31.84	7.29	33.89
PK	5.1482G	57.70	74.00	-16.30	4.96	3	Vertical	57	2.81	-	52.74	31.76	7.03	33.83
PK	5.2424G	111.01	Inf	-Inf	5.09	3	Vertical	57	2.81	-	105.92	31.80	7.15	33.86
PK	5.3504G	57.52	74.00	-16.48	5.24	3	Vertical	57	2.81	-	52.28	31.84	7.29	33.89



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	52.83	54.00	-1.17	4.96	3	Horizontal	1	1.45	-	47.87	31.76	7.03	33.83
AV	5.2412G	111.30	Inf	-Inf	5.09	3	Horizontal	1	1.45	-	106.21	31.80	7.15	33.86
AV	5.35G	51.60	54.00	-2.40	5.24	3	Horizontal	1	1.45	-	46.36	31.84	7.29	33.89
PK	5.1488G	70.23	74.00	-3.77	4.96	3	Horizontal	1	1.45	-	65.27	31.76	7.03	33.83
PK	5.237G	123.86	Inf	-Inf	5.08	3	Horizontal	1	1.45	-	118.78	31.79	7.15	33.86
PK	5.3522G	64.84	74.00	-9.16	5.24	3	Horizontal	1	1.45	-	59.60	31.84	7.29	33.89






802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71874G	47.41	54.00	-6.59	18.88	3	Vertical	195	1.38	-	28.53	38.14	13.10	32.36
PK	10.48252G	54.16	68.20	-14.04	15.67	3	Vertical	29	1.94	-	38.49	39.53	10.35	34.21
PK	15.71532G	60.43	74.00	-13.57	18.88	3	Vertical	195	1.38	-	41.55	38.15	13.09	32.36



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72516G	47.56	54.00	-6.44	18.86	3	Horizontal	10	1.43	-	28.70	38.12	13.11	32.37
PK	10.47124G	54.48	68.20	-13.72	15.64	3	Horizontal	155	2.12	-	38.84	39.51	10.35	34.22
PK	15.72696G	61.20	74.00	-12.80	18.85	3	Horizontal	10	1.43	-	42.35	38.11	13.11	32.37



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	94.81	Inf	-Inf	5.93	3	Vertical	317	3.00	-	88.88	32.25	7.64	33.96
PK	5.5614G	56.69	68.20	-11.51	5.58	3	Vertical	317	3.00	-	51.11	31.99	7.52	33.93
PK	5.7414G	107.58	Inf	-Inf	5.91	3	Vertical	317	3.00	-	101.67	32.24	7.63	33.96
PK	5.9286G	56.85	68.20	-11.35	6.26	3	Vertical	317	3.00	-	50.59	32.50	7.75	33.99



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	110.68	Inf	-Inf	5.93	3	Horizontal	0	1.00	-	104.75	32.25	7.64	33.96
PK	5.6478G	67.69	68.20	-0.51	5.74	3	Horizontal	0	1.00	-	61.95	32.11	7.57	33.94
PK	5.7426G	123.98	Inf	-Inf	5.91	3	Horizontal	0	1.00	-	118.07	32.24	7.63	33.96
PK	5.9298G	59.25	68.20	-8.95	6.26	3	Horizontal	0	1.00	-	52.99	32.50	7.75	33.99



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48022G	40.75	54.00	-13.25	16.37	3	Vertical	22	1.40	-	24.38	39.62	10.68	33.93
PK	11.4978G	54.08	74.00	-19.92	16.36	3	Vertical	22	1.40	-	37.72	39.60	10.69	33.93
PK	17.23302G	67.20	68.20	-1.00	24.18	3	Vertical	33	1.50	-	43.02	41.54	13.91	31.27



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4813G	40.86	54.00	-13.14	16.37	3	Horizontal	344	2.24	-	24.49	39.62	10.68	33.93
PK	11.48454G	54.37	74.00	-19.63	16.37	3	Horizontal	344	2.24	-	38.00	39.62	10.68	33.93
PK	17.23596G	67.70	68.20	-0.50	24.20	3	Horizontal	125	1.48	-	43.50	41.56	13.91	31.27



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	93.64	Inf	-Inf	5.99	3	Vertical	315	3.00	-	87.65	32.30	7.66	33.97
PK	5.4958G	57.41	68.20	-10.79	5.45	3	Vertical	315	3.00	-	51.96	31.90	7.47	33.92
PK	5.7862G	107.29	Inf	-Inf	5.99	3	Vertical	315	3.00	-	101.30	32.30	7.66	33.97
PK	5.9398G	57.15	68.20	-11.05	6.29	3	Vertical	315	3.00	-	50.86	32.52	7.76	33.99



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	109.22	Inf	-Inf	5.98	3	Horizontal	360	1.11	-	103.24	32.29	7.66	33.97
PK	5.6326G	59.80	68.20	-8.40	5.71	3	Horizontal	360	1.11	-	54.09	32.09	7.56	33.94
PK	5.7826G	122.51	Inf	-Inf	5.99	3	Horizontal	360	1.11	-	116.52	32.30	7.66	33.97
PK	5.9506G	59.28	68.20	-8.92	6.31	3	Horizontal	360	1.11	-	52.97	32.53	7.77	33.99






802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55596G	40.66	54.00	-13.34	16.30	3	Vertical	32	1.02	-	24.36	39.53	10.71	33.94
PK	11.56166G	53.89	74.00	-20.11	16.31	3	Vertical	32	1.02	-	37.58	39.53	10.72	33.94
PK	17.3481G	67.47	68.20	-0.73	24.96	3	Vertical	36	1.48	-	42.51	42.30	13.94	31.28



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5703G	40.39	54.00	-13.61	16.30	3	Horizontal	44	1.03	-	24.09	39.52	10.72	33.94
PK	11.57426G	53.41	74.00	-20.59	16.29	3	Horizontal	44	1.03	-	37.12	39.51	10.72	33.94
PK	17.36058G	68.10	68.20	-0.10	25.03	3	Horizontal	121	1.49	-	43.07	42.38	13.94	31.29



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	93.16	Inf	-Inf	6.08	3	Vertical	318	2.94	-	87.08	32.36	7.69	33.97
PK	5.5814G	56.71	68.20	-11.49	5.60	3	Vertical	318	2.94	-	51.11	32.01	7.53	33.94
PK	5.8214G	105.69	Inf	-Inf	6.06	3	Vertical	318	2.94	-	99.63	32.35	7.68	33.97
PK	5.9714G	57.34	68.20	-10.86	6.35	3	Vertical	318	2.94	-	50.99	32.56	7.78	33.99



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8238G	109.13	Inf	-Inf	6.06	3	Horizontal	357	1.34	-	103.07	32.35	7.68	33.97
PK	5.573G	60.08	68.20	-8.12	5.59	3	Horizontal	357	1.34	-	54.49	32.00	7.52	33.93
PK	5.8226G	122.15	Inf	-Inf	6.06	3	Horizontal	357	1.34	-	116.09	32.35	7.68	33.97
PK	5.9258G	62.66	68.20	-5.54	6.26	3	Horizontal	357	1.34	-	56.40	32.50	7.75	33.99



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64346G	40.68	54.00	-13.32	16.24	3	Vertical	211	1.96	-	24.44	39.43	10.76	33.95
PK	11.6407G	53.86	74.00	-20.14	16.24	3	Vertical	211	1.96	-	37.62	39.43	10.76	33.95
PK	17.46816G	67.52	68.20	-0.68	25.76	3	Vertical	36	1.42	-	41.76	43.09	13.97	31.30



802.11ax HEW20\_Nss1,(MCS0)\_1TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65138G	40.48	54.00	-13.52	16.23	3	Horizontal	169	1.49	-	24.25	39.42	10.76	33.95
PK	11.63884G	53.41	74.00	-20.59	16.23	3	Horizontal	169	1.49	-	37.18	39.43	10.75	33.95
PK	17.469G	68.10	68.20	-0.10	25.77	3	Horizontal	120	1.49	-	42.33	43.10	13.97	31.30



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	44.71	54.00	-9.29	4.97	3	Vertical	6	2.02	-	39.74	31.76	7.04	33.83
AV	5.1942G	85.33	Inf	-Inf	5.02	3	Vertical	6	2.02	-	80.31	31.78	7.09	33.85
PK	5.1084G	56.21	74.00	-17.79	4.90	3	Vertical	6	2.02	-	51.31	31.74	6.98	33.82
PK	5.202G	96.52	Inf	-Inf	5.03	3	Vertical	6	2.02	-	91.49	31.78	7.10	33.85



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.80	54.00	-0.20	4.97	3	Horizontal	0	1.49	-	48.83	31.76	7.04	33.83
AV	5.1942G	100.17	Inf	-Inf	5.02	3	Horizontal	0	1.49	-	95.15	31.78	7.09	33.85
PK	5.1492G	67.65	74.00	-6.35	4.97	3	Horizontal	0	1.49	-	62.68	31.76	7.04	33.83
PK	5.1822G	112.23	Inf	-Inf	5.01	3	Horizontal	0	1.49	-	107.22	31.77	7.08	33.84






802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56202G	48.88	54.00	-5.12	19.33	3	Vertical	109	1.50	-	29.55	38.72	12.85	32.24
PK	10.38462G	54.78	68.20	-13.42	15.45	3	Vertical	293	1.99	-	39.33	39.40	10.33	34.28
PK	15.57666G	61.40	74.00	-12.60	19.29	3	Vertical	109	1.50	-	42.11	38.67	12.87	32.25



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55626G	48.74	54.00	-5.26	19.34	3	Horizontal	85	1.27	-	29.40	38.74	12.84	32.24
PK	10.3659G	53.84	68.20	-14.36	15.42	3	Horizontal	56	1.99	-	38.42	39.38	10.33	34.29
PK	15.56142G	60.92	74.00	-13.08	19.33	3	Horizontal	85	1.27	-	41.59	38.72	12.85	32.24



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	45.16	54.00	-8.84	4.97	3	Vertical	59	3.00	-	40.19	31.76	7.04	33.83
AV	5.2222G	93.61	Inf	-Inf	5.07	3	Vertical	59	3.00	-	88.54	31.79	7.13	33.85
AV	5.3608G	45.09	54.00	-8.91	5.25	3	Vertical	59	3.00	-	39.84	31.84	7.30	33.89
PK	5.1466G	57.65	74.00	-16.35	4.96	3	Vertical	59	3.00	-	52.69	31.76	7.03	33.83
PK	5.2222G	106.05	Inf	-Inf	5.07	3	Vertical	59	3.00	-	100.98	31.79	7.13	33.85
PK	5.3692G	56.58	74.00	-17.42	5.27	3	Vertical	59	3.00	-	51.31	31.85	7.31	33.89



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.67	54.00	-0.33	4.97	3	Horizontal	5	2.02	-	48.70	31.76	7.04	33.83
AV	5.2342G	106.16	Inf	-Inf	5.07	3	Horizontal	5	2.02	-	101.09	31.79	7.14	33.86
AV	5.353G	50.47	54.00	-3.53	5.24	3	Horizontal	5	2.02	-	45.23	31.84	7.29	33.89
PK	5.1472G	68.63	74.00	-5.37	4.96	3	Horizontal	5	2.02	-	63.67	31.76	7.03	33.83
PK	5.215G	117.75	Inf	-Inf	5.06	3	Horizontal	5	2.02	-	112.69	31.79	7.12	33.85
PK	5.356G	62.47	74.00	-11.53	5.25	3	Horizontal	5	2.02	-	57.22	31.84	7.30	33.89



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67968G	48.01	54.00	-5.99	18.99	3	Vertical	115	1.19	-	29.02	38.29	13.03	32.33
PK	10.4591G	54.04	68.20	-14.16	15.62	3	Vertical	317	1.23	-	38.42	39.50	10.35	34.23
PK	15.69072G	60.26	74.00	-13.74	18.95	3	Vertical	115	1.19	-	41.31	38.24	13.05	32.34



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67968G	47.74	54.00	-6.26	18.99	3	Horizontal	214	2.24	-	28.75	38.29	13.03	32.33
PK	10.47128G	54.08	68.20	-14.12	15.64	3	Horizontal	210	1.25	-	38.44	39.51	10.35	34.22
PK	15.7002G	60.90	74.00	-13.10	18.93	3	Horizontal	214	2.24	-	41.97	38.21	13.07	32.35



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	91.19	Inf	-Inf	5.94	3	Vertical	319	3.00	-	85.25	32.26	7.64	33.96
PK	5.6422G	57.49	68.20	-10.71	5.73	3	Vertical	319	3.00	-	51.76	32.10	7.57	33.94
PK	5.7394G	103.32	Inf	-Inf	5.91	3	Vertical	319	3.00	-	97.41	32.24	7.63	33.96
PK	5.9482G	56.51	68.20	-11.69	6.30	3	Vertical	319	3.00	-	50.21	32.53	7.76	33.99



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	107.13	Inf	-Inf	5.94	3	Horizontal	353	2.05	-	101.19	32.26	7.64	33.96
PK	5.647G	68.01	68.20	-0.19	5.74	3	Horizontal	353	2.05	-	62.27	32.11	7.57	33.94
PK	5.7394G	119.37	Inf	-Inf	5.91	3	Horizontal	353	2.05	-	113.46	32.24	7.63	33.96
PK	5.929G	60.80	68.20	-7.40	6.26	3	Horizontal	353	2.05	-	54.54	32.50	7.75	33.99






802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.52314G	41.89	54.00	-12.11	16.34	3	Vertical	352	2.45	-	25.55	39.57	10.70	33.93
PK	11.516G	54.48	74.00	-19.52	16.34	3	Vertical	352	2.45	-	38.14	39.58	10.69	33.93
PK	17.27118G	66.77	68.20	-1.43	24.43	3	Vertical	41	1.43	-	42.34	41.79	13.92	31.28



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5175G	42.24	54.00	-11.76	16.35	3	Horizontal	80	1.92	-	25.89	39.58	10.70	33.93
PK	11.4986G	55.05	74.00	-18.95	16.36	3	Horizontal	80	1.92	-	38.69	39.60	10.69	33.93
PK	17.26104G	66.15	68.20	-2.05	24.35	3	Horizontal	208	1.50	-	41.80	41.72	13.91	31.28



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	91.96	Inf	-Inf	6.00	3	Vertical	315	3.00	-	85.96	32.31	7.66	33.97
PK	5.5406G	56.96	68.20	-11.24	5.53	3	Vertical	315	3.00	-	51.43	31.96	7.50	33.93
PK	5.7806G	104.22	Inf	-Inf	5.98	3	Vertical	315	3.00	-	98.24	32.29	7.66	33.97
PK	5.9462G	57.18	68.20	-11.02	6.29	3	Vertical	315	3.00	-	50.89	32.52	7.76	33.99



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	107.53	Inf	-Inf	6.02	3	Horizontal	0	1.01	-	101.51	32.32	7.67	33.97
PK	5.6462G	64.30	68.20	-3.90	5.73	3	Horizontal	0	1.01	-	58.57	32.10	7.57	33.94
PK	5.7794G	120.25	Inf	-Inf	5.98	3	Horizontal	0	1.01	-	114.27	32.29	7.66	33.97
PK	5.9294G	68.03	68.20	-0.17	6.26	3	Horizontal	0	1.01	-	61.77	32.50	7.75	33.99



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59162G	41.56	54.00	-12.44	16.28	3	Vertical	232	2.10	-	25.28	39.49	10.73	33.94
PK	11.57632G	53.67	74.00	-20.33	16.29	3	Vertical	232	2.10	-	37.38	39.51	10.72	33.94
PK	17.38686G	67.44	68.20	-0.76	25.21	3	Vertical	190	1.49	-	42.23	42.55	13.95	31.29



802.11ax HEW40\_Nss1,(MCS0)\_1TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58262G	41.61	54.00	-12.39	16.29	3	Horizontal	42	1.36	-	25.32	39.50	10.73	33.94
PK	11.59546G	54.30	74.00	-19.70	16.27	3	Horizontal	42	1.36	-	38.03	39.49	10.73	33.95
PK	17.38038G	68.07	68.20	-0.13	25.16	3	Horizontal	83	2.24	-	42.91	42.51	13.94	31.29



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.15	54.00	-8.85	4.97	3	Vertical	61	3.00	-	40.18	31.76	7.04	33.83
AV	5.223G	85.15	Inf	-Inf	5.07	3	Vertical	61	3.00	-	80.08	31.79	7.13	33.85
AV	5.38G	45.18	54.00	-8.82	5.29	3	Vertical	61	3.00	-	39.89	31.85	7.33	33.89
PK	5.113G	57.96	74.00	-16.04	4.92	3	Vertical	61	3.00	-	53.04	31.75	6.99	33.82
PK	5.223G	97.10	Inf	-Inf	5.07	3	Vertical	61	3.00	-	92.03	31.79	7.13	33.85
PK	5.355G	56.44	74.00	-17.56	5.24	3	Vertical	61	3.00	-	51.20	31.84	7.29	33.89



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.87	54.00	-0.13	4.97	3	Horizontal	4	1.68	-	48.90	31.76	7.04	33.83
AV	5.199G	97.75	Inf	-Inf	5.03	3	Horizontal	4	1.68	-	92.72	31.78	7.10	33.85
AV	5.352G	49.30	54.00	-4.70	5.24	3	Horizontal	4	1.68	-	44.06	31.84	7.29	33.89
PK	5.15G	67.84	74.00	-6.16	4.97	3	Horizontal	4	1.68	-	62.87	31.76	7.04	33.83
PK	5.2G	109.44	Inf	-Inf	5.03	3	Horizontal	4	1.68	-	104.41	31.78	7.10	33.85
PK	5.373G	60.60	74.00	-13.40	5.28	3	Horizontal	4	1.68	-	55.32	31.85	7.32	33.89






802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63732G	48.28	54.00	-5.72	19.11	3	Vertical	45	2.02	-	29.17	38.44	12.97	32.30
PK	10.40998G	53.69	68.20	-14.51	15.51	3	Vertical	121	1.51	-	38.18	39.43	10.34	34.26
PK	15.61644G	60.49	74.00	-13.51	19.17	3	Vertical	45	2.02	-	41.32	38.52	12.93	32.28



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61548G	48.04	54.00	-5.96	19.17	3	Horizontal	5	2.31	-	28.87	38.52	12.93	32.28
PK	10.4167G	54.12	68.20	-14.08	15.52	3	Horizontal	48	1.10	-	38.60	39.44	10.34	34.26
PK	15.63804G	60.42	74.00	-13.58	19.11	3	Horizontal	5	2.31	-	41.31	38.44	12.97	32.30



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	85.56	Inf	-Inf	5.98	3	Vertical	316	2.96	-	79.58	32.29	7.66	33.97
PK	5.6406G	57.41	68.20	-10.79	5.73	3	Vertical	316	2.96	-	51.68	32.10	7.57	33.94
PK	5.7738G	97.26	Inf	-Inf	5.97	3	Vertical	316	2.96	-	91.29	32.28	7.65	33.96
PK	5.9322G	57.11	68.20	-11.09	6.27	3	Vertical	316	2.96	-	50.84	32.51	7.75	33.99



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	101.02	Inf	-Inf	5.96	3	Horizontal	351	2.03	-	95.06	32.27	7.65	33.96
PK	5.649G	67.69	68.20	-0.51	5.74	3	Horizontal	351	2.03	-	61.95	32.11	7.57	33.94
PK	5.7738G	113.09	Inf	-Inf	5.97	3	Horizontal	351	2.03	-	107.12	32.28	7.65	33.96
PK	5.9322G	64.14	68.20	-4.06	6.27	3	Horizontal	351	2.03	-	57.87	32.51	7.75	33.99



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54904G	41.51	54.00	-12.49	16.31	3	Vertical	85	1.13	-	25.20	39.54	10.71	33.94
PK	11.54652G	54.10	74.00	-19.90	16.31	3	Vertical	85	1.13	-	37.79	39.54	10.71	33.94
PK	17.33226G	65.45	68.20	-2.75	24.84	3	Vertical	196	1.11	-	40.61	42.19	13.93	31.28



802.11ax HEW80\_Nss1,(MCS0)\_1TX

19/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.54406G	41.77	54.00	-12.23	16.32	3	Horizontal	86	1.34	-	25.45	39.55	10.71	33.94
PK	11.5554G	54.82	74.00	-19.18	16.30	3	Horizontal	86	1.34	-	38.52	39.53	10.71	33.94
PK	17.31696G	65.86	68.20	-2.34	24.74	3	Horizontal	291	1.50	-	41.12	42.09	13.93	31.28



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	QP	53.28M	37.72	40.00	-2.28	3	Vertical	11	1.02	-



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	249.22M	29.43	46.00	-16.57	3	Vertical	0	1.00	-
5775MHz	Pass	PK	274.44M	27.29	46.00	-18.71	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	38.76	46.00	-7.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	33.15	46.00	-12.85	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	40.30	46.00	-5.70	3	Vertical	0	1.00	-
5775MHz	Pass	QP	53.28M	37.72	40.00	-2.28	3	Vertical	11	1.02	-
5775MHz	Pass	PK	165.8M	29.02	43.50	-14.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	249.22M	35.95	46.00	-10.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	274.44M	41.43	46.00	-4.57	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	375.32M	38.53	46.00	-7.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	36.95	46.00	-9.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	40.46	46.00	-5.54	3	Horizontal	360	1.00	-






802.11ax HEW80\_Nss2,(MCS0)\_2TX

06/12/2019

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	249.22M	29.43	46.00	-16.57	-6.86	3	Vertical	0	1.00	-	36.29	17.40	2.48	26.74
PK	274.44M	27.29	46.00	-18.71	-6.10	3	Vertical	0	1.00	-	33.39	18.01	2.61	26.72
PK	375.32M	38.76	46.00	-7.24	-4.11	3	Vertical	0	1.00	-	42.87	19.95	3.08	27.14
PK	625.58M	33.15	46.00	-12.85	0.16	3	Vertical	0	1.00	-	32.99	24.12	4.13	28.09
PK	875.84M	40.30	46.00	-5.70	2.67	3	Vertical	0	1.00	-	37.63	25.36	4.93	27.62
QP	53.28M	37.72	40.00	-2.28	-14.25	3	Vertical	11	1.02	-	51.97	12.17	1.09	27.51



802.11ax HEW80\_Nss2,(MCS0)\_2TX

06/12/2019

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	165.8M	29.02	43.50	-14.48	-10.18	3	Horizontal	360	1.00	-	39.20	14.94	1.99	27.11
PK	249.22M	35.95	46.00	-10.05	-6.86	3	Horizontal	360	1.00	-	42.81	17.40	2.48	26.74
PK	274.44M	41.43	46.00	-4.57	-6.10	3	Horizontal	360	1.00	-	47.53	18.01	2.61	26.72
PK	375.32M	38.53	46.00	-7.47	-4.11	3	Horizontal	360	1.00	-	42.64	19.95	3.08	27.14
PK	625.58M	36.95	46.00	-9.05	0.16	3	Horizontal	360	1.00	-	36.79	24.12	4.13	28.09
PK	875.84M	40.46	46.00	-5.54	2.67	3	Horizontal	360	1.00	-	37.79	25.36	4.93	27.62



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.1494G	73.92	74.00	-0.08	3	Horizontal	7	1.49	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.149G	53.90	54.00	-0.10	3	Horizontal	5	1.83	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.1498G	53.85	54.00	-0.15	3	Horizontal	6	1.83	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	5	1.61	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	17.48352G	68.14	68.20	-0.06	3	Horizontal	51	2.34	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	17.35494G	68.14	68.20	-0.06	3	Horizontal	128	1.50	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.933G	68.11	68.20	-0.09	3	Horizontal	1	2.14	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.649G	68.11	68.20	-0.09	3	Horizontal	1	2.02	-



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.1482G	44.05	54.00	-9.95	3	Vertical	42	2.88	-
5180MHz_TX	Pass	AV	5.1824G	94.47	Inf	-Inf	3	Vertical	42	2.88	-
5180MHz_TX	Pass	PK	5.1464G	56.36	74.00	-17.64	3	Vertical	42	2.88	-
5180MHz_TX	Pass	PK	5.1812G	103.53	Inf	-Inf	3	Vertical	42	2.88	-
5180MHz_TX	Pass	AV	5.1494G	51.65	54.00	-2.35	3	Horizontal	7	1.49	-
5180MHz_TX	Pass	AV	5.1842G	109.78	Inf	-Inf	3	Horizontal	7	1.49	-
5180MHz_TX	Pass	PK	5.1494G	73.92	74.00	-0.08	3	Horizontal	7	1.49	-
5180MHz_TX	Pass	PK	5.1836G	118.53	Inf	-Inf	3	Horizontal	7	1.49	-
5180MHz_TX	Pass	AV	15.52752G	48.68	54.00	-5.32	3	Vertical	159	1.46	-
5180MHz_TX	Pass	PK	10.3657G	54.52	68.20	-13.68	3	Vertical	136	1.24	-
5180MHz_TX	Pass	PK	15.5316G	61.88	74.00	-12.12	3	Vertical	159	1.46	-
5180MHz_TX	Pass	AV	15.5316G	48.98	54.00	-5.02	3	Horizontal	202	1.51	-
5180MHz_TX	Pass	PK	10.35082G	54.74	68.20	-13.46	3	Horizontal	124	1.30	-
5180MHz_TX	Pass	PK	15.52602G	61.98	74.00	-12.02	3	Horizontal	202	1.51	-
5200MHz_TX	Pass	AV	5.1478G	44.31	54.00	-9.69	3	Vertical	38	3.00	-
5200MHz_TX	Pass	AV	5.2066G	99.28	Inf	-Inf	3	Vertical	38	3.00	-
5200MHz_TX	Pass	PK	5.1472G	57.58	74.00	-16.42	3	Vertical	38	3.00	-
5200MHz_TX	Pass	PK	5.2066G	108.95	Inf	-Inf	3	Vertical	38	3.00	-
5200MHz_TX	Pass	AV	5.15G	53.40	54.00	-0.60	3	Horizontal	5	1.50	-
5200MHz_TX	Pass	AV	5.2042G	113.93	Inf	-Inf	3	Horizontal	5	1.50	-
5200MHz_TX	Pass	PK	5.1448G	73.75	74.00	-0.25	3	Horizontal	5	1.50	-
5200MHz_TX	Pass	PK	5.1946G	123.30	Inf	-Inf	3	Horizontal	5	1.50	-
5200MHz_TX	Pass	AV	15.5937G	48.17	54.00	-5.83	3	Vertical	118	1.33	-
5200MHz_TX	Pass	PK	10.39778G	55.18	68.20	-13.02	3	Vertical	319	1.71	-
5200MHz_TX	Pass	PK	15.59724G	61.39	74.00	-12.61	3	Vertical	118	1.33	-
5200MHz_TX	Pass	AV	15.59526G	48.75	54.00	-5.25	3	Horizontal	67	2.04	-
5200MHz_TX	Pass	PK	10.4G	54.12	68.20	-14.08	3	Horizontal	136	2.31	-
5200MHz_TX	Pass	PK	15.6G	62.16	74.00	-11.84	3	Horizontal	67	2.04	-
5240MHz_TX	Pass	AV	5.1386G	43.97	54.00	-10.03	3	Vertical	19	3.00	-
5240MHz_TX	Pass	AV	5.237G	101.49	Inf	-Inf	3	Vertical	19	3.00	-
5240MHz_TX	Pass	AV	5.351G	44.42	54.00	-9.58	3	Vertical	19	3.00	-
5240MHz_TX	Pass	PK	5.1212G	56.99	74.00	-17.01	3	Vertical	19	3.00	-
5240MHz_TX	Pass	PK	5.237G	111.38	Inf	-Inf	3	Vertical	19	3.00	-
5240MHz_TX	Pass	PK	5.354G	56.54	74.00	-17.46	3	Vertical	19	3.00	-
5240MHz_TX	Pass	AV	5.144G	53.70	54.00	-0.30	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	AV	5.2442G	115.95	Inf	-Inf	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	AV	5.3504G	50.81	54.00	-3.19	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	PK	5.1434G	67.73	74.00	-6.27	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	PK	5.2448G	126.66	Inf	-Inf	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	PK	5.354G	65.53	74.00	-8.47	3	Horizontal	4	1.50	-
5240MHz_TX	Pass	AV	15.71898G	52.81	54.00	-1.19	3	Vertical	360	1.53	-
5240MHz_TX	Pass	PK	10.47376G	55.61	68.20	-12.59	3	Vertical	188	1.42	-
5240MHz_TX	Pass	PK	15.7191G	65.95	74.00	-8.05	3	Vertical	360	1.53	-
5240MHz_TX	Pass	AV	15.72036G	53.52	54.00	-0.48	3	Horizontal	360	1.44	-
5240MHz_TX	Pass	PK	10.47508G	54.61	68.20	-13.59	3	Horizontal	259	1.41	-
5240MHz_TX	Pass	PK	15.71976G	66.23	74.00	-7.77	3	Horizontal	360	1.44	-
5745MHz_TX	Pass	AV	5.7474G	100.62	Inf	-Inf	3	Vertical	21	1.00	-

Remark :

Page No. : E2 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz_TX	Pass	PK	5.643G	56.86	68.20	-11.34	3	Vertical	21	1.00	-
5745MHz_TX	Pass	PK	5.7426G	110.13	Inf	-Inf	3	Vertical	21	1.00	-
5745MHz_TX	Pass	PK	5.9718G	57.49	68.20	-10.71	3	Vertical	21	1.00	-
5745MHz_TX	Pass	AV	5.7474G	115.23	Inf	-Inf	3	Horizontal	0	1.99	-
5745MHz_TX	Pass	PK	5.6514G	68.05	69.24	-1.19	3	Horizontal	0	1.99	-
5745MHz_TX	Pass	PK	5.7414G	125.11	Inf	-Inf	3	Horizontal	0	1.99	-
5745MHz_TX	Pass	PK	5.9478G	62.60	68.20	-5.60	3	Horizontal	0	1.99	-
5745MHz_TX	Pass	AV	11.493G	42.52	54.00	-11.48	3	Vertical	33	1.56	-
5745MHz_TX	Pass	PK	11.48748G	56.42	74.00	-17.58	3	Vertical	33	1.56	-
5745MHz_TX	Pass	PK	17.23734G	67.19	68.20	-1.01	3	Vertical	31	3.00	-
5745MHz_TX	Pass	AV	11.48898G	43.43	54.00	-10.57	3	Horizontal	22	1.74	-
5745MHz_TX	Pass	PK	11.48976G	56.78	74.00	-17.22	3	Horizontal	22	1.74	-
5745MHz_TX	Pass	PK	17.24088G	67.51	68.20	-0.69	3	Horizontal	106	2.96	-
5785MHz_TX	Pass	AV	5.7778G	98.02	Inf	-Inf	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.6482G	56.90	68.20	-11.30	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.7826G	107.80	Inf	-Inf	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.9314G	56.82	68.20	-11.38	3	Vertical	21	1.03	-
5785MHz_TX	Pass	AV	5.7898G	113.55	Inf	-Inf	3	Horizontal	0	1.72	-
5785MHz_TX	Pass	PK	5.5366G	61.31	68.20	-6.89	3	Horizontal	0	1.72	-
5785MHz_TX	Pass	PK	5.7838G	122.87	Inf	-Inf	3	Horizontal	0	1.72	-
5785MHz_TX	Pass	PK	5.9302G	61.44	68.20	-6.76	3	Horizontal	0	1.72	-
5785MHz_TX	Pass	AV	11.56844G	42.01	54.00	-11.99	3	Vertical	32	1.63	-
5785MHz_TX	Pass	PK	11.57306G	54.91	74.00	-19.09	3	Vertical	32	1.63	-
5785MHz_TX	Pass	PK	17.35038G	67.33	68.20	-0.87	3	Vertical	43	1.49	-
5785MHz_TX	Pass	AV	11.56832G	42.62	54.00	-11.38	3	Horizontal	39	1.47	-
5785MHz_TX	Pass	PK	11.56292G	55.09	74.00	-18.91	3	Horizontal	39	1.47	-
5785MHz_TX	Pass	PK	17.3577G	68.00	68.20	-0.20	3	Horizontal	51	1.49	-
5825MHz_TX	Pass	AV	5.8274G	98.51	Inf	-Inf	3	Vertical	18	1.00	-
5825MHz_TX	Pass	PK	5.6402G	56.22	68.20	-11.98	3	Vertical	18	1.00	-
5825MHz_TX	Pass	PK	5.8274G	108.04	Inf	-Inf	3	Vertical	18	1.00	-
5825MHz_TX	Pass	PK	5.9282G	57.56	68.20	-10.64	3	Vertical	18	1.00	-
5825MHz_TX	Pass	AV	5.8226G	113.49	Inf	-Inf	3	Horizontal	0	2.01	-
5825MHz_TX	Pass	PK	5.5766G	60.81	68.20	-7.39	3	Horizontal	0	2.01	-
5825MHz_TX	Pass	PK	5.8226G	122.86	Inf	-Inf	3	Horizontal	0	2.01	-
5825MHz_TX	Pass	PK	5.927G	65.56	68.20	-2.64	3	Horizontal	0	2.01	-
5825MHz_TX	Pass	AV	11.65066G	41.35	54.00	-12.65	3	Vertical	18	1.68	-
5825MHz_TX	Pass	PK	11.65426G	54.10	74.00	-19.90	3	Vertical	18	1.68	-
5825MHz_TX	Pass	PK	17.47854G	67.05	68.20	-1.15	3	Vertical	192	1.49	-
5825MHz_TX	Pass	AV	11.65282G	43.17	54.00	-10.83	3	Horizontal	40	1.57	-
5825MHz_TX	Pass	PK	11.64784G	56.45	74.00	-17.55	3	Horizontal	40	1.57	-
5825MHz_TX	Pass	PK	17.48352G	68.14	68.20	-0.06	3	Horizontal	51	2.34	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz_TX	Pass	AV	5.15G	45.32	54.00	-8.68	3	Vertical	27	1.00	-
5180MHz_TX	Pass	AV	5.1776G	92.26	Inf	-Inf	3	Vertical	27	1.00	-
5180MHz_TX	Pass	PK	5.15G	57.81	74.00	-16.19	3	Vertical	27	1.00	-
5180MHz_TX	Pass	PK	5.1776G	103.90	Inf	-Inf	3	Vertical	27	1.00	-
5180MHz_TX	Pass	AV	5.1494G	53.76	54.00	-0.24	3	Horizontal	5	1.85	-
5180MHz_TX	Pass	AV	5.1812G	107.73	Inf	-Inf	3	Horizontal	5	1.85	-
5180MHz_TX	Pass	PK	5.15G	69.78	74.00	-4.22	3	Horizontal	5	1.85	-

Remark :

Page No. : E3 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz_TX	Pass	PK	5.1872G	119.11	Inf	-Inf	3	Horizontal	5	1.85	-
5180MHz_TX	Pass	AV	15.52596G	49.43	54.00	-4.57	3	Vertical	177	1.66	-
5180MHz_TX	Pass	PK	10.35454G	54.68	68.20	-13.52	3	Vertical	292	1.80	-
5180MHz_TX	Pass	PK	15.5394G	61.77	74.00	-12.23	3	Vertical	177	1.66	-
5180MHz_TX	Pass	AV	15.53262G	49.64	54.00	-4.36	3	Horizontal	103	2.41	-
5180MHz_TX	Pass	PK	10.37026G	54.03	68.20	-14.17	3	Horizontal	264	1.79	-
5180MHz_TX	Pass	PK	15.5319G	61.90	74.00	-12.10	3	Horizontal	103	2.41	-
5200MHz_TX	Pass	AV	5.1448G	44.81	54.00	-9.19	3	Vertical	19	2.87	-
5200MHz_TX	Pass	AV	5.2024G	95.93	Inf	-Inf	3	Vertical	19	2.87	-
5200MHz_TX	Pass	PK	5.1442G	56.23	74.00	-17.77	3	Vertical	19	2.87	-
5200MHz_TX	Pass	PK	5.1994G	107.35	Inf	-Inf	3	Vertical	19	2.87	-
5200MHz_TX	Pass	AV	5.149G	53.90	54.00	-0.10	3	Horizontal	5	1.83	-
5200MHz_TX	Pass	AV	5.2078G	111.20	Inf	-Inf	3	Horizontal	5	1.83	-
5200MHz_TX	Pass	PK	5.15G	68.52	74.00	-5.48	3	Horizontal	5	1.83	-
5200MHz_TX	Pass	PK	5.2024G	122.25	Inf	-Inf	3	Horizontal	5	1.83	-
5200MHz_TX	Pass	AV	15.59454G	48.12	54.00	-5.88	3	Vertical	264	2.01	-
5200MHz_TX	Pass	PK	10.40498G	55.53	68.20	-12.67	3	Vertical	176	1.44	-
5200MHz_TX	Pass	PK	15.61248G	60.80	74.00	-13.20	3	Vertical	264	2.01	-
5200MHz_TX	Pass	AV	15.59562G	49.04	54.00	-4.96	3	Horizontal	53	1.30	-
5200MHz_TX	Pass	PK	10.40054G	53.99	68.20	-14.21	3	Horizontal	250	1.22	-
5200MHz_TX	Pass	PK	15.61242G	61.79	74.00	-12.21	3	Horizontal	53	1.30	-
5240MHz_TX	Pass	AV	5.1482G	44.76	54.00	-9.24	3	Vertical	20	3.00	-
5240MHz_TX	Pass	AV	5.2418G	98.77	Inf	-Inf	3	Vertical	20	3.00	-
5240MHz_TX	Pass	AV	5.35G	45.31	54.00	-8.69	3	Vertical	20	3.00	-
5240MHz_TX	Pass	PK	5.1488G	57.30	74.00	-16.70	3	Vertical	20	3.00	-
5240MHz_TX	Pass	PK	5.2382G	110.71	Inf	-Inf	3	Vertical	20	3.00	-
5240MHz_TX	Pass	PK	5.3816G	56.33	74.00	-17.67	3	Vertical	20	3.00	-
5240MHz_TX	Pass	AV	5.1434G	53.78	54.00	-0.22	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	AV	5.2352G	113.21	Inf	-Inf	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	AV	5.35G	52.73	54.00	-1.27	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	PK	5.147G	68.12	74.00	-5.88	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	PK	5.2388G	124.59	Inf	-Inf	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	PK	5.35G	65.40	74.00	-8.60	3	Horizontal	8	1.30	-
5240MHz_TX	Pass	AV	15.71934G	51.78	54.00	-2.22	3	Vertical	135	1.18	-
5240MHz_TX	Pass	PK	10.48486G	55.59	68.20	-12.61	3	Vertical	339	1.39	-
5240MHz_TX	Pass	PK	15.71448G	64.37	74.00	-9.63	3	Vertical	135	1.18	-
5240MHz_TX	Pass	AV	15.7161G	52.92	54.00	-1.08	3	Horizontal	360	1.48	-
5240MHz_TX	Pass	PK	10.47844G	56.79	68.20	-11.41	3	Horizontal	37	1.20	-
5240MHz_TX	Pass	PK	15.71862G	65.17	74.00	-8.83	3	Horizontal	360	1.48	-
5745MHz_TX	Pass	AV	5.7462G	98.64	Inf	-Inf	3	Vertical	19	1.00	-
5745MHz_TX	Pass	PK	5.649G	57.40	68.20	-10.80	3	Vertical	19	1.00	-
5745MHz_TX	Pass	PK	5.7474G	109.71	Inf	-Inf	3	Vertical	19	1.00	-
5745MHz_TX	Pass	PK	5.9622G	57.64	68.20	-10.56	3	Vertical	19	1.00	-
5745MHz_TX	Pass	AV	5.7474G	112.75	Inf	-Inf	3	Horizontal	0	1.91	-
5745MHz_TX	Pass	PK	5.6514G	68.22	69.24	-1.02	3	Horizontal	0	1.91	-
5745MHz_TX	Pass	PK	5.7474G	124.53	Inf	-Inf	3	Horizontal	0	1.91	-
5745MHz_TX	Pass	PK	5.9406G	62.12	68.20	-6.08	3	Horizontal	0	1.91	-
5745MHz_TX	Pass	AV	11.481G	42.24	54.00	-11.76	3	Vertical	303	1.55	-
5745MHz_TX	Pass	PK	11.48718G	54.05	74.00	-19.95	3	Vertical	303	1.55	-

Remark :

Page No. : E4 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz_TX	Pass	PK	17.23038G	65.91	68.20	-2.29	3	Vertical	314	1.68	-
5745MHz_TX	Pass	AV	11.48328G	42.13	54.00	-11.87	3	Horizontal	319	2.49	-
5745MHz_TX	Pass	PK	11.50236G	54.22	74.00	-19.78	3	Horizontal	319	2.49	-
5745MHz_TX	Pass	PK	17.24376G	66.71	68.20	-1.49	3	Horizontal	82	1.50	-
5785MHz_TX	Pass	AV	5.7922G	94.39	Inf	-Inf	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.6482G	57.10	68.20	-11.10	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.779G	105.28	Inf	-Inf	3	Vertical	21	1.03	-
5785MHz_TX	Pass	PK	5.9362G	57.08	68.20	-11.12	3	Vertical	21	1.03	-
5785MHz_TX	Pass	AV	5.7814G	111.14	Inf	-Inf	3	Horizontal	0	1.68	-
5785MHz_TX	Pass	PK	5.6362G	61.11	68.20	-7.09	3	Horizontal	0	1.68	-
5785MHz_TX	Pass	PK	5.7886G	122.62	Inf	-Inf	3	Horizontal	0	1.68	-
5785MHz_TX	Pass	PK	5.9782G	60.56	68.20	-7.64	3	Horizontal	0	1.68	-
5785MHz_TX	Pass	AV	11.56622G	42.16	54.00	-11.84	3	Vertical	252	1.79	-
5785MHz_TX	Pass	PK	11.58368G	54.15	74.00	-19.85	3	Vertical	252	1.79	-
5785MHz_TX	Pass	PK	17.3514G	67.81	68.20	-0.39	3	Vertical	41	1.48	-
5785MHz_TX	Pass	AV	11.57402G	43.39	54.00	-10.61	3	Horizontal	39	1.47	-
5785MHz_TX	Pass	PK	11.58134G	55.82	74.00	-18.18	3	Horizontal	39	1.47	-
5785MHz_TX	Pass	PK	17.35494G	68.14	68.20	-0.06	3	Horizontal	128	1.50	-
5825MHz_TX	Pass	AV	5.8334G	95.52	Inf	-Inf	3	Vertical	16	1.04	-
5825MHz_TX	Pass	PK	5.6282G	56.84	68.20	-11.36	3	Vertical	16	1.04	-
5825MHz_TX	Pass	PK	5.8274G	106.37	Inf	-Inf	3	Vertical	16	1.04	-
5825MHz_TX	Pass	PK	5.9438G	57.09	68.20	-11.11	3	Vertical	16	1.04	-
5825MHz_TX	Pass	AV	5.8262G	111.30	Inf	-Inf	3	Horizontal	0	1.75	-
5825MHz_TX	Pass	PK	5.633G	61.35	68.20	-6.85	3	Horizontal	0	1.75	-
5825MHz_TX	Pass	PK	5.8286G	122.51	Inf	-Inf	3	Horizontal	0	1.75	-
5825MHz_TX	Pass	PK	5.9282G	64.78	68.20	-3.42	3	Horizontal	0	1.75	-
5825MHz_TX	Pass	AV	11.66182G	41.66	54.00	-12.34	3	Vertical	19	1.49	-
5825MHz_TX	Pass	PK	11.6359G	54.18	74.00	-19.82	3	Vertical	19	1.49	-
5825MHz_TX	Pass	PK	17.48616G	67.55	68.20	-0.65	3	Vertical	229	1.49	-
5825MHz_TX	Pass	AV	11.64364G	42.74	54.00	-11.26	3	Horizontal	38	1.56	-
5825MHz_TX	Pass	PK	11.64874G	55.07	74.00	-18.93	3	Horizontal	38	1.56	-
5825MHz_TX	Pass	PK	17.4711G	67.94	68.20	-0.26	3	Horizontal	51	1.48	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz_TX	Pass	AV	5.1492G	45.01	54.00	-8.99	3	Vertical	31	1.00	-
5190MHz_TX	Pass	AV	5.1948G	86.56	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz_TX	Pass	PK	5.1354G	57.19	74.00	-16.81	3	Vertical	31	1.00	-
5190MHz_TX	Pass	PK	5.1948G	98.86	Inf	-Inf	3	Vertical	31	1.00	-
5190MHz_TX	Pass	AV	5.1498G	53.85	54.00	-0.15	3	Horizontal	6	1.83	-
5190MHz_TX	Pass	AV	5.1798G	101.96	Inf	-Inf	3	Horizontal	6	1.83	-
5190MHz_TX	Pass	PK	5.148G	66.11	74.00	-7.89	3	Horizontal	6	1.83	-
5190MHz_TX	Pass	PK	5.1864G	114.15	Inf	-Inf	3	Horizontal	6	1.83	-
5190MHz_TX	Pass	AV	15.55668G	48.59	54.00	-5.41	3	Vertical	137	1.53	-
5190MHz_TX	Pass	PK	10.38612G	53.96	68.20	-14.24	3	Vertical	301	1.44	-
5190MHz_TX	Pass	PK	15.57804G	60.80	74.00	-13.20	3	Vertical	137	1.53	-
5190MHz_TX	Pass	AV	15.55674G	48.63	54.00	-5.37	3	Horizontal	24	1.57	-
5190MHz_TX	Pass	PK	10.38522G	54.21	68.20	-13.99	3	Horizontal	208	1.31	-
5190MHz_TX	Pass	PK	15.56796G	61.49	74.00	-12.51	3	Horizontal	24	1.57	-
5230MHz_TX	Pass	AV	5.1472G	45.22	54.00	-8.78	3	Vertical	39	3.00	-
5230MHz_TX	Pass	AV	5.2348G	92.90	Inf	-Inf	3	Vertical	39	3.00	-

Remark :

Page No. : E5 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz_TX	Pass	AV	5.3608G	45.06	54.00	-8.94	3	Vertical	39	3.00	-
5230MHz_TX	Pass	PK	5.1484G	58.06	74.00	-15.94	3	Vertical	39	3.00	-
5230MHz_TX	Pass	PK	5.2342G	104.99	Inf	-Inf	3	Vertical	39	3.00	-
5230MHz_TX	Pass	PK	5.35G	56.83	74.00	-17.17	3	Vertical	39	3.00	-
5230MHz_TX	Pass	AV	5.1484G	53.79	54.00	-0.21	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	AV	5.2294G	107.90	Inf	-Inf	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	AV	5.353G	51.55	54.00	-2.45	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	PK	5.15G	72.20	74.00	-1.80	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	PK	5.2264G	119.76	Inf	-Inf	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	PK	5.3506G	64.74	74.00	-9.26	3	Horizontal	6	1.73	-
5230MHz_TX	Pass	AV	15.68022G	48.19	54.00	-5.81	3	Vertical	329	1.50	-
5230MHz_TX	Pass	PK	10.46114G	54.15	68.20	-14.05	3	Vertical	20	1.50	-
5230MHz_TX	Pass	PK	15.69546G	60.38	74.00	-13.62	3	Vertical	329	1.50	-
5230MHz_TX	Pass	AV	15.69318G	48.37	54.00	-5.63	3	Horizontal	0	1.47	-
5230MHz_TX	Pass	PK	10.45844G	55.36	68.20	-12.84	3	Horizontal	344	1.54	-
5230MHz_TX	Pass	PK	15.68178G	61.32	74.00	-12.68	3	Horizontal	0	1.47	-
5755MHz_TX	Pass	AV	5.7538G	92.57	Inf	-Inf	3	Vertical	20	1.00	-
5755MHz_TX	Pass	PK	5.5642G	56.91	68.20	-11.29	3	Vertical	20	1.00	-
5755MHz_TX	Pass	PK	5.7514G	104.81	Inf	-Inf	3	Vertical	20	1.00	-
5755MHz_TX	Pass	PK	5.9398G	57.40	68.20	-10.80	3	Vertical	20	1.00	-
5755MHz_TX	Pass	AV	5.761G	107.28	Inf	-Inf	3	Horizontal	1	1.86	-
5755MHz_TX	Pass	PK	5.653G	70.14	70.42	-0.28	3	Horizontal	1	1.86	-
5755MHz_TX	Pass	PK	5.7514G	119.21	Inf	-Inf	3	Horizontal	1	1.86	-
5755MHz_TX	Pass	PK	5.9338G	61.48	68.20	-6.72	3	Horizontal	1	1.86	-
5755MHz_TX	Pass	AV	11.51774G	41.81	54.00	-12.19	3	Vertical	11	1.02	-
5755MHz_TX	Pass	PK	11.50766G	54.46	74.00	-19.54	3	Vertical	11	1.02	-
5755MHz_TX	Pass	PK	17.26986G	65.77	68.20	-2.43	3	Vertical	151	1.09	-
5755MHz_TX	Pass	AV	11.49632G	42.04	54.00	-11.96	3	Horizontal	342	1.73	-
5755MHz_TX	Pass	PK	11.51318G	54.29	74.00	-19.71	3	Horizontal	342	1.73	-
5755MHz_TX	Pass	PK	17.2788G	66.32	68.20	-1.88	3	Horizontal	0	1.49	-
5795MHz_TX	Pass	AV	5.7938G	93.46	Inf	-Inf	3	Vertical	20	1.03	-
5795MHz_TX	Pass	PK	5.5718G	57.17	68.20	-11.03	3	Vertical	20	1.03	-
5795MHz_TX	Pass	PK	5.7914G	105.67	Inf	-Inf	3	Vertical	20	1.03	-
5795MHz_TX	Pass	PK	5.975G	57.58	68.20	-10.62	3	Vertical	20	1.03	-
5795MHz_TX	Pass	AV	5.7914G	109.17	Inf	-Inf	3	Horizontal	1	2.14	-
5795MHz_TX	Pass	PK	5.6474G	63.85	68.20	-4.35	3	Horizontal	1	2.14	-
5795MHz_TX	Pass	PK	5.807G	120.09	Inf	-Inf	3	Horizontal	1	2.14	-
5795MHz_TX	Pass	PK	5.933G	68.11	68.20	-0.09	3	Horizontal	1	2.14	-
5795MHz_TX	Pass	AV	11.57956G	41.88	54.00	-12.12	3	Vertical	350	1.50	-
5795MHz_TX	Pass	PK	11.57542G	54.26	74.00	-19.74	3	Vertical	350	1.50	-
5795MHz_TX	Pass	PK	17.38302G	66.14	68.20	-2.06	3	Vertical	41	1.48	-
5795MHz_TX	Pass	AV	11.584G	42.40	54.00	-11.60	3	Horizontal	38	1.49	-
5795MHz_TX	Pass	PK	11.5885G	55.02	74.00	-18.98	3	Horizontal	38	1.49	-
5795MHz_TX	Pass	PK	17.3769G	67.35	68.20	-0.85	3	Horizontal	127	1.48	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz_TX	Pass	AV	5.136G	46.05	54.00	-7.95	3	Vertical	38	3.00	-
5210MHz_TX	Pass	AV	5.224G	85.25	Inf	-Inf	3	Vertical	38	3.00	-
5210MHz_TX	Pass	AV	5.39G	46.32	54.00	-7.68	3	Vertical	38	3.00	-
5210MHz_TX	Pass	PK	5.146G	56.83	74.00	-17.17	3	Vertical	38	3.00	-

Remark :

Page No. : E6 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608





**RSE TX above 1GHz\_Non-Beamforming\_Sample  
2\_Radio 2\_Panel 1\_2T2S**

**Appendix E.24**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz_TX	Pass	PK	5.227G	95.08	Inf	-Inf	3	Vertical	38	3.00	-
5210MHz_TX	Pass	PK	5.424G	56.65	74.00	-17.35	3	Vertical	38	3.00	-
5210MHz_TX	Pass	AV	5.15G	53.70	54.00	-0.30	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	AV	5.223G	100.35	Inf	-Inf	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	AV	5.354G	50.38	54.00	-3.62	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	PK	5.134G	69.22	74.00	-4.78	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	PK	5.223G	109.89	Inf	-Inf	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	PK	5.362G	61.66	74.00	-12.34	3	Horizontal	5	1.61	-
5210MHz_TX	Pass	AV	15.62256G	49.77	54.00	-4.23	3	Vertical	112	1.48	-
5210MHz_TX	Pass	PK	10.4209G	54.22	68.20	-13.98	3	Vertical	352	1.81	-
5210MHz_TX	Pass	PK	15.6288G	60.28	74.00	-13.72	3	Vertical	112	1.48	-
5210MHz_TX	Pass	AV	15.61824G	49.74	54.00	-4.26	3	Horizontal	77	1.62	-
5210MHz_TX	Pass	PK	10.42522G	54.04	68.20	-14.16	3	Horizontal	35	2.09	-
5210MHz_TX	Pass	PK	15.62142G	60.60	74.00	-13.40	3	Horizontal	77	1.62	-
5775MHz_TX	Pass	AV	5.7606G	89.26	Inf	-Inf	3	Vertical	20	0.99	-
5775MHz_TX	Pass	PK	5.6478G	57.54	68.20	-10.66	3	Vertical	20	0.99	-
5775MHz_TX	Pass	PK	5.7642G	99.22	Inf	-Inf	3	Vertical	20	0.99	-
5775MHz_TX	Pass	PK	5.925G	57.99	68.20	-10.21	3	Vertical	20	0.99	-
5775MHz_TX	Pass	AV	5.7918G	104.39	Inf	-Inf	3	Horizontal	1	2.02	-
5775MHz_TX	Pass	PK	5.649G	68.11	68.20	-0.09	3	Horizontal	1	2.02	-
5775MHz_TX	Pass	PK	5.7786G	115.04	Inf	-Inf	3	Horizontal	1	2.02	-
5775MHz_TX	Pass	PK	5.9286G	65.37	68.20	-2.83	3	Horizontal	1	2.02	-
5775MHz_TX	Pass	AV	11.5506G	43.43	54.00	-10.57	3	Vertical	278	1.49	-
5775MHz_TX	Pass	PK	11.54058G	54.16	74.00	-19.84	3	Vertical	278	1.49	-
5775MHz_TX	Pass	PK	17.33148G	66.02	68.20	-2.18	3	Vertical	149	1.49	-
5775MHz_TX	Pass	AV	11.56224G	43.62	54.00	-10.38	3	Horizontal	315	1.50	-
5775MHz_TX	Pass	PK	11.54358G	54.27	74.00	-19.73	3	Horizontal	315	1.50	-
5775MHz_TX	Pass	PK	17.31858G	66.14	68.20	-2.06	3	Horizontal	132	2.05	-

Remark :

Page No. : E7 of E79

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)


992608



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	44.05	54.00	-9.95	4.96	3	Vertical	42	2.88	-	39.09	31.76	7.03	33.83
AV	5.1824G	94.47	Inf	-Inf	5.01	3	Vertical	42	2.88	-	89.46	31.77	7.08	33.84
PK	5.1464G	56.36	74.00	-17.64	4.96	3	Vertical	42	2.88	-	51.40	31.76	7.03	33.83
PK	5.1812G	103.53	Inf	-Inf	5.01	3	Vertical	42	2.88	-	98.52	31.77	7.08	33.84



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.65	54.00	-2.35	4.97	3	Horizontal	7	1.49	-	46.68	31.76	7.04	33.83
AV	5.1842G	109.78	Inf	-Inf	5.00	3	Horizontal	7	1.49	-	104.78	31.77	7.08	33.85
PK	5.1494G	73.92	74.00	-0.08	4.97	3	Horizontal	7	1.49	-	68.95	31.76	7.04	33.83
PK	5.1836G	118.53	Inf	-Inf	5.00	3	Horizontal	7	1.49	-	113.53	31.77	7.08	33.85



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52752G	48.68	54.00	-5.32	19.42	3	Vertical	159	1.46	-	29.26	38.85	12.79	32.22
PK	10.3657G	54.52	68.20	-13.68	15.42	3	Vertical	136	1.24	-	39.10	39.38	10.33	34.29
PK	15.53316G	61.88	74.00	-12.12	19.41	3	Vertical	159	1.46	-	42.47	38.83	12.80	32.22



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5316G	48.98	54.00	-5.02	19.41	3	Horizontal	202	1.51	-	29.57	38.83	12.80	32.22
PK	10.35082G	54.74	68.20	-13.46	15.39	3	Horizontal	124	1.30	-	39.35	39.36	10.33	34.30
PK	15.52602G	61.98	74.00	-12.02	19.42	3	Horizontal	202	1.51	-	42.56	38.85	12.79	32.22



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	44.31	54.00	-9.69	4.96	3	Vertical	38	3.00	-	39.35	31.76	7.03	33.83
AV	5.2066G	99.28	Inf	-Inf	5.04	3	Vertical	38	3.00	-	94.24	31.78	7.11	33.85
PK	5.1472G	57.58	74.00	-16.42	4.96	3	Vertical	38	3.00	-	52.62	31.76	7.03	33.83
PK	5.2066G	108.95	Inf	-Inf	5.04	3	Vertical	38	3.00	-	103.91	31.78	7.11	33.85



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.40	54.00	-0.60	4.97	3	Horizontal	5	1.50	-	48.43	31.76	7.04	33.83
AV	5.2042G	113.93	Inf	-Inf	5.03	3	Horizontal	5	1.50	-	108.90	31.78	7.10	33.85
PK	5.1448G	73.75	74.00	-0.25	4.96	3	Horizontal	5	1.50	-	68.79	31.76	7.03	33.83
PK	5.1946G	123.30	Inf	-Inf	5.02	3	Horizontal	5	1.50	-	118.28	31.78	7.09	33.85



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5937G	48.17	54.00	-5.83	19.23	3	Vertical	118	1.33	-	28.94	38.60	12.90	32.27
PK	10.39778G	55.18	68.20	-13.02	15.48	3	Vertical	319	1.71	-	39.70	39.42	10.33	34.27
PK	15.59724G	61.39	74.00	-12.61	19.22	3	Vertical	118	1.33	-	42.17	38.59	12.90	32.27






802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59526G	48.75	54.00	-5.25	19.23	3	Horizontal	67	2.04	-	29.52	38.60	12.90	32.27
PK	10.4G	54.12	68.20	-14.08	15.48	3	Horizontal	136	2.31	-	38.64	39.42	10.33	34.27
PK	15.6G	62.16	74.00	-11.84	19.22	3	Horizontal	67	2.04	-	42.94	38.58	12.91	32.27



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1386G	43.97	54.00	-10.03	4.95	3	Vertical	19	3.00	-	39.02	31.76	7.02	33.83
AV	5.237G	101.49	Inf	-Inf	5.08	3	Vertical	19	3.00	-	96.41	31.79	7.15	33.86
AV	5.351G	44.42	54.00	-9.58	5.24	3	Vertical	19	3.00	-	39.18	31.84	7.29	33.89
PK	5.1212G	56.99	74.00	-17.01	4.92	3	Vertical	19	3.00	-	52.07	31.75	7.00	33.83
PK	5.237G	111.38	Inf	-Inf	5.08	3	Vertical	19	3.00	-	106.30	31.79	7.15	33.86
PK	5.354G	56.54	74.00	-17.46	5.24	3	Vertical	19	3.00	-	51.30	31.84	7.29	33.89



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	53.70	54.00	-0.30	4.96	3	Horizontal	4	1.50	-	48.74	31.76	7.03	33.83
AV	5.244G	115.95	Inf	-Inf	5.09	3	Horizontal	4	1.50	-	110.86	31.80	7.15	33.86
AV	5.3504G	50.81	54.00	-3.19	5.24	3	Horizontal	4	1.50	-	45.57	31.84	7.29	33.89
PK	5.1434G	67.73	74.00	-6.27	4.96	3	Horizontal	4	1.50	-	62.77	31.76	7.03	33.83
PK	5.2448G	126.66	Inf	-Inf	5.10	3	Horizontal	4	1.50	-	121.56	31.80	7.16	33.86
PK	5.354G	65.53	74.00	-8.47	5.24	3	Horizontal	4	1.50	-	60.29	31.84	7.29	33.89



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71898G	52.81	54.00	-1.19	18.88	3	Vertical	360	1.53	-	33.93	38.14	13.10	32.36
PK	10.47376G	55.61	68.20	-12.59	15.65	3	Vertical	188	1.42	-	39.96	39.52	10.35	34.22
PK	15.7191G	65.95	74.00	-8.05	18.88	3	Vertical	360	1.53	-	47.07	38.14	13.10	32.36



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72036G	53.52	54.00	-0.48	18.87	3	Horizontal	360	1.44	-	34.65	38.13	13.10	32.36
PK	10.47508G	54.61	68.20	-13.59	15.65	3	Horizontal	259	1.41	-	38.96	39.52	10.35	34.22
PK	15.71976G	66.23	74.00	-7.77	18.88	3	Horizontal	360	1.44	-	47.35	38.14	13.10	32.36



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	100.62	Inf	-Inf	5.93	3	Vertical	21	1.00	-	94.69	32.25	7.64	33.96
PK	5.643G	56.86	68.20	-11.34	5.73	3	Vertical	21	1.00	-	51.13	32.10	7.57	33.94
PK	5.7426G	110.13	Inf	-Inf	5.91	3	Vertical	21	1.00	-	104.22	32.24	7.63	33.96
PK	5.9718G	57.49	68.20	-10.71	6.35	3	Vertical	21	1.00	-	51.14	32.56	7.78	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	115.23	Inf	-Inf	5.93	3	Horizontal	0	1.99	-	109.30	32.25	7.64	33.96
PK	5.6514G	68.05	69.24	-1.19	5.73	3	Horizontal	0	1.99	-	62.32	32.11	7.57	33.95
PK	5.7414G	125.11	Inf	-Inf	5.91	3	Horizontal	0	1.99	-	119.20	32.24	7.63	33.96
PK	5.9478G	62.60	68.20	-5.60	6.30	3	Horizontal	0	1.99	-	56.30	32.53	7.76	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.493G	42.52	54.00	-11.48	16.36	3	Vertical	33	1.56	-	26.16	39.61	10.68	33.93
PK	11.48748G	56.42	74.00	-17.58	16.37	3	Vertical	33	1.56	-	40.05	39.62	10.68	33.93
PK	17.23734G	67.19	68.20	-1.01	24.21	3	Vertical	31	3.00	-	42.98	41.57	13.91	31.27






802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48898G	43.43	54.00	-10.57	16.36	3	Horizontal	22	1.74	-	27.07	39.61	10.68	33.93
PK	11.48976G	56.78	74.00	-17.22	16.36	3	Horizontal	22	1.74	-	40.42	39.61	10.68	33.93
PK	17.24088G	67.51	68.20	-0.69	24.23	3	Horizontal	106	2.96	-	43.28	41.59	13.91	31.27



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	98.02	Inf	-Inf	5.97	3	Vertical	21	1.03	-	92.05	32.29	7.65	33.97
PK	5.6482G	56.90	68.20	-11.30	5.74	3	Vertical	21	1.03	-	51.16	32.11	7.57	33.94
PK	5.7826G	107.80	Inf	-Inf	5.99	3	Vertical	21	1.03	-	101.81	32.30	7.66	33.97
PK	5.9314G	56.82	68.20	-11.38	6.26	3	Vertical	21	1.03	-	50.56	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	113.55	Inf	-Inf	6.00	3	Horizontal	0	1.72	-	107.55	32.31	7.66	33.97
PK	5.5366G	61.31	68.20	-6.89	5.52	3	Horizontal	0	1.72	-	55.79	31.95	7.50	33.93
PK	5.7838G	122.87	Inf	-Inf	5.99	3	Horizontal	0	1.72	-	116.88	32.30	7.66	33.97
PK	5.9302G	61.44	68.20	-6.76	6.26	3	Horizontal	0	1.72	-	55.18	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56844G	42.01	54.00	-11.99	16.30	3	Vertical	32	1.63	-	25.71	39.52	10.72	33.94
PK	11.57306G	54.91	74.00	-19.09	16.29	3	Vertical	32	1.63	-	38.62	39.51	10.72	33.94
PK	17.35038G	67.33	68.20	-0.87	24.96	3	Vertical	43	1.49	-	42.37	42.31	13.94	31.29



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56832G	42.62	54.00	-11.38	16.30	3	Horizontal	39	1.47	-	26.32	39.52	10.72	33.94
PK	11.56292G	55.09	74.00	-18.91	16.30	3	Horizontal	39	1.47	-	38.79	39.52	10.72	33.94
PK	17.3577G	68.00	68.20	-0.20	25.01	3	Horizontal	51	1.49	-	42.99	42.36	13.94	31.29



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	98.51	Inf	-Inf	6.08	3	Vertical	18	1.00	-	92.43	32.36	7.69	33.97
PK	5.6402G	56.22	68.20	-11.98	5.73	3	Vertical	18	1.00	-	50.49	32.10	7.57	33.94
PK	5.8274G	108.04	Inf	-Inf	6.08	3	Vertical	18	1.00	-	101.96	32.36	7.69	33.97
PK	5.9282G	57.56	68.20	-10.64	6.26	3	Vertical	18	1.00	-	51.30	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.49	Inf	-Inf	6.06	3	Horizontal	0	2.01	-	107.43	32.35	7.68	33.97
PK	5.5766G	60.81	68.20	-7.39	5.60	3	Horizontal	0	2.01	-	55.21	32.01	7.53	33.94
PK	5.8226G	122.86	Inf	-Inf	6.06	3	Horizontal	0	2.01	-	116.80	32.35	7.68	33.97
PK	5.927G	65.56	68.20	-2.64	6.26	3	Horizontal	0	2.01	-	59.30	32.50	7.75	33.99



802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65066G	41.35	54.00	-12.65	16.23	3	Vertical	18	1.68	-	25.12	39.42	10.76	33.95
PK	11.65426G	54.10	74.00	-19.90	16.22	3	Vertical	18	1.68	-	37.88	39.41	10.76	33.95
PK	17.47854G	67.05	68.20	-1.15	25.83	3	Vertical	192	1.49	-	41.22	43.16	13.97	31.30






802.11a\_Nss1,(6Mbps)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65282G	43.17	54.00	-10.83	16.23	3	Horizontal	40	1.57	-	26.94	39.42	10.76	33.95
PK	11.64784G	56.45	74.00	-17.55	16.23	3	Horizontal	40	1.57	-	40.22	39.42	10.76	33.95
PK	17.48352G	68.14	68.20	-0.06	25.86	3	Horizontal	51	2.34	-	42.28	43.19	13.97	31.30



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.32	54.00	-8.68	4.97	3	Vertical	27	1.00	-	40.35	31.76	7.04	33.83
AV	5.1776G	92.26	Inf	-Inf	5.00	3	Vertical	27	1.00	-	87.26	31.77	7.07	33.84
PK	5.15G	57.81	74.00	-16.19	4.97	3	Vertical	27	1.00	-	52.84	31.76	7.04	33.83
PK	5.1776G	103.90	Inf	-Inf	5.00	3	Vertical	27	1.00	-	98.90	31.77	7.07	33.84



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.76	54.00	-0.24	4.97	3	Horizontal	5	1.85	-	48.79	31.76	7.04	33.83
AV	5.1812G	107.73	Inf	-Inf	5.01	3	Horizontal	5	1.85	-	102.72	31.77	7.08	33.84
PK	5.15G	69.78	74.00	-4.22	4.97	3	Horizontal	5	1.85	-	64.81	31.76	7.04	33.83
PK	5.1872G	119.11	Inf	-Inf	5.00	3	Horizontal	5	1.85	-	114.11	31.77	7.08	33.85



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52596G	49.43	54.00	-4.57	19.43	3	Vertical	177	1.66	-	30.00	38.85	12.79	32.21
PK	10.35454G	54.68	68.20	-13.52	15.39	3	Vertical	292	1.80	-	39.29	39.36	10.33	34.30
PK	15.5394G	61.77	74.00	-12.23	19.38	3	Vertical	177	1.66	-	42.39	38.80	12.81	32.23



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53262G	49.64	54.00	-4.36	19.41	3	Horizontal	103	2.41	-	30.23	38.83	12.80	32.22
PK	10.37026G	54.03	68.20	-14.17	15.42	3	Horizontal	264	1.79	-	38.61	39.38	10.33	34.29
PK	15.5319G	61.90	74.00	-12.10	19.41	3	Horizontal	103	2.41	-	42.49	38.83	12.80	32.22



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	44.81	54.00	-9.19	4.96	3	Vertical	19	2.87	-	39.85	31.76	7.03	33.83
AV	5.2024G	95.93	Inf	-Inf	5.03	3	Vertical	19	2.87	-	90.90	31.78	7.10	33.85
PK	5.1442G	56.23	74.00	-17.77	4.96	3	Vertical	19	2.87	-	51.27	31.76	7.03	33.83
PK	5.1994G	107.35	Inf	-Inf	5.03	3	Vertical	19	2.87	-	102.32	31.78	7.10	33.85



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.90	54.00	-0.10	4.97	3	Horizontal	5	1.83	-	48.93	31.76	7.04	33.83
AV	5.2078G	111.20	Inf	-Inf	5.04	3	Horizontal	5	1.83	-	106.16	31.78	7.11	33.85
PK	5.15G	68.52	74.00	-5.48	4.97	3	Horizontal	5	1.83	-	63.55	31.76	7.04	33.83
PK	5.2024G	122.25	Inf	-Inf	5.03	3	Horizontal	5	1.83	-	117.22	31.78	7.10	33.85



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59454G	48.12	54.00	-5.88	19.23	3	Vertical	264	2.01	-	28.89	38.60	12.90	32.27
PK	10.40498G	55.53	68.20	-12.67	15.50	3	Vertical	176	1.44	-	40.03	39.43	10.34	34.27
PK	15.61248G	60.80	74.00	-13.20	19.18	3	Vertical	264	2.01	-	41.62	38.53	12.93	32.28






802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59562G	49.04	54.00	-4.96	19.23	3	Horizontal	53	1.30	-	29.81	38.60	12.90	32.27
PK	10.40054G	53.99	68.20	-14.21	15.49	3	Horizontal	250	1.22	-	38.50	39.42	10.34	34.27
PK	15.61242G	61.79	74.00	-12.21	19.18	3	Horizontal	53	1.30	-	42.61	38.53	12.93	32.28



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	44.76	54.00	-9.24	4.96	3	Vertical	20	3.00	-	39.80	31.76	7.03	33.83
AV	5.2418G	98.77	Inf	-Inf	5.09	3	Vertical	20	3.00	-	93.68	31.80	7.15	33.86
AV	5.35G	45.31	54.00	-8.69	5.24	3	Vertical	20	3.00	-	40.07	31.84	7.29	33.89
PK	5.1488G	57.30	74.00	-16.70	4.96	3	Vertical	20	3.00	-	52.34	31.76	7.03	33.83
PK	5.2382G	110.71	Inf	-Inf	5.09	3	Vertical	20	3.00	-	105.62	31.80	7.15	33.86
PK	5.3816G	56.33	74.00	-17.67	5.29	3	Vertical	20	3.00	-	51.04	31.85	7.33	33.89



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	53.78	54.00	-0.22	4.96	3	Horizontal	8	1.30	-	48.82	31.76	7.03	33.83
AV	5.2352G	113.21	Inf	-Inf	5.07	3	Horizontal	8	1.30	-	108.14	31.79	7.14	33.86
AV	5.35G	52.73	54.00	-1.27	5.24	3	Horizontal	8	1.30	-	47.49	31.84	7.29	33.89
PK	5.147G	68.12	74.00	-5.88	4.96	3	Horizontal	8	1.30	-	63.16	31.76	7.03	33.83
PK	5.2388G	124.59	Inf	-Inf	5.09	3	Horizontal	8	1.30	-	119.50	31.80	7.15	33.86
PK	5.35G	65.40	74.00	-8.60	5.24	3	Horizontal	8	1.30	-	60.16	31.84	7.29	33.89



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71934G	51.78	54.00	-2.22	18.88	3	Vertical	135	1.18	-	32.90	38.14	13.10	32.36
PK	10.48486G	55.59	68.20	-12.61	15.67	3	Vertical	339	1.39	-	39.92	39.53	10.35	34.21
PK	15.71448G	64.37	74.00	-9.63	18.89	3	Vertical	135	1.18	-	45.48	38.16	13.09	32.36



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7161G	52.92	54.00	-1.08	18.88	3	Horizontal	360	1.48	-	34.04	38.15	13.09	32.36
PK	10.47844G	56.79	68.20	-11.41	15.65	3	Horizontal	37	1.20	-	41.14	39.52	10.35	34.22
PK	15.71862G	65.17	74.00	-8.83	18.87	3	Horizontal	360	1.48	-	46.30	38.14	13.09	32.36



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	98.64	Inf	-Inf	5.91	3	Vertical	19	1.00	-	92.73	32.24	7.63	33.96
PK	5.649G	57.40	68.20	-10.80	5.74	3	Vertical	19	1.00	-	51.66	32.11	7.57	33.94
PK	5.7474G	109.71	Inf	-Inf	5.93	3	Vertical	19	1.00	-	103.78	32.25	7.64	33.96
PK	5.9622G	57.64	68.20	-10.56	6.33	3	Vertical	19	1.00	-	51.31	32.55	7.77	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.75	Inf	-Inf	5.93	3	Horizontal	0	1.91	-	106.82	32.25	7.64	33.96
PK	5.6514G	68.22	69.24	-1.02	5.73	3	Horizontal	0	1.91	-	62.49	32.11	7.57	33.95
PK	5.7474G	124.53	Inf	-Inf	5.93	3	Horizontal	0	1.91	-	118.60	32.25	7.64	33.96
PK	5.9406G	62.12	68.20	-6.08	6.29	3	Horizontal	0	1.91	-	55.83	32.52	7.76	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.481G	42.24	54.00	-11.76	16.37	3	Vertical	303	1.55	-	25.87	39.62	10.68	33.93
PK	11.48718G	54.05	74.00	-19.95	16.37	3	Vertical	303	1.55	-	37.68	39.62	10.68	33.93
PK	17.23038G	65.91	68.20	-2.29	24.16	3	Vertical	314	1.68	-	41.75	41.52	13.91	31.27






802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48328G	42.13	54.00	-11.87	16.37	3	Horizontal	319	2.49	-	25.76	39.62	10.68	33.93
PK	11.50236G	54.22	74.00	-19.78	16.36	3	Horizontal	319	2.49	-	37.86	39.60	10.69	33.93
PK	17.24376G	66.71	68.20	-1.49	24.25	3	Horizontal	82	1.50	-	42.46	41.61	13.91	31.27



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	94.39	Inf	-Inf	6.00	3	Vertical	21	1.03	-	88.39	32.31	7.66	33.97
PK	5.6482G	57.10	68.20	-11.10	5.74	3	Vertical	21	1.03	-	51.36	32.11	7.57	33.94
PK	5.779G	105.28	Inf	-Inf	5.98	3	Vertical	21	1.03	-	99.30	32.29	7.66	33.97
PK	5.9362G	57.08	68.20	-11.12	6.28	3	Vertical	21	1.03	-	50.80	32.51	7.76	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	111.14	Inf	-Inf	5.98	3	Horizontal	0	1.68	-	105.16	32.29	7.66	33.97
PK	5.6362G	61.11	68.20	-7.09	5.71	3	Horizontal	0	1.68	-	55.40	32.09	7.56	33.94
PK	5.7886G	122.62	Inf	-Inf	5.99	3	Horizontal	0	1.68	-	116.63	32.30	7.66	33.97
PK	5.9782G	60.56	68.20	-7.64	6.35	3	Horizontal	0	1.68	-	54.21	32.57	7.78	34.00



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	42.16	54.00	-11.84	16.30	3	Vertical	252	1.79	-	25.86	39.52	10.72	33.94
PK	11.58368G	54.15	74.00	-19.85	16.29	3	Vertical	252	1.79	-	37.86	39.50	10.73	33.94
PK	17.3514G	67.81	68.20	-0.39	24.97	3	Vertical	41	1.48	-	42.84	42.32	13.94	31.29

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57402G	43.39	54.00	-10.61	16.29	3	Horizontal	39	1.47	-	27.10	39.51	10.72	33.94
PK	11.58134G	55.82	74.00	-18.18	16.29	3	Horizontal	39	1.47	-	39.53	39.50	10.73	33.94
PK	17.35494G	68.14	68.20	-0.06	24.99	3	Horizontal	128	1.50	-	43.15	42.34	13.94	31.29



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	95.52	Inf	-Inf	6.09	3	Vertical	16	1.04	-	89.43	32.37	7.69	33.97
PK	5.6282G	56.84	68.20	-11.36	5.70	3	Vertical	16	1.04	-	51.14	32.08	7.56	33.94
PK	5.8274G	106.37	Inf	-Inf	6.08	3	Vertical	16	1.04	-	100.29	32.36	7.69	33.97
PK	5.9438G	57.09	68.20	-11.11	6.29	3	Vertical	16	1.04	-	50.80	32.52	7.76	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.30	Inf	-Inf	6.08	3	Horizontal	0	1.75	-	105.22	32.36	7.69	33.97
PK	5.633G	61.35	68.20	-6.85	5.71	3	Horizontal	0	1.75	-	55.64	32.09	7.56	33.94
PK	5.8286G	122.51	Inf	-Inf	6.08	3	Horizontal	0	1.75	-	116.43	32.36	7.69	33.97
PK	5.9282G	64.78	68.20	-3.42	6.26	3	Horizontal	0	1.75	-	58.52	32.50	7.75	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66182G	41.66	54.00	-12.34	16.22	3	Vertical	19	1.49	-	25.44	39.41	10.77	33.96
PK	11.6359G	54.18	74.00	-19.82	16.24	3	Vertical	19	1.49	-	37.94	39.44	10.75	33.95
PK	17.48616G	67.55	68.20	-0.65	25.88	3	Vertical	229	1.49	-	41.67	43.21	13.97	31.30






802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64364G	42.74	54.00	-11.26	16.24	3	Horizontal	38	1.56	-	26.50	39.43	10.76	33.95
PK	11.64874G	55.07	74.00	-18.93	16.23	3	Horizontal	38	1.56	-	38.84	39.42	10.76	33.95
PK	17.4711G	67.94	68.20	-0.26	25.78	3	Horizontal	51	1.48	-	42.16	43.11	13.97	31.30



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.01	54.00	-8.99	4.97	3	Vertical	31	1.00	-	40.04	31.76	7.04	33.83
AV	5.1948G	86.56	Inf	-Inf	5.02	3	Vertical	31	1.00	-	81.54	31.78	7.09	33.85
PK	5.1354G	57.19	74.00	-16.81	4.94	3	Vertical	31	1.00	-	52.25	31.75	7.02	33.83
PK	5.1948G	98.86	Inf	-Inf	5.02	3	Vertical	31	1.00	-	93.84	31.78	7.09	33.85



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.85	54.00	-0.15	4.97	3	Horizontal	6	1.83	-	48.88	31.76	7.04	33.83
AV	5.1798G	101.96	Inf	-Inf	5.00	3	Horizontal	6	1.83	-	96.96	31.77	7.07	33.84
PK	5.148G	66.11	74.00	-7.89	4.96	3	Horizontal	6	1.83	-	61.15	31.76	7.03	33.83
PK	5.1864G	114.15	Inf	-Inf	5.00	3	Horizontal	6	1.83	-	109.15	31.77	7.08	33.85



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55668G	48.59	54.00	-5.41	19.34	3	Vertical	137	1.53	-	29.25	38.74	12.84	32.24
PK	10.38612G	53.96	68.20	-14.24	15.45	3	Vertical	301	1.44	-	38.51	39.40	10.33	34.28
PK	15.57804G	60.80	74.00	-13.20	19.27	3	Vertical	137	1.53	-	41.53	38.66	12.87	32.26



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55674G	48.63	54.00	-5.37	19.34	3	Horizontal	24	1.57	-	29.29	38.74	12.84	32.24
PK	10.38522G	54.21	68.20	-13.99	15.45	3	Horizontal	208	1.31	-	38.76	39.40	10.33	34.28
PK	15.56796G	61.49	74.00	-12.51	19.31	3	Horizontal	24	1.57	-	42.18	38.70	12.86	32.25



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	45.22	54.00	-8.78	4.96	3	Vertical	39	3.00	-	40.26	31.76	7.03	33.83
AV	5.2348G	92.90	Inf	-Inf	5.07	3	Vertical	39	3.00	-	87.83	31.79	7.14	33.86
AV	5.3608G	45.06	54.00	-8.94	5.25	3	Vertical	39	3.00	-	39.81	31.84	7.30	33.89
PK	5.1484G	58.06	74.00	-15.94	4.96	3	Vertical	39	3.00	-	53.10	31.76	7.03	33.83
PK	5.2342G	104.99	Inf	-Inf	5.07	3	Vertical	39	3.00	-	99.92	31.79	7.14	33.86
PK	5.35G	56.83	74.00	-17.17	5.24	3	Vertical	39	3.00	-	51.59	31.84	7.29	33.89



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.79	54.00	-0.21	4.96	3	Horizontal	6	1.73	-	48.83	31.76	7.03	33.83
AV	5.2294G	107.90	Inf	-Inf	5.07	3	Horizontal	6	1.73	-	102.83	31.79	7.14	33.86
AV	5.353G	51.55	54.00	-2.45	5.24	3	Horizontal	6	1.73	-	46.31	31.84	7.29	33.89
PK	5.15G	72.20	74.00	-1.80	4.97	3	Horizontal	6	1.73	-	67.23	31.76	7.04	33.83
PK	5.2264G	119.76	Inf	-Inf	5.06	3	Horizontal	6	1.73	-	114.70	31.79	7.13	33.86
PK	5.3506G	64.74	74.00	-9.26	5.24	3	Horizontal	6	1.73	-	59.50	31.84	7.29	33.89



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68022G	48.19	54.00	-5.81	18.98	3	Vertical	329	1.50	-	29.21	38.28	13.03	32.33
PK	10.46114G	54.15	68.20	-14.05	15.62	3	Vertical	20	1.50	-	38.53	39.50	10.35	34.23
PK	15.69546G	60.38	74.00	-13.62	18.94	3	Vertical	329	1.50	-	41.44	38.23	13.06	32.35






802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69318G	48.37	54.00	-5.63	18.95	3	Horizontal	0	1.47	-	29.42	38.24	13.05	32.34
PK	10.45844G	55.36	68.20	-12.84	15.62	3	Horizontal	344	1.54	-	39.74	39.50	10.35	34.23
PK	15.68178G	61.32	74.00	-12.68	18.99	3	Horizontal	0	1.47	-	42.33	38.28	13.04	32.33



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	92.57	Inf	-Inf	5.94	3	Vertical	20	1.00	-	86.63	32.26	7.64	33.96
PK	5.5642G	56.91	68.20	-11.29	5.58	3	Vertical	20	1.00	-	51.33	31.99	7.52	33.93
PK	5.7514G	104.81	Inf	-Inf	5.93	3	Vertical	20	1.00	-	98.88	32.25	7.64	33.96
PK	5.9398G	57.40	68.20	-10.80	6.29	3	Vertical	20	1.00	-	51.11	32.52	7.76	33.99



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	107.28	Inf	-Inf	5.95	3	Horizontal	1	1.86	-	101.33	32.27	7.64	33.96
PK	5.653G	70.14	70.42	-0.28	5.73	3	Horizontal	1	1.86	-	64.41	32.11	7.57	33.95
PK	5.7514G	119.21	Inf	-Inf	5.93	3	Horizontal	1	1.86	-	113.28	32.25	7.64	33.96
PK	5.9338G	61.48	68.20	-6.72	6.28	3	Horizontal	1	1.86	-	55.20	32.51	7.76	33.99



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51774G	41.81	54.00	-12.19	16.35	3	Vertical	11	1.02	-	25.46	39.58	10.70	33.93
PK	11.50766G	54.46	74.00	-19.54	16.35	3	Vertical	11	1.02	-	38.11	39.59	10.69	33.93
PK	17.26986G	65.77	68.20	-2.43	24.42	3	Vertical	151	1.09	-	41.35	41.78	13.92	31.28



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49632G	42.04	54.00	-11.96	16.35	3	Horizontal	342	1.73	-	25.69	39.60	10.68	33.93
PK	11.51318G	54.29	74.00	-19.71	16.34	3	Horizontal	342	1.73	-	37.95	39.58	10.69	33.93
PK	17.2788G	66.32	68.20	-1.88	24.48	3	Horizontal	0	1.49	-	41.84	41.84	13.92	31.28



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	93.46	Inf	-Inf	6.01	3	Vertical	20	1.03	-	87.45	32.31	7.67	33.97
PK	5.5718G	57.17	68.20	-11.03	5.59	3	Vertical	20	1.03	-	51.58	32.00	7.52	33.93
PK	5.7914G	105.67	Inf	-Inf	6.00	3	Vertical	20	1.03	-	99.67	32.31	7.66	33.97
PK	5.975G	57.58	68.20	-10.62	6.35	3	Vertical	20	1.03	-	51.23	32.56	7.78	33.99



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	109.17	Inf	-Inf	6.00	3	Horizontal	1	2.14	-	103.17	32.31	7.66	33.97
PK	5.6474G	63.85	68.20	-4.35	5.74	3	Horizontal	1	2.14	-	58.11	32.11	7.57	33.94
PK	5.807G	120.09	Inf	-Inf	6.03	3	Horizontal	1	2.14	-	114.06	32.33	7.67	33.97
PK	5.933G	68.11	68.20	-0.09	6.27	3	Horizontal	1	2.14	-	61.84	32.51	7.75	33.99



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57956G	41.88	54.00	-12.12	16.29	3	Vertical	350	1.50	-	25.59	39.50	10.73	33.94
PK	11.57542G	54.26	74.00	-19.74	16.29	3	Vertical	350	1.50	-	37.97	39.51	10.72	33.94
PK	17.38302G	66.14	68.20	-2.06	25.19	3	Vertical	41	1.48	-	40.95	42.53	13.95	31.29






802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.584G	42.40	54.00	-11.60	16.29	3	Horizontal	38	1.49	-	26.11	39.50	10.73	33.94
PK	11.5885G	55.02	74.00	-18.98	16.28	3	Horizontal	38	1.49	-	38.74	39.49	10.73	33.94
PK	17.3769G	67.35	68.20	-0.85	25.14	3	Horizontal	127	1.48	-	42.21	42.49	13.94	31.29



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	46.05	54.00	-7.95	4.94	3	Vertical	38	3.00	-	41.11	31.75	7.02	33.83
AV	5.224G	85.25	Inf	-Inf	5.07	3	Vertical	38	3.00	-	80.18	31.79	7.13	33.85
AV	5.39G	46.32	54.00	-7.68	5.30	3	Vertical	38	3.00	-	41.02	31.86	7.34	33.90
PK	5.146G	56.83	74.00	-17.17	4.96	3	Vertical	38	3.00	-	51.87	31.76	7.03	33.83
PK	5.227G	95.08	Inf	-Inf	5.06	3	Vertical	38	3.00	-	90.02	31.79	7.13	33.86
PK	5.424G	56.65	74.00	-17.35	5.35	3	Vertical	38	3.00	-	51.30	31.87	7.38	33.90



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.70	54.00	-0.30	4.97	3	Horizontal	5	1.61	-	48.73	31.76	7.04	33.83
AV	5.223G	100.35	Inf	-Inf	5.07	3	Horizontal	5	1.61	-	95.28	31.79	7.13	33.85
AV	5.354G	50.38	54.00	-3.62	5.24	3	Horizontal	5	1.61	-	45.14	31.84	7.29	33.89
PK	5.134G	69.22	74.00	-4.78	4.94	3	Horizontal	5	1.61	-	64.28	31.75	7.02	33.83
PK	5.223G	109.89	Inf	-Inf	5.07	3	Horizontal	5	1.61	-	104.82	31.79	7.13	33.85
PK	5.362G	61.66	74.00	-12.34	5.25	3	Horizontal	5	1.61	-	56.41	31.84	7.30	33.89



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62256G	49.77	54.00	-4.23	19.15	3	Vertical	112	1.48	-	30.62	38.50	12.94	32.29
PK	10.4209G	54.22	68.20	-13.98	15.53	3	Vertical	352	1.81	-	38.69	39.45	10.34	34.26
PK	15.6288G	60.28	74.00	-13.72	19.13	3	Vertical	112	1.48	-	41.15	38.47	12.95	32.29



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61824G	49.74	54.00	-4.26	19.16	3	Horizontal	77	1.62	-	30.58	38.51	12.94	32.29
PK	10.42522G	54.04	68.20	-14.16	15.54	3	Horizontal	35	2.09	-	38.50	39.45	10.34	34.25
PK	15.62142G	60.60	74.00	-13.40	19.15	3	Horizontal	77	1.62	-	41.45	38.50	12.94	32.29



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	89.26	Inf	-Inf	5.94	3	Vertical	20	0.99	-	83.32	32.26	7.64	33.96
PK	5.6478G	57.54	68.20	-10.66	5.74	3	Vertical	20	0.99	-	51.80	32.11	7.57	33.94
PK	5.7642G	99.22	Inf	-Inf	5.96	3	Vertical	20	0.99	-	93.26	32.27	7.65	33.96
PK	5.925G	57.99	68.20	-10.21	6.27	3	Vertical	20	0.99	-	51.72	32.50	7.75	33.98



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7918G	104.39	Inf	-Inf	6.00	3	Horizontal	1	2.02	-	98.39	32.31	7.66	33.97
PK	5.649G	68.11	68.20	-0.09	5.74	3	Horizontal	1	2.02	-	62.37	32.11	7.57	33.94
PK	5.7786G	115.04	Inf	-Inf	5.98	3	Horizontal	1	2.02	-	109.06	32.29	7.66	33.97
PK	5.9286G	65.37	68.20	-2.83	6.26	3	Horizontal	1	2.02	-	59.11	32.50	7.75	33.99



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5506G	43.43	54.00	-10.57	16.31	3	Vertical	278	1.49	-	27.12	39.54	10.71	33.94
PK	11.54058G	54.16	74.00	-19.84	16.32	3	Vertical	278	1.49	-	37.84	39.55	10.71	33.94
PK	17.33148G	66.02	68.20	-2.18	24.84	3	Vertical	149	1.49	-	41.18	42.19	13.93	31.28






802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56224G	43.62	54.00	-10.38	16.31	3	Horizontal	315	1.50	-	27.31	39.53	10.72	33.94
PK	11.54358G	54.27	74.00	-19.73	16.32	3	Horizontal	315	1.50	-	37.95	39.55	10.71	33.94
PK	17.31858G	66.14	68.20	-2.06	24.75	3	Horizontal	132	2.05	-	41.39	42.10	13.93	31.28



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	QP	375.32M	43.51	46.00	-2.49	3	Horizontal	341	1.07	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	32.07	40.00	-7.93	3	Vertical	0	1.00	-
5775MHz	Pass	PK	57.16M	27.98	40.00	-12.02	3	Vertical	0	1.00	-
5775MHz	Pass	PK	253.1M	23.70	46.00	-22.30	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	35.84	46.00	-10.16	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	32.06	46.00	-13.94	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	34.18	46.00	-11.82	3	Vertical	0	1.00	-
5775MHz	Pass	PK	31.94M	29.83	40.00	-10.17	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	125.06M	24.48	43.50	-19.02	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	245.34M	27.27	46.00	-18.73	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	499.48M	30.39	46.00	-15.61	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	36.89	46.00	-9.11	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	375.32M	43.51	46.00	-2.49	3	Horizontal	341	1.07	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	32.07	40.00	-7.93	-6.38	3	Vertical	0	1.00	-	38.45	20.36	0.83	27.57
PK	57.16M	27.98	40.00	-12.02	-14.61	3	Vertical	0	1.00	-	42.59	11.76	1.13	27.50
PK	253.1M	23.70	46.00	-22.30	-6.38	3	Vertical	0	1.00	-	30.08	17.86	2.50	26.74
PK	375.32M	35.84	46.00	-10.16	-4.11	3	Vertical	0	1.00	-	39.95	19.95	3.08	27.14
PK	625.58M	32.06	46.00	-13.94	0.16	3	Vertical	0	1.00	-	31.90	24.12	4.13	28.09
PK	875.84M	34.18	46.00	-11.82	2.67	3	Vertical	0	1.00	-	31.51	25.36	4.93	27.62



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.83	40.00	-10.17	-6.38	3	Horizontal	360	1.00	-	36.21	20.36	0.83	27.57
PK	125.06M	24.48	43.50	-19.02	-8.46	3	Horizontal	360	1.00	-	32.94	17.11	1.72	27.29
PK	245.34M	27.27	46.00	-18.73	-7.30	3	Horizontal	360	1.00	-	34.57	17.00	2.46	26.76
PK	499.48M	30.39	46.00	-15.61	-1.50	3	Horizontal	360	1.00	-	31.89	22.71	3.61	27.82
PK	875.84M	36.89	46.00	-9.11	2.67	3	Horizontal	360	1.00	-	34.22	25.36	4.93	27.62
QP	375.32M	43.51	46.00	-2.49	-4.11	3	Horizontal	341	1.07	-	47.62	19.95	3.08	27.14



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1496G	53.93	54.00	-0.07	3	Horizontal	330	2.59	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.50	54.00	-0.50	3	Vertical	122	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.37	54.00	-0.63	3	Vertical	139	3.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6514G	69.05	69.24	-0.19	3	Vertical	318	2.30	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.927G	68.09	68.20	-0.11	3	Vertical	299	2.49	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	68.17	68.35	-0.18	3	Vertical	119	1.29	-



RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
1\_2T1S

Appendix E.26

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.11	54.00	-0.89	3	Vertical	198	2.00	-
5180MHz	Pass	AV	5.1716G	103.32	Inf	-Inf	3	Vertical	198	2.00	-
5180MHz	Pass	PK	5.147G	69.37	74.00	-4.63	3	Vertical	198	2.00	-
5180MHz	Pass	PK	5.1716G	113.97	Inf	-Inf	3	Vertical	198	2.00	-
5180MHz	Pass	AV	5.15G	47.58	54.00	-6.42	3	Horizontal	296	2.15	-
5180MHz	Pass	AV	5.1878G	100.49	Inf	-Inf	3	Horizontal	296	2.15	-
5180MHz	Pass	PK	5.15G	67.80	74.00	-6.20	3	Horizontal	296	2.15	-
5180MHz	Pass	PK	5.189G	112.77	Inf	-Inf	3	Horizontal	296	2.15	-
5180MHz	Pass	AV	3.885G	39.51	54.00	-14.49	3	Vertical	190	1.18	-
5180MHz	Pass	AV	15.4928G	45.80	54.00	-8.20	3	Vertical	29	1.89	-
5180MHz	Pass	PK	3.885G	45.44	74.00	-28.56	3	Vertical	190	1.18	-
5180MHz	Pass	PK	10.3769G	55.79	68.20	-12.41	3	Vertical	200	1.92	-
5180MHz	Pass	PK	15.5738G	58.82	74.00	-15.18	3	Vertical	29	1.89	-
5180MHz	Pass	AV	3.8851G	39.84	54.00	-14.16	3	Horizontal	185	1.62	-
5180MHz	Pass	AV	15.5852G	45.74	54.00	-8.26	3	Horizontal	295	1.50	-
5180MHz	Pass	PK	3.8851G	45.90	74.00	-28.10	3	Horizontal	185	1.62	-
5180MHz	Pass	PK	10.34818G	54.19	68.20	-14.01	3	Horizontal	37	1.15	-
5180MHz	Pass	PK	15.5522G	59.23	74.00	-14.77	3	Horizontal	295	1.50	-
5200MHz	Pass	AV	5.15G	53.84	54.00	-0.16	3	Vertical	101	1.49	-
5200MHz	Pass	AV	5.2072G	104.21	Inf	-Inf	3	Vertical	101	1.49	-
5200MHz	Pass	PK	5.1484G	69.97	74.00	-4.03	3	Vertical	101	1.49	-
5200MHz	Pass	PK	5.209G	115.82	Inf	-Inf	3	Vertical	101	1.49	-
5200MHz	Pass	AV	5.1496G	53.93	54.00	-0.07	3	Horizontal	330	2.59	-
5200MHz	Pass	AV	5.2024G	104.61	Inf	-Inf	3	Horizontal	330	2.59	-
5200MHz	Pass	PK	5.1496G	70.80	74.00	-3.20	3	Horizontal	330	2.59	-
5200MHz	Pass	PK	5.1988G	116.44	Inf	-Inf	3	Horizontal	330	2.59	-
5200MHz	Pass	AV	15.5534G	46.62	54.00	-7.38	3	Vertical	139	1.50	-
5200MHz	Pass	PK	3.46664G	51.62	68.20	-16.58	3	Vertical	199	1.05	-
5200MHz	Pass	PK	10.3948G	55.49	68.20	-12.71	3	Vertical	200	1.95	-
5200MHz	Pass	PK	15.5792G	59.35	74.00	-14.65	3	Vertical	139	1.50	-
5200MHz	Pass	AV	15.59724G	46.27	54.00	-7.73	3	Horizontal	19	1.50	-
5200MHz	Pass	PK	3.46664G	48.19	68.20	-20.01	3	Horizontal	185	1.64	-
5200MHz	Pass	PK	10.45G	54.21	68.20	-13.99	3	Horizontal	159	1.50	-
5200MHz	Pass	PK	15.594G	59.49	74.00	-14.51	3	Horizontal	19	1.50	-
5240MHz	Pass	AV	5.1374G	51.35	54.00	-2.65	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.237G	110.80	Inf	-Inf	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.35G	47.35	54.00	-6.65	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.141G	66.09	74.00	-7.91	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.237G	123.69	Inf	-Inf	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.3522G	64.66	74.00	-9.34	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.1368G	48.05	54.00	-5.95	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	5.237G	104.82	Inf	-Inf	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	5.3504G	45.13	54.00	-8.87	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.1362G	62.78	74.00	-11.22	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.2364G	113.58	Inf	-Inf	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.3564G	60.85	74.00	-13.15	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	15.7058G	46.20	54.00	-7.80	3	Vertical	190	1.00	-

Remark :

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
1\_2T1S**

**Appendix E.26**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	3.4934G	51.77	68.20	-16.43	3	Vertical	199	1.15	-
5240MHz	Pass	PK	10.4704G	57.22	68.20	-10.98	3	Vertical	339	1.92	-
5240MHz	Pass	PK	15.702G	58.86	74.00	-15.14	3	Vertical	190	1.00	-
5240MHz	Pass	AV	15.7255G	46.52	54.00	-7.48	3	Horizontal	180	1.00	-
5240MHz	Pass	PK	3.49324G	47.60	68.20	-20.60	3	Horizontal	184	1.43	-
5240MHz	Pass	PK	10.4671G	55.64	68.20	-12.56	3	Horizontal	187	1.48	-
5240MHz	Pass	PK	15.7237G	59.49	74.00	-14.51	3	Horizontal	180	1.00	-
5745MHz	Pass	AV	5.7378G	108.13	Inf	-Inf	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.6514G	69.05	69.24	-0.19	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.739G	119.10	Inf	-Inf	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.9418G	58.23	68.20	-9.97	3	Vertical	318	2.30	-
5745MHz	Pass	AV	5.7438G	106.03	Inf	-Inf	3	Horizontal	305	2.30	-
5745MHz	Pass	PK	5.6382G	62.45	68.20	-5.75	3	Horizontal	305	2.30	-
5745MHz	Pass	PK	5.7438G	117.69	Inf	-Inf	3	Horizontal	305	2.30	-
5745MHz	Pass	PK	5.9274G	56.06	68.20	-12.14	3	Horizontal	305	2.30	-
5745MHz	Pass	AV	3.83004G	40.85	54.00	-13.15	3	Vertical	61	1.50	-
5745MHz	Pass	AV	11.501G	41.89	54.00	-12.11	3	Vertical	0	2.58	-
5745MHz	Pass	PK	3.83012G	49.11	74.00	-24.89	3	Vertical	61	1.50	-
5745MHz	Pass	PK	11.4942G	54.80	74.00	-19.20	3	Vertical	0	2.58	-
5745MHz	Pass	PK	17.2274G	64.86	68.20	-3.34	3	Vertical	102	2.90	-
5745MHz	Pass	AV	3.83006G	39.56	54.00	-14.44	3	Horizontal	321	1.00	-
5745MHz	Pass	AV	11.477G	42.40	54.00	-11.60	3	Horizontal	194	2.01	-
5745MHz	Pass	PK	3.83024G	49.24	74.00	-24.76	3	Horizontal	321	1.00	-
5745MHz	Pass	PK	11.4824G	54.76	74.00	-19.24	3	Horizontal	194	2.01	-
5745MHz	Pass	PK	17.2248G	64.05	68.20	-4.15	3	Horizontal	113	1.60	-
5785MHz	Pass	AV	5.7934G	108.04	Inf	-Inf	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.6482G	62.86	68.20	-5.34	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.7934G	121.15	Inf	-Inf	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.9278G	61.85	68.20	-6.35	3	Vertical	20	2.19	-
5785MHz	Pass	AV	5.7838G	106.04	Inf	-Inf	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.6422G	59.21	68.20	-8.99	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.7838G	119.10	Inf	-Inf	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.9266G	58.88	68.20	-9.32	3	Horizontal	309	2.34	-
5785MHz	Pass	AV	3.85665G	40.23	54.00	-13.77	3	Vertical	171	1.50	-
5785MHz	Pass	AV	11.569G	41.86	54.00	-12.14	3	Vertical	172	1.50	-
5785MHz	Pass	PK	3.85651G	49.74	74.00	-24.26	3	Vertical	171	1.50	-
5785MHz	Pass	PK	11.5702G	54.92	74.00	-19.08	3	Vertical	172	1.50	-
5785MHz	Pass	PK	17.3414G	66.44	68.20	-1.76	3	Vertical	26	2.94	-
5785MHz	Pass	AV	3.8567G	36.55	54.00	-17.45	3	Horizontal	50	1.00	-
5785MHz	Pass	AV	11.57642G	41.28	54.00	-12.72	3	Horizontal	18	1.29	-
5785MHz	Pass	PK	3.85657G	48.56	74.00	-25.44	3	Horizontal	50	1.00	-
5785MHz	Pass	PK	11.5649G	54.42	74.00	-19.58	3	Horizontal	18	1.29	-
5785MHz	Pass	PK	17.3342G	64.14	68.20	-4.06	3	Horizontal	306	1.14	-
5825MHz	Pass	AV	5.8298G	104.78	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.645G	56.75	68.20	-11.45	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.8298G	116.06	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.9318G	65.88	68.20	-2.32	3	Vertical	360	1.50	-
5825MHz	Pass	AV	5.8322G	104.96	Inf	-Inf	3	Horizontal	311	3.00	-
5825MHz	Pass	PK	5.6378G	55.29	68.20	-12.91	3	Horizontal	311	3.00	-

Remark :

Page No. : E3 of E54

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608





RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
1\_2T1S

Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5825MHz	Pass	PK	5.8238G	116.84	Inf	-Inf	3	Horizontal	311	3.00	-
5825MHz	Pass	PK	5.9246G	66.79	68.50	-1.71	3	Horizontal	311	3.00	-
5825MHz	Pass	AV	3.88333G	40.52	54.00	-13.48	3	Vertical	173	1.66	-
5825MHz	Pass	AV	11.65G	42.85	54.00	-11.15	3	Vertical	100	1.96	-
5825MHz	Pass	PK	3.88323G	49.69	74.00	-24.31	3	Vertical	173	1.66	-
5825MHz	Pass	PK	11.6496G	55.36	74.00	-18.64	3	Vertical	100	1.96	-
5825MHz	Pass	PK	17.4786G	66.33	68.20	-1.87	3	Vertical	13	2.05	-
5825MHz	Pass	AV	3.88337G	36.23	54.00	-17.77	3	Horizontal	48	1.10	-
5825MHz	Pass	AV	11.6552G	41.76	54.00	-12.24	3	Horizontal	251	1.50	-
5825MHz	Pass	PK	3.8833G	47.71	74.00	-26.29	3	Horizontal	48	1.10	-
5825MHz	Pass	PK	11.6978G	55.18	74.00	-18.82	3	Horizontal	251	1.50	-
5825MHz	Pass	PK	17.4774G	64.45	68.20	-3.75	3	Horizontal	190	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.50	54.00	-0.50	3	Vertical	122	1.50	-
5190MHz	Pass	AV	5.1836G	97.92	Inf	-Inf	3	Vertical	122	1.50	-
5190MHz	Pass	PK	5.1412G	72.41	74.00	-1.59	3	Vertical	122	1.50	-
5190MHz	Pass	PK	5.186G	108.57	Inf	-Inf	3	Vertical	122	1.50	-
5190MHz	Pass	AV	5.1496G	53.23	54.00	-0.77	3	Horizontal	325	2.35	-
5190MHz	Pass	AV	5.1984G	96.23	Inf	-Inf	3	Horizontal	325	2.35	-
5190MHz	Pass	PK	5.1476G	69.97	74.00	-4.03	3	Horizontal	325	2.35	-
5190MHz	Pass	PK	5.1992G	107.67	Inf	-Inf	3	Horizontal	325	2.35	-
5190MHz	Pass	AV	15.5634G	49.14	54.00	-4.86	3	Vertical	228	1.50	-
5190MHz	Pass	PK	3.46004G	52.69	68.20	-15.51	3	Vertical	171	1.21	-
5190MHz	Pass	PK	10.3929G	59.76	68.20	-8.44	3	Vertical	288	1.50	-
5190MHz	Pass	PK	15.55956G	61.61	74.00	-12.39	3	Vertical	228	1.50	-
5190MHz	Pass	AV	15.5841G	48.97	54.00	-5.03	3	Horizontal	315	1.50	-
5190MHz	Pass	PK	3.46G	49.87	68.20	-18.33	3	Horizontal	158	1.10	-
5190MHz	Pass	PK	10.36926G	59.46	68.20	-8.74	3	Horizontal	217	1.50	-
5190MHz	Pass	PK	15.56322G	61.32	74.00	-12.68	3	Horizontal	315	1.50	-
5230MHz	Pass	AV	5.1476G	53.38	54.00	-0.62	3	Vertical	0	2.41	-
5230MHz	Pass	AV	5.2244G	103.70	Inf	-Inf	3	Vertical	0	2.41	-
5230MHz	Pass	PK	5.146G	69.46	74.00	-4.54	3	Vertical	0	2.41	-
5230MHz	Pass	PK	5.228G	114.74	Inf	-Inf	3	Vertical	0	2.41	-
5230MHz	Pass	AV	5.1496G	50.27	54.00	-3.73	3	Horizontal	30	1.03	-
5230MHz	Pass	AV	5.2328G	96.08	Inf	-Inf	3	Horizontal	30	1.03	-
5230MHz	Pass	PK	5.148G	64.40	74.00	-9.60	3	Horizontal	30	1.03	-
5230MHz	Pass	PK	5.2288G	107.44	Inf	-Inf	3	Horizontal	30	1.03	-
5230MHz	Pass	AV	15.67938G	48.98	54.00	-5.02	3	Vertical	85	1.50	-
5230MHz	Pass	PK	3.48684G	50.66	68.20	-17.54	3	Vertical	28	1.04	-
5230MHz	Pass	PK	10.46792G	59.50	68.20	-8.70	3	Vertical	21	1.83	-
5230MHz	Pass	PK	15.69558G	61.60	74.00	-12.40	3	Vertical	85	1.50	-
5230MHz	Pass	AV	15.68616G	48.90	54.00	-5.10	3	Horizontal	70	1.73	-
5230MHz	Pass	PK	3.48668G	49.98	68.20	-18.22	3	Horizontal	226	1.10	-
5230MHz	Pass	PK	10.45388G	59.38	68.20	-8.82	3	Horizontal	11	1.50	-
5230MHz	Pass	PK	15.68742G	61.63	74.00	-12.37	3	Horizontal	70	1.73	-
5755MHz	Pass	AV	5.761G	105.38	Inf	-Inf	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.6362G	68.01	68.20	-0.19	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.773G	116.71	Inf	-Inf	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.9242G	63.12	68.79	-5.67	3	Vertical	306	2.37	-

Remark :

Page No. : E4 of E54

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



# RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio 1\_2T1S

## Appendix E.26

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	AV	5.7598G	101.59	Inf	-Inf	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.641G	63.77	68.20	-4.43	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.773G	111.71	Inf	-Inf	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.9314G	60.74	68.20	-7.46	3	Horizontal	122	2.54	-
5755MHz	Pass	AV	3.83672G	41.32	54.00	-12.68	3	Vertical	59	1.22	-
5755MHz	Pass	AV	11.49746G	47.37	54.00	-6.63	3	Vertical	227	1.99	-
5755MHz	Pass	PK	3.83659G	49.62	74.00	-24.38	3	Vertical	59	1.22	-
5755MHz	Pass	PK	11.501G	60.41	74.00	-13.59	3	Vertical	227	1.99	-
5755MHz	Pass	PK	17.26506G	65.18	68.20	-3.02	3	Vertical	349	2.00	-
5755MHz	Pass	AV	3.83668G	40.24	54.00	-13.76	3	Horizontal	193	1.06	-
5755MHz	Pass	AV	11.50094G	47.24	54.00	-6.76	3	Horizontal	57	1.50	-
5755MHz	Pass	PK	3.83674G	48.99	74.00	-25.01	3	Horizontal	193	1.06	-
5755MHz	Pass	PK	11.50832G	59.71	74.00	-14.29	3	Horizontal	57	1.50	-
5755MHz	Pass	PK	17.2617G	65.45	68.20	-2.75	3	Horizontal	149	1.50	-
5795MHz	Pass	AV	5.807G	105.37	Inf	-Inf	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.651G	66.16	68.94	-2.78	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.8082G	116.74	Inf	-Inf	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.927G	68.09	68.20	-0.11	3	Vertical	299	2.49	-
5795MHz	Pass	AV	5.7926G	102.20	Inf	-Inf	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.645G	61.91	68.20	-6.29	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.801G	113.08	Inf	-Inf	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.933G	65.65	68.20	-2.55	3	Horizontal	307	2.46	-
5795MHz	Pass	AV	3.86338G	40.02	54.00	-13.98	3	Vertical	174	1.66	-
5795MHz	Pass	AV	11.5939G	47.19	54.00	-6.81	3	Vertical	126	2.99	-
5795MHz	Pass	PK	3.86345G	49.47	74.00	-24.53	3	Vertical	174	1.66	-
5795MHz	Pass	PK	11.59234G	59.52	74.00	-14.48	3	Vertical	126	2.99	-
5795MHz	Pass	PK	17.37168G	67.03	68.20	-1.17	3	Vertical	115	3.00	-
5795MHz	Pass	AV	3.86331G	36.16	54.00	-17.84	3	Horizontal	50	1.02	-
5795MHz	Pass	AV	11.60416G	47.20	54.00	-6.80	3	Horizontal	136	1.50	-
5795MHz	Pass	PK	3.86335G	47.83	74.00	-26.17	3	Horizontal	50	1.02	-
5795MHz	Pass	PK	11.58802G	60.19	74.00	-13.81	3	Horizontal	136	1.50	-
5795MHz	Pass	PK	17.397G	67.12	68.20	-1.08	3	Horizontal	1	2.16	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.37	54.00	-0.63	3	Vertical	139	3.00	-
5210MHz	Pass	AV	5.192G	93.84	Inf	-Inf	3	Vertical	139	3.00	-
5210MHz	Pass	AV	5.35G	47.67	54.00	-6.33	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.147G	70.65	74.00	-3.35	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.193G	105.92	Inf	-Inf	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.422G	59.70	74.00	-14.30	3	Vertical	139	3.00	-
5210MHz	Pass	AV	5.15G	50.08	54.00	-3.92	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	5.2G	93.48	Inf	-Inf	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	5.356G	47.10	54.00	-6.90	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.14G	63.73	74.00	-10.27	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.202G	105.03	Inf	-Inf	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.419G	59.87	74.00	-14.13	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	15.62088G	48.62	54.00	-5.38	3	Vertical	193	1.28	-
5210MHz	Pass	PK	3.47328G	51.93	68.20	-16.27	3	Vertical	170	1.22	-
5210MHz	Pass	PK	10.41706G	59.68	68.20	-8.52	3	Vertical	227	2.46	-
5210MHz	Pass	PK	15.63546G	61.93	74.00	-12.07	3	Vertical	193	1.28	-

Remark :

Page No. : E5 of E54

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
1\_2T1S**

**Appendix E.26**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	15.62232G	48.62	54.00	-5.38	3	Horizontal	8	1.05	-
5210MHz	Pass	PK	3.47323G	50.44	68.20	-17.76	3	Horizontal	54	3.00	-
5210MHz	Pass	PK	10.4167G	59.04	68.20	-9.16	3	Horizontal	137	1.24	-
5210MHz	Pass	PK	15.61608G	61.82	74.00	-12.18	3	Horizontal	8	1.05	-
5775MHz	Pass	AV	5.7642G	98.40	Inf	-Inf	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.6502G	68.17	68.35	-0.18	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.7486G	111.39	Inf	-Inf	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.925G	65.42	68.20	-2.78	3	Vertical	119	1.29	-
5775MHz	Pass	AV	5.7594G	94.31	Inf	-Inf	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.619G	61.85	68.20	-6.35	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.7618G	105.99	Inf	-Inf	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.9262G	61.44	68.20	-6.76	3	Horizontal	118	1.50	-
5775MHz	Pass	AV	3.85005G	39.13	54.00	-14.87	3	Vertical	175	1.50	-
5775MHz	Pass	AV	11.54118G	46.69	54.00	-7.31	3	Vertical	283	1.30	-
5775MHz	Pass	PK	3.84994G	48.55	74.00	-25.45	3	Vertical	175	1.50	-
5775MHz	Pass	PK	11.5578G	59.49	74.00	-14.51	3	Vertical	283	1.30	-
5775MHz	Pass	PK	17.32038G	65.50	68.20	-2.70	3	Vertical	339	1.56	-
5775MHz	Pass	AV	3.85G	36.12	54.00	-17.88	3	Horizontal	15	2.86	-
5775MHz	Pass	AV	11.5398G	46.71	54.00	-7.29	3	Horizontal	64	2.11	-
5775MHz	Pass	PK	3.84978G	47.66	74.00	-26.34	3	Horizontal	15	2.86	-
5775MHz	Pass	PK	11.53992G	60.16	74.00	-13.84	3	Horizontal	64	2.11	-
5775MHz	Pass	PK	17.313G	66.16	68.20	-2.04	3	Horizontal	319	1.34	-

Remark :

Page No. : E6 of E54

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)


992608



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.11	54.00	-0.89	8.37	3	Vertical	198	2.00	-	44.74	31.70	6.00	29.33
AV	5.1716G	103.32	Inf	-Inf	8.33	3	Vertical	198	2.00	-	94.99	31.66	6.01	29.34
PK	5.147G	69.37	74.00	-4.63	8.38	3	Vertical	198	2.00	-	60.99	31.71	6.00	29.33
PK	5.1716G	113.97	Inf	-Inf	8.33	3	Vertical	198	2.00	-	105.64	31.66	6.01	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.58	54.00	-6.42	8.37	3	Horizontal	296	2.15	-	39.21	31.70	6.00	29.33
AV	5.1878G	100.49	Inf	-Inf	8.30	3	Horizontal	296	2.15	-	92.19	31.62	6.02	29.34
PK	5.15G	67.80	74.00	-6.20	8.37	3	Horizontal	296	2.15	-	59.43	31.70	6.00	29.33
PK	5.189G	112.77	Inf	-Inf	8.30	3	Horizontal	296	2.15	-	104.47	31.62	6.02	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.885G	39.51	54.00	-14.49	5.20	3	Vertical	190	1.18	-	34.31	29.64	5.19	29.63
AV	15.4928G	45.80	54.00	-8.20	17.73	3	Vertical	29	1.89	-	28.07	38.78	10.79	31.84
PK	3.885G	45.44	74.00	-28.56	5.20	3	Vertical	190	1.18	-	40.24	29.64	5.19	29.63
PK	10.3769G	55.79	68.20	-12.41	17.57	3	Vertical	200	1.92	-	38.22	39.39	8.71	30.53
PK	15.5738G	58.82	74.00	-15.18	17.38	3	Vertical	29	1.89	-	41.44	38.43	10.82	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.8851G	39.84	54.00	-14.16	5.20	3	Horizontal	185	1.62	-	34.64	29.64	5.19	29.63
AV	15.5852G	45.74	54.00	-8.26	17.34	3	Horizontal	295	1.50	-	28.40	38.38	10.83	31.87
PK	3.8851G	45.90	74.00	-28.10	5.20	3	Horizontal	185	1.62	-	40.70	29.64	5.19	29.63
PK	10.34818G	54.19	68.20	-14.01	17.52	3	Horizontal	37	1.15	-	36.67	39.35	8.69	30.52
PK	15.5522G	59.23	74.00	-14.77	17.49	3	Horizontal	295	1.50	-	41.74	38.53	10.82	31.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.84	54.00	-0.16	8.37	3	Vertical	101	1.49	-	45.47	31.70	6.00	29.33
AV	5.2072G	104.21	Inf	-Inf	8.27	3	Vertical	101	1.49	-	95.94	31.58	6.03	29.34
PK	5.1484G	69.97	74.00	-4.03	8.37	3	Vertical	101	1.49	-	61.60	31.70	6.00	29.33
PK	5.209G	115.82	Inf	-Inf	8.26	3	Vertical	101	1.49	-	107.56	31.57	6.03	29.34






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.93	54.00	-0.07	8.37	3	Horizontal	330	2.59	-	45.56	31.70	6.00	29.33
AV	5.2024G	104.61	Inf	-Inf	8.28	3	Horizontal	330	2.59	-	96.33	31.59	6.03	29.34
PK	5.1496G	70.80	74.00	-3.20	8.37	3	Horizontal	330	2.59	-	62.43	31.70	6.00	29.33
PK	5.1988G	116.44	Inf	-Inf	8.29	3	Horizontal	330	2.59	-	108.15	31.60	6.03	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5534G	46.62	54.00	-7.38	17.48	3	Vertical	139	1.50	-	29.14	38.52	10.82	31.86
PK	3.46664G	51.62	68.20	-16.58	3.50	3	Vertical	199	1.05	-	48.12	28.43	4.88	29.81
PK	10.3948G	55.49	68.20	-12.71	17.59	3	Vertical	200	1.95	-	37.90	39.41	8.72	30.54
PK	15.5792G	59.35	74.00	-14.65	17.37	3	Vertical	139	1.50	-	41.98	38.41	10.83	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59724G	46.27	54.00	-7.73	17.29	3	Horizontal	19	1.50	-	28.98	38.33	10.83	31.87
PK	3.46664G	48.19	68.20	-20.01	3.50	3	Horizontal	185	1.64	-	44.69	28.43	4.88	29.81
PK	10.45G	54.21	68.20	-13.99	17.69	3	Horizontal	159	1.50	-	36.52	39.49	8.76	30.56
PK	15.594G	59.49	74.00	-14.51	17.31	3	Horizontal	19	1.50	-	42.18	38.35	10.83	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	51.35	54.00	-2.65	8.39	3	Vertical	317	2.77	-	42.96	31.73	5.99	29.33
AV	5.237G	110.80	Inf	-Inf	8.20	3	Vertical	317	2.77	-	102.60	31.49	6.05	29.34
AV	5.35G	47.35	54.00	-6.65	8.15	3	Vertical	317	2.77	-	39.20	31.40	6.11	29.36
PK	5.141G	66.09	74.00	-7.91	8.39	3	Vertical	317	2.77	-	57.70	31.72	6.00	29.33
PK	5.237G	123.69	Inf	-Inf	8.20	3	Vertical	317	2.77	-	115.49	31.49	6.05	29.34
PK	5.3522G	64.66	74.00	-9.34	8.15	3	Vertical	317	2.77	-	56.51	31.40	6.11	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	48.05	54.00	-5.95	8.39	3	Horizontal	318	1.50	-	39.66	31.73	5.99	29.33
AV	5.237G	104.82	Inf	-Inf	8.20	3	Horizontal	318	1.50	-	96.62	31.49	6.05	29.34
AV	5.3504G	45.13	54.00	-8.87	8.15	3	Horizontal	318	1.50	-	36.98	31.40	6.11	29.36
PK	5.1362G	62.78	74.00	-11.22	8.39	3	Horizontal	318	1.50	-	54.39	31.73	5.99	29.33
PK	5.2364G	113.58	Inf	-Inf	8.20	3	Horizontal	318	1.50	-	105.38	31.49	6.05	29.34
PK	5.3564G	60.85	74.00	-13.15	8.16	3	Horizontal	318	1.50	-	52.69	31.41	6.11	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7058G	46.20	54.00	-7.80	16.85	3	Vertical	190	1.00	-	29.35	37.87	10.88	31.90
PK	3.4934G	51.77	68.20	-16.43	3.67	3	Vertical	199	1.15	-	48.10	28.57	4.90	29.80
PK	10.4704G	57.22	68.20	-10.98	17.71	3	Vertical	339	1.92	-	39.51	39.51	8.77	30.57
PK	15.702G	58.86	74.00	-15.14	16.86	3	Vertical	190	1.00	-	42.00	37.88	10.87	31.89



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7255G	46.52	54.00	-7.48	16.76	3	Horizontal	180	1.00	-	29.76	37.78	10.88	31.90
PK	3.49324G	47.60	68.20	-20.60	3.67	3	Horizontal	184	1.43	-	43.93	28.57	4.90	29.80
PK	10.4671G	55.64	68.20	-12.56	17.71	3	Horizontal	187	1.48	-	37.93	39.51	8.77	30.57
PK	15.7237G	59.49	74.00	-14.51	16.77	3	Horizontal	180	1.00	-	42.72	37.79	10.88	31.90



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	108.13	Inf	-Inf	8.90	3	Vertical	318	2.30	-	99.23	31.88	6.38	29.36
PK	5.6514G	69.05	69.24	-0.19	8.70	3	Vertical	318	2.30	-	60.35	31.75	6.31	29.36
PK	5.739G	119.10	Inf	-Inf	8.90	3	Vertical	318	2.30	-	110.20	31.88	6.38	29.36
PK	5.9418G	58.23	68.20	-9.97	9.43	3	Vertical	318	2.30	-	48.80	32.24	6.54	29.35






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	106.03	Inf	-Inf	8.92	3	Horizontal	305	2.30	-	97.11	31.89	6.39	29.36
PK	5.6382G	62.45	68.20	-5.75	8.68	3	Horizontal	305	2.30	-	53.77	31.74	6.30	29.36
PK	5.7438G	117.69	Inf	-Inf	8.92	3	Horizontal	305	2.30	-	108.77	31.89	6.39	29.36
PK	5.9274G	56.06	68.20	-12.14	9.41	3	Horizontal	305	2.30	-	46.65	32.23	6.53	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83004G	40.85	54.00	-13.15	4.92	3	Vertical	61	1.50	-	35.93	29.42	5.15	29.65
AV	11.501G	41.89	54.00	-12.11	18.16	3	Vertical	0	2.58	-	23.73	39.45	9.48	30.77
PK	3.83012G	49.11	74.00	-24.89	4.92	3	Vertical	61	1.50	-	44.19	29.42	5.15	29.65
PK	11.4942G	54.80	74.00	-19.20	18.16	3	Vertical	0	2.58	-	36.64	39.46	9.47	30.77
PK	17.2274G	64.86	68.20	-3.34	21.42	3	Vertical	102	2.90	-	43.44	41.60	11.40	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83006G	39.56	54.00	-14.44	4.92	3	Horizontal	321	1.00	-	34.64	29.42	5.15	29.65
AV	11.477G	42.40	54.00	-11.60	18.16	3	Horizontal	194	2.01	-	24.24	39.48	9.46	30.78
PK	3.83024G	49.24	74.00	-24.76	4.92	3	Horizontal	321	1.00	-	44.32	29.42	5.15	29.65
PK	11.4824G	54.76	74.00	-19.24	18.16	3	Horizontal	194	2.01	-	36.60	39.48	9.46	30.78
PK	17.2248G	64.05	68.20	-4.15	21.39	3	Horizontal	113	1.60	-	42.66	41.58	11.39	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	108.04	Inf	-Inf	9.05	3	Vertical	20	2.19	-	98.99	31.99	6.42	29.36
PK	5.6482G	62.86	68.20	-5.34	8.70	3	Vertical	20	2.19	-	54.16	31.75	6.31	29.36
PK	5.7934G	121.15	Inf	-Inf	9.05	3	Vertical	20	2.19	-	112.10	31.99	6.42	29.36
PK	5.9278G	61.85	68.20	-6.35	9.41	3	Vertical	20	2.19	-	52.44	32.23	6.53	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.04	Inf	-Inf	9.03	3	Horizontal	309	2.34	-	97.01	31.97	6.42	29.36
PK	5.6422G	59.21	68.20	-8.99	8.68	3	Horizontal	309	2.34	-	50.53	31.74	6.30	29.36
PK	5.7838G	119.10	Inf	-Inf	9.03	3	Horizontal	309	2.34	-	110.07	31.97	6.42	29.36
PK	5.9266G	58.88	68.20	-9.32	9.41	3	Horizontal	309	2.34	-	49.47	32.23	6.53	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85665G	40.23	54.00	-13.77	5.06	3	Vertical	171	1.50	-	35.17	29.53	5.17	29.64
AV	11.569G	41.86	54.00	-12.14	18.09	3	Vertical	172	1.50	-	23.77	39.35	9.52	30.78
PK	3.85651G	49.74	74.00	-24.26	5.06	3	Vertical	171	1.50	-	44.68	29.53	5.17	29.64
PK	11.5702G	54.92	74.00	-19.08	18.08	3	Vertical	172	1.50	-	36.84	39.34	9.52	30.78
PK	17.3414G	66.44	68.20	-1.76	22.26	3	Vertical	26	2.94	-	44.18	42.35	11.43	31.52



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.8567G	36.55	54.00	-17.45	5.06	3	Horizontal	50	1.00	-	31.49	29.53	5.17	29.64
AV	11.57642G	41.28	54.00	-12.72	18.09	3	Horizontal	18	1.29	-	23.19	39.34	9.53	30.78
PK	3.85657G	48.56	74.00	-25.44	5.06	3	Horizontal	50	1.00	-	43.50	29.53	5.17	29.64
PK	11.5649G	54.42	74.00	-19.58	18.09	3	Horizontal	18	1.29	-	36.33	39.35	9.52	30.78
PK	17.3342G	64.14	68.20	-4.06	22.22	3	Horizontal	306	1.14	-	41.92	42.31	11.43	31.52



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	104.78	Inf	-Inf	9.15	3	Vertical	360	1.50	-	95.63	32.06	6.45	29.36
PK	5.645G	56.75	68.20	-11.45	8.70	3	Vertical	360	1.50	-	48.05	31.75	6.31	29.36
PK	5.8298G	116.06	Inf	-Inf	9.15	3	Vertical	360	1.50	-	106.91	32.06	6.45	29.36
PK	5.9318G	65.88	68.20	-2.32	9.42	3	Vertical	360	1.50	-	56.46	32.23	6.54	29.35






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	104.96	Inf	-Inf	9.16	3	Horizontal	311	3.00	-	95.80	32.06	6.46	29.36
PK	5.6378G	55.29	68.20	-12.91	8.68	3	Horizontal	311	3.00	-	46.61	31.74	6.30	29.36
PK	5.8238G	116.84	Inf	-Inf	9.14	3	Horizontal	311	3.00	-	107.70	32.05	6.45	29.36
PK	5.9246G	66.79	68.50	-1.71	9.40	3	Horizontal	311	3.00	-	57.39	32.22	6.53	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88333G	40.52	54.00	-13.48	5.19	3	Vertical	173	1.66	-	35.33	29.63	5.19	29.63
AV	11.65G	42.85	54.00	-11.15	18.01	3	Vertical	100	1.96	-	24.84	39.22	9.58	30.79
PK	3.88323G	49.69	74.00	-24.31	5.19	3	Vertical	173	1.66	-	44.50	29.63	5.19	29.63
PK	11.6496G	55.36	74.00	-18.64	18.02	3	Vertical	100	1.96	-	37.34	39.23	9.58	30.79
PK	17.4786G	66.33	68.20	-1.87	23.29	3	Vertical	13	2.05	-	43.04	43.26	11.48	31.45



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88337G	36.23	54.00	-17.77	5.19	3	Horizontal	48	1.10	-	31.04	29.63	5.19	29.63
AV	11.6552G	41.76	54.00	-12.24	18.01	3	Horizontal	251	1.50	-	23.75	39.22	9.58	30.79
PK	3.8833G	47.71	74.00	-26.29	5.19	3	Horizontal	48	1.10	-	42.52	29.63	5.19	29.63
PK	11.6978G	55.18	74.00	-18.82	17.97	3	Horizontal	251	1.50	-	37.21	39.15	9.61	30.79
PK	17.4774G	64.45	68.20	-3.75	23.28	3	Horizontal	190	1.50	-	41.17	43.25	11.48	31.45



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.50	54.00	-0.50	7.83	3	Vertical	122	1.50	-	45.67	31.80	10.08	34.05
AV	5.1836G	97.92	Inf	-Inf	7.70	3	Vertical	122	1.50	-	90.22	31.67	10.08	34.05
PK	5.1412G	72.41	74.00	-1.59	7.87	3	Vertical	122	1.50	-	64.54	31.84	10.08	34.05
PK	5.186G	108.57	Inf	-Inf	7.69	3	Vertical	122	1.50	-	100.88	31.66	10.08	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.23	54.00	-0.77	7.83	3	Horizontal	325	2.35	-	45.40	31.80	10.08	34.05
AV	5.1984G	96.23	Inf	-Inf	7.64	3	Horizontal	325	2.35	-	88.59	31.61	10.08	34.05
PK	5.1476G	69.97	74.00	-4.03	7.84	3	Horizontal	325	2.35	-	62.13	31.81	10.08	34.05
PK	5.1992G	107.67	Inf	-Inf	7.63	3	Horizontal	325	2.35	-	100.04	31.60	10.08	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5634G	49.14	54.00	-4.86	19.57	3	Vertical	228	1.50	-	29.57	38.85	14.75	34.03
PK	3.46004G	52.69	68.20	-15.51	3.95	3	Vertical	171	1.21	-	48.74	28.50	9.47	34.02
PK	10.3929G	59.76	68.20	-8.44	17.84	3	Vertical	288	1.50	-	41.92	39.41	12.95	34.52
PK	15.55956G	61.61	74.00	-12.39	19.59	3	Vertical	228	1.50	-	42.02	38.87	14.75	34.03



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5841G	48.97	54.00	-5.03	19.49	3	Horizontal	315	1.50	-	29.48	38.79	14.76	34.06
PK	3.46G	49.87	68.20	-18.33	3.95	3	Horizontal	158	1.10	-	45.92	28.50	9.47	34.02
PK	10.36926G	59.46	68.20	-8.74	17.78	3	Horizontal	217	1.50	-	41.68	39.38	12.94	34.54
PK	15.56322G	61.32	74.00	-12.68	19.57	3	Horizontal	315	1.50	-	41.75	38.85	14.75	34.03



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.38	54.00	-0.62	7.84	3	Vertical	0	2.41	-	45.54	31.81	10.08	34.05
AV	5.2244G	103.70	Inf	-Inf	7.54	3	Vertical	0	2.41	-	96.16	31.50	10.09	34.05
PK	5.146G	69.46	74.00	-4.54	7.85	3	Vertical	0	2.41	-	61.61	31.82	10.08	34.05
PK	5.228G	114.74	Inf	-Inf	7.53	3	Vertical	0	2.41	-	107.21	31.49	10.09	34.05






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.27	54.00	-3.73	7.83	3	Horizontal	30	1.03	-	42.44	31.80	10.08	34.05
AV	5.2328G	96.08	Inf	-Inf	7.52	3	Horizontal	30	1.03	-	88.56	31.47	10.10	34.05
PK	5.148G	64.40	74.00	-9.60	7.84	3	Horizontal	30	1.03	-	56.56	31.81	10.08	34.05
PK	5.2288G	107.44	Inf	-Inf	7.52	3	Horizontal	30	1.03	-	99.92	31.48	10.09	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67938G	48.98	54.00	-5.02	19.16	3	Vertical	85	1.50	-	29.82	38.49	14.82	34.15
PK	3.48684G	50.66	68.20	-17.54	4.09	3	Vertical	28	1.04	-	46.57	28.63	9.48	34.02
PK	10.46792G	59.50	68.20	-8.70	18.01	3	Vertical	21	1.83	-	41.49	39.51	12.98	34.48
PK	15.69558G	61.60	74.00	-12.40	19.10	3	Vertical	85	1.50	-	42.50	38.44	14.83	34.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68616G	48.90	54.00	-5.10	19.13	3	Horizontal	70	1.73	-	29.77	38.47	14.82	34.16
PK	3.48668G	49.98	68.20	-18.22	4.09	3	Horizontal	226	1.10	-	45.89	28.63	9.48	34.02
PK	10.45388G	59.38	68.20	-8.82	17.98	3	Horizontal	11	1.50	-	41.40	39.49	12.98	34.49
PK	15.68742G	61.63	74.00	-12.37	19.14	3	Horizontal	70	1.73	-	42.49	38.47	14.83	34.16



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	105.38	Inf	-Inf	8.34	3	Vertical	306	2.37	-	97.04	31.98	10.44	34.08
PK	5.6362G	68.01	68.20	-0.19	7.89	3	Vertical	306	2.37	-	60.12	31.67	10.29	34.07
PK	5.773G	116.71	Inf	-Inf	8.39	3	Vertical	306	2.37	-	108.32	32.02	10.45	34.08
PK	5.9242G	63.12	68.79	-5.67	8.87	3	Vertical	306	2.37	-	54.25	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	101.59	Inf	-Inf	8.34	3	Horizontal	122	2.54	-	93.25	31.98	10.44	34.08
PK	5.641G	63.77	68.20	-4.43	7.90	3	Horizontal	122	2.54	-	55.87	31.68	10.29	34.07
PK	5.773G	111.71	Inf	-Inf	8.39	3	Horizontal	122	2.54	-	103.32	32.02	10.45	34.08
PK	5.9314G	60.74	68.20	-7.46	8.87	3	Horizontal	122	2.54	-	51.87	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83672G	41.32	54.00	-12.68	4.95	3	Vertical	59	1.22	-	36.37	29.41	9.54	34.00
AV	11.49746G	47.37	54.00	-6.63	18.84	3	Vertical	227	1.99	-	28.53	39.55	13.48	34.19
PK	3.83659G	49.62	74.00	-24.38	4.95	3	Vertical	59	1.22	-	44.67	29.41	9.54	34.00
PK	11.501G	60.41	74.00	-13.59	18.85	3	Vertical	227	1.99	-	41.56	39.55	13.49	34.19
PK	17.26506G	65.18	68.20	-3.02	23.19	3	Vertical	349	2.00	-	41.99	42.03	14.64	33.48



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83668G	40.24	54.00	-13.76	4.95	3	Horizontal	193	1.06	-	35.29	29.41	9.54	34.00
AV	11.50094G	47.24	54.00	-6.76	18.85	3	Horizontal	57	1.50	-	28.39	39.55	13.49	34.19
PK	3.83674G	48.99	74.00	-25.01	4.95	3	Horizontal	193	1.06	-	44.04	29.41	9.54	34.00
PK	11.50832G	59.71	74.00	-14.29	18.84	3	Horizontal	57	1.50	-	40.87	39.54	13.49	34.19
PK	17.2617G	65.45	68.20	-2.75	23.17	3	Horizontal	149	1.50	-	42.28	42.01	14.64	33.48



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.807G	105.37	Inf	-Inf	8.53	3	Vertical	299	2.49	-	96.84	32.12	10.49	34.08
PK	5.651G	66.16	68.94	-2.78	7.94	3	Vertical	299	2.49	-	58.22	31.70	10.31	34.07
PK	5.8082G	116.74	Inf	-Inf	8.53	3	Vertical	299	2.49	-	108.21	32.12	10.49	34.08
PK	5.927G	68.09	68.20	-0.11	8.87	3	Vertical	299	2.49	-	59.22	32.40	10.55	34.08






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	102.20	Inf	-Inf	8.48	3	Horizontal	307	2.46	-	93.72	32.08	10.48	34.08
PK	5.645G	61.91	68.20	-6.29	7.92	3	Horizontal	307	2.46	-	53.99	31.69	10.30	34.07
PK	5.801G	113.08	Inf	-Inf	8.51	3	Horizontal	307	2.46	-	104.57	32.10	10.49	34.08
PK	5.933G	65.65	68.20	-2.55	8.87	3	Horizontal	307	2.46	-	56.78	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86338G	40.02	54.00	-13.98	5.05	3	Vertical	174	1.66	-	34.97	29.49	9.56	34.00
AV	11.5939G	47.19	54.00	-6.81	18.76	3	Vertical	126	2.99	-	28.43	39.43	13.53	34.20
PK	3.86345G	49.47	74.00	-24.53	5.05	3	Vertical	174	1.66	-	44.42	29.49	9.56	34.00
PK	11.59234G	59.52	74.00	-14.48	18.76	3	Vertical	126	2.99	-	40.76	39.43	13.53	34.20
PK	17.37168G	67.03	68.20	-1.17	23.97	3	Vertical	115	3.00	-	43.06	42.76	14.71	33.50



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86331G	36.16	54.00	-17.84	5.05	3	Horizontal	50	1.02	-	31.11	29.49	9.56	34.00
AV	11.60416G	47.20	54.00	-6.80	18.75	3	Horizontal	136	1.50	-	28.45	39.41	13.54	34.20
PK	3.86335G	47.83	74.00	-26.17	5.05	3	Horizontal	50	1.02	-	42.78	29.49	9.56	34.00
PK	11.58802G	60.19	74.00	-13.81	18.77	3	Horizontal	136	1.50	-	41.42	39.44	13.53	34.20
PK	17.397G	67.12	68.20	-1.08	24.16	3	Horizontal	1	2.16	-	42.96	42.94	14.73	33.51



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.37	54.00	-0.63	7.83	3	Vertical	139	3.00	-	45.54	31.80	10.08	34.05
AV	5.192G	93.84	Inf	-Inf	7.66	3	Vertical	139	3.00	-	86.18	31.63	10.08	34.05
AV	5.35G	47.67	54.00	-6.33	7.45	3	Vertical	139	3.00	-	40.22	31.35	10.16	34.06
PK	5.147G	70.65	74.00	-3.35	7.84	3	Vertical	139	3.00	-	62.81	31.81	10.08	34.05
PK	5.193G	105.92	Inf	-Inf	7.66	3	Vertical	139	3.00	-	98.26	31.63	10.08	34.05
PK	5.422G	59.70	74.00	-14.30	7.70	3	Vertical	139	3.00	-	52.00	31.57	10.19	34.06



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.08	54.00	-3.92	7.83	3	Horizontal	319	2.87	-	42.25	31.80	10.08	34.05
AV	5.2G	93.48	Inf	-Inf	7.63	3	Horizontal	319	2.87	-	85.85	31.60	10.08	34.05
AV	5.356G	47.10	54.00	-6.90	7.47	3	Horizontal	319	2.87	-	39.63	31.37	10.16	34.06
PK	5.14G	63.73	74.00	-10.27	7.87	3	Horizontal	319	2.87	-	55.86	31.84	10.08	34.05
PK	5.202G	105.03	Inf	-Inf	7.62	3	Horizontal	319	2.87	-	97.41	31.59	10.08	34.05
PK	5.419G	59.87	74.00	-14.13	7.69	3	Horizontal	319	2.87	-	52.18	31.56	10.19	34.06



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62088G	48.62	54.00	-5.38	19.37	3	Vertical	193	1.28	-	29.25	38.68	14.78	34.09
PK	3.47328G	51.93	68.20	-16.27	4.02	3	Vertical	170	1.22	-	47.91	28.57	9.47	34.02
PK	10.41706G	59.68	68.20	-8.52	17.89	3	Vertical	227	2.46	-	41.79	39.44	12.96	34.51
PK	15.63546G	61.93	74.00	-12.07	19.31	3	Vertical	193	1.28	-	42.62	38.63	14.79	34.11



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62232G	48.62	54.00	-5.38	19.36	3	Horizontal	8	1.05	-	29.26	38.67	14.78	34.09
PK	3.47323G	50.44	68.20	-17.76	4.02	3	Horizontal	54	3.00	-	46.42	28.57	9.47	34.02
PK	10.4167G	59.04	68.20	-9.16	17.89	3	Horizontal	137	1.24	-	41.15	39.44	12.96	34.51
PK	15.61608G	61.82	74.00	-12.18	19.38	3	Horizontal	8	1.05	-	42.44	38.69	14.78	34.09



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	98.40	Inf	-Inf	8.35	3	Vertical	119	1.29	-	90.05	31.99	10.44	34.08
PK	5.6502G	68.17	68.35	-0.18	7.93	3	Vertical	119	1.29	-	60.24	31.70	10.30	34.07
PK	5.7486G	111.39	Inf	-Inf	8.30	3	Vertical	119	1.29	-	103.09	31.95	10.42	34.07
PK	5.925G	65.42	68.20	-2.78	8.87	3	Vertical	119	1.29	-	56.55	32.40	10.55	34.08






802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	94.31	Inf	-Inf	8.34	3	Horizontal	118	1.50	-	85.97	31.98	10.44	34.08
PK	5.619G	61.85	68.20	-6.35	7.84	3	Horizontal	118	1.50	-	54.01	31.64	10.27	34.07
PK	5.7618G	105.99	Inf	-Inf	8.35	3	Horizontal	118	1.50	-	97.64	31.99	10.44	34.08
PK	5.9262G	61.44	68.20	-6.76	8.87	3	Horizontal	118	1.50	-	52.57	32.40	10.55	34.08



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85005G	39.13	54.00	-14.87	5.00	3	Vertical	175	1.50	-	34.13	29.45	9.55	34.00
AV	11.54118G	46.69	54.00	-7.31	18.82	3	Vertical	283	1.30	-	27.87	39.50	13.51	34.19
PK	3.84994G	48.55	74.00	-25.45	5.00	3	Vertical	175	1.50	-	43.55	29.45	9.55	34.00
PK	11.5578G	59.49	74.00	-14.51	18.79	3	Vertical	283	1.30	-	40.70	39.47	13.51	34.19
PK	17.32038G	65.50	68.20	-2.70	23.60	3	Vertical	339	1.56	-	41.90	42.41	14.68	33.49



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85G	36.12	54.00	-17.88	5.00	3	Horizontal	15	2.86	-	31.12	29.45	9.55	34.00
AV	11.5398G	46.71	54.00	-7.29	18.82	3	Horizontal	64	2.11	-	27.89	39.50	13.51	34.19
PK	3.84978G	47.66	74.00	-26.34	5.00	3	Horizontal	15	2.86	-	42.66	29.45	9.55	34.00
PK	11.53992G	60.16	74.00	-13.84	18.82	3	Horizontal	64	2.11	-	41.34	39.50	13.51	34.19
PK	17.313G	66.16	68.20	-2.04	23.54	3	Horizontal	319	1.34	-	42.62	42.36	14.67	33.49



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	375.32M	41.80	46.00	-4.20	3	Vertical	0	1.00	-



Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	27.49	40.00	-12.51	3	Vertical	0	1.00	-
5775MHz	Pass	PK	127M	33.99	43.50	-9.51	3	Vertical	0	1.00	-
5775MHz	Pass	PK	272.5M	35.77	46.00	-10.23	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	41.80	46.00	-4.20	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	33.50	46.00	-12.50	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	39.61	46.00	-6.39	3	Vertical	0	1.00	-
5775MHz	Pass	PK	99.84M	30.36	43.50	-13.14	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	127M	35.88	43.50	-7.62	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	276.38M	32.26	46.00	-13.74	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	375.32M	36.52	46.00	-9.48	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	32.97	46.00	-13.03	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	37.45	46.00	-8.55	3	Horizontal	360	1.00	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

09/12/2019

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	27.49	40.00	-12.51	-6.38	3	Vertical	0	1.00	-	33.87	20.36	0.83	27.57
PK	127M	33.99	43.50	-9.51	-8.51	3	Vertical	0	1.00	-	42.50	17.04	1.73	27.28
PK	272.5M	35.77	46.00	-10.23	-6.09	3	Vertical	0	1.00	-	41.86	18.03	2.60	26.72
PK	375.32M	41.80	46.00	-4.20	-4.11	3	Vertical	0	1.00	-	45.91	19.95	3.08	27.14
PK	625.58M	33.50	46.00	-12.50	0.16	3	Vertical	0	1.00	-	33.34	24.12	4.13	28.09
PK	875.84M	39.61	46.00	-6.39	2.67	3	Vertical	0	1.00	-	36.94	25.36	4.93	27.62



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

09/12/2019

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	99.84M	30.36	43.50	-13.14	-9.92	3	Horizontal	360	1.00	-	40.28	15.94	1.52	27.38
PK	127M	35.88	43.50	-7.62	-8.51	3	Horizontal	360	1.00	-	44.39	17.04	1.73	27.28
PK	276.38M	32.26	46.00	-13.74	-6.11	3	Horizontal	360	1.00	-	38.37	17.99	2.62	26.72
PK	375.32M	36.52	46.00	-9.48	-4.11	3	Horizontal	360	1.00	-	40.63	19.95	3.08	27.14
PK	625.58M	32.97	46.00	-13.03	0.16	3	Horizontal	360	1.00	-	32.81	24.12	4.13	28.09
PK	875.84M	37.45	46.00	-8.55	2.67	3	Horizontal	360	1.00	-	34.78	25.36	4.93	27.62



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
2\_2T1S**

**Appendix E.28**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.53	54.00	-0.47	3	Vertical	37	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.63	54.00	-0.37	3	Vertical	175	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.78	54.00	-0.22	3	Vertical	359	1.93	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	17.47812G	67.73	68.20	-0.47	3	Horizontal	121	1.59	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6434G	67.62	68.20	-0.58	3	Vertical	216	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.649G	67.59	68.20	-0.61	3	Vertical	217	1.65	-

Remark :

Page No. : E1 of E41

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)





**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
2\_2T1S**

**Appendix E.28**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.53	54.00	-0.47	3	Vertical	37	1.50	-
5180MHz	Pass	AV	5.1848G	106.14	Inf	-Inf	3	Vertical	37	1.50	-
5180MHz	Pass	PK	5.1476G	71.13	74.00	-2.87	3	Vertical	37	1.50	-
5180MHz	Pass	PK	5.1884G	118.54	Inf	-Inf	3	Vertical	37	1.50	-
5180MHz	Pass	AV	3.88499G	38.73	54.00	-15.27	3	Vertical	145	1.49	-
5180MHz	Pass	AV	15.54216G	47.74	54.00	-6.26	3	Vertical	239	2.50	-
5180MHz	Pass	PK	3.885G	48.48	74.00	-25.52	3	Vertical	145	1.49	-
5180MHz	Pass	PK	10.36162G	59.33	68.20	-8.87	3	Vertical	293	2.43	-
5180MHz	Pass	PK	15.54456G	60.18	74.00	-13.82	3	Vertical	239	2.50	-
5180MHz	Pass	AV	3.88495G	39.40	54.00	-14.60	3	Horizontal	359	1.49	-
5180MHz	Pass	AV	15.54648G	47.73	54.00	-6.27	3	Horizontal	175	1.50	-
5180MHz	Pass	PK	3.88485G	48.41	74.00	-25.59	3	Horizontal	359	1.49	-
5180MHz	Pass	PK	10.36426G	59.17	68.20	-9.03	3	Horizontal	294	2.14	-
5180MHz	Pass	PK	15.53664G	60.28	74.00	-13.72	3	Horizontal	175	1.50	-
5200MHz	Pass	AV	5.15G	53.24	54.00	-0.76	3	Vertical	32	1.70	-
5200MHz	Pass	AV	5.1976G	110.27	Inf	-Inf	3	Vertical	32	1.70	-
5200MHz	Pass	PK	5.15G	70.35	74.00	-3.65	3	Vertical	32	1.70	-
5200MHz	Pass	PK	5.1964G	122.25	Inf	-Inf	3	Vertical	32	1.70	-
5200MHz	Pass	AV	15.60288G	47.96	54.00	-6.04	3	Vertical	13	1.99	-
5200MHz	Pass	PK	3.46662G	48.09	68.20	-20.11	3	Vertical	338	1.50	-
5200MHz	Pass	PK	10.3955G	59.10	68.20	-9.10	3	Vertical	23	1.50	-
5200MHz	Pass	PK	15.60354G	61.16	74.00	-12.84	3	Vertical	13	1.99	-
5200MHz	Pass	AV	15.59148G	47.96	54.00	-6.04	3	Horizontal	64	1.50	-
5200MHz	Pass	PK	3.46661G	48.74	68.20	-19.46	3	Horizontal	35	2.87	-
5200MHz	Pass	PK	10.41272G	59.44	68.20	-8.76	3	Horizontal	236	1.50	-
5200MHz	Pass	PK	15.5889G	60.49	74.00	-13.51	3	Horizontal	64	1.50	-
5240MHz	Pass	AV	5.147G	53.19	54.00	-0.81	3	Vertical	357	1.90	-
5240MHz	Pass	AV	5.249G	111.11	Inf	-Inf	3	Vertical	357	1.90	-
5240MHz	Pass	AV	5.35G	50.21	54.00	-3.79	3	Vertical	357	1.90	-
5240MHz	Pass	PK	5.1488G	66.39	74.00	-7.61	3	Vertical	357	1.90	-
5240MHz	Pass	PK	5.2472G	122.27	Inf	-Inf	3	Vertical	357	1.90	-
5240MHz	Pass	PK	5.35G	60.71	74.00	-13.29	3	Vertical	357	1.90	-
5240MHz	Pass	AV	15.71778G	48.06	54.00	-5.94	3	Vertical	160	2.69	-
5240MHz	Pass	PK	3.4933G	49.58	68.20	-18.62	3	Vertical	157	2.19	-
5240MHz	Pass	PK	10.48264G	59.41	68.20	-8.79	3	Vertical	95	2.68	-
5240MHz	Pass	PK	15.70704G	61.04	74.00	-12.96	3	Vertical	160	2.69	-
5240MHz	Pass	AV	15.70914G	47.91	54.00	-6.09	3	Horizontal	348	2.32	-
5240MHz	Pass	PK	3.4935G	48.67	68.20	-19.53	3	Horizontal	31	2.23	-
5240MHz	Pass	PK	10.47676G	59.00	68.20	-9.20	3	Horizontal	77	2.10	-
5240MHz	Pass	PK	15.72102G	60.90	74.00	-13.10	3	Horizontal	348	2.32	-
5745MHz	Pass	AV	5.7462G	113.16	Inf	-Inf	3	Vertical	219	1.89	-
5745MHz	Pass	PK	5.6502G	67.73	68.35	-0.62	3	Vertical	219	1.89	-
5745MHz	Pass	PK	5.7474G	124.44	Inf	-Inf	3	Vertical	219	1.89	-
5745MHz	Pass	PK	5.9886G	61.92	68.20	-6.28	3	Vertical	219	1.89	-
5745MHz	Pass	AV	3.82998G	41.59	54.00	-12.41	3	Vertical	44	2.36	-
5745MHz	Pass	AV	11.487G	46.72	54.00	-7.28	3	Vertical	0	2.30	-
5745MHz	Pass	PK	3.8301G	49.41	74.00	-24.59	3	Vertical	44	2.36	-

Remark :

Page No. : E2 of E41

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
2\_2T1S**

**Appendix E.28**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	11.48742G	59.49	74.00	-14.51	3	Vertical	0	2.30	-
5745MHz	Pass	PK	17.24046G	64.90	68.20	-3.30	3	Vertical	225	2.96	-
5745MHz	Pass	AV	3.82998G	41.36	54.00	-12.64	3	Horizontal	359	1.68	-
5745MHz	Pass	AV	11.49324G	46.89	54.00	-7.11	3	Horizontal	132	2.62	-
5745MHz	Pass	PK	3.8301G	49.33	74.00	-24.67	3	Horizontal	359	1.68	-
5745MHz	Pass	PK	11.49624G	60.28	74.00	-13.72	3	Horizontal	132	2.62	-
5745MHz	Pass	PK	17.2356G	64.32	68.20	-3.88	3	Horizontal	3	1.63	-
5785MHz	Pass	AV	5.7874G	113.13	Inf	-Inf	3	Vertical	317	1.89	-
5785MHz	Pass	PK	5.647G	67.00	68.20	-1.20	3	Vertical	317	1.89	-
5785MHz	Pass	PK	5.7826G	124.80	Inf	-Inf	3	Vertical	317	1.89	-
5785MHz	Pass	PK	5.9278G	67.61	68.20	-0.59	3	Vertical	317	1.89	-
5785MHz	Pass	AV	3.85669G	40.11	54.00	-13.89	3	Vertical	134	1.50	-
5785MHz	Pass	AV	11.57378G	46.52	54.00	-7.48	3	Vertical	18	2.55	-
5785MHz	Pass	PK	3.85677G	48.67	74.00	-25.33	3	Vertical	134	1.50	-
5785MHz	Pass	PK	11.57636G	59.70	74.00	-14.30	3	Vertical	18	2.55	-
5785MHz	Pass	PK	17.36628G	65.58	68.20	-2.62	3	Vertical	127	1.50	-
5785MHz	Pass	AV	3.85669G	40.46	54.00	-13.54	3	Horizontal	357	1.62	-
5785MHz	Pass	AV	11.58458G	46.64	54.00	-7.36	3	Horizontal	18	1.76	-
5785MHz	Pass	PK	3.85674G	48.75	74.00	-25.25	3	Horizontal	357	1.62	-
5785MHz	Pass	PK	11.58308G	59.68	74.00	-14.32	3	Horizontal	18	1.76	-
5785MHz	Pass	PK	17.35578G	65.64	68.20	-2.56	3	Horizontal	36	2.13	-
5825MHz	Pass	AV	5.8226G	112.55	Inf	-Inf	3	Vertical	315	1.94	-
5825MHz	Pass	PK	5.6474G	61.81	68.20	-6.39	3	Vertical	315	1.94	-
5825MHz	Pass	PK	5.8262G	124.27	Inf	-Inf	3	Vertical	315	1.94	-
5825MHz	Pass	PK	5.9246G	67.63	68.50	-0.87	3	Vertical	315	1.94	-
5825MHz	Pass	AV	3.88326G	39.22	54.00	-14.78	3	Vertical	135	1.50	-
5825MHz	Pass	AV	11.64316G	46.73	54.00	-7.27	3	Vertical	154	1.50	-
5825MHz	Pass	PK	3.88335G	48.82	74.00	-25.18	3	Vertical	135	1.50	-
5825MHz	Pass	PK	11.647G	60.19	74.00	-13.81	3	Vertical	154	1.50	-
5825MHz	Pass	PK	17.47626G	66.89	68.20	-1.31	3	Vertical	332	1.43	-
5825MHz	Pass	AV	3.88337G	39.33	54.00	-14.67	3	Horizontal	356	1.61	-
5825MHz	Pass	AV	11.63608G	46.78	54.00	-7.22	3	Horizontal	33	1.50	-
5825MHz	Pass	PK	3.88316G	48.71	74.00	-25.29	3	Horizontal	356	1.61	-
5825MHz	Pass	PK	11.64622G	59.92	74.00	-14.08	3	Horizontal	33	1.50	-
5825MHz	Pass	PK	17.47812G	67.73	68.20	-0.47	3	Horizontal	121	1.59	-
802.11ax HEW40-BF_Nss1 (MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.63	54.00	-0.37	3	Vertical	175	1.50	-
5190MHz	Pass	AV	5.1968G	101.64	Inf	-Inf	3	Vertical	175	1.50	-
5190MHz	Pass	PK	5.1492G	71.68	74.00	-2.32	3	Vertical	175	1.50	-
5190MHz	Pass	PK	5.2012G	113.01	Inf	-Inf	3	Vertical	175	1.50	-
5190MHz	Pass	AV	15.5652G	47.91	54.00	-6.09	3	Vertical	303	2.20	-
5190MHz	Pass	PK	3.45997G	49.75	68.20	-18.45	3	Vertical	146	1.58	-
5190MHz	Pass	PK	10.37436G	59.36	68.20	-8.84	3	Vertical	356	1.32	-
5190MHz	Pass	PK	15.58344G	60.46	74.00	-13.54	3	Vertical	303	2.20	-
5190MHz	Pass	AV	15.58134G	47.81	54.00	-6.19	3	Horizontal	356	1.68	-
5190MHz	Pass	PK	3.46016G	48.69	68.20	-19.51	3	Horizontal	26	2.50	-
5190MHz	Pass	PK	10.38708G	59.10	68.20	-9.10	3	Horizontal	62	1.54	-
5190MHz	Pass	PK	15.55932G	61.21	74.00	-12.79	3	Horizontal	356	1.68	-
5230MHz	Pass	AV	5.1472G	53.27	54.00	-0.73	3	Vertical	38	2.11	-

Remark :

Page No. : E3 of E41

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
2\_2T1S**

**Appendix E.28**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	5.2272G	104.65	Inf	-Inf	3	Vertical	38	2.11	-
5230MHz	Pass	PK	5.1492G	71.24	74.00	-2.76	3	Vertical	38	2.11	-
5230MHz	Pass	PK	5.2284G	116.98	Inf	-Inf	3	Vertical	38	2.11	-
5230MHz	Pass	AV	15.693G	48.22	54.00	-5.78	3	Vertical	167	2.67	-
5230MHz	Pass	PK	3.48648G	49.80	68.20	-18.40	3	Vertical	30	2.55	-
5230MHz	Pass	PK	10.45844G	59.56	68.20	-8.64	3	Vertical	243	1.36	-
5230MHz	Pass	PK	15.69132G	60.79	74.00	-13.21	3	Vertical	167	2.67	-
5230MHz	Pass	AV	15.69054G	48.28	54.00	-5.72	3	Horizontal	339	1.50	-
5230MHz	Pass	PK	3.48663G	48.95	68.20	-19.25	3	Horizontal	209	2.08	-
5230MHz	Pass	PK	10.47254G	59.44	68.20	-8.76	3	Horizontal	77	1.96	-
5230MHz	Pass	PK	15.6969G	60.77	74.00	-13.23	3	Horizontal	339	1.50	-
5755MHz	Pass	AV	5.761G	108.11	Inf	-Inf	3	Vertical	216	1.50	-
5755MHz	Pass	PK	5.6434G	67.62	68.20	-0.58	3	Vertical	216	1.50	-
5755MHz	Pass	PK	5.7454G	119.01	Inf	-Inf	3	Vertical	216	1.50	-
5755MHz	Pass	PK	5.9374G	62.02	68.20	-6.18	3	Vertical	216	1.50	-
5755MHz	Pass	AV	3.83665G	39.97	54.00	-14.03	3	Vertical	144	1.98	-
5755MHz	Pass	AV	11.49644G	46.69	54.00	-7.31	3	Vertical	276	1.64	-
5755MHz	Pass	PK	3.83692G	48.49	74.00	-25.51	3	Vertical	144	1.98	-
5755MHz	Pass	PK	11.51882G	59.69	74.00	-14.31	3	Vertical	276	1.64	-
5755MHz	Pass	PK	17.25774G	64.69	68.20	-3.51	3	Vertical	304	1.49	-
5755MHz	Pass	AV	3.83665G	40.86	54.00	-13.14	3	Horizontal	359	1.98	-
5755MHz	Pass	AV	11.50124G	46.78	54.00	-7.22	3	Horizontal	219	1.92	-
5755MHz	Pass	PK	3.83665G	48.84	74.00	-25.16	3	Horizontal	359	1.98	-
5755MHz	Pass	PK	11.4959G	59.47	74.00	-14.53	3	Horizontal	219	1.92	-
5755MHz	Pass	PK	17.26674G	65.53	68.20	-2.67	3	Horizontal	330	1.65	-
5795MHz	Pass	AV	5.801G	108.39	Inf	-Inf	3	Vertical	211	1.50	-
5795MHz	Pass	PK	5.6522G	63.13	69.83	-6.70	3	Vertical	211	1.50	-
5795MHz	Pass	PK	5.7938G	119.83	Inf	-Inf	3	Vertical	211	1.50	-
5795MHz	Pass	PK	5.9318G	67.42	68.20	-0.78	3	Vertical	211	1.50	-
5795MHz	Pass	AV	3.86335G	39.59	54.00	-14.41	3	Vertical	145	2.10	-
5795MHz	Pass	AV	11.58778G	46.84	54.00	-7.16	3	Vertical	180	1.27	-
5795MHz	Pass	PK	3.86352G	48.47	74.00	-25.53	3	Vertical	145	2.10	-
5795MHz	Pass	PK	11.58514G	59.39	74.00	-14.61	3	Vertical	180	1.27	-
5795MHz	Pass	PK	17.39688G	66.21	68.20	-1.99	3	Vertical	311	1.50	-
5795MHz	Pass	AV	3.86334G	40.35	54.00	-13.65	3	Horizontal	359	1.93	-
5795MHz	Pass	AV	11.587G	46.77	54.00	-7.23	3	Horizontal	263	2.17	-
5795MHz	Pass	PK	3.86337G	48.54	74.00	-25.46	3	Horizontal	359	1.93	-
5795MHz	Pass	PK	11.58226G	59.80	74.00	-14.20	3	Horizontal	263	2.17	-
5795MHz	Pass	PK	17.37342G	66.76	68.20	-1.44	3	Horizontal	1	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.78	54.00	-0.22	3	Vertical	359	1.93	-
5210MHz	Pass	AV	5.197G	98.22	Inf	-Inf	3	Vertical	359	1.93	-
5210MHz	Pass	AV	5.352G	47.53	54.00	-6.47	3	Vertical	359	1.93	-
5210MHz	Pass	PK	5.15G	68.53	74.00	-5.47	3	Vertical	359	1.93	-
5210MHz	Pass	PK	5.199G	111.60	Inf	-Inf	3	Vertical	359	1.93	-
5210MHz	Pass	PK	5.396G	60.49	74.00	-13.51	3	Vertical	359	1.93	-
5210MHz	Pass	AV	15.63948G	47.57	54.00	-6.43	3	Vertical	73	2.07	-
5210MHz	Pass	PK	3.47341G	49.28	68.20	-18.92	3	Vertical	143	1.50	-
5210MHz	Pass	PK	10.40572G	59.53	68.20	-8.67	3	Vertical	299	1.63	-

Remark :

Page No. : E4 of E41

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)



**RSE TX above 1GHz\_Beamforming\_Sample 1\_Radio  
2\_2T1S**

**Appendix E.28**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	15.63948G	60.87	74.00	-13.13	3	Vertical	73	2.07	-
5210MHz	Pass	AV	15.63672G	47.77	54.00	-6.23	3	Horizontal	311	1.07	-
5210MHz	Pass	PK	3.47332G	48.60	68.20	-19.60	3	Horizontal	29	2.47	-
5210MHz	Pass	PK	10.42708G	59.92	68.20	-8.28	3	Horizontal	225	2.24	-
5210MHz	Pass	PK	15.6192G	60.90	74.00	-13.10	3	Horizontal	311	1.07	-
5775MHz	Pass	AV	5.7846G	102.58	Inf	-Inf	3	Vertical	217	1.65	-
5775MHz	Pass	PK	5.649G	67.59	68.20	-0.61	3	Vertical	217	1.65	-
5775MHz	Pass	PK	5.7522G	116.32	Inf	-Inf	3	Vertical	217	1.65	-
5775MHz	Pass	PK	5.9286G	65.45	68.20	-2.75	3	Vertical	217	1.65	-
5775MHz	Pass	AV	3.84997G	38.48	54.00	-15.52	3	Vertical	135	1.50	-
5775MHz	Pass	AV	11.54244G	46.13	54.00	-7.87	3	Vertical	211	2.39	-
5775MHz	Pass	PK	3.84998G	48.60	74.00	-25.40	3	Vertical	135	1.50	-
5775MHz	Pass	PK	11.54862G	59.23	74.00	-14.77	3	Vertical	211	2.39	-
5775MHz	Pass	PK	17.33052G	64.98	68.20	-3.22	3	Vertical	307	1.71	-
5775MHz	Pass	AV	3.85002G	40.47	54.00	-13.53	3	Horizontal	359	1.94	-
5775MHz	Pass	AV	11.54538G	46.13	54.00	-7.87	3	Horizontal	356	2.30	-
5775MHz	Pass	PK	3.84996G	49.28	74.00	-24.72	3	Horizontal	359	1.94	-
5775MHz	Pass	PK	11.54448G	59.41	74.00	-14.59	3	Horizontal	356	2.30	-
5775MHz	Pass	PK	17.32998G	64.88	68.20	-3.32	3	Horizontal	106	2.21	-

Remark :

Page No. : E5 of E41

Level (dBuV/m) = Raw(Read Level) + AF(Antenna Factor) + CL(Cable Loss) - PA( Preamp Factor)

992608