



**Average Power_Beamforming_Sample 2_Radio 1_Panel
1_2T1S**

Appendix B.16

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.49	0.03540	29.20	0.83176
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.35	0.03428	29.06	0.80538
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.39	0.03459	29.10	0.81283
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.60	0.03631	29.31	0.85310
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.77	0.03776	29.48	0.88716
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.60	0.03631	29.31	0.85310
5.47-5.725GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.53	0.03573	29.24	0.83946
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.59	0.03622	29.30	0.85114
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.58	0.03614	29.29	0.84918
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.64	0.03664	29.35	0.86099
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.74	0.03750	29.45	0.88105
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.65	0.03673	29.36	0.86298
5.725-5.85GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	7.82	0.00605	21.53	0.14223
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	4.90	0.00309	18.61	0.07261
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	0.98	0.00125	14.69	0.02944
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	9.16	0.00824	22.87	0.19364
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	6.08	0.00406	19.79	0.09528
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	2.17	0.00165	15.88	0.03873



**Average Power_Beamforming_Sample 2_Radio 1_Panel
1_2T1S**

Appendix B.16

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	12.37	12.58	15.49	16.27	29.20	30.00
5300MHz	Pass	13.71	11.88	12.45	15.18	16.27	28.89	30.00
5320MHz	Pass	13.71	12.23	12.54	15.40	16.27	29.11	30.00
5500MHz	Pass	13.71	12.63	12.40	15.53	16.27	29.24	30.00
5580MHz	Pass	13.71	12.23	12.07	15.16	16.27	28.87	30.00
5700MHz	Pass	13.71	11.94	12.20	15.08	16.27	28.79	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	10.39	10.30	13.36	15.25	27.07	28.96
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	4.76	4.85	7.82	22.29	21.53	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	11.38	12.18	14.81	16.27	28.52	30.00
5310MHz	Pass	13.71	12.03	12.62	15.35	16.27	29.06	30.00
5510MHz	Pass	13.71	12.32	12.34	15.34	16.27	29.05	30.00
5550MHz	Pass	13.71	12.69	12.47	15.59	16.27	29.30	30.00
5670MHz	Pass	13.71	11.98	12.18	15.09	16.27	28.80	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	12.12	12.21	15.18	16.27	28.89	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	1.78	2.00	4.90	22.29	18.61	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.31	12.44	15.39	16.27	29.10	30.00
5530MHz	Pass	13.71	11.67	12.02	14.86	16.27	28.57	30.00
5610MHz	Pass	13.71	12.31	12.81	15.58	16.27	29.29	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	11.85	10.66	14.31	16.27	28.02	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-2.69	-1.46	0.98	22.29	14.69	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	12.54	12.64	15.60	16.27	29.31	30.00
5300MHz	Pass	13.71	12.43	12.66	15.56	16.27	29.27	30.00
5320MHz	Pass	13.71	12.51	12.48	15.51	16.27	29.22	30.00
5500MHz	Pass	13.71	12.83	12.43	15.64	16.27	29.35	30.00
5580MHz	Pass	13.71	12.52	12.41	15.48	16.27	29.19	30.00
5700MHz	Pass	13.71	12.30	12.64	15.48	16.27	29.19	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	11.40	11.35	14.39	15.25	28.10	28.96
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	6.00	6.29	9.16	22.29	22.87	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	12.66	12.78	15.73	16.27	29.44	30.00
5310MHz	Pass	13.71	12.92	12.60	15.77	16.27	29.48	30.00
5510MHz	Pass	13.71	12.80	12.52	15.67	16.27	29.38	30.00
5550MHz	Pass	13.71	12.70	12.75	15.74	16.27	29.45	30.00
5670MHz	Pass	13.71	12.68	12.37	15.54	16.27	29.25	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	12.70	12.72	15.72	16.27	29.43	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	2.91	3.23	6.08	22.29	19.79	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.38	12.79	15.60	16.27	29.31	30.00
5530MHz	Pass	13.71	12.61	12.36	15.50	16.27	29.21	30.00
5610MHz	Pass	13.71	12.50	12.77	15.65	16.27	29.36	30.00









**Average Power_Beamforming_Sample 2_Radio 1_Panel
1_2T1S**




Appendix B.16




Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	12.34	12.70	15.53	16.27	29.24	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-1.41	-0.33	2.17	22.29	15.88	36.00

DG = Directional Gain; **Port X** = Port X output power











Average Power_Beamforming_Sample 2_Radio 2_Omni_2T1S Appendix B.17

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	18.25	0.06683	29.26	0.84333
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	18.24	0.06668	29.25	0.84140
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	16.57	0.04539	27.58	0.57280
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	18.45	0.06998	29.46	0.88308
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.29	0.06745	29.30	0.85114
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	16.61	0.04581	27.62	0.57810
5.47-5.725GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	18.20	0.06607	29.21	0.83368
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	18.34	0.06823	29.35	0.86099
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	18.09	0.06442	29.10	0.81283
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	18.38	0.06887	29.39	0.86896
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	18.43	0.06966	29.44	0.87902
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	18.44	0.06982	29.45	0.88105
5.725-5.85GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	10.75	0.01189	21.76	0.14997
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	7.74	0.00594	18.75	0.07499
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	3.93	0.00247	14.94	0.03119
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	12.19	0.01656	23.20	0.20893
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	8.63	0.00729	19.64	0.09204
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	4.80	0.00302	15.81	0.03811



Average Power Beamforming Sample 2 Radio 2 Omni_2T1S Appendix B.17

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	11.01	15.11	15.33	18.23	18.97	29.24	30.00
5300MHz	Pass	11.01	15.26	15.21	18.25	18.97	29.26	30.00
5320MHz	Pass	11.01	15.03	15.26	18.16	18.97	29.17	30.00
5500MHz	Pass	11.01	14.79	15.46	18.15	18.97	29.16	30.00
5580MHz	Pass	11.01	14.80	15.55	18.20	18.97	29.21	30.00
5700MHz	Pass	11.01	14.31	14.71	17.52	18.97	28.53	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.01	13.10	13.51	16.32	18.01	27.33	29.02
5720MHz Straddle 5.725-5.85GHz	Pass	11.01	7.44	8.02	10.75	24.99	21.76	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	11.01	14.96	15.49	18.24	18.97	29.25	30.00
5310MHz	Pass	11.01	14.08	14.79	17.46	18.97	28.47	30.00
5510MHz	Pass	11.01	12.36	13.24	15.83	18.97	26.84	30.00
5550MHz	Pass	11.01	14.85	14.80	17.84	18.97	28.85	30.00
5670MHz	Pass	11.01	15.28	15.37	18.34	18.97	29.35	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	11.01	14.67	15.13	17.92	18.97	28.93	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.01	4.70	4.76	7.74	24.99	18.75	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	11.01	13.23	13.87	16.57	18.97	27.58	30.00
5530MHz	Pass	11.01	13.18	12.86	16.03	18.97	27.04	30.00
5610MHz	Pass	11.01	14.71	14.81	17.77	18.97	28.78	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	11.01	14.81	15.34	18.09	18.97	29.10	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	11.01	0.63	1.20	3.93	24.99	14.94	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	11.01	15.67	15.19	18.45	18.97	29.46	30.00
5300MHz	Pass	11.01	15.19	15.43	18.32	18.97	29.33	30.00
5320MHz	Pass	11.01	15.29	15.26	18.29	18.97	29.30	30.00
5500MHz	Pass	11.01	14.94	15.58	18.28	18.97	29.29	30.00
5580MHz	Pass	11.01	14.98	15.73	18.38	18.97	29.39	30.00
5700MHz	Pass	11.01	14.49	15.18	17.86	18.97	28.87	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.01	14.04	14.76	17.43	17.95	28.44	28.96
5720MHz Straddle 5.725-5.85GHz	Pass	11.01	8.93	9.41	12.19	24.99	23.20	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	11.01	15.34	15.21	18.29	18.97	29.30	30.00
5310MHz	Pass	11.01	14.21	14.82	17.54	18.97	28.55	30.00
5510MHz	Pass	11.01	12.47	13.46	16.00	18.97	27.01	30.00
5550MHz	Pass	11.01	15.29	15.38	18.35	18.97	29.36	30.00
5670MHz	Pass	11.01	15.68	15.15	18.43	18.97	29.44	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	11.01	15.09	15.50	18.31	18.97	29.32	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	11.01	5.40	5.83	8.63	24.99	19.64	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	11.01	13.24	13.93	16.61	18.97	27.62	30.00
5530MHz	Pass	11.01	13.32	12.97	16.16	18.97	27.17	30.00
5610MHz	Pass	11.01	15.09	15.75	18.44	18.97	29.45	30.00



Average Power_Beamforming_Sample 2_Radio 2_Omni_2T1S Appendix B.17

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5690MHz Straddle 5.47-5.725GHz	Pass	11.01	15.01	15.69	18.37	18.97	29.38	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	11.01	1.32	2.21	4.80	24.99	15.81	36.00

DG = Directional Gain; **Port X** = Port X output power




802.11ac VHT20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.47-5.725GHz

22/01/2020

CF
5.71GHz
Span
60MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
30MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
16.32	13.10	13.51


802.11ac VHT20-BF_Nss1,(MCS0)_2TX

AV Power

5720MHz Straddle 5.725-5.85GHz

22/01/2020

CF
5.735GHz
Span
40MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
10.75	7.44	8.02


802.11ac VHT40-BF_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.47-5.725GHz

22/01/2020

CF
5.69GHz
Span
140MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
70MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
17.92	14.67	15.13




802.11ac VHT40-BF_Nss1,(MCS0)_2TX

AV Power

5710MHz Straddle 5.725-5.85GHz

22/01/2020

CF
5.735GHz
Span
40MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
20MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
7.74	4.70	4.76


802.11ac VHT80-BF_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.47-5.725GHz

22/01/2020

CF
5.65GHz
Span
300MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
150MHz



Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
18.09	14.81	15.34


802.11ac VHT80-BF_Nss1,(MCS0)_2TX

AV Power

5690MHz Straddle 5.725-5.85GHz

22/01/2020




CF
5.735GHz
Span
40MHz
RBW
100kHz
VBW
300kHz
Sweep Time
25ms
Detector Type
RMS
CP BW
20MHz






Port 1
Port 2

Sum=Total Power
PX=Port X

Sum(dBm)	P1(dBm)	P2(dBm)
3.93	0.63	1.20







**Average Power_Beamforming_Sample 2_Radio 2_Panel
1_2T1S**

Appendix B.18

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.37	0.03443	29.08	0.80910
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.68	0.03698	29.39	0.86896
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.64	0.03664	29.35	0.86099
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.63	0.03656	29.34	0.85901
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.69	0.03707	29.40	0.87096
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.76	0.03767	29.47	0.88512
5.47-5.725GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.49	0.03540	29.20	0.83176
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.51	0.03556	29.22	0.83560
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.67	0.03690	29.38	0.86696
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.78	0.03784	29.49	0.88920
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.71	0.03724	29.42	0.87498
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.76	0.03767	29.47	0.88512
5.725-5.85GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	8.35	0.00684	22.06	0.16069
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	5.00	0.00316	18.71	0.07430
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	1.30	0.00135	15.01	0.03170
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	9.48	0.00887	23.19	0.20845
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.95	0.00394	19.66	0.09247
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	2.27	0.00169	15.98	0.03963



**Average Power_Beamforming_Sample 2_Radio 2_Panel
1_2T1S**

Appendix B.18

Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	11.91	12.57	15.26	16.27	28.97	30.00
5300MHz	Pass	13.71	12.21	12.31	15.27	16.27	28.98	30.00
5320MHz	Pass	13.71	12.03	12.66	15.37	16.27	29.08	30.00
5500MHz	Pass	13.71	11.73	13.12	15.49	16.27	29.20	30.00
5580MHz	Pass	13.71	11.72	12.86	15.34	16.27	29.05	30.00
5700MHz	Pass	13.71	11.84	12.76	15.33	16.27	29.04	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	10.74	11.43	14.11	15.31	27.82	29.02
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	5.04	5.62	8.35	22.29	22.06	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	12.34	12.80	15.59	16.27	29.30	30.00
5310MHz	Pass	13.71	12.33	12.98	15.68	16.27	29.39	30.00
5510MHz	Pass	13.71	12.19	12.79	15.51	16.27	29.22	30.00
5550MHz	Pass	13.71	12.09	12.80	15.47	16.27	29.18	30.00
5670MHz	Pass	13.71	12.20	12.74	15.49	16.27	29.20	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	11.93	12.68	15.33	16.27	29.04	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	1.65	2.31	5.00	22.29	18.71	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.19	13.03	15.64	16.27	29.35	30.00
5530MHz	Pass	13.71	11.81	12.73	15.30	16.27	29.01	30.00
5610MHz	Pass	13.71	12.12	12.57	15.36	16.27	29.07	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	12.18	13.10	15.67	16.27	29.38	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-2.30	-1.19	1.30	22.29	15.01	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	12.24	12.85	15.57	16.27	29.28	30.00
5300MHz	Pass	13.71	12.29	12.93	15.63	16.27	29.34	30.00
5320MHz	Pass	13.71	12.42	12.79	15.62	16.27	29.33	30.00
5500MHz	Pass	13.71	12.18	13.29	15.78	16.27	29.49	30.00
5580MHz	Pass	13.71	12.37	13.00	15.71	16.27	29.42	30.00
5700MHz	Pass	13.71	12.11	12.76	15.46	16.27	29.17	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	11.35	12.01	14.70	15.26	28.41	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	6.11	6.80	9.48	22.29	23.19	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	12.39	12.88	15.65	16.27	29.36	30.00
5310MHz	Pass	13.71	12.27	13.05	15.69	16.27	29.40	30.00
5510MHz	Pass	13.71	12.22	13.13	15.71	16.27	29.42	30.00
5550MHz	Pass	13.71	12.31	12.82	15.58	16.27	29.29	30.00
5670MHz	Pass	13.71	12.34	12.79	15.58	16.27	29.29	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	12.39	12.97	15.70	16.27	29.41	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	2.69	3.17	5.95	22.29	19.66	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.27	13.19	15.76	16.27	29.47	30.00
5530MHz	Pass	13.71	12.36	12.83	15.61	16.27	29.32	30.00
5610MHz	Pass	13.71	12.36	12.71	15.55	16.27	29.26	30.00









**Average Power_Beamforming_Sample 2_Radio 2_Panel
1_2T1S**




Appendix B.18




Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	12.47	13.02	15.76	16.27	29.47	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-1.01	-0.48	2.27	22.29	15.98	36.00

DG = Directional Gain; **Port X** = Port X output power











Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.41	13.58
802.11ac VHT20_Nss1,(MCS0)_1TX	7.59	12.76
802.11ac VHT40_Nss1,(MCS0)_1TX	4.70	9.87
802.11ac VHT80_Nss1,(MCS0)_1TX	-0.57	4.60
802.11ax HEW20_Nss1,(MCS0)_1TX	7.61	12.78
802.11ax HEW40_Nss1,(MCS0)_1TX	4.85	10.02
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.47	4.70
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.44	13.61
802.11ac VHT20_Nss1,(MCS0)_1TX	7.93	13.10
802.11ac VHT40_Nss1,(MCS0)_1TX	5.33	10.50
802.11ac VHT80_Nss1,(MCS0)_1TX	2.34	7.51
802.11ax HEW20_Nss1,(MCS0)_1TX	7.80	12.97
802.11ax HEW40_Nss1,(MCS0)_1TX	5.50	10.67
802.11ax HEW80_Nss1,(MCS0)_1TX	2.63	7.80
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.59	11.76
802.11ac VHT20_Nss1,(MCS0)_1TX	5.94	11.11
802.11ac VHT40_Nss1,(MCS0)_1TX	2.74	7.91
802.11ac VHT80_Nss1,(MCS0)_1TX	-0.46	4.71
802.11ax HEW20_Nss1,(MCS0)_1TX	6.05	11.22
802.11ax HEW40_Nss1,(MCS0)_1TX	3.45	8.62
802.11ax HEW80_Nss1,(MCS0)_1TX	0.17	5.34

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	8.24	8.24	11.00	13.41	17.00
5300MHz	Pass	5.17	8.41	8.41	11.00	13.58	17.00
5320MHz	Pass	5.17	7.34	7.34	11.00	12.51	17.00
5500MHz	Pass	5.17	7.29	7.29	11.00	12.46	17.00
5580MHz	Pass	5.17	8.29	8.29	11.00	13.46	17.00
5700MHz	Pass	5.17	6.88	6.88	11.00	12.05	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	8.44	8.44	11.00	13.61	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	6.59	6.59	30.00	11.76	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	7.51	7.51	11.00	12.68	17.00
5300MHz	Pass	5.17	7.59	7.59	11.00	12.76	17.00
5320MHz	Pass	5.17	6.46	6.46	11.00	11.63	17.00
5500MHz	Pass	5.17	5.72	5.72	11.00	10.89	17.00
5580MHz	Pass	5.17	7.93	7.93	11.00	13.10	17.00
5700MHz	Pass	5.17	5.20	5.20	11.00	10.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	7.72	7.72	11.00	12.89	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	5.94	5.94	30.00	11.11	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	5.17	4.70	4.70	11.00	9.87	17.00
5310MHz	Pass	5.17	2.40	2.40	11.00	7.57	17.00
5510MHz	Pass	5.17	1.07	1.07	11.00	6.24	17.00
5550MHz	Pass	5.17	4.14	4.14	11.00	9.31	17.00
5670MHz	Pass	5.17	5.33	5.33	11.00	10.50	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.17	4.90	4.90	11.00	10.07	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.17	2.74	2.74	30.00	7.91	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	5.17	-0.57	-0.57	11.00	4.60	17.00
5530MHz	Pass	5.17	-0.81	-0.81	11.00	4.36	17.00
5610MHz	Pass	5.17	2.02	2.02	11.00	7.19	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.17	2.34	2.34	11.00	7.51	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.17	-0.46	-0.46	30.00	4.71	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	7.61	7.61	11.00	12.78	17.00
5300MHz	Pass	5.17	7.56	7.56	11.00	12.73	17.00
5320MHz	Pass	5.17	6.66	6.66	11.00	11.83	17.00
5500MHz	Pass	5.17	5.69	5.69	11.00	10.86	17.00
5580MHz	Pass	5.17	7.76	7.76	11.00	12.93	17.00
5700MHz	Pass	5.17	5.18	5.18	11.00	10.35	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	7.80	7.80	11.00	12.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	6.05	6.05	30.00	11.22	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	5.17	4.85	4.85	11.00	10.02	17.00
5310MHz	Pass	5.17	2.39	2.39	11.00	7.56	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.17	1.33	1.33	11.00	6.50	17.00
5550MHz	Pass	5.17	4.92	4.92	11.00	10.09	17.00
5670MHz	Pass	5.17	5.49	5.49	11.00	10.66	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.17	5.50	5.50	11.00	10.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.17	3.45	3.45	30.00	8.62	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	5.17	-0.47	-0.47	11.00	4.70	17.00
5530MHz	Pass	5.17	-0.80	-0.80	11.00	4.37	17.00
5610MHz	Pass	5.17	2.32	2.32	11.00	7.49	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.17	2.63	2.63	11.00	7.80	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.17	0.17	0.17	30.00	5.34	36.00




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;




































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.84	16.97
802.11ac VHT20_Nss2,(MCS0)_2TX	10.12	15.24
802.11ac VHT40_Nss2,(MCS0)_2TX	7.26	12.38
802.11ac VHT80_Nss2,(MCS0)_2TX	1.97	7.09
802.11ax HEW20_Nss2,(MCS0)_2TX	10.23	15.35
802.11ax HEW40_Nss2,(MCS0)_2TX	7.18	12.30
802.11ax HEW80_Nss2,(MCS0)_2TX	1.92	7.04
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.85	16.98
802.11ac VHT20_Nss2,(MCS0)_2TX	10.34	15.46
802.11ac VHT40_Nss2,(MCS0)_2TX	7.55	12.67
802.11ac VHT80_Nss2,(MCS0)_2TX	4.78	9.90
802.11ax HEW20_Nss2,(MCS0)_2TX	10.36	15.48
802.11ax HEW40_Nss2,(MCS0)_2TX	7.73	12.85
802.11ax HEW80_Nss2,(MCS0)_2TX	4.80	9.92
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	6.81	14.94
802.11ac VHT20_Nss2,(MCS0)_2TX	8.65	13.77
802.11ac VHT40_Nss2,(MCS0)_2TX	5.51	10.63
802.11ac VHT80_Nss2,(MCS0)_2TX	2.56	7.68
802.11ax HEW20_Nss2,(MCS0)_2TX	8.75	13.87
802.11ax HEW40_Nss2,(MCS0)_2TX	5.77	10.89
802.11ax HEW80_Nss2,(MCS0)_2TX	2.39	7.51

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.13	5.88	5.90	8.84	8.87	16.97	17.00
5300MHz	Pass	8.13	5.87	5.88	8.84	8.87	16.97	17.00
5320MHz	Pass	8.13	5.73	5.90	8.77	8.87	16.90	17.00
5500MHz	Pass	8.13	5.95	5.91	8.85	8.87	16.98	17.00
5580MHz	Pass	8.13	5.69	5.68	8.67	8.87	16.80	17.00
5700MHz	Pass	8.13	5.95	5.70	8.77	8.87	16.90	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.13	5.87	5.48	8.65	8.87	16.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.13	3.94	3.76	6.81	27.87	14.94	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	5.12	7.17	7.15	10.09	11.00	15.21	17.00
5300MHz	Pass	5.12	7.13	7.19	10.12	11.00	15.24	17.00
5320MHz	Pass	5.12	6.36	6.57	9.36	11.00	14.48	17.00
5500MHz	Pass	5.12	6.84	6.64	9.64	11.00	14.76	17.00
5580MHz	Pass	5.12	7.43	7.40	10.34	11.00	15.46	17.00
5700MHz	Pass	5.12	4.87	4.72	7.73	11.00	12.85	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	7.48	7.31	10.27	11.00	15.39	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.12	5.58	5.72	8.65	30.00	13.77	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	5.12	4.50	4.30	7.26	11.00	12.38	17.00
5310MHz	Pass	5.12	2.02	1.98	4.87	11.00	9.99	17.00
5510MHz	Pass	5.12	-0.19	-0.17	2.75	11.00	7.87	17.00
5550MHz	Pass	5.12	3.65	4.09	6.79	11.00	11.91	17.00
5670MHz	Pass	5.12	4.52	3.99	7.17	11.00	12.29	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.12	4.88	4.23	7.55	11.00	12.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.12	2.80	2.39	5.51	30.00	10.63	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.12	-1.24	-0.84	1.97	11.00	7.09	17.00
5530MHz	Pass	5.12	-1.63	-1.02	1.66	11.00	6.78	17.00
5610MHz	Pass	5.12	1.75	2.00	4.74	11.00	9.86	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.12	1.71	1.87	4.78	11.00	9.90	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.12	-0.76	-0.16	2.56	30.00	7.68	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	5.12	7.22	7.28	10.23	11.00	15.35	17.00
5300MHz	Pass	5.12	6.96	7.25	10.09	11.00	15.21	17.00
5320MHz	Pass	5.12	6.46	6.73	9.58	11.00	14.70	17.00
5500MHz	Pass	5.12	6.83	6.52	9.62	11.00	14.74	17.00
5580MHz	Pass	5.12	7.18	7.25	10.19	11.00	15.31	17.00
5700MHz	Pass	5.12	4.68	4.69	7.62	11.00	12.74	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	7.56	7.36	10.36	11.00	15.48	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.12	5.82	5.65	8.75	30.00	13.87	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	5.12	4.36	4.17	7.18	11.00	12.30	17.00
5310MHz	Pass	5.12	2.13	2.17	4.96	11.00	10.08	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.12	-0.20	-0.08	2.85	11.00	7.97	17.00
5550MHz	Pass	5.12	3.93	4.28	7.03	11.00	12.15	17.00
5670MHz	Pass	5.12	4.26	3.90	7.04	11.00	12.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.12	4.92	4.58	7.73	11.00	12.85	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.12	2.86	2.69	5.77	30.00	10.89	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.12	-1.10	-0.97	1.92	11.00	7.04	17.00
5530MHz	Pass	5.12	-1.44	-1.08	1.72	11.00	6.84	17.00
5610MHz	Pass	5.12	1.73	1.91	4.80	11.00	9.92	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.12	1.91	1.74	4.79	11.00	9.91	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.12	-0.73	-0.34	2.39	30.00	7.51	36.00




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;




































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.72	13.53
802.11ac VHT20_Nss1,(MCS0)_1TX	8.11	12.92
802.11ac VHT40_Nss1,(MCS0)_1TX	5.16	9.97
802.11ac VHT80_Nss1,(MCS0)_1TX	0.66	5.47
802.11ax HEW20_Nss1,(MCS0)_1TX	8.11	12.92
802.11ax HEW40_Nss1,(MCS0)_1TX	5.07	9.88
802.11ax HEW80_Nss1,(MCS0)_1TX	0.43	5.24
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.14	13.95
802.11ac VHT20_Nss1,(MCS0)_1TX	8.53	13.34
802.11ac VHT40_Nss1,(MCS0)_1TX	6.23	11.04
802.11ac VHT80_Nss1,(MCS0)_1TX	3.29	8.10
802.11ax HEW20_Nss1,(MCS0)_1TX	8.38	13.19
802.11ax HEW40_Nss1,(MCS0)_1TX	5.98	10.79
802.11ax HEW80_Nss1,(MCS0)_1TX	3.19	8.00
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.11	11.92
802.11ac VHT20_Nss1,(MCS0)_1TX	6.33	11.14
802.11ac VHT40_Nss1,(MCS0)_1TX	3.64	8.45
802.11ac VHT80_Nss1,(MCS0)_1TX	0.22	5.03
802.11ax HEW20_Nss1,(MCS0)_1TX	6.23	11.04
802.11ax HEW40_Nss1,(MCS0)_1TX	3.82	8.63
802.11ax HEW80_Nss1,(MCS0)_1TX	0.66	5.47

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	8.35	8.35	11.00	13.16	17.00
5300MHz	Pass	4.81	8.60	8.60	11.00	13.41	17.00
5320MHz	Pass	4.81	8.72	8.72	11.00	13.53	17.00
5500MHz	Pass	4.81	5.52	5.52	11.00	10.33	17.00
5580MHz	Pass	4.81	9.14	9.14	11.00	13.95	17.00
5700MHz	Pass	4.81	6.29	6.29	11.00	11.10	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.97	8.97	11.00	13.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	7.11	7.11	30.00	11.92	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	7.87	7.87	11.00	12.68	17.00
5300MHz	Pass	4.81	8.11	8.11	11.00	12.92	17.00
5320MHz	Pass	4.81	6.96	6.96	11.00	11.77	17.00
5500MHz	Pass	4.81	5.39	5.39	11.00	10.20	17.00
5580MHz	Pass	4.81	8.53	8.53	11.00	13.34	17.00
5700MHz	Pass	4.81	2.98	2.98	11.00	7.79	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.16	8.16	11.00	12.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	6.33	6.33	30.00	11.14	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.81	5.16	5.16	11.00	9.97	17.00
5310MHz	Pass	4.81	3.58	3.58	11.00	8.39	17.00
5510MHz	Pass	4.81	2.02	2.02	11.00	6.83	17.00
5550MHz	Pass	4.81	5.61	5.61	11.00	10.42	17.00
5670MHz	Pass	4.81	6.23	6.23	11.00	11.04	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.81	5.97	5.97	11.00	10.78	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.81	3.64	3.64	30.00	8.45	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.81	0.66	0.66	11.00	5.47	17.00
5530MHz	Pass	4.81	-0.84	-0.84	11.00	3.97	17.00
5610MHz	Pass	4.81	2.78	2.78	11.00	7.59	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.81	3.29	3.29	11.00	8.10	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.81	0.22	0.22	30.00	5.03	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	7.80	7.80	11.00	12.61	17.00
5300MHz	Pass	4.81	8.11	8.11	11.00	12.92	17.00
5320MHz	Pass	4.81	6.95	6.95	11.00	11.76	17.00
5500MHz	Pass	4.81	5.23	5.23	11.00	10.04	17.00
5580MHz	Pass	4.81	8.38	8.38	11.00	13.19	17.00
5700MHz	Pass	4.81	2.79	2.79	11.00	7.60	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.07	8.07	11.00	12.88	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	6.23	6.23	30.00	11.04	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.81	5.07	5.07	11.00	9.88	17.00
5310MHz	Pass	4.81	3.41	3.41	11.00	8.22	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	4.81	1.90	1.90	11.00	6.71	17.00
5550MHz	Pass	4.81	5.44	5.44	11.00	10.25	17.00
5670MHz	Pass	4.81	5.98	5.98	11.00	10.79	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.81	5.91	5.91	11.00	10.72	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.81	3.82	3.82	30.00	8.63	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.81	0.43	0.43	11.00	5.24	17.00
5530MHz	Pass	4.81	-0.89	-0.89	11.00	3.92	17.00
5610MHz	Pass	4.81	2.96	2.96	11.00	7.77	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.81	3.19	3.19	11.00	8.00	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.81	0.66	0.66	30.00	5.47	36.00



DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;




































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.17	16.96
802.11ac VHT20_Nss2,(MCS0)_2TX	9.76	14.54
802.11ac VHT40_Nss2,(MCS0)_2TX	7.16	11.94
802.11ac VHT80_Nss2,(MCS0)_2TX	1.64	6.42
802.11ax HEW20_Nss2,(MCS0)_2TX	9.60	14.38
802.11ax HEW40_Nss2,(MCS0)_2TX	7.11	11.89
802.11ax HEW80_Nss2,(MCS0)_2TX	1.80	6.58
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.09	16.88
802.11ac VHT20_Nss2,(MCS0)_2TX	10.32	15.10
802.11ac VHT40_Nss2,(MCS0)_2TX	8.17	12.95
802.11ac VHT80_Nss2,(MCS0)_2TX	4.65	9.43
802.11ax HEW20_Nss2,(MCS0)_2TX	10.72	15.50
802.11ax HEW40_Nss2,(MCS0)_2TX	8.00	12.78
802.11ax HEW80_Nss2,(MCS0)_2TX	4.73	9.51
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	7.45	15.24
802.11ac VHT20_Nss2,(MCS0)_2TX	8.72	13.50
802.11ac VHT40_Nss2,(MCS0)_2TX	5.95	10.73
802.11ac VHT80_Nss2,(MCS0)_2TX	2.24	7.02
802.11ax HEW20_Nss2,(MCS0)_2TX	8.72	13.50
802.11ax HEW40_Nss2,(MCS0)_2TX	6.00	10.78
802.11ax HEW80_Nss2,(MCS0)_2TX	2.35	7.13

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	6.01	6.10	8.96	9.21	16.75	17.00
5300MHz	Pass	7.79	6.10	6.07	9.01	9.21	16.80	17.00
5320MHz	Pass	7.79	6.26	6.20	9.17	9.21	16.96	17.00
5500MHz	Pass	7.79	5.53	6.64	9.09	9.21	16.88	17.00
5580MHz	Pass	7.79	5.64	6.40	9.01	9.21	16.80	17.00
5700MHz	Pass	7.79	6.20	6.26	9.07	9.21	16.86	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	6.06	6.15	9.02	9.21	16.81	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	4.25	4.62	7.45	28.21	15.24	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.78	6.73	6.80	9.68	11.00	14.46	17.00
5300MHz	Pass	4.78	6.63	6.97	9.76	11.00	14.54	17.00
5320MHz	Pass	4.78	5.34	5.83	8.54	11.00	13.32	17.00
5500MHz	Pass	4.78	5.39	6.17	8.77	11.00	13.55	17.00
5580MHz	Pass	4.78	6.61	7.24	9.86	11.00	14.64	17.00
5700MHz	Pass	4.78	3.87	4.70	7.25	11.00	12.03	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	7.28	7.55	10.32	11.00	15.10	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.78	5.41	6.02	8.72	30.00	13.50	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.78	4.16	4.30	7.16	11.00	11.94	17.00
5310MHz	Pass	4.78	2.19	2.71	5.36	11.00	10.14	17.00
5510MHz	Pass	4.78	-0.01	0.62	3.27	11.00	8.05	17.00
5550MHz	Pass	4.78	3.94	4.17	6.92	11.00	11.70	17.00
5670MHz	Pass	4.78	3.87	4.13	6.91	11.00	11.69	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.78	5.09	5.46	8.17	11.00	12.95	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.78	2.73	3.18	5.95	30.00	10.73	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.78	-1.71	-0.87	1.64	11.00	6.42	17.00
5530MHz	Pass	4.78	-1.84	-1.58	1.23	11.00	6.01	17.00
5610MHz	Pass	4.78	1.37	2.06	4.64	11.00	9.42	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.78	1.32	1.99	4.65	11.00	9.43	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.78	-1.37	-0.24	2.24	30.00	7.02	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.78	6.57	6.64	9.53	11.00	14.31	17.00
5300MHz	Pass	4.78	6.54	6.73	9.60	11.00	14.38	17.00
5320MHz	Pass	4.78	5.33	5.72	8.48	11.00	13.26	17.00
5500MHz	Pass	4.78	5.33	6.04	8.69	11.00	13.47	17.00
5580MHz	Pass	4.78	6.48	7.10	9.72	11.00	14.50	17.00
5700MHz	Pass	4.78	3.82	4.62	7.19	11.00	11.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	7.68	7.87	10.72	11.00	15.50	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.78	5.32	6.08	8.72	30.00	13.50	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.78	4.06	4.49	7.11	11.00	11.89	17.00
5310MHz	Pass	4.78	2.08	2.56	5.28	11.00	10.06	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	4.78	-0.05	0.82	3.37	11.00	8.15	17.00
5550MHz	Pass	4.78	3.81	4.40	7.05	11.00	11.83	17.00
5670MHz	Pass	4.78	3.76	4.31	7.04	11.00	11.82	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.78	4.86	5.17	8.00	11.00	12.78	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.78	2.91	3.18	6.00	30.00	10.78	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.78	-1.51	-0.78	1.80	11.00	6.58	17.00
5530MHz	Pass	4.78	-1.92	-1.68	1.19	11.00	5.97	17.00
5610MHz	Pass	4.78	1.04	1.54	4.26	11.00	9.04	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.78	1.54	1.95	4.73	11.00	9.51	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.78	-0.83	-0.35	2.35	30.00	7.13	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;




































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.25	16.25
802.11ac VHT20_Nss1,(MCS0)_1TX	7.76	15.76
802.11ac VHT40_Nss1,(MCS0)_1TX	4.13	12.13
802.11ac VHT80_Nss1,(MCS0)_1TX	-4.09	3.91
802.11ax HEW20_Nss1,(MCS0)_1TX	7.58	15.58
802.11ax HEW40_Nss1,(MCS0)_1TX	4.24	12.24
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.53	4.47
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.38	16.38
802.11ac VHT20_Nss1,(MCS0)_1TX	7.79	15.79
802.11ac VHT40_Nss1,(MCS0)_1TX	5.31	13.31
802.11ac VHT80_Nss1,(MCS0)_1TX	1.60	9.60
802.11ax HEW20_Nss1,(MCS0)_1TX	7.59	15.59
802.11ax HEW40_Nss1,(MCS0)_1TX	5.43	13.43
802.11ax HEW80_Nss1,(MCS0)_1TX	1.69	9.69
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.66	14.66
802.11ac VHT20_Nss1,(MCS0)_1TX	5.96	13.96
802.11ac VHT40_Nss1,(MCS0)_1TX	3.27	11.27
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.26	6.74
802.11ax HEW20_Nss1,(MCS0)_1TX	5.66	13.66
802.11ax HEW40_Nss1,(MCS0)_1TX	3.40	11.40
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.97	7.03

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	8.25	8.25	9.00	16.25	17.00
5300MHz	Pass	8.00	8.15	8.15	9.00	16.15	17.00
5320MHz	Pass	8.00	4.47	4.47	9.00	12.47	17.00
5500MHz	Pass	8.00	2.74	2.74	9.00	10.74	17.00
5580MHz	Pass	8.00	8.30	8.30	9.00	16.30	17.00
5700MHz	Pass	8.00	2.66	2.66	9.00	10.66	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	8.38	8.38	9.00	16.38	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	6.66	6.66	28.00	14.66	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	7.76	7.76	9.00	15.76	17.00
5300MHz	Pass	8.00	7.47	7.47	9.00	15.47	17.00
5320MHz	Pass	8.00	3.53	3.53	9.00	11.53	17.00
5500MHz	Pass	8.00	2.73	2.73	9.00	10.73	17.00
5580MHz	Pass	8.00	7.79	7.79	9.00	15.79	17.00
5700MHz	Pass	8.00	-0.01	-0.01	9.00	7.99	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	7.68	7.68	9.00	15.68	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	5.96	5.96	28.00	13.96	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	8.00	4.13	4.13	9.00	12.13	17.00
5310MHz	Pass	8.00	-0.22	-0.22	9.00	7.78	17.00
5510MHz	Pass	8.00	-1.03	-1.03	9.00	6.97	17.00
5550MHz	Pass	8.00	3.30	3.30	9.00	11.30	17.00
5670MHz	Pass	8.00	1.16	1.16	9.00	9.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	5.31	5.31	9.00	13.31	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	3.27	3.27	28.00	11.27	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-4.09	-4.09	9.00	3.91	17.00
5530MHz	Pass	8.00	-4.15	-4.15	9.00	3.85	17.00
5610MHz	Pass	8.00	-1.28	-1.28	9.00	6.72	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	1.60	1.60	9.00	9.60	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-1.26	-1.26	28.00	6.74	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	7.58	7.58	9.00	15.58	17.00
5300MHz	Pass	8.00	7.44	7.44	9.00	15.44	17.00
5320MHz	Pass	8.00	3.51	3.51	9.00	11.51	17.00
5500MHz	Pass	8.00	2.79	2.79	9.00	10.79	17.00
5580MHz	Pass	8.00	7.59	7.59	9.00	15.59	17.00
5700MHz	Pass	8.00	-0.02	-0.02	9.00	7.98	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	7.47	7.47	9.00	15.47	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	5.66	5.66	28.00	13.66	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	8.00	4.24	4.24	9.00	12.24	17.00
5310MHz	Pass	8.00	-0.24	-0.24	9.00	7.76	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	8.00	-1.01	-1.01	9.00	6.99	17.00
5550MHz	Pass	8.00	3.35	3.35	9.00	11.35	17.00
5670MHz	Pass	8.00	1.18	1.18	9.00	9.18	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	5.43	5.43	9.00	13.43	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	3.40	3.40	28.00	11.40	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-3.53	-3.53	9.00	4.47	17.00
5530MHz	Pass	8.00	-3.86	-3.86	9.00	4.14	17.00
5610MHz	Pass	8.00	-1.03	-1.03	9.00	6.97	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	1.69	1.69	9.00	9.69	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-0.97	-0.97	28.00	7.03	36.00




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


































802.11ac VHT80_Nss1,(MCS0)_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

06/01/2020

CF
5.735GHz
Span
40MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.26	-1.26	-1.26


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5260MHz

06/01/2020

CF
5.26GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.58	7.58	7.58


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5300MHz




06/01/2020




CF
5.3GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS









Port 1




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.44	7.44	7.44


















Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.95	16.96
802.11ac VHT20_Nss2,(MCS0)_2TX	8.12	16.12
802.11ac VHT40_Nss2,(MCS0)_2TX	5.31	13.31
802.11ac VHT80_Nss2,(MCS0)_2TX	-2.46	5.54
802.11ax HEW20_Nss2,(MCS0)_2TX	8.09	16.09
802.11ax HEW40_Nss2,(MCS0)_2TX	5.48	13.48
802.11ax HEW80_Nss2,(MCS0)_2TX	-2.29	5.71
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	5.96	16.97
802.11ac VHT20_Nss2,(MCS0)_2TX	8.77	16.77
802.11ac VHT40_Nss2,(MCS0)_2TX	5.50	13.50
802.11ac VHT80_Nss2,(MCS0)_2TX	2.04	10.04
802.11ax HEW20_Nss2,(MCS0)_2TX	7.96	15.96
802.11ax HEW40_Nss2,(MCS0)_2TX	5.57	13.57
802.11ax HEW80_Nss2,(MCS0)_2TX	2.48	10.48
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	4.13	15.14
802.11ac VHT20_Nss2,(MCS0)_2TX	6.39	14.39
802.11ac VHT40_Nss2,(MCS0)_2TX	3.43	11.43
802.11ac VHT80_Nss2,(MCS0)_2TX	0.02	8.02
802.11ax HEW20_Nss2,(MCS0)_2TX	6.27	14.27
802.11ax HEW40_Nss2,(MCS0)_2TX	3.64	11.64
802.11ax HEW80_Nss2,(MCS0)_2TX	0.20	8.20

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	11.01	2.61	3.02	5.76	5.99	16.77	17.00
5300MHz	Pass	11.01	2.80	3.21	5.95	5.99	16.96	17.00
5320MHz	Pass	11.01	2.71	3.24	5.91	5.99	16.92	17.00
5500MHz	Pass	11.01	2.38	3.07	5.67	5.99	16.68	17.00
5580MHz	Pass	11.01	2.47	3.35	5.84	5.99	16.85	17.00
5700MHz	Pass	11.01	1.91	2.59	5.20	5.99	16.21	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	11.01	2.63	3.31	5.96	5.99	16.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	11.01	0.88	1.54	4.13	24.99	15.14	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.00	4.99	5.38	8.09	9.00	16.09	17.00
5300MHz	Pass	8.00	4.78	5.56	8.12	9.00	16.12	17.00
5320MHz	Pass	8.00	3.11	3.99	6.53	9.00	14.53	17.00
5500MHz	Pass	8.00	2.98	3.86	6.28	9.00	14.28	17.00
5580MHz	Pass	8.00	5.21	6.60	8.77	9.00	16.77	17.00
5700MHz	Pass	8.00	0.51	1.03	3.65	9.00	11.65	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	4.52	5.53	7.93	9.00	15.93	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	2.82	4.03	6.39	28.00	14.39	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	8.00	2.07	2.68	5.31	9.00	13.31	17.00
5310MHz	Pass	8.00	-1.85	-1.07	1.36	9.00	9.36	17.00
5510MHz	Pass	8.00	-1.19	-0.64	1.98	9.00	9.98	17.00
5550MHz	Pass	8.00	1.96	2.96	5.33	9.00	13.33	17.00
5670MHz	Pass	8.00	-0.17	0.93	3.24	9.00	11.24	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	2.03	3.04	5.50	9.00	13.50	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	0.08	1.12	3.43	28.00	11.43	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-5.68	-4.78	-2.46	9.00	5.54	17.00
5530MHz	Pass	8.00	-5.03	-3.92	-1.61	9.00	6.39	17.00
5610MHz	Pass	8.00	-1.37	-0.27	1.89	9.00	9.89	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	-0.98	-0.25	2.04	9.00	10.04	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-3.69	-2.38	0.02	28.00	8.02	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.00	4.88	5.34	8.09	9.00	16.09	17.00
5300MHz	Pass	8.00	4.76	5.33	7.97	9.00	15.97	17.00
5320MHz	Pass	8.00	3.07	3.72	6.31	9.00	14.31	17.00
5500MHz	Pass	8.00	2.88	3.63	6.25	9.00	14.25	17.00
5580MHz	Pass	8.00	4.53	5.53	7.94	9.00	15.94	17.00
5700MHz	Pass	8.00	0.46	0.98	3.65	9.00	11.65	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	4.59	5.39	7.96	9.00	15.96	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	2.95	3.73	6.27	28.00	14.27	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	8.00	2.37	2.81	5.48	9.00	13.48	17.00
5310MHz	Pass	8.00	-1.86	-1.07	1.47	9.00	9.47	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	8.00	-1.19	-0.42	2.09	9.00	10.09	17.00
5550MHz	Pass	8.00	2.09	3.06	5.54	9.00	13.54	17.00
5670MHz	Pass	8.00	-0.18	1.04	3.37	9.00	11.37	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	2.20	3.06	5.57	9.00	13.57	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	0.04	1.20	3.64	28.00	11.64	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-5.54	-4.89	-2.29	9.00	5.71	17.00
5530MHz	Pass	8.00	-4.66	-3.53	-1.12	9.00	6.88	17.00
5610MHz	Pass	8.00	-1.26	-0.13	2.31	9.00	10.31	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	-0.99	0.06	2.48	9.00	10.48	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-3.47	-1.95	0.20	28.00	8.20	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;

















802.11ac VHT40_Nss2,(MCS0)_2TX

PSD

5510MHz

06/01/2020

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.98	1.98	-1.19	-0.64


802.11ac VHT40_Nss2,(MCS0)_2TX

PSD

5550MHz

06/01/2020

CF
5.55GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.33	5.33	1.96	2.96


802.11ac VHT40_Nss2,(MCS0)_2TX

PSD

5670MHz




06/01/2020




CF
5.67GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS









Sum
Port 1
Port 2




Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.24	3.24	-0.17	0.93












802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5270MHz

06/01/2020

CF
5.27GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.48	5.48	2.37	2.81


802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5310MHz

06/01/2020

CF
5.31GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.47	1.47	-1.86	-1.07


802.11ax HEW40_Nss2,(MCS0)_2TX

PSD

5510MHz

06/01/2020

CF
5.51GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.09	2.09	-1.19	-0.42

