


### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	115.16	Inf	-Inf	5.86	3	Horizontal	0	1.99	-	109.30	32.09	7.73	33.96
PK	5.6514G	67.50	69.24	-1.74	5.18	3	Horizontal	0	1.99	-	62.32	31.80	7.32	33.94
PK	5.7414G	125.01	Inf	-Inf	5.81	3	Horizontal	0	1.99	-	119.20	32.07	7.70	33.96
PK	5.9478G	63.17	68.20	-5.03	6.87	3	Horizontal	0	1.99	-	56.30	32.50	8.36	33.99

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.493G	44.10	54.00	-9.90	17.94	3	Vertical	33	1.56	-	26.16	40.09	11.62	33.77
PK	11.48748G	57.97	74.00	-16.03	17.92	3	Vertical	33	1.56	-	40.05	40.07	11.62	33.77
PK	17.23734G	65.93	68.20	-2.27	22.95	3	Vertical	31	3.00	-	42.98	40.01	14.27	31.33

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48898G	45.00	54.00	-9.00	17.93	3	Horizontal	22	1.74	-	27.07	40.08	11.62	33.77
PK	11.48976G	58.35	74.00	-15.65	17.93	3	Horizontal	22	1.74	-	40.42	40.08	11.62	33.77
PK	17.24088G	66.24	68.20	-1.96	22.96	3	Horizontal	106	2.96	-	43.28	40.02	14.27	31.33

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7778G	98.16	Inf	-Inf	6.11	3	Vertical	21	1.03	-	92.05	32.21	7.86	33.96
PK	5.6482G	56.32	68.20	-11.88	5.16	3	Vertical	21	1.03	-	51.16	31.80	7.30	33.94
PK	5.7826G	107.95	Inf	-Inf	6.14	3	Vertical	21	1.03	-	101.81	32.23	7.88	33.97
PK	5.9314G	57.38	68.20	-10.82	6.82	3	Vertical	21	1.03	-	50.56	32.50	8.31	33.99

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7898G	113.75	Inf	-Inf	6.20	3	Horizontal	0	1.72	-	107.55	32.26	7.91	33.97
PK	5.5366G	61.00	68.20	-7.20	5.21	3	Horizontal	0	1.72	-	55.79	31.90	7.24	33.93
PK	5.7838G	123.03	Inf	-Inf	6.15	3	Horizontal	0	1.72	-	116.88	32.24	7.88	33.97
PK	5.9302G	62.00	68.20	-6.20	6.82	3	Horizontal	0	1.72	-	55.18	32.50	8.31	33.99



802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56844G	43.49	54.00	-10.51	17.78	3	Vertical	32	1.63	-	25.71	39.89	11.69	33.80
PK	11.57306G	56.38	74.00	-17.62	17.76	3	Vertical	32	1.63	-	38.62	39.88	11.69	33.81
PK	17.35038G	65.86	68.20	-2.34	23.49	3	Vertical	43	1.49	-	42.37	40.50	14.35	31.36

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56832G	44.11	54.00	-9.89	17.79	3	Horizontal	39	1.47	-	26.32	39.90	11.69	33.80
PK	11.56292G	56.58	74.00	-17.42	17.79	3	Horizontal	39	1.47	-	38.79	39.91	11.68	33.80
PK	17.3577G	66.53	68.20	-1.67	23.54	3	Horizontal	51	1.49	-	42.99	40.55	14.35	31.36

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	98.84	Inf	-Inf	6.41	3	Vertical	18	1.00	-	92.43	32.35	8.03	33.97
PK	5.6402G	55.62	68.20	-12.58	5.13	3	Vertical	18	1.00	-	50.49	31.80	7.27	33.94
PK	5.8274G	108.37	Inf	-Inf	6.41	3	Vertical	18	1.00	-	101.96	32.35	8.03	33.97
PK	5.9282G	58.11	68.20	-10.09	6.81	3	Vertical	18	1.00	-	51.30	32.50	8.30	33.99



### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	113.82	Inf	-Inf	6.39	3	Horizontal	0	2.01	-	107.43	32.35	8.01	33.97
PK	5.5766G	60.28	68.20	-7.92	5.07	3	Horizontal	0	2.01	-	55.21	31.85	7.15	33.93
PK	5.8226G	123.19	Inf	-Inf	6.39	3	Horizontal	0	2.01	-	116.80	32.35	8.01	33.97
PK	5.927G	66.11	68.20	-2.09	6.81	3	Horizontal	0	2.01	-	59.30	32.50	8.30	33.99

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65066G	42.59	54.00	-11.41	17.47	3	Vertical	18	1.68	-	25.12	39.55	11.76	33.84
PK	11.65426G	55.33	74.00	-18.67	17.45	3	Vertical	18	1.68	-	37.88	39.53	11.76	33.84
PK	17.47854G	65.53	68.20	-2.67	24.31	3	Vertical	192	1.49	-	41.22	41.27	14.44	31.40

### 802.11a\_Nss1,(6Mbps)\_2TX

20/12/2019

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65282G	44.40	54.00	-9.60	17.46	3	Horizontal	40	1.57	-	26.94	39.54	11.76	33.84
PK	11.64784G	57.70	74.00	-16.30	17.48	3	Horizontal	40	1.57	-	40.22	39.56	11.76	33.84
PK	17.48352G	66.62	68.20	-1.58	24.34	3	Horizontal	51	2.34	-	42.28	41.30	14.44	31.40

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	45.82	54.00	-8.18	5.47	3	Vertical	27	1.00	-	40.35	32.00	7.31	33.84
AV	5.1776G	92.67	Inf	-Inf	5.41	3	Vertical	27	1.00	-	87.26	31.89	7.36	33.84
PK	5.15G	58.31	74.00	-15.69	5.47	3	Vertical	27	1.00	-	52.84	32.00	7.31	33.84
PK	5.1776G	104.31	Inf	-Inf	5.41	3	Vertical	27	1.00	-	98.90	31.89	7.36	33.84

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.66	54.00	-0.34	5.47	3	Horizontal	5	1.85	-	48.19	32.00	7.31	33.84
AV	5.1812G	108.13	Inf	-Inf	5.41	3	Horizontal	5	1.85	-	102.72	31.88	7.37	33.84
PK	5.15G	70.28	74.00	-3.72	5.47	3	Horizontal	5	1.85	-	64.81	32.00	7.31	33.84
PK	5.182G	119.50	Inf	-Inf	5.39	3	Horizontal	5	1.85	-	114.11	31.85	7.38	33.84

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.52596G	49.03	54.00	-4.97	19.03	3	Vertical	177	1.66	-	30.00	38.17	13.15	32.29
PK	10.35454G	55.02	68.20	-13.18	15.73	3	Vertical	292	1.80	-	39.29	39.36	10.61	34.24
PK	15.5394G	61.35	74.00	-12.65	18.96	3	Vertical	177	1.66	-	42.39	38.10	13.15	32.29

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53262G	49.23	54.00	-4.77	19.00	3	Horizontal	103	2.41	-	30.23	38.14	13.15	32.29
PK	10.37026G	54.43	68.20	-13.77	15.82	3	Horizontal	264	1.79	-	38.61	39.41	10.63	34.22
PK	15.5319G	61.49	74.00	-12.51	19.00	3	Horizontal	103	2.41	-	42.49	38.14	13.15	32.29

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1448G	45.32	54.00	-8.68	5.47	3	Vertical	19	2.87	-	39.85	32.00	7.30	33.83
AV	5.2024G	96.25	Inf	-Inf	5.35	3	Vertical	19	2.87	-	90.90	31.79	7.41	33.85
PK	5.1442G	56.74	74.00	-17.26	5.47	3	Vertical	19	2.87	-	51.27	32.00	7.30	33.83
PK	5.1994G	107.68	Inf	-Inf	5.36	3	Vertical	19	2.87	-	102.32	31.80	7.41	33.85



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.60	54.00	-0.40	5.47	3	Horizontal	5	1.83	-	48.13	32.00	7.31	33.84
AV	5.2078G	111.48	Inf	-Inf	5.32	3	Horizontal	5	1.83	-	106.16	31.75	7.42	33.85
PK	5.15G	69.02	74.00	-4.98	5.47	3	Horizontal	5	1.83	-	63.55	32.00	7.31	33.84
PK	5.2024G	122.57	Inf	-Inf	5.35	3	Horizontal	5	1.83	-	117.22	31.79	7.41	33.85

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59454G	47.57	54.00	-6.43	18.68	3	Vertical	264	2.01	-	28.89	37.83	13.18	32.33
PK	10.40498G	56.01	68.20	-12.19	15.98	3	Vertical	176	1.44	-	40.03	39.51	10.66	34.19
PK	15.61248G	60.25	74.00	-13.75	18.63	3	Vertical	264	2.01	-	41.62	37.78	13.19	32.34

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

### 5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59562G	48.48	54.00	-5.52	18.67	3	Horizontal	53	1.30	-	29.81	37.82	13.18	32.33
PK	10.40054G	54.45	68.20	-13.75	15.95	3	Horizontal	250	1.22	-	38.50	39.50	10.65	34.20
PK	15.61242G	61.24	74.00	-12.76	18.63	3	Horizontal	53	1.30	-	42.61	37.78	13.19	32.34

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	45.26	54.00	-8.74	5.46	3	Vertical	20	3.00	-	39.80	32.00	7.30	33.84
AV	5.2418G	98.81	Inf	-Inf	5.13	3	Vertical	20	3.00	-	93.68	31.55	7.44	33.86
AV	5.35G	45.00	54.00	-9.00	4.93	3	Vertical	20	3.00	-	40.07	31.30	7.51	33.88
PK	5.1488G	57.81	74.00	-16.19	5.47	3	Vertical	20	3.00	-	52.34	32.00	7.31	33.84
PK	5.2382G	110.76	Inf	-Inf	5.14	3	Vertical	20	3.00	-	105.62	31.57	7.43	33.86
PK	5.3816G	56.17	74.00	-17.83	5.13	3	Vertical	20	3.00	-	51.04	31.49	7.53	33.89

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	53.58	54.00	-0.42	5.46	3	Horizontal	8	1.30	-	48.12	32.00	7.29	33.83
AV	5.2352G	113.30	Inf	-Inf	5.16	3	Horizontal	8	1.30	-	108.14	31.59	7.43	33.86
AV	5.35G	52.42	54.00	-1.58	4.93	3	Horizontal	8	1.30	-	47.49	31.30	7.51	33.88
PK	5.147G	68.62	74.00	-5.38	5.46	3	Horizontal	8	1.30	-	63.16	32.00	7.30	33.84
PK	5.2388G	124.65	Inf	-Inf	5.15	3	Horizontal	8	1.30	-	119.50	31.57	7.44	33.86
PK	5.35G	65.09	74.00	-8.91	4.93	3	Horizontal	8	1.30	-	60.16	31.30	7.51	33.88

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71934G	51.32	54.00	-2.68	18.42	3	Vertical	135	1.18	-	32.90	37.58	13.25	32.41
PK	10.48486G	56.20	68.20	-12.00	16.28	3	Vertical	339	1.39	-	39.92	39.67	10.73	34.12
PK	15.71448G	63.91	74.00	-10.09	18.43	3	Vertical	135	1.18	-	45.48	37.59	13.24	32.40

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7161G	52.46	54.00	-1.54	18.42	3	Horizontal	360	1.48	-	34.04	37.58	13.24	32.40
PK	10.47844G	57.39	68.20	-10.81	16.25	3	Horizontal	37	1.20	-	41.14	39.66	10.72	34.13
PK	15.71862G	64.72	74.00	-9.28	18.42	3	Horizontal	360	1.48	-	46.30	37.58	13.25	32.41

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	98.57	Inf	-Inf	5.84	3	Vertical	19	1.00	-	92.73	32.08	7.72	33.96
PK	5.649G	56.83	68.20	-11.37	5.17	3	Vertical	19	1.00	-	51.66	31.80	7.31	33.94
PK	5.7474G	109.64	Inf	-Inf	5.86	3	Vertical	19	1.00	-	103.78	32.09	7.73	33.96
PK	5.9622G	58.24	68.20	-9.96	6.93	3	Vertical	19	1.00	-	51.31	32.52	8.40	33.99






802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	112.68	Inf	-Inf	5.86	3	Horizontal	0	1.91	-	106.82	32.09	7.73	33.96
PK	5.6514G	67.67	69.24	-1.57	5.18	3	Horizontal	0	1.91	-	62.49	31.80	7.32	33.94
PK	5.7474G	124.46	Inf	-Inf	5.86	3	Horizontal	0	1.91	-	118.60	32.09	7.73	33.96
PK	5.9406G	62.68	68.20	-5.52	6.85	3	Horizontal	0	1.91	-	55.83	32.50	8.34	33.99

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.481G	43.77	54.00	-10.23	17.90	3	Vertical	303	1.55	-	25.87	40.06	11.61	33.77
PK	11.48718G	55.60	74.00	-18.40	17.92	3	Vertical	303	1.55	-	37.68	40.07	11.62	33.77
PK	17.23038G	64.68	68.20	-3.52	22.93	3	Vertical	314	1.68	-	41.75	39.99	14.26	31.32

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48328G	43.67	54.00	-10.33	17.91	3	Horizontal	319	2.49	-	25.76	40.07	11.61	33.77
PK	11.50236G	55.81	74.00	-18.19	17.95	3	Horizontal	319	2.49	-	37.86	40.09	11.63	33.77
PK	17.24376G	65.43	68.20	-2.77	22.97	3	Horizontal	82	1.50	-	42.46	40.03	14.27	31.33

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7922G	94.61	Inf	-Inf	6.22	3	Vertical	21	1.03	-	88.39	32.27	7.92	33.97
PK	5.6482G	56.52	68.20	-11.68	5.16	3	Vertical	21	1.03	-	51.36	31.80	7.30	33.94
PK	5.779G	105.42	Inf	-Inf	6.12	3	Vertical	21	1.03	-	99.30	32.22	7.86	33.96
PK	5.9362G	57.63	68.20	-10.57	6.83	3	Vertical	21	1.03	-	50.80	32.50	8.32	33.99

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7814G	111.29	Inf	-Inf	6.13	3	Horizontal	0	1.68	-	105.16	32.23	7.87	33.97
PK	5.6362G	60.51	68.20	-7.69	5.11	3	Horizontal	0	1.68	-	55.40	31.80	7.25	33.94
PK	5.7886G	122.81	Inf	-Inf	6.18	3	Horizontal	0	1.68	-	116.63	32.25	7.90	33.97
PK	5.9782G	61.21	68.20	-6.99	7.00	3	Horizontal	0	1.68	-	54.21	32.56	8.44	34.00

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	43.65	54.00	-10.35	17.79	3	Vertical	252	1.79	-	25.86	39.90	11.69	33.80
PK	11.58368G	55.60	74.00	-18.40	17.74	3	Vertical	252	1.79	-	37.86	39.85	11.70	33.81
PK	17.3514G	66.34	68.20	-1.86	23.50	3	Vertical	41	1.48	-	42.84	40.51	14.35	31.36

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57402G	44.86	54.00	-9.14	17.76	3	Horizontal	39	1.47	-	27.10	39.88	11.69	33.81
PK	11.58134G	57.28	74.00	-16.72	17.75	3	Horizontal	39	1.47	-	39.53	39.86	11.70	33.81
PK	17.35494G	66.67	68.20	-1.53	23.52	3	Horizontal	128	1.50	-	43.15	40.53	14.35	31.36

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8334G	95.87	Inf	-Inf	6.44	3	Vertical	16	1.04	-	89.43	32.37	8.04	33.97
PK	5.6282G	56.22	68.20	-11.98	5.08	3	Vertical	16	1.04	-	51.14	31.80	7.22	33.94
PK	5.8274G	106.70	Inf	-Inf	6.41	3	Vertical	16	1.04	-	100.29	32.35	8.03	33.97
PK	5.9438G	57.66	68.20	-10.54	6.86	3	Vertical	16	1.04	-	50.80	32.50	8.35	33.99



802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	111.62	Inf	-Inf	6.40	3	Horizontal	0	1.75	-	105.22	32.35	8.02	33.97
PK	5.633G	60.74	68.20	-7.46	5.10	3	Horizontal	0	1.75	-	55.64	31.80	7.24	33.94
PK	5.8286G	122.85	Inf	-Inf	6.42	3	Horizontal	0	1.75	-	116.43	32.36	8.03	33.97
PK	5.9282G	65.33	68.20	-2.87	6.81	3	Horizontal	0	1.75	-	58.52	32.50	8.30	33.99

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

### 5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66182G	42.85	54.00	-11.15	17.41	3	Vertical	19	1.49	-	25.44	39.49	11.77	33.85
PK	11.6359G	55.47	74.00	-18.53	17.53	3	Vertical	19	1.49	-	37.94	39.62	11.75	33.84
PK	17.48616G	66.03	68.20	-2.17	24.36	3	Vertical	229	1.49	-	41.67	41.32	14.45	31.41

802.11ax HEW20\_Nss2,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.64364G	43.99	54.00	-10.01	17.49	3	Horizontal	38	1.56	-	26.50	39.58	11.75	33.84
PK	11.64874G	56.32	74.00	-17.68	17.48	3	Horizontal	38	1.56	-	38.84	39.56	11.76	33.84
PK	17.4711G	66.42	68.20	-1.78	24.26	3	Horizontal	51	1.48	-	42.16	41.23	14.43	31.40

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	45.51	54.00	-8.49	5.47	3	Vertical	31	1.00	-	40.04	32.00	7.31	33.84
AV	5.1948G	86.91	Inf	-Inf	5.37	3	Vertical	31	1.00	-	81.54	31.82	7.40	33.85
PK	5.1354G	57.70	74.00	-16.30	5.45	3	Vertical	31	1.00	-	52.25	32.00	7.28	33.83
PK	5.1948G	99.21	Inf	-Inf	5.37	3	Vertical	31	1.00	-	93.84	31.82	7.40	33.85

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.65	54.00	-0.35	5.47	3	Horizontal	6	1.83	-	48.18	32.00	7.31	33.84
AV	5.1798G	102.37	Inf	-Inf	5.41	3	Horizontal	6	1.83	-	96.96	31.88	7.37	33.84
PK	5.148G	66.61	74.00	-7.39	5.46	3	Horizontal	6	1.83	-	61.15	32.00	7.30	33.84
PK	5.1864G	114.54	Inf	-Inf	5.39	3	Horizontal	6	1.83	-	109.15	31.85	7.38	33.84

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

### 5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55668G	48.12	54.00	-5.88	18.87	3	Vertical	137	1.53	-	29.25	38.02	13.16	32.31
PK	10.38612G	54.40	68.20	-13.80	15.89	3	Vertical	301	1.44	-	38.51	39.46	10.64	34.21
PK	15.57804G	60.29	74.00	-13.71	18.76	3	Vertical	137	1.53	-	41.53	37.91	13.17	32.32

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55674G	48.16	54.00	-5.84	18.87	3	Horizontal	24	1.57	-	29.29	38.02	13.16	32.31
PK	10.38522G	54.65	68.20	-13.55	15.89	3	Horizontal	208	1.31	-	38.76	39.46	10.64	34.21
PK	15.56796G	61.00	74.00	-13.00	18.82	3	Horizontal	24	1.57	-	42.18	37.96	13.17	32.31

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	45.72	54.00	-8.28	5.46	3	Vertical	39	3.00	-	40.26	32.00	7.30	33.84
AV	5.2348G	92.99	Inf	-Inf	5.16	3	Vertical	39	3.00	-	87.83	31.59	7.43	33.86
AV	5.3608G	44.79	54.00	-9.21	4.98	3	Vertical	39	3.00	-	39.81	31.36	7.51	33.89
PK	5.1484G	58.56	74.00	-15.44	5.46	3	Vertical	39	3.00	-	53.10	32.00	7.30	33.84
PK	5.2342G	105.08	Inf	-Inf	5.16	3	Vertical	39	3.00	-	99.92	31.59	7.43	33.86
PK	5.35G	56.52	74.00	-17.48	4.93	3	Vertical	39	3.00	-	51.59	31.30	7.51	33.88



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	53.59	54.00	-0.41	5.46	3	Horizontal	6	1.73	-	48.13	32.00	7.30	33.84
AV	5.2294G	108.02	Inf	-Inf	5.19	3	Horizontal	6	1.73	-	102.83	31.62	7.43	33.86
AV	5.353G	51.26	54.00	-2.74	4.95	3	Horizontal	6	1.73	-	46.31	31.32	7.51	33.88
PK	5.15G	72.70	74.00	-1.30	5.47	3	Horizontal	6	1.73	-	67.23	32.00	7.31	33.84
PK	5.2264G	119.92	Inf	-Inf	5.22	3	Horizontal	6	1.73	-	114.70	31.64	7.43	33.85
PK	5.3506G	64.43	74.00	-9.57	4.93	3	Horizontal	6	1.73	-	59.50	31.30	7.51	33.88

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68022G	47.70	54.00	-6.30	18.49	3	Vertical	329	1.50	-	29.21	37.64	13.23	32.38
PK	10.46114G	54.72	68.20	-13.48	16.19	3	Vertical	20	1.50	-	38.53	39.62	10.71	34.14
PK	15.69546G	59.89	74.00	-14.11	18.45	3	Vertical	329	1.50	-	41.44	37.61	13.23	32.39

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69318G	47.87	54.00	-6.13	18.45	3	Horizontal	0	1.47	-	29.42	37.61	13.23	32.39
PK	10.45844G	55.92	68.20	-12.28	16.18	3	Horizontal	344	1.54	-	39.74	39.62	10.71	34.15
PK	15.68178G	60.82	74.00	-13.18	18.49	3	Horizontal	0	1.47	-	42.33	37.64	13.23	32.38

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7538G	92.54	Inf	-Inf	5.91	3	Vertical	20	1.00	-	86.63	32.12	7.75	33.96
PK	5.5642G	56.45	68.20	-11.75	5.12	3	Vertical	20	1.00	-	51.33	31.87	7.18	33.93
PK	5.7514G	104.77	Inf	-Inf	5.89	3	Vertical	20	1.00	-	98.88	32.11	7.74	33.96
PK	5.9398G	57.95	68.20	-10.25	6.84	3	Vertical	20	1.00	-	51.11	32.50	8.33	33.99

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	107.29	Inf	-Inf	5.96	3	Horizontal	1	1.86	-	101.33	32.14	7.78	33.96
PK	5.653G	69.61	70.42	-0.81	5.20	3	Horizontal	1	1.86	-	64.41	31.81	7.33	33.94
PK	5.7514G	119.17	Inf	-Inf	5.89	3	Horizontal	1	1.86	-	113.28	32.11	7.74	33.96
PK	5.9338G	62.03	68.20	-6.17	6.83	3	Horizontal	1	1.86	-	55.20	32.50	8.32	33.99

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

### 5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51774G	43.37	54.00	-10.63	17.91	3	Vertical	11	1.02	-	25.46	40.05	11.64	33.78
PK	11.50766G	56.05	74.00	-17.95	17.94	3	Vertical	11	1.02	-	38.11	40.08	11.63	33.77
PK	17.26986G	64.41	68.20	-3.79	23.06	3	Vertical	151	1.09	-	41.35	40.11	14.29	31.34



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49632G	43.63	54.00	-10.37	17.94	3	Horizontal	342	1.73	-	25.69	40.09	11.62	33.77
PK	11.51318G	55.87	74.00	-18.13	17.92	3	Horizontal	342	1.73	-	37.95	40.06	11.64	33.78
PK	17.2788G	64.94	68.20	-3.26	23.10	3	Horizontal	0	1.49	-	41.84	40.14	14.30	31.34

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7938G	93.68	Inf	-Inf	6.23	3	Vertical	20	1.03	-	87.45	32.28	7.92	33.97
PK	5.5718G	56.67	68.20	-11.53	5.09	3	Vertical	20	1.03	-	51.58	31.86	7.16	33.93
PK	5.7914G	105.88	Inf	-Inf	6.21	3	Vertical	20	1.03	-	99.67	32.27	7.91	33.97
PK	5.975G	58.21	68.20	-9.99	6.98	3	Vertical	20	1.03	-	51.23	32.55	8.43	34.00



802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7914G	109.38	Inf	-Inf	6.21	3	Horizontal	1	2.14	-	103.17	32.27	7.91	33.97
PK	5.6474G	63.27	68.20	-4.93	5.16	3	Horizontal	1	2.14	-	58.11	31.80	7.30	33.94
PK	5.807G	120.37	Inf	-Inf	6.31	3	Horizontal	1	2.14	-	114.06	32.31	7.97	33.97
PK	5.933G	67.97	68.20	-0.23	6.83	3	Horizontal	1	2.14	-	61.14	32.50	8.32	33.99

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57956G	43.34	54.00	-10.66	17.75	3	Vertical	350	1.50	-	25.59	39.86	11.70	33.81
PK	11.57542G	55.72	74.00	-18.28	17.75	3	Vertical	350	1.50	-	37.97	39.87	11.69	33.81
PK	17.38302G	64.65	68.20	-3.55	23.70	3	Vertical	41	1.48	-	40.95	40.70	14.37	31.37

802.11ax HEW40\_Nss2,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.584G	43.85	54.00	-10.15	17.74	3	Horizontal	38	1.49	-	26.11	39.85	11.70	33.81
PK	11.5885G	56.47	74.00	-17.53	17.73	3	Horizontal	38	1.49	-	38.74	39.83	11.71	33.81
PK	17.3769G	65.87	68.20	-2.33	23.66	3	Horizontal	127	1.48	-	42.21	40.66	14.37	31.37

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.136G	46.56	54.00	-7.44	5.45	3	Vertical	38	3.00	-	41.11	32.00	7.28	33.83
AV	5.224G	85.42	Inf	-Inf	5.24	3	Vertical	38	3.00	-	80.18	31.66	7.43	33.85
AV	5.39G	46.20	54.00	-7.80	5.18	3	Vertical	38	3.00	-	41.02	31.54	7.53	33.89
PK	5.146G	57.33	74.00	-16.67	5.46	3	Vertical	38	3.00	-	51.87	32.00	7.30	33.84
PK	5.227G	95.24	Inf	-Inf	5.22	3	Vertical	38	3.00	-	90.02	31.64	7.43	33.85
PK	5.424G	56.59	74.00	-17.41	5.29	3	Vertical	38	3.00	-	51.30	31.70	7.49	33.90

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	5.47	3	Horizontal	5	1.61	-	48.13	32.00	7.31	33.84
AV	5.223G	100.51	Inf	-Inf	5.23	3	Horizontal	5	1.61	-	95.28	31.66	7.42	33.85
AV	5.354G	50.09	54.00	-3.91	4.95	3	Horizontal	5	1.61	-	45.14	31.32	7.51	33.88
PK	5.134G	69.72	74.00	-4.28	5.44	3	Horizontal	5	1.61	-	64.28	32.00	7.27	33.83
PK	5.223G	110.05	Inf	-Inf	5.23	3	Horizontal	5	1.61	-	104.82	31.66	7.42	33.85
PK	5.362G	61.41	74.00	-12.59	5.00	3	Horizontal	5	1.61	-	56.41	31.37	7.52	33.89

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

### 5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62256G	49.22	54.00	-4.78	18.60	3	Vertical	112	1.48	-	30.62	37.75	13.20	32.35
PK	10.4209G	54.72	68.20	-13.48	16.03	3	Vertical	352	1.81	-	38.69	39.54	10.67	34.18
PK	15.6288G	59.74	74.00	-14.26	18.59	3	Vertical	112	1.48	-	41.15	37.74	13.20	32.35

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61824G	49.19	54.00	-4.81	18.61	3	Horizontal	77	1.62	-	30.58	37.76	13.19	32.34
PK	10.42522G	54.55	68.20	-13.65	16.05	3	Horizontal	35	2.09	-	38.50	39.55	10.68	34.18
PK	15.62142G	60.06	74.00	-13.94	18.61	3	Horizontal	77	1.62	-	41.45	37.76	13.20	32.35

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7606G	89.28	Inf	-Inf	5.96	3	Vertical	20	0.99	-	83.32	32.14	7.78	33.96
PK	5.6478G	56.96	68.20	-11.24	5.16	3	Vertical	20	0.99	-	51.80	31.80	7.30	33.94
PK	5.7642G	99.26	Inf	-Inf	6.00	3	Vertical	20	0.99	-	93.26	32.16	7.80	33.96
PK	5.925G	58.52	68.20	-9.68	6.80	3	Vertical	20	0.99	-	51.72	32.50	8.29	33.99



802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7918G	104.61	Inf	-Inf	6.22	3	Horizontal	1	2.02	-	98.39	32.27	7.92	33.97
PK	5.649G	67.54	68.20	-0.66	5.17	3	Horizontal	1	2.02	-	62.37	31.80	7.31	33.94
PK	5.7786G	115.17	Inf	-Inf	6.11	3	Horizontal	1	2.02	-	109.06	32.21	7.86	33.96
PK	5.9286G	65.92	68.20	-2.28	6.81	3	Horizontal	1	2.02	-	59.11	32.50	8.30	33.99

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5506G	44.95	54.00	-9.05	17.83	3	Vertical	278	1.49	-	27.12	39.95	11.67	33.79
PK	11.54058G	55.69	74.00	-18.31	17.85	3	Vertical	278	1.49	-	37.84	39.98	11.66	33.79
PK	17.33148G	64.55	68.20	-3.65	23.37	3	Vertical	149	1.49	-	41.18	40.39	14.34	31.36

802.11ax HEW80\_Nss2,(MCS0)\_2TX

20/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56224G	45.10	54.00	-8.90	17.79	3	Horizontal	315	1.50	-	27.31	39.91	11.68	33.80
PK	11.54358G	55.80	74.00	-18.20	17.85	3	Horizontal	315	1.50	-	37.95	39.97	11.67	33.79
PK	17.31858G	64.68	68.20	-3.52	23.29	3	Horizontal	132	2.05	-	41.39	40.31	14.33	31.35



**RSE TX below 1GHz**  
**Beamforming Sample 1\_Radio 1\_2T1S**

**Appendix E.25**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	QP	375.32M	43.45	46.00	-2.55	3	Horizontal	341	1.07	-



**RSE TX below 1GHz**  
**Beamforming Sample 1 Radio 1\_2T1S**

**Appendix E.25**

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	32.07	40.00	-7.93	3	Vertical	0	1.00	-
5775MHz	Pass	PK	57.16M	27.98	40.00	-12.02	3	Vertical	0	1.00	-
5775MHz	Pass	PK	253.1M	23.69	46.00	-22.31	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	35.78	46.00	-10.22	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	32.09	46.00	-13.91	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	34.20	46.00	-11.80	3	Vertical	0	1.00	-
5775MHz	Pass	PK	31.94M	29.83	40.00	-10.17	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	125.06M	24.44	43.50	-19.06	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	245.34M	27.23	46.00	-18.77	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	499.48M	30.39	46.00	-15.61	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	36.91	46.00	-9.09	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	375.32M	43.45	46.00	-2.55	3	Horizontal	341	1.07	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	32.07	40.00	-7.93	-6.38	3	Vertical	0	1.00	-	38.45	20.36	0.83	27.57
PK	57.16M	27.98	40.00	-12.02	-14.61	3	Vertical	0	1.00	-	42.59	11.76	1.13	27.50
PK	253.1M	23.69	46.00	-22.31	-6.39	3	Vertical	0	1.00	-	30.08	17.85	2.50	26.74
PK	375.32M	35.78	46.00	-10.22	-4.17	3	Vertical	0	1.00	-	39.95	19.89	3.08	27.14
PK	625.58M	32.09	46.00	-13.91	0.19	3	Vertical	0	1.00	-	31.90	24.15	4.13	28.09
PK	875.84M	34.20	46.00	-11.80	2.69	3	Vertical	0	1.00	-	31.51	25.38	4.93	27.62



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	29.83	40.00	-10.17	-6.38	3	Horizontal	360	1.00	-	36.21	20.36	0.83	27.57
PK	125.06M	24.44	43.50	-19.06	-8.50	3	Horizontal	360	1.00	-	32.94	17.07	1.72	27.29
PK	245.34M	27.23	46.00	-18.77	-7.34	3	Horizontal	360	1.00	-	34.57	16.96	2.46	26.76
PK	499.48M	30.39	46.00	-15.61	-1.50	3	Horizontal	360	1.00	-	31.89	22.71	3.61	27.82
PK	875.84M	36.91	46.00	-9.09	2.69	3	Horizontal	360	1.00	-	34.22	25.38	4.93	27.62
QP	375.32M	43.45	46.00	-2.55	-4.17	3	Horizontal	341	1.07	-	47.62	19.89	3.08	27.14



**RSE TX above 1GHz**  
**Beamforming Sample 1\_Radio 1\_2T1S**

**Appendix E.26**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.77	54.00	-0.23	3	Vertical	101	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.60	54.00	-0.40	3	Vertical	122	1.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	139	3.00	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6514G	68.79	69.24	-0.45	3	Vertical	318	2.30	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.927G	68.09	68.20	-0.11	3	Vertical	299	2.49	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	68.17	68.35	-0.18	3	Vertical	119	1.29	-





**RSE TX above 1GHz  
Beamforming Sample 1 Radio 1\_2T1S**

**Appendix E.26**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.34	54.00	-0.66	3	Vertical	198	2.00	-
5180MHz	Pass	AV	5.1716G	103.47	Inf	-Inf	3	Vertical	198	2.00	-
5180MHz	Pass	PK	5.147G	69.58	74.00	-4.42	3	Vertical	198	2.00	-
5180MHz	Pass	PK	5.1716G	114.12	Inf	-Inf	3	Vertical	198	2.00	-
5180MHz	Pass	AV	5.15G	47.81	54.00	-6.19	3	Horizontal	296	2.15	-
5180MHz	Pass	AV	5.1878G	100.59	Inf	-Inf	3	Horizontal	296	2.15	-
5180MHz	Pass	PK	5.15G	68.03	74.00	-5.97	3	Horizontal	296	2.15	-
5180MHz	Pass	PK	5.189G	112.87	Inf	-Inf	3	Horizontal	296	2.15	-
5180MHz	Pass	AV	3.885G	39.43	54.00	-14.57	3	Vertical	190	1.18	-
5180MHz	Pass	AV	15.4928G	46.44	54.00	-7.56	3	Vertical	29	1.89	-
5180MHz	Pass	PK	3.885G	45.36	74.00	-28.64	3	Vertical	190	1.18	-
5180MHz	Pass	PK	10.3769G	56.39	68.20	-11.81	3	Vertical	200	1.92	-
5180MHz	Pass	PK	15.5738G	59.35	74.00	-14.65	3	Vertical	29	1.89	-
5180MHz	Pass	AV	3.8851G	39.76	54.00	-14.24	3	Horizontal	185	1.62	-
5180MHz	Pass	AV	15.5852G	46.25	54.00	-7.75	3	Horizontal	295	1.50	-
5180MHz	Pass	PK	3.8851G	45.82	74.00	-28.18	3	Horizontal	185	1.62	-
5180MHz	Pass	PK	10.34818G	54.66	68.20	-13.54	3	Horizontal	37	1.15	-
5180MHz	Pass	PK	15.5522G	59.78	74.00	-14.22	3	Horizontal	295	1.50	-
5200MHz	Pass	AV	5.15G	53.77	54.00	-0.23	3	Vertical	101	1.49	-
5200MHz	Pass	AV	5.2072G	104.24	Inf	-Inf	3	Vertical	101	1.49	-
5200MHz	Pass	PK	5.1484G	70.20	74.00	-3.80	3	Vertical	101	1.49	-
5200MHz	Pass	PK	5.209G	115.85	Inf	-Inf	3	Vertical	101	1.49	-
5200MHz	Pass	AV	5.1496G	53.76	54.00	-0.24	3	Horizontal	330	2.59	-
5200MHz	Pass	AV	5.2024G	104.66	Inf	-Inf	3	Horizontal	330	2.59	-
5200MHz	Pass	PK	5.1496G	71.03	74.00	-2.97	3	Horizontal	330	2.59	-
5200MHz	Pass	PK	5.1988G	116.50	Inf	-Inf	3	Horizontal	330	2.59	-
5200MHz	Pass	AV	15.5534G	47.17	54.00	-6.83	3	Vertical	139	1.50	-
5200MHz	Pass	PK	3.46664G	51.57	68.20	-16.63	3	Vertical	199	1.05	-
5200MHz	Pass	PK	10.3948G	56.18	68.20	-12.02	3	Vertical	200	1.95	-
5200MHz	Pass	PK	15.5792G	59.85	74.00	-14.15	3	Vertical	139	1.50	-
5200MHz	Pass	AV	15.59724G	46.76	54.00	-7.24	3	Horizontal	19	1.50	-
5200MHz	Pass	PK	3.46664G	48.14	68.20	-20.06	3	Horizontal	185	1.64	-
5200MHz	Pass	PK	10.45G	54.90	68.20	-13.30	3	Horizontal	159	1.50	-
5200MHz	Pass	PK	15.594G	59.98	74.00	-14.02	3	Horizontal	19	1.50	-
5240MHz	Pass	AV	5.1374G	51.52	54.00	-2.48	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.237G	110.73	Inf	-Inf	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.35G	47.16	54.00	-6.84	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.141G	66.28	74.00	-7.72	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.237G	123.62	Inf	-Inf	3	Vertical	317	2.77	-
5240MHz	Pass	PK	5.3522G	64.48	74.00	-9.52	3	Vertical	317	2.77	-
5240MHz	Pass	AV	5.1368G	48.22	54.00	-5.78	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	5.237G	104.75	Inf	-Inf	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	5.3504G	44.94	54.00	-9.06	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.1362G	62.95	74.00	-11.05	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.2364G	113.51	Inf	-Inf	3	Horizontal	318	1.50	-
5240MHz	Pass	PK	5.3564G	60.69	74.00	-13.31	3	Horizontal	318	1.50	-
5240MHz	Pass	AV	15.7058G	46.73	54.00	-7.27	3	Vertical	190	1.00	-
5240MHz	Pass	PK	3.4934G	51.73	68.20	-16.47	3	Vertical	199	1.15	-
5240MHz	Pass	PK	10.4704G	57.92	68.20	-10.28	3	Vertical	339	1.92	-
5240MHz	Pass	PK	15.702G	59.40	74.00	-14.60	3	Vertical	190	1.00	-
5240MHz	Pass	AV	15.7255G	47.13	54.00	-6.87	3	Horizontal	180	1.00	-
5240MHz	Pass	PK	3.49324G	47.56	68.20	-20.64	3	Horizontal	184	1.43	-
5240MHz	Pass	PK	10.4671G	56.33	68.20	-11.87	3	Horizontal	187	1.48	-
5240MHz	Pass	PK	15.7237G	60.10	74.00	-13.90	3	Horizontal	180	1.00	-
5745MHz	Pass	AV	5.7378G	107.95	Inf	-Inf	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.6514G	68.79	69.24	-0.45	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.739G	118.92	Inf	-Inf	3	Vertical	318	2.30	-
5745MHz	Pass	PK	5.9418G	58.18	68.20	-10.02	3	Vertical	318	2.30	-
5745MHz	Pass	AV	5.7438G	105.84	Inf	-Inf	3	Horizontal	305	2.30	-
5745MHz	Pass	PK	5.6382G	62.22	68.20	-5.98	3	Horizontal	305	2.30	-



**RSE TX above 1GHz  
Beamforming Sample 1 Radio 1\_2T1S**

**Appendix E.26**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.7438G	117.50	Inf	-Inf	3	Horizontal	305	2.30	-
5745MHz	Pass	PK	5.9274G	55.98	68.20	-12.22	3	Horizontal	305	2.30	-
5745MHz	Pass	AV	3.83004G	40.76	54.00	-13.24	3	Vertical	61	1.50	-
5745MHz	Pass	AV	11.501G	42.76	54.00	-11.24	3	Vertical	0	2.58	-
5745MHz	Pass	PK	3.83012G	49.02	74.00	-24.98	3	Vertical	61	1.50	-
5745MHz	Pass	PK	11.4942G	55.66	74.00	-18.34	3	Vertical	0	2.58	-
5745MHz	Pass	PK	17.2274G	64.60	68.20	-3.60	3	Vertical	102	2.90	-
5745MHz	Pass	AV	3.83006G	39.47	54.00	-14.53	3	Horizontal	321	1.00	-
5745MHz	Pass	AV	11.477G	43.24	54.00	-10.76	3	Horizontal	194	2.01	-
5745MHz	Pass	PK	3.83024G	49.15	74.00	-24.85	3	Horizontal	321	1.00	-
5745MHz	Pass	PK	11.4824G	55.60	74.00	-18.40	3	Horizontal	194	2.01	-
5745MHz	Pass	PK	17.2248G	63.83	68.20	-4.37	3	Horizontal	113	1.60	-
5785MHz	Pass	AV	5.7934G	107.83	Inf	-Inf	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.6482G	62.59	68.20	-5.61	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.7934G	120.94	Inf	-Inf	3	Vertical	20	2.19	-
5785MHz	Pass	PK	5.9278G	61.78	68.20	-6.42	3	Vertical	20	2.19	-
5785MHz	Pass	AV	5.7838G	105.83	Inf	-Inf	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.6422G	58.98	68.20	-9.22	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.7838G	118.89	Inf	-Inf	3	Horizontal	309	2.34	-
5785MHz	Pass	PK	5.9266G	58.80	68.20	-9.40	3	Horizontal	309	2.34	-
5785MHz	Pass	AV	3.85665G	40.14	54.00	-13.86	3	Vertical	171	1.50	-
5785MHz	Pass	AV	11.569G	42.69	54.00	-11.31	3	Vertical	172	1.50	-
5785MHz	Pass	PK	3.85651G	49.65	74.00	-24.35	3	Vertical	171	1.50	-
5785MHz	Pass	PK	11.5702G	55.76	74.00	-18.24	3	Vertical	172	1.50	-
5785MHz	Pass	PK	17.3414G	65.62	68.20	-2.58	3	Vertical	26	2.94	-
5785MHz	Pass	AV	3.8567G	36.46	54.00	-17.54	3	Horizontal	50	1.00	-
5785MHz	Pass	AV	11.57642G	42.11	54.00	-11.89	3	Horizontal	18	1.29	-
5785MHz	Pass	PK	3.85657G	48.47	74.00	-25.53	3	Horizontal	50	1.00	-
5785MHz	Pass	PK	11.5649G	55.26	74.00	-18.74	3	Horizontal	18	1.29	-
5785MHz	Pass	PK	17.3342G	63.32	68.20	-4.88	3	Horizontal	306	1.14	-
5825MHz	Pass	AV	5.8298G	104.53	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.645G	56.49	68.20	-11.71	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.8298G	115.81	Inf	-Inf	3	Vertical	360	1.50	-
5825MHz	Pass	PK	5.9318G	65.80	68.20	-2.40	3	Vertical	360	1.50	-
5825MHz	Pass	AV	5.8322G	104.70	Inf	-Inf	3	Horizontal	311	3.00	-
5825MHz	Pass	PK	5.6378G	55.06	68.20	-13.14	3	Horizontal	311	3.00	-
5825MHz	Pass	PK	5.8238G	116.59	Inf	-Inf	3	Horizontal	311	3.00	-
5825MHz	Pass	PK	5.9246G	66.71	68.50	-1.79	3	Horizontal	311	3.00	-
5825MHz	Pass	AV	3.88333G	40.44	54.00	-13.56	3	Vertical	173	1.66	-
5825MHz	Pass	AV	11.65G	43.55	54.00	-10.45	3	Vertical	100	1.96	-
5825MHz	Pass	PK	3.88323G	49.61	74.00	-24.39	3	Vertical	173	1.66	-
5825MHz	Pass	PK	11.6496G	56.05	74.00	-17.95	3	Vertical	100	1.96	-
5825MHz	Pass	PK	17.4786G	65.19	68.20	-3.01	3	Vertical	13	2.05	-
5825MHz	Pass	AV	3.88337G	36.15	54.00	-17.85	3	Horizontal	48	1.10	-
5825MHz	Pass	AV	11.6552G	42.44	54.00	-11.56	3	Horizontal	251	1.50	-
5825MHz	Pass	PK	3.8833G	47.63	74.00	-26.37	3	Horizontal	48	1.10	-
5825MHz	Pass	PK	11.6978G	55.76	74.00	-18.24	3	Horizontal	251	1.50	-
5825MHz	Pass	PK	17.4774G	63.30	68.20	-4.90	3	Horizontal	190	1.50	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.60	54.00	-0.40	3	Vertical	122	1.50	-
5190MHz	Pass	AV	5.1836G	97.95	Inf	-Inf	3	Vertical	122	1.50	-
5190MHz	Pass	PK	5.1412G	72.49	74.00	-1.51	3	Vertical	122	1.50	-
5190MHz	Pass	PK	5.186G	108.59	Inf	-Inf	3	Vertical	122	1.50	-
5190MHz	Pass	AV	5.1496G	53.33	54.00	-0.67	3	Horizontal	325	2.35	-
5190MHz	Pass	AV	5.1984G	96.23	Inf	-Inf	3	Horizontal	325	2.35	-
5190MHz	Pass	PK	5.1476G	70.06	74.00	-3.94	3	Horizontal	325	2.35	-
5190MHz	Pass	PK	5.1992G	107.67	Inf	-Inf	3	Horizontal	325	2.35	-
5190MHz	Pass	AV	15.5634G	47.39	54.00	-6.61	3	Vertical	228	1.50	-
5190MHz	Pass	PK	3.46004G	52.65	68.20	-15.55	3	Vertical	171	1.21	-
5190MHz	Pass	PK	10.3929G	60.13	68.20	-8.07	3	Vertical	288	1.50	-
5190MHz	Pass	PK	15.55956G	59.85	74.00	-14.15	3	Vertical	228	1.50	-
5190MHz	Pass	AV	15.5841G	47.19	54.00	-6.81	3	Horizontal	315	1.50	-



**RSE TX above 1GHz  
Beamforming Sample 1 Radio 1\_2T1S**

**Appendix E.26**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	3.46G	49.83	68.20	-18.37	3	Horizontal	158	1.10	-
5190MHz	Pass	PK	10.36926G	59.76	68.20	-8.44	3	Horizontal	217	1.50	-
5190MHz	Pass	PK	15.56322G	59.57	74.00	-14.43	3	Horizontal	315	1.50	-
5230MHz	Pass	AV	5.1476G	53.47	54.00	-0.53	3	Vertical	0	2.41	-
5230MHz	Pass	AV	5.2244G	103.65	Inf	-Inf	3	Vertical	0	2.41	-
5230MHz	Pass	PK	5.146G	69.55	74.00	-4.45	3	Vertical	0	2.41	-
5230MHz	Pass	PK	5.228G	114.68	Inf	-Inf	3	Vertical	0	2.41	-
5230MHz	Pass	AV	5.1496G	50.37	54.00	-3.63	3	Horizontal	30	1.03	-
5230MHz	Pass	AV	5.2328G	96.01	Inf	-Inf	3	Horizontal	30	1.03	-
5230MHz	Pass	PK	5.148G	64.49	74.00	-9.51	3	Horizontal	30	1.03	-
5230MHz	Pass	PK	5.2288G	107.39	Inf	-Inf	3	Horizontal	30	1.03	-
5230MHz	Pass	AV	15.67938G	47.24	54.00	-6.76	3	Vertical	85	1.50	-
5230MHz	Pass	PK	3.48684G	50.65	68.20	-17.55	3	Vertical	28	1.04	-
5230MHz	Pass	PK	10.46792G	59.93	68.20	-8.27	3	Vertical	21	1.83	-
5230MHz	Pass	PK	15.69558G	59.88	74.00	-14.12	3	Vertical	85	1.50	-
5230MHz	Pass	AV	15.68616G	47.18	54.00	-6.82	3	Horizontal	70	1.73	-
5230MHz	Pass	PK	3.48668G	49.97	68.20	-18.23	3	Horizontal	226	1.10	-
5230MHz	Pass	PK	10.45388G	59.79	68.20	-8.41	3	Horizontal	11	1.50	-
5230MHz	Pass	PK	15.68742G	59.90	74.00	-14.10	3	Horizontal	70	1.73	-
5755MHz	Pass	AV	5.761G	105.34	Inf	-Inf	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.6362G	68.01	68.20	-0.19	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.773G	116.68	Inf	-Inf	3	Vertical	306	2.37	-
5755MHz	Pass	PK	5.9242G	63.12	68.79	-5.67	3	Vertical	306	2.37	-
5755MHz	Pass	AV	5.7598G	101.55	Inf	-Inf	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.641G	63.77	68.20	-4.43	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.773G	111.68	Inf	-Inf	3	Horizontal	122	2.54	-
5755MHz	Pass	PK	5.9314G	60.74	68.20	-7.46	3	Horizontal	122	2.54	-
5755MHz	Pass	AV	3.83672G	41.28	54.00	-12.72	3	Vertical	59	1.22	-
5755MHz	Pass	AV	11.49746G	47.94	54.00	-6.06	3	Vertical	227	1.99	-
5755MHz	Pass	PK	3.83659G	49.58	74.00	-24.42	3	Vertical	59	1.22	-
5755MHz	Pass	PK	11.501G	60.98	74.00	-13.02	3	Vertical	227	1.99	-
5755MHz	Pass	PK	17.26506G	63.71	68.20	-4.49	3	Vertical	349	2.00	-
5755MHz	Pass	AV	3.83668G	40.20	54.00	-13.80	3	Horizontal	193	1.06	-
5755MHz	Pass	AV	11.50094G	47.81	54.00	-6.19	3	Horizontal	57	1.50	-
5755MHz	Pass	PK	3.83674G	48.95	74.00	-25.05	3	Horizontal	193	1.06	-
5755MHz	Pass	PK	11.50832G	60.28	74.00	-13.72	3	Horizontal	57	1.50	-
5755MHz	Pass	PK	17.2617G	63.99	68.20	-4.21	3	Horizontal	149	1.50	-
5795MHz	Pass	AV	5.807G	105.38	Inf	-Inf	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.651G	66.16	68.94	-2.78	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.8082G	116.75	Inf	-Inf	3	Vertical	299	2.49	-
5795MHz	Pass	PK	5.927G	68.09	68.20	-0.11	3	Vertical	299	2.49	-
5795MHz	Pass	AV	5.7926G	102.19	Inf	-Inf	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.645G	61.91	68.20	-6.29	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.801G	113.08	Inf	-Inf	3	Horizontal	307	2.46	-
5795MHz	Pass	PK	5.933G	65.65	68.20	-2.55	3	Horizontal	307	2.46	-
5795MHz	Pass	AV	3.86338G	39.98	54.00	-14.02	3	Vertical	174	1.66	-
5795MHz	Pass	AV	11.5939G	47.79	54.00	-6.21	3	Vertical	126	2.99	-
5795MHz	Pass	PK	3.86345G	49.43	74.00	-24.57	3	Vertical	174	1.66	-
5795MHz	Pass	PK	11.59234G	60.12	74.00	-13.88	3	Vertical	126	2.99	-
5795MHz	Pass	PK	17.37168G	65.37	68.20	-2.83	3	Vertical	115	3.00	-
5795MHz	Pass	AV	3.86331G	36.12	54.00	-17.88	3	Horizontal	50	1.02	-
5795MHz	Pass	AV	11.60416G	47.78	54.00	-6.22	3	Horizontal	136	1.50	-
5795MHz	Pass	PK	3.86335G	47.79	74.00	-26.21	3	Horizontal	50	1.02	-
5795MHz	Pass	PK	11.58802G	60.78	74.00	-13.22	3	Horizontal	136	1.50	-
5795MHz	Pass	PK	17.397G	65.44	68.20	-2.76	3	Horizontal	1	2.16	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.47	54.00	-0.53	3	Vertical	139	3.00	-
5210MHz	Pass	AV	5.192G	93.86	Inf	-Inf	3	Vertical	139	3.00	-
5210MHz	Pass	AV	5.35G	47.52	54.00	-6.48	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.147G	70.75	74.00	-3.25	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.193G	105.93	Inf	-Inf	3	Vertical	139	3.00	-
5210MHz	Pass	PK	5.422G	59.66	74.00	-14.34	3	Vertical	139	3.00	-



**RSE TX above 1GHz**  
**Beamforming Sample 1\_Radio 1\_2T1S**

**Appendix E.26**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	AV	5.15G	50.18	54.00	-3.82	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	5.2G	93.48	Inf	-Inf	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	5.356G	46.97	54.00	-7.03	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.14G	63.81	74.00	-10.19	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.202G	105.03	Inf	-Inf	3	Horizontal	319	2.87	-
5210MHz	Pass	PK	5.419G	59.84	74.00	-14.16	3	Horizontal	319	2.87	-
5210MHz	Pass	AV	15.62088G	46.84	54.00	-7.16	3	Vertical	193	1.28	-
5210MHz	Pass	PK	3.47328G	51.90	68.20	-16.30	3	Vertical	170	1.22	-
5210MHz	Pass	PK	10.41706G	60.09	68.20	-8.11	3	Vertical	227	2.46	-
5210MHz	Pass	PK	15.63546G	60.17	74.00	-13.83	3	Vertical	193	1.28	-
5210MHz	Pass	AV	15.62232G	46.84	54.00	-7.16	3	Horizontal	8	1.05	-
5210MHz	Pass	PK	3.47323G	50.41	68.20	-17.79	3	Horizontal	54	3.00	-
5210MHz	Pass	PK	10.4167G	59.45	68.20	-8.75	3	Horizontal	137	1.24	-
5210MHz	Pass	PK	15.61608G	60.04	74.00	-13.96	3	Horizontal	8	1.05	-
5775MHz	Pass	AV	5.7642G	98.37	Inf	-Inf	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.6502G	68.17	68.35	-0.18	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.7486G	111.34	Inf	-Inf	3	Vertical	119	1.29	-
5775MHz	Pass	PK	5.925G	65.42	68.20	-2.78	3	Vertical	119	1.29	-
5775MHz	Pass	AV	5.7594G	94.27	Inf	-Inf	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.619G	61.85	68.20	-6.35	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.7618G	105.95	Inf	-Inf	3	Horizontal	118	1.50	-
5775MHz	Pass	PK	5.9262G	61.44	68.20	-6.76	3	Horizontal	118	1.50	-
5775MHz	Pass	AV	3.85005G	39.08	54.00	-14.92	3	Vertical	175	1.50	-
5775MHz	Pass	AV	11.54118G	47.26	54.00	-6.74	3	Vertical	283	1.30	-
5775MHz	Pass	PK	3.84994G	48.50	74.00	-25.50	3	Vertical	175	1.50	-
5775MHz	Pass	PK	11.5578G	60.08	74.00	-13.92	3	Vertical	283	1.30	-
5775MHz	Pass	PK	17.32038G	63.87	68.20	-4.33	3	Vertical	339	1.56	-
5775MHz	Pass	AV	3.85G	36.07	54.00	-17.93	3	Horizontal	15	2.86	-
5775MHz	Pass	AV	11.5398G	47.28	54.00	-6.72	3	Horizontal	64	2.11	-
5775MHz	Pass	PK	3.84978G	47.61	74.00	-26.39	3	Horizontal	15	2.86	-
5775MHz	Pass	PK	11.53992G	60.73	74.00	-13.27	3	Horizontal	64	2.11	-
5775MHz	Pass	PK	17.313G	64.55	68.20	-3.65	3	Horizontal	319	1.34	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.34	54.00	-0.66	8.60	3	Vertical	198	2.00	-	44.74	31.90	6.03	29.33
AV	5.1716G	103.47	Inf	-Inf	8.48	3	Vertical	198	2.00	-	94.99	31.77	6.05	29.34
PK	5.147G	69.58	74.00	-4.42	8.59	3	Vertical	198	2.00	-	60.99	31.89	6.03	29.33
PK	5.1716G	114.12	Inf	-Inf	8.48	3	Vertical	198	2.00	-	105.64	31.77	6.05	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.81	54.00	-6.19	8.60	3	Horizontal	296	2.15	-	39.21	31.90	6.04	29.34
AV	5.1878G	100.59	Inf	-Inf	8.40	3	Horizontal	296	2.15	-	92.19	31.67	6.07	29.34
PK	5.15G	68.03	74.00	-5.97	8.60	3	Horizontal	296	2.15	-	59.43	31.90	6.04	29.34
PK	5.189G	112.87	Inf	-Inf	8.40	3	Horizontal	296	2.15	-	104.47	31.67	6.07	29.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.885G	39.43	54.00	-14.57	5.12	3	Vertical	190	1.18	-	34.31	29.64	5.11	29.63
AV	15.4928G	46.44	54.00	-7.56	18.37	3	Vertical	29	1.89	-	28.07	38.34	11.87	31.84
PK	3.885G	45.36	74.00	-28.64	5.12	3	Vertical	190	1.18	-	40.24	29.64	5.11	29.63
PK	10.3769G	56.39	68.20	-11.81	18.17	3	Vertical	200	1.92	-	38.22	39.46	9.24	30.53
PK	15.5738G	59.35	74.00	-14.65	17.91	3	Vertical	29	1.89	-	41.44	37.86	11.92	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.8851G	39.76	54.00	-14.24	5.12	3	Horizontal	185	1.62	-	34.64	29.64	5.11	29.63
AV	15.5852G	46.25	54.00	-7.75	17.85	3	Horizontal	295	1.50	-	28.40	37.79	11.93	31.87
PK	3.8851G	45.82	74.00	-28.18	5.12	3	Horizontal	185	1.62	-	40.70	29.64	5.11	29.63
PK	10.34818G	54.66	68.20	-13.54	17.99	3	Horizontal	37	1.15	-	36.67	39.29	9.22	30.52
PK	15.5522G	59.78	74.00	-14.22	18.04	3	Horizontal	295	1.50	-	41.74	37.99	11.91	31.86



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.77	54.00	-0.23	8.60	3	Vertical	101	1.49	-	45.17	31.90	6.04	29.34
AV	5.2072G	104.24	Inf	-Inf	8.30	3	Vertical	101	1.49	-	95.94	31.56	6.08	29.34
PK	5.1484G	70.20	74.00	-3.80	8.60	3	Vertical	101	1.49	-	61.60	31.90	6.03	29.33
PK	5.209G	115.85	Inf	-Inf	8.29	3	Vertical	101	1.49	-	107.56	31.55	6.08	29.34



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.76	54.00	-0.24	8.60	3	Horizontal	330	2.59	-	45.16	31.90	6.03	29.33
AV	5.2024G	104.66	Inf	-Inf	8.33	3	Horizontal	330	2.59	-	96.33	31.59	6.08	29.34
PK	5.1496G	71.03	74.00	-2.97	8.60	3	Horizontal	330	2.59	-	62.43	31.90	6.03	29.33
PK	5.1988G	116.50	Inf	-Inf	8.35	3	Horizontal	330	2.59	-	108.15	31.61	6.08	29.34

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5534G	47.17	54.00	-6.83	18.03	3	Vertical	139	1.50	-	29.14	37.98	11.91	31.86
PK	3.46664G	51.57	68.20	-16.63	3.45	3	Vertical	199	1.05	-	48.12	28.40	4.86	29.81
PK	10.3948G	56.18	68.20	-12.02	18.28	3	Vertical	200	1.95	-	37.90	39.57	9.25	30.54
PK	15.5792G	59.85	74.00	-14.15	17.87	3	Vertical	139	1.50	-	41.98	37.82	11.92	31.87

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59724G	46.76	54.00	-7.24	17.78	3	Horizontal	19	1.50	-	28.98	37.72	11.93	31.87
PK	3.46664G	48.14	68.20	-20.06	3.45	3	Horizontal	185	1.64	-	44.69	28.40	4.86	29.81
PK	10.45G	54.90	68.20	-13.30	18.38	3	Horizontal	159	1.50	-	36.52	39.65	9.29	30.56
PK	15.594G	59.98	74.00	-14.02	17.80	3	Horizontal	19	1.50	-	42.18	37.74	11.93	31.87



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	51.52	54.00	-2.48	8.56	3	Vertical	317	2.77	-	42.96	31.87	6.02	29.33
AV	5.237G	110.73	Inf	-Inf	8.13	3	Vertical	317	2.77	-	102.60	31.38	6.09	29.34
AV	5.35G	47.16	54.00	-6.84	7.96	3	Vertical	317	2.77	-	39.20	31.20	6.12	29.36
PK	5.141G	66.28	74.00	-7.72	8.58	3	Vertical	317	2.77	-	57.70	31.88	6.03	29.33
PK	5.237G	123.62	Inf	-Inf	8.13	3	Vertical	317	2.77	-	115.49	31.38	6.09	29.34
PK	5.3522G	64.48	74.00	-9.52	7.97	3	Vertical	317	2.77	-	56.51	31.21	6.12	29.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1368G	48.22	54.00	-5.78	8.56	3	Horizontal	318	1.50	-	39.66	31.87	6.02	29.33
AV	5.237G	104.75	Inf	-Inf	8.13	3	Horizontal	318	1.50	-	96.62	31.38	6.09	29.34
AV	5.3504G	44.94	54.00	-9.06	7.96	3	Horizontal	318	1.50	-	36.98	31.20	6.12	29.36
PK	5.1362G	62.95	74.00	-11.05	8.56	3	Horizontal	318	1.50	-	54.39	31.87	6.02	29.33
PK	5.2364G	113.51	Inf	-Inf	8.13	3	Horizontal	318	1.50	-	105.38	31.38	6.09	29.34
PK	5.3564G	60.69	74.00	-13.31	8.00	3	Horizontal	318	1.50	-	52.69	31.24	6.12	29.36

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7058G	46.73	54.00	-7.27	17.38	3	Vertical	190	1.00	-	29.35	37.29	11.99	31.90
PK	3.4934G	51.73	68.20	-16.47	3.63	3	Vertical	199	1.15	-	48.10	28.56	4.87	29.80
PK	10.4704G	57.92	68.20	-10.28	18.41	3	Vertical	339	1.92	-	39.51	39.67	9.31	30.57
PK	15.702G	59.40	74.00	-14.60	17.40	3	Vertical	190	1.00	-	42.00	37.30	11.99	31.89

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7255G	47.13	54.00	-6.87	17.37	3	Horizontal	180	1.00	-	29.76	37.27	12.00	31.90
PK	3.49324G	47.56	68.20	-20.64	3.63	3	Horizontal	184	1.43	-	43.93	28.56	4.87	29.80
PK	10.4671G	56.33	68.20	-11.87	18.40	3	Horizontal	187	1.48	-	37.93	39.67	9.30	30.57
PK	15.7237G	60.10	74.00	-13.90	17.38	3	Horizontal	180	1.00	-	42.72	37.28	12.00	31.90






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7378G	107.95	Inf	-Inf	8.72	3	Vertical	318	2.30	-	99.23	31.88	6.20	29.36
PK	5.6514G	68.79	69.24	-0.45	8.44	3	Vertical	318	2.30	-	60.35	31.61	6.19	29.36
PK	5.739G	118.92	Inf	-Inf	8.72	3	Vertical	318	2.30	-	110.20	31.88	6.20	29.36
PK	5.9418G	58.18	68.20	-10.02	9.38	3	Vertical	318	2.30	-	48.80	32.28	6.45	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	105.84	Inf	-Inf	8.73	3	Horizontal	305	2.30	-	97.11	31.89	6.20	29.36
PK	5.6382G	62.22	68.20	-5.98	8.45	3	Horizontal	305	2.30	-	53.77	31.62	6.19	29.36
PK	5.7438G	117.50	Inf	-Inf	8.73	3	Horizontal	305	2.30	-	108.77	31.89	6.20	29.36
PK	5.9274G	55.98	68.20	-12.22	9.33	3	Horizontal	305	2.30	-	46.65	32.25	6.43	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83004G	40.76	54.00	-13.24	4.83	3	Vertical	61	1.50	-	35.93	29.42	5.06	29.65
AV	11.501G	42.76	54.00	-11.24	19.03	3	Vertical	0	2.58	-	23.73	39.80	10.00	30.77
PK	3.83012G	49.02	74.00	-24.98	4.83	3	Vertical	61	1.50	-	44.19	29.42	5.06	29.65
PK	11.4942G	55.66	74.00	-18.34	19.02	3	Vertical	0	2.58	-	36.64	39.80	9.99	30.77
PK	17.2274G	64.60	68.20	-3.60	21.16	3	Vertical	102	2.90	-	43.44	40.17	12.57	31.58

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83006G	39.47	54.00	-14.53	4.83	3	Horizontal	321	1.00	-	34.64	29.42	5.06	29.65
AV	11.477G	43.24	54.00	-10.76	19.00	3	Horizontal	194	2.01	-	24.24	39.80	9.98	30.78
PK	3.83024G	49.15	74.00	-24.85	4.83	3	Horizontal	321	1.00	-	44.32	29.42	5.06	29.65
PK	11.4824G	55.60	74.00	-18.40	19.00	3	Horizontal	194	2.01	-	36.60	39.80	9.98	30.78
PK	17.2248G	63.83	68.20	-4.37	21.17	3	Horizontal	113	1.60	-	42.66	40.18	12.57	31.58



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	107.83	Inf	-Inf	8.84	3	Vertical	20	2.19	-	98.99	31.99	6.21	29.36
PK	5.6482G	62.59	68.20	-5.61	8.43	3	Vertical	20	2.19	-	54.16	31.60	6.19	29.36
PK	5.7934G	120.94	Inf	-Inf	8.84	3	Vertical	20	2.19	-	112.10	31.99	6.21	29.36
PK	5.9278G	61.78	68.20	-6.42	9.34	3	Vertical	20	2.19	-	52.44	32.26	6.43	29.35



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	105.83	Inf	-Inf	8.82	3	Horizontal	309	2.34	-	97.01	31.97	6.21	29.36
PK	5.6422G	58.98	68.20	-9.22	8.45	3	Horizontal	309	2.34	-	50.53	31.62	6.19	29.36
PK	5.7838G	118.89	Inf	-Inf	8.82	3	Horizontal	309	2.34	-	110.07	31.97	6.21	29.36
PK	5.9266G	58.80	68.20	-9.40	9.33	3	Horizontal	309	2.34	-	49.47	32.25	6.43	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85665G	40.14	54.00	-13.86	4.97	3	Vertical	171	1.50	-	35.17	29.53	5.08	29.64
AV	11.569G	42.69	54.00	-11.31	18.92	3	Vertical	172	1.50	-	23.77	39.66	10.04	30.78
PK	3.85651G	49.65	74.00	-24.35	4.97	3	Vertical	171	1.50	-	44.68	29.53	5.08	29.64
PK	11.5702G	55.76	74.00	-18.24	18.92	3	Vertical	172	1.50	-	36.84	39.66	10.04	30.78
PK	17.3414G	65.62	68.20	-2.58	21.44	3	Vertical	26	2.94	-	44.18	40.35	12.61	31.52

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.8567G	36.46	54.00	-17.54	4.97	3	Horizontal	50	1.00	-	31.49	29.53	5.08	29.64
AV	11.57642G	42.11	54.00	-11.89	18.92	3	Horizontal	18	1.29	-	23.19	39.65	10.05	30.78
PK	3.85657G	48.47	74.00	-25.53	4.97	3	Horizontal	50	1.00	-	43.50	29.53	5.08	29.64
PK	11.5649G	55.26	74.00	-18.74	18.93	3	Horizontal	18	1.29	-	36.33	39.67	10.04	30.78
PK	17.3342G	63.32	68.20	-4.88	21.40	3	Horizontal	306	1.14	-	41.92	40.31	12.61	31.52






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8298G	104.53	Inf	-Inf	8.90	3	Vertical	360	1.50	-	95.63	32.00	6.26	29.36
PK	5.645G	56.49	68.20	-11.71	8.44	3	Vertical	360	1.50	-	48.05	31.61	6.19	29.36
PK	5.8298G	115.81	Inf	-Inf	8.90	3	Vertical	360	1.50	-	106.91	32.00	6.26	29.36
PK	5.9318G	65.80	68.20	-2.40	9.34	3	Vertical	360	1.50	-	56.46	32.26	6.43	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8322G	104.70	Inf	-Inf	8.90	3	Horizontal	311	3.00	-	95.80	32.00	6.26	29.36
PK	5.6378G	55.06	68.20	-13.14	8.45	3	Horizontal	311	3.00	-	46.61	31.62	6.19	29.36
PK	5.8238G	116.59	Inf	-Inf	8.89	3	Horizontal	311	3.00	-	107.70	32.00	6.25	29.36
PK	5.9246G	66.71	68.50	-1.79	9.32	3	Horizontal	311	3.00	-	57.39	32.25	6.42	29.35

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88333G	40.44	54.00	-13.56	5.11	3	Vertical	173	1.66	-	35.33	29.63	5.11	29.63
AV	11.65G	43.55	54.00	-10.45	18.71	3	Vertical	100	1.96	-	24.84	39.40	10.10	30.79
PK	3.88323G	49.61	74.00	-24.39	5.11	3	Vertical	173	1.66	-	44.50	29.63	5.11	29.63
PK	11.6496G	56.05	74.00	-17.95	18.71	3	Vertical	100	1.96	-	37.34	39.40	10.10	30.79
PK	17.4786G	65.19	68.20	-3.01	22.15	3	Vertical	13	2.05	-	43.04	40.94	12.66	31.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88337G	36.15	54.00	-17.85	5.11	3	Horizontal	48	1.10	-	31.04	29.63	5.11	29.63
AV	11.6552G	42.44	54.00	-11.56	18.69	3	Horizontal	251	1.50	-	23.75	39.38	10.10	30.79
PK	3.8833G	47.63	74.00	-26.37	5.11	3	Horizontal	48	1.10	-	42.52	29.63	5.11	29.63
PK	11.6978G	55.76	74.00	-18.24	18.55	3	Horizontal	251	1.50	-	37.21	39.21	10.13	30.79
PK	17.4774G	63.30	68.20	-4.90	22.13	3	Horizontal	190	1.50	-	41.17	40.93	12.65	31.45

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.60	54.00	-0.40	7.93	3	Vertical	122	1.50	-	45.67	31.90	10.08	34.05
AV	5.1836G	97.95	Inf	-Inf	7.73	3	Vertical	122	1.50	-	90.22	31.70	10.08	34.05
PK	5.1412G	72.49	74.00	-1.51	7.95	3	Vertical	122	1.50	-	64.54	31.92	10.08	34.05
PK	5.186G	108.59	Inf	-Inf	7.71	3	Vertical	122	1.50	-	100.88	31.68	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.33	54.00	-0.67	7.93	3	Horizontal	325	2.35	-	45.40	31.90	10.08	34.05
AV	5.1984G	96.23	Inf	-Inf	7.64	3	Horizontal	325	2.35	-	88.59	31.61	10.08	34.05
PK	5.1476G	70.06	74.00	-3.94	7.93	3	Horizontal	325	2.35	-	62.13	31.90	10.08	34.05
PK	5.1992G	107.67	Inf	-Inf	7.63	3	Horizontal	325	2.35	-	100.04	31.60	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5634G	47.39	54.00	-6.61	17.82	3	Vertical	228	1.50	-	29.57	38.25	13.74	34.17
PK	3.46004G	52.65	68.20	-15.55	3.91	3	Vertical	171	1.21	-	48.74	28.46	9.47	34.02
PK	10.3929G	60.13	68.20	-8.07	18.21	3	Vertical	288	1.50	-	41.92	39.57	12.98	34.34
PK	15.55956G	59.85	74.00	-14.15	17.83	3	Vertical	228	1.50	-	42.02	38.26	13.74	34.17

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5841G	47.19	54.00	-6.81	17.71	3	Horizontal	315	1.50	-	29.48	38.16	13.74	34.19
PK	3.46G	49.83	68.20	-18.37	3.91	3	Horizontal	158	1.10	-	45.92	28.46	9.47	34.02
PK	10.36926G	59.76	68.20	-8.44	18.08	3	Horizontal	217	1.50	-	41.68	39.48	12.97	34.37
PK	15.56322G	59.57	74.00	-14.43	17.82	3	Horizontal	315	1.50	-	41.75	38.25	13.74	34.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.47	54.00	-0.53	7.93	3	Vertical	0	2.41	-	45.54	31.90	10.08	34.05
AV	5.2244G	103.65	Inf	-Inf	7.49	3	Vertical	0	2.41	-	96.16	31.45	10.09	34.05
PK	5.146G	69.55	74.00	-4.45	7.94	3	Vertical	0	2.41	-	61.61	31.91	10.08	34.05
PK	5.228G	114.68	Inf	-Inf	7.47	3	Vertical	0	2.41	-	107.21	31.43	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.37	54.00	-3.63	7.93	3	Horizontal	30	1.03	-	42.44	31.90	10.08	34.05
AV	5.2328G	96.01	Inf	-Inf	7.45	3	Horizontal	30	1.03	-	88.56	31.40	10.10	34.05
PK	5.148G	64.49	74.00	-9.51	7.93	3	Horizontal	30	1.03	-	56.56	31.90	10.08	34.05
PK	5.2288G	107.39	Inf	-Inf	7.47	3	Horizontal	30	1.03	-	99.92	31.43	10.09	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67938G	47.24	54.00	-6.76	17.42	3	Vertical	85	1.50	-	29.82	37.94	13.74	34.26
PK	3.48684G	50.65	68.20	-17.55	4.08	3	Vertical	28	1.04	-	46.57	28.62	9.48	34.02
PK	10.46792G	59.93	68.20	-8.27	18.44	3	Vertical	21	1.83	-	41.49	39.67	13.03	34.26
PK	15.69558G	59.88	74.00	-14.12	17.38	3	Vertical	85	1.50	-	42.50	37.91	13.74	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68616G	47.18	54.00	-6.82	17.41	3	Horizontal	70	1.73	-	29.77	37.93	13.74	34.26
PK	3.48668G	49.97	68.20	-18.23	4.08	3	Horizontal	226	1.10	-	45.89	28.62	9.48	34.02
PK	10.45388G	59.79	68.20	-8.41	18.39	3	Horizontal	11	1.50	-	41.40	39.65	13.02	34.28
PK	15.68742G	59.90	74.00	-14.10	17.41	3	Horizontal	70	1.73	-	42.49	37.93	13.74	34.26



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.761G	105.34	Inf	-Inf	8.30	3	Vertical	306	2.37	-	97.04	31.94	10.44	34.08
PK	5.6362G	68.01	68.20	-0.19	7.89	3	Vertical	306	2.37	-	60.12	31.67	10.29	34.07
PK	5.773G	116.68	Inf	-Inf	8.36	3	Vertical	306	2.37	-	108.32	31.99	10.45	34.08
PK	5.9242G	63.12	68.79	-5.67	8.87	3	Vertical	306	2.37	-	54.25	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	101.55	Inf	-Inf	8.30	3	Horizontal	122	2.54	-	93.25	31.94	10.44	34.08
PK	5.641G	63.77	68.20	-4.43	7.90	3	Horizontal	122	2.54	-	55.87	31.68	10.29	34.07
PK	5.773G	111.68	Inf	-Inf	8.36	3	Horizontal	122	2.54	-	103.32	31.99	10.45	34.08
PK	5.9314G	60.74	68.20	-7.46	8.87	3	Horizontal	122	2.54	-	51.87	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83672G	41.28	54.00	-12.72	4.91	3	Vertical	59	1.22	-	36.37	29.37	9.54	34.00
AV	11.49746G	47.94	54.00	-6.06	19.41	3	Vertical	227	1.99	-	28.53	39.90	13.62	34.11
PK	3.83659G	49.58	74.00	-24.42	4.91	3	Vertical	59	1.22	-	44.67	29.37	9.54	34.00
PK	11.501G	60.98	74.00	-13.02	19.42	3	Vertical	227	1.99	-	41.56	39.90	13.63	34.11
PK	17.26506G	63.71	68.20	-4.49	21.72	3	Vertical	349	2.00	-	41.99	40.30	14.95	33.53

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83668G	40.20	54.00	-13.80	4.91	3	Horizontal	193	1.06	-	35.29	29.37	9.54	34.00
AV	11.50094G	47.81	54.00	-6.19	19.42	3	Horizontal	57	1.50	-	28.39	39.90	13.63	34.11
PK	3.83674G	48.95	74.00	-25.05	4.91	3	Horizontal	193	1.06	-	44.04	29.37	9.54	34.00
PK	11.50832G	60.28	74.00	-13.72	19.41	3	Horizontal	57	1.50	-	40.87	39.89	13.63	34.11
PK	17.2617G	63.99	68.20	-4.21	21.71	3	Horizontal	149	1.50	-	42.28	40.29	14.95	33.53



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.807G	105.38	Inf	-Inf	8.54	3	Vertical	299	2.49	-	96.84	32.13	10.49	34.08
PK	5.651G	66.16	68.94	-2.78	7.94	3	Vertical	299	2.49	-	58.22	31.70	10.31	34.07
PK	5.8082G	116.75	Inf	-Inf	8.54	3	Vertical	299	2.49	-	108.21	32.13	10.49	34.08
PK	5.927G	68.09	68.20	-0.11	8.87	3	Vertical	299	2.49	-	59.22	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	102.19	Inf	-Inf	8.47	3	Horizontal	307	2.46	-	93.72	32.07	10.48	34.08
PK	5.645G	61.91	68.20	-6.29	7.92	3	Horizontal	307	2.46	-	53.99	31.69	10.30	34.07
PK	5.801G	113.08	Inf	-Inf	8.51	3	Horizontal	307	2.46	-	104.57	32.10	10.49	34.08
PK	5.933G	65.65	68.20	-2.55	8.87	3	Horizontal	307	2.46	-	56.78	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86338G	39.98	54.00	-14.02	5.01	3	Vertical	174	1.66	-	34.97	29.45	9.56	34.00
AV	11.5939G	47.79	54.00	-6.21	19.36	3	Vertical	126	2.99	-	28.43	39.81	13.68	34.13
PK	3.86345G	49.43	74.00	-24.57	5.01	3	Vertical	174	1.66	-	44.42	29.45	9.56	34.00
PK	11.59234G	60.12	74.00	-13.88	19.36	3	Vertical	126	2.99	-	40.76	39.81	13.68	34.13
PK	17.37168G	65.37	68.20	-2.83	22.31	3	Vertical	115	3.00	-	43.06	40.83	15.05	33.57

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86331G	36.12	54.00	-17.88	5.01	3	Horizontal	50	1.02	-	31.11	29.45	9.56	34.00
AV	11.60416G	47.78	54.00	-6.22	19.33	3	Horizontal	136	1.50	-	28.45	39.78	13.68	34.13
PK	3.86335G	47.79	74.00	-26.21	5.01	3	Horizontal	50	1.02	-	42.78	29.45	9.56	34.00
PK	11.58802G	60.78	74.00	-13.22	19.36	3	Horizontal	136	1.50	-	41.42	39.81	13.68	34.13
PK	17.397G	65.44	68.20	-2.76	22.48	3	Horizontal	1	2.16	-	42.96	40.98	15.08	33.58

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.47	54.00	-0.53	7.93	3	Vertical	139	3.00	-	45.54	31.90	10.08	34.05
AV	5.192G	93.86	Inf	-Inf	7.68	3	Vertical	139	3.00	-	86.18	31.65	10.08	34.05
AV	5.35G	47.52	54.00	-6.48	7.30	3	Vertical	139	3.00	-	40.22	31.20	10.16	34.06
PK	5.147G	70.75	74.00	-3.25	7.94	3	Vertical	139	3.00	-	62.81	31.91	10.08	34.05
PK	5.193G	105.93	Inf	-Inf	7.67	3	Vertical	139	3.00	-	98.26	31.64	10.08	34.05
PK	5.422G	59.66	74.00	-14.34	7.66	3	Vertical	139	3.00	-	52.00	31.54	10.19	34.07

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.18	54.00	-3.82	7.93	3	Horizontal	319	2.87	-	42.25	31.90	10.08	34.05
AV	5.2G	93.48	Inf	-Inf	7.63	3	Horizontal	319	2.87	-	85.85	31.60	10.08	34.05
AV	5.356G	46.97	54.00	-7.03	7.34	3	Horizontal	319	2.87	-	39.63	31.24	10.16	34.06
PK	5.14G	63.81	74.00	-10.19	7.95	3	Horizontal	319	2.87	-	55.86	31.92	10.08	34.05
PK	5.202G	105.03	Inf	-Inf	7.62	3	Horizontal	319	2.87	-	97.41	31.59	10.08	34.05
PK	5.419G	59.84	74.00	-14.16	7.66	3	Horizontal	319	2.87	-	52.18	31.54	10.19	34.07

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62088G	46.84	54.00	-7.16	17.59	3	Vertical	193	1.28	-	29.25	38.06	13.74	34.21
PK	3.47328G	51.90	68.20	-16.30	3.99	3	Vertical	170	1.22	-	47.91	28.54	9.47	34.02
PK	10.41706G	60.09	68.20	-8.11	18.30	3	Vertical	227	2.46	-	41.79	39.62	13.00	34.32
PK	15.63546G	60.17	74.00	-13.83	17.55	3	Vertical	193	1.28	-	42.62	38.03	13.74	34.22

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62232G	46.84	54.00	-7.16	17.58	3	Horizontal	8	1.05	-	29.26	38.06	13.74	34.22
PK	3.47323G	50.41	68.20	-17.79	3.99	3	Horizontal	54	3.00	-	46.42	28.54	9.47	34.02
PK	10.4167G	59.45	68.20	-8.75	18.30	3	Horizontal	137	1.24	-	41.15	39.62	13.00	34.32
PK	15.61608G	60.04	74.00	-13.96	17.60	3	Horizontal	8	1.05	-	42.44	38.07	13.74	34.21



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	98.37	Inf	-Inf	8.32	3	Vertical	119	1.29	-	90.05	31.96	10.44	34.08
PK	5.6502G	68.17	68.35	-0.18	7.93	3	Vertical	119	1.29	-	60.24	31.70	10.30	34.07
PK	5.7486G	111.34	Inf	-Inf	8.25	3	Vertical	119	1.29	-	103.09	31.90	10.42	34.07
PK	5.925G	65.42	68.20	-2.78	8.87	3	Vertical	119	1.29	-	56.55	32.40	10.55	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7594G	94.27	Inf	-Inf	8.30	3	Horizontal	118	1.50	-	85.97	31.94	10.44	34.08
PK	5.619G	61.85	68.20	-6.35	7.84	3	Horizontal	118	1.50	-	54.01	31.64	10.27	34.07
PK	5.7618G	105.95	Inf	-Inf	8.31	3	Horizontal	118	1.50	-	97.64	31.95	10.44	34.08
PK	5.9262G	61.44	68.20	-6.76	8.87	3	Horizontal	118	1.50	-	52.57	32.40	10.55	34.08

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85005G	39.08	54.00	-14.92	4.95	3	Vertical	175	1.50	-	34.13	29.40	9.55	34.00
AV	11.54118G	47.26	54.00	-6.74	19.39	3	Vertical	283	1.30	-	27.87	39.86	13.65	34.12
PK	3.84994G	48.50	74.00	-25.50	4.95	3	Vertical	175	1.50	-	43.55	29.40	9.55	34.00
PK	11.5578G	60.08	74.00	-13.92	19.38	3	Vertical	283	1.30	-	40.70	39.84	13.66	34.12
PK	17.32038G	63.87	68.20	-4.33	21.97	3	Vertical	339	1.56	-	41.90	40.52	15.00	33.55

802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

19/12/2019

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85G	36.07	54.00	-17.93	4.95	3	Horizontal	15	2.86	-	31.12	29.40	9.55	34.00
AV	11.5398G	47.28	54.00	-6.72	19.39	3	Horizontal	64	2.11	-	27.89	39.86	13.65	34.12
PK	3.84978G	47.61	74.00	-26.39	4.95	3	Horizontal	15	2.86	-	42.66	29.40	9.55	34.00
PK	11.53992G	60.73	74.00	-13.27	19.39	3	Horizontal	64	2.11	-	41.34	39.86	13.65	34.12
PK	17.313G	64.55	68.20	-3.65	21.93	3	Horizontal	319	1.34	-	42.62	40.48	15.00	33.55



**RSE TX below 1GHz**  
**Beamforming Sample 1\_Radio 2\_2T1S**

**Appendix E.27**

**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	QP	375.32M	43.31	46.00	-2.69	3	Horizontal	345	1.09	-



**RSE TX below 1GHz  
Beamforming Sample 1\_Radio 2\_2T1S**

**Appendix E.27**

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	33.88M	31.45	40.00	-8.55	3	Vertical	0	1.00	-
5775MHz	Pass	PK	57.16M	29.29	40.00	-10.71	3	Vertical	0	1.00	-
5775MHz	Pass	PK	243.4M	24.58	46.00	-21.42	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	36.86	46.00	-9.14	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	33.15	46.00	-12.85	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	34.48	46.00	-11.52	3	Vertical	0	1.00	-
5775MHz	Pass	PK	35.82M	26.27	40.00	-13.73	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	125.06M	24.29	43.50	-19.21	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	241.46M	26.55	46.00	-19.45	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	35.17	46.00	-10.83	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	37.26	46.00	-8.74	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	375.32M	43.31	46.00	-2.69	3	Horizontal	345	1.09	-



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	31.45	40.00	-8.55	-6.72	3	Vertical	0	1.00	-	38.17	19.98	0.86	27.56
PK	57.16M	29.29	40.00	-10.71	-14.61	3	Vertical	0	1.00	-	43.90	11.76	1.13	27.50
PK	243.4M	24.58	46.00	-21.42	-7.55	3	Vertical	0	1.00	-	32.13	16.77	2.45	26.77
PK	375.32M	36.86	46.00	-9.14	-4.17	3	Vertical	0	1.00	-	41.03	19.89	3.08	27.14
PK	625.58M	33.15	46.00	-12.85	0.19	3	Vertical	0	1.00	-	32.96	24.15	4.13	28.09
PK	875.84M	34.48	46.00	-11.52	2.69	3	Vertical	0	1.00	-	31.79	25.38	4.93	27.62



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

07/12/2019

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	26.27	40.00	-13.73	-7.78	3	Horizontal	360	1.00	-	34.05	18.89	0.89	27.56
PK	125.06M	24.29	43.50	-19.21	-8.50	3	Horizontal	360	1.00	-	32.79	17.07	1.72	27.29
PK	241.46M	26.55	46.00	-19.45	-7.74	3	Horizontal	360	1.00	-	34.29	16.59	2.44	26.77
PK	625.58M	35.17	46.00	-10.83	0.19	3	Horizontal	360	1.00	-	34.98	24.15	4.13	28.09
PK	875.84M	37.26	46.00	-8.74	2.69	3	Horizontal	360	1.00	-	34.57	25.38	4.93	27.62
QP	375.32M	43.31	46.00	-2.69	-4.17	3	Horizontal	345	1.09	-	47.48	19.89	3.08	27.14





**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.89	54.00	-0.11	3	Vertical	177	2.62	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.1498G	73.82	74.00	-0.18	3	Vertical	175	2.59	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.66	54.00	-0.34	3	Vertical	178	2.71	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	17.35738G	66.48	68.20	-1.72	3	Vertical	0	3.00	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6506G	68.50	68.64	-0.14	3	Vertical	114	2.50	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6502G	67.89	68.35	-0.46	3	Vertical	163	3.00	-



**RSE TX above 1GHz  
Beamforming Sample 1 Radio 2\_2T1S**

**Appendix E.28**

**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	53.81	54.00	-0.19	3	Vertical	224	2.68	-
5180MHz	Pass	AV	5.189G	108.48	Inf	-Inf	3	Vertical	224	2.68	-
5180MHz	Pass	PK	5.1494G	71.51	74.00	-2.49	3	Vertical	224	2.68	-
5180MHz	Pass	PK	5.189G	119.06	Inf	-Inf	3	Vertical	224	2.68	-
5180MHz	Pass	AV	5.1488G	49.38	54.00	-4.62	3	Horizontal	168	1.01	-
5180MHz	Pass	AV	5.1734G	94.19	Inf	-Inf	3	Horizontal	168	1.01	-
5180MHz	Pass	PK	5.15G	63.83	74.00	-10.17	3	Horizontal	168	1.01	-
5180MHz	Pass	PK	5.1746G	106.49	Inf	-Inf	3	Horizontal	168	1.01	-
5180MHz	Pass	AV	15.54165G	47.43	54.00	-6.57	3	Vertical	65	1.69	-
5180MHz	Pass	PK	10.36031G	60.03	68.20	-8.17	3	Vertical	191	1.69	-
5180MHz	Pass	PK	15.53956G	60.46	74.00	-13.54	3	Vertical	65	1.69	-
5180MHz	Pass	AV	15.54175G	47.37	54.00	-6.63	3	Horizontal	195	1.50	-
5180MHz	Pass	PK	10.35814G	60.25	68.20	-7.95	3	Horizontal	61	1.50	-
5180MHz	Pass	PK	15.54159G	60.41	74.00	-13.59	3	Horizontal	195	1.50	-
5200MHz	Pass	AV	5.15G	53.89	54.00	-0.11	3	Vertical	177	2.62	-
5200MHz	Pass	AV	5.2024G	109.44	Inf	-Inf	3	Vertical	177	2.62	-
5200MHz	Pass	PK	5.1496G	69.47	74.00	-4.53	3	Vertical	177	2.62	-
5200MHz	Pass	PK	5.1994G	121.25	Inf	-Inf	3	Vertical	177	2.62	-
5200MHz	Pass	AV	5.146G	48.82	54.00	-5.18	3	Horizontal	178	1.43	-
5200MHz	Pass	AV	5.2042G	101.57	Inf	-Inf	3	Horizontal	178	1.43	-
5200MHz	Pass	PK	5.1226G	61.21	74.00	-12.79	3	Horizontal	178	1.43	-
5200MHz	Pass	PK	5.2018G	112.50	Inf	-Inf	3	Horizontal	178	1.43	-
5200MHz	Pass	AV	15.5979G	49.26	54.00	-4.74	3	Vertical	0	2.01	-
5200MHz	Pass	PK	10.39902G	60.76	68.20	-7.44	3	Vertical	355	1.25	-
5200MHz	Pass	PK	15.59838G	61.74	74.00	-12.26	3	Vertical	0	2.01	-
5200MHz	Pass	AV	15.5992G	47.57	54.00	-6.43	3	Horizontal	119	1.76	-
5200MHz	Pass	PK	10.40068G	60.31	68.20	-7.89	3	Horizontal	155	1.50	-
5200MHz	Pass	PK	15.59963G	61.37	74.00	-12.63	3	Horizontal	119	1.76	-
5240MHz	Pass	AV	5.147G	53.52	54.00	-0.48	3	Vertical	121	3.00	-
5240MHz	Pass	AV	5.2334G	110.63	Inf	-Inf	3	Vertical	121	3.00	-
5240MHz	Pass	AV	5.3504G	50.09	54.00	-3.91	3	Vertical	121	3.00	-
5240MHz	Pass	PK	5.1458G	69.86	74.00	-4.14	3	Vertical	121	3.00	-
5240MHz	Pass	PK	5.2328G	121.10	Inf	-Inf	3	Vertical	121	3.00	-
5240MHz	Pass	PK	5.3618G	65.26	74.00	-8.74	3	Vertical	121	3.00	-
5240MHz	Pass	AV	5.15G	49.65	54.00	-4.35	3	Horizontal	176	1.01	-
5240MHz	Pass	AV	5.2412G	102.08	Inf	-Inf	3	Horizontal	176	1.01	-
5240MHz	Pass	AV	5.3552G	47.02	54.00	-6.98	3	Horizontal	176	1.01	-
5240MHz	Pass	PK	5.1476G	62.30	74.00	-11.70	3	Horizontal	176	1.01	-
5240MHz	Pass	PK	5.2424G	112.96	Inf	-Inf	3	Horizontal	176	1.01	-
5240MHz	Pass	PK	5.3612G	58.99	74.00	-15.01	3	Horizontal	176	1.01	-
5240MHz	Pass	AV	15.71766G	51.59	54.00	-2.41	3	Vertical	360	2.07	-
5240MHz	Pass	PK	10.48113G	59.94	68.20	-8.26	3	Vertical	126	2.18	-
5240MHz	Pass	PK	15.72119G	65.02	74.00	-8.98	3	Vertical	360	2.07	-
5240MHz	Pass	AV	15.71983G	48.81	54.00	-5.19	3	Horizontal	236	2.02	-
5240MHz	Pass	PK	10.47981G	60.38	68.20	-7.82	3	Horizontal	345	2.72	-
5240MHz	Pass	PK	15.72094G	61.33	74.00	-12.67	3	Horizontal	236	2.02	-
5745MHz	Pass	AV	5.7522G	110.04	Inf	-Inf	3	Vertical	113	2.49	-
5745MHz	Pass	PK	5.6466G	66.28	68.20	-1.92	3	Vertical	113	2.49	-
5745MHz	Pass	PK	5.7534G	119.86	Inf	-Inf	3	Vertical	113	2.49	-
5745MHz	Pass	PK	5.925G	61.31	68.20	-6.89	3	Vertical	113	2.49	-
5745MHz	Pass	AV	5.7534G	98.41	Inf	-Inf	3	Horizontal	348	1.00	-
5745MHz	Pass	PK	5.6502G	60.35	68.35	-8.00	3	Horizontal	348	1.00	-
5745MHz	Pass	PK	5.7534G	107.96	Inf	-Inf	3	Horizontal	348	1.00	-
5745MHz	Pass	PK	5.925G	60.78	68.20	-7.42	3	Horizontal	348	1.00	-
5745MHz	Pass	AV	11.48774G	48.00	54.00	-6.00	3	Vertical	154	1.69	-
5745MHz	Pass	PK	11.4915G	61.52	74.00	-12.48	3	Vertical	154	1.69	-
5745MHz	Pass	PK	17.23647G	64.69	68.20	-3.51	3	Vertical	60	2.23	-
5745MHz	Pass	AV	11.49219G	47.90	54.00	-6.10	3	Horizontal	128	2.03	-
5745MHz	Pass	PK	11.48811G	60.51	74.00	-13.49	3	Horizontal	128	2.03	-
5745MHz	Pass	PK	17.23368G	63.37	68.20	-4.83	3	Horizontal	359	1.22	-



**RSE TX above 1GHz  
Beamforming Sample 1 Radio 2\_2T1S**

**Appendix E.28**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7838G	106.70	Inf	-Inf	3	Vertical	162	2.70	-
5785MHz	Pass	PK	5.6194G	60.16	68.20	-8.04	3	Vertical	162	2.70	-
5785MHz	Pass	PK	5.785G	118.08	Inf	-Inf	3	Vertical	162	2.70	-
5785MHz	Pass	PK	5.9314G	61.14	68.20	-7.06	3	Vertical	162	2.70	-
5785MHz	Pass	AV	5.7934G	99.85	Inf	-Inf	3	Horizontal	348	1.00	-
5785MHz	Pass	PK	5.5942G	61.05	68.20	-7.15	3	Horizontal	348	1.00	-
5785MHz	Pass	PK	5.7934G	109.12	Inf	-Inf	3	Horizontal	348	1.00	-
5785MHz	Pass	PK	5.9398G	61.34	68.20	-6.86	3	Horizontal	348	1.00	-
5785MHz	Pass	AV	11.56924G	47.68	54.00	-6.32	3	Vertical	137	2.46	-
5785MHz	Pass	PK	11.57133G	60.71	74.00	-13.29	3	Vertical	137	2.46	-
5785MHz	Pass	PK	17.35738G	66.48	68.20	-1.72	3	Vertical	0	3.00	-
5785MHz	Pass	AV	11.57143G	47.86	54.00	-6.14	3	Horizontal	47	1.50	-
5785MHz	Pass	PK	11.56888G	60.86	74.00	-13.14	3	Horizontal	47	1.50	-
5785MHz	Pass	PK	17.3552G	65.63	68.20	-2.57	3	Horizontal	47	2.04	-
5825MHz	Pass	AV	5.8166G	106.77	Inf	-Inf	3	Vertical	115	2.96	-
5825MHz	Pass	PK	5.633G	60.57	68.20	-7.63	3	Vertical	115	2.96	-
5825MHz	Pass	PK	5.8166G	116.23	Inf	-Inf	3	Vertical	115	2.96	-
5825MHz	Pass	PK	5.975G	61.31	68.20	-6.89	3	Vertical	115	2.96	-
5825MHz	Pass	AV	5.8166G	98.65	Inf	-Inf	3	Horizontal	312	2.54	-
5825MHz	Pass	PK	5.6282G	60.32	68.20	-7.88	3	Horizontal	312	2.54	-
5825MHz	Pass	PK	5.8166G	109.07	Inf	-Inf	3	Horizontal	312	2.54	-
5825MHz	Pass	PK	5.9654G	61.47	68.20	-6.73	3	Horizontal	312	2.54	-
5825MHz	Pass	PK	11.65121G	60.16	74.00	-13.84	3	Vertical	67	1.50	-
5825MHz	Pass	AV	11.64853G	47.84	54.00	-6.16	3	Vertical	67	1.50	-
5825MHz	Pass	PK	17.47738G	66.25	68.20	-1.95	3	Vertical	169	2.84	-
5825MHz	Pass	AV	11.6489G	47.89	54.00	-6.11	3	Horizontal	44	1.50	-
5825MHz	Pass	PK	11.65214G	61.22	74.00	-12.78	3	Horizontal	44	1.50	-
5825MHz	Pass	PK	17.47476G	65.87	68.20	-2.33	3	Horizontal	69	1.90	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1498G	53.23	54.00	-0.77	3	Vertical	175	2.59	-
5190MHz	Pass	AV	5.2026G	102.91	Inf	-Inf	3	Vertical	175	2.59	-
5190MHz	Pass	PK	5.1498G	73.82	74.00	-0.18	3	Vertical	175	2.59	-
5190MHz	Pass	PK	5.2008G	115.61	Inf	-Inf	3	Vertical	175	2.59	-
5190MHz	Pass	AV	5.1428G	49.22	54.00	-4.78	3	Horizontal	50	1.00	-
5190MHz	Pass	AV	5.1832G	90.39	Inf	-Inf	3	Horizontal	50	1.00	-
5190MHz	Pass	PK	5.1432G	64.33	74.00	-9.67	3	Horizontal	50	1.00	-
5190MHz	Pass	PK	5.198G	101.77	Inf	-Inf	3	Horizontal	50	1.00	-
5190MHz	Pass	AV	15.58176G	47.55	54.00	-6.45	3	Vertical	179	1.03	-
5190MHz	Pass	PK	10.36878G	60.49	68.20	-7.71	3	Vertical	257	1.50	-
5190MHz	Pass	PK	15.55866G	60.24	74.00	-13.76	3	Vertical	179	1.03	-
5190MHz	Pass	AV	15.57498G	47.56	54.00	-6.44	3	Horizontal	125	1.97	-
5190MHz	Pass	PK	10.37118G	60.34	68.20	-7.86	3	Horizontal	13	1.88	-
5190MHz	Pass	PK	15.55872G	61.17	74.00	-12.83	3	Horizontal	125	1.97	-
5230MHz	Pass	AV	5.1488G	53.68	54.00	-0.32	3	Vertical	123	2.96	-
5230MHz	Pass	AV	5.2324G	105.88	Inf	-Inf	3	Vertical	123	2.96	-
5230MHz	Pass	PK	5.1484G	69.31	74.00	-4.69	3	Vertical	123	2.96	-
5230MHz	Pass	PK	5.2324G	117.91	Inf	-Inf	3	Vertical	123	2.96	-
5230MHz	Pass	AV	5.1496G	49.83	54.00	-4.17	3	Horizontal	270	2.97	-
5230MHz	Pass	AV	5.2428G	99.81	Inf	-Inf	3	Horizontal	270	2.97	-
5230MHz	Pass	PK	5.15G	64.63	74.00	-9.37	3	Horizontal	270	2.97	-
5230MHz	Pass	PK	5.2448G	111.09	Inf	-Inf	3	Horizontal	270	2.97	-
5230MHz	Pass	AV	15.7044G	48.00	54.00	-6.00	3	Vertical	359	2.08	-
5230MHz	Pass	PK	10.46372G	60.10	68.20	-8.10	3	Vertical	91	1.50	-
5230MHz	Pass	PK	15.69876G	60.86	74.00	-13.14	3	Vertical	359	2.08	-
5230MHz	Pass	AV	15.67824G	47.36	54.00	-6.64	3	Horizontal	257	1.50	-
5230MHz	Pass	PK	10.46468G	60.39	68.20	-7.81	3	Horizontal	183	1.50	-
5230MHz	Pass	PK	15.70458G	59.94	74.00	-14.06	3	Horizontal	257	1.50	-
5755MHz	Pass	AV	5.7598G	108.52	Inf	-Inf	3	Vertical	114	2.50	-
5755MHz	Pass	PK	5.6506G	68.50	68.64	-0.14	3	Vertical	114	2.50	-
5755MHz	Pass	PK	5.7574G	119.02	Inf	-Inf	3	Vertical	114	2.50	-
5755MHz	Pass	PK	5.9338G	63.36	68.20	-4.84	3	Vertical	114	2.50	-
5755MHz	Pass	AV	5.7706G	98.13	Inf	-Inf	3	Horizontal	291	2.82	-



**RSE TX above 1GHz**  
**Beamforming Sample 1 Radio 2\_2T1S**

**Appendix E.28**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5755MHz	Pass	PK	5.6506G	62.24	68.64	-6.40	3	Horizontal	291	2.82	-
5755MHz	Pass	PK	5.7718G	108.69	Inf	-Inf	3	Horizontal	291	2.82	-
5755MHz	Pass	PK	5.9302G	61.36	68.20	-6.84	3	Horizontal	291	2.82	-
5755MHz	Pass	AV	11.50298G	47.97	54.00	-6.03	3	Vertical	333	1.50	-
5755MHz	Pass	PK	11.51204G	60.82	74.00	-13.18	3	Vertical	333	1.50	-
5755MHz	Pass	PK	17.27538G	64.16	68.20	-4.04	3	Vertical	194	1.66	-
5755MHz	Pass	AV	11.49626G	47.95	54.00	-6.05	3	Horizontal	120	1.45	-
5755MHz	Pass	PK	11.49812G	61.01	74.00	-12.99	3	Horizontal	120	1.45	-
5755MHz	Pass	PK	17.26392G	63.81	68.20	-4.39	3	Horizontal	281	1.50	-
5795MHz	Pass	AV	5.7986G	105.30	Inf	-Inf	3	Vertical	174	2.70	-
5795MHz	Pass	PK	5.6474G	65.34	68.20	-2.86	3	Vertical	174	2.70	-
5795MHz	Pass	PK	5.8034G	116.61	Inf	-Inf	3	Vertical	174	2.70	-
5795MHz	Pass	PK	5.9282G	67.46	68.20	-0.74	3	Vertical	174	2.70	-
5795MHz	Pass	AV	5.8094G	101.19	Inf	-Inf	3	Horizontal	135	2.46	-
5795MHz	Pass	PK	5.6354G	61.46	68.20	-6.74	3	Horizontal	135	2.46	-
5795MHz	Pass	PK	5.8094G	111.57	Inf	-Inf	3	Horizontal	135	2.46	-
5795MHz	Pass	PK	5.9258G	64.36	68.20	-3.84	3	Horizontal	135	2.46	-
5795MHz	Pass	AV	11.59156G	47.90	54.00	-6.10	3	Vertical	206	2.33	-
5795MHz	Pass	PK	11.60086G	60.94	74.00	-13.06	3	Vertical	206	2.33	-
5795MHz	Pass	PK	17.37288G	65.37	68.20	-2.83	3	Vertical	170	1.99	-
5795MHz	Pass	AV	11.59864G	47.94	54.00	-6.06	3	Horizontal	188	1.50	-
5795MHz	Pass	PK	11.60284G	60.31	74.00	-13.69	3	Horizontal	188	1.50	-
5795MHz	Pass	PK	17.37318G	65.36	68.20	-2.84	3	Horizontal	28	1.92	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Vertical	178	2.71	-
5210MHz	Pass	AV	5.2G	97.61	Inf	-Inf	3	Vertical	178	2.71	-
5210MHz	Pass	AV	5.351G	48.08	54.00	-5.92	3	Vertical	178	2.71	-
5210MHz	Pass	PK	5.15G	72.54	74.00	-1.46	3	Vertical	178	2.71	-
5210MHz	Pass	PK	5.199G	109.31	Inf	-Inf	3	Vertical	178	2.71	-
5210MHz	Pass	PK	5.353G	60.86	74.00	-13.14	3	Vertical	178	2.71	-
5210MHz	Pass	AV	5.15G	49.12	54.00	-4.88	3	Horizontal	51	1.00	-
5210MHz	Pass	AV	5.219G	87.04	Inf	-Inf	3	Horizontal	51	1.00	-
5210MHz	Pass	AV	5.454G	46.69	54.00	-7.31	3	Horizontal	51	1.00	-
5210MHz	Pass	PK	5.146G	62.39	74.00	-11.61	3	Horizontal	51	1.00	-
5210MHz	Pass	PK	5.22G	99.63	Inf	-Inf	3	Horizontal	51	1.00	-
5210MHz	Pass	PK	5.382G	59.54	74.00	-14.46	3	Horizontal	51	1.00	-
5210MHz	Pass	AV	15.6366G	47.01	54.00	-6.99	3	Vertical	121	2.25	-
5210MHz	Pass	PK	10.43002G	60.18	68.20	-8.02	3	Vertical	111	1.23	-
5210MHz	Pass	PK	15.62232G	60.52	74.00	-13.48	3	Vertical	121	2.25	-
5210MHz	Pass	AV	15.62382G	47.02	54.00	-6.98	3	Horizontal	64	2.36	-
5210MHz	Pass	PK	10.42576G	60.88	68.20	-7.32	3	Horizontal	321	1.95	-
5210MHz	Pass	PK	15.63006G	60.68	74.00	-13.32	3	Horizontal	64	2.36	-
5775MHz	Pass	AV	5.7666G	100.99	Inf	-Inf	3	Vertical	163	3.00	-
5775MHz	Pass	PK	5.6502G	67.89	68.35	-0.46	3	Vertical	163	3.00	-
5775MHz	Pass	PK	5.7666G	113.26	Inf	-Inf	3	Vertical	163	3.00	-
5775MHz	Pass	PK	5.931G	66.56	68.20	-1.64	3	Vertical	163	3.00	-
5775MHz	Pass	AV	5.805G	94.42	Inf	-Inf	3	Horizontal	153	2.74	-
5775MHz	Pass	PK	5.6358G	63.40	68.20	-4.80	3	Horizontal	153	2.74	-
5775MHz	Pass	PK	5.805G	106.07	Inf	-Inf	3	Horizontal	153	2.74	-
5775MHz	Pass	PK	5.9262G	62.23	68.20	-5.97	3	Horizontal	153	2.74	-
5775MHz	Pass	AV	11.53824G	47.33	54.00	-6.67	3	Vertical	158	1.50	-
5775MHz	Pass	PK	11.55858G	61.20	74.00	-12.80	3	Vertical	158	1.50	-
5775MHz	Pass	PK	17.33994G	64.90	68.20	-3.30	3	Vertical	1	1.50	-
5775MHz	Pass	AV	11.54016G	47.35	54.00	-6.65	3	Horizontal	11	2.33	-
5775MHz	Pass	PK	11.56332G	60.79	74.00	-13.21	3	Horizontal	11	2.33	-
5775MHz	Pass	PK	17.32698G	64.55	68.20	-3.65	3	Horizontal	253	1.50	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.81	54.00	-0.19	7.93	3	Vertical	224	2.68	-	45.88	31.90	10.08	34.05
AV	5.189G	108.48	Inf	-Inf	7.70	3	Vertical	224	2.68	-	100.78	31.67	10.08	34.05
PK	5.1494G	71.51	74.00	-2.49	7.93	3	Vertical	224	2.68	-	63.58	31.90	10.08	34.05
PK	5.189G	119.06	Inf	-Inf	7.70	3	Vertical	224	2.68	-	111.36	31.67	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.38	54.00	-4.62	7.93	3	Horizontal	168	1.01	-	41.45	31.90	10.08	34.05
AV	5.1734G	94.19	Inf	-Inf	7.79	3	Horizontal	168	1.01	-	86.40	31.76	10.08	34.05
PK	5.15G	63.83	74.00	-10.17	7.93	3	Horizontal	168	1.01	-	55.90	31.90	10.08	34.05
PK	5.1746G	106.49	Inf	-Inf	7.78	3	Horizontal	168	1.01	-	98.71	31.75	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54165G	47.43	54.00	-6.57	17.91	3	Vertical	65	1.69	-	29.52	38.33	13.74	34.16
PK	10.36031G	60.03	68.20	-8.17	18.02	3	Vertical	191	1.69	-	42.01	39.44	12.96	34.38
PK	15.53956G	60.46	74.00	-13.54	17.92	3	Vertical	65	1.69	-	42.54	38.34	13.74	34.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54175G	47.37	54.00	-6.63	17.91	3	Horizontal	195	1.50	-	29.46	38.33	13.74	34.16
PK	10.35814G	60.25	68.20	-7.95	18.01	3	Horizontal	61	1.50	-	42.24	39.43	12.96	34.38
PK	15.54159G	60.41	74.00	-13.59	17.91	3	Horizontal	195	1.50	-	42.50	38.33	13.74	34.16



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.89	54.00	-0.11	7.93	3	Vertical	177	2.62	-	45.96	31.90	10.08	34.05
AV	5.2024G	109.44	Inf	-Inf	7.62	3	Vertical	177	2.62	-	101.82	31.59	10.08	34.05
PK	5.1496G	69.47	74.00	-4.53	7.93	3	Vertical	177	2.62	-	61.54	31.90	10.08	34.05
PK	5.1994G	121.25	Inf	-Inf	7.63	3	Vertical	177	2.62	-	113.62	31.60	10.08	34.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.82	54.00	-5.18	7.94	3	Horizontal	178	1.43	-	40.88	31.91	10.08	34.05
AV	5.2042G	101.57	Inf	-Inf	7.60	3	Horizontal	178	1.43	-	93.97	31.57	10.08	34.05
PK	5.1226G	61.21	74.00	-12.79	7.98	3	Horizontal	178	1.43	-	53.23	31.95	10.08	34.05
PK	5.2018G	112.50	Inf	-Inf	7.62	3	Horizontal	178	1.43	-	104.88	31.59	10.08	34.05



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5979G	49.26	54.00	-4.74	17.65	3	Vertical	0	2.01	-	31.61	38.11	13.74	34.20
PK	10.39902G	60.76	68.20	-7.44	18.25	3	Vertical	355	1.25	-	42.51	39.60	12.99	34.34
PK	15.59838G	61.74	74.00	-12.26	17.65	3	Vertical	0	2.01	-	44.09	38.11	13.74	34.20

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5992G	47.57	54.00	-6.43	17.64	3	Horizontal	119	1.76	-	29.93	38.10	13.74	34.20
PK	10.40068G	60.31	68.20	-7.89	18.25	3	Horizontal	155	1.50	-	42.06	39.60	12.99	34.34
PK	15.59963G	61.37	74.00	-12.63	17.64	3	Horizontal	119	1.76	-	43.73	38.10	13.74	34.20



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	53.52	54.00	-0.48	7.94	3	Vertical	121	3.00	-	45.58	31.91	10.08	34.05
AV	5.2334G	110.63	Inf	-Inf	7.45	3	Vertical	121	3.00	-	103.18	31.40	10.10	34.05
AV	5.3504G	50.09	54.00	-3.91	7.30	3	Vertical	121	3.00	-	42.79	31.20	10.16	34.06
PK	5.1458G	69.86	74.00	-4.14	7.94	3	Vertical	121	3.00	-	61.92	31.91	10.08	34.05
PK	5.2328G	121.10	Inf	-Inf	7.45	3	Vertical	121	3.00	-	113.65	31.40	10.10	34.05
PK	5.3618G	65.26	74.00	-8.74	7.38	3	Vertical	121	3.00	-	57.88	31.27	10.17	34.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.65	54.00	-4.35	7.93	3	Horizontal	176	1.01	-	41.72	31.90	10.08	34.05
AV	5.2412G	102.08	Inf	-Inf	7.40	3	Horizontal	176	1.01	-	94.68	31.35	10.10	34.05
AV	5.3552G	47.02	54.00	-6.98	7.33	3	Horizontal	176	1.01	-	39.69	31.23	10.16	34.06
PK	5.1476G	62.30	74.00	-11.70	7.93	3	Horizontal	176	1.01	-	54.37	31.90	10.08	34.05
PK	5.2424G	112.96	Inf	-Inf	7.40	3	Horizontal	176	1.01	-	105.56	31.35	10.10	34.05
PK	5.3612G	58.99	74.00	-15.01	7.38	3	Horizontal	176	1.01	-	51.61	31.27	10.17	34.06

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71766G	51.59	54.00	-2.41	17.32	3	Vertical	360	2.07	-	34.27	37.86	13.74	34.28
PK	10.48113G	59.94	68.20	-8.26	18.46	3	Vertical	126	2.18	-	41.48	39.68	13.03	34.25
PK	15.72119G	65.02	74.00	-8.98	17.32	3	Vertical	360	2.07	-	47.70	37.86	13.74	34.28

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71983G	48.81	54.00	-5.19	17.32	3	Horizontal	236	2.02	-	31.49	37.86	13.74	34.28
PK	10.47981G	60.38	68.20	-7.82	18.46	3	Horizontal	345	2.72	-	41.92	39.68	13.03	34.25
PK	15.72094G	61.33	74.00	-12.67	17.32	3	Horizontal	236	2.02	-	44.01	37.86	13.74	34.28



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7522G	110.04	Inf	-Inf	8.26	3	Vertical	113	2.49	-	101.78	31.91	10.43	34.08
PK	5.6466G	66.28	68.20	-1.92	7.92	3	Vertical	113	2.49	-	58.36	31.69	10.30	34.07
PK	5.7534G	119.86	Inf	-Inf	8.26	3	Vertical	113	2.49	-	111.60	31.91	10.43	34.08
PK	5.925G	61.31	68.20	-6.89	8.87	3	Vertical	113	2.49	-	52.44	32.40	10.55	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7534G	98.41	Inf	-Inf	8.26	3	Horizontal	348	1.00	-	90.15	31.91	10.43	34.08
PK	5.6502G	60.35	68.35	-8.00	7.93	3	Horizontal	348	1.00	-	52.42	31.70	10.30	34.07
PK	5.7534G	107.96	Inf	-Inf	8.26	3	Horizontal	348	1.00	-	99.70	31.91	10.43	34.08
PK	5.925G	60.78	68.20	-7.42	8.87	3	Horizontal	348	1.00	-	51.91	32.40	10.55	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48774G	48.00	54.00	-6.00	19.40	3	Vertical	154	1.69	-	28.60	39.89	13.62	34.11
PK	11.4915G	61.52	74.00	-12.48	19.40	3	Vertical	154	1.69	-	42.12	39.89	13.62	34.11
PK	17.23647G	64.69	68.20	-3.51	21.61	3	Vertical	60	2.23	-	43.08	40.21	14.92	33.52

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49219G	47.90	54.00	-6.10	19.40	3	Horizontal	128	2.03	-	28.50	39.89	13.62	34.11
PK	11.48811G	60.51	74.00	-13.49	19.40	3	Horizontal	128	2.03	-	41.11	39.89	13.62	34.11
PK	17.23368G	63.37	68.20	-4.83	21.60	3	Horizontal	359	1.22	-	41.77	40.20	14.92	33.52

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	106.70	Inf	-Inf	8.43	3	Vertical	162	2.70	-	98.27	32.04	10.47	34.08
PK	5.6194G	60.16	68.20	-8.04	7.84	3	Vertical	162	2.70	-	52.32	31.64	10.27	34.07
PK	5.785G	118.08	Inf	-Inf	8.43	3	Vertical	162	2.70	-	109.65	32.04	10.47	34.08
PK	5.9314G	61.14	68.20	-7.06	8.87	3	Vertical	162	2.70	-	52.27	32.40	10.55	34.08



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7934G	99.85	Inf	-Inf	8.47	3	Horizontal	348	1.00	-	91.38	32.07	10.48	34.08
PK	5.5942G	61.05	68.20	-7.15	7.78	3	Horizontal	348	1.00	-	53.27	31.61	10.24	34.07
PK	5.7934G	109.12	Inf	-Inf	8.47	3	Horizontal	348	1.00	-	100.65	32.07	10.48	34.08
PK	5.9398G	61.34	68.20	-6.86	8.87	3	Horizontal	348	1.00	-	52.47	32.40	10.55	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56924G	47.68	54.00	-6.32	19.36	3	Vertical	137	2.46	-	28.32	39.83	13.66	34.13
PK	11.57133G	60.71	74.00	-13.29	19.37	3	Vertical	137	2.46	-	41.34	39.83	13.67	34.13
PK	17.35738G	66.48	68.20	-1.72	22.21	3	Vertical	0	3.00	-	44.27	40.74	15.04	33.57

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57143G	47.86	54.00	-6.14	19.37	3	Horizontal	47	1.50	-	28.49	39.83	13.67	34.13
PK	11.56888G	60.86	74.00	-13.14	19.36	3	Horizontal	47	1.50	-	41.50	39.83	13.66	34.13
PK	17.3552G	65.63	68.20	-2.57	22.21	3	Horizontal	47	2.04	-	43.42	40.73	15.04	33.56



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	106.77	Inf	-Inf	8.59	3	Vertical	115	2.96	-	98.18	32.17	10.50	34.08
PK	5.633G	60.57	68.20	-7.63	7.88	3	Vertical	115	2.96	-	52.69	31.67	10.28	34.07
PK	5.8166G	116.23	Inf	-Inf	8.59	3	Vertical	115	2.96	-	107.64	32.17	10.50	34.08
PK	5.975G	61.31	68.20	-6.89	8.89	3	Vertical	115	2.96	-	52.42	32.40	10.57	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8166G	98.65	Inf	-Inf	8.59	3	Horizontal	312	2.54	-	90.06	32.17	10.50	34.08
PK	5.6282G	60.32	68.20	-7.88	7.87	3	Horizontal	312	2.54	-	52.45	31.66	10.28	34.07
PK	5.8166G	109.07	Inf	-Inf	8.59	3	Horizontal	312	2.54	-	100.48	32.17	10.50	34.08
PK	5.9654G	61.47	68.20	-6.73	8.89	3	Horizontal	312	2.54	-	52.58	32.40	10.57	34.08

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	11.65121G	60.16	74.00	-13.84	19.06	3	Vertical	67	1.50	-	41.10	39.49	13.71	34.14
AV	11.64853G	47.84	54.00	-6.16	19.08	3	Vertical	67	1.50	-	28.76	39.51	13.71	34.14
PK	17.47738G	66.25	68.20	-1.95	23.01	3	Vertical	169	2.84	-	43.24	41.46	15.16	33.61

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6489G	47.89	54.00	-6.11	19.08	3	Horizontal	44	1.50	-	28.81	39.51	13.71	34.14
PK	11.65214G	61.22	74.00	-12.78	19.06	3	Horizontal	44	1.50	-	42.16	39.49	13.71	34.14
PK	17.47476G	65.87	68.20	-2.33	22.99	3	Horizontal	69	1.90	-	42.88	41.45	15.15	33.61

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.23	54.00	-0.77	7.93	3	Vertical	175	2.59	-	45.30	31.90	10.08	34.05
AV	5.2026G	102.91	Inf	-Inf	7.61	3	Vertical	175	2.59	-	95.30	31.58	10.08	34.05
PK	5.1498G	73.82	74.00	-0.18	7.93	3	Vertical	175	2.59	-	65.89	31.90	10.08	34.05
PK	5.2008G	115.61	Inf	-Inf	7.63	3	Vertical	175	2.59	-	107.98	31.60	10.08	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	49.22	54.00	-4.78	7.94	3	Horizontal	50	1.00	-	41.28	31.91	10.08	34.05
AV	5.1832G	90.39	Inf	-Inf	7.73	3	Horizontal	50	1.00	-	82.66	31.70	10.08	34.05
PK	5.1432G	64.33	74.00	-9.67	7.94	3	Horizontal	50	1.00	-	56.39	31.91	10.08	34.05
PK	5.198G	101.77	Inf	-Inf	7.64	3	Horizontal	50	1.00	-	94.13	31.61	10.08	34.05

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58176G	47.55	54.00	-6.45	17.72	3	Vertical	179	1.03	-	29.83	38.17	13.74	34.19
PK	10.36878G	60.49	68.20	-7.71	18.08	3	Vertical	257	1.50	-	42.41	39.48	12.97	34.37
PK	15.55866G	60.24	74.00	-13.76	17.84	3	Vertical	179	1.03	-	42.40	38.27	13.74	34.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57498G	47.56	54.00	-6.44	17.76	3	Horizontal	125	1.97	-	29.80	38.20	13.74	34.18
PK	10.37118G	60.34	68.20	-7.86	18.08	3	Horizontal	13	1.88	-	42.26	39.48	12.97	34.37
PK	15.55872G	61.17	74.00	-12.83	17.84	3	Horizontal	125	1.97	-	43.33	38.27	13.74	34.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.68	54.00	-0.32	7.93	3	Vertical	123	2.96	-	45.75	31.90	10.08	34.05
AV	5.2324G	105.88	Inf	-Inf	7.46	3	Vertical	123	2.96	-	98.42	31.41	10.10	34.05
PK	5.1484G	69.31	74.00	-4.69	7.93	3	Vertical	123	2.96	-	61.38	31.90	10.08	34.05
PK	5.2324G	117.91	Inf	-Inf	7.46	3	Vertical	123	2.96	-	110.45	31.41	10.10	34.05



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	49.83	54.00	-4.17	7.93	3	Horizontal	270	2.97	-	41.90	31.90	10.08	34.05
AV	5.2428G	99.81	Inf	-Inf	7.39	3	Horizontal	270	2.97	-	92.42	31.34	10.10	34.05
PK	5.15G	64.63	74.00	-9.37	7.93	3	Horizontal	270	2.97	-	56.70	31.90	10.08	34.05
PK	5.2448G	111.09	Inf	-Inf	7.38	3	Horizontal	270	2.97	-	103.71	31.33	10.10	34.05

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

### 5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7044G	48.00	54.00	-6.00	17.36	3	Vertical	359	2.08	-	30.64	37.89	13.74	34.27
PK	10.46372G	60.10	68.20	-8.10	18.41	3	Vertical	91	1.50	-	41.69	39.66	13.02	34.27
PK	15.69876G	60.86	74.00	-13.14	17.37	3	Vertical	359	2.08	-	43.49	37.90	13.74	34.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.67824G	47.36	54.00	-6.64	17.43	3	Horizontal	257	1.50	-	29.93	37.94	13.74	34.25
PK	10.46468G	60.39	68.20	-7.81	18.42	3	Horizontal	183	1.50	-	41.97	39.66	13.03	34.27
PK	15.70458G	59.94	74.00	-14.06	17.36	3	Horizontal	257	1.50	-	42.58	37.89	13.74	34.27



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	108.52	Inf	-Inf	8.30	3	Vertical	114	2.50	-	100.22	31.94	10.44	34.08
PK	5.6506G	68.50	68.64	-0.14	7.93	3	Vertical	114	2.50	-	60.57	31.70	10.30	34.07
PK	5.7574G	119.02	Inf	-Inf	8.29	3	Vertical	114	2.50	-	110.73	31.93	10.44	34.08
PK	5.9338G	63.36	68.20	-4.84	8.87	3	Vertical	114	2.50	-	54.49	32.40	10.55	34.08



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7706G	98.13	Inf	-Inf	8.35	3	Horizontal	291	2.82	-	89.78	31.98	10.45	34.08
PK	5.6506G	62.24	68.64	-6.40	7.93	3	Horizontal	291	2.82	-	54.31	31.70	10.30	34.07
PK	5.7718G	108.69	Inf	-Inf	8.36	3	Horizontal	291	2.82	-	100.33	31.99	10.45	34.08
PK	5.9302G	61.36	68.20	-6.84	8.87	3	Horizontal	291	2.82	-	52.49	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50298G	47.97	54.00	-6.03	19.42	3	Vertical	333	1.50	-	28.55	39.90	13.63	34.11
PK	11.51204G	60.82	74.00	-13.18	19.41	3	Vertical	333	1.50	-	41.41	39.89	13.63	34.11
PK	17.27538G	64.16	68.20	-4.04	21.76	3	Vertical	194	1.66	-	42.40	40.33	14.96	33.53

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49626G	47.95	54.00	-6.05	19.41	3	Horizontal	120	1.45	-	28.54	39.90	13.62	34.11
PK	11.49812G	61.01	74.00	-12.99	19.41	3	Horizontal	120	1.45	-	41.60	39.90	13.62	34.11
PK	17.26392G	63.81	68.20	-4.39	21.71	3	Horizontal	281	1.50	-	42.10	40.29	14.95	33.53






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	105.30	Inf	-Inf	8.50	3	Vertical	174	2.70	-	96.80	32.09	10.49	34.08
PK	5.6474G	65.34	68.20	-2.86	7.92	3	Vertical	174	2.70	-	57.42	31.69	10.30	34.07
PK	5.8034G	116.61	Inf	-Inf	8.52	3	Vertical	174	2.70	-	108.09	32.11	10.49	34.08
PK	5.9282G	67.46	68.20	-0.74	8.87	3	Vertical	174	2.70	-	58.59	32.40	10.55	34.08

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

20/12/2019

5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8094G	101.19	Inf	-Inf	8.55	3	Horizontal	135	2.46	-	92.64	32.14	10.49	34.08
PK	5.6354G	61.46	68.20	-6.74	7.89	3	Horizontal	135	2.46	-	53.57	31.67	10.29	34.07
PK	5.8094G	111.57	Inf	-Inf	8.55	3	Horizontal	135	2.46	-	103.02	32.14	10.49	34.08
PK	5.9258G	64.36	68.20	-3.84	8.87	3	Horizontal	135	2.46	-	55.49	32.40	10.55	34.08