



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	11.68	19.81
802.11ac VHT20_Nss2,(MCS0)_2TX	11.14	16.26
802.11ac VHT40_Nss2,(MCS0)_2TX	6.93	12.05
802.11ac VHT80_Nss2,(MCS0)_2TX	0.23	5.35
802.11ax HEW20_Nss2,(MCS0)_2TX	11.02	16.14
802.11ax HEW40_Nss2,(MCS0)_2TX	7.17	12.29
802.11ax HEW80_Nss2,(MCS0)_2TX	0.31	5.43
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	12.03	20.16
802.11ac VHT20_Nss2,(MCS0)_2TX	11.29	16.41
802.11ac VHT40_Nss2,(MCS0)_2TX	8.06	13.18
802.11ac VHT80_Nss2,(MCS0)_2TX	3.51	8.63
802.11ax HEW20_Nss2,(MCS0)_2TX	11.26	16.38
802.11ax HEW40_Nss2,(MCS0)_2TX	7.78	12.90
802.11ax HEW80_Nss2,(MCS0)_2TX	3.53	8.65

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	8.13	5.54	5.13	8.30	14.87	16.43	23.00
5200MHz	Pass	8.13	9.04	8.36	11.68	14.87	19.81	23.00
5240MHz	Pass	8.13	6.53	5.64	9.11	14.87	17.24	23.00
5745MHz	Pass	8.13	9.07	9.07	12.03	27.87	20.16	36.00
5785MHz	Pass	8.13	5.74	5.50	8.60	27.87	16.73	36.00
5825MHz	Pass	8.13	6.32	5.83	9.04	27.87	17.17	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.12	5.08	4.83	7.89	17.00	13.01	23.00
5200MHz	Pass	5.12	8.40	8.05	11.14	17.00	16.26	23.00
5240MHz	Pass	5.12	7.21	6.72	9.88	17.00	15.00	23.00
5745MHz	Pass	5.12	8.42	8.54	11.29	30.00	16.41	36.00
5785MHz	Pass	5.12	6.61	6.42	9.48	30.00	14.60	36.00
5825MHz	Pass	5.12	6.90	6.80	9.75	30.00	14.87	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	5.12	-0.36	-0.33	2.55	17.00	7.67	23.00
5230MHz	Pass	5.12	4.14	3.96	6.93	17.00	12.05	23.00
5755MHz	Pass	5.12	4.59	4.50	7.45	30.00	12.57	36.00
5795MHz	Pass	5.12	5.07	5.15	8.06	30.00	13.18	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.12	-2.45	-2.93	0.23	17.00	5.35	23.00
5775MHz	Pass	5.12	0.63	0.56	3.51	30.00	8.63	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.12	4.88	4.68	7.75	17.00	12.87	23.00
5200MHz	Pass	5.12	8.22	7.79	11.02	17.00	16.14	23.00
5240MHz	Pass	5.12	7.26	6.77	10.02	17.00	15.14	23.00
5745MHz	Pass	5.12	8.35	8.33	11.26	30.00	16.38	36.00
5785MHz	Pass	5.12	6.33	6.00	9.13	30.00	14.25	36.00
5825MHz	Pass	5.12	6.74	6.49	9.54	30.00	14.66	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	5.12	-0.28	-0.37	2.55	17.00	7.67	23.00
5230MHz	Pass	5.12	4.43	4.06	7.17	17.00	12.29	23.00
5755MHz	Pass	5.12	4.59	4.35	7.44	30.00	12.56	36.00
5795MHz	Pass	5.12	4.90	4.83	7.78	30.00	12.90	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.12	-2.40	-2.64	0.31	17.00	5.43	23.00
5775MHz	Pass	5.12	0.54	0.62	3.53	30.00	8.65	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.60	14.41
802.11ac VHT20_Nss1,(MCS0)_1TX	8.48	13.29
802.11ac VHT40_Nss1,(MCS0)_1TX	4.33	9.14
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.96	1.85
802.11ax HEW20_Nss1,(MCS0)_1TX	8.32	13.13
802.11ax HEW40_Nss1,(MCS0)_1TX	4.53	9.34
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.78	2.03
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.49	14.30
802.11ac VHT20_Nss1,(MCS0)_1TX	9.19	14.00
802.11ac VHT40_Nss1,(MCS0)_1TX	5.44	10.25
802.11ac VHT80_Nss1,(MCS0)_1TX	0.25	5.06
802.11ax HEW20_Nss1,(MCS0)_1TX	8.87	13.68
802.11ax HEW40_Nss1,(MCS0)_1TX	5.48	10.29
802.11ax HEW80_Nss1,(MCS0)_1TX	0.11	4.92

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.81	6.88	6.88	17.00	11.69	23.00
5200MHz	Pass	4.81	9.60	9.60	17.00	14.41	23.00
5240MHz	Pass	4.81	8.05	8.05	17.00	12.86	23.00
5745MHz	Pass	4.81	9.32	9.32	30.00	14.13	36.00
5785MHz	Pass	4.81	9.49	9.49	30.00	14.30	36.00
5825MHz	Pass	4.81	9.34	9.34	30.00	14.15	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.81	5.80	5.80	17.00	10.61	23.00
5200MHz	Pass	4.81	8.48	8.48	17.00	13.29	23.00
5240MHz	Pass	4.81	7.68	7.68	17.00	12.49	23.00
5745MHz	Pass	4.81	8.16	8.16	30.00	12.97	36.00
5785MHz	Pass	4.81	9.19	9.19	30.00	14.00	36.00
5825MHz	Pass	4.81	8.28	8.28	30.00	13.09	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.81	-0.02	-0.02	17.00	4.79	23.00
5230MHz	Pass	4.81	4.33	4.33	17.00	9.14	23.00
5755MHz	Pass	4.81	5.27	5.27	30.00	10.08	36.00
5795MHz	Pass	4.81	5.44	5.44	30.00	10.25	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.81	-2.96	-2.96	17.00	1.85	23.00
5775MHz	Pass	4.81	0.25	0.25	30.00	5.06	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.81	5.77	5.77	17.00	10.58	23.00
5200MHz	Pass	4.81	8.32	8.32	17.00	13.13	23.00
5240MHz	Pass	4.81	7.73	7.73	17.00	12.54	23.00
5745MHz	Pass	4.81	8.26	8.26	30.00	13.07	36.00
5785MHz	Pass	4.81	8.87	8.87	30.00	13.68	36.00
5825MHz	Pass	4.81	8.07	8.07	30.00	12.88	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.81	0.09	0.09	17.00	4.90	23.00
5230MHz	Pass	4.81	4.53	4.53	17.00	9.34	23.00
5755MHz	Pass	4.81	5.29	5.29	30.00	10.10	36.00
5795MHz	Pass	4.81	5.48	5.48	30.00	10.29	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.81	-2.78	-2.78	17.00	2.03	23.00
5775MHz	Pass	4.81	0.11	0.11	30.00	4.92	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	11.78	19.57
802.11ac VHT20_Nss2,(MCS0)_2TX	10.75	15.53
802.11ac VHT40_Nss2,(MCS0)_2TX	7.38	12.16
802.11ac VHT80_Nss2,(MCS0)_2TX	0.48	5.26
802.11ax HEW20_Nss2,(MCS0)_2TX	10.69	15.47
802.11ax HEW40_Nss2,(MCS0)_2TX	7.35	12.13
802.11ax HEW80_Nss2,(MCS0)_2TX	0.63	5.41
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	11.94	19.73
802.11ac VHT20_Nss2,(MCS0)_2TX	11.83	16.61
802.11ac VHT40_Nss2,(MCS0)_2TX	8.55	13.33
802.11ac VHT80_Nss2,(MCS0)_2TX	3.94	8.72
802.11ax HEW20_Nss2,(MCS0)_2TX	11.56	16.34
802.11ax HEW40_Nss2,(MCS0)_2TX	8.40	13.18
802.11ax HEW80_Nss2,(MCS0)_2TX	3.87	8.65




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	7.79	6.04	6.12	9.00	15.21	16.79	23.00
5200MHz	Pass	7.79	8.75	8.98	11.78	15.21	19.57	23.00
5240MHz	Pass	7.79	7.65	7.66	10.53	15.21	18.32	23.00
5745MHz	Pass	7.79	7.72	7.87	10.69	28.21	18.48	36.00
5785MHz	Pass	7.79	9.06	8.94	11.94	28.21	19.73	36.00
5825MHz	Pass	7.79	8.40	8.78	11.53	28.21	19.32	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.78	4.74	4.92	7.79	17.00	12.57	23.00
5200MHz	Pass	4.78	7.76	7.86	10.75	17.00	15.53	23.00
5240MHz	Pass	4.78	7.10	7.13	10.05	17.00	14.83	23.00
5745MHz	Pass	4.78	7.41	7.44	10.28	30.00	15.06	36.00
5785MHz	Pass	4.78	9.14	8.80	11.83	30.00	16.61	36.00
5825MHz	Pass	4.78	8.96	8.61	11.68	30.00	16.46	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.78	-0.66	-0.32	2.48	17.00	7.26	23.00
5230MHz	Pass	4.78	4.24	4.80	7.38	17.00	12.16	23.00
5755MHz	Pass	4.78	5.13	4.78	7.96	30.00	12.74	36.00
5795MHz	Pass	4.78	5.64	5.57	8.55	30.00	13.33	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.78	-2.53	-2.25	0.48	17.00	5.26	23.00
5775MHz	Pass	4.78	0.91	1.15	3.94	30.00	8.72	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	4.78	4.71	4.83	7.75	17.00	12.53	23.00
5200MHz	Pass	4.78	7.59	7.82	10.69	17.00	15.47	23.00
5240MHz	Pass	4.78	7.17	7.19	10.15	17.00	14.93	23.00
5745MHz	Pass	4.78	7.30	7.53	10.34	30.00	15.12	36.00
5785MHz	Pass	4.78	8.75	8.68	11.56	30.00	16.34	36.00
5825MHz	Pass	4.78	8.63	8.45	11.42	30.00	16.20	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	4.78	-0.52	-0.06	2.58	17.00	7.36	23.00
5230MHz	Pass	4.78	4.15	4.69	7.35	17.00	12.13	23.00
5755MHz	Pass	4.78	5.20	4.92	7.93	30.00	12.71	36.00
5795MHz	Pass	4.78	5.46	5.58	8.40	30.00	13.18	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	4.78	-2.34	-2.21	0.63	17.00	5.41	23.00
5775MHz	Pass	4.78	1.02	0.95	3.87	30.00	8.65	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.21	15.21
802.11ac VHT20_Nss1,(MCS0)_1TX	6.50	14.50
802.11ac VHT40_Nss1,(MCS0)_1TX	3.09	11.09
802.11ac VHT80_Nss1,(MCS0)_1TX	-5.56	2.44
802.11ax HEW20_Nss1,(MCS0)_1TX	6.36	14.36
802.11ax HEW40_Nss1,(MCS0)_1TX	3.08	11.08
802.11ax HEW80_Nss1,(MCS0)_1TX	-5.11	2.89
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.87	14.87
802.11ac VHT20_Nss1,(MCS0)_1TX	5.84	13.84
802.11ac VHT40_Nss1,(MCS0)_1TX	3.17	11.17
802.11ac VHT80_Nss1,(MCS0)_1TX	-2.21	5.79
802.11ax HEW20_Nss1,(MCS0)_1TX	5.97	13.97
802.11ax HEW40_Nss1,(MCS0)_1TX	3.21	11.21
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.38	5.62




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	8.00	3.00	3.00	15.00	11.00	23.00
5200MHz_TnomVnom	Pass	8.00	7.21	7.21	15.00	15.21	23.00
5240MHz_TnomVnom	Pass	8.00	6.79	6.79	15.00	14.79	23.00
5745MHz_TnomVnom	Pass	8.00	6.87	6.87	28.00	14.87	36.00
5785MHz_TnomVnom	Pass	8.00	6.61	6.61	28.00	14.61	36.00
5825MHz_TnomVnom	Pass	8.00	6.64	6.64	28.00	14.64	36.00
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	8.00	3.39	3.39	15.00	11.39	23.00
5200MHz_TnomVnom	Pass	8.00	6.50	6.50	15.00	14.50	23.00
5240MHz_TnomVnom	Pass	8.00	6.24	6.24	15.00	14.24	23.00
5745MHz_TnomVnom	Pass	8.00	5.43	5.43	28.00	13.43	36.00
5785MHz_TnomVnom	Pass	8.00	4.57	4.57	28.00	12.57	36.00
5825MHz_TnomVnom	Pass	8.00	5.84	5.84	28.00	13.84	36.00
802.11ac_VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	8.00	-2.64	-2.64	15.00	5.36	23.00
5230MHz_TnomVnom	Pass	8.00	3.09	3.09	15.00	11.09	23.00
5755MHz_TnomVnom	Pass	8.00	3.12	3.12	28.00	11.12	36.00
5795MHz_TnomVnom	Pass	8.00	3.17	3.17	28.00	11.17	36.00
802.11ac_VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	8.00	-5.56	-5.56	15.00	2.44	23.00
5775MHz_TnomVnom	Pass	8.00	-2.21	-2.21	28.00	5.79	36.00
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	8.00	3.49	3.49	15.00	11.49	23.00
5200MHz_TnomVnom	Pass	8.00	6.36	6.36	15.00	14.36	23.00
5240MHz_TnomVnom	Pass	8.00	6.32	6.32	15.00	14.32	23.00
5745MHz_TnomVnom	Pass	8.00	5.60	5.60	28.00	13.60	36.00
5785MHz_TnomVnom	Pass	8.00	4.73	4.73	28.00	12.73	36.00
5825MHz_TnomVnom	Pass	8.00	5.97	5.97	28.00	13.97	36.00
802.11ax_HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	8.00	-2.45	-2.45	15.00	5.55	23.00
5230MHz_TnomVnom	Pass	8.00	3.08	3.08	15.00	11.08	23.00
5755MHz_TnomVnom	Pass	8.00	3.21	3.21	28.00	11.21	36.00
5795MHz_TnomVnom	Pass	8.00	3.18	3.18	28.00	11.18	36.00
802.11ax_HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	8.00	-5.11	-5.11	15.00	2.89	23.00
5775MHz_TnomVnom	Pass	8.00	-2.38	-2.38	28.00	5.62	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.36	20.37
802.11ac VHT20_Nss2,(MCS0)_2TX	8.77	16.77
802.11ac VHT40_Nss2,(MCS0)_2TX	5.27	13.27
802.11ac VHT80_Nss2,(MCS0)_2TX	-3.70	4.30
802.11ax HEW20_Nss2,(MCS0)_2TX	8.65	16.65
802.11ax HEW40_Nss2,(MCS0)_2TX	5.22	13.22
802.11ax HEW80_Nss2,(MCS0)_2TX	-3.66	4.34
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.36	20.37
802.11ac VHT20_Nss2,(MCS0)_2TX	10.13	18.13
802.11ac VHT40_Nss2,(MCS0)_2TX	5.44	13.44
802.11ac VHT80_Nss2,(MCS0)_2TX	-1.61	6.39
802.11ax HEW20_Nss2,(MCS0)_2TX	10.06	18.06
802.11ax HEW40_Nss2,(MCS0)_2TX	5.21	13.21
802.11ax HEW80_Nss2,(MCS0)_2TX	-1.37	6.63




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	11.01	2.32	2.49	5.34	11.99	16.35	23.00
5200MHz_TnomVnom	Pass	11.01	6.19	6.39	9.23	11.99	20.24	23.00
5240MHz_TnomVnom	Pass	11.01	6.30	6.47	9.36	11.99	20.37	23.00
5745MHz_TnomVnom	Pass	11.01	6.13	6.55	9.28	24.99	20.29	36.00
5785MHz_TnomVnom	Pass	11.01	6.03	6.46	9.12	24.99	20.13	36.00
5825MHz_TnomVnom	Pass	11.01	6.24	6.55	9.36	24.99	20.37	36.00
802.11ac_VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	8.00	1.70	1.58	4.60	15.00	12.60	23.00
5200MHz_TnomVnom	Pass	8.00	5.49	5.55	8.53	15.00	16.53	23.00
5240MHz_TnomVnom	Pass	8.00	5.79	5.90	8.77	15.00	16.77	23.00
5745MHz_TnomVnom	Pass	8.00	6.86	7.16	9.91	28.00	17.91	36.00
5785MHz_TnomVnom	Pass	8.00	7.26	7.23	10.13	28.00	18.13	36.00
5825MHz_TnomVnom	Pass	8.00	6.95	7.16	10.02	28.00	18.02	36.00
802.11ac_VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	8.00	-2.25	-3.52	0.02	15.00	8.02	23.00
5230MHz_TnomVnom	Pass	8.00	2.79	1.88	5.27	15.00	13.27	23.00
5755MHz_TnomVnom	Pass	8.00	1.09	0.63	3.83	28.00	11.83	36.00
5795MHz_TnomVnom	Pass	8.00	2.54	2.35	5.44	28.00	13.44	36.00
802.11ac_VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	8.00	-6.43	-6.91	-3.70	15.00	4.30	23.00
5775MHz_TnomVnom	Pass	8.00	-4.45	-4.55	-1.61	28.00	6.39	36.00
802.11ax_HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz_TnomVnom	Pass	8.00	1.64	1.69	4.63	15.00	12.63	23.00
5200MHz_TnomVnom	Pass	8.00	5.19	5.51	8.33	15.00	16.33	23.00
5240MHz_TnomVnom	Pass	8.00	5.57	5.83	8.65	15.00	16.65	23.00
5745MHz_TnomVnom	Pass	8.00	6.75	7.11	9.81	28.00	17.81	36.00
5785MHz_TnomVnom	Pass	8.00	7.23	7.19	10.06	28.00	18.06	36.00
5825MHz_TnomVnom	Pass	8.00	6.88	7.30	9.92	28.00	17.92	36.00
802.11ax_HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz_TnomVnom	Pass	8.00	-2.56	-3.46	-0.04	15.00	7.96	23.00
5230MHz_TnomVnom	Pass	8.00	2.64	2.07	5.22	15.00	13.22	23.00
5755MHz_TnomVnom	Pass	8.00	1.04	0.62	3.81	28.00	11.81	36.00
5795MHz_TnomVnom	Pass	8.00	2.43	2.18	5.21	28.00	13.21	36.00
802.11ax_HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz_TnomVnom	Pass	8.00	-6.18	-6.97	-3.66	15.00	4.34	23.00
5775MHz_TnomVnom	Pass	8.00	-4.27	-4.47	-1.37	28.00	6.63	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.95	17.65
802.11ac VHT20_Nss1,(MCS0)_1TX	6.05	16.75
802.11ac VHT40_Nss1,(MCS0)_1TX	2.67	13.37
802.11ac VHT80_Nss1,(MCS0)_1TX	-5.71	4.99
802.11ax HEW20_Nss1,(MCS0)_1TX	5.98	16.68
802.11ax HEW40_Nss1,(MCS0)_1TX	2.98	13.68
802.11ax HEW80_Nss1,(MCS0)_1TX	-5.58	5.12
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.83	18.53
802.11ac VHT20_Nss1,(MCS0)_1TX	7.54	18.24
802.11ac VHT40_Nss1,(MCS0)_1TX	3.19	13.89
802.11ac VHT80_Nss1,(MCS0)_1TX	-3.10	7.60
802.11ax HEW20_Nss1,(MCS0)_1TX	7.27	17.97
802.11ax HEW40_Nss1,(MCS0)_1TX	3.20	13.90
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.19	7.51

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	10.70	3.34	3.34	12.30	14.04	23.00
5200MHz	Pass	10.70	6.95	6.95	12.30	17.65	23.00
5240MHz	Pass	10.70	6.23	6.23	12.30	16.93	23.00
5745MHz	Pass	10.70	6.07	6.07	25.30	16.77	36.00
5785MHz	Pass	10.70	5.87	5.87	25.30	16.57	36.00
5825MHz	Pass	10.70	7.83	7.83	25.30	18.53	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	10.70	2.62	2.62	12.30	13.32	23.00
5200MHz	Pass	10.70	6.05	6.05	12.30	16.75	23.00
5240MHz	Pass	10.70	5.96	5.96	12.30	16.66	23.00
5745MHz	Pass	10.70	6.51	6.51	25.30	17.21	36.00
5785MHz	Pass	10.70	7.54	7.54	25.30	18.24	36.00
5825MHz	Pass	10.70	7.41	7.41	25.30	18.11	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	10.70	-2.65	-2.65	12.30	8.05	23.00
5230MHz	Pass	10.70	2.67	2.67	12.30	13.37	23.00
5755MHz	Pass	10.70	2.91	2.91	25.30	13.61	36.00
5795MHz	Pass	10.70	3.19	3.19	25.30	13.89	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	10.70	-5.71	-5.71	12.30	4.99	23.00
5775MHz	Pass	10.70	-3.10	-3.10	25.30	7.60	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	10.70	2.63	2.63	12.30	13.33	23.00
5200MHz	Pass	10.70	5.98	5.98	12.30	16.68	23.00
5240MHz	Pass	10.70	5.87	5.87	12.30	16.57	23.00
5745MHz	Pass	10.70	6.49	6.49	25.30	17.19	36.00
5785MHz	Pass	10.70	7.27	7.27	25.30	17.97	36.00
5825MHz	Pass	10.70	7.14	7.14	25.30	17.84	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	10.70	-2.58	-2.58	12.30	8.12	23.00
5230MHz	Pass	10.70	2.98	2.98	12.30	13.68	23.00
5755MHz	Pass	10.70	2.98	2.98	25.30	13.68	36.00
5795MHz	Pass	10.70	3.20	3.20	25.30	13.90	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	10.70	-5.58	-5.58	12.30	5.12	23.00
5775MHz	Pass	10.70	-3.19	-3.19	25.30	7.51	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.26	22.97
802.11ac VHT20_Nss2,(MCS0)_2TX	8.99	19.69
802.11ac VHT40_Nss2,(MCS0)_2TX	5.11	15.81
802.11ac VHT80_Nss2,(MCS0)_2TX	-4.45	6.25
802.11ax HEW20_Nss2,(MCS0)_2TX	9.07	19.77
802.11ax HEW40_Nss2,(MCS0)_2TX	5.17	15.87
802.11ax HEW80_Nss2,(MCS0)_2TX	-4.35	6.35
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.06	22.77
802.11ac VHT20_Nss2,(MCS0)_2TX	8.89	19.59
802.11ac VHT40_Nss2,(MCS0)_2TX	5.33	16.03
802.11ac VHT80_Nss2,(MCS0)_2TX	-2.83	7.87
802.11ax HEW20_Nss2,(MCS0)_2TX	8.85	19.55
802.11ax HEW40_Nss2,(MCS0)_2TX	5.42	16.12
802.11ax HEW80_Nss2,(MCS0)_2TX	-2.66	8.04

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	13.71	2.77	2.67	5.67	9.29	19.38	23.00
5200MHz	Pass	13.71	5.77	6.01	8.89	9.29	22.60	23.00
5240MHz	Pass	13.71	6.24	6.40	9.26	9.29	22.97	23.00
5745MHz	Pass	13.71	5.88	6.33	9.06	22.29	22.77	36.00
5785MHz	Pass	13.71	3.92	4.14	7.03	22.29	20.74	36.00
5825MHz	Pass	13.71	4.95	5.08	7.96	22.29	21.67	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	10.70	1.86	1.66	4.76	12.30	15.46	23.00
5200MHz	Pass	10.70	5.52	5.65	8.56	12.30	19.26	23.00
5240MHz	Pass	10.70	5.94	6.22	8.99	12.30	19.69	23.00
5745MHz	Pass	10.70	5.80	6.03	8.83	25.30	19.53	36.00
5785MHz	Pass	10.70	5.83	6.24	8.89	25.30	19.59	36.00
5825MHz	Pass	10.70	5.80	6.09	8.85	25.30	19.55	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	10.70	-2.88	-4.02	-0.61	12.30	10.09	23.00
5230MHz	Pass	10.70	2.62	1.66	5.11	12.30	15.81	23.00
5755MHz	Pass	10.70	1.89	1.34	4.58	25.30	15.28	36.00
5795MHz	Pass	10.70	2.67	2.15	5.33	25.30	16.03	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	10.70	-7.07	-7.71	-4.45	12.30	6.25	23.00
5775MHz	Pass	10.70	-5.44	-5.72	-2.83	25.30	7.87	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	10.70	1.75	1.84	4.78	12.30	15.48	23.00
5200MHz	Pass	10.70	5.42	5.55	8.48	12.30	19.18	23.00
5240MHz	Pass	10.70	6.08	6.14	9.07	12.30	19.77	23.00
5745MHz	Pass	10.70	5.63	6.10	8.70	25.30	19.40	36.00
5785MHz	Pass	10.70	5.61	6.14	8.85	25.30	19.55	36.00
5825MHz	Pass	10.70	5.62	6.07	8.85	25.30	19.55	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	10.70	-2.88	-3.92	-0.45	12.30	10.25	23.00
5230MHz	Pass	10.70	2.57	1.80	5.17	12.30	15.87	23.00
5755MHz	Pass	10.70	1.87	1.44	4.53	25.30	15.23	36.00
5795MHz	Pass	10.70	2.60	2.30	5.42	25.30	16.12	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	10.70	-7.02	-7.67	-4.35	12.30	6.35	23.00
5775MHz	Pass	10.70	-5.44	-5.78	-2.66	25.30	8.04	36.00




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;






































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.39	17.39
802.11ac VHT20_Nss1,(MCS0)_1TX	8.24	16.24
802.11ac VHT40_Nss1,(MCS0)_1TX	3.92	11.92
802.11ac VHT80_Nss1,(MCS0)_1TX	-3.41	4.59
802.11ax HEW20_Nss1,(MCS0)_1TX	8.03	16.03
802.11ax HEW40_Nss1,(MCS0)_1TX	4.17	12.17
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.13	4.87
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.30	17.30
802.11ac VHT20_Nss1,(MCS0)_1TX	8.97	16.97
802.11ac VHT40_Nss1,(MCS0)_1TX	5.00	13.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.12	6.88
802.11ax HEW20_Nss1,(MCS0)_1TX	8.65	16.65
802.11ax HEW40_Nss1,(MCS0)_1TX	5.01	13.01
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.02	6.98

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	8.00	6.77	6.77	15.00	14.77	23.00
5200MHz	Pass	8.00	9.39	9.39	15.00	17.39	23.00
5240MHz	Pass	8.00	7.72	7.72	15.00	15.72	23.00
5745MHz	Pass	8.00	8.95	8.95	28.00	16.95	36.00
5785MHz	Pass	8.00	9.30	9.30	28.00	17.30	36.00
5825MHz	Pass	8.00	6.36	6.36	28.00	14.36	36.00
802.11ac VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	8.00	5.04	5.04	15.00	13.04	23.00
5200MHz	Pass	8.00	8.24	8.24	15.00	16.24	23.00
5240MHz	Pass	8.00	7.17	7.17	15.00	15.17	23.00
5745MHz	Pass	8.00	8.60	8.60	28.00	16.60	36.00
5785MHz	Pass	8.00	8.97	8.97	28.00	16.97	36.00
5825MHz	Pass	8.00	6.01	6.01	28.00	14.01	36.00
802.11ac VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	8.00	-0.94	-0.94	15.00	7.06	23.00
5230MHz	Pass	8.00	3.92	3.92	15.00	11.92	23.00
5755MHz	Pass	8.00	3.86	3.86	28.00	11.86	36.00
5795MHz	Pass	8.00	5.00	5.00	28.00	13.00	36.00
802.11ac VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	8.00	-3.41	-3.41	15.00	4.59	23.00
5775MHz	Pass	8.00	-1.12	-1.12	28.00	6.88	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	8.00	5.23	5.23	15.00	13.23	23.00
5200MHz	Pass	8.00	8.03	8.03	15.00	16.03	23.00
5240MHz	Pass	8.00	7.11	7.11	15.00	15.11	23.00
5745MHz	Pass	8.00	8.37	8.37	28.00	16.37	36.00
5785MHz	Pass	8.00	8.65	8.65	28.00	16.65	36.00
5825MHz	Pass	8.00	5.92	5.92	28.00	13.92	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	8.00	-0.96	-0.96	15.00	7.04	23.00
5230MHz	Pass	8.00	4.17	4.17	15.00	12.17	23.00
5755MHz	Pass	8.00	3.91	3.91	28.00	11.91	36.00
5795MHz	Pass	8.00	5.01	5.01	28.00	13.01	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	8.00	-3.13	-3.13	15.00	4.87	23.00
5775MHz	Pass	8.00	-1.02	-1.02	28.00	6.98	36.00

DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;

