



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 1_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5745MHz	Pass	PK	5.751G	115.41	Inf	-Inf	3	Horizontal	22	1.53	-
5745MHz	Pass	PK	5.9442G	55.63	68.20	-12.57	3	Horizontal	22	1.53	-
5745MHz	Pass	AV	3.83003G	42.18	54.00	-11.82	3	Vertical	140	1.64	-
5745MHz	Pass	AV	11.48868G	44.43	54.00	-9.57	3	Vertical	0	1.22	-
5745MHz	Pass	PK	3.83009G	47.44	74.00	-26.56	3	Vertical	140	1.64	-
5745MHz	Pass	PK	11.49876G	57.23	74.00	-16.77	3	Vertical	0	1.22	-
5745MHz	Pass	PK	17.24484G	67.71	68.20	-0.49	3	Vertical	343	1.00	-
5745MHz	Pass	AV	3.83002G	40.49	54.00	-13.51	3	Horizontal	330	2.35	-
5745MHz	Pass	AV	11.48862G	44.09	54.00	-9.91	3	Horizontal	3	1.50	-
5745MHz	Pass	PK	3.83008G	46.71	74.00	-27.29	3	Horizontal	330	2.35	-
5745MHz	Pass	PK	11.481G	57.30	74.00	-16.70	3	Horizontal	3	1.50	-
5745MHz	Pass	PK	17.24856G	64.76	68.20	-3.44	3	Horizontal	352	1.50	-
5785MHz	Pass	AV	5.7802G	103.96	Inf	-Inf	3	Vertical	0	1.82	-
5785MHz	Pass	PK	5.6302G	55.16	68.20	-13.04	3	Vertical	0	1.82	-
5785MHz	Pass	PK	5.7898G	113.70	Inf	-Inf	3	Vertical	0	1.82	-
5785MHz	Pass	PK	5.9422G	54.97	68.20	-13.23	3	Vertical	0	1.82	-
5785MHz	Pass	AV	5.7802G	102.30	Inf	-Inf	3	Horizontal	23	1.59	-
5785MHz	Pass	PK	5.641G	54.73	68.20	-13.47	3	Horizontal	23	1.59	-
5785MHz	Pass	PK	5.7898G	111.71	Inf	-Inf	3	Horizontal	23	1.59	-
5785MHz	Pass	PK	5.9566G	54.91	68.20	-13.29	3	Horizontal	23	1.59	-
5785MHz	Pass	AV	3.8567G	40.56	54.00	-13.44	3	Vertical	147	1.74	-
5785MHz	Pass	AV	11.56916G	43.63	54.00	-10.37	3	Vertical	360	1.15	-
5785MHz	Pass	PK	3.85668G	46.82	74.00	-27.18	3	Vertical	147	1.74	-
5785MHz	Pass	PK	11.58356G	56.49	74.00	-17.51	3	Vertical	360	1.15	-
5785MHz	Pass	PK	17.3658G	66.62	68.20	-1.58	3	Vertical	342	1.01	-
5785MHz	Pass	AV	3.85668G	39.11	54.00	-14.89	3	Horizontal	121	1.63	-
5785MHz	Pass	AV	11.5712G	43.49	54.00	-10.51	3	Horizontal	116	3.00	-
5785MHz	Pass	PK	3.85667G	46.04	74.00	-27.96	3	Horizontal	121	1.63	-
5785MHz	Pass	PK	11.56502G	56.02	74.00	-17.98	3	Horizontal	116	3.00	-
5785MHz	Pass	PK	17.34714G	64.77	68.20	-3.43	3	Horizontal	338	1.37	-
5825MHz	Pass	AV	5.8202G	104.29	Inf	-Inf	3	Vertical	5	1.50	-
5825MHz	Pass	PK	5.6198G	55.58	68.20	-12.62	3	Vertical	5	1.50	-
5825MHz	Pass	PK	5.8298G	113.86	Inf	-Inf	3	Vertical	5	1.50	-
5825MHz	Pass	PK	5.9306G	58.11	68.20	-10.09	3	Vertical	5	1.50	-
5825MHz	Pass	AV	5.8202G	102.91	Inf	-Inf	3	Horizontal	23	1.66	-
5825MHz	Pass	PK	5.6198G	54.97	68.20	-13.23	3	Horizontal	23	1.66	-
5825MHz	Pass	PK	5.8214G	112.27	Inf	-Inf	3	Horizontal	23	1.66	-
5825MHz	Pass	PK	5.9258G	56.48	68.20	-11.72	3	Horizontal	23	1.66	-
5825MHz	Pass	AV	3.88337G	39.37	54.00	-14.63	3	Vertical	202	1.44	-
5825MHz	Pass	AV	11.63776G	43.89	54.00	-10.11	3	Vertical	308	1.52	-
5825MHz	Pass	PK	3.88326G	46.02	74.00	-27.98	3	Vertical	202	1.44	-
5825MHz	Pass	PK	11.64076G	57.00	74.00	-17.00	3	Vertical	308	1.52	-
5825MHz	Pass	PK	17.47458G	66.33	68.20	-1.87	3	Vertical	195	1.05	-
5825MHz	Pass	AV	3.88333G	38.21	54.00	-15.79	3	Horizontal	114	1.50	-
5825MHz	Pass	AV	11.65426G	42.92	54.00	-11.08	3	Horizontal	69	1.23	-
5825MHz	Pass	PK	3.8832G	45.46	74.00	-28.54	3	Horizontal	114	1.50	-
5825MHz	Pass	PK	11.65744G	55.75	74.00	-18.25	3	Horizontal	69	1.23	-
5825MHz	Pass	PK	17.47002G	64.55	68.20	-3.65	3	Horizontal	49	1.06	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1488G	53.84	54.00	-0.16	3	Vertical	29	2.80	-
5180MHz	Pass	AV	5.1824G	102.20	Inf	-Inf	3	Vertical	29	2.80	-
5180MHz	Pass	PK	5.1494G	69.83	74.00	-4.17	3	Vertical	29	2.80	-
5180MHz	Pass	PK	5.1782G	113.52	Inf	-Inf	3	Vertical	29	2.80	-
5180MHz	Pass	AV	5.1488G	53.68	54.00	-0.32	3	Horizontal	14	1.50	-
5180MHz	Pass	AV	5.1818G	101.98	Inf	-Inf	3	Horizontal	14	1.50	-
5180MHz	Pass	PK	5.1494G	69.05	74.00	-4.95	3	Horizontal	14	1.50	-
5180MHz	Pass	PK	5.1848G	113.15	Inf	-Inf	3	Horizontal	14	1.50	-
5180MHz	Pass	AV	3.88497G	39.18	54.00	-14.82	3	Vertical	199	1.47	-
5180MHz	Pass	AV	15.54798G	48.14	54.00	-5.86	3	Vertical	94	1.87	-
5180MHz	Pass	PK	3.88489G	45.93	74.00	-28.07	3	Vertical	199	1.47	-
5180MHz	Pass	PK	10.3567G	54.55	68.20	-13.65	3	Vertical	308	1.67	-
5180MHz	Pass	PK	15.55104G	60.29	74.00	-13.71	3	Vertical	94	1.87	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 1_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5180MHz	Pass	AV	3.88499G	39.02	54.00	-14.98	3	Horizontal	114	1.50	-
5180MHz	Pass	AV	15.54606G	48.17	54.00	-5.83	3	Horizontal	347	2.34	-
5180MHz	Pass	PK	3.88518G	45.90	74.00	-28.10	3	Horizontal	114	1.50	-
5180MHz	Pass	PK	10.3648G	55.32	68.20	-12.88	3	Horizontal	56	1.60	-
5180MHz	Pass	PK	15.53178G	60.70	74.00	-13.30	3	Horizontal	347	2.34	-
5200MHz	Pass	AV	5.15G	53.75	54.00	-0.25	3	Vertical	15	1.48	-
5200MHz	Pass	AV	5.1982G	104.51	Inf	-Inf	3	Vertical	15	1.48	-
5200MHz	Pass	PK	5.149G	68.28	74.00	-5.72	3	Vertical	15	1.48	-
5200MHz	Pass	PK	5.1982G	116.12	Inf	-Inf	3	Vertical	15	1.48	-
5200MHz	Pass	AV	5.15G	53.10	54.00	-0.90	3	Horizontal	14	1.48	-
5200MHz	Pass	AV	5.2024G	104.64	Inf	-Inf	3	Horizontal	14	1.48	-
5200MHz	Pass	PK	5.15G	68.64	74.00	-5.36	3	Horizontal	14	1.48	-
5200MHz	Pass	PK	5.2024G	116.14	Inf	-Inf	3	Horizontal	14	1.48	-
5200MHz	Pass	AV	15.60444G	48.43	54.00	-5.57	3	Vertical	43	1.46	-
5200MHz	Pass	PK	3.46666G	47.77	68.20	-20.43	3	Vertical	345	1.42	-
5200MHz	Pass	PK	10.39526G	57.50	68.20	-10.70	3	Vertical	347	1.76	-
5200MHz	Pass	PK	15.59898G	60.62	74.00	-13.38	3	Vertical	43	1.46	-
5200MHz	Pass	AV	15.60192G	48.83	54.00	-5.17	3	Horizontal	52	1.71	-
5200MHz	Pass	PK	3.46661G	48.31	68.20	-19.89	3	Horizontal	223	1.60	-
5200MHz	Pass	PK	10.4006G	55.78	68.20	-12.42	3	Horizontal	137	1.32	-
5200MHz	Pass	PK	15.60162G	60.65	74.00	-13.35	3	Horizontal	52	1.71	-
5240MHz	Pass	AV	5.1494G	51.90	54.00	-2.10	3	Vertical	19	1.50	-
5240MHz	Pass	AV	5.2382G	106.10	Inf	-Inf	3	Vertical	19	1.50	-
5240MHz	Pass	AV	5.35G	49.01	54.00	-4.99	3	Vertical	19	1.50	-
5240MHz	Pass	PK	5.1314G	65.31	74.00	-8.69	3	Vertical	19	1.50	-
5240MHz	Pass	PK	5.2466G	117.81	Inf	-Inf	3	Vertical	19	1.50	-
5240MHz	Pass	PK	5.3504G	64.06	74.00	-9.94	3	Vertical	19	1.50	-
5240MHz	Pass	AV	5.1446G	49.65	54.00	-4.35	3	Horizontal	13	1.50	-
5240MHz	Pass	AV	5.237G	105.85	Inf	-Inf	3	Horizontal	13	1.50	-
5240MHz	Pass	AV	5.35G	46.76	54.00	-7.24	3	Horizontal	13	1.50	-
5240MHz	Pass	PK	5.1494G	62.18	74.00	-11.82	3	Horizontal	13	1.50	-
5240MHz	Pass	PK	5.2382G	117.63	Inf	-Inf	3	Horizontal	13	1.50	-
5240MHz	Pass	PK	5.3558G	58.38	74.00	-15.62	3	Horizontal	13	1.50	-
5240MHz	Pass	AV	15.72258G	48.39	54.00	-5.61	3	Vertical	186	1.50	-
5240MHz	Pass	PK	3.49327G	47.18	68.20	-21.02	3	Vertical	346	1.37	-
5240MHz	Pass	PK	10.47772G	57.06	68.20	-11.14	3	Vertical	341	2.11	-
5240MHz	Pass	PK	15.72744G	60.57	74.00	-13.43	3	Vertical	186	1.50	-
5240MHz	Pass	AV	15.7161G	50.16	54.00	-3.84	3	Horizontal	338	1.38	-
5240MHz	Pass	PK	3.49333G	48.26	68.20	-19.94	3	Horizontal	222	1.68	-
5240MHz	Pass	PK	10.47616G	55.98	68.20	-12.22	3	Horizontal	124	1.76	-
5240MHz	Pass	PK	15.72144G	62.27	74.00	-11.73	3	Horizontal	338	1.38	-
5745MHz	Pass	AV	5.7498G	104.01	Inf	-Inf	3	Vertical	0	2.06	-
5745MHz	Pass	PK	5.6394G	64.14	68.20	-4.06	3	Vertical	0	2.06	-
5745MHz	Pass	PK	5.7486G	115.46	Inf	-Inf	3	Vertical	0	2.06	-
5745MHz	Pass	PK	5.9454G	56.71	68.20	-11.49	3	Vertical	0	2.06	-
5745MHz	Pass	AV	5.751G	104.08	Inf	-Inf	3	Horizontal	48	1.04	-
5745MHz	Pass	PK	5.6502G	65.71	68.35	-2.64	3	Horizontal	48	1.04	-
5745MHz	Pass	PK	5.7474G	115.52	Inf	-Inf	3	Horizontal	48	1.04	-
5745MHz	Pass	PK	5.979G	56.32	68.20	-11.88	3	Horizontal	48	1.04	-
5745MHz	Pass	AV	3.83002G	42.70	54.00	-11.30	3	Vertical	141	1.64	-
5745MHz	Pass	AV	11.50338G	43.80	54.00	-10.20	3	Vertical	45	2.24	-
5745MHz	Pass	PK	3.83009G	47.34	74.00	-26.66	3	Vertical	141	1.64	-
5745MHz	Pass	PK	11.48424G	55.72	74.00	-18.28	3	Vertical	45	2.24	-
5745MHz	Pass	PK	17.23464G	67.54	68.20	-0.66	3	Vertical	340	1.02	-
5745MHz	Pass	AV	3.83004G	41.16	54.00	-12.84	3	Horizontal	315	2.35	-
5745MHz	Pass	AV	11.49792G	43.41	54.00	-10.59	3	Horizontal	83	1.59	-
5745MHz	Pass	PK	3.82991G	46.62	74.00	-27.38	3	Horizontal	315	2.35	-
5745MHz	Pass	PK	11.50158G	55.72	74.00	-18.28	3	Horizontal	83	1.59	-
5745MHz	Pass	PK	17.23464G	65.09	68.20	-3.11	3	Horizontal	335	1.50	-
5785MHz	Pass	AV	5.7862G	102.74	Inf	-Inf	3	Vertical	0	1.82	-
5785MHz	Pass	PK	5.5426G	55.36	68.20	-12.84	3	Vertical	0	1.82	-
5785MHz	Pass	PK	5.7826G	114.01	Inf	-Inf	3	Vertical	0	1.82	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 1_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	PK	5.9386G	55.80	68.20	-12.40	3	Vertical	0	1.82	-
5785MHz	Pass	AV	5.7802G	101.02	Inf	-Inf	3	Horizontal	21	1.76	-
5785MHz	Pass	PK	5.5846G	54.90	68.20	-13.30	3	Horizontal	21	1.76	-
5785MHz	Pass	PK	5.7802G	112.20	Inf	-Inf	3	Horizontal	21	1.76	-
5785MHz	Pass	PK	5.9482G	55.33	68.20	-12.87	3	Horizontal	21	1.76	-
5785MHz	Pass	AV	3.85669G	40.96	54.00	-13.04	3	Vertical	150	1.56	-
5785MHz	Pass	AV	11.58428G	43.47	54.00	-10.53	3	Vertical	124	1.50	-
5785MHz	Pass	PK	3.85661G	46.71	74.00	-27.29	3	Vertical	150	1.56	-
5785MHz	Pass	PK	11.56106G	55.53	74.00	-18.47	3	Vertical	124	1.50	-
5785MHz	Pass	PK	17.3469G	67.22	68.20	-0.98	3	Vertical	41	1.04	-
5785MHz	Pass	AV	3.85665G	40.01	54.00	-13.99	3	Horizontal	122	1.65	-
5785MHz	Pass	AV	11.567G	43.47	54.00	-10.53	3	Horizontal	213	2.10	-
5785MHz	Pass	PK	3.8565G	45.98	74.00	-28.02	3	Horizontal	122	1.65	-
5785MHz	Pass	PK	11.57438G	56.54	74.00	-17.46	3	Horizontal	213	2.10	-
5785MHz	Pass	PK	17.35668G	65.75	68.20	-2.45	3	Horizontal	357	1.58	-
5825MHz	Pass	AV	5.8214G	102.27	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.6474G	55.02	68.20	-13.18	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.8202G	113.59	Inf	-Inf	3	Vertical	0	1.50	-
5825MHz	Pass	PK	5.933G	56.72	68.20	-11.48	3	Vertical	0	1.50	-
5825MHz	Pass	AV	5.8214G	101.35	Inf	-Inf	3	Horizontal	22	1.67	-
5825MHz	Pass	PK	5.6042G	55.20	68.20	-13.00	3	Horizontal	22	1.67	-
5825MHz	Pass	PK	5.8202G	112.66	Inf	-Inf	3	Horizontal	22	1.67	-
5825MHz	Pass	PK	5.9246G	56.73	68.50	-11.77	3	Horizontal	22	1.67	-
5825MHz	Pass	AV	3.88334G	39.48	54.00	-14.52	3	Vertical	212	1.44	-
5825MHz	Pass	AV	11.6602G	43.74	54.00	-10.26	3	Vertical	114	1.80	-
5825MHz	Pass	PK	3.88323G	46.16	74.00	-27.84	3	Vertical	212	1.44	-
5825MHz	Pass	PK	11.63884G	55.41	74.00	-18.59	3	Vertical	114	1.80	-
5825MHz	Pass	PK	17.47032G	66.96	68.20	-1.24	3	Vertical	360	2.06	-
5825MHz	Pass	AV	3.88331G	38.87	54.00	-15.13	3	Horizontal	113	1.49	-
5825MHz	Pass	AV	11.6575G	43.52	54.00	-10.48	3	Horizontal	303	1.23	-
5825MHz	Pass	PK	3.88339G	46.18	74.00	-27.82	3	Horizontal	113	1.49	-
5825MHz	Pass	PK	11.64286G	55.80	74.00	-18.20	3	Horizontal	303	1.23	-
5825MHz	Pass	PK	17.4756G	64.70	68.20	-3.50	3	Horizontal	48	1.03	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	50.40	54.00	-3.60	3	Vertical	16	1.48	-
5190MHz	Pass	AV	5.1984G	95.59	Inf	-Inf	3	Vertical	16	1.48	-
5190MHz	Pass	PK	5.15G	73.84	74.00	-0.16	3	Vertical	16	1.48	-
5190MHz	Pass	PK	5.1996G	108.09	Inf	-Inf	3	Vertical	16	1.48	-
5190MHz	Pass	AV	5.15G	50.04	54.00	-3.96	3	Horizontal	14	1.55	-
5190MHz	Pass	AV	5.2048G	96.06	Inf	-Inf	3	Horizontal	14	1.55	-
5190MHz	Pass	PK	5.15G	72.93	74.00	-1.07	3	Horizontal	14	1.55	-
5190MHz	Pass	PK	5.202G	107.90	Inf	-Inf	3	Horizontal	14	1.55	-
5190MHz	Pass	AV	15.57696G	47.93	54.00	-6.07	3	Vertical	316	1.15	-
5190MHz	Pass	PK	3.46G	47.58	68.20	-20.62	3	Vertical	344	1.41	-
5190MHz	Pass	PK	10.37814G	54.93	68.20	-13.27	3	Vertical	113	1.46	-
5190MHz	Pass	PK	15.5652G	59.83	74.00	-14.17	3	Vertical	316	1.15	-
5190MHz	Pass	AV	15.56712G	47.97	54.00	-6.03	3	Horizontal	216	1.07	-
5190MHz	Pass	PK	3.46015G	48.06	68.20	-20.14	3	Horizontal	224	1.59	-
5190MHz	Pass	PK	10.38258G	54.75	68.20	-13.45	3	Horizontal	10	1.57	-
5190MHz	Pass	PK	15.5796G	59.71	74.00	-14.29	3	Horizontal	216	1.07	-
5230MHz	Pass	AV	5.15G	53.53	54.00	-0.47	3	Vertical	19	1.57	-
5230MHz	Pass	AV	5.2428G	101.05	Inf	-Inf	3	Vertical	19	1.57	-
5230MHz	Pass	PK	5.1344G	68.08	74.00	-5.92	3	Vertical	19	1.57	-
5230MHz	Pass	PK	5.2396G	112.89	Inf	-Inf	3	Vertical	19	1.57	-
5230MHz	Pass	AV	5.15G	53.66	54.00	-0.34	3	Horizontal	15	1.47	-
5230MHz	Pass	AV	5.2256G	100.76	Inf	-Inf	3	Horizontal	15	1.47	-
5230MHz	Pass	PK	5.134G	68.18	74.00	-5.82	3	Horizontal	15	1.47	-
5230MHz	Pass	PK	5.2396G	113.13	Inf	-Inf	3	Horizontal	15	1.47	-
5230MHz	Pass	AV	15.69072G	47.23	54.00	-6.77	3	Vertical	233	1.49	-
5230MHz	Pass	PK	3.48675G	47.32	68.20	-20.88	3	Vertical	345	1.38	-
5230MHz	Pass	PK	10.4714G	55.55	68.20	-12.65	3	Vertical	254	1.80	-
5230MHz	Pass	PK	15.68232G	59.20	74.00	-14.80	3	Vertical	233	1.49	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 1_2T2S

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5230MHz	Pass	AV	15.6834G	47.44	54.00	-6.56	3	Horizontal	339	1.50	-
5230MHz	Pass	PK	3.48667G	47.80	68.20	-20.40	3	Horizontal	223	1.67	-
5230MHz	Pass	PK	10.4477G	55.11	68.20	-13.09	3	Horizontal	304	1.60	-
5230MHz	Pass	PK	15.68658G	59.62	74.00	-14.38	3	Horizontal	339	1.50	-
5755MHz	Pass	AV	5.749G	101.65	Inf	-Inf	3	Vertical	0	2.05	-
5755MHz	Pass	PK	5.6482G	67.79	68.20	-0.41	3	Vertical	0	2.05	-
5755MHz	Pass	PK	5.7538G	113.92	Inf	-Inf	3	Vertical	0	2.05	-
5755MHz	Pass	PK	5.929G	59.44	68.20	-8.76	3	Vertical	0	2.05	-
5755MHz	Pass	AV	5.7514G	100.18	Inf	-Inf	3	Horizontal	23	1.54	-
5755MHz	Pass	PK	5.6482G	65.55	68.20	-2.65	3	Horizontal	23	1.54	-
5755MHz	Pass	PK	5.7514G	110.76	Inf	-Inf	3	Horizontal	23	1.54	-
5755MHz	Pass	PK	5.9254G	58.24	68.20	-9.96	3	Horizontal	23	1.54	-
5755MHz	Pass	AV	3.83668G	41.72	54.00	-12.28	3	Vertical	141	1.64	-
5755MHz	Pass	AV	11.50244G	43.80	54.00	-10.20	3	Vertical	51	1.19	-
5755MHz	Pass	PK	3.83668G	46.86	74.00	-27.14	3	Vertical	141	1.64	-
5755MHz	Pass	PK	11.50556G	55.83	74.00	-18.17	3	Vertical	51	1.19	-
5755MHz	Pass	PK	17.25504G	66.32	68.20	-1.88	3	Vertical	330	1.00	-
5755MHz	Pass	AV	3.83665G	40.07	54.00	-13.93	3	Horizontal	122	1.81	-
5755MHz	Pass	AV	11.50166G	43.71	54.00	-10.29	3	Horizontal	172	1.56	-
5755MHz	Pass	PK	3.83657G	45.92	74.00	-28.08	3	Horizontal	122	1.81	-
5755MHz	Pass	PK	11.5064G	55.77	74.00	-18.23	3	Horizontal	172	1.56	-
5755MHz	Pass	PK	17.25492G	64.78	68.20	-3.42	3	Horizontal	336	1.41	-
5795MHz	Pass	AV	5.7878G	101.43	Inf	-Inf	3	Vertical	0	1.50	-
5795MHz	Pass	PK	5.6486G	64.67	68.20	-3.53	3	Vertical	0	1.50	-
5795MHz	Pass	PK	5.8046G	112.94	Inf	-Inf	3	Vertical	0	1.50	-
5795MHz	Pass	PK	5.9258G	67.44	68.20	-0.76	3	Vertical	0	1.50	-
5795MHz	Pass	AV	5.7998G	102.93	Inf	-Inf	3	Horizontal	50	1.06	-
5795MHz	Pass	PK	5.645G	63.81	68.20	-4.39	3	Horizontal	50	1.06	-
5795MHz	Pass	PK	5.7914G	114.24	Inf	-Inf	3	Horizontal	50	1.06	-
5795MHz	Pass	PK	5.9258G	67.83	68.20	-0.37	3	Horizontal	50	1.06	-
5795MHz	Pass	AV	3.86334G	40.40	54.00	-13.60	3	Vertical	150	1.49	-
5795MHz	Pass	AV	11.59948G	43.47	54.00	-10.53	3	Vertical	279	1.61	-
5795MHz	Pass	PK	3.86339G	46.60	74.00	-27.40	3	Vertical	150	1.49	-
5795MHz	Pass	PK	11.59108G	55.86	74.00	-18.14	3	Vertical	279	1.61	-
5795MHz	Pass	PK	17.3946G	67.24	68.20	-0.96	3	Vertical	339	1.00	-
5795MHz	Pass	AV	3.86334G	39.62	54.00	-14.38	3	Horizontal	122	1.65	-
5795MHz	Pass	AV	11.57668G	43.44	54.00	-10.56	3	Horizontal	127	1.23	-
5795MHz	Pass	PK	3.86339G	45.99	74.00	-28.01	3	Horizontal	122	1.65	-
5795MHz	Pass	PK	11.59G	55.55	74.00	-18.45	3	Horizontal	127	1.23	-
5795MHz	Pass	PK	17.39514G	64.30	68.20	-3.90	3	Horizontal	75	1.76	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.149G	53.74	54.00	-0.26	3	Vertical	17	1.54	-
5210MHz	Pass	AV	5.197G	94.55	Inf	-Inf	3	Vertical	17	1.54	-
5210MHz	Pass	AV	5.354G	46.75	54.00	-7.25	3	Vertical	17	1.54	-
5210MHz	Pass	PK	5.15G	70.05	74.00	-3.95	3	Vertical	17	1.54	-
5210MHz	Pass	PK	5.189G	104.88	Inf	-Inf	3	Vertical	17	1.54	-
5210MHz	Pass	PK	5.357G	57.66	74.00	-16.34	3	Vertical	17	1.54	-
5210MHz	Pass	AV	5.148G	53.80	54.00	-0.20	3	Horizontal	14	1.55	-
5210MHz	Pass	AV	5.202G	95.39	Inf	-Inf	3	Horizontal	14	1.55	-
5210MHz	Pass	AV	5.35G	46.80	54.00	-7.20	3	Horizontal	14	1.55	-
5210MHz	Pass	PK	5.15G	69.04	74.00	-4.96	3	Horizontal	14	1.55	-
5210MHz	Pass	PK	5.213G	105.49	Inf	-Inf	3	Horizontal	14	1.55	-
5210MHz	Pass	PK	5.371G	56.67	74.00	-17.33	3	Horizontal	14	1.55	-
5210MHz	Pass	AV	15.62994G	49.10	54.00	-4.90	3	Vertical	253	1.60	-
5210MHz	Pass	PK	3.47331G	48.41	68.20	-19.79	3	Vertical	344	1.43	-
5210MHz	Pass	PK	10.4167G	55.21	68.20	-12.99	3	Vertical	285	1.50	-
5210MHz	Pass	PK	15.62982G	59.62	74.00	-14.38	3	Vertical	253	1.60	-
5210MHz	Pass	AV	15.62598G	48.92	54.00	-5.08	3	Horizontal	320	1.07	-
5210MHz	Pass	PK	3.47328G	47.98	68.20	-20.22	3	Horizontal	223	1.60	-
5210MHz	Pass	PK	10.41082G	55.26	68.20	-12.94	3	Horizontal	296	1.27	-
5210MHz	Pass	PK	15.62346G	60.11	74.00	-13.89	3	Horizontal	320	1.07	-
5775MHz	Pass	AV	5.7882G	98.61	Inf	-Inf	3	Vertical	0	2.00	-



**RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 1_2T2S**

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5775MHz	Pass	PK	5.6466G	67.39	68.20	-0.81	3	Vertical	0	2.00	-
5775MHz	Pass	PK	5.7954G	110.07	Inf	-Inf	3	Vertical	0	2.00	-
5775MHz	Pass	PK	5.9274G	67.33	68.20	-0.87	3	Vertical	0	2.00	-
5775MHz	Pass	AV	5.787G	98.83	Inf	-Inf	3	Horizontal	56	1.09	-
5775MHz	Pass	PK	5.6442G	67.47	68.20	-0.73	3	Horizontal	56	1.09	-
5775MHz	Pass	PK	5.7858G	108.41	Inf	-Inf	3	Horizontal	56	1.09	-
5775MHz	Pass	PK	5.9286G	67.42	68.20	-0.78	3	Horizontal	56	1.09	-
5775MHz	Pass	AV	3.84998G	41.50	54.00	-12.50	3	Vertical	148	1.52	-
5775MHz	Pass	AV	11.54586G	45.08	54.00	-8.92	3	Vertical	155	1.04	-
5775MHz	Pass	PK	3.84997G	46.41	74.00	-27.59	3	Vertical	148	1.52	-
5775MHz	Pass	PK	11.54244G	56.93	74.00	-17.07	3	Vertical	155	1.04	-
5775MHz	Pass	PK	17.32374G	65.23	68.20	-2.97	3	Vertical	340	1.05	-
5775MHz	Pass	AV	3.85G	40.58	54.00	-13.42	3	Horizontal	122	1.64	-
5775MHz	Pass	AV	11.53626G	45.33	54.00	-8.67	3	Horizontal	210	1.55	-
5775MHz	Pass	PK	3.85011G	46.80	74.00	-27.20	3	Horizontal	122	1.64	-
5775MHz	Pass	PK	11.55144G	55.68	74.00	-18.32	3	Horizontal	210	1.55	-
5775MHz	Pass	PK	17.33406G	63.64	68.20	-4.56	3	Horizontal	336	1.47	-



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	52.32	54.00	-1.68	8.60	3	Vertical	10	1.64	-	43.72	31.90	6.03	29.33
AV	5.1824G	104.18	Inf	-Inf	8.43	3	Vertical	10	1.64	-	95.75	31.71	6.06	29.34
PK	5.1488G	73.46	74.00	-0.54	8.60	3	Vertical	10	1.64	-	64.86	31.90	6.03	29.33
PK	5.1866G	113.36	Inf	-Inf	8.41	3	Vertical	10	1.64	-	104.95	31.68	6.07	29.34

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.81	54.00	-0.19	8.60	3	Horizontal	15	1.50	-	45.21	31.90	6.04	29.34
AV	5.1818G	105.55	Inf	-Inf	8.43	3	Horizontal	15	1.50	-	97.12	31.71	6.06	29.34
PK	5.1458G	72.13	74.00	-1.87	8.59	3	Horizontal	15	1.50	-	63.54	31.89	6.03	29.33
PK	5.1812G	114.87	Inf	-Inf	8.43	3	Horizontal	15	1.50	-	106.44	31.71	6.06	29.34

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88506G	40.26	54.00	-13.74	5.12	3	Vertical	209	1.50	-	35.14	29.64	5.11	29.63
AV	15.5352G	48.46	54.00	-5.54	18.13	3	Vertical	332	2.79	-	30.33	38.09	11.90	31.86
PK	3.88506G	46.77	74.00	-27.23	5.12	3	Vertical	209	1.50	-	41.65	29.64	5.11	29.63
PK	10.36072G	57.30	68.20	-10.90	18.07	3	Vertical	351	1.68	-	39.23	39.36	9.23	30.52
PK	15.53508G	61.21	74.00	-12.79	18.13	3	Vertical	332	2.79	-	43.08	38.09	11.90	31.86

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.885G	39.02	54.00	-14.98	5.12	3	Horizontal	115	1.49	-	33.90	29.64	5.11	29.63
AV	15.53256G	48.54	54.00	-5.46	18.14	3	Horizontal	76	1.77	-	30.40	38.10	11.90	31.86
PK	3.88482G	46.62	74.00	-27.38	5.12	3	Horizontal	115	1.49	-	41.50	29.64	5.11	29.63
PK	10.357G	56.75	68.20	-11.45	18.05	3	Horizontal	128	1.66	-	38.70	39.34	9.23	30.52
PK	15.53016G	61.48	74.00	-12.52	18.15	3	Horizontal	76	1.77	-	43.33	38.12	11.89	31.86



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1478G	52.80	54.00	-1.20	8.60	3	Vertical	29	2.82	-	44.20	31.90	6.03	29.33
AV	5.2024G	108.61	Inf	-Inf	8.33	3	Vertical	29	2.82	-	100.28	31.59	6.08	29.34
PK	5.1478G	70.23	74.00	-3.77	8.60	3	Vertical	29	2.82	-	61.63	31.90	6.03	29.33
PK	5.1976G	118.42	Inf	-Inf	8.35	3	Vertical	29	2.82	-	110.07	31.61	6.08	29.34

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	52.97	54.00	-1.03	8.59	3	Horizontal	17	1.52	-	44.38	31.89	6.03	29.33
AV	5.206G	108.24	Inf	-Inf	8.30	3	Horizontal	17	1.52	-	99.94	31.56	6.08	29.34
PK	5.1478G	71.56	74.00	-2.44	8.60	3	Horizontal	17	1.52	-	62.96	31.90	6.03	29.33
PK	5.206G	118.73	Inf	-Inf	8.30	3	Horizontal	17	1.52	-	110.43	31.56	6.08	29.34

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60372G	49.17	54.00	-4.83	17.76	3	Vertical	333	1.98	-	31.41	37.69	11.94	31.87
PK	3.46668G	50.12	68.20	-18.08	3.45	3	Vertical	164	1.92	-	46.67	28.40	4.86	29.81
PK	10.3955G	58.08	68.20	-10.12	18.28	3	Vertical	349	1.82	-	39.80	39.57	9.25	30.54
PK	15.59838G	62.15	74.00	-11.85	17.77	3	Vertical	333	1.98	-	44.38	37.71	11.93	31.87

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60204G	48.93	54.00	-5.07	17.76	3	Horizontal	337	1.34	-	31.17	37.69	11.94	31.87
PK	3.46676G	49.34	68.20	-18.86	3.45	3	Horizontal	224	1.79	-	45.89	28.40	4.86	29.81
PK	10.39628G	56.70	68.20	-11.50	18.30	3	Horizontal	128	1.69	-	38.40	39.58	9.26	30.54
PK	15.59718G	61.96	74.00	-12.04	17.78	3	Horizontal	337	1.34	-	44.18	37.72	11.93	31.87

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	52.69	54.00	-1.31	8.59	3	Vertical	21	1.50	-	44.10	31.89	6.03	29.33
AV	5.246G	108.40	Inf	-Inf	8.07	3	Vertical	21	1.50	-	100.33	31.32	6.09	29.34
AV	5.351G	48.96	54.00	-5.04	7.97	3	Vertical	21	1.50	-	40.99	31.21	6.12	29.36
PK	5.147G	69.81	74.00	-4.19	8.59	3	Vertical	21	1.50	-	61.22	31.89	6.03	29.33
PK	5.246G	122.38	Inf	-Inf	8.07	3	Vertical	21	1.50	-	114.31	31.32	6.09	29.34
PK	5.3504G	66.14	74.00	-7.86	7.96	3	Vertical	21	1.50	-	58.18	31.20	6.12	29.36



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	53.88	54.00	-0.12	8.59	3	Horizontal	16	1.50	-	45.29	31.89	6.03	29.33
AV	5.2364G	109.60	Inf	-Inf	8.13	3	Horizontal	16	1.50	-	101.47	31.38	6.09	29.34
AV	5.351G	48.97	54.00	-5.03	7.97	3	Horizontal	16	1.50	-	41.00	31.21	6.12	29.36
PK	5.1464G	69.93	74.00	-4.07	8.59	3	Horizontal	16	1.50	-	61.34	31.89	6.03	29.33
PK	5.2412G	124.14	Inf	-Inf	8.10	3	Horizontal	16	1.50	-	116.04	31.35	6.09	29.34
PK	5.3504G	67.12	74.00	-6.88	7.96	3	Horizontal	16	1.50	-	59.16	31.20	6.12	29.36



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71964G	48.44	54.00	-5.56	17.38	3	Vertical	213	1.49	-	31.06	37.28	12.00	31.90
PK	3.49342G	48.39	68.20	-19.81	3.63	3	Vertical	357	1.28	-	44.76	28.56	4.87	29.80
PK	10.4776G	58.39	68.20	-9.81	18.42	3	Vertical	344	1.01	-	39.97	39.68	9.31	30.57
PK	15.7218G	62.12	74.00	-11.88	17.38	3	Vertical	213	1.49	-	44.74	37.28	12.00	31.90

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72108G	50.05	54.00	-3.95	17.38	3	Horizontal	340	1.46	-	32.67	37.28	12.00	31.90
PK	3.49344G	49.35	68.20	-18.85	3.63	3	Horizontal	223	1.75	-	45.72	28.56	4.87	29.80
PK	10.4788G	59.64	68.20	-8.56	18.42	3	Horizontal	89	1.04	-	41.22	39.68	9.31	30.57
PK	15.71124G	62.87	74.00	-11.13	17.39	3	Horizontal	340	1.46	-	45.48	37.29	12.00	31.90



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7486G	107.09	Inf	-Inf	8.74	3	Vertical	0	2.05	-	98.35	31.90	6.20	29.36
PK	5.649G	66.67	68.20	-1.53	8.43	3	Vertical	0	2.05	-	58.24	31.60	6.19	29.36
PK	5.7438G	117.93	Inf	-Inf	8.73	3	Vertical	0	2.05	-	109.20	31.89	6.20	29.36
PK	5.9394G	56.55	68.20	-11.65	9.38	3	Vertical	0	2.05	-	47.17	32.28	6.45	29.35



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	104.98	Inf	-Inf	8.73	3	Horizontal	22	1.53	-	96.25	31.89	6.20	29.36
PK	5.6502G	65.04	68.35	-3.31	8.43	3	Horizontal	22	1.53	-	56.61	31.60	6.19	29.36
PK	5.751G	115.41	Inf	-Inf	8.74	3	Horizontal	22	1.53	-	106.67	31.90	6.20	29.36
PK	5.9442G	55.63	68.20	-12.57	9.40	3	Horizontal	22	1.53	-	46.23	32.29	6.46	29.35

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83003G	42.18	54.00	-11.82	4.83	3	Vertical	140	1.64	-	37.35	29.42	5.06	29.65
AV	11.48868G	44.43	54.00	-9.57	19.02	3	Vertical	0	1.22	-	25.41	39.80	9.99	30.77
PK	3.83009G	47.44	74.00	-26.56	4.83	3	Vertical	140	1.64	-	42.61	29.42	5.06	29.65
PK	11.49876G	57.23	74.00	-16.77	19.02	3	Vertical	0	1.22	-	38.21	39.80	9.99	30.77
PK	17.24484G	67.71	68.20	-0.49	21.17	3	Vertical	343	1.00	-	46.54	40.16	12.58	31.57

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83002G	40.49	54.00	-13.51	4.83	3	Horizontal	330	2.35	-	35.66	29.42	5.06	29.65
AV	11.48862G	44.09	54.00	-9.91	19.02	3	Horizontal	3	1.50	-	25.07	39.80	9.99	30.77
PK	3.83008G	46.71	74.00	-27.29	4.83	3	Horizontal	330	2.35	-	41.88	29.42	5.06	29.65
PK	11.481G	57.30	74.00	-16.70	19.00	3	Horizontal	3	1.50	-	38.30	39.80	9.98	30.78
PK	17.24856G	64.76	68.20	-3.44	21.16	3	Horizontal	352	1.50	-	43.60	40.15	12.58	31.57

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	103.96	Inf	-Inf	8.81	3	Vertical	0	1.82	-	95.15	31.96	6.21	29.36
PK	5.6302G	55.16	68.20	-13.04	8.46	3	Vertical	0	1.82	-	46.70	31.64	6.18	29.36
PK	5.7898G	113.70	Inf	-Inf	8.83	3	Vertical	0	1.82	-	104.87	31.98	6.21	29.36
PK	5.9422G	54.97	68.20	-13.23	9.38	3	Vertical	0	1.82	-	45.59	32.28	6.45	29.35

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	102.30	Inf	-Inf	8.81	3	Horizontal	23	1.59	-	93.49	31.96	6.21	29.36
PK	5.641G	54.73	68.20	-13.47	8.45	3	Horizontal	23	1.59	-	46.28	31.62	6.19	29.36
PK	5.7898G	111.71	Inf	-Inf	8.83	3	Horizontal	23	1.59	-	102.88	31.98	6.21	29.36
PK	5.9566G	54.91	68.20	-13.29	9.43	3	Horizontal	23	1.59	-	45.48	32.30	6.48	29.35

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.8567G	40.56	54.00	-13.44	4.97	3	Vertical	147	1.74	-	35.59	29.53	5.08	29.64
AV	11.56916G	43.63	54.00	-10.37	18.92	3	Vertical	360	1.15	-	24.71	39.66	10.04	30.78
PK	3.85668G	46.82	74.00	-27.18	4.97	3	Vertical	147	1.74	-	41.85	29.53	5.08	29.64
PK	11.58356G	56.49	74.00	-17.51	18.90	3	Vertical	360	1.15	-	37.59	39.63	10.05	30.78
PK	17.3658G	66.62	68.20	-1.58	21.60	3	Vertical	342	1.01	-	45.02	40.49	12.62	31.51

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85668G	39.11	54.00	-14.89	4.97	3	Horizontal	121	1.63	-	34.14	29.53	5.08	29.64
AV	11.5712G	43.49	54.00	-10.51	18.92	3	Horizontal	116	3.00	-	24.57	39.66	10.04	30.78
PK	3.85667G	46.04	74.00	-27.96	4.97	3	Horizontal	121	1.63	-	41.07	29.53	5.08	29.64
PK	11.56502G	56.02	74.00	-17.98	18.93	3	Horizontal	116	3.00	-	37.09	39.67	10.04	30.78
PK	17.34714G	64.77	68.20	-3.43	21.47	3	Horizontal	338	1.37	-	43.30	40.38	12.61	31.52

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	104.29	Inf	-Inf	8.88	3	Vertical	5	1.50	-	95.41	32.00	6.24	29.36
PK	5.6198G	55.58	68.20	-12.62	8.47	3	Vertical	5	1.50	-	47.11	31.66	6.18	29.37
PK	5.8298G	113.86	Inf	-Inf	8.90	3	Vertical	5	1.50	-	104.96	32.00	6.26	29.36
PK	5.9306G	58.11	68.20	-10.09	9.34	3	Vertical	5	1.50	-	48.77	32.26	6.43	29.35



802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	102.91	Inf	-Inf	8.88	3	Horizontal	23	1.66	-	94.03	32.00	6.24	29.36
PK	5.6198G	54.97	68.20	-13.23	8.47	3	Horizontal	23	1.66	-	46.50	31.66	6.18	29.37
PK	5.8214G	112.27	Inf	-Inf	8.89	3	Horizontal	23	1.66	-	103.38	32.00	6.25	29.36
PK	5.9258G	56.48	68.20	-11.72	9.32	3	Horizontal	23	1.66	-	47.16	32.25	6.42	29.35

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5825MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88337G	39.37	54.00	-14.63	5.11	3	Vertical	202	1.44	-	34.26	29.63	5.11	29.63
AV	11.63776G	43.89	54.00	-10.11	18.75	3	Vertical	308	1.52	-	25.14	39.45	10.09	30.79
PK	3.88326G	46.02	74.00	-27.98	5.11	3	Vertical	202	1.44	-	40.91	29.63	5.11	29.63
PK	11.64076G	57.00	74.00	-17.00	18.74	3	Vertical	308	1.52	-	38.26	39.44	10.09	30.79
PK	17.47458G	66.33	68.20	-1.87	22.12	3	Vertical	195	1.05	-	44.21	40.92	12.65	31.45

802.11a_Nss1,(6Mbps)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88333G	38.21	54.00	-15.79	5.11	3	Horizontal	114	1.50	-	33.10	29.63	5.11	29.63
AV	11.65426G	42.92	54.00	-11.08	18.69	3	Horizontal	69	1.23	-	24.23	39.38	10.10	30.79
PK	3.8832G	45.46	74.00	-28.54	5.11	3	Horizontal	114	1.50	-	40.35	29.63	5.11	29.63
PK	11.65744G	55.75	74.00	-18.25	18.68	3	Horizontal	69	1.23	-	37.07	39.37	10.10	30.79
PK	17.47002G	64.55	68.20	-3.65	22.11	3	Horizontal	49	1.06	-	42.44	40.91	12.65	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.84	54.00	-0.16	8.60	3	Vertical	29	2.80	-	45.24	31.90	6.03	29.33
AV	5.1824G	102.20	Inf	-Inf	8.43	3	Vertical	29	2.80	-	93.77	31.71	6.06	29.34
PK	5.1494G	69.83	74.00	-4.17	8.60	3	Vertical	29	2.80	-	61.23	31.90	6.03	29.33
PK	5.1782G	113.52	Inf	-Inf	8.45	3	Vertical	29	2.80	-	105.07	31.73	6.06	29.34

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	53.68	54.00	-0.32	8.60	3	Horizontal	14	1.50	-	45.08	31.90	6.03	29.33
AV	5.1818G	101.98	Inf	-Inf	8.43	3	Horizontal	14	1.50	-	93.55	31.71	6.06	29.34
PK	5.1494G	69.05	74.00	-4.95	8.60	3	Horizontal	14	1.50	-	60.45	31.90	6.03	29.33
PK	5.1848G	113.15	Inf	-Inf	8.42	3	Horizontal	14	1.50	-	104.73	31.69	6.07	29.34

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5180MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88497G	39.18	54.00	-14.82	5.12	3	Vertical	199	1.47	-	34.06	29.64	5.11	29.63
AV	15.54798G	48.14	54.00	-5.86	18.05	3	Vertical	94	1.87	-	30.09	38.01	11.90	31.86
PK	3.88489G	45.93	74.00	-28.07	5.12	3	Vertical	199	1.47	-	40.81	29.64	5.11	29.63
PK	10.3567G	54.55	68.20	-13.65	18.05	3	Vertical	308	1.67	-	36.50	39.34	9.23	30.52
PK	15.55104G	60.29	74.00	-13.71	18.04	3	Vertical	94	1.87	-	42.25	37.99	11.91	31.86

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88499G	39.02	54.00	-14.98	5.12	3	Horizontal	114	1.50	-	33.90	29.64	5.11	29.63
AV	15.54606G	48.17	54.00	-5.83	18.06	3	Horizontal	347	2.34	-	30.11	38.02	11.90	31.86
PK	3.88518G	45.90	74.00	-28.10	5.12	3	Horizontal	114	1.50	-	40.78	29.64	5.11	29.63
PK	10.3648G	55.32	68.20	-12.88	18.09	3	Horizontal	56	1.60	-	37.23	39.39	9.23	30.53
PK	15.53178G	60.70	74.00	-13.30	18.15	3	Horizontal	347	2.34	-	42.55	38.11	11.90	31.86



802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.75	54.00	-0.25	8.60	3	Vertical	15	1.48	-	45.15	31.90	6.04	29.34
AV	5.1982G	104.51	Inf	-Inf	8.35	3	Vertical	15	1.48	-	96.16	31.61	6.08	29.34
PK	5.149G	68.28	74.00	-5.72	8.60	3	Vertical	15	1.48	-	59.68	31.90	6.03	29.33
PK	5.1982G	116.12	Inf	-Inf	8.35	3	Vertical	15	1.48	-	107.77	31.61	6.08	29.34

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.10	54.00	-0.90	8.60	3	Horizontal	14	1.48	-	44.50	31.90	6.04	29.34
AV	5.2024G	104.64	Inf	-Inf	8.33	3	Horizontal	14	1.48	-	96.31	31.59	6.08	29.34
PK	5.15G	68.64	74.00	-5.36	8.60	3	Horizontal	14	1.48	-	60.04	31.90	6.04	29.34
PK	5.2024G	116.14	Inf	-Inf	8.33	3	Horizontal	14	1.48	-	107.81	31.59	6.08	29.34

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60444G	48.43	54.00	-5.57	17.75	3	Vertical	43	1.46	-	30.68	37.68	11.94	31.87
PK	3.46666G	47.77	68.20	-20.43	3.45	3	Vertical	345	1.42	-	44.32	28.40	4.86	29.81
PK	10.39526G	57.50	68.20	-10.70	18.28	3	Vertical	347	1.76	-	39.22	39.57	9.25	30.54
PK	15.59898G	60.62	74.00	-13.38	17.77	3	Vertical	43	1.46	-	42.85	37.71	11.93	31.87

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60192G	48.83	54.00	-5.17	17.76	3	Horizontal	52	1.71	-	31.07	37.69	11.94	31.87
PK	3.46661G	48.31	68.20	-19.89	3.45	3	Horizontal	223	1.60	-	44.86	28.40	4.86	29.81
PK	10.4006G	55.78	68.20	-12.42	18.32	3	Horizontal	137	1.32	-	37.46	39.60	9.26	30.54
PK	15.60162G	60.65	74.00	-13.35	17.75	3	Horizontal	52	1.71	-	42.90	37.69	11.93	31.87

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	51.90	54.00	-2.10	8.60	3	Vertical	19	1.50	-	43.30	31.90	6.03	29.33
AV	5.2382G	106.10	Inf	-Inf	8.12	3	Vertical	19	1.50	-	97.98	31.37	6.09	29.34
AV	5.35G	49.01	54.00	-4.99	7.96	3	Vertical	19	1.50	-	41.05	31.20	6.12	29.36
PK	5.1314G	65.31	74.00	-8.69	8.55	3	Vertical	19	1.50	-	56.76	31.86	6.02	29.33
PK	5.2466G	117.81	Inf	-Inf	8.07	3	Vertical	19	1.50	-	109.74	31.32	6.09	29.34
PK	5.3504G	64.06	74.00	-9.94	7.96	3	Vertical	19	1.50	-	56.10	31.20	6.12	29.36

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	49.65	54.00	-4.35	8.59	3	Horizontal	13	1.50	-	41.06	31.89	6.03	29.33
AV	5.237G	105.85	Inf	-Inf	8.13	3	Horizontal	13	1.50	-	97.72	31.38	6.09	29.34
AV	5.35G	46.76	54.00	-7.24	7.96	3	Horizontal	13	1.50	-	38.80	31.20	6.12	29.36
PK	5.1494G	62.18	74.00	-11.82	8.60	3	Horizontal	13	1.50	-	53.58	31.90	6.03	29.33
PK	5.2382G	117.63	Inf	-Inf	8.12	3	Horizontal	13	1.50	-	109.51	31.37	6.09	29.34
PK	5.3558G	58.38	74.00	-15.62	7.99	3	Horizontal	13	1.50	-	50.39	31.23	6.12	29.36

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72258G	48.39	54.00	-5.61	17.38	3	Vertical	186	1.50	-	31.01	37.28	12.00	31.90
PK	3.49327G	47.18	68.20	-21.02	3.63	3	Vertical	346	1.37	-	43.55	28.56	4.87	29.80
PK	10.47772G	57.06	68.20	-11.14	18.42	3	Vertical	341	2.11	-	38.64	39.68	9.31	30.57
PK	15.72744G	60.57	74.00	-13.43	17.38	3	Vertical	186	1.50	-	43.19	37.27	12.01	31.90

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7161G	50.16	54.00	-3.84	17.38	3	Horizontal	338	1.38	-	32.78	37.28	12.00	31.90
PK	3.49333G	48.26	68.20	-19.94	3.63	3	Horizontal	222	1.68	-	44.63	28.56	4.87	29.80
PK	10.47616G	55.98	68.20	-12.22	18.42	3	Horizontal	124	1.76	-	37.56	39.68	9.31	30.57
PK	15.72144G	62.27	74.00	-11.73	17.38	3	Horizontal	338	1.38	-	44.89	37.28	12.00	31.90



802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7498G	104.01	Inf	-Inf	8.74	3	Vertical	0	2.06	-	95.27	31.90	6.20	29.36
PK	5.6394G	64.14	68.20	-4.06	8.45	3	Vertical	0	2.06	-	55.69	31.62	6.19	29.36
PK	5.7486G	115.46	Inf	-Inf	8.74	3	Vertical	0	2.06	-	106.72	31.90	6.20	29.36
PK	5.9454G	56.71	68.20	-11.49	9.40	3	Vertical	0	2.06	-	47.31	32.29	6.46	29.35

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.751G	104.08	Inf	-Inf	8.74	3	Horizontal	48	1.04	-	95.34	31.90	6.20	29.36
PK	5.6502G	65.71	68.35	-2.64	8.43	3	Horizontal	48	1.04	-	57.28	31.60	6.19	29.36
PK	5.7474G	115.52	Inf	-Inf	8.73	3	Horizontal	48	1.04	-	106.79	31.89	6.20	29.36
PK	5.979G	56.32	68.20	-11.88	9.46	3	Horizontal	48	1.04	-	46.86	32.30	6.51	29.35



802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83002G	42.70	54.00	-11.30	4.83	3	Vertical	141	1.64	-	37.87	29.42	5.06	29.65
AV	11.50338G	43.80	54.00	-10.20	19.02	3	Vertical	45	2.24	-	24.78	39.79	10.00	30.77
PK	3.83009G	47.34	74.00	-26.66	4.83	3	Vertical	141	1.64	-	42.51	29.42	5.06	29.65
PK	11.48424G	55.72	74.00	-18.28	19.01	3	Vertical	45	2.24	-	36.71	39.80	9.98	30.77
PK	17.23464G	67.54	68.20	-0.66	21.17	3	Vertical	340	1.02	-	46.37	40.17	12.57	31.57

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83004G	41.16	54.00	-12.84	4.83	3	Horizontal	315	2.35	-	36.33	29.42	5.06	29.65
AV	11.49792G	43.41	54.00	-10.59	19.02	3	Horizontal	83	1.59	-	24.39	39.80	9.99	30.77
PK	3.82991G	46.62	74.00	-27.38	4.83	3	Horizontal	315	2.35	-	41.79	29.42	5.06	29.65
PK	11.50158G	55.72	74.00	-18.28	19.03	3	Horizontal	83	1.59	-	36.69	39.80	10.00	30.77
PK	17.23464G	65.09	68.20	-3.11	21.17	3	Horizontal	335	1.50	-	43.92	40.17	12.57	31.57



802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	102.74	Inf	-Inf	8.82	3	Vertical	0	1.82	-	93.92	31.97	6.21	29.36
PK	5.5426G	55.36	68.20	-12.84	8.44	3	Vertical	0	1.82	-	46.92	31.64	6.17	29.37
PK	5.7826G	114.01	Inf	-Inf	8.82	3	Vertical	0	1.82	-	105.19	31.97	6.21	29.36
PK	5.9386G	55.80	68.20	-12.40	9.38	3	Vertical	0	1.82	-	46.42	32.28	6.45	29.35

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	101.02	Inf	-Inf	8.81	3	Horizontal	21	1.76	-	92.21	31.96	6.21	29.36
PK	5.5846G	54.90	68.20	-13.30	8.48	3	Horizontal	21	1.76	-	46.42	31.67	6.18	29.37
PK	5.7802G	112.20	Inf	-Inf	8.81	3	Horizontal	21	1.76	-	103.39	31.96	6.21	29.36
PK	5.9482G	55.33	68.20	-12.87	9.41	3	Horizontal	21	1.76	-	45.92	32.30	6.46	29.35

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85669G	40.96	54.00	-13.04	4.97	3	Vertical	150	1.56	-	35.99	29.53	5.08	29.64
AV	11.58428G	43.47	54.00	-10.53	18.90	3	Vertical	124	1.50	-	24.57	39.63	10.05	30.78
PK	3.85661G	46.71	74.00	-27.29	4.97	3	Vertical	150	1.56	-	41.74	29.53	5.08	29.64
PK	11.56106G	55.53	74.00	-18.47	18.94	3	Vertical	124	1.50	-	36.59	39.68	10.04	30.78
PK	17.3469G	67.22	68.20	-0.98	21.47	3	Vertical	41	1.04	-	45.75	40.38	12.61	31.52

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85665G	40.01	54.00	-13.99	4.97	3	Horizontal	122	1.65	-	35.04	29.53	5.08	29.64
AV	11.567G	43.47	54.00	-10.53	18.93	3	Horizontal	213	2.10	-	24.54	39.67	10.04	30.78
PK	3.8565G	45.98	74.00	-28.02	4.97	3	Horizontal	122	1.65	-	41.01	29.53	5.08	29.64
PK	11.57438G	56.54	74.00	-17.46	18.91	3	Horizontal	213	2.10	-	37.63	39.65	10.04	30.78
PK	17.35668G	65.75	68.20	-2.45	21.54	3	Horizontal	357	1.58	-	44.21	40.44	12.61	31.51

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	102.27	Inf	-Inf	8.89	3	Vertical	0	1.50	-	93.38	32.00	6.25	29.36
PK	5.6474G	55.02	68.20	-13.18	8.44	3	Vertical	0	1.50	-	46.58	31.61	6.19	29.36
PK	5.8202G	113.59	Inf	-Inf	8.88	3	Vertical	0	1.50	-	104.71	32.00	6.24	29.36
PK	5.933G	56.72	68.20	-11.48	9.36	3	Vertical	0	1.50	-	47.36	32.27	6.44	29.35

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	101.35	Inf	-Inf	8.89	3	Horizontal	22	1.67	-	92.46	32.00	6.25	29.36
PK	5.6042G	55.20	68.20	-13.00	8.50	3	Horizontal	22	1.67	-	46.70	31.69	6.18	29.37
PK	5.8202G	112.66	Inf	-Inf	8.88	3	Horizontal	22	1.67	-	103.78	32.00	6.24	29.36
PK	5.9246G	56.73	68.50	-11.77	9.32	3	Horizontal	22	1.67	-	47.41	32.25	6.42	29.35

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88334G	39.48	54.00	-14.52	5.11	3	Vertical	212	1.44	-	34.37	29.63	5.11	29.63
AV	11.6602G	43.74	54.00	-10.26	18.67	3	Vertical	114	1.80	-	25.07	39.36	10.10	30.79
PK	3.88323G	46.16	74.00	-27.84	5.11	3	Vertical	212	1.44	-	41.05	29.63	5.11	29.63
PK	11.63884G	55.41	74.00	-18.59	18.74	3	Vertical	114	1.80	-	36.67	39.44	10.09	30.79
PK	17.47032G	66.96	68.20	-1.24	22.11	3	Vertical	360	2.06	-	44.85	40.91	12.65	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

15/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.88331G	38.87	54.00	-15.13	5.11	3	Horizontal	113	1.49	-	33.76	29.63	5.11	29.63
AV	11.6575G	43.52	54.00	-10.48	18.68	3	Horizontal	303	1.23	-	24.84	39.37	10.10	30.79
PK	3.88339G	46.18	74.00	-27.82	5.11	3	Horizontal	113	1.49	-	41.07	29.63	5.11	29.63
PK	11.64286G	55.80	74.00	-18.20	18.73	3	Horizontal	303	1.23	-	37.07	39.43	10.09	30.79
PK	17.4756G	64.70	68.20	-3.50	22.13	3	Horizontal	48	1.03	-	42.57	40.93	12.65	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.40	54.00	-3.60	8.60	3	Vertical	16	1.48	-	41.80	31.90	6.03	29.33
AV	5.1984G	95.59	Inf	-Inf	8.35	3	Vertical	16	1.48	-	87.24	31.61	6.08	29.34
PK	5.15G	73.84	74.00	-0.16	8.60	3	Vertical	16	1.48	-	65.24	31.90	6.04	29.34
PK	5.1996G	108.09	Inf	-Inf	8.34	3	Vertical	16	1.48	-	99.75	31.60	6.08	29.34



802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.04	54.00	-3.96	8.60	3	Horizontal	14	1.55	-	41.44	31.90	6.04	29.34
AV	5.2048G	96.06	Inf	-Inf	8.31	3	Horizontal	14	1.55	-	87.75	31.57	6.08	29.34
PK	5.15G	72.93	74.00	-1.07	8.60	3	Horizontal	14	1.55	-	64.33	31.90	6.04	29.34
PK	5.202G	107.90	Inf	-Inf	8.33	3	Horizontal	14	1.55	-	99.57	31.59	6.08	29.34



802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57696G	47.93	54.00	-6.07	17.89	3	Vertical	316	1.15	-	30.04	37.84	11.92	31.87
PK	3.46G	47.58	68.20	-20.62	3.41	3	Vertical	344	1.41	-	44.17	28.36	4.86	29.81
PK	10.37814G	54.93	68.20	-13.27	18.18	3	Vertical	113	1.46	-	36.75	39.47	9.24	30.53
PK	15.5652G	59.83	74.00	-14.17	17.96	3	Vertical	316	1.15	-	41.87	37.91	11.91	31.86

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56712G	47.97	54.00	-6.03	17.96	3	Horizontal	216	1.07	-	30.01	37.90	11.92	31.86
PK	3.46015G	48.06	68.20	-20.14	3.41	3	Horizontal	224	1.59	-	44.65	28.36	4.86	29.81
PK	10.38258G	54.75	68.20	-13.45	18.22	3	Horizontal	10	1.57	-	36.53	39.50	9.25	30.53
PK	15.5796G	59.71	74.00	-14.29	17.87	3	Horizontal	216	1.07	-	41.84	37.82	11.92	31.87

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.53	54.00	-0.47	8.60	3	Vertical	19	1.57	-	44.93	31.90	6.04	29.34
AV	5.2428G	101.05	Inf	-Inf	8.09	3	Vertical	19	1.57	-	92.96	31.34	6.09	29.34
PK	5.1344G	68.08	74.00	-5.92	8.56	3	Vertical	19	1.57	-	59.52	31.87	6.02	29.33
PK	5.2396G	112.89	Inf	-Inf	8.11	3	Vertical	19	1.57	-	104.78	31.36	6.09	29.34

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.66	54.00	-0.34	8.60	3	Horizontal	15	1.47	-	45.06	31.90	6.04	29.34
AV	5.2256G	100.76	Inf	-Inf	8.20	3	Horizontal	15	1.47	-	92.56	31.45	6.09	29.34
PK	5.134G	68.18	74.00	-5.82	8.56	3	Horizontal	15	1.47	-	59.62	31.87	6.02	29.33
PK	5.2396G	113.13	Inf	-Inf	8.11	3	Horizontal	15	1.47	-	105.02	31.36	6.09	29.34

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69072G	47.23	54.00	-6.77	17.44	3	Vertical	233	1.49	-	29.79	37.34	11.99	31.89
PK	3.48675G	47.32	68.20	-20.88	3.59	3	Vertical	345	1.38	-	43.73	28.52	4.87	29.80
PK	10.4714G	55.55	68.20	-12.65	18.41	3	Vertical	254	1.80	-	37.14	39.67	9.31	30.57
PK	15.68232G	59.20	74.00	-14.80	17.46	3	Vertical	233	1.49	-	41.74	37.37	11.98	31.89

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6834G	47.44	54.00	-6.56	17.46	3	Horizontal	339	1.50	-	29.98	37.37	11.98	31.89
PK	3.48667G	47.80	68.20	-20.40	3.59	3	Horizontal	223	1.67	-	44.21	28.52	4.87	29.80
PK	10.4477G	55.11	68.20	-13.09	18.38	3	Horizontal	304	1.60	-	36.73	39.65	9.29	30.56
PK	15.68658G	59.62	74.00	-14.38	17.44	3	Horizontal	339	1.50	-	42.18	37.35	11.98	31.89

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.749G	101.65	Inf	-Inf	8.74	3	Vertical	0	2.05	-	92.91	31.90	6.20	29.36
PK	5.6482G	67.79	68.20	-0.41	8.43	3	Vertical	0	2.05	-	59.36	31.60	6.19	29.36
PK	5.7538G	113.92	Inf	-Inf	8.75	3	Vertical	0	2.05	-	105.17	31.91	6.20	29.36
PK	5.929G	59.44	68.20	-8.76	9.34	3	Vertical	0	2.05	-	50.10	32.26	6.43	29.35



802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7514G	100.18	Inf	-Inf	8.74	3	Horizontal	23	1.54	-	91.44	31.90	6.20	29.36
PK	5.6482G	65.55	68.20	-2.65	8.43	3	Horizontal	23	1.54	-	57.12	31.60	6.19	29.36
PK	5.7514G	110.76	Inf	-Inf	8.74	3	Horizontal	23	1.54	-	102.02	31.90	6.20	29.36
PK	5.9254G	58.24	68.20	-9.96	9.32	3	Horizontal	23	1.54	-	48.92	32.25	6.42	29.35



802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83668G	41.72	54.00	-12.28	4.86	3	Vertical	141	1.64	-	36.86	29.45	5.06	29.65
AV	11.50244G	43.80	54.00	-10.20	19.03	3	Vertical	51	1.19	-	24.77	39.80	10.00	30.77
PK	3.83668G	46.86	74.00	-27.14	4.86	3	Vertical	141	1.64	-	42.00	29.45	5.06	29.65
PK	11.50556G	55.83	74.00	-18.17	19.02	3	Vertical	51	1.19	-	36.81	39.79	10.00	30.77
PK	17.25504G	66.32	68.20	-1.88	21.16	3	Vertical	330	1.00	-	45.16	40.14	12.58	31.56



802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.83665G	40.07	54.00	-13.93	4.86	3	Horizontal	122	1.81	-	35.21	29.45	5.06	29.65
AV	11.50166G	43.71	54.00	-10.29	19.03	3	Horizontal	172	1.56	-	24.68	39.80	10.00	30.77
PK	3.83657G	45.92	74.00	-28.08	4.86	3	Horizontal	122	1.81	-	41.06	29.45	5.06	29.65
PK	11.5064G	55.77	74.00	-18.23	19.02	3	Horizontal	172	1.56	-	36.75	39.79	10.00	30.77
PK	17.25492G	64.78	68.20	-3.42	21.17	3	Horizontal	336	1.41	-	43.61	40.15	12.58	31.56

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7878G	101.43	Inf	-Inf	8.83	3	Vertical	0	1.50	-	92.60	31.98	6.21	29.36
PK	5.6486G	64.67	68.20	-3.53	8.43	3	Vertical	0	1.50	-	56.24	31.60	6.19	29.36
PK	5.8046G	112.94	Inf	-Inf	8.86	3	Vertical	0	1.50	-	104.08	32.00	6.22	29.36
PK	5.9258G	67.44	68.20	-0.76	9.32	3	Vertical	0	1.50	-	58.12	32.25	6.42	29.35

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	102.93	Inf	-Inf	8.85	3	Horizontal	50	1.06	-	94.08	32.00	6.21	29.36
PK	5.645G	63.81	68.20	-4.39	8.44	3	Horizontal	50	1.06	-	55.37	31.61	6.19	29.36
PK	5.7914G	114.24	Inf	-Inf	8.83	3	Horizontal	50	1.06	-	105.41	31.98	6.21	29.36
PK	5.9258G	67.83	68.20	-0.37	9.32	3	Horizontal	50	1.06	-	58.51	32.25	6.42	29.35

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86334G	40.40	54.00	-13.60	5.00	3	Vertical	150	1.49	-	35.40	29.55	5.09	29.64
AV	11.59948G	43.47	54.00	-10.53	18.88	3	Vertical	279	1.61	-	24.59	39.60	10.06	30.78
PK	3.86339G	46.60	74.00	-27.40	5.00	3	Vertical	150	1.49	-	41.60	29.55	5.09	29.64
PK	11.59108G	55.86	74.00	-18.14	18.90	3	Vertical	279	1.61	-	36.96	39.62	10.06	30.78
PK	17.3946G	67.24	68.20	-0.96	21.81	3	Vertical	339	1.00	-	45.43	40.67	12.63	31.49

802.11ax HEW40_Nss2,(MCS0)_2TX

15/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.86334G	39.62	54.00	-14.38	5.00	3	Horizontal	122	1.65	-	34.62	29.55	5.09	29.64
AV	11.57668G	43.44	54.00	-10.56	18.92	3	Horizontal	127	1.23	-	24.52	39.65	10.05	30.78
PK	3.86339G	45.99	74.00	-28.01	5.00	3	Horizontal	122	1.65	-	40.99	29.55	5.09	29.64
PK	11.59G	55.55	74.00	-18.45	18.90	3	Horizontal	127	1.23	-	36.65	39.62	10.06	30.78
PK	17.39514G	64.30	68.20	-3.90	21.81	3	Horizontal	75	1.76	-	42.49	40.67	12.63	31.49

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	53.74	54.00	-0.26	8.60	3	Vertical	17	1.54	-	45.14	31.90	6.03	29.33
AV	5.197G	94.55	Inf	-Inf	8.36	3	Vertical	17	1.54	-	86.19	31.62	6.08	29.34
AV	5.354G	46.75	54.00	-7.25	7.98	3	Vertical	17	1.54	-	38.77	31.22	6.12	29.36
PK	5.15G	70.05	74.00	-3.95	8.60	3	Vertical	17	1.54	-	61.45	31.90	6.04	29.34
PK	5.189G	104.88	Inf	-Inf	8.40	3	Vertical	17	1.54	-	96.48	31.67	6.07	29.34
PK	5.357G	57.66	74.00	-16.34	8.00	3	Vertical	17	1.54	-	49.66	31.24	6.12	29.36

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.80	54.00	-0.20	8.60	3	Horizontal	14	1.55	-	45.20	31.90	6.03	29.33
AV	5.202G	95.39	Inf	-Inf	8.33	3	Horizontal	14	1.55	-	87.06	31.59	6.08	29.34
AV	5.35G	46.80	54.00	-7.20	7.96	3	Horizontal	14	1.55	-	38.84	31.20	6.12	29.36
PK	5.15G	69.04	74.00	-4.96	8.60	3	Horizontal	14	1.55	-	60.44	31.90	6.04	29.34
PK	5.213G	105.49	Inf	-Inf	8.26	3	Horizontal	14	1.55	-	97.23	31.52	6.08	29.34
PK	5.371G	56.67	74.00	-17.33	8.09	3	Horizontal	14	1.55	-	48.58	31.33	6.12	29.36

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62994G	49.10	54.00	-4.90	17.65	3	Vertical	253	1.60	-	31.45	37.58	11.95	31.88
PK	3.47331G	48.41	68.20	-19.79	3.49	3	Vertical	344	1.43	-	44.92	28.44	4.86	29.81
PK	10.4167G	55.21	68.20	-12.99	18.34	3	Vertical	285	1.50	-	36.87	39.62	9.27	30.55
PK	15.62982G	59.62	74.00	-14.38	17.65	3	Vertical	253	1.60	-	41.97	37.58	11.95	31.88

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62598G	48.92	54.00	-5.08	17.67	3	Horizontal	320	1.07	-	31.25	37.60	11.95	31.88
PK	3.47328G	47.98	68.20	-20.22	3.49	3	Horizontal	223	1.60	-	44.49	28.44	4.86	29.81
PK	10.41082G	55.26	68.20	-12.94	18.34	3	Horizontal	296	1.27	-	36.92	39.61	9.27	30.54
PK	15.62346G	60.11	74.00	-13.89	17.68	3	Horizontal	320	1.07	-	42.43	37.61	11.95	31.88



802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	98.61	Inf	-Inf	8.83	3	Vertical	0	2.00	-	89.78	31.98	6.21	29.36
PK	5.6466G	67.39	68.20	-0.81	8.44	3	Vertical	0	2.00	-	58.95	31.61	6.19	29.36
PK	5.7954G	110.07	Inf	-Inf	8.84	3	Vertical	0	2.00	-	101.23	31.99	6.21	29.36
PK	5.9274G	67.33	68.20	-0.87	9.33	3	Vertical	0	2.00	-	58.00	32.25	6.43	29.35



802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.787G	98.83	Inf	-Inf	8.82	3	Horizontal	56	1.09	-	90.01	31.97	6.21	29.36
PK	5.6442G	67.47	68.20	-0.73	8.44	3	Horizontal	56	1.09	-	59.03	31.61	6.19	29.36
PK	5.7858G	108.41	Inf	-Inf	8.82	3	Horizontal	56	1.09	-	99.59	31.97	6.21	29.36
PK	5.9286G	67.42	68.20	-0.78	9.34	3	Horizontal	56	1.09	-	58.08	32.26	6.43	29.35

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.84998G	41.50	54.00	-12.50	4.93	3	Vertical	148	1.52	-	36.57	29.50	5.08	29.65
AV	11.54586G	45.08	54.00	-8.92	18.96	3	Vertical	155	1.04	-	26.12	39.71	10.03	30.78
PK	3.84997G	46.41	74.00	-27.59	4.93	3	Vertical	148	1.52	-	41.48	29.50	5.08	29.65
PK	11.54244G	56.93	74.00	-17.07	18.96	3	Vertical	155	1.04	-	37.97	39.72	10.02	30.78
PK	17.32374G	65.23	68.20	-2.97	21.31	3	Vertical	340	1.05	-	43.92	40.24	12.60	31.53

802.11ax HEW80_Nss2,(MCS0)_2TX

15/12/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.85G	40.58	54.00	-13.42	4.93	3	Horizontal	122	1.64	-	35.65	29.50	5.08	29.65
AV	11.53626G	45.33	54.00	-8.67	18.98	3	Horizontal	210	1.55	-	26.35	39.73	10.02	30.77
PK	3.85011G	46.80	74.00	-27.20	4.93	3	Horizontal	122	1.64	-	41.87	29.50	5.08	29.65
PK	11.55144G	55.68	74.00	-18.32	18.95	3	Horizontal	210	1.55	-	36.73	39.70	10.03	30.78
PK	17.33406G	63.64	68.20	-4.56	21.39	3	Horizontal	336	1.47	-	42.25	40.30	12.61	31.52



**RSE TX below 1GHz_
Non-Beamforming_Sample 1_Radio2_1T1S**

Appendix E.5

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	QP	375.32M	43.61	46.00	-2.39	3	Horizontal	63	1.74	-



**RSE TX below 1GHz_
Non-Beamforming_Sample 1_Radio2_1T1S**

Appendix E.5

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	33.88M	27.76	40.00	-12.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	57.16M	24.70	40.00	-15.30	3	Vertical	0	1.00	-
5775MHz	Pass	PK	245.34M	25.76	46.00	-20.24	3	Vertical	0	1.00	-
5775MHz	Pass	PK	375.32M	37.28	46.00	-8.72	3	Vertical	0	1.00	-
5775MHz	Pass	PK	625.58M	31.37	46.00	-14.63	3	Vertical	0	1.00	-
5775MHz	Pass	PK	875.84M	33.33	46.00	-12.67	3	Vertical	0	1.00	-
5775MHz	Pass	PK	31.94M	28.53	40.00	-11.47	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	125.06M	23.78	43.50	-19.72	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	243.4M	27.95	46.00	-18.05	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	625.58M	30.16	46.00	-15.84	3	Horizontal	360	1.00	-
5775MHz	Pass	PK	875.84M	36.96	46.00	-9.04	3	Horizontal	360	1.00	-
5775MHz	Pass	QP	375.32M	43.61	46.00	-2.39	3	Horizontal	63	1.74	-



802.11ax HEW80_Nss1,(MCS0)_1TX

06/12/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	27.76	40.00	-12.24	-6.72	3	Vertical	0	1.00	-	34.48	19.98	0.86	27.56
PK	57.16M	24.70	40.00	-15.30	-14.61	3	Vertical	0	1.00	-	39.31	11.76	1.13	27.50
PK	245.34M	25.76	46.00	-20.24	-7.34	3	Vertical	0	1.00	-	33.10	16.96	2.46	26.76
PK	375.32M	37.28	46.00	-8.72	-4.17	3	Vertical	0	1.00	-	41.45	19.89	3.08	27.14
PK	625.58M	31.37	46.00	-14.63	0.19	3	Vertical	0	1.00	-	31.18	24.15	4.13	28.09
PK	875.84M	33.33	46.00	-12.67	2.69	3	Vertical	0	1.00	-	30.64	25.38	4.93	27.62



802.11ax HEW80_Nss1,(MCS0)_1TX

06/12/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	28.53	40.00	-11.47	-6.38	3	Horizontal	360	1.00	-	34.91	20.36	0.83	27.57
PK	125.06M	23.78	43.50	-19.72	-8.50	3	Horizontal	360	1.00	-	32.28	17.07	1.72	27.29
PK	243.4M	27.95	46.00	-18.05	-7.55	3	Horizontal	360	1.00	-	35.50	16.77	2.45	26.77
PK	625.58M	30.16	46.00	-15.84	0.19	3	Horizontal	360	1.00	-	29.97	24.15	4.13	28.09
PK	875.84M	36.96	46.00	-9.04	2.69	3	Horizontal	360	1.00	-	34.27	25.38	4.93	27.62
QP	375.32M	43.61	46.00	-2.39	-4.17	3	Horizontal	63	1.74	-	47.78	19.89	3.08	27.14



**RSE TX above 1GHz_
Non-Beamforming_Sample 1_Radio2_1T1S**

Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.85	54.00	-0.15	3	Vertical	125	2.32	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.94	54.00	-0.06	3	Vertical	42	2.26	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.1498G	53.77	54.00	-0.23	3	Vertical	43	2.52	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.148G	53.32	54.00	-0.68	3	Vertical	125	2.99	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.6502G	67.77	68.35	-0.58	3	Vertical	118	2.16	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.9246G	68.27	68.50	-0.23	3	Vertical	110	3.00	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.9282G	67.92	68.20	-0.28	3	Vertical	116	2.95	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.6286G	67.31	68.20	-0.89	3	Vertical	114	2.64	-