


802.11ax HEW20_Nss1,(MCS0)_1TX

16/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8262G	98.49	Inf	-Inf	8.62	3	Horizontal	137	2.59	-	89.87	32.20	10.50	34.08
PK	5.633G	59.31	68.20	-8.89	7.88	3	Horizontal	137	2.59	-	51.43	31.67	10.28	34.07
PK	5.8214G	111.09	Inf	-Inf	8.61	3	Horizontal	137	2.59	-	102.48	32.19	10.50	34.08
PK	5.975G	60.80	68.20	-7.40	8.89	3	Horizontal	137	2.59	-	51.91	32.40	10.57	34.08

802.11ax HEW20_Nss1,(MCS0)_1TX

16/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65244G	47.17	54.00	-6.83	19.06	3	Vertical	324	2.96	-	28.11	39.49	13.71	34.14
PK	11.64891G	59.71	74.00	-14.29	19.08	3	Vertical	324	2.96	-	40.63	39.51	13.71	34.14
PK	17.47768G	65.11	68.20	-3.09	23.02	3	Vertical	169	2.47	-	42.09	41.47	15.16	33.61



802.11ax HEW20_Nss1,(MCS0)_1TX

16/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65032G	46.99	54.00	-7.01	19.07	3	Horizontal	92	1.50	-	27.92	39.50	13.71	34.14
PK	11.64868G	60.02	74.00	-13.98	19.08	3	Horizontal	92	1.50	-	40.94	39.51	13.71	34.14
PK	17.47431G	64.81	68.20	-3.39	22.99	3	Horizontal	234	1.50	-	41.82	41.45	15.15	33.61

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1498G	53.77	54.00	-0.23	7.93	3	Vertical	43	2.52	-	45.84	31.90	10.08	34.05
AV	5.196G	96.69	Inf	-Inf	7.65	3	Vertical	43	2.52	-	89.04	31.62	10.08	34.05
PK	5.1456G	69.97	74.00	-4.03	7.94	3	Vertical	43	2.52	-	62.03	31.91	10.08	34.05
PK	5.1822G	108.62	Inf	-Inf	7.74	3	Vertical	43	2.52	-	100.88	31.71	10.08	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5190MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1486G	49.36	54.00	-4.64	7.93	3	Horizontal	136	2.75	-	41.43	31.90	10.08	34.05
AV	5.187G	88.54	Inf	-Inf	7.71	3	Horizontal	136	2.75	-	80.83	31.68	10.08	34.05
PK	5.145G	62.28	74.00	-11.72	7.94	3	Horizontal	136	2.75	-	54.34	31.91	10.08	34.05
PK	5.1822G	100.39	Inf	-Inf	7.74	3	Horizontal	136	2.75	-	92.65	31.71	10.08	34.05

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56628G	46.56	54.00	-7.44	17.79	3	Vertical	231	2.26	-	28.77	38.23	13.74	34.18
PK	10.37454G	59.21	68.20	-8.99	18.11	3	Vertical	133	2.07	-	41.10	39.50	12.97	34.36
PK	15.5775G	58.49	74.00	-15.51	17.75	3	Vertical	231	2.26	-	40.74	38.19	13.74	34.18

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57882G	46.69	54.00	-7.31	17.73	3	Horizontal	50	2.13	-	28.96	38.18	13.74	34.19
PK	10.38684G	59.62	68.20	-8.58	18.18	3	Horizontal	113	1.89	-	41.44	39.55	12.98	34.35
PK	15.5643G	58.30	74.00	-15.70	17.80	3	Horizontal	50	2.13	-	40.50	38.24	13.74	34.18

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.66	54.00	-0.34	7.93	3	Vertical	43	2.37	-	45.73	31.90	10.08	34.05
AV	5.2342G	101.60	Inf	-Inf	7.44	3	Vertical	43	2.37	-	94.16	31.39	10.10	34.05
AV	5.35G	48.30	54.00	-5.70	7.30	3	Vertical	43	2.37	-	41.00	31.20	10.16	34.06
PK	5.1496G	67.56	74.00	-6.44	7.93	3	Vertical	43	2.37	-	59.63	31.90	10.08	34.05
PK	5.2222G	112.97	Inf	-Inf	7.51	3	Vertical	43	2.37	-	105.46	31.47	10.09	34.05
PK	5.3506G	61.39	74.00	-12.61	7.30	3	Vertical	43	2.37	-	54.09	31.20	10.16	34.06

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1472G	49.13	54.00	-4.87	7.94	3	Horizontal	53	1.00	-	41.19	31.91	10.08	34.05
AV	5.227G	91.24	Inf	-Inf	7.48	3	Horizontal	53	1.00	-	83.76	31.44	10.09	34.05
AV	5.3596G	47.08	54.00	-6.92	7.36	3	Horizontal	53	1.00	-	39.72	31.26	10.16	34.06
PK	5.15G	60.34	74.00	-13.66	7.93	3	Horizontal	53	1.00	-	52.41	31.90	10.08	34.05
PK	5.222G	102.95	Inf	-Inf	7.51	3	Horizontal	53	1.00	-	95.44	31.47	10.09	34.05
PK	5.3632G	59.08	74.00	-14.92	7.39	3	Horizontal	53	1.00	-	51.69	31.28	10.17	34.06

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6978G	47.21	54.00	-6.79	17.37	3	Vertical	62	1.39	-	29.84	37.90	13.74	34.27
PK	10.44728G	60.19	68.20	-8.01	18.37	3	Vertical	241	1.10	-	41.82	39.65	13.01	34.29
PK	15.67512G	58.73	74.00	-15.27	17.44	3	Vertical	62	1.39	-	41.29	37.95	13.74	34.25

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69342G	46.82	54.00	-7.18	17.38	3	Horizontal	51	2.23	-	29.44	37.91	13.74	34.27
PK	10.45808G	59.53	68.20	-8.67	18.41	3	Horizontal	323	1.93	-	41.12	39.66	13.02	34.27
PK	15.6921G	59.31	74.00	-14.69	17.40	3	Horizontal	51	2.23	-	41.91	37.92	13.74	34.26

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	103.62	Inf	-Inf	8.29	3	Vertical	116	2.73	-	95.33	31.93	10.44	34.08
PK	5.6518G	69.17	69.53	-0.36	7.94	3	Vertical	116	2.73	-	61.23	31.70	10.31	34.07
PK	5.7706G	115.09	Inf	-Inf	8.35	3	Vertical	116	2.73	-	106.74	31.98	10.45	34.08
PK	5.9278G	61.58	68.20	-6.62	8.87	3	Vertical	116	2.73	-	52.71	32.40	10.55	34.08



802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7586G	94.72	Inf	-Inf	8.29	3	Horizontal	142	2.65	-	86.43	31.93	10.44	34.08
PK	5.6482G	62.86	68.20	-5.34	7.93	3	Horizontal	142	2.65	-	54.93	31.70	10.30	34.07
PK	5.7706G	105.53	Inf	-Inf	8.35	3	Horizontal	142	2.65	-	97.18	31.98	10.45	34.08
PK	5.9866G	60.09	68.20	-8.11	8.90	3	Horizontal	142	2.65	-	51.19	32.40	10.58	34.08

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5109G	47.83	54.00	-6.17	19.41	3	Vertical	310	2.02	-	28.42	39.89	13.63	34.11
PK	11.51306G	59.64	74.00	-14.36	19.41	3	Vertical	310	2.02	-	40.23	39.89	13.63	34.11
PK	17.26326G	64.13	68.20	-4.07	21.71	3	Vertical	345	2.08	-	42.42	40.29	14.95	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50406G	47.67	54.00	-6.33	19.42	3	Horizontal	230	2.15	-	28.25	39.90	13.63	34.11
PK	11.51948G	59.19	74.00	-14.81	19.41	3	Horizontal	230	2.15	-	39.78	39.88	13.64	34.11
PK	17.27538G	63.10	68.20	-5.10	21.76	3	Horizontal	41	1.37	-	41.34	40.33	14.96	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	104.38	Inf	-Inf	8.50	3	Vertical	116	2.95	-	95.88	32.09	10.49	34.08
PK	5.6498G	64.74	68.20	-3.46	7.93	3	Vertical	116	2.95	-	56.81	31.70	10.30	34.07
PK	5.8106G	116.73	Inf	-Inf	8.55	3	Vertical	116	2.95	-	108.18	32.14	10.49	34.08
PK	5.9282G	67.92	68.20	-0.28	8.87	3	Vertical	116	2.95	-	59.05	32.40	10.55	34.08

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5795MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7986G	95.95	Inf	-Inf	8.50	3	Horizontal	134	2.79	-	87.45	32.09	10.49	34.08
PK	5.6474G	60.32	68.20	-7.88	7.92	3	Horizontal	134	2.79	-	52.40	31.69	10.30	34.07
PK	5.7794G	107.08	Inf	-Inf	8.40	3	Horizontal	134	2.79	-	98.68	32.02	10.46	34.08
PK	5.9246G	62.31	68.50	-6.19	8.87	3	Horizontal	134	2.79	-	53.44	32.40	10.55	34.08



802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58772G	48.10	54.00	-5.90	19.36	3	Vertical	43	1.60	-	28.74	39.81	13.68	34.13
PK	11.57698G	60.37	74.00	-13.63	19.36	3	Vertical	43	1.60	-	41.01	39.82	13.67	34.13
PK	17.37402G	64.32	68.20	-3.88	22.33	3	Vertical	60	1.43	-	41.99	40.84	15.06	33.57

802.11ax HEW40_Nss1,(MCS0)_1TX

16/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58514G	47.74	54.00	-6.26	19.35	3	Horizontal	153	1.10	-	28.39	39.81	13.67	34.13
PK	11.59264G	59.41	74.00	-14.59	19.36	3	Horizontal	153	1.10	-	40.05	39.81	13.68	34.13
PK	17.39922G	63.96	68.20	-4.24	22.50	3	Horizontal	200	2.50	-	41.46	41.00	15.08	33.58

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.32	54.00	-0.68	7.93	3	Vertical	125	2.99	-	45.39	31.90	10.08	34.05
AV	5.223G	93.97	Inf	-Inf	7.50	3	Vertical	125	2.99	-	86.47	31.46	10.09	34.05
AV	5.36G	48.61	54.00	-5.39	7.37	3	Vertical	125	2.99	-	41.24	31.26	10.17	34.06
PK	5.143G	67.66	74.00	-6.34	7.94	3	Vertical	125	2.99	-	59.72	31.91	10.08	34.05
PK	5.223G	105.32	Inf	-Inf	7.50	3	Vertical	125	2.99	-	97.82	31.46	10.09	34.05
PK	5.363G	59.78	74.00	-14.22	7.39	3	Vertical	125	2.99	-	52.39	31.28	10.17	34.06

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	49.22	54.00	-4.78	7.93	3	Horizontal	137	2.75	-	41.29	31.90	10.08	34.05
AV	5.199G	85.98	Inf	-Inf	7.64	3	Horizontal	137	2.75	-	78.34	31.61	10.08	34.05
AV	5.39G	47.30	54.00	-6.70	7.56	3	Horizontal	137	2.75	-	39.74	31.44	10.18	34.06
PK	5.134G	61.33	74.00	-12.67	7.96	3	Horizontal	137	2.75	-	53.37	31.93	10.08	34.05
PK	5.2G	97.34	Inf	-Inf	7.63	3	Horizontal	137	2.75	-	89.71	31.60	10.08	34.05
PK	5.446G	58.68	74.00	-15.32	7.72	3	Horizontal	137	2.75	-	50.96	31.59	10.20	34.07

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63726G	47.05	54.00	-6.95	17.54	3	Vertical	71	1.63	-	29.51	38.03	13.74	34.23
PK	10.42333G	59.80	68.20	-8.40	18.31	3	Vertical	331	2.43	-	41.49	39.62	13.00	34.31
PK	15.61614G	59.02	74.00	-14.98	17.60	3	Vertical	71	1.63	-	41.42	38.07	13.74	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63846G	47.02	54.00	-6.98	17.53	3	Horizontal	136	2.41	-	29.49	38.02	13.74	34.23
PK	10.4086G	59.30	68.20	-8.90	18.27	3	Horizontal	308	1.66	-	41.03	39.61	12.99	34.33
PK	15.63198G	59.14	74.00	-14.86	17.56	3	Horizontal	136	2.41	-	41.58	38.04	13.74	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	98.77	Inf	-Inf	8.44	3	Vertical	114	2.64	-	90.33	32.05	10.47	34.08
PK	5.6286G	67.31	68.20	-0.89	7.87	3	Vertical	114	2.64	-	59.44	31.66	10.28	34.07
PK	5.7882G	110.39	Inf	-Inf	8.44	3	Vertical	114	2.64	-	101.95	32.05	10.47	34.08
PK	5.931G	66.59	68.20	-1.61	8.87	3	Vertical	114	2.64	-	57.72	32.40	10.55	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.781G	90.84	Inf	-Inf	8.40	3	Horizontal	132	2.55	-	82.44	32.02	10.46	34.08
PK	5.631G	61.07	68.20	-7.13	7.87	3	Horizontal	132	2.55	-	53.20	31.66	10.28	34.07
PK	5.7738G	102.43	Inf	-Inf	8.38	3	Horizontal	132	2.55	-	94.05	32.00	10.46	34.08
PK	5.9454G	61.63	68.20	-6.57	8.88	3	Horizontal	132	2.55	-	52.75	32.40	10.56	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55462G	47.77	54.00	-6.23	19.39	3	Vertical	119	1.66	-	28.38	39.85	13.66	34.12
PK	11.54256G	59.82	74.00	-14.18	19.39	3	Vertical	119	1.66	-	40.43	39.86	13.65	34.12
PK	17.32308G	63.49	68.20	-4.71	22.00	3	Vertical	294	1.50	-	41.49	40.54	15.01	33.55

802.11ax HEW80_Nss1,(MCS0)_1TX

16/12/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5368G	47.64	54.00	-6.36	19.39	3	Horizontal	352	1.19	-	28.25	39.86	13.65	34.12
PK	11.54304G	59.43	74.00	-14.57	19.39	3	Horizontal	352	1.19	-	40.04	39.86	13.65	34.12
PK	17.33412G	63.17	68.20	-5.03	22.06	3	Horizontal	322	1.50	-	41.11	40.60	15.02	33.56



**RSE TX below 1GHz_
Non-Beamforming_Sample 1_Radio 2_2T2S**

Appendix E.7

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	674.08M	42.55	46.00	-3.45	3	Vertical	360	1.00	-



**RSE TX below 1GHz_
Non-Beamforming_Sample 1_Radio 2_2T2S**

Appendix E.7


Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	55.22M	36.28	40.00	-3.72	3	Vertical	360	1.00	-
5775MHz	Pass	PK	138.64M	28.87	43.50	-14.63	3	Vertical	360	1.00	-
5775MHz	Pass	PK	454.86M	36.32	46.00	-9.68	3	Vertical	360	1.00	-
5775MHz	Pass	PK	674.08M	42.55	46.00	-3.45	3	Vertical	360	1.00	-
5775MHz	Pass	PK	730.34M	36.01	46.00	-9.99	3	Vertical	360	1.00	-
5775MHz	Pass	PK	875.84M	35.79	46.00	-10.21	3	Vertical	360	1.00	-
5775MHz	Pass	PK	125.06M	32.12	43.50	-11.38	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	375.32M	38.96	46.00	-7.04	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	456.8M	33.20	46.00	-12.80	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	747.8M	40.68	46.00	-5.32	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	875.84M	37.53	46.00	-8.47	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	901.06M	35.58	46.00	-10.42	3	Horizontal	0	1.00	-



802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	55.22M	36.28	40.00	-3.72	-14.62	3	Vertical	360	1.00	-	50.90	12.01	1.10	27.73
PK	138.64M	28.87	43.50	-14.63	-9.54	3	Vertical	360	1.00	-	38.41	16.44	1.63	27.61
PK	454.86M	36.32	46.00	-9.68	-3.15	3	Vertical	360	1.00	-	39.47	22.03	2.92	28.10
PK	674.08M	42.55	46.00	-3.45	-0.50	3	Vertical	360	1.00	-	43.05	24.20	3.52	28.22
PK	730.34M	36.01	46.00	-9.99	0.20	3	Vertical	360	1.00	-	35.81	24.68	3.66	28.14
PK	875.84M	35.79	46.00	-10.21	2.08	3	Vertical	360	1.00	-	33.71	25.64	4.05	27.61



802.11ax HEW80_Nss2,(MCS0)_2TX

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	125.06M	32.12	43.50	-11.38	-8.85	3	Horizontal	0	1.00	-	40.97	17.33	1.57	27.75
PK	375.32M	38.96	46.00	-7.04	-4.84	3	Horizontal	0	1.00	-	43.80	20.07	2.65	27.56
PK	456.8M	33.20	46.00	-12.80	-3.11	3	Horizontal	0	1.00	-	36.31	22.08	2.92	28.11
PK	747.8M	40.68	46.00	-5.32	0.49	3	Horizontal	0	1.00	-	40.19	24.87	3.70	28.08
PK	875.84M	37.53	46.00	-8.47	2.08	3	Horizontal	0	1.00	-	35.45	25.64	4.05	27.61
PK	901.06M	35.58	46.00	-10.42	2.27	3	Horizontal	0	1.00	-	33.31	25.66	4.11	27.50



**RSE TX above 1GHz_
Non-Beamforming_Sample 1_Radio 2_2T2S**

Appendix E.8

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	181	3.00	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.1494G	53.53	54.00	-0.47	3	Vertical	42	2.64	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.15G	53.81	54.00	-0.19	3	Vertical	39	2.79	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	AV	5.148G	53.74	54.00	-0.26	3	Vertical	96	1.71	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6502G	67.81	68.35	-0.54	3	Vertical	119	2.77	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	5.6466G	66.76	68.20	-1.44	3	Vertical	110	2.46	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.6494G	67.79	68.20	-0.41	3	Vertical	170	2.91	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.6478G	67.84	68.20	-0.36	3	Vertical	176	2.88	-



**RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 2_2T2S**

Appendix E.8

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1_(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	181	3.00	-
5180MHz	Pass	AV	5.186G	105.78	Inf	-Inf	3	Vertical	181	3.00	-
5180MHz	Pass	PK	5.1464G	71.68	74.00	-2.32	3	Vertical	181	3.00	-
5180MHz	Pass	PK	5.1854G	114.76	Inf	-Inf	3	Vertical	181	3.00	-
5180MHz	Pass	AV	5.1488G	49.13	54.00	-4.87	3	Horizontal	147	2.93	-
5180MHz	Pass	AV	5.183G	96.99	Inf	-Inf	3	Horizontal	147	2.93	-
5180MHz	Pass	PK	5.1488G	65.66	74.00	-8.34	3	Horizontal	147	2.93	-
5180MHz	Pass	PK	5.1728G	105.41	Inf	-Inf	3	Horizontal	147	2.93	-
5180MHz	Pass	AV	15.5508G	45.57	54.00	-8.43	3	Vertical	214	3.00	-
5180MHz	Pass	PK	10.3513G	59.78	68.20	-8.42	3	Vertical	78	2.73	-
5180MHz	Pass	PK	15.53622G	58.59	74.00	-15.41	3	Vertical	214	3.00	-
5180MHz	Pass	AV	15.55224G	45.66	54.00	-8.34	3	Horizontal	34	1.26	-
5180MHz	Pass	PK	10.36264G	59.33	68.20	-8.87	3	Horizontal	187	1.50	-
5180MHz	Pass	PK	15.54096G	58.47	74.00	-15.53	3	Horizontal	34	1.26	-
5200MHz	Pass	AV	5.15G	53.49	54.00	-0.51	3	Vertical	180	2.88	-
5200MHz	Pass	AV	5.2006G	108.25	Inf	-Inf	3	Vertical	180	2.88	-
5200MHz	Pass	PK	5.1466G	70.62	74.00	-3.38	3	Vertical	180	2.88	-
5200MHz	Pass	PK	5.206G	117.70	Inf	-Inf	3	Vertical	180	2.88	-
5200MHz	Pass	AV	5.15G	48.98	54.00	-5.02	3	Horizontal	137	2.70	-
5200MHz	Pass	AV	5.2006G	100.07	Inf	-Inf	3	Horizontal	137	2.70	-
5200MHz	Pass	PK	5.1466G	63.31	74.00	-10.69	3	Horizontal	137	2.70	-
5200MHz	Pass	PK	5.2012G	108.95	Inf	-Inf	3	Horizontal	137	2.70	-
5200MHz	Pass	AV	15.59922G	46.57	54.00	-7.43	3	Vertical	2	1.00	-
5200MHz	Pass	PK	10.4066G	59.76	68.20	-8.44	3	Vertical	176	2.00	-
5200MHz	Pass	PK	15.59358G	59.11	74.00	-14.89	3	Vertical	2	1.00	-
5200MHz	Pass	AV	15.61098G	45.86	54.00	-8.14	3	Horizontal	45	2.83	-
5200MHz	Pass	PK	10.4123G	59.93	68.20	-8.27	3	Horizontal	262	1.50	-
5200MHz	Pass	PK	15.60006G	58.27	74.00	-15.73	3	Horizontal	45	2.83	-
5240MHz	Pass	AV	5.1476G	51.85	54.00	-2.15	3	Vertical	299	2.94	-
5240MHz	Pass	AV	5.2412G	110.71	Inf	-Inf	3	Vertical	299	2.94	-
5240MHz	Pass	AV	5.35G	48.42	54.00	-5.58	3	Vertical	299	2.94	-
5240MHz	Pass	PK	5.1416G	66.31	74.00	-7.69	3	Vertical	299	2.94	-
5240MHz	Pass	PK	5.2412G	120.24	Inf	-Inf	3	Vertical	299	2.94	-
5240MHz	Pass	PK	5.35G	61.89	74.00	-12.11	3	Vertical	299	2.94	-
5240MHz	Pass	AV	5.102G	47.96	54.00	-6.04	3	Horizontal	137	2.86	-
5240MHz	Pass	AV	5.2406G	101.10	Inf	-Inf	3	Horizontal	137	2.86	-
5240MHz	Pass	AV	5.357G	46.38	54.00	-7.62	3	Horizontal	137	2.86	-
5240MHz	Pass	PK	5.141G	61.40	74.00	-12.60	3	Horizontal	137	2.86	-
5240MHz	Pass	PK	5.2412G	110.82	Inf	-Inf	3	Horizontal	137	2.86	-
5240MHz	Pass	PK	5.3576G	58.30	74.00	-15.70	3	Horizontal	137	2.86	-
5240MHz	Pass	AV	15.72156G	49.88	54.00	-4.12	3	Vertical	359	1.96	-
5240MHz	Pass	PK	10.48018G	59.97	68.20	-8.23	3	Vertical	282	1.60	-
5240MHz	Pass	PK	15.71952G	63.12	74.00	-10.88	3	Vertical	359	1.96	-
5240MHz	Pass	AV	15.71904G	46.34	54.00	-7.66	3	Horizontal	91	1.50	-
5240MHz	Pass	PK	10.49482G	60.14	68.20	-8.06	3	Horizontal	319	1.87	-
5240MHz	Pass	PK	15.71628G	59.07	74.00	-14.93	3	Horizontal	91	1.50	-
5745MHz	Pass	AV	5.7438G	109.30	Inf	-Inf	3	Vertical	119	2.77	-
5745MHz	Pass	PK	5.6502G	67.81	68.35	-0.54	3	Vertical	119	2.77	-
5745MHz	Pass	PK	5.7438G	119.89	Inf	-Inf	3	Vertical	119	2.77	-
5745MHz	Pass	PK	5.9766G	61.20	68.20	-7.00	3	Vertical	119	2.77	-
5745MHz	Pass	AV	5.7474G	102.42	Inf	-Inf	3	Horizontal	173	2.99	-
5745MHz	Pass	PK	5.649G	62.49	68.20	-5.71	3	Horizontal	173	2.99	-
5745MHz	Pass	PK	5.7426G	112.10	Inf	-Inf	3	Horizontal	173	2.99	-
5745MHz	Pass	PK	5.9874G	60.08	68.20	-8.12	3	Horizontal	173	2.99	-
5745MHz	Pass	AV	11.4831G	47.00	54.00	-7.00	3	Vertical	45	1.37	-
5745MHz	Pass	PK	11.48112G	60.04	74.00	-13.96	3	Vertical	45	1.37	-
5745MHz	Pass	PK	17.23458G	64.17	68.20	-4.03	3	Vertical	0	3.00	-
5745MHz	Pass	AV	11.47866G	47.00	54.00	-7.00	3	Horizontal	73	1.43	-
5745MHz	Pass	PK	11.47938G	59.38	74.00	-14.62	3	Horizontal	73	1.43	-
5745MHz	Pass	PK	17.2452G	63.21	68.20	-4.99	3	Horizontal	307	1.04	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 2_2T2S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5785MHz	Pass	AV	5.7874G	109.47	Inf	-Inf	3	Vertical	60	2.97	-
5785MHz	Pass	PK	5.6338G	60.80	68.20	-7.40	3	Vertical	60	2.97	-
5785MHz	Pass	PK	5.7922G	119.89	Inf	-Inf	3	Vertical	60	2.97	-
5785MHz	Pass	PK	5.9254G	62.92	68.20	-5.28	3	Vertical	60	2.97	-
5785MHz	Pass	AV	5.7802G	102.62	Inf	-Inf	3	Horizontal	140	2.51	-
5785MHz	Pass	PK	5.6362G	60.31	68.20	-7.89	3	Horizontal	140	2.51	-
5785MHz	Pass	PK	5.7898G	112.88	Inf	-Inf	3	Horizontal	140	2.51	-
5785MHz	Pass	PK	5.9386G	60.60	68.20	-7.60	3	Horizontal	140	2.51	-
5785MHz	Pass	AV	11.56628G	47.14	54.00	-6.86	3	Vertical	122	2.44	-
5785MHz	Pass	PK	11.56556G	60.05	74.00	-13.95	3	Vertical	122	2.44	-
5785MHz	Pass	PK	17.35224G	66.16	68.20	-2.04	3	Vertical	101	2.99	-
5785MHz	Pass	AV	11.58332G	47.33	54.00	-6.67	3	Horizontal	202	1.10	-
5785MHz	Pass	PK	11.58338G	59.24	74.00	-14.76	3	Horizontal	202	1.10	-
5785MHz	Pass	PK	17.35884G	64.19	68.20	-4.01	3	Horizontal	75	2.41	-
5825MHz	Pass	AV	5.8274G	109.31	Inf	-Inf	3	Vertical	19	2.84	-
5825MHz	Pass	PK	5.5322G	59.77	68.20	-8.43	3	Vertical	19	2.84	-
5825MHz	Pass	PK	5.8322G	119.18	Inf	-Inf	3	Vertical	19	2.84	-
5825MHz	Pass	PK	5.9282G	67.38	68.20	-0.82	3	Vertical	19	2.84	-
5825MHz	Pass	AV	5.8286G	103.24	Inf	-Inf	3	Horizontal	134	2.64	-
5825MHz	Pass	PK	5.5946G	59.73	68.20	-8.47	3	Horizontal	134	2.64	-
5825MHz	Pass	PK	5.8298G	113.54	Inf	-Inf	3	Horizontal	134	2.64	-
5825MHz	Pass	PK	5.9258G	63.01	68.20	-5.19	3	Horizontal	134	2.64	-
5825MHz	Pass	AV	11.66332G	46.93	54.00	-7.07	3	Vertical	48	1.70	-
5825MHz	Pass	PK	11.63866G	59.73	74.00	-14.27	3	Vertical	48	1.70	-
5825MHz	Pass	PK	17.4821G	66.34	68.20	-1.86	3	Vertical	167	1.76	-
5825MHz	Pass	AV	11.65516G	47.03	54.00	-6.97	3	Horizontal	27	2.33	-
5825MHz	Pass	PK	11.635G	59.66	74.00	-14.34	3	Horizontal	27	2.33	-
5825MHz	Pass	PK	17.4747G	65.73	68.20	-2.47	3	Horizontal	28	1.91	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.1494G	53.53	54.00	-0.47	3	Vertical	42	2.64	-
5180MHz	Pass	AV	5.177G	101.35	Inf	-Inf	3	Vertical	42	2.64	-
5180MHz	Pass	PK	5.1494G	69.73	74.00	-4.27	3	Vertical	42	2.64	-
5180MHz	Pass	PK	5.1824G	113.19	Inf	-Inf	3	Vertical	42	2.64	-
5180MHz	Pass	AV	5.1446G	49.02	54.00	-4.98	3	Horizontal	51	1.00	-
5180MHz	Pass	AV	5.1818G	92.23	Inf	-Inf	3	Horizontal	51	1.00	-
5180MHz	Pass	PK	5.1488G	62.17	74.00	-11.83	3	Horizontal	51	1.00	-
5180MHz	Pass	PK	5.1824G	103.45	Inf	-Inf	3	Horizontal	51	1.00	-
5180MHz	Pass	AV	15.54816G	46.52	54.00	-7.48	3	Vertical	282	2.26	-
5180MHz	Pass	PK	10.34884G	59.30	68.20	-8.90	3	Vertical	321	2.94	-
5180MHz	Pass	PK	15.54978G	58.24	74.00	-15.76	3	Vertical	282	2.26	-
5180MHz	Pass	AV	15.54276G	46.35	54.00	-7.65	3	Horizontal	72	1.45	-
5180MHz	Pass	PK	10.35904G	60.04	68.20	-8.16	3	Horizontal	41	2.73	-
5180MHz	Pass	PK	15.5538G	57.72	74.00	-16.28	3	Horizontal	72	1.45	-
5200MHz	Pass	AV	5.1496G	53.31	54.00	-0.69	3	Vertical	170	2.81	-
5200MHz	Pass	AV	5.1952G	105.52	Inf	-Inf	3	Vertical	170	2.81	-
5200MHz	Pass	PK	5.1496G	69.69	74.00	-4.31	3	Vertical	170	2.81	-
5200MHz	Pass	PK	5.1952G	116.54	Inf	-Inf	3	Vertical	170	2.81	-
5200MHz	Pass	AV	5.146G	48.76	54.00	-5.24	3	Horizontal	50	1.00	-
5200MHz	Pass	AV	5.2012G	94.60	Inf	-Inf	3	Horizontal	50	1.00	-
5200MHz	Pass	PK	5.0902G	60.68	74.00	-13.32	3	Horizontal	50	1.00	-
5200MHz	Pass	PK	5.2024G	105.86	Inf	-Inf	3	Horizontal	50	1.00	-
5200MHz	Pass	AV	15.60876G	46.69	54.00	-7.31	3	Vertical	344	1.50	-
5200MHz	Pass	PK	10.4018G	59.55	68.20	-8.65	3	Vertical	360	1.37	-
5200MHz	Pass	PK	15.59982G	58.47	74.00	-15.53	3	Vertical	344	1.50	-
5200MHz	Pass	AV	15.60402G	46.59	54.00	-7.41	3	Horizontal	22	1.50	-
5200MHz	Pass	PK	10.3901G	59.79	68.20	-8.41	3	Horizontal	351	2.92	-
5200MHz	Pass	PK	15.61134G	58.52	74.00	-15.48	3	Horizontal	22	1.50	-
5240MHz	Pass	AV	5.1476G	53.32	54.00	-0.68	3	Vertical	172	2.67	-
5240MHz	Pass	AV	5.2352G	107.88	Inf	-Inf	3	Vertical	172	2.67	-
5240MHz	Pass	AV	5.35G	50.21	54.00	-3.79	3	Vertical	172	2.67	-
5240MHz	Pass	PK	5.1464G	67.57	74.00	-6.43	3	Vertical	172	2.67	-
5240MHz	Pass	PK	5.2352G	118.81	Inf	-Inf	3	Vertical	172	2.67	-



**RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 2_2T2S**

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5240MHz	Pass	PK	5.3588G	65.01	74.00	-8.99	3	Vertical	172	2.67	-
5240MHz	Pass	AV	5.1482G	50.05	54.00	-3.95	3	Horizontal	267	2.93	-
5240MHz	Pass	AV	5.2412G	99.82	Inf	-Inf	3	Horizontal	267	2.93	-
5240MHz	Pass	AV	5.366G	47.14	54.00	-6.86	3	Horizontal	267	2.93	-
5240MHz	Pass	PK	5.15G	63.42	74.00	-10.58	3	Horizontal	267	2.93	-
5240MHz	Pass	PK	5.2394G	111.08	Inf	-Inf	3	Horizontal	267	2.93	-
5240MHz	Pass	PK	5.3528G	58.82	74.00	-15.18	3	Horizontal	267	2.93	-
5240MHz	Pass	AV	15.72276G	50.44	54.00	-3.56	3	Vertical	359	2.14	-
5240MHz	Pass	PK	10.46866G	59.49	68.20	-8.71	3	Vertical	359	1.76	-
5240MHz	Pass	PK	15.71298G	61.78	74.00	-12.22	3	Vertical	359	2.14	-
5240MHz	Pass	AV	15.72036G	47.69	54.00	-6.31	3	Horizontal	164	2.92	-
5240MHz	Pass	PK	10.47148G	59.77	68.20	-8.43	3	Horizontal	266	1.50	-
5240MHz	Pass	PK	15.7272G	59.78	74.00	-14.22	3	Horizontal	164	2.92	-
5745MHz	Pass	AV	5.7462G	106.67	Inf	-Inf	3	Vertical	110	2.46	-
5745MHz	Pass	PK	5.6466G	66.76	68.20	-1.44	3	Vertical	110	2.46	-
5745MHz	Pass	PK	5.7474G	116.80	Inf	-Inf	3	Vertical	110	2.46	-
5745MHz	Pass	PK	5.955G	60.63	68.20	-7.57	3	Vertical	110	2.46	-
5745MHz	Pass	AV	5.7426G	98.77	Inf	-Inf	3	Horizontal	169	3.00	-
5745MHz	Pass	PK	5.6502G	61.61	68.35	-6.74	3	Horizontal	169	3.00	-
5745MHz	Pass	PK	5.7474G	109.88	Inf	-Inf	3	Horizontal	169	3.00	-
5745MHz	Pass	PK	5.9514G	60.59	68.20	-7.61	3	Horizontal	169	3.00	-
5745MHz	Pass	AV	11.49216G	47.80	54.00	-6.20	3	Vertical	0	1.83	-
5745MHz	Pass	PK	11.4768G	59.52	74.00	-14.48	3	Vertical	0	1.83	-
5745MHz	Pass	PK	17.22918G	63.08	68.20	-5.12	3	Vertical	0	2.90	-
5745MHz	Pass	AV	11.4861G	47.91	54.00	-6.09	3	Horizontal	72	2.32	-
5745MHz	Pass	PK	11.48988G	59.61	74.00	-14.39	3	Horizontal	72	2.32	-
5745MHz	Pass	PK	17.22366G	62.86	68.20	-5.34	3	Horizontal	301	2.38	-
5785MHz	Pass	AV	5.7838G	105.22	Inf	-Inf	3	Vertical	171	2.60	-
5785MHz	Pass	PK	5.647G	61.69	68.20	-6.51	3	Vertical	171	2.60	-
5785MHz	Pass	PK	5.7838G	116.39	Inf	-Inf	3	Vertical	171	2.60	-
5785MHz	Pass	PK	5.9662G	61.93	68.20	-6.27	3	Vertical	171	2.60	-
5785MHz	Pass	AV	5.7862G	99.35	Inf	-Inf	3	Horizontal	131	2.64	-
5785MHz	Pass	PK	5.6386G	59.68	68.20	-8.52	3	Horizontal	131	2.64	-
5785MHz	Pass	PK	5.7838G	110.71	Inf	-Inf	3	Horizontal	131	2.64	-
5785MHz	Pass	PK	5.9614G	60.69	68.20	-7.51	3	Horizontal	131	2.64	-
5785MHz	Pass	AV	11.57948G	47.82	54.00	-6.18	3	Vertical	320	1.50	-
5785MHz	Pass	PK	11.58254G	59.70	74.00	-14.30	3	Vertical	320	1.50	-
5785MHz	Pass	PK	17.35536G	64.76	68.20	-3.44	3	Vertical	115	1.95	-
5785MHz	Pass	AV	11.58446G	47.84	54.00	-6.16	3	Horizontal	300	1.50	-
5785MHz	Pass	PK	11.56562G	60.13	74.00	-13.87	3	Horizontal	300	1.50	-
5785MHz	Pass	PK	17.36868G	63.19	68.20	-5.01	3	Horizontal	315	1.50	-
5825MHz	Pass	AV	5.8274G	105.81	Inf	-Inf	3	Vertical	57	2.98	-
5825MHz	Pass	PK	5.5574G	59.81	68.20	-8.39	3	Vertical	57	2.98	-
5825MHz	Pass	PK	5.8166G	116.83	Inf	-Inf	3	Vertical	57	2.98	-
5825MHz	Pass	PK	5.9246G	65.89	68.50	-2.61	3	Vertical	57	2.98	-
5825MHz	Pass	AV	5.8274G	99.91	Inf	-Inf	3	Horizontal	129	2.78	-
5825MHz	Pass	PK	5.6378G	59.58	68.20	-8.62	3	Horizontal	129	2.78	-
5825MHz	Pass	PK	5.8238G	111.19	Inf	-Inf	3	Horizontal	129	2.78	-
5825MHz	Pass	PK	5.9318G	62.14	68.20	-6.06	3	Horizontal	129	2.78	-
5825MHz	Pass	AV	11.65018G	48.02	54.00	-5.98	3	Vertical	154	1.38	-
5825MHz	Pass	PK	11.64598G	59.96	74.00	-14.04	3	Vertical	154	1.38	-
5825MHz	Pass	PK	17.47638G	66.08	68.20	-2.12	3	Vertical	354	1.95	-
5825MHz	Pass	AV	11.65012G	47.60	54.00	-6.40	3	Horizontal	15	2.96	-
5825MHz	Pass	PK	11.635G	59.62	74.00	-14.38	3	Horizontal	15	2.96	-
5825MHz	Pass	PK	17.47536G	64.94	68.20	-3.26	3	Horizontal	123	1.79	-
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	51.87	54.00	-2.13	3	Vertical	173	3.00	-
5190MHz	Pass	AV	5.1864G	97.35	Inf	-Inf	3	Vertical	173	3.00	-
5190MHz	Pass	PK	5.15G	73.68	74.00	-0.32	3	Vertical	173	3.00	-
5190MHz	Pass	PK	5.1912G	108.15	Inf	-Inf	3	Vertical	173	3.00	-
5190MHz	Pass	AV	5.1168G	48.86	54.00	-5.14	3	Horizontal	48	1.00	-
5190MHz	Pass	AV	5.1844G	85.90	Inf	-Inf	3	Horizontal	48	1.00	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 2_2T2S

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5190MHz	Pass	PK	5.1484G	63.11	74.00	-10.89	3	Horizontal	48	1.00	-
5190MHz	Pass	PK	5.1864G	98.12	Inf	-Inf	3	Horizontal	48	1.00	-
5190MHz	Pass	AV	15.58224G	46.57	54.00	-7.43	3	Vertical	65	1.55	-
5190MHz	Pass	PK	10.3896G	59.65	68.20	-8.55	3	Vertical	244	1.26	-
5190MHz	Pass	PK	15.57402G	58.69	74.00	-15.31	3	Vertical	65	1.55	-
5190MHz	Pass	AV	15.57012G	46.35	54.00	-7.65	3	Horizontal	132	1.93	-
5190MHz	Pass	PK	10.37364G	59.64	68.20	-8.56	3	Horizontal	98	2.09	-
5190MHz	Pass	PK	15.55674G	58.30	74.00	-15.70	3	Horizontal	132	1.93	-
5230MHz	Pass	AV	5.15G	53.81	54.00	-0.19	3	Vertical	39	2.79	-
5230MHz	Pass	AV	5.2248G	99.93	Inf	-Inf	3	Vertical	39	2.79	-
5230MHz	Pass	PK	5.1344G	67.64	74.00	-6.36	3	Vertical	39	2.79	-
5230MHz	Pass	PK	5.2264G	112.58	Inf	-Inf	3	Vertical	39	2.79	-
5230MHz	Pass	AV	5.1464G	49.04	54.00	-4.96	3	Horizontal	264	1.50	-
5230MHz	Pass	AV	5.2256G	89.57	Inf	-Inf	3	Horizontal	264	1.50	-
5230MHz	Pass	PK	5.1404G	60.89	74.00	-13.11	3	Horizontal	264	1.50	-
5230MHz	Pass	PK	5.2252G	101.19	Inf	-Inf	3	Horizontal	264	1.50	-
5230MHz	Pass	AV	15.69408G	47.57	54.00	-6.43	3	Vertical	355	1.84	-
5230MHz	Pass	PK	10.46798G	59.61	68.20	-8.59	3	Vertical	13	1.36	-
5230MHz	Pass	PK	15.68376G	59.63	74.00	-14.37	3	Vertical	355	1.84	-
5230MHz	Pass	AV	15.69426G	47.02	54.00	-6.98	3	Horizontal	36	1.50	-
5230MHz	Pass	PK	10.45604G	59.68	68.20	-8.52	3	Horizontal	97	1.48	-
5230MHz	Pass	PK	15.70428G	59.21	74.00	-14.79	3	Horizontal	36	1.50	-
5755MHz	Pass	AV	5.7526G	102.37	Inf	-Inf	3	Vertical	170	2.91	-
5755MHz	Pass	PK	5.6494G	67.79	68.20	-0.41	3	Vertical	170	2.91	-
5755MHz	Pass	PK	5.7502G	112.72	Inf	-Inf	3	Vertical	170	2.91	-
5755MHz	Pass	PK	5.935G	61.74	68.20	-6.46	3	Vertical	170	2.91	-
5755MHz	Pass	AV	5.7598G	93.70	Inf	-Inf	3	Horizontal	70	3.00	-
5755MHz	Pass	PK	5.6494G	62.56	68.20	-5.64	3	Horizontal	70	3.00	-
5755MHz	Pass	PK	5.7658G	105.24	Inf	-Inf	3	Horizontal	70	3.00	-
5755MHz	Pass	PK	5.9854G	60.39	68.20	-7.81	3	Horizontal	70	3.00	-
5755MHz	Pass	AV	11.50928G	47.83	54.00	-6.17	3	Vertical	103	1.27	-
5755MHz	Pass	PK	11.49806G	59.75	74.00	-14.25	3	Vertical	103	1.27	-
5755MHz	Pass	PK	17.26218G	64.05	68.20	-4.15	3	Vertical	356	2.84	-
5755MHz	Pass	AV	11.49578G	47.88	54.00	-6.12	3	Horizontal	107	2.33	-
5755MHz	Pass	PK	11.50634G	59.41	74.00	-14.59	3	Horizontal	107	2.33	-
5755MHz	Pass	PK	17.27328G	62.79	68.20	-5.41	3	Horizontal	360	2.75	-
5795MHz	Pass	AV	5.7962G	102.48	Inf	-Inf	3	Vertical	359	1.58	-
5795MHz	Pass	PK	5.6486G	64.46	68.20	-3.74	3	Vertical	359	1.58	-
5795MHz	Pass	PK	5.7782G	113.32	Inf	-Inf	3	Vertical	359	1.58	-
5795MHz	Pass	PK	5.9366G	67.36	68.20	-0.84	3	Vertical	359	1.58	-
5795MHz	Pass	AV	5.7926G	96.54	Inf	-Inf	3	Horizontal	129	2.91	-
5795MHz	Pass	PK	5.6462G	61.31	68.20	-6.89	3	Horizontal	129	2.91	-
5795MHz	Pass	PK	5.789G	106.79	Inf	-Inf	3	Horizontal	129	2.91	-
5795MHz	Pass	PK	5.9258G	63.01	68.20	-5.19	3	Horizontal	129	2.91	-
5795MHz	Pass	AV	11.5816G	47.82	54.00	-6.18	3	Vertical	25	1.48	-
5795MHz	Pass	PK	11.58988G	59.79	74.00	-14.21	3	Vertical	25	1.48	-
5795MHz	Pass	PK	17.3949G	63.86	68.20	-4.34	3	Vertical	72	1.85	-
5795MHz	Pass	AV	11.59762G	47.91	54.00	-6.09	3	Horizontal	73	1.99	-
5795MHz	Pass	PK	11.59108G	59.78	74.00	-14.22	3	Horizontal	73	1.99	-
5795MHz	Pass	PK	17.3925G	63.99	68.20	-4.21	3	Horizontal	252	1.15	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.74	54.00	-0.26	3	Vertical	96	1.71	-
5210MHz	Pass	AV	5.222G	95.53	Inf	-Inf	3	Vertical	96	1.71	-
5210MHz	Pass	AV	5.35G	48.72	54.00	-5.28	3	Vertical	96	1.71	-
5210MHz	Pass	PK	5.135G	68.46	74.00	-5.54	3	Vertical	96	1.71	-
5210MHz	Pass	PK	5.204G	106.30	Inf	-Inf	3	Vertical	96	1.71	-
5210MHz	Pass	PK	5.426G	59.64	74.00	-14.36	3	Vertical	96	1.71	-
5210MHz	Pass	AV	5.148G	49.30	54.00	-4.70	3	Horizontal	180	1.00	-
5210MHz	Pass	AV	5.212G	83.47	Inf	-Inf	3	Horizontal	180	1.00	-
5210MHz	Pass	AV	5.456G	47.42	54.00	-6.58	3	Horizontal	180	1.00	-
5210MHz	Pass	PK	5.147G	61.17	74.00	-12.83	3	Horizontal	180	1.00	-
5210MHz	Pass	PK	5.214G	94.03	Inf	-Inf	3	Horizontal	180	1.00	-



RSE TX above 1GHz
Non-Beamforming_Sample 1_Radio 2_2T2S


Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5210MHz	Pass	PK	5.36G	58.75	74.00	-15.25	3	Horizontal	180	1.00	-
5210MHz	Pass	AV	15.63244G	47.26	54.00	-6.74	3	Vertical	230	2.98	-
5210MHz	Pass	PK	10.4176G	60.13	68.20	-8.07	3	Vertical	18	1.50	-
5210MHz	Pass	PK	15.62869G	59.18	74.00	-14.82	3	Vertical	230	2.98	-
5210MHz	Pass	AV	15.63244G	47.16	54.00	-6.84	3	Horizontal	57	1.50	-
5210MHz	Pass	PK	10.42169G	59.71	68.20	-8.49	3	Horizontal	259	2.00	-
5210MHz	Pass	PK	15.62838G	58.77	74.00	-15.23	3	Horizontal	57	1.50	-
5775MHz	Pass	AV	5.7666G	97.83	Inf	-Inf	3	Vertical	176	2.88	-
5775MHz	Pass	PK	5.6478G	67.84	68.20	-0.36	3	Vertical	176	2.88	-
5775MHz	Pass	PK	5.7942G	109.50	Inf	-Inf	3	Vertical	176	2.88	-
5775MHz	Pass	PK	5.9274G	66.03	68.20	-2.17	3	Vertical	176	2.88	-
5775MHz	Pass	AV	5.7882G	92.98	Inf	-Inf	3	Horizontal	137	2.54	-
5775MHz	Pass	PK	5.6118G	63.40	68.20	-4.80	3	Horizontal	137	2.54	-
5775MHz	Pass	PK	5.7942G	104.47	Inf	-Inf	3	Horizontal	137	2.54	-
5775MHz	Pass	PK	5.931G	63.46	68.20	-4.74	3	Horizontal	137	2.54	-
5775MHz	Pass	AV	11.5628G	43.71	54.00	-10.29	3	Vertical	201	1.50	-
5775MHz	Pass	PK	11.5428G	55.89	74.00	-18.11	3	Vertical	201	1.50	-
5775MHz	Pass	PK	17.3546G	64.02	68.20	-4.18	3	Vertical	30	1.65	-
5775MHz	Pass	AV	11.5333G	43.54	54.00	-10.46	3	Horizontal	5	3.00	-
5775MHz	Pass	PK	11.5264G	56.03	74.00	-17.97	3	Horizontal	5	3.00	-
5775MHz	Pass	PK	17.32884G	63.68	68.20	-4.52	3	Horizontal	80	1.50	-

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.61	54.00	-0.39	7.93	3	Vertical	181	3.00	-	45.68	31.90	10.08	34.05
AV	5.186G	105.78	Inf	-Inf	7.71	3	Vertical	181	3.00	-	98.07	31.68	10.08	34.05
PK	5.1464G	71.68	74.00	-2.32	7.94	3	Vertical	181	3.00	-	63.74	31.91	10.08	34.05
PK	5.1854G	114.76	Inf	-Inf	7.72	3	Vertical	181	3.00	-	107.04	31.69	10.08	34.05

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1488G	49.13	54.00	-4.87	7.93	3	Horizontal	147	2.93	-	41.20	31.90	10.08	34.05
AV	5.183G	96.99	Inf	-Inf	7.73	3	Horizontal	147	2.93	-	89.26	31.70	10.08	34.05
PK	5.1488G	65.66	74.00	-8.34	7.93	3	Horizontal	147	2.93	-	57.73	31.90	10.08	34.05
PK	5.1728G	105.41	Inf	-Inf	7.79	3	Horizontal	147	2.93	-	97.62	31.76	10.08	34.05

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5508G	45.57	54.00	-8.43	17.87	3	Vertical	214	3.00	-	27.70	38.30	13.74	34.17
PK	10.3513G	59.78	68.20	-8.42	17.98	3	Vertical	78	2.73	-	41.80	39.41	12.96	34.39
PK	15.53622G	58.59	74.00	-15.41	17.94	3	Vertical	214	3.00	-	40.65	38.36	13.74	34.16

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.55224G	45.66	54.00	-8.34	17.86	3	Horizontal	34	1.26	-	27.80	38.29	13.74	34.17
PK	10.36264G	59.33	68.20	-8.87	18.04	3	Horizontal	187	1.50	-	41.29	39.45	12.97	34.38
PK	15.54096G	58.47	74.00	-15.53	17.92	3	Horizontal	34	1.26	-	40.55	38.34	13.74	34.16

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.49	54.00	-0.51	7.93	3	Vertical	180	2.88	-	45.56	31.90	10.08	34.05
AV	5.2006G	108.25	Inf	-Inf	7.63	3	Vertical	180	2.88	-	100.62	31.60	10.08	34.05
PK	5.1466G	70.62	74.00	-3.38	7.94	3	Vertical	180	2.88	-	62.68	31.91	10.08	34.05
PK	5.206G	117.70	Inf	-Inf	7.59	3	Vertical	180	2.88	-	110.11	31.56	10.08	34.05



802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.98	54.00	-5.02	7.93	3	Horizontal	137	2.70	-	41.05	31.90	10.08	34.05
AV	5.2006G	100.07	Inf	-Inf	7.63	3	Horizontal	137	2.70	-	92.44	31.60	10.08	34.05
PK	5.1466G	63.31	74.00	-10.69	7.94	3	Horizontal	137	2.70	-	55.37	31.91	10.08	34.05
PK	5.2012G	108.95	Inf	-Inf	7.62	3	Horizontal	137	2.70	-	101.33	31.59	10.08	34.05

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59922G	46.57	54.00	-7.43	17.64	3	Vertical	2	1.00	-	28.93	38.10	13.74	34.20
PK	10.4066G	59.76	68.20	-8.44	18.27	3	Vertical	176	2.00	-	41.49	39.61	12.99	34.33
PK	15.59358G	59.11	74.00	-14.89	17.67	3	Vertical	2	1.00	-	41.44	38.13	13.74	34.20

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61098G	45.86	54.00	-8.14	17.61	3	Horizontal	45	2.83	-	28.25	38.08	13.74	34.21
PK	10.4123G	59.93	68.20	-8.27	18.28	3	Horizontal	262	1.50	-	41.65	39.61	12.99	34.32
PK	15.60006G	58.27	74.00	-15.73	17.64	3	Horizontal	45	2.83	-	40.63	38.10	13.74	34.20



802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	51.85	54.00	-2.15	7.93	3	Vertical	299	2.94	-	43.92	31.90	10.08	34.05
AV	5.2412G	110.71	Inf	-Inf	7.40	3	Vertical	299	2.94	-	103.31	31.35	10.10	34.05
AV	5.35G	48.42	54.00	-5.58	7.30	3	Vertical	299	2.94	-	41.12	31.20	10.16	34.06
PK	5.1416G	66.31	74.00	-7.69	7.95	3	Vertical	299	2.94	-	58.36	31.92	10.08	34.05
PK	5.2412G	120.24	Inf	-Inf	7.40	3	Vertical	299	2.94	-	112.84	31.35	10.10	34.05
PK	5.35G	61.89	74.00	-12.11	7.30	3	Vertical	299	2.94	-	54.59	31.20	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.102G	47.96	54.00	-6.04	8.03	3	Horizontal	137	2.86	-	39.93	32.00	10.08	34.05
AV	5.2406G	101.10	Inf	-Inf	7.41	3	Horizontal	137	2.86	-	93.69	31.36	10.10	34.05
AV	5.357G	46.38	54.00	-7.62	7.34	3	Horizontal	137	2.86	-	39.04	31.24	10.16	34.06
PK	5.141G	61.40	74.00	-12.60	7.95	3	Horizontal	137	2.86	-	53.45	31.92	10.08	34.05
PK	5.2412G	110.82	Inf	-Inf	7.40	3	Horizontal	137	2.86	-	103.42	31.35	10.10	34.05
PK	5.3576G	58.30	74.00	-15.70	7.35	3	Horizontal	137	2.86	-	50.95	31.25	10.16	34.06

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72156G	49.88	54.00	-4.12	17.31	3	Vertical	359	1.96	-	32.57	37.86	13.74	34.29
PK	10.48018G	59.97	68.20	-8.23	18.46	3	Vertical	282	1.60	-	41.51	39.68	13.03	34.25
PK	15.71952G	63.12	74.00	-10.88	17.32	3	Vertical	359	1.96	-	45.80	37.86	13.74	34.28

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71904G	46.34	54.00	-7.66	17.32	3	Horizontal	91	1.50	-	29.02	37.86	13.74	34.28
PK	10.49482G	60.14	68.20	-8.06	18.49	3	Horizontal	319	1.87	-	41.65	39.69	13.04	34.24
PK	15.71628G	59.07	74.00	-14.93	17.33	3	Horizontal	91	1.50	-	41.74	37.87	13.74	34.28

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7438G	109.30	Inf	-Inf	8.24	3	Vertical	119	2.77	-	101.06	31.89	10.42	34.07
PK	5.6502G	67.81	68.35	-0.54	7.93	3	Vertical	119	2.77	-	59.88	31.70	10.30	34.07
PK	5.7438G	119.89	Inf	-Inf	8.24	3	Vertical	119	2.77	-	111.65	31.89	10.42	34.07
PK	5.9766G	61.20	68.20	-7.00	8.89	3	Vertical	119	2.77	-	52.31	32.40	10.57	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7474G	102.42	Inf	-Inf	8.24	3	Horizontal	173	2.99	-	94.18	31.89	10.42	34.07
PK	5.649G	62.49	68.20	-5.71	7.93	3	Horizontal	173	2.99	-	54.56	31.70	10.30	34.07
PK	5.7426G	112.10	Inf	-Inf	8.24	3	Horizontal	173	2.99	-	103.86	31.89	10.42	34.07
PK	5.9874G	60.08	68.20	-8.12	8.90	3	Horizontal	173	2.99	-	51.18	32.40	10.58	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4831G	47.00	54.00	-7.00	19.38	3	Vertical	45	1.37	-	27.62	39.88	13.61	34.11
PK	11.48112G	60.04	74.00	-13.96	19.38	3	Vertical	45	1.37	-	40.66	39.88	13.61	34.11
PK	17.23458G	64.17	68.20	-4.03	21.60	3	Vertical	0	3.00	-	42.57	40.20	14.92	33.52

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47866G	47.00	54.00	-7.00	19.38	3	Horizontal	73	1.43	-	27.62	39.88	13.61	34.11
PK	11.47938G	59.38	74.00	-14.62	19.38	3	Horizontal	73	1.43	-	40.00	39.88	13.61	34.11
PK	17.2452G	63.21	68.20	-4.99	21.65	3	Horizontal	307	1.04	-	41.56	40.24	14.93	33.52

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	109.47	Inf	-Inf	8.44	3	Vertical	60	2.97	-	101.03	32.05	10.47	34.08
PK	5.6338G	60.80	68.20	-7.40	7.88	3	Vertical	60	2.97	-	52.92	31.67	10.28	34.07
PK	5.7922G	119.89	Inf	-Inf	8.47	3	Vertical	60	2.97	-	111.42	32.07	10.48	34.08
PK	5.9254G	62.92	68.20	-5.28	8.87	3	Vertical	60	2.97	-	54.05	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7802G	102.62	Inf	-Inf	8.40	3	Horizontal	140	2.51	-	94.22	32.02	10.46	34.08
PK	5.6362G	60.31	68.20	-7.89	7.89	3	Horizontal	140	2.51	-	52.42	31.67	10.29	34.07
PK	5.7898G	112.88	Inf	-Inf	8.45	3	Horizontal	140	2.51	-	104.43	32.06	10.47	34.08
PK	5.9386G	60.60	68.20	-7.60	8.87	3	Horizontal	140	2.51	-	51.73	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56628G	47.14	54.00	-6.86	19.37	3	Vertical	122	2.44	-	27.77	39.83	13.66	34.12
PK	11.56556G	60.05	74.00	-13.95	19.37	3	Vertical	122	2.44	-	40.68	39.83	13.66	34.12
PK	17.35224G	66.16	68.20	-2.04	22.19	3	Vertical	101	2.99	-	43.97	40.71	15.04	33.56



802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58332G	47.33	54.00	-6.67	19.36	3	Horizontal	202	1.10	-	27.97	39.82	13.67	34.13
PK	11.58338G	59.24	74.00	-14.76	19.36	3	Horizontal	202	1.10	-	39.88	39.82	13.67	34.13
PK	17.35884G	64.19	68.20	-4.01	22.22	3	Horizontal	75	2.41	-	41.97	40.75	15.04	33.57

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	109.31	Inf	-Inf	8.63	3	Vertical	19	2.84	-	100.68	32.21	10.50	34.08
PK	5.5322G	59.77	68.20	-8.43	7.89	3	Vertical	19	2.84	-	51.88	31.74	10.22	34.07
PK	5.8322G	119.18	Inf	-Inf	8.65	3	Vertical	19	2.84	-	110.53	32.23	10.50	34.08
PK	5.9282G	67.38	68.20	-0.82	8.87	3	Vertical	19	2.84	-	58.51	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	103.24	Inf	-Inf	8.63	3	Horizontal	134	2.64	-	94.61	32.21	10.50	34.08
PK	5.5946G	59.73	68.20	-8.47	7.78	3	Horizontal	134	2.64	-	51.95	31.61	10.24	34.07
PK	5.8298G	113.54	Inf	-Inf	8.64	3	Horizontal	134	2.64	-	104.90	32.22	10.50	34.08
PK	5.9258G	63.01	68.20	-5.19	8.87	3	Horizontal	134	2.64	-	54.14	32.40	10.55	34.08

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66332G	46.93	54.00	-7.07	18.99	3	Vertical	48	1.70	-	27.94	39.42	13.72	34.15
PK	11.63866G	59.73	74.00	-14.27	19.13	3	Vertical	48	1.70	-	40.60	39.57	13.70	34.14
PK	17.4821G	66.34	68.20	-1.86	23.04	3	Vertical	167	1.76	-	43.30	41.49	15.16	33.61

802.11a_Nss1,(6Mbps)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65516G	47.03	54.00	-6.97	19.04	3	Horizontal	27	2.33	-	27.99	39.47	13.71	34.14
PK	11.635G	59.66	74.00	-14.34	19.15	3	Horizontal	27	2.33	-	40.51	39.59	13.70	34.14
PK	17.4747G	65.73	68.20	-2.47	22.99	3	Horizontal	28	1.91	-	42.74	41.45	15.15	33.61

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1494G	53.53	54.00	-0.47	7.93	3	Vertical	42	2.64	-	45.60	31.90	10.08	34.05
AV	5.177G	101.35	Inf	-Inf	7.77	3	Vertical	42	2.64	-	93.58	31.74	10.08	34.05
PK	5.1494G	69.73	74.00	-4.27	7.93	3	Vertical	42	2.64	-	61.80	31.90	10.08	34.05
PK	5.1824G	113.19	Inf	-Inf	7.74	3	Vertical	42	2.64	-	105.45	31.71	10.08	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1446G	49.02	54.00	-4.98	7.94	3	Horizontal	51	1.00	-	41.08	31.91	10.08	34.05
AV	5.1818G	92.23	Inf	-Inf	7.74	3	Horizontal	51	1.00	-	84.49	31.71	10.08	34.05
PK	5.1488G	62.17	74.00	-11.83	7.93	3	Horizontal	51	1.00	-	54.24	31.90	10.08	34.05
PK	5.1824G	103.45	Inf	-Inf	7.74	3	Horizontal	51	1.00	-	95.71	31.71	10.08	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54816G	46.52	54.00	-7.48	17.89	3	Vertical	282	2.26	-	28.63	38.31	13.74	34.16
PK	10.34884G	59.30	68.20	-8.90	17.97	3	Vertical	321	2.94	-	41.33	39.40	12.96	34.39
PK	15.54978G	58.24	74.00	-15.76	17.88	3	Vertical	282	2.26	-	40.36	38.30	13.74	34.16

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5180MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54276G	46.35	54.00	-7.65	17.91	3	Horizontal	72	1.45	-	28.44	38.33	13.74	34.16
PK	10.35904G	60.04	68.20	-8.16	18.02	3	Horizontal	41	2.73	-	42.02	39.44	12.96	34.38
PK	15.5538G	57.72	74.00	-16.28	17.85	3	Horizontal	72	1.45	-	39.87	38.28	13.74	34.17

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	53.31	54.00	-0.69	7.93	3	Vertical	170	2.81	-	45.38	31.90	10.08	34.05
AV	5.1952G	105.52	Inf	-Inf	7.66	3	Vertical	170	2.81	-	97.86	31.63	10.08	34.05
PK	5.1496G	69.69	74.00	-4.31	7.93	3	Vertical	170	2.81	-	61.76	31.90	10.08	34.05
PK	5.1952G	116.54	Inf	-Inf	7.66	3	Vertical	170	2.81	-	108.88	31.63	10.08	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	48.76	54.00	-5.24	7.94	3	Horizontal	50	1.00	-	40.82	31.91	10.08	34.05
AV	5.2012G	94.60	Inf	-Inf	7.62	3	Horizontal	50	1.00	-	86.98	31.59	10.08	34.05
PK	5.0902G	60.68	74.00	-13.32	8.01	3	Horizontal	50	1.00	-	52.67	31.98	10.08	34.05
PK	5.2024G	105.86	Inf	-Inf	7.62	3	Horizontal	50	1.00	-	98.24	31.59	10.08	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60876G	46.69	54.00	-7.31	17.61	3	Vertical	344	1.50	-	29.08	38.08	13.74	34.21
PK	10.4018G	59.55	68.20	-8.65	18.26	3	Vertical	360	1.37	-	41.29	39.60	12.99	34.33
PK	15.59982G	58.47	74.00	-15.53	17.64	3	Vertical	344	1.50	-	40.83	38.10	13.74	34.20

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5200MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60402G	46.59	54.00	-7.41	17.63	3	Horizontal	22	1.50	-	28.96	38.09	13.74	34.20
PK	10.3901G	59.79	68.20	-8.41	18.19	3	Horizontal	351	2.92	-	41.60	39.56	12.98	34.35
PK	15.61134G	58.52	74.00	-15.48	17.61	3	Horizontal	22	1.50	-	40.91	38.08	13.74	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1476G	53.32	54.00	-0.68	7.93	3	Vertical	172	2.67	-	45.39	31.90	10.08	34.05
AV	5.2352G	107.88	Inf	-Inf	7.44	3	Vertical	172	2.67	-	100.44	31.39	10.10	34.05
AV	5.3588G	50.21	54.00	-3.79	7.30	3	Vertical	172	2.67	-	42.91	31.20	10.16	34.06
PK	5.1464G	67.57	74.00	-6.43	7.94	3	Vertical	172	2.67	-	59.63	31.91	10.08	34.05
PK	5.2352G	118.81	Inf	-Inf	7.44	3	Vertical	172	2.67	-	111.37	31.39	10.10	34.05
PK	5.3588G	65.01	74.00	-8.99	7.35	3	Vertical	172	2.67	-	57.66	31.25	10.16	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	50.05	54.00	-3.95	7.93	3	Horizontal	267	2.93	-	42.12	31.90	10.08	34.05
AV	5.2412G	99.82	Inf	-Inf	7.40	3	Horizontal	267	2.93	-	92.42	31.35	10.10	34.05
AV	5.366G	47.14	54.00	-6.86	7.41	3	Horizontal	267	2.93	-	39.73	31.30	10.17	34.06
PK	5.15G	63.42	74.00	-10.58	7.93	3	Horizontal	267	2.93	-	55.49	31.90	10.08	34.05
PK	5.2394G	111.08	Inf	-Inf	7.41	3	Horizontal	267	2.93	-	103.67	31.36	10.10	34.05
PK	5.3528G	58.82	74.00	-15.18	7.32	3	Horizontal	267	2.93	-	51.50	31.22	10.16	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72276G	50.44	54.00	-3.56	17.30	3	Vertical	359	2.14	-	33.14	37.85	13.74	34.29
PK	10.46866G	59.49	68.20	-8.71	18.44	3	Vertical	359	1.76	-	41.05	39.67	13.03	34.26
PK	15.71298G	61.78	74.00	-12.22	17.33	3	Vertical	359	2.14	-	44.45	37.87	13.74	34.28

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5240MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72036G	47.69	54.00	-6.31	17.32	3	Horizontal	164	2.92	-	30.37	37.86	13.74	34.28
PK	10.47148G	59.77	68.20	-8.43	18.44	3	Horizontal	266	1.50	-	41.33	39.67	13.03	34.26
PK	15.7272G	59.78	74.00	-14.22	17.30	3	Horizontal	164	2.92	-	42.48	37.85	13.74	34.29

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7462G	106.67	Inf	-Inf	8.24	3	Vertical	110	2.46	-	98.43	31.89	10.42	34.07
PK	5.6466G	66.76	68.20	-1.44	7.92	3	Vertical	110	2.46	-	58.84	31.69	10.30	34.07
PK	5.7474G	116.80	Inf	-Inf	8.24	3	Vertical	110	2.46	-	108.56	31.89	10.42	34.07
PK	5.955G	60.63	68.20	-7.57	8.88	3	Vertical	110	2.46	-	51.75	32.40	10.56	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7426G	98.77	Inf	-Inf	8.24	3	Horizontal	169	3.00	-	90.53	31.89	10.42	34.07
PK	5.6502G	61.61	68.35	-6.74	7.93	3	Horizontal	169	3.00	-	53.68	31.70	10.30	34.07
PK	5.7474G	109.88	Inf	-Inf	8.24	3	Horizontal	169	3.00	-	101.64	31.89	10.42	34.07
PK	5.9514G	60.59	68.20	-7.61	8.88	3	Horizontal	169	3.00	-	51.71	32.40	10.56	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49216G	47.80	54.00	-6.20	19.40	3	Vertical	0	1.83	-	28.40	39.89	13.62	34.11
PK	11.4768G	59.52	74.00	-14.48	19.38	3	Vertical	0	1.83	-	40.14	39.88	13.61	34.11
PK	17.22918G	63.08	68.20	-5.12	21.59	3	Vertical	0	2.90	-	41.49	40.19	14.92	33.52

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5745MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4861G	47.91	54.00	-6.09	19.40	3	Horizontal	72	2.32	-	28.51	39.89	13.62	34.11
PK	11.48988G	59.61	74.00	-14.39	19.40	3	Horizontal	72	2.32	-	40.21	39.89	13.62	34.11
PK	17.22366G	62.86	68.20	-5.34	21.57	3	Horizontal	301	2.38	-	41.29	40.17	14.91	33.51

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7838G	105.22	Inf	-Inf	8.43	3	Vertical	171	2.60	-	96.79	32.04	10.47	34.08
PK	5.647G	61.69	68.20	-6.51	7.92	3	Vertical	171	2.60	-	53.77	31.69	10.30	34.07
PK	5.7838G	116.39	Inf	-Inf	8.43	3	Vertical	171	2.60	-	107.96	32.04	10.47	34.08
PK	5.9662G	61.93	68.20	-6.27	8.89	3	Vertical	171	2.60	-	53.04	32.40	10.57	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7862G	99.35	Inf	-Inf	8.43	3	Horizontal	131	2.64	-	90.92	32.04	10.47	34.08
PK	5.6386G	59.68	68.20	-8.52	7.90	3	Horizontal	131	2.64	-	51.78	31.68	10.29	34.07
PK	5.7838G	110.71	Inf	-Inf	8.43	3	Horizontal	131	2.64	-	102.28	32.04	10.47	34.08
PK	5.9614G	60.69	68.20	-7.51	8.89	3	Horizontal	131	2.64	-	51.80	32.40	10.57	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57948G	47.82	54.00	-6.18	19.36	3	Vertical	320	1.50	-	28.46	39.82	13.67	34.13
PK	11.58254G	59.70	74.00	-14.30	19.36	3	Vertical	320	1.50	-	40.34	39.82	13.67	34.13
PK	17.35536G	64.76	68.20	-3.44	22.20	3	Vertical	115	1.95	-	42.56	40.73	15.04	33.57



802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5785MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58446G	47.84	54.00	-6.16	19.36	3	Horizontal	300	1.50	-	28.48	39.82	13.67	34.13
PK	11.56562G	60.13	74.00	-13.87	19.37	3	Horizontal	300	1.50	-	40.76	39.83	13.66	34.12
PK	17.36868G	63.19	68.20	-5.01	22.29	3	Horizontal	315	1.50	-	40.90	40.81	15.05	33.57

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	105.81	Inf	-Inf	8.63	3	Vertical	57	2.98	-	97.18	32.21	10.50	34.08
PK	5.5574G	59.81	68.20	-8.39	7.85	3	Vertical	57	2.98	-	51.96	31.69	10.23	34.07
PK	5.8166G	116.83	Inf	-Inf	8.59	3	Vertical	57	2.98	-	108.24	32.17	10.50	34.08
PK	5.9246G	65.89	68.50	-2.61	8.87	3	Vertical	57	2.98	-	57.02	32.40	10.55	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8274G	99.91	Inf	-Inf	8.63	3	Horizontal	129	2.78	-	91.28	32.21	10.50	34.08
PK	5.6378G	59.58	68.20	-8.62	7.90	3	Horizontal	129	2.78	-	51.68	31.68	10.29	34.07
PK	5.8238G	111.19	Inf	-Inf	8.62	3	Horizontal	129	2.78	-	102.57	32.20	10.50	34.08
PK	5.9318G	62.14	68.20	-6.06	8.87	3	Horizontal	129	2.78	-	53.27	32.40	10.55	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65018G	48.02	54.00	-5.98	19.07	3	Vertical	154	1.38	-	28.95	39.50	13.71	34.14
PK	11.64598G	59.96	74.00	-14.04	19.09	3	Vertical	154	1.38	-	40.87	39.52	13.71	34.14
PK	17.47638G	66.08	68.20	-2.12	23.01	3	Vertical	354	1.95	-	43.07	41.46	15.16	33.61

802.11ax HEW20_Nss2,(MCS0)_2TX

18/12/2019

5825MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65012G	47.60	54.00	-6.40	19.07	3	Horizontal	15	2.96	-	28.53	39.50	13.71	34.14
PK	11.635G	59.62	74.00	-14.38	19.15	3	Horizontal	15	2.96	-	40.47	39.59	13.70	34.14
PK	17.47536G	64.94	68.20	-3.26	22.99	3	Horizontal	123	1.79	-	41.95	41.45	15.15	33.61

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.87	54.00	-2.13	7.93	3	Vertical	173	3.00	-	43.94	31.90	10.08	34.05
AV	5.1864G	97.35	Inf	-Inf	7.71	3	Vertical	173	3.00	-	89.64	31.68	10.08	34.05
PK	5.15G	73.68	74.00	-0.32	7.93	3	Vertical	173	3.00	-	65.75	31.90	10.08	34.05
PK	5.1912G	108.15	Inf	-Inf	7.68	3	Vertical	173	3.00	-	100.47	31.65	10.08	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1168G	48.86	54.00	-5.14	8.00	3	Horizontal	48	1.00	-	40.86	31.97	10.08	34.05
AV	5.1844G	85.90	Inf	-Inf	7.72	3	Horizontal	48	1.00	-	78.18	31.69	10.08	34.05
PK	5.1484G	63.11	74.00	-10.89	7.93	3	Horizontal	48	1.00	-	55.18	31.90	10.08	34.05
PK	5.1864G	98.12	Inf	-Inf	7.71	3	Horizontal	48	1.00	-	90.41	31.68	10.08	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.58224G	46.57	54.00	-7.43	17.72	3	Vertical	65	1.55	-	28.85	38.17	13.74	34.19
PK	10.3896G	59.65	68.20	-8.55	18.19	3	Vertical	244	1.26	-	41.46	39.56	12.98	34.35
PK	15.57402G	58.69	74.00	-15.31	17.76	3	Vertical	65	1.55	-	40.93	38.20	13.74	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5190MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57012G	46.35	54.00	-7.65	17.78	3	Horizontal	132	1.93	-	28.57	38.22	13.74	34.18
PK	10.37364G	59.64	68.20	-8.56	18.10	3	Horizontal	98	2.09	-	41.54	39.49	12.97	34.36
PK	15.55674G	58.30	74.00	-15.70	17.84	3	Horizontal	132	1.93	-	40.46	38.27	13.74	34.17

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.81	54.00	-0.19	7.93	3	Vertical	39	2.79	-	45.88	31.90	10.08	34.05
AV	5.2248G	99.93	Inf	-Inf	7.49	3	Vertical	39	2.79	-	92.44	31.45	10.09	34.05
PK	5.1344G	67.64	74.00	-6.36	7.96	3	Vertical	39	2.79	-	59.68	31.93	10.08	34.05
PK	5.2264G	112.58	Inf	-Inf	7.48	3	Vertical	39	2.79	-	105.10	31.44	10.09	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	49.04	54.00	-4.96	7.94	3	Horizontal	264	1.50	-	41.10	31.91	10.08	34.05
AV	5.2256G	89.57	Inf	-Inf	7.49	3	Horizontal	264	1.50	-	82.08	31.45	10.09	34.05
PK	5.1404G	60.89	74.00	-13.11	7.95	3	Horizontal	264	1.50	-	52.94	31.92	10.08	34.05
PK	5.2252G	101.19	Inf	-Inf	7.49	3	Horizontal	264	1.50	-	93.70	31.45	10.09	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69408G	47.57	54.00	-6.43	17.38	3	Vertical	355	1.84	-	30.19	37.91	13.74	34.27
PK	10.46798G	59.61	68.20	-8.59	18.44	3	Vertical	13	1.36	-	41.17	39.67	13.03	34.26
PK	15.68376G	59.63	74.00	-14.37	17.41	3	Vertical	355	1.84	-	42.22	37.93	13.74	34.26

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5230MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69426G	47.02	54.00	-6.98	17.38	3	Horizontal	36	1.50	-	29.64	37.91	13.74	34.27
PK	10.45604G	59.68	68.20	-8.52	18.40	3	Horizontal	97	1.48	-	41.28	39.66	13.02	34.28
PK	15.70428G	59.21	74.00	-14.79	17.36	3	Horizontal	36	1.50	-	41.85	37.89	13.74	34.27

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7526G	102.37	Inf	-Inf	8.26	3	Vertical	170	2.91	-	94.11	31.91	10.43	34.08
PK	5.6494G	67.79	68.20	-0.41	7.93	3	Vertical	170	2.91	-	59.86	31.70	10.30	34.07
PK	5.7502G	112.72	Inf	-Inf	8.25	3	Vertical	170	2.91	-	104.47	31.90	10.43	34.08
PK	5.935G	61.74	68.20	-6.46	8.87	3	Vertical	170	2.91	-	52.87	32.40	10.55	34.08



802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7598G	93.70	Inf	-Inf	8.30	3	Horizontal	70	3.00	-	85.40	31.94	10.44	34.08
PK	5.6494G	62.56	68.20	-5.64	7.93	3	Horizontal	70	3.00	-	54.63	31.70	10.30	34.07
PK	5.7658G	105.24	Inf	-Inf	8.33	3	Horizontal	70	3.00	-	96.91	31.96	10.45	34.08
PK	5.9854G	60.39	68.20	-7.81	8.90	3	Horizontal	70	3.00	-	51.49	32.40	10.58	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50928G	47.83	54.00	-6.17	19.41	3	Vertical	103	1.27	-	28.42	39.89	13.63	34.11
PK	11.49806G	59.75	74.00	-14.25	19.41	3	Vertical	103	1.27	-	40.34	39.90	13.62	34.11
PK	17.26218G	64.05	68.20	-4.15	21.71	3	Vertical	356	2.84	-	42.34	40.29	14.95	33.53

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5755MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49578G	47.88	54.00	-6.12	19.41	3	Horizontal	107	2.33	-	28.47	39.90	13.62	34.11
PK	11.50634G	59.41	74.00	-14.59	19.41	3	Horizontal	107	2.33	-	40.00	39.89	13.63	34.11
PK	17.27328G	62.79	68.20	-5.41	21.75	3	Horizontal	360	2.75	-	41.04	40.32	14.96	33.53

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7962G	102.48	Inf	-Inf	8.48	3	Vertical	359	1.58	-	94.00	32.08	10.48	34.08
PK	5.6486G	64.46	68.20	-3.74	7.93	3	Vertical	359	1.58	-	56.53	31.70	10.30	34.07
PK	5.7782G	113.32	Inf	-Inf	8.39	3	Vertical	359	1.58	-	104.93	32.01	10.46	34.08
PK	5.9366G	67.36	68.20	-0.84	8.87	3	Vertical	359	1.58	-	58.49	32.40	10.55	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7926G	96.54	Inf	-Inf	8.47	3	Horizontal	129	2.91	-	88.07	32.07	10.48	34.08
PK	5.6462G	61.31	68.20	-6.89	7.92	3	Horizontal	129	2.91	-	53.39	31.69	10.30	34.07
PK	5.789G	106.79	Inf	-Inf	8.45	3	Horizontal	129	2.91	-	98.34	32.06	10.47	34.08
PK	5.9258G	63.01	68.20	-5.19	8.87	3	Horizontal	129	2.91	-	54.14	32.40	10.55	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5816G	47.82	54.00	-6.18	19.36	3	Vertical	25	1.48	-	28.46	39.82	13.67	34.13
PK	11.58988G	59.79	74.00	-14.21	19.36	3	Vertical	25	1.48	-	40.43	39.81	13.68	34.13
PK	17.3949G	63.86	68.20	-4.34	22.47	3	Vertical	72	1.85	-	41.39	40.97	15.08	33.58



802.11ax HEW40_Nss2,(MCS0)_2TX

18/12/2019

5795MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59762G	47.91	54.00	-6.09	19.35	3	Horizontal	73	1.99	-	28.56	39.80	13.68	34.13
PK	11.59108G	59.78	74.00	-14.22	19.36	3	Horizontal	73	1.99	-	40.42	39.81	13.68	34.13
PK	17.3925G	63.99	68.20	-4.21	22.45	3	Horizontal	252	1.15	-	41.54	40.96	15.07	33.58



802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.74	54.00	-0.26	7.93	3	Vertical	96	1.71	-	45.81	31.90	10.08	34.05
AV	5.222G	95.53	Inf	-Inf	7.51	3	Vertical	96	1.71	-	88.02	31.47	10.09	34.05
AV	5.35G	48.72	54.00	-5.28	7.30	3	Vertical	96	1.71	-	41.42	31.20	10.16	34.06
PK	5.135G	68.46	74.00	-5.54	7.96	3	Vertical	96	1.71	-	60.50	31.93	10.08	34.05
PK	5.204G	106.30	Inf	-Inf	7.61	3	Vertical	96	1.71	-	98.69	31.58	10.08	34.05
PK	5.426G	59.64	74.00	-14.36	7.67	3	Vertical	96	1.71	-	51.97	31.55	10.19	34.07

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	49.30	54.00	-4.70	7.93	3	Horizontal	180	1.00	-	41.37	31.90	10.08	34.05
AV	5.212G	83.47	Inf	-Inf	7.56	3	Horizontal	180	1.00	-	75.91	31.53	10.08	34.05
AV	5.456G	47.42	54.00	-6.58	7.75	3	Horizontal	180	1.00	-	39.67	31.62	10.20	34.07
PK	5.147G	61.17	74.00	-12.83	7.94	3	Horizontal	180	1.00	-	53.23	31.91	10.08	34.05
PK	5.214G	94.03	Inf	-Inf	7.56	3	Horizontal	180	1.00	-	86.47	31.52	10.09	34.05
PK	5.36G	58.75	74.00	-15.25	7.37	3	Horizontal	180	1.00	-	51.38	31.26	10.17	34.06

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63244G	47.26	54.00	-6.74	17.56	3	Vertical	230	2.98	-	29.70	38.04	13.74	34.22
PK	10.4176G	60.13	68.20	-8.07	18.30	3	Vertical	18	1.50	-	41.83	39.62	13.00	34.32
PK	15.62869G	59.18	74.00	-14.82	17.56	3	Vertical	230	2.98	-	41.62	38.04	13.74	34.22

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5210MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.63244G	47.16	54.00	-6.84	17.56	3	Horizontal	57	1.50	-	29.60	38.04	13.74	34.22
PK	10.42169G	59.71	68.20	-8.49	18.31	3	Horizontal	259	2.00	-	41.40	39.62	13.00	34.31
PK	15.62838G	58.77	74.00	-15.23	17.56	3	Horizontal	57	1.50	-	41.21	38.04	13.74	34.22



802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7666G	97.83	Inf	-Inf	8.34	3	Vertical	176	2.88	-	89.49	31.97	10.45	34.08
PK	5.6478G	67.84	68.20	-0.36	7.93	3	Vertical	176	2.88	-	59.91	31.70	10.30	34.07
PK	5.7942G	109.50	Inf	-Inf	8.48	3	Vertical	176	2.88	-	101.02	32.08	10.48	34.08
PK	5.9274G	66.03	68.20	-2.17	8.87	3	Vertical	176	2.88	-	57.16	32.40	10.55	34.08

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7882G	92.98	Inf	-Inf	8.44	3	Horizontal	137	2.54	-	84.54	32.05	10.47	34.08
PK	5.6118G	63.40	68.20	-4.80	7.81	3	Horizontal	137	2.54	-	55.59	31.62	10.26	34.07
PK	5.7942G	104.47	Inf	-Inf	8.48	3	Horizontal	137	2.54	-	95.99	32.08	10.48	34.08
PK	5.931G	63.46	68.20	-4.74	8.87	3	Horizontal	137	2.54	-	54.59	32.40	10.55	34.08

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5775MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5628G	43.71	54.00	-10.29	19.38	3	Vertical	201	1.50	-	24.33	39.84	13.66	34.12
PK	11.5428G	55.89	74.00	-18.11	19.39	3	Vertical	201	1.50	-	36.50	39.86	13.65	34.12
PK	17.3546G	64.02	68.20	-4.18	22.21	3	Vertical	30	1.65	-	41.81	40.73	15.04	33.56

802.11ax HEW80_Nss2,(MCS0)_2TX

18/12/2019

5775MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5333G	43.54	54.00	-10.46	19.39	3	Horizontal	5	3.00	-	24.15	39.87	13.64	34.12
PK	11.5264G	56.03	74.00	-17.97	19.39	3	Horizontal	5	3.00	-	36.64	39.87	13.64	34.12
PK	17.32884G	63.68	68.20	-4.52	22.03	3	Horizontal	80	1.50	-	41.65	40.57	15.01	33.55



RSE TX below 1GHz
Non-Beamforming_Sample 2_Radio 1_Omni_1T1S

Appendix E.9

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	897.18M	40.52	46.00	-5.48	3	Horizontal	0	1.00	-