




802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 3.52668G | 44.77 | 54.00 | -9.23 | 3.86 | 3 | Horizontal | 222 | 2.14 | - | 40.91 | 28.76 | 4.89 | 29.79 |
| AV | 15.85698G | 47.09 | 54.00 | -6.91 | 17.07 | 3 | Horizontal | 227 | 1.92 | - | 30.02 | 36.92 | 12.08 | 31.93 |
| PK | 3.52658G | 48.26 | 74.00 | -25.74 | 3.86 | 3 | Horizontal | 222 | 2.14 | - | 44.40 | 28.76 | 4.89 | 29.79 |
| PK | 10.57376G | 54.76 | 68.20 | -13.44 | 18.44 | 3 | Horizontal | 262 | 2.21 | - | 36.32 | 39.70 | 9.37 | 30.63 |
| PK | 15.87204G | 57.81 | 74.00 | -16.19 | 17.00 | 3 | Horizontal | 227 | 1.92 | - | 40.81 | 36.84 | 12.09 | 31.93 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 53.26 | 54.00 | -0.74 | 8.43 | 3 | Vertical | 14 | 1.35 | - | 44.83 | 31.66 | 6.14 | 29.37 |
| AV | 5.526G | 93.03 | Inf | -Inf | 8.53 | 3 | Vertical | 14 | 1.35 | - | 84.50 | 31.74 | 6.16 | 29.37 |
| PK | 5.462G | 67.64 | 68.20 | -0.56 | 8.45 | 3 | Vertical | 14 | 1.35 | - | 59.19 | 31.67 | 6.15 | 29.37 |
| PK | 5.55G | 102.60 | Inf | -Inf | 8.40 | 3 | Vertical | 14 | 1.35 | - | 94.20 | 31.60 | 6.17 | 29.37 |
| PK | 5.758G | 59.53 | 68.20 | -8.67 | 8.76 | 3 | Vertical | 14 | 1.35 | - | 50.77 | 31.92 | 6.20 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 52.42 | 54.00 | -1.58 | 8.43 | 3 | Horizontal | 332 | 1.27 | - | 43.99 | 31.66 | 6.14 | 29.37 |
| AV | 5.539G | 91.86 | Inf | -Inf | 8.46 | 3 | Horizontal | 332 | 1.27 | - | 83.40 | 31.67 | 6.16 | 29.37 |
| PK | 5.465G | 66.74 | 68.20 | -1.46 | 8.47 | 3 | Horizontal | 332 | 1.27 | - | 58.27 | 31.69 | 6.15 | 29.37 |
| PK | 5.541G | 101.93 | Inf | -Inf | 8.45 | 3 | Horizontal | 332 | 1.27 | - | 93.48 | 31.65 | 6.17 | 29.37 |
| PK | 5.765G | 59.05 | 68.20 | -9.15 | 8.77 | 3 | Horizontal | 332 | 1.27 | - | 50.28 | 31.93 | 6.20 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 3.68671G | 45.32 | 54.00 | -8.68 | 4.35 | 3 | Vertical | 350 | 1.42 | - | 40.97 | 29.10 | 4.97 | 29.72 |
| AV | 11.05262G | 44.23 | 54.00 | -9.77 | 18.84 | 3 | Vertical | 313 | 1.90 | - | 25.39 | 40.04 | 9.70 | 30.90 |
| PK | 3.68657G | 48.81 | 74.00 | -25.19 | 4.35 | 3 | Vertical | 350 | 1.42 | - | 44.46 | 29.10 | 4.97 | 29.72 |
| PK | 11.05634G | 55.27 | 74.00 | -18.73 | 18.83 | 3 | Vertical | 313 | 1.90 | - | 36.44 | 40.03 | 9.70 | 30.90 |
| PK | 16.58994G | 61.85 | 68.20 | -6.35 | 19.27 | 3 | Vertical | 103 | 2.39 | - | 42.58 | 38.60 | 12.36 | 31.69 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 3.68668G | 45.85 | 54.00 | -8.15 | 4.35 | 3 | Horizontal | 204 | 1.51 | - | 41.50 | 29.10 | 4.97 | 29.72 |
| AV | 11.05076G | 44.43 | 54.00 | -9.57 | 18.84 | 3 | Horizontal | 326 | 1.40 | - | 25.59 | 40.05 | 9.69 | 30.90 |
| PK | 3.68664G | 49.03 | 74.00 | -24.97 | 4.35 | 3 | Horizontal | 204 | 1.51 | - | 44.68 | 29.10 | 4.97 | 29.72 |
| PK | 11.05334G | 54.58 | 74.00 | -19.42 | 18.84 | 3 | Horizontal | 326 | 1.40 | - | 35.74 | 40.04 | 9.70 | 30.90 |
| PK | 16.5792G | 61.93 | 68.20 | -6.27 | 19.26 | 3 | Horizontal | 127 | 1.63 | - | 42.67 | 38.60 | 12.35 | 31.69 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 53.33 | 54.00 | -0.67 | 8.43 | 3 | Vertical | 1 | 1.51 | - | 44.90 | 31.66 | 6.14 | 29.37 |
| AV | 5.601G | 95.92 | Inf | -Inf | 8.51 | 3 | Vertical | 1 | 1.51 | - | 87.41 | 31.70 | 6.18 | 29.37 |
| PK | 5.464G | 64.57 | 68.20 | -3.63 | 8.46 | 3 | Vertical | 1 | 1.51 | - | 56.11 | 31.68 | 6.15 | 29.37 |
| PK | 5.602G | 105.68 | Inf | -Inf | 8.51 | 3 | Vertical | 1 | 1.51 | - | 97.17 | 31.70 | 6.18 | 29.37 |
| PK | 5.733G | 64.86 | 68.20 | -3.34 | 8.71 | 3 | Vertical | 1 | 1.51 | - | 56.15 | 31.87 | 6.20 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.451G | 52.58 | 54.00 | -1.42 | 8.38 | 3 | Horizontal | 325 | 1.54 | - | 44.20 | 31.61 | 6.14 | 29.37 |
| AV | 5.596G | 95.06 | Inf | -Inf | 8.50 | 3 | Horizontal | 325 | 1.54 | - | 86.56 | 31.69 | 6.18 | 29.37 |
| PK | 5.463G | 65.19 | 68.20 | -3.01 | 8.46 | 3 | Horizontal | 325 | 1.54 | - | 56.73 | 31.68 | 6.15 | 29.37 |
| PK | 5.58G | 104.83 | Inf | -Inf | 8.46 | 3 | Horizontal | 325 | 1.54 | - | 96.37 | 31.66 | 6.17 | 29.37 |
| PK | 5.728G | 63.44 | 68.20 | -4.76 | 8.70 | 3 | Horizontal | 325 | 1.54 | - | 54.74 | 31.86 | 6.20 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 3.74011G | 42.77 | 54.00 | -11.23 | 4.49 | 3 | Vertical | 354 | 1.49 | - | 38.28 | 29.18 | 5.00 | 29.69 |
| AV | 11.21256G | 43.84 | 54.00 | -10.16 | 18.45 | 3 | Vertical | 150 | 2.02 | - | 25.39 | 39.51 | 9.80 | 30.86 |
| PK | 3.74007G | 47.18 | 74.00 | -26.82 | 4.49 | 3 | Vertical | 354 | 1.49 | - | 42.69 | 29.18 | 5.00 | 29.69 |
| PK | 11.22552G | 55.21 | 74.00 | -18.79 | 18.49 | 3 | Vertical | 150 | 2.02 | - | 36.72 | 39.53 | 9.81 | 30.85 |
| PK | 16.84074G | 61.07 | 68.20 | -7.13 | 20.91 | 3 | Vertical | 87 | 1.74 | - | 40.16 | 40.16 | 12.44 | 31.69 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 3.74004G | 44.41 | 54.00 | -9.59 | 4.49 | 3 | Horizontal | 207 | 1.54 | - | 39.92 | 29.18 | 5.00 | 29.69 |
| AV | 11.21592G | 44.22 | 54.00 | -9.78 | 18.46 | 3 | Horizontal | 138 | 1.28 | - | 25.76 | 39.52 | 9.80 | 30.86 |
| PK | 3.74009G | 48.14 | 74.00 | -25.86 | 4.49 | 3 | Horizontal | 207 | 1.54 | - | 43.65 | 29.18 | 5.00 | 29.69 |
| PK | 11.21304G | 54.88 | 74.00 | -19.12 | 18.45 | 3 | Horizontal | 138 | 1.28 | - | 36.43 | 39.51 | 9.80 | 30.86 |
| PK | 16.821G | 61.54 | 68.20 | -6.66 | 20.93 | 3 | Horizontal | 336 | 1.50 | - | 40.61 | 40.18 | 12.44 | 31.69 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4512G | 50.52 | 54.00 | -3.48 | 8.38 | 3 | Vertical | 12 | 1.50 | - | 42.14 | 31.61 | 6.14 | 29.37 |
| AV | 5.7032G | 97.96 | Inf | -Inf | 8.65 | 3 | Vertical | 12 | 1.50 | - | 89.31 | 31.81 | 6.20 | 29.36 |
| PK | 5.4656G | 62.88 | 68.20 | -5.32 | 8.47 | 3 | Vertical | 12 | 1.50 | - | 54.41 | 31.69 | 6.15 | 29.37 |
| PK | 5.7092G | 108.12 | Inf | -Inf | 8.66 | 3 | Vertical | 12 | 1.50 | - | 99.46 | 31.82 | 6.20 | 29.36 |
| PK | 5.8556G | 67.47 | 68.20 | -0.73 | 8.96 | 3 | Vertical | 12 | 1.50 | - | 58.51 | 32.02 | 6.30 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4572G | 50.97 | 54.00 | -3.03 | 8.41 | 3 | Horizontal | 63 | 1.02 | - | 42.56 | 31.64 | 6.14 | 29.37 |
| AV | 5.6816G | 98.83 | Inf | -Inf | 8.56 | 3 | Horizontal | 63 | 1.02 | - | 90.27 | 31.73 | 6.19 | 29.36 |
| PK | 5.468G | 61.42 | 68.20 | -6.78 | 8.49 | 3 | Horizontal | 63 | 1.02 | - | 52.93 | 31.71 | 6.15 | 29.37 |
| PK | 5.6828G | 108.84 | Inf | -Inf | 8.56 | 3 | Horizontal | 63 | 1.02 | - | 100.28 | 31.73 | 6.19 | 29.36 |
| PK | 5.8568G | 67.33 | 68.20 | -0.87 | 8.98 | 3 | Horizontal | 63 | 1.02 | - | 58.35 | 32.03 | 6.31 | 29.36 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 3.79336G | 43.59 | 54.00 | -10.41 | 4.65 | 3 | Vertical | 151 | 1.75 | - | 38.94 | 29.29 | 5.03 | 29.67 |
| AV | 11.38258G | 44.10 | 54.00 | -9.90 | 18.88 | 3 | Vertical | 311 | 1.99 | - | 25.22 | 39.77 | 9.92 | 30.81 |
| PK | 3.79339G | 47.64 | 74.00 | -26.36 | 4.65 | 3 | Vertical | 151 | 1.75 | - | 42.99 | 29.29 | 5.03 | 29.67 |
| PK | 11.36782G | 54.78 | 74.00 | -19.22 | 18.84 | 3 | Vertical | 311 | 1.99 | - | 35.94 | 39.74 | 9.91 | 30.81 |
| PK | 17.07276G | 62.40 | 68.20 | -5.80 | 21.04 | 3 | Vertical | 32 | 1.03 | - | 41.36 | 40.17 | 12.52 | 31.65 |



802.11ax HEW80_Nss2,(MCS0)_2TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 3.79341G | 42.58 | 54.00 | -11.42 | 4.65 | 3 | Horizontal | 205 | 1.35 | - | 37.93 | 29.29 | 5.03 | 29.67 |
| AV | 11.36596G | 44.30 | 54.00 | -9.70 | 18.83 | 3 | Horizontal | 105 | 1.23 | - | 25.47 | 39.73 | 9.91 | 30.81 |
| PK | 3.79348G | 47.28 | 74.00 | -26.72 | 4.65 | 3 | Horizontal | 205 | 1.35 | - | 42.63 | 29.29 | 5.03 | 29.67 |
| PK | 11.37136G | 54.65 | 74.00 | -19.35 | 18.84 | 3 | Horizontal | 105 | 1.23 | - | 35.81 | 39.74 | 9.91 | 30.81 |
| PK | 17.082G | 62.36 | 68.20 | -5.84 | 21.05 | 3 | Horizontal | 354 | 1.46 | - | 41.31 | 40.18 | 12.52 | 31.65 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | AV | 5.35G | 53.30 | 54.00 | -0.70 | 3 | Vertical | 43 | 2.18 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | AV | 5.35G | 53.52 | 54.00 | -0.48 | 3 | Vertical | 43 | 2.11 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | AV | 5.3504G | 53.68 | 54.00 | -0.32 | 3 | Vertical | 38 | 2.34 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | AV | 5.351G | 53.65 | 54.00 | -0.35 | 3 | Vertical | 39 | 2.48 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_1TX | Pass | PK | 5.4682G | 67.72 | 68.20 | -0.48 | 3 | Vertical | 42 | 2.15 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | Pass | PK | 5.4682G | 67.79 | 68.20 | -0.41 | 3 | Vertical | 44 | 2.20 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | Pass | PK | 5.4696G | 68.06 | 68.20 | -0.14 | 3 | Vertical | 39 | 2.30 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | Pass | AV | 5.459G | 53.57 | 54.00 | -0.43 | 3 | Vertical | 42 | 2.35 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 802.11a_Nss1,(6Mbps)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.15G | 48.60 | 54.00 | -5.40 | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | AV | 5.2624G | 107.25 | Inf | -Inf | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | AV | 5.3506G | 51.32 | 54.00 | -2.68 | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | PK | 5.15G | 62.90 | 74.00 | -11.10 | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | PK | 5.266G | 117.76 | Inf | -Inf | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | PK | 5.35G | 68.82 | 74.00 | -5.18 | 3 | Vertical | 44 | 2.12 | - |
| 5260MHz | Pass | AV | 5.113G | 46.36 | 54.00 | -7.64 | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | AV | 5.257G | 97.43 | Inf | -Inf | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | AV | 5.353G | 46.54 | 54.00 | -7.46 | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | PK | 5.14G | 58.46 | 74.00 | -15.54 | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | PK | 5.2588G | 107.66 | Inf | -Inf | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | PK | 5.35G | 59.87 | 74.00 | -14.13 | 3 | Horizontal | 52 | 1.15 | - |
| 5260MHz | Pass | AV | 15.77784G | 45.80 | 54.00 | -8.20 | 3 | Vertical | 168 | 1.47 | - |
| 5260MHz | Pass | PK | 10.52438G | 54.57 | 68.20 | -13.63 | 3 | Vertical | 222 | 2.70 | - |
| 5260MHz | Pass | PK | 15.7728G | 58.86 | 74.00 | -15.14 | 3 | Vertical | 168 | 1.47 | - |
| 5260MHz | Pass | AV | 15.7818G | 45.85 | 54.00 | -8.15 | 3 | Horizontal | 40 | 1.00 | - |
| 5260MHz | Pass | PK | 10.50926G | 54.81 | 68.20 | -13.39 | 3 | Horizontal | 259 | 2.94 | - |
| 5260MHz | Pass | PK | 15.78156G | 59.02 | 74.00 | -14.98 | 3 | Horizontal | 40 | 1.00 | - |
| 5300MHz | Pass | AV | 5.2982G | 105.82 | Inf | -Inf | 3 | Vertical | 43 | 2.20 | - |
| 5300MHz | Pass | AV | 5.3504G | 52.86 | 54.00 | -1.14 | 3 | Vertical | 43 | 2.20 | - |
| 5300MHz | Pass | PK | 5.306G | 115.65 | Inf | -Inf | 3 | Vertical | 43 | 2.20 | - |
| 5300MHz | Pass | PK | 5.3504G | 71.75 | 74.00 | -2.25 | 3 | Vertical | 43 | 2.20 | - |
| 5300MHz | Pass | AV | 5.2976G | 96.18 | Inf | -Inf | 3 | Horizontal | 52 | 1.16 | - |
| 5300MHz | Pass | AV | 5.3504G | 47.47 | 54.00 | -6.53 | 3 | Horizontal | 52 | 1.16 | - |
| 5300MHz | Pass | PK | 5.3018G | 105.81 | Inf | -Inf | 3 | Horizontal | 52 | 1.16 | - |
| 5300MHz | Pass | PK | 5.3504G | 62.96 | 74.00 | -11.04 | 3 | Horizontal | 52 | 1.16 | - |
| 5300MHz | Pass | AV | 10.61236G | 41.93 | 54.00 | -12.07 | 3 | Vertical | 87 | 1.50 | - |
| 5300MHz | Pass | AV | 15.90174G | 48.64 | 54.00 | -5.36 | 3 | Vertical | 340 | 1.89 | - |
| 5300MHz | Pass | PK | 10.61194G | 55.10 | 74.00 | -18.90 | 3 | Vertical | 87 | 1.50 | - |
| 5300MHz | Pass | PK | 15.91218G | 61.95 | 74.00 | -12.05 | 3 | Vertical | 340 | 1.89 | - |
| 5300MHz | Pass | AV | 10.61212G | 41.83 | 54.00 | -12.17 | 3 | Horizontal | 129 | 1.29 | - |
| 5300MHz | Pass | AV | 15.90366G | 45.78 | 54.00 | -8.22 | 3 | Horizontal | 206 | 1.75 | - |
| 5300MHz | Pass | PK | 10.60124G | 54.76 | 74.00 | -19.24 | 3 | Horizontal | 129 | 1.29 | - |
| 5300MHz | Pass | PK | 15.9036G | 59.88 | 74.00 | -14.12 | 3 | Horizontal | 206 | 1.75 | - |
| 5320MHz | Pass | AV | 5.3182G | 102.64 | Inf | -Inf | 3 | Vertical | 43 | 2.18 | - |
| 5320MHz | Pass | AV | 5.35G | 53.30 | 54.00 | -0.70 | 3 | Vertical | 43 | 2.18 | - |
| 5320MHz | Pass | PK | 5.3224G | 112.84 | Inf | -Inf | 3 | Vertical | 43 | 2.18 | - |
| 5320MHz | Pass | PK | 5.3554G | 71.77 | 74.00 | -2.23 | 3 | Vertical | 43 | 2.18 | - |
| 5320MHz | Pass | AV | 5.3242G | 93.65 | Inf | -Inf | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | AV | 5.35G | 47.46 | 54.00 | -6.54 | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | PK | 5.3224G | 103.71 | Inf | -Inf | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | PK | 5.4676G | 57.72 | 68.20 | -10.48 | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | AV | 10.65116G | 42.28 | 54.00 | -11.72 | 3 | Vertical | 14 | 1.42 | - |
| 5320MHz | Pass | AV | 15.9588G | 46.29 | 54.00 | -7.71 | 3 | Vertical | 339 | 1.94 | - |
| 5320MHz | Pass | PK | 10.6358G | 54.89 | 74.00 | -19.11 | 3 | Vertical | 14 | 1.42 | - |
| 5320MHz | Pass | PK | 15.9654G | 59.15 | 74.00 | -14.85 | 3 | Vertical | 339 | 1.94 | - |
| 5320MHz | Pass | AV | 10.64804G | 42.16 | 54.00 | -11.84 | 3 | Horizontal | 95 | 1.50 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5320MHz | Pass | AV | 15.97284G | 44.96 | 54.00 | -9.04 | 3 | Horizontal | 15 | 1.50 | - |
| 5320MHz | Pass | PK | 10.6463G | 54.83 | 74.00 | -19.17 | 3 | Horizontal | 95 | 1.50 | - |
| 5320MHz | Pass | PK | 15.97104G | 58.20 | 74.00 | -15.80 | 3 | Horizontal | 15 | 1.50 | - |
| 5500MHz | Pass | AV | 5.458G | 47.11 | 54.00 | -6.89 | 3 | Vertical | 42 | 2.15 | - |
| 5500MHz | Pass | AV | 5.4952G | 99.31 | Inf | -Inf | 3 | Vertical | 42 | 2.15 | - |
| 5500MHz | Pass | PK | 5.4682G | 67.72 | 68.20 | -0.48 | 3 | Vertical | 42 | 2.15 | - |
| 5500MHz | Pass | PK | 5.5018G | 109.44 | Inf | -Inf | 3 | Vertical | 42 | 2.15 | - |
| 5500MHz | Pass | AV | 5.4496G | 46.29 | 54.00 | -7.71 | 3 | Horizontal | 165 | 2.19 | - |
| 5500MHz | Pass | AV | 5.5042G | 91.64 | Inf | -Inf | 3 | Horizontal | 165 | 2.19 | - |
| 5500MHz | Pass | PK | 5.4616G | 58.69 | 68.20 | -9.51 | 3 | Horizontal | 165 | 2.19 | - |
| 5500MHz | Pass | PK | 5.5024G | 101.84 | Inf | -Inf | 3 | Horizontal | 165 | 2.19 | - |
| 5500MHz | Pass | AV | 11.01026G | 42.71 | 54.00 | -11.29 | 3 | Vertical | 169 | 1.50 | - |
| 5500MHz | Pass | PK | 11.012G | 55.80 | 74.00 | -18.20 | 3 | Vertical | 169 | 1.50 | - |
| 5500MHz | Pass | PK | 16.5147G | 61.49 | 68.20 | -6.71 | 3 | Vertical | 275 | 2.29 | - |
| 5500MHz | Pass | AV | 10.98776G | 42.72 | 54.00 | -11.28 | 3 | Horizontal | 328 | 2.20 | - |
| 5500MHz | Pass | PK | 11.01326G | 55.89 | 74.00 | -18.11 | 3 | Horizontal | 328 | 2.20 | - |
| 5500MHz | Pass | PK | 16.49874G | 62.02 | 68.20 | -6.18 | 3 | Horizontal | 323 | 1.33 | - |
| 5580MHz | Pass | AV | 5.4594G | 47.75 | 54.00 | -6.25 | 3 | Vertical | 116 | 2.24 | - |
| 5580MHz | Pass | AV | 5.583G | 106.01 | Inf | -Inf | 3 | Vertical | 116 | 2.24 | - |
| 5580MHz | Pass | PK | 5.4654G | 63.59 | 68.20 | -4.61 | 3 | Vertical | 116 | 2.24 | - |
| 5580MHz | Pass | PK | 5.5836G | 116.54 | Inf | -Inf | 3 | Vertical | 116 | 2.24 | - |
| 5580MHz | Pass | PK | 5.7288G | 58.94 | 68.20 | -9.26 | 3 | Vertical | 116 | 2.24 | - |
| 5580MHz | Pass | AV | 5.4522G | 46.38 | 54.00 | -7.62 | 3 | Horizontal | 165 | 2.18 | - |
| 5580MHz | Pass | AV | 5.5824G | 98.70 | Inf | -Inf | 3 | Horizontal | 165 | 2.18 | - |
| 5580MHz | Pass | PK | 5.4612G | 58.42 | 68.20 | -9.78 | 3 | Horizontal | 165 | 2.18 | - |
| 5580MHz | Pass | PK | 5.586G | 108.87 | Inf | -Inf | 3 | Horizontal | 165 | 2.18 | - |
| 5580MHz | Pass | PK | 5.7282G | 57.86 | 68.20 | -10.34 | 3 | Horizontal | 165 | 2.18 | - |
| 5580MHz | Pass | AV | 11.14692G | 43.00 | 54.00 | -11.00 | 3 | Vertical | 49 | 1.05 | - |
| 5580MHz | Pass | PK | 11.15754G | 55.93 | 74.00 | -18.07 | 3 | Vertical | 49 | 1.05 | - |
| 5580MHz | Pass | PK | 16.73496G | 66.40 | 68.20 | -1.80 | 3 | Vertical | 208 | 1.63 | - |
| 5580MHz | Pass | AV | 11.14788G | 42.97 | 54.00 | -11.03 | 3 | Horizontal | 20 | 1.50 | - |
| 5580MHz | Pass | PK | 11.17272G | 55.96 | 74.00 | -18.04 | 3 | Horizontal | 20 | 1.50 | - |
| 5580MHz | Pass | PK | 16.73952G | 66.77 | 68.20 | -1.43 | 3 | Horizontal | 158 | 1.91 | - |
| 5700MHz | Pass | AV | 5.7018G | 100.23 | Inf | -Inf | 3 | Vertical | 114 | 2.20 | - |
| 5700MHz | Pass | PK | 5.7018G | 110.48 | Inf | -Inf | 3 | Vertical | 114 | 2.20 | - |
| 5700MHz | Pass | PK | 5.7258G | 67.37 | 68.20 | -0.83 | 3 | Vertical | 114 | 2.20 | - |
| 5700MHz | Pass | AV | 5.7024G | 92.16 | Inf | -Inf | 3 | Horizontal | 127 | 2.17 | - |
| 5700MHz | Pass | PK | 5.7024G | 102.45 | Inf | -Inf | 3 | Horizontal | 127 | 2.17 | - |
| 5700MHz | Pass | PK | 5.7294G | 60.54 | 68.20 | -7.66 | 3 | Horizontal | 127 | 2.17 | - |
| 5700MHz | Pass | AV | 11.40744G | 42.82 | 54.00 | -11.18 | 3 | Vertical | 24 | 1.50 | - |
| 5700MHz | Pass | PK | 11.4135G | 56.22 | 74.00 | -17.78 | 3 | Vertical | 24 | 1.50 | - |
| 5700MHz | Pass | PK | 17.1129G | 62.59 | 68.20 | -5.61 | 3 | Vertical | 261 | 2.19 | - |
| 5700MHz | Pass | AV | 11.3871G | 42.73 | 54.00 | -11.27 | 3 | Horizontal | 217 | 1.50 | - |
| 5700MHz | Pass | PK | 11.40624G | 55.56 | 74.00 | -18.44 | 3 | Horizontal | 217 | 1.50 | - |
| 5700MHz | Pass | PK | 17.10522G | 63.08 | 68.20 | -5.12 | 3 | Horizontal | 301 | 1.21 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4572G | 46.98 | 54.00 | -7.02 | 3 | Vertical | 115 | 2.31 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7272G | 106.92 | Inf | -Inf | 3 | Vertical | 115 | 2.31 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 58.57 | 68.20 | -9.63 | 3 | Vertical | 115 | 2.31 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.726G | 118.04 | Inf | -Inf | 3 | Vertical | 115 | 2.31 | - |



RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8508G | 63.67 | 68.20 | -4.53 | 3 | Vertical | 115 | 2.31 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4536G | 46.45 | 54.00 | -7.55 | 3 | Horizontal | 292 | 2.24 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7176G | 99.39 | Inf | -Inf | 3 | Horizontal | 292 | 2.24 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.462G | 57.66 | 68.20 | -10.54 | 3 | Horizontal | 292 | 2.24 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7236G | 110.30 | Inf | -Inf | 3 | Horizontal | 292 | 2.24 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8592G | 60.26 | 68.20 | -7.94 | 3 | Horizontal | 292 | 2.24 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.4475G | 43.24 | 54.00 | -10.76 | 3 | Vertical | 340 | 2.34 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43778G | 55.97 | 74.00 | -18.03 | 3 | Vertical | 340 | 2.34 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.1735G | 64.02 | 68.20 | -4.18 | 3 | Vertical | 208 | 1.80 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.42914G | 43.05 | 54.00 | -10.95 | 3 | Horizontal | 86 | 2.84 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.45446G | 56.44 | 74.00 | -17.56 | 3 | Horizontal | 86 | 2.84 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16036G | 64.65 | 68.20 | -3.55 | 3 | Horizontal | 167 | 1.05 | - |
| 802.11ax HEW20_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.15G | 50.12 | 54.00 | -3.88 | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | AV | 5.2612G | 106.54 | Inf | -Inf | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | AV | 5.35G | 53.52 | 54.00 | -0.48 | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | PK | 5.1442G | 65.46 | 74.00 | -8.54 | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | PK | 5.257G | 119.99 | Inf | -Inf | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | PK | 5.35G | 71.29 | 74.00 | -2.71 | 3 | Vertical | 43 | 2.11 | - |
| 5260MHz | Pass | AV | 5.1424G | 46.51 | 54.00 | -7.49 | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | AV | 5.2582G | 96.86 | Inf | -Inf | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | AV | 5.3506G | 47.43 | 54.00 | -6.57 | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | PK | 5.1382G | 59.55 | 74.00 | -14.45 | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | PK | 5.257G | 110.50 | Inf | -Inf | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | PK | 5.35G | 61.78 | 74.00 | -12.22 | 3 | Horizontal | 52 | 1.24 | - |
| 5260MHz | Pass | AV | 15.78462G | 45.96 | 54.00 | -8.04 | 3 | Vertical | 168 | 1.42 | - |
| 5260MHz | Pass | PK | 10.51304G | 56.14 | 68.20 | -12.06 | 3 | Vertical | 107 | 1.92 | - |
| 5260MHz | Pass | PK | 15.76578G | 59.74 | 74.00 | -14.26 | 3 | Vertical | 168 | 1.42 | - |
| 5260MHz | Pass | AV | 15.77988G | 45.96 | 54.00 | -8.04 | 3 | Horizontal | 40 | 1.00 | - |
| 5260MHz | Pass | PK | 10.52786G | 55.43 | 68.20 | -12.77 | 3 | Horizontal | 112 | 2.44 | - |
| 5260MHz | Pass | PK | 15.783G | 59.59 | 74.00 | -14.41 | 3 | Horizontal | 40 | 1.00 | - |
| 5300MHz | Pass | AV | 5.2958G | 104.94 | Inf | -Inf | 3 | Vertical | 44 | 2.20 | - |
| 5300MHz | Pass | AV | 5.35G | 53.04 | 54.00 | -0.96 | 3 | Vertical | 44 | 2.20 | - |
| 5300MHz | Pass | PK | 5.297G | 118.76 | Inf | -Inf | 3 | Vertical | 44 | 2.20 | - |
| 5300MHz | Pass | PK | 5.3522G | 72.39 | 74.00 | -1.61 | 3 | Vertical | 44 | 2.20 | - |
| 5300MHz | Pass | AV | 5.2952G | 95.87 | Inf | -Inf | 3 | Horizontal | 52 | 1.06 | - |
| 5300MHz | Pass | AV | 5.35G | 48.04 | 54.00 | -5.96 | 3 | Horizontal | 52 | 1.06 | - |
| 5300MHz | Pass | PK | 5.297G | 109.40 | Inf | -Inf | 3 | Horizontal | 52 | 1.06 | - |
| 5300MHz | Pass | PK | 5.3516G | 64.26 | 74.00 | -9.74 | 3 | Horizontal | 52 | 1.06 | - |
| 5300MHz | Pass | AV | 10.60045G | 41.74 | 54.00 | -12.26 | 3 | Vertical | 348 | 1.50 | - |
| 5300MHz | Pass | AV | 15.9G | 48.12 | 54.00 | -5.88 | 3 | Vertical | 341 | 1.89 | - |
| 5300MHz | Pass | PK | 10.60007G | 56.47 | 74.00 | -17.53 | 3 | Vertical | 348 | 1.50 | - |
| 5300MHz | Pass | PK | 15.9019G | 62.46 | 74.00 | -11.54 | 3 | Vertical | 341 | 1.89 | - |
| 5300MHz | Pass | AV | 10.61164G | 42.13 | 54.00 | -11.87 | 3 | Horizontal | 103 | 2.23 | - |
| 5300MHz | Pass | AV | 15.9042G | 45.29 | 54.00 | -8.71 | 3 | Horizontal | 208 | 2.48 | - |
| 5300MHz | Pass | PK | 10.6045G | 55.75 | 74.00 | -18.25 | 3 | Horizontal | 103 | 2.23 | - |
| 5300MHz | Pass | PK | 15.9055G | 59.19 | 74.00 | -14.81 | 3 | Horizontal | 208 | 2.48 | - |
| 5320MHz | Pass | AV | 5.3182G | 100.75 | Inf | -Inf | 3 | Vertical | 43 | 2.17 | - |
| 5320MHz | Pass | AV | 5.3506G | 51.47 | 54.00 | -2.53 | 3 | Vertical | 43 | 2.17 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|---------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5320MHz | Pass | PK | 5.317G | 114.38 | Inf | -Inf | 3 | Vertical | 43 | 2.17 | - |
| 5320MHz | Pass | PK | 5.3512G | 73.14 | 74.00 | -0.86 | 3 | Vertical | 43 | 2.17 | - |
| 5320MHz | Pass | AV | 5.3182G | 92.15 | Inf | -Inf | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | AV | 5.3506G | 46.83 | 54.00 | -7.17 | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | PK | 5.317G | 105.64 | Inf | -Inf | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | PK | 5.4646G | 59.30 | 68.20 | -8.90 | 3 | Horizontal | 52 | 1.20 | - |
| 5320MHz | Pass | AV | 10.64354G | 42.26 | 54.00 | -11.74 | 3 | Vertical | 170 | 1.48 | - |
| 5320MHz | Pass | AV | 15.95892G | 45.43 | 54.00 | -8.57 | 3 | Vertical | 340 | 1.97 | - |
| 5320MHz | Pass | PK | 10.63928G | 56.05 | 74.00 | -17.95 | 3 | Vertical | 170 | 1.48 | - |
| 5320MHz | Pass | PK | 15.96948G | 59.67 | 74.00 | -14.33 | 3 | Vertical | 340 | 1.97 | - |
| 5320MHz | Pass | AV | 10.65362G | 42.34 | 54.00 | -11.66 | 3 | Horizontal | 219 | 1.50 | - |
| 5320MHz | Pass | AV | 15.96852G | 44.97 | 54.00 | -9.03 | 3 | Horizontal | 216 | 2.00 | - |
| 5320MHz | Pass | PK | 10.62866G | 56.10 | 74.00 | -17.90 | 3 | Horizontal | 219 | 1.50 | - |
| 5320MHz | Pass | PK | 15.96342G | 58.42 | 74.00 | -15.58 | 3 | Horizontal | 216 | 2.00 | - |
| 5500MHz | Pass | AV | 5.4598G | 47.44 | 54.00 | -6.56 | 3 | Vertical | 44 | 2.20 | - |
| 5500MHz | Pass | AV | 5.4952G | 99.45 | Inf | -Inf | 3 | Vertical | 44 | 2.20 | - |
| 5500MHz | Pass | PK | 5.4682G | 67.79 | 68.20 | -0.41 | 3 | Vertical | 44 | 2.20 | - |
| 5500MHz | Pass | PK | 5.497G | 112.74 | Inf | -Inf | 3 | Vertical | 44 | 2.20 | - |
| 5500MHz | Pass | AV | 5.437G | 46.12 | 54.00 | -7.88 | 3 | Horizontal | 166 | 2.19 | - |
| 5500MHz | Pass | AV | 5.503G | 91.21 | Inf | -Inf | 3 | Horizontal | 166 | 2.19 | - |
| 5500MHz | Pass | PK | 5.4694G | 59.24 | 68.20 | -8.96 | 3 | Horizontal | 166 | 2.19 | - |
| 5500MHz | Pass | PK | 5.5048G | 103.95 | Inf | -Inf | 3 | Horizontal | 166 | 2.19 | - |
| 5500MHz | Pass | AV | 11.00852G | 47.13 | 54.00 | -6.87 | 3 | Vertical | 51 | 1.50 | - |
| 5500MHz | Pass | PK | 11.00388G | 59.79 | 74.00 | -14.21 | 3 | Vertical | 51 | 1.50 | - |
| 5500MHz | Pass | PK | 16.49552G | 60.97 | 68.20 | -7.23 | 3 | Vertical | 238 | 1.13 | - |
| 5500MHz | Pass | AV | 11.01446G | 47.22 | 54.00 | -6.78 | 3 | Horizontal | 1 | 1.50 | - |
| 5500MHz | Pass | PK | 11.00648G | 60.37 | 74.00 | -13.63 | 3 | Horizontal | 1 | 1.50 | - |
| 5500MHz | Pass | PK | 16.50454G | 60.85 | 68.20 | -7.35 | 3 | Horizontal | 69 | 2.41 | - |
| 5580MHz | Pass | AV | 5.46G | 47.96 | 54.00 | -6.04 | 3 | Vertical | 117 | 2.23 | - |
| 5580MHz | Pass | AV | 5.5812G | 104.61 | Inf | -Inf | 3 | Vertical | 117 | 2.23 | - |
| 5580MHz | Pass | PK | 5.4636G | 63.92 | 68.20 | -4.28 | 3 | Vertical | 117 | 2.23 | - |
| 5580MHz | Pass | PK | 5.577G | 118.10 | Inf | -Inf | 3 | Vertical | 117 | 2.23 | - |
| 5580MHz | Pass | PK | 5.73G | 59.88 | 68.20 | -8.32 | 3 | Vertical | 117 | 2.23 | - |
| 5580MHz | Pass | AV | 5.4564G | 46.53 | 54.00 | -7.47 | 3 | Horizontal | 119 | 1.00 | - |
| 5580MHz | Pass | AV | 5.5848G | 93.97 | Inf | -Inf | 3 | Horizontal | 119 | 1.00 | - |
| 5580MHz | Pass | PK | 5.4648G | 60.44 | 68.20 | -7.76 | 3 | Horizontal | 119 | 1.00 | - |
| 5580MHz | Pass | PK | 5.577G | 107.21 | Inf | -Inf | 3 | Horizontal | 119 | 1.00 | - |
| 5580MHz | Pass | PK | 5.7282G | 58.95 | 68.20 | -9.25 | 3 | Horizontal | 119 | 1.00 | - |
| 5580MHz | Pass | AV | 11.14908G | 42.36 | 54.00 | -11.64 | 3 | Vertical | 54 | 1.50 | - |
| 5580MHz | Pass | PK | 11.17338G | 56.69 | 74.00 | -17.31 | 3 | Vertical | 54 | 1.50 | - |
| 5580MHz | Pass | PK | 16.74006G | 66.90 | 68.20 | -1.30 | 3 | Vertical | 208 | 1.63 | - |
| 5580MHz | Pass | AV | 11.14698G | 42.47 | 54.00 | -11.53 | 3 | Horizontal | 266 | 1.50 | - |
| 5580MHz | Pass | PK | 11.1681G | 56.63 | 74.00 | -17.37 | 3 | Horizontal | 266 | 1.50 | - |
| 5580MHz | Pass | PK | 16.74858G | 65.79 | 68.20 | -2.41 | 3 | Horizontal | 165 | 1.19 | - |
| 5700MHz | Pass | AV | 5.703G | 96.45 | Inf | -Inf | 3 | Vertical | 117 | 2.14 | - |
| 5700MHz | Pass | PK | 5.697G | 109.50 | Inf | -Inf | 3 | Vertical | 117 | 2.14 | - |
| 5700MHz | Pass | PK | 5.7252G | 67.65 | 68.20 | -0.55 | 3 | Vertical | 117 | 2.14 | - |
| 5700MHz | Pass | AV | 5.703G | 88.01 | Inf | -Inf | 3 | Horizontal | 128 | 2.18 | - |
| 5700MHz | Pass | PK | 5.697G | 101.26 | Inf | -Inf | 3 | Horizontal | 128 | 2.18 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5700MHz | Pass | PK | 5.8008G | 59.64 | 68.20 | -8.56 | 3 | Horizontal | 128 | 2.18 | - |
| 5700MHz | Pass | AV | 11.4063G | 42.44 | 54.00 | -11.56 | 3 | Vertical | 148 | 1.50 | - |
| 5700MHz | Pass | PK | 11.39016G | 56.05 | 74.00 | -17.95 | 3 | Vertical | 148 | 1.50 | - |
| 5700MHz | Pass | PK | 17.11446G | 63.62 | 68.20 | -4.58 | 3 | Vertical | 25 | 1.50 | - |
| 5700MHz | Pass | AV | 11.40684G | 42.45 | 54.00 | -11.55 | 3 | Horizontal | 336 | 1.00 | - |
| 5700MHz | Pass | PK | 11.3865G | 55.60 | 74.00 | -18.40 | 3 | Horizontal | 336 | 1.00 | - |
| 5700MHz | Pass | PK | 17.11434G | 62.69 | 68.20 | -5.51 | 3 | Horizontal | 49 | 1.81 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4572G | 46.70 | 54.00 | -7.30 | 3 | Vertical | 115 | 2.32 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7248G | 105.60 | Inf | -Inf | 3 | Vertical | 115 | 2.32 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4692G | 59.35 | 68.20 | -8.85 | 3 | Vertical | 115 | 2.32 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7176G | 118.83 | Inf | -Inf | 3 | Vertical | 115 | 2.32 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8532G | 67.17 | 68.20 | -1.03 | 3 | Vertical | 115 | 2.32 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4272G | 46.16 | 54.00 | -7.84 | 3 | Horizontal | 170 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7248G | 96.33 | Inf | -Inf | 3 | Horizontal | 170 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4632G | 58.40 | 68.20 | -9.80 | 3 | Horizontal | 170 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7176G | 109.73 | Inf | -Inf | 3 | Horizontal | 170 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.9264G | 60.14 | 68.20 | -8.06 | 3 | Horizontal | 170 | 1.93 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44222G | 42.53 | 54.00 | -11.47 | 3 | Vertical | 333 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.45392G | 56.35 | 74.00 | -17.65 | 3 | Vertical | 333 | 1.50 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.16258G | 63.70 | 68.20 | -4.50 | 3 | Vertical | 207 | 1.45 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 11.44858G | 42.59 | 54.00 | -11.41 | 3 | Horizontal | 237 | 1.66 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 11.431G | 56.25 | 74.00 | -17.75 | 3 | Horizontal | 237 | 1.66 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 17.17056G | 64.33 | 68.20 | -3.87 | 3 | Horizontal | 159 | 1.01 | - |
| 802.11ax HEW40_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5270MHz | Pass | AV | 5.2744G | 100.89 | Inf | -Inf | 3 | Vertical | 40 | 2.47 | - |
| 5270MHz | Pass | AV | 5.35G | 53.35 | 54.00 | -0.65 | 3 | Vertical | 40 | 2.47 | - |
| 5270MHz | Pass | PK | 5.2872G | 112.44 | Inf | -Inf | 3 | Vertical | 40 | 2.47 | - |
| 5270MHz | Pass | PK | 5.3524G | 67.96 | 74.00 | -6.04 | 3 | Vertical | 40 | 2.47 | - |
| 5270MHz | Pass | AV | 5.2652G | 90.56 | Inf | -Inf | 3 | Horizontal | 50 | 1.19 | - |
| 5270MHz | Pass | AV | 5.35G | 48.38 | 54.00 | -5.62 | 3 | Horizontal | 50 | 1.19 | - |
| 5270MHz | Pass | PK | 5.286G | 102.53 | Inf | -Inf | 3 | Horizontal | 50 | 1.19 | - |
| 5270MHz | Pass | PK | 5.3504G | 60.94 | 74.00 | -13.06 | 3 | Horizontal | 50 | 1.19 | - |
| 5270MHz | Pass | AV | 15.81208G | 47.13 | 54.00 | -6.87 | 3 | Vertical | 341 | 1.87 | - |
| 5270MHz | Pass | PK | 10.54468G | 59.52 | 68.20 | -8.68 | 3 | Vertical | 202 | 1.69 | - |
| 5270MHz | Pass | PK | 15.8026G | 59.52 | 74.00 | -14.48 | 3 | Vertical | 341 | 1.87 | - |
| 5270MHz | Pass | AV | 15.8106G | 46.82 | 54.00 | -7.18 | 3 | Horizontal | 217 | 1.50 | - |
| 5270MHz | Pass | PK | 10.53752G | 59.74 | 68.20 | -8.46 | 3 | Horizontal | 40 | 1.43 | - |
| 5270MHz | Pass | PK | 15.8156G | 59.02 | 74.00 | -14.98 | 3 | Horizontal | 217 | 1.50 | - |
| 5310MHz | Pass | AV | 5.316G | 96.20 | Inf | -Inf | 3 | Vertical | 38 | 2.34 | - |
| 5310MHz | Pass | AV | 5.3504G | 53.68 | 54.00 | -0.32 | 3 | Vertical | 38 | 2.34 | - |
| 5310MHz | Pass | PK | 5.3024G | 107.97 | Inf | -Inf | 3 | Vertical | 38 | 2.34 | - |
| 5310MHz | Pass | PK | 5.3508G | 71.71 | 74.00 | -2.29 | 3 | Vertical | 38 | 2.34 | - |
| 5310MHz | Pass | AV | 5.3024G | 86.48 | Inf | -Inf | 3 | Horizontal | 48 | 1.00 | - |
| 5310MHz | Pass | AV | 5.352G | 48.70 | 54.00 | -5.30 | 3 | Horizontal | 48 | 1.00 | - |
| 5310MHz | Pass | PK | 5.302G | 98.42 | Inf | -Inf | 3 | Horizontal | 48 | 1.00 | - |
| 5310MHz | Pass | PK | 5.3504G | 64.00 | 74.00 | -10.00 | 3 | Horizontal | 48 | 1.00 | - |
| 5310MHz | Pass | AV | 10.62882G | 47.65 | 54.00 | -6.35 | 3 | Vertical | 278 | 1.08 | - |
| 5310MHz | Pass | AV | 15.93732G | 46.22 | 54.00 | -7.78 | 3 | Vertical | 170 | 2.46 | - |
| 5310MHz | Pass | PK | 10.62084G | 60.17 | 74.00 | -13.83 | 3 | Vertical | 278 | 1.08 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5310MHz | Pass | PK | 15.92784G | 58.71 | 74.00 | -15.29 | 3 | Vertical | 170 | 2.46 | - |
| 5310MHz | Pass | AV | 10.6089G | 47.43 | 54.00 | -6.57 | 3 | Horizontal | 236 | 1.77 | - |
| 5310MHz | Pass | AV | 15.93666G | 46.11 | 54.00 | -7.89 | 3 | Horizontal | 121 | 1.26 | - |
| 5310MHz | Pass | PK | 10.61538G | 59.55 | 74.00 | -14.45 | 3 | Horizontal | 236 | 1.77 | - |
| 5310MHz | Pass | PK | 15.94488G | 58.62 | 74.00 | -15.38 | 3 | Horizontal | 121 | 1.26 | - |
| 5510MHz | Pass | AV | 5.4592G | 49.75 | 54.00 | -4.25 | 3 | Vertical | 39 | 2.30 | - |
| 5510MHz | Pass | AV | 5.5024G | 94.44 | Inf | -Inf | 3 | Vertical | 39 | 2.30 | - |
| 5510MHz | Pass | PK | 5.4696G | 68.06 | 68.20 | -0.14 | 3 | Vertical | 39 | 2.30 | - |
| 5510MHz | Pass | PK | 5.502G | 106.53 | Inf | -Inf | 3 | Vertical | 39 | 2.30 | - |
| 5510MHz | Pass | AV | 5.4524G | 47.75 | 54.00 | -6.25 | 3 | Horizontal | 51 | 1.00 | - |
| 5510MHz | Pass | AV | 5.5144G | 85.98 | Inf | -Inf | 3 | Horizontal | 51 | 1.00 | - |
| 5510MHz | Pass | PK | 5.4692G | 62.16 | 68.20 | -6.04 | 3 | Horizontal | 51 | 1.00 | - |
| 5510MHz | Pass | PK | 5.502G | 97.92 | Inf | -Inf | 3 | Horizontal | 51 | 1.00 | - |
| 5510MHz | Pass | AV | 11.02618G | 48.41 | 54.00 | -5.59 | 3 | Vertical | 154 | 1.94 | - |
| 5510MHz | Pass | PK | 11.00842G | 60.32 | 74.00 | -13.68 | 3 | Vertical | 154 | 1.94 | - |
| 5510MHz | Pass | PK | 16.54464G | 60.67 | 68.20 | -7.53 | 3 | Vertical | 142 | 1.85 | - |
| 5510MHz | Pass | AV | 11.01832G | 48.47 | 54.00 | -5.53 | 3 | Horizontal | 255 | 1.70 | - |
| 5510MHz | Pass | PK | 11.01076G | 61.07 | 74.00 | -12.93 | 3 | Horizontal | 255 | 1.70 | - |
| 5510MHz | Pass | PK | 16.51566G | 60.98 | 68.20 | -7.22 | 3 | Horizontal | 160 | 1.49 | - |
| 5550MHz | Pass | AV | 5.46G | 53.24 | 54.00 | -0.76 | 3 | Vertical | 40 | 2.37 | - |
| 5550MHz | Pass | AV | 5.5384G | 97.93 | Inf | -Inf | 3 | Vertical | 40 | 2.37 | - |
| 5550MHz | Pass | PK | 5.4672G | 67.67 | 68.20 | -0.53 | 3 | Vertical | 40 | 2.37 | - |
| 5550MHz | Pass | PK | 5.5348G | 110.13 | Inf | -Inf | 3 | Vertical | 40 | 2.37 | - |
| 5550MHz | Pass | AV | 5.4596G | 48.24 | 54.00 | -5.76 | 3 | Horizontal | 119 | 1.00 | - |
| 5550MHz | Pass | AV | 5.554G | 90.47 | Inf | -Inf | 3 | Horizontal | 119 | 1.00 | - |
| 5550MHz | Pass | PK | 5.4676G | 60.56 | 68.20 | -7.64 | 3 | Horizontal | 119 | 1.00 | - |
| 5550MHz | Pass | PK | 5.566G | 102.31 | Inf | -Inf | 3 | Horizontal | 119 | 1.00 | - |
| 5550MHz | Pass | AV | 11.09634G | 48.10 | 54.00 | -5.90 | 3 | Vertical | 190 | 2.09 | - |
| 5550MHz | Pass | PK | 11.09568G | 60.49 | 74.00 | -13.51 | 3 | Vertical | 190 | 2.09 | - |
| 5550MHz | Pass | PK | 16.6416G | 63.52 | 68.20 | -4.68 | 3 | Vertical | 205 | 1.06 | - |
| 5550MHz | Pass | AV | 11.08944G | 48.20 | 54.00 | -5.80 | 3 | Horizontal | 6 | 1.17 | - |
| 5550MHz | Pass | PK | 11.09736G | 60.07 | 74.00 | -13.93 | 3 | Horizontal | 6 | 1.17 | - |
| 5550MHz | Pass | PK | 16.63788G | 62.36 | 68.20 | -5.84 | 3 | Horizontal | 134 | 1.00 | - |
| 5670MHz | Pass | AV | 5.6838G | 95.17 | Inf | -Inf | 3 | Vertical | 206 | 2.67 | - |
| 5670MHz | Pass | PK | 5.6862G | 107.15 | Inf | -Inf | 3 | Vertical | 206 | 2.67 | - |
| 5670MHz | Pass | PK | 5.7264G | 67.51 | 68.20 | -0.69 | 3 | Vertical | 206 | 2.67 | - |
| 5670MHz | Pass | AV | 5.6742G | 89.76 | Inf | -Inf | 3 | Horizontal | 131 | 2.55 | - |
| 5670MHz | Pass | PK | 5.6856G | 101.55 | Inf | -Inf | 3 | Horizontal | 131 | 2.55 | - |
| 5670MHz | Pass | PK | 5.7264G | 63.29 | 68.20 | -4.91 | 3 | Horizontal | 131 | 2.55 | - |
| 5670MHz | Pass | AV | 11.35146G | 47.47 | 54.00 | -6.53 | 3 | Vertical | 272 | 1.68 | - |
| 5670MHz | Pass | PK | 11.35044G | 59.14 | 74.00 | -14.86 | 3 | Vertical | 272 | 1.68 | - |
| 5670MHz | Pass | PK | 17.0211G | 62.82 | 68.20 | -5.38 | 3 | Vertical | 317 | 1.63 | - |
| 5670MHz | Pass | AV | 11.352G | 47.59 | 54.00 | -6.41 | 3 | Horizontal | 265 | 1.24 | - |
| 5670MHz | Pass | PK | 11.34114G | 59.49 | 74.00 | -14.51 | 3 | Horizontal | 265 | 1.24 | - |
| 5670MHz | Pass | PK | 17.0073G | 62.41 | 68.20 | -5.79 | 3 | Horizontal | 216 | 1.94 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.46G | 48.76 | 54.00 | -5.24 | 3 | Vertical | 115 | 2.65 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7136G | 101.99 | Inf | -Inf | 3 | Vertical | 115 | 2.65 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4628G | 60.00 | 68.20 | -8.20 | 3 | Vertical | 115 | 2.65 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7256G | 113.91 | Inf | -Inf | 3 | Vertical | 115 | 2.65 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8504G | 67.51 | 68.20 | -0.69 | 3 | Vertical | 115 | 2.65 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4568G | 47.86 | 54.00 | -6.14 | 3 | Horizontal | 130 | 2.52 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7136G | 94.30 | Inf | -Inf | 3 | Horizontal | 130 | 2.52 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4652G | 58.71 | 68.20 | -9.49 | 3 | Horizontal | 130 | 2.52 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7256G | 106.30 | Inf | -Inf | 3 | Horizontal | 130 | 2.52 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8576G | 63.77 | 68.20 | -4.43 | 3 | Horizontal | 130 | 2.52 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41526G | 48.03 | 54.00 | -5.97 | 3 | Vertical | 176 | 1.31 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43332G | 60.20 | 74.00 | -13.80 | 3 | Vertical | 176 | 1.31 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.1378G | 63.18 | 68.20 | -5.02 | 3 | Vertical | 329 | 1.00 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | AV | 11.41016G | 47.74 | 54.00 | -6.26 | 3 | Horizontal | 179 | 2.27 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 11.43104G | 59.83 | 74.00 | -14.17 | 3 | Horizontal | 179 | 2.27 | - |
| 5710MHz Straddle 5.47-5.725GHz | Pass | PK | 17.14338G | 62.80 | 68.20 | -5.40 | 3 | Horizontal | 322 | 2.56 | - |
| 802.11ax HEW80_Nss1,(MCS0)_1TX | - | - | - | - | - | - | - | - | - | - | - |
| 5290MHz | Pass | AV | 5.148G | 49.66 | 54.00 | -4.34 | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | AV | 5.279G | 93.55 | Inf | -Inf | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | AV | 5.351G | 53.65 | 54.00 | -0.35 | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | PK | 5.11G | 61.49 | 74.00 | -12.51 | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | PK | 5.296G | 105.37 | Inf | -Inf | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | PK | 5.352G | 72.12 | 74.00 | -1.88 | 3 | Vertical | 39 | 2.48 | - |
| 5290MHz | Pass | AV | 5.105G | 48.96 | 54.00 | -5.04 | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | AV | 5.303G | 84.09 | Inf | -Inf | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | AV | 5.35G | 48.71 | 54.00 | -5.29 | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | PK | 5.078G | 61.72 | 74.00 | -12.28 | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | PK | 5.303G | 95.78 | Inf | -Inf | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | PK | 5.486G | 59.68 | 68.20 | -8.52 | 3 | Horizontal | 51 | 1.00 | - |
| 5290MHz | Pass | AV | 15.86754G | 46.52 | 54.00 | -7.48 | 3 | Vertical | 35 | 1.92 | - |
| 5290MHz | Pass | PK | 10.5758G | 59.94 | 68.20 | -8.26 | 3 | Vertical | 122 | 2.01 | - |
| 5290MHz | Pass | PK | 15.85518G | 58.52 | 74.00 | -15.48 | 3 | Vertical | 35 | 1.92 | - |
| 5290MHz | Pass | AV | 15.86232G | 46.50 | 54.00 | -7.50 | 3 | Horizontal | 68 | 1.53 | - |
| 5290MHz | Pass | PK | 10.56566G | 60.14 | 68.20 | -8.06 | 3 | Horizontal | 203 | 1.35 | - |
| 5290MHz | Pass | PK | 15.8799G | 58.96 | 74.00 | -15.04 | 3 | Horizontal | 68 | 1.53 | - |
| 5530MHz | Pass | AV | 5.458G | 51.96 | 54.00 | -2.04 | 3 | Vertical | 41 | 2.41 | - |
| 5530MHz | Pass | AV | 5.519G | 91.11 | Inf | -Inf | 3 | Vertical | 41 | 2.41 | - |
| 5530MHz | Pass | PK | 5.467G | 67.69 | 68.20 | -0.51 | 3 | Vertical | 41 | 2.41 | - |
| 5530MHz | Pass | PK | 5.52G | 102.17 | Inf | -Inf | 3 | Vertical | 41 | 2.41 | - |
| 5530MHz | Pass | PK | 5.751G | 60.03 | 68.20 | -8.17 | 3 | Vertical | 41 | 2.41 | - |
| 5530MHz | Pass | AV | 5.457G | 48.39 | 54.00 | -5.61 | 3 | Horizontal | 53 | 1.00 | - |
| 5530MHz | Pass | AV | 5.544G | 81.88 | Inf | -Inf | 3 | Horizontal | 53 | 1.00 | - |
| 5530MHz | Pass | PK | 5.466G | 60.96 | 68.20 | -7.24 | 3 | Horizontal | 53 | 1.00 | - |
| 5530MHz | Pass | PK | 5.543G | 93.27 | Inf | -Inf | 3 | Horizontal | 53 | 1.00 | - |
| 5530MHz | Pass | PK | 5.776G | 60.52 | 68.20 | -7.68 | 3 | Horizontal | 53 | 1.00 | - |
| 5530MHz | Pass | AV | 11.05682G | 48.45 | 54.00 | -5.55 | 3 | Vertical | 18 | 2.06 | - |
| 5530MHz | Pass | PK | 11.07104G | 60.71 | 74.00 | -13.29 | 3 | Vertical | 18 | 2.06 | - |
| 5530MHz | Pass | PK | 16.59666G | 61.15 | 68.20 | -7.05 | 3 | Vertical | 122 | 1.97 | - |
| 5530MHz | Pass | AV | 11.06504G | 48.26 | 54.00 | -5.74 | 3 | Horizontal | 201 | 1.09 | - |
| 5530MHz | Pass | PK | 11.06144G | 60.56 | 74.00 | -13.44 | 3 | Horizontal | 201 | 1.09 | - |
| 5530MHz | Pass | PK | 16.58784G | 61.12 | 68.20 | -7.08 | 3 | Horizontal | 176 | 2.26 | - |
| 5610MHz | Pass | AV | 5.459G | 53.57 | 54.00 | -0.43 | 3 | Vertical | 42 | 2.35 | - |
| 5610MHz | Pass | AV | 5.602G | 92.15 | Inf | -Inf | 3 | Vertical | 42 | 2.35 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio2_1T1S**

Appendix D.3


| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5610MHz | Pass | PK | 5.463G | 67.39 | 68.20 | -0.81 | 3 | Vertical | 42 | 2.35 | - |
| 5610MHz | Pass | PK | 5.589G | 103.43 | Inf | -Inf | 3 | Vertical | 42 | 2.35 | - |
| 5610MHz | Pass | PK | 5.727G | 64.83 | 68.20 | -3.37 | 3 | Vertical | 42 | 2.35 | - |
| 5610MHz | Pass | AV | 5.457G | 48.24 | 54.00 | -5.76 | 3 | Horizontal | 131 | 2.46 | - |
| 5610MHz | Pass | AV | 5.623G | 87.07 | Inf | -Inf | 3 | Horizontal | 131 | 2.46 | - |
| 5610MHz | Pass | PK | 5.463G | 59.82 | 68.20 | -8.38 | 3 | Horizontal | 131 | 2.46 | - |
| 5610MHz | Pass | PK | 5.623G | 98.56 | Inf | -Inf | 3 | Horizontal | 131 | 2.46 | - |
| 5610MHz | Pass | PK | 5.728G | 63.83 | 68.20 | -4.37 | 3 | Horizontal | 131 | 2.46 | - |
| 5610MHz | Pass | AV | 11.20902G | 47.74 | 54.00 | -6.26 | 3 | Vertical | 255 | 2.02 | - |
| 5610MHz | Pass | PK | 11.20506G | 60.01 | 74.00 | -13.99 | 3 | Vertical | 255 | 2.02 | - |
| 5610MHz | Pass | PK | 16.8339G | 61.74 | 68.20 | -6.46 | 3 | Vertical | 168 | 2.72 | - |
| 5610MHz | Pass | AV | 11.22894G | 47.84 | 54.00 | -6.16 | 3 | Horizontal | 158 | 1.24 | - |
| 5610MHz | Pass | PK | 11.21562G | 59.78 | 74.00 | -14.22 | 3 | Horizontal | 158 | 1.24 | - |
| 5610MHz | Pass | PK | 16.84098G | 62.49 | 68.20 | -5.71 | 3 | Horizontal | 306 | 2.10 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4596G | 49.75 | 54.00 | -4.25 | 3 | Vertical | 113 | 2.42 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7032G | 97.68 | Inf | -Inf | 3 | Vertical | 113 | 2.42 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.468G | 62.55 | 68.20 | -5.65 | 3 | Vertical | 113 | 2.42 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.6996G | 109.73 | Inf | -Inf | 3 | Vertical | 113 | 2.42 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.8544G | 67.74 | 68.20 | -0.46 | 3 | Vertical | 113 | 2.42 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4584G | 47.78 | 54.00 | -6.22 | 3 | Horizontal | 133 | 2.45 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7032G | 89.01 | Inf | -Inf | 3 | Horizontal | 133 | 2.45 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.4644G | 58.82 | 68.20 | -9.38 | 3 | Horizontal | 133 | 2.45 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7032G | 100.25 | Inf | -Inf | 3 | Horizontal | 133 | 2.45 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 62.60 | 68.20 | -5.60 | 3 | Horizontal | 133 | 2.45 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.38018G | 47.40 | 54.00 | -6.60 | 3 | Vertical | 139 | 2.48 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.39146G | 60.67 | 74.00 | -13.33 | 3 | Vertical | 139 | 2.48 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.05626G | 62.49 | 68.20 | -5.71 | 3 | Vertical | 215 | 1.50 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | AV | 11.3899G | 47.46 | 54.00 | -6.54 | 3 | Horizontal | 59 | 2.07 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 11.39356G | 59.58 | 74.00 | -14.42 | 3 | Horizontal | 59 | 2.07 | - |
| 5690MHz Straddle 5.47-5.725GHz | Pass | PK | 17.082G | 63.18 | 68.20 | -5.02 | 3 | Horizontal | 294 | 1.50 | - |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 48.60 | 54.00 | -5.40 | 8.60 | 3 | Vertical | 44 | 2.12 | - | 40.00 | 31.90 | 6.04 | 29.34 |
| AV | 5.2624G | 107.25 | Inf | -Inf | 8.05 | 3 | Vertical | 44 | 2.12 | - | 99.20 | 31.30 | 6.10 | 29.35 |
| AV | 5.3506G | 51.32 | 54.00 | -2.68 | 7.96 | 3 | Vertical | 44 | 2.12 | - | 43.36 | 31.20 | 6.12 | 29.36 |
| PK | 5.15G | 62.90 | 74.00 | -11.10 | 8.60 | 3 | Vertical | 44 | 2.12 | - | 54.30 | 31.90 | 6.04 | 29.34 |
| PK | 5.266G | 117.76 | Inf | -Inf | 8.05 | 3 | Vertical | 44 | 2.12 | - | 109.71 | 31.30 | 6.10 | 29.35 |
| PK | 5.35G | 68.82 | 74.00 | -5.18 | 7.96 | 3 | Vertical | 44 | 2.12 | - | 60.86 | 31.20 | 6.12 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.113G | 46.36 | 54.00 | -7.64 | 8.50 | 3 | Horizontal | 52 | 1.15 | - | 37.86 | 31.83 | 6.00 | 29.33 |
| AV | 5.257G | 97.43 | Inf | -Inf | 8.04 | 3 | Horizontal | 52 | 1.15 | - | 89.39 | 31.30 | 6.09 | 29.35 |
| AV | 5.353G | 46.54 | 54.00 | -7.46 | 7.98 | 3 | Horizontal | 52 | 1.15 | - | 38.56 | 31.22 | 6.12 | 29.36 |
| PK | 5.14G | 58.46 | 74.00 | -15.54 | 8.58 | 3 | Horizontal | 52 | 1.15 | - | 49.88 | 31.88 | 6.03 | 29.33 |
| PK | 5.2588G | 107.66 | Inf | -Inf | 8.04 | 3 | Horizontal | 52 | 1.15 | - | 99.62 | 31.30 | 6.09 | 29.35 |
| PK | 5.35G | 59.87 | 74.00 | -14.13 | 7.96 | 3 | Horizontal | 52 | 1.15 | - | 51.91 | 31.20 | 6.12 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.77784G | 45.80 | 54.00 | -8.20 | 17.34 | 3 | Vertical | 168 | 1.47 | - | 28.46 | 37.22 | 12.03 | 31.91 |
| PK | 10.52438G | 54.57 | 68.20 | -13.63 | 18.44 | 3 | Vertical | 222 | 2.70 | - | 36.13 | 39.70 | 9.34 | 30.60 |
| PK | 15.7728G | 58.86 | 74.00 | -15.14 | 17.35 | 3 | Vertical | 168 | 1.47 | - | 41.51 | 37.23 | 12.03 | 31.91 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.7818G | 45.85 | 54.00 | -8.15 | 17.35 | 3 | Horizontal | 40 | 1.00 | - | 28.50 | 37.22 | 12.04 | 31.91 |
| PK | 10.50926G | 54.81 | 68.20 | -13.39 | 18.44 | 3 | Horizontal | 259 | 2.94 | - | 36.37 | 39.70 | 9.33 | 30.59 |
| PK | 15.78156G | 59.02 | 74.00 | -14.98 | 17.35 | 3 | Horizontal | 40 | 1.00 | - | 41.67 | 37.22 | 12.04 | 31.91 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2982G | 105.82 | Inf | -Inf | 8.05 | 3 | Vertical | 43 | 2.20 | - | 97.77 | 31.30 | 6.10 | 29.35 |
| AV | 5.3504G | 52.86 | 54.00 | -1.14 | 7.96 | 3 | Vertical | 43 | 2.20 | - | 44.90 | 31.20 | 6.12 | 29.36 |
| PK | 5.306G | 115.65 | Inf | -Inf | 8.05 | 3 | Vertical | 43 | 2.20 | - | 107.60 | 31.29 | 6.11 | 29.35 |
| PK | 5.3504G | 71.75 | 74.00 | -2.25 | 7.96 | 3 | Vertical | 43 | 2.20 | - | 63.79 | 31.20 | 6.12 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2976G | 96.18 | Inf | -Inf | 8.05 | 3 | Horizontal | 52 | 1.16 | - | 88.13 | 31.30 | 6.10 | 29.35 |
| AV | 5.3504G | 47.47 | 54.00 | -6.53 | 7.96 | 3 | Horizontal | 52 | 1.16 | - | 39.51 | 31.20 | 6.12 | 29.36 |
| PK | 5.3018G | 105.81 | Inf | -Inf | 8.06 | 3 | Horizontal | 52 | 1.16 | - | 97.75 | 31.30 | 6.11 | 29.35 |
| PK | 5.3504G | 62.96 | 74.00 | -11.04 | 7.96 | 3 | Horizontal | 52 | 1.16 | - | 55.00 | 31.20 | 6.12 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61236G | 41.93 | 54.00 | -12.07 | 18.42 | 3 | Vertical | 87 | 1.50 | - | 23.51 | 39.68 | 9.40 | 30.66 |
| AV | 15.90174G | 48.64 | 54.00 | -5.36 | 16.86 | 3 | Vertical | 340 | 1.89 | - | 31.78 | 36.70 | 12.10 | 31.94 |
| PK | 10.61194G | 55.10 | 74.00 | -18.90 | 18.42 | 3 | Vertical | 87 | 1.50 | - | 36.68 | 39.68 | 9.40 | 30.66 |
| PK | 15.91218G | 61.95 | 74.00 | -12.05 | 16.86 | 3 | Vertical | 340 | 1.89 | - | 45.09 | 36.69 | 12.11 | 31.94 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61212G | 41.83 | 54.00 | -12.17 | 18.42 | 3 | Horizontal | 129 | 1.29 | - | 23.41 | 39.68 | 9.40 | 30.66 |
| AV | 15.90366G | 45.78 | 54.00 | -8.22 | 16.87 | 3 | Horizontal | 206 | 1.75 | - | 28.91 | 36.70 | 12.11 | 31.94 |
| PK | 10.60124G | 54.76 | 74.00 | -19.24 | 18.44 | 3 | Horizontal | 129 | 1.29 | - | 36.32 | 39.70 | 9.39 | 30.65 |
| PK | 15.9036G | 59.88 | 74.00 | -14.12 | 16.87 | 3 | Horizontal | 206 | 1.75 | - | 43.01 | 36.70 | 12.11 | 31.94 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3182G | 102.64 | Inf | -Inf | 8.02 | 3 | Vertical | 43 | 2.18 | - | 94.62 | 31.26 | 6.11 | 29.35 |
| AV | 5.35G | 53.30 | 54.00 | -0.70 | 7.96 | 3 | Vertical | 43 | 2.18 | - | 45.34 | 31.20 | 6.12 | 29.36 |
| PK | 5.3224G | 112.84 | Inf | -Inf | 8.02 | 3 | Vertical | 43 | 2.18 | - | 104.82 | 31.26 | 6.11 | 29.35 |
| PK | 5.3554G | 71.77 | 74.00 | -2.23 | 7.99 | 3 | Vertical | 43 | 2.18 | - | 63.78 | 31.23 | 6.12 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3242G | 93.65 | Inf | -Inf | 8.01 | 3 | Horizontal | 52 | 1.20 | - | 85.64 | 31.25 | 6.11 | 29.35 |
| AV | 5.35G | 47.46 | 54.00 | -6.54 | 7.96 | 3 | Horizontal | 52 | 1.20 | - | 39.50 | 31.20 | 6.12 | 29.36 |
| PK | 5.3224G | 103.71 | Inf | -Inf | 8.02 | 3 | Horizontal | 52 | 1.20 | - | 95.69 | 31.26 | 6.11 | 29.35 |
| PK | 5.4676G | 57.72 | 68.20 | -10.48 | 8.49 | 3 | Horizontal | 52 | 1.20 | - | 49.23 | 31.71 | 6.15 | 29.37 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.65116G | 42.28 | 54.00 | -11.72 | 18.35 | 3 | Vertical | 14 | 1.42 | - | 23.93 | 39.60 | 9.43 | 30.68 |
| AV | 15.9588G | 46.29 | 54.00 | -7.71 | 16.83 | 3 | Vertical | 339 | 1.94 | - | 29.46 | 36.64 | 12.14 | 31.95 |
| PK | 10.6358G | 54.89 | 74.00 | -19.11 | 18.38 | 3 | Vertical | 14 | 1.42 | - | 36.51 | 39.63 | 9.42 | 30.67 |
| PK | 15.9654G | 59.15 | 74.00 | -14.85 | 16.82 | 3 | Vertical | 339 | 1.94 | - | 42.33 | 36.63 | 12.14 | 31.95 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.64804G | 42.16 | 54.00 | -11.84 | 18.34 | 3 | Horizontal | 95 | 1.50 | - | 23.82 | 39.60 | 9.42 | 30.68 |
| AV | 15.97284G | 44.96 | 54.00 | -9.04 | 16.82 | 3 | Horizontal | 15 | 1.50 | - | 28.14 | 36.63 | 12.14 | 31.95 |
| PK | 10.6463G | 54.83 | 74.00 | -19.17 | 18.35 | 3 | Horizontal | 95 | 1.50 | - | 36.48 | 39.61 | 9.42 | 30.68 |
| PK | 15.97104G | 58.20 | 74.00 | -15.80 | 16.82 | 3 | Horizontal | 15 | 1.50 | - | 41.38 | 36.63 | 12.14 | 31.95 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 47.11 | 54.00 | -6.89 | 8.42 | 3 | Vertical | 42 | 2.15 | - | 38.69 | 31.65 | 6.14 | 29.37 |
| AV | 5.4952G | 99.31 | Inf | -Inf | 8.65 | 3 | Vertical | 42 | 2.15 | - | 90.66 | 31.87 | 6.15 | 29.37 |
| PK | 5.4682G | 67.72 | 68.20 | -0.48 | 8.49 | 3 | Vertical | 42 | 2.15 | - | 59.23 | 31.71 | 6.15 | 29.37 |
| PK | 5.5018G | 109.44 | Inf | -Inf | 8.68 | 3 | Vertical | 42 | 2.15 | - | 100.76 | 31.89 | 6.16 | 29.37 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4496G | 46.29 | 54.00 | -7.71 | 8.38 | 3 | Horizontal | 165 | 2.19 | - | 37.91 | 31.60 | 6.14 | 29.36 |
| AV | 5.5042G | 91.64 | Inf | -Inf | 8.66 | 3 | Horizontal | 165 | 2.19 | - | 82.98 | 31.87 | 6.16 | 29.37 |
| PK | 5.4616G | 58.69 | 68.20 | -9.51 | 8.45 | 3 | Horizontal | 165 | 2.19 | - | 50.24 | 31.67 | 6.15 | 29.37 |
| PK | 5.5024G | 101.84 | Inf | -Inf | 8.68 | 3 | Horizontal | 165 | 2.19 | - | 93.16 | 31.89 | 6.16 | 29.37 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.01026G | 42.71 | 54.00 | -11.29 | 18.92 | 3 | Vertical | 169 | 1.50 | - | 23.79 | 40.17 | 9.67 | 30.92 |
| PK | 11.012G | 55.80 | 74.00 | -18.20 | 18.91 | 3 | Vertical | 169 | 1.50 | - | 36.89 | 40.16 | 9.67 | 30.92 |
| PK | 16.5147G | 61.49 | 68.20 | -6.71 | 19.24 | 3 | Vertical | 275 | 2.29 | - | 42.25 | 38.60 | 12.33 | 31.69 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.98776G | 42.72 | 54.00 | -11.28 | 18.92 | 3 | Horizontal | 328 | 2.20 | - | 23.80 | 40.18 | 9.65 | 30.91 |
| PK | 11.01326G | 55.89 | 74.00 | -18.11 | 18.91 | 3 | Horizontal | 328 | 2.20 | - | 36.98 | 40.16 | 9.67 | 30.92 |
| PK | 16.49874G | 62.02 | 68.20 | -6.18 | 19.23 | 3 | Horizontal | 323 | 1.33 | - | 42.79 | 38.59 | 12.33 | 31.69 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4594G | 47.75 | 54.00 | -6.25 | 8.43 | 3 | Vertical | 116 | 2.24 | - | 39.32 | 31.66 | 6.14 | 29.37 |
| AV | 5.583G | 106.01 | Inf | -Inf | 8.48 | 3 | Vertical | 116 | 2.24 | - | 97.53 | 31.67 | 6.18 | 29.37 |
| PK | 5.4654G | 63.59 | 68.20 | -4.61 | 8.47 | 3 | Vertical | 116 | 2.24 | - | 55.12 | 31.69 | 6.15 | 29.37 |
| PK | 5.5836G | 116.54 | Inf | -Inf | 8.48 | 3 | Vertical | 116 | 2.24 | - | 108.06 | 31.67 | 6.18 | 29.37 |
| PK | 5.7288G | 58.94 | 68.20 | -9.26 | 8.70 | 3 | Vertical | 116 | 2.24 | - | 50.24 | 31.86 | 6.20 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4522G | 46.38 | 54.00 | -7.62 | 8.38 | 3 | Horizontal | 165 | 2.18 | - | 38.00 | 31.61 | 6.14 | 29.37 |
| AV | 5.5824G | 98.70 | Inf | -Inf | 8.47 | 3 | Horizontal | 165 | 2.18 | - | 90.23 | 31.66 | 6.18 | 29.37 |
| PK | 5.4612G | 58.42 | 68.20 | -9.78 | 8.45 | 3 | Horizontal | 165 | 2.18 | - | 49.97 | 31.67 | 6.15 | 29.37 |
| PK | 5.586G | 108.87 | Inf | -Inf | 8.48 | 3 | Horizontal | 165 | 2.18 | - | 100.39 | 31.67 | 6.18 | 29.37 |
| PK | 5.7282G | 57.86 | 68.20 | -10.34 | 8.70 | 3 | Horizontal | 165 | 2.18 | - | 49.16 | 31.86 | 6.20 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.14692G | 43.00 | 54.00 | -11.00 | 18.59 | 3 | Vertical | 49 | 1.05 | - | 24.41 | 39.71 | 9.76 | 30.88 |
| PK | 11.15754G | 55.93 | 74.00 | -18.07 | 18.57 | 3 | Vertical | 49 | 1.05 | - | 37.36 | 39.67 | 9.77 | 30.87 |
| PK | 16.73496G | 66.40 | 68.20 | -1.80 | 20.33 | 3 | Vertical | 208 | 1.63 | - | 46.07 | 39.61 | 12.41 | 31.69 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.14788G | 42.97 | 54.00 | -11.03 | 18.59 | 3 | Horizontal | 20 | 1.50 | - | 24.38 | 39.71 | 9.76 | 30.88 |
| PK | 11.17272G | 55.96 | 74.00 | -18.04 | 18.52 | 3 | Horizontal | 20 | 1.50 | - | 37.44 | 39.61 | 9.78 | 30.87 |
| PK | 16.73952G | 66.77 | 68.20 | -1.43 | 20.38 | 3 | Horizontal | 158 | 1.91 | - | 46.39 | 39.66 | 12.41 | 31.69 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.7018G | 100.23 | Inf | -Inf | 8.64 | 3 | Vertical | 114 | 2.20 | - | 91.59 | 31.80 | 6.20 | 29.36 |
| PK | 5.7018G | 110.48 | Inf | -Inf | 8.64 | 3 | Vertical | 114 | 2.20 | - | 101.84 | 31.80 | 6.20 | 29.36 |
| PK | 5.7258G | 67.37 | 68.20 | -0.83 | 8.69 | 3 | Vertical | 114 | 2.20 | - | 58.68 | 31.85 | 6.20 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.7024G | 92.16 | Inf | -Inf | 8.64 | 3 | Horizontal | 127 | 2.17 | - | 83.52 | 31.80 | 6.20 | 29.36 |
| PK | 5.7024G | 102.45 | Inf | -Inf | 8.64 | 3 | Horizontal | 127 | 2.17 | - | 93.81 | 31.80 | 6.20 | 29.36 |
| PK | 5.7294G | 60.54 | 68.20 | -7.66 | 8.70 | 3 | Horizontal | 127 | 2.17 | - | 51.84 | 31.86 | 6.20 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40744G | 42.82 | 54.00 | -11.18 | 18.93 | 3 | Vertical | 24 | 1.50 | - | 23.89 | 39.80 | 9.93 | 30.80 |
| PK | 11.4135G | 56.22 | 74.00 | -17.78 | 18.94 | 3 | Vertical | 24 | 1.50 | - | 37.28 | 39.80 | 9.94 | 30.80 |
| PK | 17.1129G | 62.59 | 68.20 | -5.61 | 21.10 | 3 | Vertical | 261 | 2.19 | - | 41.49 | 40.20 | 12.53 | 31.63 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.3871G | 42.73 | 54.00 | -11.27 | 18.89 | 3 | Horizontal | 217 | 1.50 | - | 23.84 | 39.77 | 9.92 | 30.80 |
| PK | 11.40624G | 55.56 | 74.00 | -18.44 | 18.93 | 3 | Horizontal | 217 | 1.50 | - | 36.63 | 39.80 | 9.93 | 30.80 |
| PK | 17.10522G | 63.08 | 68.20 | -5.12 | 21.09 | 3 | Horizontal | 301 | 1.21 | - | 41.99 | 40.20 | 12.53 | 31.64 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4572G | 46.98 | 54.00 | -7.02 | 8.41 | 3 | Vertical | 115 | 2.31 | - | 38.57 | 31.64 | 6.14 | 29.37 |
| AV | 5.7272G | 106.92 | Inf | -Inf | 8.69 | 3 | Vertical | 115 | 2.31 | - | 98.23 | 31.85 | 6.20 | 29.36 |
| PK | 5.4644G | 58.57 | 68.20 | -9.63 | 8.47 | 3 | Vertical | 115 | 2.31 | - | 50.10 | 31.69 | 6.15 | 29.37 |
| PK | 5.726G | 118.04 | Inf | -Inf | 8.69 | 3 | Vertical | 115 | 2.31 | - | 109.35 | 31.85 | 6.20 | 29.36 |
| PK | 5.8508G | 63.67 | 68.20 | -4.53 | 8.94 | 3 | Vertical | 115 | 2.31 | - | 54.73 | 32.00 | 6.30 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4536G | 46.45 | 54.00 | -7.55 | 8.39 | 3 | Horizontal | 292 | 2.24 | - | 38.06 | 31.62 | 6.14 | 29.37 |
| AV | 5.7176G | 99.39 | Inf | -Inf | 8.68 | 3 | Horizontal | 292 | 2.24 | - | 90.71 | 31.84 | 6.20 | 29.36 |
| PK | 5.462G | 57.66 | 68.20 | -10.54 | 8.45 | 3 | Horizontal | 292 | 2.24 | - | 49.21 | 31.67 | 6.15 | 29.37 |
| PK | 5.7236G | 110.30 | Inf | -Inf | 8.69 | 3 | Horizontal | 292 | 2.24 | - | 101.61 | 31.85 | 6.20 | 29.36 |
| PK | 5.8592G | 60.26 | 68.20 | -7.94 | 8.99 | 3 | Horizontal | 292 | 2.24 | - | 51.27 | 32.04 | 6.31 | 29.36 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.4475G | 43.24 | 54.00 | -10.76 | 18.97 | 3 | Vertical | 340 | 2.34 | - | 24.27 | 39.80 | 9.96 | 30.79 |
| PK | 11.43778G | 55.97 | 74.00 | -18.03 | 18.96 | 3 | Vertical | 340 | 2.34 | - | 37.01 | 39.80 | 9.95 | 30.79 |
| PK | 17.1735G | 64.02 | 68.20 | -4.18 | 21.15 | 3 | Vertical | 208 | 1.80 | - | 42.87 | 40.20 | 12.55 | 31.60 |



802.11a_Nss1,(6Mbps)_1TX

28/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.42914G | 43.05 | 54.00 | -10.95 | 18.96 | 3 | Horizontal | 86 | 2.84 | - | 24.09 | 39.80 | 9.95 | 30.79 |
| PK | 11.45446G | 56.44 | 74.00 | -17.56 | 18.98 | 3 | Horizontal | 86 | 2.84 | - | 37.46 | 39.80 | 9.96 | 30.78 |
| PK | 17.16036G | 64.65 | 68.20 | -3.55 | 21.14 | 3 | Horizontal | 167 | 1.05 | - | 43.51 | 40.20 | 12.55 | 31.61 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.15G | 50.12 | 54.00 | -3.88 | 8.60 | 3 | Vertical | 43 | 2.11 | - | 41.52 | 31.90 | 6.04 | 29.34 |
| AV | 5.2612G | 106.54 | Inf | -Inf | 8.05 | 3 | Vertical | 43 | 2.11 | - | 98.49 | 31.30 | 6.10 | 29.35 |
| AV | 5.35G | 53.52 | 54.00 | -0.48 | 7.96 | 3 | Vertical | 43 | 2.11 | - | 45.56 | 31.20 | 6.12 | 29.36 |
| PK | 5.1442G | 65.46 | 74.00 | -8.54 | 8.59 | 3 | Vertical | 43 | 2.11 | - | 56.87 | 31.89 | 6.03 | 29.33 |
| PK | 5.257G | 119.99 | Inf | -Inf | 8.04 | 3 | Vertical | 43 | 2.11 | - | 111.95 | 31.30 | 6.09 | 29.35 |
| PK | 5.35G | 71.29 | 74.00 | -2.71 | 7.96 | 3 | Vertical | 43 | 2.11 | - | 63.33 | 31.20 | 6.12 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.1424G | 46.51 | 54.00 | -7.49 | 8.58 | 3 | Horizontal | 52 | 1.24 | - | 37.93 | 31.88 | 6.03 | 29.33 |
| AV | 5.2582G | 96.86 | Inf | -Inf | 8.04 | 3 | Horizontal | 52 | 1.24 | - | 88.82 | 31.30 | 6.09 | 29.35 |
| AV | 5.3506G | 47.43 | 54.00 | -6.57 | 7.96 | 3 | Horizontal | 52 | 1.24 | - | 39.47 | 31.20 | 6.12 | 29.36 |
| PK | 5.1382G | 59.55 | 74.00 | -14.45 | 8.57 | 3 | Horizontal | 52 | 1.24 | - | 50.98 | 31.88 | 6.02 | 29.33 |
| PK | 5.257G | 110.50 | Inf | -Inf | 8.04 | 3 | Horizontal | 52 | 1.24 | - | 102.46 | 31.30 | 6.09 | 29.35 |
| PK | 5.35G | 61.78 | 74.00 | -12.22 | 7.96 | 3 | Horizontal | 52 | 1.24 | - | 53.82 | 31.20 | 6.12 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.78462G | 45.96 | 54.00 | -8.04 | 17.35 | 3 | Vertical | 168 | 1.42 | - | 28.61 | 37.22 | 12.04 | 31.91 |
| PK | 10.51304G | 56.14 | 68.20 | -12.06 | 18.44 | 3 | Vertical | 107 | 1.92 | - | 37.70 | 39.70 | 9.33 | 30.59 |
| PK | 15.76578G | 59.74 | 74.00 | -14.26 | 17.35 | 3 | Vertical | 168 | 1.42 | - | 42.39 | 37.23 | 12.03 | 31.91 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5260MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.77988G | 45.96 | 54.00 | -8.04 | 17.35 | 3 | Horizontal | 40 | 1.00 | - | 28.61 | 37.22 | 12.04 | 31.91 |
| PK | 10.52786G | 55.43 | 68.20 | -12.77 | 18.44 | 3 | Horizontal | 112 | 2.44 | - | 36.99 | 39.70 | 9.34 | 30.60 |
| PK | 15.783G | 59.59 | 74.00 | -14.41 | 17.35 | 3 | Horizontal | 40 | 1.00 | - | 42.24 | 37.22 | 12.04 | 31.91 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2958G | 104.94 | Inf | -Inf | 8.05 | 3 | Vertical | 44 | 2.20 | - | 96.89 | 31.30 | 6.10 | 29.35 |
| AV | 5.35G | 53.04 | 54.00 | -0.96 | 7.96 | 3 | Vertical | 44 | 2.20 | - | 45.08 | 31.20 | 6.12 | 29.36 |
| PK | 5.297G | 118.76 | Inf | -Inf | 8.05 | 3 | Vertical | 44 | 2.20 | - | 110.71 | 31.30 | 6.10 | 29.35 |
| PK | 5.3522G | 72.39 | 74.00 | -1.61 | 7.97 | 3 | Vertical | 44 | 2.20 | - | 64.42 | 31.21 | 6.12 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2952G | 95.87 | Inf | -Inf | 8.05 | 3 | Horizontal | 52 | 1.06 | - | 87.82 | 31.30 | 6.10 | 29.35 |
| AV | 5.35G | 48.04 | 54.00 | -5.96 | 7.96 | 3 | Horizontal | 52 | 1.06 | - | 40.08 | 31.20 | 6.12 | 29.36 |
| PK | 5.297G | 109.40 | Inf | -Inf | 8.05 | 3 | Horizontal | 52 | 1.06 | - | 101.35 | 31.30 | 6.10 | 29.35 |
| PK | 5.3516G | 64.26 | 74.00 | -9.74 | 7.97 | 3 | Horizontal | 52 | 1.06 | - | 56.29 | 31.21 | 6.12 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.60045G | 41.74 | 54.00 | -12.26 | 18.44 | 3 | Vertical | 348 | 1.50 | - | 23.30 | 39.70 | 9.39 | 30.65 |
| AV | 15.9G | 48.12 | 54.00 | -5.88 | 16.86 | 3 | Vertical | 341 | 1.89 | - | 31.26 | 36.70 | 12.10 | 31.94 |
| PK | 10.60007G | 56.47 | 74.00 | -17.53 | 18.44 | 3 | Vertical | 348 | 1.50 | - | 38.03 | 39.70 | 9.39 | 30.65 |
| PK | 15.9019G | 62.46 | 74.00 | -11.54 | 16.86 | 3 | Vertical | 341 | 1.89 | - | 45.60 | 36.70 | 12.10 | 31.94 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5300MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.61164G | 42.13 | 54.00 | -11.87 | 18.42 | 3 | Horizontal | 103 | 2.23 | - | 23.71 | 39.68 | 9.40 | 30.66 |
| AV | 15.9042G | 45.29 | 54.00 | -8.71 | 16.87 | 3 | Horizontal | 208 | 2.48 | - | 28.42 | 36.70 | 12.11 | 31.94 |
| PK | 10.6045G | 55.75 | 74.00 | -18.25 | 18.44 | 3 | Horizontal | 103 | 2.23 | - | 37.31 | 39.69 | 9.40 | 30.65 |
| PK | 15.9055G | 59.19 | 74.00 | -14.81 | 16.86 | 3 | Horizontal | 208 | 2.48 | - | 42.33 | 36.69 | 12.11 | 31.94 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3182G | 100.75 | Inf | -Inf | 8.02 | 3 | Vertical | 43 | 2.17 | - | 92.73 | 31.26 | 6.11 | 29.35 |
| AV | 5.3506G | 51.47 | 54.00 | -2.53 | 7.96 | 3 | Vertical | 43 | 2.17 | - | 43.51 | 31.20 | 6.12 | 29.36 |
| PK | 5.317G | 114.38 | Inf | -Inf | 8.03 | 3 | Vertical | 43 | 2.17 | - | 106.35 | 31.27 | 6.11 | 29.35 |
| PK | 5.3512G | 73.14 | 74.00 | -0.86 | 7.97 | 3 | Vertical | 43 | 2.17 | - | 65.17 | 31.21 | 6.12 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3182G | 92.15 | Inf | -Inf | 8.02 | 3 | Horizontal | 52 | 1.20 | - | 84.13 | 31.26 | 6.11 | 29.35 |
| AV | 5.3506G | 46.83 | 54.00 | -7.17 | 7.96 | 3 | Horizontal | 52 | 1.20 | - | 38.87 | 31.20 | 6.12 | 29.36 |
| PK | 5.317G | 105.64 | Inf | -Inf | 8.03 | 3 | Horizontal | 52 | 1.20 | - | 97.61 | 31.27 | 6.11 | 29.35 |
| PK | 5.4646G | 59.30 | 68.20 | -8.90 | 8.47 | 3 | Horizontal | 52 | 1.20 | - | 50.83 | 31.69 | 6.15 | 29.37 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.64354G | 42.26 | 54.00 | -11.74 | 18.35 | 3 | Vertical | 170 | 1.48 | - | 23.91 | 39.61 | 9.42 | 30.68 |
| AV | 15.95892G | 45.43 | 54.00 | -8.57 | 16.83 | 3 | Vertical | 340 | 1.97 | - | 28.60 | 36.64 | 12.14 | 31.95 |
| PK | 10.63928G | 56.05 | 74.00 | -17.95 | 18.37 | 3 | Vertical | 170 | 1.48 | - | 37.68 | 39.62 | 9.42 | 30.67 |
| PK | 15.96948G | 59.67 | 74.00 | -14.33 | 16.82 | 3 | Vertical | 340 | 1.97 | - | 42.85 | 36.63 | 12.14 | 31.95 |



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5320MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.65362G | 42.34 | 54.00 | -11.66 | 18.34 | 3 | Horizontal | 219 | 1.50 | - | 24.00 | 39.59 | 9.43 | 30.68 |
| AV | 15.96852G | 44.97 | 54.00 | -9.03 | 16.82 | 3 | Horizontal | 216 | 2.00 | - | 28.15 | 36.63 | 12.14 | 31.95 |
| PK | 10.62866G | 56.10 | 74.00 | -17.90 | 18.38 | 3 | Horizontal | 219 | 1.50 | - | 37.72 | 39.64 | 9.41 | 30.67 |
| PK | 15.96342G | 58.42 | 74.00 | -15.58 | 16.83 | 3 | Horizontal | 216 | 2.00 | - | 41.59 | 36.64 | 12.14 | 31.95 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4598G | 47.44 | 54.00 | -6.56 | 8.43 | 3 | Vertical | 44 | 2.20 | - | 39.01 | 31.66 | 6.14 | 29.37 |
| AV | 5.4952G | 99.45 | Inf | -Inf | 8.65 | 3 | Vertical | 44 | 2.20 | - | 90.80 | 31.87 | 6.15 | 29.37 |
| PK | 5.4682G | 67.79 | 68.20 | -0.41 | 8.49 | 3 | Vertical | 44 | 2.20 | - | 59.30 | 31.71 | 6.15 | 29.37 |
| PK | 5.497G | 112.74 | Inf | -Inf | 8.66 | 3 | Vertical | 44 | 2.20 | - | 104.08 | 31.88 | 6.15 | 29.37 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.437G | 46.12 | 54.00 | -7.88 | 8.35 | 3 | Horizontal | 166 | 2.19 | - | 37.77 | 31.57 | 6.14 | 29.36 |
| AV | 5.503G | 91.21 | Inf | -Inf | 8.67 | 3 | Horizontal | 166 | 2.19 | - | 82.54 | 31.88 | 6.16 | 29.37 |
| PK | 5.4694G | 59.24 | 68.20 | -8.96 | 8.50 | 3 | Horizontal | 166 | 2.19 | - | 50.74 | 31.72 | 6.15 | 29.37 |
| PK | 5.5048G | 103.95 | Inf | -Inf | 8.66 | 3 | Horizontal | 166 | 2.19 | - | 95.29 | 31.87 | 6.16 | 29.37 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.00852G | 47.13 | 54.00 | -6.87 | 19.35 | 3 | Vertical | 51 | 1.50 | - | 27.78 | 40.17 | 13.34 | 34.16 |
| PK | 11.00388G | 59.79 | 74.00 | -14.21 | 19.36 | 3 | Vertical | 51 | 1.50 | - | 40.43 | 40.18 | 13.34 | 34.16 |
| PK | 16.49552G | 60.97 | 68.20 | -7.23 | 19.11 | 3 | Vertical | 238 | 1.13 | - | 41.86 | 38.89 | 14.21 | 33.99 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5500MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.01446G | 47.22 | 54.00 | -6.78 | 19.32 | 3 | Horizontal | 1 | 1.50 | - | 27.90 | 40.14 | 13.34 | 34.16 |
| PK | 11.00648G | 60.37 | 74.00 | -13.63 | 19.35 | 3 | Horizontal | 1 | 1.50 | - | 41.02 | 40.17 | 13.34 | 34.16 |
| PK | 16.50454G | 60.85 | 68.20 | -7.35 | 19.15 | 3 | Horizontal | 69 | 2.41 | - | 41.70 | 38.91 | 14.22 | 33.98 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 47.96 | 54.00 | -6.04 | 8.43 | 3 | Vertical | 117 | 2.23 | - | 39.53 | 31.66 | 6.14 | 29.37 |
| AV | 5.5812G | 104.61 | Inf | -Inf | 8.47 | 3 | Vertical | 117 | 2.23 | - | 96.14 | 31.66 | 6.18 | 29.37 |
| PK | 5.4636G | 63.92 | 68.20 | -4.28 | 8.46 | 3 | Vertical | 117 | 2.23 | - | 55.46 | 31.68 | 6.15 | 29.37 |
| PK | 5.577G | 118.10 | Inf | -Inf | 8.45 | 3 | Vertical | 117 | 2.23 | - | 109.65 | 31.65 | 6.17 | 29.37 |
| PK | 5.73G | 59.88 | 68.20 | -8.32 | 8.70 | 3 | Vertical | 117 | 2.23 | - | 51.18 | 31.86 | 6.20 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4564G | 46.53 | 54.00 | -7.47 | 7.76 | 3 | Horizontal | 119 | 1.00 | - | 38.77 | 31.63 | 10.20 | 34.07 |
| AV | 5.5848G | 93.97 | Inf | -Inf | 7.80 | 3 | Horizontal | 119 | 1.00 | - | 86.17 | 31.63 | 10.24 | 34.07 |
| PK | 5.4648G | 60.44 | 68.20 | -7.76 | 7.80 | 3 | Horizontal | 119 | 1.00 | - | 52.64 | 31.66 | 10.21 | 34.07 |
| PK | 5.577G | 107.21 | Inf | -Inf | 7.82 | 3 | Horizontal | 119 | 1.00 | - | 99.39 | 31.65 | 10.24 | 34.07 |
| PK | 5.7282G | 58.95 | 68.20 | -9.25 | 8.19 | 3 | Horizontal | 119 | 1.00 | - | 50.76 | 31.86 | 10.40 | 34.07 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.14908G | 42.36 | 54.00 | -11.64 | 18.58 | 3 | Vertical | 54 | 1.50 | - | 23.78 | 39.70 | 9.76 | 30.88 |
| PK | 11.17338G | 56.69 | 74.00 | -17.31 | 18.52 | 3 | Vertical | 54 | 1.50 | - | 38.17 | 39.61 | 9.78 | 30.87 |
| PK | 16.74006G | 66.90 | 68.20 | -1.30 | 20.38 | 3 | Vertical | 208 | 1.63 | - | 46.52 | 39.66 | 12.41 | 31.69 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5580MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.14698G | 42.47 | 54.00 | -11.53 | 18.59 | 3 | Horizontal | 266 | 1.50 | - | 23.88 | 39.71 | 9.76 | 30.88 |
| PK | 11.1681G | 56.63 | 74.00 | -17.37 | 18.53 | 3 | Horizontal | 266 | 1.50 | - | 38.10 | 39.63 | 9.77 | 30.87 |
| PK | 16.74858G | 65.79 | 68.20 | -2.41 | 20.46 | 3 | Horizontal | 165 | 1.19 | - | 45.33 | 39.74 | 12.41 | 31.69 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.703G | 96.45 | Inf | -Inf | 8.65 | 3 | Vertical | 117 | 2.14 | - | 87.80 | 31.81 | 6.20 | 29.36 |
| PK | 5.697G | 109.50 | Inf | -Inf | 8.62 | 3 | Vertical | 117 | 2.14 | - | 100.88 | 31.79 | 6.19 | 29.36 |
| PK | 5.7252G | 67.65 | 68.20 | -0.55 | 8.69 | 3 | Vertical | 117 | 2.14 | - | 58.96 | 31.85 | 6.20 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.703G | 88.01 | Inf | -Inf | 8.65 | 3 | Horizontal | 128 | 2.18 | - | 79.36 | 31.81 | 6.20 | 29.36 |
| PK | 5.697G | 101.26 | Inf | -Inf | 8.62 | 3 | Horizontal | 128 | 2.18 | - | 92.64 | 31.79 | 6.19 | 29.36 |
| PK | 5.8008G | 59.64 | 68.20 | -8.56 | 8.85 | 3 | Horizontal | 128 | 2.18 | - | 50.79 | 32.00 | 6.21 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.4063G | 42.44 | 54.00 | -11.56 | 18.93 | 3 | Vertical | 148 | 1.50 | - | 23.51 | 39.80 | 9.93 | 30.80 |
| PK | 11.39016G | 56.05 | 74.00 | -17.95 | 18.90 | 3 | Vertical | 148 | 1.50 | - | 37.15 | 39.78 | 9.92 | 30.80 |
| PK | 17.11446G | 63.62 | 68.20 | -4.58 | 21.10 | 3 | Vertical | 25 | 1.50 | - | 42.52 | 40.20 | 12.53 | 31.63 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5700MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.40684G | 42.45 | 54.00 | -11.55 | 18.93 | 3 | Horizontal | 336 | 1.00 | - | 23.52 | 39.80 | 9.93 | 30.80 |
| PK | 11.3865G | 55.60 | 74.00 | -18.40 | 18.89 | 3 | Horizontal | 336 | 1.00 | - | 36.71 | 39.77 | 9.92 | 30.80 |
| PK | 17.11434G | 62.69 | 68.20 | -5.51 | 21.10 | 3 | Horizontal | 49 | 1.81 | - | 41.59 | 40.20 | 12.53 | 31.63 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4572G | 46.70 | 54.00 | -7.30 | 8.41 | 3 | Vertical | 115 | 2.32 | - | 38.29 | 31.64 | 6.14 | 29.37 |
| AV | 5.7248G | 105.60 | Inf | -Inf | 8.69 | 3 | Vertical | 115 | 2.32 | - | 96.91 | 31.85 | 6.20 | 29.36 |
| PK | 5.4692G | 59.35 | 68.20 | -8.85 | 8.50 | 3 | Vertical | 115 | 2.32 | - | 50.85 | 31.72 | 6.15 | 29.37 |
| PK | 5.7176G | 118.83 | Inf | -Inf | 8.68 | 3 | Vertical | 115 | 2.32 | - | 110.15 | 31.84 | 6.20 | 29.36 |
| PK | 5.8532G | 67.17 | 68.20 | -1.03 | 8.95 | 3 | Vertical | 115 | 2.32 | - | 58.22 | 32.01 | 6.30 | 29.36 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4272G | 46.16 | 54.00 | -7.84 | 8.33 | 3 | Horizontal | 170 | 1.93 | - | 37.83 | 31.55 | 6.14 | 29.36 |
| AV | 5.7248G | 96.33 | Inf | -Inf | 8.69 | 3 | Horizontal | 170 | 1.93 | - | 87.64 | 31.85 | 6.20 | 29.36 |
| PK | 5.4632G | 58.40 | 68.20 | -9.80 | 8.46 | 3 | Horizontal | 170 | 1.93 | - | 49.94 | 31.68 | 6.15 | 29.37 |
| PK | 5.7176G | 109.73 | Inf | -Inf | 8.68 | 3 | Horizontal | 170 | 1.93 | - | 101.05 | 31.84 | 6.20 | 29.36 |
| PK | 5.9264G | 60.14 | 68.20 | -8.06 | 9.32 | 3 | Horizontal | 170 | 1.93 | - | 50.82 | 32.25 | 6.42 | 29.35 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.44222G | 42.53 | 54.00 | -11.47 | 18.97 | 3 | Vertical | 333 | 1.50 | - | 23.56 | 39.80 | 9.96 | 30.79 |
| PK | 11.45392G | 56.35 | 74.00 | -17.65 | 18.98 | 3 | Vertical | 333 | 1.50 | - | 37.37 | 39.80 | 9.96 | 30.78 |
| PK | 17.16258G | 63.70 | 68.20 | -4.50 | 21.14 | 3 | Vertical | 207 | 1.45 | - | 42.56 | 40.20 | 12.55 | 31.61 |



802.11ax HEW20_Nss1,(MCS0)_1TX

29/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.44858G | 42.59 | 54.00 | -11.41 | 18.97 | 3 | Horizontal | 237 | 1.66 | - | 23.62 | 39.80 | 9.96 | 30.79 |
| PK | 11.431G | 56.25 | 74.00 | -17.75 | 18.96 | 3 | Horizontal | 237 | 1.66 | - | 37.29 | 39.80 | 9.95 | 30.79 |
| PK | 17.17056G | 64.33 | 68.20 | -3.87 | 21.15 | 3 | Horizontal | 159 | 1.01 | - | 43.18 | 40.20 | 12.55 | 31.60 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2744G | 100.89 | Inf | -Inf | 7.31 | 3 | Vertical | 40 | 2.47 | - | 93.58 | 31.25 | 10.12 | 34.06 |
| AV | 5.35G | 53.35 | 54.00 | -0.65 | 7.30 | 3 | Vertical | 40 | 2.47 | - | 46.05 | 31.20 | 10.16 | 34.06 |
| PK | 5.2872G | 112.44 | Inf | -Inf | 7.30 | 3 | Vertical | 40 | 2.47 | - | 105.14 | 31.23 | 10.13 | 34.06 |
| PK | 5.3524G | 67.96 | 74.00 | -6.04 | 7.31 | 3 | Vertical | 40 | 2.47 | - | 60.65 | 31.21 | 10.16 | 34.06 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.2652G | 90.56 | Inf | -Inf | 7.32 | 3 | Horizontal | 50 | 1.19 | - | 83.24 | 31.27 | 10.11 | 34.06 |
| AV | 5.35G | 48.38 | 54.00 | -5.62 | 7.30 | 3 | Horizontal | 50 | 1.19 | - | 41.08 | 31.20 | 10.16 | 34.06 |
| PK | 5.286G | 102.53 | Inf | -Inf | 7.29 | 3 | Horizontal | 50 | 1.19 | - | 95.24 | 31.23 | 10.12 | 34.06 |
| PK | 5.3504G | 60.94 | 74.00 | -13.06 | 7.30 | 3 | Horizontal | 50 | 1.19 | - | 53.64 | 31.20 | 10.16 | 34.06 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.81208G | 47.13 | 54.00 | -6.87 | 17.06 | 3 | Vertical | 341 | 1.87 | - | 30.07 | 37.68 | 13.73 | 34.35 |
| PK | 10.54468G | 59.52 | 68.20 | -8.68 | 18.64 | 3 | Vertical | 202 | 1.69 | - | 40.88 | 39.79 | 13.07 | 34.22 |
| PK | 15.8026G | 59.52 | 74.00 | -14.48 | 17.08 | 3 | Vertical | 341 | 1.87 | - | 42.44 | 37.69 | 13.73 | 34.34 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5270MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.8106G | 46.82 | 54.00 | -7.18 | 17.06 | 3 | Horizontal | 217 | 1.50 | - | 29.76 | 37.68 | 13.73 | 34.35 |
| PK | 10.53752G | 59.74 | 68.20 | -8.46 | 18.63 | 3 | Horizontal | 40 | 1.43 | - | 41.11 | 39.78 | 13.07 | 34.22 |
| PK | 15.8156G | 59.02 | 74.00 | -14.98 | 17.05 | 3 | Horizontal | 217 | 1.50 | - | 41.97 | 37.67 | 13.73 | 34.35 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.316G | 96.20 | Inf | -Inf | 7.28 | 3 | Vertical | 38 | 2.34 | - | 88.92 | 31.20 | 10.14 | 34.06 |
| AV | 5.3504G | 53.68 | 54.00 | -0.32 | 7.30 | 3 | Vertical | 38 | 2.34 | - | 46.38 | 31.20 | 10.16 | 34.06 |
| PK | 5.3024G | 107.97 | Inf | -Inf | 7.27 | 3 | Vertical | 38 | 2.34 | - | 100.70 | 31.20 | 10.13 | 34.06 |
| PK | 5.3508G | 71.71 | 74.00 | -2.29 | 7.30 | 3 | Vertical | 38 | 2.34 | - | 64.41 | 31.20 | 10.16 | 34.06 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.3024G | 86.48 | Inf | -Inf | 7.27 | 3 | Horizontal | 48 | 1.00 | - | 79.21 | 31.20 | 10.13 | 34.06 |
| AV | 5.352G | 48.70 | 54.00 | -5.30 | 7.31 | 3 | Horizontal | 48 | 1.00 | - | 41.39 | 31.21 | 10.16 | 34.06 |
| PK | 5.302G | 98.42 | Inf | -Inf | 7.27 | 3 | Horizontal | 48 | 1.00 | - | 91.15 | 31.20 | 10.13 | 34.06 |
| PK | 5.3504G | 64.00 | 74.00 | -10.00 | 7.30 | 3 | Horizontal | 48 | 1.00 | - | 56.70 | 31.20 | 10.16 | 34.06 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.62882G | 47.65 | 54.00 | -6.35 | 18.81 | 3 | Vertical | 278 | 1.08 | - | 28.84 | 39.90 | 13.12 | 34.21 |
| AV | 15.93732G | 46.22 | 54.00 | -7.78 | 16.79 | 3 | Vertical | 170 | 2.46 | - | 29.43 | 37.50 | 13.73 | 34.44 |
| PK | 10.62084G | 60.17 | 74.00 | -13.83 | 18.81 | 3 | Vertical | 278 | 1.08 | - | 41.36 | 39.90 | 13.12 | 34.21 |
| PK | 15.92784G | 58.71 | 74.00 | -15.29 | 16.80 | 3 | Vertical | 170 | 2.46 | - | 41.91 | 37.50 | 13.73 | 34.43 |



802.11ax HEW40_Nss1,(MCS0)_1TX

29/12/2019

5310MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 10.6089G | 47.43 | 54.00 | -6.57 | 18.80 | 3 | Horizontal | 236 | 1.77 | - | 28.63 | 39.90 | 13.11 | 34.21 |
| AV | 15.93666G | 46.11 | 54.00 | -7.89 | 16.79 | 3 | Horizontal | 121 | 1.26 | - | 29.32 | 37.50 | 13.73 | 34.44 |
| PK | 10.61538G | 59.55 | 74.00 | -14.45 | 18.80 | 3 | Horizontal | 236 | 1.77 | - | 40.75 | 39.90 | 13.11 | 34.21 |
| PK | 15.94488G | 58.62 | 74.00 | -15.38 | 16.79 | 3 | Horizontal | 121 | 1.26 | - | 41.83 | 37.50 | 13.73 | 34.44 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4592G | 49.75 | 54.00 | -4.25 | 7.77 | 3 | Vertical | 39 | 2.30 | - | 41.98 | 31.64 | 10.20 | 34.07 |
| AV | 5.5024G | 94.44 | Inf | -Inf | 7.95 | 3 | Vertical | 39 | 2.30 | - | 86.49 | 31.80 | 10.22 | 34.07 |
| PK | 5.4696G | 68.06 | 68.20 | -0.14 | 7.82 | 3 | Vertical | 39 | 2.30 | - | 60.24 | 31.68 | 10.21 | 34.07 |
| PK | 5.502G | 106.53 | Inf | -Inf | 7.95 | 3 | Vertical | 39 | 2.30 | - | 98.58 | 31.80 | 10.22 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4524G | 47.75 | 54.00 | -6.25 | 7.74 | 3 | Horizontal | 51 | 1.00 | - | 40.01 | 31.61 | 10.20 | 34.07 |
| AV | 5.5144G | 85.98 | Inf | -Inf | 7.92 | 3 | Horizontal | 51 | 1.00 | - | 78.06 | 31.77 | 10.22 | 34.07 |
| PK | 5.4692G | 62.16 | 68.20 | -6.04 | 7.82 | 3 | Horizontal | 51 | 1.00 | - | 54.34 | 31.68 | 10.21 | 34.07 |
| PK | 5.502G | 97.92 | Inf | -Inf | 7.95 | 3 | Horizontal | 51 | 1.00 | - | 89.97 | 31.80 | 10.22 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 11.02618G | 48.41 | 54.00 | -5.59 | 19.29 | 3 | Vertical | 154 | 1.94 | - | 29.12 | 40.10 | 13.35 | 34.16 |
| PK | 11.00842G | 60.32 | 74.00 | -13.68 | 19.35 | 3 | Vertical | 154 | 1.94 | - | 40.97 | 40.17 | 13.34 | 34.16 |
| PK | 16.54464G | 60.67 | 68.20 | -7.53 | 19.31 | 3 | Vertical | 142 | 1.85 | - | 41.36 | 38.99 | 14.26 | 33.94 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5510MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.01832G | 48.47 | 54.00 | -5.53 | 19.32 | 3 | Horizontal | 255 | 1.70 | - | 29.15 | 40.13 | 13.35 | 34.16 |
| PK | 11.01076G | 61.07 | 74.00 | -12.93 | 19.34 | 3 | Horizontal | 255 | 1.70 | - | 41.73 | 40.16 | 13.34 | 34.16 |
| PK | 16.51566G | 60.98 | 68.20 | -7.22 | 19.19 | 3 | Horizontal | 160 | 1.49 | - | 41.79 | 38.93 | 14.23 | 33.97 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 53.24 | 54.00 | -0.76 | 7.77 | 3 | Vertical | 40 | 2.37 | - | 45.47 | 31.64 | 10.20 | 34.07 |
| AV | 5.5384G | 97.93 | Inf | -Inf | 7.88 | 3 | Vertical | 40 | 2.37 | - | 90.05 | 31.72 | 10.23 | 34.07 |
| PK | 5.4672G | 67.67 | 68.20 | -0.53 | 7.81 | 3 | Vertical | 40 | 2.37 | - | 59.86 | 31.67 | 10.21 | 34.07 |
| PK | 5.5348G | 110.13 | Inf | -Inf | 7.88 | 3 | Vertical | 40 | 2.37 | - | 102.25 | 31.73 | 10.22 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 48.24 | 54.00 | -5.76 | 7.77 | 3 | Horizontal | 119 | 1.00 | - | 40.47 | 31.64 | 10.20 | 34.07 |
| AV | 5.554G | 90.47 | Inf | -Inf | 7.85 | 3 | Horizontal | 119 | 1.00 | - | 82.62 | 31.69 | 10.23 | 34.07 |
| PK | 5.4676G | 60.56 | 68.20 | -7.64 | 7.81 | 3 | Horizontal | 119 | 1.00 | - | 52.75 | 31.67 | 10.21 | 34.07 |
| PK | 5.566G | 102.31 | Inf | -Inf | 7.83 | 3 | Horizontal | 119 | 1.00 | - | 94.48 | 31.67 | 10.23 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.09634G | 48.10 | 54.00 | -5.90 | 19.05 | 3 | Vertical | 190 | 2.09 | - | 29.05 | 39.81 | 13.39 | 34.15 |
| PK | 11.09568G | 60.49 | 74.00 | -13.51 | 19.06 | 3 | Vertical | 190 | 2.09 | - | 41.43 | 39.82 | 13.39 | 34.15 |
| PK | 16.6416G | 63.52 | 68.20 | -4.68 | 19.91 | 3 | Vertical | 205 | 1.06 | - | 43.61 | 39.39 | 14.35 | 33.83 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5550MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.08944G | 48.20 | 54.00 | -5.80 | 19.08 | 3 | Horizontal | 6 | 1.17 | - | 29.12 | 39.84 | 13.39 | 34.15 |
| PK | 11.09736G | 60.07 | 74.00 | -13.93 | 19.05 | 3 | Horizontal | 6 | 1.17 | - | 41.02 | 39.81 | 13.39 | 34.15 |
| PK | 16.63788G | 62.36 | 68.20 | -5.84 | 19.88 | 3 | Horizontal | 134 | 1.00 | - | 42.48 | 39.37 | 14.35 | 33.84 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|------------|------------|------------|
| AV | 5.6838G | 95.17 | Inf | -Inf | 8.05 | 3 | Vertical | 206 | 2.67 | - | 87.12 | 31.77 | 10.35 | 34.07 |
| PK | 5.6862G | 107.15 | Inf | -Inf | 8.05 | 3 | Vertical | 206 | 2.67 | - | 99.10 | 31.77 | 10.35 | 34.07 |
| PK | 5.7264G | 67.51 | 68.20 | -0.69 | 8.18 | 3 | Vertical | 206 | 2.67 | - | 59.33 | 31.85 | 10.40 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.6742G | 89.76 | Inf | -Inf | 8.01 | 3 | Horizontal | 131 | 2.55 | - | 81.75 | 31.75 | 10.33 | 34.07 |
| PK | 5.6856G | 101.55 | Inf | -Inf | 8.05 | 3 | Horizontal | 131 | 2.55 | - | 93.50 | 31.77 | 10.35 | 34.07 |
| PK | 5.7264G | 63.29 | 68.20 | -4.91 | 8.18 | 3 | Horizontal | 131 | 2.55 | - | 55.11 | 31.85 | 10.40 | 34.07 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.35146G | 47.47 | 54.00 | -6.53 | 19.12 | 3 | Vertical | 272 | 1.68 | - | 28.35 | 39.70 | 13.54 | 34.12 |
| PK | 11.35044G | 59.14 | 74.00 | -14.86 | 19.12 | 3 | Vertical | 272 | 1.68 | - | 40.02 | 39.70 | 13.54 | 34.12 |
| PK | 17.0211G | 62.82 | 68.20 | -5.38 | 21.46 | 3 | Vertical | 317 | 1.63 | - | 41.36 | 40.18 | 14.72 | 33.44 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5670MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.352G | 47.59 | 54.00 | -6.41 | 19.12 | 3 | Horizontal | 265 | 1.24 | - | 28.47 | 39.70 | 13.54 | 34.12 |
| PK | 11.34114G | 59.49 | 74.00 | -14.51 | 19.08 | 3 | Horizontal | 265 | 1.24 | - | 40.41 | 39.68 | 13.53 | 34.13 |
| PK | 17.0073G | 62.41 | 68.20 | -5.79 | 21.46 | 3 | Horizontal | 216 | 1.94 | - | 40.95 | 40.19 | 14.70 | 33.43 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.46G | 48.76 | 54.00 | -5.24 | 7.77 | 3 | Vertical | 115 | 2.65 | - | 40.99 | 31.64 | 10.20 | 34.07 |
| AV | 5.7136G | 101.99 | Inf | -Inf | 8.14 | 3 | Vertical | 115 | 2.65 | - | 93.85 | 31.83 | 10.38 | 34.07 |
| PK | 5.4628G | 60.00 | 68.20 | -8.20 | 7.78 | 3 | Vertical | 115 | 2.65 | - | 52.22 | 31.65 | 10.20 | 34.07 |
| PK | 5.7256G | 113.91 | Inf | -Inf | 8.18 | 3 | Vertical | 115 | 2.65 | - | 105.73 | 31.85 | 10.40 | 34.07 |
| PK | 5.8504G | 67.51 | 68.20 | -0.69 | 8.73 | 3 | Vertical | 115 | 2.65 | - | 58.78 | 32.30 | 10.51 | 34.08 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4568G | 47.86 | 54.00 | -6.14 | 7.76 | 3 | Horizontal | 130 | 2.52 | - | 40.10 | 31.63 | 10.20 | 34.07 |
| AV | 5.7136G | 94.30 | Inf | -Inf | 8.14 | 3 | Horizontal | 130 | 2.52 | - | 86.16 | 31.83 | 10.38 | 34.07 |
| PK | 5.4652G | 58.71 | 68.20 | -9.49 | 7.80 | 3 | Horizontal | 130 | 2.52 | - | 50.91 | 31.66 | 10.21 | 34.07 |
| PK | 5.7256G | 106.30 | Inf | -Inf | 8.18 | 3 | Horizontal | 130 | 2.52 | - | 98.12 | 31.85 | 10.40 | 34.07 |
| PK | 5.8576G | 63.77 | 68.20 | -4.43 | 8.75 | 3 | Horizontal | 130 | 2.52 | - | 55.02 | 32.32 | 10.51 | 34.08 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.41526G | 48.03 | 54.00 | -5.97 | 19.28 | 3 | Vertical | 176 | 1.31 | - | 28.75 | 39.82 | 13.58 | 34.12 |
| PK | 11.43332G | 60.20 | 74.00 | -13.80 | 19.30 | 3 | Vertical | 176 | 1.31 | - | 40.90 | 39.83 | 13.59 | 34.12 |
| PK | 17.1378G | 63.18 | 68.20 | -5.02 | 21.45 | 3 | Vertical | 329 | 1.00 | - | 41.73 | 40.10 | 14.83 | 33.48 |



802.11ax HEW40_Nss1,(MCS0)_1TX

30/12/2019

5710MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.41016G | 47.74 | 54.00 | -6.26 | 19.26 | 3 | Horizontal | 179 | 2.27 | - | 28.48 | 39.81 | 13.57 | 34.12 |
| PK | 11.43104G | 59.83 | 74.00 | -14.17 | 19.29 | 3 | Horizontal | 179 | 2.27 | - | 40.54 | 39.83 | 13.58 | 34.12 |
| PK | 17.14338G | 62.80 | 68.20 | -5.40 | 21.45 | 3 | Horizontal | 322 | 2.56 | - | 41.35 | 40.10 | 14.83 | 33.48 |



802.11ax HEW80_Nss1,(MCS0)_1TX

29/12/2019

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.148G | 49.66 | 54.00 | -4.34 | 7.93 | 3 | Vertical | 39 | 2.48 | - | 41.73 | 31.90 | 10.08 | 34.05 |
| AV | 5.279G | 93.55 | Inf | -Inf | 7.30 | 3 | Vertical | 39 | 2.48 | - | 86.25 | 31.24 | 10.12 | 34.06 |
| AV | 5.351G | 53.65 | 54.00 | -0.35 | 7.31 | 3 | Vertical | 39 | 2.48 | - | 46.34 | 31.21 | 10.16 | 34.06 |
| PK | 5.11G | 61.49 | 74.00 | -12.51 | 8.01 | 3 | Vertical | 39 | 2.48 | - | 53.48 | 31.98 | 10.08 | 34.05 |
| PK | 5.296G | 105.37 | Inf | -Inf | 7.28 | 3 | Vertical | 39 | 2.48 | - | 98.09 | 31.21 | 10.13 | 34.06 |
| PK | 5.352G | 72.12 | 74.00 | -1.88 | 7.31 | 3 | Vertical | 39 | 2.48 | - | 64.81 | 31.21 | 10.16 | 34.06 |



802.11ax HEW80_Nss1,(MCS0)_1TX

29/12/2019

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.105G | 48.96 | 54.00 | -5.04 | 8.02 | 3 | Horizontal | 51 | 1.00 | - | 40.94 | 31.99 | 10.08 | 34.05 |
| AV | 5.303G | 84.09 | Inf | -Inf | 7.27 | 3 | Horizontal | 51 | 1.00 | - | 76.82 | 31.20 | 10.13 | 34.06 |
| AV | 5.35G | 48.71 | 54.00 | -5.29 | 7.30 | 3 | Horizontal | 51 | 1.00 | - | 41.41 | 31.20 | 10.16 | 34.06 |
| PK | 5.078G | 61.72 | 74.00 | -12.28 | 8.00 | 3 | Horizontal | 51 | 1.00 | - | 53.72 | 31.96 | 10.08 | 34.04 |
| PK | 5.303G | 95.78 | Inf | -Inf | 7.27 | 3 | Horizontal | 51 | 1.00 | - | 88.51 | 31.20 | 10.13 | 34.06 |
| PK | 5.486G | 59.68 | 68.20 | -8.52 | 7.88 | 3 | Horizontal | 51 | 1.00 | - | 51.80 | 31.74 | 10.21 | 34.07 |



802.11ax HEW80_Nss1,(MCS0)_1TX

29/12/2019

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.86754G | 46.52 | 54.00 | -7.48 | 16.90 | 3 | Vertical | 35 | 1.92 | - | 29.62 | 37.56 | 13.73 | 34.39 |
| PK | 10.5758G | 59.94 | 68.20 | -8.26 | 18.72 | 3 | Vertical | 122 | 2.01 | - | 41.22 | 39.85 | 13.09 | 34.22 |
| PK | 15.85518G | 58.52 | 74.00 | -15.48 | 16.94 | 3 | Vertical | 35 | 1.92 | - | 41.58 | 37.59 | 13.73 | 34.38 |



802.11ax HEW80_Nss1,(MCS0)_1TX

29/12/2019

5290MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 15.86232G | 46.50 | 54.00 | -7.50 | 16.93 | 3 | Horizontal | 68 | 1.53 | - | 29.57 | 37.58 | 13.73 | 34.38 |
| PK | 10.56566G | 60.14 | 68.20 | -8.06 | 18.69 | 3 | Horizontal | 203 | 1.35 | - | 41.45 | 39.83 | 13.08 | 34.22 |
| PK | 15.8799G | 58.96 | 74.00 | -15.04 | 16.87 | 3 | Horizontal | 68 | 1.53 | - | 42.09 | 37.54 | 13.73 | 34.40 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.458G | 51.96 | 54.00 | -2.04 | 7.76 | 3 | Vertical | 41 | 2.41 | - | 44.20 | 31.63 | 10.20 | 34.07 |
| AV | 5.519G | 91.11 | Inf | -Inf | 7.91 | 3 | Vertical | 41 | 2.41 | - | 83.20 | 31.76 | 10.22 | 34.07 |
| PK | 5.467G | 67.69 | 68.20 | -0.51 | 7.81 | 3 | Vertical | 41 | 2.41 | - | 59.88 | 31.67 | 10.21 | 34.07 |
| PK | 5.52G | 102.17 | Inf | -Inf | 7.91 | 3 | Vertical | 41 | 2.41 | - | 94.26 | 31.76 | 10.22 | 34.07 |
| PK | 5.751G | 60.03 | 68.20 | -8.17 | 8.25 | 3 | Vertical | 41 | 2.41 | - | 51.78 | 31.90 | 10.43 | 34.08 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.457G | 48.39 | 54.00 | -5.61 | 7.76 | 3 | Horizontal | 53 | 1.00 | - | 40.63 | 31.63 | 10.20 | 34.07 |
| AV | 5.544G | 81.88 | Inf | -Inf | 7.87 | 3 | Horizontal | 53 | 1.00 | - | 74.01 | 31.71 | 10.23 | 34.07 |
| PK | 5.466G | 60.96 | 68.20 | -7.24 | 7.80 | 3 | Horizontal | 53 | 1.00 | - | 53.16 | 31.66 | 10.21 | 34.07 |
| PK | 5.543G | 93.27 | Inf | -Inf | 7.87 | 3 | Horizontal | 53 | 1.00 | - | 85.40 | 31.71 | 10.23 | 34.07 |
| PK | 5.776G | 60.52 | 68.20 | -7.68 | 8.38 | 3 | Horizontal | 53 | 1.00 | - | 52.14 | 32.00 | 10.46 | 34.08 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.05682G | 48.45 | 54.00 | -5.55 | 19.19 | 3 | Vertical | 18 | 2.06 | - | 29.26 | 39.97 | 13.37 | 34.15 |
| PK | 11.07104G | 60.71 | 74.00 | -13.29 | 19.15 | 3 | Vertical | 18 | 2.06 | - | 41.56 | 39.92 | 13.38 | 34.15 |
| PK | 16.59666G | 61.15 | 68.20 | -7.05 | 19.52 | 3 | Vertical | 122 | 1.97 | - | 41.63 | 39.09 | 14.31 | 33.88 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5530MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.06504G | 48.26 | 54.00 | -5.74 | 19.16 | 3 | Horizontal | 201 | 1.09 | - | 29.10 | 39.94 | 13.37 | 34.15 |
| PK | 11.06144G | 60.56 | 74.00 | -13.44 | 19.17 | 3 | Horizontal | 201 | 1.09 | - | 41.39 | 39.95 | 13.37 | 34.15 |
| PK | 16.58784G | 61.12 | 68.20 | -7.08 | 19.49 | 3 | Horizontal | 176 | 2.26 | - | 41.63 | 39.08 | 14.30 | 33.89 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.459G | 53.57 | 54.00 | -0.43 | 7.77 | 3 | Vertical | 42 | 2.35 | - | 45.80 | 31.64 | 10.20 | 34.07 |
| AV | 5.602G | 92.15 | Inf | -Inf | 7.78 | 3 | Vertical | 42 | 2.35 | - | 84.37 | 31.60 | 10.25 | 34.07 |
| PK | 5.463G | 67.39 | 68.20 | -0.81 | 7.78 | 3 | Vertical | 42 | 2.35 | - | 59.61 | 31.65 | 10.20 | 34.07 |
| PK | 5.589G | 103.43 | Inf | -Inf | 7.79 | 3 | Vertical | 42 | 2.35 | - | 95.64 | 31.62 | 10.24 | 34.07 |
| PK | 5.727G | 64.83 | 68.20 | -3.37 | 8.18 | 3 | Vertical | 42 | 2.35 | - | 56.65 | 31.85 | 10.40 | 34.07 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.457G | 48.24 | 54.00 | -5.76 | 7.76 | 3 | Horizontal | 131 | 2.46 | - | 40.48 | 31.63 | 10.20 | 34.07 |
| AV | 5.623G | 87.07 | Inf | -Inf | 7.85 | 3 | Horizontal | 131 | 2.46 | - | 79.22 | 31.65 | 10.27 | 34.07 |
| PK | 5.463G | 59.82 | 68.20 | -8.38 | 7.78 | 3 | Horizontal | 131 | 2.46 | - | 52.04 | 31.65 | 10.20 | 34.07 |
| PK | 5.623G | 98.56 | Inf | -Inf | 7.85 | 3 | Horizontal | 131 | 2.46 | - | 90.71 | 31.65 | 10.27 | 34.07 |
| PK | 5.728G | 63.83 | 68.20 | -4.37 | 8.19 | 3 | Horizontal | 131 | 2.46 | - | 55.64 | 31.86 | 10.40 | 34.07 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.20902G | 47.74 | 54.00 | -6.26 | 18.92 | 3 | Vertical | 255 | 2.02 | - | 28.82 | 39.60 | 13.46 | 34.14 |
| PK | 11.20506G | 60.01 | 74.00 | -13.99 | 18.91 | 3 | Vertical | 255 | 2.02 | - | 41.10 | 39.60 | 13.45 | 34.14 |
| PK | 16.8339G | 61.74 | 68.20 | -6.46 | 21.01 | 3 | Vertical | 168 | 2.72 | - | 40.73 | 40.10 | 14.53 | 33.62 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5610MHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.22894G | 47.84 | 54.00 | -6.16 | 18.93 | 3 | Horizontal | 158 | 1.24 | - | 28.91 | 39.60 | 13.47 | 34.14 |
| PK | 11.21562G | 59.78 | 74.00 | -14.22 | 18.92 | 3 | Horizontal | 158 | 1.24 | - | 40.86 | 39.60 | 13.46 | 34.14 |
| PK | 16.84098G | 62.49 | 68.20 | -5.71 | 21.03 | 3 | Horizontal | 306 | 2.10 | - | 41.46 | 40.10 | 14.54 | 33.61 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4596G | 49.75 | 54.00 | -4.25 | 7.77 | 3 | Vertical | 113 | 2.42 | - | 41.98 | 31.64 | 10.20 | 34.07 |
| AV | 5.7032G | 97.68 | Inf | -Inf | 8.11 | 3 | Vertical | 113 | 2.42 | - | 89.57 | 31.81 | 10.37 | 34.07 |
| PK | 5.468G | 62.55 | 68.20 | -5.65 | 7.81 | 3 | Vertical | 113 | 2.42 | - | 54.74 | 31.67 | 10.21 | 34.07 |
| PK | 5.6996G | 109.73 | Inf | -Inf | 8.09 | 3 | Vertical | 113 | 2.42 | - | 101.64 | 31.80 | 10.36 | 34.07 |
| PK | 5.8544G | 67.74 | 68.20 | -0.46 | 8.74 | 3 | Vertical | 113 | 2.42 | - | 59.00 | 32.31 | 10.51 | 34.08 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 5.4584G | 47.78 | 54.00 | -6.22 | 7.76 | 3 | Horizontal | 133 | 2.45 | - | 40.02 | 31.63 | 10.20 | 34.07 |
| AV | 5.7032G | 89.01 | Inf | -Inf | 8.11 | 3 | Horizontal | 133 | 2.45 | - | 80.90 | 31.81 | 10.37 | 34.07 |
| PK | 5.4644G | 58.82 | 68.20 | -9.38 | 7.80 | 3 | Horizontal | 133 | 2.45 | - | 51.02 | 31.66 | 10.21 | 34.07 |
| PK | 5.7032G | 100.25 | Inf | -Inf | 8.11 | 3 | Horizontal | 133 | 2.45 | - | 92.14 | 31.81 | 10.37 | 34.07 |
| PK | 5.852G | 62.60 | 68.20 | -5.60 | 8.73 | 3 | Horizontal | 133 | 2.45 | - | 53.87 | 32.30 | 10.51 | 34.08 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.38018G | 47.40 | 54.00 | -6.60 | 19.20 | 3 | Vertical | 139 | 2.48 | - | 28.20 | 39.76 | 13.56 | 34.12 |
| PK | 11.39146G | 60.67 | 74.00 | -13.33 | 19.22 | 3 | Vertical | 139 | 2.48 | - | 41.45 | 39.78 | 13.56 | 34.12 |
| PK | 17.05626G | 62.49 | 68.20 | -5.71 | 21.44 | 3 | Vertical | 215 | 1.50 | - | 41.05 | 40.14 | 14.75 | 33.45 |



802.11ax HEW80_Nss1,(MCS0)_1TX

30/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|---------|---------|---------|
| AV | 11.3899G | 47.46 | 54.00 | -6.54 | 19.22 | 3 | Horizontal | 59 | 2.07 | - | 28.24 | 39.78 | 13.56 | 34.12 |
| PK | 11.39356G | 59.58 | 74.00 | -14.42 | 19.23 | 3 | Horizontal | 59 | 2.07 | - | 40.35 | 39.79 | 13.56 | 34.12 |
| PK | 17.082G | 63.18 | 68.20 | -5.02 | 21.43 | 3 | Horizontal | 294 | 1.50 | - | 41.75 | 40.12 | 14.77 | 33.46 |



Summary

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|-----------|----------------|---------------|----------|
| 5.25-5.35GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | AV | 5.3506G | 53.51 | 54.00 | -0.49 | 3 | Vertical | 177 | 3.00 | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | Pass | AV | 5.3504G | 53.62 | 54.00 | -0.38 | 3 | Vertical | 295 | 3.00 | - |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | Pass | AV | 5.3504G | 53.65 | 54.00 | -0.35 | 3 | Vertical | 115 | 2.68 | - |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | Pass | AV | 5.351G | 53.30 | 54.00 | -0.70 | 3 | Vertical | 35 | 2.47 | - |
| 5.47-5.725GHz | - | - | - | - | - | - | - | - | - | - | - |
| 802.11a_Nss1,(6Mbps)_2TX | Pass | PK | 5.4654G | 68.02 | 68.20 | -0.18 | 3 | Vertical | 38 | 2.49 | - |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | Pass | PK | 5.4694G | 67.31 | 68.20 | -0.89 | 3 | Vertical | 38 | 2.45 | - |
| 802.11ax HEW40_Nss2,(MCS0)_2TX | Pass | PK | 5.727G | 68.05 | 68.20 | -0.15 | 3 | Vertical | 55 | 2.85 | - |
| 802.11ax HEW80_Nss2,(MCS0)_2TX | Pass | PK | 5.466G | 67.63 | 68.20 | -0.57 | 3 | Vertical | 36 | 2.54 | - |



Result

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 802.11a_Nss1,(6Mbps)_2TX | - | - | - | - | - | - | - | - | - | - | - |
| 5260MHz | Pass | AV | 5.1496G | 50.99 | 54.00 | -3.01 | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | AV | 5.2558G | 108.68 | Inf | -Inf | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | AV | 5.3506G | 53.51 | 54.00 | -0.49 | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | PK | 5.1466G | 66.82 | 74.00 | -7.18 | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | PK | 5.2564G | 119.09 | Inf | -Inf | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | PK | 5.3518G | 69.12 | 74.00 | -4.88 | 3 | Vertical | 177 | 3.00 | - |
| 5260MHz | Pass | AV | 5.15G | 48.79 | 54.00 | -5.21 | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | AV | 5.2552G | 100.89 | Inf | -Inf | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | AV | 5.3506G | 48.30 | 54.00 | -5.70 | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | PK | 5.1496G | 62.63 | 74.00 | -11.37 | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | PK | 5.2648G | 111.36 | Inf | -Inf | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | PK | 5.3578G | 61.73 | 74.00 | -12.27 | 3 | Horizontal | 271 | 2.79 | - |
| 5260MHz | Pass | AV | 15.77748G | 50.49 | 54.00 | -3.51 | 3 | Vertical | 353 | 2.10 | - |
| 5260MHz | Pass | PK | 10.52762G | 59.62 | 68.20 | -8.58 | 3 | Vertical | 153 | 1.66 | - |
| 5260MHz | Pass | PK | 15.77778G | 62.48 | 74.00 | -11.52 | 3 | Vertical | 353 | 2.10 | - |
| 5260MHz | Pass | AV | 15.7908G | 46.34 | 54.00 | -7.66 | 3 | Horizontal | 136 | 1.06 | - |
| 5260MHz | Pass | PK | 10.52858G | 59.95 | 68.20 | -8.25 | 3 | Horizontal | 134 | 2.40 | - |
| 5260MHz | Pass | PK | 15.79122G | 58.94 | 74.00 | -15.06 | 3 | Horizontal | 136 | 1.06 | - |
| 5300MHz | Pass | AV | 5.3012G | 108.23 | Inf | -Inf | 3 | Vertical | 296 | 2.72 | - |
| 5300MHz | Pass | AV | 5.3504G | 53.14 | 54.00 | -0.86 | 3 | Vertical | 296 | 2.72 | - |
| 5300MHz | Pass | PK | 5.3012G | 117.57 | Inf | -Inf | 3 | Vertical | 296 | 2.72 | - |
| 5300MHz | Pass | PK | 5.3504G | 72.05 | 74.00 | -1.95 | 3 | Vertical | 296 | 2.72 | - |
| 5300MHz | Pass | AV | 5.2952G | 99.50 | Inf | -Inf | 3 | Horizontal | 336 | 2.83 | - |
| 5300MHz | Pass | AV | 5.3504G | 48.03 | 54.00 | -5.97 | 3 | Horizontal | 336 | 2.83 | - |
| 5300MHz | Pass | PK | 5.3048G | 109.00 | Inf | -Inf | 3 | Horizontal | 336 | 2.83 | - |
| 5300MHz | Pass | PK | 5.35G | 65.67 | 74.00 | -8.33 | 3 | Horizontal | 336 | 2.83 | - |
| 5300MHz | Pass | AV | 15.89742G | 50.45 | 54.00 | -3.55 | 3 | Vertical | 343 | 2.01 | - |
| 5300MHz | Pass | PK | 10.5949G | 59.65 | 68.20 | -8.55 | 3 | Vertical | 359 | 2.55 | - |
| 5300MHz | Pass | PK | 15.91194G | 63.27 | 74.00 | -10.73 | 3 | Vertical | 343 | 2.01 | - |
| 5300MHz | Pass | AV | 15.89082G | 45.82 | 54.00 | -8.18 | 3 | Horizontal | 176 | 1.91 | - |
| 5300MHz | Pass | PK | 10.58896G | 59.30 | 68.20 | -8.90 | 3 | Horizontal | 252 | 1.65 | - |
| 5300MHz | Pass | PK | 15.90666G | 58.90 | 74.00 | -15.10 | 3 | Horizontal | 176 | 1.91 | - |
| 5320MHz | Pass | AV | 5.3218G | 105.60 | Inf | -Inf | 3 | Vertical | 295 | 2.83 | - |
| 5320MHz | Pass | AV | 5.3518G | 53.50 | 54.00 | -0.50 | 3 | Vertical | 295 | 2.83 | - |
| 5320MHz | Pass | PK | 5.3266G | 114.80 | Inf | -Inf | 3 | Vertical | 295 | 2.83 | - |
| 5320MHz | Pass | PK | 5.3518G | 71.94 | 74.00 | -2.06 | 3 | Vertical | 295 | 2.83 | - |
| 5320MHz | Pass | AV | 5.3146G | 96.88 | Inf | -Inf | 3 | Horizontal | 335 | 3.00 | - |
| 5320MHz | Pass | AV | 5.3506G | 48.35 | 54.00 | -5.65 | 3 | Horizontal | 335 | 3.00 | - |
| 5320MHz | Pass | PK | 5.3254G | 105.95 | Inf | -Inf | 3 | Horizontal | 335 | 3.00 | - |
| 5320MHz | Pass | PK | 5.3506G | 64.45 | 74.00 | -9.55 | 3 | Horizontal | 335 | 3.00 | - |
| 5320MHz | Pass | AV | 10.64522G | 46.66 | 54.00 | -7.34 | 3 | Vertical | 88 | 1.62 | - |
| 5320MHz | Pass | AV | 15.94602G | 44.95 | 54.00 | -9.05 | 3 | Vertical | 142 | 2.14 | - |
| 5320MHz | Pass | PK | 10.65206G | 59.16 | 74.00 | -14.84 | 3 | Vertical | 88 | 1.62 | - |
| 5320MHz | Pass | PK | 15.94782G | 57.62 | 74.00 | -16.38 | 3 | Vertical | 142 | 2.14 | - |
| 5320MHz | Pass | AV | 10.6451G | 46.71 | 54.00 | -7.29 | 3 | Horizontal | 112 | 1.81 | - |
| 5320MHz | Pass | AV | 15.94608G | 44.88 | 54.00 | -9.12 | 3 | Horizontal | 34 | 1.41 | - |
| 5320MHz | Pass | PK | 10.6412G | 59.09 | 74.00 | -14.91 | 3 | Horizontal | 112 | 1.81 | - |



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

| Mode | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|-------------|------------|----------------|---------------|----------|
| 5320MHz | Pass | PK | 15.94974G | 57.78 | 74.00 | -16.22 | 3 | Horizontal | 34 | 1.41 | - |
| 5500MHz | Pass | AV | 5.46G | 48.02 | 54.00 | -5.98 | 3 | Vertical | 39 | 2.43 | - |
| 5500MHz | Pass | AV | 5.4956G | 103.39 | Inf | -Inf | 3 | Vertical | 39 | 2.43 | - |
| 5500MHz | Pass | PK | 5.4698G | 67.48 | 68.20 | -0.72 | 3 | Vertical | 39 | 2.43 | - |
| 5500MHz | Pass | PK | 5.5056G | 112.12 | Inf | -Inf | 3 | Vertical | 39 | 2.43 | - |
| 5500MHz | Pass | AV | 5.4586G | 47.13 | 54.00 | -6.87 | 3 | Horizontal | 162 | 2.49 | - |
| 5500MHz | Pass | AV | 5.5026G | 96.44 | Inf | -Inf | 3 | Horizontal | 162 | 2.49 | - |
| 5500MHz | Pass | PK | 5.4684G | 61.54 | 68.20 | -6.66 | 3 | Horizontal | 162 | 2.49 | - |
| 5500MHz | Pass | PK | 5.5024G | 104.76 | Inf | -Inf | 3 | Horizontal | 162 | 2.49 | - |
| 5500MHz | Pass | AV | 11.00834G | 47.36 | 54.00 | -6.64 | 3 | Vertical | 224 | 2.23 | - |
| 5500MHz | Pass | PK | 11.0105G | 60.24 | 74.00 | -13.76 | 3 | Vertical | 224 | 2.23 | - |
| 5500MHz | Pass | PK | 16.51254G | 59.99 | 68.20 | -8.21 | 3 | Vertical | 52 | 1.27 | - |
| 5500MHz | Pass | AV | 11.00306G | 47.39 | 54.00 | -6.61 | 3 | Horizontal | 272 | 2.49 | - |
| 5500MHz | Pass | PK | 11.00732G | 60.18 | 74.00 | -13.82 | 3 | Horizontal | 272 | 2.49 | - |
| 5500MHz | Pass | PK | 16.49334G | 60.03 | 68.20 | -8.17 | 3 | Horizontal | 121 | 1.53 | - |
| 5580MHz | Pass | AV | 5.46G | 49.96 | 54.00 | -4.04 | 3 | Vertical | 38 | 2.49 | - |
| 5580MHz | Pass | AV | 5.5752G | 106.95 | Inf | -Inf | 3 | Vertical | 38 | 2.49 | - |
| 5580MHz | Pass | PK | 5.4654G | 68.02 | 68.20 | -0.18 | 3 | Vertical | 38 | 2.49 | - |
| 5580MHz | Pass | PK | 5.5758G | 117.67 | Inf | -Inf | 3 | Vertical | 38 | 2.49 | - |
| 5580MHz | Pass | PK | 5.73G | 59.98 | 68.20 | -8.22 | 3 | Vertical | 38 | 2.49 | - |
| 5580MHz | Pass | AV | 5.4534G | 47.35 | 54.00 | -6.65 | 3 | Horizontal | 166 | 2.58 | - |
| 5580MHz | Pass | AV | 5.5824G | 100.83 | Inf | -Inf | 3 | Horizontal | 166 | 2.58 | - |
| 5580MHz | Pass | PK | 5.4684G | 60.74 | 68.20 | -7.46 | 3 | Horizontal | 166 | 2.58 | - |
| 5580MHz | Pass | PK | 5.5776G | 111.05 | Inf | -Inf | 3 | Horizontal | 166 | 2.58 | - |
| 5580MHz | Pass | PK | 5.7252G | 59.49 | 68.20 | -8.71 | 3 | Horizontal | 166 | 2.58 | - |
| 5580MHz | Pass | AV | 11.1453G | 47.25 | 54.00 | -6.75 | 3 | Vertical | 34 | 2.49 | - |
| 5580MHz | Pass | PK | 11.1714G | 60.08 | 74.00 | -13.92 | 3 | Vertical | 34 | 2.49 | - |
| 5580MHz | Pass | PK | 16.7358G | 62.71 | 68.20 | -5.49 | 3 | Vertical | 171 | 2.00 | - |
| 5580MHz | Pass | AV | 11.14644G | 47.12 | 54.00 | -6.88 | 3 | Horizontal | 86 | 1.50 | - |
| 5580MHz | Pass | PK | 11.14932G | 59.89 | 74.00 | -14.11 | 3 | Horizontal | 86 | 1.50 | - |
| 5580MHz | Pass | PK | 16.7376G | 62.04 | 68.20 | -6.16 | 3 | Horizontal | 17 | 3.00 | - |
| 5700MHz | Pass | AV | 5.7008G | 101.58 | Inf | -Inf | 3 | Vertical | 294 | 2.79 | - |
| 5700MHz | Pass | PK | 5.7052G | 110.53 | Inf | -Inf | 3 | Vertical | 294 | 2.79 | - |
| 5700MHz | Pass | PK | 5.7252G | 67.40 | 68.20 | -0.80 | 3 | Vertical | 294 | 2.79 | - |
| 5700MHz | Pass | AV | 5.7028G | 94.35 | Inf | -Inf | 3 | Horizontal | 168 | 2.49 | - |
| 5700MHz | Pass | PK | 5.6972G | 102.61 | Inf | -Inf | 3 | Horizontal | 168 | 2.49 | - |
| 5700MHz | Pass | PK | 5.7768G | 61.26 | 68.20 | -6.94 | 3 | Horizontal | 168 | 2.49 | - |
| 5700MHz | Pass | AV | 11.40714G | 46.73 | 54.00 | -7.27 | 3 | Vertical | 67 | 1.85 | - |
| 5700MHz | Pass | PK | 11.38704G | 60.04 | 74.00 | -13.96 | 3 | Vertical | 67 | 1.85 | - |
| 5700MHz | Pass | PK | 17.1066G | 62.41 | 68.20 | -5.79 | 3 | Vertical | 47 | 1.29 | - |
| 5700MHz | Pass | AV | 11.38572G | 46.67 | 54.00 | -7.33 | 3 | Horizontal | 312 | 1.35 | - |
| 5700MHz | Pass | PK | 11.40696G | 59.47 | 74.00 | -14.53 | 3 | Horizontal | 312 | 1.35 | - |
| 5700MHz | Pass | PK | 17.08542G | 63.08 | 68.20 | -5.12 | 3 | Horizontal | 332 | 2.05 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4536G | 47.01 | 54.00 | -6.99 | 3 | Vertical | 59 | 2.48 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.7224G | 107.03 | Inf | -Inf | 3 | Vertical | 59 | 2.48 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.46G | 58.68 | 74.00 | -15.32 | 3 | Vertical | 59 | 2.48 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.7272G | 117.76 | Inf | -Inf | 3 | Vertical | 59 | 2.48 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | PK | 5.852G | 61.87 | 68.20 | -6.33 | 3 | Vertical | 59 | 2.48 | - |
| 5720MHz Straddle 5.47-5.725GHz | Pass | AV | 5.4536G | 46.79 | 54.00 | -7.21 | 3 | Horizontal | 158 | 2.99 | - |