



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	100.60	Inf	-Inf	3	Horizontal	158	2.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	59.05	68.20	-9.15	3	Horizontal	158	2.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.726G	111.02	Inf	-Inf	3	Horizontal	158	2.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8892G	60.63	68.20	-7.57	3	Horizontal	158	2.99	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44012G	47.47	54.00	-6.53	3	Vertical	152	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44426G	60.31	74.00	-13.69	3	Vertical	152	1.20	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1717G	62.88	68.20	-5.32	3	Vertical	18	2.26	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.42872G	46.87	54.00	-7.13	3	Horizontal	349	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42734G	59.81	74.00	-14.19	3	Horizontal	349	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15736G	62.70	68.20	-5.50	3	Horizontal	295	1.87	-
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1454G	49.64	54.00	-4.36	3	Vertical	173	2.96	-
5260MHz	Pass	AV	5.2612G	106.54	Inf	-Inf	3	Vertical	173	2.96	-
5260MHz	Pass	AV	5.3506G	51.23	54.00	-2.77	3	Vertical	173	2.96	-
5260MHz	Pass	PK	5.1424G	61.45	74.00	-12.55	3	Vertical	173	2.96	-
5260MHz	Pass	PK	5.2552G	117.42	Inf	-Inf	3	Vertical	173	2.96	-
5260MHz	Pass	PK	5.35G	65.88	74.00	-8.12	3	Vertical	173	2.96	-
5260MHz	Pass	AV	5.1118G	48.73	54.00	-5.27	3	Horizontal	151	2.96	-
5260MHz	Pass	AV	5.257G	97.54	Inf	-Inf	3	Horizontal	151	2.96	-
5260MHz	Pass	AV	5.3518G	47.55	54.00	-6.45	3	Horizontal	151	2.96	-
5260MHz	Pass	PK	5.1466G	60.10	74.00	-13.90	3	Horizontal	151	2.96	-
5260MHz	Pass	PK	5.2552G	108.30	Inf	-Inf	3	Horizontal	151	2.96	-
5260MHz	Pass	PK	5.3506G	59.67	74.00	-14.33	3	Horizontal	151	2.96	-
5260MHz	Pass	AV	15.77934G	50.85	54.00	-3.15	3	Vertical	354	1.93	-
5260MHz	Pass	PK	10.53302G	59.65	68.20	-8.55	3	Vertical	243	1.50	-
5260MHz	Pass	PK	15.78714G	62.53	74.00	-11.47	3	Vertical	354	1.93	-
5260MHz	Pass	AV	15.78402G	48.14	54.00	-5.86	3	Horizontal	138	1.03	-
5260MHz	Pass	PK	10.52822G	59.95	68.20	-8.25	3	Horizontal	301	2.57	-
5260MHz	Pass	PK	15.79182G	60.08	74.00	-13.92	3	Horizontal	138	1.03	-
5300MHz	Pass	AV	5.302G	105.82	Inf	-Inf	3	Vertical	296	2.94	-
5300MHz	Pass	AV	5.3504G	53.13	54.00	-0.87	3	Vertical	296	2.94	-
5300MHz	Pass	PK	5.2952G	117.28	Inf	-Inf	3	Vertical	296	2.94	-
5300MHz	Pass	PK	5.3512G	69.93	74.00	-4.07	3	Vertical	296	2.94	-
5300MHz	Pass	AV	5.2952G	96.69	Inf	-Inf	3	Horizontal	336	2.79	-
5300MHz	Pass	AV	5.3512G	48.47	54.00	-5.53	3	Horizontal	336	2.79	-
5300MHz	Pass	PK	5.3036G	107.91	Inf	-Inf	3	Horizontal	336	2.79	-
5300MHz	Pass	PK	5.352G	61.31	74.00	-12.69	3	Horizontal	336	2.79	-
5300MHz	Pass	AV	15.9021G	49.17	54.00	-4.83	3	Vertical	343	2.08	-
5300MHz	Pass	PK	10.5973G	60.10	68.20	-8.10	3	Vertical	57	2.80	-
5300MHz	Pass	PK	15.90798G	61.74	74.00	-12.26	3	Vertical	343	2.08	-
5300MHz	Pass	AV	15.89988G	46.40	54.00	-7.60	3	Horizontal	28	2.94	-
5300MHz	Pass	PK	10.59622G	60.04	68.20	-8.16	3	Horizontal	170	1.81	-
5300MHz	Pass	PK	15.89526G	58.14	74.00	-15.86	3	Horizontal	28	2.94	-
5320MHz	Pass	AV	5.3168G	103.13	Inf	-Inf	3	Vertical	295	3.00	-
5320MHz	Pass	AV	5.3504G	53.62	54.00	-0.38	3	Vertical	295	3.00	-
5320MHz	Pass	PK	5.3194G	114.96	Inf	-Inf	3	Vertical	295	3.00	-
5320MHz	Pass	PK	5.3514G	69.23	74.00	-4.77	3	Vertical	295	3.00	-
5320MHz	Pass	AV	5.3152G	93.56	Inf	-Inf	3	Horizontal	266	2.68	-
5320MHz	Pass	AV	5.3504G	48.51	54.00	-5.49	3	Horizontal	266	2.68	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	5.3154G	105.31	Inf	-Inf	3	Horizontal	266	2.68	-
5320MHz	Pass	PK	5.35G	62.55	74.00	-11.45	3	Horizontal	266	2.68	-
5320MHz	Pass	AV	10.65284G	47.39	54.00	-6.61	3	Vertical	34	1.58	-
5320MHz	Pass	AV	15.94554G	45.72	54.00	-8.28	3	Vertical	339	2.06	-
5320MHz	Pass	PK	10.655G	59.57	74.00	-14.43	3	Vertical	34	1.58	-
5320MHz	Pass	PK	15.95856G	57.57	74.00	-16.43	3	Vertical	339	2.06	-
5320MHz	Pass	AV	10.64102G	47.58	54.00	-6.42	3	Horizontal	138	2.24	-
5320MHz	Pass	AV	15.95874G	45.69	54.00	-8.31	3	Horizontal	228	1.68	-
5320MHz	Pass	PK	10.63706G	59.96	74.00	-14.04	3	Horizontal	138	2.24	-
5320MHz	Pass	PK	15.97386G	58.30	74.00	-15.70	3	Horizontal	228	1.68	-
5500MHz	Pass	AV	5.4598G	48.69	54.00	-5.31	3	Vertical	38	2.45	-
5500MHz	Pass	AV	5.495G	101.20	Inf	-Inf	3	Vertical	38	2.45	-
5500MHz	Pass	PK	5.4694G	67.31	68.20	-0.89	3	Vertical	38	2.45	-
5500MHz	Pass	PK	5.494G	111.76	Inf	-Inf	3	Vertical	38	2.45	-
5500MHz	Pass	AV	5.456G	47.53	54.00	-6.47	3	Horizontal	161	2.48	-
5500MHz	Pass	AV	5.5078G	93.89	Inf	-Inf	3	Horizontal	161	2.48	-
5500MHz	Pass	PK	5.4682G	60.80	68.20	-7.40	3	Horizontal	161	2.48	-
5500MHz	Pass	PK	5.5026G	104.74	Inf	-Inf	3	Horizontal	161	2.48	-
5500MHz	Pass	AV	11.01236G	48.26	54.00	-5.74	3	Vertical	256	1.36	-
5500MHz	Pass	PK	11.00702G	60.13	74.00	-13.87	3	Vertical	256	1.36	-
5500MHz	Pass	PK	16.49334G	60.69	68.20	-7.51	3	Vertical	85	1.70	-
5500MHz	Pass	AV	11.00582G	48.37	54.00	-5.63	3	Horizontal	286	2.43	-
5500MHz	Pass	PK	11.00354G	60.07	74.00	-13.93	3	Horizontal	286	2.43	-
5500MHz	Pass	PK	16.4859G	59.99	68.20	-8.21	3	Horizontal	290	2.47	-
5580MHz	Pass	AV	5.457G	52.31	54.00	-1.69	3	Vertical	38	2.47	-
5580MHz	Pass	AV	5.5752G	104.06	Inf	-Inf	3	Vertical	38	2.47	-
5580MHz	Pass	PK	5.4684G	66.68	68.20	-1.52	3	Vertical	38	2.47	-
5580MHz	Pass	PK	5.5788G	115.69	Inf	-Inf	3	Vertical	38	2.47	-
5580MHz	Pass	PK	5.7252G	60.37	68.20	-7.83	3	Vertical	38	2.47	-
5580MHz	Pass	AV	5.4588G	48.91	54.00	-5.09	3	Horizontal	163	2.68	-
5580MHz	Pass	AV	5.5818G	98.51	Inf	-Inf	3	Horizontal	163	2.68	-
5580MHz	Pass	PK	5.4678G	60.63	68.20	-7.57	3	Horizontal	163	2.68	-
5580MHz	Pass	PK	5.5764G	110.18	Inf	-Inf	3	Horizontal	163	2.68	-
5580MHz	Pass	PK	5.7252G	61.37	68.20	-6.83	3	Horizontal	163	2.68	-
5580MHz	Pass	AV	11.16192G	48.03	54.00	-5.97	3	Vertical	126	2.09	-
5580MHz	Pass	PK	11.16294G	59.83	74.00	-14.17	3	Vertical	126	2.09	-
5580MHz	Pass	PK	16.73412G	61.87	68.20	-6.33	3	Vertical	160	1.50	-
5580MHz	Pass	AV	11.15466G	47.87	54.00	-6.13	3	Horizontal	136	2.92	-
5580MHz	Pass	PK	11.1516G	61.28	74.00	-12.72	3	Horizontal	136	2.92	-
5580MHz	Pass	PK	16.72998G	62.17	68.20	-6.03	3	Horizontal	135	1.83	-
5700MHz	Pass	AV	5.7016G	99.74	Inf	-Inf	3	Vertical	108	2.65	-
5700MHz	Pass	PK	5.7052G	110.48	Inf	-Inf	3	Vertical	108	2.65	-
5700MHz	Pass	PK	5.7252G	67.30	68.20	-0.90	3	Vertical	108	2.65	-
5700MHz	Pass	AV	5.6952G	91.63	Inf	-Inf	3	Horizontal	155	3.00	-
5700MHz	Pass	PK	5.6988G	102.26	Inf	-Inf	3	Horizontal	155	3.00	-
5700MHz	Pass	PK	5.726G	61.99	68.20	-6.21	3	Horizontal	155	3.00	-
5700MHz	Pass	AV	11.40582G	47.56	54.00	-6.44	3	Vertical	81	2.31	-
5700MHz	Pass	PK	11.41446G	59.24	74.00	-14.76	3	Vertical	81	2.31	-
5700MHz	Pass	PK	17.0919G	62.53	68.20	-5.67	3	Vertical	200	2.23	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	AV	11.4096G	47.54	54.00	-6.46	3	Horizontal	82	2.50	-
5700MHz	Pass	PK	11.4084G	59.43	74.00	-14.57	3	Horizontal	82	2.50	-
5700MHz	Pass	PK	17.10786G	62.78	68.20	-5.42	3	Horizontal	112	1.18	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	48.06	54.00	-5.94	3	Vertical	112	2.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	105.85	Inf	-Inf	3	Vertical	112	2.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	59.39	68.20	-8.81	3	Vertical	112	2.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	116.18	Inf	-Inf	3	Vertical	112	2.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	63.85	68.20	-4.35	3	Vertical	112	2.89	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	47.64	54.00	-6.36	3	Horizontal	132	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7188G	99.09	Inf	-Inf	3	Horizontal	132	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	58.27	68.20	-9.93	3	Horizontal	132	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7188G	110.33	Inf	-Inf	3	Horizontal	132	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.966G	61.14	68.20	-7.06	3	Horizontal	132	2.71	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44888G	47.68	54.00	-6.32	3	Vertical	148	2.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4505G	59.80	74.00	-14.20	3	Vertical	148	2.83	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1651G	62.62	68.20	-5.58	3	Vertical	357	2.07	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.45494G	47.70	54.00	-6.30	3	Horizontal	310	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42956G	59.62	74.00	-14.38	3	Horizontal	310	1.60	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15634G	62.95	68.20	-5.25	3	Horizontal	17	1.50	-
802.11ax HEW40_Nss2.(MCSO)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2828G	102.51	Inf	-Inf	3	Vertical	115	2.68	-
5270MHz	Pass	AV	5.3504G	53.65	54.00	-0.35	3	Vertical	115	2.68	-
5270MHz	Pass	PK	5.2816G	113.26	Inf	-Inf	3	Vertical	115	2.68	-
5270MHz	Pass	PK	5.3608G	71.07	74.00	-2.93	3	Vertical	115	2.68	-
5270MHz	Pass	AV	5.2748G	92.21	Inf	-Inf	3	Horizontal	151	2.60	-
5270MHz	Pass	AV	5.3516G	48.80	54.00	-5.20	3	Horizontal	151	2.60	-
5270MHz	Pass	PK	5.2744G	103.93	Inf	-Inf	3	Horizontal	151	2.60	-
5270MHz	Pass	PK	5.3628G	60.84	74.00	-13.16	3	Horizontal	151	2.60	-
5270MHz	Pass	AV	15.81504G	48.31	54.00	-5.69	3	Vertical	351	1.96	-
5270MHz	Pass	PK	10.5511G	60.00	68.20	-8.20	3	Vertical	190	1.50	-
5270MHz	Pass	PK	15.79566G	59.92	74.00	-14.08	3	Vertical	351	1.96	-
5270MHz	Pass	AV	15.80244G	46.87	54.00	-7.13	3	Horizontal	34	1.48	-
5270MHz	Pass	PK	10.52824G	60.32	68.20	-7.88	3	Horizontal	149	2.11	-
5270MHz	Pass	PK	15.81714G	59.20	74.00	-14.80	3	Horizontal	34	1.48	-
5310MHz	Pass	AV	5.306G	96.69	Inf	-Inf	3	Vertical	33	2.59	-
5310MHz	Pass	AV	5.3516G	52.66	54.00	-1.34	3	Vertical	33	2.59	-
5310MHz	Pass	PK	5.3064G	108.74	Inf	-Inf	3	Vertical	33	2.59	-
5310MHz	Pass	PK	5.3516G	73.04	74.00	-0.96	3	Vertical	33	2.59	-
5310MHz	Pass	AV	5.308G	89.46	Inf	-Inf	3	Horizontal	151	2.76	-
5310MHz	Pass	AV	5.35G	51.27	54.00	-2.73	3	Horizontal	151	2.76	-
5310MHz	Pass	PK	5.3144G	100.69	Inf	-Inf	3	Horizontal	151	2.76	-
5310MHz	Pass	PK	5.3516G	65.41	74.00	-8.59	3	Horizontal	151	2.76	-
5310MHz	Pass	AV	10.60842G	47.64	54.00	-6.36	3	Vertical	116	1.19	-
5310MHz	Pass	AV	15.93318G	46.28	54.00	-7.72	3	Vertical	274	1.92	-
5310MHz	Pass	PK	10.62048G	59.62	74.00	-14.38	3	Vertical	116	1.19	-
5310MHz	Pass	PK	15.9204G	57.77	74.00	-16.23	3	Vertical	274	1.92	-
5310MHz	Pass	AV	10.62624G	47.28	54.00	-6.72	3	Horizontal	318	1.43	-
5310MHz	Pass	AV	15.92076G	46.16	54.00	-7.84	3	Horizontal	60	1.04	-
5310MHz	Pass	PK	10.60746G	59.07	74.00	-14.93	3	Horizontal	318	1.43	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5310MHz	Pass	PK	15.93768G	58.10	74.00	-15.90	3	Horizontal	60	1.04	-
5510MHz	Pass	AV	5.4588G	49.04	54.00	-4.96	3	Vertical	32	2.45	-
5510MHz	Pass	AV	5.5056G	95.30	Inf	-Inf	3	Vertical	32	2.45	-
5510MHz	Pass	PK	5.4664G	67.86	68.20	-0.34	3	Vertical	32	2.45	-
5510MHz	Pass	PK	5.52G	106.95	Inf	-Inf	3	Vertical	32	2.45	-
5510MHz	Pass	AV	5.4312G	47.78	54.00	-6.22	3	Horizontal	159	2.60	-
5510MHz	Pass	AV	5.516G	88.50	Inf	-Inf	3	Horizontal	159	2.60	-
5510MHz	Pass	PK	5.468G	62.83	68.20	-5.37	3	Horizontal	159	2.60	-
5510MHz	Pass	PK	5.5212G	99.69	Inf	-Inf	3	Horizontal	159	2.60	-
5510MHz	Pass	AV	11.0287G	48.15	54.00	-5.85	3	Vertical	147	1.78	-
5510MHz	Pass	PK	11.03242G	60.44	74.00	-13.56	3	Vertical	147	1.78	-
5510MHz	Pass	PK	16.5288G	61.74	68.20	-6.46	3	Vertical	258	1.60	-
5510MHz	Pass	AV	11.00554G	48.16	54.00	-5.84	3	Horizontal	185	1.57	-
5510MHz	Pass	PK	11.00716G	60.35	74.00	-13.65	3	Horizontal	185	1.57	-
5510MHz	Pass	PK	16.53018G	60.71	68.20	-7.49	3	Horizontal	35	1.40	-
5550MHz	Pass	AV	5.46G	51.77	54.00	-2.23	3	Vertical	33	2.42	-
5550MHz	Pass	AV	5.5464G	99.87	Inf	-Inf	3	Vertical	33	2.42	-
5550MHz	Pass	PK	5.4684G	67.53	68.20	-0.67	3	Vertical	33	2.42	-
5550MHz	Pass	PK	5.5332G	110.45	Inf	-Inf	3	Vertical	33	2.42	-
5550MHz	Pass	AV	5.458G	48.44	54.00	-5.56	3	Horizontal	158	2.85	-
5550MHz	Pass	AV	5.5548G	92.78	Inf	-Inf	3	Horizontal	158	2.85	-
5550MHz	Pass	PK	5.462G	60.36	68.20	-7.84	3	Horizontal	158	2.85	-
5550MHz	Pass	PK	5.5464G	104.63	Inf	-Inf	3	Horizontal	158	2.85	-
5550MHz	Pass	AV	11.0928G	48.12	54.00	-5.88	3	Vertical	106	1.50	-
5550MHz	Pass	PK	11.09982G	60.34	74.00	-13.66	3	Vertical	106	1.50	-
5550MHz	Pass	PK	16.63542G	61.82	68.20	-6.38	3	Vertical	222	1.50	-
5550MHz	Pass	AV	11.10306G	48.24	54.00	-5.76	3	Horizontal	350	1.80	-
5550MHz	Pass	PK	11.10804G	60.35	74.00	-13.65	3	Horizontal	350	1.80	-
5550MHz	Pass	PK	16.65714G	61.46	68.20	-6.74	3	Horizontal	167	1.50	-
5670MHz	Pass	AV	5.6748G	96.58	Inf	-Inf	3	Vertical	55	2.85	-
5670MHz	Pass	PK	5.6664G	107.84	Inf	-Inf	3	Vertical	55	2.85	-
5670MHz	Pass	PK	5.727G	68.05	68.20	-0.15	3	Vertical	55	2.85	-
5670MHz	Pass	AV	5.6862G	90.06	Inf	-Inf	3	Horizontal	166	3.00	-
5670MHz	Pass	PK	5.6814G	101.83	Inf	-Inf	3	Horizontal	166	3.00	-
5670MHz	Pass	PK	5.7288G	62.34	68.20	-5.86	3	Horizontal	166	3.00	-
5670MHz	Pass	AV	11.33484G	47.85	54.00	-6.15	3	Vertical	44	1.10	-
5670MHz	Pass	PK	11.33688G	59.46	74.00	-14.54	3	Vertical	44	1.10	-
5670MHz	Pass	PK	17.00874G	62.42	68.20	-5.78	3	Vertical	25	1.18	-
5670MHz	Pass	AV	11.3355G	47.30	54.00	-6.70	3	Horizontal	281	1.01	-
5670MHz	Pass	PK	11.33076G	59.03	74.00	-14.97	3	Horizontal	281	1.01	-
5670MHz	Pass	PK	17.00328G	62.93	68.20	-5.27	3	Horizontal	17	2.30	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	48.75	54.00	-5.25	3	Vertical	51	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	101.85	Inf	-Inf	3	Vertical	51	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	60.39	68.20	-7.81	3	Vertical	51	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7052G	112.94	Inf	-Inf	3	Vertical	51	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	68.01	68.20	-0.19	3	Vertical	51	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4508G	47.86	54.00	-6.14	3	Horizontal	166	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7088G	95.74	Inf	-Inf	3	Horizontal	166	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4628G	58.29	68.20	-9.91	3	Horizontal	166	3.00	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7208G	106.96	Inf	-Inf	3	Horizontal	166	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9356G	61.78	68.20	-6.42	3	Horizontal	166	3.00	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42858G	48.13	54.00	-5.87	3	Vertical	117	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41616G	59.59	74.00	-14.41	3	Vertical	117	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1369G	63.23	68.20	-4.97	3	Vertical	168	2.94	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40836G	47.77	54.00	-6.23	3	Horizontal	155	1.40	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40554G	59.92	74.00	-14.08	3	Horizontal	155	1.40	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.14488G	62.94	68.20	-5.26	3	Horizontal	0	1.50	-
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.088G	50.87	54.00	-3.13	3	Vertical	35	2.47	-
5290MHz	Pass	AV	5.283G	93.84	Inf	-Inf	3	Vertical	35	2.47	-
5290MHz	Pass	AV	5.351G	53.30	54.00	-0.70	3	Vertical	35	2.47	-
5290MHz	Pass	PK	5.136G	61.54	74.00	-12.46	3	Vertical	35	2.47	-
5290MHz	Pass	PK	5.263G	104.56	Inf	-Inf	3	Vertical	35	2.47	-
5290MHz	Pass	PK	5.353G	68.60	74.00	-5.40	3	Vertical	35	2.47	-
5290MHz	Pass	AV	5.043G	50.69	54.00	-3.31	3	Horizontal	152	2.75	-
5290MHz	Pass	AV	5.3G	86.29	Inf	-Inf	3	Horizontal	152	2.75	-
5290MHz	Pass	AV	5.35G	50.26	54.00	-3.74	3	Horizontal	152	2.75	-
5290MHz	Pass	PK	5.066G	60.74	74.00	-13.26	3	Horizontal	152	2.75	-
5290MHz	Pass	PK	5.299G	95.43	Inf	-Inf	3	Horizontal	152	2.75	-
5290MHz	Pass	PK	5.506G	59.45	68.20	-8.75	3	Horizontal	152	2.75	-
5290MHz	Pass	AV	15.86994G	47.45	54.00	-6.55	3	Vertical	58	1.62	-
5290MHz	Pass	PK	10.5938G	59.15	68.20	-9.05	3	Vertical	187	2.03	-
5290MHz	Pass	PK	15.87642G	58.04	74.00	-15.96	3	Vertical	58	1.62	-
5290MHz	Pass	AV	15.86142G	48.22	54.00	-5.78	3	Horizontal	185	1.89	-
5290MHz	Pass	PK	10.56824G	60.51	68.20	-7.69	3	Horizontal	32	1.97	-
5290MHz	Pass	PK	15.8745G	58.81	74.00	-15.19	3	Horizontal	185	1.89	-
5530MHz	Pass	AV	5.459G	52.38	54.00	-1.62	3	Vertical	36	2.54	-
5530MHz	Pass	AV	5.521G	94.08	Inf	-Inf	3	Vertical	36	2.54	-
5530MHz	Pass	PK	5.466G	67.63	68.20	-0.57	3	Vertical	36	2.54	-
5530MHz	Pass	PK	5.51G	104.08	Inf	-Inf	3	Vertical	36	2.54	-
5530MHz	Pass	PK	5.776G	60.28	68.20	-7.92	3	Vertical	36	2.54	-
5530MHz	Pass	AV	5.437G	49.53	54.00	-4.47	3	Horizontal	157	2.62	-
5530MHz	Pass	AV	5.519G	87.68	Inf	-Inf	3	Horizontal	157	2.62	-
5530MHz	Pass	PK	5.461G	60.45	68.20	-7.75	3	Horizontal	157	2.62	-
5530MHz	Pass	PK	5.541G	97.03	Inf	-Inf	3	Horizontal	157	2.62	-
5530MHz	Pass	PK	5.779G	59.55	68.20	-8.65	3	Horizontal	157	2.62	-
5530MHz	Pass	AV	11.05076G	49.54	54.00	-4.46	3	Vertical	195	1.79	-
5530MHz	Pass	PK	11.04656G	60.97	74.00	-13.03	3	Vertical	195	1.79	-
5530MHz	Pass	PK	16.58676G	61.67	68.20	-6.53	3	Vertical	298	1.01	-
5530MHz	Pass	AV	11.0537G	49.75	54.00	-4.25	3	Horizontal	229	1.58	-
5530MHz	Pass	PK	11.06078G	60.27	74.00	-13.73	3	Horizontal	229	1.58	-
5530MHz	Pass	PK	16.59732G	61.06	68.20	-7.14	3	Horizontal	108	1.46	-
5610MHz	Pass	AV	5.459G	53.23	54.00	-0.77	3	Vertical	36	2.46	-
5610MHz	Pass	AV	5.601G	95.44	Inf	-Inf	3	Vertical	36	2.46	-
5610MHz	Pass	PK	5.462G	64.78	68.20	-3.42	3	Vertical	36	2.46	-
5610MHz	Pass	PK	5.589G	105.19	Inf	-Inf	3	Vertical	36	2.46	-
5610MHz	Pass	PK	5.73G	63.30	68.20	-4.90	3	Vertical	36	2.46	-
5610MHz	Pass	AV	5.457G	49.47	54.00	-4.53	3	Horizontal	159	2.81	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 1_Radio 2_2T2S**

Appendix D.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	AV	5.621G	89.60	Inf	-Inf	3	Horizontal	159	2.81	-
5610MHz	Pass	PK	5.466G	60.36	68.20	-7.84	3	Horizontal	159	2.81	-
5610MHz	Pass	PK	5.621G	98.95	Inf	-Inf	3	Horizontal	159	2.81	-
5610MHz	Pass	PK	5.851G	60.98	68.20	-7.22	3	Horizontal	159	2.81	-
5610MHz	Pass	AV	11.22642G	49.05	54.00	-4.95	3	Vertical	169	1.40	-
5610MHz	Pass	PK	11.2167G	59.80	74.00	-14.20	3	Vertical	169	1.40	-
5610MHz	Pass	PK	16.8171G	62.53	68.20	-5.67	3	Vertical	230	2.13	-
5610MHz	Pass	AV	11.22456G	49.18	54.00	-4.82	3	Horizontal	269	1.74	-
5610MHz	Pass	PK	11.21538G	60.87	74.00	-13.13	3	Horizontal	269	1.74	-
5610MHz	Pass	PK	16.81704G	62.40	68.20	-5.80	3	Horizontal	54	2.07	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.456G	52.06	54.00	-1.94	3	Vertical	108	2.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7044G	100.33	Inf	-Inf	3	Vertical	108	2.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	62.88	68.20	-5.32	3	Vertical	108	2.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7092G	110.60	Inf	-Inf	3	Vertical	108	2.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.8568G	67.43	68.20	-0.77	3	Vertical	108	2.69	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.438G	49.18	54.00	-4.82	3	Horizontal	163	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7032G	92.26	Inf	-Inf	3	Horizontal	163	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	58.60	68.20	-9.60	3	Horizontal	163	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.702G	101.81	Inf	-Inf	3	Horizontal	163	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.888G	61.48	68.20	-6.72	3	Horizontal	163	3.00	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3761G	49.17	54.00	-4.83	3	Vertical	102	2.14	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3659G	59.48	74.00	-14.52	3	Vertical	102	2.14	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07246G	62.88	68.20	-5.32	3	Vertical	0	2.43	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37706G	48.90	54.00	-5.10	3	Horizontal	138	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.37736G	59.18	74.00	-14.82	3	Horizontal	138	1.50	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07186G	63.10	68.20	-5.10	3	Horizontal	153	1.50	-



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	50.99	54.00	-3.01	7.93	3	Vertical	177	3.00	-	43.06	31.90	10.08	34.05
AV	5.2558G	108.68	Inf	-Inf	7.34	3	Vertical	177	3.00	-	101.34	31.29	10.11	34.06
AV	5.3506G	53.51	54.00	-0.49	7.30	3	Vertical	177	3.00	-	46.21	31.20	10.16	34.06
PK	5.1466G	66.82	74.00	-7.18	7.94	3	Vertical	177	3.00	-	58.88	31.91	10.08	34.05
PK	5.2564G	119.09	Inf	-Inf	7.34	3	Vertical	177	3.00	-	111.75	31.29	10.11	34.06
PK	5.3518G	69.12	74.00	-4.88	7.31	3	Vertical	177	3.00	-	61.81	31.21	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.79	54.00	-5.21	7.93	3	Horizontal	271	2.79	-	40.86	31.90	10.08	34.05
AV	5.2552G	100.89	Inf	-Inf	7.34	3	Horizontal	271	2.79	-	93.55	31.29	10.11	34.06
AV	5.3506G	48.30	54.00	-5.70	7.30	3	Horizontal	271	2.79	-	41.00	31.20	10.16	34.06
PK	5.1496G	62.63	74.00	-11.37	7.93	3	Horizontal	271	2.79	-	54.70	31.90	10.08	34.05
PK	5.2648G	111.36	Inf	-Inf	7.32	3	Horizontal	271	2.79	-	104.04	31.27	10.11	34.06
PK	5.3578G	61.73	74.00	-12.27	7.35	3	Horizontal	271	2.79	-	54.38	31.25	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77748G	50.49	54.00	-3.51	17.16	3	Vertical	353	2.10	-	33.33	37.75	13.73	34.32
PK	10.52762G	59.62	68.20	-8.58	18.59	3	Vertical	153	1.66	-	41.03	39.76	13.06	34.23
PK	15.77778G	62.48	74.00	-11.52	17.15	3	Vertical	353	2.10	-	45.33	37.74	13.73	34.32



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7908G	46.34	54.00	-7.66	17.12	3	Horizontal	136	1.06	-	29.22	37.72	13.73	34.33
PK	10.52858G	59.95	68.20	-8.25	18.59	3	Horizontal	134	2.40	-	41.36	39.76	13.06	34.23
PK	15.79122G	58.94	74.00	-15.06	17.12	3	Horizontal	136	1.06	-	41.82	37.72	13.73	34.33



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	108.23	Inf	-Inf	7.27	3	Vertical	296	2.72	-	100.96	31.20	10.13	34.06
AV	5.3504G	53.14	54.00	-0.86	7.30	3	Vertical	296	2.72	-	45.84	31.20	10.16	34.06
PK	5.3012G	117.57	Inf	-Inf	7.27	3	Vertical	296	2.72	-	110.30	31.20	10.13	34.06
PK	5.3504G	72.05	74.00	-1.95	7.30	3	Vertical	296	2.72	-	64.75	31.20	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	99.50	Inf	-Inf	7.28	3	Horizontal	336	2.83	-	92.22	31.21	10.13	34.06
AV	5.3504G	48.03	54.00	-5.97	7.30	3	Horizontal	336	2.83	-	40.73	31.20	10.16	34.06
PK	5.3048G	109.00	Inf	-Inf	7.28	3	Horizontal	336	2.83	-	101.72	31.20	10.14	34.06
PK	5.35G	65.67	74.00	-8.33	7.30	3	Horizontal	336	2.83	-	58.37	31.20	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89742G	50.45	54.00	-3.55	16.83	3	Vertical	343	2.01	-	33.62	37.51	13.73	34.41
PK	10.5949G	59.65	68.20	-8.55	18.77	3	Vertical	359	2.55	-	40.88	39.89	13.10	34.22
PK	15.91194G	63.27	74.00	-10.73	16.81	3	Vertical	343	2.01	-	46.46	37.50	13.73	34.42



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89082G	45.82	54.00	-8.18	16.85	3	Horizontal	176	1.91	-	28.97	37.52	13.73	34.40
PK	10.58896G	59.30	68.20	-8.90	18.76	3	Horizontal	252	1.65	-	40.54	39.88	13.10	34.22
PK	15.90666G	58.90	74.00	-15.10	16.82	3	Horizontal	176	1.91	-	42.08	37.50	13.73	34.41



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3218G	105.60	Inf	-Inf	7.28	3	Vertical	295	2.83	-	98.32	31.20	10.14	34.06
AV	5.3518G	53.50	54.00	-0.50	7.31	3	Vertical	295	2.83	-	46.19	31.21	10.16	34.06
PK	5.3266G	114.80	Inf	-Inf	7.29	3	Vertical	295	2.83	-	107.51	31.20	10.15	34.06
PK	5.3518G	71.94	74.00	-2.06	7.31	3	Vertical	295	2.83	-	64.63	31.21	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3146G	96.88	Inf	-Inf	7.28	3	Horizontal	335	3.00	-	89.60	31.20	10.14	34.06
AV	5.3506G	48.35	54.00	-5.65	7.30	3	Horizontal	335	3.00	-	41.05	31.20	10.16	34.06
PK	5.3254G	105.95	Inf	-Inf	7.29	3	Horizontal	335	3.00	-	98.66	31.20	10.15	34.06
PK	5.3506G	64.45	74.00	-9.55	7.30	3	Horizontal	335	3.00	-	57.15	31.20	10.16	34.06



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64522G	46.66	54.00	-7.34	18.82	3	Vertical	88	1.62	-	27.84	39.90	13.13	34.21
AV	15.94602G	44.95	54.00	-9.05	16.79	3	Vertical	142	2.14	-	28.16	37.50	13.73	34.44
PK	10.65206G	59.16	74.00	-14.84	18.82	3	Vertical	88	1.62	-	40.34	39.90	13.13	34.21
PK	15.94782G	57.62	74.00	-16.38	16.79	3	Vertical	142	2.14	-	40.83	37.50	13.73	34.44



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6451G	46.71	54.00	-7.29	18.82	3	Horizontal	112	1.81	-	27.89	39.90	13.13	34.21
AV	15.94608G	44.88	54.00	-9.12	16.79	3	Horizontal	34	1.41	-	28.09	37.50	13.73	34.44
PK	10.6412G	59.09	74.00	-14.91	18.82	3	Horizontal	112	1.81	-	40.27	39.90	13.13	34.21
PK	15.94974G	57.78	74.00	-16.22	16.79	3	Horizontal	34	1.41	-	40.99	37.50	13.73	34.44



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.02	54.00	-5.98	7.77	3	Vertical	39	2.43	-	40.25	31.64	10.20	34.07
AV	5.4956G	103.39	Inf	-Inf	7.92	3	Vertical	39	2.43	-	95.47	31.78	10.21	34.07
PK	5.4698G	67.48	68.20	-0.72	7.82	3	Vertical	39	2.43	-	59.66	31.68	10.21	34.07
PK	5.5056G	112.12	Inf	-Inf	7.94	3	Vertical	39	2.43	-	104.18	31.79	10.22	34.07



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	47.13	54.00	-6.87	7.76	3	Horizontal	162	2.49	-	39.37	31.63	10.20	34.07
AV	5.5026G	96.44	Inf	-Inf	7.94	3	Horizontal	162	2.49	-	88.50	31.79	10.22	34.07
PK	5.4684G	61.54	68.20	-6.66	7.81	3	Horizontal	162	2.49	-	53.73	31.67	10.21	34.07
PK	5.5024G	104.76	Inf	-Inf	7.95	3	Horizontal	162	2.49	-	96.81	31.80	10.22	34.07



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00834G	47.36	54.00	-6.64	19.35	3	Vertical	224	2.23	-	28.01	40.17	13.34	34.16
PK	11.0105G	60.24	74.00	-13.76	19.34	3	Vertical	224	2.23	-	40.90	40.16	13.34	34.16
PK	16.51254G	59.99	68.20	-8.21	19.17	3	Vertical	52	1.27	-	40.82	38.93	14.22	33.98



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00306G	47.39	54.00	-6.61	19.37	3	Horizontal	272	2.49	-	28.02	40.19	13.34	34.16
PK	11.00732G	60.18	74.00	-13.82	19.35	3	Horizontal	272	2.49	-	40.83	40.17	13.34	34.16
PK	16.49334G	60.03	68.20	-8.17	19.09	3	Horizontal	121	1.53	-	40.94	38.88	14.21	34.00



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.96	54.00	-4.04	7.77	3	Vertical	38	2.49	-	42.19	31.64	10.20	34.07
AV	5.5752G	106.95	Inf	-Inf	7.82	3	Vertical	38	2.49	-	99.13	31.65	10.24	34.07
PK	5.4654G	68.02	68.20	-0.18	7.80	3	Vertical	38	2.49	-	60.22	31.66	10.21	34.07
PK	5.5758G	117.67	Inf	-Inf	7.82	3	Vertical	38	2.49	-	109.85	31.65	10.24	34.07
PK	5.73G	59.98	68.20	-8.22	8.19	3	Vertical	38	2.49	-	51.79	31.86	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	47.35	54.00	-6.65	7.74	3	Horizontal	166	2.58	-	39.61	31.61	10.20	34.07
AV	5.5824G	100.83	Inf	-Inf	7.81	3	Horizontal	166	2.58	-	93.02	31.64	10.24	34.07
PK	5.4684G	60.74	68.20	-7.46	7.81	3	Horizontal	166	2.58	-	52.93	31.67	10.21	34.07
PK	5.5776G	111.05	Inf	-Inf	7.81	3	Horizontal	166	2.58	-	103.24	31.64	10.24	34.07
PK	5.7252G	59.49	68.20	-8.71	8.18	3	Horizontal	166	2.58	-	51.31	31.85	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1453G	47.25	54.00	-6.75	18.98	3	Vertical	34	2.49	-	28.27	39.71	13.42	34.15
PK	11.1714G	60.08	74.00	-13.92	18.95	3	Vertical	34	2.49	-	41.13	39.66	13.43	34.14
PK	16.7358G	62.71	68.20	-5.49	20.62	3	Vertical	171	2.00	-	42.09	39.91	14.44	33.73



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14644G	47.12	54.00	-6.88	18.98	3	Horizontal	86	1.50	-	28.14	39.71	13.42	34.15
PK	11.14932G	59.89	74.00	-14.11	18.97	3	Horizontal	86	1.50	-	40.92	39.70	13.42	34.15
PK	16.7376G	62.04	68.20	-6.16	20.63	3	Horizontal	17	3.00	-	41.41	39.91	14.44	33.72



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7008G	101.58	Inf	-Inf	8.10	3	Vertical	294	2.79	-	93.48	31.80	10.37	34.07
PK	5.7052G	110.53	Inf	-Inf	8.11	3	Vertical	294	2.79	-	102.42	31.81	10.37	34.07
PK	5.7252G	67.40	68.20	-0.80	8.18	3	Vertical	294	2.79	-	59.22	31.85	10.40	34.07



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	94.35	Inf	-Inf	8.11	3	Horizontal	168	2.49	-	86.24	31.81	10.37	34.07
PK	5.6972G	102.61	Inf	-Inf	8.08	3	Horizontal	168	2.49	-	94.53	31.79	10.36	34.07
PK	5.7768G	61.26	68.20	-6.94	8.39	3	Horizontal	168	2.49	-	52.87	32.01	10.46	34.08



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40714G	46.73	54.00	-7.27	19.26	3	Vertical	67	1.85	-	27.47	39.81	13.57	34.12
PK	11.38704G	60.04	74.00	-13.96	19.21	3	Vertical	67	1.85	-	40.83	39.77	13.56	34.12
PK	17.1066G	62.41	68.20	-5.79	21.43	3	Vertical	47	1.29	-	40.98	40.10	14.80	33.47



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.38572G	46.67	54.00	-7.33	19.21	3	Horizontal	312	1.35	-	27.46	39.77	13.56	34.12
PK	11.40696G	59.47	74.00	-14.53	19.26	3	Horizontal	312	1.35	-	40.21	39.81	13.57	34.12
PK	17.08542G	63.08	68.20	-5.12	21.43	3	Horizontal	332	2.05	-	41.65	40.11	14.78	33.46



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	47.01	54.00	-6.99	7.74	3	Vertical	59	2.48	-	39.27	31.61	10.20	34.07
AV	5.7224G	107.03	Inf	-Inf	8.16	3	Vertical	59	2.48	-	98.87	31.84	10.39	34.07
PK	5.46G	58.68	74.00	-15.32	7.77	3	Vertical	59	2.48	-	50.91	31.64	10.20	34.07
PK	5.7272G	117.76	Inf	-Inf	8.18	3	Vertical	59	2.48	-	109.58	31.85	10.40	34.07
PK	5.852G	61.87	68.20	-6.33	8.73	3	Vertical	59	2.48	-	53.14	32.30	10.51	34.08



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	46.79	54.00	-7.21	7.74	3	Horizontal	158	2.99	-	39.05	31.61	10.20	34.07
AV	5.7152G	100.60	Inf	-Inf	8.14	3	Horizontal	158	2.99	-	92.46	31.83	10.38	34.07
PK	5.468G	59.05	68.20	-9.15	7.81	3	Horizontal	158	2.99	-	51.24	31.67	10.21	34.07
PK	5.726G	111.02	Inf	-Inf	8.18	3	Horizontal	158	2.99	-	102.84	31.85	10.40	34.07
PK	5.8892G	60.63	68.20	-7.57	8.83	3	Horizontal	158	2.99	-	51.80	32.38	10.53	34.08



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44012G	47.47	54.00	-6.53	19.31	3	Vertical	152	1.20	-	28.16	39.84	13.59	34.12
PK	11.44426G	60.31	74.00	-13.69	19.31	3	Vertical	152	1.20	-	41.00	39.84	13.59	34.12
PK	17.1717G	62.88	68.20	-5.32	21.46	3	Vertical	18	2.26	-	41.42	40.10	14.86	33.50



802.11a_Nss1,(6Mbps)_2TX

31/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42872G	46.87	54.00	-7.13	19.29	3	Horizontal	349	1.50	-	27.58	39.83	13.58	34.12
PK	11.42734G	59.81	74.00	-14.19	19.29	3	Horizontal	349	1.50	-	40.52	39.83	13.58	34.12
PK	17.15736G	62.70	68.20	-5.50	21.46	3	Horizontal	295	1.87	-	41.24	40.10	14.85	33.49



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1454G	49.64	54.00	-4.36	7.94	3	Vertical	173	2.96	-	41.70	31.91	10.08	34.05
AV	5.2612G	106.54	Inf	-Inf	7.33	3	Vertical	173	2.96	-	99.21	31.28	10.11	34.06
AV	5.3506G	51.23	54.00	-2.77	7.30	3	Vertical	173	2.96	-	43.93	31.20	10.16	34.06
PK	5.1424G	61.45	74.00	-12.55	7.95	3	Vertical	173	2.96	-	53.50	31.92	10.08	34.05
PK	5.2552G	117.42	Inf	-Inf	7.34	3	Vertical	173	2.96	-	110.08	31.29	10.11	34.06
PK	5.35G	65.88	74.00	-8.12	7.30	3	Vertical	173	2.96	-	58.58	31.20	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1118G	48.73	54.00	-5.27	8.01	3	Horizontal	151	2.96	-	40.72	31.98	10.08	34.05
AV	5.257G	97.54	Inf	-Inf	7.34	3	Horizontal	151	2.96	-	90.20	31.29	10.11	34.06
AV	5.3518G	47.55	54.00	-6.45	7.31	3	Horizontal	151	2.96	-	40.24	31.21	10.16	34.06
PK	5.1466G	60.10	74.00	-13.90	7.94	3	Horizontal	151	2.96	-	52.16	31.91	10.08	34.05
PK	5.2552G	108.30	Inf	-Inf	7.34	3	Horizontal	151	2.96	-	100.96	31.29	10.11	34.06
PK	5.3506G	59.67	74.00	-14.33	7.30	3	Horizontal	151	2.96	-	52.37	31.20	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77934G	50.85	54.00	-3.15	17.14	3	Vertical	354	1.93	-	33.71	37.74	13.73	34.33
PK	10.53302G	59.65	68.20	-8.55	18.60	3	Vertical	243	1.50	-	41.05	39.77	13.06	34.23
PK	15.78714G	62.53	74.00	-11.47	17.13	3	Vertical	354	1.93	-	45.40	37.73	13.73	34.33



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5260MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78402G	48.14	54.00	-5.86	17.13	3	Horizontal	138	1.03	-	31.01	37.73	13.73	34.33
PK	10.52822G	59.95	68.20	-8.25	18.59	3	Horizontal	301	2.57	-	41.36	39.76	13.06	34.23
PK	15.79182G	60.08	74.00	-13.92	17.12	3	Horizontal	138	1.03	-	42.96	37.72	13.73	34.33



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.302G	105.82	Inf	-Inf	7.27	3	Vertical	296	2.94	-	98.55	31.20	10.13	34.06
AV	5.3504G	53.13	54.00	-0.87	7.30	3	Vertical	296	2.94	-	45.83	31.20	10.16	34.06
PK	5.2952G	117.28	Inf	-Inf	7.28	3	Vertical	296	2.94	-	110.00	31.21	10.13	34.06
PK	5.3512G	69.93	74.00	-4.07	7.31	3	Vertical	296	2.94	-	62.62	31.21	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2952G	96.69	Inf	-Inf	7.28	3	Horizontal	336	2.79	-	89.41	31.21	10.13	34.06
AV	5.3512G	48.47	54.00	-5.53	7.31	3	Horizontal	336	2.79	-	41.16	31.21	10.16	34.06
PK	5.3036G	107.91	Inf	-Inf	7.27	3	Horizontal	336	2.79	-	100.64	31.20	10.13	34.06
PK	5.352G	61.31	74.00	-12.69	7.31	3	Horizontal	336	2.79	-	54.00	31.21	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.9021G	49.17	54.00	-4.83	16.82	3	Vertical	343	2.08	-	32.35	37.50	13.73	34.41
PK	10.5973G	60.10	68.20	-8.10	18.77	3	Vertical	57	2.80	-	41.33	39.89	13.10	34.22
PK	15.90798G	61.74	74.00	-12.26	16.81	3	Vertical	343	2.08	-	44.93	37.50	13.73	34.42



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5300MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89988G	46.40	54.00	-7.60	16.82	3	Horizontal	28	2.94	-	29.58	37.50	13.73	34.41
PK	10.59622G	60.04	68.20	-8.16	18.77	3	Horizontal	170	1.81	-	41.27	39.89	13.10	34.22
PK	15.89526G	58.14	74.00	-15.86	16.83	3	Horizontal	28	2.94	-	41.31	37.51	13.73	34.41



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3168G	103.13	Inf	-Inf	7.28	3	Vertical	295	3.00	-	95.85	31.20	10.14	34.06
AV	5.3504G	53.62	54.00	-0.38	7.30	3	Vertical	295	3.00	-	46.32	31.20	10.16	34.06
PK	5.3194G	114.96	Inf	-Inf	7.28	3	Vertical	295	3.00	-	107.68	31.20	10.14	34.06
PK	5.3514G	69.23	74.00	-4.77	7.31	3	Vertical	295	3.00	-	61.92	31.21	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	93.56	Inf	-Inf	7.28	3	Horizontal	266	2.68	-	86.28	31.20	10.14	34.06
AV	5.3504G	48.51	54.00	-5.49	7.30	3	Horizontal	266	2.68	-	41.21	31.20	10.16	34.06
PK	5.3154G	105.31	Inf	-Inf	7.28	3	Horizontal	266	2.68	-	98.03	31.20	10.14	34.06
PK	5.35G	62.55	74.00	-11.45	7.30	3	Horizontal	266	2.68	-	55.25	31.20	10.16	34.06



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65284G	47.39	54.00	-6.61	18.82	3	Vertical	34	1.58	-	28.57	39.90	13.13	34.21
AV	15.94554G	45.72	54.00	-8.28	16.79	3	Vertical	339	2.06	-	28.93	37.50	13.73	34.44
PK	10.655G	59.57	74.00	-14.43	18.83	3	Vertical	34	1.58	-	40.74	39.90	13.14	34.21
PK	15.95856G	57.57	74.00	-16.43	16.78	3	Vertical	339	2.06	-	40.79	37.50	13.73	34.45



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5320MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64102G	47.58	54.00	-6.42	18.82	3	Horizontal	138	2.24	-	28.76	39.90	13.13	34.21
AV	15.95874G	45.69	54.00	-8.31	16.78	3	Horizontal	228	1.68	-	28.91	37.50	13.73	34.45
PK	10.63706G	59.96	74.00	-14.04	18.81	3	Horizontal	138	2.24	-	41.15	39.90	13.12	34.21
PK	15.97386G	58.30	74.00	-15.70	16.77	3	Horizontal	228	1.68	-	41.53	37.50	13.73	34.46



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	48.69	54.00	-5.31	7.77	3	Vertical	38	2.45	-	40.92	31.64	10.20	34.07
AV	5.495G	101.20	Inf	-Inf	7.92	3	Vertical	38	2.45	-	93.28	31.78	10.21	34.07
PK	5.4694G	67.31	68.20	-0.89	7.82	3	Vertical	38	2.45	-	59.49	31.68	10.21	34.07
PK	5.494G	111.76	Inf	-Inf	7.92	3	Vertical	38	2.45	-	103.84	31.78	10.21	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	47.53	54.00	-6.47	7.75	3	Horizontal	161	2.48	-	39.78	31.62	10.20	34.07
AV	5.5078G	93.89	Inf	-Inf	7.93	3	Horizontal	161	2.48	-	85.96	31.78	10.22	34.07
PK	5.4682G	60.80	68.20	-7.40	7.81	3	Horizontal	161	2.48	-	52.99	31.67	10.21	34.07
PK	5.5026G	104.74	Inf	-Inf	7.94	3	Horizontal	161	2.48	-	96.80	31.79	10.22	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01236G	48.26	54.00	-5.74	19.33	3	Vertical	256	1.36	-	28.93	40.15	13.34	34.16
PK	11.00702G	60.13	74.00	-13.87	19.35	3	Vertical	256	1.36	-	40.78	40.17	13.34	34.16
PK	16.49334G	60.69	68.20	-7.51	19.09	3	Vertical	85	1.70	-	41.60	38.88	14.21	34.00



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00582G	48.37	54.00	-5.63	19.36	3	Horizontal	286	2.43	-	29.01	40.18	13.34	34.16
PK	11.00354G	60.07	74.00	-13.93	19.37	3	Horizontal	286	2.43	-	40.70	40.19	13.34	34.16
PK	16.4859G	59.99	68.20	-8.21	19.06	3	Horizontal	290	2.47	-	40.93	38.86	14.20	34.00



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	52.31	54.00	-1.69	7.76	3	Vertical	38	2.47	-	44.55	31.63	10.20	34.07
AV	5.5752G	104.06	Inf	-Inf	7.82	3	Vertical	38	2.47	-	96.24	31.65	10.24	34.07
PK	5.4684G	66.68	68.20	-1.52	7.81	3	Vertical	38	2.47	-	58.87	31.67	10.21	34.07
PK	5.5788G	115.69	Inf	-Inf	7.81	3	Vertical	38	2.47	-	107.88	31.64	10.24	34.07
PK	5.7252G	60.37	68.20	-7.83	8.18	3	Vertical	38	2.47	-	52.19	31.85	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	48.91	54.00	-5.09	7.77	3	Horizontal	163	2.68	-	41.14	31.64	10.20	34.07
AV	5.5818G	98.51	Inf	-Inf	7.81	3	Horizontal	163	2.68	-	90.70	31.64	10.24	34.07
PK	5.4678G	60.63	68.20	-7.57	7.81	3	Horizontal	163	2.68	-	52.82	31.67	10.21	34.07
PK	5.5764G	110.18	Inf	-Inf	7.82	3	Horizontal	163	2.68	-	102.36	31.65	10.24	34.07
PK	5.7252G	61.37	68.20	-6.83	8.18	3	Horizontal	163	2.68	-	53.19	31.85	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16192G	48.03	54.00	-5.97	18.97	3	Vertical	126	2.09	-	29.06	39.68	13.43	34.14
PK	11.16294G	59.83	74.00	-14.17	18.96	3	Vertical	126	2.09	-	40.87	39.67	13.43	34.14
PK	16.73412G	61.87	68.20	-6.33	20.61	3	Vertical	160	1.50	-	41.26	39.90	14.44	33.73



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15466G	47.87	54.00	-6.13	18.97	3	Horizontal	136	2.92	-	28.90	39.69	13.42	34.14
PK	11.1516G	61.28	74.00	-12.72	18.98	3	Horizontal	136	2.92	-	42.30	39.70	13.42	34.14
PK	16.72998G	62.17	68.20	-6.03	20.59	3	Horizontal	135	1.83	-	41.58	39.89	14.43	33.73



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7016G	99.74	Inf	-Inf	8.10	3	Vertical	108	2.65	-	91.64	31.80	10.37	34.07
PK	5.7052G	110.48	Inf	-Inf	8.11	3	Vertical	108	2.65	-	102.37	31.81	10.37	34.07
PK	5.7252G	67.30	68.20	-0.90	8.18	3	Vertical	108	2.65	-	59.12	31.85	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	91.63	Inf	-Inf	8.08	3	Horizontal	155	3.00	-	83.55	31.79	10.36	34.07
PK	5.6988G	102.26	Inf	-Inf	8.09	3	Horizontal	155	3.00	-	94.17	31.80	10.36	34.07
PK	5.726G	61.99	68.20	-6.21	8.18	3	Horizontal	155	3.00	-	53.81	31.85	10.40	34.07



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40582G	47.56	54.00	-6.44	19.26	3	Vertical	81	2.31	-	28.30	39.81	13.57	34.12
PK	11.41446G	59.24	74.00	-14.76	19.26	3	Vertical	81	2.31	-	39.98	39.81	13.57	34.12
PK	17.0919G	62.53	68.20	-5.67	21.43	3	Vertical	200	2.23	-	41.10	40.11	14.78	33.46



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4096G	47.54	54.00	-6.46	19.26	3	Horizontal	82	2.50	-	28.28	39.81	13.57	34.12
PK	11.4084G	59.43	74.00	-14.57	19.26	3	Horizontal	82	2.50	-	40.17	39.81	13.57	34.12
PK	17.10786G	62.78	68.20	-5.42	21.43	3	Horizontal	112	1.18	-	41.35	40.10	14.80	33.47



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	48.06	54.00	-5.94	7.77	3	Vertical	112	2.89	-	40.29	31.64	10.20	34.07
AV	5.7224G	105.85	Inf	-Inf	8.16	3	Vertical	112	2.89	-	97.69	31.84	10.39	34.07
PK	5.4656G	59.39	68.20	-8.81	7.80	3	Vertical	112	2.89	-	51.59	31.66	10.21	34.07
PK	5.7236G	116.18	Inf	-Inf	8.17	3	Vertical	112	2.89	-	108.01	31.85	10.39	34.07
PK	5.8508G	63.85	68.20	-4.35	8.73	3	Vertical	112	2.89	-	55.12	32.30	10.51	34.08



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	47.64	54.00	-6.36	7.76	3	Horizontal	132	2.71	-	39.88	31.63	10.20	34.07
AV	5.7188G	99.09	Inf	-Inf	8.16	3	Horizontal	132	2.71	-	90.93	31.84	10.39	34.07
PK	5.462G	58.27	68.20	-9.93	7.78	3	Horizontal	132	2.71	-	50.49	31.65	10.20	34.07
PK	5.7188G	110.33	Inf	-Inf	8.16	3	Horizontal	132	2.71	-	102.17	31.84	10.39	34.07
PK	5.966G	61.14	68.20	-7.06	8.89	3	Horizontal	132	2.71	-	52.25	32.40	10.57	34.08



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44888G	47.68	54.00	-6.32	19.32	3	Vertical	148	2.83	-	28.36	39.85	13.59	34.12
PK	11.4505G	59.80	74.00	-14.20	19.34	3	Vertical	148	2.83	-	40.46	39.85	13.60	34.11
PK	17.1651G	62.62	68.20	-5.58	21.46	3	Vertical	357	2.07	-	41.16	40.10	14.85	33.49



802.11ax HEW20_Nss2,(MCS0)_2TX

01/01/2020

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.45494G	47.70	54.00	-6.30	19.34	3	Horizontal	310	1.60	-	28.36	39.85	13.60	34.11
PK	11.42956G	59.62	74.00	-14.38	19.29	3	Horizontal	310	1.60	-	40.33	39.83	13.58	34.12
PK	17.15634G	62.95	68.20	-5.25	21.46	3	Horizontal	17	1.50	-	41.49	40.10	14.85	33.49



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2828G	102.51	Inf	-Inf	7.29	3	Vertical	115	2.68	-	95.22	31.23	10.12	34.06
AV	5.3504G	53.65	54.00	-0.35	7.30	3	Vertical	115	2.68	-	46.35	31.20	10.16	34.06
PK	5.2816G	113.26	Inf	-Inf	7.30	3	Vertical	115	2.68	-	105.96	31.24	10.12	34.06
PK	5.3608G	71.07	74.00	-2.93	7.37	3	Vertical	115	2.68	-	63.70	31.26	10.17	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2748G	92.21	Inf	-Inf	7.31	3	Horizontal	151	2.60	-	84.90	31.25	10.12	34.06
AV	5.3516G	48.80	54.00	-5.20	7.31	3	Horizontal	151	2.60	-	41.49	31.21	10.16	34.06
PK	5.2744G	103.93	Inf	-Inf	7.31	3	Horizontal	151	2.60	-	96.62	31.25	10.12	34.06
PK	5.3628G	60.84	74.00	-13.16	7.39	3	Horizontal	151	2.60	-	53.45	31.28	10.17	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81504G	48.31	54.00	-5.69	17.05	3	Vertical	351	1.96	-	31.26	37.67	13.73	34.35
PK	10.5511G	60.00	68.20	-8.20	18.66	3	Vertical	190	1.50	-	41.34	39.80	13.08	34.22
PK	15.79566G	59.92	74.00	-14.08	17.10	3	Vertical	351	1.96	-	42.82	37.71	13.73	34.34



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80244G	46.87	54.00	-7.13	17.09	3	Horizontal	34	1.48	-	29.78	37.70	13.73	34.34
PK	10.52824G	60.32	68.20	-7.88	18.59	3	Horizontal	149	2.11	-	41.73	39.76	13.06	34.23
PK	15.81714G	59.20	74.00	-14.80	17.05	3	Horizontal	34	1.48	-	42.15	37.67	13.73	34.35



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.306G	96.69	Inf	-Inf	7.28	3	Vertical	33	2.59	-	89.41	31.20	10.14	34.06
AV	5.3516G	52.66	54.00	-1.34	7.31	3	Vertical	33	2.59	-	45.35	31.21	10.16	34.06
PK	5.3064G	108.74	Inf	-Inf	7.28	3	Vertical	33	2.59	-	101.46	31.20	10.14	34.06
PK	5.3516G	73.04	74.00	-0.96	7.31	3	Vertical	33	2.59	-	65.73	31.21	10.16	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.308G	89.46	Inf	-Inf	7.28	3	Horizontal	151	2.76	-	82.18	31.20	10.14	34.06
AV	5.35G	51.27	54.00	-2.73	7.30	3	Horizontal	151	2.76	-	43.97	31.20	10.16	34.06
PK	5.3144G	100.69	Inf	-Inf	7.28	3	Horizontal	151	2.76	-	93.41	31.20	10.14	34.06
PK	5.3516G	65.41	74.00	-8.59	7.31	3	Horizontal	151	2.76	-	58.10	31.21	10.16	34.06



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60842G	47.64	54.00	-6.36	18.80	3	Vertical	116	1.19	-	28.84	39.90	13.11	34.21
AV	15.93318G	46.28	54.00	-7.72	16.80	3	Vertical	274	1.92	-	29.48	37.50	13.73	34.43
PK	10.62048G	59.62	74.00	-14.38	18.81	3	Vertical	116	1.19	-	40.81	39.90	13.12	34.21
PK	15.9204G	57.77	74.00	-16.23	16.81	3	Vertical	274	1.92	-	40.96	37.50	13.73	34.42



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62624G	47.28	54.00	-6.72	18.81	3	Horizontal	318	1.43	-	28.47	39.90	13.12	34.21
AV	15.92076G	46.16	54.00	-7.84	16.81	3	Horizontal	60	1.04	-	29.35	37.50	13.73	34.42
PK	10.60746G	59.07	74.00	-14.93	18.80	3	Horizontal	318	1.43	-	40.27	39.90	13.11	34.21
PK	15.93768G	58.10	74.00	-15.90	16.79	3	Horizontal	60	1.04	-	41.31	37.50	13.73	34.44



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	49.04	54.00	-4.96	7.77	3	Vertical	32	2.45	-	41.27	31.64	10.20	34.07
AV	5.5056G	95.30	Inf	-Inf	7.94	3	Vertical	32	2.45	-	87.36	31.79	10.22	34.07
PK	5.4664G	67.86	68.20	-0.34	7.81	3	Vertical	32	2.45	-	60.05	31.67	10.21	34.07
PK	5.52G	106.95	Inf	-Inf	7.91	3	Vertical	32	2.45	-	99.04	31.76	10.22	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4312G	47.78	54.00	-6.22	7.69	3	Horizontal	159	2.60	-	40.09	31.56	10.20	34.07
AV	5.516G	88.50	Inf	-Inf	7.92	3	Horizontal	159	2.60	-	80.58	31.77	10.22	34.07
PK	5.468G	62.83	68.20	-5.37	7.81	3	Horizontal	159	2.60	-	55.02	31.67	10.21	34.07
PK	5.5212G	99.69	Inf	-Inf	7.91	3	Horizontal	159	2.60	-	91.78	31.76	10.22	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0287G	48.15	54.00	-5.85	19.28	3	Vertical	147	1.78	-	28.87	40.09	13.35	34.16
PK	11.03242G	60.44	74.00	-13.56	19.26	3	Vertical	147	1.78	-	41.18	40.07	13.35	34.16
PK	16.5288G	61.74	68.20	-6.46	19.24	3	Vertical	258	1.60	-	42.50	38.96	14.24	33.96



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00554G	48.16	54.00	-5.84	19.36	3	Horizontal	185	1.57	-	28.80	40.18	13.34	34.16
PK	11.00716G	60.35	74.00	-13.65	19.35	3	Horizontal	185	1.57	-	41.00	40.17	13.34	34.16
PK	16.53018G	60.71	68.20	-7.49	19.24	3	Horizontal	35	1.40	-	41.47	38.96	14.24	33.96



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.77	54.00	-2.23	7.77	3	Vertical	33	2.42	-	44.00	31.64	10.20	34.07
AV	5.5464G	99.87	Inf	-Inf	7.87	3	Vertical	33	2.42	-	92.00	31.71	10.23	34.07
PK	5.4684G	67.53	68.20	-0.67	7.81	3	Vertical	33	2.42	-	59.72	31.67	10.21	34.07
PK	5.5332G	110.45	Inf	-Inf	7.88	3	Vertical	33	2.42	-	102.57	31.73	10.22	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.458G	48.44	54.00	-5.56	7.76	3	Horizontal	158	2.85	-	40.68	31.63	10.20	34.07
AV	5.5548G	92.78	Inf	-Inf	7.85	3	Horizontal	158	2.85	-	84.93	31.69	10.23	34.07
PK	5.462G	60.36	68.20	-7.84	7.78	3	Horizontal	158	2.85	-	52.58	31.65	10.20	34.07
PK	5.5464G	104.63	Inf	-Inf	7.87	3	Horizontal	158	2.85	-	96.76	31.71	10.23	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0928G	48.12	54.00	-5.88	19.07	3	Vertical	106	1.50	-	29.05	39.83	13.39	34.15
PK	11.09982G	60.34	74.00	-13.66	19.04	3	Vertical	106	1.50	-	41.30	39.80	13.39	34.15
PK	16.63542G	61.82	68.20	-6.38	19.85	3	Vertical	222	1.50	-	41.97	39.35	14.34	33.84



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10306G	48.24	54.00	-5.76	19.03	3	Horizontal	350	1.80	-	29.21	39.79	13.39	34.15
PK	11.10804G	60.35	74.00	-13.65	19.03	3	Horizontal	350	1.80	-	41.32	39.78	13.40	34.15
PK	16.65714G	61.46	68.20	-6.74	20.05	3	Horizontal	167	1.50	-	41.41	39.50	14.36	33.81



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	96.58	Inf	-Inf	8.01	3	Vertical	55	2.85	-	88.57	31.75	10.33	34.07
PK	5.6664G	107.84	Inf	-Inf	7.98	3	Vertical	55	2.85	-	99.86	31.73	10.32	34.07
PK	5.727G	68.05	68.20	-0.15	8.18	3	Vertical	55	2.85	-	59.87	31.85	10.40	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6862G	90.06	Inf	-Inf	8.05	3	Horizontal	166	3.00	-	82.01	31.77	10.35	34.07
PK	5.6814G	101.83	Inf	-Inf	8.03	3	Horizontal	166	3.00	-	93.80	31.76	10.34	34.07
PK	5.7288G	62.34	68.20	-5.86	8.19	3	Horizontal	166	3.00	-	54.15	31.86	10.40	34.07



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33484G	47.85	54.00	-6.15	19.07	3	Vertical	44	1.10	-	28.78	39.67	13.53	34.13
PK	11.33688G	59.46	74.00	-14.54	19.07	3	Vertical	44	1.10	-	40.39	39.67	13.53	34.13
PK	17.00874G	62.42	68.20	-5.78	21.46	3	Vertical	25	1.18	-	40.96	40.19	14.70	33.43



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3355G	47.30	54.00	-6.70	19.07	3	Horizontal	281	1.01	-	28.23	39.67	13.53	34.13
PK	11.33076G	59.03	74.00	-14.97	19.06	3	Horizontal	281	1.01	-	39.97	39.66	13.53	34.13
PK	17.00328G	62.93	68.20	-5.27	21.47	3	Horizontal	17	2.30	-	41.46	40.20	14.70	33.43



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	48.75	54.00	-5.25	7.75	3	Vertical	51	3.00	-	41.00	31.62	10.20	34.07
AV	5.7148G	101.85	Inf	-Inf	8.14	3	Vertical	51	3.00	-	93.71	31.83	10.38	34.07
PK	5.4676G	60.39	68.20	-7.81	7.81	3	Vertical	51	3.00	-	52.58	31.67	10.21	34.07
PK	5.7052G	112.94	Inf	-Inf	8.11	3	Vertical	51	3.00	-	104.83	31.81	10.37	34.07
PK	5.8612G	68.01	68.20	-0.19	8.76	3	Vertical	51	3.00	-	59.25	32.32	10.52	34.08



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4508G	47.86	54.00	-6.14	7.73	3	Horizontal	166	3.00	-	40.13	31.60	10.20	34.07
AV	5.7088G	95.74	Inf	-Inf	8.13	3	Horizontal	166	3.00	-	87.61	31.82	10.38	34.07
PK	5.4628G	58.29	68.20	-9.91	7.78	3	Horizontal	166	3.00	-	50.51	31.65	10.20	34.07
PK	5.7208G	106.96	Inf	-Inf	8.16	3	Horizontal	166	3.00	-	98.80	31.84	10.39	34.07
PK	5.9356G	61.78	68.20	-6.42	8.87	3	Horizontal	166	3.00	-	52.91	32.40	10.55	34.08



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42858G	48.13	54.00	-5.87	19.29	3	Vertical	117	1.03	-	28.84	39.83	13.58	34.12
PK	11.41616G	59.59	74.00	-14.41	19.28	3	Vertical	117	1.03	-	40.31	39.82	13.58	34.12
PK	17.1369G	63.23	68.20	-4.97	21.45	3	Vertical	168	2.94	-	41.78	40.10	14.83	33.48



802.11ax HEW40_Nss2,(MCS0)_2TX

01/01/2020

5710MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40836G	47.77	54.00	-6.23	19.26	3	Horizontal	155	1.40	-	28.51	39.81	13.57	34.12
PK	11.40554G	59.92	74.00	-14.08	19.26	3	Horizontal	155	1.40	-	40.66	39.81	13.57	34.12
PK	17.14488G	62.94	68.20	-5.26	21.44	3	Horizontal	0	1.50	-	41.50	40.10	14.83	33.49



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.088G	50.87	54.00	-3.13	8.01	3	Vertical	35	2.47	-	42.86	31.98	10.08	34.05
AV	5.283G	93.84	Inf	-Inf	7.29	3	Vertical	35	2.47	-	86.55	31.23	10.12	34.06
AV	5.351G	53.30	54.00	-0.70	7.31	3	Vertical	35	2.47	-	45.99	31.21	10.16	34.06
PK	5.136G	61.54	74.00	-12.46	7.96	3	Vertical	35	2.47	-	53.58	31.93	10.08	34.05
PK	5.263G	104.56	Inf	-Inf	7.32	3	Vertical	35	2.47	-	97.24	31.27	10.11	34.06
PK	5.353G	68.60	74.00	-5.40	7.32	3	Vertical	35	2.47	-	61.28	31.22	10.16	34.06



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.043G	50.69	54.00	-3.31	7.88	3	Horizontal	152	2.75	-	42.81	31.84	10.08	34.04
AV	5.3G	86.29	Inf	-Inf	7.27	3	Horizontal	152	2.75	-	79.02	31.20	10.13	34.06
AV	5.35G	50.26	54.00	-3.74	7.30	3	Horizontal	152	2.75	-	42.96	31.20	10.16	34.06
PK	5.066G	60.74	74.00	-13.26	7.97	3	Horizontal	152	2.75	-	52.77	31.93	10.08	34.04
PK	5.299G	95.43	Inf	-Inf	7.27	3	Horizontal	152	2.75	-	88.16	31.20	10.13	34.06
PK	5.506G	59.45	68.20	-8.75	7.94	3	Horizontal	152	2.75	-	51.51	31.79	10.22	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86994G	47.45	54.00	-6.55	16.90	3	Vertical	58	1.62	-	30.55	37.56	13.73	34.39
PK	10.5938G	59.15	68.20	-9.05	18.77	3	Vertical	187	2.03	-	40.38	39.89	13.10	34.22
PK	15.87642G	58.04	74.00	-15.96	16.89	3	Vertical	58	1.62	-	41.15	37.55	13.73	34.39



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86142G	48.22	54.00	-5.78	16.93	3	Horizontal	185	1.89	-	31.29	37.58	13.73	34.38
PK	10.56824G	60.51	68.20	-7.69	18.71	3	Horizontal	32	1.97	-	41.80	39.84	13.09	34.22
PK	15.8745G	58.81	74.00	-15.19	16.89	3	Horizontal	185	1.89	-	41.92	37.55	13.73	34.39



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.38	54.00	-1.62	7.77	3	Vertical	36	2.54	-	44.61	31.64	10.20	34.07
AV	5.521G	94.08	Inf	-Inf	7.91	3	Vertical	36	2.54	-	86.17	31.76	10.22	34.07
PK	5.466G	67.63	68.20	-0.57	7.80	3	Vertical	36	2.54	-	59.83	31.66	10.21	34.07
PK	5.51G	104.08	Inf	-Inf	7.93	3	Vertical	36	2.54	-	96.15	31.78	10.22	34.07
PK	5.776G	60.28	68.20	-7.92	8.38	3	Vertical	36	2.54	-	51.90	32.00	10.46	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.437G	49.53	54.00	-4.47	7.70	3	Horizontal	157	2.62	-	41.83	31.57	10.20	34.07
AV	5.519G	87.68	Inf	-Inf	7.91	3	Horizontal	157	2.62	-	79.77	31.76	10.22	34.07
PK	5.461G	60.45	68.20	-7.75	7.77	3	Horizontal	157	2.62	-	52.68	31.64	10.20	34.07
PK	5.541G	97.03	Inf	-Inf	7.88	3	Horizontal	157	2.62	-	89.15	31.72	10.23	34.07
PK	5.779G	59.55	68.20	-8.65	8.40	3	Horizontal	157	2.62	-	51.15	32.02	10.46	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05076G	49.54	54.00	-4.46	19.21	3	Vertical	195	1.79	-	30.33	40.00	13.36	34.15
PK	11.04656G	60.97	74.00	-13.03	19.21	3	Vertical	195	1.79	-	41.76	40.01	13.36	34.16
PK	16.58676G	61.67	68.20	-6.53	19.48	3	Vertical	298	1.01	-	42.19	39.07	14.30	33.89



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0537G	49.75	54.00	-4.25	19.21	3	Horizontal	229	1.58	-	30.54	39.99	13.37	34.15
PK	11.06078G	60.27	74.00	-13.73	19.18	3	Horizontal	229	1.58	-	41.09	39.96	13.37	34.15
PK	16.59732G	61.06	68.20	-7.14	19.52	3	Horizontal	108	1.46	-	41.54	39.09	14.31	33.88



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	53.23	54.00	-0.77	7.77	3	Vertical	36	2.46	-	45.46	31.64	10.20	34.07
AV	5.601G	95.44	Inf	-Inf	7.77	3	Vertical	36	2.46	-	87.67	31.60	10.24	34.07
PK	5.462G	64.78	68.20	-3.42	7.78	3	Vertical	36	2.46	-	57.00	31.65	10.20	34.07
PK	5.589G	105.19	Inf	-Inf	7.79	3	Vertical	36	2.46	-	97.40	31.62	10.24	34.07
PK	5.73G	63.30	68.20	-4.90	8.19	3	Vertical	36	2.46	-	55.11	31.86	10.40	34.07



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	49.47	54.00	-4.53	7.76	3	Horizontal	159	2.81	-	41.71	31.63	10.20	34.07
AV	5.621G	89.60	Inf	-Inf	7.84	3	Horizontal	159	2.81	-	81.76	31.64	10.27	34.07
PK	5.466G	60.36	68.20	-7.84	7.80	3	Horizontal	159	2.81	-	52.56	31.66	10.21	34.07
PK	5.621G	98.95	Inf	-Inf	7.84	3	Horizontal	159	2.81	-	91.11	31.64	10.27	34.07
PK	5.851G	60.98	68.20	-7.22	8.73	3	Horizontal	159	2.81	-	52.25	32.30	10.51	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22642G	49.05	54.00	-4.95	18.93	3	Vertical	169	1.40	-	30.12	39.60	13.47	34.14
PK	11.2167G	59.80	74.00	-14.20	18.92	3	Vertical	169	1.40	-	40.88	39.60	13.46	34.14
PK	16.8171G	62.53	68.20	-5.67	20.99	3	Vertical	230	2.13	-	41.54	40.10	14.52	33.63



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22456G	49.18	54.00	-4.82	18.93	3	Horizontal	269	1.74	-	30.25	39.60	13.47	34.14
PK	11.21538G	60.87	74.00	-13.13	18.92	3	Horizontal	269	1.74	-	41.95	39.60	13.46	34.14
PK	16.81704G	62.40	68.20	-5.80	20.99	3	Horizontal	54	2.07	-	41.41	40.10	14.52	33.63



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	52.06	54.00	-1.94	7.75	3	Vertical	108	2.69	-	44.31	31.62	10.20	34.07
AV	5.7044G	100.33	Inf	-Inf	8.11	3	Vertical	108	2.69	-	92.22	31.81	10.37	34.07
PK	5.4692G	62.88	68.20	-5.32	7.82	3	Vertical	108	2.69	-	55.06	31.68	10.21	34.07
PK	5.7092G	110.60	Inf	-Inf	8.13	3	Vertical	108	2.69	-	102.47	31.82	10.38	34.07
PK	5.8568G	67.43	68.20	-0.77	8.74	3	Vertical	108	2.69	-	58.69	32.31	10.51	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.438G	49.18	54.00	-4.82	7.71	3	Horizontal	163	3.00	-	41.47	31.58	10.20	34.07
AV	5.7032G	92.26	Inf	-Inf	8.11	3	Horizontal	163	3.00	-	84.15	31.81	10.37	34.07
PK	5.4692G	58.60	68.20	-9.60	7.82	3	Horizontal	163	3.00	-	50.78	31.68	10.21	34.07
PK	5.702G	101.81	Inf	-Inf	8.10	3	Horizontal	163	3.00	-	93.71	31.80	10.37	34.07
PK	5.888G	61.48	68.20	-6.72	8.83	3	Horizontal	163	3.00	-	52.65	32.38	10.53	34.08



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3761G	49.17	54.00	-4.83	19.18	3	Vertical	102	2.14	-	29.99	39.75	13.55	34.12
PK	11.3659G	59.48	74.00	-14.52	19.16	3	Vertical	102	2.14	-	40.32	39.73	13.55	34.12
PK	17.07246G	62.88	68.20	-5.32	21.43	3	Vertical	0	2.43	-	41.45	40.13	14.76	33.46



802.11ax HEW80_Nss2,(MCS0)_2TX

01/01/2020

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37706G	48.90	54.00	-5.10	19.18	3	Horizontal	138	1.50	-	29.72	39.75	13.55	34.12
PK	11.37736G	59.18	74.00	-14.82	19.18	3	Horizontal	138	1.50	-	40.00	39.75	13.55	34.12
PK	17.07186G	63.10	68.20	-5.10	21.43	3	Horizontal	153	1.50	-	41.67	40.13	14.76	33.46



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.35G	73.51	74.00	-0.49	3	Vertical	34	2.04	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.3524G	73.46	74.00	-0.54	3	Vertical	38	2.07	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3504G	53.56	54.00	-0.44	3	Vertical	146	2.01	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.352G	53.01	54.00	-0.99	3	Vertical	193	1.99	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.4654G	67.56	68.20	-0.64	3	Vertical	38	2.22	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.4658G	67.94	68.20	-0.26	3	Vertical	190	2.13	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.7276G	67.89	68.20	-0.31	3	Vertical	143	1.96	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.8592G	67.63	68.20	-0.57	3	Vertical	143	1.96	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	48.59	54.00	-5.41	3	Vertical	225	1.94	-
5260MHz	Pass	AV	5.2624G	108.25	Inf	-Inf	3	Vertical	225	1.94	-
5260MHz	Pass	AV	5.3548G	52.11	54.00	-1.89	3	Vertical	225	1.94	-
5260MHz	Pass	PK	5.15G	64.34	74.00	-9.66	3	Vertical	225	1.94	-
5260MHz	Pass	PK	5.2648G	118.63	Inf	-Inf	3	Vertical	225	1.94	-
5260MHz	Pass	PK	5.35G	69.47	74.00	-4.53	3	Vertical	225	1.94	-
5260MHz	Pass	AV	3.50671G	41.05	54.00	-12.95	3	Vertical	152	1.76	-
5260MHz	Pass	AV	15.7764G	46.12	54.00	-7.88	3	Vertical	124	1.50	-
5260MHz	Pass	PK	3.50674G	45.72	74.00	-28.28	3	Vertical	152	1.76	-
5260MHz	Pass	PK	10.5209G	56.40	68.20	-11.80	3	Vertical	213	1.87	-
5260MHz	Pass	PK	15.77052G	59.74	74.00	-14.26	3	Vertical	124	1.50	-
5260MHz	Pass	AV	3.50669G	40.16	54.00	-13.84	3	Horizontal	142	1.33	-
5260MHz	Pass	AV	15.76776G	45.98	54.00	-8.02	3	Horizontal	182	1.44	-
5260MHz	Pass	PK	3.50676G	45.07	74.00	-28.93	3	Horizontal	142	1.33	-
5260MHz	Pass	PK	10.51934G	53.69	68.20	-14.51	3	Horizontal	327	1.42	-
5260MHz	Pass	PK	15.79314G	59.43	74.00	-14.57	3	Horizontal	182	1.44	-
5300MHz	Pass	AV	5.2952G	106.81	Inf	-Inf	3	Vertical	224	1.98	-
5300MHz	Pass	AV	5.35G	52.89	54.00	-1.11	3	Vertical	224	1.98	-
5300MHz	Pass	PK	5.2952G	116.87	Inf	-Inf	3	Vertical	224	1.98	-
5300MHz	Pass	PK	5.35G	72.68	74.00	-1.32	3	Vertical	224	1.98	-
5300MHz	Pass	AV	3.53338G	45.33	54.00	-8.67	3	Vertical	153	1.70	-
5300MHz	Pass	AV	10.60096G	43.69	54.00	-10.31	3	Vertical	213	1.98	-
5300MHz	Pass	AV	15.8898G	44.74	54.00	-9.26	3	Vertical	126	1.50	-
5300MHz	Pass	PK	3.53349G	49.24	74.00	-24.76	3	Vertical	153	1.70	-
5300MHz	Pass	PK	10.59778G	56.70	68.20	-11.50	3	Vertical	213	1.98	-
5300MHz	Pass	PK	15.906G	58.00	74.00	-16.00	3	Vertical	126	1.50	-
5300MHz	Pass	AV	3.53334G	42.36	54.00	-11.64	3	Horizontal	127	1.94	-
5300MHz	Pass	AV	10.60239G	43.44	54.00	-10.56	3	Horizontal	112	1.53	-
5300MHz	Pass	AV	15.91464G	44.56	54.00	-9.44	3	Horizontal	319	1.07	-
5300MHz	Pass	PK	3.53341G	47.79	74.00	-26.21	3	Horizontal	127	1.94	-
5300MHz	Pass	PK	10.59672G	56.30	68.20	-11.90	3	Horizontal	112	1.53	-
5300MHz	Pass	PK	15.9129G	58.55	74.00	-15.45	3	Horizontal	319	1.07	-
5320MHz	Pass	AV	5.317G	103.00	Inf	-Inf	3	Vertical	34	2.04	-
5320MHz	Pass	AV	5.35G	51.12	54.00	-2.88	3	Vertical	34	2.04	-
5320MHz	Pass	PK	5.3212G	113.27	Inf	-Inf	3	Vertical	34	2.04	-
5320MHz	Pass	PK	5.35G	73.51	74.00	-0.49	3	Vertical	34	2.04	-
5320MHz	Pass	AV	3.54668G	44.61	54.00	-9.39	3	Vertical	147	1.63	-
5320MHz	Pass	AV	10.64054G	42.72	54.00	-11.28	3	Vertical	13	1.49	-
5320MHz	Pass	AV	15.96336G	44.90	54.00	-9.10	3	Vertical	0	2.28	-
5320MHz	Pass	PK	3.54678G	48.71	74.00	-25.29	3	Vertical	147	1.63	-
5320MHz	Pass	PK	10.6382G	55.62	74.00	-18.38	3	Vertical	13	1.49	-
5320MHz	Pass	PK	15.97338G	58.41	74.00	-15.59	3	Vertical	0	2.28	-
5320MHz	Pass	AV	3.5467G	42.27	54.00	-11.73	3	Horizontal	129	1.75	-
5320MHz	Pass	AV	10.64528G	42.23	54.00	-11.77	3	Horizontal	47	1.50	-
5320MHz	Pass	AV	15.9699G	45.23	54.00	-8.77	3	Horizontal	15	1.29	-
5320MHz	Pass	PK	3.5468G	47.86	74.00	-26.14	3	Horizontal	129	1.75	-
5320MHz	Pass	PK	10.64168G	56.04	74.00	-17.96	3	Horizontal	47	1.50	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	15.97296G	58.57	74.00	-15.43	3	Horizontal	15	1.29	-
5500MHz	Pass	AV	5.4052G	47.44	54.00	-6.56	3	Vertical	150	1.94	-
5500MHz	Pass	AV	5.5042G	100.19	Inf	-Inf	3	Vertical	150	1.94	-
5500MHz	Pass	PK	5.4694G	67.49	68.20	-0.71	3	Vertical	150	1.94	-
5500MHz	Pass	PK	5.5024G	110.14	Inf	-Inf	3	Vertical	150	1.94	-
5500MHz	Pass	AV	3.66671G	43.13	54.00	-10.87	3	Vertical	0	1.57	-
5500MHz	Pass	AV	11.00138G	42.49	54.00	-11.51	3	Vertical	82	2.40	-
5500MHz	Pass	PK	3.66661G	47.94	74.00	-26.06	3	Vertical	0	1.57	-
5500MHz	Pass	PK	10.98824G	55.28	74.00	-18.72	3	Vertical	82	2.40	-
5500MHz	Pass	PK	16.50588G	61.48	68.20	-6.72	3	Vertical	163	1.69	-
5500MHz	Pass	AV	3.66668G	42.55	54.00	-11.45	3	Horizontal	216	1.52	-
5500MHz	Pass	AV	10.9898G	42.31	54.00	-11.69	3	Horizontal	175	2.43	-
5500MHz	Pass	PK	3.66666G	47.52	74.00	-26.48	3	Horizontal	216	1.52	-
5500MHz	Pass	PK	11.00426G	55.54	74.00	-18.46	3	Horizontal	175	2.43	-
5500MHz	Pass	PK	16.51458G	61.43	68.20	-6.77	3	Horizontal	105	1.62	-
5580MHz	Pass	AV	5.4588G	50.66	54.00	-3.34	3	Vertical	38	2.22	-
5580MHz	Pass	AV	5.5776G	108.44	Inf	-Inf	3	Vertical	38	2.22	-
5580MHz	Pass	PK	5.4654G	67.56	68.20	-0.64	3	Vertical	38	2.22	-
5580MHz	Pass	PK	5.5836G	119.59	Inf	-Inf	3	Vertical	38	2.22	-
5580MHz	Pass	PK	5.7264G	61.86	68.20	-6.34	3	Vertical	38	2.22	-
5580MHz	Pass	AV	4.18501G	38.49	54.00	-15.51	3	Vertical	208	1.67	-
5580MHz	Pass	AV	11.15898G	42.75	54.00	-11.25	3	Vertical	123	1.23	-
5580MHz	Pass	PK	4.18496G	45.52	74.00	-28.48	3	Vertical	208	1.67	-
5580MHz	Pass	PK	11.16072G	55.87	74.00	-18.13	3	Vertical	123	1.23	-
5580MHz	Pass	PK	16.73136G	62.23	68.20	-5.97	3	Vertical	245	1.68	-
5580MHz	Pass	AV	4.185G	36.62	54.00	-17.38	3	Horizontal	123	1.47	-
5580MHz	Pass	AV	11.15364G	42.74	54.00	-11.26	3	Horizontal	306	1.98	-
5580MHz	Pass	PK	4.18512G	44.88	74.00	-29.12	3	Horizontal	123	1.47	-
5580MHz	Pass	PK	11.15838G	55.80	74.00	-18.20	3	Horizontal	306	1.98	-
5580MHz	Pass	PK	16.72902G	63.56	68.20	-4.64	3	Horizontal	25	1.40	-
5700MHz	Pass	AV	5.7042G	102.39	Inf	-Inf	3	Vertical	38	1.98	-
5700MHz	Pass	PK	5.7024G	112.56	Inf	-Inf	3	Vertical	38	1.98	-
5700MHz	Pass	PK	5.7258G	67.33	68.20	-0.87	3	Vertical	38	1.98	-
5700MHz	Pass	AV	3.80003G	44.24	54.00	-9.76	3	Vertical	360	1.69	-
5700MHz	Pass	AV	11.4087G	42.39	54.00	-11.61	3	Vertical	175	1.25	-
5700MHz	Pass	PK	3.80011G	48.59	74.00	-25.41	3	Vertical	360	1.69	-
5700MHz	Pass	PK	11.40294G	56.44	74.00	-17.56	3	Vertical	175	1.25	-
5700MHz	Pass	PK	17.10624G	62.45	68.20	-5.75	3	Vertical	93	1.97	-
5700MHz	Pass	AV	3.8G	41.48	54.00	-12.52	3	Horizontal	0	1.48	-
5700MHz	Pass	AV	11.41074G	42.59	54.00	-11.41	3	Horizontal	165	1.53	-
5700MHz	Pass	PK	3.80004G	47.43	74.00	-26.57	3	Horizontal	0	1.48	-
5700MHz	Pass	PK	11.41398G	55.86	74.00	-18.14	3	Horizontal	165	1.53	-
5700MHz	Pass	PK	17.10966G	62.50	68.20	-5.70	3	Horizontal	7	2.12	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.426G	47.06	54.00	-6.94	3	Vertical	40	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	109.70	Inf	-Inf	3	Vertical	40	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	58.87	74.00	-15.13	3	Vertical	40	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7236G	120.76	Inf	-Inf	3	Vertical	40	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8508G	64.14	68.20	-4.06	3	Vertical	40	2.02	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	3.81336G	44.33	54.00	-9.67	3	Vertical	360	1.66	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4433G	43.12	54.00	-10.88	3	Vertical	177	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	3.8133G	48.61	74.00	-25.39	3	Vertical	360	1.66	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44396G	56.43	74.00	-17.57	3	Vertical	177	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15754G	63.81	68.20	-4.39	3	Vertical	218	1.50	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	3.81336G	40.85	54.00	-13.15	3	Horizontal	360	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4415G	42.99	54.00	-11.01	3	Horizontal	82	2.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	3.81332G	46.82	74.00	-27.18	3	Horizontal	360	1.24	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.434G	55.86	74.00	-18.14	3	Horizontal	82	2.15	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16984G	64.59	68.20	-3.61	3	Horizontal	349	1.53	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.15G	50.26	54.00	-3.74	3	Vertical	146	1.96	-
5260MHz	Pass	AV	5.2612G	107.07	Inf	-Inf	3	Vertical	146	1.96	-
5260MHz	Pass	AV	5.3524G	53.05	54.00	-0.95	3	Vertical	146	1.96	-
5260MHz	Pass	PK	5.1478G	64.46	74.00	-9.54	3	Vertical	146	1.96	-
5260MHz	Pass	PK	5.257G	119.94	Inf	-Inf	3	Vertical	146	1.96	-
5260MHz	Pass	PK	5.3506G	70.12	74.00	-3.88	3	Vertical	146	1.96	-
5260MHz	Pass	AV	3.50668G	44.49	54.00	-9.51	3	Vertical	157	1.76	-
5260MHz	Pass	AV	15.7803G	45.79	54.00	-8.21	3	Vertical	122	1.50	-
5260MHz	Pass	PK	3.50663G	48.60	74.00	-25.40	3	Vertical	157	1.76	-
5260MHz	Pass	PK	10.51262G	55.47	68.20	-12.73	3	Vertical	335	1.73	-
5260MHz	Pass	PK	15.77442G	59.24	74.00	-14.76	3	Vertical	122	1.50	-
5260MHz	Pass	AV	3.50668G	41.49	54.00	-12.51	3	Horizontal	179	1.94	-
5260MHz	Pass	AV	15.76584G	45.20	54.00	-8.80	3	Horizontal	262	2.12	-
5260MHz	Pass	PK	3.50673G	47.14	74.00	-26.86	3	Horizontal	179	1.94	-
5260MHz	Pass	PK	10.51832G	56.38	68.20	-11.82	3	Horizontal	322	1.34	-
5260MHz	Pass	PK	15.77976G	58.78	74.00	-15.22	3	Horizontal	262	2.12	-
5300MHz	Pass	AV	5.2982G	105.53	Inf	-Inf	3	Vertical	193	2.00	-
5300MHz	Pass	AV	5.35G	52.98	54.00	-1.02	3	Vertical	193	2.00	-
5300MHz	Pass	PK	5.297G	118.67	Inf	-Inf	3	Vertical	193	2.00	-
5300MHz	Pass	PK	5.3522G	71.62	74.00	-2.38	3	Vertical	193	2.00	-
5300MHz	Pass	AV	3.53335G	41.50	54.00	-12.50	3	Vertical	0	1.58	-
5300MHz	Pass	AV	10.61194G	42.14	54.00	-11.86	3	Vertical	156	1.74	-
5300MHz	Pass	AV	15.90042G	45.05	54.00	-8.95	3	Vertical	121	1.50	-
5300MHz	Pass	PK	3.53341G	46.77	74.00	-27.23	3	Vertical	0	1.58	-
5300MHz	Pass	PK	10.60672G	55.61	74.00	-18.39	3	Vertical	156	1.74	-
5300MHz	Pass	PK	15.89958G	58.14	74.00	-15.86	3	Vertical	121	1.50	-
5300MHz	Pass	AV	3.53337G	40.17	54.00	-13.83	3	Horizontal	125	1.93	-
5300MHz	Pass	AV	10.61392G	42.18	54.00	-11.82	3	Horizontal	9	1.85	-
5300MHz	Pass	AV	15.9096G	44.76	54.00	-9.24	3	Horizontal	245	1.26	-
5300MHz	Pass	PK	3.53331G	46.24	74.00	-27.76	3	Horizontal	125	1.93	-
5300MHz	Pass	PK	10.61236G	55.36	74.00	-18.64	3	Horizontal	9	1.85	-
5300MHz	Pass	PK	15.89472G	58.32	74.00	-15.68	3	Horizontal	245	1.26	-
5320MHz	Pass	AV	5.3182G	101.85	Inf	-Inf	3	Vertical	38	2.07	-
5320MHz	Pass	AV	5.35G	52.36	54.00	-1.64	3	Vertical	38	2.07	-
5320MHz	Pass	PK	5.317G	115.07	Inf	-Inf	3	Vertical	38	2.07	-
5320MHz	Pass	PK	5.3524G	73.46	74.00	-0.54	3	Vertical	38	2.07	-
5320MHz	Pass	AV	3.5467G	45.89	54.00	-8.11	3	Vertical	159	1.85	-
5320MHz	Pass	AV	10.63562G	42.18	54.00	-11.82	3	Vertical	71	1.93	-
5320MHz	Pass	AV	15.96576G	45.02	54.00	-8.98	3	Vertical	210	2.48	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	3.54671G	49.36	74.00	-24.64	3	Vertical	159	1.85	-
5320MHz	Pass	PK	10.6351G	55.29	74.00	-18.71	3	Vertical	71	1.93	-
5320MHz	Pass	PK	15.97086G	58.01	74.00	-15.99	3	Vertical	210	2.48	-
5320MHz	Pass	AV	3.5467G	40.65	54.00	-13.35	3	Horizontal	141	1.60	-
5320MHz	Pass	AV	10.65254G	42.07	54.00	-11.93	3	Horizontal	328	2.12	-
5320MHz	Pass	AV	15.966G	45.08	54.00	-8.92	3	Horizontal	94	1.50	-
5320MHz	Pass	PK	3.5467G	46.64	74.00	-27.36	3	Horizontal	141	1.60	-
5320MHz	Pass	PK	10.6499G	55.19	74.00	-18.81	3	Horizontal	328	2.12	-
5320MHz	Pass	PK	15.94968G	58.17	74.00	-15.83	3	Horizontal	94	1.50	-
5500MHz	Pass	AV	5.4046G	48.10	54.00	-5.90	3	Vertical	190	2.13	-
5500MHz	Pass	AV	5.503G	100.76	Inf	-Inf	3	Vertical	190	2.13	-
5500MHz	Pass	PK	5.4658G	67.94	68.20	-0.26	3	Vertical	190	2.13	-
5500MHz	Pass	PK	5.497G	113.63	Inf	-Inf	3	Vertical	190	2.13	-
5500MHz	Pass	AV	3.66669G	42.21	54.00	-11.79	3	Vertical	360	1.45	-
5500MHz	Pass	AV	10.98872G	42.22	54.00	-11.78	3	Vertical	83	1.42	-
5500MHz	Pass	PK	3.66683G	47.52	74.00	-26.48	3	Vertical	360	1.45	-
5500MHz	Pass	PK	10.9991G	55.71	74.00	-18.29	3	Vertical	83	1.42	-
5500MHz	Pass	PK	16.50942G	61.43	68.20	-6.77	3	Vertical	246	1.91	-
5500MHz	Pass	AV	3.6667G	41.75	54.00	-12.25	3	Horizontal	210	1.49	-
5500MHz	Pass	AV	10.99712G	42.33	54.00	-11.67	3	Horizontal	229	1.40	-
5500MHz	Pass	PK	3.66667G	47.20	74.00	-26.80	3	Horizontal	210	1.49	-
5500MHz	Pass	PK	11.01404G	55.26	74.00	-18.74	3	Horizontal	229	1.40	-
5500MHz	Pass	PK	16.5015G	61.13	68.20	-7.07	3	Horizontal	74	1.97	-
5580MHz	Pass	AV	5.46G	47.95	54.00	-6.05	3	Vertical	187	2.23	-
5580MHz	Pass	AV	5.5782G	106.11	Inf	-Inf	3	Vertical	187	2.23	-
5580MHz	Pass	PK	5.4666G	62.61	68.20	-5.59	3	Vertical	187	2.23	-
5580MHz	Pass	PK	5.577G	119.19	Inf	-Inf	3	Vertical	187	2.23	-
5580MHz	Pass	PK	5.7294G	59.92	68.20	-8.28	3	Vertical	187	2.23	-
5580MHz	Pass	AV	4.18501G	37.68	54.00	-16.32	3	Vertical	213	1.21	-
5580MHz	Pass	AV	11.15364G	42.50	54.00	-11.50	3	Vertical	2	1.73	-
5580MHz	Pass	PK	4.18501G	45.61	74.00	-28.39	3	Vertical	213	1.21	-
5580MHz	Pass	PK	11.16294G	55.08	74.00	-18.92	3	Vertical	2	1.73	-
5580MHz	Pass	PK	16.73856G	63.58	68.20	-4.62	3	Vertical	45	1.90	-
5580MHz	Pass	AV	4.18498G	36.63	54.00	-17.37	3	Horizontal	124	1.26	-
5580MHz	Pass	AV	11.15142G	42.34	54.00	-11.66	3	Horizontal	349	1.96	-
5580MHz	Pass	PK	4.18504G	44.98	74.00	-29.02	3	Horizontal	124	1.26	-
5580MHz	Pass	PK	11.1579G	56.02	74.00	-17.98	3	Horizontal	349	1.96	-
5580MHz	Pass	PK	16.73076G	63.34	68.20	-4.86	3	Horizontal	43	2.00	-
5700MHz	Pass	AV	5.6946G	98.48	Inf	-Inf	3	Vertical	143	1.98	-
5700MHz	Pass	PK	5.697G	111.39	Inf	-Inf	3	Vertical	143	1.98	-
5700MHz	Pass	PK	5.7252G	67.82	68.20	-0.38	3	Vertical	143	1.98	-
5700MHz	Pass	AV	3.80004G	43.50	54.00	-10.50	3	Vertical	360	1.61	-
5700MHz	Pass	AV	11.41374G	42.70	54.00	-11.30	3	Vertical	237	2.08	-
5700MHz	Pass	PK	3.79996G	47.81	74.00	-26.19	3	Vertical	360	1.61	-
5700MHz	Pass	PK	11.38848G	55.39	74.00	-18.61	3	Vertical	237	2.08	-
5700MHz	Pass	PK	17.1063G	62.37	68.20	-5.83	3	Vertical	320	1.04	-
5700MHz	Pass	AV	3.80004G	41.53	54.00	-12.47	3	Horizontal	360	1.17	-
5700MHz	Pass	AV	11.40006G	42.38	54.00	-11.62	3	Horizontal	7	1.87	-
5700MHz	Pass	PK	3.80002G	47.38	74.00	-26.62	3	Horizontal	360	1.17	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5700MHz	Pass	PK	11.4048G	55.87	74.00	-18.13	3	Horizontal	7	1.87	-
5700MHz	Pass	PK	17.11446G	62.26	68.20	-5.94	3	Horizontal	218	2.13	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4524G	46.88	54.00	-7.12	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	107.49	Inf	-Inf	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	60.14	74.00	-13.86	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.46G	60.14	74.00	-13.86	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7176G	120.64	Inf	-Inf	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8616G	66.14	68.20	-2.06	3	Vertical	143	1.98	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	3.81334G	42.79	54.00	-11.21	3	Vertical	0	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44534G	42.75	54.00	-11.25	3	Vertical	193	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	3.81347G	47.71	74.00	-26.29	3	Vertical	0	1.67	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44882G	55.62	74.00	-18.38	3	Vertical	193	1.77	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16876G	64.01	68.20	-4.19	3	Vertical	37	2.65	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	3.81335G	41.48	54.00	-12.52	3	Horizontal	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44444G	42.73	54.00	-11.27	3	Horizontal	11	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	3.81341G	46.64	74.00	-27.36	3	Horizontal	0	1.08	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4442G	56.20	74.00	-17.80	3	Horizontal	11	1.35	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16342G	64.43	68.20	-3.77	3	Horizontal	345	1.42	-
802.11ax HEW40_Nss1.(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.2652G	101.91	Inf	-Inf	3	Vertical	38	1.93	-
5270MHz	Pass	AV	5.35G	52.91	54.00	-1.09	3	Vertical	38	1.93	-
5270MHz	Pass	PK	5.2548G	114.62	Inf	-Inf	3	Vertical	38	1.93	-
5270MHz	Pass	PK	5.3516G	68.93	74.00	-5.07	3	Vertical	38	1.93	-
5270MHz	Pass	AV	3.51338G	40.87	54.00	-13.13	3	Vertical	8	1.63	-
5270MHz	Pass	AV	15.8079G	45.75	54.00	-8.25	3	Vertical	67	1.50	-
5270MHz	Pass	PK	3.51332G	45.83	74.00	-28.17	3	Vertical	8	1.63	-
5270MHz	Pass	PK	10.5358G	55.35	68.20	-12.85	3	Vertical	32	2.12	-
5270MHz	Pass	PK	15.81222G	58.08	74.00	-15.92	3	Vertical	67	1.50	-
5270MHz	Pass	AV	3.51338G	39.33	54.00	-14.67	3	Horizontal	167	1.50	-
5270MHz	Pass	AV	15.80034G	45.79	54.00	-8.21	3	Horizontal	342	2.69	-
5270MHz	Pass	PK	3.51338G	45.15	74.00	-28.85	3	Horizontal	167	1.50	-
5270MHz	Pass	PK	10.5343G	54.85	68.20	-13.35	3	Horizontal	31	2.98	-
5270MHz	Pass	PK	15.8073G	58.44	74.00	-15.56	3	Horizontal	342	2.69	-
5310MHz	Pass	AV	5.316G	97.99	Inf	-Inf	3	Vertical	146	2.01	-
5310MHz	Pass	AV	5.3504G	53.56	54.00	-0.44	3	Vertical	146	2.01	-
5310MHz	Pass	PK	5.326G	109.70	Inf	-Inf	3	Vertical	146	2.01	-
5310MHz	Pass	PK	5.3508G	70.71	74.00	-3.29	3	Vertical	146	2.01	-
5310MHz	Pass	AV	3.54006G	41.39	54.00	-12.61	3	Vertical	146	1.57	-
5310MHz	Pass	AV	10.63224G	42.73	54.00	-11.27	3	Vertical	176	2.26	-
5310MHz	Pass	AV	15.9264G	45.52	54.00	-8.48	3	Vertical	300	2.15	-
5310MHz	Pass	PK	3.54006G	45.92	74.00	-28.08	3	Vertical	146	1.57	-
5310MHz	Pass	PK	10.6338G	55.02	74.00	-18.98	3	Vertical	176	2.26	-
5310MHz	Pass	PK	15.93162G	58.27	74.00	-15.73	3	Vertical	300	2.15	-
5310MHz	Pass	AV	3.54006G	40.08	54.00	-13.92	3	Horizontal	137	1.92	-
5310MHz	Pass	AV	10.62966G	42.60	54.00	-11.40	3	Horizontal	281	2.16	-
5310MHz	Pass	AV	15.9201G	45.36	54.00	-8.64	3	Horizontal	53	1.08	-
5310MHz	Pass	PK	3.54006G	45.33	74.00	-28.67	3	Horizontal	137	1.92	-
5310MHz	Pass	PK	10.62552G	54.94	74.00	-19.06	3	Horizontal	281	2.16	-
5310MHz	Pass	PK	15.92118G	57.70	74.00	-16.30	3	Horizontal	53	1.08	-



**RSE TX above 1GHz_Non-Beamforming_
Sample 2_Radio 1_Omni_1T1S**

Appendix D.5

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	5.4592G	49.85	54.00	-4.15	3	Vertical	142	2.20	-
5510MHz	Pass	AV	5.506G	97.21	Inf	-Inf	3	Vertical	142	2.20	-
5510MHz	Pass	PK	5.4676G	67.80	68.20	-0.40	3	Vertical	142	2.20	-
5510MHz	Pass	PK	5.502G	109.53	Inf	-Inf	3	Vertical	142	2.20	-
5510MHz	Pass	AV	3.67336G	42.53	54.00	-11.47	3	Vertical	147	1.64	-
5510MHz	Pass	AV	11.00728G	42.71	54.00	-11.29	3	Vertical	278	1.44	-
5510MHz	Pass	PK	3.67346G	47.58	74.00	-26.42	3	Vertical	147	1.64	-
5510MHz	Pass	PK	11.01562G	55.02	74.00	-18.98	3	Vertical	278	1.44	-
5510MHz	Pass	PK	16.54068G	61.59	68.20	-6.61	3	Vertical	316	2.09	-
5510MHz	Pass	AV	3.67331G	41.84	54.00	-12.16	3	Horizontal	212	1.41	-
5510MHz	Pass	AV	11.032G	42.60	54.00	-11.40	3	Horizontal	88	2.19	-
5510MHz	Pass	PK	3.67337G	47.05	74.00	-26.95	3	Horizontal	212	1.41	-
5510MHz	Pass	PK	11.01694G	55.43	74.00	-18.57	3	Horizontal	88	2.19	-
5510MHz	Pass	PK	16.53918G	61.44	68.20	-6.76	3	Horizontal	124	1.61	-
5550MHz	Pass	AV	5.4584G	50.29	54.00	-3.71	3	Vertical	141	2.19	-
5550MHz	Pass	AV	5.5544G	101.16	Inf	-Inf	3	Vertical	141	2.19	-
5550MHz	Pass	PK	5.4684G	67.46	68.20	-0.74	3	Vertical	141	2.19	-
5550MHz	Pass	PK	5.542G	113.82	Inf	-Inf	3	Vertical	141	2.19	-
5550MHz	Pass	AV	4.1625G	38.20	54.00	-15.80	3	Vertical	210	1.26	-
5550MHz	Pass	AV	11.1105G	43.06	54.00	-10.94	3	Vertical	351	1.51	-
5550MHz	Pass	PK	4.16258G	44.55	74.00	-29.45	3	Vertical	210	1.26	-
5550MHz	Pass	PK	11.09568G	55.35	74.00	-18.65	3	Vertical	351	1.51	-
5550MHz	Pass	PK	16.66176G	62.26	68.20	-5.94	3	Vertical	44	1.37	-
5550MHz	Pass	AV	4.1625G	36.07	54.00	-17.93	3	Horizontal	129	1.19	-
5550MHz	Pass	AV	11.0934G	43.00	54.00	-11.00	3	Horizontal	102	1.50	-
5550MHz	Pass	PK	4.16246G	43.58	74.00	-30.42	3	Horizontal	129	1.19	-
5550MHz	Pass	PK	11.09592G	55.24	74.00	-18.76	3	Horizontal	102	1.50	-
5550MHz	Pass	PK	16.63944G	62.11	68.20	-6.09	3	Horizontal	82	2.75	-
5670MHz	Pass	AV	5.6742G	99.95	Inf	-Inf	3	Vertical	143	1.96	-
5670MHz	Pass	PK	5.6766G	112.26	Inf	-Inf	3	Vertical	143	1.96	-
5670MHz	Pass	PK	5.7276G	67.89	68.20	-0.31	3	Vertical	143	1.96	-
5670MHz	Pass	AV	3.78G	43.43	54.00	-10.57	3	Vertical	360	1.65	-
5670MHz	Pass	AV	11.355G	42.86	54.00	-11.14	3	Vertical	252	1.15	-
5670MHz	Pass	PK	3.78008G	47.65	74.00	-26.35	3	Vertical	360	1.65	-
5670MHz	Pass	PK	11.3268G	55.20	74.00	-18.80	3	Vertical	252	1.15	-
5670MHz	Pass	PK	16.9974G	61.87	68.20	-6.33	3	Vertical	103	1.30	-
5670MHz	Pass	AV	3.78G	41.65	54.00	-12.35	3	Horizontal	0	1.24	-
5670MHz	Pass	AV	11.35482G	42.71	54.00	-11.29	3	Horizontal	35	1.41	-
5670MHz	Pass	PK	3.78006G	47.26	74.00	-26.74	3	Horizontal	0	1.24	-
5670MHz	Pass	PK	11.34636G	55.23	74.00	-18.77	3	Horizontal	35	1.41	-
5670MHz	Pass	PK	17.02074G	61.82	68.20	-6.38	3	Horizontal	128	1.81	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.458G	47.71	54.00	-6.29	3	Vertical	139	1.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7136G	104.56	Inf	-Inf	3	Vertical	139	1.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	60.39	68.20	-7.81	3	Vertical	139	1.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7256G	117.44	Inf	-Inf	3	Vertical	139	1.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8624G	67.28	68.20	-0.92	3	Vertical	139	1.92	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	3.80672G	43.31	54.00	-10.69	3	Vertical	360	1.60	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.43368G	42.93	54.00	-11.07	3	Vertical	151	1.50	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	3.80652G	48.67	74.00	-25.33	3	Vertical	360	1.60	-