



RSE TX below 1GHz
Non-Beamforming_Sample 2_Radio 1_Omni_1T1S

Appendix E.9

Result


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	30.50	40.00	-9.50	3	Vertical	360	1.00	-
5775MHz	Pass	PK	127M	36.76	43.50	-6.74	3	Vertical	360	1.00	-
5775MHz	Pass	PK	274.44M	33.57	46.00	-12.43	3	Vertical	360	1.00	-
5775MHz	Pass	PK	375.32M	36.49	46.00	-9.51	3	Vertical	360	1.00	-
5775MHz	Pass	PK	625.58M	31.88	46.00	-14.12	3	Vertical	360	1.00	-
5775MHz	Pass	PK	875.84M	37.78	46.00	-8.22	3	Vertical	360	1.00	-
5775MHz	Pass	PK	35.82M	26.11	40.00	-13.89	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	127M	33.93	43.50	-9.57	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	274.44M	34.86	46.00	-11.14	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	375.32M	37.88	46.00	-8.12	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	625.58M	34.06	46.00	-11.94	3	Horizontal	0	1.00	-
5775MHz	Pass	PK	897.18M	40.52	46.00	-5.48	3	Horizontal	0	1.00	-



802.11ax HEW80_Nss1,(MCS0)_1TX

07/12/2019

5775MHz_PoE




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	30.50	40.00	-9.50	-6.38	3	Vertical	360	1.00	-	36.88	20.36	0.83	27.57
PK	127M	36.76	43.50	-6.74	-8.34	3	Vertical	360	1.00	-	45.10	17.21	1.73	27.28
PK	274.44M	33.57	46.00	-12.43	-6.18	3	Vertical	360	1.00	-	39.75	17.93	2.61	26.72
PK	375.32M	36.49	46.00	-9.51	-4.17	3	Vertical	360	1.00	-	40.66	19.89	3.08	27.14
PK	625.58M	31.88	46.00	-14.12	0.19	3	Vertical	360	1.00	-	31.69	24.15	4.13	28.09
PK	875.84M	37.78	46.00	-8.22	2.69	3	Vertical	360	1.00	-	35.09	25.38	4.93	27.62



802.11ax HEW80_Nss1,(MCS0)_1TX

07/12/2019

5775MHz_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	35.82M	26.11	40.00	-13.89	-7.78	3	Horizontal	0	1.00	-	33.89	18.89	0.89	27.56
PK	127M	33.93	43.50	-9.57	-8.34	3	Horizontal	0	1.00	-	42.27	17.21	1.73	27.28
PK	274.44M	34.86	46.00	-11.14	-6.18	3	Horizontal	0	1.00	-	41.04	17.93	2.61	26.72
PK	375.32M	37.88	46.00	-8.12	-4.17	3	Horizontal	0	1.00	-	42.05	19.89	3.08	27.14
PK	625.58M	34.06	46.00	-11.94	0.19	3	Horizontal	0	1.00	-	33.87	24.15	4.13	28.09
PK	897.18M	40.52	46.00	-5.48	2.97	3	Horizontal	0	1.00	-	37.55	25.51	4.97	27.51



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1476G	53.71	54.00	-0.29	3	Vertical	151	1.94	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.1488G	73.64	74.00	-0.36	3	Vertical	53	1.70	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.93	54.00	-0.07	3	Vertical	48	1.74	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.61	54.00	-0.39	3	Vertical	48	1.75	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.24706G	66.75	68.20	-1.45	3	Horizontal	339	1.48	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	17.2368G	66.59	68.20	-1.61	3	Horizontal	341	1.50	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.6494G	67.04	68.20	-1.16	3	Vertical	150	1.90	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.9322G	67.59	68.20	-0.61	3	Vertical	148	1.69	-



RSE TX above 1GHz
Non-Beamforming_Sample 2_Radio 1_Omni_1T1S

Appendix E.10

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.59	54.00	-2.41	3	Vertical	47	1.80	-
5180MHz	Pass	AV	5.1842G	104.77	Inf	-Inf	3	Vertical	47	1.80	-
5180MHz	Pass	PK	5.15G	73.62	74.00	-0.38	3	Vertical	47	1.80	-
5180MHz	Pass	PK	5.1818G	114.84	Inf	-Inf	3	Vertical	47	1.80	-
5180MHz	Pass	AV	3.88499G	41.13	54.00	-12.87	3	Vertical	355	1.64	-
5180MHz	Pass	AV	15.52944G	48.46	54.00	-5.54	3	Vertical	22	1.60	-
5180MHz	Pass	PK	3.88496G	46.71	74.00	-27.29	3	Vertical	355	1.64	-
5180MHz	Pass	PK	10.36972G	54.36	68.20	-13.84	3	Vertical	325	2.10	-
5180MHz	Pass	PK	15.53124G	61.83	74.00	-12.17	3	Vertical	22	1.60	-
5180MHz	Pass	AV	3.885G	42.50	54.00	-11.50	3	Horizontal	5	1.03	-
5180MHz	Pass	AV	15.52746G	48.45	54.00	-5.55	3	Horizontal	67	1.22	-
5180MHz	Pass	PK	3.88505G	47.09	74.00	-26.91	3	Horizontal	5	1.03	-
5180MHz	Pass	PK	10.366G	54.27	68.20	-13.93	3	Horizontal	210	1.19	-
5180MHz	Pass	PK	15.52554G	61.72	74.00	-12.28	3	Horizontal	67	1.22	-
5200MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Vertical	51	1.73	-
5200MHz	Pass	AV	5.203G	109.46	Inf	-Inf	3	Vertical	51	1.73	-
5200MHz	Pass	PK	5.1496G	73.70	74.00	-0.30	3	Vertical	51	1.73	-
5200MHz	Pass	PK	5.2018G	119.36	Inf	-Inf	3	Vertical	51	1.73	-
5200MHz	Pass	AV	15.59154G	47.05	54.00	-6.95	3	Vertical	28	1.21	-
5200MHz	Pass	PK	3.46658G	48.48	68.20	-19.72	3	Vertical	170	1.80	-
5200MHz	Pass	PK	10.39604G	56.08	68.20	-12.12	3	Vertical	195	1.47	-
5200MHz	Pass	PK	15.61302G	60.34	74.00	-13.66	3	Vertical	28	1.21	-
5200MHz	Pass	AV	15.58566G	47.06	54.00	-6.94	3	Horizontal	118	1.42	-
5200MHz	Pass	PK	3.46666G	46.59	68.20	-21.61	3	Horizontal	134	1.83	-
5200MHz	Pass	PK	10.40924G	54.78	68.20	-13.42	3	Horizontal	356	1.44	-
5200MHz	Pass	PK	15.58524G	60.92	74.00	-13.08	3	Horizontal	118	1.42	-
5240MHz	Pass	AV	5.1476G	53.71	54.00	-0.29	3	Vertical	151	1.94	-
5240MHz	Pass	AV	5.2424G	109.98	Inf	-Inf	3	Vertical	151	1.94	-
5240MHz	Pass	AV	5.3504G	50.27	54.00	-3.73	3	Vertical	151	1.94	-
5240MHz	Pass	PK	5.1494G	71.23	74.00	-2.77	3	Vertical	151	1.94	-
5240MHz	Pass	PK	5.2436G	120.66	Inf	-Inf	3	Vertical	151	1.94	-
5240MHz	Pass	PK	5.3582G	68.54	74.00	-5.46	3	Vertical	151	1.94	-
5240MHz	Pass	AV	15.71868G	47.04	54.00	-6.96	3	Vertical	231	1.49	-
5240MHz	Pass	PK	3.49335G	48.99	68.20	-19.21	3	Vertical	166	1.77	-
5240MHz	Pass	PK	10.47598G	59.92	68.20	-8.28	3	Vertical	210	2.10	-
5240MHz	Pass	PK	15.71274G	60.91	74.00	-13.09	3	Vertical	231	1.49	-
5240MHz	Pass	AV	15.71136G	46.21	54.00	-7.79	3	Horizontal	303	2.13	-
5240MHz	Pass	PK	3.49329G	46.61	68.20	-21.59	3	Horizontal	135	1.33	-
5240MHz	Pass	PK	10.48102G	57.99	68.20	-10.21	3	Horizontal	173	1.49	-
5240MHz	Pass	PK	15.7107G	59.71	74.00	-14.29	3	Horizontal	303	2.13	-
5745MHz	Pass	AV	5.7474G	108.13	Inf	-Inf	3	Vertical	150	1.97	-
5745MHz	Pass	PK	5.649G	61.32	68.20	-6.88	3	Vertical	150	1.97	-
5745MHz	Pass	PK	5.7438G	117.91	Inf	-Inf	3	Vertical	150	1.97	-
5745MHz	Pass	PK	5.9502G	59.21	68.20	-8.99	3	Vertical	150	1.97	-
5745MHz	Pass	AV	3.82998G	43.16	54.00	-10.84	3	Vertical	360	1.56	-
5745MHz	Pass	AV	11.48232G	42.62	54.00	-11.38	3	Vertical	257	1.54	-
5745MHz	Pass	PK	3.82998G	47.98	74.00	-26.02	3	Vertical	360	1.56	-
5745MHz	Pass	PK	11.48916G	55.66	74.00	-18.34	3	Vertical	257	1.54	-
5745MHz	Pass	PK	17.23812G	64.71	68.20	-3.49	3	Vertical	234	1.49	-
5745MHz	Pass	AV	3.83G	43.99	54.00	-10.01	3	Horizontal	5	1.28	-
5745MHz	Pass	AV	11.48736G	42.80	54.00	-11.20	3	Horizontal	331	1.64	-
5745MHz	Pass	PK	3.82991G	47.73	74.00	-26.27	3	Horizontal	5	1.28	-
5745MHz	Pass	PK	11.49876G	55.92	74.00	-18.08	3	Horizontal	331	1.64	-
5745MHz	Pass	PK	17.24706G	66.75	68.20	-1.45	3	Horizontal	339	1.48	-
5785MHz	Pass	AV	5.7874G	107.95	Inf	-Inf	3	Vertical	221	1.86	-
5785MHz	Pass	PK	5.6422G	59.27	68.20	-8.93	3	Vertical	221	1.86	-
5785MHz	Pass	PK	5.7862G	118.01	Inf	-Inf	3	Vertical	221	1.86	-
5785MHz	Pass	PK	5.929G	59.88	68.20	-8.32	3	Vertical	221	1.86	-
5785MHz	Pass	AV	3.85671G	43.00	54.00	-11.00	3	Vertical	360	1.53	-
5785MHz	Pass	AV	11.55884G	42.46	54.00	-11.54	3	Vertical	50	1.09	-



RSE TX above 1GHz
Non-Beamforming_Sample 2_Radio 1_Omni_1T1S

Appendix E.10

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
5785MHz	Pass	PK	3.85668G	47.46	74.00	-26.54	3	Vertical	360	1.53	-
5785MHz	Pass	PK	11.57066G	55.65	74.00	-18.35	3	Vertical	50	1.09	-
5785MHz	Pass	PK	17.35734G	65.75	68.20	-2.45	3	Vertical	340	1.49	-
5785MHz	Pass	AV	3.85665G	43.80	54.00	-10.20	3	Horizontal	1	1.29	-
5785MHz	Pass	AV	11.55854G	42.38	54.00	-11.62	3	Horizontal	337	1.92	-
5785MHz	Pass	PK	3.85668G	48.18	74.00	-25.82	3	Horizontal	1	1.29	-
5785MHz	Pass	PK	11.56664G	57.17	74.00	-16.83	3	Horizontal	337	1.92	-
5785MHz	Pass	PK	17.35458G	66.65	68.20	-1.55	3	Horizontal	339	1.49	-
5825MHz	Pass	AV	5.8274G	108.08	Inf	-Inf	3	Vertical	320	1.79	-
5825MHz	Pass	PK	5.6306G	58.91	68.20	-9.29	3	Vertical	320	1.79	-
5825MHz	Pass	PK	5.8274G	118.01	Inf	-Inf	3	Vertical	320	1.79	-
5825MHz	Pass	PK	5.9294G	62.65	68.20	-5.55	3	Vertical	320	1.79	-
5825MHz	Pass	AV	3.88336G	41.95	54.00	-12.05	3	Vertical	354	1.62	-
5825MHz	Pass	AV	11.65144G	42.41	54.00	-11.59	3	Vertical	234	1.92	-
5825MHz	Pass	PK	3.88331G	47.01	74.00	-26.99	3	Vertical	354	1.62	-
5825MHz	Pass	PK	11.63554G	56.63	74.00	-17.37	3	Vertical	234	1.92	-
5825MHz	Pass	PK	17.48712G	65.98	68.20	-2.22	3	Vertical	342	1.49	-
5825MHz	Pass	AV	3.88334G	42.94	54.00	-11.06	3	Horizontal	1	1.03	-
5825MHz	Pass	AV	11.64202G	41.94	54.00	-12.06	3	Horizontal	41	1.49	-
5825MHz	Pass	PK	3.88342G	47.55	74.00	-26.45	3	Horizontal	1	1.03	-
5825MHz	Pass	PK	11.63728G	55.46	74.00	-18.54	3	Horizontal	41	1.49	-
5825MHz	Pass	PK	17.4852G	66.62	68.20	-1.58	3	Horizontal	350	1.51	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.57	54.00	-0.43	3	Vertical	53	1.70	-
5180MHz	Pass	AV	5.1752G	103.06	Inf	-Inf	3	Vertical	53	1.70	-
5180MHz	Pass	PK	5.1488G	73.64	74.00	-0.36	3	Vertical	53	1.70	-
5180MHz	Pass	PK	5.177G	117.47	Inf	-Inf	3	Vertical	53	1.70	-
5180MHz	Pass	AV	3.885G	41.06	54.00	-12.94	3	Vertical	142	2.36	-
5180MHz	Pass	AV	15.53512G	47.62	54.00	-6.38	3	Vertical	156	1.12	-
5180MHz	Pass	PK	3.88512G	46.44	74.00	-27.56	3	Vertical	142	2.36	-
5180MHz	Pass	PK	10.35658G	55.67	68.20	-12.53	3	Vertical	71	1.99	-
5180MHz	Pass	PK	15.53574G	62.16	74.00	-11.84	3	Vertical	156	1.12	-
5180MHz	Pass	AV	3.88498G	40.99	54.00	-13.01	3	Horizontal	356	1.79	-
5180MHz	Pass	AV	15.53748G	47.81	54.00	-6.19	3	Horizontal	357	2.40	-
5180MHz	Pass	PK	3.88495G	47.19	74.00	-26.81	3	Horizontal	356	1.79	-
5180MHz	Pass	PK	10.35512G	55.12	68.20	-13.08	3	Horizontal	310	2.12	-
5180MHz	Pass	PK	15.53752G	61.86	74.00	-12.14	3	Horizontal	357	2.40	-
5200MHz	Pass	AV	5.15G	53.64	54.00	-0.36	3	Vertical	47	1.69	-
5200MHz	Pass	AV	5.203G	106.49	Inf	-Inf	3	Vertical	47	1.69	-
5200MHz	Pass	PK	5.146G	73.27	74.00	-0.73	3	Vertical	47	1.69	-
5200MHz	Pass	PK	5.197G	120.87	Inf	-Inf	3	Vertical	47	1.69	-
5200MHz	Pass	AV	15.5868G	46.41	54.00	-7.59	3	Vertical	248	1.49	-
5200MHz	Pass	PK	3.4666G	46.60	68.20	-21.60	3	Vertical	200	1.90	-
5200MHz	Pass	PK	10.40174G	57.00	68.20	-11.20	3	Vertical	211	2.26	-
5200MHz	Pass	PK	15.60186G	60.22	74.00	-13.78	3	Vertical	248	1.49	-
5200MHz	Pass	AV	15.5868G	46.40	54.00	-7.60	3	Horizontal	207	1.06	-
5200MHz	Pass	PK	3.46668G	48.52	68.20	-19.68	3	Horizontal	187	1.01	-
5200MHz	Pass	PK	10.39016G	55.39	68.20	-12.81	3	Horizontal	248	1.47	-
5200MHz	Pass	PK	15.58842G	61.12	74.00	-12.88	3	Horizontal	207	1.06	-
5240MHz	Pass	AV	5.1488G	53.59	54.00	-0.41	3	Vertical	153	1.94	-
5240MHz	Pass	AV	5.2382G	107.67	Inf	-Inf	3	Vertical	153	1.94	-
5240MHz	Pass	AV	5.35G	52.08	54.00	-1.92	3	Vertical	153	1.94	-
5240MHz	Pass	PK	5.1398G	73.59	74.00	-0.41	3	Vertical	153	1.94	-
5240MHz	Pass	PK	5.237G	122.05	Inf	-Inf	3	Vertical	153	1.94	-
5240MHz	Pass	PK	5.3516G	69.91	74.00	-4.09	3	Vertical	153	1.94	-
5240MHz	Pass	AV	15.71208G	46.18	54.00	-7.82	3	Vertical	228	1.49	-
5240MHz	Pass	PK	3.49321G	47.06	68.20	-21.14	3	Vertical	209	1.19	-
5240MHz	Pass	PK	10.47652G	60.00	68.20	-8.20	3	Vertical	210	2.12	-
5240MHz	Pass	PK	15.7164G	60.16	74.00	-13.84	3	Vertical	228	1.49	-
5240MHz	Pass	AV	15.71982G	46.25	54.00	-7.75	3	Horizontal	0	1.50	-
5240MHz	Pass	PK	3.49334G	46.63	68.20	-21.57	3	Horizontal	345	1.60	-
5240MHz	Pass	PK	10.48132G	57.00	68.20	-11.20	3	Horizontal	176	1.45	-
5240MHz	Pass	PK	15.71028G	60.11	74.00	-13.89	3	Horizontal	0	1.50	-



RSE TX above 1GHz
Non-Beamforming_Sample 2_Radio 1_Omni_1T1S

Appendix E.10

Mode	Result	Type	Freq	Level	Limit	Margin	Dist	Condition	Azimuth	Height	Comments
5745MHz	Pass	AV	5.7486G	105.75	Inf	-Inf	3	Vertical	152	1.91	-
5745MHz	Pass	PK	5.649G	62.04	68.20	-6.16	3	Vertical	152	1.91	-
5745MHz	Pass	PK	5.7414G	120.30	Inf	-Inf	3	Vertical	152	1.91	-
5745MHz	Pass	PK	5.973G	59.58	68.20	-8.62	3	Vertical	152	1.91	-
5745MHz	Pass	AV	3.83G	43.24	54.00	-10.76	3	Vertical	348	1.62	-
5745MHz	Pass	AV	11.509G	42.06	54.00	-11.94	3	Vertical	121	1.33	-
5745MHz	Pass	PK	3.83G	47.33	74.00	-26.67	3	Vertical	348	1.62	-
5745MHz	Pass	PK	11.4707G	55.53	74.00	-18.47	3	Vertical	121	1.33	-
5745MHz	Pass	PK	17.2385G	66.33	68.20	-1.87	3	Vertical	326	2.31	-
5745MHz	Pass	AV	3.82999G	44.43	54.00	-9.57	3	Horizontal	10	1.06	-
5745MHz	Pass	AV	11.4757G	41.76	54.00	-12.24	3	Horizontal	264	1.19	-
5745MHz	Pass	PK	3.82989G	48.48	74.00	-25.52	3	Horizontal	10	1.06	-
5745MHz	Pass	PK	11.4787G	55.53	74.00	-18.47	3	Horizontal	264	1.19	-
5745MHz	Pass	PK	17.2368G	66.59	68.20	-1.61	3	Horizontal	341	1.50	-
5785MHz	Pass	AV	5.7874G	105.11	Inf	-Inf	3	Vertical	152	1.74	-
5785MHz	Pass	PK	5.6434G	58.29	68.20	-9.91	3	Vertical	152	1.74	-
5785MHz	Pass	PK	5.7826G	119.14	Inf	-Inf	3	Vertical	152	1.74	-
5785MHz	Pass	PK	5.9374G	59.80	68.20	-8.40	3	Vertical	152	1.74	-
5785MHz	Pass	AV	3.85668G	42.82	54.00	-11.18	3	Vertical	350	1.58	-
5785MHz	Pass	AV	11.5468G	41.55	54.00	-12.45	3	Vertical	126	1.29	-
5785MHz	Pass	PK	3.85669G	47.48	74.00	-26.52	3	Vertical	350	1.58	-
5785MHz	Pass	PK	11.5508G	55.85	74.00	-18.15	3	Vertical	126	1.29	-
5785MHz	Pass	PK	17.3349G	66.31	68.20	-1.89	3	Vertical	253	1.64	-
5785MHz	Pass	AV	3.85666G	43.10	54.00	-10.90	3	Horizontal	6	1.10	-
5785MHz	Pass	AV	11.5493G	41.84	54.00	-12.16	3	Horizontal	304	1.25	-
5785MHz	Pass	PK	3.85663G	48.17	74.00	-25.83	3	Horizontal	6	1.10	-
5785MHz	Pass	PK	11.5523G	55.18	74.00	-18.82	3	Horizontal	304	1.25	-
5785MHz	Pass	PK	17.353G	66.53	68.20	-1.67	3	Horizontal	339	1.49	-
5825MHz	Pass	AV	5.8238G	106.60	Inf	-Inf	3	Vertical	220	1.80	-
5825MHz	Pass	PK	5.5682G	57.97	68.20	-10.23	3	Vertical	220	1.80	-
5825MHz	Pass	PK	5.8226G	120.95	Inf	-Inf	3	Vertical	220	1.80	-
5825MHz	Pass	PK	5.9306G	63.05	68.20	-5.15	3	Vertical	220	1.80	-
5825MHz	Pass	AV	3.88331G	41.79	54.00	-12.21	3	Vertical	352	1.60	-
5825MHz	Pass	AV	11.6514G	41.24	54.00	-12.76	3	Vertical	137	1.93	-
5825MHz	Pass	PK	3.88334G	46.69	74.00	-27.31	3	Vertical	352	1.60	-
5825MHz	Pass	PK	11.6294G	55.52	74.00	-18.48	3	Vertical	137	1.93	-
5825MHz	Pass	PK	17.4954G	65.71	68.20	-2.49	3	Vertical	331	1.36	-
5825MHz	Pass	AV	3.88334G	42.88	54.00	-11.12	3	Horizontal	1	1.04	-
5825MHz	Pass	AV	11.6476G	41.27	54.00	-12.73	3	Horizontal	185	1.68	-
5825MHz	Pass	PK	3.8834G	47.89	74.00	-26.11	3	Horizontal	1	1.04	-
5825MHz	Pass	PK	11.6554G	54.93	74.00	-19.07	3	Horizontal	185	1.68	-
5825MHz	Pass	PK	17.4639G	66.33	68.20	-1.87	3	Horizontal	350	1.49	-
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.93	54.00	-0.07	3	Vertical	48	1.74	-
5190MHz	Pass	AV	5.1944G	98.87	Inf	-Inf	3	Vertical	48	1.74	-
5190MHz	Pass	PK	5.15G	69.06	74.00	-4.94	3	Vertical	48	1.74	-
5190MHz	Pass	PK	5.206G	110.74	Inf	-Inf	3	Vertical	48	1.74	-
5190MHz	Pass	AV	15.57402G	48.57	54.00	-5.43	3	Vertical	359	1.52	-
5190MHz	Pass	PK	3.46004G	44.92	68.20	-23.28	3	Vertical	259	2.41	-
5190MHz	Pass	PK	10.37522G	54.74	68.20	-13.46	3	Vertical	59	1.05	-
5190MHz	Pass	PK	15.5719G	60.83	74.00	-13.17	3	Vertical	359	1.52	-
5190MHz	Pass	AV	15.5665G	48.52	54.00	-5.48	3	Horizontal	324	1.29	-
5190MHz	Pass	PK	3.46018G	44.89	68.20	-23.31	3	Horizontal	215	1.04	-
5190MHz	Pass	PK	10.37914G	54.81	68.20	-13.39	3	Horizontal	96	1.02	-
5190MHz	Pass	PK	15.56716G	61.40	74.00	-12.60	3	Horizontal	324	1.29	-
5230MHz	Pass	AV	5.1496G	53.61	54.00	-0.39	3	Vertical	49	1.77	-
5230MHz	Pass	AV	5.2448G	103.95	Inf	-Inf	3	Vertical	49	1.77	-
5230MHz	Pass	PK	5.1484G	69.70	74.00	-4.30	3	Vertical	49	1.77	-
5230MHz	Pass	PK	5.246G	116.31	Inf	-Inf	3	Vertical	49	1.77	-
5230MHz	Pass	AV	15.69268G	47.19	54.00	-6.81	3	Vertical	302	2.24	-
5230MHz	Pass	PK	3.48671G	46.35	68.20	-21.85	3	Vertical	268	1.89	-
5230MHz	Pass	PK	10.46356G	55.24	68.20	-12.96	3	Vertical	201	1.60	-
5230MHz	Pass	PK	15.69042G	60.14	74.00	-13.86	3	Vertical	302	2.24	-