



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5500MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.6667G	45.34	54.00	-8.66	1.26	3	Horizontal	128	1.00	-	44.08	29.30	6.05	34.09
AV	11.00036G	41.24	54.00	-12.76	17.54	3	Horizontal	143	1.89	-	23.70	40.20	11.19	33.85
PK	3.66669G	48.51	74.00	-25.49	1.26	3	Horizontal	128	1.00	-	47.25	29.30	6.05	34.09
PK	11.00482G	54.41	74.00	-19.59	17.53	3	Horizontal	143	1.89	-	36.88	40.19	11.19	33.85
PK	16.50292G	61.66	68.20	-6.54	20.08	3	Horizontal	287	1.18	-	41.58	38.51	13.75	32.18



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	44.25	54.00	-9.75	5.32	3	Vertical	24	2.87	-	38.93	31.81	7.42	33.91
AV	5.5854G	94.33	Inf	-Inf	5.03	3	Vertical	24	2.87	-	89.30	31.83	7.13	33.93
PK	5.4636G	56.56	68.20	-11.64	5.32	3	Vertical	24	2.87	-	51.24	31.83	7.40	33.91
PK	5.577G	106.81	Inf	-Inf	5.07	3	Vertical	24	2.87	-	101.74	31.85	7.15	33.93
PK	5.7252G	55.99	68.20	-12.21	5.67	3	Vertical	24	2.87	-	50.32	32.00	7.63	33.96



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	49.08	54.00	-4.92	5.32	3	Horizontal	0	1.49	-	43.76	31.82	7.41	33.91
AV	5.583G	110.06	Inf	-Inf	5.04	3	Horizontal	0	1.49	-	105.02	31.83	7.14	33.93
PK	5.4696G	66.55	68.20	-1.65	5.32	3	Horizontal	0	1.49	-	61.23	31.84	7.39	33.91
PK	5.577G	122.43	Inf	-Inf	5.07	3	Horizontal	0	1.49	-	117.36	31.85	7.15	33.93
PK	5.7258G	58.84	68.20	-9.36	5.67	3	Horizontal	0	1.49	-	53.17	32.00	7.63	33.96



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.18499G	37.27	54.00	-16.73	2.37	3	Vertical	20	1.55	-	34.90	29.94	6.45	34.02
AV	11.15956G	41.17	54.00	-12.83	17.29	3	Vertical	219	1.66	-	23.88	39.78	11.33	33.82
PK	4.1851G	43.85	74.00	-30.15	2.37	3	Vertical	20	1.55	-	41.48	29.94	6.45	34.02
PK	11.1646G	55.08	74.00	-18.92	17.28	3	Vertical	219	1.66	-	37.80	39.77	11.33	33.82
PK	16.74408G	66.15	68.20	-2.05	21.72	3	Vertical	97	1.36	-	44.43	39.53	13.92	31.73



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5580MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.18503G	36.40	54.00	-17.60	2.37	3	Horizontal	102	1.66	-	34.03	29.94	6.45	34.02
AV	11.16464G	41.18	54.00	-12.82	17.28	3	Horizontal	141	1.21	-	23.90	39.77	11.33	33.82
PK	4.18497G	44.14	74.00	-29.86	2.37	3	Horizontal	102	1.66	-	41.77	29.94	6.45	34.02
PK	11.16492G	54.07	74.00	-19.93	17.28	3	Horizontal	141	1.21	-	36.79	39.77	11.33	33.82
PK	16.74382G	65.48	68.20	-2.72	21.72	3	Horizontal	218	2.39	-	43.76	39.53	13.92	31.73



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	85.30	Inf	-Inf	5.43	3	Vertical	23	1.02	-	79.87	31.89	7.49	33.95
PK	5.697G	98.26	Inf	-Inf	5.45	3	Vertical	23	1.02	-	92.81	31.89	7.51	33.95
PK	5.7324G	56.93	68.20	-11.27	5.73	3	Vertical	23	1.02	-	51.20	32.03	7.66	33.96



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6928G	100.56	Inf	-Inf	5.43	3	Horizontal	358	1.50	-	95.13	31.89	7.49	33.95
PK	5.697G	113.49	Inf	-Inf	5.45	3	Horizontal	358	1.50	-	108.04	31.89	7.51	33.95
PK	5.7252G	67.33	68.20	-0.87	5.67	3	Horizontal	358	1.50	-	61.66	32.00	7.63	33.96



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.79998G	42.05	54.00	-11.95	1.53	3	Vertical	18	1.74	-	40.52	29.50	6.07	34.04
AV	11.40066G	41.24	54.00	-12.76	17.65	3	Vertical	296	2.32	-	23.59	39.90	11.54	33.79
PK	3.79998G	47.16	74.00	-26.84	1.53	3	Vertical	18	1.74	-	45.63	29.50	6.07	34.04
PK	11.39784G	54.78	74.00	-19.22	17.65	3	Vertical	296	2.32	-	37.13	39.90	11.54	33.79
PK	17.10284G	64.15	68.20	-4.05	22.79	3	Vertical	320	1.62	-	41.36	39.90	14.17	31.28



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5700MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.80001G	44.55	54.00	-9.45	1.53	3	Horizontal	247	2.68	-	43.02	29.50	6.07	34.04
AV	11.39744G	41.20	54.00	-12.80	17.64	3	Horizontal	183	1.91	-	23.56	39.89	11.54	33.79
PK	3.80011G	48.09	74.00	-25.91	1.53	3	Horizontal	247	2.68	-	46.56	29.50	6.07	34.04
PK	11.39726G	54.51	74.00	-19.49	17.64	3	Horizontal	183	1.91	-	36.87	39.89	11.54	33.79
PK	17.10398G	63.56	68.20	-4.64	22.79	3	Horizontal	49	1.52	-	40.77	39.90	14.17	31.28



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5720MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4212G	43.49	54.00	-10.51	5.27	3	Vertical	23	1.00	-	38.22	31.68	7.49	33.90
AV	5.7212G	94.96	Inf	-Inf	5.64	3	Vertical	23	1.00	-	89.32	31.98	7.62	33.96
PK	5.46G	55.08	74.00	-18.92	5.32	3	Vertical	23	1.00	-	49.76	31.82	7.41	33.91
PK	5.7176G	107.71	Inf	-Inf	5.62	3	Vertical	23	1.00	-	102.09	31.97	7.60	33.95
PK	5.9228G	57.61	68.20	-10.59	6.80	3	Vertical	23	1.00	-	50.81	32.50	8.29	33.99



802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4392G	45.13	54.00	-8.87	5.30	3	Horizontal	357	1.49	-	39.83	31.76	7.45	33.91
AV	5.7212G	110.23	Inf	-Inf	5.64	3	Horizontal	357	1.49	-	104.59	31.98	7.62	33.96
PK	5.468G	57.11	68.20	-11.09	5.32	3	Horizontal	357	1.49	-	51.79	31.84	7.39	33.91
PK	5.7176G	123.20	Inf	-Inf	5.62	3	Horizontal	357	1.49	-	117.58	31.97	7.60	33.95
PK	5.852G	63.14	68.20	-5.06	6.51	3	Horizontal	357	1.49	-	56.63	32.40	8.09	33.98



802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.81334G	41.74	54.00	-12.26	1.57	3	Vertical	17	1.69	-	40.17	29.53	6.08	34.04
AV	11.44498G	41.46	54.00	-12.54	17.79	3	Vertical	140	1.05	-	23.67	39.99	11.58	33.78
PK	3.81325G	46.16	74.00	-27.84	1.57	3	Vertical	17	1.69	-	44.59	29.53	6.08	34.04
PK	11.4411G	54.81	74.00	-19.19	17.78	3	Vertical	140	1.05	-	37.03	39.98	11.58	33.78
PK	17.14926G	65.79	68.20	-2.41	22.81	3	Vertical	20	1.71	-	42.98	39.90	14.21	31.30



802.11ax HEW20_Nss1,(MCS0)_1TX

28/12/2019

5720MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.81335G	43.85	54.00	-10.15	1.57	3	Horizontal	248	2.64	-	42.28	29.53	6.08	34.04
AV	11.43968G	41.33	54.00	-12.67	17.77	3	Horizontal	10	1.68	-	23.56	39.98	11.57	33.78
PK	3.81331G	47.46	74.00	-26.54	1.57	3	Horizontal	248	2.64	-	45.89	29.53	6.08	34.04
PK	11.4408G	54.94	74.00	-19.06	17.78	3	Horizontal	10	1.68	-	37.16	39.98	11.58	33.78
PK	17.16114G	63.64	68.20	-4.56	22.81	3	Horizontal	305	1.49	-	40.83	39.90	14.21	31.30



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	44.95	54.00	-9.05	5.47	3	Vertical	36	2.91	-	39.48	32.00	7.30	33.83
AV	5.2742G	90.46	Inf	-Inf	4.99	3	Vertical	36	2.91	-	85.47	31.40	7.46	33.87
AV	5.3612G	44.50	54.00	-9.50	4.99	3	Vertical	36	2.91	-	39.51	31.37	7.51	33.89
PK	5.1392G	56.25	74.00	-17.75	5.46	3	Vertical	36	2.91	-	50.79	32.00	7.29	33.83
PK	5.255G	102.20	Inf	-Inf	5.07	3	Vertical	36	2.91	-	97.13	31.48	7.45	33.86
PK	5.3528G	56.23	74.00	-17.77	4.95	3	Vertical	36	2.91	-	51.28	31.32	7.51	33.88



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.141G	47.99	54.00	-6.01	5.46	3	Horizontal	357	1.50	-	42.53	32.00	7.29	33.83
AV	5.276G	104.08	Inf	-Inf	4.99	3	Horizontal	357	1.50	-	99.09	31.40	7.46	33.87
AV	5.3522G	53.17	54.00	-0.83	4.94	3	Horizontal	357	1.50	-	48.23	31.31	7.51	33.88
PK	5.1422G	59.84	74.00	-14.16	5.46	3	Horizontal	357	1.50	-	54.38	32.00	7.29	33.83
PK	5.2622G	116.60	Inf	-Inf	5.04	3	Horizontal	357	1.50	-	111.56	31.45	7.45	33.86
PK	5.3516G	68.12	74.00	-5.88	4.94	3	Horizontal	357	1.50	-	63.18	31.31	7.51	33.88



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.5133G	40.44	54.00	-13.56	0.55	3	Vertical	54	1.77	-	39.89	28.85	5.84	34.14
AV	15.8148G	45.69	54.00	-8.31	18.29	3	Vertical	5	2.07	-	27.40	37.47	13.29	32.47
PK	3.51336G	44.81	74.00	-29.19	0.56	3	Vertical	54	1.77	-	44.25	28.85	5.85	34.14
PK	10.54302G	53.56	68.20	-14.64	16.48	3	Vertical	306	1.91	-	37.08	39.79	10.78	34.09
PK	15.80568G	58.18	74.00	-15.82	18.32	3	Vertical	5	2.07	-	39.86	37.49	13.29	32.46



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5270MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.51333G	41.46	54.00	-12.54	0.55	3	Horizontal	121	1.22	-	40.91	28.85	5.84	34.14
AV	15.81002G	46.04	54.00	-7.96	18.31	3	Horizontal	254	2.22	-	27.73	37.48	13.29	32.46
PK	3.51331G	45.53	74.00	-28.47	0.55	3	Horizontal	121	1.22	-	44.98	28.85	5.84	34.14
PK	10.5403G	53.45	68.20	-14.75	16.47	3	Horizontal	257	1.04	-	36.98	39.78	10.78	34.09
PK	15.80682G	58.51	74.00	-15.49	18.32	3	Horizontal	254	2.22	-	40.19	37.49	13.29	32.46



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3142G	85.33	Inf	-Inf	4.90	3	Vertical	28	2.89	-	80.43	31.30	7.48	33.88
AV	5.3526G	44.68	54.00	-9.32	4.95	3	Vertical	28	2.89	-	39.73	31.32	7.51	33.88
PK	5.3022G	97.58	Inf	-Inf	4.91	3	Vertical	28	2.89	-	92.67	31.30	7.48	33.87
PK	5.3514G	56.75	74.00	-17.25	4.94	3	Vertical	28	2.89	-	51.81	31.31	7.51	33.88



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3142G	99.11	Inf	-Inf	4.90	3	Horizontal	356	1.48	-	94.21	31.30	7.48	33.88
AV	5.35G	53.18	54.00	-0.82	4.93	3	Horizontal	356	1.48	-	48.25	31.30	7.51	33.88
PK	5.3022G	111.39	Inf	-Inf	4.91	3	Horizontal	356	1.48	-	106.48	31.30	7.48	33.87
PK	5.35G	67.83	74.00	-6.17	4.93	3	Horizontal	356	1.48	-	62.90	31.30	7.51	33.88



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.53997G	40.80	54.00	-13.20	0.73	3	Vertical	57	1.49	-	40.07	28.96	5.90	34.13
AV	10.62416G	41.58	54.00	-12.42	16.70	3	Vertical	175	2.01	-	24.88	39.90	10.85	34.05
AV	15.93348G	46.31	54.00	-7.69	18.05	3	Vertical	82	2.35	-	28.26	37.23	13.36	32.54
PK	3.54006G	45.12	74.00	-28.88	0.74	3	Vertical	57	1.49	-	44.38	28.96	5.91	34.13
PK	10.62456G	54.06	74.00	-19.94	16.70	3	Vertical	175	2.01	-	37.36	39.90	10.85	34.05
PK	15.93472G	59.10	74.00	-14.90	18.05	3	Vertical	82	2.35	-	41.05	37.23	13.36	32.54



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5310MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.53998G	43.51	54.00	-10.49	0.73	3	Horizontal	120	1.55	-	42.78	28.96	5.90	34.13
AV	10.62408G	41.65	54.00	-12.35	16.70	3	Horizontal	236	1.14	-	24.95	39.90	10.85	34.05
AV	15.93414G	46.07	54.00	-7.93	18.05	3	Horizontal	157	2.13	-	28.02	37.23	13.36	32.54
PK	3.54011G	46.87	74.00	-27.13	0.74	3	Horizontal	120	1.55	-	46.13	28.96	5.91	34.13
PK	10.61642G	54.19	74.00	-19.81	16.70	3	Horizontal	236	1.14	-	37.49	39.90	10.85	34.05
PK	15.93442G	59.30	74.00	-14.70	18.05	3	Horizontal	157	2.13	-	41.25	37.23	13.36	32.54



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3678G	44.23	54.00	-9.77	5.04	3	Vertical	24	2.95	-	39.19	31.41	7.52	33.89
AV	5.5058G	85.69	Inf	-Inf	5.29	3	Vertical	24	2.95	-	80.40	31.90	7.31	33.92
PK	5.4638G	56.08	68.20	-12.12	5.32	3	Vertical	24	2.95	-	50.76	31.83	7.40	33.91
PK	5.5022G	97.71	Inf	-Inf	5.30	3	Vertical	24	2.95	-	92.41	31.90	7.32	33.92



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.51	54.00	-3.49	5.32	3	Horizontal	351	1.67	-	45.19	31.82	7.41	33.91
AV	5.5166G	99.27	Inf	-Inf	5.26	3	Horizontal	351	1.67	-	94.01	31.90	7.28	33.92
PK	5.4698G	67.54	68.20	-0.66	5.32	3	Horizontal	351	1.67	-	62.22	31.84	7.39	33.91
PK	5.5022G	111.33	Inf	-Inf	5.30	3	Horizontal	351	1.67	-	106.03	31.90	7.32	33.92



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.67334G	43.92	54.00	-10.08	1.27	3	Vertical	7	1.86	-	42.65	29.30	6.05	34.08
AV	11.02188G	41.99	54.00	-12.01	17.48	3	Vertical	106	1.25	-	24.51	40.13	11.20	33.85
PK	3.67326G	47.00	74.00	-27.00	1.27	3	Vertical	7	1.86	-	45.73	29.30	6.05	34.08
PK	11.0221G	54.02	74.00	-19.98	17.48	3	Vertical	106	1.25	-	36.54	40.13	11.20	33.85
PK	16.53118G	62.24	68.20	-5.96	20.26	3	Vertical	319	2.48	-	41.98	38.62	13.77	32.13



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5510MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.67335G	46.01	54.00	-7.99	1.27	3	Horizontal	126	1.38	-	44.74	29.30	6.05	34.08
AV	11.02712G	41.62	54.00	-12.38	17.48	3	Horizontal	319	1.98	-	24.14	40.12	11.21	33.85
PK	3.67339G	48.96	74.00	-25.04	1.27	3	Horizontal	126	1.38	-	47.69	29.30	6.05	34.08
PK	11.02328G	54.16	74.00	-19.84	17.49	3	Horizontal	319	1.98	-	36.67	40.13	11.21	33.85
PK	16.53238G	61.94	68.20	-6.26	20.27	3	Horizontal	7	2.33	-	41.67	38.63	13.77	32.13



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.454G	44.59	54.00	-9.41	5.32	3	Vertical	25	2.89	-	39.27	31.81	7.42	33.91
AV	5.5542G	89.23	Inf	-Inf	5.16	3	Vertical	25	2.89	-	84.07	31.89	7.20	33.93
PK	5.4666G	56.54	68.20	-11.66	5.31	3	Vertical	25	2.89	-	51.23	31.83	7.39	33.91
PK	5.5662G	101.44	Inf	-Inf	5.11	3	Vertical	25	2.89	-	96.33	31.87	7.17	33.93



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.95	54.00	-3.05	5.32	3	Horizontal	0	1.49	-	45.63	31.82	7.41	33.91
AV	5.5542G	104.04	Inf	-Inf	5.16	3	Horizontal	0	1.49	-	98.88	31.89	7.20	33.93
PK	5.4696G	67.25	68.20	-0.95	5.32	3	Horizontal	0	1.49	-	61.93	31.84	7.39	33.91
PK	5.535G	116.27	Inf	-Inf	5.21	3	Horizontal	0	1.49	-	111.06	31.90	7.24	33.93



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.16252G	37.57	54.00	-16.43	2.26	3	Vertical	19	1.36	-	35.31	29.85	6.43	34.02
AV	11.10244G	41.68	54.00	-12.32	17.35	3	Vertical	227	1.76	-	24.33	39.90	11.28	33.83
PK	4.16243G	43.81	74.00	-30.19	2.26	3	Vertical	19	1.36	-	41.55	29.85	6.43	34.02
PK	11.09826G	54.49	74.00	-19.51	17.35	3	Vertical	227	1.76	-	37.14	39.91	11.27	33.83
PK	16.64662G	62.37	68.20	-5.83	21.07	3	Vertical	134	1.47	-	41.30	39.13	13.85	31.91



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5550MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.16252G	36.02	54.00	-17.98	2.26	3	Horizontal	122	1.63	-	33.76	29.85	6.43	34.02
AV	11.099G	41.73	54.00	-12.27	17.34	3	Horizontal	286	1.76	-	24.39	39.90	11.27	33.83
PK	4.1625G	42.89	74.00	-31.11	2.26	3	Horizontal	122	1.63	-	40.63	29.85	6.43	34.02
PK	11.10156G	53.69	74.00	-20.31	17.34	3	Horizontal	286	1.76	-	36.35	39.90	11.27	33.83
PK	16.64886G	62.40	68.20	-5.80	21.08	3	Horizontal	191	1.93	-	41.32	39.14	13.85	31.91



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	86.57	Inf	-Inf	5.32	3	Vertical	23	1.05	-	81.25	31.85	7.42	33.95
PK	5.6622G	98.55	Inf	-Inf	5.23	3	Vertical	23	1.05	-	93.32	31.82	7.36	33.95
PK	5.7354G	56.69	68.20	-11.51	5.76	3	Vertical	23	1.05	-	50.93	32.04	7.68	33.96



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5670MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6742G	101.65	Inf	-Inf	5.32	3	Horizontal	356	1.50	-	96.33	31.85	7.42	33.95
PK	5.6622G	113.81	Inf	-Inf	5.23	3	Horizontal	356	1.50	-	108.58	31.82	7.36	33.95
PK	5.7282G	67.22	68.20	-0.98	5.69	3	Horizontal	356	1.50	-	61.53	32.01	7.64	33.96



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.77998G	42.23	54.00	-11.77	1.48	3	Vertical	182	1.47	-	40.75	29.46	6.07	34.05
AV	11.3476G	42.14	54.00	-11.86	17.50	3	Vertical	197	2.25	-	24.64	39.80	11.49	33.79
PK	3.77997G	46.05	74.00	-27.95	1.48	3	Vertical	182	1.47	-	44.57	29.46	6.07	34.05
PK	11.34212G	54.91	74.00	-19.09	17.47	3	Vertical	197	2.25	-	37.44	39.78	11.49	33.80
PK	17.00526G	64.18	68.20	-4.02	22.84	3	Vertical	357	1.26	-	41.34	39.99	14.10	31.25



802.11ax HEW40_Nss1,(MCS0)_1TX

28/12/2019

5670MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.77997G	45.17	54.00	-8.83	1.48	3	Horizontal	247	2.69	-	43.69	29.46	6.07	34.05
AV	11.34282G	42.00	54.00	-12.00	17.48	3	Horizontal	198	2.26	-	24.52	39.79	11.49	33.80
PK	3.77997G	48.18	74.00	-25.82	1.48	3	Horizontal	247	2.69	-	46.70	29.46	6.07	34.05
PK	11.3445G	54.51	74.00	-19.49	17.49	3	Horizontal	198	2.26	-	37.02	39.79	11.49	33.79
PK	17.00986G	64.55	68.20	-3.65	22.85	3	Horizontal	231	1.76	-	41.70	39.99	14.11	31.25



802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	44.11	54.00	-9.89	5.32	3	Vertical	23	1.04	-	38.79	31.81	7.42	33.91
AV	5.6944G	91.67	Inf	-Inf	5.44	3	Vertical	23	1.04	-	86.23	31.89	7.50	33.95
PK	5.464G	54.58	68.20	-13.62	5.32	3	Vertical	23	1.04	-	49.26	31.83	7.40	33.91
PK	5.6944G	104.20	Inf	-Inf	5.44	3	Vertical	23	1.04	-	98.76	31.89	7.50	33.95
PK	5.9884G	57.56	68.20	-10.64	7.05	3	Vertical	23	1.04	-	50.51	32.58	8.47	34.00



802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4424G	46.39	54.00	-7.61	5.31	3	Horizontal	357	1.48	-	41.08	31.77	7.45	33.91
AV	5.7064G	106.94	Inf	-Inf	5.53	3	Horizontal	357	1.48	-	101.41	31.93	7.55	33.95
PK	5.4676G	57.56	68.20	-10.64	5.32	3	Horizontal	357	1.48	-	52.24	31.84	7.39	33.91
PK	5.7256G	119.64	Inf	-Inf	5.67	3	Horizontal	357	1.48	-	113.97	32.00	7.63	33.96
PK	5.8504G	68.04	68.20	-0.16	6.51	3	Horizontal	357	1.48	-	61.53	32.40	8.09	33.98



802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.80664G	41.81	54.00	-12.19	1.55	3	Vertical	245	1.36	-	40.26	29.51	6.08	34.04
AV	11.42496G	42.38	54.00	-11.62	17.73	3	Vertical	280	2.31	-	24.65	39.95	11.56	33.78
PK	3.80661G	46.19	74.00	-27.81	1.55	3	Vertical	245	1.36	-	44.64	29.51	6.08	34.04
PK	11.41774G	54.36	74.00	-19.64	17.71	3	Vertical	280	2.31	-	36.65	39.94	11.55	33.78
PK	17.12704G	63.57	68.20	-4.63	22.80	3	Vertical	25	1.44	-	40.77	39.90	14.19	31.29



802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.80668G	44.85	54.00	-9.15	1.55	3	Horizontal	249	2.83	-	43.30	29.51	6.08	34.04
AV	11.4189G	42.21	54.00	-11.79	17.72	3	Horizontal	8	1.05	-	24.49	39.94	11.56	33.78
PK	3.80667G	48.18	74.00	-25.82	1.55	3	Horizontal	249	2.83	-	46.63	29.51	6.08	34.04
PK	11.4197G	54.25	74.00	-19.75	17.72	3	Horizontal	8	1.05	-	36.53	39.94	11.56	33.78
PK	17.13438G	63.87	68.20	-4.33	22.81	3	Horizontal	302	1.96	-	41.06	39.90	14.20	31.29



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.103G	44.50	54.00	-9.50	5.39	3	Vertical	29	2.91	-	39.11	32.00	7.21	33.82
AV	5.287G	82.25	Inf	-Inf	4.95	3	Vertical	29	2.91	-	77.30	31.35	7.47	33.87
AV	5.363G	44.53	54.00	-9.47	5.01	3	Vertical	29	2.91	-	39.52	31.38	7.52	33.89
PK	5.077G	55.75	74.00	-18.25	5.39	3	Vertical	29	2.91	-	50.36	32.05	7.16	33.82
PK	5.303G	93.87	Inf	-Inf	4.91	3	Vertical	29	2.91	-	88.96	31.30	7.48	33.87
PK	5.524G	55.87	68.20	-12.33	5.25	3	Vertical	29	2.91	-	50.62	31.90	7.27	33.92



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	46.95	54.00	-7.05	5.46	3	Horizontal	357	1.50	-	41.49	32.00	7.29	33.83
AV	5.28G	96.50	Inf	-Inf	4.97	3	Horizontal	357	1.50	-	91.53	31.38	7.46	33.87
AV	5.353G	53.32	54.00	-0.68	4.95	3	Horizontal	357	1.50	-	48.37	31.32	7.51	33.88
PK	5.144G	58.26	74.00	-15.74	5.47	3	Horizontal	357	1.50	-	52.79	32.00	7.30	33.83
PK	5.304G	108.15	Inf	-Inf	4.91	3	Horizontal	357	1.50	-	103.24	31.30	7.48	33.87
PK	5.353G	66.29	74.00	-7.71	4.95	3	Horizontal	357	1.50	-	61.34	31.32	7.51	33.88



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.52622G	41.11	54.00	-12.89	0.64	3	Vertical	203	1.83	-	40.47	28.90	5.87	34.13
AV	15.8736G	46.27	54.00	-7.73	18.17	3	Vertical	15	2.39	-	28.10	37.35	13.32	32.50
PK	3.5262G	46.89	74.00	-27.11	0.64	3	Vertical	203	1.83	-	46.25	28.90	5.87	34.13
PK	10.57858G	53.93	68.20	-14.27	16.60	3	Vertical	24	1.66	-	37.33	39.86	10.81	34.07
PK	15.8721G	58.54	74.00	-15.46	18.18	3	Vertical	15	2.39	-	40.36	37.36	13.32	32.50



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5290MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.52632G	44.06	54.00	-9.94	0.65	3	Horizontal	249	2.83	-	43.41	28.91	5.87	34.13
AV	15.86992G	46.21	54.00	-7.79	18.18	3	Horizontal	131	2.10	-	28.03	37.36	13.32	32.50
PK	3.5262G	48.86	74.00	-25.14	0.64	3	Horizontal	249	2.83	-	48.22	28.90	5.87	34.13
PK	10.57508G	53.78	68.20	-14.42	16.59	3	Horizontal	3	2.38	-	37.19	39.85	10.81	34.07
PK	15.87334G	58.47	74.00	-15.53	18.17	3	Horizontal	131	2.10	-	40.30	37.35	13.32	32.50



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.397G	44.38	54.00	-9.62	5.22	3	Vertical	17	1.00	-	39.16	31.58	7.54	33.90
AV	5.545G	81.87	Inf	-Inf	5.19	3	Vertical	17	1.00	-	76.68	31.90	7.22	33.93
PK	5.299G	55.65	68.20	-12.55	4.90	3	Vertical	17	1.00	-	50.75	31.30	7.47	33.87
PK	5.544G	93.79	Inf	-Inf	5.19	3	Vertical	17	1.00	-	88.60	31.90	7.22	33.93
PK	5.734G	55.97	68.20	-12.23	5.75	3	Vertical	17	1.00	-	50.22	32.04	7.67	33.96



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	53.78	54.00	-0.22	5.32	3	Horizontal	351	1.49	-	48.46	31.82	7.41	33.91
AV	5.536G	96.67	Inf	-Inf	5.21	3	Horizontal	351	1.49	-	91.46	31.90	7.24	33.93
PK	5.467G	67.12	68.20	-1.08	5.31	3	Horizontal	351	1.49	-	61.81	31.83	7.39	33.91
PK	5.529G	108.45	Inf	-Inf	5.24	3	Horizontal	351	1.49	-	103.21	31.90	7.26	33.92
PK	5.726G	57.51	68.20	-10.69	5.68	3	Horizontal	351	1.49	-	51.83	32.00	7.64	33.96



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.68667G	42.60	54.00	-11.40	1.27	3	Vertical	320	2.34	-	41.33	29.30	6.05	34.08
AV	11.05636G	41.63	54.00	-12.37	17.42	3	Vertical	310	1.23	-	24.21	40.03	11.23	33.84
PK	3.68661G	46.58	74.00	-27.42	1.27	3	Vertical	320	2.34	-	45.31	29.30	6.05	34.08
PK	11.06024G	54.48	74.00	-19.52	17.42	3	Vertical	310	1.23	-	37.06	40.02	11.24	33.84
PK	16.58806G	61.95	68.20	-6.25	20.64	3	Vertical	255	1.57	-	41.31	38.85	13.81	32.02



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5530MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.68669G	45.63	54.00	-8.37	1.27	3	Horizontal	247	2.81	-	44.36	29.30	6.05	34.08
AV	11.05644G	41.64	54.00	-12.36	17.42	3	Horizontal	249	2.36	-	24.22	40.03	11.23	33.84
PK	3.68672G	48.30	74.00	-25.70	1.27	3	Horizontal	247	2.81	-	47.03	29.30	6.05	34.08
PK	11.06298G	53.73	74.00	-20.27	17.41	3	Horizontal	249	2.36	-	36.32	40.01	11.24	33.84
PK	16.59324G	62.36	68.20	-5.84	20.67	3	Horizontal	98	2.06	-	41.69	38.87	13.81	32.01



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.37G	44.01	54.00	-9.99	5.05	3	Vertical	16	1.03	-	38.96	31.42	7.52	33.89
AV	5.623G	83.16	Inf	-Inf	5.06	3	Vertical	16	1.03	-	78.10	31.80	7.20	33.94
PK	5.469G	55.35	68.20	-12.85	5.32	3	Vertical	16	1.03	-	50.03	31.84	7.39	33.91
PK	5.609G	95.07	Inf	-Inf	5.00	3	Vertical	16	1.03	-	90.07	31.80	7.14	33.94
PK	5.827G	56.46	68.20	-11.74	6.40	3	Vertical	16	1.03	-	50.06	32.35	8.02	33.97



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	49.17	54.00	-4.83	5.31	3	Horizontal	349	1.57	-	43.86	31.81	7.41	33.91
AV	5.6G	98.20	Inf	-Inf	4.96	3	Horizontal	349	1.57	-	93.24	31.80	7.10	33.94
PK	5.464G	62.37	68.20	-5.83	5.32	3	Horizontal	349	1.57	-	57.05	31.83	7.40	33.91
PK	5.609G	110.20	Inf	-Inf	5.00	3	Horizontal	349	1.57	-	105.20	31.80	7.14	33.94
PK	5.726G	67.63	68.20	-0.57	5.68	3	Horizontal	349	1.57	-	61.95	32.00	7.64	33.96



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.74G	41.49	54.00	-12.51	1.38	3	Vertical	95	1.65	-	40.11	29.38	6.06	34.06
AV	11.2203G	42.07	54.00	-11.93	17.27	3	Vertical	294	1.29	-	24.80	39.70	11.38	33.81
PK	3.74003G	45.99	74.00	-28.01	1.38	3	Vertical	95	1.65	-	44.61	29.38	6.06	34.06
PK	11.22038G	54.16	74.00	-19.84	17.27	3	Vertical	294	1.29	-	36.89	39.70	11.38	33.81
PK	16.83358G	61.76	68.20	-6.44	22.15	3	Vertical	113	1.27	-	39.61	39.73	13.98	31.56



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5610MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.74G	44.53	54.00	-9.47	1.38	3	Horizontal	251	2.86	-	43.15	29.38	6.06	34.06
AV	11.22284G	42.10	54.00	-11.90	17.27	3	Horizontal	344	2.20	-	24.83	39.70	11.38	33.81
PK	3.73992G	47.95	74.00	-26.05	1.38	3	Horizontal	251	2.86	-	46.57	29.38	6.06	34.06
PK	11.2236G	55.03	74.00	-18.97	17.27	3	Horizontal	344	2.20	-	37.76	39.70	11.38	33.81
PK	16.83452G	62.53	68.20	-5.67	22.15	3	Horizontal	259	2.00	-	40.38	39.73	13.98	31.56



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4536G	44.04	54.00	-9.96	5.32	3	Vertical	23	1.03	-	38.72	31.81	7.42	33.91
AV	5.7032G	86.46	Inf	-Inf	5.50	3	Vertical	23	1.03	-	80.96	31.91	7.54	33.95
PK	5.4692G	54.70	68.20	-13.50	5.32	3	Vertical	23	1.03	-	49.38	31.84	7.39	33.91
PK	5.6888G	98.18	Inf	-Inf	5.41	3	Vertical	23	1.03	-	92.77	31.88	7.48	33.95
PK	5.918G	57.80	68.20	-10.40	6.78	3	Vertical	23	1.03	-	51.02	32.50	8.27	33.99



802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TX

28/12/2019




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	47.13	54.00	-6.87	5.32	3	Horizontal	358	1.59	-	41.81	31.82	7.41	33.91
AV	5.6816G	101.52	Inf	-Inf	5.36	3	Horizontal	358	1.59	-	96.16	31.86	7.45	33.95
PK	5.4668G	59.34	68.20	-8.86	5.31	3	Horizontal	358	1.59	-	54.03	31.83	7.39	33.91
PK	5.6888G	113.37	Inf	-Inf	5.41	3	Horizontal	358	1.59	-	107.96	31.88	7.48	33.95
PK	5.8664G	67.96	68.20	-0.24	6.58	3	Horizontal	358	1.59	-	61.38	32.43	8.13	33.98



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.79332G	41.95	54.00	-12.05	1.51	3	Vertical	196	1.88	-	40.44	29.49	6.07	34.05
AV	11.3765G	42.06	54.00	-11.94	17.58	3	Vertical	315	1.62	-	24.48	39.85	11.52	33.79
PK	3.79329G	46.23	74.00	-27.77	1.51	3	Vertical	196	1.88	-	44.72	29.49	6.07	34.05
PK	11.37544G	54.75	74.00	-19.25	17.58	3	Vertical	315	1.62	-	37.17	39.85	11.52	33.79
PK	17.07216G	64.48	68.20	-3.72	22.81	3	Vertical	133	2.02	-	41.67	39.93	14.15	31.27



802.11ax HEW80_Nss1,(MCS0)_1TX

28/12/2019

5690MHz Straddle 5.47-5.725GHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	3.79335G	44.96	54.00	-9.04	1.51	3	Horizontal	245	2.79	-	43.45	29.49	6.07	34.05
AV	11.38266G	42.31	54.00	-11.69	17.60	3	Horizontal	14	2.19	-	24.71	39.87	11.52	33.79
PK	3.79327G	48.24	74.00	-25.76	1.51	3	Horizontal	245	2.79	-	46.73	29.49	6.07	34.05
PK	11.37922G	54.51	74.00	-19.49	17.59	3	Horizontal	14	2.19	-	36.92	39.86	11.52	33.79
PK	17.06824G	64.24	68.20	-3.96	22.81	3	Horizontal	240	2.33	-	41.43	39.93	14.15	31.27