




802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14836G	43.96	54.00	-10.04	18.59	3	Vertical	189	1.56	-	25.37	39.71	9.76	30.88
PK	11.14878G	56.76	74.00	-17.24	18.58	3	Vertical	189	1.56	-	38.18	39.70	9.76	30.88
PK	16.7186G	65.06	68.20	-3.14	20.18	3	Vertical	339	1.86	-	44.88	39.47	12.40	31.69



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.15772G	42.80	54.00	-11.20	18.57	3	Horizontal	259	1.57	-	24.23	39.67	9.77	30.87
PK	11.16726G	55.99	74.00	-18.01	18.53	3	Horizontal	259	1.57	-	37.46	39.63	9.77	30.87
PK	16.7276G	64.68	68.20	-3.52	20.26	3	Horizontal	302	1.50	-	44.42	39.55	12.40	31.69



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6984G	104.40	Inf	-Inf	8.62	3	Vertical	142	1.68	-	95.78	31.79	6.19	29.36
PK	5.6964G	117.11	Inf	-Inf	8.62	3	Vertical	142	1.68	-	108.49	31.79	6.19	29.36
PK	5.7252G	67.71	68.20	-0.49	8.69	3	Vertical	142	1.68	-	59.02	31.85	6.20	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40936G	42.85	54.00	-11.15	18.93	3	Vertical	300	1.44	-	23.92	39.80	9.93	30.80
PK	11.40496G	55.94	74.00	-18.06	18.93	3	Vertical	300	1.44	-	37.01	39.80	9.93	30.80
PK	17.08638G	63.40	68.20	-4.80	21.06	3	Vertical	31	2.42	-	42.34	40.19	12.52	31.65



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4066G	43.03	54.00	-10.97	18.93	3	Horizontal	148	1.84	-	24.10	39.80	9.93	30.80
PK	11.4098G	55.93	74.00	-18.07	18.93	3	Horizontal	148	1.84	-	37.00	39.80	9.93	30.80
PK	17.09292G	64.38	68.20	-3.82	21.08	3	Horizontal	125	1.05	-	43.30	40.19	12.53	31.64



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.42G	48.64	54.00	-5.36	8.31	3	Vertical	142	1.71	-	40.33	31.54	6.13	29.36
AV	5.7176G	112.44	Inf	-Inf	8.68	3	Vertical	142	1.71	-	103.76	31.84	6.20	29.36
PK	5.4656G	61.27	68.20	-6.93	8.47	3	Vertical	142	1.71	-	52.80	31.69	6.15	29.37
PK	5.7176G	124.61	Inf	-Inf	8.68	3	Vertical	142	1.71	-	115.93	31.84	6.20	29.36
PK	5.8508G	67.73	68.20	-0.47	8.94	3	Vertical	142	1.71	-	58.79	32.00	6.30	29.36



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44006G	43.99	54.00	-10.01	18.96	3	Vertical	13	1.56	-	25.03	39.80	9.95	30.79
PK	11.43304G	56.77	74.00	-17.23	18.96	3	Vertical	13	1.56	-	37.81	39.80	9.95	30.79
PK	17.1626G	63.53	68.20	-4.67	21.14	3	Vertical	360	2.22	-	42.39	40.20	12.55	31.61



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42854G	42.90	54.00	-11.10	18.96	3	Horizontal	77	2.08	-	23.94	39.80	9.95	30.79
PK	11.45308G	56.14	74.00	-17.86	18.98	3	Horizontal	77	2.08	-	37.16	39.80	9.96	30.78
PK	17.17176G	63.62	68.20	-4.58	21.15	3	Horizontal	278	1.42	-	42.47	40.20	12.55	31.60






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2672G	105.78	Inf	-Inf	8.05	3	Vertical	153	1.71	-	97.73	31.30	6.10	29.35
AV	5.3508G	53.13	54.00	-0.87	7.96	3	Vertical	153	1.71	-	45.17	31.20	6.12	29.36
PK	5.282G	118.55	Inf	-Inf	8.05	3	Vertical	153	1.71	-	110.50	31.30	6.10	29.35
PK	5.35G	68.93	74.00	-5.07	7.96	3	Vertical	153	1.71	-	60.97	31.20	6.12	29.36



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8104G	47.22	54.00	-6.78	17.28	3	Vertical	26	1.27	-	29.94	37.15	12.05	31.92
PK	10.5402G	59.18	68.20	-9.02	18.44	3	Vertical	339	1.50	-	40.74	39.70	9.35	30.61
PK	15.8048G	61.49	74.00	-12.51	17.31	3	Vertical	26	1.27	-	44.18	37.18	12.05	31.92



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7838G	46.68	54.00	-7.32	17.35	3	Horizontal	315	2.92	-	29.33	37.22	12.04	31.91
PK	10.54048G	55.69	68.20	-12.51	18.44	3	Horizontal	150	1.72	-	37.25	39.70	9.35	30.61
PK	15.8276G	59.10	74.00	-14.90	17.20	3	Horizontal	315	2.92	-	41.90	37.06	12.06	31.92



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3144G	100.61	Inf	-Inf	8.03	3	Vertical	324	1.58	-	92.58	31.27	6.11	29.35
AV	5.35G	53.51	54.00	-0.49	7.96	3	Vertical	324	1.58	-	45.55	31.20	6.12	29.36
PK	5.2984G	113.60	Inf	-Inf	8.05	3	Vertical	324	1.58	-	105.55	31.30	6.10	29.35
PK	5.35G	69.92	74.00	-4.08	7.96	3	Vertical	324	1.58	-	61.96	31.20	6.12	29.36



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.62548G	42.44	54.00	-11.56	18.39	3	Vertical	86	1.01	-	24.05	39.65	9.41	30.67
AV	15.9378G	45.24	54.00	-8.76	16.83	3	Vertical	107	1.07	-	28.41	36.66	12.12	31.95
PK	10.61612G	55.70	74.00	-18.30	18.41	3	Vertical	61	2.12	-	37.29	39.67	9.40	30.66
PK	15.934G	58.06	74.00	-15.94	16.84	3	Vertical	107	1.07	-	41.22	36.67	12.12	31.95



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63458G	42.50	54.00	-11.50	18.38	3	Horizontal	133	1.26	-	24.12	39.63	9.42	30.67
AV	15.93342G	45.10	54.00	-8.90	16.84	3	Horizontal	108	2.28	-	28.26	36.67	12.12	31.95
PK	10.61322G	56.03	74.00	-17.97	18.41	3	Horizontal	133	1.26	-	37.62	39.67	9.40	30.66
PK	15.94404G	58.17	74.00	-15.83	16.84	3	Horizontal	108	2.28	-	41.33	36.66	12.13	31.95



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	50.30	54.00	-3.70	8.42	3	Vertical	153	1.55	-	41.88	31.65	6.14	29.37
AV	5.5124G	101.28	Inf	-Inf	8.62	3	Vertical	153	1.55	-	92.66	31.83	6.16	29.37
PK	5.4692G	67.81	68.20	-0.39	8.50	3	Vertical	153	1.55	-	59.31	31.72	6.15	29.37
PK	5.5152G	113.57	Inf	-Inf	8.60	3	Vertical	153	1.55	-	104.97	31.81	6.16	29.37



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.02084G	42.48	54.00	-11.52	18.90	3	Vertical	338	1.36	-	23.58	40.14	9.67	30.91
PK	11.0206G	55.74	74.00	-18.26	18.90	3	Vertical	338	1.36	-	36.84	40.14	9.67	30.91
PK	16.539G	61.60	68.20	-6.60	19.25	3	Vertical	70	1.75	-	42.35	38.60	12.34	31.69






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00908G	42.51	54.00	-11.49	18.92	3	Horizontal	117	2.27	-	23.59	40.17	9.67	30.92
PK	11.01736G	55.72	74.00	-18.28	18.91	3	Horizontal	117	2.27	-	36.81	40.15	9.67	30.91
PK	16.51632G	62.21	68.20	-5.99	19.24	3	Horizontal	219	1.48	-	42.97	38.60	12.33	31.69



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.53	54.00	-2.47	8.43	3	Vertical	154	1.58	-	43.10	31.66	6.14	29.37
AV	5.5564G	105.57	Inf	-Inf	8.41	3	Vertical	154	1.58	-	97.16	31.61	6.17	29.37
PK	5.4684G	68.00	68.20	-0.20	8.49	3	Vertical	154	1.58	-	59.51	31.71	6.15	29.37
PK	5.5624G	118.58	Inf	-Inf	8.42	3	Vertical	154	1.58	-	110.16	31.62	6.17	29.37



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1096G	42.75	54.00	-11.25	18.70	3	Vertical	208	1.86	-	24.05	39.86	9.73	30.89
PK	11.11128G	55.88	74.00	-18.12	18.69	3	Vertical	208	1.86	-	37.19	39.85	9.73	30.89
PK	16.62G	63.04	68.20	-5.16	19.42	3	Vertical	220	1.50	-	43.62	38.74	12.37	31.69



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09802G	42.78	54.00	-11.22	18.75	3	Horizontal	87	1.58	-	24.03	39.91	9.73	30.89
PK	11.09892G	56.70	74.00	-17.30	18.74	3	Horizontal	87	1.58	-	37.96	39.90	9.73	30.89
PK	16.6996G	62.30	68.20	-5.90	20.00	3	Horizontal	32	2.48	-	42.30	39.30	12.39	31.69



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6646G	105.26	Inf	-Inf	8.49	3	Vertical	143	1.61	-	96.77	31.66	6.19	29.36
PK	5.658G	117.94	Inf	-Inf	8.46	3	Vertical	143	1.61	-	109.48	31.63	6.19	29.36
PK	5.7252G	67.33	68.20	-0.87	8.69	3	Vertical	143	1.61	-	58.64	31.85	6.20	29.36



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34126G	42.52	54.00	-11.48	18.75	3	Vertical	71	1.81	-	23.77	39.68	9.89	30.82
PK	11.34834G	55.89	74.00	-18.11	18.77	3	Vertical	71	1.81	-	37.12	39.70	9.89	30.82
PK	17.0214G	62.58	68.20	-5.62	20.94	3	Vertical	34	1.41	-	41.64	40.12	12.50	31.68



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35074G	42.62	54.00	-11.38	18.78	3	Horizontal	51	2.45	-	23.84	39.70	9.89	30.81
PK	11.33892G	55.47	74.00	-18.53	18.75	3	Horizontal	51	2.45	-	36.72	39.68	9.89	30.82
PK	17.01486G	62.55	68.20	-5.65	20.93	3	Horizontal	289	2.21	-	41.62	40.11	12.50	31.68



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4532G	49.12	54.00	-4.88	8.39	3	Vertical	142	1.70	-	40.73	31.62	6.14	29.37
AV	5.704G	108.64	Inf	-Inf	8.65	3	Vertical	142	1.70	-	99.99	31.81	6.20	29.36
PK	5.464G	60.56	68.20	-7.64	8.46	3	Vertical	142	1.70	-	52.10	31.68	6.15	29.37
PK	5.7052G	120.64	Inf	-Inf	8.65	3	Vertical	142	1.70	-	111.99	31.81	6.20	29.36
PK	5.8648G	67.63	68.20	-0.57	9.02	3	Vertical	142	1.70	-	58.61	32.06	6.32	29.36





802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42486G	43.31	54.00	-10.69	18.95	3	Vertical	33	1.99	-	24.36	39.80	9.94	30.79
PK	11.41946G	56.72	74.00	-17.28	18.95	3	Vertical	33	1.99	-	37.77	39.80	9.94	30.79
PK	17.136G	63.74	68.20	-4.46	21.12	3	Vertical	51	2.89	-	42.62	40.20	12.54	31.62



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4341G	43.01	54.00	-10.99	18.96	3	Horizontal	168	2.41	-	24.05	39.80	9.95	30.79
PK	11.42624G	56.17	74.00	-17.83	18.96	3	Horizontal	168	2.41	-	37.21	39.80	9.95	30.79
PK	17.14332G	64.19	68.20	-4.01	21.12	3	Horizontal	0	2.15	-	43.07	40.20	12.54	31.62



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	47.72	54.00	-6.28	8.60	3	Vertical	152	1.66	-	39.12	31.90	6.03	29.33
AV	5.298G	97.31	Inf	-Inf	8.05	3	Vertical	152	1.66	-	89.26	31.30	6.10	29.35
AV	5.351G	53.67	54.00	-0.33	7.97	3	Vertical	152	1.66	-	45.70	31.21	6.12	29.36
PK	5.139G	60.06	74.00	-13.94	8.58	3	Vertical	152	1.66	-	51.48	31.88	6.03	29.33
PK	5.297G	109.83	Inf	-Inf	8.05	3	Vertical	152	1.66	-	101.78	31.30	6.10	29.35
PK	5.353G	70.99	74.00	-3.01	7.98	3	Vertical	152	1.66	-	63.01	31.22	6.12	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8634G	44.49	54.00	-9.51	17.03	3	Vertical	104	1.37	-	27.46	36.88	12.08	31.93
PK	10.59266G	55.83	68.20	-12.37	18.45	3	Vertical	303	1.99	-	37.38	39.70	9.39	30.64
PK	15.87084G	58.51	74.00	-15.49	17.01	3	Vertical	104	1.37	-	41.50	36.85	12.09	31.93



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.86214G	44.46	54.00	-9.54	17.04	3	Horizontal	32	2.19	-	27.42	36.89	12.08	31.93
PK	10.57118G	55.84	68.20	-12.36	18.44	3	Horizontal	130	1.94	-	37.40	39.70	9.37	30.63
PK	15.88248G	58.22	74.00	-15.78	16.95	3	Horizontal	32	2.19	-	41.27	36.79	12.09	31.93



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	53.00	54.00	-1.00	8.43	3	Vertical	155	1.50	-	44.57	31.66	6.14	29.37
AV	5.516G	96.68	Inf	-Inf	8.59	3	Vertical	155	1.50	-	88.09	31.80	6.16	29.37
PK	5.464G	67.81	68.20	-0.39	8.46	3	Vertical	155	1.50	-	59.35	31.68	6.15	29.37
PK	5.503G	111.94	Inf	-Inf	8.67	3	Vertical	155	1.50	-	103.27	31.88	6.16	29.37
PK	5.779G	59.59	68.20	-8.61	8.81	3	Vertical	155	1.50	-	50.78	31.96	6.21	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05358G	42.14	54.00	-11.86	18.84	3	Vertical	116	1.15	-	23.30	40.04	9.70	30.90
PK	11.06522G	55.65	74.00	-18.35	18.80	3	Vertical	116	1.15	-	36.85	40.00	9.70	30.90
PK	16.59438G	61.98	68.20	-6.22	19.27	3	Vertical	283	1.04	-	42.71	38.60	12.36	31.69



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.07026G	42.14	54.00	-11.86	18.80	3	Horizontal	195	1.76	-	23.34	39.99	9.71	30.90
PK	11.04638G	55.96	74.00	-18.04	18.84	3	Horizontal	195	1.76	-	37.12	40.06	9.69	30.91
PK	16.58238G	62.90	68.20	-5.30	19.27	3	Horizontal	301	2.36	-	43.63	38.60	12.36	31.69






802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	51.69	54.00	-2.31	8.43	3	Vertical	148	1.72	-	43.26	31.66	6.14	29.37
AV	5.641G	102.43	Inf	-Inf	8.45	3	Vertical	148	1.72	-	93.98	31.62	6.19	29.36
PK	5.469G	66.43	68.20	-1.77	8.49	3	Vertical	148	1.72	-	57.94	31.71	6.15	29.37
PK	5.64G	115.75	Inf	-Inf	8.45	3	Vertical	148	1.72	-	107.30	31.62	6.19	29.36
PK	5.726G	67.86	68.20	-0.34	8.69	3	Vertical	148	1.72	-	59.17	31.85	6.20	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21064G	42.20	54.00	-11.80	18.45	3	Vertical	298	1.87	-	23.75	39.51	9.80	30.86
PK	11.21598G	55.89	74.00	-18.11	18.46	3	Vertical	298	1.87	-	37.43	39.52	9.80	30.86
PK	16.82352G	63.63	68.20	-4.57	20.93	3	Vertical	0	1.83	-	42.70	40.18	12.44	31.69



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.20566G	42.15	54.00	-11.85	18.45	3	Horizontal	76	1.61	-	23.70	39.51	9.80	30.86
PK	11.23248G	56.08	74.00	-17.92	18.50	3	Horizontal	76	1.61	-	37.58	39.53	9.82	30.85
PK	16.81536G	67.05	68.20	-1.15	20.92	3	Horizontal	23	2.22	-	46.13	40.18	12.43	31.69



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	49.02	54.00	-4.98	8.41	3	Vertical	149	1.62	-	40.61	31.64	6.14	29.37
AV	5.6768G	103.44	Inf	-Inf	8.54	3	Vertical	149	1.62	-	94.90	31.71	6.19	29.36
PK	5.4656G	61.51	68.20	-6.69	8.47	3	Vertical	149	1.62	-	53.04	31.69	6.15	29.37
PK	5.6576G	117.12	Inf	-Inf	8.46	3	Vertical	149	1.62	-	108.66	31.63	6.19	29.36
PK	5.8532G	67.14	68.20	-1.06	8.95	3	Vertical	149	1.62	-	58.19	32.01	6.30	29.36



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39338G	42.49	54.00	-11.51	18.91	3	Vertical	165	1.78	-	23.58	39.79	9.92	30.80
PK	11.3725G	56.62	74.00	-17.38	18.84	3	Vertical	165	1.78	-	37.78	39.74	9.91	30.81
PK	17.0553G	62.96	68.20	-5.24	21.01	3	Vertical	187	1.50	-	41.95	40.16	12.51	31.66



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

04/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39182G	42.42	54.00	-11.58	18.90	3	Horizontal	137	2.13	-	23.52	39.78	9.92	30.80
PK	11.38528G	55.65	74.00	-18.35	18.89	3	Horizontal	137	2.13	-	36.76	39.77	9.92	30.80
PK	17.07576G	62.95	68.20	-5.25	21.05	3	Horizontal	203	1.90	-	41.90	40.18	12.52	31.65



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.368G	53.47	54.00	-0.53	3	Horizontal	6	2.31	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	5.3516G	53.55	54.00	-0.45	3	Horizontal	6	1.55	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.41	54.00	-0.59	3	Horizontal	0	1.48	-
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	PK	16.7239G	68.06	68.20	-0.14	3	Horizontal	14	1.48	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.864G	67.93	68.20	-0.27	3	Horizontal	16	1.03	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.867G	67.96	68.20	-0.24	3	Horizontal	0	1.62	-



**Result**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5260MHz	Pass	AV	5.1496G	44.51	54.00	-9.49	3	Vertical	337	0.99	-
5260MHz	Pass	AV	5.2672G	99.54	Inf	-Inf	3	Vertical	337	0.99	-
5260MHz	Pass	AV	5.3686G	44.17	54.00	-9.83	3	Vertical	337	0.99	-
5260MHz	Pass	PK	5.1454G	56.54	74.00	-17.46	3	Vertical	337	0.99	-
5260MHz	Pass	PK	5.269G	111.37	Inf	-Inf	3	Vertical	337	0.99	-
5260MHz	Pass	PK	5.3638G	56.48	74.00	-17.52	3	Vertical	337	0.99	-
5260MHz	Pass	AV	5.15G	49.28	54.00	-4.72	3	Horizontal	6	2.31	-
5260MHz	Pass	AV	5.2672G	114.77	Inf	-Inf	3	Horizontal	6	2.31	-
5260MHz	Pass	AV	5.368G	53.47	54.00	-0.53	3	Horizontal	6	2.31	-
5260MHz	Pass	PK	5.1448G	61.26	74.00	-12.74	3	Horizontal	6	2.31	-
5260MHz	Pass	PK	5.269G	126.90	Inf	-Inf	3	Horizontal	6	2.31	-
5260MHz	Pass	PK	5.368G	64.91	74.00	-9.09	3	Horizontal	6	2.31	-
5260MHz	Pass	AV	15.78414G	48.72	54.00	-5.28	3	Vertical	22	2.81	-
5260MHz	Pass	PK	10.5134G	56.09	68.20	-12.11	3	Vertical	347	1.53	-
5260MHz	Pass	PK	15.78732G	62.82	74.00	-11.18	3	Vertical	22	2.81	-
5260MHz	Pass	AV	15.77802G	50.65	54.00	-3.35	3	Horizontal	101	1.49	-
5260MHz	Pass	PK	10.51718G	55.85	68.20	-12.35	3	Horizontal	114	1.48	-
5260MHz	Pass	PK	15.78198G	64.72	74.00	-9.28	3	Horizontal	101	1.49	-
5300MHz	Pass	AV	5.3012G	93.72	Inf	-Inf	3	Vertical	358	2.76	-
5300MHz	Pass	AV	5.35G	43.78	54.00	-10.22	3	Vertical	358	2.76	-
5300MHz	Pass	PK	5.3006G	105.88	Inf	-Inf	3	Vertical	358	2.76	-
5300MHz	Pass	PK	5.36G	55.99	74.00	-18.01	3	Vertical	358	2.76	-
5300MHz	Pass	AV	5.2976G	111.36	Inf	-Inf	3	Horizontal	0	1.49	-
5300MHz	Pass	AV	5.35G	51.82	54.00	-2.18	3	Horizontal	0	1.49	-
5300MHz	Pass	PK	5.2958G	123.01	Inf	-Inf	3	Horizontal	0	1.49	-
5300MHz	Pass	PK	5.35G	73.22	74.00	-0.78	3	Horizontal	0	1.49	-
5300MHz	Pass	AV	15.91008G	49.59	54.00	-4.41	3	Vertical	41	1.50	-
5300MHz	Pass	PK	10.58728G	55.00	68.20	-13.20	3	Vertical	340	1.48	-
5300MHz	Pass	PK	15.91194G	65.15	74.00	-8.85	3	Vertical	41	1.50	-
5300MHz	Pass	AV	15.89658G	49.14	54.00	-4.86	3	Horizontal	19	1.49	-
5300MHz	Pass	PK	10.5952G	56.54	68.20	-11.66	3	Horizontal	351	2.90	-
5300MHz	Pass	PK	15.90252G	62.72	74.00	-11.28	3	Horizontal	19	1.49	-
5320MHz	Pass	AV	5.3272G	94.82	Inf	-Inf	3	Vertical	320	3.00	-
5320MHz	Pass	AV	5.35G	45.68	54.00	-8.32	3	Vertical	320	3.00	-
5320MHz	Pass	PK	5.3272G	106.57	Inf	-Inf	3	Vertical	320	3.00	-
5320MHz	Pass	PK	5.35G	63.13	74.00	-10.87	3	Vertical	320	3.00	-
5320MHz	Pass	AV	5.3128G	108.97	Inf	-Inf	3	Horizontal	21	1.17	-
5320MHz	Pass	AV	5.3506G	53.18	54.00	-0.82	3	Horizontal	21	1.17	-
5320MHz	Pass	PK	5.3122G	120.92	Inf	-Inf	3	Horizontal	21	1.17	-
5320MHz	Pass	PK	5.3506G	68.43	74.00	-5.57	3	Horizontal	21	1.17	-
5320MHz	Pass	AV	10.65194G	41.53	54.00	-12.47	3	Vertical	321	2.84	-
5320MHz	Pass	AV	15.9582G	47.07	54.00	-6.93	3	Vertical	325	1.49	-
5320MHz	Pass	PK	10.62974G	55.27	74.00	-18.73	3	Vertical	321	2.84	-
5320MHz	Pass	PK	15.96384G	61.47	74.00	-12.53	3	Vertical	325	1.49	-
5320MHz	Pass	AV	10.64954G	41.53	54.00	-12.47	3	Horizontal	351	2.62	-
5320MHz	Pass	AV	15.9543G	47.06	54.00	-6.94	3	Horizontal	312	1.62	-
5320MHz	Pass	PK	10.63814G	54.88	74.00	-19.12	3	Horizontal	351	2.58	-





**RSE TX above 1GHz\_Beamforming**  
**Sample 2\_Radio 2\_Panel 1\_2T1S**

**Appendix D.18**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5320MHz	Pass	PK	15.9543G	60.71	74.00	-13.29	3	Horizontal	312	1.62	-
5500MHz	Pass	AV	5.4064G	44.04	54.00	-9.96	3	Vertical	349	2.61	-
5500MHz	Pass	AV	5.5018G	93.68	Inf	-Inf	3	Vertical	349	2.61	-
5500MHz	Pass	PK	5.4676G	56.09	68.20	-12.11	3	Vertical	349	2.61	-
5500MHz	Pass	PK	5.4964G	106.37	Inf	-Inf	3	Vertical	349	2.61	-
5500MHz	Pass	AV	5.4088G	48.92	54.00	-5.08	3	Horizontal	355	2.28	-
5500MHz	Pass	AV	5.509G	108.89	Inf	-Inf	3	Horizontal	355	2.28	-
5500MHz	Pass	PK	5.4694G	68.00	68.20	-0.20	3	Horizontal	355	2.28	-
5500MHz	Pass	PK	5.5084G	121.82	Inf	-Inf	3	Horizontal	355	2.28	-
5500MHz	Pass	AV	10.98908G	42.09	54.00	-11.91	3	Vertical	2	1.50	-
5500MHz	Pass	PK	10.99976G	55.05	74.00	-18.95	3	Vertical	2	1.50	-
5500MHz	Pass	PK	16.51278G	63.24	68.20	-4.96	3	Vertical	26	1.49	-
5500MHz	Pass	AV	11.0087G	42.06	54.00	-11.94	3	Horizontal	283	1.47	-
5500MHz	Pass	PK	10.98956G	55.28	74.00	-18.72	3	Horizontal	283	1.47	-
5500MHz	Pass	PK	16.49232G	63.16	68.20	-5.04	3	Horizontal	0	1.47	-
5580MHz	Pass	AV	5.46G	43.88	54.00	-10.12	3	Vertical	6	1.48	-
5580MHz	Pass	AV	5.5758G	97.83	Inf	-Inf	3	Vertical	6	1.48	-
5580MHz	Pass	PK	5.4654G	55.65	68.20	-12.55	3	Vertical	6	1.48	-
5580MHz	Pass	PK	5.577G	108.84	Inf	-Inf	3	Vertical	6	1.48	-
5580MHz	Pass	PK	5.7252G	55.50	68.20	-12.70	3	Vertical	6	1.48	-
5580MHz	Pass	AV	5.46G	49.45	54.00	-4.55	3	Horizontal	23	1.73	-
5580MHz	Pass	AV	5.5878G	114.74	Inf	-Inf	3	Horizontal	23	1.73	-
5580MHz	Pass	PK	5.4696G	67.83	68.20	-0.37	3	Horizontal	23	1.73	-
5580MHz	Pass	PK	5.5878G	126.55	Inf	-Inf	3	Horizontal	23	1.73	-
5580MHz	Pass	PK	5.7288G	61.80	68.20	-6.40	3	Horizontal	23	1.73	-
5580MHz	Pass	AV	11.1658G	41.80	54.00	-12.20	3	Vertical	98	1.49	-
5580MHz	Pass	PK	11.1746G	54.89	74.00	-19.11	3	Vertical	98	1.49	-
5580MHz	Pass	PK	16.7344G	67.00	68.20	-1.20	3	Vertical	191	1.61	-
5580MHz	Pass	AV	11.1514G	42.34	54.00	-11.66	3	Horizontal	17	1.48	-
5580MHz	Pass	PK	11.1728G	55.09	74.00	-18.91	3	Horizontal	17	1.48	-
5580MHz	Pass	PK	16.7239G	68.06	68.20	-0.14	3	Horizontal	14	1.48	-
5700MHz	Pass	AV	5.691G	91.40	Inf	-Inf	3	Vertical	339	2.91	-
5700MHz	Pass	PK	5.6922G	102.79	Inf	-Inf	3	Vertical	339	2.91	-
5700MHz	Pass	PK	5.8116G	57.68	68.20	-10.52	3	Vertical	339	2.91	-
5700MHz	Pass	AV	5.6934G	106.85	Inf	-Inf	3	Horizontal	4	1.77	-
5700MHz	Pass	PK	5.6928G	118.30	Inf	-Inf	3	Horizontal	4	1.77	-
5700MHz	Pass	PK	5.7258G	67.29	68.20	-0.91	3	Horizontal	4	1.77	-
5700MHz	Pass	AV	11.41206G	42.11	54.00	-11.89	3	Vertical	176	2.75	-
5700MHz	Pass	PK	11.388G	54.99	74.00	-19.01	3	Vertical	176	2.75	-
5700MHz	Pass	PK	17.08794G	64.33	68.20	-3.87	3	Vertical	234	1.92	-
5700MHz	Pass	AV	11.40336G	42.13	54.00	-11.87	3	Horizontal	42	1.49	-
5700MHz	Pass	PK	11.38512G	54.96	74.00	-19.04	3	Horizontal	42	1.49	-
5700MHz	Pass	PK	17.10726G	64.28	68.20	-3.92	3	Horizontal	26	1.39	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.711G	96.83	Inf	-Inf	3	Vertical	360	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.711G	108.04	Inf	-Inf	3	Vertical	360	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.863G	57.56	68.20	-10.64	3	Vertical	360	1.47	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.723G	114.93	Inf	-Inf	3	Horizontal	7	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.724G	126.93	Inf	-Inf	3	Horizontal	7	1.00	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.859G	63.95	68.20	-4.25	3	Horizontal	7	1.00	-



**RSE TX above 1GHz\_Beamforming**  
**Sample 2\_Radio 2\_Panel 1\_2T1S**

**Appendix D.18**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4358G	43.22	54.00	-10.78	3	Vertical	2	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43652G	56.95	74.00	-17.05	3	Vertical	2	1.48	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15574G	65.73	68.20	-2.47	3	Vertical	183	1.69	-
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44084G	43.38	54.00	-10.62	3	Horizontal	357	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43436G	56.74	74.00	-17.26	3	Horizontal	357	1.52	-
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15562G	66.08	68.20	-2.12	3	Horizontal	14	1.49	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5270MHz	Pass	AV	5.1482G	44.35	54.00	-9.65	3	Vertical	337	2.99	-
5270MHz	Pass	AV	5.2544G	93.88	Inf	-Inf	3	Vertical	337	2.99	-
5270MHz	Pass	AV	5.3504G	45.78	54.00	-8.22	3	Vertical	337	2.99	-
5270MHz	Pass	PK	5.1308G	56.67	74.00	-17.33	3	Vertical	337	2.88	-
5270MHz	Pass	PK	5.2532G	105.48	Inf	-Inf	3	Vertical	337	2.99	-
5270MHz	Pass	PK	5.35G	59.32	74.00	-14.68	3	Vertical	337	2.88	-
5270MHz	Pass	AV	5.15G	49.14	54.00	-4.86	3	Horizontal	6	1.55	-
5270MHz	Pass	AV	5.2802G	109.99	Inf	-Inf	3	Horizontal	6	1.55	-
5270MHz	Pass	AV	5.3516G	53.55	54.00	-0.45	3	Horizontal	6	1.55	-
5270MHz	Pass	PK	5.15G	61.06	74.00	-12.94	3	Horizontal	6	1.55	-
5270MHz	Pass	PK	5.279G	121.60	Inf	-Inf	3	Horizontal	6	1.55	-
5270MHz	Pass	PK	5.3516G	70.56	74.00	-3.44	3	Horizontal	6	1.55	-
5270MHz	Pass	AV	15.7836G	46.83	54.00	-7.17	3	Vertical	14	2.74	-
5270MHz	Pass	PK	10.54018G	55.08	68.20	-13.12	3	Vertical	358	2.88	-
5270MHz	Pass	PK	15.73G	59.61	74.00	-14.39	3	Vertical	14	2.74	-
5270MHz	Pass	AV	15.8176G	47.38	54.00	-6.62	3	Horizontal	103	1.48	-
5270MHz	Pass	PK	10.5469G	54.85	68.20	-13.35	3	Horizontal	358	2.90	-
5270MHz	Pass	PK	15.8368G	60.78	74.00	-13.22	3	Horizontal	103	1.48	-
5310MHz	Pass	AV	5.2962G	85.08	Inf	-Inf	3	Vertical	358	2.64	-
5310MHz	Pass	AV	5.3526G	43.92	54.00	-10.08	3	Vertical	358	2.64	-
5310MHz	Pass	PK	5.2974G	97.13	Inf	-Inf	3	Vertical	358	2.64	-
5310MHz	Pass	PK	5.35G	56.13	74.00	-17.87	3	Vertical	358	2.64	-
5310MHz	Pass	AV	5.2956G	103.77	Inf	-Inf	3	Horizontal	4	1.53	-
5310MHz	Pass	AV	5.35G	53.51	54.00	-0.49	3	Horizontal	4	1.53	-
5310MHz	Pass	PK	5.2974G	115.65	Inf	-Inf	3	Horizontal	4	1.53	-
5310MHz	Pass	PK	5.3508G	69.11	74.00	-4.89	3	Horizontal	4	1.53	-
5310MHz	Pass	AV	10.63404G	41.35	54.00	-12.65	3	Vertical	201	1.49	-
5310MHz	Pass	AV	15.9308G	46.72	54.00	-7.28	3	Vertical	111	1.49	-
5310MHz	Pass	PK	10.62876G	54.32	74.00	-19.68	3	Vertical	201	1.49	-
5310MHz	Pass	PK	15.8908G	60.05	74.00	-13.95	3	Vertical	111	1.49	-
5310MHz	Pass	AV	10.60938G	41.18	54.00	-12.82	3	Horizontal	236	1.17	-
5310MHz	Pass	AV	15.9456G	46.66	54.00	-7.34	3	Horizontal	0	2.51	-
5310MHz	Pass	PK	10.61652G	54.48	74.00	-19.52	3	Horizontal	236	1.17	-
5310MHz	Pass	PK	15.9582G	59.88	74.00	-14.12	3	Horizontal	0	2.51	-
5510MHz	Pass	AV	5.4512G	43.88	54.00	-10.12	3	Vertical	341	3.00	-
5510MHz	Pass	AV	5.5046G	90.77	Inf	-Inf	3	Vertical	341	3.00	-
5510MHz	Pass	PK	5.4692G	56.65	68.20	-11.55	3	Vertical	341	3.00	-
5510MHz	Pass	PK	5.5046G	98.51	Inf	-Inf	3	Vertical	341	3.00	-
5510MHz	Pass	AV	5.459G	50.00	54.00	-4.00	3	Horizontal	9	1.42	-
5510MHz	Pass	AV	5.5166G	103.58	Inf	-Inf	3	Horizontal	9	1.42	-
5510MHz	Pass	PK	5.4698G	67.28	68.20	-0.92	3	Horizontal	9	1.42	-
5510MHz	Pass	PK	5.519G	116.02	Inf	-Inf	3	Horizontal	9	1.42	-



**RSE TX above 1GHz\_Beamforming**  
**Sample 2\_Radio 2\_Panel 1\_2T1S**

**Appendix D.18**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5510MHz	Pass	AV	11.01226G	41.94	54.00	-12.06	3	Vertical	18	1.74	-
5510MHz	Pass	PK	11.0167G	55.33	74.00	-18.67	3	Vertical	18	1.74	-
5510MHz	Pass	PK	16.52172G	62.52	68.20	-5.68	3	Vertical	360	2.96	-
5510MHz	Pass	AV	11.01844G	42.15	54.00	-11.85	3	Horizontal	0	1.49	-
5510MHz	Pass	PK	11.01544G	55.28	74.00	-18.72	3	Horizontal	0	1.49	-
5510MHz	Pass	PK	16.52832G	62.48	68.20	-5.72	3	Horizontal	348	3.00	-
5550MHz	Pass	AV	5.46G	44.14	54.00	-9.86	3	Vertical	343	3.00	-
5550MHz	Pass	AV	5.5644G	93.53	Inf	-Inf	3	Vertical	343	3.00	-
5550MHz	Pass	PK	5.4684G	56.92	68.20	-11.28	3	Vertical	343	3.00	-
5550MHz	Pass	PK	5.5596G	105.85	Inf	-Inf	3	Vertical	343	3.00	-
5550MHz	Pass	AV	5.4552G	50.63	54.00	-3.37	3	Horizontal	358	2.24	-
5550MHz	Pass	AV	5.5458G	108.74	Inf	-Inf	3	Horizontal	358	2.24	-
5550MHz	Pass	PK	5.4582G	67.33	74.00	-6.67	3	Horizontal	358	2.24	-
5550MHz	Pass	PK	5.4666G	67.27	68.20	-0.93	3	Horizontal	358	2.24	-
5550MHz	Pass	PK	5.5446G	121.46	Inf	-Inf	3	Horizontal	358	2.24	-
5550MHz	Pass	AV	11.08728G	41.63	54.00	-12.37	3	Vertical	358	1.49	-
5550MHz	Pass	PK	11.09136G	55.26	74.00	-18.74	3	Vertical	358	1.49	-
5550MHz	Pass	PK	16.65852G	62.70	68.20	-5.50	3	Vertical	116	1.48	-
5550MHz	Pass	AV	11.08548G	41.80	54.00	-12.20	3	Horizontal	356	1.48	-
5550MHz	Pass	PK	11.08728G	55.24	74.00	-18.76	3	Horizontal	356	1.48	-
5550MHz	Pass	PK	16.66314G	63.73	68.20	-4.47	3	Horizontal	360	1.07	-
5670MHz	Pass	AV	5.6532G	88.69	Inf	-Inf	3	Vertical	21	1.83	-
5670MHz	Pass	PK	5.6532G	101.21	Inf	-Inf	3	Vertical	21	1.83	-
5670MHz	Pass	PK	5.8008G	57.36	68.20	-10.84	3	Vertical	21	1.83	-
5670MHz	Pass	AV	5.688G	102.75	Inf	-Inf	3	Horizontal	360	1.84	-
5670MHz	Pass	PK	5.661G	115.75	Inf	-Inf	3	Horizontal	360	1.84	-
5670MHz	Pass	PK	5.7252G	67.44	68.20	-0.76	3	Horizontal	360	1.84	-
5670MHz	Pass	AV	11.33316G	42.09	54.00	-11.91	3	Vertical	122	3.00	-
5670MHz	Pass	PK	11.35332G	55.14	74.00	-18.86	3	Vertical	122	3.00	-
5670MHz	Pass	PK	16.9974G	65.17	68.20	-3.03	3	Vertical	325	1.48	-
5670MHz	Pass	AV	11.35068G	42.39	54.00	-11.61	3	Horizontal	360	1.28	-
5670MHz	Pass	PK	11.34G	55.76	74.00	-18.24	3	Horizontal	360	1.28	-
5670MHz	Pass	PK	17.01828G	65.57	68.20	-2.63	3	Horizontal	63	1.99	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	43.47	54.00	-10.53	3	Vertical	22	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.722G	94.41	Inf	-Inf	3	Vertical	22	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	55.18	68.20	-13.02	3	Vertical	22	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	107.39	Inf	-Inf	3	Vertical	22	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.902G	58.15	68.20	-10.05	3	Vertical	22	1.57	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	47.79	54.00	-6.21	3	Horizontal	16	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.724G	112.76	Inf	-Inf	3	Horizontal	16	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	59.98	68.20	-8.22	3	Horizontal	16	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.72G	124.47	Inf	-Inf	3	Horizontal	16	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.864G	67.93	68.20	-0.27	3	Horizontal	16	1.03	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40548G	42.19	54.00	-11.81	3	Vertical	188	2.60	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41826G	55.85	74.00	-18.15	3	Vertical	188	2.60	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.11818G	64.91	68.20	-3.29	3	Vertical	248	2.04	-
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41988G	42.85	54.00	-11.15	3	Horizontal	103	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42048G	55.85	74.00	-18.15	3	Horizontal	103	1.47	-
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.1381G	66.33	68.20	-1.87	3	Horizontal	21	1.49	-



**RSE TX above 1GHz\_Beamforming**  
**Sample 2\_Radio 2\_Panel 1\_2T1S**

**Appendix D.18**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
5290MHz	Pass	AV	5.15G	43.98	54.00	-10.02	3	Vertical	329	2.65	-
5290MHz	Pass	AV	5.305G	86.72	Inf	-Inf	3	Vertical	329	2.65	-
5290MHz	Pass	AV	5.35G	44.44	54.00	-9.56	3	Vertical	329	2.65	-
5290MHz	Pass	PK	5.136G	56.78	74.00	-17.22	3	Vertical	329	2.65	-
5290MHz	Pass	PK	5.281G	99.83	Inf	-Inf	3	Vertical	329	2.65	-
5290MHz	Pass	PK	5.539G	56.14	68.20	-12.06	3	Vertical	329	2.65	-
5290MHz	Pass	AV	5.15G	47.82	54.00	-6.18	3	Horizontal	0	1.48	-
5290MHz	Pass	AV	5.295G	100.01	Inf	-Inf	3	Horizontal	0	1.48	-
5290MHz	Pass	AV	5.35G	53.41	54.00	-0.59	3	Horizontal	0	1.48	-
5290MHz	Pass	PK	5.138G	60.52	74.00	-13.48	3	Horizontal	0	1.48	-
5290MHz	Pass	PK	5.281G	112.94	Inf	-Inf	3	Horizontal	0	1.48	-
5290MHz	Pass	PK	5.356G	68.25	74.00	-5.75	3	Horizontal	0	1.48	-
5290MHz	Pass	AV	15.88212G	45.79	54.00	-8.21	3	Vertical	37	2.19	-
5290MHz	Pass	PK	10.58732G	54.28	68.20	-13.92	3	Vertical	4	2.15	-
5290MHz	Pass	PK	15.88296G	59.61	74.00	-14.39	3	Vertical	37	2.19	-
5290MHz	Pass	AV	15.87714G	45.87	54.00	-8.13	3	Horizontal	359	1.48	-
5290MHz	Pass	PK	10.58162G	54.08	68.20	-14.12	3	Horizontal	161	2.00	-
5290MHz	Pass	PK	15.87858G	60.32	74.00	-13.68	3	Horizontal	359	1.48	-
5530MHz	Pass	AV	5.459G	44.29	54.00	-9.71	3	Vertical	348	2.72	-
5530MHz	Pass	AV	5.521G	83.97	Inf	-Inf	3	Vertical	348	2.72	-
5530MHz	Pass	PK	5.468G	57.60	68.20	-10.60	3	Vertical	348	2.72	-
5530MHz	Pass	PK	5.52G	97.32	Inf	-Inf	3	Vertical	348	2.72	-
5530MHz	Pass	PK	5.736G	56.68	68.20	-11.52	3	Vertical	348	2.72	-
5530MHz	Pass	AV	5.46G	52.57	54.00	-1.43	3	Horizontal	13	1.13	-
5530MHz	Pass	AV	5.554G	100.01	Inf	-Inf	3	Horizontal	13	1.13	-
5530MHz	Pass	PK	5.468G	67.30	68.20	-0.90	3	Horizontal	13	1.13	-
5530MHz	Pass	PK	5.552G	113.13	Inf	-Inf	3	Horizontal	13	1.13	-
5530MHz	Pass	PK	5.755G	58.34	68.20	-9.86	3	Horizontal	13	1.13	-
5530MHz	Pass	AV	11.04524G	41.25	54.00	-12.75	3	Vertical	287	1.68	-
5530MHz	Pass	PK	11.06462G	54.74	74.00	-19.26	3	Vertical	287	1.68	-
5530MHz	Pass	PK	16.60038G	62.50	68.20	-5.70	3	Vertical	8	2.19	-
5530MHz	Pass	AV	11.05406G	41.32	54.00	-12.68	3	Horizontal	134	1.52	-
5530MHz	Pass	PK	11.07398G	54.99	74.00	-19.01	3	Horizontal	134	1.52	-
5530MHz	Pass	PK	16.60212G	62.13	68.20	-6.07	3	Horizontal	324	2.38	-
5610MHz	Pass	AV	5.456G	43.84	54.00	-10.16	3	Vertical	34	2.91	-
5610MHz	Pass	AV	5.622G	86.40	Inf	-Inf	3	Vertical	34	2.91	-
5610MHz	Pass	PK	5.464G	55.92	68.20	-12.28	3	Vertical	34	2.91	-
5610MHz	Pass	PK	5.578G	98.77	Inf	-Inf	3	Vertical	34	2.91	-
5610MHz	Pass	PK	5.733G	57.19	68.20	-11.01	3	Vertical	34	2.91	-
5610MHz	Pass	AV	5.459G	50.20	54.00	-3.80	3	Horizontal	359	2.13	-
5610MHz	Pass	AV	5.583G	102.62	Inf	-Inf	3	Horizontal	359	2.13	-
5610MHz	Pass	PK	5.467G	64.29	68.20	-3.91	3	Horizontal	359	2.13	-
5610MHz	Pass	PK	5.586G	118.27	Inf	-Inf	3	Horizontal	359	2.13	-
5610MHz	Pass	PK	5.726G	67.82	68.20	-0.38	3	Horizontal	359	2.13	-
5610MHz	Pass	AV	11.2143G	41.32	54.00	-12.68	3	Vertical	335	1.35	-
5610MHz	Pass	PK	11.21304G	55.20	74.00	-18.80	3	Vertical	335	1.35	-
5610MHz	Pass	PK	16.83198G	63.14	68.20	-5.06	3	Vertical	41	2.36	-
5610MHz	Pass	AV	11.2077G	41.31	54.00	-12.69	3	Horizontal	72	1.68	-



**RSE TX above 1GHz\_Beamforming**  
**Sample 2\_Radio 2\_Panel 1\_2T1S**

**Appendix D.18**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5610MHz	Pass	PK	11.22942G	54.70	74.00	-19.30	3	Horizontal	72	1.68	-
5610MHz	Pass	PK	16.83408G	63.20	68.20	-5.00	3	Horizontal	170	1.73	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.441G	43.55	54.00	-10.45	3	Vertical	34	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.683G	90.56	Inf	-Inf	3	Vertical	34	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.466G	55.25	68.20	-12.95	3	Vertical	34	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.686G	103.17	Inf	-Inf	3	Vertical	34	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.86G	57.86	68.20	-10.34	3	Vertical	34	2.99	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.46G	48.74	54.00	-5.26	3	Horizontal	0	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.698G	105.62	Inf	-Inf	3	Horizontal	0	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	62.37	68.20	-5.83	3	Horizontal	0	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.699G	117.90	Inf	-Inf	3	Horizontal	0	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.867G	67.96	68.20	-0.24	3	Horizontal	0	1.62	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.37958G	41.63	54.00	-12.37	3	Vertical	296	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38942G	55.05	74.00	-18.95	3	Vertical	296	1.20	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07504G	64.90	68.20	-3.30	3	Vertical	291	1.75	-
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3797G	41.58	54.00	-12.42	3	Horizontal	194	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38126G	55.44	74.00	-18.56	3	Horizontal	194	1.68	-
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.274G	63.57	68.20	-4.63	3	Horizontal	247	1.28	-



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	44.51	54.00	-9.49	5.47	3	Vertical	337	0.99	-	39.04	32.00	7.31	33.84
AV	5.2672G	99.54	Inf	-Inf	5.02	3	Vertical	337	0.99	-	94.52	31.43	7.45	33.86
AV	5.3686G	44.17	54.00	-9.83	5.04	3	Vertical	337	0.99	-	39.13	31.41	7.52	33.89
PK	5.1454G	56.54	74.00	-17.46	5.47	3	Vertical	337	0.99	-	51.07	32.00	7.30	33.83
PK	5.269G	111.37	Inf	-Inf	5.01	3	Vertical	337	0.99	-	106.36	31.42	7.45	33.86
PK	5.3638G	56.48	74.00	-17.52	5.01	3	Vertical	337	0.99	-	51.47	31.38	7.52	33.89



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.28	54.00	-4.72	5.47	3	Horizontal	6	2.31	-	43.81	32.00	7.31	33.84
AV	5.2672G	114.77	Inf	-Inf	5.02	3	Horizontal	6	2.31	-	109.75	31.43	7.45	33.86
AV	5.368G	53.47	54.00	-0.53	5.04	3	Horizontal	6	2.31	-	48.43	31.41	7.52	33.89
PK	5.1448G	61.26	74.00	-12.74	5.47	3	Horizontal	6	2.31	-	55.79	32.00	7.30	33.83
PK	5.269G	126.90	Inf	-Inf	5.01	3	Horizontal	6	2.31	-	121.89	31.42	7.45	33.86
PK	5.368G	64.91	74.00	-9.09	5.04	3	Horizontal	6	2.31	-	59.87	31.41	7.52	33.89



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.78414G	48.72	54.00	-5.28	18.35	3	Vertical	22	2.81	-	30.37	37.52	13.28	32.45
PK	10.5134G	56.09	68.20	-12.11	16.38	3	Vertical	347	1.53	-	39.71	39.73	10.75	34.10
PK	15.78732G	62.82	74.00	-11.18	18.34	3	Vertical	22	2.81	-	44.48	37.51	13.28	32.45






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77802G	50.65	54.00	-3.35	18.36	3	Horizontal	101	1.49	-	32.29	37.52	13.28	32.44
PK	10.51718G	55.85	68.20	-12.35	16.39	3	Horizontal	114	1.48	-	39.46	39.73	10.76	34.10
PK	15.78198G	64.72	74.00	-9.28	18.36	3	Horizontal	101	1.49	-	46.36	37.52	13.28	32.44



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3012G	93.72	Inf	-Inf	4.91	3	Vertical	358	2.76	-	88.81	31.30	7.48	33.87
AV	5.35G	43.78	54.00	-10.22	4.93	3	Vertical	358	2.76	-	38.85	31.30	7.51	33.88
PK	5.3006G	105.88	Inf	-Inf	4.91	3	Vertical	358	2.76	-	100.97	31.30	7.48	33.87
PK	5.36G	55.99	74.00	-18.01	4.98	3	Vertical	358	2.76	-	51.01	31.36	7.51	33.89



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2976G	111.36	Inf	-Inf	4.91	3	Horizontal	0	1.49	-	106.45	31.31	7.47	33.87
AV	5.35G	51.82	54.00	-2.18	4.93	3	Horizontal	0	1.49	-	46.89	31.30	7.51	33.88
PK	5.2958G	123.01	Inf	-Inf	4.92	3	Horizontal	0	1.49	-	118.09	31.32	7.47	33.87
PK	5.35G	73.22	74.00	-0.78	4.93	3	Horizontal	0	1.49	-	68.29	31.30	7.51	33.88



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.91008G	49.59	54.00	-4.41	18.10	3	Vertical	41	1.50	-	31.49	37.28	13.34	32.52
PK	10.58728G	55.00	68.20	-13.20	16.63	3	Vertical	340	1.48	-	38.37	39.87	10.82	34.06
PK	15.91194G	65.15	74.00	-8.85	18.09	3	Vertical	41	1.50	-	47.06	37.28	13.34	32.53



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89658G	49.14	54.00	-4.86	18.13	3	Horizontal	19	1.49	-	31.01	37.31	13.34	32.52
PK	10.5952G	56.54	68.20	-11.66	16.66	3	Horizontal	351	2.90	-	39.88	39.89	10.83	34.06
PK	15.90252G	62.72	74.00	-11.28	18.11	3	Horizontal	19	1.49	-	44.61	37.29	13.34	32.52



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3272G	94.82	Inf	-Inf	4.91	3	Vertical	320	3.00	-	89.91	31.30	7.49	33.88
AV	5.35G	45.68	54.00	-8.32	4.93	3	Vertical	320	3.00	-	40.75	31.30	7.51	33.88
PK	5.3272G	106.57	Inf	-Inf	4.91	3	Vertical	320	3.00	-	101.66	31.30	7.49	33.88
PK	5.35G	63.13	74.00	-10.87	4.93	3	Vertical	320	3.00	-	58.20	31.30	7.51	33.88



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3128G	108.97	Inf	-Inf	4.90	3	Horizontal	21	1.17	-	104.07	31.30	7.48	33.88
AV	5.3506G	53.18	54.00	-0.82	4.93	3	Horizontal	21	1.17	-	48.25	31.30	7.51	33.88
PK	5.3122G	120.92	Inf	-Inf	4.91	3	Horizontal	21	1.17	-	116.01	31.30	7.48	33.87
PK	5.3506G	68.43	74.00	-5.57	4.93	3	Horizontal	21	1.17	-	63.50	31.30	7.51	33.88



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65194G	41.53	54.00	-12.47	16.75	3	Vertical	321	2.84	-	24.78	39.90	10.88	34.03
AV	15.9582G	47.07	54.00	-6.93	18.00	3	Vertical	325	1.49	-	29.07	37.18	13.37	32.55
PK	10.62974G	55.27	74.00	-18.73	16.72	3	Vertical	321	2.84	-	38.55	39.90	10.86	34.04
PK	15.96384G	61.47	74.00	-12.53	17.98	3	Vertical	325	1.49	-	43.49	37.17	13.37	32.56






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64954G	41.53	54.00	-12.47	16.74	3	Horizontal	351	2.62	-	24.79	39.90	10.87	34.03
AV	15.9543G	47.06	54.00	-6.94	18.01	3	Horizontal	312	1.62	-	29.05	37.19	13.37	32.55
PK	10.63814G	54.88	74.00	-19.12	16.72	3	Horizontal	351	2.58	-	38.16	39.90	10.86	34.04
PK	15.9543G	60.71	74.00	-13.29	18.01	3	Horizontal	312	1.62	-	42.70	37.19	13.37	32.55



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4064G	44.04	54.00	-9.96	5.26	3	Vertical	349	2.61	-	38.78	31.63	7.53	33.90
AV	5.5018G	93.68	Inf	-Inf	5.30	3	Vertical	349	2.61	-	88.38	31.90	7.32	33.92
PK	5.4676G	56.09	68.20	-12.11	5.32	3	Vertical	349	2.61	-	50.77	31.84	7.39	33.91
PK	5.4964G	106.37	Inf	-Inf	5.30	3	Vertical	349	2.61	-	101.07	31.89	7.33	33.92



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4088G	48.92	54.00	-5.08	5.26	3	Horizontal	355	2.28	-	43.66	31.64	7.52	33.90
AV	5.509G	108.89	Inf	-Inf	5.28	3	Horizontal	355	2.28	-	103.61	31.90	7.30	33.92
PK	5.4694G	68.00	68.20	-0.20	5.32	3	Horizontal	355	2.28	-	62.68	31.84	7.39	33.91
PK	5.5084G	121.82	Inf	-Inf	5.28	3	Horizontal	355	2.28	-	116.54	31.90	7.30	33.92



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.98908G	42.09	54.00	-11.91	17.51	3	Vertical	2	1.50	-	24.58	40.19	11.18	33.86
PK	10.99976G	55.05	74.00	-18.95	17.53	3	Vertical	2	1.50	-	37.52	40.20	11.18	33.85
PK	16.51278G	63.24	68.20	-4.96	20.13	3	Vertical	26	1.49	-	43.11	38.55	13.75	32.17



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0087G	42.06	54.00	-11.94	17.51	3	Horizontal	283	1.47	-	24.55	40.17	11.19	33.85
PK	10.98956G	55.28	74.00	-18.72	17.51	3	Horizontal	283	1.47	-	37.77	40.19	11.18	33.86
PK	16.49232G	63.16	68.20	-5.04	20.02	3	Horizontal	0	1.47	-	43.14	38.48	13.74	32.20



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.88	54.00	-10.12	5.32	3	Vertical	6	1.48	-	38.56	31.82	7.41	33.91
AV	5.5758G	97.83	Inf	-Inf	5.07	3	Vertical	6	1.48	-	92.76	31.85	7.15	33.93
PK	5.4654G	55.65	68.20	-12.55	5.32	3	Vertical	6	1.48	-	50.33	31.83	7.40	33.91
PK	5.577G	108.84	Inf	-Inf	5.07	3	Vertical	6	1.48	-	103.77	31.85	7.15	33.93
PK	5.7252G	55.50	68.20	-12.70	5.67	3	Vertical	6	1.48	-	49.83	32.00	7.63	33.96



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	49.45	54.00	-4.55	5.32	3	Horizontal	23	1.73	-	44.13	31.82	7.41	33.91
AV	5.5878G	114.74	Inf	-Inf	5.02	3	Horizontal	23	1.73	-	109.72	31.82	7.13	33.93
PK	5.4696G	67.83	68.20	-0.37	5.32	3	Horizontal	23	1.73	-	62.51	31.84	7.39	33.91
PK	5.5878G	126.55	Inf	-Inf	5.02	3	Horizontal	23	1.73	-	121.53	31.82	7.13	33.93
PK	5.7288G	61.80	68.20	-6.40	5.71	3	Horizontal	23	1.73	-	56.09	32.02	7.65	33.96



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1658G	41.80	54.00	-12.20	17.28	3	Vertical	98	1.49	-	24.52	39.77	11.33	33.82
PK	11.1746G	54.89	74.00	-19.11	17.27	3	Vertical	98	1.49	-	37.62	39.75	11.34	33.82
PK	16.7344G	67.00	68.20	-1.20	21.66	3	Vertical	191	1.61	-	45.34	39.50	13.91	31.75






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1514G	42.34	54.00	-11.66	17.29	3	Horizontal	17	1.48	-	25.05	39.80	11.32	33.83
PK	11.1728G	55.09	74.00	-18.91	17.27	3	Horizontal	17	1.48	-	37.82	39.75	11.34	33.82
PK	16.7239G	68.06	68.20	-0.14	21.60	3	Horizontal	14	1.48	-	46.46	39.47	13.90	31.77



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.691G	91.40	Inf	-Inf	5.42	3	Vertical	339	2.91	-	85.98	31.88	7.49	33.95
PK	5.6922G	102.79	Inf	-Inf	5.42	3	Vertical	339	2.91	-	97.37	31.88	7.49	33.95
PK	5.8116G	57.68	68.20	-10.52	6.33	3	Vertical	339	2.91	-	51.35	32.32	7.98	33.97



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6934G	106.85	Inf	-Inf	5.44	3	Horizontal	4	1.77	-	101.41	31.89	7.50	33.95
PK	5.6928G	118.30	Inf	-Inf	5.43	3	Horizontal	4	1.77	-	112.87	31.89	7.49	33.95
PK	5.7258G	67.29	68.20	-0.91	5.67	3	Horizontal	4	1.77	-	61.62	32.00	7.63	33.96



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41206G	42.11	54.00	-11.89	17.69	3	Vertical	176	2.75	-	24.42	39.92	11.55	33.78
PK	11.388G	54.99	74.00	-19.01	17.62	3	Vertical	176	2.75	-	37.37	39.88	11.53	33.79
PK	17.08794G	64.33	68.20	-3.87	22.79	3	Vertical	234	1.92	-	41.54	39.91	14.16	31.28



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40336G	42.13	54.00	-11.87	17.66	3	Horizontal	42	1.49	-	24.47	39.91	11.54	33.79
PK	11.38512G	54.96	74.00	-19.04	17.61	3	Horizontal	42	1.49	-	37.35	39.87	11.53	33.79
PK	17.10726G	64.28	68.20	-3.92	22.80	3	Horizontal	26	1.39	-	41.48	39.90	14.18	31.28



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.711G	96.83	Inf	-Inf	5.56	3	Vertical	360	1.47	-	91.27	31.94	7.57	33.95
PK	5.711G	108.04	Inf	-Inf	5.56	3	Vertical	360	1.47	-	102.48	31.94	7.57	33.95
PK	5.863G	57.56	68.20	-10.64	6.57	3	Vertical	360	1.47	-	50.99	32.43	8.12	33.98



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.723G	114.93	Inf	-Inf	5.65	3	Horizontal	7	1.00	-	109.28	31.99	7.62	33.96
PK	5.724G	126.93	Inf	-Inf	5.67	3	Horizontal	7	1.00	-	121.26	32.00	7.63	33.96
PK	5.859G	63.95	68.20	-4.25	6.55	3	Horizontal	7	1.00	-	57.40	32.42	8.11	33.98



802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4358G	43.22	54.00	-10.78	17.76	3	Vertical	2	1.48	-	25.46	39.97	11.57	33.78
PK	11.43652G	56.95	74.00	-17.05	17.76	3	Vertical	2	1.48	-	39.19	39.97	11.57	33.78
PK	17.15574G	65.73	68.20	-2.47	22.81	3	Vertical	183	1.69	-	42.92	39.90	14.21	31.30






802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44084G	43.38	54.00	-10.62	17.78	3	Horizontal	357	1.52	-	25.60	39.98	11.58	33.78
PK	11.43436G	56.74	74.00	-17.26	17.76	3	Horizontal	357	1.52	-	38.98	39.97	11.57	33.78
PK	17.15562G	66.08	68.20	-2.12	22.81	3	Horizontal	14	1.49	-	43.27	39.90	14.21	31.30



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1482G	44.35	54.00	-9.65	5.46	3	Vertical	337	2.99	-	38.89	32.00	7.30	33.84
AV	5.2544G	93.88	Inf	-Inf	5.07	3	Vertical	337	2.99	-	88.81	31.48	7.45	33.86
AV	5.3504G	45.78	54.00	-8.22	4.93	3	Vertical	337	2.99	-	40.85	31.30	7.51	33.88
PK	5.1308G	56.67	74.00	-17.33	5.44	3	Vertical	337	2.88	-	51.23	32.00	7.27	33.83
PK	5.2532G	105.48	Inf	-Inf	5.07	3	Vertical	337	2.99	-	100.41	31.49	7.44	33.86
PK	5.35G	59.32	74.00	-14.68	4.93	3	Vertical	337	2.88	-	54.39	31.30	7.51	33.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	49.14	54.00	-4.86	5.47	3	Horizontal	6	1.55	-	43.67	32.00	7.31	33.84
AV	5.2802G	109.99	Inf	-Inf	4.97	3	Horizontal	6	1.55	-	105.02	31.38	7.46	33.87
AV	5.3516G	53.55	54.00	-0.45	4.94	3	Horizontal	6	1.55	-	48.61	31.31	7.51	33.88
PK	5.15G	61.06	74.00	-12.94	5.47	3	Horizontal	6	1.55	-	55.59	32.00	7.31	33.84
PK	5.279G	121.60	Inf	-Inf	4.97	3	Horizontal	6	1.55	-	116.63	31.38	7.46	33.87
PK	5.3516G	70.56	74.00	-3.44	4.94	3	Horizontal	6	1.55	-	65.62	31.31	7.51	33.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7836G	46.83	54.00	-7.17	18.35	3	Vertical	14	2.74	-	28.48	37.52	13.28	32.45
PK	10.54018G	55.08	68.20	-13.12	16.47	3	Vertical	358	2.88	-	38.61	39.78	10.78	34.09
PK	15.73G	59.61	74.00	-14.39	18.41	3	Vertical	14	2.74	-	41.20	37.57	13.25	32.41



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8176G	47.38	54.00	-6.62	18.29	3	Horizontal	103	1.48	-	29.09	37.46	13.30	32.47
PK	10.5469G	54.85	68.20	-13.35	16.48	3	Horizontal	358	2.90	-	38.37	39.79	10.78	34.09
PK	15.8368G	60.78	74.00	-13.22	18.26	3	Horizontal	103	1.48	-	42.52	37.43	13.31	32.48



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2962G	85.08	Inf	-Inf	4.92	3	Vertical	358	2.64	-	80.16	31.32	7.47	33.87
AV	5.3526G	43.92	54.00	-10.08	4.95	3	Vertical	358	2.64	-	38.97	31.32	7.51	33.88
PK	5.2974G	97.13	Inf	-Inf	4.91	3	Vertical	358	2.64	-	92.22	31.31	7.47	33.87
PK	5.35G	56.13	74.00	-17.87	4.93	3	Vertical	358	2.64	-	51.20	31.30	7.51	33.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2956G	103.77	Inf	-Inf	4.92	3	Horizontal	4	1.53	-	98.85	31.32	7.47	33.87
AV	5.35G	53.51	54.00	-0.49	4.93	3	Horizontal	4	1.53	-	48.58	31.30	7.51	33.88
PK	5.2974G	115.65	Inf	-Inf	4.91	3	Horizontal	4	1.53	-	110.74	31.31	7.47	33.87
PK	5.3508G	69.11	74.00	-4.89	4.93	3	Horizontal	4	1.53	-	64.18	31.30	7.51	33.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.63404G	41.35	54.00	-12.65	16.72	3	Vertical	201	1.49	-	24.63	39.90	10.86	34.04
AV	15.9308G	46.72	54.00	-7.28	18.05	3	Vertical	111	1.49	-	28.67	37.24	13.35	32.54
PK	10.62876G	54.32	74.00	-19.68	16.72	3	Vertical	201	1.49	-	37.60	39.90	10.86	34.04
PK	15.8908G	60.05	74.00	-13.95	18.14	3	Vertical	111	1.49	-	41.91	37.32	13.33	32.51






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60938G	41.18	54.00	-12.82	16.69	3	Horizontal	236	1.17	-	24.49	39.90	10.84	34.05
AV	15.9456G	46.66	54.00	-7.34	18.02	3	Horizontal	0	2.51	-	28.64	37.21	13.36	32.55
PK	10.61652G	54.48	74.00	-19.52	16.70	3	Horizontal	236	1.17	-	37.78	39.90	10.85	34.05
PK	15.9582G	59.88	74.00	-14.12	18.00	3	Horizontal	0	2.51	-	41.88	37.18	13.37	32.55



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	43.88	54.00	-10.12	5.32	3	Vertical	341	3.00	-	38.56	31.80	7.43	33.91
AV	5.5046G	90.77	Inf	-Inf	5.29	3	Vertical	341	3.00	-	85.48	31.90	7.31	33.92
PK	5.4692G	56.65	68.20	-11.55	5.32	3	Vertical	341	3.00	-	51.33	31.84	7.39	33.91
PK	5.5046G	98.51	Inf	-Inf	5.29	3	Vertical	341	3.00	-	93.22	31.90	7.31	33.92



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.00	54.00	-4.00	5.32	3	Horizontal	9	1.42	-	44.68	31.82	7.41	33.91
AV	5.5166G	103.58	Inf	-Inf	5.26	3	Horizontal	9	1.42	-	98.32	31.90	7.28	33.92
PK	5.4698G	67.28	68.20	-0.92	5.32	3	Horizontal	9	1.42	-	61.96	31.84	7.39	33.91
PK	5.519G	116.02	Inf	-Inf	5.26	3	Horizontal	9	1.42	-	110.76	31.90	7.28	33.92



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01226G	41.94	54.00	-12.06	17.51	3	Vertical	18	1.74	-	24.43	40.16	11.20	33.85
PK	11.0167G	55.33	74.00	-18.67	17.50	3	Vertical	18	1.74	-	37.83	40.15	11.20	33.85
PK	16.52172G	62.52	68.20	-5.68	20.20	3	Vertical	360	2.96	-	42.32	38.59	13.76	32.15



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01844G	42.15	54.00	-11.85	17.49	3	Horizontal	0	1.49	-	24.66	40.14	11.20	33.85
PK	11.01544G	55.28	74.00	-18.72	17.50	3	Horizontal	0	1.49	-	37.78	40.15	11.20	33.85
PK	16.52832G	62.48	68.20	-5.72	20.24	3	Horizontal	348	3.00	-	42.24	38.61	13.77	32.14



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	44.14	54.00	-9.86	5.32	3	Vertical	343	3.00	-	38.82	31.82	7.41	33.91
AV	5.5644G	93.53	Inf	-Inf	5.12	3	Vertical	343	3.00	-	88.41	31.87	7.18	33.93
PK	5.4684G	56.92	68.20	-11.28	5.32	3	Vertical	343	3.00	-	51.60	31.84	7.39	33.91
PK	5.5596G	105.85	Inf	-Inf	5.14	3	Vertical	343	3.00	-	100.71	31.88	7.19	33.93



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4552G	50.63	54.00	-3.37	5.32	3	Horizontal	358	2.24	-	45.31	31.81	7.42	33.91
AV	5.5458G	108.74	Inf	-Inf	5.19	3	Horizontal	358	2.24	-	103.55	31.90	7.22	33.93
PK	5.4582G	67.33	74.00	-6.67	5.32	3	Horizontal	358	2.24	-	62.01	31.82	7.41	33.91
PK	5.4666G	67.27	68.20	-0.93	5.31	3	Horizontal	358	2.24	-	61.96	31.83	7.39	33.91
PK	5.5446G	121.46	Inf	-Inf	5.19	3	Horizontal	358	2.24	-	116.27	31.90	7.22	33.93



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08728G	41.63	54.00	-12.37	17.36	3	Vertical	358	1.49	-	24.27	39.94	11.26	33.84
PK	11.09136G	55.26	74.00	-18.74	17.36	3	Vertical	358	1.49	-	37.90	39.93	11.27	33.84
PK	16.65852G	62.70	68.20	-5.50	21.16	3	Vertical	116	1.48	-	41.54	39.19	13.86	31.89






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.08548G	41.80	54.00	-12.20	17.36	3	Horizontal	356	1.48	-	24.44	39.94	11.26	33.84
PK	11.08728G	55.24	74.00	-18.76	17.36	3	Horizontal	356	1.48	-	37.88	39.94	11.26	33.84
PK	16.66314G	63.73	68.20	-4.47	21.20	3	Horizontal	360	1.07	-	42.53	39.22	13.86	31.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6532G	88.69	Inf	-Inf	5.20	3	Vertical	21	1.83	-	83.49	31.81	7.33	33.94
PK	5.6532G	101.21	Inf	-Inf	5.20	3	Vertical	21	1.83	-	96.01	31.81	7.33	33.94
PK	5.8008G	57.36	68.20	-10.84	6.28	3	Vertical	21	1.83	-	51.08	32.30	7.95	33.97



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.688G	102.75	Inf	-Inf	5.40	3	Horizontal	360	1.84	-	97.35	31.88	7.47	33.95
PK	5.661G	115.75	Inf	-Inf	5.23	3	Horizontal	360	1.84	-	110.52	31.82	7.36	33.95
PK	5.7252G	67.44	68.20	-0.76	5.67	3	Horizontal	360	1.84	-	61.77	32.00	7.63	33.96



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.33316G	42.09	54.00	-11.91	17.45	3	Vertical	122	3.00	-	24.64	39.77	11.48	33.80
PK	11.35332G	55.14	74.00	-18.86	17.52	3	Vertical	122	3.00	-	37.62	39.81	11.50	33.79
PK	16.9974G	65.17	68.20	-3.03	22.84	3	Vertical	325	1.48	-	42.33	39.99	14.10	31.25



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.35068G	42.39	54.00	-11.61	17.51	3	Horizontal	360	1.28	-	24.88	39.80	11.50	33.79
PK	11.34G	55.76	74.00	-18.24	17.47	3	Horizontal	360	1.28	-	38.29	39.78	11.49	33.80
PK	17.01828G	65.57	68.20	-2.63	22.83	3	Horizontal	63	1.99	-	42.74	39.98	14.11	31.26



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.47	54.00	-10.53	5.32	3	Vertical	22	1.57	-	38.15	31.82	7.41	33.91
AV	5.722G	94.41	Inf	-Inf	5.65	3	Vertical	22	1.57	-	88.76	31.99	7.62	33.96
PK	5.468G	55.18	68.20	-13.02	5.32	3	Vertical	22	1.57	-	49.86	31.84	7.39	33.91
PK	5.72G	107.39	Inf	-Inf	5.63	3	Vertical	22	1.57	-	101.76	31.98	7.61	33.96
PK	5.902G	58.15	68.20	-10.05	6.75	3	Vertical	22	1.57	-	51.40	32.50	8.23	33.98



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	47.79	54.00	-6.21	5.32	3	Horizontal	16	1.03	-	42.47	31.82	7.41	33.91
AV	5.724G	112.76	Inf	-Inf	5.67	3	Horizontal	16	1.03	-	107.09	32.00	7.63	33.96
PK	5.466G	59.98	68.20	-8.22	5.31	3	Horizontal	16	1.03	-	54.67	31.83	7.39	33.91
PK	5.72G	124.47	Inf	-Inf	5.63	3	Horizontal	16	1.03	-	118.84	31.98	7.61	33.96
PK	5.864G	67.93	68.20	-0.27	6.58	3	Horizontal	16	1.03	-	61.35	32.43	8.13	33.98



802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40548G	42.19	54.00	-11.81	17.66	3	Vertical	188	2.60	-	24.53	39.91	11.54	33.79
PK	11.41826G	55.85	74.00	-18.15	17.72	3	Vertical	188	2.60	-	38.13	39.94	11.56	33.78
PK	17.11818G	64.91	68.20	-3.29	22.79	3	Vertical	248	2.04	-	42.12	39.90	14.18	31.29






802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41988G	42.85	54.00	-11.15	17.72	3	Horizontal	103	1.47	-	25.13	39.94	11.56	33.78
PK	11.42048G	55.85	74.00	-18.15	17.72	3	Horizontal	103	1.47	-	38.13	39.94	11.56	33.78
PK	17.1381G	66.33	68.20	-1.87	22.81	3	Horizontal	21	1.49	-	43.52	39.90	14.20	31.29



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.98	54.00	-10.02	5.47	3	Vertical	329	2.65	-	38.51	32.00	7.31	33.84
AV	5.305G	86.72	Inf	-Inf	4.91	3	Vertical	329	2.65	-	81.81	31.30	7.48	33.87
AV	5.35G	44.44	54.00	-9.56	4.93	3	Vertical	329	2.65	-	39.51	31.30	7.51	33.88
PK	5.136G	56.78	74.00	-17.22	5.45	3	Vertical	329	2.65	-	51.33	32.00	7.28	33.83
PK	5.281G	99.83	Inf	-Inf	4.97	3	Vertical	329	2.65	-	94.86	31.38	7.46	33.87
PK	5.539G	56.14	68.20	-12.06	5.20	3	Vertical	329	2.65	-	50.94	31.90	7.23	33.93



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.82	54.00	-6.18	5.47	3	Horizontal	0	1.48	-	42.35	32.00	7.31	33.84
AV	5.295G	100.01	Inf	-Inf	4.92	3	Horizontal	0	1.48	-	95.09	31.32	7.47	33.87
AV	5.35G	53.41	54.00	-0.59	4.93	3	Horizontal	0	1.48	-	48.48	31.30	7.51	33.88
PK	5.138G	60.52	74.00	-13.48	5.45	3	Horizontal	0	1.48	-	55.07	32.00	7.28	33.83
PK	5.281G	112.94	Inf	-Inf	4.97	3	Horizontal	0	1.48	-	107.97	31.38	7.46	33.87
PK	5.356G	68.25	74.00	-5.75	4.96	3	Horizontal	0	1.48	-	63.29	31.34	7.51	33.89



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88212G	45.79	54.00	-8.21	18.16	3	Vertical	37	2.19	-	27.63	37.34	13.33	32.51
PK	10.58732G	54.28	68.20	-13.92	16.63	3	Vertical	4	2.15	-	37.65	39.87	10.82	34.06
PK	15.88296G	59.61	74.00	-14.39	18.15	3	Vertical	37	2.19	-	41.46	37.33	13.33	32.51



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.87714G	45.87	54.00	-8.13	18.18	3	Horizontal	359	1.48	-	27.69	37.35	13.33	32.50
PK	10.58162G	54.08	68.20	-14.12	16.60	3	Horizontal	161	2.00	-	37.48	39.86	10.81	34.07
PK	15.87858G	60.32	74.00	-13.68	18.17	3	Horizontal	359	1.48	-	42.15	37.34	13.33	32.50



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	44.29	54.00	-9.71	5.32	3	Vertical	348	2.72	-	38.97	31.82	7.41	33.91
AV	5.521G	83.97	Inf	-Inf	5.25	3	Vertical	348	2.72	-	78.72	31.90	7.27	33.92
PK	5.468G	57.60	68.20	-10.60	5.32	3	Vertical	348	2.72	-	52.28	31.84	7.39	33.91
PK	5.52G	97.32	Inf	-Inf	5.26	3	Vertical	348	2.72	-	92.06	31.90	7.28	33.92
PK	5.736G	56.68	68.20	-11.52	5.76	3	Vertical	348	2.72	-	50.92	32.04	7.68	33.96



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	52.57	54.00	-1.43	5.32	3	Horizontal	13	1.13	-	47.25	31.82	7.41	33.91
AV	5.554G	100.01	Inf	-Inf	5.16	3	Horizontal	13	1.13	-	94.85	31.89	7.20	33.93
PK	5.468G	67.30	68.20	-0.90	5.32	3	Horizontal	13	1.13	-	61.98	31.84	7.39	33.91
PK	5.552G	113.13	Inf	-Inf	5.18	3	Horizontal	13	1.13	-	107.95	31.90	7.21	33.93
PK	5.755G	58.34	68.20	-9.86	5.92	3	Horizontal	13	1.13	-	52.42	32.12	7.76	33.96



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04524G	41.25	54.00	-12.75	17.45	3	Vertical	287	1.68	-	23.80	40.06	11.23	33.84
PK	11.06462G	54.74	74.00	-19.26	17.41	3	Vertical	287	1.68	-	37.33	40.01	11.24	33.84
PK	16.60038G	62.50	68.20	-5.70	20.72	3	Vertical	8	2.19	-	41.78	38.90	13.82	32.00






802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.05406G	41.32	54.00	-12.68	17.43	3	Horizontal	134	1.52	-	23.89	40.04	11.23	33.84
PK	11.07398G	54.99	74.00	-19.01	17.39	3	Horizontal	134	1.52	-	37.60	39.98	11.25	33.84
PK	16.60212G	62.13	68.20	-6.07	20.73	3	Horizontal	324	2.38	-	41.40	38.91	13.82	32.00



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	43.84	54.00	-10.16	5.32	3	Vertical	34	2.91	-	38.52	31.81	7.42	33.91
AV	5.622G	86.40	Inf	-Inf	5.05	3	Vertical	34	2.91	-	81.35	31.80	7.19	33.94
PK	5.464G	55.92	68.20	-12.28	5.32	3	Vertical	34	2.91	-	50.60	31.83	7.40	33.91
PK	5.578G	98.77	Inf	-Inf	5.06	3	Vertical	34	2.91	-	93.71	31.84	7.15	33.93
PK	5.733G	57.19	68.20	-11.01	5.74	3	Vertical	34	2.91	-	51.45	32.03	7.67	33.96



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	50.20	54.00	-3.80	5.32	3	Horizontal	359	2.13	-	44.88	31.82	7.41	33.91
AV	5.583G	102.62	Inf	-Inf	5.04	3	Horizontal	359	2.13	-	97.58	31.83	7.14	33.93
PK	5.467G	64.29	68.20	-3.91	5.31	3	Horizontal	359	2.13	-	58.98	31.83	7.39	33.91
PK	5.586G	118.27	Inf	-Inf	5.03	3	Horizontal	359	2.13	-	113.24	31.83	7.13	33.93
PK	5.726G	67.82	68.20	-0.38	5.68	3	Horizontal	359	2.13	-	62.14	32.00	7.64	33.96



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2143G	41.32	54.00	-12.68	17.25	3	Vertical	335	1.35	-	24.07	39.70	11.37	33.82
PK	11.21304G	55.20	74.00	-18.80	17.25	3	Vertical	335	1.35	-	37.95	39.70	11.37	33.82
PK	16.83198G	63.14	68.20	-5.06	22.14	3	Vertical	41	2.36	-	41.00	39.73	13.98	31.57



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2077G	41.31	54.00	-12.69	17.25	3	Horizontal	72	1.68	-	24.06	39.70	11.37	33.82
PK	11.22942G	54.70	74.00	-19.30	17.28	3	Horizontal	72	1.68	-	37.42	39.70	11.39	33.81
PK	16.83408G	63.20	68.20	-5.00	22.15	3	Horizontal	170	1.73	-	41.05	39.73	13.98	31.56



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.441G	43.55	54.00	-10.45	5.30	3	Vertical	34	2.99	-	38.25	31.76	7.45	33.91
AV	5.683G	90.56	Inf	-Inf	5.37	3	Vertical	34	2.99	-	85.19	31.87	7.45	33.95
PK	5.466G	55.25	68.20	-12.95	5.31	3	Vertical	34	2.99	-	49.94	31.83	7.39	33.91
PK	5.686G	103.17	Inf	-Inf	5.39	3	Vertical	34	2.99	-	97.78	31.87	7.47	33.95
PK	5.86G	57.86	68.20	-10.34	6.56	3	Vertical	34	2.99	-	51.30	32.42	8.12	33.98



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.74	54.00	-5.26	5.32	3	Horizontal	0	1.62	-	43.42	31.82	7.41	33.91
AV	5.698G	105.62	Inf	-Inf	5.47	3	Horizontal	0	1.62	-	100.15	31.90	7.52	33.95
PK	5.464G	62.37	68.20	-5.83	5.32	3	Horizontal	0	1.62	-	57.05	31.83	7.40	33.91
PK	5.699G	117.90	Inf	-Inf	5.47	3	Horizontal	0	1.62	-	112.43	31.90	7.52	33.95
PK	5.867G	67.96	68.20	-0.24	6.58	3	Horizontal	0	1.62	-	61.38	32.43	8.13	33.98



802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.37958G	41.63	54.00	-12.37	17.59	3	Vertical	296	1.20	-	24.04	39.86	11.52	33.79
PK	11.38942G	55.05	74.00	-18.95	17.62	3	Vertical	296	1.20	-	37.43	39.88	11.53	33.79
PK	17.07504G	64.90	68.20	-3.30	22.80	3	Vertical	291	1.75	-	42.10	39.92	14.15	31.27






802.11ax HEW80-BF\_Nss1,(MCS0)\_2TX

05/01/2020

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3797G	41.58	54.00	-12.42	17.59	3	Horizontal	194	1.68	-	23.99	39.86	11.52	33.79
PK	11.38126G	55.44	74.00	-18.56	17.59	3	Horizontal	194	1.68	-	37.85	39.86	11.52	33.79
PK	17.274G	63.57	68.20	-4.63	23.07	3	Horizontal	247	1.28	-	40.50	40.12	14.29	31.34