



**Average Power\_Beamforming\_Sample 2\_Radio 2\_Panel  
1\_2T1S**

**Appendix B.18**

**Summary**

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.25-5.35GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.37	0.03443	29.08	0.80910
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.68	0.03698	29.39	0.86896
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.64	0.03664	29.35	0.86099
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.63	0.03656	29.34	0.85901
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.69	0.03707	29.40	0.87096
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.76	0.03767	29.47	0.88512
5.47-5.725GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	15.49	0.03540	29.20	0.83176
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	15.51	0.03556	29.22	0.83560
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	15.67	0.03690	29.38	0.86696
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	15.78	0.03784	29.49	0.88920
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	15.71	0.03724	29.42	0.87498
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	15.76	0.03767	29.47	0.88512
5.725-5.85GHz	-	-	-	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	8.35	0.00684	22.06	0.16069
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	5.00	0.00316	18.71	0.07430
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	1.30	0.00135	15.01	0.03170
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	9.48	0.00887	23.19	0.20845
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.95	0.00394	19.66	0.09247
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	2.27	0.00169	15.98	0.03963



**Average Power\_Beamforming\_Sample 2\_Radio 2\_Panel  
1\_2T1S**

**Appendix B.18**

**Result**

Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	11.91	12.57	15.26	16.27	28.97	30.00
5300MHz	Pass	13.71	12.21	12.31	15.27	16.27	28.98	30.00
5320MHz	Pass	13.71	12.03	12.66	15.37	16.27	29.08	30.00
5500MHz	Pass	13.71	11.73	13.12	15.49	16.27	29.20	30.00
5580MHz	Pass	13.71	11.72	12.86	15.34	16.27	29.05	30.00
5700MHz	Pass	13.71	11.84	12.76	15.33	16.27	29.04	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	10.74	11.43	14.11	15.31	27.82	29.02
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	5.04	5.62	8.35	22.29	22.06	36.00
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	12.34	12.80	15.59	16.27	29.30	30.00
5310MHz	Pass	13.71	12.33	12.98	15.68	16.27	29.39	30.00
5510MHz	Pass	13.71	12.19	12.79	15.51	16.27	29.22	30.00
5550MHz	Pass	13.71	12.09	12.80	15.47	16.27	29.18	30.00
5670MHz	Pass	13.71	12.20	12.74	15.49	16.27	29.20	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	11.93	12.68	15.33	16.27	29.04	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	1.65	2.31	5.00	22.29	18.71	36.00
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.19	13.03	15.64	16.27	29.35	30.00
5530MHz	Pass	13.71	11.81	12.73	15.30	16.27	29.01	30.00
5610MHz	Pass	13.71	12.12	12.57	15.36	16.27	29.07	30.00
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	12.18	13.10	15.67	16.27	29.38	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-2.30	-1.19	1.30	22.29	15.01	36.00
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	13.71	12.24	12.85	15.57	16.27	29.28	30.00
5300MHz	Pass	13.71	12.29	12.93	15.63	16.27	29.34	30.00
5320MHz	Pass	13.71	12.42	12.79	15.62	16.27	29.33	30.00
5500MHz	Pass	13.71	12.18	13.29	15.78	16.27	29.49	30.00
5580MHz	Pass	13.71	12.37	13.00	15.71	16.27	29.42	30.00
5700MHz	Pass	13.71	12.11	12.76	15.46	16.27	29.17	30.00
5720MHz Straddle 5.47-5.725GHz	Pass	13.71	11.35	12.01	14.70	15.26	28.41	28.97
5720MHz Straddle 5.725-5.85GHz	Pass	13.71	6.11	6.80	9.48	22.29	23.19	36.00
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	13.71	12.39	12.88	15.65	16.27	29.36	30.00
5310MHz	Pass	13.71	12.27	13.05	15.69	16.27	29.40	30.00
5510MHz	Pass	13.71	12.22	13.13	15.71	16.27	29.42	30.00
5550MHz	Pass	13.71	12.31	12.82	15.58	16.27	29.29	30.00
5670MHz	Pass	13.71	12.34	12.79	15.58	16.27	29.29	30.00
5710MHz Straddle 5.47-5.725GHz	Pass	13.71	12.39	12.97	15.70	16.27	29.41	30.00
5710MHz Straddle 5.725-5.85GHz	Pass	13.71	2.69	3.17	5.95	22.29	19.66	36.00
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	13.71	12.27	13.19	15.76	16.27	29.47	30.00
5530MHz	Pass	13.71	12.36	12.83	15.61	16.27	29.32	30.00
5610MHz	Pass	13.71	12.36	12.71	15.55	16.27	29.26	30.00









**Average Power\_Beamforming\_Sample 2\_Radio 2\_Panel  
1\_2T1S**




**Appendix B.18**




Mode	Result	DG (dBi)	Port 1 (dBm)	Port 2 (dBm)	Total Power (dBm)	Power Limit (dBm)	EIRP (dBm)	EIRP Limit (dBm)
5690MHz Straddle 5.47-5.725GHz	Pass	13.71	12.47	13.02	15.76	16.27	29.47	30.00
5690MHz Straddle 5.725-5.85GHz	Pass	13.71	-1.01	-0.48	2.27	22.29	15.98	36.00

**DG** = Directional Gain; **Port X** = Port X output power













Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.41	13.58
802.11ac VHT20_Nss1,(MCS0)_1TX	7.59	12.76
802.11ac VHT40_Nss1,(MCS0)_1TX	4.70	9.87
802.11ac VHT80_Nss1,(MCS0)_1TX	-0.57	4.60
802.11ax HEW20_Nss1,(MCS0)_1TX	7.61	12.78
802.11ax HEW40_Nss1,(MCS0)_1TX	4.85	10.02
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.47	4.70
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.44	13.61
802.11ac VHT20_Nss1,(MCS0)_1TX	7.93	13.10
802.11ac VHT40_Nss1,(MCS0)_1TX	5.33	10.50
802.11ac VHT80_Nss1,(MCS0)_1TX	2.34	7.51
802.11ax HEW20_Nss1,(MCS0)_1TX	7.80	12.97
802.11ax HEW40_Nss1,(MCS0)_1TX	5.50	10.67
802.11ax HEW80_Nss1,(MCS0)_1TX	2.63	7.80
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.59	11.76
802.11ac VHT20_Nss1,(MCS0)_1TX	5.94	11.11
802.11ac VHT40_Nss1,(MCS0)_1TX	2.74	7.91
802.11ac VHT80_Nss1,(MCS0)_1TX	-0.46	4.71
802.11ax HEW20_Nss1,(MCS0)_1TX	6.05	11.22
802.11ax HEW40_Nss1,(MCS0)_1TX	3.45	8.62
802.11ax HEW80_Nss1,(MCS0)_1TX	0.17	5.34

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	8.24	8.24	11.00	13.41	17.00
5300MHz	Pass	5.17	8.41	8.41	11.00	13.58	17.00
5320MHz	Pass	5.17	7.34	7.34	11.00	12.51	17.00
5500MHz	Pass	5.17	7.29	7.29	11.00	12.46	17.00
5580MHz	Pass	5.17	8.29	8.29	11.00	13.46	17.00
5700MHz	Pass	5.17	6.88	6.88	11.00	12.05	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	8.44	8.44	11.00	13.61	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	6.59	6.59	30.00	11.76	36.00
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	7.51	7.51	11.00	12.68	17.00
5300MHz	Pass	5.17	7.59	7.59	11.00	12.76	17.00
5320MHz	Pass	5.17	6.46	6.46	11.00	11.63	17.00
5500MHz	Pass	5.17	5.72	5.72	11.00	10.89	17.00
5580MHz	Pass	5.17	7.93	7.93	11.00	13.10	17.00
5700MHz	Pass	5.17	5.20	5.20	11.00	10.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	7.72	7.72	11.00	12.89	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	5.94	5.94	30.00	11.11	36.00
802.11ac_VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	5.17	4.70	4.70	11.00	9.87	17.00
5310MHz	Pass	5.17	2.40	2.40	11.00	7.57	17.00
5510MHz	Pass	5.17	1.07	1.07	11.00	6.24	17.00
5550MHz	Pass	5.17	4.14	4.14	11.00	9.31	17.00
5670MHz	Pass	5.17	5.33	5.33	11.00	10.50	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.17	4.90	4.90	11.00	10.07	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.17	2.74	2.74	30.00	7.91	36.00
802.11ac_VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	5.17	-0.57	-0.57	11.00	4.60	17.00
5530MHz	Pass	5.17	-0.81	-0.81	11.00	4.36	17.00
5610MHz	Pass	5.17	2.02	2.02	11.00	7.19	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.17	2.34	2.34	11.00	7.51	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.17	-0.46	-0.46	30.00	4.71	36.00
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	5.17	7.61	7.61	11.00	12.78	17.00
5300MHz	Pass	5.17	7.56	7.56	11.00	12.73	17.00
5320MHz	Pass	5.17	6.66	6.66	11.00	11.83	17.00
5500MHz	Pass	5.17	5.69	5.69	11.00	10.86	17.00
5580MHz	Pass	5.17	7.76	7.76	11.00	12.93	17.00
5700MHz	Pass	5.17	5.18	5.18	11.00	10.35	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.17	7.80	7.80	11.00	12.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.17	6.05	6.05	30.00	11.22	36.00
802.11ax_HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	5.17	4.85	4.85	11.00	10.02	17.00
5310MHz	Pass	5.17	2.39	2.39	11.00	7.56	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.17	1.33	1.33	11.00	6.50	17.00
5550MHz	Pass	5.17	4.92	4.92	11.00	10.09	17.00
5670MHz	Pass	5.17	5.49	5.49	11.00	10.66	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.17	5.50	5.50	11.00	10.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.17	3.45	3.45	30.00	8.62	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	5.17	-0.47	-0.47	11.00	4.70	17.00
5530MHz	Pass	5.17	-0.80	-0.80	11.00	4.37	17.00
5610MHz	Pass	5.17	2.32	2.32	11.00	7.49	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.17	2.63	2.63	11.00	7.80	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.17	0.17	0.17	30.00	5.34	36.00




**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;








































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.84	16.97
802.11ac VHT20_Nss2,(MCS0)_2TX	10.12	15.24
802.11ac VHT40_Nss2,(MCS0)_2TX	7.26	12.38
802.11ac VHT80_Nss2,(MCS0)_2TX	1.97	7.09
802.11ax HEW20_Nss2,(MCS0)_2TX	10.23	15.35
802.11ax HEW40_Nss2,(MCS0)_2TX	7.18	12.30
802.11ax HEW80_Nss2,(MCS0)_2TX	1.92	7.04
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	8.85	16.98
802.11ac VHT20_Nss2,(MCS0)_2TX	10.34	15.46
802.11ac VHT40_Nss2,(MCS0)_2TX	7.55	12.67
802.11ac VHT80_Nss2,(MCS0)_2TX	4.78	9.90
802.11ax HEW20_Nss2,(MCS0)_2TX	10.36	15.48
802.11ax HEW40_Nss2,(MCS0)_2TX	7.73	12.85
802.11ax HEW80_Nss2,(MCS0)_2TX	4.80	9.92
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	6.81	14.94
802.11ac VHT20_Nss2,(MCS0)_2TX	8.65	13.77
802.11ac VHT40_Nss2,(MCS0)_2TX	5.51	10.63
802.11ac VHT80_Nss2,(MCS0)_2TX	2.56	7.68
802.11ax HEW20_Nss2,(MCS0)_2TX	8.75	13.87
802.11ax HEW40_Nss2,(MCS0)_2TX	5.77	10.89
802.11ax HEW80_Nss2,(MCS0)_2TX	2.39	7.51

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	8.13	5.88	5.90	8.84	8.87	16.97	17.00
5300MHz	Pass	8.13	5.87	5.88	8.84	8.87	16.97	17.00
5320MHz	Pass	8.13	5.73	5.90	8.77	8.87	16.90	17.00
5500MHz	Pass	8.13	5.95	5.91	8.85	8.87	16.98	17.00
5580MHz	Pass	8.13	5.69	5.68	8.67	8.87	16.80	17.00
5700MHz	Pass	8.13	5.95	5.70	8.77	8.87	16.90	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.13	5.87	5.48	8.65	8.87	16.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.13	3.94	3.76	6.81	27.87	14.94	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	5.12	7.17	7.15	10.09	11.00	15.21	17.00
5300MHz	Pass	5.12	7.13	7.19	10.12	11.00	15.24	17.00
5320MHz	Pass	5.12	6.36	6.57	9.36	11.00	14.48	17.00
5500MHz	Pass	5.12	6.84	6.64	9.64	11.00	14.76	17.00
5580MHz	Pass	5.12	7.43	7.40	10.34	11.00	15.46	17.00
5700MHz	Pass	5.12	4.87	4.72	7.73	11.00	12.85	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	7.48	7.31	10.27	11.00	15.39	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.12	5.58	5.72	8.65	30.00	13.77	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	5.12	4.50	4.30	7.26	11.00	12.38	17.00
5310MHz	Pass	5.12	2.02	1.98	4.87	11.00	9.99	17.00
5510MHz	Pass	5.12	-0.19	-0.17	2.75	11.00	7.87	17.00
5550MHz	Pass	5.12	3.65	4.09	6.79	11.00	11.91	17.00
5670MHz	Pass	5.12	4.52	3.99	7.17	11.00	12.29	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.12	4.88	4.23	7.55	11.00	12.67	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.12	2.80	2.39	5.51	30.00	10.63	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.12	-1.24	-0.84	1.97	11.00	7.09	17.00
5530MHz	Pass	5.12	-1.63	-1.02	1.66	11.00	6.78	17.00
5610MHz	Pass	5.12	1.75	2.00	4.74	11.00	9.86	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.12	1.71	1.87	4.78	11.00	9.90	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.12	-0.76	-0.16	2.56	30.00	7.68	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	5.12	7.22	7.28	10.23	11.00	15.35	17.00
5300MHz	Pass	5.12	6.96	7.25	10.09	11.00	15.21	17.00
5320MHz	Pass	5.12	6.46	6.73	9.58	11.00	14.70	17.00
5500MHz	Pass	5.12	6.83	6.52	9.62	11.00	14.74	17.00
5580MHz	Pass	5.12	7.18	7.25	10.19	11.00	15.31	17.00
5700MHz	Pass	5.12	4.68	4.69	7.62	11.00	12.74	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	7.56	7.36	10.36	11.00	15.48	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.12	5.82	5.65	8.75	30.00	13.87	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	5.12	4.36	4.17	7.18	11.00	12.30	17.00
5310MHz	Pass	5.12	2.13	2.17	4.96	11.00	10.08	17.00






Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	5.12	-0.20	-0.08	2.85	11.00	7.97	17.00
5550MHz	Pass	5.12	3.93	4.28	7.03	11.00	12.15	17.00
5670MHz	Pass	5.12	4.26	3.90	7.04	11.00	12.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.12	4.92	4.58	7.73	11.00	12.85	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.12	2.86	2.69	5.77	30.00	10.89	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	5.12	-1.10	-0.97	1.92	11.00	7.04	17.00
5530MHz	Pass	5.12	-1.44	-1.08	1.72	11.00	6.84	17.00
5610MHz	Pass	5.12	1.73	1.91	4.80	11.00	9.92	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.12	1.91	1.74	4.79	11.00	9.91	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.12	-0.73	-0.34	2.39	30.00	7.51	36.00




**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;











































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.72	13.53
802.11ac VHT20_Nss1,(MCS0)_1TX	8.11	12.92
802.11ac VHT40_Nss1,(MCS0)_1TX	5.16	9.97
802.11ac VHT80_Nss1,(MCS0)_1TX	0.66	5.47
802.11ax HEW20_Nss1,(MCS0)_1TX	8.11	12.92
802.11ax HEW40_Nss1,(MCS0)_1TX	5.07	9.88
802.11ax HEW80_Nss1,(MCS0)_1TX	0.43	5.24
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	9.14	13.95
802.11ac VHT20_Nss1,(MCS0)_1TX	8.53	13.34
802.11ac VHT40_Nss1,(MCS0)_1TX	6.23	11.04
802.11ac VHT80_Nss1,(MCS0)_1TX	3.29	8.10
802.11ax HEW20_Nss1,(MCS0)_1TX	8.38	13.19
802.11ax HEW40_Nss1,(MCS0)_1TX	5.98	10.79
802.11ax HEW80_Nss1,(MCS0)_1TX	3.19	8.00
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.11	11.92
802.11ac VHT20_Nss1,(MCS0)_1TX	6.33	11.14
802.11ac VHT40_Nss1,(MCS0)_1TX	3.64	8.45
802.11ac VHT80_Nss1,(MCS0)_1TX	0.22	5.03
802.11ax HEW20_Nss1,(MCS0)_1TX	6.23	11.04
802.11ax HEW40_Nss1,(MCS0)_1TX	3.82	8.63
802.11ax HEW80_Nss1,(MCS0)_1TX	0.66	5.47

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	8.35	8.35	11.00	13.16	17.00
5300MHz	Pass	4.81	8.60	8.60	11.00	13.41	17.00
5320MHz	Pass	4.81	8.72	8.72	11.00	13.53	17.00
5500MHz	Pass	4.81	5.52	5.52	11.00	10.33	17.00
5580MHz	Pass	4.81	9.14	9.14	11.00	13.95	17.00
5700MHz	Pass	4.81	6.29	6.29	11.00	11.10	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.97	8.97	11.00	13.78	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	7.11	7.11	30.00	11.92	36.00
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	7.87	7.87	11.00	12.68	17.00
5300MHz	Pass	4.81	8.11	8.11	11.00	12.92	17.00
5320MHz	Pass	4.81	6.96	6.96	11.00	11.77	17.00
5500MHz	Pass	4.81	5.39	5.39	11.00	10.20	17.00
5580MHz	Pass	4.81	8.53	8.53	11.00	13.34	17.00
5700MHz	Pass	4.81	2.98	2.98	11.00	7.79	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.16	8.16	11.00	12.97	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	6.33	6.33	30.00	11.14	36.00
802.11ac_VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.81	5.16	5.16	11.00	9.97	17.00
5310MHz	Pass	4.81	3.58	3.58	11.00	8.39	17.00
5510MHz	Pass	4.81	2.02	2.02	11.00	6.83	17.00
5550MHz	Pass	4.81	5.61	5.61	11.00	10.42	17.00
5670MHz	Pass	4.81	6.23	6.23	11.00	11.04	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.81	5.97	5.97	11.00	10.78	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.81	3.64	3.64	30.00	8.45	36.00
802.11ac_VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.81	0.66	0.66	11.00	5.47	17.00
5530MHz	Pass	4.81	-0.84	-0.84	11.00	3.97	17.00
5610MHz	Pass	4.81	2.78	2.78	11.00	7.59	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.81	3.29	3.29	11.00	8.10	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.81	0.22	0.22	30.00	5.03	36.00
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	4.81	7.80	7.80	11.00	12.61	17.00
5300MHz	Pass	4.81	8.11	8.11	11.00	12.92	17.00
5320MHz	Pass	4.81	6.95	6.95	11.00	11.76	17.00
5500MHz	Pass	4.81	5.23	5.23	11.00	10.04	17.00
5580MHz	Pass	4.81	8.38	8.38	11.00	13.19	17.00
5700MHz	Pass	4.81	2.79	2.79	11.00	7.60	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.81	8.07	8.07	11.00	12.88	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.81	6.23	6.23	30.00	11.04	36.00
802.11ax_HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	4.81	5.07	5.07	11.00	9.88	17.00
5310MHz	Pass	4.81	3.41	3.41	11.00	8.22	17.00














Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	4.81	1.90	1.90	11.00	6.71	17.00
5550MHz	Pass	4.81	5.44	5.44	11.00	10.25	17.00
5670MHz	Pass	4.81	5.98	5.98	11.00	10.79	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.81	5.91	5.91	11.00	10.72	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.81	3.82	3.82	30.00	8.63	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	4.81	0.43	0.43	11.00	5.24	17.00
5530MHz	Pass	4.81	-0.89	-0.89	11.00	3.92	17.00
5610MHz	Pass	4.81	2.96	2.96	11.00	7.77	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.81	3.19	3.19	11.00	8.00	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.81	0.66	0.66	30.00	5.47	36.00




**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;








































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.17	16.96
802.11ac VHT20_Nss2,(MCS0)_2TX	9.76	14.54
802.11ac VHT40_Nss2,(MCS0)_2TX	7.16	11.94
802.11ac VHT80_Nss2,(MCS0)_2TX	1.64	6.42
802.11ax HEW20_Nss2,(MCS0)_2TX	9.60	14.38
802.11ax HEW40_Nss2,(MCS0)_2TX	7.11	11.89
802.11ax HEW80_Nss2,(MCS0)_2TX	1.80	6.58
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	9.09	16.88
802.11ac VHT20_Nss2,(MCS0)_2TX	10.32	15.10
802.11ac VHT40_Nss2,(MCS0)_2TX	8.17	12.95
802.11ac VHT80_Nss2,(MCS0)_2TX	4.65	9.43
802.11ax HEW20_Nss2,(MCS0)_2TX	10.72	15.50
802.11ax HEW40_Nss2,(MCS0)_2TX	8.00	12.78
802.11ax HEW80_Nss2,(MCS0)_2TX	4.73	9.51
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	7.45	15.24
802.11ac VHT20_Nss2,(MCS0)_2TX	8.72	13.50
802.11ac VHT40_Nss2,(MCS0)_2TX	5.95	10.73
802.11ac VHT80_Nss2,(MCS0)_2TX	2.24	7.02
802.11ax HEW20_Nss2,(MCS0)_2TX	8.72	13.50
802.11ax HEW40_Nss2,(MCS0)_2TX	6.00	10.78
802.11ax HEW80_Nss2,(MCS0)_2TX	2.35	7.13

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.79	6.01	6.10	8.96	9.21	16.75	17.00
5300MHz	Pass	7.79	6.10	6.07	9.01	9.21	16.80	17.00
5320MHz	Pass	7.79	6.26	6.20	9.17	9.21	16.96	17.00
5500MHz	Pass	7.79	5.53	6.64	9.09	9.21	16.88	17.00
5580MHz	Pass	7.79	5.64	6.40	9.01	9.21	16.80	17.00
5700MHz	Pass	7.79	6.20	6.26	9.07	9.21	16.86	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	7.79	6.06	6.15	9.02	9.21	16.81	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	7.79	4.25	4.62	7.45	28.21	15.24	36.00
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.78	6.73	6.80	9.68	11.00	14.46	17.00
5300MHz	Pass	4.78	6.63	6.97	9.76	11.00	14.54	17.00
5320MHz	Pass	4.78	5.34	5.83	8.54	11.00	13.32	17.00
5500MHz	Pass	4.78	5.39	6.17	8.77	11.00	13.55	17.00
5580MHz	Pass	4.78	6.61	7.24	9.86	11.00	14.64	17.00
5700MHz	Pass	4.78	3.87	4.70	7.25	11.00	12.03	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	7.28	7.55	10.32	11.00	15.10	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.78	5.41	6.02	8.72	30.00	13.50	36.00
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.78	4.16	4.30	7.16	11.00	11.94	17.00
5310MHz	Pass	4.78	2.19	2.71	5.36	11.00	10.14	17.00
5510MHz	Pass	4.78	-0.01	0.62	3.27	11.00	8.05	17.00
5550MHz	Pass	4.78	3.94	4.17	6.92	11.00	11.70	17.00
5670MHz	Pass	4.78	3.87	4.13	6.91	11.00	11.69	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.78	5.09	5.46	8.17	11.00	12.95	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.78	2.73	3.18	5.95	30.00	10.73	36.00
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.78	-1.71	-0.87	1.64	11.00	6.42	17.00
5530MHz	Pass	4.78	-1.84	-1.58	1.23	11.00	6.01	17.00
5610MHz	Pass	4.78	1.37	2.06	4.64	11.00	9.42	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.78	1.32	1.99	4.65	11.00	9.43	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.78	-1.37	-0.24	2.24	30.00	7.02	36.00
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5260MHz	Pass	4.78	6.57	6.64	9.53	11.00	14.31	17.00
5300MHz	Pass	4.78	6.54	6.73	9.60	11.00	14.38	17.00
5320MHz	Pass	4.78	5.33	5.72	8.48	11.00	13.26	17.00
5500MHz	Pass	4.78	5.33	6.04	8.69	11.00	13.47	17.00
5580MHz	Pass	4.78	6.48	7.10	9.72	11.00	14.50	17.00
5700MHz	Pass	4.78	3.82	4.62	7.19	11.00	11.97	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.78	7.68	7.87	10.72	11.00	15.50	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.78	5.32	6.08	8.72	30.00	13.50	36.00
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5270MHz	Pass	4.78	4.06	4.49	7.11	11.00	11.89	17.00
5310MHz	Pass	4.78	2.08	2.56	5.28	11.00	10.06	17.00









Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	4.78	-0.05	0.82	3.37	11.00	8.15	17.00
5550MHz	Pass	4.78	3.81	4.40	7.05	11.00	11.83	17.00
5670MHz	Pass	4.78	3.76	4.31	7.04	11.00	11.82	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.78	4.86	5.17	8.00	11.00	12.78	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.78	2.91	3.18	6.00	30.00	10.78	36.00
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-
5290MHz	Pass	4.78	-1.51	-0.78	1.80	11.00	6.58	17.00
5530MHz	Pass	4.78	-1.92	-1.68	1.19	11.00	5.97	17.00
5610MHz	Pass	4.78	1.04	1.54	4.26	11.00	9.04	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.78	1.54	1.95	4.73	11.00	9.51	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.78	-0.83	-0.35	2.35	30.00	7.13	36.00




**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;











































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.25	16.25
802.11ac VHT20_Nss1,(MCS0)_1TX	7.76	15.76
802.11ac VHT40_Nss1,(MCS0)_1TX	4.13	12.13
802.11ac VHT80_Nss1,(MCS0)_1TX	-4.09	3.91
802.11ax HEW20_Nss1,(MCS0)_1TX	7.58	15.58
802.11ax HEW40_Nss1,(MCS0)_1TX	4.24	12.24
802.11ax HEW80_Nss1,(MCS0)_1TX	-3.53	4.47
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	8.38	16.38
802.11ac VHT20_Nss1,(MCS0)_1TX	7.79	15.79
802.11ac VHT40_Nss1,(MCS0)_1TX	5.31	13.31
802.11ac VHT80_Nss1,(MCS0)_1TX	1.60	9.60
802.11ax HEW20_Nss1,(MCS0)_1TX	7.59	15.59
802.11ax HEW40_Nss1,(MCS0)_1TX	5.43	13.43
802.11ax HEW80_Nss1,(MCS0)_1TX	1.69	9.69
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.66	14.66
802.11ac VHT20_Nss1,(MCS0)_1TX	5.96	13.96
802.11ac VHT40_Nss1,(MCS0)_1TX	3.27	11.27
802.11ac VHT80_Nss1,(MCS0)_1TX	-1.26	6.74
802.11ax HEW20_Nss1,(MCS0)_1TX	5.66	13.66
802.11ax HEW40_Nss1,(MCS0)_1TX	3.40	11.40
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.97	7.03

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;



Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	8.25	8.25	9.00	16.25	17.00
5300MHz	Pass	8.00	8.15	8.15	9.00	16.15	17.00
5320MHz	Pass	8.00	4.47	4.47	9.00	12.47	17.00
5500MHz	Pass	8.00	2.74	2.74	9.00	10.74	17.00
5580MHz	Pass	8.00	8.30	8.30	9.00	16.30	17.00
5700MHz	Pass	8.00	2.66	2.66	9.00	10.66	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	8.38	8.38	9.00	16.38	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	6.66	6.66	28.00	14.66	36.00
802.11ac_VHT20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	7.76	7.76	9.00	15.76	17.00
5300MHz	Pass	8.00	7.47	7.47	9.00	15.47	17.00
5320MHz	Pass	8.00	3.53	3.53	9.00	11.53	17.00
5500MHz	Pass	8.00	2.73	2.73	9.00	10.73	17.00
5580MHz	Pass	8.00	7.79	7.79	9.00	15.79	17.00
5700MHz	Pass	8.00	-0.01	-0.01	9.00	7.99	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	7.68	7.68	9.00	15.68	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	5.96	5.96	28.00	13.96	36.00
802.11ac_VHT40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	8.00	4.13	4.13	9.00	12.13	17.00
5310MHz	Pass	8.00	-0.22	-0.22	9.00	7.78	17.00
5510MHz	Pass	8.00	-1.03	-1.03	9.00	6.97	17.00
5550MHz	Pass	8.00	3.30	3.30	9.00	11.30	17.00
5670MHz	Pass	8.00	1.16	1.16	9.00	9.16	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	5.31	5.31	9.00	13.31	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	3.27	3.27	28.00	11.27	36.00
802.11ac_VHT80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-4.09	-4.09	9.00	3.91	17.00
5530MHz	Pass	8.00	-4.15	-4.15	9.00	3.85	17.00
5610MHz	Pass	8.00	-1.28	-1.28	9.00	6.72	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	1.60	1.60	9.00	9.60	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-1.26	-1.26	28.00	6.74	36.00
802.11ax_HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5260MHz	Pass	8.00	7.58	7.58	9.00	15.58	17.00
5300MHz	Pass	8.00	7.44	7.44	9.00	15.44	17.00
5320MHz	Pass	8.00	3.51	3.51	9.00	11.51	17.00
5500MHz	Pass	8.00	2.79	2.79	9.00	10.79	17.00
5580MHz	Pass	8.00	7.59	7.59	9.00	15.59	17.00
5700MHz	Pass	8.00	-0.02	-0.02	9.00	7.98	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	8.00	7.47	7.47	9.00	15.47	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	8.00	5.66	5.66	28.00	13.66	36.00
802.11ax_HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5270MHz	Pass	8.00	4.24	4.24	9.00	12.24	17.00
5310MHz	Pass	8.00	-0.24	-0.24	9.00	7.76	17.00






Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
5510MHz	Pass	8.00	-1.01	-1.01	9.00	6.99	17.00
5550MHz	Pass	8.00	3.35	3.35	9.00	11.35	17.00
5670MHz	Pass	8.00	1.18	1.18	9.00	9.18	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	8.00	5.43	5.43	9.00	13.43	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	8.00	3.40	3.40	28.00	11.40	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5290MHz	Pass	8.00	-3.53	-3.53	9.00	4.47	17.00
5530MHz	Pass	8.00	-3.86	-3.86	9.00	4.14	17.00
5610MHz	Pass	8.00	-1.03	-1.03	9.00	6.97	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	8.00	1.69	1.69	9.00	9.69	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	8.00	-0.97	-0.97	28.00	7.03	36.00




**DG** = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**PD** = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;









































### 802.11ac VHT80\_Nss1,(MCS0)\_1TX

PSD

#### 5690MHz Straddle 5.725-5.85GHz

06/01/2020

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.26	-1.26	-1.26


### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

#### 5260MHz

06/01/2020

CF  
5.26GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.58	7.58	7.58


### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

#### 5300MHz

06/01/2020

CF  
5.3GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.44	7.44	7.44

