


802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4875G	52.92	74.00	-21.08	39.25	3	Vertical	233	2.63	-	38.98	7.62	32.93
AV	11.4853G	40.29	54.00	-13.71	26.63	3	Vertical	233	2.63	-	38.97	7.62	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5325G	52.27	74.00	-21.73	38.46	3	Horizontal	342	2.43	-	39.10	7.64	32.93
AV	11.5022G	40.21	54.00	-13.79	26.50	3	Horizontal	342	2.43	-	39.01	7.63	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 97
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	68.08	68.20	-0.12	60.54	3	Vertical	61	2.38	-	33.83	5.17	31.46
PK	5.796G	114.01	Inf	-Inf	106.76	3	Vertical	61	2.38	-	33.71	5.00	31.46
AV	5.781G	102.92	Inf	-Inf	95.62	3	Vertical	61	2.38	-	33.74	5.02	31.46
PK	5.942G	58.49	68.20	-9.71	50.43	3	Vertical	61	2.38	-	34.08	5.43	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT Z_2TX
Setting 97
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	61.83	68.20	-6.37	54.31	3	Horizontal	120	2.70	-	33.82	5.16	31.46
PK	5.787G	110.79	Inf	-Inf	103.51	3	Horizontal	120	2.70	-	33.73	5.01	31.46
AV	5.792G	98.32	Inf	-Inf	91.05	3	Horizontal	120	2.70	-	33.72	5.01	31.46
PK	5.938G	58.41	68.20	-9.79	50.37	3	Horizontal	120	2.70	-	34.08	5.41	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 97
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5973G	53.36	74.00	-20.64	39.34	3	Vertical	24	2.17	-	39.29	7.66	32.93
AV	11.6073G	40.60	54.00	-13.40	26.56	3	Vertical	24	2.17	-	39.31	7.66	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 97
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5729G	53.02	74.00	-20.98	39.08	3	Horizontal	37	1.16	-	39.22	7.65	32.93
AV	11.5893G	40.44	54.00	-13.56	26.44	3	Horizontal	37	1.16	-	39.27	7.66	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	73.86	74.00	-0.14	67.12	3	Vertical	74	2.57	-	33.50	4.98	31.74
AV	5.146G	52.76	54.00	-1.24	46.00	3	Vertical	74	2.57	-	33.50	4.99	31.73
PK	5.194G	106.15	Inf	-Inf	99.26	3	Vertical	74	2.57	-	33.50	5.09	31.70
AV	5.203G	95.23	Inf	-Inf	88.31	3	Vertical	74	2.57	-	33.51	5.10	31.69
PK	5.367G	59.37	74.00	-14.63	52.19	3	Vertical	74	2.57	-	33.73	5.02	31.57
AV	5.365G	47.73	54.00	-6.27	40.55	3	Vertical	74	2.57	-	33.73	5.02	31.57

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	65.82	74.00	-8.18	59.10	3	Horizontal	295	2.90	-	33.50	4.96	31.74
AV	5.146G	48.88	54.00	-5.12	42.12	3	Horizontal	295	2.90	-	33.50	4.99	31.73
PK	5.235G	99.71	Inf	-Inf	92.73	3	Horizontal	295	2.90	-	33.57	5.08	31.67
AV	5.224G	89.94	Inf	-Inf	82.97	3	Horizontal	295	2.90	-	33.55	5.09	31.67
PK	5.409G	57.43	74.00	-16.57	50.14	3	Horizontal	295	2.90	-	33.82	5.01	31.54
AV	5.351G	46.98	54.00	-7.02	39.84	3	Horizontal	295	2.90	-	33.70	5.02	31.58

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6094G	52.46	74.00	-21.54	38.67	3	Vertical	133	2.25	-	37.58	9.06	32.85
AV	15.6325G	41.71	54.00	-12.29	27.95	3	Vertical	133	2.25	-	37.54	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6173G	52.87	74.00	-21.13	39.08	3	Horizontal	57	2.96	-	37.57	9.07	32.85
AV	15.6229G	41.95	54.00	-12.05	28.18	3	Horizontal	57	2.96	-	37.55	9.07	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	68.11	68.20	-0.09	60.61	3	Vertical	61	2.39	-	33.81	5.15	31.46
PK	5.79G	106.73	Inf	-Inf	99.46	3	Vertical	61	2.39	-	33.72	5.01	31.46
AV	5.791G	96.67	Inf	-Inf	89.40	3	Vertical	61	2.39	-	33.72	5.01	31.46
PK	5.936G	58.16	68.20	-10.04	50.13	3	Vertical	61	2.39	-	34.07	5.41	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.53	68.20	-4.67	56.04	3	Horizontal	121	2.69	-	33.80	5.15	31.46
PK	5.766G	103.63	Inf	-Inf	96.29	3	Horizontal	121	2.69	-	33.77	5.03	31.46
AV	5.762G	93.57	Inf	-Inf	86.21	3	Horizontal	121	2.69	-	33.78	5.04	31.46
PK	5.974G	58.10	68.20	-10.10	49.93	3	Horizontal	121	2.69	-	34.10	5.52	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5749G	52.92	74.00	-21.08	38.98	3	Vertical	293	2.54	-	39.22	7.65	32.93
AV	11.572G	41.83	54.00	-12.17	27.89	3	Vertical	293	2.54	-	39.22	7.65	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX



EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53777G	52.89	74.00	-21.11	39.07	3	Horizontal	286	1.42	-	39.11	7.64	32.93
AV	11.56444G	41.84	54.00	-12.16	27.93	3	Horizontal	286	1.42	-	39.19	7.65	32.93




For Radio 2 / 2T1S and 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	5.3512G	53.98	54.00	-0.02	3	Vertical	75	2.40	-

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.58	74.00	-5.42	61.82	3	Vertical	74	2.30	-	33.50	4.99	31.73
AV	5.1478G	49.21	54.00	-4.79	42.44	3	Vertical	74	2.30	-	33.50	5.00	31.73
PK	5.2672G	120.48	Inf	-Inf	113.42	3	Vertical	74	2.30	-	33.63	5.07	31.64
AV	5.257G	109.96	Inf	-Inf	102.93	3	Vertical	74	2.30	-	33.61	5.07	31.65
PK	5.3518G	70.10	74.00	-3.90	62.96	3	Vertical	74	2.30	-	33.70	5.02	31.58
AV	5.3512G	52.12	54.00	-1.88	44.98	3	Vertical	74	2.30	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	61.17	74.00	-12.83	54.41	3	Horizontal	127	2.85	-	33.50	4.99	31.73
AV	5.1484G	46.18	54.00	-7.82	39.41	3	Horizontal	127	2.85	-	33.50	5.00	31.73
PK	5.2576G	114.92	Inf	-Inf	107.88	3	Horizontal	127	2.85	-	33.62	5.07	31.65
AV	5.2576G	104.32	Inf	-Inf	97.28	3	Horizontal	127	2.85	-	33.62	5.07	31.65
PK	5.353G	66.18	74.00	-7.82	59.03	3	Horizontal	127	2.85	-	33.71	5.02	31.58
AV	5.3518G	50.01	54.00	-3.99	42.87	3	Horizontal	127	2.85	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7575G	53.82	74.00	-20.18	40.16	3	Vertical	292	2.49	-	37.40	9.12	32.86
AV	15.7767G	40.27	54.00	-13.73	26.61	3	Vertical	292	2.49	-	37.40	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8005G	53.47	74.00	-20.53	39.80	3	Horizontal	37	2.98	-	37.40	9.13	32.86
AV	15.7937G	40.06	54.00	-13.94	26.39	3	Horizontal	37	2.98	-	37.40	9.13	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	117.91	Inf	-Inf	110.79	3	Vertical	74	2.27	-	33.69	5.05	31.62
AV	5.3016G	108.00	Inf	-Inf	100.87	3	Vertical	74	2.27	-	33.70	5.05	31.62
PK	5.3516G	72.27	74.00	-1.73	65.13	3	Vertical	74	2.27	-	33.70	5.02	31.58
AV	5.35G	53.76	54.00	-0.24	46.61	3	Vertical	74	2.27	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.296G	112.74	Inf	-Inf	105.62	3	Horizontal	111	2.82	-	33.69	5.05	31.62
AV	5.2964G	102.76	Inf	-Inf	95.64	3	Horizontal	111	2.82	-	33.69	5.05	31.62
PK	5.3516G	66.63	74.00	-7.37	59.49	3	Horizontal	111	2.82	-	33.70	5.02	31.58
AV	5.35G	49.64	54.00	-4.36	42.49	3	Horizontal	111	2.82	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8766G	53.77	74.00	-20.23	40.00	3	Vertical	276	2.87	-	37.48	9.16	32.87
AV	15.8917G	40.20	54.00	-13.80	26.42	3	Vertical	276	2.87	-	37.49	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 95
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8845G	53.32	74.00	-20.68	39.55	3	Horizontal	321	2.64	-	37.48	9.16	32.87
AV	15.8797G	40.02	54.00	-13.98	26.25	3	Horizontal	321	2.64	-	37.48	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	114.70	Inf	-Inf	107.57	3	Vertical	72	2.15	-	33.70	5.04	31.61
AV	5.322G	105.19	Inf	-Inf	98.05	3	Vertical	72	2.15	-	33.70	5.04	31.60
PK	5.3512G	73.88	74.00	-0.12	66.74	3	Vertical	72	2.15	-	33.70	5.02	31.58
AV	5.3512G	53.85	54.00	-0.15	46.71	3	Vertical	72	2.15	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	109.98	Inf	-Inf	102.84	3	Horizontal	127	2.44	-	33.70	5.04	31.60
AV	5.3228G	100.57	Inf	-Inf	93.43	3	Horizontal	127	2.44	-	33.70	5.04	31.60
PK	5.3514G	68.67	74.00	-5.33	61.53	3	Horizontal	127	2.44	-	33.70	5.02	31.58
AV	5.3522G	49.94	54.00	-4.06	42.80	3	Horizontal	127	2.44	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9663G	52.91	74.00	-21.09	39.17	3	Vertical	13	1.28	-	37.43	9.19	32.88
AV	15.9433G	40.06	54.00	-13.94	26.30	3	Vertical	13	1.28	-	37.46	9.18	32.88

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 83
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9434G	52.92	74.00	-21.08	39.16	3	Horizontal	265	1.87	-	37.46	9.18	32.88
AV	15.9514G	40.20	54.00	-13.80	26.45	3	Horizontal	265	1.87	-	37.45	9.18	32.88

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	66.32	74.00	-7.68	58.86	3	Vertical	302	2.26	-	33.90	5.06	31.50
AV	5.4594G	46.32	54.00	-7.68	38.86	3	Vertical	302	2.26	-	33.90	5.06	31.50
PK	5.4698G	67.96	68.20	-0.24	60.48	3	Vertical	302	2.26	-	33.90	5.07	31.49
PK	5.4944G	112.62	Inf	-Inf	105.10	3	Vertical	302	2.26	-	33.90	5.09	31.47
AV	5.504G	103.40	Inf	-Inf	95.87	3	Vertical	302	2.26	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 78
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	63.41	74.00	-10.59	55.96	3	Horizontal	344	2.90	-	33.90	5.05	31.50
AV	5.4584G	45.55	54.00	-8.45	38.09	3	Horizontal	344	2.90	-	33.90	5.06	31.50
PK	5.4688G	65.48	68.20	-2.72	58.00	3	Horizontal	344	2.90	-	33.90	5.07	31.49
PK	5.493G	106.99	Inf	-Inf	99.48	3	Horizontal	344	2.90	-	33.90	5.09	31.48
AV	5.4984G	97.64	Inf	-Inf	90.11	3	Horizontal	344	2.90	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0059G	52.66	74.00	-21.34	39.46	3	Vertical	41	2.41	-	38.51	7.45	32.76
AV	11.0213G	39.33	54.00	-14.67	26.12	3	Vertical	41	2.41	-	38.52	7.46	32.77

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 78
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0145G	52.05	74.00	-21.95	38.84	3	Horizontal	85	1.50	-	38.51	7.46	32.76
AV	11.0153G	39.47	54.00	-14.53	26.26	3	Horizontal	85	1.50	-	38.52	7.46	32.77

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.98	74.00	-10.02	56.52	3	Vertical	57	2.50	-	33.90	5.06	31.50
AV	5.4576G	48.20	54.00	-5.80	40.74	3	Vertical	57	2.50	-	33.90	5.06	31.50
PK	5.4688G	65.86	68.20	-2.34	58.38	3	Vertical	57	2.50	-	33.90	5.07	31.49
PK	5.5856G	119.87	Inf	-Inf	112.25	3	Vertical	57	2.50	-	33.90	5.19	31.47
AV	5.5808G	108.62	Inf	-Inf	101.01	3	Vertical	57	2.50	-	33.90	5.18	31.47
PK	5.7416G	59.63	68.20	-8.57	52.25	3	Vertical	57	2.50	-	33.78	5.06	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4368G	59.25	74.00	-14.75	51.86	3	Horizontal	115	2.74	-	33.87	5.04	31.52
AV	5.4464G	45.66	54.00	-8.34	38.23	3	Horizontal	115	2.74	-	33.89	5.05	31.51
PK	5.4672G	61.27	68.20	-6.93	53.79	3	Horizontal	115	2.74	-	33.90	5.07	31.49
PK	5.5856G	114.38	Inf	-Inf	106.76	3	Horizontal	115	2.74	-	33.90	5.19	31.47
AV	5.5752G	103.85	Inf	-Inf	96.24	3	Horizontal	115	2.74	-	33.90	5.18	31.47
PK	5.7336G	57.87	68.20	-10.33	50.49	3	Horizontal	115	2.74	-	33.77	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.142G	52.72	74.00	-21.28	39.39	3	Vertical	175	1.06	-	38.64	7.50	32.81
AV	11.1504G	39.19	54.00	-14.81	25.85	3	Vertical	175	1.06	-	38.65	7.50	32.81

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.181G	52.47	74.00	-21.53	39.10	3	Horizontal	113	2.77	-	38.68	7.51	32.82
AV	11.1454G	39.24	54.00	-14.76	25.90	3	Horizontal	113	2.77	-	38.65	7.50	32.81

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6958G	111.89	Inf	-Inf	104.54	3	Vertical	309	2.46	-	33.71	5.10	31.46
AV	5.6956G	102.50	Inf	-Inf	95.15	3	Vertical	309	2.46	-	33.71	5.10	31.46
PK	5.7254G	68.04	68.20	-0.16	60.68	3	Vertical	309	2.46	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7068G	105.57	Inf	-Inf	98.23	3	Horizontal	321	2.82	-	33.71	5.09	31.46
AV	5.7022G	96.48	Inf	-Inf	89.14	3	Horizontal	321	2.82	-	33.70	5.10	31.46
PK	5.7272G	62.84	68.20	-5.36	55.48	3	Horizontal	321	2.82	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3982G	53.15	74.00	-20.85	39.66	3	Vertical	270	2.05	-	38.80	7.59	32.90
AV	11.4035G	40.02	54.00	-13.98	26.52	3	Vertical	270	2.05	-	38.81	7.59	32.90

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4073G	53.38	74.00	-20.62	39.88	3	Horizontal	228	2.86	-	38.81	7.59	32.90
AV	11.4154G	39.51	54.00	-14.49	25.98	3	Horizontal	228	2.86	-	38.83	7.60	32.90

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	118.20	Inf	-Inf	110.83	3	Vertical	307	2.57	-	33.75	5.08	31.46
AV	5.7152G	107.64	Inf	-Inf	100.29	3	Vertical	307	2.57	-	33.73	5.08	31.46
PK	5.8576G	59.01	68.20	-9.19	51.47	3	Vertical	307	2.57	-	33.83	5.17	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	112.98	Inf	-Inf	105.62	3	Horizontal	341	2.82	-	33.74	5.08	31.46
AV	5.7176G	102.25	Inf	-Inf	94.89	3	Horizontal	341	2.82	-	33.74	5.08	31.46
PK	5.8856G	57.87	68.20	-10.33	50.12	3	Horizontal	341	2.82	-	33.94	5.26	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4517G	53.89	74.00	-20.11	40.29	3	Vertical	184	2.68	-	38.90	7.61	32.91
AV	11.4438G	40.28	54.00	-13.72	26.69	3	Vertical	184	2.68	-	38.89	7.61	32.91

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.453G	52.63	74.00	-21.37	39.02	3	Horizontal	67	2.50	-	38.91	7.61	32.91
AV	11.4505G	39.59	54.00	-14.41	25.99	3	Horizontal	67	2.50	-	38.90	7.61	32.91

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.80	74.00	-10.20	57.04	3	Vertical	73	2.30	-	33.50	4.99	31.73
AV	5.15G	49.38	54.00	-4.62	42.61	3	Vertical	73	2.30	-	33.50	5.00	31.73
PK	5.2666G	119.69	Inf	-Inf	112.63	3	Vertical	73	2.30	-	33.63	5.07	31.64
AV	5.2582G	108.03	Inf	-Inf	100.99	3	Vertical	73	2.30	-	33.62	5.07	31.65
PK	5.3512G	67.52	74.00	-6.48	60.38	3	Vertical	73	2.30	-	33.70	5.02	31.58
AV	5.3512G	52.70	54.00	-1.30	45.56	3	Vertical	73	2.30	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.50	74.00	-13.50	53.73	3	Horizontal	115	2.72	-	33.50	5.00	31.73
AV	5.15G	46.15	54.00	-7.85	39.38	3	Horizontal	115	2.72	-	33.50	5.00	31.73
PK	5.2546G	113.37	Inf	-Inf	106.34	3	Horizontal	115	2.72	-	33.61	5.07	31.65
AV	5.2552G	101.36	Inf	-Inf	94.33	3	Horizontal	115	2.72	-	33.61	5.07	31.65
PK	5.3524G	62.08	74.00	-11.92	54.94	3	Horizontal	115	2.72	-	33.70	5.02	31.58
AV	5.3512G	48.66	54.00	-5.34	41.52	3	Horizontal	115	2.72	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7986G	53.36	74.00	-20.64	39.69	3	Vertical	162	2.48	-	37.40	9.13	32.86
AV	15.7735G	39.40	54.00	-14.60	25.74	3	Vertical	162	2.48	-	37.40	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7837G	52.95	74.00	-21.05	39.29	3	Horizontal	41	2.24	-	37.40	9.12	32.86
AV	15.7824G	39.32	54.00	-14.68	25.66	3	Horizontal	41	2.24	-	37.40	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	117.09	Inf	-Inf	109.95	3	Vertical	73	2.27	-	33.70	5.05	31.61
AV	5.2988G	105.43	Inf	-Inf	98.30	3	Vertical	73	2.27	-	33.70	5.05	31.62
PK	5.35G	68.80	74.00	-5.20	61.65	3	Vertical	73	2.27	-	33.70	5.03	31.58
AV	5.3508G	53.77	54.00	-0.23	46.63	3	Vertical	73	2.27	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	111.23	Inf	-Inf	104.10	3	Horizontal	131	2.82	-	33.70	5.05	31.62
AV	5.298G	99.76	Inf	-Inf	92.63	3	Horizontal	131	2.82	-	33.70	5.05	31.62
PK	5.35G	63.79	74.00	-10.21	56.64	3	Horizontal	131	2.82	-	33.70	5.03	31.58
AV	5.35G	50.19	54.00	-3.81	43.04	3	Horizontal	131	2.82	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9056G	53.39	74.00	-20.61	39.60	3	Vertical	240	2.38	-	37.49	9.17	32.87
AV	15.9156G	39.50	54.00	-14.50	25.72	3	Vertical	240	2.38	-	37.48	9.17	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9131G	52.90	74.00	-21.10	39.11	3	Horizontal	21	1.34	-	37.49	9.17	32.87
AV	15.885G	39.42	54.00	-14.58	25.65	3	Horizontal	21	1.34	-	37.48	9.16	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3152G	114.12	Inf	-Inf	106.99	3	Vertical	75	2.37	-	33.70	5.04	31.61
AV	5.3184G	102.42	Inf	-Inf	95.28	3	Vertical	75	2.37	-	33.70	5.04	31.60
PK	5.352G	69.97	74.00	-4.03	62.83	3	Vertical	75	2.37	-	33.70	5.02	31.58
AV	5.35G	53.78	54.00	-0.22	46.63	3	Vertical	75	2.37	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3228G	110.13	Inf	-Inf	102.99	3	Horizontal	130	2.43	-	33.70	5.04	31.60
AV	5.3176G	98.02	Inf	-Inf	90.88	3	Horizontal	130	2.43	-	33.70	5.04	31.60
PK	5.352G	66.82	74.00	-7.18	59.68	3	Horizontal	130	2.43	-	33.70	5.02	31.58
AV	5.35G	50.74	54.00	-3.26	43.59	3	Horizontal	130	2.43	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9386G	53.68	74.00	-20.32	39.92	3	Vertical	174	2.02	-	37.46	9.18	32.88
AV	15.9352G	39.36	54.00	-14.64	25.59	3	Vertical	174	2.02	-	37.46	9.18	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 79
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.951G	52.73	74.00	-21.27	38.98	3	Horizontal	45	2.08	-	37.45	9.18	32.88
AV	15.9351G	39.30	54.00	-14.70	25.53	3	Horizontal	45	2.08	-	37.46	9.18	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4586G	61.51	74.00	-12.49	54.05	3	Vertical	306	2.26	-	33.90	5.06	31.50
AV	5.4596G	45.96	54.00	-8.04	38.50	3	Vertical	306	2.26	-	33.90	5.06	31.50
PK	5.47G	68.08	68.20	-0.12	60.60	3	Vertical	306	2.26	-	33.90	5.07	31.49
PK	5.5014G	112.57	Inf	-Inf	105.04	3	Vertical	306	2.26	-	33.90	5.10	31.47
AV	5.4952G	98.22	Inf	-Inf	90.69	3	Vertical	306	2.26	-	33.90	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	58.98	74.00	-15.02	51.52	3	Horizontal	128	2.79	-	33.90	5.06	31.50
AV	5.46G	45.33	54.00	-8.67	37.87	3	Horizontal	128	2.79	-	33.90	5.06	31.50
PK	5.47G	64.73	68.20	-3.47	57.25	3	Horizontal	128	2.79	-	33.90	5.07	31.49
PK	5.509G	109.82	Inf	-Inf	102.28	3	Horizontal	128	2.79	-	33.90	5.11	31.47
AV	5.4982G	95.84	Inf	-Inf	88.31	3	Horizontal	128	2.79	-	33.90	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0225G	52.27	74.00	-21.73	39.06	3	Vertical	98	1.63	-	38.52	7.46	32.77
AV	11.0198G	39.24	54.00	-14.76	26.03	3	Vertical	98	1.63	-	38.52	7.46	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0184G	53.03	74.00	-20.97	39.82	3	Horizontal	44	2.46	-	38.52	7.46	32.77
AV	11.0197G	39.42	54.00	-14.58	26.21	3	Horizontal	44	2.46	-	38.52	7.46	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	63.50	74.00	-10.50	56.04	3	Vertical	61	2.31	-	33.90	5.06	31.50
AV	5.46G	48.99	54.00	-5.01	41.53	3	Vertical	61	2.31	-	33.90	5.06	31.50
PK	5.4688G	64.46	68.20	-3.74	56.98	3	Vertical	61	2.31	-	33.90	5.07	31.49
PK	5.5864G	118.34	Inf	-Inf	110.72	3	Vertical	61	2.31	-	33.90	5.19	31.47
AV	5.5784G	103.57	Inf	-Inf	95.96	3	Vertical	61	2.31	-	33.90	5.18	31.47
PK	5.7448G	61.79	68.20	-6.41	54.40	3	Vertical	61	2.31	-	33.79	5.06	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4504G	60.50	74.00	-13.50	53.06	3	Horizontal	114	2.73	-	33.90	5.05	31.51
AV	5.4504G	46.14	54.00	-7.86	38.70	3	Horizontal	114	2.73	-	33.90	5.05	31.51
PK	5.4688G	61.71	68.20	-6.49	54.23	3	Horizontal	114	2.73	-	33.90	5.07	31.49
PK	5.5864G	114.16	Inf	-Inf	106.54	3	Horizontal	114	2.73	-	33.90	5.19	31.47
AV	5.5776G	99.25	Inf	-Inf	91.64	3	Horizontal	114	2.73	-	33.90	5.18	31.47
PK	5.732G	59.22	68.20	-8.98	51.85	3	Horizontal	114	2.73	-	33.76	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1701G	52.58	74.00	-21.42	39.22	3	Vertical	353	2.83	-	38.67	7.51	32.82
AV	11.1608G	38.66	54.00	-15.34	25.30	3	Vertical	353	2.83	-	38.66	7.51	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1659G	52.75	74.00	-21.25	39.39	3	Horizontal	240	2.88	-	38.67	7.51	32.82
AV	11.1612G	38.59	54.00	-15.41	25.23	3	Horizontal	240	2.88	-	38.66	7.51	32.81

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7014G	112.16	Inf	-Inf	104.82	3	Vertical	305	2.56	-	33.70	5.10	31.46
AV	5.7012G	99.73	Inf	-Inf	92.39	3	Vertical	305	2.56	-	33.70	5.10	31.46
PK	5.7252G	68.15	68.20	-0.05	60.79	3	Vertical	305	2.56	-	33.75	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6944G	108.48	Inf	-Inf	101.12	3	Horizontal	114	2.77	-	33.71	5.11	31.46
AV	5.695G	95.44	Inf	-Inf	88.09	3	Horizontal	114	2.77	-	33.71	5.10	31.46
PK	5.725G	63.78	68.20	-4.42	56.41	3	Horizontal	114	2.77	-	33.75	5.08	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.415G	52.15	74.00	-21.85	38.62	3	Vertical	103	1.04	-	38.83	7.60	32.90
AV	11.4113G	39.36	54.00	-14.64	25.85	3	Vertical	103	1.04	-	38.82	7.59	32.90

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 71
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4232G	52.28	74.00	-21.72	38.73	3	Horizontal	118	2.17	-	38.85	7.60	32.90
AV	11.425G	39.44	54.00	-14.56	25.89	3	Horizontal	118	2.17	-	38.85	7.60	32.90

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	117.11	Inf	-Inf	109.75	3	Vertical	308	2.56	-	33.73	5.09	31.46
AV	5.7192G	105.02	Inf	-Inf	97.66	3	Vertical	308	2.56	-	33.74	5.08	31.46
PK	5.8552G	60.09	68.20	-8.11	52.56	3	Vertical	308	2.56	-	33.82	5.17	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	112.58	Inf	-Inf	105.22	3	Horizontal	124	2.73	-	33.74	5.08	31.46
AV	5.7216G	101.18	Inf	-Inf	93.82	3	Horizontal	124	2.73	-	33.74	5.08	31.46
PK	5.8832G	58.06	68.20	-10.14	50.33	3	Horizontal	124	2.73	-	33.93	5.25	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4589G	52.70	74.00	-21.30	39.09	3	Vertical	15	2.22	-	38.92	7.61	32.92
AV	11.4539G	39.74	54.00	-14.26	26.13	3	Vertical	15	2.22	-	38.91	7.61	32.91

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
 Setting 104
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4345G	52.78	74.00	-21.22	39.22	3	Horizontal	141	1.94	-	38.87	7.60	32.91
AV	11.442G	39.56	54.00	-14.44	25.99	3	Horizontal	141	1.94	-	38.88	7.60	32.91

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2744G	113.43	Inf	-Inf	106.36	3	Vertical	75	2.40	-	33.65	5.06	31.64
AV	5.276G	102.07	Inf	-Inf	95.00	3	Vertical	75	2.40	-	33.65	5.06	31.64
PK	5.35G	70.35	74.00	-3.65	63.20	3	Vertical	75	2.40	-	33.70	5.03	31.58
AV	5.3512G	53.98	54.00	-0.02	46.84	3	Vertical	75	2.40	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2744G	107.71	Inf	-Inf	100.64	3	Horizontal	111	2.47	-	33.65	5.06	31.64
AV	5.2744G	96.18	Inf	-Inf	89.11	3	Horizontal	111	2.47	-	33.65	5.06	31.64
PK	5.3516G	65.17	74.00	-8.83	58.03	3	Horizontal	111	2.47	-	33.70	5.02	31.58
AV	5.3512G	50.44	54.00	-3.56	43.30	3	Horizontal	111	2.47	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8249G	53.15	74.00	-20.85	39.46	3	Vertical	327	2.48	-	37.42	9.14	32.87
AV	15.793G	40.91	54.00	-13.09	27.24	3	Vertical	327	2.48	-	37.40	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8281G	52.81	74.00	-21.19	39.11	3	Horizontal	12	1.06	-	37.43	9.14	32.87
AV	15.8179G	40.91	54.00	-13.09	27.22	3	Horizontal	12	1.06	-	37.42	9.14	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 68
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	108.56	Inf	-Inf	101.43	3	Vertical	76	2.38	-	33.70	5.04	31.61
AV	5.316G	96.99	Inf	-Inf	89.86	3	Vertical	76	2.38	-	33.70	5.04	31.61
PK	5.352G	73.85	74.00	-0.15	66.71	3	Vertical	76	2.38	-	33.70	5.02	31.58
AV	5.3508G	49.91	54.00	-4.09	42.77	3	Vertical	76	2.38	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 68
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	103.75	Inf	-Inf	96.61	3	Horizontal	112	2.44	-	33.70	5.05	31.61
AV	5.316G	92.05	Inf	-Inf	84.92	3	Horizontal	112	2.44	-	33.70	5.04	31.61
PK	5.3524G	70.82	74.00	-3.18	63.68	3	Horizontal	112	2.44	-	33.70	5.02	31.58
AV	5.352G	47.80	54.00	-6.20	40.66	3	Horizontal	112	2.44	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 68
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9385G	52.87	74.00	-21.13	39.11	3	Vertical	88	2.04	-	37.46	9.18	32.88
AV	15.9301G	40.77	54.00	-13.23	26.99	3	Vertical	88	2.04	-	37.47	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 68
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9396G	53.87	74.00	-20.13	40.11	3	Horizontal	304	2.77	-	37.46	9.18	32.88
AV	15.9281G	40.94	54.00	-13.06	27.17	3	Horizontal	304	2.77	-	37.47	9.17	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 61
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	62.17	74.00	-11.83	54.71	3	Vertical	308	2.46	-	33.90	5.06	31.50
AV	5.4588G	46.09	54.00	-7.91	38.63	3	Vertical	308	2.46	-	33.90	5.06	31.50
PK	5.47G	68.15	68.20	-0.05	60.67	3	Vertical	308	2.46	-	33.90	5.07	31.49
PK	5.5124G	105.91	Inf	-Inf	98.37	3	Vertical	308	2.46	-	33.90	5.11	31.47
AV	5.524G	94.40	Inf	-Inf	86.85	3	Vertical	308	2.46	-	33.90	5.12	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 61
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	60.69	74.00	-13.31	53.23	3	Horizontal	129	2.80	-	33.90	5.06	31.50
AV	5.4576G	45.71	54.00	-8.29	38.25	3	Horizontal	129	2.80	-	33.90	5.06	31.50
PK	5.4676G	65.73	68.20	-2.47	58.25	3	Horizontal	129	2.80	-	33.90	5.07	31.49
PK	5.5064G	102.25	Inf	-Inf	94.71	3	Horizontal	129	2.80	-	33.90	5.11	31.47
AV	5.4988G	90.47	Inf	-Inf	82.94	3	Horizontal	129	2.80	-	33.90	5.10	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 61
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0178G	52.58	74.00	-21.42	39.37	3	Vertical	287	2.10	-	38.52	7.46	32.77
AV	11.0355G	40.00	54.00	-14.00	26.77	3	Vertical	287	2.10	-	38.54	7.46	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 61
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0204G	52.30	74.00	-21.70	39.09	3	Horizontal	345	1.18	-	38.52	7.46	32.77
AV	11.0143G	40.11	54.00	-13.89	26.90	3	Horizontal	345	1.18	-	38.51	7.46	32.76

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	65.90	74.00	-8.10	58.44	3	Vertical	308	2.44	-	33.90	5.06	31.50
AV	5.46G	50.18	54.00	-3.82	42.72	3	Vertical	308	2.44	-	33.90	5.06	31.50
PK	5.4664G	67.99	68.20	-0.21	60.51	3	Vertical	308	2.44	-	33.90	5.07	31.49
PK	5.558G	113.25	Inf	-Inf	105.66	3	Vertical	308	2.44	-	33.90	5.16	31.47
AV	5.5552G	101.67	Inf	-Inf	94.08	3	Vertical	308	2.44	-	33.90	5.16	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	65.18	74.00	-8.82	57.72	3	Horizontal	126	2.75	-	33.90	5.06	31.50
AV	5.46G	48.08	54.00	-5.92	40.62	3	Horizontal	126	2.75	-	33.90	5.06	31.50
PK	5.468G	64.30	68.20	-3.90	56.82	3	Horizontal	126	2.75	-	33.90	5.07	31.49
PK	5.5388G	108.79	Inf	-Inf	101.22	3	Horizontal	126	2.75	-	33.90	5.14	31.47
AV	5.5428G	97.72	Inf	-Inf	90.15	3	Horizontal	126	2.75	-	33.90	5.14	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1142G	52.17	74.00	-21.83	38.87	3	Vertical	334	2.48	-	38.61	7.49	32.80
AV	11.0886G	40.38	54.00	-13.62	27.10	3	Vertical	334	2.48	-	38.59	7.48	32.79

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 89
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.105G	51.82	74.00	-22.18	38.52	3	Horizontal	303	2.20	-	38.61	7.49	32.80
AV	11.0937G	39.96	54.00	-14.04	26.68	3	Horizontal	303	2.20	-	38.59	7.48	32.79

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6624G	111.66	Inf	-Inf	104.20	3	Vertical	304	2.28	-	33.78	5.14	31.46
AV	5.6672G	99.92	Inf	-Inf	92.48	3	Vertical	304	2.28	-	33.77	5.13	31.46
PK	5.7296G	68.04	68.20	-0.16	60.67	3	Vertical	304	2.28	-	33.76	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6724G	106.59	Inf	-Inf	99.16	3	Horizontal	113	2.77	-	33.76	5.13	31.46
AV	5.6756G	95.47	Inf	-Inf	88.06	3	Horizontal	113	2.77	-	33.75	5.12	31.46
PK	5.73G	66.07	68.20	-2.13	58.70	3	Horizontal	113	2.77	-	33.76	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3439G	52.59	74.00	-21.41	39.16	3	Vertical	343	2.96	-	38.74	7.57	32.88
AV	11.3597G	39.79	54.00	-14.21	26.33	3	Vertical	343	2.96	-	38.76	7.58	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 77
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3285G	51.86	74.00	-22.14	38.44	3	Horizontal	99	1.32	-	38.73	7.56	32.87
AV	11.3382G	39.58	54.00	-14.42	26.14	3	Horizontal	99	1.32	-	38.74	7.57	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7244G	114.68	Inf	-Inf	107.31	3	Vertical	59	2.11	-	33.75	5.08	31.46
AV	5.7156G	102.77	Inf	-Inf	95.42	3	Vertical	59	2.11	-	33.73	5.08	31.46
PK	5.851G	68.10	68.20	-0.10	60.61	3	Vertical	59	2.11	-	33.80	5.15	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	110.89	Inf	-Inf	103.54	3	Horizontal	114	2.75	-	33.72	5.09	31.46
AV	5.7068G	98.94	Inf	-Inf	91.60	3	Horizontal	114	2.75	-	33.71	5.09	31.46
PK	5.85G	62.90	68.20	-5.30	55.41	3	Horizontal	114	2.75	-	33.80	5.15	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4419G	52.76	74.00	-21.24	39.19	3	Vertical	242	1.11	-	38.88	7.60	32.91
AV	11.4441G	40.22	54.00	-13.78	26.63	3	Vertical	242	1.11	-	38.89	7.61	32.91

802.11ax HEW40_Nss2,(MCS0)_2TX
5710MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
 Setting 100
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4394G	52.64	74.00	-21.36	39.07	3	Horizontal	207	1.51	-	38.88	7.60	32.91
AV	11.4342G	40.71	54.00	-13.29	27.15	3	Horizontal	207	1.51	-	38.87	7.60	32.91

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	58.16	74.00	-15.84	51.40	3	Vertical	76	2.40	-	33.50	4.99	31.73
AV	5.141G	47.88	54.00	-6.12	41.14	3	Vertical	76	2.40	-	33.50	4.98	31.74
PK	5.274G	105.24	Inf	-Inf	98.17	3	Vertical	76	2.40	-	33.65	5.06	31.64
AV	5.274G	95.06	Inf	-Inf	87.99	3	Vertical	76	2.40	-	33.65	5.06	31.64
PK	5.356G	73.89	74.00	-0.11	66.74	3	Vertical	76	2.40	-	33.71	5.02	31.58
AV	5.356G	50.71	54.00	-3.29	43.56	3	Vertical	76	2.40	-	33.71	5.02	31.58
PK	5.469G	57.86	68.20	-10.34	50.38	3	Vertical	76	2.40	-	33.90	5.07	31.49

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	57.95	74.00	-16.05	51.32	3	Horizontal	112	2.85	-	33.50	4.90	31.77
AV	5.111G	46.40	54.00	-7.60	39.74	3	Horizontal	112	2.85	-	33.50	4.92	31.76
PK	5.274G	100.14	Inf	-Inf	93.07	3	Horizontal	112	2.85	-	33.65	5.06	31.64
AV	5.275G	89.23	Inf	-Inf	82.16	3	Horizontal	112	2.85	-	33.65	5.06	31.64
PK	5.355G	67.47	74.00	-6.53	60.32	3	Horizontal	112	2.85	-	33.71	5.02	31.58
AV	5.356G	48.34	54.00	-5.66	41.19	3	Horizontal	112	2.85	-	33.71	5.02	31.58
PK	5.5G	57.69	68.20	-10.51	50.16	3	Horizontal	112	2.85	-	33.90	5.10	31.47

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8841G	53.28	74.00	-20.72	39.51	3	Vertical	345	1.96	-	37.48	9.16	32.87
AV	15.8867G	42.03	54.00	-11.97	28.25	3	Vertical	345	1.96	-	37.49	9.16	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8801G	52.66	74.00	-21.34	38.89	3	Horizontal	185	2.69	-	37.48	9.16	32.87
AV	15.8549G	41.92	54.00	-12.08	28.19	3	Horizontal	185	2.69	-	37.45	9.15	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT Z_2TX
Setting 62
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	57.74	68.20	-10.46	50.60	3	Vertical	334	2.39	-	33.70	5.03	31.59
PK	5.452G	65.23	74.00	-8.77	57.79	3	Vertical	334	2.39	-	33.90	5.05	31.51
PK	5.464G	65.78	68.20	-2.42	58.32	3	Vertical	334	2.39	-	33.90	5.06	31.50
AV	5.459G	48.46	54.00	-5.54	41.00	3	Vertical	334	2.39	-	33.90	5.06	31.50
PK	5.543G	103.28	Inf	-Inf	95.71	3	Vertical	334	2.39	-	33.90	5.14	31.47
AV	5.543G	93.17	Inf	-Inf	85.60	3	Vertical	334	2.39	-	33.90	5.14	31.47
PK	5.726G	58.08	68.20	-10.12	50.72	3	Vertical	334	2.39	-	33.75	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.00	68.20	-11.20	49.86	3	Horizontal	113	2.77	-	33.70	5.03	31.59
AV	5.376G	47.17	54.00	-6.83	39.97	3	Horizontal	113	2.77	-	33.75	5.01	31.56
PK	5.46G	60.23	74.00	-13.77	52.77	3	Horizontal	113	2.77	-	33.90	5.06	31.50
PK	5.461G	62.20	68.20	-6.00	54.74	3	Horizontal	113	2.77	-	33.90	5.06	31.50
PK	5.519G	100.14	Inf	-Inf	92.59	3	Horizontal	113	2.77	-	33.90	5.12	31.47
AV	5.518G	89.27	Inf	-Inf	81.72	3	Horizontal	113	2.77	-	33.90	5.12	31.47
PK	5.753G	57.21	68.20	-10.99	49.83	3	Horizontal	113	2.77	-	33.79	5.05	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0726G	51.79	74.00	-22.21	38.52	3	Vertical	94	1.00	-	38.57	7.48	32.78
AV	11.0653G	41.49	54.00	-12.51	28.23	3	Vertical	94	1.00	-	38.57	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0765G	51.90	74.00	-22.10	38.63	3	Horizontal	17	1.52	-	38.58	7.48	32.79
AV	11.0497G	41.19	54.00	-12.81	27.95	3	Horizontal	17	1.52	-	38.55	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	63.43	74.00	-10.57	56.01	3	Vertical	305	2.29	-	33.89	5.04	31.51
PK	5.469G	65.82	68.20	-2.38	58.34	3	Vertical	305	2.29	-	33.90	5.07	31.49
AV	5.458G	51.22	54.00	-2.78	43.76	3	Vertical	305	2.29	-	33.90	5.06	31.50
PK	5.619G	107.21	Inf	-Inf	99.64	3	Vertical	305	2.29	-	33.86	5.18	31.47
AV	5.626G	98.16	Inf	-Inf	90.60	3	Vertical	305	2.29	-	33.85	5.17	31.46
PK	5.725G	68.06	68.20	-0.14	60.69	3	Vertical	305	2.29	-	33.75	5.08	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT Z_2TX
Setting 80
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	59.41	74.00	-14.59	51.96	3	Horizontal	114	2.72	-	33.90	5.05	31.50
AV	5.456G	48.00	54.00	-6.00	40.54	3	Horizontal	114	2.72	-	33.90	5.06	31.50
PK	5.47G	61.67	68.20	-6.53	54.19	3	Horizontal	114	2.72	-	33.90	5.07	31.49
PK	5.608G	104.26	Inf	-Inf	96.66	3	Horizontal	114	2.72	-	33.88	5.19	31.47
AV	5.607G	92.90	Inf	-Inf	85.29	3	Horizontal	114	2.72	-	33.89	5.19	31.47
PK	5.727G	64.33	68.20	-3.87	56.97	3	Horizontal	114	2.72	-	33.75	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2002G	52.01	74.00	-21.99	38.62	3	Vertical	177	2.83	-	38.70	7.52	32.83
AV	11.2053G	41.43	54.00	-12.57	28.04	3	Vertical	177	2.83	-	38.70	7.52	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.196G	52.43	74.00	-21.57	39.04	3	Horizontal	245	1.36	-	38.70	7.52	32.83
AV	11.2044G	41.18	54.00	-12.82	27.79	3	Horizontal	245	1.36	-	38.70	7.52	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 93
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6764G	110.62	Inf	-Inf	103.21	3	Vertical	306	2.36	-	33.75	5.12	31.46
AV	5.6964G	101.25	Inf	-Inf	93.90	3	Vertical	306	2.36	-	33.71	5.10	31.46
PK	5.8548G	67.26	68.20	-0.94	59.74	3	Vertical	306	2.36	-	33.82	5.16	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 93
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.682G	107.74	Inf	-Inf	100.34	3	Horizontal	115	2.75	-	33.74	5.12	31.46
AV	5.6812G	97.73	Inf	-Inf	90.33	3	Horizontal	115	2.75	-	33.74	5.12	31.46
PK	5.8644G	63.05	68.20	-5.15	55.46	3	Horizontal	115	2.75	-	33.86	5.19	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 93
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3926G	53.13	74.00	-20.87	39.64	3	Vertical	234	2.50	-	38.79	7.59	32.89
AV	11.4037G	41.43	54.00	-12.57	27.93	3	Vertical	234	2.50	-	38.81	7.59	32.90

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX



EUT_Z_2TX
Setting 93
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3706G	52.31	74.00	-21.69	38.85	3	Horizontal	171	2.87	-	38.77	7.58	32.89
AV	11.3757G	42.00	54.00	-12.00	28.53	3	Horizontal	171	2.87	-	38.78	7.58	32.89




For Scanning radio 3 / 2T1S and 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.99	54.00	-0.01	3	Vertical	58	2.48	-

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	72.65	74.00	-1.35	65.89	3	Vertical	58	2.48	-	33.50	4.99	31.73
AV	5.15G	53.99	54.00	-0.01	47.22	3	Vertical	58	2.48	-	33.50	5.00	31.73
PK	5.177G	115.16	Inf	-Inf	108.32	3	Vertical	58	2.48	-	33.50	5.05	31.71
AV	5.1822G	104.83	Inf	-Inf	97.98	3	Vertical	58	2.48	-	33.50	5.06	31.71

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT Z_2TX
Setting 82
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	68.96	74.00	-5.04	62.19	3	Horizontal	53	1.00	-	33.50	5.00	31.73
AV	5.1486G	49.61	54.00	-4.39	42.84	3	Horizontal	53	1.00	-	33.50	5.00	31.73
PK	5.1844G	109.64	Inf	-Inf	102.77	3	Horizontal	53	1.00	-	33.50	5.07	31.70
AV	5.184G	99.38	Inf	-Inf	92.51	3	Horizontal	53	1.00	-	33.50	5.07	31.70

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54372G	55.08	74.00	-18.92	41.11	3	Vertical	206	2.02	-	37.77	9.04	32.84
AV	15.53898G	40.66	54.00	-13.34	26.68	3	Vertical	206	2.02	-	37.78	9.04	32.84

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54444G	53.88	74.00	-20.12	39.91	3	Horizontal	134	1.59	-	37.77	9.04	32.84
AV	15.53958G	39.84	54.00	-14.16	25.86	3	Horizontal	134	1.59	-	37.78	9.04	32.84

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	71.55	74.00	-2.45	64.78	3	Vertical	297	2.70	-	33.50	5.00	31.73
AV	5.148G	53.79	54.00	-0.21	47.02	3	Vertical	297	2.70	-	33.50	5.00	31.73
PK	5.196G	118.41	Inf	-Inf	111.51	3	Vertical	297	2.70	-	33.50	5.09	31.69
AV	5.196G	108.12	Inf	-Inf	101.22	3	Vertical	297	2.70	-	33.50	5.09	31.69

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	65.70	74.00	-8.30	58.93	3	Horizontal	62	1.00	-	33.50	5.00	31.73
AV	5.1468G	49.28	54.00	-4.72	42.52	3	Horizontal	62	1.00	-	33.50	4.99	31.73
PK	5.206G	113.15	Inf	-Inf	106.23	3	Horizontal	62	1.00	-	33.51	5.10	31.69
AV	5.2016G	102.87	Inf	-Inf	95.96	3	Horizontal	62	1.00	-	33.50	5.10	31.69

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60408G	60.77	74.00	-13.23	46.97	3	Vertical	206	2.13	-	37.59	9.06	32.85
AV	15.59838G	46.04	54.00	-7.96	32.23	3	Vertical	206	2.13	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59898G	56.77	74.00	-17.23	42.96	3	Horizontal	348	1.80	-	37.60	9.06	32.85
AV	15.5985G	42.83	54.00	-11.17	29.02	3	Horizontal	348	1.80	-	37.60	9.06	32.85

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	67.74	74.00	-6.26	61.00	3	Vertical	58	2.32	-	33.50	4.98	31.74
AV	5.147G	53.11	54.00	-0.89	46.35	3	Vertical	58	2.32	-	33.50	4.99	31.73
PK	5.2472G	121.60	Inf	-Inf	114.59	3	Vertical	58	2.32	-	33.59	5.08	31.66
AV	5.2424G	111.54	Inf	-Inf	104.54	3	Vertical	58	2.32	-	33.58	5.08	31.66
PK	5.351G	65.86	74.00	-8.14	58.72	3	Vertical	58	2.32	-	33.70	5.02	31.58
AV	5.3522G	50.74	54.00	-3.26	43.60	3	Vertical	58	2.32	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	63.66	74.00	-10.34	56.89	3	Horizontal	46	1.01	-	33.50	5.00	31.73
AV	5.1464G	49.38	54.00	-4.62	42.62	3	Horizontal	46	1.01	-	33.50	4.99	31.73
PK	5.2418G	116.63	Inf	-Inf	109.63	3	Horizontal	46	1.01	-	33.58	5.08	31.66
AV	5.2418G	105.94	Inf	-Inf	98.94	3	Horizontal	46	1.01	-	33.58	5.08	31.66
PK	5.351G	61.39	74.00	-12.61	54.25	3	Horizontal	46	1.01	-	33.70	5.02	31.58
AV	5.3516G	47.64	54.00	-6.36	40.50	3	Horizontal	46	1.01	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7137G	66.16	74.00	-7.84	52.52	3	Vertical	185	2.10	-	37.40	9.10	32.86
AV	15.7188G	53.20	54.00	-0.80	39.56	3	Vertical	185	2.10	-	37.40	9.10	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7241G	61.56	74.00	-12.44	47.92	3	Horizontal	161	2.09	-	37.40	9.10	32.86
AV	15.7199G	48.14	54.00	-5.86	34.50	3	Horizontal	161	2.09	-	37.40	9.10	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 101
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.654G	71.13	71.16	-0.03	63.65	3	Vertical	336	2.55	-	33.79	5.15	31.46
PK	5.741G	120.12	Inf	-Inf	112.74	3	Vertical	336	2.55	-	33.78	5.06	31.46
AV	5.746G	109.71	Inf	-Inf	102.33	3	Vertical	336	2.55	-	33.79	5.05	31.46
PK	5.937G	59.83	68.20	-8.37	51.80	3	Vertical	336	2.55	-	34.07	5.41	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT Z_2TX
Setting 101
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.06	68.20	-5.14	55.57	3	Horizontal	61	2.71	-	33.80	5.15	31.46
PK	5.75G	116.27	Inf	-Inf	108.88	3	Horizontal	61	2.71	-	33.80	5.05	31.46
AV	5.749G	105.62	Inf	-Inf	98.23	3	Horizontal	61	2.71	-	33.80	5.05	31.46
PK	5.928G	58.80	68.20	-9.40	50.81	3	Horizontal	61	2.71	-	34.06	5.38	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 101
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49072G	55.51	74.00	-18.49	41.84	3	Vertical	212	1.95	-	38.98	7.62	32.93
AV	11.4906G	42.50	54.00	-11.50	28.83	3	Vertical	212	1.95	-	38.98	7.62	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 101
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4858G	53.45	74.00	-20.55	39.79	3	Horizontal	228	2.21	-	38.97	7.62	32.93
AV	11.48064G	40.08	54.00	-13.92	26.42	3	Horizontal	228	2.21	-	38.96	7.62	32.92

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.37	68.20	-4.83	55.88	3	Vertical	216	2.90	-	33.80	5.15	31.46
PK	5.786G	120.67	Inf	-Inf	113.39	3	Vertical	216	2.90	-	33.73	5.01	31.46
AV	5.787G	110.21	Inf	-Inf	102.93	3	Vertical	216	2.90	-	33.73	5.01	31.46
PK	5.929G	65.08	68.20	-3.12	57.08	3	Vertical	216	2.90	-	34.06	5.39	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	60.37	68.20	-7.83	52.86	3	Horizontal	61	2.79	-	33.81	5.16	31.46
PK	5.784G	117.17	Inf	-Inf	109.88	3	Horizontal	61	2.79	-	33.73	5.02	31.46
AV	5.789G	106.39	Inf	-Inf	99.12	3	Horizontal	61	2.79	-	33.72	5.01	31.46
PK	5.927G	63.08	68.20	-5.12	55.10	3	Horizontal	61	2.79	-	34.05	5.38	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5682G	53.76	74.00	-20.24	39.84	3	Vertical	227	1.61	-	39.20	7.65	32.93
AV	11.56652G	40.64	54.00	-13.36	26.72	3	Vertical	227	1.61	-	39.20	7.65	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57408G	55.00	74.00	-19.00	41.06	3	Horizontal	128	1.93	-	39.22	7.65	32.93
AV	11.57048G	40.76	54.00	-13.24	26.83	3	Horizontal	128	1.93	-	39.21	7.65	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	60.26	68.20	-7.94	52.69	3	Vertical	30	2.47	-	33.86	5.18	31.47
PK	5.828G	119.44	Inf	-Inf	112.06	3	Vertical	30	2.47	-	33.76	5.08	31.46
AV	5.827G	110.89	Inf	-Inf	103.52	3	Vertical	30	2.47	-	33.75	5.08	31.46
PK	5.922G	70.24	70.42	-0.18	62.28	3	Vertical	30	2.47	-	34.04	5.37	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.28	68.20	-9.92	50.68	3	Horizontal	58	2.43	-	33.88	5.19	31.47
PK	5.824G	115.16	Inf	-Inf	107.80	3	Horizontal	58	2.43	-	33.75	5.07	31.46
AV	5.829G	106.21	Inf	-Inf	98.82	3	Horizontal	58	2.43	-	33.76	5.09	31.46
PK	5.922G	65.20	70.42	-5.22	57.24	3	Horizontal	58	2.43	-	34.04	5.37	31.45

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65744G	53.91	74.00	-20.09	39.80	3	Vertical	98	2.60	-	39.36	7.68	32.93
AV	11.6452G	43.31	54.00	-10.69	29.21	3	Vertical	98	2.60	-	39.35	7.68	32.93

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.63264G	53.14	74.00	-20.86	39.07	3	Horizontal	272	1.95	-	39.33	7.67	32.93
AV	11.65264G	42.39	54.00	-11.61	28.29	3	Horizontal	272	1.95	-	39.35	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT Z_2TX
Setting 76
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.63	74.00	-6.37	60.86	3	Vertical	52	2.56	-	33.50	5.00	31.73
AV	5.15G	53.77	54.00	-0.23	47.00	3	Vertical	52	2.56	-	33.50	5.00	31.73
PK	5.1754G	113.67	Inf	-Inf	106.83	3	Vertical	52	2.56	-	33.50	5.05	31.71
AV	5.175G	102.01	Inf	-Inf	95.17	3	Vertical	52	2.56	-	33.50	5.05	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.43	74.00	-9.57	57.66	3	Horizontal	57	1.00	-	33.50	5.00	31.73
AV	5.15G	49.75	54.00	-4.25	42.98	3	Horizontal	57	1.00	-	33.50	5.00	31.73
PK	5.1846G	108.90	Inf	-Inf	102.03	3	Horizontal	57	1.00	-	33.50	5.07	31.70
AV	5.1852G	96.79	Inf	-Inf	89.92	3	Horizontal	57	1.00	-	33.50	5.07	31.70

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5658G	52.94	74.00	-21.06	39.04	3	Vertical	157	1.83	-	37.70	9.05	32.85
AV	15.53916G	40.96	54.00	-13.04	26.98	3	Vertical	157	1.83	-	37.78	9.04	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55248G	53.21	74.00	-20.79	39.27	3	Horizontal	177	1.02	-	37.74	9.04	32.84
AV	15.5118G	40.76	54.00	-13.24	26.71	3	Horizontal	177	1.02	-	37.86	9.03	32.84

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	66.99	74.00	-7.01	60.23	3	Vertical	296	2.69	-	33.50	4.99	31.73
AV	5.148G	53.93	54.00	-0.07	47.16	3	Vertical	296	2.69	-	33.50	5.00	31.73
PK	5.1956G	117.39	Inf	-Inf	110.50	3	Vertical	296	2.69	-	33.50	5.09	31.70
AV	5.1964G	105.79	Inf	-Inf	98.89	3	Vertical	296	2.69	-	33.50	5.09	31.69

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT Z_2TX
Setting 96
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	64.43	74.00	-9.57	57.67	3	Horizontal	57	1.00	-	33.50	4.99	31.73
AV	5.1496G	50.52	54.00	-3.48	43.75	3	Horizontal	57	1.00	-	33.50	5.00	31.73
PK	5.1952G	112.23	Inf	-Inf	105.34	3	Horizontal	57	1.00	-	33.50	5.09	31.70
AV	5.1952G	100.78	Inf	-Inf	93.89	3	Horizontal	57	1.00	-	33.50	5.09	31.70

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60456G	56.57	74.00	-17.43	42.77	3	Vertical	208	1.01	-	37.59	9.06	32.85
AV	15.60672G	44.41	54.00	-9.59	30.61	3	Vertical	208	1.01	-	37.59	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5200MHz_TX




EUT_Z_2TX
Setting 96
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59328G	53.75	74.00	-20.25	39.92	3	Horizontal	358	2.52	-	37.62	9.06	32.85
AV	15.60504G	41.73	54.00	-12.27	27.93	3	Horizontal	358	2.52	-	37.59	9.06	32.85

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 105
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	67.77	74.00	-6.23	61.00	3	Vertical	57	2.31	-	33.50	5.00	31.73
AV	5.15G	53.87	54.00	-0.13	47.10	3	Vertical	57	2.31	-	33.50	5.00	31.73
PK	5.2424G	119.97	Inf	-Inf	112.97	3	Vertical	57	2.31	-	33.58	5.08	31.66
AV	5.2418G	108.75	Inf	-Inf	101.75	3	Vertical	57	2.31	-	33.58	5.08	31.66
PK	5.3504G	65.51	74.00	-8.49	58.37	3	Vertical	57	2.31	-	33.70	5.02	31.58
AV	5.351G	52.29	54.00	-1.71	45.15	3	Vertical	57	2.31	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT Z_2TX
Setting 105
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	62.33	74.00	-11.67	55.57	3	Horizontal	43	2.56	-	33.50	4.99	31.73
AV	5.1458G	48.50	54.00	-5.50	41.74	3	Horizontal	43	2.56	-	33.50	4.99	31.73
PK	5.2412G	114.23	Inf	-Inf	107.23	3	Horizontal	43	2.56	-	33.58	5.08	31.66
AV	5.2388G	103.00	Inf	-Inf	96.00	3	Horizontal	43	2.56	-	33.58	5.08	31.66
PK	5.3516G	62.59	74.00	-11.41	55.45	3	Horizontal	43	2.56	-	33.70	5.02	31.58
AV	5.3522G	49.17	54.00	-4.83	42.03	3	Horizontal	43	2.56	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT_Z_2TX
Setting 105
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71868G	63.30	74.00	-10.70	49.66	3	Vertical	185	1.97	-	37.40	9.10	32.86
AV	15.7164G	51.25	54.00	-2.75	37.61	3	Vertical	185	1.97	-	37.40	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5240MHz_TX




EUT Z_2TX
Setting 105
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72552G	59.52	74.00	-14.48	45.88	3	Horizontal	161	2.04	-	37.40	9.10	32.86
AV	15.71952G	46.60	54.00	-7.40	32.96	3	Horizontal	161	2.04	-	37.40	9.10	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	67.98	68.20	-0.22	60.47	3	Vertical	103	2.44	-	33.81	5.16	31.46
PK	5.749G	118.06	Inf	-Inf	110.67	3	Vertical	103	2.44	-	33.80	5.05	31.46
AV	5.747G	107.17	Inf	-Inf	99.79	3	Vertical	103	2.44	-	33.79	5.05	31.46
PK	5.927G	59.81	68.20	-8.39	51.83	3	Vertical	103	2.44	-	34.05	5.38	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	62.13	68.20	-6.07	54.64	3	Horizontal	62	2.71	-	33.80	5.15	31.46
PK	5.752G	114.86	Inf	-Inf	107.47	3	Horizontal	62	2.71	-	33.80	5.05	31.46
AV	5.742G	103.13	Inf	-Inf	95.75	3	Horizontal	62	2.71	-	33.78	5.06	31.46
PK	5.951G	59.48	68.20	-8.72	51.38	3	Horizontal	62	2.71	-	34.10	5.45	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51544G	53.30	74.00	-20.70	39.55	3	Vertical	106	2.98	-	39.05	7.63	32.93
AV	11.48904G	41.15	54.00	-12.85	27.48	3	Vertical	106	2.98	-	38.98	7.62	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5745MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4768G	52.50	74.00	-21.50	38.85	3	Horizontal	196	2.09	-	38.95	7.62	32.92
AV	11.48832G	41.02	54.00	-12.98	27.35	3	Horizontal	196	2.09	-	38.98	7.62	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.90	68.94	-5.04	56.41	3	Vertical	39	2.40	-	33.80	5.15	31.46
PK	5.784G	118.85	Inf	-Inf	111.56	3	Vertical	39	2.40	-	33.73	5.02	31.46
AV	5.784G	107.41	Inf	-Inf	100.12	3	Vertical	39	2.40	-	33.73	5.02	31.46
PK	5.933G	65.24	68.20	-2.96	57.22	3	Vertical	39	2.40	-	34.07	5.40	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	61.52	68.20	-6.68	54.03	3	Horizontal	49	2.78	-	33.80	5.15	31.46
PK	5.787G	115.59	Inf	-Inf	108.31	3	Horizontal	49	2.78	-	33.73	5.01	31.46
AV	5.78G	104.28	Inf	-Inf	96.98	3	Horizontal	49	2.78	-	33.74	5.02	31.46
PK	5.935G	62.59	68.20	-5.61	54.56	3	Horizontal	49	2.78	-	34.07	5.41	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5802G	53.54	74.00	-20.46	39.58	3	Vertical	46	2.14	-	39.24	7.65	32.93
AV	11.56868G	41.22	54.00	-12.78	27.29	3	Vertical	46	2.14	-	39.21	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5785MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5502G	53.03	74.00	-20.97	39.17	3	Horizontal	175	2.42	-	39.15	7.64	32.93
AV	11.5838G	40.51	54.00	-13.49	26.54	3	Horizontal	175	2.42	-	39.25	7.65	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT Z_2TX
Setting 103
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.81	68.20	-8.39	52.18	3	Vertical	55	2.28	-	33.90	5.20	31.47
PK	5.824G	118.55	Inf	-Inf	111.19	3	Vertical	55	2.28	-	33.75	5.07	31.46
AV	5.82G	106.73	Inf	-Inf	99.39	3	Vertical	55	2.28	-	33.74	5.06	31.46
PK	5.93G	66.58	68.20	-1.62	58.58	3	Vertical	55	2.28	-	34.06	5.39	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.57	68.20	-9.63	51.05	3	Horizontal	60	2.62	-	33.82	5.16	31.46
PK	5.828G	115.49	Inf	-Inf	108.11	3	Horizontal	60	2.62	-	33.76	5.08	31.46
AV	5.827G	103.55	Inf	-Inf	96.18	3	Horizontal	60	2.62	-	33.75	5.08	31.46
PK	5.932G	64.00	68.20	-4.20	55.99	3	Horizontal	60	2.62	-	34.06	5.40	31.45

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6368G	53.65	74.00	-20.35	39.57	3	Vertical	322	2.72	-	39.34	7.67	32.93
AV	11.66272G	41.03	54.00	-12.97	26.92	3	Vertical	322	2.72	-	39.36	7.68	32.93

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5825MHz_TX




EUT_Z_2TX
Setting 103
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.66284G	52.60	74.00	-21.40	38.49	3	Horizontal	273	1.43	-	39.36	7.68	32.93
AV	11.62312G	40.79	54.00	-13.21	26.73	3	Horizontal	273	1.43	-	39.32	7.67	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 65
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	73.78	74.00	-0.22	67.01	3	Vertical	51	2.70	-	33.50	5.00	31.73
AV	5.15G	49.31	54.00	-4.69	42.54	3	Vertical	51	2.70	-	33.50	5.00	31.73
PK	5.1876G	107.80	Inf	-Inf	100.92	3	Vertical	51	2.70	-	33.50	5.08	31.70
AV	5.186G	95.99	Inf	-Inf	89.12	3	Vertical	51	2.70	-	33.50	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 65
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.05	74.00	-5.95	61.28	3	Horizontal	57	1.00	-	33.50	5.00	31.73
AV	5.15G	46.69	54.00	-7.31	39.92	3	Horizontal	57	1.00	-	33.50	5.00	31.73
PK	5.1756G	102.64	Inf	-Inf	95.80	3	Horizontal	57	1.00	-	33.50	5.05	31.71
AV	5.186G	91.28	Inf	-Inf	84.41	3	Horizontal	57	1.00	-	33.50	5.07	31.70

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 65
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5692G	53.02	74.00	-20.98	39.13	3	Vertical	237	2.34	-	37.69	9.05	32.85
AV	15.56911G	41.05	54.00	-12.95	27.16	3	Vertical	237	2.34	-	37.69	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5190MHz_TX




EUT_Z_2TX
Setting 65
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56958G	53.41	74.00	-20.59	39.52	3	Horizontal	272	2.58	-	37.69	9.05	32.85
AV	15.57063G	40.97	54.00	-13.03	27.08	3	Horizontal	272	2.58	-	37.69	9.05	32.85

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 91
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	68.86	74.00	-5.14	62.10	3	Vertical	54	2.33	-	33.50	4.99	31.73
AV	5.15G	53.88	54.00	-0.12	47.11	3	Vertical	54	2.33	-	33.50	5.00	31.73
PK	5.2258G	113.34	Inf	-Inf	106.39	3	Vertical	54	2.33	-	33.54	5.09	31.68
AV	5.2258G	101.99	Inf	-Inf	95.02	3	Vertical	54	2.33	-	33.55	5.09	31.67
PK	5.3524G	62.50	74.00	-11.50	55.36	3	Vertical	54	2.33	-	33.70	5.02	31.58
AV	5.3536G	48.37	54.00	-5.63	41.22	3	Vertical	54	2.33	-	33.71	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 91
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	62.07	74.00	-11.93	55.30	3	Horizontal	33	2.83	-	33.50	5.00	31.73
AV	5.1466G	47.41	54.00	-6.59	40.65	3	Horizontal	33	2.83	-	33.50	4.99	31.73
PK	5.2318G	107.64	Inf	-Inf	100.67	3	Horizontal	33	2.83	-	33.56	5.08	31.67
AV	5.2288G	95.66	Inf	-Inf	88.68	3	Horizontal	33	2.83	-	33.56	5.09	31.67
PK	5.3542G	57.90	74.00	-16.10	50.75	3	Horizontal	33	2.83	-	33.71	5.02	31.58
AV	5.3518G	45.93	54.00	-8.07	38.79	3	Horizontal	33	2.83	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 91
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68985G	55.28	74.00	-18.72	41.63	3	Vertical	355	1.00	-	37.42	9.09	32.86
AV	15.69086G	42.62	54.00	-11.38	28.97	3	Vertical	355	1.00	-	37.42	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5230MHz_TX




EUT_Z_2TX
Setting 91
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69058G	53.33	74.00	-20.67	39.68	3	Horizontal	287	2.82	-	37.42	9.09	32.86
AV	15.68974G	41.30	54.00	-12.70	27.65	3	Horizontal	287	2.82	-	37.42	9.09	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	67.97	68.20	-0.23	60.48	3	Vertical	191	2.44	-	33.80	5.15	31.46
PK	5.754G	113.59	Inf	-Inf	106.21	3	Vertical	191	2.44	-	33.79	5.05	31.46
AV	5.765G	101.77	Inf	-Inf	94.42	3	Vertical	191	2.44	-	33.77	5.04	31.46
PK	5.929G	62.15	68.20	-6.05	54.15	3	Vertical	191	2.44	-	34.06	5.39	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 100
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.63	68.20	-3.57	57.14	3	Horizontal	61	2.68	-	33.80	5.15	31.46
PK	5.753G	111.20	Inf	-Inf	103.82	3	Horizontal	61	2.68	-	33.79	5.05	31.46
AV	5.761G	99.76	Inf	-Inf	92.40	3	Horizontal	61	2.68	-	33.78	5.04	31.46
PK	5.928G	60.70	68.20	-7.50	52.71	3	Horizontal	61	2.68	-	34.06	5.38	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51048G	55.93	74.00	-18.07	42.20	3	Vertical	136	2.07	-	39.03	7.63	32.93
AV	11.511G	43.42	54.00	-10.58	29.69	3	Vertical	136	2.07	-	39.03	7.63	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5755MHz_TX




EUT_Z_2TX
Setting 100
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51092G	53.73	74.00	-20.27	40.00	3	Horizontal	241	2.23	-	39.03	7.63	32.93
AV	11.50925G	40.56	54.00	-13.44	26.83	3	Horizontal	241	2.23	-	39.03	7.63	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	65.94	68.20	-2.26	58.42	3	Vertical	101	2.27	-	33.82	5.16	31.46
PK	5.782G	114.66	Inf	-Inf	107.36	3	Vertical	101	2.27	-	33.74	5.02	31.46
AV	5.781G	102.94	Inf	-Inf	95.64	3	Vertical	101	2.27	-	33.74	5.02	31.46
PK	5.939G	68.05	68.20	-0.15	60.00	3	Vertical	101	2.27	-	34.08	5.42	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT Z_2TX
Setting 104
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.91	68.20	-7.29	53.42	3	Horizontal	60	2.65	-	33.80	5.15	31.46
PK	5.793G	112.16	Inf	-Inf	104.90	3	Horizontal	60	2.65	-	33.71	5.01	31.46
AV	5.792G	100.16	Inf	-Inf	92.89	3	Horizontal	60	2.65	-	33.72	5.01	31.46
PK	5.928G	64.70	68.20	-3.50	56.71	3	Horizontal	60	2.65	-	34.06	5.38	31.45

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58972G	57.83	74.00	-16.17	43.83	3	Vertical	283	1.46	-	39.27	7.66	32.93
AV	11.59065G	44.66	54.00	-9.34	30.66	3	Vertical	283	1.46	-	39.27	7.66	32.93

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5795MHz_TX




EUT_Z_2TX
Setting 104
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59079G	55.92	74.00	-18.08	41.92	3	Horizontal	307	2.69	-	39.27	7.66	32.93
AV	11.5897G	43.80	54.00	-10.20	29.80	3	Horizontal	307	2.69	-	39.27	7.66	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	69.36	74.00	-4.64	62.60	3	Vertical	295	2.70	-	33.50	4.99	31.73
AV	5.146G	53.79	54.00	-0.21	47.03	3	Vertical	295	2.70	-	33.50	4.99	31.73
PK	5.213G	105.31	Inf	-Inf	98.37	3	Vertical	295	2.70	-	33.53	5.09	31.68
AV	5.201G	95.35	Inf	-Inf	88.44	3	Vertical	295	2.70	-	33.50	5.10	31.69
PK	5.361G	58.50	74.00	-15.50	51.33	3	Vertical	295	2.70	-	33.72	5.02	31.57
AV	5.355G	47.71	54.00	-6.29	40.56	3	Vertical	295	2.70	-	33.71	5.02	31.58

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.76	74.00	-9.24	57.99	3	Horizontal	57	1.07	-	33.50	5.00	31.73
AV	5.15G	50.15	54.00	-3.85	43.38	3	Horizontal	57	1.07	-	33.50	5.00	31.73
PK	5.194G	100.57	Inf	-Inf	93.68	3	Horizontal	57	1.07	-	33.50	5.09	31.70
AV	5.225G	90.70	Inf	-Inf	83.73	3	Horizontal	57	1.07	-	33.55	5.09	31.67
PK	5.358G	57.45	74.00	-16.55	50.29	3	Horizontal	57	1.07	-	33.72	5.02	31.58
AV	5.367G	47.22	54.00	-6.78	40.04	3	Horizontal	57	1.07	-	33.73	5.02	31.57

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6306G	52.79	74.00	-21.21	39.03	3	Vertical	324	1.31	-	37.54	9.07	32.85
AV	15.6079G	42.04	54.00	-11.96	28.25	3	Vertical	324	1.31	-	37.58	9.06	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5210MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6228G	52.95	74.00	-21.05	39.18	3	Horizontal	249	1.04	-	37.55	9.07	32.85
AV	15.6461G	41.99	54.00	-12.01	28.25	3	Horizontal	249	1.04	-	37.51	9.08	32.85

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT_Z_2TX
Setting 89
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	67.97	68.20	-0.23	60.45	3	Vertical	41	2.55	-	33.82	5.16	31.46
PK	5.769G	109.52	Inf	-Inf	102.19	3	Vertical	41	2.55	-	33.76	5.03	31.46
AV	5.766G	99.77	Inf	-Inf	92.43	3	Vertical	41	2.55	-	33.77	5.03	31.46
PK	5.926G	67.16	68.20	-1.04	59.18	3	Vertical	41	2.55	-	34.05	5.38	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT_Z_2TX
Setting 89
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	64.54	68.20	-3.66	56.94	3	Horizontal	46	2.80	-	33.88	5.19	31.47
PK	5.75G	106.41	Inf	-Inf	99.02	3	Horizontal	46	2.80	-	33.80	5.05	31.46
AV	5.746G	96.38	Inf	-Inf	89.00	3	Horizontal	46	2.80	-	33.79	5.05	31.46
PK	5.931G	63.94	68.20	-4.26	55.94	3	Horizontal	46	2.80	-	34.06	5.39	31.45

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX




EUT_Z_2TX
Setting 89
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54989G	52.74	74.00	-21.26	38.88	3	Vertical	356	1.50	-	39.15	7.64	32.93
AV	11.54931G	42.02	54.00	-11.98	28.16	3	Vertical	356	1.50	-	39.15	7.64	32.93

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5775MHz_TX



EUT_Z_2TX
Setting 89
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54931G	53.09	74.00	-20.91	39.23	3	Horizontal	190	2.19	-	39.15	7.64	32.93
AV	11.55008G	41.98	54.00	-12.02	28.12	3	Horizontal	190	2.19	-	39.15	7.64	32.93




For Scanning radio 3 / 2T1S and 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	5.35G	53.96	54.00	-0.04	3	Vertical	334	2.39	-

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.31	74.00	-8.69	58.54	3	Vertical	0	2.42	-	33.50	5.00	31.73
AV	5.1496G	49.40	54.00	-4.60	42.63	3	Vertical	0	2.42	-	33.50	5.00	31.73
PK	5.2672G	119.67	Inf	-Inf	112.61	3	Vertical	0	2.42	-	33.63	5.07	31.64
AV	5.257G	109.01	Inf	-Inf	101.98	3	Vertical	0	2.42	-	33.61	5.07	31.65
PK	5.3548G	67.96	74.00	-6.04	60.81	3	Vertical	0	2.42	-	33.71	5.02	31.58
AV	5.35G	52.31	54.00	-1.69	45.16	3	Vertical	0	2.42	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.11	74.00	-10.89	56.35	3	Horizontal	58	1.03	-	33.50	4.99	31.73
AV	5.146G	47.10	54.00	-6.90	40.34	3	Horizontal	58	1.03	-	33.50	4.99	31.73
PK	5.2552G	116.74	Inf	-Inf	109.71	3	Horizontal	58	1.03	-	33.61	5.07	31.65
AV	5.2552G	106.32	Inf	-Inf	99.29	3	Horizontal	58	1.03	-	33.61	5.07	31.65
PK	5.353G	66.82	74.00	-7.18	59.67	3	Horizontal	58	1.03	-	33.71	5.02	31.58
AV	5.3536G	49.88	54.00	-4.12	42.73	3	Horizontal	58	1.03	-	33.71	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78408G	63.22	74.00	-10.78	49.56	3	Vertical	162	1.49	-	37.40	9.12	32.86
AV	15.77472G	50.27	54.00	-3.73	36.61	3	Vertical	162	1.49	-	37.40	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7842G	61.62	74.00	-12.38	47.96	3	Horizontal	15	1.98	-	37.40	9.12	32.86
AV	15.7836G	48.33	54.00	-5.67	34.67	3	Horizontal	15	1.98	-	37.40	9.12	32.86

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	118.25	Inf	-Inf	111.12	3	Vertical	334	2.40	-	33.70	5.05	31.62
AV	5.3028G	107.33	Inf	-Inf	100.20	3	Vertical	334	2.40	-	33.70	5.05	31.62
PK	5.35G	71.20	74.00	-2.80	64.05	3	Vertical	334	2.40	-	33.70	5.03	31.58
AV	5.35G	53.94	54.00	-0.06	46.79	3	Vertical	334	2.40	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	112.92	Inf	-Inf	105.78	3	Horizontal	38	2.63	-	33.70	5.05	31.61
AV	5.304G	103.18	Inf	-Inf	96.05	3	Horizontal	38	2.63	-	33.70	5.05	31.62
PK	5.3516G	67.55	74.00	-6.45	60.41	3	Horizontal	38	2.63	-	33.70	5.02	31.58
AV	5.3504G	49.68	54.00	-4.32	42.54	3	Horizontal	38	2.63	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89352G	62.35	74.00	-11.65	48.57	3	Vertical	209	2.41	-	37.49	9.16	32.87
AV	15.8988G	49.13	54.00	-4.87	35.34	3	Vertical	209	2.41	-	37.50	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 102
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89988G	58.57	74.00	-15.43	44.78	3	Horizontal	247	2.36	-	37.50	9.16	32.87
AV	15.89952G	45.40	54.00	-8.60	31.61	3	Horizontal	247	2.36	-	37.50	9.16	32.87

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting B2
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3226G	114.84	Inf	-Inf	107.70	3	Vertical	60	2.49	-	33.70	5.04	31.60
AV	5.3222G	104.72	Inf	-Inf	97.58	3	Vertical	60	2.49	-	33.70	5.04	31.60
PK	5.3522G	73.94	74.00	-0.06	66.80	3	Vertical	60	2.49	-	33.70	5.02	31.58
AV	5.352G	52.57	54.00	-1.43	45.43	3	Vertical	60	2.49	-	33.70	5.02	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3246G	110.82	Inf	-Inf	103.68	3	Horizontal	59	2.86	-	33.70	5.04	31.60
AV	5.3244G	100.22	Inf	-Inf	93.08	3	Horizontal	59	2.86	-	33.70	5.04	31.60
PK	5.3548G	68.31	74.00	-5.69	61.16	3	Horizontal	59	2.86	-	33.71	5.02	31.58
AV	5.35G	50.13	54.00	-3.87	42.98	3	Horizontal	59	2.86	-	33.70	5.03	31.58

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95436G	55.64	74.00	-18.36	41.89	3	Vertical	225	2.30	-	37.45	9.18	32.88
AV	15.9594G	40.96	54.00	-13.04	27.21	3	Vertical	225	2.30	-	37.44	9.19	32.88

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 82
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96588G	54.16	74.00	-19.84	40.42	3	Horizontal	185	1.22	-	37.43	9.19	32.88
AV	15.9552G	40.12	54.00	-13.88	26.38	3	Horizontal	185	1.22	-	37.44	9.18	32.88

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4502G	59.00	74.00	-15.00	51.56	3	Vertical	62	2.36	-	33.90	5.05	31.51
AV	5.459G	45.28	54.00	-8.72	37.82	3	Vertical	62	2.36	-	33.90	5.06	31.50
PK	5.4678G	67.99	68.20	-0.21	60.51	3	Vertical	62	2.36	-	33.90	5.07	31.49
PK	5.497G	111.61	Inf	-Inf	104.08	3	Vertical	62	2.36	-	33.90	5.10	31.47
AV	5.502G	101.49	Inf	-Inf	93.96	3	Vertical	62	2.36	-	33.90	5.10	31.47

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	58.16	74.00	-15.84	50.71	3	Horizontal	37	2.85	-	33.90	5.05	31.50
AV	5.4568G	44.51	54.00	-9.49	37.05	3	Horizontal	37	2.85	-	33.90	5.06	31.50
PK	5.4682G	63.26	68.20	-4.94	55.78	3	Horizontal	37	2.85	-	33.90	5.07	31.49
PK	5.5076G	106.99	Inf	-Inf	99.45	3	Horizontal	37	2.85	-	33.90	5.11	31.47
AV	5.5078G	96.51	Inf	-Inf	88.97	3	Horizontal	37	2.85	-	33.90	5.11	31.47

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99184G	52.50	74.00	-21.50	39.32	3	Vertical	132	2.68	-	38.49	7.45	32.76
AV	11.02724G	38.70	54.00	-15.30	25.48	3	Vertical	132	2.68	-	38.53	7.46	32.77

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 64
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00744G	52.85	74.00	-21.15	39.65	3	Horizontal	273	1.36	-	38.51	7.45	32.76
AV	11.01824G	38.77	54.00	-15.23	25.56	3	Horizontal	273	1.36	-	38.52	7.46	32.77

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	66.23	74.00	-7.77	58.78	3	Vertical	51	2.29	-	33.90	5.05	31.50
AV	5.4576G	49.03	54.00	-4.97	41.57	3	Vertical	51	2.29	-	33.90	5.06	31.50
PK	5.4688G	66.86	68.20	-1.34	59.38	3	Vertical	51	2.29	-	33.90	5.07	31.49
PK	5.5792G	121.60	Inf	-Inf	113.99	3	Vertical	51	2.29	-	33.90	5.18	31.47
AV	5.584G	110.65	Inf	-Inf	103.04	3	Vertical	51	2.29	-	33.90	5.18	31.47
PK	5.7352G	62.67	68.20	-5.53	55.30	3	Vertical	51	2.29	-	33.77	5.06	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	61.07	74.00	-12.93	53.63	3	Horizontal	46	2.81	-	33.90	5.05	31.51
AV	5.4568G	46.74	54.00	-7.26	39.28	3	Horizontal	46	2.81	-	33.90	5.06	31.50
PK	5.4656G	63.11	68.20	-5.09	55.64	3	Horizontal	46	2.81	-	33.90	5.07	31.50
PK	5.5808G	117.64	Inf	-Inf	110.03	3	Horizontal	46	2.81	-	33.90	5.18	31.47
AV	5.5752G	107.26	Inf	-Inf	99.65	3	Horizontal	46	2.81	-	33.90	5.18	31.47
PK	5.7304G	61.00	68.20	-7.20	53.63	3	Horizontal	46	2.81	-	33.76	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1588G	54.18	74.00	-19.82	40.82	3	Vertical	127	1.90	-	38.66	7.51	32.81
AV	11.16096G	41.03	54.00	-12.97	27.67	3	Vertical	127	1.90	-	38.66	7.51	32.81
PK	16.74312G	60.00	68.20	-8.20	43.73	3	Vertical	245	2.15	-	39.96	9.27	32.96

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16036G	52.95	74.00	-21.05	39.59	3	Horizontal	351	1.00	-	38.66	7.51	32.81
AV	11.15988G	40.19	54.00	-13.81	26.83	3	Horizontal	351	1.00	-	38.66	7.51	32.81
PK	16.72992G	59.68	68.20	-8.52	43.49	3	Horizontal	240	2.35	-	39.88	9.27	32.96

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	111.24	Inf	-Inf	103.89	3	Vertical	340	2.68	-	33.71	5.10	31.46
AV	5.6964G	101.68	Inf	-Inf	94.33	3	Vertical	340	2.68	-	33.71	5.10	31.46
PK	5.7262G	68.01	68.20	-0.19	60.65	3	Vertical	340	2.68	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6944G	107.63	Inf	-Inf	100.27	3	Horizontal	63	2.73	-	33.71	5.11	31.46
AV	5.695G	98.05	Inf	-Inf	90.70	3	Horizontal	63	2.73	-	33.71	5.10	31.46
PK	5.7254G	67.28	68.20	-0.92	59.92	3	Horizontal	63	2.73	-	33.75	5.07	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39388G	52.52	74.00	-21.48	39.03	3	Vertical	342	2.84	-	38.79	7.59	32.89
AV	11.42964G	39.73	54.00	-14.27	26.18	3	Vertical	342	2.84	-	38.86	7.60	32.91

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42568G	52.18	74.00	-21.82	38.63	3	Horizontal	235	2.18	-	38.85	7.60	32.90
AV	11.42724G	39.40	54.00	-14.60	25.86	3	Horizontal	235	2.18	-	38.85	7.60	32.91

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	120.44	Inf	-Inf	113.07	3	Vertical	193	2.48	-	33.75	5.08	31.46
AV	5.7184G	109.24	Inf	-Inf	101.88	3	Vertical	193	2.48	-	33.74	5.08	31.46
PK	5.8528G	68.02	68.20	-0.18	60.51	3	Vertical	193	2.48	-	33.81	5.16	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	117.57	Inf	-Inf	110.20	3	Horizontal	61	2.72	-	33.75	5.08	31.46
AV	5.724G	106.77	Inf	-Inf	99.40	3	Horizontal	61	2.72	-	33.75	5.08	31.46
PK	5.8536G	64.01	68.20	-4.19	56.50	3	Horizontal	61	2.72	-	33.81	5.16	31.46

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43064G	53.68	74.00	-20.32	40.13	3	Vertical	212	1.22	-	38.86	7.60	32.91
AV	11.44084G	40.90	54.00	-13.10	27.33	3	Vertical	212	1.22	-	38.88	7.60	32.91
PK	17.15604G	57.74	68.20	-10.46	39.67	3	Vertical	249	2.21	-	41.69	9.32	32.94

802.11a_Nss1,(6Mbps)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 106
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4298G	52.85	74.00	-21.15	39.30	3	Horizontal	186	1.88	-	38.86	7.60	32.91
AV	11.44564G	39.74	54.00	-14.26	26.15	3	Horizontal	186	1.88	-	38.89	7.61	32.91
PK	17.15052G	59.12	68.20	-9.08	41.09	3	Horizontal	63	1.65	-	41.65	9.32	32.94

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 107
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.71	74.00	-9.29	57.94	3	Vertical	58	2.80	-	33.50	5.00	31.73
AV	5.1484G	50.71	54.00	-3.29	43.94	3	Vertical	58	2.80	-	33.50	5.00	31.73
PK	5.2516G	119.18	Inf	-Inf	112.16	3	Vertical	58	2.80	-	33.60	5.07	31.65
AV	5.2618G	107.85	Inf	-Inf	100.81	3	Vertical	58	2.80	-	33.62	5.07	31.65
PK	5.3518G	66.79	74.00	-7.21	59.65	3	Vertical	58	2.80	-	33.70	5.02	31.58
AV	5.3512G	52.47	54.00	-1.53	45.33	3	Vertical	58	2.80	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT Z_2TX
Setting 107
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	61.13	74.00	-12.87	54.36	3	Horizontal	58	1.02	-	33.50	5.00	31.73
AV	5.1472G	47.59	54.00	-6.41	40.83	3	Horizontal	58	1.02	-	33.50	4.99	31.73
PK	5.2552G	115.16	Inf	-Inf	108.13	3	Horizontal	58	1.02	-	33.61	5.07	31.65
AV	5.2552G	103.49	Inf	-Inf	96.46	3	Horizontal	58	1.02	-	33.61	5.07	31.65
PK	5.359G	63.63	74.00	-10.37	56.46	3	Horizontal	58	1.02	-	33.72	5.02	31.57
AV	5.35G	49.45	54.00	-4.55	42.30	3	Horizontal	58	1.02	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 107
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77424G	59.99	74.00	-14.01	46.33	3	Vertical	160	1.80	-	37.40	9.12	32.86
AV	15.78084G	47.78	54.00	-6.22	34.12	3	Vertical	160	1.80	-	37.40	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5260MHz_TX




EUT_Z_2TX
Setting 107
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77424G	58.51	74.00	-15.49	44.85	3	Horizontal	200	1.93	-	37.40	9.12	32.86
AV	15.7812G	45.33	54.00	-8.67	31.67	3	Horizontal	200	1.93	-	37.40	9.12	32.86

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 94
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	118.06	Inf	-Inf	110.94	3	Vertical	334	2.39	-	33.69	5.05	31.62
AV	5.3016G	105.15	Inf	-Inf	98.02	3	Vertical	334	2.39	-	33.70	5.05	31.62
PK	5.35G	71.48	74.00	-2.52	64.33	3	Vertical	334	2.39	-	33.70	5.03	31.58
AV	5.35G	53.96	54.00	-0.04	46.81	3	Vertical	334	2.39	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 94
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	111.73	Inf	-Inf	104.60	3	Horizontal	45	2.65	-	33.70	5.05	31.62
AV	5.2952G	100.01	Inf	-Inf	92.89	3	Horizontal	45	2.65	-	33.69	5.05	31.62
PK	5.35G	67.23	74.00	-6.77	60.08	3	Horizontal	45	2.65	-	33.70	5.03	31.58
AV	5.35G	50.01	54.00	-3.99	42.86	3	Horizontal	45	2.65	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 94
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8982G	59.36	74.00	-14.64	45.57	3	Vertical	209	2.46	-	37.50	9.16	32.87
AV	15.89904G	46.30	54.00	-7.70	32.51	3	Vertical	209	2.46	-	37.50	9.16	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5300MHz_TX




EUT_Z_2TX
Setting 94
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90372G	56.01	74.00	-17.99	42.21	3	Horizontal	245	2.34	-	37.50	9.17	32.87
AV	15.89652G	43.95	54.00	-10.05	30.16	3	Horizontal	245	2.34	-	37.50	9.16	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	114.06	Inf	-Inf	106.92	3	Vertical	336	2.48	-	33.70	5.04	31.60
AV	5.3214G	102.11	Inf	-Inf	94.97	3	Vertical	336	2.48	-	33.70	5.04	31.60
PK	5.35G	70.33	74.00	-3.67	63.18	3	Vertical	336	2.48	-	33.70	5.03	31.58
AV	5.35G	53.77	54.00	-0.23	46.62	3	Vertical	336	2.48	-	33.70	5.03	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	110.29	Inf	-Inf	103.15	3	Horizontal	61	2.87	-	33.70	5.04	31.60
AV	5.3224G	97.59	Inf	-Inf	90.45	3	Horizontal	61	2.87	-	33.70	5.04	31.60
PK	5.3528G	66.71	74.00	-7.29	59.56	3	Horizontal	61	2.87	-	33.71	5.02	31.58
AV	5.3518G	49.61	54.00	-4.39	42.47	3	Horizontal	61	2.87	-	33.70	5.02	31.58

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97284G	53.53	74.00	-20.47	39.79	3	Vertical	275	2.85	-	37.43	9.19	32.88
AV	15.95328G	41.24	54.00	-12.76	27.49	3	Vertical	275	2.85	-	37.45	9.18	32.88

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5320MHz_TX




EUT_Z_2TX
Setting 75
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95448G	53.58	74.00	-20.42	39.83	3	Horizontal	178	2.91	-	37.45	9.18	32.88
AV	15.93492G	41.11	54.00	-12.89	27.33	3	Horizontal	178	2.91	-	37.47	9.18	32.87

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 74
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	62.20	74.00	-11.80	54.74	3	Vertical	21	2.61	-	33.90	5.06	31.50
AV	5.4598G	47.70	54.00	-6.30	40.24	3	Vertical	21	2.61	-	33.90	5.06	31.50
PK	5.4684G	68.15	68.20	-0.05	60.67	3	Vertical	21	2.61	-	33.90	5.07	31.49
PK	5.4954G	113.82	Inf	-Inf	106.29	3	Vertical	21	2.61	-	33.90	5.10	31.47
AV	5.4966G	102.18	Inf	-Inf	94.65	3	Vertical	21	2.61	-	33.90	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 74
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.06	74.00	-15.94	50.60	3	Horizontal	45	2.86	-	33.90	5.06	31.50
AV	5.4596G	46.34	54.00	-7.66	38.88	3	Horizontal	45	2.86	-	33.90	5.06	31.50
PK	5.468G	63.18	68.20	-5.02	55.70	3	Horizontal	45	2.86	-	33.90	5.07	31.49
PK	5.4952G	109.68	Inf	-Inf	102.15	3	Horizontal	45	2.86	-	33.90	5.10	31.47
AV	5.495G	98.12	Inf	-Inf	90.59	3	Horizontal	45	2.86	-	33.90	5.10	31.47

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 74
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02028G	52.28	74.00	-21.72	39.07	3	Vertical	162	1.66	-	38.52	7.46	32.77
AV	11.01668G	40.37	54.00	-13.63	27.16	3	Vertical	162	1.66	-	38.52	7.46	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5500MHz_TX




EUT_Z_2TX
Setting 74
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00432G	52.02	74.00	-21.98	38.83	3	Horizontal	150	2.73	-	38.50	7.45	32.76
AV	11.0258G	40.17	54.00	-13.83	26.95	3	Horizontal	150	2.73	-	38.53	7.46	32.77

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	64.04	74.00	-9.96	56.58	3	Vertical	37	2.75	-	33.90	5.06	31.50
AV	5.4584G	51.42	54.00	-2.58	43.96	3	Vertical	37	2.75	-	33.90	5.06	31.50
PK	5.4688G	65.63	68.20	-2.57	58.15	3	Vertical	37	2.75	-	33.90	5.07	31.49
PK	5.5752G	120.70	Inf	-Inf	113.09	3	Vertical	37	2.75	-	33.90	5.18	31.47
AV	5.5816G	109.03	Inf	-Inf	101.42	3	Vertical	37	2.75	-	33.90	5.18	31.47
PK	5.7264G	63.38	68.20	-4.82	56.02	3	Vertical	37	2.75	-	33.75	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT Z_2TX
Setting 108
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	60.85	74.00	-13.15	53.40	3	Horizontal	45	2.82	-	33.90	5.05	31.50
AV	5.4576G	48.00	54.00	-6.00	40.54	3	Horizontal	45	2.82	-	33.90	5.06	31.50
PK	5.468G	62.18	68.20	-6.02	54.70	3	Horizontal	45	2.82	-	33.90	5.07	31.49
PK	5.5816G	116.24	Inf	-Inf	108.63	3	Horizontal	45	2.82	-	33.90	5.18	31.47
AV	5.5816G	105.32	Inf	-Inf	97.71	3	Horizontal	45	2.82	-	33.90	5.18	31.47
PK	5.7456G	59.97	68.20	-8.23	52.59	3	Horizontal	45	2.82	-	33.79	5.05	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1714G	53.20	74.00	-20.80	39.84	3	Vertical	93	1.88	-	38.67	7.51	32.82
AV	11.16576G	41.34	54.00	-12.66	27.98	3	Vertical	93	1.88	-	38.67	7.51	32.82
PK	16.74156G	59.92	68.20	-8.28	43.66	3	Vertical	243	1.84	-	39.95	9.27	32.96

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5580MHz_TX




EUT_Z_2TX
Setting 108
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16168G	51.84	74.00	-22.16	38.48	3	Horizontal	85	2.08	-	38.66	7.51	32.81
AV	11.13936G	40.14	54.00	-13.86	26.81	3	Horizontal	85	2.08	-	38.64	7.50	32.81
PK	16.74732G	58.77	68.20	-9.43	42.48	3	Horizontal	191	1.85	-	39.98	9.27	32.96

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6954G	111.70	Inf	-Inf	104.35	3	Vertical	340	2.45	-	33.71	5.10	31.46
AV	5.6968G	99.75	Inf	-Inf	92.40	3	Vertical	340	2.45	-	33.71	5.10	31.46
PK	5.7252G	68.06	68.20	-0.14	60.70	3	Vertical	340	2.45	-	33.75	5.07	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	108.52	Inf	-Inf	101.17	3	Horizontal	46	2.74	-	33.71	5.10	31.46
AV	5.695G	96.76	Inf	-Inf	89.41	3	Horizontal	46	2.74	-	33.71	5.10	31.46
PK	5.725G	65.91	68.20	-2.29	58.54	3	Horizontal	46	2.74	-	33.75	5.08	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42568G	52.71	74.00	-21.29	39.16	3	Vertical	295	2.90	-	38.85	7.60	32.90
AV	11.38332G	40.46	54.00	-13.54	26.99	3	Vertical	295	2.90	-	38.78	7.58	32.89

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5700MHz_TX




EUT_Z_2TX
Setting 62
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38524G	52.51	74.00	-21.49	39.03	3	Horizontal	47	1.12	-	38.79	7.58	32.89
AV	11.42736G	40.31	54.00	-13.69	26.77	3	Horizontal	47	1.12	-	38.85	7.60	32.91

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
 Setting 107
 02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	118.98	Inf	-Inf	111.62	3	Vertical	100	2.53	-	33.74	5.08	31.46
AV	5.7168G	107.85	Inf	-Inf	100.50	3	Vertical	100	2.53	-	33.73	5.08	31.46
PK	5.8536G	65.79	68.20	-2.41	58.28	3	Vertical	100	2.53	-	33.81	5.16	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX

27/05/2021

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 107
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	115.58	Inf	-Inf	108.22	3	Horizontal	63	2.72	-	33.74	5.08	31.46
AV	5.7216G	104.34	Inf	-Inf	96.98	3	Horizontal	63	2.72	-	33.74	5.08	31.46
PK	5.852G	63.64	68.20	-4.56	56.13	3	Horizontal	63	2.72	-	33.81	5.16	31.46

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
Setting 107
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42356G	53.17	74.00	-20.83	39.62	3	Vertical	10	2.57	-	38.85	7.60	32.90
AV	11.43556G	40.88	54.00	-13.12	27.32	3	Vertical	10	2.57	-	38.87	7.60	32.91
PK	17.16G	59.30	68.20	-8.90	41.20	3	Vertical	320	1.77	-	41.72	9.32	32.94

802.11ax HEW20_Nss2,(MCS0)_2TX
5720MHz Straddle 5.47-5.725GHz_TX

27/05/2021




EUT_Z_2TX
 Setting 107
 02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42068G	53.80	74.00	-20.20	40.26	3	Horizontal	10	1.49	-	38.84	7.60	32.90
AV	11.44336G	40.51	54.00	-13.49	26.92	3	Horizontal	10	1.49	-	38.89	7.61	32.91
PK	17.16396G	57.40	68.20	-10.80	39.27	3	Horizontal	38	2.31	-	41.75	9.32	32.94

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	62.91	74.00	-11.09	56.15	3	Vertical	55	2.52	-	33.50	4.99	31.73
AV	5.1482G	48.27	54.00	-5.73	41.50	3	Vertical	55	2.52	-	33.50	5.00	31.73
PK	5.2742G	113.40	Inf	-Inf	106.33	3	Vertical	55	2.52	-	33.65	5.06	31.64
AV	5.2748G	101.94	Inf	-Inf	94.87	3	Vertical	55	2.52	-	33.65	5.06	31.64
PK	5.3516G	70.10	74.00	-3.90	62.96	3	Vertical	55	2.52	-	33.70	5.02	31.58
AV	5.3504G	53.79	54.00	-0.21	46.65	3	Vertical	55	2.52	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.62	74.00	-15.38	51.85	3	Horizontal	57	1.03	-	33.50	5.00	31.73
AV	5.147G	46.12	54.00	-7.88	39.36	3	Horizontal	57	1.03	-	33.50	4.99	31.73
PK	5.2616G	108.75	Inf	-Inf	101.71	3	Horizontal	57	1.03	-	33.62	5.07	31.65
AV	5.2556G	96.97	Inf	-Inf	89.94	3	Horizontal	57	1.03	-	33.61	5.07	31.65
PK	5.3516G	66.84	74.00	-7.16	59.70	3	Horizontal	57	1.03	-	33.70	5.02	31.58
AV	5.35G	50.73	54.00	-3.27	43.59	3	Horizontal	57	1.03	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80942G	54.20	74.00	-19.80	40.52	3	Vertical	60	1.37	-	37.41	9.13	32.86
AV	15.81097G	40.95	54.00	-13.05	27.27	3	Vertical	60	1.37	-	37.41	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5270MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8104G	55.50	74.00	-18.50	41.82	3	Horizontal	34	1.90	-	37.41	9.13	32.86
AV	15.80916G	42.83	54.00	-11.17	29.15	3	Horizontal	34	1.90	-	37.41	9.13	32.86

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	109.27	Inf	-Inf	102.14	3	Vertical	334	2.49	-	33.70	5.04	31.61
AV	5.32G	97.51	Inf	-Inf	90.37	3	Vertical	334	2.49	-	33.70	5.04	31.60
PK	5.362G	73.96	74.00	-0.04	66.79	3	Vertical	334	2.49	-	33.72	5.02	31.57
AV	5.35G	53.30	54.00	-0.70	46.15	3	Vertical	334	2.49	-	33.70	5.03	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 92
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	104.31	Inf	-Inf	97.17	3	Horizontal	61	2.86	-	33.70	5.04	31.60
AV	5.3248G	93.00	Inf	-Inf	85.86	3	Horizontal	61	2.86	-	33.70	5.04	31.60
PK	5.35G	70.63	74.00	-3.37	63.48	3	Horizontal	61	2.86	-	33.70	5.03	31.58
AV	5.3504G	49.36	54.00	-4.64	42.22	3	Horizontal	61	2.86	-	33.70	5.02	31.58

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.619G	52.58	74.00	-21.42	39.38	3	Vertical	326	2.91	-	38.48	7.32	32.60
AV	10.61979G	39.49	54.00	-14.51	26.29	3	Vertical	326	2.91	-	38.48	7.32	32.60
PK	15.92919G	54.33	74.00	-19.67	40.55	3	Vertical	9	2.49	-	37.47	9.18	32.87
AV	15.9308G	41.28	54.00	-12.72	27.50	3	Vertical	9	2.49	-	37.47	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5310MHz_TX




EUT_Z_2TX
Setting 92
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61918G	52.79	74.00	-21.21	39.59	3	Horizontal	54	1.35	-	38.48	7.32	32.60
AV	10.61913G	39.67	54.00	-14.33	26.47	3	Horizontal	54	1.35	-	38.48	7.32	32.60
PK	15.92902G	53.95	74.00	-20.05	40.17	3	Horizontal	109	1.28	-	37.47	9.18	32.87
AV	15.92976G	41.32	54.00	-12.68	27.54	3	Horizontal	109	1.28	-	37.47	9.18	32.87

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	64.18	74.00	-9.82	56.72	3	Vertical	35	2.48	-	33.90	5.06	31.50
AV	5.4596G	46.89	54.00	-7.11	39.43	3	Vertical	35	2.48	-	33.90	5.06	31.50
PK	5.47G	67.99	68.20	-0.21	60.51	3	Vertical	35	2.48	-	33.90	5.07	31.49
PK	5.5032G	108.29	Inf	-Inf	100.76	3	Vertical	35	2.48	-	33.90	5.10	31.47
AV	5.5072G	95.35	Inf	-Inf	87.81	3	Vertical	35	2.48	-	33.90	5.11	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 60
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	59.43	74.00	-14.57	51.97	3	Horizontal	38	2.85	-	33.90	5.06	31.50
AV	5.4592G	45.83	54.00	-8.17	38.37	3	Horizontal	38	2.85	-	33.90	5.06	31.50
PK	5.4684G	62.78	68.20	-5.42	55.30	3	Horizontal	38	2.85	-	33.90	5.07	31.49
PK	5.5124G	104.37	Inf	-Inf	96.83	3	Horizontal	38	2.85	-	33.90	5.11	31.47
AV	5.5088G	91.51	Inf	-Inf	83.97	3	Horizontal	38	2.85	-	33.90	5.11	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT Z_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01987G	54.57	74.00	-19.43	41.36	3	Vertical	249	2.24	-	38.52	7.46	32.77
AV	11.02022G	42.23	54.00	-11.77	29.02	3	Vertical	249	2.24	-	38.52	7.46	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5510MHz_TX




EUT_Z_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02065G	52.97	74.00	-21.03	39.76	3	Horizontal	310	1.37	-	38.52	7.46	32.77
AV	11.01941G	40.42	54.00	-13.58	27.21	3	Horizontal	310	1.37	-	38.52	7.46	32.77

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 80
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	63.93	74.00	-10.07	56.47	3	Vertical	56	2.43	-	33.90	5.06	31.50
AV	5.4596G	48.00	54.00	-6.00	40.54	3	Vertical	56	2.43	-	33.90	5.06	31.50
PK	5.4672G	68.11	68.20	-0.09	60.63	3	Vertical	56	2.43	-	33.90	5.07	31.49
PK	5.5476G	113.32	Inf	-Inf	105.74	3	Vertical	56	2.43	-	33.90	5.15	31.47
AV	5.5452G	101.71	Inf	-Inf	94.13	3	Vertical	56	2.43	-	33.90	5.15	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 80
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	61.79	74.00	-12.21	54.33	3	Horizontal	44	2.80	-	33.90	5.06	31.50
AV	5.4556G	46.55	54.00	-7.45	39.09	3	Horizontal	44	2.80	-	33.90	5.06	31.50
PK	5.4672G	62.99	68.20	-5.21	55.51	3	Horizontal	44	2.80	-	33.90	5.07	31.49
PK	5.5664G	107.85	Inf	-Inf	100.25	3	Horizontal	44	2.80	-	33.90	5.17	31.47
AV	5.5588G	96.81	Inf	-Inf	89.22	3	Horizontal	44	2.80	-	33.90	5.16	31.47

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09978G	53.06	74.00	-20.94	39.77	3	Vertical	44	2.67	-	38.60	7.48	32.79
AV	11.09911G	40.40	54.00	-13.60	27.11	3	Vertical	44	2.67	-	38.60	7.48	32.79

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5550MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0998G	55.47	74.00	-18.53	42.18	3	Horizontal	262	2.64	-	38.60	7.48	32.79
AV	11.10031G	43.09	54.00	-10.91	29.79	3	Horizontal	262	2.64	-	38.60	7.49	32.79

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	111.08	Inf	-Inf	103.65	3	Vertical	98	2.54	-	33.76	5.13	31.46
AV	5.6688G	98.23	Inf	-Inf	90.80	3	Vertical	98	2.54	-	33.76	5.13	31.46
PK	5.7272G	68.16	68.20	-0.04	60.80	3	Vertical	98	2.54	-	33.75	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	105.96	Inf	-Inf	98.53	3	Horizontal	62	2.41	-	33.76	5.13	31.46
AV	5.6736G	93.46	Inf	-Inf	86.04	3	Horizontal	62	2.41	-	33.75	5.13	31.46
PK	5.7252G	63.46	68.20	-4.74	56.10	3	Horizontal	62	2.41	-	33.75	5.07	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 66
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34039G	51.83	74.00	-22.17	38.40	3	Vertical	133	2.26	-	38.74	7.57	32.88
AV	11.34076G	39.70	54.00	-14.30	26.27	3	Vertical	133	2.26	-	38.74	7.57	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5670MHz_TX




EUT_Z_2TX
Setting 66
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33972G	52.06	74.00	-21.94	38.63	3	Horizontal	73	2.43	-	38.74	7.57	32.88
AV	11.34052G	39.56	54.00	-14.44	26.13	3	Horizontal	73	2.43	-	38.74	7.57	32.88

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT Z_2TX
Setting 105
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	115.62	Inf	-Inf	108.28	3	Vertical	340	2.46	-	33.71	5.09	31.46
AV	5.7052G	103.85	Inf	-Inf	96.51	3	Vertical	340	2.46	-	33.71	5.09	31.46
PK	5.8612G	68.07	68.20	-0.13	60.51	3	Vertical	340	2.46	-	33.84	5.18	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 105
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	111.72	Inf	-Inf	104.37	3	Horizontal	63	2.60	-	33.72	5.09	31.46
AV	5.7116G	99.70	Inf	-Inf	92.35	3	Horizontal	63	2.60	-	33.72	5.09	31.46
PK	5.8532G	64.04	68.20	-4.16	56.53	3	Horizontal	63	2.60	-	33.81	5.16	31.46

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 105
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42013G	56.41	74.00	-17.59	42.87	3	Vertical	329	2.08	-	38.84	7.60	32.90
AV	11.42016G	44.09	54.00	-9.91	30.55	3	Vertical	329	2.08	-	38.84	7.60	32.90

802.11ax HEW40_Nss2,(MCS0)_2TX

27/05/2021

5710MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 105
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42023G	55.52	74.00	-18.48	41.98	3	Horizontal	302	1.84	-	38.84	7.60	32.90
AV	11.42002G	43.26	54.00	-10.74	29.72	3	Horizontal	302	1.84	-	38.84	7.60	32.90

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.058G	58.71	74.00	-15.29	52.36	3	Vertical	39	2.26	-	33.33	4.82	31.80
AV	5.144G	47.23	54.00	-6.77	40.47	3	Vertical	39	2.26	-	33.50	4.99	31.73
PK	5.277G	104.12	Inf	-Inf	97.05	3	Vertical	39	2.26	-	33.65	5.06	31.64
AV	5.275G	94.06	Inf	-Inf	86.99	3	Vertical	39	2.26	-	33.65	5.06	31.64
PK	5.355G	67.22	74.00	-6.78	60.07	3	Vertical	39	2.26	-	33.71	5.02	31.58
AV	5.356G	53.80	54.00	-0.20	46.65	3	Vertical	39	2.26	-	33.71	5.02	31.58
PK	5.51G	58.48	68.20	-9.72	50.94	3	Vertical	39	2.26	-	33.90	5.11	31.47

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	57.42	74.00	-16.58	50.68	3	Horizontal	42	2.90	-	33.50	4.98	31.74
AV	5.15G	46.45	54.00	-7.55	39.68	3	Horizontal	42	2.90	-	33.50	5.00	31.73
PK	5.297G	100.45	Inf	-Inf	93.33	3	Horizontal	42	2.90	-	33.69	5.05	31.62
AV	5.295G	90.06	Inf	-Inf	82.94	3	Horizontal	42	2.90	-	33.69	5.05	31.62
PK	5.351G	63.03	74.00	-10.97	55.89	3	Horizontal	42	2.90	-	33.70	5.02	31.58
AV	5.35G	50.61	54.00	-3.39	43.46	3	Horizontal	42	2.90	-	33.70	5.03	31.58
PK	5.516G	57.88	68.20	-10.32	50.33	3	Horizontal	42	2.90	-	33.90	5.12	31.47

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.855G	53.01	74.00	-20.99	39.28	3	Vertical	213	2.18	-	37.45	9.15	32.87
AV	15.8723G	42.62	54.00	-11.38	28.86	3	Vertical	213	2.18	-	37.47	9.16	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5290MHz_TX




EUT_Z_2TX
Setting 66
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8605G	54.30	74.00	-19.70	40.56	3	Horizontal	30	2.05	-	37.46	9.15	32.87
AV	15.8825G	42.92	54.00	-11.08	29.15	3	Horizontal	30	2.05	-	37.48	9.16	32.87

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.336G	57.59	68.20	-10.61	50.45	3	Vertical	33	2.66	-	33.70	5.03	31.59
PK	5.458G	64.77	74.00	-9.23	57.31	3	Vertical	33	2.66	-	33.90	5.06	31.50
AV	5.46G	52.51	54.00	-1.49	45.05	3	Vertical	33	2.66	-	33.90	5.06	31.50
PK	5.47G	66.17	68.20	-2.03	58.69	3	Vertical	33	2.66	-	33.90	5.07	31.49
PK	5.534G	106.09	Inf	-Inf	98.53	3	Vertical	33	2.66	-	33.90	5.13	31.47
AV	5.525G	95.93	Inf	-Inf	88.38	3	Vertical	33	2.66	-	33.90	5.12	31.47
PK	5.742G	57.96	68.20	-10.24	50.58	3	Vertical	33	2.66	-	33.78	5.06	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	57.19	68.20	-11.01	50.04	3	Horizontal	44	2.87	-	33.70	5.03	31.58
PK	5.458G	62.09	74.00	-11.91	54.63	3	Horizontal	44	2.87	-	33.90	5.06	31.50
AV	5.453G	48.83	54.00	-5.17	41.38	3	Horizontal	44	2.87	-	33.90	5.05	31.50
PK	5.462G	62.44	68.20	-5.76	54.98	3	Horizontal	44	2.87	-	33.90	5.06	31.50
PK	5.515G	101.23	Inf	-Inf	93.68	3	Horizontal	44	2.87	-	33.90	5.12	31.47
AV	5.546G	91.43	Inf	-Inf	83.85	3	Horizontal	44	2.87	-	33.90	5.15	31.47
PK	5.744G	57.29	68.20	-10.91	49.90	3	Horizontal	44	2.87	-	33.79	5.06	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.038G	52.20	74.00	-21.80	38.97	3	Vertical	25	2.11	-	38.54	7.46	32.77
AV	11.0686G	42.08	54.00	-11.92	28.82	3	Vertical	25	2.11	-	38.57	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5530MHz_TX




EUT_Z_2TX
Setting 69
02-B-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0497G	53.40	74.00	-20.60	40.16	3	Horizontal	224	2.20	-	38.55	7.47	32.78
AV	11.0587G	41.46	54.00	-12.54	28.21	3	Horizontal	224	2.20	-	38.56	7.47	32.78

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	63.05	74.00	-10.95	55.60	3	Vertical	39	2.50	-	33.90	5.05	31.50
AV	5.459G	51.74	54.00	-2.26	44.28	3	Vertical	39	2.50	-	33.90	5.06	31.50
PK	5.464G	63.72	68.20	-4.48	56.26	3	Vertical	39	2.50	-	33.90	5.06	31.50
PK	5.595G	110.31	Inf	-Inf	102.68	3	Vertical	39	2.50	-	33.90	5.20	31.47
AV	5.622G	100.45	Inf	-Inf	92.88	3	Vertical	39	2.50	-	33.86	5.18	31.47
PK	5.73G	68.07	68.20	-0.13	60.70	3	Vertical	39	2.50	-	33.76	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.01	74.00	-14.99	51.55	3	Horizontal	63	2.44	-	33.90	5.06	31.50
AV	5.44G	48.56	54.00	-5.44	41.15	3	Horizontal	63	2.44	-	33.88	5.04	31.51
PK	5.464G	58.99	68.20	-9.21	51.53	3	Horizontal	63	2.44	-	33.90	5.06	31.50
PK	5.617G	105.69	Inf	-Inf	98.11	3	Horizontal	63	2.44	-	33.87	5.18	31.47
AV	5.605G	95.60	Inf	-Inf	87.98	3	Horizontal	63	2.44	-	33.89	5.20	31.47
PK	5.729G	64.89	68.20	-3.31	57.52	3	Horizontal	63	2.44	-	33.76	5.07	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21682G	53.26	74.00	-20.74	39.86	3	Vertical	82	2.06	-	38.70	7.53	32.83
AV	11.2156G	41.87	54.00	-12.13	28.47	3	Vertical	82	2.06	-	38.70	7.53	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5610MHz_TX




EUT_Z_2TX
Setting 80
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21974G	52.53	74.00	-21.47	39.13	3	Horizontal	208	1.30	-	38.70	7.53	32.83
AV	11.21576G	41.64	54.00	-12.36	28.24	3	Horizontal	208	1.30	-	38.70	7.53	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6788G	111.73	Inf	-Inf	104.33	3	Vertical	98	2.66	-	33.74	5.12	31.46
AV	5.6796G	100.55	Inf	-Inf	93.15	3	Vertical	98	2.66	-	33.74	5.12	31.46
PK	5.8508G	67.99	68.20	-0.21	60.50	3	Vertical	98	2.66	-	33.80	5.15	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.674G	107.44	Inf	-Inf	100.02	3	Horizontal	48	2.78	-	33.75	5.13	31.46
AV	5.678G	96.18	Inf	-Inf	88.78	3	Horizontal	48	2.78	-	33.74	5.12	31.46
PK	5.85G	63.72	68.20	-4.48	56.23	3	Horizontal	48	2.78	-	33.80	5.15	31.46

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37924G	53.00	74.00	-21.00	39.53	3	Vertical	331	1.21	-	38.78	7.58	32.89
AV	11.37987G	41.78	54.00	-12.22	28.31	3	Vertical	331	1.21	-	38.78	7.58	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

27/05/2021

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Z_2TX
Setting 88
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3798G	52.52	74.00	-21.48	39.05	3	Horizontal	315	2.37	-	38.78	7.58	32.89
AV	11.3797G	41.83	54.00	-12.17	28.36	3	Horizontal	315	2.37	-	38.78	7.58	32.89

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 62
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	61.25	74.00	-12.75	54.51	3	Vertical	0	2.58	-	33.50	4.98	31.74
AV	5.1388G	50.09	54.00	-3.91	43.35	3	Vertical	0	2.58	-	33.50	4.98	31.74
PK	5.2428G	100.01	Inf	-Inf	93.00	3	Vertical	0	2.58	-	33.59	5.08	31.66
AV	5.2516G	89.90	Inf	-Inf	82.88	3	Vertical	0	2.58	-	33.60	5.07	31.65
PK	5.3868G	66.00	74.00	-8.00	58.77	3	Vertical	0	2.58	-	33.77	5.01	31.55
AV	5.3764G	53.78	54.00	-0.22	46.58	3	Vertical	0	2.58	-	33.75	5.01	31.56

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 62
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.17	74.00	-14.83	52.41	3	Horizontal	57	1.06	-	33.50	4.99	31.73
AV	5.0964G	48.38	54.00	-5.62	41.77	3	Horizontal	57	1.06	-	33.49	4.89	31.77
PK	5.242G	96.25	Inf	-Inf	89.25	3	Horizontal	57	1.06	-	33.58	5.08	31.66
AV	5.2324G	86.55	Inf	-Inf	79.58	3	Horizontal	57	1.06	-	33.56	5.08	31.67
PK	5.3652G	63.02	74.00	-10.98	55.84	3	Horizontal	57	1.06	-	33.73	5.02	31.57
AV	5.3852G	49.65	54.00	-4.35	42.42	3	Horizontal	57	1.06	-	33.77	5.01	31.55

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 62
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75049G	53.48	74.00	-20.52	39.83	3	Vertical	356	1.72	-	37.40	9.11	32.86
AV	15.74947G	42.21	54.00	-11.79	28.56	3	Vertical	356	1.72	-	37.40	9.11	32.86

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5250MHz Straddle 5.25-5.35GHz_TX




EUT_Z_2TX
Setting 62
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74945G	53.23	74.00	-20.77	39.58	3	Horizontal	335	1.21	-	37.40	9.11	32.86
AV	15.74982G	42.61	54.00	-11.39	28.96	3	Horizontal	335	1.21	-	37.40	9.11	32.86

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5570MHz_TX




EUT_Z_2TX
Setting 60
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4252G	64.52	74.00	-9.48	57.17	3	Vertical	54	2.43	-	33.85	5.03	31.53
PK	5.4652G	63.58	68.20	-4.62	56.11	3	Vertical	54	2.43	-	33.90	5.07	31.50
AV	5.4588G	49.91	54.00	-4.09	42.45	3	Vertical	54	2.43	-	33.90	5.06	31.50
PK	5.6068G	102.00	Inf	-Inf	94.39	3	Vertical	54	2.43	-	33.89	5.19	31.47
AV	5.5748G	91.63	Inf	-Inf	84.03	3	Vertical	54	2.43	-	33.90	5.17	31.47
PK	5.726G	67.95	68.20	-0.25	60.59	3	Vertical	54	2.43	-	33.75	5.07	31.46

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5570MHz_TX




EUT_Z_2TX
Setting 60
02-B-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.76	74.00	-13.24	53.32	3	Horizontal	45	2.79	-	33.90	5.05	31.51
AV	5.45G	48.37	54.00	-5.63	40.93	3	Horizontal	45	2.79	-	33.90	5.05	31.51
PK	5.4604G	60.86	68.20	-7.34	53.40	3	Horizontal	45	2.79	-	33.90	5.06	31.50
PK	5.6068G	99.17	Inf	-Inf	91.56	3	Horizontal	45	2.79	-	33.89	5.19	31.47
AV	5.5948G	87.99	Inf	-Inf	80.37	3	Horizontal	45	2.79	-	33.90	5.19	31.47
PK	5.726G	64.68	68.20	-3.52	57.32	3	Horizontal	45	2.79	-	33.75	5.07	31.46

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5570MHz_TX




EUT_Z_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14059G	52.15	74.00	-21.85	38.82	3	Vertical	193	2.26	-	38.64	7.50	32.81
AV	11.1397G	42.24	54.00	-11.76	28.91	3	Vertical	193	2.26	-	38.64	7.50	32.81

802.11ax HEW160_Nss2,(MCS0)_2TX

27/05/2021

5570MHz_TX



EUT_Z_2TX
Setting 60
02-B-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13975G	52.32	74.00	-21.68	38.99	3	Horizontal	302	1.07	-	38.64	7.50	32.81
AV	11.14G	41.70	54.00	-12.30	28.37	3	Horizontal	302	1.07	-	38.64	7.50	32.81



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.74277G	30.32	54.00	-23.68	Vertical

