


802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	59.42	88.20	-28.78	51.29	3	Horizontal	161	2.59	-	34.82	6.11	32.80
RMS	5.8976G	49.69	68.20	-18.51	41.60	3	Horizontal	161	2.59	-	34.79	6.10	32.80
PK	6.5424G	104.07	Inf	-Inf	94.75	3	Horizontal	161	2.59	-	35.94	6.40	33.02
RMS	6.5424G	92.94	Inf	-Inf	83.62	3	Horizontal	161	2.59	-	35.94	6.40	33.02
PK	7.182G	62.97	88.20	-25.23	52.29	3	Horizontal	161	2.59	-	37.13	6.79	33.24
RMS	7.195G	53.06	68.20	-15.14	42.33	3	Horizontal	161	2.59	-	37.18	6.80	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.094G	58.69	88.20	-29.51	42.98	3	Vertical	161	1.01	-	39.60	10.15	34.04
RMS	13.1076G	46.93	68.20	-21.27	31.20	3	Vertical	161	1.01	-	39.62	10.15	34.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0827G	59.04	88.20	-29.16	43.35	3	Horizontal	221	1.78	-	39.60	10.14	34.05
RMS	13.081G	46.58	68.20	-21.62	30.89	3	Horizontal	221	1.78	-	39.60	10.14	34.05

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-R-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6345G	57.04	83.54	-26.50	55.04	1	Vertical	46	1.52	-	37.69	14.36	50.05
AV	19.63804G	44.62	63.54	-18.92	42.61	1	Vertical	46	1.52	-	37.69	14.36	50.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63714G	56.77	83.54	-26.77	54.77	1	Horizontal	351	1.52	-	37.69	14.36	50.05
AV	19.6346G	44.76	63.54	-18.78	42.76	1	Horizontal	351	1.52	-	37.69	14.36	50.05

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6226G	111.01	Inf	-Inf	101.58	3	Vertical	178	2.35	-	36.05	6.41	33.03
RMS	6.6154G	100.11	Inf	-Inf	90.66	3	Vertical	178	2.35	-	36.07	6.41	33.03
PK	7.201G	62.79	88.20	-25.41	52.04	3	Vertical	178	2.35	-	37.20	6.80	33.25
RMS	7.2154G	53.20	68.20	-15.00	42.45	3	Vertical	178	2.35	-	37.20	6.81	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6082G	103.46	Inf	-Inf	94.01	3	Horizontal	160	2.54	-	36.08	6.40	33.03	
RMS	6.613G	93.43	Inf	-Inf	83.98	3	Horizontal	160	2.54	-	36.07	6.41	33.03	
PK	7.2082G	62.96	88.20	-25.24	52.22	3	Horizontal	160	2.54	-	37.20	6.80	33.26	
RMS	7.2082G	53.19	68.20	-15.01	42.45	3	Horizontal	160	2.54	-	37.20	6.80	33.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.2456G	58.79	88.20	-29.41	42.72	3	Vertical	313	1.91	-	39.89	10.22	34.04	
RMS	13.2468G	46.67	68.20	-21.53	30.60	3	Vertical	313	1.91	-	39.89	10.22	34.04	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.23944G	59.32	88.20	-28.88	43.26	3	Horizontal	354	2.79	-	39.88	10.22	34.04
RMS	13.24704G	46.64	68.20	-21.56	30.57	3	Horizontal	354	2.79	-	39.89	10.22	34.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87632G	56.30	83.54	-27.24	54.36	1	Vertical	58	1.51	-	37.50	14.39	49.95	
AV	19.87814G	43.41	63.54	-20.13	41.47	1	Vertical	58	1.51	-	37.50	14.39	49.95	

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.87958G	57.13	83.54	-26.41	55.19	1	Horizontal	29	1.50	-	37.50	14.39	49.95	
AV	19.879G	43.85	63.54	-19.69	41.91	1	Horizontal	29	1.50	-	37.50	14.39	49.95	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.703G	111.14	Inf	-Inf	101.63	3	Vertical	177	2.40	-	36.11	6.45	33.05	
RMS	6.677G	100.24	Inf	-Inf	90.79	3	Vertical	177	2.40	-	36.05	6.44	33.04	
PK	7.141G	64.35	88.20	-23.85	53.83	3	Vertical	177	2.40	-	36.96	6.77	33.21	
RMS	7.197G	53.17	68.20	-15.03	42.43	3	Vertical	177	2.40	-	37.19	6.80	33.25	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.709G	102.70	Inf	-Inf	93.16	3	Horizontal	163	2.41	-	36.14	6.45	33.05	
RMS	6.693G	93.09	Inf	-Inf	83.59	3	Horizontal	163	2.41	-	36.09	6.45	33.04	
PK	7.205G	63.35	88.20	-24.85	52.61	3	Horizontal	163	2.41	-	37.20	6.80	33.26	
RMS	7.205G	53.21	68.20	-14.99	42.47	3	Horizontal	163	2.41	-	37.20	6.80	33.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41738G	59.24	88.20	-28.96	42.92	3	Vertical	214	1.02	-	40.03	10.31	34.02	
RMS	13.40568G	46.73	68.20	-21.47	30.45	3	Vertical	214	1.02	-	40.01	10.30	34.03	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40526G	58.78	88.20	-29.42	42.50	3	Horizontal	320	1.44	-	40.01	10.30	34.03	
RMS	13.4154G	46.78	68.20	-21.42	30.47	3	Horizontal	320	1.44	-	40.03	10.31	34.03	

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11492G	56.11	83.54	-27.43	54.11	1	Vertical	46	1.56	-	37.47	14.45	49.92
AV	20.11804G	44.10	63.54	-19.44	42.10	1	Vertical	46	1.56	-	37.47	14.45	49.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11994G	56.63	83.54	-26.91	54.63	1	Horizontal	220	1.56	-	37.47	14.45	49.92
AV	20.11788G	43.46	63.54	-20.08	41.46	1	Horizontal	220	1.56	-	37.47	14.45	49.92

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.758G	110.50	Inf	-Inf	100.75	3	Vertical	178	2.46	-	36.33	6.48	33.06	
RMS	6.7742G	100.46	Inf	-Inf	90.63	3	Vertical	178	2.46	-	36.40	6.49	33.06	
PK	7.2116G	63.66	88.20	-24.54	52.91	3	Vertical	178	2.46	-	37.20	6.81	33.26	
RMS	7.1972G	53.27	68.20	-14.93	42.53	3	Vertical	178	2.46	-	37.19	6.80	33.25	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7958G	100.97	Inf	-Inf	91.05	3	Horizontal	199	2.97	-	36.48	6.50	33.06	
RMS	6.7724G	91.08	Inf	-Inf	81.26	3	Horizontal	199	2.97	-	36.39	6.49	33.06	
PK	7.2008G	64.66	88.20	-23.54	53.91	3	Horizontal	199	2.97	-	37.20	6.80	33.25	
RMS	7.2098G	53.20	68.20	-15.00	42.46	3	Horizontal	199	2.97	-	37.20	6.80	33.26	

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57048G	59.03	88.20	-29.17	42.52	3	Vertical	83	1.15	-	40.20	10.39	34.08
RMS	13.56964G	47.33	68.20	-20.87	30.83	3	Vertical	83	1.15	-	40.20	10.38	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56574G	60.06	88.20	-28.14	43.55	3	Horizontal	340	2.17	-	40.20	10.38	34.07
RMS	13.57342G	47.19	68.20	-21.01	30.68	3	Horizontal	340	2.17	-	40.20	10.39	34.08

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35566G	57.07	83.54	-26.47	54.87	1	Vertical	318	1.58	-	37.61	14.56	49.97
AV	20.35648G	44.74	63.54	-18.80	42.54	1	Vertical	318	1.58	-	37.61	14.56	49.97

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TX




EUT_Z_1TX
Setting 89
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3533G	57.26	83.54	-26.28	55.06	1	Horizontal	67	1.56	-	37.61	14.56	49.97
AV	20.35882G	44.64	63.54	-18.90	42.43	1	Horizontal	67	1.56	-	37.62	14.56	49.97

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8468G	110.70	Inf	-Inf	100.72	3	Vertical	179	2.34	-	36.50	6.55	33.07
RMS	6.8342G	100.16	Inf	-Inf	90.20	3	Vertical	179	2.34	-	36.50	6.53	33.07
PK	7.1422G	64.66	88.20	-23.54	54.13	3	Vertical	179	2.34	-	36.97	6.77	33.21
RMS	7.1268G	54.90	68.20	-13.30	44.43	3	Vertical	179	2.34	-	36.91	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8622G	104.02	Inf	-Inf	94.04	3	Horizontal	163	2.46	-	36.50	6.56	33.08
RMS	6.8538G	93.69	Inf	-Inf	83.71	3	Horizontal	163	2.46	-	36.50	6.55	33.07
PK	7.1422G	64.25	88.20	-23.95	53.72	3	Horizontal	163	2.46	-	36.97	6.77	33.21
RMS	7.2122G	53.26	68.20	-14.94	42.51	3	Horizontal	163	2.46	-	37.20	6.81	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74212G	60.60	88.20	-27.60	43.97	3	Vertical	97	2.90	-	40.38	10.47	34.22
RMS	13.72736G	48.23	68.20	-19.97	31.63	3	Vertical	97	2.90	-	40.35	10.46	34.21

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73294G	60.38	88.20	-27.82	43.75	3	Horizontal	176	1.49	-	40.37	10.47	34.21
RMS	13.73912G	48.38	68.20	-19.82	31.75	3	Horizontal	176	1.49	-	40.38	10.47	34.22

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59404G	56.57	83.54	-26.97	54.09	1	Vertical	263	1.57	-	37.79	14.67	49.98
AV	20.59964G	43.59	63.54	-19.95	41.10	1	Vertical	263	1.57	-	37.80	14.67	49.98

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59554G	55.35	83.54	-28.19	52.86	1	Horizontal	119	1.58	-	37.80	14.67	49.98
AV	20.59884G	43.63	63.54	-19.91	41.14	1	Horizontal	119	1.58	-	37.80	14.67	49.98

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9558G	110.86	Inf	-Inf	100.69	3	Vertical	177	2.46	-	36.60	6.66	33.09
RMS	6.9318G	100.40	Inf	-Inf	90.30	3	Vertical	177	2.46	-	36.56	6.63	33.09
PK	7.1262G	71.65	88.20	-16.55	61.19	3	Vertical	177	2.46	-	36.90	6.76	33.20
RMS	7.125G	60.46	68.20	-7.74	50.00	3	Vertical	177	2.46	-	36.90	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.957G	104.47	Inf	-Inf	94.30	3	Horizontal	163	2.39	-	36.60	6.66	33.09	
RMS	6.9606G	94.23	Inf	-Inf	84.06	3	Horizontal	163	2.39	-	36.60	6.66	33.09	
PK	7.1322G	67.04	88.20	-21.16	56.54	3	Horizontal	163	2.39	-	36.93	6.77	33.20	
RMS	7.125G	56.38	68.20	-11.82	45.92	3	Horizontal	163	2.39	-	36.90	6.76	33.20	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89942G	60.71	88.20	-27.49	43.91	3	Vertical	7	1.98	-	40.60	10.55	34.35
RMS	13.88862G	48.05	68.20	-20.15	31.26	3	Vertical	7	1.98	-	40.59	10.54	34.34

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89336G	59.75	88.20	-28.45	42.95	3	Horizontal	107	1.56	-	40.59	10.55	34.34
RMS	13.88502G	48.35	68.20	-19.85	31.56	3	Horizontal	107	1.56	-	40.59	10.54	34.34

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.83462G	57.16	83.54	-26.38	54.28	1	Vertical	314	1.57	-	38.03	14.78	49.93	
AV	20.83584G	44.60	63.54	-18.94	41.71	1	Vertical	314	1.57	-	38.04	14.78	49.93	

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TX




EUT_Z_1TX
Setting 86
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.83542G	56.78	83.54	-26.76	53.89	1	Horizontal	335	1.52	-	38.04	14.78	49.93
AV	20.83616G	44.54	63.54	-19.00	41.65	1	Horizontal	335	1.52	-	38.04	14.78	49.93

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	111.92	Inf	-Inf	101.73	3	Vertical	178	2.24	-	36.60	6.70	33.11
RMS	7.013G	101.77	Inf	-Inf	91.57	3	Vertical	178	2.24	-	36.60	6.71	33.11
PK	7.133G	79.23	88.20	-8.97	68.73	3	Vertical	178	2.24	-	36.93	6.77	33.20
RMS	7.1266G	67.96	68.20	-0.24	57.49	3	Vertical	178	2.24	-	36.91	6.76	33.20

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0074G	105.11	Inf	-Inf	94.92	3	Horizontal	162	2.38	-	36.60	6.70	33.11	
RMS	7.0138G	94.81	Inf	-Inf	84.61	3	Horizontal	162	2.38	-	36.60	6.71	33.11	
PK	7.129G	73.41	88.20	-14.79	62.93	3	Horizontal	162	2.38	-	36.92	6.76	33.20	
RMS	7.1266G	62.33	68.20	-5.87	51.86	3	Horizontal	162	2.38	-	36.91	6.76	33.20	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0572G	60.96	88.20	-27.24	43.92	3	Vertical	42	2.66	-	40.80	10.64	34.40
RMS	14.0545G	49.26	68.20	-18.94	32.22	3	Vertical	42	2.66	-	40.80	10.64	34.40

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.06338G	61.64	88.20	-26.56	44.59	3	Horizontal	119	2.93	-	40.80	10.65	34.40	
RMS	14.05252G	49.38	68.20	-18.82	32.34	3	Horizontal	119	2.93	-	40.80	10.64	34.40	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.07184G	56.00	83.54	-27.54	52.85	1	Vertical	261	1.57	-	38.17	14.88	49.90	
AV	21.07478G	43.79	63.54	-19.75	40.64	1	Vertical	261	1.57	-	38.17	14.88	49.90	

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TX




EUT_Z_1TX
Setting 88
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07644G	56.03	83.54	-27.51	52.88	1	Horizontal	173	1.54	-	38.17	14.88	49.90
AV	21.07976G	43.67	63.54	-19.87	40.51	1	Horizontal	173	1.54	-	38.17	14.89	49.90

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	78.68	88.20	-9.52	70.48	3	Vertical	180	2.39	-	34.88	6.12	32.80	
RMS	5.9226G	68.10	68.20	-0.10	59.90	3	Vertical	180	2.39	-	34.89	6.12	32.81	
PK	6.0634G	106.80	Inf	-Inf	98.05	3	Vertical	180	2.39	-	35.40	6.20	32.85	
RMS	6.0282G	96.97	Inf	-Inf	88.30	3	Vertical	180	2.39	-	35.31	6.20	32.84	

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT Z_1TX
Setting 83
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	72.21	88.20	-15.99	64.05	3	Horizontal	164	2.72	-	34.85	6.11	32.80
RMS	5.9226G	59.68	68.20	-8.52	51.48	3	Horizontal	164	2.72	-	34.89	6.12	32.81
PK	6.049G	98.37	Inf	-Inf	89.62	3	Horizontal	164	2.72	-	35.40	6.20	32.85
RMS	6.0426G	89.19	Inf	-Inf	80.47	3	Horizontal	164	2.72	-	35.37	6.20	32.85

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.03878G	57.01	74.00	-16.99	42.95	3	Vertical	171	1.51	-	38.80	9.62	34.36
AV	12.03956G	46.17	54.00	-7.83	32.11	3	Vertical	171	1.51	-	38.80	9.62	34.36

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0626G	56.89	74.00	-17.11	42.81	3	Horizontal	38	2.67	-	38.80	9.63	34.35
AV	12.04778G	46.09	54.00	-7.91	32.03	3	Horizontal	38	2.67	-	38.80	9.62	34.36

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07266G	55.94	83.54	-27.60	54.58	1	Vertical	311	1.58	-	37.36	14.21	50.21
AV	18.07266G	44.86	63.54	-18.68	43.51	1	Vertical	311	1.58	-	37.36	14.21	50.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TX




EUT_Z_1TX
Setting 83
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07682G	56.53	83.54	-27.01	55.18	1	Horizontal	292	1.58	-	37.36	14.21	50.22
AV	18.07922G	44.94	63.54	-18.60	43.59	1	Horizontal	292	1.58	-	37.36	14.21	50.22

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	77.14	88.20	-11.06	68.94	3	Vertical	178	2.59	-	34.88	6.12	32.80
RMS	5.925G	67.24	68.20	-0.96	59.03	3	Vertical	178	2.59	-	34.90	6.12	32.81
PK	6.197G	109.77	Inf	-Inf	100.98	3	Vertical	178	2.59	-	35.49	6.20	32.90
RMS	6.189G	99.81	Inf	-Inf	91.05	3	Vertical	178	2.59	-	35.46	6.20	32.90

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	70.11	88.20	-18.09	61.91	3	Horizontal	243	1.04	-	34.89	6.12	32.81	
RMS	5.921G	59.96	68.20	-8.24	51.76	3	Horizontal	243	1.04	-	34.88	6.12	32.80	
PK	6.197G	101.10	Inf	-Inf	92.31	3	Horizontal	243	1.04	-	35.49	6.20	32.90	
RMS	6.197G	91.15	Inf	-Inf	82.36	3	Horizontal	243	1.04	-	35.49	6.20	32.90	

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37558G	56.93	74.00	-17.07	42.63	3	Vertical	238	2.02	-	38.70	9.79	34.19
AV	12.37084G	46.50	54.00	-7.50	32.20	3	Vertical	238	2.02	-	38.70	9.79	34.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36646G	56.60	74.00	-17.40	42.32	3	Horizontal	42	2.37	-	38.70	9.78	34.20
AV	12.36496G	46.20	54.00	-7.80	31.92	3	Horizontal	42	2.37	-	38.70	9.78	34.20

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55204G	56.74	83.54	-26.80	55.00	1	Vertical	35	1.51	-	37.77	14.26	50.29
AV	18.55778G	45.16	63.54	-18.38	43.41	1	Vertical	35	1.51	-	37.78	14.26	50.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55848G	57.42	83.54	-26.12	55.67	1	Horizontal	340	1.55	-	37.78	14.26	50.29
AV	18.5567G	45.72	63.54	-17.82	43.97	1	Horizontal	340	1.55	-	37.78	14.26	50.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT Z_1TX
Setting 91
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.919G	61.02	88.20	-27.18	52.82	3	Vertical	136	2.66	-	34.88	6.12	32.80	
RMS	5.923G	51.39	68.20	-16.81	43.19	3	Vertical	136	2.66	-	34.89	6.12	32.81	
PK	6.383G	109.99	Inf	-Inf	101.18	3	Vertical	136	2.66	-	35.40	6.38	32.97	
RMS	6.361G	100.04	Inf	-Inf	91.24	3	Vertical	136	2.66	-	35.40	6.36	32.96	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.903G	61.44	88.20	-26.76	53.33	3	Horizontal	161	2.73	-	34.81	6.10	32.80	
RMS	5.915G	50.24	68.20	-17.96	42.06	3	Horizontal	161	2.73	-	34.86	6.12	32.80	
PK	6.395G	100.08	Inf	-Inf	91.25	3	Horizontal	161	2.73	-	35.40	6.40	32.97	
RMS	6.367G	90.58	Inf	-Inf	81.77	3	Horizontal	161	2.73	-	35.40	6.37	32.96	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6771G	57.43	74.00	-16.57	42.61	3	Vertical	342	2.01	-	38.98	9.94	34.10
AV	12.68772G	46.58	54.00	-7.42	31.75	3	Vertical	342	2.01	-	38.99	9.94	34.10

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68736G	57.32	74.00	-16.68	42.49	3	Horizontal	214	2.49	-	38.99	9.94	34.10
AV	12.69G	46.55	54.00	-7.45	31.72	3	Horizontal	214	2.49	-	38.99	9.94	34.10

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.03814G	56.33	83.54	-27.21	53.87	1	Vertical	329	1.57	-	38.35	14.30	50.19	
AV	19.03002G	45.33	63.54	-18.21	42.86	1	Vertical	329	1.57	-	38.36	14.30	50.19	

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TX




EUT_Z_1TX
Setting 91
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03524G	57.33	83.54	-26.21	54.86	1	Horizontal	328	1.56	-	38.36	14.30	50.19
AV	19.03602G	45.35	63.54	-18.19	42.88	1	Horizontal	328	1.56	-	38.36	14.30	50.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Z_1TX
Setting 93
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	60.24	88.20	-27.96	52.13	3	Vertical	176	2.34	-	34.81	6.10	32.80
RMS	5.925G	50.28	68.20	-17.92	42.07	3	Vertical	176	2.34	-	34.90	6.12	32.81
PK	6.4854G	109.19	Inf	-Inf	100.22	3	Vertical	176	2.34	-	35.57	6.40	33.00
RMS	6.477G	99.73	Inf	-Inf	90.78	3	Vertical	176	2.34	-	35.55	6.40	33.00
PK	7.1938G	62.68	88.20	-25.52	51.95	3	Vertical	176	2.34	-	37.18	6.80	33.25
RMS	7.205G	53.40	68.20	-14.80	42.66	3	Vertical	176	2.34	-	37.20	6.80	33.26

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.43	88.20	-27.77	52.27	3	Horizontal	161	2.60	-	34.85	6.11	32.80
RMS	5.8666G	49.95	68.20	-18.25	42.07	3	Horizontal	161	2.60	-	34.60	6.07	32.79
PK	6.5442G	102.36	Inf	-Inf	93.03	3	Horizontal	161	2.60	-	35.95	6.40	33.02
RMS	6.5386G	92.51	Inf	-Inf	83.22	3	Horizontal	161	2.60	-	35.91	6.40	33.02
PK	7.1714G	62.96	88.20	-25.24	52.31	3	Horizontal	161	2.60	-	37.09	6.79	33.23
RMS	7.1994G	53.33	68.20	-14.87	42.58	3	Horizontal	161	2.60	-	37.20	6.80	33.25

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.004G	58.00	88.20	-30.20	42.35	3	Vertical	45	2.73	-	39.60	10.10	34.05
RMS	13.0428G	47.85	68.20	-20.35	32.18	3	Vertical	45	2.73	-	39.60	10.12	34.05

802.11ax HEW160_Nss1,(MCS0)_1TX


6505MHz Straddle 6.425-6.525GHz_TX



EUT_Z_1TX
Setting 93
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0398G	58.36	88.20	-29.84	42.69	3	Horizontal	126	2.51	-	39.60	10.12	34.05
RMS	13.0112G	47.84	68.20	-20.36	32.18	3	Horizontal	126	2.51	-	39.60	10.11	34.05

802.11ax HEW160_Nss1,(MCS0)_1TX 6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51384G	56.21	83.54	-27.33	54.16	1	Vertical	68	1.52	-	37.79	14.35	50.09
AV	19.5163G	45.11	63.54	-18.43	43.06	1	Vertical	68	1.52	-	37.79	14.35	50.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Z_1TX
Setting 93
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51664G	56.37	83.54	-27.17	54.32	1	Horizontal	89	1.54	-	37.79	14.35	50.09
AV	19.5171G	45.02	63.54	-18.52	42.97	1	Horizontal	89	1.54	-	37.79	14.35	50.09

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6342G	110.45	Inf	-Inf	101.03	3	Vertical	177	2.30	-	36.03	6.42	33.03	
RMS	6.6408G	100.47	Inf	-Inf	91.07	3	Vertical	177	2.30	-	36.02	6.42	33.04	
PK	7.1402G	64.62	88.20	-23.58	54.10	3	Vertical	177	2.30	-	36.96	6.77	33.21	
RMS	7.1314G	54.33	68.20	-13.87	43.83	3	Vertical	177	2.30	-	36.93	6.77	33.20	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6342G	102.97	Inf	-Inf	93.55	3	Horizontal	160	2.53	-	36.03	6.42	33.03	
RMS	6.6496G	93.43	Inf	-Inf	84.05	3	Horizontal	160	2.53	-	36.00	6.42	33.04	
PK	7.1842G	63.74	88.20	-24.46	53.05	3	Horizontal	160	2.53	-	37.14	6.79	33.24	
RMS	7.2128G	53.51	68.20	-14.69	42.76	3	Horizontal	160	2.53	-	37.20	6.81	33.26	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3238G	59.48	74.00	-14.52	43.25	3	Vertical	202	1.80	-	40.00	10.26	34.03	
AV	13.364G	48.35	54.00	-5.65	32.10	3	Vertical	202	1.80	-	40.00	10.28	34.03	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.3486G	59.76	74.00	-14.24	43.52	3	Horizontal	0	2.70	-	40.00	10.27	34.03	
AV	13.3282G	48.10	54.00	-5.90	31.87	3	Horizontal	0	2.70	-	40.00	10.26	34.03	

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TX




EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99706G	56.05	83.54	-27.49	54.15	1	Vertical	307	1.58	-	37.40	14.40	49.90	
AV	19.99796G	44.66	63.54	-18.88	42.76	1	Vertical	307	1.58	-	37.40	14.40	49.90	

802.11ax HEW160_Nss1,(MCS0)_1TX


6665MHz_TX



EUT_Z_1TX
Setting 95
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99118G	54.99	83.54	-28.55	53.08	1	Horizontal	343	1.58	-	37.41	14.40	49.90	
AV	19.99064G	44.05	63.54	-19.49	42.14	1	Horizontal	343	1.58	-	37.41	14.40	49.90	

802.11ax HEW160_Nss1,(MCS0)_1TX 6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7746G	109.61	Inf	-Inf	99.78	3	Vertical	179	2.40	-	36.40	6.49	33.06
RMS	6.7794G	99.30	Inf	-Inf	89.45	3	Vertical	179	2.40	-	36.42	6.49	33.06
PK	7.125G	74.70	88.20	-13.50	64.24	3	Vertical	179	2.40	-	36.90	6.76	33.20
RMS	7.125G	63.62	68.20	-4.58	53.16	3	Vertical	179	2.40	-	36.90	6.76	33.20
PK	7.2762G	66.15	74.00	-7.85	55.32	3	Vertical	179	2.40	-	37.30	6.84	33.31
AV	7.25G	53.98	54.00	-0.02	43.24	3	Vertical	179	2.40	-	37.20	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.789G	101.43	Inf	-Inf	91.54	3	Horizontal	163	2.49	-	36.46	6.49	33.06
RMS	6.777G	91.84	Inf	-Inf	82.00	3	Horizontal	163	2.49	-	36.41	6.49	33.06
PK	7.125G	67.93	88.20	-20.27	57.47	3	Horizontal	163	2.49	-	36.90	6.76	33.20
RMS	7.125G	56.94	68.20	-11.26	46.48	3	Horizontal	163	2.49	-	36.90	6.76	33.20
PK	7.2618G	59.21	74.00	-14.79	48.43	3	Horizontal	163	2.49	-	37.25	6.83	33.30
AV	7.2642G	48.64	54.00	-5.36	37.85	3	Horizontal	163	2.49	-	37.26	6.83	33.30

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6212G	60.41	88.20	-27.79	43.90	3	Vertical	57	2.04	-	40.22	10.41	34.12
RMS	13.631G	49.51	68.20	-18.69	32.99	3	Vertical	57	2.04	-	40.23	10.42	34.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.625G	60.82	88.20	-27.38	44.30	3	Horizontal	250	2.26	-	40.23	10.41	34.12
RMS	13.635G	49.78	68.20	-18.42	33.26	3	Horizontal	250	2.26	-	40.23	10.42	34.13

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.47606G	55.92	83.54	-27.62	53.62	1	Vertical	336	1.53	-	37.69	14.61	50.00
AV	20.4761G	45.30	63.54	-18.24	43.00	1	Vertical	336	1.53	-	37.69	14.61	50.00

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT_Z_1TX
Setting 99
04-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47264G	55.43	83.54	-28.11	53.13	1	Horizontal	328	1.55	-	37.68	14.61	49.99
AV	20.4725G	45.36	63.54	-18.18	43.06	1	Horizontal	328	1.55	-	37.68	14.61	49.99

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.961G	106.43	Inf	-Inf	96.26	3	Vertical	178	2.44	-	36.60	6.66	33.09
RMS	6.961G	96.29	Inf	-Inf	86.12	3	Vertical	178	2.44	-	36.60	6.66	33.09
PK	7.1322G	81.99	88.20	-6.21	71.49	3	Vertical	178	2.44	-	36.93	6.77	33.20
RMS	7.1274G	67.91	68.20	-0.29	57.44	3	Vertical	178	2.44	-	36.91	6.76	33.20
PK	7.2586G	64.57	74.00	-9.43	53.81	3	Vertical	178	2.44	-	37.23	6.83	33.30
AV	7.2522G	52.33	54.00	-1.67	41.58	3	Vertical	178	2.44	-	37.21	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	99.60	Inf	-Inf	89.44	3	Horizontal	162	2.36	-	36.60	6.65	33.09
RMS	6.9994G	89.65	Inf	-Inf	79.45	3	Horizontal	162	2.36	-	36.60	6.70	33.10
PK	7.1258G	76.03	88.20	-12.17	65.57	3	Horizontal	162	2.36	-	36.90	6.76	33.20
RMS	7.1274G	61.90	68.20	-6.30	51.43	3	Horizontal	162	2.36	-	36.91	6.76	33.20
PK	7.2522G	59.61	74.00	-14.39	48.86	3	Horizontal	162	2.36	-	37.21	6.83	33.29
AV	7.25G	47.44	54.00	-6.56	36.70	3	Horizontal	162	2.36	-	37.20	6.83	33.29

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9712G	60.59	88.20	-27.61	43.67	3	Vertical	350	1.80	-	40.74	10.59	34.41	
RMS	13.9871G	50.25	68.20	-17.95	33.31	3	Vertical	350	1.80	-	40.77	10.59	34.42	

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9884G	61.48	88.20	-26.72	44.53	3	Horizontal	70	1.80	-	40.78	10.59	34.42
RMS	13.9924G	50.56	68.20	-17.64	33.60	3	Horizontal	70	1.80	-	40.78	10.60	34.42

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX




EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95506G	55.68	83.54	-27.86	52.60	1	Vertical	45	1.54	-	38.16	14.83	49.91
AV	20.9591G	45.29	63.54	-18.25	42.21	1	Vertical	45	1.54	-	38.16	14.83	49.91

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TX



EUT_Z_1TX
Setting 81
04-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95146G	56.63	83.54	-26.91	53.56	1	Horizontal	197	1.52	-	38.15	14.83	49.91
AV	20.95468G	45.14	63.54	-18.40	42.07	1	Horizontal	197	1.52	-	38.15	14.83	49.91




For 2T1S beamforming mode

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160-BF_Nss1,(MCS0)_2TX	Pass	RMS	7.1258G	67.90	68.20	-0.30	3	Vertical	132	2.36	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	64.07	88.20	-24.13	55.87	3	Vertical	329	2.30	-	34.88	6.12	32.80
RMS	5.9242G	52.37	68.20	-15.83	44.16	3	Vertical	329	2.30	-	34.90	6.12	32.81
PK	5.951G	115.66	Inf	-Inf	107.32	3	Vertical	329	2.30	-	35.00	6.15	32.81
RMS	5.9526G	104.41	Inf	-Inf	96.06	3	Vertical	329	2.30	-	35.01	6.15	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	64.17	88.20	-24.03	55.97	3	Horizontal	248	1.00	-	34.88	6.12	32.80
RMS	5.9246G	51.58	68.20	-16.62	43.37	3	Horizontal	248	1.00	-	34.90	6.12	32.81
PK	5.9526G	109.12	Inf	-Inf	100.77	3	Horizontal	248	1.00	-	35.01	6.15	32.81
RMS	5.9498G	98.85	Inf	-Inf	90.51	3	Horizontal	248	1.00	-	35.00	6.15	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.90972G	59.95	74.00	-14.05	45.83	3	Vertical	6	1.14	-	38.89	9.55	34.32	
AV	11.91104G	46.77	54.00	-7.23	32.64	3	Vertical	6	1.14	-	38.89	9.56	34.32	
PK	17.86258G	67.30	74.00	-6.70	46.58	3	Vertical	120	1.62	-	41.63	13.59	34.50	
AV	17.86998G	51.75	54.00	-2.25	31.01	3	Vertical	120	1.62	-	41.64	13.60	34.50	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5955MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91102G	59.98	74.00	-14.02	45.85	3	Horizontal	100	1.60	-	38.89	9.56	34.32	
AV	11.90716G	46.75	54.00	-7.25	32.63	3	Horizontal	100	1.60	-	38.89	9.55	34.32	
PK	17.8694G	66.93	74.00	-7.07	46.19	3	Horizontal	34	2.67	-	41.64	13.60	34.50	
AV	17.86536G	51.78	54.00	-2.22	31.06	3	Horizontal	34	2.67	-	41.63	13.59	34.50	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	62.10	88.20	-26.10	54.25	3	Vertical	127	2.17	-	34.58	6.06	32.79
RMS	5.9238G	51.25	68.20	-16.95	43.04	3	Vertical	127	2.17	-	34.90	6.12	32.81
PK	6.1718G	107.22	Inf	-Inf	98.52	3	Vertical	127	2.17	-	35.39	6.20	32.89
RMS	6.1686G	98.47	Inf	-Inf	89.79	3	Vertical	127	2.17	-	35.37	6.20	32.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8358G	62.75	88.20	-25.45	55.08	3	Horizontal	248	1.06	-	34.41	6.04	32.78	
RMS	5.9238G	51.24	68.20	-16.96	43.03	3	Horizontal	248	1.06	-	34.90	6.12	32.81	
PK	6.1782G	101.15	Inf	-Inf	92.43	3	Horizontal	248	1.06	-	35.41	6.20	32.89	
RMS	6.1798G	91.67	Inf	-Inf	82.94	3	Horizontal	248	1.06	-	35.42	6.20	32.89	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35084G	60.16	74.00	-13.84	45.88	3	Vertical	330	2.03	-	38.70	9.78	34.20
AV	12.35484G	46.55	54.00	-7.45	32.27	3	Vertical	330	2.03	-	38.70	9.78	34.20

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.35354G	59.79	74.00	-14.21	45.51	3	Horizontal	245	1.74	-	38.70	9.78	34.20	
AV	12.35478G	46.46	54.00	-7.54	32.18	3	Horizontal	245	1.74	-	38.70	9.78	34.20	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.53G	59.61	83.54	-23.93	57.91	1	Vertical	68	1.53	-	37.74	14.25	50.29
AV	18.52996G	46.13	63.54	-17.41	44.43	1	Vertical	68	1.53	-	37.74	14.25	50.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6175MHz_TnomVnom




EUT_Z_2TX
Setting 36
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.52042G	59.64	83.54	-23.90	57.96	1	Horizontal	337	1.51	-	37.73	14.25	50.30	
AV	18.5251G	46.08	63.54	-17.46	44.38	1	Horizontal	337	1.51	-	37.74	14.25	50.29	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9046G	62.55	88.20	-25.65	54.43	3	Vertical	143	2.21	-	34.82	6.10	32.80	
RMS	5.9244G	51.26	68.20	-16.94	43.05	3	Vertical	143	2.21	-	34.90	6.12	32.81	
PK	6.4106G	108.94	Inf	-Inf	100.10	3	Vertical	143	2.21	-	35.42	6.40	32.98	
RMS	6.4194G	99.85	Inf	-Inf	90.99	3	Vertical	143	2.21	-	35.44	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9156G	62.00	88.20	-26.20	53.82	3	Horizontal	247	2.55	-	34.86	6.12	32.80	
RMS	5.92G	51.20	68.20	-17.00	43.00	3	Horizontal	247	2.55	-	34.88	6.12	32.80	
PK	6.4194G	100.54	Inf	-Inf	91.68	3	Horizontal	247	2.55	-	35.44	6.40	32.98	
RMS	6.4128G	90.66	Inf	-Inf	81.81	3	Horizontal	247	2.55	-	35.43	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8323G	60.27	88.20	-27.93	45.07	3	Vertical	114	1.00	-	39.26	10.02	34.08	
RMS	12.83104G	47.14	68.20	-21.06	31.94	3	Vertical	114	1.00	-	39.26	10.02	34.08	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.82676G	60.86	88.20	-27.34	45.68	3	Horizontal	318	1.18	-	39.25	10.01	34.08	
RMS	12.83492G	46.92	68.20	-21.28	31.71	3	Horizontal	318	1.18	-	39.27	10.02	34.08	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.24364G	58.03	83.54	-25.51	55.75	1	Vertical	107	1.50	-	38.11	14.32	50.15	
AV	19.2406G	43.84	63.54	-19.70	41.56	1	Vertical	107	1.50	-	38.11	14.32	50.15	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6415MHz_TnomVnom




EUT_Z_2TX
Setting 37
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24382G	57.41	83.54	-26.13	55.13	1	Horizontal	200	1.52	-	38.11	14.32	50.15
AV	19.24008G	43.80	63.54	-19.74	41.52	1	Horizontal	200	1.52	-	38.11	14.32	50.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	61.51	88.20	-26.69	53.30	3	Vertical	356	2.11	-	34.89	6.12	32.80	
RMS	5.9238G	51.25	68.20	-16.95	43.04	3	Vertical	356	2.11	-	34.90	6.12	32.81	
PK	6.4446G	110.06	Inf	-Inf	101.16	3	Vertical	356	2.11	-	35.49	6.40	32.99	
RMS	6.4398G	100.17	Inf	-Inf	91.28	3	Vertical	356	2.11	-	35.48	6.40	32.99	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	61.50	88.20	-26.70	53.34	3	Horizontal	266	1.02	-	34.85	6.11	32.80	
RMS	5.919G	51.22	68.20	-16.98	43.02	3	Horizontal	266	1.02	-	34.88	6.12	32.80	
PK	6.4326G	101.56	Inf	-Inf	92.68	3	Horizontal	266	1.02	-	35.47	6.40	32.99	
RMS	6.4302G	91.24	Inf	-Inf	82.36	3	Horizontal	266	1.02	-	35.46	6.40	32.98	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8732G	60.86	88.20	-27.34	45.54	3	Vertical	117	1.32	-	39.35	10.04	34.07	
RMS	12.87306G	47.67	68.20	-20.53	32.35	3	Vertical	117	1.32	-	39.35	10.04	34.07	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86976G	61.26	88.20	-26.94	45.96	3	Horizontal	304	2.83	-	39.34	10.03	34.07
RMS	12.87058G	47.61	68.20	-20.59	32.30	3	Horizontal	304	2.83	-	39.34	10.04	34.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30694G	57.34	83.54	-26.20	55.12	1	Vertical	317	1.57	-	38.03	14.33	50.14
AV	19.30768G	43.33	63.54	-20.21	41.11	1	Vertical	317	1.57	-	38.03	14.33	50.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6435MHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30174G	56.70	83.54	-26.84	54.47	1	Horizontal	24	1.56	-	38.04	14.33	50.14
AV	19.30762G	43.25	63.54	-20.29	41.03	1	Horizontal	24	1.56	-	38.03	14.33	50.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9212G	62.05	88.20	-26.15	53.85	3	Vertical	359	2.07	-	34.88	6.12	32.80
RMS	5.9238G	51.15	68.20	-17.05	42.94	3	Vertical	359	2.07	-	34.90	6.12	32.81
PK	6.475G	106.79	Inf	-Inf	97.84	3	Vertical	359	2.07	-	35.55	6.40	33.00
RMS	6.4802G	98.16	Inf	-Inf	89.20	3	Vertical	359	2.07	-	35.56	6.40	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	61.37	88.20	-26.83	53.28	3	Horizontal	246	1.05	-	34.79	6.10	32.80
RMS	5.9238G	51.23	68.20	-16.97	43.02	3	Horizontal	246	1.05	-	34.90	6.12	32.81
PK	6.4802G	100.52	Inf	-Inf	91.56	3	Horizontal	246	1.05	-	35.56	6.40	33.00
RMS	6.4828G	90.69	Inf	-Inf	81.72	3	Horizontal	246	1.05	-	35.57	6.40	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.94796G	61.98	88.20	-26.22	46.47	3	Vertical	4	1.82	-	39.50	10.07	34.06	
RMS	12.9549G	48.14	68.20	-20.06	32.61	3	Vertical	4	1.82	-	39.51	10.08	34.06	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9535G	61.63	88.20	-26.57	46.10	3	Horizontal	124	2.38	-	39.51	10.08	34.06
RMS	12.95404G	48.14	68.20	-20.06	32.61	3	Horizontal	124	2.38	-	39.51	10.08	34.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42894G	56.55	83.54	-26.99	54.43	1	Vertical	183	1.51	-	37.89	14.34	50.11
AV	19.42626G	43.22	63.54	-20.32	41.10	1	Vertical	183	1.51	-	37.89	14.34	50.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6475MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.42356G	57.15	83.54	-26.39	55.04	1	Horizontal	345	1.52	-	37.89	14.34	50.12	
AV	19.42664G	43.11	63.54	-20.43	40.99	1	Horizontal	345	1.52	-	37.89	14.34	50.11	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	61.89	88.20	-26.31	53.84	3	Vertical	154	2.18	-	34.76	6.09	32.80
RMS	5.9242G	51.21	68.20	-16.99	43.00	3	Vertical	154	2.18	-	34.90	6.12	32.81
PK	6.5122G	109.93	Inf	-Inf	100.84	3	Vertical	154	2.18	-	35.70	6.40	33.01
RMS	6.5094G	98.53	Inf	-Inf	89.46	3	Vertical	154	2.18	-	35.68	6.40	33.01
PK	7.1422G	65.15	88.20	-23.05	54.62	3	Vertical	154	2.18	-	36.97	6.77	33.21
RMS	7.2066G	54.66	68.20	-13.54	43.92	3	Vertical	154	2.18	-	37.20	6.80	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	61.68	88.20	-26.52	53.52	3	Horizontal	246	1.36	-	34.85	6.11	32.80
RMS	5.9242G	51.13	68.20	-17.07	42.92	3	Horizontal	246	1.36	-	34.90	6.12	32.81
PK	6.515G	99.65	Inf	-Inf	90.54	3	Horizontal	246	1.36	-	35.72	6.40	33.01
RMS	6.5122G	89.15	Inf	-Inf	80.06	3	Horizontal	246	1.36	-	35.70	6.40	33.01
PK	7.2122G	64.74	88.20	-23.46	53.99	3	Horizontal	246	1.36	-	37.20	6.81	33.26
RMS	7.2122G	54.62	68.20	-13.58	43.87	3	Horizontal	246	1.36	-	37.20	6.81	33.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0333G	61.43	88.20	-26.77	45.76	3	Vertical	274	1.62	-	39.60	10.12	34.05
RMS	13.02866G	48.21	68.20	-19.99	32.55	3	Vertical	274	1.62	-	39.60	10.11	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03324G	61.96	88.20	-26.24	46.29	3	Horizontal	227	2.37	-	39.60	10.12	34.05	
RMS	13.03306G	48.27	68.20	-19.93	32.60	3	Horizontal	227	2.37	-	39.60	10.12	34.05	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54522G	58.36	83.54	-25.18	56.33	1	Vertical	195	1.56	-	37.76	14.35	50.08
AV	19.54862G	44.24	63.54	-19.30	42.21	1	Vertical	195	1.56	-	37.76	14.35	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6515MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54332G	57.98	83.54	-25.56	55.94	1	Horizontal	115	1.53	-	37.77	14.35	50.08
AV	19.54332G	44.35	63.54	-19.19	42.31	1	Horizontal	115	1.53	-	37.77	14.35	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	61.83	88.20	-26.37	53.62	3	Vertical	0	2.27	-	34.90	6.12	32.81
RMS	5.9218G	51.25	68.20	-16.95	43.04	3	Vertical	0	2.27	-	34.89	6.12	32.80
PK	6.5378G	108.92	Inf	-Inf	99.64	3	Vertical	0	2.27	-	35.90	6.40	33.02
RMS	6.5378G	99.46	Inf	-Inf	90.18	3	Vertical	0	2.27	-	35.90	6.40	33.02
PK	7.165G	65.24	88.20	-22.96	54.63	3	Vertical	0	2.27	-	37.06	6.78	33.23
RMS	7.221G	54.68	68.20	-13.52	43.94	3	Vertical	0	2.27	-	37.20	6.81	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	61.24	88.20	-26.96	53.21	3	Horizontal	167	2.31	-	34.73	6.09	32.79
RMS	5.9218G	51.18	68.20	-17.02	42.97	3	Horizontal	167	2.31	-	34.89	6.12	32.80
PK	6.5406G	100.87	Inf	-Inf	91.57	3	Horizontal	167	2.31	-	35.92	6.40	33.02
RMS	6.5378G	91.16	Inf	-Inf	81.88	3	Horizontal	167	2.31	-	35.90	6.40	33.02
PK	7.193G	64.86	88.20	-23.34	54.14	3	Horizontal	167	2.31	-	37.17	6.80	33.25
RMS	7.2238G	54.69	68.20	-13.51	43.95	3	Horizontal	167	2.31	-	37.20	6.81	33.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06904G	61.89	88.20	-26.31	46.21	3	Vertical	82	1.10	-	39.60	10.13	34.05
RMS	13.07014G	48.27	68.20	-19.93	32.58	3	Vertical	82	1.10	-	39.60	10.14	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07458G	62.01	88.20	-26.19	46.32	3	Horizontal	94	2.34	-	39.60	10.14	34.05
RMS	13.07148G	48.33	68.20	-19.87	32.64	3	Horizontal	94	2.34	-	39.60	10.14	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60352G	58.04	83.54	-25.50	56.02	1	Vertical	15	1.58	-	37.72	14.36	50.06
AV	19.60102G	44.79	63.54	-18.75	42.77	1	Vertical	15	1.58	-	37.72	14.36	50.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6535MHz_TnomVnom




EUT_Z_2TX
Setting 39
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60902G	58.37	83.54	-25.17	56.36	1	Horizontal	330	1.53	-	37.71	14.36	50.06
AV	19.60594G	44.83	63.54	-18.71	42.81	1	Horizontal	330	1.53	-	37.72	14.36	50.06

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6994G	107.31	Inf	-Inf	97.81	3	Vertical	180	2.35	-	36.10	6.45	33.05
RMS	6.7016G	97.12	Inf	-Inf	87.61	3	Vertical	180	2.35	-	36.11	6.45	33.05
PK	7.1878G	65.32	88.20	-22.88	54.62	3	Vertical	180	2.35	-	37.15	6.79	33.24
RMS	7.1988G	54.61	68.20	-13.59	43.86	3	Vertical	180	2.35	-	37.20	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	101.30	Inf	-Inf	91.81	3	Horizontal	164	2.49	-	36.08	6.45	33.04
RMS	6.6928G	91.06	Inf	-Inf	81.56	3	Horizontal	164	2.49	-	36.09	6.45	33.04
PK	7.2274G	65.58	88.20	-22.62	54.84	3	Horizontal	164	2.49	-	37.20	6.81	33.27
RMS	7.2032G	54.63	68.20	-13.57	43.88	3	Horizontal	164	2.49	-	37.20	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39312G	61.10	74.00	-12.90	44.83	3	Vertical	333	2.40	-	40.00	10.30	34.03
AV	13.39102G	48.09	54.00	-5.91	31.82	3	Vertical	333	2.40	-	40.00	10.30	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38778G	62.64	74.00	-11.36	46.38	3	Horizontal	277	2.28	-	40.00	10.29	34.03
AV	13.3873G	48.10	54.00	-5.90	31.84	3	Horizontal	277	2.28	-	40.00	10.29	34.03

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.08762G	58.57	83.54	-24.97	56.60	1	Vertical	16	1.53	-	37.45	14.44	49.92	
AV	20.08992G	45.13	63.54	-18.41	43.16	1	Vertical	16	1.53	-	37.45	14.44	49.92	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6695MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08648G	58.49	83.54	-25.05	56.52	1	Horizontal	2	1.58	-	37.45	14.44	49.92
AV	20.08948G	45.30	63.54	-18.24	43.33	1	Horizontal	2	1.58	-	37.45	14.44	49.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	107.80	Inf	-Inf	97.82	3	Vertical	1	2.23	-	36.50	6.55	33.07	
RMS	6.8466G	98.47	Inf	-Inf	88.49	3	Vertical	1	2.23	-	36.50	6.55	33.07	
PK	7.1896G	64.62	88.20	-23.58	53.91	3	Vertical	1	2.23	-	37.16	6.79	33.24	
RMS	7.2008G	54.46	68.20	-13.74	43.71	3	Vertical	1	2.23	-	37.20	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	99.84	Inf	-Inf	89.86	3	Horizontal	200	2.36	-	36.50	6.55	33.07	
RMS	6.8508G	89.79	Inf	-Inf	79.81	3	Horizontal	200	2.36	-	36.50	6.55	33.07	
PK	7.17G	64.95	88.20	-23.25	54.31	3	Horizontal	200	2.36	-	37.08	6.79	33.23	
RMS	7.1994G	54.44	68.20	-13.76	43.69	3	Horizontal	200	2.36	-	37.20	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70806G	63.33	88.20	-24.87	46.75	3	Vertical	94	2.05	-	40.32	10.45	34.19
RMS	13.71024G	49.73	68.20	-18.47	33.14	3	Vertical	94	2.05	-	40.32	10.46	34.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.70774G	62.95	88.20	-25.25	46.37	3	Horizontal	209	2.60	-	40.32	10.45	34.19	
RMS	13.7138G	49.70	68.20	-18.50	33.11	3	Horizontal	209	2.60	-	40.33	10.46	34.20	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56676G	59.11	83.54	-24.43	56.67	1	Vertical	360	1.58	-	37.77	14.66	49.99
AV	20.56796G	44.93	63.54	-18.61	42.49	1	Vertical	360	1.58	-	37.77	14.66	49.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6855MHz_TnomVnom




EUT_Z_2TX
Setting 43
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5631G	58.50	83.54	-25.04	56.08	1	Horizontal	142	1.53	-	37.76	14.65	49.99
AV	20.56882G	45.01	63.54	-18.53	42.57	1	Horizontal	142	1.53	-	37.77	14.66	49.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8702G	109.75	Inf	-Inf	99.76	3	Vertical	324	2.33	-	36.50	6.57	33.08
RMS	6.869G	99.52	Inf	-Inf	89.53	3	Vertical	324	2.33	-	36.50	6.57	33.08
PK	7.1486G	64.58	88.20	-23.62	54.03	3	Vertical	324	2.33	-	36.99	6.77	33.21
RMS	7.1666G	54.03	68.20	-14.17	43.41	3	Vertical	324	2.33	-	37.07	6.78	33.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8666G	100.90	Inf	-Inf	90.91	3	Horizontal	163	2.32	-	36.50	6.57	33.08	
RMS	6.8666G	91.17	Inf	-Inf	81.18	3	Horizontal	163	2.32	-	36.50	6.57	33.08	
PK	7.1462G	65.66	88.20	-22.54	55.12	3	Horizontal	163	2.32	-	36.98	6.77	33.21	
RMS	7.1738G	54.01	68.20	-14.19	43.35	3	Horizontal	163	2.32	-	37.10	6.79	33.23	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75038G	62.92	88.20	-25.28	46.27	3	Vertical	98	1.47	-	40.40	10.48	34.23
RMS	13.75494G	49.69	68.20	-18.51	33.03	3	Vertical	98	1.47	-	40.41	10.48	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75178G	62.99	88.20	-25.21	46.34	3	Horizontal	319	2.39	-	40.40	10.48	34.23
RMS	13.7526G	49.62	68.20	-18.58	32.96	3	Horizontal	319	2.39	-	40.41	10.48	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62299G	59.06	83.54	-24.48	56.52	1	Vertical	45	1.56	-	37.83	14.68	49.97
AV	20.62286G	45.64	63.54	-17.90	43.12	1	Vertical	45	1.56	-	37.82	14.68	49.98

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 41
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.62598G	59.12	83.54	-24.42	56.58	1	Horizontal	9	1.57	-	37.83	14.68	49.97
AV	20.6271G	45.64	63.54	-17.90	43.10	1	Horizontal	9	1.57	-	37.83	14.68	49.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.89G	107.57	Inf	-Inf	97.56	3	Vertical	335	2.70	-	36.50	6.59	33.08	
RMS	6.887G	97.73	Inf	-Inf	87.72	3	Vertical	335	2.70	-	36.50	6.59	33.08	
PK	7.126G	64.98	88.20	-23.22	54.52	3	Vertical	335	2.70	-	36.90	6.76	33.20	
RMS	7.142G	54.15	68.20	-14.05	43.62	3	Vertical	335	2.70	-	36.97	6.77	33.21	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9G	101.94	Inf	-Inf	91.92	3	Horizontal	77	1.04	-	36.50	6.60	33.08	
RMS	6.9G	91.91	Inf	-Inf	81.89	3	Horizontal	77	1.04	-	36.50	6.60	33.08	
PK	7.139G	64.62	88.20	-23.58	54.10	3	Horizontal	77	1.04	-	36.96	6.77	33.21	
RMS	7.14G	54.16	68.20	-14.04	43.64	3	Horizontal	77	1.04	-	36.96	6.77	33.21	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78552G	63.00	88.20	-25.20	46.29	3	Vertical	27	2.39	-	40.47	10.49	34.25
RMS	13.78786G	49.48	68.20	-18.72	32.77	3	Vertical	27	2.39	-	40.48	10.49	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79414G	63.26	88.20	-24.94	46.53	3	Horizontal	108	2.75	-	40.49	10.50	34.26
RMS	13.78538G	49.69	68.20	-18.51	32.98	3	Horizontal	108	2.75	-	40.47	10.49	34.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6854G	59.86	83.54	-23.68	57.22	1	Vertical	99	1.56	-	37.89	14.71	49.96	
AV	20.68758G	45.56	63.54	-17.98	42.92	1	Vertical	99	1.56	-	37.89	14.71	49.96	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6895MHz_TnomVnom




EUT_Z_2TX
Setting 42
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68736G	59.51	83.54	-24.03	56.87	1	Horizontal	183	1.51	-	37.89	14.71	49.96
AV	20.68838G	45.59	63.54	-17.95	42.95	1	Horizontal	183	1.51	-	37.89	14.71	49.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9982G	107.94	Inf	-Inf	97.74	3	Vertical	357	2.24	-	36.60	6.70	33.10	
RMS	6.9966G	98.52	Inf	-Inf	88.32	3	Vertical	357	2.24	-	36.60	6.70	33.10	
PK	7.1662G	65.28	88.20	-22.92	54.67	3	Vertical	357	2.24	-	37.06	6.78	33.23	
RMS	7.1926G	54.50	68.20	-13.70	43.78	3	Vertical	357	2.24	-	37.17	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9998G	98.44	Inf	-Inf	88.24	3	Horizontal	167	2.38	-	36.60	6.70	33.10
RMS	6.9974G	87.76	Inf	-Inf	77.56	3	Horizontal	167	2.38	-	36.60	6.70	33.10
PK	7.1782G	66.18	88.20	-22.02	55.52	3	Horizontal	167	2.38	-	37.11	6.79	33.24
RMS	7.1918G	54.49	68.20	-13.71	43.77	3	Horizontal	167	2.38	-	37.17	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98658G	63.90	88.20	-24.30	46.96	3	Vertical	347	2.98	-	40.77	10.59	34.42	
RMS	13.99496G	50.38	68.20	-17.82	33.42	3	Vertical	347	2.98	-	40.79	10.60	34.43	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98642G	63.42	88.20	-24.78	46.48	3	Horizontal	139	2.70	-	40.77	10.59	34.42
RMS	13.98938G	50.37	68.20	-17.83	33.42	3	Horizontal	139	2.70	-	40.78	10.59	34.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98468G	57.75	83.54	-25.79	54.63	1	Vertical	178	1.54	-	38.18	14.84	49.90
AV	20.98468G	43.24	63.54	-20.30	40.12	1	Vertical	178	1.54	-	38.18	14.84	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

6995MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98196G	57.42	83.54	-26.12	54.30	1	Horizontal	100	1.50	-	38.18	14.84	49.90
AV	20.98364G	43.14	63.54	-20.40	40.02	1	Horizontal	100	1.50	-	38.18	14.84	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.091G	110.56	Inf	-Inf	100.22	3	Vertical	178	2.21	-	36.76	6.75	33.17
RMS	7.0994G	99.91	Inf	-Inf	89.54	3	Vertical	178	2.21	-	36.80	6.75	33.18
PK	7.1542G	65.36	88.20	-22.84	54.78	3	Vertical	178	2.21	-	37.02	6.78	33.22
RMS	7.1914G	54.70	68.20	-13.50	43.98	3	Vertical	178	2.21	-	37.17	6.80	33.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.091G	101.30	Inf	-Inf	90.96	3	Horizontal	163	2.37	-	36.76	6.75	33.17	
RMS	7.0926G	90.55	Inf	-Inf	80.20	3	Horizontal	163	2.37	-	36.77	6.75	33.17	
PK	7.1694G	65.69	88.20	-22.51	55.06	3	Horizontal	163	2.37	-	37.08	6.78	33.23	
RMS	7.1946G	54.69	68.20	-13.51	43.96	3	Horizontal	163	2.37	-	37.18	6.80	33.25	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1863G	63.29	88.20	-24.91	46.26	3	Vertical	181	1.49	-	40.63	10.74	34.34
RMS	14.19088G	50.26	68.20	-17.94	33.23	3	Vertical	181	1.49	-	40.62	10.74	34.33

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19186G	64.19	88.20	-24.01	47.16	3	Horizontal	221	2.74	-	40.62	10.74	34.33	
RMS	14.19018G	50.24	68.20	-17.96	33.21	3	Horizontal	221	2.74	-	40.62	10.74	34.33	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28932G	57.32	83.54	-26.22	54.16	1	Vertical	30	1.54	-	38.08	14.98	49.90
AV	21.28654G	44.20	63.54	-19.34	41.03	1	Vertical	30	1.54	-	38.09	14.98	49.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

7095MHz_TnomVnom




EUT_Z_2TX
Setting 40
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28604G	57.72	83.54	-25.82	54.55	1	Horizontal	120	1.50	-	38.09	14.98	49.90
AV	21.28608G	44.13	63.54	-19.41	40.96	1	Horizontal	120	1.50	-	38.09	14.98	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	62.67	88.20	-25.53	54.46	3	Vertical	328	2.31	-	34.90	6.12	32.81
RMS	5.925G	53.00	68.20	-15.20	44.79	3	Vertical	328	2.31	-	34.90	6.12	32.81
PK	5.97G	111.44	Inf	-Inf	103.01	3	Vertical	328	2.31	-	35.08	6.17	32.82
RMS	5.959G	100.01	Inf	-Inf	91.63	3	Vertical	328	2.31	-	35.04	6.16	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.91G	60.86	88.20	-27.34	52.71	3	Horizontal	248.6	1.29	-	34.84	6.11	32.80
RMS	5.921G	50.41	68.20	-17.79	42.21	3	Horizontal	248.6	1.29	-	34.88	6.12	32.80
PK	5.949G	101.42	Inf	-Inf	93.08	3	Horizontal	248.6	1.29	-	35.00	6.15	32.81
RMS	5.948G	92.05	Inf	-Inf	83.72	3	Horizontal	248.6	1.29	-	34.99	6.15	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.93032G	57.23	74.00	-16.77	43.13	3	Vertical	313	2.17	-	38.87	9.57	34.34	
AV	11.93292G	43.82	54.00	-10.18	29.72	3	Vertical	313	2.17	-	38.87	9.57	34.34	
PK	17.89006G	65.35	74.00	-8.65	44.56	3	Vertical	213	2.98	-	41.68	13.61	34.50	
AV	17.89892G	51.52	54.00	-2.48	30.70	3	Vertical	213	2.98	-	41.70	13.62	34.50	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5965MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92942G	57.40	74.00	-16.60	43.31	3	Horizontal	298	2.55	-	38.87	9.56	34.34
AV	11.9254G	43.88	54.00	-10.12	29.78	3	Horizontal	298	2.55	-	38.87	9.56	34.33
PK	17.89678G	65.79	74.00	-8.21	44.98	3	Horizontal	332	2.70	-	41.69	13.62	34.50
AV	17.89154G	51.53	54.00	-2.47	30.74	3	Horizontal	332	2.70	-	41.68	13.61	34.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9118G	60.09	88.20	-28.11	51.93	3	Vertical	320	2.49	-	34.85	6.11	32.80	
RMS	5.919G	49.92	68.20	-18.28	41.72	3	Vertical	320	2.49	-	34.88	6.12	32.80	
PK	6.1794G	108.66	Inf	-Inf	99.93	3	Vertical	320	2.49	-	35.42	6.20	32.89	
RMS	6.1602G	98.01	Inf	-Inf	89.36	3	Vertical	320	2.49	-	35.34	6.20	32.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9214G	60.85	88.20	-27.35	52.64	3	Horizontal	246	1.00	-	34.89	6.12	32.80	
RMS	5.9238G	49.89	68.20	-18.31	41.68	3	Horizontal	246	1.00	-	34.90	6.12	32.81	
PK	6.1794G	101.93	Inf	-Inf	93.20	3	Horizontal	246	1.00	-	35.42	6.20	32.89	
RMS	6.171G	90.86	Inf	-Inf	82.17	3	Horizontal	246	1.00	-	35.38	6.20	32.89	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3344G	57.29	74.00	-16.71	43.03	3	Vertical	46	1.96	-	38.70	9.77	34.21	
AV	12.33142G	43.53	54.00	-10.47	29.27	3	Vertical	46	1.96	-	38.70	9.77	34.21	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32544G	57.44	74.00	-16.56	43.20	3	Horizontal	271	2.07	-	38.70	9.76	34.22
AV	12.3311G	43.54	54.00	-10.46	29.28	3	Horizontal	271	2.07	-	38.70	9.77	34.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.49388G	56.15	83.54	-27.39	54.50	1	Vertical	280	1.54	-	37.70	14.25	50.30	
AV	18.49672G	42.94	63.54	-20.60	41.29	1	Vertical	280	1.54	-	37.70	14.25	50.30	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6165MHz_TnomVnom




EUT_Z_2TX
Setting 51
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.49738G	56.47	83.54	-27.07	54.82	1	Horizontal	309	1.52	-	37.70	14.25	50.30	
AV	18.4961G	42.81	63.54	-20.73	41.16	1	Horizontal	309	1.52	-	37.70	14.25	50.30	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.901G	60.03	88.20	-28.17	51.93	3	Vertical	137	2.39	-	34.80	6.10	32.80	
RMS	5.9202G	49.82	68.20	-18.38	41.62	3	Vertical	137	2.39	-	34.88	6.12	32.80	
PK	6.4098G	110.59	Inf	-Inf	101.75	3	Vertical	137	2.39	-	35.42	6.40	32.98	
RMS	6.4074G	99.85	Inf	-Inf	91.02	3	Vertical	137	2.39	-	35.41	6.40	32.98	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.901G	60.01	88.20	-28.19	51.91	3	Horizontal	266.7	1.01	-	34.80	6.10	32.80	
RMS	5.9202G	49.79	68.20	-18.41	41.59	3	Horizontal	266.7	1.01	-	34.88	6.12	32.80	
PK	6.3978G	100.59	Inf	-Inf	91.76	3	Horizontal	266.7	1.01	-	35.40	6.40	32.97	
RMS	6.4002G	91.59	Inf	-Inf	82.76	3	Horizontal	266.7	1.01	-	35.40	6.40	32.97	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81118G	57.87	88.20	-30.33	42.72	3	Vertical	310	2.10	-	39.22	10.01	34.08
RMS	12.81368G	44.30	68.20	-23.90	29.14	3	Vertical	310	2.10	-	39.23	10.01	34.08

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81168G	57.36	88.20	-30.84	42.21	3	Horizontal	353	2.60	-	39.22	10.01	34.08	
RMS	12.81152G	44.25	68.20	-23.95	29.10	3	Horizontal	353	2.60	-	39.22	10.01	34.08	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21466G	55.23	83.54	-28.31	52.93	1	Vertical	131	1.54	-	38.14	14.32	50.16
AV	19.21194G	41.56	63.54	-21.98	39.25	1	Vertical	131	1.54	-	38.15	14.32	50.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6405MHz_TnomVnom




EUT_Z_2TX
Setting 53
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2193G	55.26	83.54	-28.28	52.96	1	Horizontal	175	1.53	-	38.14	14.32	50.16
AV	19.21486G	41.46	63.54	-22.08	39.16	1	Horizontal	175	1.53	-	38.14	14.32	50.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8886G	62.33	88.20	-25.87	54.30	3	Vertical	-0	2.05	-	34.73	6.09	32.79	
RMS	5.9198G	51.43	68.20	-16.77	43.23	3	Vertical	-0	2.05	-	34.88	6.12	32.80	
PK	6.4268G	106.99	Inf	-Inf	98.12	3	Vertical	-0	2.05	-	35.45	6.40	32.98	
RMS	6.4398G	98.26	Inf	-Inf	89.37	3	Vertical	-0	2.05	-	35.48	6.40	32.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8704G	61.79	88.20	-26.41	53.89	3	Horizontal	170	2.81	-	34.62	6.07	32.79	
RMS	5.9094G	51.39	68.20	-16.81	43.24	3	Horizontal	170	2.81	-	34.84	6.11	32.80	
PK	6.458G	101.78	Inf	-Inf	92.85	3	Horizontal	170	2.81	-	35.52	6.40	32.99	
RMS	6.4528G	91.64	Inf	-Inf	82.72	3	Horizontal	170	2.81	-	35.51	6.40	32.99	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8857G	58.76	88.20	-29.44	43.42	3	Vertical	343	1.18	-	39.37	10.04	34.07	
RMS	12.89196G	45.13	68.20	-23.07	29.77	3	Vertical	343	1.18	-	39.38	10.05	34.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88914G	59.62	88.20	-28.58	44.27	3	Horizontal	308	2.10	-	39.38	10.04	34.07	
RMS	12.89266G	45.21	68.20	-22.99	29.84	3	Horizontal	308	2.10	-	39.39	10.05	34.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33548G	53.79	83.54	-29.75	51.59	1	Vertical	243	1.51	-	38.00	14.33	50.13
AV	19.33266G	40.54	63.54	-23.00	38.34	1	Vertical	243	1.51	-	38.00	14.33	50.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6445MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33548G	53.77	83.54	-29.77	51.57	1	Horizontal	96	1.50	-	38.00	14.33	50.13	
AV	19.3355G	40.51	63.54	-23.03	38.31	1	Horizontal	96	1.50	-	38.00	14.33	50.13	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	61.97	88.20	-26.23	53.86	3	Vertical	141	2.20	-	34.81	6.10	32.80
RMS	5.8998G	51.32	68.20	-16.88	43.22	3	Vertical	141	2.20	-	34.80	6.10	32.80
PK	6.485G	109.21	Inf	-Inf	100.24	3	Vertical	141	2.20	-	35.57	6.40	33.00
RMS	6.4794G	98.90	Inf	-Inf	89.94	3	Vertical	141	2.20	-	35.56	6.40	33.00
PK	7.1514G	63.13	88.20	-25.07	52.56	3	Vertical	141	2.20	-	37.01	6.78	33.22
RMS	7.185G	51.72	68.20	-16.48	41.03	3	Vertical	141	2.20	-	37.14	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8914G	62.50	88.20	-25.70	54.46	3	Horizontal	246	1.04	-	34.75	6.09	32.80
RMS	5.9054G	51.38	68.20	-16.82	43.25	3	Horizontal	246	1.04	-	34.82	6.11	32.80
PK	6.4878G	101.19	Inf	-Inf	92.22	3	Horizontal	246	1.04	-	35.58	6.40	33.01
RMS	6.4822G	90.81	Inf	-Inf	81.85	3	Horizontal	246	1.04	-	35.56	6.40	33.00
PK	7.1514G	62.68	88.20	-25.52	52.11	3	Horizontal	246	1.04	-	37.01	6.78	33.22
RMS	7.185G	51.72	68.20	-16.48	41.03	3	Horizontal	246	1.04	-	37.14	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97058G	59.85	88.20	-28.35	44.27	3	Vertical	300	1.84	-	39.54	10.09	34.05
RMS	12.97298G	45.69	68.20	-22.51	30.10	3	Vertical	300	1.84	-	39.55	10.09	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96884G	59.77	88.20	-28.43	44.20	3	Horizontal	320	2.98	-	39.54	10.08	34.05
RMS	12.96706G	45.70	68.20	-22.50	30.15	3	Horizontal	320	2.98	-	39.53	10.08	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.4512G	54.47	83.54	-29.07	52.37	1	Vertical	33	1.57	-	37.86	14.35	50.11	
AV	19.45352G	40.57	63.54	-22.97	38.47	1	Vertical	33	1.57	-	37.86	14.35	50.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6485MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.45362G	54.58	83.54	-28.96	52.48	1	Horizontal	113	1.53	-	37.86	14.35	50.11	
AV	19.45522G	40.56	63.54	-22.98	38.47	1	Horizontal	113	1.53	-	37.85	14.35	50.11	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	61.91	88.20	-26.29	53.81	3	Vertical	143	2.37	-	34.80	6.10	32.80
RMS	5.9034G	51.36	68.20	-16.84	43.25	3	Vertical	143	2.37	-	34.81	6.10	32.80
PK	6.525G	109.17	Inf	-Inf	99.98	3	Vertical	143	2.37	-	35.80	6.40	33.01
RMS	6.5194G	98.80	Inf	-Inf	89.65	3	Vertical	143	2.37	-	35.76	6.40	33.01
PK	7.1886G	62.69	88.20	-25.51	51.99	3	Vertical	143	2.37	-	37.15	6.79	33.24
RMS	7.225G	52.05	68.20	-16.15	41.31	3	Vertical	143	2.37	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8586G	61.90	88.20	-26.30	54.07	3	Horizontal	167	2.94	-	34.55	6.06	32.78
RMS	5.9118G	51.34	68.20	-16.86	43.18	3	Horizontal	167	2.94	-	34.85	6.11	32.80
PK	6.5222G	100.06	Inf	-Inf	90.89	3	Horizontal	167	2.94	-	35.78	6.40	33.01
RMS	6.5138G	89.73	Inf	-Inf	80.63	3	Horizontal	167	2.94	-	35.71	6.40	33.01
PK	7.1466G	62.02	88.20	-26.18	51.47	3	Horizontal	167	2.94	-	36.99	6.77	33.21
RMS	7.2222G	51.98	68.20	-16.22	41.24	3	Horizontal	167	2.94	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04584G	59.51	88.20	-28.69	43.84	3	Vertical	186	1.92	-	39.60	10.12	34.05
RMS	13.05186G	45.98	68.20	-22.22	30.30	3	Vertical	186	1.92	-	39.60	10.13	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04816G	59.19	88.20	-29.01	43.52	3	Horizontal	271	1.72	-	39.60	10.12	34.05
RMS	13.05278G	45.88	68.20	-22.32	30.20	3	Horizontal	271	1.72	-	39.60	10.13	34.05

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.5734G	55.51	83.54	-28.03	53.48	1	Vertical	248	1.56	-	37.74	14.36	50.07	
AV	19.5744G	41.96	63.54	-21.58	39.93	1	Vertical	248	1.56	-	37.74	14.36	50.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6525MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.57732G	55.36	83.54	-28.18	53.33	1	Horizontal	106	1.53	-	37.74	14.36	50.07	
AV	19.57846G	42.04	63.54	-21.50	40.01	1	Horizontal	106	1.53	-	37.74	14.36	50.07	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5626G	107.61	Inf	-Inf	98.20	3	Vertical	-0	2.13	-	36.03	6.40	33.02
RMS	6.5602G	97.98	Inf	-Inf	88.58	3	Vertical	-0	2.13	-	36.02	6.40	33.02
PK	7.1482G	61.61	88.20	-26.59	51.06	3	Vertical	-0	2.13	-	36.99	6.77	33.21
RMS	7.1626G	51.57	68.20	-16.63	40.96	3	Vertical	-0	2.13	-	37.05	6.78	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5674G	101.62	Inf	-Inf	92.21	3	Horizontal	166	2.44	-	36.03	6.40	33.02	
RMS	6.5674G	91.03	Inf	-Inf	81.62	3	Horizontal	166	2.44	-	36.03	6.40	33.02	
PK	7.1458G	62.40	88.20	-25.80	51.86	3	Horizontal	166	2.44	-	36.98	6.77	33.21	
RMS	7.1602G	51.50	68.20	-16.70	40.90	3	Horizontal	166	2.44	-	37.04	6.78	33.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13464G	59.27	88.20	-28.93	43.47	3	Vertical	254	2.91	-	39.67	10.17	34.04	
RMS	13.1328G	45.83	68.20	-22.37	30.03	3	Vertical	254	2.91	-	39.67	10.17	34.04	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13326G	59.13	88.20	-29.07	43.33	3	Horizontal	158	1.74	-	39.67	10.17	34.04
RMS	13.1326G	45.70	68.20	-22.50	29.90	3	Horizontal	158	1.74	-	39.67	10.17	34.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.69904G	55.88	83.54	-27.66	53.89	1	Vertical	239	1.53	-	37.64	14.37	50.02	
AV	19.69256G	42.70	63.54	-20.84	40.70	1	Vertical	239	1.53	-	37.65	14.37	50.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6565MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.69194G	56.14	83.54	-27.40	54.14	1	Horizontal	3	1.54	-	37.65	14.37	50.02	
AV	19.6923G	42.81	63.54	-20.73	40.81	1	Horizontal	3	1.54	-	37.65	14.37	50.02	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.693G	108.30	Inf	-Inf	98.80	3	Vertical	0	2.44	-	36.09	6.45	33.04	
RMS	6.691G	97.51	Inf	-Inf	88.02	3	Vertical	0	2.44	-	36.08	6.45	33.04	
PK	7.149G	62.03	88.20	-26.17	51.47	3	Vertical	0	2.44	-	37.00	6.77	33.21	
RMS	7.185G	51.75	68.20	-16.45	41.06	3	Vertical	0	2.44	-	37.14	6.79	33.24	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.701G	100.72	Inf	-Inf	91.22	3	Horizontal	167	2.46	-	36.10	6.45	33.05	
RMS	6.699G	91.62	Inf	-Inf	82.12	3	Horizontal	167	2.46	-	36.10	6.45	33.05	
PK	7.173G	62.54	88.20	-25.66	51.89	3	Horizontal	167	2.46	-	37.09	6.79	33.23	
RMS	7.175G	51.65	68.20	-16.55	40.99	3	Horizontal	167	2.46	-	37.10	6.79	33.23	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37244G	58.75	74.00	-15.25	42.49	3	Vertical	136	1.72	-	40.00	10.29	34.03	
AV	13.37078G	45.47	54.00	-8.53	29.21	3	Vertical	136	1.72	-	40.00	10.29	34.03	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3745G	59.38	74.00	-14.62	43.12	3	Horizontal	98	1.49	-	40.00	10.29	34.03
AV	13.37128G	45.54	54.00	-8.46	29.28	3	Horizontal	98	1.49	-	40.00	10.29	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05402G	55.53	83.54	-28.01	53.59	1	Vertical	350	1.51	-	37.43	14.42	49.91
AV	20.05256G	42.03	63.54	-21.51	40.09	1	Vertical	350	1.51	-	37.43	14.42	49.91

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6685MHz_TnomVnom




EUT_Z_2TX
Setting 58
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.0533G	55.86	83.54	-27.68	53.92	1	Horizontal	301	1.57	-	37.43	14.42	49.91	
AV	20.05532G	41.96	63.54	-21.58	40.02	1	Horizontal	301	1.57	-	37.43	14.42	49.91	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.853G	107.11	Inf	-Inf	97.13	3	Vertical	-0	2.46	-	36.50	6.55	33.07	
RMS	6.8498G	97.72	Inf	-Inf	87.74	3	Vertical	-0	2.46	-	36.50	6.55	33.07	
PK	7.2386G	63.09	88.20	-25.11	52.35	3	Vertical	-0	2.46	-	37.20	6.82	33.28	
RMS	7.245G	52.17	68.20	-16.03	41.44	3	Vertical	-0	2.46	-	37.20	6.82	33.29	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	100.25	Inf	-Inf	90.28	3	Horizontal	239	1.10	-	36.50	6.54	33.07
RMS	6.8418G	90.25	Inf	-Inf	80.28	3	Horizontal	239	1.10	-	36.50	6.54	33.07
PK	7.2418G	63.27	88.20	-24.93	52.53	3	Horizontal	239	1.10	-	37.20	6.82	33.28
RMS	7.237G	52.13	68.20	-16.07	41.39	3	Horizontal	239	1.10	-	37.20	6.82	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.689G	61.26	88.20	-26.94	44.70	3	Vertical	265	2.48	-	40.29	10.44	34.17
RMS	13.68788G	47.35	68.20	-20.85	30.79	3	Vertical	265	2.48	-	40.29	10.44	34.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69374G	60.88	88.20	-27.32	44.32	3	Horizontal	243	2.31	-	40.29	10.45	34.18	
RMS	13.69048G	47.41	68.20	-20.79	30.85	3	Horizontal	243	2.31	-	40.29	10.45	34.18	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5303G	55.85	83.54	-27.69	53.47	1	Vertical	230	1.51	-	37.73	14.64	49.99
AV	20.53148G	42.43	63.54	-21.11	40.05	1	Vertical	230	1.51	-	37.73	14.64	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6845MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5329G	56.14	83.54	-27.40	53.76	1	Horizontal	164	1.52	-	37.73	14.64	49.99
AV	20.5304G	42.47	63.54	-21.07	40.09	1	Horizontal	164	1.52	-	37.73	14.64	49.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	109.15	Inf	-Inf	99.14	3	Vertical	324.2	2.31	-	36.50	6.59	33.08
RMS	6.8892G	99.14	Inf	-Inf	89.13	3	Vertical	324.2	2.31	-	36.50	6.59	33.08
PK	7.2336G	62.46	88.20	-25.74	51.72	3	Vertical	324.2	2.31	-	37.20	6.82	33.28
RMS	7.235G	52.14	68.20	-16.06	41.40	3	Vertical	324.2	2.31	-	37.20	6.82	33.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9004G	101.87	Inf	-Inf	91.85	3	Horizontal	77	1.03	-	36.50	6.60	33.08	
RMS	6.9004G	90.87	Inf	-Inf	80.85	3	Horizontal	77	1.03	-	36.50	6.60	33.08	
PK	7.214G	62.87	88.20	-25.33	52.12	3	Horizontal	77	1.03	-	37.20	6.81	33.26	
RMS	7.2322G	52.05	68.20	-16.15	41.31	3	Horizontal	77	1.03	-	37.20	6.82	33.28	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76702G	60.85	88.20	-27.35	44.18	3	Vertical	132	1.18	-	40.43	10.48	34.24
RMS	13.77164G	47.37	68.20	-20.83	30.68	3	Vertical	132	1.18	-	40.44	10.49	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76812G	60.89	88.20	-27.31	44.21	3	Horizontal	350	1.13	-	40.44	10.48	34.24
RMS	13.77322G	47.30	68.20	-20.90	30.60	3	Horizontal	350	1.13	-	40.45	10.49	34.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65766G	57.13	83.54	-26.41	54.54	1	Vertical	62	1.50	-	37.86	14.70	49.97
AV	20.65276G	43.24	63.54	-20.30	40.67	1	Vertical	62	1.50	-	37.85	14.69	49.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6885MHz_TnomVnom




EUT_Z_2TX
Setting 54
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65882G	57.20	83.54	-26.34	54.61	1	Horizontal	272	1.50	-	37.86	14.70	49.97
AV	20.65884G	43.20	63.54	-20.34	40.61	1	Horizontal	272	1.50	-	37.86	14.70	49.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.931G	108.16	Inf	-Inf	98.06	3	Vertical	-0	2.29	-	36.56	6.63	33.09	
RMS	6.9298G	98.34	Inf	-Inf	88.24	3	Vertical	-0	2.29	-	36.56	6.63	33.09	
PK	7.2214G	62.79	88.20	-25.41	52.05	3	Vertical	-0	2.29	-	37.20	6.81	33.27	
RMS	7.2238G	51.99	68.20	-16.21	41.25	3	Vertical	-0	2.29	-	37.20	6.81	33.27	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9358G	99.10	Inf	-Inf	88.98	3	Horizontal	234	1.00	-	36.57	6.64	33.09
RMS	6.9406G	89.35	Inf	-Inf	79.22	3	Horizontal	234	1.00	-	36.58	6.64	33.09
PK	7.1542G	62.60	88.20	-25.60	52.02	3	Horizontal	234	1.00	-	37.02	6.78	33.22
RMS	7.2202G	51.93	68.20	-16.27	41.19	3	Horizontal	234	1.00	-	37.20	6.81	33.27

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85142G	60.86	88.20	-27.34	44.09	3	Vertical	44	2.03	-	40.55	10.53	34.31
RMS	13.8498G	47.37	68.20	-20.83	30.61	3	Vertical	44	2.03	-	40.55	10.52	34.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85238G	60.95	88.20	-27.25	44.18	3	Horizontal	182	2.45	-	40.55	10.53	34.31	
RMS	13.85366G	47.31	68.20	-20.89	30.54	3	Horizontal	182	2.45	-	40.55	10.53	34.31	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.77374G	56.25	83.54	-27.29	53.48	1	Vertical	138	1.56	-	37.97	14.75	49.95	
AV	20.77528G	43.02	63.54	-20.52	40.23	1	Vertical	138	1.56	-	37.98	14.75	49.94	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

6925MHz_TnomVnom




EUT_Z_2TX
Setting 55
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77484G	56.81	83.54	-26.73	54.04	1	Horizontal	47	1.53	-	37.97	14.75	49.95
AV	20.7714G	42.89	63.54	-20.65	40.12	1	Horizontal	47	1.53	-	37.97	14.75	49.95

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	109.26	Inf	-Inf	99.06	3	Vertical	321	2.17	-	36.60	6.70	33.10
RMS	6.9994G	98.96	Inf	-Inf	88.76	3	Vertical	321	2.17	-	36.60	6.70	33.10
PK	7.1706G	63.07	88.20	-25.13	52.43	3	Vertical	321	2.17	-	37.08	6.79	33.23
RMS	7.2034G	51.86	68.20	-16.34	41.11	3	Vertical	321	2.17	-	37.20	6.80	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	100.96	Inf	-Inf	90.77	3	Horizontal	233	1.00	-	36.60	6.69	33.10
RMS	6.9914G	90.59	Inf	-Inf	80.40	3	Horizontal	233	1.00	-	36.60	6.69	33.10
PK	7.153G	63.27	88.20	-24.93	52.70	3	Horizontal	233	1.00	-	37.01	6.78	33.22
RMS	7.2034G	51.77	68.20	-16.43	41.02	3	Horizontal	233	1.00	-	37.20	6.80	33.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00736G	61.81	88.20	-26.39	44.83	3	Vertical	3	1.38	-	40.80	10.61	34.43	
RMS	14.00902G	48.33	68.20	-19.87	31.35	3	Vertical	3	1.38	-	40.80	10.61	34.43	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.01128G	62.09	88.20	-26.11	45.10	3	Horizontal	296	1.72	-	40.80	10.61	34.42	
RMS	14.0058G	48.27	68.20	-19.93	31.30	3	Horizontal	296	1.72	-	40.80	10.60	34.43	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01184G	53.91	83.54	-29.63	50.75	1	Vertical	206	1.50	-	38.20	14.86	49.90
AV	21.01138G	40.54	63.54	-23.00	37.38	1	Vertical	206	1.50	-	38.20	14.86	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7005MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01812G	53.71	83.54	-29.83	50.56	1	Horizontal	158	1.53	-	38.19	14.86	49.90
AV	21.0146G	40.83	63.54	-22.71	37.68	1	Horizontal	158	1.53	-	38.19	14.86	49.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.099G	109.84	Inf	-Inf	99.47	3	Vertical	178	2.32	-	36.80	6.75	33.18	
RMS	7.0926G	99.21	Inf	-Inf	88.86	3	Vertical	178	2.32	-	36.77	6.75	33.17	
PK	7.1314G	69.77	88.20	-18.43	59.27	3	Vertical	178	2.32	-	36.93	6.77	33.20	
RMS	7.125G	53.11	68.20	-15.09	42.65	3	Vertical	178	2.32	-	36.90	6.76	33.20	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.087G	101.20	Inf	-Inf	90.88	3	Horizontal	164	2.46	-	36.75	6.74	33.17
RMS	7.0822G	89.83	Inf	-Inf	79.52	3	Horizontal	164	2.46	-	36.73	6.74	33.16
PK	7.1386G	62.94	88.20	-25.26	52.43	3	Horizontal	164	2.46	-	36.95	6.77	33.21
RMS	7.1806G	51.80	68.20	-16.40	41.13	3	Horizontal	164	2.46	-	37.12	6.79	33.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1687G	62.31	88.20	-25.89	45.27	3	Vertical	105	1.79	-	40.66	10.73	34.35
RMS	14.16628G	48.07	68.20	-20.13	31.03	3	Vertical	105	1.79	-	40.67	10.72	34.35

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.169G	62.00	88.20	-26.20	44.96	3	Horizontal	148	1.14	-	40.66	10.73	34.35	
RMS	14.17104G	48.18	68.20	-20.02	31.13	3	Horizontal	148	1.14	-	40.66	10.73	34.34	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.25648G	55.40	83.54	-28.14	52.23	1	Vertical	160	1.51	-	38.10	14.97	49.90	
AV	21.25674G	41.86	63.54	-21.68	38.69	1	Vertical	160	1.51	-	38.10	14.97	49.90	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

7085MHz_TnomVnom




EUT_Z_2TX
Setting 56
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25846G	55.27	83.54	-28.27	52.10	1	Horizontal	227	1.55	-	38.10	14.97	49.90
AV	21.2563G	41.84	63.54	-21.70	38.67	1	Horizontal	227	1.55	-	38.10	14.97	49.90

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.921G	66.14	88.20	-22.06	57.94	3	Vertical	326.2	2.39	-	34.88	6.12	32.80	
RMS	5.923G	54.19	68.20	-14.01	45.99	3	Vertical	326.2	2.39	-	34.89	6.12	32.81	
PK	5.987G	109.29	Inf	-Inf	100.78	3	Vertical	326.2	2.39	-	35.15	6.19	32.83	
RMS	5.975G	98.15	Inf	-Inf	89.70	3	Vertical	326.2	2.39	-	35.10	6.17	32.82	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	62.34	88.20	-25.86	54.31	3	Horizontal	243	1.08	-	34.73	6.09	32.79
RMS	5.92G	51.78	68.20	-16.42	43.58	3	Horizontal	243	1.08	-	34.88	6.12	32.80
PK	5.978G	102.88	Inf	-Inf	94.41	3	Horizontal	243	1.08	-	35.11	6.18	32.82
RMS	5.977G	91.79	Inf	-Inf	83.32	3	Horizontal	243	1.08	-	35.11	6.18	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97338G	56.77	74.00	-17.23	42.71	3	Vertical	347	2.40	-	38.83	9.59	34.36	
AV	11.96634G	43.30	54.00	-10.70	29.25	3	Vertical	347	2.40	-	38.83	9.58	34.36	
PK	17.95746G	65.62	74.00	-8.38	44.70	3	Vertical	44	1.38	-	41.76	13.67	34.51	
AV	17.95712G	51.93	54.00	-2.07	31.01	3	Vertical	44	1.38	-	41.76	13.67	34.51	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5985MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97042G	57.32	74.00	-16.68	43.26	3	Horizontal	34	1.63	-	38.83	9.59	34.36
AV	11.96748G	43.28	54.00	-10.72	29.23	3	Horizontal	34	1.63	-	38.83	9.58	34.36
PK	17.95308G	67.29	74.00	-6.71	46.39	3	Horizontal	159	1.58	-	41.75	13.66	34.51
AV	17.95984G	51.96	54.00	-2.04	31.04	3	Horizontal	159	1.58	-	41.76	13.67	34.51

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.847G	62.43	88.20	-25.77	54.68	3	Vertical	255	2.58	-	34.48	6.05	32.78	
RMS	5.921G	51.48	68.20	-16.72	43.28	3	Vertical	255	2.58	-	34.88	6.12	32.80	
PK	6.173G	104.47	Inf	-Inf	95.77	3	Vertical	255	2.58	-	35.39	6.20	32.89	
RMS	6.147G	94.51	Inf	-Inf	85.88	3	Vertical	255	2.58	-	35.31	6.20	32.88	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	62.74	88.20	-25.46	55.13	3	Horizontal	249	1.00	-	34.35	6.03	32.77
RMS	5.909G	51.44	68.20	-16.76	43.29	3	Horizontal	249	1.00	-	34.84	6.11	32.80
PK	6.119G	103.21	Inf	-Inf	94.52	3	Horizontal	249	1.00	-	35.36	6.20	32.87
RMS	6.117G	89.78	Inf	-Inf	81.08	3	Horizontal	249	1.00	-	35.37	6.20	32.87

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2891G	57.45	74.00	-16.55	43.27	3	Vertical	56	1.48	-	38.68	9.74	34.24
AV	12.2926G	43.13	54.00	-10.87	28.92	3	Vertical	56	1.48	-	38.69	9.75	34.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29332G	56.55	74.00	-17.45	42.34	3	Horizontal	311	2.56	-	38.69	9.75	34.23
AV	12.29158G	43.10	54.00	-10.90	28.90	3	Horizontal	311	2.56	-	38.68	9.75	34.23

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.43658G	56.70	83.54	-26.84	55.10	1	Vertical	94	1.51	-	37.65	14.24	50.29	
AV	18.4372G	42.77	63.54	-20.77	41.17	1	Vertical	94	1.51	-	37.65	14.24	50.29	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6145MHz_TnomVnom




EUT_Z_2TX
Setting 57
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.43988G	56.79	83.54	-26.75	55.19	1	Horizontal	274	1.51	-	37.65	14.24	50.29	
AV	18.43014G	42.77	63.54	-20.77	41.18	1	Horizontal	274	1.51	-	37.64	14.24	50.29	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.77	88.20	-26.43	53.56	3	Vertical	141	2.32	-	34.90	6.12	32.81	
RMS	5.9208G	51.46	68.20	-16.74	43.26	3	Vertical	141	2.32	-	34.88	6.12	32.80	
PK	6.396G	109.46	Inf	-Inf	100.63	3	Vertical	141	2.32	-	35.40	6.40	32.97	
RMS	6.4004G	98.61	Inf	-Inf	89.78	3	Vertical	141	2.32	-	35.40	6.40	32.97	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9098G	61.95	88.20	-26.25	53.80	3	Horizontal	16	2.52	-	34.84	6.11	32.80	
RMS	5.9054G	51.41	68.20	-16.79	43.28	3	Horizontal	16	2.52	-	34.82	6.11	32.80	
PK	6.4136G	98.68	Inf	-Inf	89.83	3	Horizontal	16	2.52	-	35.43	6.40	32.98	
RMS	6.3476G	87.77	Inf	-Inf	78.98	3	Horizontal	16	2.52	-	35.40	6.35	32.96	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77354G	57.31	88.20	-30.89	42.26	3	Vertical	38	2.91	-	39.15	9.99	34.09	
RMS	12.77236G	44.02	68.20	-24.18	28.98	3	Vertical	38	2.91	-	39.14	9.99	34.09	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.77418G	57.35	88.20	-30.85	42.30	3	Horizontal	252	2.97	-	39.15	9.99	34.09	
RMS	12.76876G	44.28	68.20	-23.92	29.25	3	Horizontal	252	2.97	-	39.14	9.98	34.09	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15348G	55.24	83.54	-28.30	52.87	1	Vertical	344	1.57	-	38.22	14.32	50.17
AV	19.15768G	41.26	63.54	-22.28	38.90	1	Vertical	344	1.57	-	38.21	14.32	50.17

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6385MHz_TnomVnom




EUT_Z_2TX
Setting 62
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.15292G	54.62	83.54	-28.92	52.25	1	Horizontal	196	1.50	-	38.22	14.32	50.17	
AV	19.15468G	41.27	63.54	-22.27	38.91	1	Horizontal	196	1.50	-	38.21	14.32	50.17	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	62.65	88.20	-25.55	54.44	3	Vertical	144	2.19	-	34.90	6.12	32.81	
RMS	5.9154G	51.43	68.20	-16.77	43.25	3	Vertical	144	2.19	-	34.86	6.12	32.80	
PK	6.4698G	110.98	Inf	-Inf	102.04	3	Vertical	144	2.19	-	35.54	6.40	33.00	
RMS	6.4746G	99.70	Inf	-Inf	90.75	3	Vertical	144	2.19	-	35.55	6.40	33.00	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	61.88	88.20	-26.32	54.00	3	Horizontal	246	2.18	-	34.60	6.07	32.79
RMS	5.913G	51.38	68.20	-16.82	43.22	3	Horizontal	246	2.18	-	34.85	6.11	32.80
PK	6.4842G	101.64	Inf	-Inf	92.67	3	Horizontal	246	2.18	-	35.57	6.40	33.00
RMS	6.4842G	90.07	Inf	-Inf	81.10	3	Horizontal	246	2.18	-	35.57	6.40	33.00

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9339G	59.70	88.20	-28.50	44.22	3	Vertical	347	2.63	-	39.47	10.07	34.06	
RMS	12.93114G	45.61	68.20	-22.59	30.14	3	Vertical	347	2.63	-	39.46	10.07	34.06	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.92564G	59.79	88.20	-28.41	44.34	3	Horizontal	140	2.94	-	39.45	10.06	34.06	
RMS	12.9271G	45.44	68.20	-22.76	29.99	3	Horizontal	140	2.94	-	39.45	10.06	34.06	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39554G	53.98	83.54	-29.56	51.83	1	Vertical	79	1.50	-	37.93	14.34	50.12
AV	19.3962G	40.34	63.54	-23.20	38.20	1	Vertical	79	1.50	-	37.92	14.34	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6465MHz_TnomVnom




EUT_Z_2TX
Setting 69
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39298G	54.05	83.54	-29.49	51.90	1	Horizontal	31	1.57	-	37.93	14.34	50.12	
AV	19.39548G	40.19	63.54	-23.35	38.04	1	Horizontal	31	1.57	-	37.93	14.34	50.12	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.50	88.20	-26.70	53.30	3	Vertical	136	2.52	-	34.88	6.12	32.80
RMS	5.9132G	51.43	68.20	-16.77	43.27	3	Vertical	136	2.52	-	34.85	6.11	32.80
PK	6.5372G	110.69	Inf	-Inf	101.41	3	Vertical	136	2.52	-	35.90	6.40	33.02
RMS	6.5372G	99.50	Inf	-Inf	90.22	3	Vertical	136	2.52	-	35.90	6.40	33.02
PK	7.169G	62.33	88.20	-25.87	51.70	3	Vertical	136	2.52	-	37.08	6.78	33.23
RMS	7.1924G	51.70	68.20	-16.50	40.98	3	Vertical	136	2.52	-	37.17	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9028G	61.37	88.20	-26.83	53.26	3	Horizontal	360	2.86	-	34.81	6.10	32.80
RMS	5.908G	51.38	68.20	-16.82	43.24	3	Horizontal	360	2.86	-	34.83	6.11	32.80
PK	6.5346G	100.61	Inf	-Inf	91.35	3	Horizontal	360	2.86	-	35.88	6.40	33.02
RMS	6.5346G	89.83	Inf	-Inf	80.57	3	Horizontal	360	2.86	-	35.88	6.40	33.02
PK	7.156G	61.57	88.20	-26.63	50.99	3	Horizontal	360	2.86	-	37.02	6.78	33.22
RMS	7.1924G	51.72	68.20	-16.48	41.00	3	Horizontal	360	2.86	-	37.17	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08622G	60.63	88.20	-27.57	44.93	3	Vertical	205	1.63	-	39.60	10.14	34.04	
RMS	13.0926G	45.99	68.20	-22.21	30.28	3	Vertical	205	1.63	-	39.60	10.15	34.04	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08546G	59.23	88.20	-28.97	43.53	3	Horizontal	333	2.97	-	39.60	10.14	34.04
RMS	13.09204G	46.02	68.20	-22.18	30.31	3	Horizontal	333	2.97	-	39.60	10.15	34.04

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.63482G	55.91	83.54	-27.63	53.91	1	Vertical	27	1.50	-	37.69	14.36	50.05	
AV	19.63988G	42.64	63.54	-20.90	40.63	1	Vertical	27	1.50	-	37.69	14.36	50.04	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6545MHz_TnomVnom




EUT_Z_2TX
Setting 71
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.63184G	56.33	83.54	-27.21	54.33	1	Horizontal	58	1.50	-	37.69	14.36	50.05	
AV	19.63832G	42.65	63.54	-20.89	40.64	1	Horizontal	58	1.50	-	37.69	14.36	50.04	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6274G	109.61	Inf	-Inf	100.18	3	Vertical	360	2.30	-	36.05	6.41	33.03
RMS	6.637G	99.50	Inf	-Inf	90.08	3	Vertical	360	2.30	-	36.03	6.42	33.03
PK	7.1842G	62.98	88.20	-25.22	52.29	3	Vertical	360	2.30	-	37.14	6.79	33.24
RMS	7.225G	52.06	68.20	-16.14	41.32	3	Vertical	360	2.30	-	37.20	6.81	33.27

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5962G	101.22	Inf	-Inf	91.76	3	Horizontal	5	2.94	-	36.09	6.40	33.03	
RMS	6.6154G	91.42	Inf	-Inf	81.97	3	Horizontal	5	2.94	-	36.07	6.41	33.03	
PK	7.177G	62.71	88.20	-25.49	52.04	3	Horizontal	5	2.94	-	37.11	6.79	33.23	
RMS	7.225G	51.98	68.20	-16.22	41.24	3	Horizontal	5	2.94	-	37.20	6.81	33.27	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.2521G	59.12	74.00	-14.88	43.02	3	Vertical	52	1.39	-	39.90	10.23	34.03	
AV	13.25236G	45.68	54.00	-8.32	29.58	3	Vertical	52	1.39	-	39.90	10.23	34.03	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25388G	59.27	74.00	-14.73	43.16	3	Horizontal	331	1.47	-	39.91	10.23	34.03
AV	13.25338G	45.65	54.00	-8.35	29.54	3	Horizontal	331	1.47	-	39.91	10.23	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8724G	55.48	83.54	-28.06	53.54	1	Vertical	80	1.52	-	37.50	14.39	49.95
AV	19.87858G	42.06	63.54	-21.48	40.12	1	Vertical	80	1.52	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6625MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87998G	55.49	83.54	-28.05	53.55	1	Horizontal	218	1.54	-	37.50	14.39	49.95
AV	19.87574G	42.15	63.54	-21.39	40.21	1	Horizontal	218	1.54	-	37.50	14.39	49.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.681G	112.15	Inf	-Inf	102.69	3	Vertical	-0	2.56	-	36.06	6.44	33.04
RMS	6.691G	98.46	Inf	-Inf	88.97	3	Vertical	-0	2.56	-	36.08	6.45	33.04
PK	7.155G	62.17	88.20	-26.03	51.59	3	Vertical	-0	2.56	-	37.02	6.78	33.22
RMS	7.203G	51.91	68.20	-16.29	41.16	3	Vertical	-0	2.56	-	37.20	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	101.13	Inf	-Inf	91.64	3	Horizontal	9	2.95	-	36.09	6.45	33.05
RMS	6.695G	91.31	Inf	-Inf	81.82	3	Horizontal	9	2.95	-	36.09	6.45	33.05
PK	7.195G	63.25	88.20	-24.95	52.52	3	Horizontal	9	2.95	-	37.18	6.80	33.25
RMS	7.197G	51.84	68.20	-16.36	41.10	3	Horizontal	9	2.95	-	37.19	6.80	33.25

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41446G	59.20	88.20	-29.00	42.89	3	Vertical	48	2.14	-	40.03	10.31	34.03
RMS	13.41224G	45.99	68.20	-22.21	29.69	3	Vertical	48	2.14	-	40.02	10.31	34.03

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40586G	59.85	88.20	-28.35	43.57	3	Horizontal	231	2.00	-	40.01	10.30	34.03	
RMS	13.41322G	45.91	68.20	-22.29	29.60	3	Horizontal	231	2.00	-	40.03	10.31	34.03	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.1166G	57.32	83.54	-26.22	55.32	1	Vertical	338	1.53	-	37.47	14.45	49.92	
AV	20.11768G	43.13	63.54	-20.41	41.13	1	Vertical	338	1.53	-	37.47	14.45	49.92	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6705MHz_TnomVnom




EUT_Z_2TX
Setting 75
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11922G	56.60	83.54	-26.94	54.60	1	Horizontal	12	1.53	-	37.47	14.45	49.92
AV	20.11536G	43.25	63.54	-20.29	41.25	1	Horizontal	12	1.53	-	37.47	14.45	49.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8048G	109.02	Inf	-Inf	99.08	3	Vertical	-0	2.55	-	36.50	6.50	33.06
RMS	6.7994G	98.68	Inf	-Inf	88.74	3	Vertical	-0	2.55	-	36.50	6.50	33.06
PK	7.2332G	63.17	88.20	-25.03	52.43	3	Vertical	-0	2.55	-	37.20	6.82	33.28
RMS	7.235G	52.21	68.20	-15.99	41.47	3	Vertical	-0	2.55	-	37.20	6.82	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7472G	101.38	Inf	-Inf	91.67	3	Horizontal	204	2.88	-	36.29	6.47	33.05	
RMS	6.7472G	92.70	Inf	-Inf	82.99	3	Horizontal	204	2.88	-	36.29	6.47	33.05	
PK	7.208G	62.98	88.20	-25.22	52.24	3	Horizontal	204	2.88	-	37.20	6.80	33.26	
RMS	7.235G	52.17	68.20	-16.03	41.43	3	Horizontal	204	2.88	-	37.20	6.82	33.28	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5658G	60.38	88.20	-27.82	43.87	3	Vertical	306	2.99	-	40.20	10.38	34.07
RMS	13.5661G	46.54	68.20	-21.66	30.03	3	Vertical	306	2.99	-	40.20	10.38	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57194G	60.56	88.20	-27.64	44.05	3	Horizontal	102	1.46	-	40.20	10.39	34.08	
RMS	13.57206G	46.56	68.20	-21.64	30.05	3	Horizontal	102	1.46	-	40.20	10.39	34.08	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35454G	57.53	83.54	-26.01	55.33	1	Vertical	266	1.50	-	37.61	14.56	49.97
AV	20.35126G	43.75	63.54	-19.79	41.55	1	Vertical	266	1.50	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6785MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35376G	57.21	83.54	-26.33	55.01	1	Horizontal	203	1.52	-	37.61	14.56	49.97
AV	20.35114G	43.82	63.54	-19.72	41.62	1	Horizontal	203	1.52	-	37.61	14.56	49.97

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	110.24	Inf	-Inf	100.26	3	Vertical	360	2.31	-	36.50	6.55	33.07
RMS	6.851G	99.56	Inf	-Inf	89.58	3	Vertical	360	2.31	-	36.50	6.55	33.07
PK	7.1814G	62.90	88.20	-25.30	52.22	3	Vertical	360	2.31	-	37.13	6.79	33.24
RMS	7.2122G	52.02	68.20	-16.18	41.27	3	Vertical	360	2.31	-	37.20	6.81	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_2TX
Setting 72
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	102.16	Inf	-Inf	92.18	3	Horizontal	189	2.95	-	36.50	6.55	33.07
RMS	6.8538G	91.23	Inf	-Inf	81.25	3	Horizontal	189	2.95	-	36.50	6.55	33.07
PK	7.2108G	63.09	88.20	-25.11	52.34	3	Horizontal	189	2.95	-	37.20	6.81	33.26
RMS	7.2122G	51.96	68.20	-16.24	41.21	3	Horizontal	189	2.95	-	37.20	6.81	33.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7324G	61.34	88.20	-26.86	44.72	3	Vertical	323	1.11	-	40.36	10.47	34.21
RMS	13.72578G	47.57	68.20	-20.63	30.97	3	Vertical	323	1.11	-	40.35	10.46	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72926G	60.47	88.20	-27.73	43.86	3	Horizontal	359	2.42	-	40.36	10.46	34.21
RMS	13.72614G	47.44	68.20	-20.76	30.84	3	Horizontal	359	2.42	-	40.35	10.46	34.21

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59562G	56.91	83.54	-26.63	54.42	1	Vertical	262	1.55	-	37.80	14.67	49.98
AV	20.59718G	42.63	63.54	-20.91	40.14	1	Vertical	262	1.55	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6865MHz_TnomVnom




EUT_Z_2TX
Setting 72
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59952G	57.36	83.54	-26.18	54.87	1	Horizontal	175	1.50	-	37.80	14.67	49.98
AV	20.59798G	42.55	63.54	-20.99	40.06	1	Horizontal	175	1.50	-	37.80	14.67	49.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9258G	109.74	Inf	-Inf	99.65	3	Vertical	360	2.27	-	36.55	6.63	33.09
RMS	6.9294G	99.71	Inf	-Inf	89.61	3	Vertical	360	2.27	-	36.56	6.63	33.09
PK	7.2438G	63.24	88.20	-24.96	52.51	3	Vertical	360	2.27	-	37.20	6.82	33.29
RMS	7.2366G	52.26	68.20	-15.94	41.52	3	Vertical	360	2.27	-	37.20	6.82	33.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9486G	102.28	Inf	-Inf	92.12	3	Horizontal	245	1.01	-	36.60	6.65	33.09	
RMS	6.9438G	91.23	Inf	-Inf	81.09	3	Horizontal	245	1.01	-	36.59	6.64	33.09	
PK	7.1694G	62.91	88.20	-25.29	52.28	3	Horizontal	245	1.01	-	37.08	6.78	33.23	
RMS	7.2426G	52.24	68.20	-15.96	41.50	3	Horizontal	245	1.01	-	37.20	6.82	33.28	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89154G	62.11	88.20	-26.09	45.31	3	Vertical	340	1.71	-	40.59	10.55	34.34	
RMS	13.8901G	47.69	68.20	-20.51	30.89	3	Vertical	340	1.71	-	40.59	10.55	34.34	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88784G	61.17	88.20	-27.03	44.38	3	Horizontal	341	2.20	-	40.59	10.54	34.34
RMS	13.88578G	47.76	68.20	-20.44	30.97	3	Horizontal	341	2.20	-	40.59	10.54	34.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83538G	56.25	83.54	-27.29	53.36	1	Vertical	248	1.53	-	38.04	14.78	49.93
AV	20.83514G	42.58	63.54	-20.96	39.69	1	Vertical	248	1.53	-	38.04	14.78	49.93

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

6945MHz_TnomVnom




EUT_Z_2TX
Setting 73
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.83626G	56.33	83.54	-27.21	53.44	1	Horizontal	123	1.50	-	38.04	14.78	49.93	
AV	20.83214G	42.51	63.54	-21.03	39.64	1	Horizontal	123	1.50	-	38.03	14.77	49.93	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.001G	111.97	Inf	-Inf	101.77	3	Vertical	319	2.09	-	36.60	6.70	33.10	
RMS	6.9914G	99.65	Inf	-Inf	89.46	3	Vertical	319	2.09	-	36.60	6.69	33.10	
PK	7.1314G	69.66	88.20	-18.54	59.16	3	Vertical	319	2.09	-	36.93	6.77	33.20	
RMS	7.125G	58.29	68.20	-9.91	47.83	3	Vertical	319	2.09	-	36.90	6.76	33.20	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-R-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.009G	100.71	Inf	-Inf	90.52	3	Horizontal	118	1.01	-	36.60	6.70	33.11	
RMS	7.0098G	90.33	Inf	-Inf	80.14	3	Horizontal	118	1.01	-	36.60	6.70	33.11	
PK	7.1282G	63.31	88.20	-24.89	52.84	3	Horizontal	118	1.01	-	36.91	6.76	33.20	
RMS	7.125G	52.58	68.20	-15.62	42.12	3	Horizontal	118	1.01	-	36.90	6.76	33.20	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04992G	62.25	88.20	-25.95	45.22	3	Vertical	347	1.76	-	40.80	10.64	34.41
RMS	14.05034G	48.49	68.20	-19.71	31.45	3	Vertical	347	1.76	-	40.80	10.64	34.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0549G	62.65	88.20	-25.55	45.61	3	Horizontal	97	2.05	-	40.80	10.64	34.40
RMS	14.04782G	48.45	68.20	-19.75	31.42	3	Horizontal	97	2.05	-	40.80	10.64	34.41

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.07024G	53.77	83.54	-29.77	50.62	1	Vertical	0	1.58	-	38.17	14.88	49.90	
AV	21.07064G	40.13	63.54	-23.41	36.98	1	Vertical	0	1.58	-	38.17	14.88	49.90	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

7025MHz_TnomVnom




EUT_Z_2TX
Setting 74
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07268G	53.93	83.54	-29.61	50.78	1	Horizontal	11	1.56	-	38.17	14.88	49.90
AV	21.07168G	40.22	63.54	-23.32	37.07	1	Horizontal	11	1.56	-	38.17	14.88	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9242G	78.31	88.20	-9.89	70.10	3	Vertical	326	2.34	-	34.90	6.12	32.81	
RMS	5.9242G	65.50	68.20	-2.70	57.29	3	Vertical	326	2.34	-	34.90	6.12	32.81	
PK	6.0282G	109.82	Inf	-Inf	101.15	3	Vertical	326	2.34	-	35.31	6.20	32.84	
RMS	6.033G	99.31	Inf	-Inf	90.62	3	Vertical	326	2.34	-	35.33	6.20	32.84	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	71.12	88.20	-17.08	63.01	3	Horizontal	246	1.12	-	34.81	6.10	32.80
RMS	5.9242G	55.47	68.20	-12.73	47.26	3	Horizontal	246	1.12	-	34.90	6.12	32.81
PK	6.0154G	104.63	Inf	-Inf	96.01	3	Horizontal	246	1.12	-	35.26	6.20	32.84
RMS	6.0154G	93.87	Inf	-Inf	85.25	3	Horizontal	246	1.12	-	35.26	6.20	32.84

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0459G	56.85	74.00	-17.15	42.79	3	Vertical	296	1.06	-	38.80	9.62	34.36
AV	12.05094G	43.06	54.00	-10.94	28.98	3	Vertical	296	1.06	-	38.80	9.63	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05372G	57.19	74.00	-16.81	43.11	3	Horizontal	6	2.73	-	38.80	9.63	34.35
AV	12.05096G	43.06	54.00	-10.94	28.98	3	Horizontal	6	2.73	-	38.80	9.63	34.35

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.0744G	58.40	83.54	-25.14	57.04	1	Vertical	118	1.58	-	37.36	14.21	50.21	
AV	18.07352G	43.44	63.54	-20.10	42.08	1	Vertical	118	1.58	-	37.36	14.21	50.21	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6025MHz_TnomVnom




EUT_Z_2TX
Setting 77
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07458G	57.79	83.54	-25.75	56.43	1	Horizontal	216	1.50	-	37.36	14.21	50.21
AV	18.0736G	43.43	63.54	-20.11	42.07	1	Horizontal	216	1.50	-	37.36	14.21	50.21

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	63.96	88.20	-24.24	55.77	3	Vertical	314	2.27	-	34.87	6.12	32.80
RMS	5.925G	52.42	68.20	-15.78	44.21	3	Vertical	314	2.27	-	34.90	6.12	32.81
PK	6.193G	108.69	Inf	-Inf	99.92	3	Vertical	314	2.27	-	35.47	6.20	32.90
RMS	6.167G	98.68	Inf	-Inf	90.00	3	Vertical	314	2.27	-	35.37	6.20	32.89

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	55.90	88.20	-32.30	47.70	3	Horizontal	251	1.80	-	34.88	6.12	32.80
RMS	5.925G	43.77	68.20	-24.43	35.56	3	Horizontal	251	1.80	-	34.90	6.12	32.81
PK	6.209G	100.70	Inf	-Inf	91.92	3	Horizontal	251	1.80	-	35.48	6.21	32.91
RMS	6.205G	90.11	Inf	-Inf	81.31	3	Horizontal	251	1.80	-	35.49	6.21	32.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37352G	57.40	74.00	-16.60	43.10	3	Vertical	145	2.12	-	38.70	9.79	34.19
AV	12.37094G	43.74	54.00	-10.26	29.44	3	Vertical	145	2.12	-	38.70	9.79	34.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37076G	57.93	74.00	-16.07	43.63	3	Horizontal	141	2.06	-	38.70	9.79	34.19
AV	12.37108G	43.72	54.00	-10.28	29.42	3	Horizontal	141	2.06	-	38.70	9.79	34.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5507G	56.63	83.54	-26.91	54.89	1	Vertical	277	1.52	-	37.77	14.26	50.29
AV	18.5544G	42.53	63.54	-21.01	40.78	1	Vertical	277	1.52	-	37.78	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6185MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55766G	56.49	83.54	-27.05	54.74	1	Horizontal	28	1.57	-	37.78	14.26	50.29
AV	18.55574G	42.54	63.54	-21.00	40.79	1	Horizontal	28	1.57	-	37.78	14.26	50.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	56.34	88.20	-31.86	48.13	3	Vertical	319	2.34	-	34.90	6.12	32.81	
RMS	5.925G	44.47	68.20	-23.73	36.26	3	Vertical	319	2.34	-	34.90	6.12	32.81	
PK	6.2802G	112.96	Inf	-Inf	104.21	3	Vertical	319	2.34	-	35.40	6.28	32.93	
RMS	6.3642G	100.56	Inf	-Inf	91.76	3	Vertical	319	2.34	-	35.40	6.36	32.96	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9034G	50.12	88.20	-38.08	42.01	3	Horizontal	69	1.46	-	34.81	6.10	32.80	
RMS	5.9226G	39.98	68.20	-28.22	31.78	3	Horizontal	69	1.46	-	34.89	6.12	32.81	
PK	6.3666G	101.08	Inf	-Inf	92.27	3	Horizontal	69	1.46	-	35.40	6.37	32.96	
RMS	6.369G	91.62	Inf	-Inf	82.81	3	Horizontal	69	1.46	-	35.40	6.37	32.96	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.69386G	58.36	74.00	-15.64	43.52	3	Vertical	265	2.11	-	38.99	9.95	34.10	
AV	12.6854G	43.72	54.00	-10.28	28.89	3	Vertical	265	2.11	-	38.99	9.94	34.10	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.6878G	57.78	74.00	-16.22	42.95	3	Horizontal	283	1.33	-	38.99	9.94	34.10	
AV	12.6854G	43.71	54.00	-10.29	28.88	3	Horizontal	283	1.33	-	38.99	9.94	34.10	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.03974G	54.44	83.54	-29.10	51.98	1	Vertical	0	1.58	-	38.35	14.30	50.19	
AV	19.03964G	40.19	63.54	-23.35	37.73	1	Vertical	0	1.58	-	38.35	14.30	50.19	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6345MHz_TnomVnom




EUT_Z_2TX
Setting 78
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03482G	54.37	83.54	-29.17	51.90	1	Horizontal	32	1.56	-	38.36	14.30	50.19
AV	19.03652G	40.17	63.54	-23.37	37.70	1	Horizontal	32	1.56	-	38.36	14.30	50.19

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9198G	51.33	88.20	-36.87	43.13	3	Vertical	360	2.06	-	34.88	6.12	32.80
RMS	5.925G	41.44	68.20	-26.76	33.23	3	Vertical	360	2.06	-	34.90	6.12	32.81
PK	6.4882G	107.65	Inf	-Inf	98.68	3	Vertical	360	2.06	-	35.58	6.40	33.01
RMS	6.4854G	98.29	Inf	-Inf	89.32	3	Vertical	360	2.06	-	35.57	6.40	33.00
PK	7.205G	55.06	88.20	-33.14	44.32	3	Vertical	360	2.06	-	37.20	6.80	33.26
RMS	7.205G	42.98	68.20	-25.22	32.24	3	Vertical	360	2.06	-	37.20	6.80	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8946G	50.59	88.20	-37.61	42.53	3	Horizontal	168	2.59	-	34.77	6.09	32.80
RMS	5.9198G	39.79	68.20	-28.41	31.59	3	Horizontal	168	2.59	-	34.88	6.12	32.80
PK	6.4826G	101.46	Inf	-Inf	92.49	3	Horizontal	168	2.59	-	35.57	6.40	33.00
RMS	6.4798G	91.89	Inf	-Inf	82.93	3	Horizontal	168	2.59	-	35.56	6.40	33.00
PK	7.1798G	53.36	88.20	-34.84	42.69	3	Horizontal	168	2.59	-	37.12	6.79	33.24
RMS	7.205G	42.96	68.20	-25.24	32.22	3	Horizontal	168	2.59	-	37.20	6.80	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01464G	60.55	88.20	-27.65	44.89	3	Vertical	49	1.31	-	39.60	10.11	34.05
RMS	13.00542G	45.55	68.20	-22.65	29.90	3	Vertical	49	1.31	-	39.60	10.10	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01134G	59.51	88.20	-28.69	43.85	3	Horizontal	43	2.30	-	39.60	10.11	34.05
RMS	13.01462G	45.54	68.20	-22.66	29.88	3	Horizontal	43	2.30	-	39.60	10.11	34.05

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51556G	54.16	83.54	-29.38	52.11	1	Vertical	77	1.56	-	37.79	14.35	50.09
AV	19.5197G	40.49	63.54	-23.05	38.45	1	Vertical	77	1.56	-	37.78	14.35	50.09

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6505MHz_TnomVnom




EUT_Z_2TX
Setting 80
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.51256G	55.10	83.54	-28.44	53.05	1	Horizontal	64	1.52	-	37.79	14.35	50.09	
AV	19.51978G	40.51	63.54	-23.03	38.47	1	Horizontal	64	1.52	-	37.78	14.35	50.09	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.679G	108.46	Inf	-Inf	99.00	3	Vertical	321	2.27	-	36.06	6.44	33.04
RMS	6.637G	97.53	Inf	-Inf	88.11	3	Vertical	321	2.27	-	36.03	6.42	33.03
PK	7.1858G	53.24	88.20	-34.96	42.55	3	Vertical	321	2.27	-	37.14	6.79	33.24
RMS	7.2026G	43.34	68.20	-24.86	32.59	3	Vertical	321	2.27	-	37.20	6.80	33.25
PK	7.3258G	53.04	74.00	-20.96	42.13	3	Vertical	321	2.27	-	37.40	6.86	33.35
AV	7.3146G	43.17	54.00	-10.83	32.25	3	Vertical	321	2.27	-	37.40	6.86	33.34

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6342G	100.56	Inf	-Inf	91.14	3	Horizontal	251	1.05	-	36.03	6.42	33.03
RMS	6.6286G	90.35	Inf	-Inf	80.93	3	Horizontal	251	1.05	-	36.04	6.41	33.03
PK	7.2278G	52.92	88.20	-35.28	42.18	3	Horizontal	251	1.05	-	37.20	6.81	33.27
RMS	7.2138G	42.67	68.20	-25.53	31.92	3	Horizontal	251	1.05	-	37.20	6.81	33.26
PK	7.3286G	53.33	74.00	-20.67	42.42	3	Horizontal	251	1.05	-	37.40	6.86	33.35
AV	7.309G	42.90	54.00	-11.10	31.98	3	Horizontal	251	1.05	-	37.40	6.85	33.33

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.32712G	58.46	74.00	-15.54	42.23	3	Vertical	8	2.46	-	40.00	10.26	34.03	
AV	13.32934G	44.97	54.00	-9.03	28.74	3	Vertical	8	2.46	-	40.00	10.26	34.03	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3284G	59.25	74.00	-14.75	43.02	3	Horizontal	234	2.89	-	40.00	10.26	34.03
AV	13.33298G	44.98	54.00	-9.02	28.74	3	Horizontal	234	2.89	-	40.00	10.27	34.03

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.99656G	55.12	83.54	-28.42	53.22	1	Vertical	132	1.57	-	37.40	14.40	49.90	
AV	19.99796G	41.14	63.54	-22.40	39.24	1	Vertical	132	1.57	-	37.40	14.40	49.90	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6665MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99636G	54.83	83.54	-28.71	52.93	1	Horizontal	209	1.53	-	37.40	14.40	49.90
AV	19.9979G	41.13	63.54	-22.41	39.23	1	Horizontal	209	1.53	-	37.40	14.40	49.90

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.761G	112.54	Inf	-Inf	102.78	3	Vertical	320	2.19	-	36.34	6.48	33.06
RMS	6.843G	99.76	Inf	-Inf	89.79	3	Vertical	320	2.19	-	36.50	6.54	33.07
PK	7.129G	64.30	88.20	-23.90	53.82	3	Vertical	320	2.19	-	36.92	6.76	33.20
RMS	7.125G	51.91	68.20	-16.29	41.45	3	Vertical	320	2.19	-	36.90	6.76	33.20
PK	7.253G	61.81	74.00	-12.19	51.06	3	Vertical	320	2.19	-	37.21	6.83	33.29
AV	7.25G	46.63	54.00	-7.37	35.89	3	Vertical	320	2.19	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.759G	101.34	Inf	-Inf	91.58	3	Horizontal	246	1.08	-	36.34	6.48	33.06
RMS	6.751G	91.12	Inf	-Inf	81.40	3	Horizontal	246	1.08	-	36.30	6.48	33.06
PK	7.133G	57.13	88.20	-31.07	46.63	3	Horizontal	246	1.08	-	36.93	6.77	33.20
RMS	7.125G	45.63	68.20	-22.57	35.17	3	Horizontal	246	1.08	-	36.90	6.76	33.20
PK	7.253G	54.60	74.00	-19.40	43.85	3	Horizontal	246	1.08	-	37.21	6.83	33.29
AV	7.251G	43.04	54.00	-10.96	32.30	3	Horizontal	246	1.08	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65122G	60.89	88.20	-27.31	44.35	3	Vertical	252	1.66	-	40.25	10.43	34.14
RMS	13.65072G	47.03	68.20	-21.17	30.49	3	Vertical	252	1.66	-	40.25	10.43	34.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6519G	60.72	88.20	-27.48	44.18	3	Horizontal	243	2.74	-	40.25	10.43	34.14
RMS	13.64792G	47.04	68.20	-21.16	30.51	3	Horizontal	243	2.74	-	40.25	10.42	34.14

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47458G	55.64	83.54	-27.90	53.34	1	Vertical	226	1.55	-	37.68	14.61	49.99
AV	20.47922G	42.29	63.54	-21.25	39.98	1	Vertical	226	1.55	-	37.69	14.62	50.00

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6825MHz_TnomVnom




EUT_Z_2TX
Setting 83
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4716G	57.14	83.54	-26.40	54.84	1	Horizontal	170	1.53	-	37.68	14.61	49.99
AV	20.47918G	42.31	63.54	-21.23	40.00	1	Horizontal	170	1.53	-	37.69	14.62	50.00

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9562G	109.49	Inf	-Inf	99.32	3	Vertical	132	2.36	-	36.60	6.66	33.09
RMS	6.9562G	98.46	Inf	-Inf	88.29	3	Vertical	132	2.36	-	36.60	6.66	33.09
PK	7.1258G	78.99	88.20	-9.21	68.53	3	Vertical	132	2.36	-	36.90	6.76	33.20
RMS	7.1258G	67.90	68.20	-0.30	57.44	3	Vertical	132	2.36	-	36.90	6.76	33.20
PK	7.2794G	65.89	74.00	-8.11	55.04	3	Vertical	132	2.36	-	37.32	6.84	33.31
AV	7.25G	52.17	54.00	-1.83	41.43	3	Vertical	132	2.36	-	37.20	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0314G	99.76	Inf	-Inf	89.56	3	Horizontal	194	3.00	-	36.60	6.72	33.12
RMS	7.0186G	88.79	Inf	-Inf	78.59	3	Horizontal	194	3.00	-	36.60	6.71	33.11
PK	7.129G	74.14	88.20	-14.06	63.66	3	Horizontal	194	3.00	-	36.92	6.76	33.20
RMS	7.1258G	59.41	68.20	-8.79	48.95	3	Horizontal	194	3.00	-	36.90	6.76	33.20
PK	7.2682G	57.67	74.00	-16.33	46.87	3	Horizontal	194	3.00	-	37.27	6.83	33.30
AV	7.2522G	46.50	54.00	-7.50	35.75	3	Horizontal	194	3.00	-	37.21	6.83	33.29

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.96974G	62.51	88.20	-25.69	45.60	3	Vertical	338	1.91	-	40.74	10.58	34.41	
RMS	13.97188G	47.77	68.20	-20.43	30.85	3	Vertical	338	1.91	-	40.74	10.59	34.41	

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96776G	61.47	88.20	-26.73	44.55	3	Horizontal	61	1.06	-	40.74	10.58	34.40
RMS	13.9746G	47.77	68.20	-20.43	30.84	3	Horizontal	61	1.06	-	40.75	10.59	34.41

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom




EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95414G	54.56	83.54	-28.98	51.49	1	Vertical	313	1.55	-	38.15	14.83	49.91
AV	20.9514G	40.76	63.54	-22.78	37.69	1	Vertical	313	1.55	-	38.15	14.83	49.91

802.11ax HEW160-BF_Nss1,(MCS0)_2TX

6985MHz_TnomVnom



EUT_Z_2TX
Setting 81
04-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9505G	54.52	83.54	-29.02	51.45	1	Horizontal	31	1.58	-	38.15	14.83	49.91
AV	20.95132G	40.75	63.54	-22.79	37.68	1	Horizontal	31	1.58	-	38.15	14.83	49.91




For 2T2S
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss2,(MCS0)_2TX	Pass	RMS	5.9194G	67.98	68.20	-0.22	3	Horizontal	68	2.96	-

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8598G	62.57	88.20	-25.63	54.74	3	Vertical	335	2.21	-	34.56	6.06	32.79
RMS	5.923G	51.54	68.20	-16.66	43.34	3	Vertical	335	2.21	-	34.89	6.12	32.81
PK	5.9638G	106.45	Inf	-Inf	98.05	3	Vertical	335	2.21	-	35.06	6.16	32.82
RMS	5.9574G	95.87	Inf	-Inf	87.50	3	Vertical	335	2.21	-	35.03	6.16	32.82

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8922G	62.41	88.20	-25.79	54.37	3	Horizontal	60	2.90	-	34.75	6.09	32.80	
RMS	5.925G	51.80	68.20	-16.40	43.59	3	Horizontal	60	2.90	-	34.90	6.12	32.81	
PK	5.9574G	110.10	Inf	-Inf	101.73	3	Horizontal	60	2.90	-	35.03	6.16	32.82	
RMS	5.9566G	99.51	Inf	-Inf	91.14	3	Horizontal	60	2.90	-	35.03	6.16	32.82	

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.91456G	57.35	74.00	-16.65	43.23	3	Vertical	142	2.57	-	38.89	9.56	34.33	
AV	11.91968G	44.24	54.00	-9.76	30.13	3	Vertical	142	2.57	-	38.88	9.56	34.33	
PK	17.854G	65.44	74.00	-8.56	44.74	3	Vertical	271	2.51	-	41.61	13.58	34.49	
AV	17.8392G	51.91	54.00	-2.09	31.25	3	Vertical	271	2.51	-	41.58	13.57	34.49	

802.11ax HEW20_Nss2,(MCS0)_2TX

5955MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91872G	57.18	74.00	-16.82	43.07	3	Horizontal	360	1.80	-	38.88	9.56	34.33
AV	11.90432G	44.79	54.00	-9.21	30.66	3	Horizontal	360	1.80	-	38.90	9.55	34.32
PK	17.8322G	65.22	74.00	-8.78	44.58	3	Horizontal	342	2.62	-	41.56	13.57	34.49
AV	17.8464G	51.94	54.00	-2.06	31.26	3	Horizontal	342	2.62	-	41.59	13.58	34.49

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.875G	62.08	88.20	-26.12	54.14	3	Vertical	334	2.15	-	34.65	6.08	32.79	
RMS	5.9074G	51.35	68.20	-16.85	43.21	3	Vertical	334	2.15	-	34.83	6.11	32.80	
PK	6.1774G	105.29	Inf	-Inf	96.57	3	Vertical	334	2.15	-	35.41	6.20	32.89	
RMS	6.1774G	95.72	Inf	-Inf	87.00	3	Vertical	334	2.15	-	35.41	6.20	32.89	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9062G	62.11	88.20	-26.09	53.98	3	Horizontal	280	2.94	-	34.82	6.11	32.80	
RMS	5.9038G	51.36	68.20	-16.84	43.24	3	Horizontal	280	2.94	-	34.82	6.10	32.80	
PK	6.1834G	110.61	Inf	-Inf	101.88	3	Horizontal	280	2.94	-	35.43	6.20	32.90	
RMS	6.1774G	99.63	Inf	-Inf	90.91	3	Horizontal	280	2.94	-	35.41	6.20	32.89	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35832G	57.06	74.00	-16.94	42.78	3	Vertical	125	1.80	-	38.70	9.78	34.20
AV	12.3444G	44.95	54.00	-9.05	30.69	3	Vertical	125	1.80	-	38.70	9.77	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34688G	57.24	74.00	-16.76	42.98	3	Horizontal	267	1.80	-	38.70	9.77	34.21
AV	12.34596G	45.06	54.00	-8.94	30.80	3	Horizontal	267	1.80	-	38.70	9.77	34.21

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.52513G	58.37	83.54	-25.17	56.67	1	Vertical	359	1.65	-	37.74	14.25	50.29	
AV	18.52498G	46.52	63.54	-17.02	44.84	1	Vertical	359	1.65	-	37.73	14.25	50.30	

802.11ax HEW20_Nss2,(MCS0)_2TX

6175MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.52467G	57.64	83.54	-25.90	55.96	1	Horizontal	328	1.57	-	37.73	14.25	50.30	
AV	18.52509G	46.49	63.54	-17.05	44.79	1	Horizontal	328	1.57	-	37.74	14.25	50.29	

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9086G	62.26	88.20	-25.94	54.12	3	Vertical	337	1.70	-	34.83	6.11	32.80	
RMS	5.9086G	51.34	68.20	-16.86	43.20	3	Vertical	337	1.70	-	34.83	6.11	32.80	
PK	6.4078G	105.28	Inf	-Inf	96.44	3	Vertical	337	1.70	-	35.42	6.40	32.98	
RMS	6.4126G	95.85	Inf	-Inf	87.00	3	Vertical	337	1.70	-	35.43	6.40	32.98	

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8414G	62.12	88.20	-26.08	54.41	3	Horizontal	58	2.74	-	34.45	6.04	32.78	
RMS	5.9086G	51.33	68.20	-16.87	43.19	3	Horizontal	58	2.74	-	34.83	6.11	32.80	
PK	6.415G	109.22	Inf	-Inf	100.37	3	Horizontal	58	2.74	-	35.43	6.40	32.98	
RMS	6.4174G	98.99	Inf	-Inf	90.14	3	Horizontal	58	2.74	-	35.43	6.40	32.98	

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82988G	57.77	88.20	-30.43	42.58	3	Vertical	249	1.95	-	39.26	10.01	34.08
RMS	12.8352G	45.45	68.20	-22.75	30.24	3	Vertical	249	1.95	-	39.27	10.02	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83512G	57.63	88.20	-30.57	42.42	3	Horizontal	146	2.33	-	39.27	10.02	34.08
RMS	12.82344G	45.56	68.20	-22.64	30.38	3	Horizontal	146	2.33	-	39.25	10.01	34.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.24516G	58.42	83.54	-25.12	56.14	1	Vertical	331	1.58	-	38.11	14.32	50.15	
AV	19.24499G	47.94	63.54	-15.60	45.66	1	Vertical	331	1.58	-	38.11	14.32	50.15	

802.11ax HEW20_Nss2,(MCS0)_2TX

6415MHz_TX




EUT Y_2TX
Setting 54
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24522G	58.47	83.54	-25.07	56.19	1	Horizontal	292	1.78	-	38.11	14.32	50.15
AV	19.24504G	46.04	63.54	-17.50	43.76	1	Horizontal	292	1.78	-	38.11	14.32	50.15

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8474G	61.98	88.20	-26.22	54.23	3	Vertical	336	1.70	-	34.48	6.05	32.78	
RMS	5.9046G	51.28	68.20	-16.92	43.16	3	Vertical	336	1.70	-	34.82	6.10	32.80	
PK	6.4298G	105.70	Inf	-Inf	96.82	3	Vertical	336	1.70	-	35.46	6.40	32.98	
RMS	6.4324G	95.72	Inf	-Inf	86.85	3	Vertical	336	1.70	-	35.46	6.40	32.99	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9124G	62.40	88.20	-25.80	54.24	3	Horizontal	66	2.85	-	34.85	6.11	32.80	
RMS	5.8994G	51.33	68.20	-16.87	43.23	3	Horizontal	66	2.85	-	34.80	6.10	32.80	
PK	6.4298G	108.76	Inf	-Inf	99.88	3	Horizontal	66	2.85	-	35.46	6.40	32.98	
RMS	6.4376G	99.27	Inf	-Inf	90.38	3	Horizontal	66	2.85	-	35.48	6.40	32.99	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.8716G	58.26	88.20	-29.94	42.95	3	Vertical	343	2.51	-	39.34	10.04	34.07	
RMS	12.87656G	45.71	68.20	-22.49	30.39	3	Vertical	343	2.51	-	39.35	10.04	34.07	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.87716G	57.94	88.20	-30.26	42.62	3	Horizontal	341	1.17	-	39.35	10.04	34.07	
RMS	12.87872G	45.66	68.20	-22.54	30.33	3	Horizontal	341	1.17	-	39.36	10.04	34.07	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.30507G	58.00	83.54	-25.54	55.78	1	Vertical	350	1.59	-	38.03	14.33	50.14	
AV	19.30507G	47.41	63.54	-16.13	45.19	1	Vertical	350	1.59	-	38.03	14.33	50.14	

802.11ax HEW20_Nss2,(MCS0)_2TX

6435MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.30514G	58.26	83.54	-25.28	56.04	1	Horizontal	325	1.56	-	38.03	14.33	50.14	
AV	19.30494G	46.24	63.54	-17.30	44.02	1	Horizontal	325	1.56	-	38.03	14.33	50.14	

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT_Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	62.04	88.20	-26.16	53.89	3	Vertical	337	1.71	-	34.84	6.11	32.80
RMS	5.9094G	51.28	68.20	-16.92	43.13	3	Vertical	337	1.71	-	34.84	6.11	32.80
PK	6.475G	105.39	Inf	-Inf	96.44	3	Vertical	337	1.71	-	35.55	6.40	33.00
RMS	6.4722G	96.40	Inf	-Inf	87.46	3	Vertical	337	1.71	-	35.54	6.40	33.00
PK	7.175G	62.62	88.20	-25.58	51.96	3	Vertical	337	1.71	-	37.10	6.79	33.23
RMS	7.175G	51.49	68.20	-16.71	40.83	3	Vertical	337	1.71	-	37.10	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	62.35	88.20	-25.85	54.33	3	Horizontal	45	2.40	-	34.72	6.09	32.79
RMS	5.9066G	51.34	68.20	-16.86	43.20	3	Horizontal	45	2.40	-	34.83	6.11	32.80
PK	6.475G	109.20	Inf	-Inf	100.25	3	Horizontal	45	2.40	-	35.55	6.40	33.00
RMS	6.4722G	99.52	Inf	-Inf	90.58	3	Horizontal	45	2.40	-	35.54	6.40	33.00
PK	7.1638G	62.00	88.20	-26.20	51.38	3	Horizontal	45	2.40	-	37.06	6.78	33.22
RMS	7.175G	51.47	68.20	-16.73	40.81	3	Horizontal	45	2.40	-	37.10	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94G	57.78	88.20	-30.42	42.29	3	Vertical	109	1.02	-	39.48	10.07	34.06
RMS	12.95624G	45.61	68.20	-22.59	30.08	3	Vertical	109	1.02	-	39.51	10.08	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95876G	58.05	88.20	-30.15	42.51	3	Horizontal	303	1.44	-	39.52	10.08	34.06
RMS	12.95916G	45.76	68.20	-22.44	30.22	3	Horizontal	303	1.44	-	39.52	10.08	34.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42489G	56.66	83.54	-26.88	54.55	1	Vertical	327	1.57	-	37.89	14.34	50.12	
AV	19.42509G	45.58	63.54	-17.96	43.46	1	Vertical	327	1.57	-	37.89	14.34	50.11	

802.11ax HEW20_Nss2,(MCS0)_2TX

6475MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42293G	57.23	83.54	-26.31	55.12	1	Horizontal	31	1.60	-	37.89	14.34	50.12
AV	19.42504G	44.83	63.54	-18.71	42.71	1	Horizontal	31	1.60	-	37.89	14.34	50.11

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	62.01	88.20	-26.19	54.01	3	Vertical	338	1.59	-	34.71	6.08	32.79
RMS	5.9158G	51.29	68.20	-16.91	43.11	3	Vertical	338	1.59	-	34.86	6.12	32.80
PK	6.5094G	105.46	Inf	-Inf	96.39	3	Vertical	338	1.59	-	35.68	6.40	33.01
RMS	6.5122G	95.90	Inf	-Inf	86.81	3	Vertical	338	1.59	-	35.70	6.40	33.01
PK	7.2066G	62.05	88.20	-26.15	51.31	3	Vertical	338	1.59	-	37.20	6.80	33.26
RMS	7.215G	51.87	68.20	-16.33	41.12	3	Vertical	338	1.59	-	37.20	6.81	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT_Y_2TX
Setting 56
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	61.73	88.20	-26.47	53.96	3	Horizontal	50	2.37	-	34.50	6.05	32.78
RMS	5.9074G	51.29	68.20	-16.91	43.15	3	Horizontal	50	2.37	-	34.83	6.11	32.80
PK	6.5178G	109.24	Inf	-Inf	100.11	3	Horizontal	50	2.37	-	35.74	6.40	33.01
RMS	6.5122G	99.21	Inf	-Inf	90.12	3	Horizontal	50	2.37	-	35.70	6.40	33.01
PK	7.2122G	62.60	88.20	-25.60	51.85	3	Horizontal	50	2.37	-	37.20	6.81	33.26
RMS	7.215G	51.84	68.20	-16.36	41.09	3	Horizontal	50	2.37	-	37.20	6.81	33.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03596G	58.84	88.20	-29.36	43.17	3	Vertical	216	1.21	-	39.60	10.12	34.05
RMS	13.03972G	46.62	68.20	-21.58	30.95	3	Vertical	216	1.21	-	39.60	10.12	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03656G	59.37	88.20	-28.83	43.70	3	Horizontal	218	2.61	-	39.60	10.12	34.05
RMS	13.03788G	46.53	68.20	-21.67	30.86	3	Horizontal	218	2.61	-	39.60	10.12	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.54539G	57.43	83.54	-26.11	55.40	1	Vertical	39	1.80	-	37.76	14.35	50.08	
AV	19.54515G	45.42	63.54	-18.12	43.39	1	Vertical	39	1.80	-	37.76	14.35	50.08	

802.11ax HEW20_Nss2,(MCS0)_2TX

6515MHz_TX




EUT Y_2TX
Setting 56
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54273G	58.13	83.54	-25.41	56.09	1	Horizontal	51	1.56	-	37.77	14.35	50.08
AV	19.5451G	45.90	63.54	-17.64	43.87	1	Horizontal	51	1.56	-	37.76	14.35	50.08

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT_Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	62.72	88.20	-25.48	54.81	3	Vertical	338	1.68	-	34.63	6.07	32.79
RMS	5.905G	51.32	68.20	-16.88	43.20	3	Vertical	338	1.68	-	34.82	6.10	32.80
PK	6.5294G	104.68	Inf	-Inf	95.46	3	Vertical	338	1.68	-	35.84	6.40	33.02
RMS	6.5322G	95.33	Inf	-Inf	86.09	3	Vertical	338	1.68	-	35.86	6.40	33.02
PK	7.193G	62.59	88.20	-25.61	51.87	3	Vertical	338	1.68	-	37.17	6.80	33.25
RMS	7.2294G	52.00	68.20	-16.20	41.26	3	Vertical	338	1.68	-	37.20	6.81	33.27

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX



EUT_Y_2TX
Setting 55
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9022G	62.38	88.20	-25.82	54.27	3	Horizontal	46	2.76	-	34.81	6.10	32.80
RMS	5.8994G	51.28	68.20	-16.92	43.18	3	Horizontal	46	2.76	-	34.80	6.10	32.80
PK	6.5378G	108.88	Inf	-Inf	99.60	3	Horizontal	46	2.76	-	35.90	6.40	33.02
RMS	6.5378G	99.33	Inf	-Inf	90.05	3	Horizontal	46	2.76	-	35.90	6.40	33.02
PK	7.1454G	63.22	88.20	-24.98	52.68	3	Horizontal	46	2.76	-	36.98	6.77	33.21
RMS	7.235G	51.99	68.20	-16.21	41.25	3	Horizontal	46	2.76	-	37.20	6.82	33.28