


802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06952G	58.50	88.20	-29.70	42.82	3	Vertical	307	2.87	-	39.60	10.13	34.05
RMS	13.0698G	46.60	68.20	-21.60	30.92	3	Vertical	307	2.87	-	39.60	10.13	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07056G	58.29	88.20	-29.91	42.60	3	Horizontal	300	1.11	-	39.60	10.14	34.05
RMS	13.06672G	46.73	68.20	-21.47	31.05	3	Horizontal	300	1.11	-	39.60	10.13	34.05

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.60523G	58.27	83.54	-25.27	56.25	1	Vertical	38	1.51	-	37.72	14.36	50.06	
AV	19.60493G	46.21	63.54	-17.33	44.19	1	Vertical	38	1.51	-	37.72	14.36	50.06	

802.11ax HEW20_Nss2,(MCS0)_2TX

6535MHz_TX




EUT Y_2TX
Setting 55
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60483G	58.61	83.54	-24.93	56.59	1	Horizontal	324	1.56	-	37.72	14.36	50.06
AV	19.60499G	47.44	63.54	-16.10	45.42	1	Horizontal	324	1.56	-	37.72	14.36	50.06

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	106.41	Inf	-Inf	96.92	3	Vertical	338	1.85	-	36.09	6.45	33.05	
RMS	6.6972G	95.53	Inf	-Inf	86.04	3	Vertical	338	1.85	-	36.09	6.45	33.05	
PK	7.245G	62.99	88.20	-25.21	52.26	3	Vertical	338	1.85	-	37.20	6.82	33.29	
RMS	7.2318G	52.05	68.20	-16.15	41.31	3	Vertical	338	1.85	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6972G	110.43	Inf	-Inf	100.94	3	Horizontal	45	2.66	-	36.09	6.45	33.05	
RMS	6.6972G	99.68	Inf	-Inf	90.19	3	Horizontal	45	2.66	-	36.09	6.45	33.05	
PK	7.2384G	63.34	88.20	-24.86	52.60	3	Horizontal	45	2.66	-	37.20	6.82	33.28	
RMS	7.2406G	52.09	68.20	-16.11	41.35	3	Horizontal	45	2.66	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39308G	59.41	74.00	-14.59	43.14	3	Vertical	26	1.33	-	40.00	10.30	34.03
AV	13.38744G	47.29	54.00	-6.71	31.03	3	Vertical	26	1.33	-	40.00	10.29	34.03

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39924G	59.80	74.00	-14.20	43.53	3	Horizontal	124	2.90	-	40.00	10.30	34.03
AV	13.38992G	47.69	54.00	-6.31	31.43	3	Horizontal	124	2.90	-	40.00	10.29	34.03

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.08744G	56.97	83.54	-26.57	55.00	1	Vertical	2	1.46	-	37.45	14.44	49.92	
AV	20.08494G	44.94	63.54	-18.60	42.97	1	Vertical	2	1.46	-	37.45	14.44	49.92	

802.11ax HEW20_Nss2,(MCS0)_2TX

6695MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.08512G	57.92	83.54	-25.62	55.95	1	Horizontal	48	1.52	-	37.45	14.44	49.92
AV	20.085G	46.96	63.54	-16.58	44.99	1	Horizontal	48	1.52	-	37.45	14.44	49.92

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8578G	104.58	Inf	-Inf	94.59	3	Vertical	344	1.62	-	36.50	6.56	33.07	
RMS	6.8536G	94.69	Inf	-Inf	84.71	3	Vertical	344	1.62	-	36.50	6.55	33.07	
PK	7.1742G	62.62	88.20	-25.58	51.96	3	Vertical	344	1.62	-	37.10	6.79	33.23	
RMS	7.205G	51.73	68.20	-16.47	40.99	3	Vertical	344	1.62	-	37.20	6.80	33.26	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8578G	110.33	Inf	-Inf	100.34	3	Horizontal	45	2.65	-	36.50	6.56	33.07	
RMS	6.8578G	99.61	Inf	-Inf	89.62	3	Horizontal	45	2.65	-	36.50	6.56	33.07	
PK	7.1784G	62.52	88.20	-25.68	51.86	3	Horizontal	45	2.65	-	37.11	6.79	33.24	
RMS	7.205G	51.81	68.20	-16.39	41.07	3	Horizontal	45	2.65	-	37.20	6.80	33.26	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71136G	61.47	88.20	-26.73	44.88	3	Vertical	45	1.98	-	40.32	10.46	34.19	
RMS	13.70884G	49.07	68.20	-19.13	32.49	3	Vertical	45	1.98	-	40.32	10.45	34.19	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71856G	61.99	88.20	-26.21	45.39	3	Horizontal	312	2.49	-	40.34	10.46	34.20
RMS	13.7022G	49.03	68.20	-19.17	32.47	3	Horizontal	312	2.49	-	40.30	10.45	34.19

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.56586G	57.27	83.54	-26.27	54.84	1	Vertical	41	1.50	-	37.77	14.65	49.99	
AV	20.56521G	44.67	63.54	-18.87	42.24	1	Vertical	41	1.50	-	37.77	14.65	49.99	

802.11ax HEW20_Nss2,(MCS0)_2TX

6855MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56432G	57.54	83.54	-26.00	55.12	1	Horizontal	61	1.76	-	37.76	14.65	49.99
AV	20.56498G	46.71	63.54	-16.83	44.29	1	Horizontal	61	1.76	-	37.76	14.65	49.99

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8774G	105.66	Inf	-Inf	95.66	3	Vertical	341	1.75	-	36.50	6.58	33.08	
RMS	6.8726G	94.91	Inf	-Inf	84.92	3	Vertical	341	1.75	-	36.50	6.57	33.08	
PK	7.1438G	61.58	88.20	-26.62	51.04	3	Vertical	341	1.75	-	36.98	6.77	33.21	
RMS	7.1726G	51.58	68.20	-16.62	40.93	3	Vertical	341	1.75	-	37.09	6.79	33.23	

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8762G	110.59	Inf	-Inf	100.59	3	Horizontal	62	2.75	-	36.50	6.58	33.08
RMS	6.8738G	99.87	Inf	-Inf	89.88	3	Horizontal	62	2.75	-	36.50	6.57	33.08
PK	7.1702G	62.08	88.20	-26.12	51.44	3	Horizontal	62	2.75	-	37.08	6.79	33.23
RMS	7.1726G	51.62	68.20	-16.58	40.97	3	Horizontal	62	2.75	-	37.09	6.79	33.23

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74504G	60.50	88.20	-27.70	43.86	3	Vertical	350	2.82	-	40.39	10.47	34.22
RMS	13.741G	48.96	68.20	-19.24	32.33	3	Vertical	350	2.82	-	40.38	10.47	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74524G	61.01	88.20	-27.19	44.37	3	Horizontal	68	1.37	-	40.39	10.47	34.22
RMS	13.74112G	48.84	68.20	-19.36	32.21	3	Horizontal	68	1.37	-	40.38	10.47	34.22

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62627G	58.22	83.54	-25.32	55.68	1	Vertical	2	1.50	-	37.83	14.68	49.97
AV	20.62486G	45.40	63.54	-18.14	42.88	1	Vertical	2	1.50	-	37.82	14.68	49.98

802.11ax HEW20_Nss2,(MCS0)_2TX

6875MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62478G	57.75	83.54	-25.79	55.23	1	Horizontal	321	1.65	-	37.82	14.68	49.98
AV	20.62502G	46.52	63.54	-17.02	43.98	1	Horizontal	321	1.65	-	37.83	14.68	49.97

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	105.64	Inf	-Inf	95.62	3	Vertical	341	1.68	-	36.50	6.60	33.08	
RMS	6.8986G	94.80	Inf	-Inf	84.78	3	Vertical	341	1.68	-	36.50	6.60	33.08	
PK	7.135G	62.79	88.20	-25.41	52.28	3	Vertical	341	1.68	-	36.94	6.77	33.20	
RMS	7.1866G	51.65	68.20	-16.55	40.95	3	Vertical	341	1.68	-	37.15	6.79	33.24	

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8974G	110.41	Inf	-Inf	100.39	3	Horizontal	43	2.74	-	36.50	6.60	33.08	
RMS	6.8974G	100.12	Inf	-Inf	90.10	3	Horizontal	43	2.74	-	36.50	6.60	33.08	
PK	7.1782G	62.56	88.20	-25.64	51.90	3	Horizontal	43	2.74	-	37.11	6.79	33.24	
RMS	7.1926G	51.77	68.20	-16.43	41.05	3	Horizontal	43	2.74	-	37.17	6.80	33.25	

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78488G	61.04	88.20	-27.16	44.33	3	Vertical	124	1.61	-	40.47	10.49	34.25
RMS	13.7932G	48.47	68.20	-19.73	31.74	3	Vertical	124	1.61	-	40.49	10.50	34.26

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78596G	61.64	88.20	-26.56	44.93	3	Horizontal	62	2.52	-	40.47	10.49	34.25	
RMS	13.78348G	48.31	68.20	-19.89	31.60	3	Horizontal	62	2.52	-	40.47	10.49	34.25	

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68314G	58.23	83.54	-25.31	55.60	1	Vertical	2	1.50	-	37.88	14.71	49.96
AV	20.68506G	45.83	63.54	-17.71	43.19	1	Vertical	2	1.50	-	37.89	14.71	49.96

802.11ax HEW20_Nss2,(MCS0)_2TX

6895MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6847G	58.45	83.54	-25.09	55.82	1	Horizontal	335	1.52	-	37.88	14.71	49.96
AV	20.685G	48.35	63.54	-15.19	45.71	1	Horizontal	335	1.52	-	37.89	14.71	49.96

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.998G	105.98	Inf	-Inf	95.78	3	Vertical	341	1.71	-	36.60	6.70	33.10
RMS	6.997G	95.33	Inf	-Inf	85.13	3	Vertical	341	1.71	-	36.60	6.70	33.10
PK	7.213G	62.45	88.20	-25.75	51.70	3	Vertical	341	1.71	-	37.20	6.81	33.26
RMS	7.237G	52.03	68.20	-16.17	41.29	3	Vertical	341	1.71	-	37.20	6.82	33.28

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.99G	110.99	Inf	-Inf	100.80	3	Horizontal	73	2.67	-	36.60	6.69	33.10	
RMS	6.99G	100.00	Inf	-Inf	89.81	3	Horizontal	73	2.67	-	36.60	6.69	33.10	
PK	7.22G	63.35	88.20	-24.85	52.61	3	Horizontal	73	2.67	-	37.20	6.81	33.27	
RMS	7.238G	52.13	68.20	-16.07	41.39	3	Horizontal	73	2.67	-	37.20	6.82	33.28	

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.9928G	62.45	88.20	-25.75	45.48	3	Vertical	51	2.37	-	40.79	10.60	34.42	
RMS	13.99356G	49.90	68.20	-18.30	32.93	3	Vertical	51	2.37	-	40.79	10.60	34.42	

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.998G	62.11	88.20	-26.09	45.14	3	Horizontal	199	1.70	-	40.80	10.60	34.43
RMS	13.99184G	49.99	68.20	-18.21	33.03	3	Horizontal	199	1.70	-	40.78	10.60	34.42

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98485G	59.37	83.54	-24.17	56.25	1	Vertical	95	1.50	-	38.18	14.84	49.90
AV	20.98505G	47.20	63.54	-16.34	44.07	1	Vertical	95	1.50	-	38.19	14.84	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

6995MHz_TX




EUT Y_2TX
Setting 58
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98732G	60.75	83.54	-22.79	57.62	1	Horizontal	292	1.50	-	38.19	14.84	49.90
AV	20.98505G	48.04	63.54	-15.50	44.91	1	Horizontal	292	1.50	-	38.19	14.84	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1038G	106.50	Inf	-Inf	96.11	3	Vertical	322	2.03	-	36.82	6.75	33.18
RMS	7.0934G	96.41	Inf	-Inf	86.06	3	Vertical	322	2.03	-	36.77	6.75	33.17
PK	7.1726G	63.56	88.20	-24.64	52.91	3	Vertical	322	2.03	-	37.09	6.79	33.23
RMS	7.1942G	51.80	68.20	-16.40	41.07	3	Vertical	322	2.03	-	37.18	6.80	33.25

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0978G	110.85	Inf	-Inf	100.48	3	Horizontal	67	2.92	-	36.79	6.75	33.17
RMS	7.0934G	99.87	Inf	-Inf	89.52	3	Horizontal	67	2.92	-	36.77	6.75	33.17
PK	7.125G	65.21	88.20	-22.99	54.75	3	Horizontal	67	2.92	-	36.90	6.76	33.20
RMS	7.125G	52.67	68.20	-15.53	42.21	3	Horizontal	67	2.92	-	36.90	6.76	33.20

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18936G	62.22	88.20	-25.98	45.20	3	Vertical	36	1.49	-	40.62	10.74	34.34
RMS	14.18304G	50.14	68.20	-18.06	33.11	3	Vertical	36	1.49	-	40.63	10.74	34.34

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18612G	62.99	88.20	-25.21	45.96	3	Horizontal	290	1.45	-	40.63	10.74	34.34	
RMS	14.19312G	50.02	68.20	-18.18	33.00	3	Horizontal	290	1.45	-	40.61	10.74	34.33	

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2911G	67.53	83.54	-16.01	64.37	1	Vertical	108	1.54	-	38.08	14.98	49.90
AV	21.2866G	54.93	63.54	-8.61	51.76	1	Vertical	108	1.54	-	38.09	14.98	49.90

802.11ax HEW20_Nss2,(MCS0)_2TX

7095MHz_TX




EUT Y_2TX
Setting 61
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.282G	67.00	83.54	-16.54	63.83	1	Horizontal	85	1.53	-	38.09	14.98	49.90
AV	21.2867G	54.09	63.54	-9.45	50.92	1	Horizontal	85	1.53	-	38.09	14.98	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9198G	66.75	88.20	-21.45	58.55	3	Vertical	332	2.22	-	34.88	6.12	32.80	
RMS	5.925G	53.66	68.20	-14.54	45.45	3	Vertical	332	2.22	-	34.90	6.12	32.81	
PK	5.9614G	106.23	Inf	-Inf	97.84	3	Vertical	332	2.22	-	35.05	6.16	32.82	
RMS	5.971G	95.80	Inf	-Inf	87.37	3	Vertical	332	2.22	-	35.08	6.17	32.82	

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9238G	70.27	88.20	-17.93	62.06	3	Horizontal	57	2.87	-	34.90	6.12	32.81	
RMS	5.925G	57.01	68.20	-11.19	48.80	3	Horizontal	57	2.87	-	34.90	6.12	32.81	
PK	5.9622G	109.60	Inf	-Inf	101.21	3	Horizontal	57	2.87	-	35.05	6.16	32.82	
RMS	5.9586G	99.21	Inf	-Inf	90.84	3	Horizontal	57	2.87	-	35.03	6.16	32.82	

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92436G	57.01	74.00	-16.99	42.90	3	Vertical	176	1.33	-	38.88	9.56	34.33	
AV	11.9362G	44.48	54.00	-9.52	30.39	3	Vertical	176	1.33	-	38.86	9.57	34.34	
PK	17.8958G	58.89	74.00	-15.11	38.08	3	Vertical	188	2.49	-	41.69	13.62	34.50	
AV	17.89316G	46.92	54.00	-7.08	26.12	3	Vertical	188	2.49	-	41.69	13.61	34.50	

802.11ax HEW40_Nss2,(MCS0)_2TX

5965MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.92624G	56.85	74.00	-17.15	42.75	3	Horizontal	214	2.44	-	38.87	9.56	34.33	
AV	11.9378G	44.51	54.00	-9.49	30.42	3	Horizontal	214	2.44	-	38.86	9.57	34.34	
PK	17.89697G	59.85	74.00	-14.15	39.04	3	Horizontal	110	1.51	-	41.69	13.62	34.50	
AV	17.89428G	47.00	54.00	-7.00	26.19	3	Horizontal	110	1.51	-	41.69	13.62	34.50	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8842G	62.28	88.20	-25.92	54.28	3	Vertical	334	1.87	-	34.71	6.08	32.79	
RMS	5.919G	51.43	68.20	-16.77	43.23	3	Vertical	334	1.87	-	34.88	6.12	32.80	
PK	6.1614G	104.82	Inf	-Inf	96.16	3	Vertical	334	1.87	-	35.35	6.20	32.89	
RMS	6.171G	94.88	Inf	-Inf	86.19	3	Vertical	334	1.87	-	35.38	6.20	32.89	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9082G	62.16	88.20	-26.04	54.02	3	Horizontal	64	2.94	-	34.83	6.11	32.80	
RMS	5.9178G	51.56	68.20	-16.64	43.37	3	Horizontal	64	2.94	-	34.87	6.12	32.80	
PK	6.1674G	110.01	Inf	-Inf	101.33	3	Horizontal	64	2.94	-	35.37	6.20	32.89	
RMS	6.1686G	99.98	Inf	-Inf	91.30	3	Horizontal	64	2.94	-	35.37	6.20	32.89	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33064G	56.94	74.00	-17.06	42.68	3	Vertical	318	2.47	-	38.70	9.77	34.21
AV	12.33144G	44.61	54.00	-9.39	30.35	3	Vertical	318	2.47	-	38.70	9.77	34.21

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.33884G	57.09	74.00	-16.91	42.83	3	Horizontal	167	2.08	-	38.70	9.77	34.21
AV	12.32776G	44.95	54.00	-9.05	30.71	3	Horizontal	167	2.08	-	38.70	9.76	34.22

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.49483G	58.89	83.54	-24.65	57.24	1	Vertical	326	1.61	-	37.70	14.25	50.30	
AV	18.495G	47.22	63.54	-16.32	45.57	1	Vertical	326	1.61	-	37.70	14.25	50.30	

802.11ax HEW40_Nss2,(MCS0)_2TX

6165MHz_TX




EUT Y_2TX
Setting 66
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.4953G	58.10	83.54	-25.44	56.45	1	Horizontal	331	1.53	-	37.70	14.25	50.30	
AV	18.49498G	47.65	63.54	-15.89	46.00	1	Horizontal	331	1.53	-	37.70	14.25	50.30	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.853G	61.74	88.20	-26.46	53.95	3	Vertical	336	1.69	-	34.52	6.05	32.78	
RMS	5.9082G	51.42	68.20	-16.78	43.28	3	Vertical	336	1.69	-	34.83	6.11	32.80	
PK	6.4002G	105.36	Inf	-Inf	96.53	3	Vertical	336	1.69	-	35.40	6.40	32.97	
RMS	6.4122G	95.58	Inf	-Inf	86.74	3	Vertical	336	1.69	-	35.42	6.40	32.98	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.865G	62.12	88.20	-26.08	54.26	3	Horizontal	65	2.77	-	34.59	6.06	32.79	
RMS	5.913G	51.43	68.20	-16.77	43.27	3	Horizontal	65	2.77	-	34.85	6.11	32.80	
PK	6.4074G	109.22	Inf	-Inf	100.39	3	Horizontal	65	2.77	-	35.41	6.40	32.98	
RMS	6.4002G	99.00	Inf	-Inf	90.17	3	Horizontal	65	2.77	-	35.40	6.40	32.97	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8188G	57.76	88.20	-30.44	42.59	3	Vertical	286	1.34	-	39.24	10.01	34.08
RMS	12.80688G	45.21	68.20	-22.99	30.08	3	Vertical	286	1.34	-	39.21	10.00	34.08

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.81648G	57.31	88.20	-30.89	42.15	3	Horizontal	5	1.62	-	39.23	10.01	34.08	
RMS	12.81212G	45.29	68.20	-22.91	30.14	3	Horizontal	5	1.62	-	39.22	10.01	34.08	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.21726G	58.61	83.54	-24.93	56.31	1	Vertical	323	1.65	-	38.14	14.32	50.16	
AV	19.21502G	46.64	63.54	-16.90	44.34	1	Vertical	323	1.65	-	38.14	14.32	50.16	

802.11ax HEW40_Nss2,(MCS0)_2TX

6405MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21492G	58.32	83.54	-25.22	56.02	1	Horizontal	316	1.78	-	38.14	14.32	50.16
AV	19.21503G	45.86	63.54	-17.68	43.56	1	Horizontal	316	1.78	-	38.14	14.32	50.16

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8548G	62.49	88.20	-25.71	54.69	3	Vertical	338	1.80	-	34.53	6.05	32.78	
RMS	5.9068G	51.38	68.20	-16.82	43.24	3	Vertical	338	1.80	-	34.83	6.11	32.80	
PK	6.4424G	107.43	Inf	-Inf	98.54	3	Vertical	338	1.80	-	35.48	6.40	32.99	
RMS	6.4424G	96.19	Inf	-Inf	87.30	3	Vertical	338	1.80	-	35.48	6.40	32.99	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8834G	62.43	88.20	-25.77	54.44	3	Horizontal	49	2.39	-	34.70	6.08	32.79	
RMS	5.9068G	51.42	68.20	-16.78	43.28	3	Horizontal	49	2.39	-	34.83	6.11	32.80	
PK	6.4476G	109.84	Inf	-Inf	100.93	3	Horizontal	49	2.39	-	35.50	6.40	32.99	
RMS	6.4528G	99.23	Inf	-Inf	90.31	3	Horizontal	49	2.39	-	35.51	6.40	32.99	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.88888G	57.95	88.20	-30.25	42.60	3	Vertical	60	2.99	-	39.38	10.04	34.07	
RMS	12.89228G	45.56	68.20	-22.64	30.20	3	Vertical	60	2.99	-	39.38	10.05	34.07	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88224G	57.88	88.20	-30.32	42.55	3	Horizontal	256	1.27	-	39.36	10.04	34.07
RMS	12.8854G	45.61	68.20	-22.59	30.27	3	Horizontal	256	1.27	-	39.37	10.04	34.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-F-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33479G	58.49	83.54	-25.05	56.29	1	Vertical	351	1.57	-	38.00	14.33	50.13	
AV	19.33496G	47.28	63.54	-16.26	45.08	1	Vertical	351	1.57	-	38.00	14.33	50.13	

802.11ax HEW40_Nss2,(MCS0)_2TX

6445MHz_TX




EUT Y_2TX
Setting 69
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.33661G	58.51	83.54	-25.03	56.31	1	Horizontal	314	1.54	-	38.00	14.33	50.13	
AV	19.33508G	46.36	63.54	-17.18	44.16	1	Horizontal	314	1.54	-	38.00	14.33	50.13	

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	62.08	88.20	-26.12	54.13	3	Vertical	336	1.72	-	34.66	6.08	32.79
RMS	5.911G	51.39	68.20	-16.81	43.24	3	Vertical	336	1.72	-	34.84	6.11	32.80
PK	6.4822G	107.81	Inf	-Inf	98.85	3	Vertical	336	1.72	-	35.56	6.40	33.00
RMS	6.4766G	96.47	Inf	-Inf	87.52	3	Vertical	336	1.72	-	35.55	6.40	33.00
PK	7.1738G	62.00	88.20	-26.20	51.34	3	Vertical	336	1.72	-	37.10	6.79	33.23
RMS	7.185G	51.70	68.20	-16.50	41.01	3	Vertical	336	1.72	-	37.14	6.79	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	61.45	88.20	-26.75	53.87	3	Horizontal	45	2.40	-	34.33	6.02	32.77
RMS	5.911G	51.44	68.20	-16.76	43.29	3	Horizontal	45	2.40	-	34.84	6.11	32.80
PK	6.4766G	109.29	Inf	-Inf	100.34	3	Horizontal	45	2.40	-	35.55	6.40	33.00
RMS	6.4822G	99.37	Inf	-Inf	90.41	3	Horizontal	45	2.40	-	35.56	6.40	33.00
PK	7.1458G	62.19	88.20	-26.01	51.65	3	Horizontal	45	2.40	-	36.98	6.77	33.21
RMS	7.1822G	51.63	68.20	-16.57	40.95	3	Horizontal	45	2.40	-	37.13	6.79	33.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9788G	57.75	88.20	-30.45	42.15	3	Vertical	15	2.05	-	39.56	10.09	34.05
RMS	12.9628G	45.58	68.20	-22.62	30.03	3	Vertical	15	2.05	-	39.53	10.08	34.06

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97276G	58.63	88.20	-29.57	43.04	3	Horizontal	145	2.14	-	39.55	10.09	34.05
RMS	12.97752G	45.59	68.20	-22.61	29.99	3	Horizontal	145	2.14	-	39.56	10.09	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45487G	58.26	83.54	-25.28	56.17	1	Vertical	321	1.46	-	37.85	14.35	50.11
AV	19.45507G	45.72	63.54	-17.82	43.63	1	Vertical	321	1.46	-	37.85	14.35	50.11

802.11ax HEW40_Nss2,(MCS0)_2TX

6485MHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.45257G	57.82	83.54	-25.72	55.72	1	Horizontal	58	1.80	-	37.86	14.35	50.11	
AV	19.45487G	46.19	63.54	-17.35	44.10	1	Horizontal	58	1.80	-	37.85	14.35	50.11	

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8278G	61.76	88.20	-26.44	54.13	3	Vertical	336	1.60	-	34.37	6.03	32.77
RMS	5.9174G	51.36	68.20	-16.84	43.17	3	Vertical	336	1.60	-	34.87	6.12	32.80
PK	6.5222G	106.59	Inf	-Inf	97.42	3	Vertical	336	1.60	-	35.78	6.40	33.01
RMS	6.5222G	95.64	Inf	-Inf	86.47	3	Vertical	336	1.60	-	35.78	6.40	33.01
PK	7.2222G	62.17	88.20	-26.03	51.43	3	Vertical	336	1.60	-	37.20	6.81	33.27
RMS	7.2222G	52.04	68.20	-16.16	41.30	3	Vertical	336	1.60	-	37.20	6.81	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.63	88.20	-26.57	53.42	3	Horizontal	46	2.76	-	34.90	6.12	32.81
RMS	5.9146G	51.39	68.20	-16.81	43.22	3	Horizontal	46	2.76	-	34.86	6.11	32.80
PK	6.539G	110.04	Inf	-Inf	100.75	3	Horizontal	46	2.76	-	35.91	6.40	33.02
RMS	6.5278G	99.51	Inf	-Inf	90.31	3	Horizontal	46	2.76	-	35.82	6.40	33.02
PK	7.197G	62.43	88.20	-25.77	51.69	3	Horizontal	46	2.76	-	37.19	6.80	33.25
RMS	7.225G	52.11	68.20	-16.09	41.37	3	Horizontal	46	2.76	-	37.20	6.81	33.27

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05052G	58.43	88.20	-29.77	42.75	3	Vertical	101	2.91	-	39.60	10.13	34.05
RMS	13.05308G	46.50	68.20	-21.70	30.82	3	Vertical	101	2.91	-	39.60	10.13	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.056G	59.02	88.20	-29.18	43.34	3	Horizontal	348	1.71	-	39.60	10.13	34.05
RMS	13.04312G	46.51	68.20	-21.69	30.84	3	Horizontal	348	1.71	-	39.60	10.12	34.05

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57562G	58.02	83.54	-25.52	55.99	1	Vertical	42	1.70	-	37.74	14.36	50.07
AV	19.57507G	45.96	63.54	-17.58	43.93	1	Vertical	42	1.70	-	37.74	14.36	50.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6525MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 68
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57412G	57.87	83.54	-25.67	55.84	1	Horizontal	50	1.58	-	37.74	14.36	50.07
AV	19.57495G	46.80	63.54	-16.74	44.77	1	Horizontal	50	1.58	-	37.74	14.36	50.07

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	107.23	Inf	-Inf	97.82	3	Vertical	337	1.73	-	36.03	6.40	33.02	
RMS	6.5626G	95.90	Inf	-Inf	86.49	3	Vertical	337	1.73	-	36.03	6.40	33.02	
PK	7.153G	62.17	88.20	-26.03	51.60	3	Vertical	337	1.73	-	37.01	6.78	33.22	
RMS	7.1602G	51.46	68.20	-16.74	40.86	3	Vertical	337	1.73	-	37.04	6.78	33.22	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.5626G	109.39	Inf	-Inf	99.98	3	Horizontal	53	2.35	-	36.03	6.40	33.02	
RMS	6.5602G	99.54	Inf	-Inf	90.14	3	Horizontal	53	2.35	-	36.02	6.40	33.02	
PK	7.1554G	62.13	88.20	-26.07	51.55	3	Horizontal	53	2.35	-	37.02	6.78	33.22	
RMS	7.1602G	51.55	68.20	-16.65	40.95	3	Horizontal	53	2.35	-	37.04	6.78	33.22	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.12836G	59.61	88.20	-28.59	43.83	3	Vertical	53	2.34	-	39.66	10.16	34.04	
RMS	13.13148G	46.92	68.20	-21.28	31.13	3	Vertical	53	2.34	-	39.66	10.17	34.04	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.13084G	59.11	88.20	-29.09	43.32	3	Horizontal	25	1.48	-	39.66	10.17	34.04	
RMS	13.13624G	46.96	68.20	-21.24	31.16	3	Horizontal	25	1.48	-	39.67	10.17	34.04	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.69515G	59.43	83.54	-24.11	57.44	1	Vertical	13	1.57	-	37.64	14.37	50.02	
AV	19.69492G	46.75	63.54	-16.79	44.76	1	Vertical	13	1.57	-	37.64	14.37	50.02	

802.11ax HEW40_Nss2,(MCS0)_2TX

6565MHz_TX




EUT Y_2TX
Setting 70
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69504G	59.20	83.54	-24.34	57.21	1	Horizontal	324	1.54	-	37.64	14.37	50.02
AV	19.69499G	48.01	63.54	-15.53	46.02	1	Horizontal	324	1.54	-	37.64	14.37	50.02

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.681G	106.13	Inf	-Inf	96.67	3	Vertical	340	1.67	-	36.06	6.44	33.04	
RMS	6.691G	95.53	Inf	-Inf	86.04	3	Vertical	340	1.67	-	36.08	6.45	33.04	
PK	7.181G	62.19	88.20	-26.01	51.52	3	Vertical	340	1.67	-	37.12	6.79	33.24	
RMS	7.183G	51.72	68.20	-16.48	41.04	3	Vertical	340	1.67	-	37.13	6.79	33.24	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	109.34	Inf	-Inf	99.85	3	Horizontal	48	2.39	-	36.08	6.45	33.04	
RMS	6.679G	99.58	Inf	-Inf	90.12	3	Horizontal	48	2.39	-	36.06	6.44	33.04	
PK	7.177G	61.82	88.20	-26.38	51.15	3	Horizontal	48	2.39	-	37.11	6.79	33.23	
RMS	7.185G	51.78	68.20	-16.42	41.09	3	Horizontal	48	2.39	-	37.14	6.79	33.24	

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37492G	59.07	74.00	-14.93	42.81	3	Vertical	31	1.94	-	40.00	10.29	34.03
AV	13.3634G	47.32	54.00	-6.68	31.07	3	Vertical	31	1.94	-	40.00	10.28	34.03

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36992G	59.75	74.00	-14.25	43.50	3	Horizontal	187	2.17	-	40.00	10.28	34.03
AV	13.3688G	47.57	54.00	-6.43	31.32	3	Horizontal	187	2.17	-	40.00	10.28	34.03

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05502G	57.65	83.54	-25.89	55.71	1	Vertical	327	1.59	-	37.43	14.42	49.91
AV	20.05502G	47.88	63.54	-15.66	45.94	1	Vertical	327	1.59	-	37.43	14.42	49.91

802.11ax HEW40_Nss2,(MCS0)_2TX

6685MHz_TX




EUT Y_2TX
Setting 74
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.05479G	58.09	83.54	-25.45	56.15	1	Horizontal	48	1.52	-	37.43	14.42	49.91	
AV	20.05493G	47.37	63.54	-16.17	45.43	1	Horizontal	48	1.52	-	37.43	14.42	49.91	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	105.44	Inf	-Inf	95.46	3	Vertical	340	1.77	-	36.50	6.55	33.07	
RMS	6.8386G	94.77	Inf	-Inf	84.80	3	Vertical	340	1.77	-	36.50	6.54	33.07	
PK	7.2114G	62.44	88.20	-25.76	51.69	3	Vertical	340	1.77	-	37.20	6.81	33.26	
RMS	7.2338G	52.16	68.20	-16.04	41.42	3	Vertical	340	1.77	-	37.20	6.82	33.28	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	109.84	Inf	-Inf	99.86	3	Horizontal	39	2.67	-	36.50	6.55	33.07	
RMS	6.8386G	99.69	Inf	-Inf	89.72	3	Horizontal	39	2.67	-	36.50	6.54	33.07	
PK	7.2146G	62.74	88.20	-25.46	51.99	3	Horizontal	39	2.67	-	37.20	6.81	33.26	
RMS	7.2402G	52.23	68.20	-15.97	41.49	3	Horizontal	39	2.67	-	37.20	6.82	33.28	

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6942G	60.66	88.20	-27.54	44.10	3	Vertical	215	2.16	-	40.29	10.45	34.18
RMS	13.69368G	49.07	68.20	-19.13	32.51	3	Vertical	215	2.16	-	40.29	10.45	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68376G	61.98	88.20	-26.22	45.43	3	Horizontal	262	2.26	-	40.28	10.44	34.17
RMS	13.69336G	49.09	68.20	-19.11	32.53	3	Horizontal	262	2.26	-	40.29	10.45	34.18

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53476G	58.47	83.54	-25.07	56.09	1	Vertical	33	1.50	-	37.73	14.64	49.99
AV	20.5349G	46.62	63.54	-16.92	44.24	1	Vertical	33	1.50	-	37.73	14.64	49.99

802.11ax HEW40_Nss2,(MCS0)_2TX

6845MHz_TX




EUT Y_2TX
Setting 65
04-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53478G	58.92	83.54	-24.62	56.54	1	Horizontal	48	1.50	-	37.73	14.64	49.99
AV	20.53502G	47.58	63.54	-15.96	45.19	1	Horizontal	48	1.50	-	37.74	14.64	49.99

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8864G	105.03	Inf	-Inf	95.02	3	Vertical	343	1.70	-	36.50	6.59	33.08	
RMS	6.878G	94.64	Inf	-Inf	84.64	3	Vertical	343	1.70	-	36.50	6.58	33.08	
PK	7.2G	62.99	88.20	-25.21	52.24	3	Vertical	343	1.70	-	37.20	6.80	33.25	
RMS	7.235G	52.13	68.20	-16.07	41.39	3	Vertical	343	1.70	-	37.20	6.82	33.28	

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	110.26	Inf	-Inf	100.26	3	Horizontal	43	2.64	-	36.50	6.58	33.08
RMS	6.892G	99.89	Inf	-Inf	89.88	3	Horizontal	43	2.64	-	36.50	6.59	33.08
PK	7.2224G	62.42	88.20	-25.78	51.68	3	Horizontal	43	2.64	-	37.20	6.81	33.27
RMS	7.2308G	52.23	68.20	-15.97	41.49	3	Horizontal	43	2.64	-	37.20	6.82	33.28

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76132G	62.05	88.20	-26.15	45.38	3	Vertical	219	2.26	-	40.42	10.48	34.23
RMS	13.7676G	48.52	68.20	-19.68	31.84	3	Vertical	219	2.26	-	40.44	10.48	34.24

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76264G	60.55	88.20	-27.65	43.88	3	Horizontal	153	1.66	-	40.43	10.48	34.24
RMS	13.7774G	48.51	68.20	-19.69	31.82	3	Horizontal	153	1.66	-	40.45	10.49	34.25

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65714G	58.96	83.54	-24.58	56.37	1	Vertical	22	1.52	-	37.86	14.70	49.97
AV	20.65285G	47.08	63.54	-16.46	44.51	1	Vertical	22	1.52	-	37.85	14.69	49.97

802.11ax HEW40_Nss2,(MCS0)_2TX

6885MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 68
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65355G	58.06	83.54	-25.48	55.49	1	Horizontal	37	1.51	-	37.85	14.69	49.97
AV	20.65513G	46.73	63.54	-16.81	44.15	1	Horizontal	37	1.51	-	37.86	14.69	49.97

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9178G	105.77	Inf	-Inf	95.70	3	Vertical	43	2.32	-	36.54	6.62	33.09	
RMS	6.9214G	95.60	Inf	-Inf	85.53	3	Vertical	43	2.32	-	36.54	6.62	33.09	
PK	7.1602G	62.74	88.20	-25.46	52.14	3	Vertical	43	2.32	-	37.04	6.78	33.22	
RMS	7.225G	52.06	68.20	-16.14	41.32	3	Vertical	43	2.32	-	37.20	6.81	33.27	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9262G	109.17	Inf	-Inf	99.08	3	Horizontal	43	2.32	-	36.55	6.63	33.09	
RMS	6.931G	99.23	Inf	-Inf	89.13	3	Horizontal	43	2.32	-	36.56	6.63	33.09	
PK	7.2142G	62.86	88.20	-25.34	52.11	3	Horizontal	43	2.32	-	37.20	6.81	33.26	
RMS	7.2226G	52.12	68.20	-16.08	41.38	3	Horizontal	43	2.32	-	37.20	6.81	33.27	

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84324G	60.87	88.20	-27.33	44.11	3	Vertical	160	1.63	-	40.54	10.52	34.30
RMS	13.8486G	48.58	68.20	-19.62	31.82	3	Vertical	160	1.63	-	40.55	10.52	34.31

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84668G	60.87	88.20	-27.33	44.10	3	Horizontal	170	2.09	-	40.55	10.52	34.30
RMS	13.84252G	48.74	68.20	-19.46	31.98	3	Horizontal	170	2.09	-	40.54	10.52	34.30

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77465G	58.06	83.54	-25.48	55.29	1	Vertical	56	1.53	-	37.97	14.75	49.95
AV	20.77584G	46.77	63.54	-16.77	43.98	1	Vertical	56	1.53	-	37.98	14.75	49.94

802.11ax HEW40_Nss2,(MCS0)_2TX

6925MHz_TX




EUT Y_2TX
Setting 66
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77644G	58.07	83.54	-25.47	55.28	1	Horizontal	30	1.54	-	37.98	14.75	49.94
AV	20.77507G	46.74	63.54	-16.80	43.95	1	Horizontal	30	1.54	-	37.98	14.75	49.94

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	105.62	Inf	-Inf	95.42	3	Vertical	0	2.03	-	36.60	6.70	33.10
RMS	6.9986G	95.90	Inf	-Inf	85.70	3	Vertical	0	2.03	-	36.60	6.70	33.10
PK	7.1658G	62.96	88.20	-25.24	52.35	3	Vertical	0	2.03	-	37.06	6.78	33.23
RMS	7.2034G	51.86	68.20	-16.34	41.11	3	Vertical	0	2.03	-	37.20	6.80	33.25

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	109.94	Inf	-Inf	99.75	3	Horizontal	43	2.32	-	36.60	6.69	33.10
RMS	6.9978G	100.50	Inf	-Inf	90.30	3	Horizontal	43	2.32	-	36.60	6.70	33.10
PK	7.2026G	62.93	88.20	-25.27	52.18	3	Horizontal	43	2.32	-	37.20	6.80	33.25
RMS	7.1994G	52.01	68.20	-16.19	41.26	3	Horizontal	43	2.32	-	37.20	6.80	33.25

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0104G	62.21	88.20	-25.99	45.22	3	Vertical	324	2.99	-	40.80	10.61	34.42	
RMS	14.00116G	49.97	68.20	-18.23	33.00	3	Vertical	324	2.99	-	40.80	10.60	34.43	

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00368G	62.38	88.20	-25.82	45.41	3	Horizontal	272	1.29	-	40.80	10.60	34.43
RMS	14.00572G	50.02	68.20	-18.18	33.05	3	Horizontal	272	1.29	-	40.80	10.60	34.43

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01279G	58.30	83.54	-25.24	55.15	1	Vertical	61	1.50	-	38.19	14.86	49.90
AV	21.01335G	46.06	63.54	-17.48	42.91	1	Vertical	61	1.50	-	38.19	14.86	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7005MHz_TX




EUT Y_2TX
Setting 72
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01336G	64.37	83.54	-19.17	61.22	1	Horizontal	54	1.55	-	38.19	14.86	49.90
AV	21.01718G	53.96	63.54	-9.58	50.81	1	Horizontal	54	1.55	-	38.19	14.86	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0742G	105.53	Inf	-Inf	95.25	3	Vertical	338	1.76	-	36.70	6.74	33.16	
RMS	7.0786G	95.56	Inf	-Inf	85.27	3	Vertical	338	1.76	-	36.71	6.74	33.16	
PK	7.1318G	69.88	88.20	-18.32	59.38	3	Vertical	338	1.76	-	36.93	6.77	33.20	
RMS	7.125G	57.08	68.20	-11.12	46.62	3	Vertical	338	1.76	-	36.90	6.76	33.20	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0874G	109.40	Inf	-Inf	99.08	3	Horizontal	64	2.71	-	36.75	6.74	33.17	
RMS	7.0814G	99.84	Inf	-Inf	89.53	3	Horizontal	64	2.71	-	36.73	6.74	33.16	
PK	7.1254G	76.49	88.20	-11.71	66.03	3	Horizontal	64	2.71	-	36.90	6.76	33.20	
RMS	7.125G	63.36	68.20	-4.84	52.90	3	Horizontal	64	2.71	-	36.90	6.76	33.20	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.17012G	62.80	88.20	-25.40	45.75	3	Vertical	291	2.51	-	40.66	10.73	34.34	
RMS	14.16484G	50.36	68.20	-17.84	33.32	3	Vertical	291	2.51	-	40.67	10.72	34.35	

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16208G	62.26	88.20	-25.94	45.21	3	Horizontal	116	2.93	-	40.68	10.72	34.35
RMS	14.16888G	50.23	68.20	-17.97	33.19	3	Horizontal	116	2.93	-	40.66	10.73	34.35

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2498G	65.43	83.54	-18.11	62.27	1	Vertical	84	1.52	-	38.10	14.96	49.90
AV	21.26G	53.41	63.54	-10.13	50.24	1	Vertical	84	1.52	-	38.10	14.97	49.90

802.11ax HEW40_Nss2,(MCS0)_2TX

7085MHz_TX




EUT Y_2TX
Setting 73
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2574G	64.90	83.54	-18.64	61.73	1	Horizontal	83	1.51	-	38.10	14.97	49.90
AV	21.2626G	53.28	63.54	-10.26	50.12	1	Horizontal	83	1.51	-	38.09	14.97	49.90

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	69.09	88.20	-19.11	60.89	3	Vertical	5	2.96	-	34.89	6.12	32.81
RMS	5.924G	57.25	68.20	-10.95	49.04	3	Vertical	5	2.96	-	34.90	6.12	32.81
PK	5.986G	104.14	Inf	-Inf	95.64	3	Vertical	5	2.96	-	35.14	6.19	32.83
RMS	5.977G	94.44	Inf	-Inf	85.97	3	Vertical	5	2.96	-	35.11	6.18	32.82

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	78.42	88.20	-9.78	70.26	3	Horizontal	64	2.96	-	34.85	6.11	32.80
RMS	5.924G	66.83	68.20	-1.37	58.62	3	Horizontal	64	2.96	-	34.90	6.12	32.81
PK	5.972G	109.17	Inf	-Inf	100.73	3	Horizontal	64	2.96	-	35.09	6.17	32.82
RMS	5.994G	99.67	Inf	-Inf	91.13	3	Horizontal	64	2.96	-	35.18	6.19	32.83

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.97592G	57.05	74.00	-16.95	43.01	3	Vertical	103	2.55	-	38.82	9.59	34.37	
AV	11.976G	45.92	54.00	-8.08	31.88	3	Vertical	103	2.55	-	38.82	9.59	34.37	
PK	17.95542G	59.58	74.00	-14.42	38.67	3	Vertical	124	1.99	-	41.76	13.66	34.51	
AV	17.95452G	49.04	54.00	-4.96	28.14	3	Vertical	124	1.99	-	41.75	13.66	34.51	

802.11ax HEW80_Nss2,(MCS0)_2TX

5985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.96804G	57.04	74.00	-16.96	42.99	3	Horizontal	1	1.31	-	38.83	9.58	34.36	
AV	11.97424G	45.80	54.00	-8.20	31.74	3	Horizontal	1	1.31	-	38.83	9.59	34.36	
PK	17.95329G	59.41	74.00	-14.59	38.51	3	Horizontal	353	1.02	-	41.75	13.66	34.51	
AV	17.95601G	49.20	54.00	-4.80	28.29	3	Horizontal	353	1.02	-	41.76	13.66	34.51	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	62.09	88.20	-26.11	54.06	3	Vertical	334	1.71	-	34.73	6.09	32.79
RMS	5.917G	51.70	68.20	-16.50	43.51	3	Vertical	334	1.71	-	34.87	6.12	32.80
PK	6.161G	103.96	Inf	-Inf	95.31	3	Vertical	334	1.71	-	35.34	6.20	32.89
RMS	6.161G	94.21	Inf	-Inf	85.56	3	Vertical	334	1.71	-	35.34	6.20	32.89

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.925G	61.99	97.74	-35.75	53.78	3	Horizontal	64	2.83	-	34.90	6.12	32.81	
RMS	5.917G	51.96	68.20	-16.24	43.77	3	Horizontal	64	2.83	-	34.87	6.12	32.80	
PK	6.155G	109.75	Inf	-Inf	101.12	3	Horizontal	64	2.83	-	35.32	6.20	32.89	
RMS	6.153G	99.92	Inf	-Inf	91.30	3	Horizontal	64	2.83	-	35.31	6.20	32.89	

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29676G	56.95	74.00	-17.05	42.74	3	Vertical	159	2.39	-	38.69	9.75	34.23
AV	12.29776G	47.05	54.00	-6.95	32.83	3	Vertical	159	2.39	-	38.70	9.75	34.23

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28464G	56.46	74.00	-17.54	42.29	3	Horizontal	189	1.71	-	38.67	9.74	34.24
AV	12.28024G	46.29	54.00	-7.71	32.13	3	Horizontal	189	1.71	-	38.66	9.74	34.24

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43294G	58.28	83.54	-25.26	56.68	1	Vertical	53	1.50	-	37.65	14.24	50.29
AV	18.43329G	46.68	63.54	-16.86	45.08	1	Vertical	53	1.50	-	37.65	14.24	50.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6145MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43353G	58.85	83.54	-24.69	57.25	1	Horizontal	61	1.55	-	37.65	14.24	50.29
AV	18.43387G	46.78	63.54	-16.76	45.18	1	Horizontal	61	1.55	-	37.65	14.24	50.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9186G	61.74	88.20	-26.46	53.55	3	Vertical	338	1.80	-	34.87	6.12	32.80	
RMS	5.9164G	51.63	68.20	-16.57	43.44	3	Vertical	338	1.80	-	34.87	6.12	32.80	
PK	6.3982G	104.86	Inf	-Inf	96.03	3	Vertical	338	1.80	-	35.40	6.40	32.97	
RMS	6.3982G	95.63	Inf	-Inf	86.80	3	Vertical	338	1.80	-	35.40	6.40	32.97	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8856G	62.02	88.20	-26.18	54.01	3	Horizontal	59	2.76	-	34.71	6.09	32.79	
RMS	5.9208G	51.72	68.20	-16.48	43.52	3	Horizontal	59	2.76	-	34.88	6.12	32.80	
PK	6.363G	108.92	Inf	-Inf	100.12	3	Horizontal	59	2.76	-	35.40	6.36	32.96	
RMS	6.3982G	99.30	Inf	-Inf	90.47	3	Horizontal	59	2.76	-	35.40	6.40	32.97	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.76852G	57.51	88.20	-30.69	42.48	3	Vertical	229	2.19	-	39.14	9.98	34.09	
RMS	12.774G	46.65	68.20	-21.55	31.60	3	Vertical	229	2.19	-	39.15	9.99	34.09	

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77156G	57.35	88.20	-30.85	42.31	3	Horizontal	96	2.51	-	39.14	9.99	34.09
RMS	12.77568G	46.75	68.20	-21.45	31.70	3	Horizontal	96	2.51	-	39.15	9.99	34.09

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15329G	58.94	83.54	-24.60	56.57	1	Vertical	56	1.53	-	38.22	14.32	50.17
AV	19.15629G	46.76	63.54	-16.78	44.40	1	Vertical	56	1.53	-	38.21	14.32	50.17

802.11ax HEW80_Nss2,(MCS0)_2TX

6385MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15457G	58.44	83.54	-25.10	56.08	1	Horizontal	50	1.51	-	38.21	14.32	50.17
AV	19.15518G	46.50	63.54	-17.04	44.14	1	Horizontal	50	1.51	-	38.21	14.32	50.17

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8842G	62.18	88.20	-26.02	54.18	3	Vertical	335	1.75	-	34.71	6.08	32.79	
RMS	5.9154G	51.56	68.20	-16.64	43.38	3	Vertical	335	1.75	-	34.86	6.12	32.80	
PK	6.4554G	104.45	Inf	-Inf	95.53	3	Vertical	335	1.75	-	35.51	6.40	32.99	
RMS	6.477G	95.20	Inf	-Inf	86.25	3	Vertical	335	1.75	-	35.55	6.40	33.00	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	61.49	88.20	-26.71	53.29	3	Horizontal	69	2.84	-	34.89	6.12	32.81	
RMS	5.9154G	51.66	68.20	-16.54	43.48	3	Horizontal	69	2.84	-	34.86	6.12	32.80	
PK	6.4482G	109.05	Inf	-Inf	100.14	3	Horizontal	69	2.84	-	35.50	6.40	32.99	
RMS	6.4506G	99.26	Inf	-Inf	90.35	3	Horizontal	69	2.84	-	35.50	6.40	32.99	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.93812G	58.20	88.20	-30.00	42.71	3	Vertical	119	2.65	-	39.48	10.07	34.06	
RMS	12.92048G	47.60	68.20	-20.60	32.16	3	Vertical	119	2.65	-	39.44	10.06	34.06	

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93848G	58.17	88.20	-30.03	42.68	3	Horizontal	20	1.84	-	39.48	10.07	34.06
RMS	12.92136G	47.21	68.20	-20.99	31.77	3	Horizontal	20	1.84	-	39.44	10.06	34.06

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39557G	56.36	83.54	-27.18	54.21	1	Vertical	60	1.50	-	37.93	14.34	50.12
AV	19.39347G	45.58	63.54	-17.96	43.43	1	Vertical	60	1.50	-	37.93	14.34	50.12

802.11ax HEW80_Nss2,(MCS0)_2TX

6465MHz_TX




EUT Y_2TX
Setting 77
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	19.39523G	56.60	83.54	-26.94	54.45	1	Horizontal	55	1.51	-	37.93	14.34	50.12	
AV	19.3931G	45.82	63.54	-17.72	43.67	1	Horizontal	55	1.51	-	37.93	14.34	50.12	

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_2TX
Setting 76
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	61.31	88.20	-26.89	53.17	3	Vertical	336	1.57	-	34.83	6.11	32.80
RMS	5.9028G	51.51	68.20	-16.69	43.40	3	Vertical	336	1.57	-	34.81	6.10	32.80
PK	6.5372G	104.83	Inf	-Inf	95.55	3	Vertical	336	1.57	-	35.90	6.40	33.02
RMS	6.5372G	94.73	Inf	-Inf	85.45	3	Vertical	336	1.57	-	35.90	6.40	33.02
PK	7.195G	62.57	88.20	-25.63	51.84	3	Vertical	336	1.57	-	37.18	6.80	33.25
RMS	7.1924G	52.00	68.20	-16.20	41.28	3	Vertical	336	1.57	-	37.17	6.80	33.25

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_V_2TX
Setting 76
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9028G	61.38	88.20	-26.82	53.27	3	Horizontal	44	2.76	-	34.81	6.10	32.80
RMS	5.9158G	51.53	68.20	-16.67	43.35	3	Horizontal	44	2.76	-	34.86	6.12	32.80
PK	6.5372G	108.83	Inf	-Inf	99.55	3	Horizontal	44	2.76	-	35.90	6.40	33.02
RMS	6.5346G	98.74	Inf	-Inf	89.48	3	Horizontal	44	2.76	-	35.88	6.40	33.02
PK	7.1638G	62.39	88.20	-25.81	51.77	3	Horizontal	44	2.76	-	37.06	6.78	33.22
RMS	7.1924G	51.93	68.20	-16.27	41.21	3	Horizontal	44	2.76	-	37.17	6.80	33.25

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 76
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08344G	59.23	88.20	-28.97	43.53	3	Vertical	309	1.63	-	39.60	10.14	34.04
RMS	13.08332G	48.00	68.20	-20.20	32.31	3	Vertical	309	1.63	-	39.60	10.14	34.05

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 76
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08104G	58.98	88.20	-29.22	43.29	3	Horizontal	205	2.03	-	39.60	10.14	34.05
RMS	13.086G	48.52	68.20	-19.68	32.82	3	Horizontal	205	2.03	-	39.60	10.14	34.04

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 76
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63617G	58.19	83.54	-25.35	56.19	1	Vertical	60	1.50	-	37.69	14.36	50.05
AV	19.63386G	46.88	63.54	-16.66	44.88	1	Vertical	60	1.50	-	37.69	14.36	50.05

802.11ax HEW80_Nss2,(MCS0)_2TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 76
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63423G	58.64	83.54	-24.90	56.64	1	Horizontal	65	1.52	-	37.69	14.36	50.05
AV	19.63457G	46.83	63.54	-16.71	44.83	1	Horizontal	65	1.52	-	37.69	14.36	50.05

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6178G	104.57	Inf	-Inf	95.13	3	Vertical	339	1.62	-	36.06	6.41	33.03	
RMS	6.6106G	94.52	Inf	-Inf	85.06	3	Vertical	339	1.62	-	36.08	6.41	33.03	
PK	7.2226G	62.01	88.20	-26.19	51.27	3	Vertical	339	1.62	-	37.20	6.81	33.27	
RMS	7.225G	52.08	68.20	-16.12	41.34	3	Vertical	339	1.62	-	37.20	6.81	33.27	

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6106G	108.62	Inf	-Inf	99.16	3	Horizontal	49	2.71	-	36.08	6.41	33.03	
RMS	6.6322G	98.57	Inf	-Inf	89.14	3	Horizontal	49	2.71	-	36.04	6.42	33.03	
PK	7.1938G	63.00	88.20	-25.20	52.27	3	Horizontal	49	2.71	-	37.18	6.80	33.25	
RMS	7.225G	52.17	68.20	-16.03	41.43	3	Horizontal	49	2.71	-	37.20	6.81	33.27	

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25386G	59.13	74.00	-14.87	43.02	3	Vertical	102	1.44	-	39.91	10.23	34.03
AV	13.25202G	48.35	54.00	-5.65	32.25	3	Vertical	102	1.44	-	39.90	10.23	34.03

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25854G	59.31	74.00	-14.69	43.19	3	Horizontal	194	1.71	-	39.92	10.23	34.03
AV	13.25744G	48.40	54.00	-5.60	32.29	3	Horizontal	194	1.71	-	39.91	10.23	34.03

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87265G	56.57	83.54	-26.97	54.63	1	Vertical	29	1.51	-	37.50	14.39	49.95
AV	19.8725G	45.69	63.54	-17.85	43.75	1	Vertical	29	1.51	-	37.50	14.39	49.95

802.11ax HEW80_Nss2,(MCS0)_2TX

6625MHz_TX




EUT Y_2TX
Setting 78
04-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.87524G	55.86	83.54	-27.68	53.92	1	Horizontal	24	1.52	-	37.50	14.39	49.95
AV	19.87566G	45.50	63.54	-18.04	43.56	1	Horizontal	24	1.52	-	37.50	14.39	49.95

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	104.26	Inf	-Inf	94.73	3	Vertical	339	1.75	-	36.13	6.45	33.05
RMS	6.697G	94.79	Inf	-Inf	85.30	3	Vertical	339	1.75	-	36.09	6.45	33.05
PK	7.157G	62.52	88.20	-25.68	51.93	3	Vertical	339	1.75	-	37.03	6.78	33.22
RMS	7.189G	51.86	68.20	-16.34	41.15	3	Vertical	339	1.75	-	37.16	6.79	33.24

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	108.78	Inf	-Inf	99.29	3	Horizontal	44	2.72	-	36.08	6.45	33.04	
RMS	6.719G	98.91	Inf	-Inf	89.32	3	Horizontal	44	2.72	-	36.18	6.46	33.05	
PK	7.199G	62.03	88.20	-26.17	51.28	3	Horizontal	44	2.72	-	37.20	6.80	33.25	
RMS	7.205G	51.99	68.20	-16.21	41.25	3	Horizontal	44	2.72	-	37.20	6.80	33.26	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.41194G	59.78	88.20	-28.42	43.48	3	Vertical	230	1.03	-	40.02	10.31	34.03	
RMS	13.4052G	48.97	68.20	-19.23	32.69	3	Vertical	230	1.03	-	40.01	10.30	34.03	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40654G	59.20	88.20	-29.00	42.92	3	Horizontal	165	2.44	-	40.01	10.30	34.03
RMS	13.40792G	48.71	68.20	-19.49	32.42	3	Horizontal	165	2.44	-	40.02	10.30	34.03

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.11537G	57.42	83.54	-26.12	55.42	1	Vertical	33	1.52	-	37.47	14.45	49.92	
AV	20.11607G	46.04	63.54	-17.50	44.04	1	Vertical	33	1.52	-	37.47	14.45	49.92	

802.11ax HEW80_Nss2,(MCS0)_2TX

6705MHz_TX




EUT Y_2TX
Setting 83
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11267G	56.80	83.54	-26.74	54.80	1	Horizontal	21	1.50	-	37.47	14.45	49.92
AV	20.11522G	46.29	63.54	-17.25	44.29	1	Horizontal	21	1.50	-	37.47	14.45	49.92

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7724G	103.37	Inf	-Inf	93.55	3	Vertical	340	1.80	-	36.39	6.49	33.06	
RMS	6.758G	94.38	Inf	-Inf	84.63	3	Vertical	340	1.80	-	36.33	6.48	33.06	
PK	7.2152G	62.14	88.20	-26.06	51.39	3	Vertical	340	1.80	-	37.20	6.81	33.26	
RMS	7.235G	52.20	68.20	-16.00	41.46	3	Vertical	340	1.80	-	37.20	6.82	33.28	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.776G	108.36	Inf	-Inf	98.53	3	Horizontal	45	2.70	-	36.40	6.49	33.06	
RMS	6.7922G	98.96	Inf	-Inf	89.05	3	Horizontal	45	2.70	-	36.47	6.50	33.06	
PK	7.226G	63.37	88.20	-24.83	52.63	3	Horizontal	45	2.70	-	37.20	6.81	33.27	
RMS	7.235G	52.30	68.20	-15.90	41.56	3	Horizontal	45	2.70	-	37.20	6.82	33.28	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56866G	59.84	88.20	-28.36	43.34	3	Vertical	288	2.51	-	40.20	10.38	34.08
RMS	13.57368G	49.39	68.20	-18.81	32.88	3	Vertical	288	2.51	-	40.20	10.39	34.08

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57494G	60.48	88.20	-27.72	43.97	3	Horizontal	344	2.65	-	40.20	10.39	34.08
RMS	13.5678G	49.24	68.20	-18.96	32.74	3	Horizontal	344	2.65	-	40.20	10.38	34.08

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.35587G	58.81	83.54	-24.73	56.61	1	Vertical	24	1.52	-	37.61	14.56	49.97	
AV	20.35251G	47.28	63.54	-16.26	45.08	1	Vertical	24	1.52	-	37.61	14.56	49.97	

802.11ax HEW80_Nss2,(MCS0)_2TX

6785MHz_TX




EUT Y_2TX
Setting 77
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35304G	57.77	83.54	-25.77	55.57	1	Horizontal	28	1.53	-	37.61	14.56	49.97
AV	20.35521G	47.42	63.54	-16.12	45.22	1	Horizontal	28	1.53	-	37.61	14.56	49.97

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 76
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8958G	105.14	Inf	-Inf	95.12	3	Vertical	357	2.34	-	36.50	6.60	33.08	
RMS	6.879G	95.17	Inf	-Inf	85.17	3	Vertical	357	2.34	-	36.50	6.58	33.08	
PK	7.1478G	63.02	88.20	-25.18	52.47	3	Vertical	357	2.34	-	36.99	6.77	33.21	
RMS	7.215G	52.10	68.20	-16.10	41.35	3	Vertical	357	2.34	-	37.20	6.81	33.26	

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 76
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.851G	109.00	Inf	-Inf	99.02	3	Horizontal	42	2.65	-	36.50	6.55	33.07	
RMS	6.8734G	99.26	Inf	-Inf	89.27	3	Horizontal	42	2.65	-	36.50	6.57	33.08	
PK	7.2108G	62.60	88.20	-25.60	51.85	3	Horizontal	42	2.65	-	37.20	6.81	33.26	
RMS	7.2052G	52.21	68.20	-15.99	41.47	3	Horizontal	42	2.65	-	37.20	6.80	33.26	

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 76
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.72624G	61.28	88.20	-26.92	44.68	3	Vertical	56	1.87	-	40.35	10.46	34.21	
RMS	13.72976G	50.60	68.20	-17.60	33.99	3	Vertical	56	1.87	-	40.36	10.46	34.21	

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 76
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72762G	61.05	88.20	-27.15	44.44	3	Horizontal	20	1.83	-	40.36	10.46	34.21
RMS	13.73194G	50.79	68.20	-17.41	34.17	3	Horizontal	20	1.83	-	40.36	10.47	34.21

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 76
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59679G	56.41	83.54	-27.13	53.92	1	Vertical	31	1.54	-	37.80	14.67	49.98
AV	20.59513G	45.64	63.54	-17.90	43.15	1	Vertical	31	1.54	-	37.80	14.67	49.98

802.11ax HEW80_Nss2,(MCS0)_2TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_2TX
Setting 76
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59513G	56.48	83.54	-27.06	53.99	1	Horizontal	31	1.54	-	37.80	14.67	49.98
AV	20.59437G	45.64	63.54	-17.90	43.16	1	Horizontal	31	1.54	-	37.79	14.67	49.98

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9366G	104.36	Inf	-Inf	94.24	3	Vertical	2	2.31	-	36.57	6.64	33.09	
RMS	6.9366G	94.41	Inf	-Inf	84.29	3	Vertical	2	2.31	-	36.57	6.64	33.09	
PK	7.215G	62.60	88.20	-25.60	51.85	3	Vertical	2	2.31	-	37.20	6.81	33.26	
RMS	7.2402G	52.33	68.20	-15.87	41.59	3	Vertical	2	2.31	-	37.20	6.82	33.28	

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	108.64	Inf	-Inf	98.54	3	Horizontal	66	2.71	-	36.56	6.63	33.09
RMS	6.9306G	99.01	Inf	-Inf	88.91	3	Horizontal	66	2.71	-	36.56	6.63	33.09
PK	7.1298G	62.65	88.20	-25.55	52.17	3	Horizontal	66	2.71	-	36.92	6.76	33.20
RMS	7.2438G	52.43	68.20	-15.77	41.70	3	Horizontal	66	2.71	-	37.20	6.82	33.29

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88558G	61.03	88.20	-27.17	44.24	3	Vertical	321	1.77	-	40.59	10.54	34.34
RMS	13.89312G	50.27	68.20	-17.93	33.47	3	Vertical	321	1.77	-	40.59	10.55	34.34

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89126G	61.28	88.20	-26.92	44.48	3	Horizontal	343	2.94	-	40.59	10.55	34.34	
RMS	13.88834G	50.43	68.20	-17.77	33.64	3	Horizontal	343	2.94	-	40.59	10.54	34.34	

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83436G	58.99	83.54	-24.55	56.11	1	Vertical	99	1.54	-	38.03	14.78	49.93
AV	20.83481G	48.64	63.54	-14.90	45.76	1	Vertical	99	1.54	-	38.03	14.78	49.93

802.11ax HEW80_Nss2,(MCS0)_2TX

6945MHz_TX




EUT Y_2TX
Setting 75
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83308G	58.94	83.54	-24.60	56.07	1	Horizontal	104	1.55	-	38.03	14.77	49.93
AV	20.83495G	48.85	63.54	-14.69	45.97	1	Horizontal	104	1.55	-	38.03	14.78	49.93

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 82
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.017G	107.37	Inf	-Inf	97.17	3	Vertical	37	2.97	-	36.60	6.71	33.11
RMS	7.014G	97.70	Inf	-Inf	87.50	3	Vertical	37	2.97	-	36.60	6.71	33.11
PK	7.126G	71.36	88.20	-16.84	60.90	3	Vertical	37	2.97	-	36.90	6.76	33.20
RMS	7.1251G	60.51	68.20	-7.69	50.05	3	Vertical	37	2.97	-	36.90	6.76	33.20
PK	7.264G	63.27	74.00	-10.73	52.48	3	Vertical	37	2.97	-	37.26	6.83	33.30
AV	7.255G	52.75	54.00	-1.25	41.99	3	Vertical	37	2.97	-	37.22	6.83	33.29

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT_V_2TX
Setting 82
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.023G	109.17	Inf	-Inf	98.98	3	Horizontal	62	2.75	-	36.60	6.71	33.12
RMS	6.996G	99.48	Inf	-Inf	89.28	3	Horizontal	62	2.75	-	36.60	6.70	33.10
PK	7.126G	76.56	88.20	-11.64	66.10	3	Horizontal	62	2.75	-	36.90	6.76	33.20
RMS	7.1251G	63.85	68.20	-4.35	53.39	3	Horizontal	62	2.75	-	36.90	6.76	33.20
PK	7.264G	63.97	74.00	-10.03	53.18	3	Horizontal	62	2.75	-	37.26	6.83	33.30
AV	7.256G	53.48	54.00	-0.52	42.72	3	Horizontal	62	2.75	-	37.22	6.83	33.29

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 82
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0501G	62.17	88.20	-26.03	45.13	3	Vertical	7	1.42	-	40.80	10.64	34.40	
RMS	14.04966G	51.75	68.20	-16.45	34.72	3	Vertical	7	1.42	-	40.80	10.64	34.41	

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 82
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.049G	63.03	88.20	-25.17	46.00	3	Horizontal	45	2.88	-	40.80	10.64	34.41
RMS	14.05454G	51.69	68.20	-16.51	34.65	3	Horizontal	45	2.88	-	40.80	10.64	34.40

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 82
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07348G	58.10	83.54	-25.44	54.95	1	Vertical	76	1.50	-	38.17	14.88	49.90
AV	21.07503G	46.59	63.54	-16.95	43.44	1	Vertical	76	1.50	-	38.17	14.88	49.90

802.11ax HEW80_Nss2,(MCS0)_2TX

7025MHz_TX




EUT Y_2TX
Setting 82
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07385G	58.55	83.54	-24.99	55.40	1	Horizontal	82	1.52	-	38.17	14.88	49.90
AV	21.07678G	47.08	63.54	-16.46	43.93	1	Horizontal	82	1.52	-	38.17	14.88	49.90

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	74.24	88.20	-13.96	66.13	3	Vertical	7	2.92	-	34.81	6.10	32.80
RMS	5.9178G	60.40	68.20	-7.80	52.21	3	Vertical	7	2.92	-	34.87	6.12	32.80
PK	6.0346G	102.89	Inf	-Inf	94.19	3	Vertical	7	2.92	-	35.34	6.20	32.84
RMS	6.0282G	93.02	Inf	-Inf	84.35	3	Vertical	7	2.92	-	35.31	6.20	32.84

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9098G	80.16	88.20	-8.04	72.01	3	Horizontal	68	2.96	-	34.84	6.11	32.80	
RMS	5.9194G	67.98	68.20	-0.22	59.78	3	Horizontal	68	2.96	-	34.88	6.12	32.80	
PK	6.0282G	106.44	Inf	-Inf	97.77	3	Horizontal	68	2.96	-	35.31	6.20	32.84	
RMS	6.009G	97.32	Inf	-Inf	88.71	3	Horizontal	68	2.96	-	35.24	6.20	32.83	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.04542G	56.88	74.00	-17.12	42.82	3	Vertical	125	2.89	-	38.80	9.62	34.36	
AV	12.04968G	46.20	54.00	-7.80	32.14	3	Vertical	125	2.89	-	38.80	9.62	34.36	

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05396G	57.23	74.00	-16.77	43.15	3	Horizontal	249	2.87	-	38.80	9.63	34.35
AV	12.05354G	46.09	54.00	-7.91	32.01	3	Horizontal	249	2.87	-	38.80	9.63	34.35

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-L-K-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.07408G	56.77	83.54	-26.77	55.41	1	Vertical	82	1.49	-	37.36	14.21	50.21
AV	18.073G	45.58	63.54	-17.96	44.22	1	Vertical	82	1.49	-	37.36	14.21	50.21

802.11ax HEW160_Nss2,(MCS0)_2TX

6025MHz_TX




EUT Y_2TX
Setting 81
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07283G	56.72	83.54	-26.82	55.36	1	Horizontal	79	1.50	-	37.36	14.21	50.21
AV	18.07487G	45.67	63.54	-17.87	44.31	1	Horizontal	79	1.50	-	37.36	14.21	50.21

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	63.35	88.20	-24.85	55.15	3	Vertical	335	1.94	-	34.89	6.12	32.81	
RMS	5.9242G	52.87	68.20	-15.33	44.66	3	Vertical	335	1.94	-	34.90	6.12	32.81	
PK	6.177G	102.84	Inf	-Inf	94.12	3	Vertical	335	1.94	-	35.41	6.20	32.89	
RMS	6.1818G	93.65	Inf	-Inf	84.92	3	Vertical	335	1.94	-	35.43	6.20	32.90	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9146G	66.38	88.20	-21.82	58.21	3	Horizontal	63	2.83	-	34.86	6.11	32.80	
RMS	5.9242G	55.78	68.20	-12.42	47.57	3	Horizontal	63	2.83	-	34.90	6.12	32.81	
PK	6.1946G	109.20	Inf	-Inf	100.42	3	Horizontal	63	2.83	-	35.48	6.20	32.90	
RMS	6.169G	98.76	Inf	-Inf	90.07	3	Horizontal	63	2.83	-	35.38	6.20	32.89	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36804G	57.61	74.00	-16.39	43.33	3	Vertical	93	1.62	-	38.70	9.78	34.20
AV	12.37212G	46.36	54.00	-7.64	32.06	3	Vertical	93	1.62	-	38.70	9.79	34.19

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36844G	57.61	74.00	-16.39	43.33	3	Horizontal	206	2.51	-	38.70	9.78	34.20
AV	12.37378G	46.39	54.00	-7.61	32.09	3	Horizontal	206	2.51	-	38.70	9.79	34.19

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55312G	57.17	83.54	-26.37	55.43	1	Vertical	86	1.53	-	37.77	14.26	50.29	
AV	18.55391G	46.70	63.54	-16.84	44.95	1	Vertical	86	1.53	-	37.78	14.26	50.29	

802.11ax HEW160_Nss2,(MCS0)_2TX

6185MHz_TX




EUT Y_2TX
Setting 86
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	18.55719G	57.47	83.54	-26.07	55.72	1	Horizontal	93	1.54	-	37.78	14.26	50.29	
AV	18.55711G	46.26	63.54	-17.28	44.51	1	Horizontal	93	1.54	-	37.78	14.26	50.29	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.917G	61.81	88.20	-26.39	53.62	3	Vertical	338	1.80	-	34.87	6.12	32.80	
RMS	5.923G	51.70	68.20	-16.50	43.50	3	Vertical	338	1.80	-	34.89	6.12	32.81	
PK	6.355G	103.98	Inf	-Inf	95.18	3	Vertical	338	1.80	-	35.40	6.36	32.96	
RMS	6.363G	94.46	Inf	-Inf	85.66	3	Vertical	338	1.80	-	35.40	6.36	32.96	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.923G	62.26	88.20	-25.94	54.06	3	Horizontal	51	2.79	-	34.89	6.12	32.81	
RMS	5.919G	52.38	68.20	-15.82	44.18	3	Horizontal	51	2.79	-	34.88	6.12	32.80	
PK	6.355G	108.00	Inf	-Inf	99.20	3	Horizontal	51	2.79	-	35.40	6.36	32.96	
RMS	6.339G	98.43	Inf	-Inf	89.64	3	Horizontal	51	2.79	-	35.40	6.34	32.95	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.6856G	57.45	74.00	-16.55	42.62	3	Vertical	304	2.32	-	38.99	9.94	34.10	
AV	12.69252G	46.77	54.00	-7.23	31.93	3	Vertical	304	2.32	-	38.99	9.95	34.10	

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69198G	57.75	74.00	-16.25	42.91	3	Horizontal	185	1.75	-	38.99	9.95	34.10
AV	12.69286G	47.07	54.00	-6.93	32.23	3	Horizontal	185	1.75	-	38.99	9.95	34.10

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-L-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.0352G	57.76	83.54	-25.78	55.29	1	Vertical	80	1.51	-	38.36	14.30	50.19
AV	19.03724G	46.79	63.54	-16.75	44.32	1	Vertical	80	1.51	-	38.36	14.30	50.19

802.11ax HEW160_Nss2,(MCS0)_2TX

6345MHz_TX




EUT Y_2TX
Setting 87
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0329G	57.58	83.54	-25.96	55.11	1	Horizontal	86	1.53	-	38.36	14.30	50.19
AV	19.03658G	46.82	63.54	-16.72	44.35	1	Horizontal	86	1.53	-	38.36	14.30	50.19

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_2TX
Setting 88
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9142G	61.46	88.20	-26.74	53.29	3	Vertical	337	1.59	-	34.86	6.11	32.80
RMS	5.9226G	51.56	68.20	-16.64	43.36	3	Vertical	337	1.59	-	34.89	6.12	32.81
PK	6.5134G	104.40	Inf	-Inf	95.30	3	Vertical	337	1.59	-	35.71	6.40	33.01
RMS	6.5106G	94.67	Inf	-Inf	85.60	3	Vertical	337	1.59	-	35.68	6.40	33.01
PK	7.2022G	61.37	88.20	-26.83	50.62	3	Vertical	337	1.59	-	37.20	6.80	33.25
RMS	7.205G	51.97	68.20	-16.23	41.23	3	Vertical	337	1.59	-	37.20	6.80	33.26

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_V_2TX
Setting 88
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	62.65	88.20	-25.55	54.44	3	Horizontal	57	2.38	-	34.90	6.12	32.81
RMS	5.9142G	51.69	68.20	-16.51	43.52	3	Horizontal	57	2.38	-	34.86	6.11	32.80
PK	6.5162G	107.71	Inf	-Inf	98.59	3	Horizontal	57	2.38	-	35.73	6.40	33.01
RMS	6.5078G	97.90	Inf	-Inf	88.85	3	Horizontal	57	2.38	-	35.66	6.40	33.01
PK	7.1854G	63.00	88.20	-25.20	52.31	3	Horizontal	57	2.38	-	37.14	6.79	33.24
RMS	7.205G	52.03	68.20	-16.17	41.29	3	Horizontal	57	2.38	-	37.20	6.80	33.26

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01032G	58.47	88.20	-29.73	42.81	3	Vertical	35	1.91	-	39.60	10.11	34.05
RMS	13.01468G	48.17	68.20	-20.03	32.51	3	Vertical	35	1.91	-	39.60	10.11	34.05

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01218G	59.21	88.20	-28.99	43.55	3	Horizontal	22	1.03	-	39.60	10.11	34.05
RMS	13.0117G	48.20	68.20	-20.00	32.54	3	Horizontal	22	1.03	-	39.60	10.11	34.05

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 88
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51657G	57.49	83.54	-26.05	55.44	1	Vertical	78	1.51	-	37.79	14.35	50.09
AV	19.51315G	46.36	63.54	-17.18	44.31	1	Vertical	78	1.51	-	37.79	14.35	50.09

802.11ax HEW160_Nss2,(MCS0)_2TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_2TX
Setting 88
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51252G	57.32	83.54	-26.22	55.27	1	Horizontal	90	1.51	-	37.79	14.35	50.09
AV	19.51424G	46.35	63.54	-17.19	44.30	1	Horizontal	90	1.51	-	37.79	14.35	50.09

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6452G	102.53	Inf	-Inf	93.14	3	Vertical	349	3.00	-	36.01	6.42	33.04	
RMS	6.6408G	93.87	Inf	-Inf	84.47	3	Vertical	349	3.00	-	36.02	6.42	33.04	
PK	7.193G	61.72	88.20	-26.48	51.00	3	Vertical	349	3.00	-	37.17	6.80	33.25	
RMS	7.215G	52.22	68.20	-15.98	41.47	3	Vertical	349	3.00	-	37.20	6.81	33.26	

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6474G	107.51	Inf	-Inf	98.12	3	Horizontal	49	2.72	-	36.01	6.42	33.04	
RMS	6.6386G	97.88	Inf	-Inf	88.47	3	Horizontal	49	2.72	-	36.02	6.42	33.03	
PK	7.1754G	62.90	88.20	-25.30	52.24	3	Horizontal	49	2.72	-	37.10	6.79	33.23	
RMS	7.215G	52.52	68.20	-15.68	41.77	3	Horizontal	49	2.72	-	37.20	6.81	33.26	

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33358G	59.64	74.00	-14.36	43.40	3	Vertical	125	1.82	-	40.00	10.27	34.03
AV	13.33384G	48.97	54.00	-5.03	32.73	3	Vertical	125	1.82	-	40.00	10.27	34.03

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32726G	59.92	74.00	-14.08	43.69	3	Horizontal	231	2.30	-	40.00	10.26	34.03
AV	13.3326G	49.26	54.00	-4.74	33.02	3	Horizontal	231	2.30	-	40.00	10.27	34.03

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99682G	56.83	83.54	-26.71	54.93	1	Vertical	82	1.51	-	37.40	14.40	49.90
AV	19.99502G	45.45	63.54	-18.09	43.55	1	Vertical	82	1.51	-	37.40	14.40	49.90

802.11ax HEW160_Nss2,(MCS0)_2TX

6665MHz_TX




EUT Y_2TX
Setting 88
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99726G	56.33	83.54	-27.21	54.43	1	Horizontal	90	1.52	-	37.40	14.40	49.90
AV	19.99644G	46.09	63.54	-17.45	44.19	1	Horizontal	90	1.52	-	37.40	14.40	49.90

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8274G	105.96	Inf	-Inf	96.00	3	Vertical	337	1.82	-	36.50	6.53	33.07	
RMS	6.8538G	95.80	Inf	-Inf	85.82	3	Vertical	337	1.82	-	36.50	6.55	33.07	
PK	7.1538G	64.83	88.20	-23.37	54.25	3	Vertical	337	1.82	-	37.02	6.78	33.22	
RMS	7.1274G	54.41	68.20	-13.79	43.94	3	Vertical	337	1.82	-	36.91	6.76	33.20	
PK	7.2594G	59.96	74.00	-14.04	49.19	3	Vertical	337	1.82	-	37.24	6.83	33.30	
AV	7.25G	50.09	54.00	-3.91	39.35	3	Vertical	337	1.82	-	37.20	6.83	33.29	

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.897G	107.49	Inf	-Inf	97.47	3	Horizontal	26	1.77	-	36.50	6.60	33.08
RMS	6.8418G	97.86	Inf	-Inf	87.89	3	Horizontal	26	1.77	-	36.50	6.54	33.07
PK	7.1322G	69.54	88.20	-18.66	59.04	3	Horizontal	26	1.77	-	36.93	6.77	33.20
RMS	7.137G	59.45	68.20	-8.75	48.93	3	Horizontal	26	1.77	-	36.95	6.77	33.20
PK	7.2594G	64.34	74.00	-9.66	53.57	3	Horizontal	26	1.77	-	37.24	6.83	33.30
AV	7.25G	53.69	54.00	-0.31	42.95	3	Horizontal	26	1.77	-	37.20	6.83	33.29

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.654G	61.44	88.20	-26.76	44.91	3	Vertical	58	2.64	-	40.25	10.43	34.15
RMS	13.6499G	50.96	68.20	-17.24	34.43	3	Vertical	58	2.64	-	40.25	10.42	34.14

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.65374G	61.29	88.20	-26.91	44.76	3	Horizontal	41	1.12	-	40.25	10.43	34.15	
RMS	13.65248G	50.73	68.20	-17.47	34.20	3	Horizontal	41	1.12	-	40.25	10.43	34.15	

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47456G	58.07	83.54	-25.47	55.77	1	Vertical	90	1.52	-	37.68	14.61	49.99
AV	20.47445G	46.87	63.54	-16.67	44.57	1	Vertical	90	1.52	-	37.68	14.61	49.99

802.11ax HEW160_Nss2,(MCS0)_2TX

6825MHz Straddle 6.525-6.875GHz_TX




EUT Y_2TX
Setting 84
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47255G	57.74	83.54	-25.80	55.44	1	Horizontal	94	1.51	-	37.68	14.61	49.99
AV	20.47512G	46.85	63.54	-16.69	44.55	1	Horizontal	94	1.51	-	37.69	14.61	50.00

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	104.49	Inf	-Inf	94.30	3	Vertical	28	1.85	-	36.60	6.69	33.10
RMS	6.9562G	95.14	Inf	-Inf	84.97	3	Vertical	28	1.85	-	36.60	6.66	33.09
PK	7.1402G	78.50	88.20	-9.70	67.98	3	Vertical	28	1.85	-	36.96	6.77	33.21
RMS	7.1274G	63.80	68.20	-4.40	53.33	3	Vertical	28	1.85	-	36.91	6.76	33.20
PK	7.281G	65.76	74.00	-8.24	54.91	3	Vertical	28	1.85	-	37.32	6.84	33.31
AV	7.25G	52.54	54.00	-1.46	41.80	3	Vertical	28	1.85	-	37.20	6.83	33.29

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT Y_2TX
Setting 80
04-R-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	104.92	Inf	-Inf	94.73	3	Horizontal	30	2.75	-	36.60	6.69	33.10
RMS	6.9594G	95.70	Inf	-Inf	85.53	3	Horizontal	30	2.75	-	36.60	6.66	33.09
PK	7.1402G	79.72	88.20	-8.48	69.20	3	Horizontal	30	2.75	-	36.96	6.77	33.21
RMS	7.1306G	64.60	68.20	-3.60	54.11	3	Horizontal	30	2.75	-	36.92	6.77	33.20
PK	7.281G	65.73	74.00	-8.27	54.88	3	Horizontal	30	2.75	-	37.32	6.84	33.31
AV	7.25G	53.13	54.00	-0.87	42.39	3	Horizontal	30	2.75	-	37.20	6.83	33.29

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97012G	62.32	88.20	-25.88	45.40	3	Vertical	12	1.84	-	40.74	10.59	34.41
RMS	13.96524G	50.91	68.20	-17.29	34.00	3	Vertical	12	1.84	-	40.73	10.58	34.40

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT Y_2TX
Setting 80
04-D-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96746G	62.52	88.20	-25.68	45.61	3	Horizontal	97	2.16	-	40.73	10.58	34.40
RMS	13.96938G	51.05	68.20	-17.15	34.13	3	Horizontal	97	2.16	-	40.74	10.58	34.40

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX




EUT Y_2TX
Setting 80
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95484G	59.70	83.54	-23.84	56.63	1	Vertical	107	1.52	-	38.15	14.83	49.91
AV	20.95468G	48.50	63.54	-15.04	45.43	1	Vertical	107	1.52	-	38.15	14.83	49.91

802.11ax HEW160_Nss2,(MCS0)_2TX

6985MHz_TX



EUT Y_2TX
Setting 80
04-L-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.953G	59.25	83.54	-24.29	56.18	1	Horizontal	101	1.50	-	38.15	14.83	49.91
AV	20.95495G	48.35	63.54	-15.19	45.28	1	Horizontal	101	1.50	-	38.15	14.83	49.91


For Scanning radio 3 / 1T1S

802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

5955MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6175MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6415MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6435MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6475MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6515MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6535MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6695MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6855MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6895MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

6995MHz_TnomVnom

25/10/2021




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6165MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6405MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6685MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6845MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

25/10/2021




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

5985MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6145MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6385MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6465MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6705MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6785MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

7025MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6025MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

26/10/2021




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

25/10/2021




For 2T1S beamforming mode

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

5955MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6175MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6415MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6435MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6475MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6515MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6535MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6695MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6855MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6875MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6895MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

6995MHz_TnomVnom

25/10/2021




802.11ax HEW20-BF_Nss1,(MCS0)_2TX

MASK

7095MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

5965MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6165MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6405MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6445MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6485MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6525MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6565MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6685MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6845MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6885MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

6925MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7005MHz_TnomVnom

25/10/2021




802.11ax HEW40-BF_Nss1,(MCS0)_2TX

MASK

7085MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

5985MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6145MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6385MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6465MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6545MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6625MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6705MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6785MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6865MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

6945MHz_TnomVnom

25/10/2021




802.11ax HEW80-BF_Nss1,(MCS0)_2TX

MASK

7025MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6025MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6185MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6345MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6505MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6665MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6825MHz_TnomVnom

25/10/2021




802.11ax HEW160-BF_Nss1,(MCS0)_2TX

MASK

6985MHz_TnomVnom

25/10/2021




For 2T2S

802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

5955MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6175MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6415MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6435MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6475MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6515MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6535MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6695MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6855MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6895MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

6995MHz_TnomVnom

26/10/2021




802.11ax HEW20_Nss2,(MCS0)_2TX

MASK

7095MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

5965MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6165MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6405MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6445MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6485MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6565MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6685MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6845MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

6925MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7005MHz_TnomVnom

26/10/2021




802.11ax HEW40_Nss2,(MCS0)_2TX

MASK

7085MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

5985MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6145MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6385MHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6465MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

25/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6625MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6705MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6785MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

6945MHz_TnomVnom

26/10/2021




802.11ax HEW80_Nss2,(MCS0)_2TX

MASK

7025MHz_TnomVnom

26/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6025MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6185MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6345MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6665MHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

25/10/2021




802.11ax HEW160_Nss2,(MCS0)_2TX

MASK

6985MHz_TnomVnom

25/10/2021



Contention Based protocol 802.11ax HEW20										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	45	20	6175	Center	6175	-57.66	10	100	90	PASS
6	105	20	6475	Center	6475	-57.44	10	100	90	PASS
7	149	20	6695	Center	6695	-57.44	10	100	90	PASS
8	209	20	6995	Center	6995	-57.50	10	100	90	PASS

Contention Based protocol 802.11ax HEW160										
UNII Band	Test Channel	Bandwidth (MHz)	Freq. (MHz)	Interference Frequency (MHz)		Threshold level of AWGN interference (dBm)	Number of AWGN Detected (out of 10 times)	AWGN Detection Probability (%)	Limit Probability (%)	Test Result
5	47	160	6185	Low edge	6110	-57.66	9	90	90	PASS
				Center	6185	-57.66	10	100	90	PASS
				High edge	6260	-57.66	9	90	90	PASS
6	111	160	6505	Low edge	6430	-57.44	9	90	90	PASS
				Center	6505	-57.44	9	90	90	PASS
				High edge	6580	-57.44	9	90	90	PASS
7	143	160	6665	Low edge	6590	-57.44	9	90	90	PASS
				Center	6665	-57.44	10	100	90	PASS
				High edge	6740	-57.44	9	90	90	PASS
8	207	160	6985	Low edge	6910	-57.50	9	90	90	PASS
				Center	6985	-57.50	9	90	90	PASS
				High edge	7060	-57.50	9	90	90	PASS

Note 1: UNII 5 AWGN Level = -62 dBm + Min.Gain(4.34 dBi) = -57.66 dBm.

Note 2: UNII 6 AWGN Level = -62 dBm + Min.Gain(4.56 dBi) = -57.44 dBm.


Note 3: UNII 7 AWGN Level = -62 dBm + Min.Gain(4.56 dBi) = -57.44 dBm.

Note 4: UNII 8 AWGN Level = -62 dBm + Min.Gain(4.50 dBi) = -57.50 dBm.


Incumbent signal (AWGN) Plot

Bandwidth: 20MHz


Frequency (MHz): 6175 MHz




Frequency (MHz): 6475 MHz



Frequency (MHz): 6695 MHz




Frequency (MHz): 6995 MHz




Bandwidth: 160MHz

Frequency (MHz): 6110 MHz




Date: 30.AUG.2021 11:06:04

Frequency (MHz): 6185 MHz




Date: 30.AUG.2021 11:05:21

Frequency (MHz): 6260 MHz



Date: 30.AUG.2021 11:04:42

Frequency (MHz): 6430 MHz



Date: 30.AUG.2021 11:03:51