



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_2TX	8.97
802.11ac VHT20_Nss2,(MCS0)_2TX	11.62
802.11ac VHT40_Nss2,(MCS0)_2TX	5.99
802.11ac VHT80_Nss2,(MCS0)_2TX	-0.57
802.11ax HEW20_Nss2,(MCS0)_2TX	11.53
802.11ax HEW40_Nss2,(MCS0)_2TX	5.91
802.11ax HEW80_Nss2,(MCS0)_2TX	-0.71
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	9.35
802.11ac VHT20_Nss2,(MCS0)_2TX	8.96
802.11ac VHT40_Nss2,(MCS0)_2TX	6.37
802.11ac VHT80_Nss2,(MCS0)_2TX	0.03
802.11ax HEW20_Nss2,(MCS0)_2TX	8.80
802.11ax HEW40_Nss2,(MCS0)_2TX	6.31
802.11ax HEW80_Nss2,(MCS0)_2TX	0.04




RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5180MHz	Pass	13.71	3.20	2.89	5.95	9.29
5200MHz	Pass	13.71	6.11	5.59	8.84	9.29
5240MHz	Pass	13.71	6.24	5.78	8.97	9.29
5745MHz	Pass	13.71	5.13	4.60	7.80	22.29
5785MHz	Pass	13.71	5.82	5.59	8.63	22.29
5825MHz	Pass	13.71	6.84	6.00	9.35	22.29
802.11ac VHT20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	10.70	3.87	3.53	6.63	12.30
5200MHz	Pass	10.70	7.95	7.43	10.65	12.30
5240MHz	Pass	10.70	8.93	8.51	11.62	12.30
5745MHz	Pass	10.70	4.75	4.20	7.46	25.30
5785MHz	Pass	10.70	5.37	4.85	8.05	25.30
5825MHz	Pass	10.70	6.26	5.83	8.96	25.30
802.11ac VHT40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	10.70	-1.60	-1.98	1.12	12.30
5230MHz	Pass	10.70	3.22	2.92	5.99	12.30
5755MHz	Pass	10.70	3.46	2.85	6.05	25.30
5795MHz	Pass	10.70	3.76	3.15	6.37	25.30
802.11ac VHT80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	10.70	-3.28	-3.50	-0.57	12.30
5775MHz	Pass	10.70	-2.78	-2.66	0.03	25.30
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	10.70	3.73	3.31	6.44	12.30
5200MHz	Pass	10.70	7.69	7.34	10.48	12.30
5240MHz	Pass	10.70	8.71	8.42	11.53	12.30
5745MHz	Pass	10.70	4.70	4.23	7.39	25.30
5785MHz	Pass	10.70	5.11	4.69	7.80	25.30
5825MHz	Pass	10.70	6.16	5.53	8.80	25.30
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	10.70	-1.77	-2.05	0.99	12.30
5230MHz	Pass	10.70	3.08	2.86	5.91	12.30
5755MHz	Pass	10.70	3.15	2.70	5.79	25.30
5795MHz	Pass	10.70	3.56	3.15	6.31	25.30
802.11ax HEW80_Nss2,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	10.70	-3.33	-4.04	-0.71	12.30
5775MHz	Pass	10.70	-2.89	-2.99	0.04	25.30




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;












802.11ac VHT40_Nss2,(MCS0)_2TX

PSD

5795MHz

13/10/2019

CF
5.795GHz
Span
60MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.37	6.37	3.76	3.15


802.11ac VHT80_Nss2,(MCS0)_2TX

PSD

5210MHz

13/10/2019

CF
5.21GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.57	-0.57	-3.28	-3.50


802.11ac VHT80_Nss2,(MCS0)_2TX

PSD

5775MHz




13/10/2019




CF
5.775GHz
Span
120MHz
RBW
500kHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS









Sum
Port 1
Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	-2.78	-2.66











Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	8.54
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	5.69
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-0.34
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	8.50
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	5.67
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-0.21
5.725-5.85GHz	-
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	7.39
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	4.59
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	1.66
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	7.23
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	4.49
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	1.86

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;









Result




Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11ac VHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	13.71	4.55	5.24	7.87	9.29
5200MHz	Pass	13.71	5.26	5.78	8.49	9.29
5240MHz	Pass	13.71	5.18	5.87	8.54	9.29
5745MHz	Pass	13.71	3.70	4.87	7.27	22.29
5785MHz	Pass	13.71	3.98	5.08	7.39	22.29
5825MHz	Pass	13.71	3.65	4.52	7.05	22.29
802.11ac VHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	13.71	-0.71	-0.38	2.44	9.29
5230MHz	Pass	13.71	2.52	2.94	5.69	9.29
5755MHz	Pass	13.71	1.01	1.74	4.36	22.29
5795MHz	Pass	13.71	1.21	1.95	4.59	22.29
802.11ac VHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	13.71	-3.87	-2.88	-0.34	9.29
5775MHz	Pass	13.71	-1.77	-0.91	1.66	22.29
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5180MHz	Pass	13.71	4.52	5.03	7.78	9.29
5200MHz	Pass	13.71	5.28	5.72	8.48	9.29
5240MHz	Pass	13.71	5.16	5.81	8.50	9.29
5745MHz	Pass	13.71	3.56	4.71	7.11	22.29
5785MHz	Pass	13.71	3.81	4.73	7.23	22.29
5825MHz	Pass	13.71	3.63	4.46	7.01	22.29
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5190MHz	Pass	13.71	-0.61	-0.32	2.50	9.29
5230MHz	Pass	13.71	2.48	2.86	5.67	9.29
5755MHz	Pass	13.71	1.04	1.79	4.36	22.29
5795MHz	Pass	13.71	1.16	1.88	4.49	22.29
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5210MHz	Pass	13.71	-3.60	-2.62	-0.21	9.29
5775MHz	Pass	13.71	-1.49	-0.65	1.86	22.29




DG = Directional Gain; RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X power density;



















802.11ax HEW40-BF_Nss1,(MCS0)_2TX




5755MHz

PSD

14/10/2019

CF	5.755GHz
Span	60MHz
RBW	500kHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.36	4.36	1.04	1.79






Radiated Emission below 1GHz Result

Appendix E.1

Test Mode	Mode 22	Frequency Range	30 MHz to 1,000 MHz
------------------	---------	------------------------	---------------------


Vertical 30 MHz to 1,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	37.76	37.41	40.00	-2.59	47.05	0.80	21.06	31.50	100	1 QP	VERTICAL
2	82.38	30.15	40.00	-9.85	47.11	1.14	13.76	31.86	150	153 Peak	VERTICAL
3	117.30	30.53	43.50	-12.97	42.33	1.40	18.58	31.78	100	179 Peak	VERTICAL
4	187.14	35.81	43.50	-7.69	50.56	1.72	15.50	31.97	100	1 Peak	VERTICAL
5	212.36	34.33	43.50	-9.17	48.08	1.81	16.40	31.96	100	47 Peak	VERTICAL
6	299.66	33.50	46.00	-12.50	43.59	2.21	19.78	32.08	200	0 Peak	VERTICAL



Horizontal 30 MHz to 1,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	30.97	27.71	40.00	-12.29	33.47	0.69	25.11	31.56	150	246 Peak	HORIZONTAL
2	81.41	30.82	40.00	-9.18	47.94	1.15	13.59	31.86	200	101 Peak	HORIZONTAL
3	130.88	34.29	43.50	-9.21	46.34	1.47	18.43	31.95	300	168 Peak	HORIZONTAL
4	184.23	39.13	43.50	-4.37	53.89	1.72	15.50	31.98	150	17 QP	HORIZONTAL
5	211.39	37.74	43.50	-5.76	51.49	1.81	16.40	31.96	150	40 Peak	HORIZONTAL
6	291.90	38.47	46.00	-7.53	48.71	2.19	19.64	32.07	100	30 Peak	HORIZONTAL




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	53.11	54.00	-0.89	7.94	3	Horizontal	308	1.93	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.44	54.00	-0.56	7.94	3	Horizontal	289	1.96	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.1496G	53.38	54.00	-0.62	7.94	3	Horizontal	298	1.94	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.1476G	53.10	54.00	-0.90	7.94	3	Horizontal	310	1.91	-
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.922G	69.01	70.42	-1.41	8.92	3	Horizontal	121	1.65	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.924G	68.38	68.94	-0.56	8.92	3	Horizontal	127	1.65	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.648G	67.49	68.20	-0.71	8.67	3	Horizontal	291	1.77	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.65G	67.54	68.20	-0.66	8.66	3	Horizontal	340	1.67	-

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	63.20	74.00	-10.80	7.94	3	Vertical	13	2.93	-	55.26
AV	5.1492G	47.15	54.00	-6.85	7.94	3	Vertical	13	2.93	-	39.21
PK	5.1816G	106.20	Inf	-Inf	8.02	3	Vertical	13	2.93	-	98.18
AV	5.1772G	96.27	Inf	-Inf	8.01	3	Vertical	13	2.93	-	88.26

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	71.96	74.00	-2.04	7.94	3	Horizontal	308	1.93	-	64.02
AV	5.1498G	53.11	54.00	-0.89	7.94	3	Horizontal	308	1.93	-	45.17
PK	5.1814G	113.07	Inf	-Inf	8.02	3	Horizontal	308	1.93	-	105.05
AV	5.1818G	102.83	Inf	-Inf	8.02	3	Horizontal	308	1.93	-	94.81

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54258G	55.13	74.00	-18.87	16.07	3	Vertical	355	1.50	-	39.06
AV	15.53652G	41.48	54.00	-12.52	16.08	3	Vertical	355	1.50	-	25.40

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54966G	56.18	74.00	-17.82	16.05	3	Horizontal	294	2.44	-	40.13
AV	15.52938G	43.55	54.00	-10.45	16.09	3	Horizontal	294	2.44	-	27.46

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
Setting 105
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.61	74.00	-12.39	7.94	3	Vertical	13	1.41	-	53.67
AV	5.15G	47.13	54.00	-6.87	7.94	3	Vertical	13	1.41	-	39.19
PK	5.2016G	110.70	Inf	-Inf	8.06	3	Vertical	13	1.41	-	102.64
AV	5.198G	100.90	Inf	-Inf	8.06	3	Vertical	13	1.41	-	92.84

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
 Setting 105
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	70.18	74.00	-3.82	7.94	3	Horizontal	296	1.84	-	62.24
AV	5.15G	53.11	54.00	-0.89	7.94	3	Horizontal	296	1.84	-	45.17
PK	5.2024G	116.42	Inf	-Inf	8.06	3	Horizontal	296	1.84	-	108.36
AV	5.202G	106.34	Inf	-Inf	8.06	3	Horizontal	296	1.84	-	98.28

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
 Setting 105
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40048G	56.72	68.20	-11.48	14.64	3	Vertical	355	1.01	-	42.08
PK	15.60432G	58.16	74.00	-15.84	15.90	3	Vertical	317	2.38	-	42.26
AV	15.59994G	44.38	54.00	-9.62	15.91	3	Vertical	317	2.38	-	28.47

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
 Setting 105
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39502G	60.14	68.20	-8.06	14.63	3	Horizontal	6	1.45	-	45.51
PK	15.60354G	57.98	74.00	-16.02	15.90	3	Horizontal	349	1.29	-	42.08
AV	15.60138G	44.62	54.00	-9.38	15.91	3	Horizontal	349	1.29	-	28.71

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1236G	59.52	74.00	-14.48	7.89	3	Vertical	14	1.75	-	51.63
AV	5.129G	46.00	54.00	-8.00	7.91	3	Vertical	14	1.75	-	38.09
PK	5.2448G	112.05	Inf	-Inf	8.12	3	Vertical	14	1.75	-	103.93
AV	5.2424G	101.87	Inf	-Inf	8.12	3	Vertical	14	1.75	-	93.75
PK	5.3642G	57.55	74.00	-16.45	8.29	3	Vertical	14	1.75	-	49.26
AV	5.3504G	45.78	54.00	-8.22	8.28	3	Vertical	14	1.75	-	37.50

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	65.09	74.00	-8.91	7.94	3	Horizontal	301	1.83	-	57.15
AV	5.1362G	48.50	54.00	-5.50	7.92	3	Horizontal	301	1.83	-	40.58
PK	5.2448G	117.87	Inf	-Inf	8.12	3	Horizontal	301	1.83	-	109.75
AV	5.2382G	107.69	Inf	-Inf	8.12	3	Horizontal	301	1.83	-	99.57
PK	5.3558G	59.35	74.00	-14.65	8.28	3	Horizontal	301	1.83	-	51.07
AV	5.35G	47.25	54.00	-6.75	8.28	3	Horizontal	301	1.83	-	38.97

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
 Setting 115
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4776G	57.40	68.20	-10.80	14.59	3	Vertical	348	2.89	-	42.81
PK	15.72396G	62.03	74.00	-11.97	15.59	3	Vertical	34	1.32	-	46.44
AV	15.72048G	47.79	54.00	-6.21	15.60	3	Vertical	34	1.32	-	32.19

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
 Setting 115
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47766G	61.17	68.20	-7.03	14.59	3	Horizontal	4	1.55	-	46.58
PK	15.72396G	61.34	74.00	-12.66	15.59	3	Horizontal	342	1.56	-	45.75
AV	15.72028G	47.55	54.00	-6.45	15.60	3	Horizontal	342	1.56	-	31.95

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5745MHz_TX



EUT Y_1TX
Setting 116
02-L-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	60.87	68.20	-7.33	8.66	3	Vertical	323	2.28	-	52.21
PK	5.75G	110.49	Inf	-Inf	8.83	3	Vertical	323	2.28	-	101.66
AV	5.747G	99.69	Inf	-Inf	8.82	3	Vertical	323	2.28	-	90.87
PK	5.944G	58.94	68.20	-9.26	8.94	3	Vertical	323	2.28	-	50.00



802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5745MHz_TX




EUT Y_1TX
Setting 116
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.48	68.20	-3.72	8.66	3	Horizontal	121	1.71	-	55.82
PK	5.744G	117.94	Inf	-Inf	8.82	3	Horizontal	121	1.71	-	109.12
AV	5.748G	107.62	Inf	-Inf	8.82	3	Horizontal	121	1.71	-	98.80
PK	5.98G	58.93	68.20	-9.27	8.94	3	Horizontal	121	1.71	-	49.99

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
 Setting 116
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4876G	57.01	74.00	-16.99	14.89	3	Vertical	134	1.68	-	42.12
AV	11.49056G	43.27	54.00	-10.73	14.89	3	Vertical	134	1.68	-	28.38
PK	17.23568G	59.16	68.20	-9.04	20.72	3	Vertical	358	2.12	-	38.44

802.11a_Nss1,(6Mbps)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
 Setting 116
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4908G	59.47	74.00	-14.53	14.89	3	Horizontal	279	1.50	-	44.58
AV	11.48072G	40.12	54.00	-13.88	14.87	3	Horizontal	279	1.50	-	25.25
PK	17.22664G	60.96	68.20	-7.24	20.66	3	Horizontal	322	2.54	-	40.30

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5785MHz_TX




EUT Y_1TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	59.17	68.20	-9.03	8.66	3	Vertical	150	2.31	-	50.51
PK	5.784G	111.23	Inf	-Inf	8.88	3	Vertical	150	2.31	-	102.35
AV	5.783G	100.47	Inf	-Inf	8.88	3	Vertical	150	2.31	-	91.59
PK	5.943G	58.85	68.20	-9.35	8.94	3	Vertical	150	2.31	-	49.91

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5785MHz_TX




EUT Y_1TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	65.49	68.20	-2.71	8.67	3	Horizontal	124	1.66	-	56.82
PK	5.786G	118.81	Inf	-Inf	8.88	3	Horizontal	124	1.66	-	109.93
AV	5.787G	108.08	Inf	-Inf	8.88	3	Horizontal	124	1.66	-	99.20
PK	5.926G	60.56	68.20	-7.64	8.93	3	Horizontal	124	1.66	-	51.63

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5785MHz_TX




EUT Y_1TX
 Setting 120
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5712G	56.40	74.00	-17.60	15.00	3	Vertical	319	1.40	-	41.40
AV	11.56996G	43.18	54.00	-10.82	15.00	3	Vertical	319	1.40	-	28.18

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5785MHz_TX



EUT Y_1TX
Setting 120
02-G-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56764G	60.69	74.00	-13.31	14.99	3	Horizontal	289	1.50	-	45.70
AV	11.57072G	46.69	54.00	-7.31	15.00	3	Horizontal	289	1.50	-	31.69



802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
 Setting 120
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	58.24	68.20	-9.96	8.67	3	Vertical	102	1.83	-	49.57
PK	5.824G	107.82	Inf	-Inf	8.90	3	Vertical	102	1.83	-	98.92
AV	5.828G	97.00	Inf	-Inf	8.91	3	Vertical	102	1.83	-	88.09
PK	5.936G	59.15	68.20	-9.05	8.93	3	Vertical	102	1.83	-	50.22

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.37	68.20	-6.83	8.66	3	Horizontal	121	1.65	-	52.71
PK	5.819G	118.50	Inf	-Inf	8.90	3	Horizontal	121	1.65	-	109.60
AV	5.827G	107.63	Inf	-Inf	8.91	3	Horizontal	121	1.65	-	98.72
PK	5.922G	69.01	70.42	-1.41	8.92	3	Horizontal	121	1.65	-	60.09

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
 Setting 120
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6422G	54.85	74.00	-19.15	15.08	3	Vertical	124	1.94	-	39.77
AV	11.64956G	41.20	54.00	-12.80	15.09	3	Vertical	124	1.94	-	26.11

802.11a_Nss1,(6Mbps)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
 Setting 120
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65084G	54.50	74.00	-19.50	15.09	3	Horizontal	276	1.72	-	39.41
AV	11.64988G	47.29	54.00	-6.71	15.09	3	Horizontal	276	1.72	-	32.20

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 82
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	62.28	74.00	-11.72	7.94	3	Vertical	12	2.93	-	54.34
AV	5.15G	47.26	54.00	-6.74	7.94	3	Vertical	12	2.93	-	39.32
PK	5.1768G	108.53	Inf	-Inf	8.01	3	Vertical	12	2.93	-	100.52
AV	5.1782G	94.04	Inf	-Inf	8.02	3	Vertical	12	2.93	-	86.02

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 82
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	71.05	74.00	-2.95	7.94	3	Horizontal	289	1.96	-	63.11
AV	5.15G	53.44	54.00	-0.56	7.94	3	Horizontal	289	1.96	-	45.50
PK	5.1768G	114.73	Inf	-Inf	8.01	3	Horizontal	289	1.96	-	106.72
AV	5.1828G	100.19	Inf	-Inf	8.02	3	Horizontal	289	1.96	-	92.17

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 82
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53436G	55.93	74.00	-18.07	16.09	3	Vertical	10	1.71	-	39.84
AV	15.5352G	41.24	54.00	-12.76	16.09	3	Vertical	10	1.71	-	25.15

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5180MHz_TX




EUT Y_1TX
Setting 82
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54282G	55.69	74.00	-18.31	16.07	3	Horizontal	139	1.00	-	39.62
AV	15.53516G	41.21	54.00	-12.79	16.09	3	Horizontal	139	1.00	-	25.12

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
Setting 101
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	62.65	74.00	-11.35	7.94	3	Vertical	16	1.41	-	54.71
AV	5.15G	47.89	54.00	-6.11	7.94	3	Vertical	16	1.41	-	39.95
PK	5.1968G	113.28	Inf	-Inf	8.06	3	Vertical	16	1.41	-	105.22
AV	5.1984G	98.48	Inf	-Inf	8.06	3	Vertical	16	1.41	-	90.42

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
Setting 101
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	68.54	74.00	-5.46	7.94	3	Horizontal	311	1.94	-	60.60
AV	5.15G	53.03	54.00	-0.97	7.94	3	Horizontal	311	1.94	-	45.09
PK	5.1972G	117.90	Inf	-Inf	8.06	3	Horizontal	311	1.94	-	109.84
AV	5.1984G	103.51	Inf	-Inf	8.06	3	Horizontal	311	1.94	-	95.45

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
Setting 101
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59756G	56.61	74.00	-17.39	15.92	3	Vertical	235	2.30	-	40.69
AV	15.6021G	42.31	54.00	-11.69	15.90	3	Vertical	235	2.30	-	26.41

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5200MHz_TX




EUT Y_1TX
Setting 101
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59562G	56.77	74.00	-17.23	15.92	3	Horizontal	273	1.08	-	40.85
AV	15.5998G	42.26	54.00	-11.74	15.91	3	Horizontal	273	1.08	-	26.35

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	60.44	74.00	-13.56	7.94	3	Vertical	14	1.76	-	52.50
AV	5.1496G	45.87	54.00	-8.13	7.94	3	Vertical	14	1.76	-	37.93
PK	5.2368G	113.66	Inf	-Inf	8.11	3	Vertical	14	1.76	-	105.55
AV	5.2432G	99.76	Inf	-Inf	8.12	3	Vertical	14	1.76	-	91.64
PK	5.3528G	58.87	74.00	-15.13	8.28	3	Vertical	14	1.76	-	50.59
AV	5.35G	45.61	54.00	-8.39	8.28	3	Vertical	14	1.76	-	37.33

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.96	74.00	-7.04	7.94	3	Horizontal	296	1.85	-	59.02
AV	5.1496G	48.87	54.00	-5.13	7.94	3	Horizontal	296	1.85	-	40.93
PK	5.2368G	119.78	Inf	-Inf	8.11	3	Horizontal	296	1.85	-	111.67
AV	5.2384G	105.09	Inf	-Inf	8.12	3	Horizontal	296	1.85	-	96.97
PK	5.352G	61.27	74.00	-12.73	8.28	3	Horizontal	296	1.85	-	52.99
AV	5.352G	46.89	54.00	-7.11	8.28	3	Horizontal	296	1.85	-	38.61

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71956G	57.64	74.00	-16.36	15.60	3	Vertical	341	2.68	-	42.04
AV	15.7194G	43.21	54.00	-10.79	15.60	3	Vertical	341	2.68	-	27.61

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5240MHz_TX




EUT Y_1TX
Setting 115
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72376G	57.28	74.00	-16.72	15.59	3	Horizontal	191	1.50	-	41.69
AV	15.72088G	43.18	54.00	-10.82	15.60	3	Horizontal	191	1.50	-	27.58

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
Setting 116
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	59.57	68.20	-8.63	8.63	3	Vertical	144	2.46	-	50.94
PK	5.749G	110.80	Inf	-Inf	8.82	3	Vertical	144	2.46	-	101.98
AV	5.748G	98.02	Inf	-Inf	8.82	3	Vertical	144	2.46	-	89.20
PK	5.944G	58.97	68.20	-9.23	8.94	3	Vertical	144	2.46	-	50.03

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
Setting 116
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	65.31	68.20	-2.89	8.67	3	Horizontal	289	1.69	-	56.64
PK	5.742G	117.95	Inf	-Inf	8.81	3	Horizontal	289	1.69	-	109.14
AV	5.748G	104.00	Inf	-Inf	8.82	3	Horizontal	289	1.69	-	95.18
PK	5.977G	59.33	68.20	-8.87	8.94	3	Horizontal	289	1.69	-	50.39

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
Setting 116
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4919G	54.02	74.00	-19.98	14.89	3	Vertical	59	2.00	-	39.13
AV	11.49162G	39.60	54.00	-14.40	14.89	3	Vertical	59	2.00	-	24.71

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5745MHz_TX




EUT Y_1TX
Setting 116
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48658G	58.46	74.00	-15.54	14.89	3	Horizontal	298	1.51	-	43.57
AV	11.4899G	44.76	54.00	-9.24	14.89	3	Horizontal	298	1.51	-	29.87

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5785MHz_TX




EUT Y_1TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.609G	59.20	68.20	-9.00	8.60	3	Vertical	138	2.29	-	50.60
PK	5.782G	112.23	Inf	-Inf	8.88	3	Vertical	138	2.29	-	103.35
AV	5.781G	97.87	Inf	-Inf	8.88	3	Vertical	138	2.29	-	88.99
PK	5.95G	59.12	68.20	-9.08	8.93	3	Vertical	138	2.29	-	50.19

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5785MHz_TX




EUT Y_1TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	64.54	68.20	-3.66	8.67	3	Horizontal	129	1.68	-	55.87
PK	5.782G	120.63	Inf	-Inf	8.88	3	Horizontal	129	1.68	-	111.75
AV	5.786G	106.02	Inf	-Inf	8.88	3	Horizontal	129	1.68	-	97.14
PK	5.943G	62.80	68.20	-5.40	8.94	3	Horizontal	129	1.68	-	53.86

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5785MHz_TX




EUT Y_1TX
Setting 116
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56824G	54.24	74.00	-19.76	14.99	3	Vertical	84	2.42	-	39.25
AV	11.56964G	39.80	54.00	-14.20	15.00	3	Vertical	84	2.42	-	24.80

802.11ax HEW20_Nss1,(MCS0)_1TX

26/09/2019

5785MHz_TX




EUT Y_1TX
Setting 116
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5692G	59.32	74.00	-14.68	15.00	3	Horizontal	332	2.29	-	44.32
AV	11.56966G	44.77	54.00	-9.23	15.00	3	Horizontal	332	2.29	-	29.77

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
Setting 118
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.613G	59.54	68.20	-8.66	8.61	3	Vertical	115	1.91	-	50.93
PK	5.822G	108.20	Inf	-Inf	8.90	3	Vertical	115	1.91	-	99.30
AV	5.83G	94.79	Inf	-Inf	8.91	3	Vertical	115	1.91	-	85.88
PK	5.98G	58.76	68.20	-9.44	8.94	3	Vertical	115	1.91	-	49.82

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
 Setting 118
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	62.08	68.20	-6.12	8.64	3	Horizontal	127	1.65	-	53.44
PK	5.822G	120.03	Inf	-Inf	8.90	3	Horizontal	127	1.65	-	111.13
AV	5.823G	105.45	Inf	-Inf	8.90	3	Horizontal	127	1.65	-	96.55
PK	5.924G	68.38	68.94	-0.56	8.92	3	Horizontal	127	1.65	-	59.46

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
 Setting 116
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65064G	54.44	74.00	-19.56	15.09	3	Vertical	329	2.45	-	39.35
AV	11.65228G	39.77	54.00	-14.23	15.10	3	Vertical	329	2.45	-	24.67

802.11ax HEW20_Nss1,(MCS0)_1TX

27/09/2019

5825MHz_TX




EUT Y_1TX
Setting 116
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6523G	59.49	74.00	-14.51	15.10	3	Horizontal	34	1.21	-	44.39
AV	11.64992G	45.24	54.00	-8.76	15.09	3	Horizontal	34	1.21	-	30.15

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5190MHz_TX




EUT Y_1TX
Setting 74
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	62.24	74.00	-11.76	7.94	3	Vertical	15	1.41	-	54.30
AV	5.1472G	47.61	54.00	-6.39	7.94	3	Vertical	15	1.41	-	39.67
PK	5.198G	102.81	Inf	-Inf	8.06	3	Vertical	15	1.41	-	94.75
AV	5.196G	90.33	Inf	-Inf	8.06	3	Vertical	15	1.41	-	82.27

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5190MHz_TX




EUT Y_1TX
 Setting 74
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.39	74.00	-4.61	7.94	3	Horizontal	300	1.85	-	61.45
AV	5.15G	53.27	54.00	-0.73	7.94	3	Horizontal	300	1.85	-	45.33
PK	5.182G	109.72	Inf	-Inf	8.02	3	Horizontal	300	1.85	-	101.70
AV	5.194G	97.15	Inf	-Inf	8.04	3	Horizontal	300	1.85	-	89.11

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5190MHz_TX




EUT Y_1TX
 Setting 74
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5675G	55.51	74.00	-18.49	16.00	3	Vertical	131	2.47	-	39.51
AV	15.56504G	42.37	54.00	-11.63	16.01	3	Vertical	131	2.47	-	26.36

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5190MHz_TX




EUT Y_1TX
Setting 74
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56894G	54.96	74.00	-19.04	16.00	3	Horizontal	71	1.14	-	38.96
AV	15.5745G	42.24	54.00	-11.76	15.98	3	Horizontal	71	1.14	-	26.26

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5230MHz_TX




EUT Y_1TX
Setting 93
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1142G	58.43	74.00	-15.57	7.87	3	Vertical	0	2.89	-	50.56
AV	5.1268G	46.54	54.00	-7.46	7.90	3	Vertical	0	2.89	-	38.64
PK	5.2222G	107.27	Inf	-Inf	8.10	3	Vertical	0	2.89	-	99.17
AV	5.2342G	95.32	Inf	-Inf	8.11	3	Vertical	0	2.89	-	87.21
PK	5.3542G	59.12	74.00	-14.88	8.28	3	Vertical	0	2.89	-	50.84
AV	5.3512G	46.86	54.00	-7.14	8.28	3	Vertical	0	2.89	-	38.58

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5230MHz_TX




EUT Y_1TX
Setting 93
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.51	74.00	-7.49	7.94	3	Horizontal	298	1.94	-	58.57
AV	5.1496G	53.38	54.00	-0.62	7.94	3	Horizontal	298	1.94	-	45.44
PK	5.215G	114.14	Inf	-Inf	8.08	3	Horizontal	298	1.94	-	106.06
AV	5.2156G	101.55	Inf	-Inf	8.08	3	Horizontal	298	1.94	-	93.47
PK	5.3536G	58.79	74.00	-15.21	8.28	3	Horizontal	298	1.94	-	50.51
AV	5.3506G	47.00	54.00	-7.00	8.28	3	Horizontal	298	1.94	-	38.72

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5230MHz_TX




EUT Y_1TX
Setting 93
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68798G	55.42	74.00	-18.58	15.68	3	Vertical	10	1.80	-	39.74
AV	15.69422G	42.38	54.00	-11.62	15.67	3	Vertical	10	1.80	-	26.71

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5230MHz_TX




EUT Y_1TX
 Setting 93
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68996G	55.39	74.00	-18.61	15.68	3	Horizontal	57	1.48	-	39.71
AV	15.6933G	42.24	54.00	-11.76	15.67	3	Horizontal	57	1.48	-	26.57

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5755MHz_TX



EUT Y_1TX
Setting 103
02-L-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	60.40	68.94	-8.54	8.66	3	Vertical	140	2.57	-	51.74
PK	5.74G	107.60	Inf	-Inf	8.80	3	Vertical	140	2.57	-	98.80
AV	5.75G	95.42	Inf	-Inf	8.83	3	Vertical	140	2.57	-	86.59
PK	5.987G	58.93	68.20	-9.27	8.93	3	Vertical	140	2.57	-	50.00



802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5755MHz_TX




EUT Y_1TX
 Setting 103
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.30	68.20	-0.90	8.67	3	Horizontal	295	1.77	-	58.63
PK	5.771G	114.57	Inf	-Inf	8.85	3	Horizontal	295	1.77	-	105.72
AV	5.759G	101.75	Inf	-Inf	8.85	3	Horizontal	295	1.77	-	92.90
PK	5.96G	59.47	68.20	-8.73	8.93	3	Horizontal	295	1.77	-	50.54

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5755MHz_TX




EUT Y_1TX
 Setting 103
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50978G	56.38	74.00	-17.62	14.92	3	Vertical	3	2.28	-	41.46
AV	11.51108G	43.79	54.00	-10.21	14.92	3	Vertical	3	2.28	-	28.87

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5755MHz_TX




EUT Y_1TX
Setting 103
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51276G	56.23	74.00	-17.77	14.92	3	Horizontal	153	2.63	-	41.31
AV	11.51052G	43.79	54.00	-10.21	14.92	3	Horizontal	153	2.63	-	28.87

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5795MHz_TX




EUT Y_1TX
Setting 114
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	61.69	68.20	-6.51	8.66	3	Vertical	128	2.34	-	53.03
PK	5.811G	109.27	Inf	-Inf	8.91	3	Vertical	128	2.34	-	100.36
AV	5.792G	96.68	Inf	-Inf	8.89	3	Vertical	128	2.34	-	87.79
PK	5.925G	62.19	68.20	-6.01	8.93	3	Vertical	128	2.34	-	53.26

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5795MHz_TX




EUT Y_1TX
Setting 114
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	67.49	68.20	-0.71	8.67	3	Horizontal	291	1.77	-	58.82
PK	5.811G	115.73	Inf	-Inf	8.91	3	Horizontal	291	1.77	-	106.82
AV	5.797G	102.57	Inf	-Inf	8.90	3	Horizontal	291	1.77	-	93.67
PK	5.928G	66.06	68.20	-2.14	8.93	3	Horizontal	291	1.77	-	57.13

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5795MHz_TX




EUT Y_1TX
Setting 114
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58924G	57.47	74.00	-16.53	15.02	3	Vertical	125	1.79	-	42.45
AV	11.5902G	44.91	54.00	-9.09	15.02	3	Vertical	125	1.79	-	29.89

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

5795MHz_TX




EUT Y_1TX
Setting 114
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58668G	57.84	74.00	-16.16	15.02	3	Horizontal	68	2.74	-	42.82
AV	11.59032G	45.20	54.00	-8.80	15.02	3	Horizontal	68	2.74	-	30.18

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5210MHz_TX




EUT Y_1TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	60.46	74.00	-13.54	7.94	3	Vertical	25	1.49	-	52.52
AV	5.1436G	47.43	54.00	-6.57	7.94	3	Vertical	25	1.49	-	39.49
PK	5.2236G	99.54	Inf	-Inf	8.10	3	Vertical	25	1.49	-	91.44
AV	5.2228G	87.36	Inf	-Inf	8.10	3	Vertical	25	1.49	-	79.26
PK	5.3652G	58.77	74.00	-15.23	8.29	3	Vertical	25	1.49	-	50.48
AV	5.3772G	46.08	54.00	-7.92	8.31	3	Vertical	25	1.49	-	37.77

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5210MHz_TX




EUT_Y_1TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	68.33	74.00	-5.67	7.94	3	Horizontal	310	1.91	-	60.39
AV	5.1476G	53.10	54.00	-0.90	7.94	3	Horizontal	310	1.91	-	45.16
PK	5.1964G	106.04	Inf	-Inf	8.06	3	Horizontal	310	1.91	-	97.98
AV	5.2164G	94.17	Inf	-Inf	8.08	3	Horizontal	310	1.91	-	86.09
PK	5.358G	58.36	74.00	-15.64	8.28	3	Horizontal	310	1.91	-	50.08
AV	5.3532G	46.66	54.00	-7.34	8.28	3	Horizontal	310	1.91	-	38.38

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5210MHz_TX




EUT Y_1TX
Setting 73
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62756G	54.95	74.00	-19.05	15.84	3	Vertical	259	1.89	-	39.11
AV	15.63054G	42.48	54.00	-11.52	15.83	3	Vertical	259	1.89	-	26.65

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5210MHz_TX




EUT Y_1TX
Setting 73
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63024G	55.42	74.00	-18.58	15.83	3	Horizontal	243	1.08	-	39.59
AV	15.62592G	42.35	54.00	-11.65	15.84	3	Horizontal	243	1.08	-	26.51

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5775MHz_TX




EUT Y_1TX
Setting 93
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.66	68.20	-3.54	8.66	3	Vertical	135	2.64	-	56.00
PK	5.774G	102.82	Inf	-Inf	8.86	3	Vertical	135	2.64	-	93.96
AV	5.764G	91.13	Inf	-Inf	8.84	3	Vertical	135	2.64	-	82.29
PK	5.927G	59.37	68.20	-8.83	8.93	3	Vertical	135	2.64	-	50.44

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5775MHz_TX




EUT Y_1TX
Setting 93
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.54	68.20	-0.66	8.66	3	Horizontal	340	1.67	-	58.88
PK	5.746G	108.79	Inf	-Inf	8.82	3	Horizontal	340	1.67	-	99.97
AV	5.764G	96.63	Inf	-Inf	8.84	3	Horizontal	340	1.67	-	87.79
PK	5.93G	63.01	68.20	-5.19	8.93	3	Horizontal	340	1.67	-	54.08

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5775MHz_TX




EUT Y_1TX
Setting 93
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54822G	54.62	74.00	-19.38	14.97	3	Vertical	339	2.63	-	39.65
AV	11.55126G	41.82	54.00	-12.18	14.97	3	Vertical	339	2.63	-	26.85

802.11ax HEW80_Nss1,(MCS0)_1TX

26/09/2019

5775MHz_TX



EUT Y_1TX
Setting 93
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55106G	54.85	74.00	-19.15	14.97	3	Horizontal	6	2.97	-	39.88
AV	11.54926G	42.10	54.00	-11.90	14.97	3	Horizontal	6	2.97	-	27.13




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.15G	73.45	74.00	-0.55	7.94	3	Horizontal	298	1.91	-

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
 Setting 78
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	63.55	74.00	-10.45	7.94	3	Vertical	330	1.88	-	55.61
AV	5.15G	47.26	54.00	-6.74	7.94	3	Vertical	330	1.88	-	39.32
PK	5.1816G	109.03	Inf	-Inf	8.02	3	Vertical	330	1.88	-	101.01
AV	5.1812G	99.41	Inf	-Inf	8.02	3	Vertical	330	1.88	-	91.39

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_X_2TX
Setting 78
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	72.30	74.00	-1.70	7.94	3	Horizontal	305	2.16	-	64.36
AV	5.1498G	53.38	54.00	-0.62	7.94	3	Horizontal	305	2.16	-	45.44
PK	5.1848G	115.88	Inf	-Inf	8.03	3	Horizontal	305	2.16	-	107.85
AV	5.184G	106.44	Inf	-Inf	8.03	3	Horizontal	305	2.16	-	98.41

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
 Setting 78
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5332G	54.95	74.00	-19.05	16.09	3	Vertical	305	2.49	-	38.86
AV	15.53312G	41.40	54.00	-12.60	16.09	3	Vertical	305	2.49	-	25.31

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
 Setting 78
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54424G	55.15	74.00	-18.85	16.06	3	Horizontal	300	2.72	-	39.09
AV	15.54472G	41.80	54.00	-12.20	16.06	3	Horizontal	300	2.72	-	25.74

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	60.05	74.00	-13.95	7.94	3	Vertical	3	2.94	-	52.11
AV	5.15G	46.23	54.00	-7.77	7.94	3	Vertical	3	2.94	-	38.29
PK	5.1952G	113.24	Inf	-Inf	8.05	3	Vertical	3	2.94	-	105.19
AV	5.1956G	103.38	Inf	-Inf	8.06	3	Vertical	3	2.94	-	95.32

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_X_2TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.43	74.00	-2.57	7.94	3	Horizontal	301	1.92	-	63.49
AV	5.15G	53.38	54.00	-0.62	7.94	3	Horizontal	301	1.92	-	45.44
PK	5.1952G	119.85	Inf	-Inf	8.05	3	Horizontal	301	1.92	-	111.80
AV	5.2056G	109.77	Inf	-Inf	8.07	3	Horizontal	301	1.92	-	101.70

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
Setting 97
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60128G	61.29	74.00	-12.71	15.91	3	Vertical	5	1.36	-	45.38
AV	15.60172G	46.84	54.00	-7.16	15.91	3	Vertical	5	1.36	-	30.93

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
 Setting 97
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59928G	59.32	74.00	-14.68	15.91	3	Horizontal	296	2.70	-	43.41
AV	15.59992G	45.96	54.00	-8.04	15.91	3	Horizontal	296	2.70	-	30.05

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5240MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	63.61	74.00	-10.39	7.94	3	Vertical	4	2.91	-	55.67
AV	5.1278G	47.93	54.00	-6.07	7.91	3	Vertical	4	2.91	-	40.02
PK	5.246G	115.40	Inf	-Inf	8.13	3	Vertical	4	2.91	-	107.27
AV	5.2406G	104.75	Inf	-Inf	8.12	3	Vertical	4	2.91	-	96.63
PK	5.3546G	59.91	74.00	-14.09	8.28	3	Vertical	4	2.91	-	51.63
AV	5.3528G	46.52	54.00	-7.48	8.28	3	Vertical	4	2.91	-	38.24

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5240MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	71.00	74.00	-3.00	7.94	3	Horizontal	300	2.02	-	63.06
AV	5.1488G	53.28	54.00	-0.72	7.94	3	Horizontal	300	2.02	-	45.34
PK	5.2352G	122.74	Inf	-Inf	8.11	3	Horizontal	300	2.02	-	114.63
AV	5.2352G	112.37	Inf	-Inf	8.11	3	Horizontal	300	2.02	-	104.26
PK	5.351G	64.89	74.00	-9.11	8.28	3	Horizontal	300	2.02	-	56.61
AV	5.3528G	51.20	54.00	-2.80	8.28	3	Horizontal	300	2.02	-	42.92

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5240MHz_TX




EUT_X_2TX
 Setting 112
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47792G	59.47	68.20	-8.73	14.59	3	Vertical	14	2.13	-	44.88
PK	15.71984G	62.37	74.00	-11.63	15.60	3	Vertical	2	1.42	-	46.77
AV	15.72016G	49.78	54.00	-4.22	15.60	3	Vertical	2	1.42	-	34.18

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5240MHz_TX




EUT X_2TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4776G	60.36	68.20	-7.84	14.59	3	Horizontal	290	2.38	-	45.77
PK	15.72296G	63.96	74.00	-10.04	15.59	3	Horizontal	14	2.30	-	48.37
AV	15.72336G	50.49	54.00	-3.51	15.59	3	Horizontal	14	2.30	-	34.90

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5745MHz_TX




EUT_X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	64.53	68.94	-4.41	8.66	3	Vertical	2	1.01	-	55.87
PK	5.742G	117.93	Inf	-Inf	8.81	3	Vertical	2	1.01	-	109.12
AV	5.746G	107.54	Inf	-Inf	8.82	3	Vertical	2	1.01	-	98.72
PK	5.976G	59.47	68.20	-8.73	8.94	3	Vertical	2	1.01	-	50.53

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5745MHz_TX




EUT_X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.38	68.94	-0.56	8.66	3	Horizontal	291	1.79	-	59.72
PK	5.752G	123.13	Inf	-Inf	8.83	3	Horizontal	291	1.79	-	114.30
AV	5.752G	112.22	Inf	-Inf	8.83	3	Horizontal	291	1.79	-	103.39
PK	5.928G	60.87	68.20	-7.33	8.93	3	Horizontal	291	1.79	-	51.94

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5745MHz_TX




EUT X_2TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4916G	56.99	74.00	-17.01	14.89	3	Vertical	32	1.60	-	42.10
AV	11.49168G	43.43	54.00	-10.57	14.89	3	Vertical	32	1.60	-	28.54

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5745MHz_TX




EUT_X_2TX
 Setting 112
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49136G	57.12	74.00	-16.88	14.89	3	Horizontal	41	1.59	-	42.23
AV	11.49128G	44.17	54.00	-9.83	14.89	3	Horizontal	41	1.59	-	29.28

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5785MHz_TX




EUT_X_2TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	60.33	68.20	-7.87	8.64	3	Vertical	85	1.43	-	51.69
PK	5.78G	115.13	Inf	-Inf	8.87	3	Vertical	85	1.43	-	106.26
AV	5.78G	104.46	Inf	-Inf	8.87	3	Vertical	85	1.43	-	95.59
PK	5.933G	59.27	68.20	-8.93	8.93	3	Vertical	85	1.43	-	50.34

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5785MHz_TX




EUT_X_2TX
 Setting 120
 02-B-4-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	66.22	68.20	-1.98	8.67	3	Horizontal	296	1.46	-	57.55
PK	5.792G	123.13	Inf	-Inf	8.89	3	Horizontal	296	1.46	-	114.24
AV	5.787G	112.68	Inf	-Inf	8.88	3	Horizontal	296	1.46	-	103.80
PK	5.926G	64.70	68.20	-3.50	8.93	3	Horizontal	296	1.46	-	55.77

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5785MHz_TX




EUT X_2TX
 Setting 120
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57144G	57.62	74.00	-16.38	15.00	3	Vertical	22	1.68	-	42.62
AV	11.57184G	43.87	54.00	-10.13	15.00	3	Vertical	22	1.68	-	28.87
PK	17.35036G	61.58	68.20	-6.62	21.40	3	Vertical	37	1.22	-	40.18

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5785MHz_TX




EUT X_2TX
 Setting 120
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57152G	58.23	74.00	-15.77	15.00	3	Horizontal	325	2.31	-	43.23
AV	11.57112G	44.83	54.00	-9.17	15.00	3	Horizontal	325	2.31	-	29.83
PK	17.35612G	63.67	68.20	-4.53	21.43	3	Horizontal	291	2.12	-	42.24

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5825MHz_TX




EUT_X_2TX
Setting 113
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	59.16	68.20	-9.04	8.60	3	Vertical	354	1.00	-	50.56
PK	5.822G	115.45	Inf	-Inf	8.90	3	Vertical	354	1.00	-	106.55
AV	5.827G	105.55	Inf	-Inf	8.91	3	Vertical	354	1.00	-	96.64
PK	5.932G	62.65	68.20	-5.55	8.93	3	Vertical	354	1.00	-	53.72

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5825MHz_TX




EUT_X_2TX
Setting 113
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.60	68.20	-8.60	8.66	3	Horizontal	291	2.77	-	50.94
PK	5.83G	122.80	Inf	-Inf	8.91	3	Horizontal	291	2.77	-	113.89
AV	5.829G	111.94	Inf	-Inf	8.91	3	Horizontal	291	2.77	-	103.03
PK	5.932G	67.47	68.20	-0.73	8.93	3	Horizontal	291	2.77	-	58.54

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5825MHz_TX




EUT X_2TX
 Setting 113
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64768G	56.70	74.00	-17.30	15.09	3	Vertical	39	2.41	-	41.61
AV	11.65168G	43.06	54.00	-10.94	15.10	3	Vertical	39	2.41	-	27.96

802.11a_Nss1,(6Mbps)_2TX

27/09/2019

5825MHz_TX




EUT X_2TX
 Setting 113
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65088G	59.92	74.00	-14.08	15.09	3	Horizontal	321	1.60	-	44.83
AV	11.65056G	46.24	54.00	-7.76	15.09	3	Horizontal	321	1.60	-	31.15

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
Setting 73
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1486G	63.45	74.00	-10.55	7.94	3	Vertical	1	2.97	-	55.51
AV	5.15G	48.16	54.00	-5.84	7.94	3	Vertical	1	2.97	-	40.22
PK	5.1786G	108.72	Inf	-Inf	8.02	3	Vertical	1	2.97	-	100.70
AV	5.1766G	97.11	Inf	-Inf	8.01	3	Vertical	1	2.97	-	89.10

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
Setting 73
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.89	74.00	-6.11	7.94	3	Horizontal	307	2.26	-	59.95
AV	5.15G	53.43	54.00	-0.57	7.94	3	Horizontal	307	2.26	-	45.49
PK	5.1832G	114.39	Inf	-Inf	8.02	3	Horizontal	307	2.26	-	106.37
AV	5.1756G	102.50	Inf	-Inf	8.01	3	Horizontal	307	2.26	-	94.49

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
Setting 73
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53778G	54.94	74.00	-19.06	16.08	3	Vertical	321	1.65	-	38.86
AV	15.53774G	42.07	54.00	-11.93	16.08	3	Vertical	321	1.65	-	25.99

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5180MHz_TX




EUT X_2TX
 Setting 73
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5406G	55.05	74.00	-18.95	16.07	3	Horizontal	287	1.44	-	38.98
AV	15.53946G	42.34	54.00	-11.66	16.08	3	Horizontal	287	1.44	-	26.26

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
Setting 91
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	59.43	74.00	-14.57	7.94	3	Vertical	6	2.96	-	51.49
AV	5.15G	47.35	54.00	-6.65	7.94	3	Vertical	6	2.96	-	39.41
PK	5.1952G	112.32	Inf	-Inf	8.05	3	Vertical	6	2.96	-	104.27
AV	5.1964G	100.28	Inf	-Inf	8.06	3	Vertical	6	2.96	-	92.22

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
Setting 91
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	69.38	74.00	-4.62	7.94	3	Horizontal	303	1.92	-	61.44
AV	5.1492G	53.32	54.00	-0.68	7.94	3	Horizontal	303	1.92	-	45.38
PK	5.1952G	118.57	Inf	-Inf	8.05	3	Horizontal	303	1.92	-	110.52
AV	5.1952G	107.43	Inf	-Inf	8.05	3	Horizontal	303	1.92	-	99.38

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
 Setting 91
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60588G	54.73	74.00	-19.27	15.89	3	Vertical	355	1.58	-	38.84
AV	15.60232G	44.71	54.00	-9.29	15.90	3	Vertical	355	1.58	-	28.81

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5200MHz_TX




EUT X_2TX
Setting 91
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59982G	57.49	74.00	-16.51	15.91	3	Horizontal	300	1.32	-	41.58
AV	15.59874G	44.63	54.00	-9.37	15.91	3	Horizontal	300	1.32	-	28.72

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5240MHz_TX




EUT_X_2TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	59.27	74.00	-14.73	7.94	3	Vertical	1	1.88	-	51.33
AV	5.1494G	47.41	54.00	-6.59	7.94	3	Vertical	1	1.88	-	39.47
PK	5.2352G	114.05	Inf	-Inf	8.11	3	Vertical	1	1.88	-	105.94
AV	5.237G	102.95	Inf	-Inf	8.11	3	Vertical	1	1.88	-	94.84
PK	5.3834G	58.32	74.00	-15.68	8.32	3	Vertical	1	1.88	-	50.00
AV	5.3504G	47.02	54.00	-6.98	8.28	3	Vertical	1	1.88	-	38.74

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5240MHz_TX




EUT_X_2TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	66.75	74.00	-7.25	7.94	3	Horizontal	305	1.84	-	58.81
AV	5.15G	52.49	54.00	-1.51	7.94	3	Horizontal	305	1.84	-	44.55
PK	5.2394G	120.54	Inf	-Inf	8.12	3	Horizontal	305	1.84	-	112.42
AV	5.2352G	109.20	Inf	-Inf	8.11	3	Horizontal	305	1.84	-	101.09
PK	5.3528G	63.62	74.00	-10.38	8.28	3	Horizontal	305	1.84	-	55.34
AV	5.351G	50.25	54.00	-3.75	8.28	3	Horizontal	305	1.84	-	41.97

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5240MHz_TX




EUT X_2TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48644G	54.06	68.20	-14.14	14.59	3	Vertical	352	1.72	-	39.47
PK	15.72666G	60.45	74.00	-13.55	15.58	3	Vertical	3	2.53	-	44.87
AV	15.71958G	47.74	54.00	-6.26	15.60	3	Vertical	3	2.53	-	32.14

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5240MHz_TX




EUT X_2TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4767G	56.95	68.20	-11.25	14.59	3	Horizontal	262	2.35	-	42.36
PK	15.71778G	59.73	74.00	-14.27	15.61	3	Horizontal	300	1.12	-	44.12
AV	15.71628G	46.98	54.00	-7.02	15.61	3	Horizontal	300	1.12	-	31.37

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5745MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	65.73	68.20	-2.47	8.67	3	Vertical	5	1.01	-	57.06
PK	5.741G	115.89	Inf	-Inf	8.80	3	Vertical	5	1.01	-	107.09
AV	5.743G	104.73	Inf	-Inf	8.82	3	Vertical	5	1.01	-	95.91
PK	5.936G	59.27	68.20	-8.93	8.93	3	Vertical	5	1.01	-	50.34

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5745MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	67.49	68.20	-0.71	8.64	3	Horizontal	301	2.22	-	58.85
PK	5.744G	121.01	Inf	-Inf	8.82	3	Horizontal	301	2.22	-	112.19
AV	5.746G	108.98	Inf	-Inf	8.82	3	Horizontal	301	2.22	-	100.16
PK	5.932G	61.85	68.20	-6.35	8.93	3	Horizontal	301	2.22	-	52.92

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5745MHz_TX




EUT X_2TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49102G	55.00	74.00	-19.00	14.89	3	Vertical	31	1.72	-	40.11
AV	11.49006G	42.46	54.00	-11.54	14.89	3	Vertical	31	1.72	-	27.57

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5745MHz_TX




EUT X_2TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48856G	57.08	74.00	-16.92	14.89	3	Horizontal	329	1.68	-	42.19
AV	11.49012G	43.46	54.00	-10.54	14.89	3	Horizontal	329	1.68	-	28.57

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5785MHz_TX




EUT X_2TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	59.22	68.20	-8.98	8.67	3	Vertical	82	1.73	-	50.55
PK	5.786G	113.82	Inf	-Inf	8.88	3	Vertical	82	1.73	-	104.94
AV	5.783G	101.72	Inf	-Inf	8.88	3	Vertical	82	1.73	-	92.84
PK	5.978G	59.80	68.20	-8.40	8.94	3	Vertical	82	1.73	-	50.86

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5785MHz_TX




EUT X_2TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	65.05	68.20	-3.15	8.65	3	Horizontal	293	2.12	-	56.40
PK	5.784G	121.90	Inf	-Inf	8.88	3	Horizontal	293	2.12	-	113.02
AV	5.781G	109.60	Inf	-Inf	8.88	3	Horizontal	293	2.12	-	100.72
PK	5.925G	65.11	68.20	-3.09	8.93	3	Horizontal	293	2.12	-	56.18

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5785MHz_TX




EUT X_2TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57126G	56.45	74.00	-17.55	15.00	3	Vertical	37	1.51	-	41.45
AV	11.57354G	43.21	54.00	-10.79	15.00	3	Vertical	37	1.51	-	28.21

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5785MHz_TX




EUT X_2TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56994G	56.21	74.00	-17.79	15.00	3	Horizontal	329	2.33	-	41.21
AV	11.57018G	44.12	54.00	-9.88	15.00	3	Horizontal	329	2.33	-	29.12

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5825MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.20	68.20	-9.00	8.66	3	Vertical	352	1.04	-	50.54
PK	5.822G	115.48	Inf	-Inf	8.90	3	Vertical	352	1.04	-	106.58
AV	5.821G	104.12	Inf	-Inf	8.90	3	Vertical	352	1.04	-	95.22
PK	5.925G	63.44	68.20	-4.76	8.93	3	Vertical	352	1.04	-	54.51

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5825MHz_TX




EUT X_2TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	60.76	68.20	-7.44	8.66	3	Horizontal	287	1.97	-	52.10
PK	5.827G	121.14	Inf	-Inf	8.91	3	Horizontal	287	1.97	-	112.23
AV	5.823G	109.54	Inf	-Inf	8.90	3	Horizontal	287	1.97	-	100.64
PK	5.928G	67.49	68.20	-0.71	8.93	3	Horizontal	287	1.97	-	58.56

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5825MHz_TX




EUT X_2TX
 Setting 112
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65078G	56.54	74.00	-17.46	15.09	3	Vertical	15	1.01	-	41.45
AV	11.65396G	44.28	54.00	-9.72	15.10	3	Vertical	15	1.01	-	29.18

802.11ax HEW20_Nss2,(MCS0)_2TX

28/09/2019

5825MHz_TX




EUT X_2TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64856G	57.21	74.00	-16.79	15.09	3	Horizontal	327	1.66	-	42.12
AV	11.64754G	44.78	54.00	-9.22	15.09	3	Horizontal	327	1.66	-	29.69

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5190MHz_TX




EUT X_2TX
Setting 65
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.59	74.00	-6.41	7.94	3	Vertical	354	1.61	-	59.65
AV	5.1496G	48.27	54.00	-5.73	7.94	3	Vertical	354	1.61	-	40.33
PK	5.1756G	102.89	Inf	-Inf	8.01	3	Vertical	354	1.61	-	94.88
AV	5.1856G	90.61	Inf	-Inf	8.03	3	Vertical	354	1.61	-	82.58

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5190MHz_TX




EUT X_2TX
Setting 65
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.45	74.00	-0.55	7.94	3	Horizontal	298	1.91	-	65.51
AV	5.15G	52.22	54.00	-1.78	7.94	3	Horizontal	298	1.91	-	44.28
PK	5.1956G	108.84	Inf	-Inf	8.06	3	Horizontal	298	1.91	-	100.78
AV	5.186G	97.44	Inf	-Inf	8.03	3	Horizontal	298	1.91	-	89.41

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5190MHz_TX




EUT X_2TX
Setting 65
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56724G	54.75	74.00	-19.25	16.01	3	Vertical	303	1.28	-	38.74
AV	15.56576G	42.33	54.00	-11.67	16.01	3	Vertical	303	1.28	-	26.32

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5190MHz_TX




EUT X_2TX
Setting 65
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57144G	54.64	74.00	-19.36	15.99	3	Horizontal	162	1.71	-	38.65
AV	15.57168G	42.54	54.00	-11.46	15.99	3	Horizontal	162	1.71	-	26.55

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5230MHz_TX




EUT X_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.74	74.00	-10.26	7.94	3	Vertical	359	1.62	-	55.80
AV	5.15G	50.21	54.00	-3.79	7.94	3	Vertical	359	1.62	-	42.27
PK	5.2126G	106.51	Inf	-Inf	8.08	3	Vertical	359	1.62	-	98.43
AV	5.2174G	94.97	Inf	-Inf	8.09	3	Vertical	359	1.62	-	86.88
PK	5.3602G	58.94	74.00	-15.06	8.29	3	Vertical	359	1.62	-	50.65
AV	5.3512G	46.77	54.00	-7.23	8.28	3	Vertical	359	1.62	-	38.49

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5230MHz_TX




EUT_X_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.91	74.00	-7.09	7.94	3	Horizontal	282	2.21	-	58.97
AV	5.15G	53.24	54.00	-0.76	7.94	3	Horizontal	282	2.21	-	45.30
PK	5.2144G	114.02	Inf	-Inf	8.08	3	Horizontal	282	2.21	-	105.94
AV	5.2258G	102.02	Inf	-Inf	8.10	3	Horizontal	282	2.21	-	93.92
PK	5.3512G	59.92	74.00	-14.08	8.28	3	Horizontal	282	2.21	-	51.64
AV	5.3512G	48.18	54.00	-5.82	8.28	3	Horizontal	282	2.21	-	39.90

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5230MHz_TX




EUT X_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69472G	55.18	74.00	-18.82	15.67	3	Vertical	78	2.15	-	39.51
AV	15.68866G	42.09	54.00	-11.91	15.68	3	Vertical	78	2.15	-	26.41

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5230MHz_TX




EUT X_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69088G	55.07	74.00	-18.93	15.68	3	Horizontal	73	2.22	-	39.39
AV	15.6944G	42.12	54.00	-11.88	15.67	3	Horizontal	73	2.22	-	26.45

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5755MHz_TX




EUT X_2TX
Setting 95
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.96	68.20	-6.24	8.66	3	Vertical	359	1.05	-	53.30
PK	5.759G	110.59	Inf	-Inf	8.85	3	Vertical	359	1.05	-	101.74
AV	5.76G	99.00	Inf	-Inf	8.85	3	Vertical	359	1.05	-	90.15
PK	5.944G	59.34	68.20	-8.86	8.94	3	Vertical	359	1.05	-	50.40

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5755MHz_TX




EUT X_2TX
 Setting 95
 02-G-2-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	67.50	68.20	-0.70	8.65	3	Horizontal	290	2.01	-	58.85
PK	5.765G	116.33	Inf	-Inf	8.84	3	Horizontal	290	2.01	-	107.49
AV	5.759G	104.43	Inf	-Inf	8.85	3	Horizontal	290	2.01	-	95.58
PK	5.927G	60.76	68.20	-7.44	8.93	3	Horizontal	290	2.01	-	51.83

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5755MHz_TX




EUT X_2TX
Setting 95
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5128G	53.78	74.00	-20.22	14.92	3	Vertical	56	1.82	-	38.86
AV	11.51246G	41.19	54.00	-12.81	14.92	3	Vertical	56	1.82	-	26.27

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5755MHz_TX




EUT X_2TX
Setting 95
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51258G	54.04	74.00	-19.96	14.92	3	Horizontal	229	2.77	-	39.12
AV	11.51206G	41.07	54.00	-12.93	14.92	3	Horizontal	229	2.77	-	26.15

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5795MHz_TX




EUT_X_2TX
Setting 99
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	59.53	68.20	-8.67	8.67	3	Vertical	360	1.08	-	50.86
PK	5.79G	111.05	Inf	-Inf	8.88	3	Vertical	360	1.08	-	102.17
AV	5.796G	99.30	Inf	-Inf	8.89	3	Vertical	360	1.08	-	90.41
PK	5.928G	62.79	68.20	-5.41	8.93	3	Vertical	360	1.08	-	53.86

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5795MHz_TX




EUT X_2TX
Setting 99
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.91	68.20	-3.29	8.66	3	Horizontal	287	1.99	-	56.25
PK	5.798G	116.72	Inf	-Inf	8.90	3	Horizontal	287	1.99	-	107.82
AV	5.792G	105.01	Inf	-Inf	8.89	3	Horizontal	287	1.99	-	96.12
PK	5.926G	67.58	68.20	-0.62	8.93	3	Horizontal	287	1.99	-	58.65

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5795MHz_TX




EUT X_2TX
Setting 99
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58868G	55.46	74.00	-18.54	15.02	3	Vertical	39	2.26	-	40.44
AV	11.58672G	41.94	54.00	-12.06	15.02	3	Vertical	39	2.26	-	26.92

802.11ax HEW40_Nss2,(MCS0)_2TX

28/09/2019

5795MHz_TX




EUT X_2TX
 Setting 99
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59098G	54.88	74.00	-19.12	15.02	3	Horizontal	281	2.63	-	39.86
AV	11.59344G	42.00	54.00	-12.00	15.02	3	Horizontal	281	2.63	-	26.98

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5210MHz_TX




EUT X_2TX
Setting 65
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.125G	58.69	74.00	-15.31	7.89	3	Vertical	357	1.87	-	50.80
AV	5.125G	48.05	54.00	-5.95	7.89	3	Vertical	357	1.87	-	40.16
PK	5.213G	98.58	Inf	-Inf	8.08	3	Vertical	357	1.87	-	90.50
AV	5.222G	88.40	Inf	-Inf	8.10	3	Vertical	357	1.87	-	80.30
PK	5.358G	58.10	74.00	-15.90	8.28	3	Vertical	357	1.87	-	49.82
AV	5.369G	47.49	54.00	-6.51	8.30	3	Vertical	357	1.87	-	39.19

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5210MHz_TX




EUT_X_2TX
Setting 65
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.58	74.00	-8.42	7.94	3	Horizontal	286	2.03	-	57.64
AV	5.149G	53.39	54.00	-0.61	7.94	3	Horizontal	286	2.03	-	45.45
PK	5.195G	104.89	Inf	-Inf	8.05	3	Horizontal	286	2.03	-	96.84
AV	5.203G	95.28	Inf	-Inf	8.06	3	Horizontal	286	2.03	-	87.22
PK	5.42G	58.42	74.00	-15.58	8.38	3	Horizontal	286	2.03	-	50.04
AV	5.361G	48.13	54.00	-5.87	8.29	3	Horizontal	286	2.03	-	39.84

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5210MHz_TX




EUT X_2TX
 Setting 65
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62738G	54.74	74.00	-19.26	15.84	3	Vertical	166	1.52	-	38.90
AV	15.62804G	43.58	54.00	-10.42	15.84	3	Vertical	166	1.52	-	27.74

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5210MHz_TX




EUT X_2TX
 Setting 65
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62574G	54.97	74.00	-19.03	15.85	3	Horizontal	234	2.69	-	39.12
AV	15.63054G	43.67	54.00	-10.33	15.83	3	Horizontal	234	2.69	-	27.84

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5775MHz_TX




EUT_X_2TX
Setting 82
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	62.51	68.20	-5.69	8.66	3	Vertical	360	1.15	-	53.85
PK	5.761G	105.43	Inf	-Inf	8.85	3	Vertical	360	1.15	-	96.58
AV	5.766G	95.67	Inf	-Inf	8.85	3	Vertical	360	1.15	-	86.82
PK	5.933G	60.48	68.20	-7.72	8.93	3	Vertical	360	1.15	-	51.55

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5775MHz_TX




EUT X_2TX
Setting 82
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.64G	67.47	68.20	-0.73	8.65	3	Horizontal	298	2.14	-	58.82
PK	5.769G	109.56	Inf	-Inf	8.85	3	Horizontal	298	2.14	-	100.71
AV	5.766G	99.44	Inf	-Inf	8.85	3	Horizontal	298	2.14	-	90.59
PK	5.93G	63.23	68.20	-4.97	8.93	3	Horizontal	298	2.14	-	54.30

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5775MHz_TX




EUT X_2TX
Setting 82
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.545G	53.46	74.00	-20.54	14.97	3	Vertical	3	2.46	-	38.49
AV	11.545G	42.35	54.00	-11.65	14.97	3	Vertical	3	2.46	-	27.38

802.11ax HEW80_Nss2,(MCS0)_2TX

28/09/2019

5775MHz_TX



EUT X_2TX
Setting 82
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.547G	53.78	74.00	-20.22	14.97	3	Horizontal	199	1.51	-	38.81
AV	11.54864G	42.16	54.00	-11.84	14.97	3	Horizontal	199	1.51	-	27.19




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.643G	67.69	68.20	-0.51	8.66	3	Vertical	163	2.41	-

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 78
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	73.37	74.00	-0.63	7.94	3	Vertical	343	2.67	-	65.43
AV	5.15G	50.77	54.00	-3.23	7.94	3	Vertical	343	2.67	-	42.83
PK	5.1768G	118.36	Inf	-Inf	8.01	3	Vertical	343	2.67	-	110.35
AV	5.1772G	108.91	Inf	-Inf	8.01	3	Vertical	343	2.67	-	100.90

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 78
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.13	74.00	-7.87	7.94	3	Horizontal	6	2.39	-	58.19
AV	5.15G	48.04	54.00	-5.96	7.94	3	Horizontal	6	2.39	-	40.10
PK	5.176G	110.68	Inf	-Inf	8.01	3	Horizontal	6	2.39	-	102.67
AV	5.1756G	101.10	Inf	-Inf	8.01	3	Horizontal	6	2.39	-	93.09

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35922G	56.31	68.20	-11.89	14.66	3	Vertical	103	2.65	-	41.65
PK	15.5394G	56.76	74.00	-17.24	16.08	3	Vertical	45	1.82	-	40.68
AV	15.53922G	42.65	54.00	-11.35	16.08	3	Vertical	45	1.82	-	26.57

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5180MHz_TX




EUT Z_4TX
 Setting 78
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.3747G	52.96	68.20	-15.24	14.66	3	Horizontal	354	2.69	-	38.30
PK	15.54846G	54.71	74.00	-19.29	16.05	3	Horizontal	326	2.19	-	38.66
AV	15.546G	40.94	54.00	-13.06	16.06	3	Horizontal	326	2.19	-	24.88

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	72.21	74.00	-1.79	7.94	3	Vertical	344	2.43	-	64.27
AV	5.15G	53.48	54.00	-0.52	7.94	3	Vertical	344	2.43	-	45.54
PK	5.1968G	122.70	Inf	-Inf	8.06	3	Vertical	344	2.43	-	114.64
AV	5.1976G	113.28	Inf	-Inf	8.06	3	Vertical	344	2.43	-	105.22

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	65.83	74.00	-8.17	7.93	3	Horizontal	326	2.25	-	57.90
AV	5.15G	49.71	54.00	-4.29	7.94	3	Horizontal	326	2.25	-	41.77
PK	5.2024G	115.77	Inf	-Inf	8.06	3	Horizontal	326	2.25	-	107.71
AV	5.202G	106.18	Inf	-Inf	8.06	3	Horizontal	326	2.25	-	98.12

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
Setting 97
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.401G	60.87	68.20	-7.33	14.64	3	Vertical	103	2.15	-	46.23
PK	15.59932G	62.62	74.00	-11.38	15.91	3	Vertical	142	2.06	-	46.71
AV	15.59936G	47.83	54.00	-6.17	15.91	3	Vertical	142	2.06	-	31.92

802.11a_Nss1,(6Mbps)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 97
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39792G	53.76	68.20	-14.44	14.63	3	Horizontal	199	2.11	-	39.13
PK	15.59286G	57.27	74.00	-16.73	15.93	3	Horizontal	160	2.43	-	41.34
AV	15.59268G	43.31	54.00	-10.69	15.93	3	Horizontal	160	2.43	-	27.38

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	71.14	74.00	-2.86	7.93	3	Vertical	329	1.50	-	63.21
AV	5.1416G	53.45	54.00	-0.55	7.94	3	Vertical	329	1.50	-	45.51
PK	5.2388G	125.40	Inf	-Inf	8.12	3	Vertical	329	1.50	-	117.28
AV	5.2388G	114.64	Inf	-Inf	8.12	3	Vertical	329	1.50	-	106.52
PK	5.354G	68.08	74.00	-5.92	8.28	3	Vertical	329	1.50	-	59.80
AV	5.35G	51.89	54.00	-2.11	8.28	3	Vertical	329	1.50	-	43.61

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	66.14	74.00	-7.86	7.92	3	Horizontal	319	2.39	-	58.22
AV	5.1368G	50.80	54.00	-3.20	7.92	3	Horizontal	319	2.39	-	42.88
PK	5.2436G	120.34	Inf	-Inf	8.12	3	Horizontal	319	2.39	-	112.22
AV	5.2424G	109.73	Inf	-Inf	8.12	3	Horizontal	319	2.39	-	101.61
PK	5.3654G	65.04	74.00	-8.96	8.29	3	Horizontal	319	2.39	-	56.75
AV	5.35G	49.89	54.00	-4.11	8.28	3	Horizontal	319	2.39	-	41.61

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48204G	60.65	68.20	-7.55	14.58	3	Vertical	23	1.94	-	46.07
PK	15.71752G	62.64	74.00	-11.36	15.61	3	Vertical	337	2.77	-	47.03
AV	15.71824G	49.63	54.00	-4.37	15.61	3	Vertical	337	2.77	-	34.02

802.11a_Nss1,(6Mbps)_4TX

28/09/2019

5240MHz_TX




EUT Z_4TX
 Setting 112
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47224G	54.27	68.20	-13.93	14.59	3	Horizontal	360	1.01	-	39.68
PK	15.71408G	57.74	74.00	-16.26	15.62	3	Horizontal	83	1.25	-	42.12
AV	15.71472G	43.89	54.00	-10.11	15.62	3	Horizontal	83	1.25	-	28.27

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.32	68.94	-0.62	8.66	3	Vertical	177	2.39	-	59.66
PK	5.742G	126.07	Inf	-Inf	8.81	3	Vertical	177	2.39	-	117.26
AV	5.741G	115.46	Inf	-Inf	8.80	3	Vertical	177	2.39	-	106.66
PK	5.943G	61.64	68.20	-6.56	8.94	3	Vertical	177	2.39	-	52.70

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	63.89	68.20	-4.31	8.66	3	Horizontal	174	2.37	-	55.23
PK	5.751G	119.86	Inf	-Inf	8.83	3	Horizontal	174	2.37	-	111.03
AV	5.751G	109.36	Inf	-Inf	8.83	3	Horizontal	174	2.37	-	100.53
PK	5.963G	59.44	68.20	-8.76	8.93	3	Horizontal	174	2.37	-	50.51

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX



EUT_Z_4TX
 Setting 112
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49092G	59.01	74.00	-14.99	14.89	3	Vertical	86	2.06	-	44.12
AV	11.48972G	46.40	54.00	-7.60	14.89	3	Vertical	86	2.06	-	31.51
PK	17.23036G	63.49	68.20	-4.71	20.68	3	Vertical	262	1.81	-	42.81

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5745MHz_TX




EUT_Z_4TX
 Setting 112
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49988G	53.35	74.00	-20.65	14.90	3	Horizontal	131	2.11	-	38.45
AV	11.4986G	44.39	54.00	-9.61	14.90	3	Horizontal	131	2.11	-	29.49
PK	17.23052G	57.34	68.20	-10.86	20.68	3	Horizontal	68	1.45	-	36.66

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	65.64	68.20	-2.56	8.66	3	Vertical	187	1.50	-	56.98
PK	5.781G	123.24	Inf	-Inf	8.88	3	Vertical	187	1.50	-	114.36
AV	5.781G	113.10	Inf	-Inf	8.88	3	Vertical	187	1.50	-	104.22
PK	5.925G	67.48	68.20	-0.72	8.93	3	Vertical	187	1.50	-	58.55

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	65.13	68.20	-3.07	8.67	3	Horizontal	175	2.62	-	56.46
PK	5.791G	120.82	Inf	-Inf	8.88	3	Horizontal	175	2.62	-	111.94
AV	5.792G	110.11	Inf	-Inf	8.89	3	Horizontal	175	2.62	-	101.22
PK	5.926G	64.24	68.20	-3.96	8.93	3	Horizontal	175	2.62	-	55.31

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
 Setting 120
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57116G	59.83	74.00	-14.17	15.00	3	Vertical	90	2.07	-	44.83
AV	11.56976G	46.22	54.00	-7.78	15.00	3	Vertical	90	2.07	-	31.22
PK	17.35228G	62.44	68.20	-5.76	21.41	3	Vertical	357	2.58	-	41.03

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5785MHz_TX



EUT_Z_4TX
 Setting 120
 02-L-3-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57532G	57.94	74.00	-16.06	15.00	3	Horizontal	54	1.89	-	42.94
AV	11.57584G	44.95	54.00	-9.05	15.01	3	Horizontal	54	1.89	-	29.94
PK	17.3518G	58.44	68.20	-9.76	21.40	3	Horizontal	137	2.11	-	37.04



802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
 Setting 111
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	60.73	68.20	-7.47	8.63	3	Vertical	175	2.38	-	52.10
PK	5.822G	125.49	Inf	-Inf	8.90	3	Vertical	175	2.38	-	116.59
AV	5.823G	115.54	Inf	-Inf	8.90	3	Vertical	175	2.38	-	106.64
PK	5.922G	69.74	70.42	-0.68	8.92	3	Vertical	175	2.38	-	60.82

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	59.88	68.94	-9.06	8.66	3	Horizontal	167	2.49	-	51.22
PK	5.831G	120.79	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	111.88
AV	5.831G	110.44	Inf	-Inf	8.91	3	Horizontal	167	2.49	-	101.53
PK	5.935G	61.70	68.20	-6.50	8.93	3	Horizontal	167	2.49	-	52.77

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64728G	54.20	74.00	-19.80	15.09	3	Vertical	91	2.03	-	39.11
AV	11.65252G	46.46	54.00	-7.54	15.10	3	Vertical	91	2.03	-	31.36
PK	17.47396G	61.72	68.20	-6.48	22.12	3	Vertical	358	2.97	-	39.60

802.11a_Nss1,(6Mbps)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 111
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64608G	53.30	74.00	-20.70	15.09	3	Horizontal	257	2.21	-	38.21
AV	11.64868G	42.38	54.00	-11.62	15.09	3	Horizontal	257	2.21	-	27.29
PK	17.47716G	58.52	68.20	-7.68	22.15	3	Horizontal	113	2.97	-	38.37

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 69
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.13	74.00	-3.87	7.94	3	Vertical	335	2.22	-	62.19
AV	5.1492G	52.75	54.00	-1.25	7.94	3	Vertical	335	2.22	-	44.81
PK	5.1746G	115.86	Inf	-Inf	8.00	3	Vertical	335	2.22	-	107.86
AV	5.1746G	105.58	Inf	-Inf	8.00	3	Vertical	335	2.22	-	97.58

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT_Z_4TX
Setting 69
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	62.32	74.00	-11.68	7.94	3	Horizontal	181	1.01	-	54.38
AV	5.1472G	47.16	54.00	-6.84	7.94	3	Horizontal	181	1.01	-	39.22
PK	5.173G	109.76	Inf	-Inf	8.00	3	Horizontal	181	1.01	-	101.76
AV	5.1726G	97.97	Inf	-Inf	8.00	3	Horizontal	181	1.01	-	89.97

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT Z_4TX
Setting 69
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53932G	54.58	74.00	-19.42	16.08	3	Vertical	5	1.66	-	38.50
AV	15.5372G	42.10	54.00	-11.90	16.08	3	Vertical	5	1.66	-	26.02

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5180MHz_TX




EUT Z_4TX
Setting 69
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5468G	54.69	74.00	-19.31	16.05	3	Horizontal	360	1.95	-	38.64
AV	15.54672G	42.07	54.00	-11.93	16.05	3	Horizontal	360	1.95	-	26.02

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	69.49	74.00	-4.51	7.94	3	Vertical	203	2.55	-	61.55
AV	5.1492G	53.41	54.00	-0.59	7.94	3	Vertical	203	2.55	-	45.47
PK	5.2044G	121.19	Inf	-Inf	8.07	3	Vertical	203	2.55	-	113.12
AV	5.1944G	110.05	Inf	-Inf	8.04	3	Vertical	203	2.55	-	102.01

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT_Z_4TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.15	74.00	-7.85	7.94	3	Horizontal	179	1.04	-	58.21
AV	5.1472G	48.47	54.00	-5.53	7.94	3	Horizontal	179	1.04	-	40.53
PK	5.2024G	113.91	Inf	-Inf	8.06	3	Horizontal	179	1.04	-	105.85
AV	5.2028G	103.95	Inf	-Inf	8.06	3	Horizontal	179	1.04	-	95.89

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
 Setting 91
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40276G	58.91	68.20	-9.29	14.64	3	Vertical	151	2.07	-	44.27
PK	15.53944G	54.35	74.00	-19.65	16.08	3	Vertical	12	1.89	-	38.27
AV	15.53552G	42.09	54.00	-11.91	16.09	3	Vertical	12	1.89	-	26.00

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5200MHz_TX




EUT Z_4TX
Setting 91
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40872G	53.33	68.20	-14.87	14.63	3	Horizontal	311	1.92	-	38.70
PK	15.5934G	55.40	74.00	-18.60	15.93	3	Horizontal	85	1.44	-	39.47
AV	15.59272G	42.34	54.00	-11.66	15.93	3	Horizontal	85	1.44	-	26.41

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	68.28	74.00	-5.72	7.94	3	Vertical	330	2.29	-	60.34
AV	5.1494G	53.48	54.00	-0.52	7.94	3	Vertical	0	1.50	-	45.54
PK	5.24G	124.81	Inf	-Inf	8.12	3	Vertical	330	2.29	-	116.69
AV	5.2346G	114.28	Inf	-Inf	8.11	3	Vertical	330	2.29	-	106.17
PK	5.3654G	64.47	74.00	-9.53	8.29	3	Vertical	330	2.29	-	56.18
AV	5.3528G	51.46	54.00	-2.54	8.28	3	Vertical	330	2.29	-	43.18

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1422G	62.27	74.00	-11.73	7.94	3	Horizontal	2	2.63	-	54.33
AV	5.1428G	49.28	54.00	-4.72	7.94	3	Horizontal	2	2.63	-	41.34
PK	5.237G	120.23	Inf	-Inf	8.11	3	Horizontal	2	2.63	-	112.12
AV	5.2424G	107.63	Inf	-Inf	8.12	3	Horizontal	2	2.63	-	99.51
PK	5.351G	62.59	74.00	-11.41	8.28	3	Horizontal	2	2.63	-	54.31
AV	5.35G	49.51	54.00	-4.49	8.28	3	Horizontal	2	2.63	-	41.23

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT Z_4TX
Setting 106
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48112G	58.23	68.20	-9.97	14.58	3	Vertical	139	1.50	-	43.65
PK	15.71752G	63.67	74.00	-10.33	15.61	3	Vertical	324	2.92	-	48.06
AV	15.71812G	51.75	54.00	-2.25	15.61	3	Vertical	324	2.92	-	36.14

802.11ax HEW20_Nss1,(MCS0)_4TX

28/09/2019

5240MHz_TX




EUT Z_4TX
Setting 106
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47912G	61.34	68.20	-6.86	14.58	3	Horizontal	195	1.67	-	46.76
PK	15.71244G	62.77	74.00	-11.23	15.62	3	Horizontal	68	1.35	-	47.15
AV	15.71892G	47.08	54.00	-6.92	15.61	3	Horizontal	68	1.35	-	31.47

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.52	68.20	-0.68	8.67	3	Vertical	2	2.30	-	58.85
PK	5.746G	126.71	Inf	-Inf	8.82	3	Vertical	2	2.30	-	117.89
AV	5.746G	114.83	Inf	-Inf	8.82	3	Vertical	2	2.30	-	106.01
PK	5.934G	61.07	68.20	-7.13	8.93	3	Vertical	2	2.30	-	52.14

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	60.73	68.20	-7.47	8.66	3	Horizontal	169	2.53	-	52.07
PK	5.753G	118.96	Inf	-Inf	8.83	3	Horizontal	169	2.53	-	110.13
AV	5.748G	108.69	Inf	-Inf	8.82	3	Horizontal	169	2.53	-	99.87
PK	5.942G	59.12	68.20	-9.08	8.94	3	Horizontal	169	2.53	-	50.18

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT Z_4TX
 Setting 106
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48976G	60.01	74.00	-13.99	14.89	3	Vertical	86	2.02	-	45.12
AV	11.488G	47.82	54.00	-6.18	14.89	3	Vertical	86	2.02	-	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

25/09/2019

5745MHz_TX




EUT_Z_4TX
Setting 106
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4836G	54.24	74.00	-19.76	14.89	3	Horizontal	141	1.96	-	39.35
AV	11.48484G	41.23	54.00	-12.77	14.89	3	Horizontal	141	1.96	-	26.34

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
 Setting 115
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	66.30	68.20	-1.90	8.67	3	Vertical	176	2.39	-	57.63
PK	5.778G	127.68	Inf	-Inf	8.87	3	Vertical	176	2.39	-	118.81
AV	5.788G	116.37	Inf	-Inf	8.87	3	Vertical	176	2.39	-	107.50
PK	5.928G	67.46	68.20	-0.74	8.93	3	Vertical	176	2.39	-	58.53

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT_Z_4TX
Setting 115
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	59.63	68.20	-8.57	8.67	3	Horizontal	175	2.62	-	50.96
PK	5.778G	120.23	Inf	-Inf	8.87	3	Horizontal	175	2.62	-	111.36
AV	5.788G	109.66	Inf	-Inf	8.87	3	Horizontal	175	2.62	-	100.79
PK	5.936G	60.07	68.20	-8.13	8.93	3	Horizontal	175	2.62	-	51.14

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT Z_4TX
 Setting 115
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57094G	60.29	74.00	-13.71	15.00	3	Vertical	93	2.06	-	45.29
AV	11.5703G	47.62	54.00	-6.38	15.00	3	Vertical	93	2.06	-	32.62

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5785MHz_TX




EUT Z_4TX
Setting 115
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56754G	54.59	74.00	-19.41	14.99	3	Horizontal	93	1.67	-	39.60
AV	11.57004G	41.90	54.00	-12.10	15.00	3	Horizontal	93	1.67	-	26.90

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
 Setting 108
 02-L-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	61.02	68.20	-7.18	8.66	3	Vertical	180	2.37	-	52.36
PK	5.818G	126.72	Inf	-Inf	8.90	3	Vertical	180	2.37	-	117.82
AV	5.818G	115.59	Inf	-Inf	8.90	3	Vertical	180	2.37	-	106.69
PK	5.927G	67.51	68.20	-0.69	8.93	3	Vertical	180	2.37	-	58.58

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT_Z_4TX
Setting 108
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	58.65	68.20	-9.55	8.63	3	Horizontal	161	2.59	-	50.02
PK	5.818G	119.41	Inf	-Inf	8.90	3	Horizontal	161	2.59	-	110.51
AV	5.823G	109.23	Inf	-Inf	8.90	3	Horizontal	161	2.59	-	100.33
PK	5.932G	67.37	68.20	-0.83	8.93	3	Horizontal	161	2.59	-	58.44

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT Z_4TX
Setting 108
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65G	60.71	74.00	-13.29	15.09	3	Vertical	92	2.04	-	45.62
AV	11.65016G	48.81	54.00	-5.19	15.09	3	Vertical	92	2.04	-	33.72

802.11ax HEW20_Nss1,(MCS0)_4TX

27/09/2019

5825MHz_TX




EUT Z_4TX
Setting 108
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65258G	54.89	74.00	-19.11	15.10	3	Horizontal	57	2.35	-	39.79
AV	11.65272G	43.34	54.00	-10.66	15.10	3	Horizontal	57	2.35	-	28.24

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	65.41	74.00	-8.59	7.94	3	Vertical	78	2.31	-	57.47
AV	5.146G	53.48	54.00	-0.52	7.94	3	Vertical	78	2.31	-	45.54
PK	5.206G	112.10	Inf	-Inf	8.07	3	Vertical	78	2.31	-	104.03
AV	5.186G	101.55	Inf	-Inf	8.03	3	Vertical	78	2.31	-	93.52

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT_Z_4TX
Setting 63
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	62.01	74.00	-11.99	7.94	3	Horizontal	181	2.14	-	54.07
AV	5.15G	50.07	54.00	-3.93	7.94	3	Horizontal	181	2.14	-	42.13
PK	5.182G	107.46	Inf	-Inf	8.02	3	Horizontal	181	2.14	-	99.44
AV	5.182G	94.99	Inf	-Inf	8.02	3	Horizontal	181	2.14	-	86.97

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT Z_4TX
 Setting 63
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56044G	55.10	74.00	-18.90	16.01	3	Vertical	45	1.50	-	39.09
AV	15.56236G	44.02	54.00	-9.98	16.02	3	Vertical	45	1.50	-	28.00

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5190MHz_TX




EUT Z_4TX
 Setting 63
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5752G	55.85	74.00	-18.15	15.98	3	Horizontal	319	2.18	-	39.87
AV	15.561G	43.71	54.00	-10.29	16.02	3	Horizontal	319	2.18	-	27.69

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	68.46	74.00	-5.54	7.94	3	Vertical	345	2.29	-	60.52
AV	5.1472G	53.32	54.00	-0.68	7.94	3	Vertical	345	2.29	-	45.38
PK	5.2246G	118.51	Inf	-Inf	8.10	3	Vertical	345	2.29	-	110.41
AV	5.2348G	108.00	Inf	-Inf	8.11	3	Vertical	345	2.29	-	99.89
PK	5.3512G	61.01	74.00	-12.99	8.28	3	Vertical	345	2.29	-	52.73
AV	5.3506G	49.90	54.00	-4.10	8.28	3	Vertical	345	2.29	-	41.62

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	60.43	74.00	-13.57	7.94	3	Horizontal	4	2.63	-	52.49
AV	5.1478G	49.31	54.00	-4.69	7.94	3	Horizontal	4	2.63	-	41.37
PK	5.2222G	112.79	Inf	-Inf	8.10	3	Horizontal	4	2.63	-	104.69
AV	5.2324G	100.99	Inf	-Inf	8.11	3	Horizontal	4	2.63	-	92.88
PK	5.368G	58.89	74.00	-15.11	8.29	3	Horizontal	4	2.63	-	50.60
AV	5.3512G	47.93	54.00	-6.07	8.28	3	Horizontal	4	2.63	-	39.65

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
 Setting 83
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68748G	56.73	74.00	-17.27	15.69	3	Vertical	132	2.99	-	41.04
AV	15.68848G	43.88	54.00	-10.12	15.68	3	Vertical	132	2.99	-	28.20

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5230MHz_TX




EUT_Z_4TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68144G	54.88	74.00	-19.12	15.69	3	Horizontal	69	2.18	-	39.19
AV	15.68128G	44.14	54.00	-9.86	15.69	3	Horizontal	69	2.18	-	28.45

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT_Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	67.69	68.20	-0.51	8.66	3	Vertical	163	2.41	-	59.03
PK	5.747G	122.38	Inf	-Inf	8.82	3	Vertical	163	2.41	-	113.56
AV	5.753G	110.91	Inf	-Inf	8.83	3	Vertical	163	2.41	-	102.08
PK	5.952G	60.88	68.20	-7.32	8.92	3	Vertical	163	2.41	-	51.96

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT_Z_4TX
Setting 93
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	60.05	68.20	-8.15	8.66	3	Horizontal	156	1.69	-	51.39
PK	5.763G	111.99	Inf	-Inf	8.84	3	Horizontal	156	1.69	-	103.15
AV	5.763G	101.45	Inf	-Inf	8.84	3	Horizontal	156	1.69	-	92.61
PK	5.975G	58.70	68.20	-9.50	8.94	3	Horizontal	156	1.69	-	49.76

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50852G	53.93	74.00	-20.07	14.92	3	Vertical	190	1.65	-	39.01
AV	11.509G	42.87	54.00	-11.13	14.92	3	Vertical	190	1.65	-	27.95

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5755MHz_TX




EUT_Z_4TX
Setting 93
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5014G	54.23	74.00	-19.77	14.91	3	Horizontal	280	2.11	-	39.32
AV	11.51556G	42.77	54.00	-11.23	14.92	3	Horizontal	280	2.11	-	27.85

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	64.51	68.20	-3.69	8.64	3	Vertical	176	2.37	-	55.87
PK	5.788G	122.36	Inf	-Inf	8.87	3	Vertical	176	2.37	-	113.49
AV	5.793G	111.88	Inf	-Inf	8.89	3	Vertical	176	2.37	-	102.99
PK	5.925G	67.55	68.20	-0.65	8.93	3	Vertical	176	2.37	-	58.62

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.628G	59.56	68.20	-8.64	8.63	3	Horizontal	172	2.63	-	50.93
PK	5.803G	115.07	Inf	-Inf	8.90	3	Horizontal	172	2.63	-	106.17
AV	5.788G	105.29	Inf	-Inf	8.87	3	Horizontal	172	2.63	-	96.42
PK	5.929G	60.05	68.20	-8.15	8.93	3	Horizontal	172	2.63	-	51.12

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59044G	53.49	74.00	-20.51	15.02	3	Vertical	95	1.97	-	38.47
AV	11.5904G	46.04	54.00	-7.96	15.02	3	Vertical	95	1.97	-	31.02

802.11ax HEW40_Nss1,(MCS0)_4TX

25/09/2019

5795MHz_TX




EUT_Z_4TX
Setting 98
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5902G	54.22	74.00	-19.78	15.02	3	Horizontal	172	2.00	-	39.20
AV	11.58452G	42.47	54.00	-11.53	15.02	3	Horizontal	172	2.00	-	27.45

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	65.37	74.00	-8.63	7.94	3	Vertical	345	2.30	-	57.43
AV	5.141G	53.28	54.00	-0.72	7.94	3	Vertical	345	2.30	-	45.34
PK	5.2G	109.26	Inf	-Inf	8.06	3	Vertical	345	2.30	-	101.20
AV	5.224G	98.79	Inf	-Inf	8.10	3	Vertical	345	2.30	-	90.69
PK	5.375G	59.18	74.00	-14.82	8.31	3	Vertical	345	2.30	-	50.87
AV	5.353G	48.13	54.00	-5.87	8.28	3	Vertical	345	2.30	-	39.85

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT_Z_4TX
Setting 61
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	59.71	74.00	-14.29	7.94	3	Horizontal	182	1.01	-	51.77
AV	5.146G	48.66	54.00	-5.34	7.94	3	Horizontal	182	1.01	-	40.72
PK	5.203G	101.40	Inf	-Inf	8.06	3	Horizontal	182	1.01	-	93.34
AV	5.223G	90.75	Inf	-Inf	8.10	3	Horizontal	182	1.01	-	82.65
PK	5.429G	57.94	74.00	-16.06	8.40	3	Horizontal	182	1.01	-	49.54
AV	5.387G	47.47	54.00	-6.53	8.33	3	Horizontal	182	1.01	-	39.14

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT Z_4TX
 Setting 61
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62624G	55.39	74.00	-18.61	15.84	3	Vertical	169	2.04	-	39.55
AV	15.626G	44.60	54.00	-9.40	15.84	3	Vertical	169	2.04	-	28.76

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5210MHz_TX




EUT Z_4TX
 Setting 61
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63044G	53.64	74.00	-20.36	15.83	3	Horizontal	2	1.48	-	37.81
AV	15.62724G	42.56	54.00	-11.44	15.84	3	Horizontal	2	1.48	-	26.72

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT_Z_4TX
Setting 76
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.66	68.20	-0.54	8.66	3	Vertical	180	2.41	-	59.00
PK	5.753G	115.47	Inf	-Inf	8.83	3	Vertical	180	2.41	-	106.64
AV	5.762G	104.16	Inf	-Inf	8.85	3	Vertical	180	2.41	-	95.31
PK	5.923G	65.25	69.68	-4.43	8.92	3	Vertical	180	2.41	-	56.33

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT_Z_4TX
Setting 76
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	61.71	68.20	-6.49	8.63	3	Horizontal	183	2.26	-	53.08
PK	5.788G	107.69	Inf	-Inf	8.87	3	Horizontal	183	2.26	-	98.82
AV	5.763G	97.81	Inf	-Inf	8.84	3	Horizontal	183	2.26	-	88.97
PK	5.93G	59.21	68.20	-8.99	8.93	3	Horizontal	183	2.26	-	50.28

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX




EUT_Z_4TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55988G	53.86	74.00	-20.14	14.99	3	Vertical	237	2.40	-	38.87
AV	11.54016G	42.80	54.00	-11.20	14.96	3	Vertical	237	2.40	-	27.84

802.11ax HEW80_Nss1,(MCS0)_4TX

25/09/2019

5775MHz_TX



EUT_Z_4TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54368G	53.39	74.00	-20.61	14.96	3	Horizontal	201	1.62	-	38.43
AV	11.55492G	42.60	54.00	-11.40	14.97	3	Horizontal	201	1.62	-	27.63




Summary

Mode	Result	Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	PK	5.651G	68.42	68.94	-0.52	8.66	3	Vertical	184	2.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5180MHz_TX




EUT Z_4TX
Setting 75
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	73.43	74.00	-0.57	7.94	3	Vertical	358	2.32	-	65.49
AV	5.1488G	52.88	54.00	-1.12	7.94	3	Vertical	358	2.32	-	44.94
PK	5.1716G	119.40	Inf	-Inf	7.99	3	Vertical	358	2.32	-	111.41
AV	5.171G	108.10	Inf	-Inf	7.99	3	Vertical	358	2.32	-	100.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5180MHz_TX




EUT Z_4TX
 Setting 75
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	60.99	74.00	-13.01	7.94	3	Horizontal	157	1.35	-	53.05
AV	5.15G	46.56	54.00	-7.44	7.94	3	Horizontal	157	1.35	-	38.62
PK	5.1758G	110.43	Inf	-Inf	8.01	3	Horizontal	157	1.35	-	102.42
AV	5.1758G	99.00	Inf	-Inf	8.01	3	Horizontal	157	1.35	-	90.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5180MHz_TX




EUT Z_4TX
Setting 75
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.52986G	56.36	74.00	-17.64	16.09	3	Vertical	63	1.78	-	40.27
AV	15.55044G	41.90	54.00	-12.10	16.04	3	Vertical	63	1.78	-	25.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5180MHz_TX




EUT Z_4TX
 Setting 75
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.55386G	55.28	74.00	-18.72	16.03	3	Horizontal	255	2.26	-	39.25
AV	15.52548G	41.86	54.00	-12.14	16.11	3	Horizontal	255	2.26	-	25.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1418G	71.52	74.00	-2.48	7.94	3	Vertical	72	2.54	-	63.58
AV	5.149G	53.36	54.00	-0.64	7.94	3	Vertical	72	2.54	-	45.42
PK	5.2084G	124.78	Inf	-Inf	8.07	3	Vertical	72	2.54	-	116.71
AV	5.2072G	112.62	Inf	-Inf	8.07	3	Vertical	72	2.54	-	104.55

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 94
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	64.40	74.00	-9.60	7.94	3	Horizontal	28	2.55	-	56.46
AV	5.15G	48.82	54.00	-5.18	7.94	3	Horizontal	28	2.55	-	40.88
PK	5.191G	116.00	Inf	-Inf	8.04	3	Horizontal	28	2.55	-	107.96
AV	5.1922G	104.74	Inf	-Inf	8.04	3	Horizontal	28	2.55	-	96.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5200MHz_TX




EUT Z_4TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5971G	58.09	74.00	-15.91	15.92	3	Vertical	101	1.83	-	42.17
AV	15.5988G	43.68	54.00	-10.32	15.91	3	Vertical	101	1.83	-	27.77

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5200MHz_TX




EUT Z_4TX
Setting 94
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5795G	54.95	74.00	-19.05	15.97	3	Horizontal	96	2.24	-	38.98
AV	15.6011G	41.77	54.00	-12.23	15.91	3	Horizontal	96	2.24	-	25.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	68.60	74.00	-5.40	7.94	3	Vertical	77	2.42	-	60.66
AV	5.1482G	53.45	54.00	-0.55	7.94	3	Vertical	77	2.42	-	45.51
PK	5.2466G	126.32	Inf	-Inf	8.13	3	Vertical	77	2.42	-	118.19
AV	5.2472G	114.91	Inf	-Inf	8.13	3	Vertical	77	2.42	-	106.78
PK	5.354G	65.72	74.00	-8.28	8.28	3	Vertical	77	2.42	-	57.44
AV	5.3534G	52.08	54.00	-1.92	8.28	3	Vertical	77	2.42	-	43.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 112
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	63.81	74.00	-10.19	7.94	3	Horizontal	325	2.29	-	55.87
AV	5.15G	49.74	54.00	-4.26	7.94	3	Horizontal	325	2.29	-	41.80
PK	5.237G	118.49	Inf	-Inf	8.11	3	Horizontal	325	2.29	-	110.38
AV	5.2382G	106.24	Inf	-Inf	8.12	3	Horizontal	325	2.29	-	98.12
PK	5.3534G	61.84	74.00	-12.16	8.28	3	Horizontal	325	2.29	-	53.56
AV	5.35G	48.22	54.00	-5.78	8.28	3	Horizontal	325	2.29	-	39.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5240MHz_TX




EUT Z_4TX
Setting 112
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4797G	55.62	68.20	-12.58	14.58	3	Vertical	11	2.65	-	41.04
PK	15.7152G	62.86	74.00	-11.14	15.62	3	Vertical	297	2.73	-	47.24
AV	15.7142G	50.01	54.00	-3.99	15.62	3	Vertical	297	2.73	-	34.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5240MHz_TX




EUT Z_4TX
Setting 112
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47826G	54.32	68.20	-13.88	14.59	3	Horizontal	25	2.10	-	39.73
PK	15.7275G	60.79	74.00	-13.21	15.58	3	Horizontal	157	2.99	-	45.21
AV	15.72276G	47.61	54.00	-6.39	15.59	3	Horizontal	157	2.99	-	32.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5745MHz_TX



EUT_Z_4TX
 Setting 110
 02-W-3-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.42	68.94	-0.52	8.66	3	Vertical	184	2.85	-	59.76
PK	5.752G	127.56	Inf	-Inf	8.83	3	Vertical	184	2.85	-	118.73
AV	5.752G	115.99	Inf	-Inf	8.83	3	Vertical	184	2.85	-	107.16
PK	5.954G	60.46	68.20	-7.74	8.92	3	Vertical	184	2.85	-	51.54



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5745MHz_TX




EUT_Z_4TX
 Setting 110
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.87	68.20	-6.33	8.66	3	Horizontal	14	2.29	-	53.21
PK	5.738G	118.62	Inf	-Inf	8.80	3	Horizontal	14	2.29	-	109.82
AV	5.738G	107.26	Inf	-Inf	8.80	3	Horizontal	14	2.29	-	98.46
PK	5.983G	58.77	68.20	-9.43	8.94	3	Horizontal	14	2.29	-	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5745MHz_TX




EUT_Z_4TX
 Setting 110
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48456G	57.10	74.00	-16.90	14.89	3	Vertical	41	2.94	-	42.21
AV	11.48992G	44.23	54.00	-9.77	14.89	3	Vertical	41	2.94	-	29.34
PK	17.2337G	60.09	68.20	-8.11	20.70	3	Vertical	313	2.68	-	39.39

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5745MHz_TX




EUT Z_4TX
Setting 110
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5142G	53.25	74.00	-20.75	14.92	3	Horizontal	32	1.24	-	38.33
AV	11.4878G	40.54	54.00	-13.46	14.89	3	Horizontal	32	1.24	-	25.65
PK	17.2444G	59.76	68.20	-8.44	20.77	3	Horizontal	22	2.14	-	38.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	67.06	68.20	-1.14	8.66	3	Vertical	37	2.55	-	58.40
PK	5.777G	125.49	Inf	-Inf	8.87	3	Vertical	37	2.55	-	116.62
AV	5.777G	114.26	Inf	-Inf	8.87	3	Vertical	37	2.55	-	105.39
PK	5.924G	65.19	68.94	-3.75	8.92	3	Vertical	37	2.55	-	56.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	59.35	68.20	-8.85	8.66	3	Horizontal	337	2.85	-	50.69
PK	5.776G	117.57	Inf	-Inf	8.87	3	Horizontal	337	2.85	-	108.70
AV	5.776G	106.96	Inf	-Inf	8.87	3	Horizontal	337	2.85	-	98.09
PK	5.935G	59.51	68.20	-8.69	8.93	3	Horizontal	337	2.85	-	50.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Z_4TX
 Setting 120
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5829G	56.29	74.00	-17.71	15.02	3	Vertical	8	2.14	-	41.27
AV	11.5813G	43.47	54.00	-10.53	15.02	3	Vertical	8	2.14	-	28.45
PK	17.3711G	60.34	68.20	-7.86	21.52	3	Vertical	261	1.42	-	38.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5785MHz_TX




EUT Z_4TX
Setting 120
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5872G	54.49	74.00	-19.51	15.02	3	Horizontal	136	1.64	-	39.47
AV	11.5803G	41.08	54.00	-12.92	15.01	3	Horizontal	136	1.64	-	26.07
PK	17.3762G	60.66	68.20	-7.54	21.54	3	Horizontal	214	2.15	-	39.12

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 115
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.584G	61.13	68.20	-7.07	8.57	3	Vertical	87	2.57	-	52.56
PK	5.832G	125.52	Inf	-Inf	8.91	3	Vertical	87	2.57	-	116.61
AV	5.832G	114.75	Inf	-Inf	8.91	3	Vertical	87	2.57	-	105.84
PK	5.926G	67.67	68.20	-0.53	8.93	3	Vertical	87	2.57	-	58.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

11/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 115
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	58.65	68.20	-9.55	8.58	3	Horizontal	263	2.53	-	50.07
PK	5.816G	116.39	Inf	-Inf	8.91	3	Horizontal	263	2.53	-	107.48
AV	5.817G	104.45	Inf	-Inf	8.90	3	Horizontal	263	2.53	-	95.55
PK	5.933G	62.00	68.20	-6.20	8.93	3	Horizontal	263	2.53	-	53.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Z_4TX
Setting 115
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6451G	55.99	74.00	-18.01	15.09	3	Vertical	358	1.23	-	40.90
AV	11.6472G	42.69	54.00	-11.31	15.09	3	Vertical	358	1.23	-	27.60
PK	17.4824G	60.70	68.20	-7.50	22.18	3	Vertical	219	2.12	-	38.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

15/10/2019

5825MHz_TX




EUT Z_4TX
Setting 115
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6597G	55.09	74.00	-18.91	15.11	3	Horizontal	329	2.96	-	39.98
AV	11.6466G	40.54	54.00	-13.46	15.09	3	Horizontal	329	2.96	-	25.45
PK	17.4955G	61.39	68.20	-6.81	22.26	3	Horizontal	286	1.66	-	39.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5190MHz_TX




EUT Z_4TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	70.51	74.00	-3.49	7.94	3	Vertical	66	2.22	-	62.57
AV	5.15G	53.43	54.00	-0.57	7.94	3	Vertical	66	2.22	-	45.49
PK	5.206G	117.49	Inf	-Inf	8.07	3	Vertical	66	2.22	-	109.42
AV	5.2076G	105.05	Inf	-Inf	8.07	3	Vertical	66	2.22	-	96.98

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 68
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	67.05	74.00	-6.95	7.94	3	Horizontal	152	2.73	-	59.11
AV	5.15G	48.77	54.00	-5.23	7.94	3	Horizontal	152	2.73	-	40.83
PK	5.1864G	107.59	Inf	-Inf	8.04	3	Horizontal	152	2.73	-	99.55
AV	5.1888G	95.50	Inf	-Inf	8.04	3	Horizontal	152	2.73	-	87.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5190MHz_TX




EUT Z_4TX
 Setting 68
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5626G	55.82	74.00	-18.18	16.02	3	Vertical	312	2.07	-	39.80
AV	15.5531G	42.01	54.00	-11.99	16.04	3	Vertical	312	2.07	-	25.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5190MHz_TX




EUT Z_4TX
 Setting 68
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.558G	55.07	74.00	-18.93	16.02	3	Horizontal	232	2.01	-	39.05
AV	15.5511G	41.65	54.00	-12.35	16.04	3	Horizontal	232	2.01	-	25.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	70.00	74.00	-4.00	7.94	3	Vertical	343	2.57	-	62.06
AV	5.15G	53.34	54.00	-0.66	7.94	3	Vertical	343	2.57	-	45.40
PK	5.2348G	121.33	Inf	-Inf	8.11	3	Vertical	343	2.57	-	113.22
AV	5.2372G	108.47	Inf	-Inf	8.11	3	Vertical	343	2.57	-	100.36
PK	5.3542G	61.98	74.00	-12.02	8.28	3	Vertical	343	2.57	-	53.70
AV	5.35G	48.31	54.00	-5.69	8.28	3	Vertical	343	2.57	-	40.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5230MHz_TX




EUT_Z_4TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	63.12	74.00	-10.88	7.94	3	Horizontal	33	2.60	-	55.18
AV	5.15G	48.76	54.00	-5.24	7.94	3	Horizontal	33	2.60	-	40.82
PK	5.2438G	112.47	Inf	-Inf	8.12	3	Horizontal	33	2.60	-	104.35
AV	5.2426G	100.66	Inf	-Inf	8.12	3	Horizontal	33	2.60	-	92.54
PK	5.3524G	59.20	74.00	-14.80	8.28	3	Horizontal	33	2.60	-	50.92
AV	5.356G	46.35	54.00	-7.65	8.28	3	Horizontal	33	2.60	-	38.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5230MHz_TX




EUT Z_4TX
Setting 87
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.686G	56.40	74.00	-17.60	15.69	3	Vertical	200	1.94	-	40.71
AV	15.6928G	43.30	54.00	-10.70	15.67	3	Vertical	200	1.94	-	27.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5230MHz_TX




EUT Z_4TX
 Setting 87
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6881G	55.10	74.00	-18.90	15.68	3	Horizontal	297	1.52	-	39.42
AV	15.6905G	41.50	54.00	-12.50	15.68	3	Horizontal	297	1.52	-	25.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5755MHz_TX




EUT_Z_4TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.29	68.94	-0.65	8.66	3	Vertical	180	2.60	-	59.63
PK	5.757G	121.58	Inf	-Inf	8.83	3	Vertical	180	2.60	-	112.75
AV	5.761G	109.50	Inf	-Inf	8.85	3	Vertical	180	2.60	-	100.65
PK	5.96G	60.09	68.20	-8.11	8.93	3	Vertical	180	2.60	-	51.16

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5755MHz_TX




EUT_Z_4TX
Setting 90
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.91	68.20	-6.29	8.67	3	Horizontal	6	2.26	-	53.24
PK	5.745G	112.69	Inf	-Inf	8.82	3	Horizontal	6	2.26	-	103.87
AV	5.742G	100.60	Inf	-Inf	8.81	3	Horizontal	6	2.26	-	91.79
PK	5.95G	58.63	68.20	-9.57	8.93	3	Horizontal	6	2.26	-	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5755MHz_TX




EUT_Z_4TX
 Setting 90
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5G	54.13	74.00	-19.87	14.90	3	Vertical	153	2.44	-	39.23
AV	11.5112G	40.38	54.00	-13.62	14.92	3	Vertical	153	2.44	-	25.46
PK	17.2821G	59.30	68.20	-8.90	20.99	3	Vertical	290	2.03	-	38.31

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5755MHz_TX




EUT Z_4TX
 Setting 90
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5025G	53.21	74.00	-20.79	14.91	3	Horizontal	320	1.70	-	38.30
AV	11.5038G	40.30	54.00	-13.70	14.91	3	Horizontal	320	1.70	-	25.39
PK	17.26616G	59.63	68.20	-8.57	20.90	3	Horizontal	62	2.10	-	38.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5795MHz_TX



EUT_Z_4TX
Setting 102
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	66.52	68.94	-2.42	8.66	3	Vertical	147	2.28	-	57.86
PK	5.787G	121.27	Inf	-Inf	8.88	3	Vertical	147	2.28	-	112.39
AV	5.79G	108.82	Inf	-Inf	8.88	3	Vertical	147	2.28	-	99.94
PK	5.929G	67.65	68.20	-0.55	8.93	3	Vertical	147	2.28	-	58.72



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

11/10/2019

5795MHz_TX




EUT_Z_4TX
Setting 102
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	58.90	68.20	-9.30	8.63	3	Horizontal	294	2.31	-	50.27
PK	5.812G	110.36	Inf	-Inf	8.91	3	Horizontal	294	2.31	-	101.45
AV	5.813G	99.71	Inf	-Inf	8.91	3	Horizontal	294	2.31	-	90.80
PK	5.929G	61.08	68.20	-7.12	8.93	3	Horizontal	294	2.31	-	52.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5795MHz_TX




EUT Z_4TX
Setting 102
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58996G	55.98	74.00	-18.02	15.02	3	Vertical	206	3.00	-	40.96
AV	11.58988G	42.10	54.00	-11.90	15.02	3	Vertical	206	3.00	-	27.08
PK	17.37612G	61.04	68.20	-7.16	21.54	3	Vertical	96	2.30	-	39.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

15/10/2019

5795MHz_TX




EUT Z_4TX
 Setting 102
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59G	56.45	74.00	-17.55	15.02	3	Horizontal	112	2.35	-	41.43
AV	11.58508G	41.19	54.00	-12.81	15.02	3	Horizontal	112	2.35	-	26.17
PK	17.4068G	60.97	68.20	-7.23	21.73	3	Horizontal	76	2.68	-	39.24

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.145G	68.14	74.00	-5.86	7.94	3	Vertical	75	2.77	-	60.20
AV	5.15G	53.41	54.00	-0.59	7.94	3	Vertical	75	2.77	-	45.47
PK	5.213G	113.54	Inf	-Inf	8.08	3	Vertical	75	2.77	-	105.46
AV	5.212G	100.61	Inf	-Inf	8.07	3	Vertical	75	2.77	-	92.54
PK	5.36G	59.08	74.00	-14.92	8.29	3	Vertical	75	2.77	-	50.79
AV	5.352G	45.99	54.00	-8.01	8.28	3	Vertical	75	2.77	-	37.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5210MHz_TX




EUT_Z_4TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.04	74.00	-11.96	7.94	3	Horizontal	42	2.59	-	54.10
AV	5.148G	49.89	54.00	-4.11	7.94	3	Horizontal	42	2.59	-	41.95
PK	5.239G	104.02	Inf	-Inf	8.12	3	Horizontal	42	2.59	-	95.90
AV	5.24G	92.18	Inf	-Inf	8.12	3	Horizontal	42	2.59	-	84.06
PK	5.381G	58.02	74.00	-15.98	8.32	3	Horizontal	42	2.59	-	49.70
AV	5.36G	45.45	54.00	-8.55	8.29	3	Horizontal	42	2.59	-	37.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5210MHz_TX




EUT Z_4TX
 Setting 65
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62644G	54.69	74.00	-19.31	15.84	3	Vertical	36	1.04	-	38.85
AV	15.62396G	40.71	54.00	-13.29	15.85	3	Vertical	36	1.04	-	24.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5210MHz_TX




EUT Z_4TX
 Setting 65
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63104G	54.80	74.00	-19.20	15.83	3	Horizontal	48	1.63	-	38.97
AV	15.62384G	40.70	54.00	-13.30	15.85	3	Horizontal	48	1.63	-	24.85

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5775MHz_TX



EUT_Z_4TX
 Setting 80
 02-W-3-10
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	67.56	68.20	-0.64	8.66	3	Vertical	179	2.84	-	58.90
PK	5.763G	117.66	Inf	-Inf	8.84	3	Vertical	179	2.84	-	108.82
AV	5.764G	104.34	Inf	-Inf	8.84	3	Vertical	179	2.84	-	95.50
PK	5.927G	63.69	68.20	-4.51	8.93	3	Vertical	179	2.84	-	54.76



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

11/10/2019

5775MHz_TX




EUT_Z_4TX
 Setting 80
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	63.51	68.20	-4.69	8.66	3	Horizontal	341	2.25	-	54.85
PK	5.742G	105.20	Inf	-Inf	8.81	3	Horizontal	341	2.25	-	96.39
AV	5.743G	92.61	Inf	-Inf	8.82	3	Horizontal	341	2.25	-	83.79
PK	5.937G	60.80	68.20	-7.40	8.93	3	Horizontal	341	2.25	-	51.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5775MHz_TX




EUT Z_4TX
 Setting 80
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55816G	53.79	74.00	-20.21	14.99	3	Vertical	355	2.64	-	38.80
AV	11.55984G	39.62	54.00	-14.38	14.99	3	Vertical	355	2.64	-	24.63
PK	17.32172G	59.68	68.20	-8.52	21.23	3	Vertical	99	2.58	-	38.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

15/10/2019

5775MHz_TX



EUT_Z_4TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55052G	53.25	74.00	-20.75	14.97	3	Horizontal	290	1.68	-	38.28
AV	11.547G	39.63	54.00	-14.37	14.97	3	Horizontal	290	1.68	-	24.66
PK	17.33336G	59.60	68.20	-8.60	21.30	3	Horizontal	211	1.51	-	38.30




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss4,(MCS0)_4TX	Pass	PK	5.632G	67.67	68.20	-0.53	8.63	3	Vertical	185	2.61	-

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT_Z_4TX
Setting 72
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.16	74.00	-6.84	7.94	3	Vertical	343	2.56	-	59.22
AV	5.1498G	53.26	54.00	-0.74	7.94	3	Vertical	343	2.56	-	45.32
PK	5.1788G	117.51	Inf	-Inf	8.02	3	Vertical	343	2.56	-	109.49
AV	5.1758G	104.27	Inf	-Inf	8.01	3	Vertical	343	2.56	-	96.26

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT_Z_4TX
Setting 72
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	63.83	74.00	-10.17	7.94	3	Horizontal	323	2.52	-	55.89
AV	5.149G	48.96	54.00	-5.04	7.94	3	Horizontal	323	2.52	-	41.02
PK	5.1836G	110.01	Inf	-Inf	8.03	3	Horizontal	323	2.52	-	101.98
AV	5.1768G	97.69	Inf	-Inf	8.01	3	Horizontal	323	2.52	-	89.68

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
 Setting 72
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54614G	55.22	74.00	-18.78	16.06	3	Vertical	259	2.50	-	39.16
AV	15.54642G	42.47	54.00	-11.53	16.06	3	Vertical	259	2.50	-	26.41

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5180MHz_TX




EUT Z_4TX
Setting 72
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54098G	55.06	74.00	-18.94	16.07	3	Horizontal	190	2.16	-	38.99
AV	15.540916G	42.21	54.00	-11.79	16.07	3	Horizontal	190	2.16	-	26.14

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 89
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	66.97	74.00	-7.03	7.94	3	Vertical	342	2.66	-	59.03
AV	5.1496G	53.31	54.00	-0.69	7.94	3	Vertical	342	2.66	-	45.37
PK	5.1956G	120.23	Inf	-Inf	8.06	3	Vertical	342	2.66	-	112.17
AV	5.1956G	108.09	Inf	-Inf	8.06	3	Vertical	342	2.66	-	100.03

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 89
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.88	74.00	-12.12	7.94	3	Horizontal	360	2.54	-	53.94
AV	5.15G	48.52	54.00	-5.48	7.94	3	Horizontal	360	2.54	-	40.58
PK	5.2052G	113.02	Inf	-Inf	8.07	3	Horizontal	360	2.54	-	104.95
AV	5.198G	100.99	Inf	-Inf	8.06	3	Horizontal	360	2.54	-	92.93

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT_Z_4TX
Setting 89
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5965G	57.39	74.00	-16.61	15.92	3	Vertical	162	2.38	-	41.47
AV	15.59628G	43.97	54.00	-10.03	15.92	3	Vertical	162	2.38	-	28.05

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5200MHz_TX




EUT Z_4TX
Setting 89
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59868G	55.93	74.00	-18.07	15.91	3	Horizontal	105	1.84	-	40.02
AV	15.59856G	43.51	54.00	-10.49	15.91	3	Horizontal	105	1.84	-	27.60

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	65.82	74.00	-8.18	7.93	3	Vertical	344	2.49	-	57.89
AV	5.1499G	53.28	54.00	-0.72	7.94	3	Vertical	344	2.49	-	45.34
PK	5.2388G	123.37	Inf	-Inf	8.12	3	Vertical	344	2.49	-	115.25
AV	5.2358G	110.49	Inf	-Inf	8.11	3	Vertical	344	2.49	-	102.38
PK	5.3504G	63.62	74.00	-10.38	8.28	3	Vertical	344	2.49	-	55.34
AV	5.3516G	50.89	54.00	-3.11	8.28	3	Vertical	344	2.49	-	42.61

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.05	74.00	-10.95	7.94	3	Horizontal	326	2.49	-	55.11
AV	5.15G	49.91	54.00	-4.09	7.94	3	Horizontal	326	2.49	-	41.97
PK	5.2412G	117.11	Inf	-Inf	8.12	3	Horizontal	326	2.49	-	108.99
AV	5.237G	104.86	Inf	-Inf	8.11	3	Horizontal	326	2.49	-	96.75
PK	5.35G	61.23	74.00	-12.77	8.28	3	Horizontal	326	2.49	-	52.95
AV	5.3516G	48.36	54.00	-5.64	8.28	3	Horizontal	326	2.49	-	40.08

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT Z_4TX
 Setting 106
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48126G	60.56	68.20	-7.64	14.58	3	Vertical	148	2.10	-	45.98
PK	15.72078G	61.38	74.00	-12.62	15.60	3	Vertical	198	1.90	-	45.78
AV	15.72076G	48.70	54.00	-5.30	15.60	3	Vertical	198	1.90	-	33.10

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5240MHz_TX




EUT_Z_4TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47166G	54.74	68.20	-13.46	14.59	3	Horizontal	329	2.14	-	40.15
PK	15.72276G	60.12	74.00	-13.88	15.59	3	Horizontal	104	2.81	-	44.53
AV	15.72258G	46.57	54.00	-7.43	15.59	3	Horizontal	104	2.81	-	30.98

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.55	68.20	-0.65	8.66	3	Vertical	182	2.55	-	58.89
PK	5.739G	123.57	Inf	-Inf	8.80	3	Vertical	182	2.55	-	114.77
AV	5.743G	111.73	Inf	-Inf	8.82	3	Vertical	182	2.55	-	102.91
PK	5.95G	60.91	68.20	-7.29	8.93	3	Vertical	182	2.55	-	51.98

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	64.12	68.20	-4.08	8.66	3	Horizontal	178	2.35	-	55.46
PK	5.751G	118.57	Inf	-Inf	8.83	3	Horizontal	178	2.35	-	109.74
AV	5.743G	105.82	Inf	-Inf	8.82	3	Horizontal	178	2.35	-	97.00
PK	5.969G	59.26	68.20	-8.94	8.93	3	Horizontal	178	2.35	-	50.33

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49144G	60.49	74.00	-13.51	14.89	3	Vertical	108	2.04	-	45.60
AV	11.49102G	46.85	54.00	-7.15	14.89	3	Vertical	108	2.04	-	31.96

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5745MHz_TX




EUT Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48694G	54.26	74.00	-19.74	14.89	3	Horizontal	326	2.11	-	39.37
AV	11.48616G	40.95	54.00	-13.05	14.89	3	Horizontal	326	2.11	-	26.06

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	65.75	68.20	-2.45	8.66	3	Vertical	181	2.38	-	57.09
PK	5.78G	124.14	Inf	-Inf	8.87	3	Vertical	181	2.38	-	115.27
AV	5.781G	112.50	Inf	-Inf	8.88	3	Vertical	181	2.38	-	103.62
PK	5.929G	67.46	68.20	-0.74	8.93	3	Vertical	181	2.38	-	58.53

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	61.77	68.20	-6.43	8.66	3	Horizontal	180	2.30	-	53.11
PK	5.791G	118.74	Inf	-Inf	8.88	3	Horizontal	180	2.30	-	109.86
AV	5.783G	105.79	Inf	-Inf	8.88	3	Horizontal	180	2.30	-	96.91
PK	5.933G	60.31	68.20	-7.89	8.93	3	Horizontal	180	2.30	-	51.38

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX



EUT_Z_4TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56964G	60.89	74.00	-13.11	15.00	3	Vertical	104	1.98	-	45.89
AV	11.5706G	47.32	54.00	-6.68	15.00	3	Vertical	104	1.98	-	32.32
PK	17.35056G	62.54	68.20	-5.66	21.40	3	Vertical	87	1.77	-	41.14

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5785MHz_TX




EUT_Z_4TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57066G	54.45	74.00	-19.55	15.00	3	Horizontal	220	1.73	-	39.45
AV	11.5702G	41.51	54.00	-12.49	15.00	3	Horizontal	220	1.73	-	26.51
PK	17.35476G	63.04	68.20	-5.16	21.42	3	Horizontal	228	2.92	-	41.62

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	61.07	68.20	-7.13	8.64	3	Vertical	180	2.47	-	52.43
PK	5.832G	123.67	Inf	-Inf	8.91	3	Vertical	180	2.47	-	114.76
AV	5.819G	112.37	Inf	-Inf	8.90	3	Vertical	180	2.47	-	103.47
PK	5.926G	67.66	68.20	-0.54	8.93	3	Vertical	180	2.47	-	58.73

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT_Z_4TX
Setting 112
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	59.39	68.20	-8.81	8.63	3	Horizontal	180	2.31	-	50.76
PK	5.831G	118.63	Inf	-Inf	8.91	3	Horizontal	180	2.31	-	109.72
AV	5.823G	105.51	Inf	-Inf	8.90	3	Horizontal	180	2.31	-	96.61
PK	5.933G	61.33	68.20	-6.87	8.93	3	Horizontal	180	2.31	-	52.40

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64982G	61.06	74.00	-12.94	15.09	3	Vertical	106	2.03	-	45.97
AV	11.65048G	47.73	54.00	-6.27	15.09	3	Vertical	106	2.03	-	32.64

802.11ax HEW20_Nss4,(MCS0)_4TX

01/10/2019

5825MHz_TX




EUT Z_4TX
Setting 112
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65126G	56.43	74.00	-17.57	15.10	3	Horizontal	343	2.09	-	41.33
AV	11.65588G	43.03	54.00	-10.97	15.10	3	Horizontal	343	2.09	-	27.93

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 64
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	64.11	74.00	-9.89	7.94	3	Vertical	158	2.32	-	56.17
AV	5.15G	53.45	54.00	-0.55	7.94	3	Vertical	158	2.32	-	45.51
PK	5.1968G	110.45	Inf	-Inf	8.06	3	Vertical	158	2.32	-	102.39
AV	5.1756G	98.96	Inf	-Inf	8.01	3	Vertical	158	2.32	-	90.95

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT_Z_4TX
Setting 64
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	64.07	74.00	-9.93	7.94	3	Horizontal	2	2.51	-	56.13
AV	5.15G	49.02	54.00	-4.98	7.94	3	Horizontal	2	2.51	-	41.08
PK	5.1944G	102.44	Inf	-Inf	8.04	3	Horizontal	2	2.51	-	94.40
AV	5.2G	92.18	Inf	-Inf	8.06	3	Horizontal	2	2.51	-	84.12

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT Z_4TX
Setting 64
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57792G	55.44	74.00	-18.56	15.97	3	Vertical	272	1.80	-	39.47
AV	15.57798G	43.88	54.00	-10.12	15.97	3	Vertical	272	1.80	-	27.91

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5190MHz_TX




EUT Z_4TX
Setting 64
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5741G	54.83	74.00	-19.17	15.99	3	Horizontal	60	1.58	-	38.84
AV	15.5731G	43.97	54.00	-10.03	15.99	3	Horizontal	60	1.58	-	27.98

802.11ax HEW40_Nss4,(MCS0)_4TX

08/10/2019

5230MHz_TX



EUT_Z_4TX
Setting 82
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	65.70	74.00	-8.30	7.94	3	Vertical	65	2.31	-	57.76
AV	5.15G	53.28	54.00	-0.72	7.94	3	Vertical	65	2.31	-	45.34
PK	5.239G	114.73	Inf	-Inf	8.12	3	Vertical	65	2.31	-	106.61
AV	5.2426G	104.56	Inf	-Inf	8.12	3	Vertical	65	2.31	-	96.44
PK	5.3518G	60.33	74.00	-13.67	8.28	3	Vertical	65	2.31	-	52.05
AV	5.3518G	49.65	54.00	-4.35	8.28	3	Vertical	65	2.31	-	41.37