


### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
Setting 82  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	62.03	74.00	-11.97	7.94	3	Horizontal	329	2.37	-	54.09
AV	5.1484G	49.24	54.00	-4.76	7.94	3	Horizontal	329	2.37	-	41.30
PK	5.239G	109.07	Inf	-Inf	8.12	3	Horizontal	329	2.37	-	100.95
AV	5.2378G	98.48	Inf	-Inf	8.12	3	Horizontal	329	2.37	-	90.36
PK	5.3644G	58.57	74.00	-15.43	8.29	3	Horizontal	329	2.37	-	50.28
AV	5.3512G	48.19	54.00	-5.81	8.28	3	Horizontal	329	2.37	-	39.91

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5230MHz\_TX




EUT Z\_4TX  
Setting 82  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69244G	54.77	74.00	-19.23	15.67	3	Vertical	57	2.47	-	39.10
AV	15.69204G	44.03	54.00	-9.97	15.67	3	Vertical	57	2.47	-	28.36

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

### 5230MHz\_TX




EUT\_Z\_4TX  
 Setting 82  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69612G	54.42	74.00	-19.58	15.66	3	Horizontal	326	1.27	-	38.76
AV	15.69488G	44.45	54.00	-9.55	15.66	3	Horizontal	326	1.27	-	28.79

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 94  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	68.29	68.94	-0.65	8.66	3	Vertical	176	2.40	-	59.63
PK	5.763G	119.01	Inf	-Inf	8.84	3	Vertical	176	2.40	-	110.17
AV	5.752G	108.31	Inf	-Inf	8.83	3	Vertical	176	2.40	-	99.48
PK	5.925G	60.42	68.20	-7.78	8.93	3	Vertical	176	2.40	-	51.49

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 94  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	60.25	68.20	-7.95	8.66	3	Horizontal	179	2.42	-	51.59
PK	5.76G	112.45	Inf	-Inf	8.85	3	Horizontal	179	2.42	-	103.60
AV	5.763G	101.40	Inf	-Inf	8.84	3	Horizontal	179	2.42	-	92.56
PK	5.952G	59.12	68.20	-9.08	8.92	3	Horizontal	179	2.42	-	50.20

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 94  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5134G	56.89	74.00	-17.11	14.92	3	Vertical	98	2.10	-	41.97
AV	11.5148G	45.60	54.00	-8.40	14.92	3	Vertical	98	2.10	-	30.68

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5755MHz\_TX




EUT\_Z\_4TX  
Setting 94  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50994G	53.38	74.00	-20.62	14.92	3	Horizontal	228	2.05	-	38.46
AV	11.51008G	42.62	54.00	-11.38	14.92	3	Horizontal	228	2.05	-	27.70

802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5795MHz\_TX



EUT\_Z\_4TX  
Setting 99  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.653G	68.10	70.42	-2.32	8.66	3	Vertical	177	2.36	-	59.44
PK	5.8G	119.51	Inf	-Inf	8.90	3	Vertical	177	2.36	-	110.61
AV	5.799G	109.47	Inf	-Inf	8.90	3	Vertical	177	2.36	-	100.57
PK	5.925G	67.57	68.20	-0.63	8.93	3	Vertical	177	2.36	-	58.64



802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

5795MHz\_TX




EUT\_Z\_4TX  
Setting 99  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	59.21	68.20	-8.99	8.67	3	Horizontal	179	2.32	-	50.54
PK	5.802G	112.49	Inf	-Inf	8.90	3	Horizontal	179	2.32	-	103.59
AV	5.803G	101.53	Inf	-Inf	8.90	3	Horizontal	179	2.32	-	92.63
PK	5.926G	60.18	68.20	-8.02	8.93	3	Horizontal	179	2.32	-	51.25

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

### 5795MHz\_TX




EUT Z\_4TX  
Setting 99  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59546G	59.36	74.00	-14.64	15.04	3	Vertical	101	2.05	-	44.32
AV	11.59504G	47.03	54.00	-6.97	15.04	3	Vertical	101	2.05	-	31.99

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

08/10/2019

### 5795MHz\_TX




EUT Z\_4TX  
 Setting 99  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59654G	54.30	74.00	-19.70	15.04	3	Horizontal	252	1.43	-	39.26
AV	11.60356G	42.95	54.00	-11.05	15.04	3	Horizontal	252	1.43	-	27.91

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 60  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	64.96	74.00	-9.04	7.94	3	Vertical	352	2.31	-	57.02
AV	5.15G	53.34	54.00	-0.66	7.94	3	Vertical	352	2.31	-	45.40
PK	5.2276G	107.19	Inf	-Inf	8.10	3	Vertical	352	2.31	-	99.09
AV	5.2076G	96.33	Inf	-Inf	8.07	3	Vertical	352	2.31	-	88.26
PK	5.4068G	58.98	74.00	-15.02	8.35	3	Vertical	352	2.31	-	50.63
AV	5.3772G	48.39	54.00	-5.61	8.31	3	Vertical	352	2.31	-	40.08

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5210MHz\_TX




EUT\_Z\_4TX  
Setting 60  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1444G	60.26	74.00	-13.74	7.94	3	Horizontal	183	2.41	-	52.32
AV	5.1484G	48.24	54.00	-5.76	7.94	3	Horizontal	183	2.41	-	40.30
PK	5.2268G	99.99	Inf	-Inf	8.10	3	Horizontal	183	2.41	-	91.89
AV	5.2284G	88.21	Inf	-Inf	8.10	3	Horizontal	183	2.41	-	80.11
PK	5.3612G	58.36	74.00	-15.64	8.29	3	Horizontal	183	2.41	-	50.07
AV	5.3652G	47.71	54.00	-6.29	8.29	3	Horizontal	183	2.41	-	39.42

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5210MHz\_TX




EUT Z\_4TX  
Setting 60  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63948G	54.37	74.00	-19.63	15.81	3	Vertical	97	2.26	-	38.56
AV	15.63748G	43.62	54.00	-10.38	15.81	3	Vertical	97	2.26	-	27.81

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5210MHz\_TX




EUT Z\_4TX  
 Setting 60  
 02-B-4  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63304G	54.72	74.00	-19.28	15.82	3	Horizontal	85	1.82	-	38.90
AV	15.63384G	43.68	54.00	-10.32	15.82	3	Horizontal	85	1.82	-	27.86

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5775MHz\_TX



EUT\_Z\_4TX  
Setting 80  
02-B-4-10  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	67.67	68.20	-0.53	8.63	3	Vertical	185	2.61	-	59.04
PK	5.757G	113.59	Inf	-Inf	8.83	3	Vertical	185	2.61	-	104.76
AV	5.767G	102.76	Inf	-Inf	8.85	3	Vertical	185	2.61	-	93.91
PK	5.927G	63.00	68.20	-5.20	8.93	3	Vertical	185	2.61	-	54.07



802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5775MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-4-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	62.34	68.20	-5.86	8.66	3	Horizontal	180	2.42	-	53.68
PK	5.761G	107.39	Inf	-Inf	8.85	3	Horizontal	180	2.42	-	98.54
AV	5.762G	95.94	Inf	-Inf	8.85	3	Horizontal	180	2.42	-	87.09
PK	5.928G	59.34	68.20	-8.86	8.93	3	Horizontal	180	2.42	-	50.41

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5775MHz\_TX




EUT\_Z\_4TX  
Setting 80  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55012G	54.06	74.00	-19.94	14.97	3	Vertical	299	2.21	-	39.09
AV	11.55104G	42.65	54.00	-11.35	14.97	3	Vertical	299	2.21	-	27.68

802.11ax HEW80\_Nss4,(MCS0)\_4TX

02/10/2019

5775MHz\_TX



EUT\_Z\_4TX  
Setting 80  
02-B-4  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56056G	54.14	74.00	-19.86	14.99	3	Horizontal	184	1.63	-	39.15
AV	11.5596G	42.54	54.00	-11.46	14.99	3	Horizontal	184	1.63	-	27.55




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.1498G	53.48	54.00	-0.52	3.36	3	Vertical	286	1.60	-

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 75  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.51	74.00	-2.49	3.36	3	Vertical	289	1.66	-	68.15
AV	5.15G	53.42	54.00	-0.58	3.36	3	Vertical	289	1.66	-	50.06
PK	5.1824G	114.74	Inf	-Inf	3.39	3	Vertical	289	1.66	-	111.35
AV	5.184G	104.58	Inf	-Inf	3.39	3	Vertical	289	1.66	-	101.19

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 75  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1491G	61.87	74.00	-12.13	7.94	3	Horizontal	318	2.08	-	53.93
AV	5.1496G	46.68	54.00	-7.32	7.94	3	Horizontal	318	2.08	-	38.74
PK	5.1817G	98.64	Inf	-Inf	8.02	3	Horizontal	318	2.08	-	90.62
AV	5.1841G	89.02	Inf	-Inf	8.03	3	Horizontal	318	2.08	-	80.99

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
 Setting 75  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35724G	52.44	68.20	-15.76	10.67	3	Vertical	210	1.52	-	41.77
PK	15.54072G	57.06	74.00	-16.94	10.80	3	Vertical	254	1.09	-	46.26
AV	15.55152G	43.08	54.00	-10.92	10.79	3	Vertical	254	1.09	-	32.29

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5180MHz\_TX



EUT Y\_1TX  
Setting 75  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35781G	52.65	68.20	-15.55	10.67	3	Horizontal	166	1.68	-	41.98
PK	15.55032G	56.69	74.00	-17.31	10.79	3	Horizontal	79	1.07	-	45.90
AV	15.54984G	43.83	54.00	-10.17	10.79	3	Horizontal	79	1.07	-	33.04



### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 95  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	70.78	74.00	-3.22	3.36	3	Vertical	286	1.60	-	67.42
AV	5.1498G	53.48	54.00	-0.52	3.36	3	Vertical	286	1.60	-	50.12
PK	5.2016G	118.49	Inf	-Inf	3.41	3	Vertical	286	1.60	-	115.08
AV	5.198G	108.39	Inf	-Inf	3.41	3	Vertical	286	1.60	-	104.98

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 95  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1396G	59.42	74.00	-14.58	7.93	3	Horizontal	313	2.01	-	51.49
AV	5.1496G	46.35	54.00	-7.65	7.94	3	Horizontal	313	2.01	-	38.41
PK	5.2024G	102.60	Inf	-Inf	8.06	3	Horizontal	313	2.01	-	94.54
AV	5.2026G	92.58	Inf	-Inf	8.06	3	Horizontal	313	2.01	-	84.52

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
 Setting 95  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39427G	58.17	68.20	-10.03	10.69	3	Vertical	319	1.55	-	47.48
PK	15.60376G	56.38	74.00	-17.62	10.74	3	Vertical	305	1.96	-	45.64
AV	15.60624G	42.84	54.00	-11.16	10.74	3	Vertical	305	1.96	-	32.10

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 95  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39852G	55.03	68.20	-13.17	10.69	3	Horizontal	304	1.56	-	44.34
PK	15.6056G	56.27	74.00	-17.73	10.74	3	Horizontal	153	1.10	-	45.53
AV	15.612G	42.71	54.00	-11.29	10.73	3	Horizontal	153	1.10	-	31.98

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1491G	62.49	74.00	-11.51	3.36	3	Vertical	287	1.51	-	59.13
AV	5.1386G	48.96	54.00	-5.04	3.35	3	Vertical	287	1.51	-	45.61
PK	5.2352G	118.93	Inf	-Inf	3.53	3	Vertical	287	1.51	-	115.40
AV	5.2421G	108.68	Inf	-Inf	3.54	3	Vertical	287	1.51	-	105.14
PK	5.351G	64.32	74.00	-9.68	3.94	3	Vertical	287	1.51	-	60.38
AV	5.3516G	50.11	54.00	-3.89	3.94	3	Vertical	287	1.51	-	46.17

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5240MHz\_TX



EUT Y\_1TX  
Setting 102  
02-W-3-10  
FSU


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1056G	58.57	74.00	-15.43	7.86	3	Horizontal	322	2.07	-	50.71
AV	5.1359G	45.57	54.00	-8.43	7.92	3	Horizontal	322	2.07	-	37.65
PK	5.2421G	102.53	Inf	-Inf	8.12	3	Horizontal	322	2.07	-	94.41
AV	5.2379G	92.42	Inf	-Inf	8.12	3	Horizontal	322	2.07	-	84.30
PK	5.3561G	58.62	74.00	-15.38	8.28	3	Horizontal	322	2.07	-	50.34
AV	5.3585G	45.58	54.00	-8.42	8.28	3	Horizontal	322	2.07	-	37.30



### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
 Setting 102  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47808G	54.31	68.20	-13.89	10.71	3	Vertical	316	1.50	-	43.60
PK	15.71912G	56.93	74.00	-17.07	10.63	3	Vertical	340	2.19	-	46.30
AV	15.72132G	43.35	54.00	-10.65	10.63	3	Vertical	340	2.19	-	32.72

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5240MHz\_TX



EUT Y\_1TX  
Setting 102  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46024G	52.93	68.20	-15.27	10.71	3	Horizontal	228	1.33	-	42.22
PK	15.71308G	57.09	74.00	-16.91	10.64	3	Horizontal	29	1.50	-	46.45
AV	15.7198G	44.07	54.00	-9.93	10.63	3	Horizontal	29	1.50	-	33.44






802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

5745MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	66.75	68.20	-1.45	4.74	3	Vertical	286	1.47	-	62.01
PK	5.7485G	120.42	Inf	-Inf	4.90	3	Vertical	286	1.47	-	115.52
AV	5.7475G	109.86	Inf	-Inf	4.90	3	Vertical	286	1.47	-	104.96
PK	5.94G	59.88	68.20	-8.32	5.78	3	Vertical	286	1.47	-	54.10

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6395G	59.41	68.20	-8.79	8.65	3	Horizontal	94	1.18	-	50.76
PK	5.7485G	108.51	Inf	-Inf	8.82	3	Horizontal	94	1.18	-	99.69
AV	5.7475G	97.79	Inf	-Inf	8.82	3	Horizontal	94	1.18	-	88.97
PK	5.976G	58.36	68.20	-9.84	8.94	3	Horizontal	94	1.18	-	49.42

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
 Setting 120  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48404G	55.92	74.00	-18.08	10.51	3	Vertical	225	1.72	-	45.41
AV	11.48956G	42.79	54.00	-11.21	10.50	3	Vertical	225	1.72	-	32.29

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
 Setting 120  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4914G	55.10	74.00	-18.90	10.50	3	Horizontal	25	1.66	-	44.60
AV	11.49052G	42.14	54.00	-11.86	10.50	3	Horizontal	25	1.66	-	31.64

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	61.43	68.20	-6.77	4.74	3	Vertical	283	1.49	-	56.69
PK	5.779G	118.99	Inf	-Inf	4.96	3	Vertical	283	1.49	-	114.03
AV	5.7805G	108.47	Inf	-Inf	4.96	3	Vertical	283	1.49	-	103.51
PK	5.925G	61.67	68.20	-6.53	5.70	3	Vertical	283	1.49	-	55.97

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.607G	58.62	68.20	-9.58	8.59	3	Horizontal	90	1.50	-	50.03
PK	5.7885G	107.02	Inf	-Inf	8.88	3	Horizontal	90	1.50	-	98.14
AV	5.7875G	96.50	Inf	-Inf	8.87	3	Horizontal	90	1.50	-	87.63
PK	5.943G	58.77	68.20	-9.43	8.94	3	Horizontal	90	1.50	-	49.83

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
 Setting 120  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56588G	54.71	74.00	-19.29	10.43	3	Vertical	339	1.50	-	44.28
AV	11.57084G	41.73	54.00	-12.27	10.43	3	Vertical	339	1.50	-	31.30

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5785MHz\_TX



EUT Y\_1TX  
Setting 120  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5654G	53.68	74.00	-20.32	10.43	3	Horizontal	317	1.50	-	43.25
AV	11.56972G	40.73	54.00	-13.27	10.43	3	Horizontal	317	1.50	-	30.30



### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	59.02	68.20	-9.18	4.74	3	Vertical	323	1.76	-	54.28
PK	5.832G	118.78	Inf	-Inf	5.18	3	Vertical	323	1.76	-	113.60
AV	5.8275G	107.56	Inf	-Inf	5.15	3	Vertical	323	1.76	-	102.41
PK	5.926G	67.07	68.20	-1.13	5.70	3	Vertical	323	1.76	-	61.37

### 802.11a\_Nss1,(6Mbps)\_1TX

14/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.611G	58.24	68.20	-9.96	8.61	3	Horizontal	93	2.33	-	49.63
PK	5.819G	105.09	Inf	-Inf	8.90	3	Horizontal	93	2.33	-	96.19
AV	5.823G	94.66	Inf	-Inf	8.90	3	Horizontal	93	2.33	-	85.76
PK	5.936G	59.45	68.20	-8.75	8.93	3	Horizontal	93	2.33	-	50.52

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
 Setting 120  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63776G	54.43	74.00	-19.57	10.37	3	Vertical	328	1.50	-	44.06
AV	11.65116G	41.89	54.00	-12.11	10.37	3	Vertical	328	1.50	-	31.52

### 802.11a\_Nss1,(6Mbps)\_1TX

01/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64964G	55.21	74.00	-18.79	10.37	3	Horizontal	0	2.74	-	44.84
AV	11.65004G	41.60	54.00	-12.40	10.37	3	Horizontal	0	2.74	-	31.23

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5180MHz\_TX




EUT Y\_1TX  
Setting 71  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	71.94	74.00	-2.06	3.36	3	Vertical	285	1.65	-	68.58
AV	5.15G	53.33	54.00	-0.67	3.36	3	Vertical	285	1.65	-	49.97
PK	5.177G	115.24	Inf	-Inf	3.39	3	Vertical	285	1.65	-	111.85
AV	5.1828G	102.28	Inf	-Inf	3.39	3	Vertical	285	1.65	-	98.89

802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

5180MHz\_TX




EUT Y\_1TX  
Setting 71  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	59.05	74.00	-14.95	7.94	3	Horizontal	322	2.01	-	51.11
AV	5.1498G	46.12	54.00	-7.88	7.94	3	Horizontal	322	2.01	-	38.18
PK	5.177G	99.70	Inf	-Inf	8.01	3	Horizontal	322	2.01	-	91.69
AV	5.183G	86.68	Inf	-Inf	8.02	3	Horizontal	322	2.01	-	78.66

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
 Setting 71  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36192G	53.58	68.20	-14.62	10.67	3	Vertical	326	1.47	-	42.91
PK	15.55008G	56.13	74.00	-17.87	10.79	3	Vertical	163	2.27	-	45.34
AV	15.54428G	43.02	54.00	-10.98	10.79	3	Vertical	163	2.27	-	32.23

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5180MHz\_TX



EUT Y\_1TX  
Setting 71  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35276G	53.37	68.20	-14.83	10.67	3	Horizontal	324	1.57	-	42.70
PK	15.54544G	56.24	74.00	-17.76	10.79	3	Horizontal	234	1.22	-	45.45
AV	15.55308G	42.99	54.00	-11.01	10.79	3	Horizontal	234	1.22	-	32.20






802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5200MHz\_TX




EUT Y\_1TX  
 Setting 90  
 04-J-5-10  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1469G	71.15	74.00	-2.85	3.36	3	Vertical	288	1.62	-	67.79
AV	5.1499G	53.29	54.00	-0.71	3.36	3	Vertical	288	1.62	-	49.93
PK	5.197G	120.16	Inf	-Inf	3.41	3	Vertical	288	1.62	-	116.75
AV	5.194G	106.69	Inf	-Inf	3.40	3	Vertical	288	1.62	-	103.29

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 90  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1469G	59.38	74.00	-14.62	7.94	3	Horizontal	322	1.49	-	51.44
AV	5.1499G	46.32	54.00	-7.68	7.94	3	Horizontal	322	1.49	-	38.38
PK	5.1967G	102.84	Inf	-Inf	8.06	3	Horizontal	322	1.49	-	94.78
AV	5.203G	89.73	Inf	-Inf	8.06	3	Horizontal	322	1.49	-	81.67

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 90  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40016G	58.06	68.20	-10.14	10.68	3	Vertical	319	1.56	-	47.38
PK	15.58792G	56.99	74.00	-17.01	10.76	3	Vertical	254	1.55	-	46.23
AV	15.58056G	42.58	54.00	-11.42	10.76	3	Vertical	254	1.55	-	31.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 90  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39232G	54.46	68.20	-13.74	10.68	3	Horizontal	298	1.58	-	43.78
PK	15.5876G	56.28	74.00	-17.72	10.76	3	Horizontal	202	1.28	-	45.52
AV	15.58032G	42.43	54.00	-11.57	10.76	3	Horizontal	202	1.28	-	31.67

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	65.27	74.00	-8.73	3.36	3	Vertical	285	1.57	-	61.91
AV	5.1395G	49.04	54.00	-4.96	3.35	3	Vertical	285	1.57	-	45.69
PK	5.237G	121.10	Inf	-Inf	3.53	3	Vertical	285	1.57	-	117.57
AV	5.243G	108.09	Inf	-Inf	3.56	3	Vertical	285	1.57	-	104.53
PK	5.3516G	64.33	74.00	-9.67	3.94	3	Vertical	285	1.57	-	60.39
AV	5.35G	50.36	54.00	-3.64	3.94	3	Vertical	285	1.57	-	46.42

802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

5240MHz\_TX




EUT Y\_1TX  
Setting 102  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1134G	58.25	74.00	-15.75	7.86	3	Horizontal	323	2.06	-	50.39
AV	5.1152G	45.52	54.00	-8.48	7.87	3	Horizontal	323	2.06	-	37.65
PK	5.237G	104.63	Inf	-Inf	8.11	3	Horizontal	323	2.06	-	96.52
AV	5.2385G	91.40	Inf	-Inf	8.12	3	Horizontal	323	2.06	-	83.28
PK	5.3624G	58.44	74.00	-15.56	8.29	3	Horizontal	323	2.06	-	50.15
AV	5.3756G	45.51	54.00	-8.49	8.31	3	Horizontal	323	2.06	-	37.20

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48772G	54.35	68.20	-13.85	10.72	3	Vertical	314	1.50	-	43.63
PK	15.71228G	57.29	74.00	-16.71	10.64	3	Vertical	338	1.51	-	46.65
AV	15.71944G	43.25	54.00	-10.75	10.63	3	Vertical	338	1.51	-	32.62

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5240MHz\_TX



EUT Y\_1TX  
Setting 102  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.483G	53.41	68.20	-14.79	10.72	3	Horizontal	103	1.78	-	42.69
PK	15.71352G	58.46	74.00	-15.54	10.64	3	Horizontal	30	1.49	-	47.82
AV	15.72252G	44.74	54.00	-9.26	10.63	3	Horizontal	30	1.49	-	34.11



802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6445G	63.07	68.20	-5.13	4.73	3	Vertical	284	1.48	-	58.34
PK	5.742G	120.82	Inf	-Inf	4.88	3	Vertical	284	1.48	-	115.94
AV	5.748G	108.34	Inf	-Inf	4.90	3	Vertical	284	1.48	-	103.44
PK	5.9485G	59.88	68.20	-8.32	5.83	3	Vertical	284	1.48	-	54.05

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6355G	58.71	68.20	-9.49	8.64	3	Horizontal	97	1.22	-	50.07
PK	5.742G	109.30	Inf	-Inf	8.81	3	Horizontal	97	1.22	-	100.49
AV	5.746G	96.03	Inf	-Inf	8.82	3	Horizontal	97	1.22	-	87.21
PK	5.9845G	59.12	68.20	-9.08	8.93	3	Horizontal	97	1.22	-	50.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
 Setting 103  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48548G	54.48	74.00	-19.52	10.51	3	Vertical	335	1.50	-	43.97
AV	11.49092G	41.90	54.00	-12.10	10.50	3	Vertical	335	1.50	-	31.40

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4902G	54.90	74.00	-19.10	10.50	3	Horizontal	26	1.53	-	44.40
AV	11.48988G	41.60	54.00	-12.40	10.50	3	Horizontal	26	1.53	-	31.10

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	64.22	68.20	-3.98	4.73	3	Vertical	285	1.48	-	59.49
PK	5.782G	122.18	Inf	-Inf	4.96	3	Vertical	285	1.48	-	117.22
AV	5.7785G	108.85	Inf	-Inf	4.96	3	Vertical	285	1.48	-	103.89
PK	5.9265G	65.45	68.20	-2.75	5.70	3	Vertical	285	1.48	-	59.75

802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

5785MHz\_TX




EUT Y\_1TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6425G	58.40	68.20	-9.80	8.66	3	Horizontal	91	1.56	-	49.74
PK	5.7895G	107.79	Inf	-Inf	8.88	3	Horizontal	91	1.56	-	98.91
AV	5.7905G	95.29	Inf	-Inf	8.88	3	Horizontal	91	1.56	-	86.41
PK	5.9255G	58.73	68.20	-9.47	8.93	3	Horizontal	91	1.56	-	49.80

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56512G	55.79	74.00	-18.21	10.43	3	Vertical	214	1.90	-	45.36
AV	11.56688G	42.12	54.00	-11.88	10.43	3	Vertical	214	1.90	-	31.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5785MHz\_TX



EUT Y\_1TX  
Setting 120  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.561G	54.19	74.00	-19.81	10.44	3	Horizontal	156	1.36	-	43.75
AV	11.5724G	40.92	54.00	-13.08	10.43	3	Horizontal	156	1.36	-	30.49



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.604G	58.96	68.20	-9.24	4.69	3	Vertical	290	1.88	-	54.27
PK	5.822G	120.51	Inf	-Inf	5.13	3	Vertical	290	1.88	-	115.38
AV	5.821G	107.14	Inf	-Inf	5.12	3	Vertical	290	1.88	-	102.02
PK	5.9325G	65.56	68.20	-2.64	5.74	3	Vertical	290	1.88	-	59.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

14/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6185G	58.64	68.20	-9.56	8.61	3	Horizontal	97	1.50	-	50.03
PK	5.8215G	105.83	Inf	-Inf	8.90	3	Horizontal	97	1.50	-	96.93
AV	5.8185G	93.12	Inf	-Inf	8.90	3	Horizontal	97	1.50	-	84.22
PK	5.96G	58.53	68.20	-9.67	8.93	3	Horizontal	97	1.50	-	49.60

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66528G	54.52	74.00	-19.48	10.35	3	Vertical	211	1.86	-	44.17
AV	11.65876G	41.55	54.00	-12.45	10.36	3	Vertical	211	1.86	-	31.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
 Setting 103  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66G	54.42	74.00	-19.58	10.36	3	Horizontal	356	1.71	-	44.06
AV	11.65996G	41.53	54.00	-12.47	10.36	3	Horizontal	356	1.71	-	31.17

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 62  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.74	74.00	-6.26	3.36	3	Vertical	286	1.63	-	64.38
AV	5.15G	53.33	54.00	-0.67	3.36	3	Vertical	286	1.63	-	49.97
PK	5.1844G	110.05	Inf	-Inf	3.39	3	Vertical	286	1.63	-	106.66
AV	5.1942G	97.66	Inf	-Inf	3.40	3	Vertical	286	1.63	-	94.26

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

14/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 62  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1394G	58.38	74.00	-15.62	7.93	3	Horizontal	320	1.50	-	50.45
AV	5.1488G	46.29	54.00	-7.71	7.94	3	Horizontal	320	1.50	-	38.35
PK	5.182G	93.43	Inf	-Inf	8.02	3	Horizontal	320	1.50	-	85.41
AV	5.1822G	80.82	Inf	-Inf	8.02	3	Horizontal	320	1.50	-	72.80

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 62  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56388G	56.69	74.00	-17.31	10.77	3	Vertical	43	1.35	-	45.92
AV	15.55656G	43.90	54.00	-10.10	10.78	3	Vertical	43	1.35	-	33.12

802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5190MHz\_TX



EUT Y\_1TX  
Setting 62  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.55644G	56.39	74.00	-17.61	10.78	3	Horizontal	290	1.78	-	45.61
AV	15.555G	43.96	54.00	-10.04	10.79	3	Horizontal	290	1.78	-	33.17



802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5230MHz\_TX




EUT Y\_1TX  
Setting 83  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1487G	66.73	74.00	-7.27	3.36	3	Vertical	285	1.55	-	63.37
AV	5.1499G	53.34	54.00	-0.66	3.36	3	Vertical	285	1.55	-	49.98
PK	5.2474G	114.90	Inf	-Inf	3.56	3	Vertical	285	1.55	-	111.34
AV	5.236G	102.52	Inf	-Inf	3.53	3	Vertical	285	1.55	-	98.99
PK	5.3518G	63.01	74.00	-10.99	3.95	3	Vertical	285	1.55	-	59.06
AV	5.3548G	49.38	54.00	-4.62	3.95	3	Vertical	285	1.55	-	45.43

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

14/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 83  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.137G	58.83	74.00	-15.17	7.92	3	Horizontal	325	2.01	-	50.91
AV	5.0821G	46.25	54.00	-7.75	7.80	3	Horizontal	325	2.01	-	38.45
PK	5.2222G	98.06	Inf	-Inf	8.10	3	Horizontal	325	2.01	-	89.96
AV	5.236G	85.81	Inf	-Inf	8.11	3	Horizontal	325	2.01	-	77.70
PK	5.3617G	59.01	74.00	-14.99	8.29	3	Horizontal	325	2.01	-	50.72
AV	5.3539G	46.30	54.00	-7.70	8.28	3	Horizontal	325	2.01	-	38.02

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 83  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68236G	55.86	74.00	-18.14	10.66	3	Vertical	302	1.49	-	45.20
AV	15.6736G	43.15	54.00	-10.85	10.67	3	Vertical	302	1.49	-	32.48

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

### 5230MHz\_TX



EUT Y\_1TX  
Setting 83  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.70412G	55.84	74.00	-18.16	10.66	3	Horizontal	19	1.83	-	45.18
AV	15.68412G	43.04	54.00	-10.96	10.66	3	Horizontal	19	1.83	-	32.38



802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5755MHz\_TX




EUT Y\_1TX  
Setting 94  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	67.52	68.20	-0.68	4.74	3	Vertical	283	1.45	-	62.78
PK	5.74G	116.88	Inf	-Inf	4.88	3	Vertical	283	1.45	-	112.00
AV	5.759G	104.63	Inf	-Inf	4.92	3	Vertical	283	1.45	-	99.71
PK	5.9295G	60.53	68.20	-7.67	5.72	3	Vertical	283	1.45	-	54.81

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

14/10/2019

### 5755MHz\_TX




EUT Y\_1TX  
Setting 94  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	60.72	68.20	-7.48	8.64	3	Horizontal	91	1.58	-	52.08
PK	5.747G	105.50	Inf	-Inf	8.82	3	Horizontal	91	1.58	-	96.68
AV	5.7505G	92.74	Inf	-Inf	8.83	3	Horizontal	91	1.58	-	83.91
PK	5.935G	58.78	68.20	-9.42	8.93	3	Horizontal	91	1.58	-	49.85

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

### 5755MHz\_TX




EUT Y\_1TX  
 Setting 94  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4906G	53.93	74.00	-20.07	10.50	3	Vertical	92	2.37	-	43.43
AV	11.51028G	41.13	54.00	-12.87	10.49	3	Vertical	92	2.37	-	30.64

802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5755MHz\_TX



EUT Y\_1TX  
Setting 94  
04-J-5  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49968G	54.30	74.00	-19.70	10.49	3	Horizontal	320	1.72	-	43.81
AV	11.50404G	41.31	54.00	-12.69	10.50	3	Horizontal	320	1.72	-	30.81



802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 101  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6415G	64.19	68.20	-4.01	4.73	3	Vertical	285	1.43	-	59.46
PK	5.78G	117.05	Inf	-Inf	4.96	3	Vertical	285	1.43	-	112.09
AV	5.79G	104.51	Inf	-Inf	4.98	3	Vertical	285	1.43	-	99.53
PK	5.925G	67.55	68.20	-0.65	5.70	3	Vertical	285	1.43	-	61.85

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

14/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 101  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	59.75	68.20	-8.45	8.67	3	Horizontal	96	1.55	-	51.08
PK	5.78G	105.08	Inf	-Inf	8.87	3	Horizontal	96	1.55	-	96.21
AV	5.791G	92.84	Inf	-Inf	8.88	3	Horizontal	96	1.55	-	83.96
PK	5.989G	58.86	68.20	-9.34	8.93	3	Horizontal	96	1.55	-	49.93

802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 101  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5972G	53.21	74.00	-20.79	10.41	3	Vertical	106	2.44	-	42.80
AV	11.5942G	40.72	54.00	-13.28	10.41	3	Vertical	106	2.44	-	30.31

802.11ax HEW40\_Nss1,(MCS0)\_1TX

02/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 101  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59496G	53.42	74.00	-20.58	10.41	3	Horizontal	311	2.32	-	43.01
AV	11.60588G	40.97	54.00	-13.03	10.40	3	Horizontal	311	2.32	-	30.57

802.11ax HEW80\_Nss1,(MCS0)\_1TX

02/10/2019

5210MHz\_TX




EUT Y\_1TX  
Setting 62  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.145G	66.29	74.00	-7.71	3.36	3	Vertical	287	1.69	-	62.93
AV	5.15G	53.39	54.00	-0.61	3.36	3	Vertical	287	1.69	-	50.03
PK	5.197G	107.47	Inf	-Inf	3.41	3	Vertical	287	1.69	-	104.06
AV	5.199G	94.79	Inf	-Inf	3.41	3	Vertical	287	1.69	-	91.38
PK	5.3535G	58.04	74.00	-15.96	3.95	3	Vertical	287	1.69	-	54.09
AV	5.3505G	46.90	54.00	-7.10	3.94	3	Vertical	287	1.69	-	42.96

802.11ax HEW80\_Nss1,(MCS0)\_1TX

14/10/2019

5210MHz\_TX




EUT Y\_1TX  
Setting 62  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.013G	58.12	74.00	-15.88	7.61	3	Horizontal	326	2.04	-	50.51
AV	5.1495G	46.63	54.00	-7.37	7.94	3	Horizontal	326	2.04	-	38.69
PK	5.197G	91.42	Inf	-Inf	8.06	3	Horizontal	326	2.04	-	83.36
AV	5.1995G	78.44	Inf	-Inf	8.06	3	Horizontal	326	2.04	-	70.38
PK	5.4515G	58.73	74.00	-15.27	8.44	3	Horizontal	326	2.04	-	50.29
AV	5.378G	46.22	54.00	-7.78	8.32	3	Horizontal	326	2.04	-	37.90

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

02/10/2019

### 5210MHz\_TX




EUT Y\_1TX  
 Setting 62  
 04-J-5  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62805G	56.54	74.00	-17.46	10.72	3	Vertical	122	1.19	-	45.82
AV	15.626G	43.79	54.00	-10.21	10.72	3	Vertical	122	1.19	-	33.07

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

02/10/2019

### 5210MHz\_TX



EUT Y\_1TX  
 Setting 62  
 04-J-5  
 FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.61445G	57.26	74.00	-16.74	10.73	3	Horizontal	84	1.12	-	46.53
AV	15.61665G	43.83	54.00	-10.17	10.73	3	Horizontal	84	1.12	-	33.10



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

14/10/2019

### 5775MHz\_TX




EUT Y\_1TX  
Setting 78  
04-J-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6485G	67.62	68.20	-0.58	4.74	3	Vertical	286	1.45	-	62.88
PK	5.7535G	110.25	Inf	-Inf	4.91	3	Vertical	286	1.45	-	105.34
AV	5.7645G	98.54	Inf	-Inf	4.93	3	Vertical	286	1.45	-	93.61
PK	5.928G	64.88	68.20	-3.32	5.71	3	Vertical	286	1.45	-	59.17

802.11ax HEW80\_Nss1,(MCS0)\_1TX

14/10/2019

5775MHz\_TX




EUT Y\_1TX  
Setting 78  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.651G	60.09	68.94	-8.85	8.66	3	Horizontal	99	1.18	-	51.43
PK	5.7535G	99.89	Inf	-Inf	8.83	3	Horizontal	99	1.18	-	91.06
AV	5.7475G	87.77	Inf	-Inf	8.82	3	Horizontal	99	1.18	-	78.95
PK	5.971G	59.04	68.20	-9.16	8.93	3	Horizontal	99	1.18	-	50.11

802.11ax HEW80\_Nss1,(MCS0)\_1TX

14/10/2019

5775MHz\_TX




EUT Y\_1TX  
Setting 78  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.53725G	53.25	74.00	-20.75	10.47	3	Vertical	5	1.67	-	42.78
AV	11.55665G	40.84	54.00	-13.16	10.45	3	Vertical	5	1.67	-	30.39

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

14/10/2019

### 5775MHz\_TX



EUT Y\_1TX  
Setting 78  
04-J-5  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5344G	54.26	74.00	-19.74	10.46	3	Horizontal	313	1.21	-	43.80
AV	11.53005G	40.89	54.00	-13.11	10.47	3	Horizontal	313	1.21	-	30.42




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss2,(MCS0)_2TX	Pass	PK	5.932G	67.68	68.20	-0.52	5.74	3	Vertical	7	1.45	-

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5180MHz\_TX




EUT Y\_2TX  
Setting 71  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	72.62	74.00	-1.38	3.36	3	Vertical	173	1.77	-	69.26
AV	5.1482G	53.09	54.00	-0.91	3.36	3	Vertical	173	1.77	-	49.73
PK	5.1768G	116.65	Inf	-Inf	3.39	3	Vertical	173	1.77	-	113.26
AV	5.1822G	107.40	Inf	-Inf	3.39	3	Vertical	173	1.77	-	104.01

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5180MHz\_TX




EUT Y\_2TX  
Setting 71  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0972G	59.09	74.00	-14.91	7.84	3	Horizontal	328	1.54	-	51.25
AV	5.1472G	45.76	54.00	-8.24	7.94	3	Horizontal	328	1.54	-	37.82
PK	5.1782G	99.81	Inf	-Inf	8.02	3	Horizontal	328	1.54	-	91.79
AV	5.178G	90.40	Inf	-Inf	8.02	3	Horizontal	328	1.54	-	82.38

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5180MHz\_TX



EUT Y\_2TX  
Setting 71  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54242G	56.02	74.00	-17.98	10.80	3	Vertical	288	1.69	-	45.22
AV	15.5449G	42.55	54.00	-11.45	10.79	3	Vertical	288	1.69	-	31.76



### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5180MHz\_TX




EUT Y\_2TX  
 Setting 71  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54494G	56.04	74.00	-17.96	10.79	3	Horizontal	245	1.70	-	45.25
AV	15.5422G	42.67	54.00	-11.33	10.80	3	Horizontal	245	1.70	-	31.87

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
Setting 90  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	72.37	74.00	-1.63	3.36	3	Vertical	137	1.61	-	69.01
AV	5.1478G	53.23	54.00	-0.77	3.36	3	Vertical	137	1.61	-	49.87
PK	5.1967G	121.67	Inf	-Inf	3.41	3	Vertical	137	1.61	-	118.26
AV	5.2024G	112.03	Inf	-Inf	3.41	3	Vertical	137	1.61	-	108.62

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
Setting 90  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1427G	58.52	74.00	-15.48	7.94	3	Horizontal	308	1.51	-	50.58
AV	5.1472G	45.82	54.00	-8.18	7.94	3	Horizontal	308	1.51	-	37.88
PK	5.2045G	104.88	Inf	-Inf	8.07	3	Horizontal	308	1.51	-	96.81
AV	5.2042G	95.04	Inf	-Inf	8.07	3	Horizontal	308	1.51	-	86.97

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
 Setting 90  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5673G	56.30	74.00	-17.70	10.77	3	Vertical	216	1.08	-	45.53
AV	15.4632G	42.75	54.00	-11.25	10.86	3	Vertical	216	1.08	-	31.89

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
 Setting 90  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.4731G	56.09	74.00	-17.91	10.86	3	Horizontal	244	1.82	-	45.23
AV	15.4587G	42.99	54.00	-11.01	10.86	3	Horizontal	244	1.82	-	32.13

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5240MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	65.39	74.00	-8.61	3.36	3	Vertical	137	1.62	-	62.03
AV	5.1347G	51.57	54.00	-2.43	3.34	3	Vertical	137	1.62	-	48.23
PK	5.2469G	123.78	Inf	-Inf	3.56	3	Vertical	137	1.62	-	120.22
AV	5.2424G	113.62	Inf	-Inf	3.55	3	Vertical	137	1.62	-	110.07
PK	5.3513G	63.70	74.00	-10.30	3.94	3	Vertical	137	1.62	-	59.76
AV	5.35G	51.98	54.00	-2.02	3.94	3	Vertical	137	1.62	-	48.04

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5240MHz\_TX




EUT Y\_2TX  
Setting 101  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1311G	58.14	74.00	-15.86	7.91	3	Horizontal	307	1.52	-	50.23
AV	5.1338G	45.47	54.00	-8.53	7.92	3	Horizontal	307	1.52	-	37.55
PK	5.2445G	107.29	Inf	-Inf	8.12	3	Horizontal	307	1.52	-	99.17
AV	5.2442G	96.81	Inf	-Inf	8.12	3	Horizontal	307	1.52	-	88.69
PK	5.3777G	58.42	74.00	-15.58	8.32	3	Horizontal	307	1.52	-	50.10
AV	5.3516G	45.53	54.00	-8.47	8.28	3	Horizontal	307	1.52	-	37.25

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5240MHz\_TX



EUT Y\_2TX  
 Setting 101  
 04-A-3  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7239G	56.84	74.00	-17.16	10.63	3	Vertical	353	1.50	-	46.21
AV	15.7188G	44.37	54.00	-9.63	10.63	3	Vertical	353	1.50	-	33.74



### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5240MHz\_TX




EUT Y\_2TX  
 Setting 101  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7206G	54.91	74.00	-19.09	10.63	3	Horizontal	50	1.45	-	44.28
AV	15.7155G	42.10	54.00	-11.90	10.64	3	Horizontal	50	1.45	-	31.46

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6405G	67.51	68.20	-0.69	4.73	3	Vertical	11	1.55	-	62.78
PK	5.744G	123.17	Inf	-Inf	4.89	3	Vertical	11	1.55	-	118.28
AV	5.749G	112.86	Inf	-Inf	4.90	3	Vertical	11	1.55	-	107.96
PK	5.963G	60.53	68.20	-7.67	5.91	3	Vertical	11	1.55	-	54.62

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 101  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.542G	59.70	68.20	-8.50	8.55	3	Horizontal	98	1.09	-	51.15
PK	5.7475G	108.37	Inf	-Inf	8.82	3	Horizontal	98	1.09	-	99.55
AV	5.747G	98.60	Inf	-Inf	8.82	3	Horizontal	98	1.09	-	89.78
PK	5.969G	58.95	68.20	-9.25	8.93	3	Horizontal	98	1.09	-	50.02

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4925G	55.24	74.00	-18.76	10.50	3	Vertical	196	1.50	-	44.74
AV	11.4889G	42.79	54.00	-11.21	10.50	3	Vertical	196	1.50	-	32.29

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48405G	54.40	74.00	-19.60	10.51	3	Horizontal	292	1.68	-	43.89
AV	11.4892G	41.56	54.00	-12.44	10.50	3	Horizontal	292	1.68	-	31.06

802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

5785MHz\_TX




EUT\_Y\_2TX  
Setting 120  
04-A-3-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6475G	63.99	68.20	-4.21	4.74	3	Vertical	4	1.42	-	59.25
PK	5.7885G	124.22	Inf	-Inf	4.98	3	Vertical	4	1.42	-	119.24
AV	5.783G	113.47	Inf	-Inf	4.97	3	Vertical	4	1.42	-	108.50
PK	5.9285G	65.63	68.20	-2.57	5.71	3	Vertical	4	1.42	-	59.92

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5785MHz\_TX




EUT Y\_2TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5875G	58.79	68.20	-9.41	8.57	3	Horizontal	101	1.50	-	50.22
PK	5.7865G	108.55	Inf	-Inf	8.88	3	Horizontal	101	1.50	-	99.67
AV	5.787G	98.47	Inf	-Inf	8.88	3	Horizontal	101	1.50	-	89.59
PK	5.9875G	58.77	68.20	-9.43	8.93	3	Horizontal	101	1.50	-	49.84

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5785MHz\_TX



EUT Y\_2TX  
 Setting 120  
 04-A-3  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57745G	55.14	74.00	-18.86	10.43	3	Vertical	352	1.47	-	44.71
AV	11.57305G	42.85	54.00	-11.15	10.43	3	Vertical	352	1.47	-	32.42
PK	17.3573G	58.02	68.20	-10.18	13.87	3	Vertical	241	1.28	-	44.15



### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5785MHz\_TX




EUT\_Y\_2TX  
 Setting 120  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56335G	54.53	74.00	-19.47	10.43	3	Horizontal	284	1.64	-	44.10
AV	11.56925G	41.24	54.00	-12.76	10.43	3	Horizontal	284	1.64	-	30.81
PK	17.35735G	60.22	68.20	-7.98	13.87	3	Horizontal	35	1.45	-	46.35

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5825MHz\_TX




EUT Y\_2TX  
 Setting 99  
 04-A-3-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.61G	59.89	68.20	-8.31	4.70	3	Vertical	8	1.46	-	55.19
PK	5.824G	121.87	Inf	-Inf	5.14	3	Vertical	8	1.46	-	116.73
AV	5.829G	111.54	Inf	-Inf	5.16	3	Vertical	8	1.46	-	106.38
PK	5.9275G	66.68	68.20	-1.52	5.71	3	Vertical	8	1.46	-	60.97

### 802.11a\_Nss1,(6Mbps)\_2TX

14/10/2019

### 5825MHz\_TX




EUT\_V\_2TX  
Setting 99  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	58.96	68.20	-9.24	8.66	3	Horizontal	316	1.67	-	50.30
PK	5.8225G	107.20	Inf	-Inf	8.90	3	Horizontal	316	1.67	-	98.30
AV	5.822G	97.19	Inf	-Inf	8.90	3	Horizontal	316	1.67	-	88.29
PK	5.9355G	59.16	68.20	-9.04	8.93	3	Horizontal	316	1.67	-	50.23

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5825MHz\_TX




EUT Y\_2TX  
 Setting 99  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6487G	56.32	74.00	-17.68	10.37	3	Vertical	292	1.49	-	45.95
AV	11.6487G	43.33	54.00	-10.67	10.37	3	Vertical	292	1.49	-	32.96

### 802.11a\_Nss1,(6Mbps)\_2TX

02/10/2019

### 5825MHz\_TX




EUT Y\_2TX  
Setting 99  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6522G	54.88	74.00	-19.12	10.37	3	Horizontal	0	2.59	-	44.51
AV	11.65085G	41.57	54.00	-12.43	10.37	3	Horizontal	0	2.59	-	31.20

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5180MHz\_TX




EUT Y\_2TX  
Setting 67  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	68.16	74.00	-5.84	3.36	3	Vertical	135	1.45	-	64.80
AV	5.1496G	53.24	54.00	-0.76	3.36	3	Vertical	135	1.45	-	49.88
PK	5.1824G	115.19	Inf	-Inf	3.39	3	Vertical	135	1.45	-	111.80
AV	5.1836G	103.76	Inf	-Inf	3.39	3	Vertical	135	1.45	-	100.37

802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

5180MHz\_TX




EUT Y\_2TX  
Setting 67  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	59.10	74.00	-14.90	7.94	3	Horizontal	312	1.58	-	51.16
AV	5.105G	46.18	54.00	-7.82	7.85	3	Horizontal	312	1.58	-	38.33
PK	5.1846G	99.05	Inf	-Inf	8.03	3	Horizontal	312	1.58	-	91.02
AV	5.1754G	87.16	Inf	-Inf	8.01	3	Horizontal	312	1.58	-	79.15

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5180MHz\_TX



EUT Y\_2TX  
Setting 67  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.4838G	55.47	74.00	-18.53	10.84	3	Vertical	310	1.65	-	44.63
AV	15.547G	43.41	54.00	-10.59	10.79	3	Vertical	310	1.65	-	32.62



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5180MHz\_TX




EUT Y\_2TX  
Setting 67  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.4516G	55.24	74.00	-18.76	10.87	3	Horizontal	153	1.44	-	44.37
AV	15.472G	43.10	54.00	-10.90	10.85	3	Horizontal	153	1.44	-	32.25

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5200MHz\_TX




EUT Y\_2TX  
Setting 85  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1493G	68.03	74.00	-5.97	3.36	3	Vertical	313	1.47	-	64.67
AV	5.1499G	53.38	54.00	-0.62	3.36	3	Vertical	313	1.47	-	50.02
PK	5.1955G	119.74	Inf	-Inf	3.41	3	Vertical	313	1.47	-	116.33
AV	5.1967G	108.31	Inf	-Inf	3.41	3	Vertical	313	1.47	-	104.90

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
Setting 85  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1184G	58.05	74.00	-15.95	7.88	3	Horizontal	166	1.51	-	50.17
AV	5.1496G	46.31	54.00	-7.69	7.94	3	Horizontal	166	1.51	-	38.37
PK	5.1958G	103.01	Inf	-Inf	8.06	3	Horizontal	166	1.51	-	94.95
AV	5.2021G	90.66	Inf	-Inf	8.06	3	Horizontal	166	1.51	-	82.60

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5200MHz\_TX



EUT Y\_2TX  
Setting 85  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.4698G	55.32	74.00	-18.68	10.85	3	Vertical	217	1.68	-	44.47
AV	15.4794G	43.50	54.00	-10.50	10.86	3	Vertical	217	1.68	-	32.64

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5200MHz\_TX




EUT Y\_2TX  
Setting 85  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5601G	55.59	74.00	-18.41	10.77	3	Horizontal	35	1.40	-	44.82
AV	15.4893G	43.21	54.00	-10.79	10.84	3	Horizontal	35	1.40	-	32.37

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5240MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	66.35	74.00	-7.65	3.36	3	Vertical	135	1.38	-	62.99
AV	5.1305G	52.24	54.00	-1.76	3.34	3	Vertical	135	1.38	-	48.90
PK	5.2421G	122.83	Inf	-Inf	3.54	3	Vertical	135	1.38	-	119.29
AV	5.2448G	111.08	Inf	-Inf	3.56	3	Vertical	135	1.38	-	107.52
PK	5.3531G	66.13	74.00	-7.87	3.95	3	Vertical	135	1.38	-	62.18
AV	5.3567G	52.07	54.00	-1.93	3.96	3	Vertical	135	1.38	-	48.11

802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

5240MHz\_TX




EUT Y\_2TX  
Setting 101  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.103G	58.30	74.00	-15.70	7.84	3	Horizontal	323	1.57	-	50.46
AV	5.1056G	46.16	54.00	-7.84	7.86	3	Horizontal	323	1.57	-	38.30
PK	5.2445G	106.49	Inf	-Inf	8.12	3	Horizontal	323	1.57	-	98.37
AV	5.2415G	94.51	Inf	-Inf	8.12	3	Horizontal	323	1.57	-	86.39
PK	5.3783G	58.28	74.00	-15.72	8.32	3	Horizontal	323	1.57	-	49.96
AV	5.3513G	46.16	54.00	-7.84	8.28	3	Horizontal	323	1.57	-	37.88

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5240MHz\_TX



EUT Y\_2TX  
Setting 101  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71736G	55.99	74.00	-18.01	10.64	3	Vertical	22	2.14	-	45.35
AV	15.71977G	43.05	54.00	-10.95	10.63	3	Vertical	22	2.14	-	32.42



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5240MHz\_TX




EUT Y\_2TX  
Setting 101  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71546G	54.67	74.00	-19.33	10.64	3	Horizontal	284	1.72	-	44.03
AV	15.71987G	41.70	54.00	-12.30	10.63	3	Horizontal	284	1.72	-	31.07

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5745MHz\_TX




EUT Y\_2TX  
Setting 104  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	67.65	68.20	-0.55	4.74	3	Vertical	7	1.48	-	62.91
PK	5.7485G	122.08	Inf	-Inf	4.90	3	Vertical	7	1.48	-	117.18
AV	5.747G	110.40	Inf	-Inf	4.89	3	Vertical	7	1.48	-	105.51
PK	5.9455G	62.19	68.20	-6.01	5.82	3	Vertical	7	1.48	-	56.37

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 104  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6435G	59.29	68.20	-8.91	8.66	3	Horizontal	98	1.46	-	50.63
PK	5.7435G	107.87	Inf	-Inf	8.82	3	Horizontal	98	1.46	-	99.05
AV	5.746G	96.83	Inf	-Inf	8.82	3	Horizontal	98	1.46	-	88.01
PK	5.9335G	58.60	68.20	-9.60	8.93	3	Horizontal	98	1.46	-	49.67

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5745MHz\_TX




EUT Y\_2TX  
Setting 104  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.495G	54.61	74.00	-19.39	10.49	3	Vertical	214	1.46	-	44.12
AV	11.4945G	42.83	54.00	-11.17	10.49	3	Vertical	214	1.46	-	32.34

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5745MHz\_TX




EUT Y\_2TX  
Setting 104  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4861G	54.34	74.00	-19.66	10.51	3	Horizontal	343	1.55	-	43.83
AV	11.4901G	41.63	54.00	-12.37	10.50	3	Horizontal	343	1.55	-	31.13

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5785MHz\_TX




EUT Y\_2TX  
Setting 120  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	63.37	68.20	-4.83	4.74	3	Vertical	43	1.61	-	58.63
PK	5.7885G	121.65	Inf	-Inf	4.98	3	Vertical	43	1.61	-	116.67
AV	5.781G	110.32	Inf	-Inf	4.96	3	Vertical	43	1.61	-	105.36
PK	5.932G	64.43	68.20	-3.77	5.74	3	Vertical	43	1.61	-	58.69

802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

5785MHz\_TX




EUT Y\_2TX  
Setting 120  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.603G	58.85	68.20	-9.35	8.58	3	Horizontal	94	1.49	-	50.27
PK	5.783G	107.85	Inf	-Inf	8.88	3	Horizontal	94	1.49	-	98.97
AV	5.7835G	96.66	Inf	-Inf	8.88	3	Horizontal	94	1.49	-	87.78
PK	5.937G	59.96	68.20	-8.24	8.93	3	Horizontal	94	1.49	-	51.03

802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5785MHz\_TX



EUT Y\_2TX  
Setting 120  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56865G	54.05	74.00	-19.95	10.43	3	Vertical	294	1.26	-	43.62
AV	11.57455G	41.84	54.00	-12.16	10.43	3	Vertical	294	1.26	-	31.41



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5785MHz\_TX



EUT Y\_2TX  
 Setting 120  
 04-A-3  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56075G	54.51	74.00	-19.49	10.45	3	Horizontal	153	1.55	-	44.06
AV	11.56675G	40.89	54.00	-13.11	10.43	3	Horizontal	153	1.55	-	30.46



802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

5825MHz\_TX




EUT Y\_2TX  
 Setting 95  
 04-A-3-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	58.66	68.20	-9.54	4.74	3	Vertical	10	1.46	-	53.92
PK	5.8295G	120.03	Inf	-Inf	5.16	3	Vertical	10	1.46	-	114.87
AV	5.827G	108.43	Inf	-Inf	5.14	3	Vertical	10	1.46	-	103.29
PK	5.929G	67.29	68.20	-0.91	5.72	3	Vertical	10	1.46	-	61.57

802.11ax HEW20\_Nss2,(MCS0)\_2TX

14/10/2019

5825MHz\_TX




EUT Y\_2TX  
Setting 95  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.597G	58.24	68.20	-9.96	8.58	3	Horizontal	327	1.66	-	49.66
PK	5.8165G	105.42	Inf	-Inf	8.91	3	Horizontal	327	1.66	-	96.51
AV	5.8175G	94.09	Inf	-Inf	8.90	3	Horizontal	327	1.66	-	85.19
PK	5.94G	59.12	68.20	-9.08	8.93	3	Horizontal	327	1.66	-	50.19

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5825MHz\_TX




EUT Y\_2TX  
 Setting 95  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6463G	54.95	74.00	-19.05	10.36	3	Vertical	15	1.56	-	44.59
AV	11.6516G	42.07	54.00	-11.93	10.37	3	Vertical	15	1.56	-	31.70

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

02/10/2019

### 5825MHz\_TX




EUT Y\_2TX  
Setting 95  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6509G	53.99	74.00	-20.01	10.37	3	Horizontal	351	1.55	-	43.62
AV	11.64975G	40.48	54.00	-13.52	10.37	3	Horizontal	351	1.55	-	30.11

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

### 5190MHz\_TX




EUT Y\_2TX  
Setting 59  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	70.65	74.00	-3.35	3.36	3	Vertical	133	1.53	-	67.29
AV	5.1496G	53.08	54.00	-0.92	3.36	3	Vertical	133	1.53	-	49.72
PK	5.1862G	110.93	Inf	-Inf	3.40	3	Vertical	133	1.53	-	107.53
AV	5.1878G	98.39	Inf	-Inf	3.40	3	Vertical	133	1.53	-	94.99

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

14/10/2019

### 5190MHz\_TX




EUT Y\_2TX  
Setting 59  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1316G	58.86	74.00	-15.14	7.91	3	Horizontal	158	1.52	-	50.95
AV	5.1474G	46.34	54.00	-7.66	7.94	3	Horizontal	158	1.52	-	38.40
PK	5.1996G	93.97	Inf	-Inf	8.06	3	Horizontal	158	1.52	-	85.91
AV	5.1948G	81.46	Inf	-Inf	8.05	3	Horizontal	158	1.52	-	73.41

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5190MHz\_TX



EUT Y\_2TX  
Setting 59  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6012G	55.34	74.00	-18.66	10.74	3	Vertical	290	1.45	-	44.60
AV	15.5992G	43.45	54.00	-10.55	10.74	3	Vertical	290	1.45	-	32.71



802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5190MHz\_TX




EUT Y\_2TX  
Setting 59  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5956G	55.60	74.00	-18.40	10.75	3	Horizontal	73	1.42	-	44.85
AV	15.5478G	43.17	54.00	-10.83	10.79	3	Horizontal	73	1.42	-	32.38

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5230MHz\_TX




EUT Y\_2TX  
 Setting 79  
 04-A-3-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	66.71	74.00	-7.29	3.36	3	Vertical	136	1.53	-	63.35
AV	5.1488G	53.16	54.00	-0.84	3.36	3	Vertical	136	1.53	-	49.80
PK	5.2344G	115.93	Inf	-Inf	3.52	3	Vertical	136	1.53	-	112.41
AV	5.245G	104.06	Inf	-Inf	3.56	3	Vertical	136	1.53	-	100.50

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

14/10/2019

### 5230MHz\_TX




EUT Y\_2TX  
Setting 79  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1416G	58.51	74.00	-15.49	7.94	3	Horizontal	314	2.08	-	50.57
AV	5.1394G	46.07	54.00	-7.93	7.93	3	Horizontal	314	2.08	-	38.14
PK	5.2344G	99.20	Inf	-Inf	8.11	3	Horizontal	314	2.08	-	91.09
AV	5.234G	87.78	Inf	-Inf	8.11	3	Horizontal	314	2.08	-	79.67

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

### 5230MHz\_TX




EUT Y\_2TX  
Setting 79  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68192G	54.90	74.00	-19.10	10.66	3	Vertical	311	1.45	-	44.24
AV	15.68016G	42.25	54.00	-11.75	10.67	3	Vertical	311	1.45	-	31.58

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

### 5230MHz\_TX




EUT Y\_2TX  
 Setting 79  
 04-A-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69658G	55.19	74.00	-18.81	10.66	3	Horizontal	69	1.53	-	44.53
AV	15.69326G	42.13	54.00	-11.87	10.66	3	Horizontal	69	1.53	-	31.47

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5755MHz\_TX




EUT Y\_2TX  
Setting 87  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.64	68.20	-0.56	4.74	3	Vertical	6	1.47	-	62.90
PK	5.7665G	117.47	Inf	-Inf	4.93	3	Vertical	6	1.47	-	112.54
AV	5.747G	105.35	Inf	-Inf	4.89	3	Vertical	6	1.47	-	100.46
PK	5.93G	61.36	68.20	-6.84	5.72	3	Vertical	6	1.47	-	55.64

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

14/10/2019

### 5755MHz\_TX




EUT Y\_2TX  
Setting 87  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	59.32	68.20	-8.88	8.66	3	Horizontal	102	1.46	-	50.66
PK	5.7515G	104.01	Inf	-Inf	8.83	3	Horizontal	102	1.46	-	95.18
AV	5.7625G	91.95	Inf	-Inf	8.84	3	Horizontal	102	1.46	-	83.11
PK	5.95G	58.90	68.20	-9.30	8.93	3	Horizontal	102	1.46	-	49.97

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5755MHz\_TX



EUT Y\_2TX  
Setting 87  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50044G	52.89	74.00	-21.11	10.50	3	Vertical	287	1.84	-	42.39
AV	11.50394G	40.11	54.00	-13.89	10.50	3	Vertical	287	1.84	-	29.61



802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5755MHz\_TX




EUT Y\_2TX  
Setting 87  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50366G	52.92	74.00	-21.08	10.50	3	Horizontal	338	2.03	-	42.42
AV	11.50304G	40.59	54.00	-13.41	10.50	3	Horizontal	338	2.03	-	30.09

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5795MHz\_TX




EUT Y\_2TX  
Setting 86  
04-C-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	60.89	68.20	-7.31	4.73	3	Vertical	7	1.45	-	56.16
PK	5.793G	116.87	Inf	-Inf	4.99	3	Vertical	7	1.45	-	111.88
AV	5.787G	105.14	Inf	-Inf	4.97	3	Vertical	7	1.45	-	100.17
PK	5.9285G	67.53	68.20	-0.67	5.71	3	Vertical	7	1.45	-	61.82

802.11ax HEW40\_Nss2,(MCS0)\_2TX

14/10/2019

5795MHz\_TX




EUT Y\_2TX  
Setting 86  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.581G	58.93	68.20	-9.27	8.57	3	Horizontal	97	1.49	-	50.36
PK	5.7915G	102.86	Inf	-Inf	8.88	3	Horizontal	97	1.49	-	93.98
AV	5.791G	90.78	Inf	-Inf	8.88	3	Horizontal	97	1.49	-	81.90
PK	5.9735G	58.73	68.20	-9.47	8.93	3	Horizontal	97	1.49	-	49.80

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5795MHz\_TX




EUT Y\_2TX  
Setting 86  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58218G	53.27	74.00	-20.73	10.43	3	Vertical	62	1.59	-	42.84
AV	11.58148G	40.23	54.00	-13.77	10.43	3	Vertical	62	1.59	-	29.80

802.11ax HEW40\_Nss2,(MCS0)\_2TX

02/10/2019

5795MHz\_TX




EUT Y\_2TX  
Setting 86  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59596G	53.23	74.00	-20.77	10.41	3	Horizontal	146	1.39	-	42.82
AV	11.58596G	40.15	54.00	-13.85	10.43	3	Horizontal	146	1.39	-	29.72

802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

5210MHz\_TX




EUT Y\_2TX  
Setting 55  
04-A-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	63.85	74.00	-10.15	3.36	3	Vertical	133	1.56	-	60.49
AV	5.15G	53.42	54.00	-0.58	3.36	3	Vertical	133	1.56	-	50.06
PK	5.1828G	106.02	Inf	-Inf	3.39	3	Vertical	133	1.56	-	102.63
AV	5.1956G	95.89	Inf	-Inf	3.41	3	Vertical	133	1.56	-	92.48
PK	5.3784G	58.39	74.00	-15.61	4.06	3	Vertical	133	1.56	-	54.33
AV	5.36G	47.24	54.00	-6.76	3.98	3	Vertical	133	1.56	-	43.26

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

14/10/2019

### 5210MHz\_TX




EUT Y\_2TX  
Setting 55  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	59.10	74.00	-14.90	7.94	3	Horizontal	314	2.08	-	51.16
AV	5.0672G	47.40	54.00	-6.60	7.75	3	Horizontal	314	2.08	-	39.65
PK	5.2196G	89.23	Inf	-Inf	8.09	3	Horizontal	314	2.08	-	81.14
AV	5.2248G	79.89	Inf	-Inf	8.10	3	Horizontal	314	2.08	-	71.79
PK	5.3584G	58.50	74.00	-15.50	8.28	3	Horizontal	314	2.08	-	50.22
AV	5.3772G	47.52	54.00	-6.48	8.31	3	Horizontal	314	2.08	-	39.21

802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

5210MHz\_TX



EUT Y\_2TX  
Setting 55  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5536G	55.49	74.00	-18.51	10.79	3	Vertical	236	1.82	-	44.70
AV	15.438G	44.77	54.00	-9.23	10.89	3	Vertical	236	1.82	-	33.88



### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

### 5210MHz\_TX



EUT Y\_2TX  
Setting 55  
04-A-3  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.4452G	55.31	74.00	-18.69	10.87	3	Horizontal	237	1.12	-	44.44
AV	15.4496G	44.72	54.00	-9.28	10.87	3	Horizontal	237	1.12	-	33.85



802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

5775MHz\_TX




EUT Y\_2TX  
 Setting 76  
 04-A-3-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6465G	66.84	68.20	-1.36	4.74	3	Vertical	7	1.45	-	62.10
PK	5.7755G	111.34	Inf	-Inf	4.95	3	Vertical	7	1.45	-	106.39
AV	5.7605G	101.26	Inf	-Inf	4.92	3	Vertical	7	1.45	-	96.34
PK	5.932G	67.68	68.20	-0.52	5.74	3	Vertical	7	1.45	-	61.94

802.11ax HEW80\_Nss2,(MCS0)\_2TX

14/10/2019

5775MHz\_TX




EUT Y\_2TX  
Setting 76  
02-W-3-10  
FSU

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.613G	59.81	68.20	-8.39	8.61	3	Horizontal	101	1.46	-	51.20
PK	5.7785G	99.62	Inf	-Inf	8.87	3	Horizontal	101	1.46	-	90.75
AV	5.761G	87.98	Inf	-Inf	8.85	3	Horizontal	101	1.46	-	79.13
PK	5.948G	59.05	68.20	-9.15	8.94	3	Horizontal	101	1.46	-	50.11

802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

5775MHz\_TX




EUT Y\_2TX  
Setting 76  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44G	52.92	74.00	-21.08	10.54	3	Vertical	235	1.45	-	42.38
AV	11.4044G	42.59	54.00	-11.41	10.58	3	Vertical	235	1.45	-	32.01

802.11ax HEW80\_Nss2,(MCS0)\_2TX

02/10/2019

5775MHz\_TX



EUT Y\_2TX  
Setting 76  
04-A-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4248G	53.55	74.00	-20.45	10.56	3	Horizontal	208	1.59	-	42.99
AV	11.428G	42.50	54.00	-11.50	10.56	3	Horizontal	208	1.59	-	31.94




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	5.1353G	53.48	54.00	-0.52	3.35	3	Horizontal	358	1.65	-

### 802.11a\_Nss1,(6Mbps)\_4TX

27/09/2019

### 5180MHz\_TX




EUT\_X\_4TX  
Setting 59  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	56.24	74.00	-17.76	3.36	3	Vertical	356	1.78	-	52.88
AV	5.1433G	43.29	54.00	-10.71	3.35	3	Vertical	356	1.78	-	39.94
PK	5.1837G	103.49	Inf	-Inf	3.39	3	Vertical	356	1.78	-	100.10
AV	5.1841G	94.32	Inf	-Inf	3.39	3	Vertical	356	1.78	-	90.93

### 802.11a\_Nss1,(6Mbps)\_4TX

27/09/2019

### 5180MHz\_TX



EUT X\_4TX  
Setting 59  
04-L-3-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1473G	73.20	74.00	-0.80	3.36	3	Horizontal	358	1.73	-	69.84
AV	5.1464G	48.39	54.00	-5.61	3.36	3	Horizontal	358	1.73	-	45.03
PK	5.185G	119.83	Inf	-Inf	3.39	3	Horizontal	358	1.73	-	116.44
AV	5.1841G	110.14	Inf	-Inf	3.39	3	Horizontal	358	1.73	-	106.75



### 802.11a\_Nss1,(6Mbps)\_4TX

27/09/2019

### 5180MHz\_TX




EUT X\_4TX  
 Setting 59  
 04-L-3  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35892G	51.73	68.20	-16.47	10.67	3	Vertical	132	1.64	-	41.06
PK	15.5362G	56.36	74.00	-17.64	10.80	3	Vertical	332	1.96	-	45.56
AV	15.54982G	42.92	54.00	-11.08	10.79	3	Vertical	332	1.96	-	32.13

### 802.11a\_Nss1,(6Mbps)\_4TX

27/09/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 59  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36504G	51.75	68.20	-16.45	10.67	3	Horizontal	87	1.83	-	41.08
PK	15.53024G	56.32	74.00	-17.68	10.81	3	Horizontal	360	1.90	-	45.51
AV	15.54236G	42.95	54.00	-11.05	10.80	3	Horizontal	360	1.90	-	32.15

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 85  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	56.32	74.00	-17.68	3.36	3	Vertical	181	1.60	-	52.96
AV	5.148G	42.51	54.00	-11.49	3.36	3	Vertical	181	1.60	-	39.15
PK	5.2076G	103.33	Inf	-Inf	3.44	3	Vertical	181	1.60	-	99.89
AV	5.2076G	93.86	Inf	-Inf	3.44	3	Vertical	181	1.60	-	90.42

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5200MHz\_TX




EUT X\_4TX  
 Setting 85  
 04-L-3-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	73.43	74.00	-0.57	3.35	3	Horizontal	357	1.77	-	70.08
AV	5.1G	50.81	54.00	-3.19	3.31	3	Horizontal	357	1.77	-	47.50
PK	5.2064G	123.83	Inf	-Inf	3.43	3	Horizontal	357	1.77	-	120.40
AV	5.2058G	114.36	Inf	-Inf	3.43	3	Horizontal	357	1.77	-	110.93

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 85  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5998G	53.75	74.00	-20.25	10.74	3	Vertical	338	1.57	-	43.01
AV	15.60822G	33.20	54.00	-20.80	10.73	3	Vertical	338	1.57	-	22.47

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 85  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59622G	56.50	74.00	-17.50	10.74	3	Horizontal	49	1.50	-	45.76
AV	15.60096G	41.97	54.00	-12.03	10.74	3	Horizontal	49	1.50	-	31.23

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1056G	55.54	74.00	-18.46	3.32	3	Vertical	170	1.60	-	52.22
AV	5.1371G	42.30	54.00	-11.70	3.35	3	Vertical	170	1.60	-	38.95
PK	5.2457G	104.53	Inf	-Inf	3.56	3	Vertical	170	1.60	-	100.97
AV	5.2457G	94.57	Inf	-Inf	3.56	3	Vertical	170	1.60	-	91.01
PK	5.3774G	55.41	74.00	-18.59	4.05	3	Vertical	170	1.60	-	51.36
AV	5.3582G	42.53	54.00	-11.47	3.96	3	Vertical	170	1.60	-	38.57

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5240MHz\_TX



EUT\_X\_4TX  
Setting 95  
04-L-3-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1386G	64.79	74.00	-9.21	3.35	3	Horizontal	358	1.85	-	61.44
AV	5.1386G	53.16	54.00	-0.84	3.35	3	Horizontal	358	1.85	-	49.81
PK	5.2463G	125.15	Inf	-Inf	3.56	3	Horizontal	358	1.85	-	121.59
AV	5.2466G	115.96	Inf	-Inf	3.56	3	Horizontal	358	1.85	-	112.40
PK	5.3546G	64.06	74.00	-9.94	3.95	3	Horizontal	358	1.85	-	60.11
AV	5.354G	52.39	54.00	-1.61	3.95	3	Horizontal	358	1.85	-	48.44



### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 95  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71988G	57.39	74.00	-16.61	10.63	3	Vertical	340	1.56	-	46.76
AV	15.71462G	44.04	54.00	-9.96	10.64	3	Vertical	340	1.56	-	33.40

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 95  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7216G	60.36	74.00	-13.64	10.63	3	Horizontal	12	1.44	-	49.73
AV	15.71664G	46.53	54.00	-7.47	10.64	3	Horizontal	12	1.44	-	35.89

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5745MHz\_TX




EUT\_X\_4TX  
Setting 99  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.568G	56.17	68.20	-12.03	4.64	3	Vertical	7	1.32	-	51.53
PK	5.7375G	105.35	Inf	-Inf	4.87	3	Vertical	7	1.32	-	100.48
AV	5.737G	95.29	Inf	-Inf	4.87	3	Vertical	7	1.32	-	90.42
PK	5.9405G	57.48	68.20	-10.72	5.78	3	Vertical	7	1.32	-	51.70

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5745MHz\_TX




EUT\_X\_4TX  
Setting 99  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	67.57	68.20	-0.63	4.74	3	Horizontal	175	1.52	-	62.83
PK	5.751G	126.28	Inf	-Inf	4.90	3	Horizontal	175	1.52	-	121.38
AV	5.751G	116.87	Inf	-Inf	4.90	3	Horizontal	175	1.52	-	111.97
PK	5.9325G	60.90	68.20	-7.30	5.74	3	Horizontal	175	1.52	-	55.16

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 99  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49272G	56.14	74.00	-17.86	10.50	3	Vertical	340	1.43	-	45.64
AV	11.49238G	43.53	54.00	-10.47	10.50	3	Vertical	340	1.43	-	33.03

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 99  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48756G	57.02	74.00	-16.98	10.50	3	Horizontal	31	1.64	-	46.52
AV	11.48706G	43.04	54.00	-10.96	10.51	3	Horizontal	31	1.64	-	32.53

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 110  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.64G	56.39	68.20	-11.81	4.73	3	Vertical	183	1.00	-	51.66
PK	5.777G	108.71	Inf	-Inf	4.95	3	Vertical	183	1.00	-	103.76
AV	5.7775G	98.15	Inf	-Inf	4.95	3	Vertical	183	1.00	-	93.20
PK	5.986G	57.61	68.20	-10.59	6.03	3	Vertical	183	1.00	-	51.58

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5785MHz\_TX



EUT\_X\_4TX  
Setting 110  
04-L-3-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	66.28	68.20	-1.92	4.74	3	Horizontal	174	1.50	-	61.54
PK	5.791G	126.54	Inf	-Inf	4.98	3	Horizontal	174	1.50	-	121.56
AV	5.792G	117.67	Inf	-Inf	4.98	3	Horizontal	174	1.50	-	112.69
PK	5.925G	67.35	68.20	-0.85	5.70	3	Horizontal	174	1.50	-	61.65



### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 110  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57096G	58.17	74.00	-15.83	10.43	3	Vertical	337	1.49	-	47.74
AV	11.57236G	44.16	54.00	-9.84	10.43	3	Vertical	337	1.49	-	33.73

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 110  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57084G	58.07	74.00	-15.93	10.43	3	Horizontal	4	1.51	-	47.64
AV	11.57276G	45.01	54.00	-8.99	10.43	3	Horizontal	4	1.51	-	34.58

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 99  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6465G	56.14	68.20	-12.06	4.74	3	Vertical	9	1.45	-	51.40
PK	5.8175G	104.11	Inf	-Inf	5.10	3	Vertical	9	1.45	-	99.01
AV	5.818G	94.15	Inf	-Inf	5.10	3	Vertical	9	1.45	-	89.05
PK	5.9845G	57.17	68.20	-11.03	6.02	3	Vertical	9	1.45	-	51.15

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5825MHz\_TX




EUT\_X\_4TX  
Setting 99  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6485G	61.64	68.20	-6.56	4.74	3	Horizontal	176	1.51	-	56.90
PK	5.832G	126.02	Inf	-Inf	5.18	3	Horizontal	176	1.51	-	120.84
AV	5.8325G	116.06	Inf	-Inf	5.18	3	Horizontal	176	1.51	-	110.88
PK	5.9325G	67.42	68.20	-0.78	5.74	3	Horizontal	176	1.51	-	61.68

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 99  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65156G	56.71	74.00	-17.29	10.37	3	Vertical	337	1.49	-	46.34
AV	11.65248G	43.92	54.00	-10.08	10.37	3	Vertical	337	1.49	-	33.55

### 802.11a\_Nss1,(6Mbps)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 99  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65574G	56.57	74.00	-17.43	10.36	3	Horizontal	0	1.48	-	46.21
AV	11.65554G	43.55	54.00	-10.45	10.36	3	Horizontal	0	1.48	-	33.19

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 62  
04-C-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	57.19	74.00	-16.81	3.36	3	Vertical	5	1.40	-	53.83
AV	5.1482G	43.00	54.00	-11.00	3.36	3	Vertical	5	1.40	-	39.64
PK	5.1782G	101.27	Inf	-Inf	3.39	3	Vertical	5	1.40	-	97.88
AV	5.1785G	87.76	Inf	-Inf	3.39	3	Vertical	5	1.40	-	84.37

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5180MHz\_TX



EUT X\_4TX  
Setting 62  
04-C-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1481G	73.45	74.00	-0.55	3.36	3	Horizontal	0	1.50	-	70.09
AV	5.1482G	52.71	54.00	-1.29	3.36	3	Horizontal	358	1.70	-	49.35
PK	5.173G	122.83	Inf	-Inf	3.38	3	Horizontal	358	1.70	-	119.45
AV	5.1832G	108.58	Inf	-Inf	3.39	3	Horizontal	358	1.70	-	105.19



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 62  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5295G	55.50	74.00	-18.50	10.81	3	Vertical	262	1.53	-	44.69
AV	15.55035G	41.55	54.00	-12.45	10.79	3	Vertical	262	1.53	-	30.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5180MHz\_TX




EUT X\_4TX  
 Setting 62  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53712G	55.70	74.00	-18.30	10.80	3	Horizontal	328	1.39	-	44.90
AV	15.5502G	41.90	54.00	-12.10	10.79	3	Horizontal	328	1.39	-	31.11

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

02/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1424G	55.34	74.00	-18.66	3.35	3	Vertical	356	1.48	-	51.99
AV	5.1469G	41.84	54.00	-12.16	3.36	3	Vertical	356	1.48	-	38.48
PK	5.2009G	103.63	Inf	-Inf	3.41	3	Vertical	356	1.48	-	100.22
AV	5.2009G	90.97	Inf	-Inf	3.41	3	Vertical	356	1.48	-	87.56

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

02/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	72.15	74.00	-1.85	3.35	3	Horizontal	355	1.56	-	68.80
AV	5.1499G	53.30	54.00	-0.70	3.36	3	Horizontal	355	1.56	-	49.94
PK	5.2012G	124.75	Inf	-Inf	3.41	3	Horizontal	355	1.56	-	121.34
AV	5.2009G	111.24	Inf	-Inf	3.41	3	Horizontal	355	1.56	-	107.83

802.11ax HEW20\_Nss1,(MCS0)\_4TX

02/10/2019

5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60946G	55.80	74.00	-18.20	10.73	3	Vertical	336	1.50	-	45.07
AV	15.5998G	42.41	54.00	-11.59	10.74	3	Vertical	336	1.50	-	31.67

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

02/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5911G	57.58	74.00	-16.42	10.76	3	Horizontal	46	1.50	-	46.82
AV	15.6027G	42.76	54.00	-11.24	10.74	3	Horizontal	46	1.50	-	32.02

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 101  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1014G	54.93	74.00	-19.07	3.31	3	Vertical	180	3.00	-	51.62
AV	5.1485G	41.78	54.00	-12.22	3.36	3	Vertical	180	3.00	-	38.42
PK	5.2484G	104.90	Inf	-Inf	3.57	3	Vertical	180	3.00	-	101.33
AV	5.2433G	93.01	Inf	-Inf	3.56	3	Vertical	180	3.00	-	89.45
PK	5.3861G	55.26	74.00	-18.74	4.08	3	Vertical	180	3.00	-	51.18
AV	5.3888G	41.89	54.00	-12.11	4.10	3	Vertical	180	3.00	-	37.79

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5240MHz\_TX



EUT\_X\_4TX  
Setting 101  
04-L-3-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	71.07	74.00	-2.93	3.36	3	Horizontal	358	1.65	-	67.71
AV	5.1353G	53.48	54.00	-0.52	3.35	3	Horizontal	358	1.65	-	50.13
PK	5.2463G	125.72	Inf	-Inf	3.56	3	Horizontal	358	1.65	-	122.16
AV	5.2382G	114.25	Inf	-Inf	3.54	3	Horizontal	358	1.65	-	110.71
PK	5.3522G	67.08	74.00	-6.92	3.95	3	Horizontal	358	1.65	-	63.13
AV	5.3516G	52.60	54.00	-1.40	3.94	3	Horizontal	358	1.65	-	48.66



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 101  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72414G	58.55	74.00	-15.45	10.63	3	Vertical	337	1.82	-	47.92
AV	15.71919G	45.22	54.00	-8.78	10.63	3	Vertical	337	1.82	-	34.59

802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

5240MHz\_TX




EUT X\_4TX  
Setting 101  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71244G	57.96	74.00	-16.04	10.64	3	Horizontal	48	1.50	-	47.32
AV	15.72234G	44.21	54.00	-9.79	10.63	3	Horizontal	48	1.50	-	33.58

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5745MHz\_TX




EUT\_X\_4TX  
Setting 97  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5895G	56.23	68.20	-11.97	4.67	3	Vertical	172	1.47	-	51.56
PK	5.7435G	104.05	Inf	-Inf	4.89	3	Vertical	172	1.47	-	99.16
AV	5.7435G	92.02	Inf	-Inf	4.89	3	Vertical	172	1.47	-	87.13
PK	5.947G	57.74	68.20	-10.46	5.82	3	Vertical	172	1.47	-	51.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 97  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	67.28	68.20	-0.92	4.74	3	Horizontal	176	1.50	-	62.54
PK	5.7435G	126.62	Inf	-Inf	4.89	3	Horizontal	176	1.50	-	121.73
AV	5.7435G	114.60	Inf	-Inf	4.89	3	Horizontal	176	1.50	-	109.71
PK	5.9365G	60.69	68.20	-7.51	5.76	3	Horizontal	176	1.50	-	54.93

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 97  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49015G	55.25	74.00	-18.75	10.50	3	Vertical	355	1.50	-	44.75
AV	11.49024G	42.72	54.00	-11.28	10.50	3	Vertical	355	1.50	-	32.22

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 97  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48643G	54.29	74.00	-19.71	10.51	3	Horizontal	31	1.50	-	43.78
AV	11.49204G	41.47	54.00	-12.53	10.50	3	Horizontal	31	1.50	-	30.97

802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5365G	57.01	68.20	-11.19	4.58	3	Vertical	171	1.40	-	52.43
PK	5.779G	105.56	Inf	-Inf	4.96	3	Vertical	171	1.40	-	100.60
AV	5.7785G	93.15	Inf	-Inf	4.96	3	Vertical	171	1.40	-	88.19
PK	5.974G	57.71	68.20	-10.49	5.97	3	Vertical	171	1.40	-	51.74

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5785MHz\_TX



EUT X\_4TX  
Setting 102  
04-L-3-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	67.33	68.20	-0.87	4.74	3	Horizontal	175	1.56	-	62.59
PK	5.7785G	126.57	Inf	-Inf	4.96	3	Horizontal	175	1.56	-	121.61
AV	5.7835G	115.00	Inf	-Inf	4.97	3	Horizontal	175	1.56	-	110.03
PK	5.927G	67.55	68.20	-0.65	5.70	3	Horizontal	175	1.56	-	61.85



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56865G	55.54	74.00	-18.46	10.43	3	Vertical	1	1.50	-	45.11
AV	11.57357G	42.24	54.00	-11.76	10.43	3	Vertical	1	1.50	-	31.81

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-M-1  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57231G	54.81	74.00	-19.19	10.43	3	Horizontal	39	1.50	-	44.38
AV	11.57246G	42.43	54.00	-11.57	10.43	3	Horizontal	39	1.50	-	32.00

802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

5825MHz\_TX




EUT X\_4TX  
Setting 96  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	55.97	68.20	-12.23	4.72	3	Vertical	178	1.48	-	51.25
PK	5.826G	106.08	Inf	-Inf	5.14	3	Vertical	178	1.48	-	100.94
AV	5.826G	92.37	Inf	-Inf	5.14	3	Vertical	178	1.48	-	87.23
PK	5.9655G	57.80	68.20	-10.40	5.92	3	Vertical	178	1.48	-	51.88

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 96  
04-L-3-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	61.57	68.20	-6.63	4.66	3	Horizontal	173	1.59	-	56.91
PK	5.826G	126.07	Inf	-Inf	5.14	3	Horizontal	173	1.59	-	120.93
AV	5.826G	112.47	Inf	-Inf	5.14	3	Horizontal	173	1.59	-	107.33
PK	5.9335G	67.42	68.20	-0.78	5.75	3	Horizontal	173	1.59	-	61.67

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 96  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6506G	56.48	74.00	-17.52	10.37	3	Vertical	0	1.43	-	46.11
AV	11.65064G	42.72	54.00	-11.28	10.37	3	Vertical	0	1.43	-	32.35

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

28/09/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 96  
04-L-3  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64278G	56.99	74.00	-17.01	10.36	3	Horizontal	0	1.50	-	46.63
AV	11.64802G	41.65	54.00	-12.35	10.36	3	Horizontal	0	1.50	-	31.29

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 51  
04-C-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0928G	56.22	74.00	-17.78	3.32	3	Vertical	288	1.65	-	52.90
AV	5.15G	44.16	54.00	-9.84	3.36	3	Vertical	288	1.65	-	40.80
PK	5.205G	91.55	Inf	-Inf	3.43	3	Vertical	288	1.65	-	88.12
AV	5.196G	79.72	Inf	-Inf	3.41	3	Vertical	288	1.65	-	76.31

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/10/2019

### 5190MHz\_TX



EUT X\_4TX  
Setting 51  
04-C-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	66.82	74.00	-7.18	3.36	3	Horizontal	172	1.91	-	63.46
AV	5.146G	53.42	54.00	-0.58	3.36	3	Horizontal	172	1.91	-	50.06
PK	5.1806G	114.29	Inf	-Inf	3.39	3	Horizontal	172	1.91	-	110.90
AV	5.1858G	103.65	Inf	-Inf	3.40	3	Horizontal	172	1.91	-	100.25



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/10/2019

### 5190MHz\_TX




EUT X\_4TX  
 Setting 51  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57306G	55.88	74.00	-18.12	10.76	3	Vertical	337	1.42	-	45.12
AV	15.5644G	42.90	54.00	-11.10	10.77	3	Vertical	337	1.42	-	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/10/2019

### 5190MHz\_TX




EUT X\_4TX  
 Setting 51  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57854G	55.85	74.00	-18.15	10.76	3	Horizontal	254	1.33	-	45.09
AV	15.57524G	43.43	54.00	-10.57	10.76	3	Horizontal	254	1.33	-	32.67

802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

5230MHz\_TX




EUT X\_4TX  
Setting 74  
04-C-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	56.18	74.00	-17.82	3.36	3	Vertical	288	1.68	-	52.82
AV	5.1498G	44.08	54.00	-9.92	3.36	3	Vertical	288	1.68	-	40.72
PK	5.2148G	100.18	Inf	-Inf	3.46	3	Vertical	288	1.68	-	96.72
AV	5.2252G	88.12	Inf	-Inf	3.49	3	Vertical	288	1.68	-	84.63

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 74  
04-C-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	67.62	74.00	-6.38	3.36	3	Horizontal	358	1.74	-	64.26
AV	5.1484G	53.48	54.00	-0.52	3.36	3	Horizontal	0	1.50	-	50.12
PK	5.2282G	120.92	Inf	-Inf	3.51	3	Horizontal	358	1.74	-	117.41
AV	5.2234G	109.74	Inf	-Inf	3.49	3	Horizontal	358	1.74	-	106.25

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 74  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68626G	55.18	74.00	-18.82	10.66	3	Vertical	230	1.79	-	44.52
AV	15.69486G	42.74	54.00	-11.26	10.66	3	Vertical	230	1.79	-	32.08

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5230MHz\_TX




EUT X\_4TX  
 Setting 74  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6966G	55.63	74.00	-18.37	10.66	3	Horizontal	288	1.68	-	44.97
AV	15.6956G	42.58	54.00	-11.42	10.66	3	Horizontal	288	1.68	-	31.92

802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

5755MHz\_TX




EUT X\_4TX  
Setting 65  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.512G	57.41	68.20	-10.79	4.54	3	Vertical	224	1.26	-	52.87
PK	5.7565G	97.88	Inf	-Inf	4.91	3	Vertical	224	1.26	-	92.97
AV	5.7615G	87.06	Inf	-Inf	4.92	3	Vertical	224	1.26	-	82.14
PK	5.9895G	58.61	68.20	-9.59	6.05	3	Vertical	224	1.26	-	52.56

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5755MHz\_TX



EUT\_X\_4TX  
Setting 80  
04-R-5-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.62	68.20	-0.58	4.74	3	Horizontal	350	1.61	-	62.88
PK	5.771G	122.89	Inf	-Inf	4.94	3	Horizontal	350	1.61	-	117.95
AV	5.761G	111.39	Inf	-Inf	4.92	3	Horizontal	350	1.61	-	106.47
PK	5.9315G	61.39	68.20	-6.81	5.74	3	Horizontal	350	1.61	-	55.65



802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

5755MHz\_TX




EUT X\_4TX  
 Setting 80  
 04-R-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50196G	51.89	74.00	-22.11	10.50	3	Vertical	225	1.99	-	41.39
AV	11.51348G	39.68	54.00	-14.32	10.48	3	Vertical	225	1.99	-	29.20

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 80  
04-R-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51122G	52.42	74.00	-21.58	10.49	3	Horizontal	277	1.68	-	41.93
AV	11.50888G	39.98	54.00	-14.02	10.49	3	Horizontal	277	1.68	-	29.49

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5795MHz\_TX




EUT\_X\_4TX  
Setting 87  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5945G	57.77	68.20	-10.43	4.68	3	Vertical	28	1.82	-	53.09
PK	5.8085G	102.00	Inf	-Inf	5.05	3	Vertical	28	1.82	-	96.95
AV	5.7985G	91.42	Inf	-Inf	5.00	3	Vertical	28	1.82	-	86.42
PK	5.954G	58.20	68.20	-10.00	5.85	3	Vertical	28	1.82	-	52.35

802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

5795MHz\_TX




EUT X\_4TX  
Setting 87  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6405G	63.30	68.20	-4.90	4.73	3	Horizontal	88	1.65	-	58.57
PK	5.783G	121.59	Inf	-Inf	4.97	3	Horizontal	88	1.65	-	116.62
AV	5.7835G	111.55	Inf	-Inf	4.97	3	Horizontal	88	1.65	-	106.58
PK	5.9415G	67.67	68.20	-0.53	5.79	3	Horizontal	88	1.65	-	61.88

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 87  
04-R-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58316G	52.34	74.00	-21.66	10.43	3	Vertical	34	1.54	-	41.91
AV	11.58842G	39.36	54.00	-14.64	10.41	3	Vertical	34	1.54	-	28.95

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

28/09/2019

### 5795MHz\_TX




EUT X\_4TX  
 Setting 87  
 04-R-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59264G	53.30	74.00	-20.70	10.41	3	Horizontal	337	1.41	-	42.89
AV	11.5874G	39.71	54.00	-14.29	10.43	3	Horizontal	337	1.41	-	29.28

802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

5210MHz\_TX




EUT X\_4TX  
Setting 45  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0665G	56.33	74.00	-17.67	3.34	3	Vertical	356	1.50	-	52.99
AV	5.09G	44.40	54.00	-9.60	3.32	3	Vertical	356	1.50	-	41.08
PK	5.201G	90.26	Inf	-Inf	3.41	3	Vertical	356	1.50	-	86.85
AV	5.196G	78.97	Inf	-Inf	3.41	3	Vertical	356	1.50	-	75.56
PK	5.408G	57.41	74.00	-16.59	4.17	3	Vertical	356	1.50	-	53.24
AV	5.4175G	45.30	54.00	-8.70	4.21	3	Vertical	356	1.50	-	41.09

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

### 5210MHz\_TX



EUT\_X\_4TX  
Setting 45  
04-R-5-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1485G	65.16	74.00	-8.84	3.36	3	Horizontal	357	1.86	-	61.80
AV	5.1435G	53.41	54.00	-0.59	3.35	3	Horizontal	357	1.86	-	50.06
PK	5.2085G	111.70	Inf	-Inf	3.44	3	Horizontal	357	1.86	-	108.26
AV	5.2035G	100.35	Inf	-Inf	3.42	3	Horizontal	357	1.86	-	96.93
PK	5.3605G	59.28	74.00	-14.72	3.98	3	Horizontal	357	1.86	-	55.30
AV	5.3505G	47.39	54.00	-6.61	3.94	3	Horizontal	357	1.86	-	43.45



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

### 5210MHz\_TX




EUT X\_4TX  
 Setting 45  
 04-R-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6315G	56.63	74.00	-17.37	10.71	3	Vertical	143	1.50	-	45.92
AV	15.62054G	43.89	54.00	-10.11	10.72	3	Vertical	143	1.50	-	33.17

802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

5210MHz\_TX




EUT X\_4TX  
Setting 45  
04-R-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63746G	56.56	74.00	-17.44	10.70	3	Horizontal	353	1.39	-	45.86
AV	15.6255G	43.77	54.00	-10.23	10.72	3	Horizontal	353	1.39	-	33.05

802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

5775MHz\_TX




EUT X\_4TX  
Setting 65  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5695G	58.29	68.20	-9.91	4.64	3	Vertical	170	1.41	-	53.65
PK	5.774G	94.28	Inf	-Inf	4.95	3	Vertical	170	1.41	-	89.33
AV	5.7685G	82.34	Inf	-Inf	4.94	3	Vertical	170	1.41	-	77.40
PK	5.928G	58.73	68.20	-9.47	5.71	3	Vertical	170	1.41	-	53.02

802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

5775MHz\_TX




EUT X\_4TX  
Setting 65  
04-R-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6505G	67.93	68.57	-0.64	4.75	3	Horizontal	174	1.50	-	63.18
PK	5.766G	115.99	Inf	-Inf	4.93	3	Horizontal	174	1.50	-	111.06
AV	5.761G	104.72	Inf	-Inf	4.92	3	Horizontal	174	1.50	-	99.80
PK	5.9265G	64.68	68.20	-3.52	5.70	3	Horizontal	174	1.50	-	58.98

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

### 5775MHz\_TX




EUT X\_4TX  
Setting 65  
04-R-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6058G	51.60	74.00	-22.40	10.40	3	Vertical	9	1.99	-	41.20
AV	11.4652G	39.54	54.00	-14.46	10.53	3	Vertical	9	1.99	-	29.01

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

28/09/2019

### 5775MHz\_TX



EUT X\_4TX  
 Setting 65  
 04-R-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6378G	52.41	74.00	-21.59	10.37	3	Horizontal	11	1.31	-	42.04
AV	11.6012G	39.65	54.00	-14.35	10.41	3	Horizontal	11	1.31	-	29.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	5.1496G	53.48	54.00	-0.52	3.36	3	Horizontal	360	1.62	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5180MHz\_TX



EUT X\_4TX  
Setting 65  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1439G	58.56	74.00	-15.44	3.35	3	Vertical	297	1.14	-	55.21
AV	5.1479G	45.50	54.00	-8.50	3.36	3	Vertical	297	1.14	-	42.14
PK	5.1883G	100.76	Inf	-Inf	3.40	3	Vertical	297	1.14	-	97.36
AV	5.1848G	88.21	Inf	-Inf	3.39	3	Vertical	297	1.14	-	84.82



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 65  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	72.34	74.00	-1.66	3.36	3	Horizontal	170	1.50	-	68.98
AV	5.15G	53.34	54.00	-0.66	3.36	3	Horizontal	170	1.50	-	49.98
PK	5.1883G	121.13	Inf	-Inf	3.40	3	Horizontal	170	1.50	-	117.73
AV	5.1847G	108.27	Inf	-Inf	3.39	3	Horizontal	170	1.50	-	104.88

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 65  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.35682G	52.56	68.20	-15.64	10.67	3	Vertical	117	1.36	-	41.89
PK	15.53763G	56.74	74.00	-17.26	10.80	3	Vertical	62	1.38	-	45.94
AV	15.53769G	42.88	54.00	-11.12	10.80	3	Vertical	62	1.38	-	32.08

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 65  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37467G	52.51	68.20	-15.69	10.67	3	Horizontal	79	1.75	-	41.84
PK	15.55107G	56.30	74.00	-17.70	10.79	3	Horizontal	140	1.58	-	45.51
AV	15.55185G	42.99	54.00	-11.01	10.79	3	Horizontal	140	1.58	-	32.20

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 81  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1146G	58.75	74.00	-15.25	3.32	3	Vertical	82	2.55	-	55.43
AV	5.1492G	45.94	54.00	-8.06	3.36	3	Vertical	82	2.55	-	42.58
PK	5.203G	111.46	Inf	-Inf	3.42	3	Vertical	82	2.55	-	108.04
AV	5.1992G	99.38	Inf	-Inf	3.41	3	Vertical	82	2.55	-	95.97

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 81  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	71.20	74.00	-2.80	3.36	3	Horizontal	172	1.62	-	67.84
AV	5.15G	53.42	54.00	-0.58	3.36	3	Horizontal	172	1.62	-	50.06
PK	5.1958G	125.89	Inf	-Inf	3.41	3	Horizontal	172	1.62	-	122.48
AV	5.1934G	113.45	Inf	-Inf	3.40	3	Horizontal	172	1.62	-	110.05

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 81  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39646G	53.34	68.20	-14.86	10.69	3	Vertical	181	1.71	-	42.65
PK	15.61317G	56.39	74.00	-17.61	10.73	3	Vertical	127	1.56	-	45.66
AV	15.61524G	42.33	54.00	-11.67	10.73	3	Vertical	127	1.56	-	31.60

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 81  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39493G	52.58	68.20	-15.62	10.69	3	Horizontal	88	1.59	-	41.89
PK	15.61203G	55.36	74.00	-18.64	10.73	3	Horizontal	43	1.66	-	44.63
AV	15.61506G	42.14	54.00	-11.86	10.73	3	Horizontal	43	1.66	-	31.41

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5240MHz\_TX



EUT\_X\_4TX  
Setting 98  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	59.03	74.00	-14.97	3.35	3	Vertical	273	2.14	-	55.68
AV	5.1497G	45.95	54.00	-8.05	3.36	3	Vertical	273	2.14	-	42.59
PK	5.2493G	112.46	Inf	-Inf	3.57	3	Vertical	273	2.14	-	108.89
AV	5.249G	100.94	Inf	-Inf	3.57	3	Vertical	273	2.14	-	97.37
PK	5.3534G	59.93	74.00	-14.07	3.95	3	Vertical	273	2.14	-	55.98
AV	5.3879G	46.91	54.00	-7.09	4.09	3	Vertical	273	2.14	-	42.82



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5240MHz\_TX




EUT X\_4TX  
Setting 98  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	67.59	74.00	-6.41	3.36	3	Horizontal	354	1.91	-	64.23
AV	5.15G	53.36	54.00	-0.64	3.36	3	Horizontal	354	1.91	-	50.00
PK	5.2424G	126.50	Inf	-Inf	3.55	3	Horizontal	354	1.91	-	122.95
AV	5.2385G	116.37	Inf	-Inf	3.54	3	Horizontal	354	1.91	-	112.83
PK	5.3516G	65.36	74.00	-8.64	3.94	3	Horizontal	354	1.91	-	61.42
AV	5.3504G	52.40	54.00	-1.60	3.94	3	Horizontal	354	1.91	-	48.46

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

15/10/2019

### 5240MHz\_TX




EUT X\_4TX  
 Setting 98  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47757G	51.77	68.20	-16.43	10.71	3	Vertical	131	1.52	-	41.06
PK	15.72993G	61.10	74.00	-12.90	10.63	3	Vertical	24	1.53	-	50.47
AV	15.71889G	47.55	54.00	-6.45	10.63	3	Vertical	24	1.53	-	36.92

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

15/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 98  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48291G	54.31	68.20	-13.89	10.72	3	Horizontal	175	1.47	-	43.59
PK	15.7224G	61.73	74.00	-12.27	10.63	3	Horizontal	327	1.56	-	51.10
AV	15.71799G	48.41	54.00	-5.59	10.64	3	Horizontal	327	1.56	-	37.77

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5745MHz\_TX




EUT\_X\_4TX  
Setting 94  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.559G	60.30	68.20	-7.90	4.62	3	Vertical	172	1.50	-	55.68
PK	5.748G	107.33	Inf	-Inf	4.90	3	Vertical	172	1.50	-	102.43
AV	5.7515G	96.84	Inf	-Inf	4.90	3	Vertical	172	1.50	-	91.94
PK	5.9805G	61.45	68.20	-6.75	6.00	3	Vertical	172	1.50	-	55.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5745MHz\_TX




EUT\_X\_4TX  
Setting 94  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.65	68.20	-0.55	4.74	3	Horizontal	359	1.70	-	62.91
PK	5.7535G	127.63	Inf	-Inf	4.91	3	Horizontal	359	1.70	-	122.72
AV	5.7525G	117.18	Inf	-Inf	4.90	3	Horizontal	359	1.70	-	112.28
PK	5.9665G	63.14	68.20	-5.06	5.92	3	Horizontal	359	1.70	-	57.22

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 94  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50482G	54.07	74.00	-19.93	10.50	3	Vertical	175	1.72	-	43.57
AV	11.49303G	40.63	54.00	-13.37	10.50	3	Vertical	175	1.72	-	30.13
PK	17.22798G	59.58	68.20	-8.62	13.61	3	Vertical	107	1.38	-	45.97

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 94  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48376G	55.16	74.00	-18.84	10.51	3	Horizontal	129	1.55	-	44.65
AV	11.48223G	41.76	54.00	-12.24	10.51	3	Horizontal	129	1.55	-	31.25
PK	17.22558G	59.30	68.20	-8.90	13.61	3	Horizontal	195	1.25	-	45.69

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5785MHz\_TX



EUT\_X\_4TX  
Setting 102  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5475G	60.47	68.20	-7.73	4.60	3	Vertical	173	1.77	-	55.87
PK	5.779G	108.46	Inf	-Inf	4.96	3	Vertical	173	1.77	-	103.50
AV	5.779G	96.47	Inf	-Inf	4.96	3	Vertical	173	1.77	-	91.51
PK	5.935G	60.55	68.20	-7.65	5.76	3	Vertical	173	1.77	-	54.79



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	64.23	68.20	-3.97	4.72	3	Horizontal	0	1.71	-	59.51
PK	5.783G	127.64	Inf	-Inf	4.97	3	Horizontal	0	1.71	-	122.67
AV	5.787G	116.86	Inf	-Inf	4.97	3	Horizontal	0	1.71	-	111.89
PK	5.94G	65.67	68.20	-2.53	5.78	3	Horizontal	0	1.71	-	59.89

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5785MHz\_TX




EUT X\_4TX  
 Setting 102  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56559G	59.26	74.00	-14.74	10.43	3	Vertical	92	1.48	-	48.83
AV	11.5688G	46.77	54.00	-7.23	10.43	3	Vertical	92	1.48	-	36.34
PK	17.35545G	59.14	68.20	-9.06	13.86	3	Vertical	253	1.54	-	45.28

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56571G	61.63	74.00	-12.37	10.43	3	Horizontal	103	1.50	-	51.20
AV	11.5673G	47.93	54.00	-6.07	10.43	3	Horizontal	103	1.50	-	37.50
PK	17.36733G	59.12	68.20	-9.08	13.89	3	Horizontal	357	1.71	-	45.23

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5825MHz\_TX




EUT X\_4TX  
Setting 95  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	60.75	68.20	-7.45	4.67	3	Vertical	177	1.50	-	56.08
PK	5.8235G	107.39	Inf	-Inf	5.14	3	Vertical	177	1.50	-	102.25
AV	5.82G	95.94	Inf	-Inf	5.12	3	Vertical	177	1.50	-	90.82
PK	5.9715G	61.12	68.20	-7.08	5.96	3	Vertical	177	1.50	-	55.16

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5825MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6145G	62.71	68.20	-5.49	4.70	3	Horizontal	359	1.63	-	58.01
PK	5.8275G	126.40	Inf	-Inf	5.15	3	Horizontal	359	1.63	-	121.25
AV	5.833G	115.10	Inf	-Inf	5.18	3	Horizontal	359	1.63	-	109.92
PK	5.9255G	67.61	68.20	-0.59	5.70	3	Horizontal	359	1.63	-	61.91

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 95  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64337G	53.34	74.00	-20.66	10.36	3	Vertical	221	1.63	-	42.98
AV	11.64316G	39.54	54.00	-14.46	10.36	3	Vertical	221	1.63	-	29.18
PK	17.47164G	59.48	68.20	-8.72	14.09	3	Vertical	282	1.41	-	45.39

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 95  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66428G	53.25	74.00	-20.75	10.35	3	Horizontal	152	1.51	-	42.90
AV	11.66255G	39.41	54.00	-14.59	10.35	3	Horizontal	152	1.51	-	29.06
PK	17.48943G	59.52	68.20	-8.68	14.12	3	Horizontal	81	1.57	-	45.40

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5190MHz\_TX



EUT X\_4TX  
Setting 55  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	55.82	74.00	-18.18	3.36	3	Vertical	276	2.81	-	52.46
AV	5.1492G	43.86	54.00	-10.14	3.36	3	Vertical	276	2.81	-	40.50
PK	5.1818G	98.71	Inf	-Inf	3.39	3	Vertical	276	2.81	-	95.32
AV	5.1826G	86.30	Inf	-Inf	3.39	3	Vertical	276	2.81	-	82.91



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 55  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	69.85	74.00	-4.15	3.36	3	Horizontal	360	1.62	-	66.49
AV	5.1496G	53.48	54.00	-0.52	3.36	3	Horizontal	360	1.62	-	50.12
PK	5.1874G	117.06	Inf	-Inf	3.40	3	Horizontal	360	1.62	-	113.66
AV	5.194G	104.39	Inf	-Inf	3.40	3	Horizontal	360	1.62	-	100.99

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 55  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39437G	52.93	68.20	-15.27	10.69	3	Vertical	239	1.49	-	42.24
PK	15.555G	57.33	74.00	-16.67	10.79	3	Vertical	302	1.82	-	46.54
AV	15.56859G	42.76	54.00	-11.24	10.77	3	Vertical	302	1.82	-	31.99

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

5190MHz\_TX




EUT X\_4TX  
Setting 55  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.39191G	52.50	68.20	-15.70	10.68	3	Horizontal	119	1.35	-	41.82
PK	15.58218G	56.68	74.00	-17.32	10.75	3	Horizontal	188	1.48	-	45.93
AV	15.58359G	42.89	54.00	-11.11	10.76	3	Horizontal	188	1.48	-	32.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 72  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0968G	55.86	74.00	-18.14	3.31	3	Vertical	300	2.79	-	52.55
AV	5.1487G	43.25	54.00	-10.75	3.36	3	Vertical	300	2.79	-	39.89
PK	5.2147G	103.40	Inf	-Inf	3.46	3	Vertical	300	2.79	-	99.94
AV	5.2225G	91.40	Inf	-Inf	3.49	3	Vertical	300	2.79	-	87.91
PK	5.3515G	57.47	74.00	-16.53	3.94	3	Vertical	300	2.79	-	53.53
AV	5.374G	43.40	54.00	-10.60	4.03	3	Vertical	300	2.79	-	39.37

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 72  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1493G	71.09	74.00	-2.91	3.36	3	Horizontal	174	1.49	-	67.73
AV	5.1499G	53.36	54.00	-0.64	3.36	3	Horizontal	174	1.49	-	50.00
PK	5.2219G	122.80	Inf	-Inf	3.48	3	Horizontal	174	1.49	-	119.32
AV	5.2156G	110.09	Inf	-Inf	3.46	3	Horizontal	174	1.49	-	106.63
PK	5.3527G	65.22	74.00	-8.78	3.95	3	Horizontal	174	1.49	-	61.27
AV	5.3512G	48.61	54.00	-5.39	3.94	3	Horizontal	174	1.49	-	44.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5230MHz\_TX




EUT X\_4TX  
 Setting 72  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46723G	51.85	68.20	-16.35	10.71	3	Vertical	162	1.58	-	41.14
PK	15.68541G	56.33	74.00	-17.67	10.66	3	Vertical	97	1.21	-	45.67
AV	15.67884G	42.63	54.00	-11.37	10.67	3	Vertical	97	1.21	-	31.96

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5230MHz\_TX




EUT X\_4TX  
 Setting 72  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46744G	52.15	68.20	-16.05	10.71	3	Horizontal	150	1.32	-	41.44
PK	15.67659G	55.21	74.00	-18.79	10.67	3	Horizontal	223	1.76	-	44.54
AV	15.67512G	41.97	54.00	-12.03	10.67	3	Horizontal	223	1.76	-	31.30

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5755MHz\_TX



EUT X\_4TX  
Setting 79  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5385G	57.69	68.20	-10.51	4.59	3	Vertical	301	1.50	-	53.10
PK	5.7465G	102.25	Inf	-Inf	4.89	3	Vertical	301	1.50	-	97.36
AV	5.746G	90.58	Inf	-Inf	4.89	3	Vertical	301	1.50	-	85.69
PK	5.9515G	57.72	68.20	-10.48	5.84	3	Vertical	301	1.50	-	51.88



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 79  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6515G	68.60	69.31	-0.71	4.75	3	Horizontal	360	1.70	-	63.85
PK	5.7685G	122.77	Inf	-Inf	4.94	3	Horizontal	358	1.70	-	117.83
AV	5.756G	111.18	Inf	-Inf	4.91	3	Horizontal	358	1.70	-	106.27
PK	5.9295G	60.51	68.20	-7.69	5.72	3	Horizontal	358	1.70	-	54.79

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5755MHz\_TX




EUT X\_4TX  
 Setting 79  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.52167G	53.45	74.00	-20.55	10.47	3	Vertical	168	1.42	-	42.98
AV	11.50466G	40.18	54.00	-13.82	10.50	3	Vertical	168	1.42	-	29.68
PK	17.26179G	59.57	68.20	-8.63	13.67	3	Vertical	207	1.58	-	45.90

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 79  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50469G	53.49	74.00	-20.51	10.50	3	Horizontal	268	1.89	-	42.99
AV	11.49839G	39.93	54.00	-14.07	10.49	3	Horizontal	268	1.89	-	29.44
PK	17.26899G	59.52	68.20	-8.68	13.69	3	Horizontal	98	1.56	-	45.83

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5795MHz\_TX




EUT\_X\_4TX  
Setting 88  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6025G	57.24	68.20	-10.96	4.69	3	Vertical	82	2.61	-	52.55
PK	5.8015G	110.59	Inf	-Inf	5.01	3	Vertical	82	2.61	-	105.58
AV	5.799G	98.86	Inf	-Inf	5.00	3	Vertical	82	2.61	-	93.86
PK	5.925G	61.93	68.20	-6.27	5.70	3	Vertical	82	2.61	-	56.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 88  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	63.92	68.20	-4.28	4.74	3	Horizontal	360	1.51	-	59.18
PK	5.787G	124.53	Inf	-Inf	4.97	3	Horizontal	360	1.51	-	119.56
AV	5.7775G	111.65	Inf	-Inf	4.95	3	Horizontal	360	1.51	-	106.70
PK	5.935G	67.50	68.20	-0.70	5.76	3	Horizontal	360	1.51	-	61.74

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 88  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60359G	53.00	74.00	-21.00	10.40	3	Vertical	103	1.54	-	42.60
AV	11.59432G	39.73	54.00	-14.27	10.41	3	Vertical	103	1.54	-	29.32
PK	17.376G	59.22	68.20	-8.98	13.90	3	Vertical	45	1.72	-	45.32

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 88  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59009G	56.50	74.00	-17.50	10.41	3	Horizontal	103	1.34	-	46.09
AV	11.58943G	42.44	54.00	-11.56	10.41	3	Horizontal	103	1.34	-	32.03
PK	17.37582G	59.73	68.20	-8.47	13.90	3	Horizontal	139	1.41	-	45.83

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5210MHz\_TX



EUT\_X\_4TX  
Setting 46  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0308G	56.08	74.00	-17.92	3.39	3	Vertical	96	2.99	-	52.69
AV	5.1472G	42.85	54.00	-11.15	3.36	3	Vertical	96	2.99	-	39.49
PK	5.1812G	94.54	Inf	-Inf	3.39	3	Vertical	96	2.99	-	91.15
AV	5.2048G	80.34	Inf	-Inf	3.43	3	Vertical	96	2.99	-	76.91
PK	5.3876G	56.31	74.00	-17.69	4.09	3	Vertical	96	2.99	-	52.22
AV	5.3968G	43.03	54.00	-10.97	4.13	3	Vertical	96	2.99	-	38.90



802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5210MHz\_TX




EUT\_X\_4TX  
Setting 46  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1284G	67.93	74.00	-6.07	3.34	3	Horizontal	360	1.60	-	64.59
AV	5.1496G	53.36	54.00	-0.64	3.36	3	Horizontal	360	1.60	-	50.00
PK	5.224G	112.04	Inf	-Inf	3.49	3	Horizontal	360	1.60	-	108.55
AV	5.1972G	99.29	Inf	-Inf	3.41	3	Horizontal	360	1.60	-	95.88
PK	5.3504G	58.15	74.00	-15.85	3.94	3	Horizontal	360	1.60	-	54.21
AV	5.3536G	45.49	54.00	-8.51	3.95	3	Horizontal	360	1.60	-	41.54

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5210MHz\_TX




EUT X\_4TX  
 Setting 46  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.41838G	52.54	68.20	-15.66	10.69	3	Vertical	131	1.43	-	41.85
PK	15.61827G	54.85	74.00	-19.15	10.73	3	Vertical	180	1.57	-	44.12
AV	15.64362G	41.16	54.00	-12.84	10.71	3	Vertical	180	1.57	-	30.45

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 46  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40512G	51.72	68.20	-16.48	10.68	3	Horizontal	154	1.83	-	41.04
PK	15.63867G	55.11	74.00	-18.89	10.70	3	Horizontal	277	1.45	-	44.41
AV	15.64314G	41.13	54.00	-12.87	10.71	3	Horizontal	277	1.45	-	30.42

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5775MHz\_TX




EUT X\_4TX  
Setting 65  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.612G	56.87	68.20	-11.33	4.70	3	Vertical	304	1.49	-	52.17
PK	5.7445G	96.55	Inf	-Inf	4.89	3	Vertical	304	1.49	-	91.66
AV	5.7445G	84.38	Inf	-Inf	4.89	3	Vertical	304	1.49	-	79.49
PK	5.9785G	57.92	68.20	-10.28	5.99	3	Vertical	304	1.49	-	51.93

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5775MHz\_TX




EUT\_X\_4TX  
Setting 65  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6385G	67.61	68.20	-0.59	4.73	3	Horizontal	359	1.67	-	62.88
PK	5.7715G	117.65	Inf	-Inf	4.94	3	Horizontal	359	1.67	-	112.71
AV	5.773G	104.31	Inf	-Inf	4.95	3	Horizontal	359	1.67	-	99.36
PK	5.933G	64.85	68.20	-3.35	5.74	3	Horizontal	359	1.67	-	59.11

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5775MHz\_TX




EUT X\_4TX  
Setting 65  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.53751G	52.48	74.00	-21.52	10.46	3	Vertical	65	1.66	-	42.02
AV	11.53557G	38.95	54.00	-15.05	10.46	3	Vertical	65	1.66	-	28.49
PK	17.33112G	59.52	68.20	-8.68	13.82	3	Vertical	133	1.30	-	45.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

16/10/2019

### 5775MHz\_TX



EUT X\_4TX  
Setting 65  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.53893G	52.68	74.00	-21.32	10.46	3	Horizontal	179	1.39	-	42.22
AV	11.53512G	39.04	54.00	-14.96	10.46	3	Horizontal	179	1.39	-	28.58
PK	17.31351G	59.82	68.20	-8.38	13.79	3	Horizontal	227	1.59	-	46.03



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.6455G	67.68	68.20	-0.52	4.74	3	Horizontal	177	1.94	-



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 64  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	56.16	74.00	-17.84	3.36	3	Vertical	83	2.91	-	52.80
AV	5.1485G	44.08	54.00	-9.92	3.36	3	Vertical	83	2.91	-	40.72
PK	5.1788G	102.43	Inf	-Inf	3.39	3	Vertical	83	2.91	-	99.04
AV	5.1806G	89.99	Inf	-Inf	3.39	3	Vertical	83	2.91	-	86.60

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5180MHz\_TX




EUT X\_4TX  
Setting 64  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1485G	69.94	74.00	-4.06	3.36	3	Horizontal	356	1.80	-	66.58
AV	5.1491G	53.47	54.00	-0.53	3.36	3	Horizontal	356	1.80	-	50.11
PK	5.1839G	119.16	Inf	-Inf	3.39	3	Horizontal	356	1.80	-	115.77
AV	5.1782G	106.65	Inf	-Inf	3.39	3	Horizontal	356	1.80	-	103.26

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5180MHz\_TX




EUT X\_4TX  
 Setting 64  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72161G	53.46	74.00	-20.54	10.63	3	Vertical	301	2.35	-	42.83
AV	15.72725G	40.35	54.00	-13.65	10.63	3	Vertical	301	2.35	-	29.72

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5180MHz\_TX




EUT X\_4TX  
 Setting 64  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72165G	53.04	74.00	-20.96	10.63	3	Horizontal	199	1.42	-	42.41
AV	15.71934G	40.29	54.00	-13.71	10.63	3	Horizontal	199	1.42	-	29.66

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0581G	55.16	74.00	-18.84	3.35	3	Vertical	176	1.75	-	51.81
AV	5.0611G	43.24	54.00	-10.76	3.35	3	Vertical	176	1.75	-	39.89
PK	5.1955G	102.20	Inf	-Inf	3.41	3	Vertical	176	1.75	-	98.79
AV	5.1985G	90.83	Inf	-Inf	3.41	3	Vertical	176	1.75	-	87.42

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	68.10	74.00	-5.90	3.36	3	Horizontal	174	1.82	-	64.74
AV	5.1493G	53.43	54.00	-0.57	3.36	3	Horizontal	174	1.82	-	50.07
PK	5.2036G	123.17	Inf	-Inf	3.42	3	Horizontal	174	1.82	-	119.75
AV	5.1967G	109.81	Inf	-Inf	3.41	3	Horizontal	174	1.82	-	106.40

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60333G	53.35	74.00	-20.65	10.74	3	Vertical	211	1.46	-	42.61
AV	15.60388G	41.09	54.00	-12.91	10.74	3	Vertical	211	1.46	-	30.35

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5200MHz\_TX



EUT X\_4TX  
Setting 83  
04-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60173G	55.13	74.00	-18.87	10.74	3	Horizontal	226	1.50	-	44.39
AV	15.60915G	42.39	54.00	-11.61	10.73	3	Horizontal	226	1.50	-	31.66



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 101  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1281G	55.02	74.00	-18.98	3.34	3	Vertical	179	1.63	-	51.68
AV	5.1464G	43.15	54.00	-10.85	3.36	3	Vertical	179	1.63	-	39.79
PK	5.2463G	105.12	Inf	-Inf	3.56	3	Vertical	179	1.63	-	101.56
AV	5.2379G	93.71	Inf	-Inf	3.54	3	Vertical	179	1.63	-	90.17
PK	5.3627G	55.37	74.00	-18.63	3.99	3	Vertical	179	1.63	-	51.38
AV	5.3882G	43.45	54.00	-10.55	4.09	3	Vertical	179	1.63	-	39.36

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5240MHz\_TX




EUT X\_4TX  
Setting 101  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	66.35	74.00	-7.65	3.36	3	Horizontal	177	1.79	-	62.99
AV	5.15G	53.46	54.00	-0.54	3.36	3	Horizontal	177	1.79	-	50.10
PK	5.2463G	126.46	Inf	-Inf	3.56	3	Horizontal	177	1.79	-	122.90
AV	5.2379G	113.16	Inf	-Inf	3.54	3	Horizontal	177	1.79	-	109.62
PK	5.3546G	64.57	74.00	-9.43	3.95	3	Horizontal	177	1.79	-	60.62
AV	5.3525G	51.96	54.00	-2.04	3.95	3	Horizontal	177	1.79	-	48.01

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5240MHz\_TX




EUT X\_4TX  
 Setting 101  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7161G	58.95	74.00	-15.05	10.64	3	Vertical	230	1.50	-	48.31
AV	15.71622G	45.18	54.00	-8.82	10.64	3	Vertical	230	1.50	-	34.54

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5240MHz\_TX




EUT X\_4TX  
 Setting 101  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.70833G	57.74	74.00	-16.26	10.65	3	Horizontal	225	1.41	-	47.09
AV	15.7215G	45.09	54.00	-8.91	10.63	3	Horizontal	225	1.41	-	34.46

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5745MHz\_TX




EUT\_X\_4TX  
Setting 97  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5695G	55.94	68.20	-12.26	4.64	3	Vertical	169	1.82	-	51.30
PK	5.737G	104.34	Inf	-Inf	4.87	3	Vertical	169	1.82	-	99.47
AV	5.7415G	92.96	Inf	-Inf	4.88	3	Vertical	169	1.82	-	88.08
PK	5.977G	57.50	68.20	-10.70	5.98	3	Vertical	169	1.82	-	51.52

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5745MHz\_TX




EUT X\_4TX  
Setting 97  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	67.68	68.20	-0.52	4.74	3	Horizontal	177	1.94	-	62.94
PK	5.744G	123.34	Inf	-Inf	4.89	3	Horizontal	177	1.94	-	118.45
AV	5.747G	112.06	Inf	-Inf	4.89	3	Horizontal	177	1.94	-	107.17
PK	5.978G	60.32	68.20	-7.88	5.99	3	Horizontal	177	1.94	-	54.33

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 97  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49099G	55.32	74.00	-18.68	10.50	3	Vertical	168	2.04	-	44.82
AV	11.48418G	42.02	54.00	-11.98	10.51	3	Vertical	168	2.04	-	31.51

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5745MHz\_TX



EUT X\_4TX  
Setting 97  
04-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49534G	52.89	74.00	-21.11	10.49	3	Horizontal	65	1.50	-	42.40
AV	11.48424G	40.95	54.00	-13.05	10.51	3	Horizontal	65	1.50	-	30.44



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

02/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 120  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	56.26	68.20	-11.94	4.72	3	Vertical	172	2.03	-	51.54
PK	5.778G	104.91	Inf	-Inf	4.96	3	Vertical	172	2.03	-	99.95
AV	5.781G	93.57	Inf	-Inf	4.96	3	Vertical	172	2.03	-	88.61
PK	5.948G	56.56	68.20	-11.64	5.83	3	Vertical	172	2.03	-	50.73

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

02/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 120  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	63.38	68.20	-4.82	4.74	3	Horizontal	179	2.07	-	58.64
PK	5.7835G	124.21	Inf	-Inf	4.97	3	Horizontal	179	2.07	-	119.24
AV	5.782G	111.24	Inf	-Inf	4.96	3	Horizontal	179	2.07	-	106.28
PK	5.9265G	65.33	68.20	-2.87	5.70	3	Horizontal	179	2.07	-	59.63

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 120  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5712G	55.06	74.00	-18.94	10.43	3	Vertical	173	2.07	-	44.63
AV	11.56934G	41.96	54.00	-12.04	10.43	3	Vertical	173	2.07	-	31.53

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5785MHz\_TX




EUT X\_4TX  
 Setting 120  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56919G	55.93	74.00	-18.07	10.43	3	Horizontal	351	1.50	-	45.50
AV	11.5691G	42.68	54.00	-11.32	10.43	3	Horizontal	351	1.50	-	32.25

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

02/10/2019

### 5825MHz\_TX




EUT\_X\_4TX  
Setting 97  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5835G	55.72	68.20	-12.48	4.66	3	Vertical	169	2.84	-	51.06
PK	5.8315G	105.44	Inf	-Inf	5.18	3	Vertical	169	2.84	-	100.26
AV	5.829G	92.39	Inf	-Inf	5.16	3	Vertical	169	2.84	-	87.23
PK	5.953G	57.51	68.20	-10.69	5.84	3	Vertical	169	2.84	-	51.67

802.11ax HEW20\_Nss4,(MCS0)\_4TX

02/10/2019

5825MHz\_TX




EUT X\_4TX  
Setting 97  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6235G	60.42	68.20	-7.78	4.72	3	Horizontal	356	1.84	-	55.70
PK	5.8235G	123.23	Inf	-Inf	5.14	3	Horizontal	356	1.84	-	118.09
AV	5.8205G	110.82	Inf	-Inf	5.12	3	Horizontal	356	1.84	-	105.70
PK	5.9285G	67.67	68.20	-0.53	5.71	3	Horizontal	356	1.84	-	61.96

802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

5825MHz\_TX




EUT X\_4TX  
Setting 97  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56817G	52.10	74.00	-21.90	10.43	3	Vertical	312	1.50	-	41.67
AV	11.55881G	39.48	54.00	-14.52	10.45	3	Vertical	312	1.50	-	29.03

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

03/10/2019

### 5825MHz\_TX



EUT X\_4TX  
 Setting 97  
 04-J-5  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5697G	52.23	74.00	-21.77	10.43	3	Horizontal	210	1.62	-	41.80
AV	11.56055G	39.64	54.00	-14.36	10.45	3	Horizontal	210	1.62	-	29.19



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 51  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1045G	54.84	74.00	-19.16	3.31	3	Vertical	174	1.50	-	51.53
AV	5.0535G	44.77	54.00	-9.23	3.36	3	Vertical	174	1.50	-	41.41
PK	5.1918G	91.92	Inf	-Inf	3.40	3	Vertical	174	1.50	-	88.52
AV	5.1909G	81.27	Inf	-Inf	3.40	3	Vertical	174	1.50	-	77.87

802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

5190MHz\_TX




EUT\_X\_4TX  
Setting 51  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.44	74.00	-10.56	3.36	3	Horizontal	174	1.71	-	60.08
AV	5.15G	53.31	54.00	-0.69	3.36	3	Horizontal	174	1.71	-	49.95
PK	5.1918G	111.04	Inf	-Inf	3.40	3	Horizontal	174	1.71	-	107.64
AV	5.1909G	100.70	Inf	-Inf	3.40	3	Horizontal	174	1.71	-	97.30

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5190MHz\_TX




EUT X\_4TX  
 Setting 51  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.58011G	54.13	74.00	-19.87	10.76	3	Vertical	234	2.12	-	43.37
AV	15.56316G	42.50	54.00	-11.50	10.77	3	Vertical	234	2.12	-	31.73

802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

5190MHz\_TX




EUT X\_4TX  
Setting 51  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.58047G	54.11	74.00	-19.89	10.76	3	Horizontal	66	1.75	-	43.35
AV	15.57876G	42.34	54.00	-11.66	10.76	3	Horizontal	66	1.75	-	31.58

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 75  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1481G	54.83	74.00	-19.17	3.36	3	Vertical	174	1.32	-	51.47
AV	5.1121G	44.49	54.00	-9.51	3.32	3	Vertical	174	1.32	-	41.17
PK	5.2318G	97.84	Inf	-Inf	3.51	3	Vertical	174	1.32	-	94.33
AV	5.2309G	88.18	Inf	-Inf	3.51	3	Vertical	174	1.32	-	84.67
PK	5.353G	54.80	74.00	-19.20	3.95	3	Vertical	174	1.32	-	50.85
AV	5.3728G	44.34	54.00	-9.66	4.03	3	Vertical	174	1.32	-	40.31

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 75  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	65.75	74.00	-8.25	3.36	3	Horizontal	352	1.93	-	62.39
AV	5.1493G	53.33	54.00	-0.67	3.36	3	Horizontal	352	1.93	-	49.97
PK	5.2189G	116.76	Inf	-Inf	3.47	3	Horizontal	352	1.93	-	113.29
AV	5.2276G	105.79	Inf	-Inf	3.51	3	Horizontal	352	1.93	-	102.28
PK	5.3533G	60.18	74.00	-13.82	3.95	3	Horizontal	352	1.93	-	56.23
AV	5.3518G	48.94	54.00	-5.06	3.95	3	Horizontal	352	1.93	-	44.99

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5230MHz\_TX




EUT X\_4TX  
 Setting 75  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69927G	53.62	74.00	-20.38	10.66	3	Vertical	101	1.19	-	42.96
AV	15.67815G	42.06	54.00	-11.94	10.67	3	Vertical	101	1.19	-	31.39

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5230MHz\_TX



EUT X\_4TX  
 Setting 75  
 04-J-5  
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.70113G	53.31	74.00	-20.69	10.66	3	Horizontal	239	1.13	-	42.65
AV	15.68319G	42.04	54.00	-11.96	10.66	3	Horizontal	239	1.13	-	31.38



802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6445G	56.29	68.20	-11.91	4.73	3	Vertical	171	1.91	-	51.56
PK	5.744G	101.39	Inf	-Inf	4.89	3	Vertical	171	1.91	-	96.50
AV	5.7435G	89.20	Inf	-Inf	4.89	3	Vertical	171	1.91	-	84.31
PK	5.9865G	57.44	68.20	-10.76	6.03	3	Vertical	171	1.91	-	51.41

802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	67.48	68.20	-0.72	4.74	3	Horizontal	178	2.10	-	62.74
PK	5.7515G	119.01	Inf	-Inf	4.90	3	Horizontal	178	2.10	-	114.11
AV	5.751G	107.42	Inf	-Inf	4.90	3	Horizontal	178	2.10	-	102.52
PK	5.961G	61.09	68.20	-7.11	5.89	3	Horizontal	178	2.10	-	55.20

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50043G	51.97	74.00	-22.03	10.50	3	Vertical	314	1.78	-	41.47
AV	11.52266G	40.98	54.00	-13.02	10.47	3	Vertical	314	1.78	-	30.51

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 83  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49833G	53.01	74.00	-20.99	10.49	3	Horizontal	88	1.89	-	42.52
AV	11.49971G	41.20	54.00	-12.80	10.49	3	Horizontal	88	1.89	-	30.71

802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

5795MHz\_TX




EUT\_X\_4TX  
Setting 88  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5775G	57.49	68.20	-10.71	4.65	3	Vertical	180	1.82	-	52.84
PK	5.8G	101.71	Inf	-Inf	5.00	3	Vertical	180	1.82	-	96.71
AV	5.7865G	90.02	Inf	-Inf	4.97	3	Vertical	180	1.82	-	85.05
PK	5.9895G	57.29	68.20	-10.91	6.05	3	Vertical	180	1.82	-	51.24

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

02/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 88  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6375G	64.59	68.20	-3.61	4.73	3	Horizontal	177	1.93	-	59.86
PK	5.784G	119.44	Inf	-Inf	4.97	3	Horizontal	177	1.93	-	114.47
AV	5.7965G	108.99	Inf	-Inf	4.99	3	Horizontal	177	1.93	-	104.00
PK	5.9315G	67.32	68.20	-0.88	5.74	3	Horizontal	177	1.93	-	61.58

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5795MHz\_TX




EUT X\_4TX  
 Setting 88  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59627G	52.18	74.00	-21.82	10.41	3	Vertical	176	1.49	-	41.77
AV	11.60473G	41.21	54.00	-12.79	10.40	3	Vertical	176	1.49	-	30.81

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

03/10/2019

### 5795MHz\_TX



EUT X\_4TX  
Setting 88  
04-J-5  
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57542G	52.64	74.00	-21.36	10.43	3	Horizontal	216	1.51	-	42.21
AV	11.57596G	41.09	54.00	-12.91	10.43	3	Horizontal	216	1.51	-	30.66



### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 50  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1425G	55.66	74.00	-18.34	3.35	3	Vertical	176	1.75	-	52.31
AV	5.082G	44.53	54.00	-9.47	3.33	3	Vertical	176	1.75	-	41.20
PK	5.213G	88.63	Inf	-Inf	3.46	3	Vertical	176	1.75	-	85.17
AV	5.196G	78.42	Inf	-Inf	3.41	3	Vertical	176	1.75	-	75.01
PK	5.3985G	56.15	74.00	-17.85	4.14	3	Vertical	176	1.75	-	52.01
AV	5.4255G	44.76	54.00	-9.24	4.24	3	Vertical	176	1.75	-	40.52

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 50  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.135G	64.38	74.00	-9.62	3.35	3	Horizontal	177	1.71	-	61.03
AV	5.1485G	53.27	54.00	-0.73	3.36	3	Horizontal	177	1.71	-	49.91
PK	5.1955G	109.03	Inf	-Inf	3.41	3	Horizontal	177	1.71	-	105.62
AV	5.1985G	96.87	Inf	-Inf	3.41	3	Horizontal	177	1.71	-	93.46
PK	5.35G	58.11	74.00	-15.89	3.94	3	Horizontal	177	1.71	-	54.17
AV	5.3555G	47.21	54.00	-6.79	3.96	3	Horizontal	177	1.71	-	43.25

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 50  
04-J-5  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6213G	53.37	74.00	-20.63	10.72	3	Vertical	123	1.61	-	42.65
AV	15.61503G	41.83	54.00	-12.17	10.73	3	Vertical	123	1.61	-	31.10

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5210MHz\_TX




EUT X\_4TX  
 Setting 50  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.61896G	52.74	74.00	-21.26	10.72	3	Horizontal	224	2.34	-	42.02
AV	15.61842G	41.61	54.00	-12.39	10.73	3	Horizontal	224	2.34	-	30.88

802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

5775MHz\_TX




EUT X\_4TX  
Setting 72  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6195G	56.04	68.20	-12.16	4.72	3	Vertical	179	1.74	-	51.32
PK	5.7685G	93.86	Inf	-Inf	4.94	3	Vertical	179	1.74	-	88.92
AV	5.7605G	83.19	Inf	-Inf	4.92	3	Vertical	179	1.74	-	78.27
PK	5.9425G	58.06	68.20	-10.14	5.79	3	Vertical	179	1.74	-	52.27

802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

5775MHz\_TX




EUT X\_4TX  
Setting 72  
04-J-5-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	67.59	68.20	-0.61	4.74	3	Horizontal	172	1.51	-	62.85
PK	5.7625G	112.51	Inf	-Inf	4.93	3	Horizontal	172	1.51	-	107.58
AV	5.7635G	101.52	Inf	-Inf	4.93	3	Horizontal	172	1.51	-	96.59
PK	5.932G	63.93	68.20	-4.27	5.74	3	Horizontal	172	1.51	-	58.19

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5775MHz\_TX




EUT X\_4TX  
 Setting 72  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54259G	52.50	74.00	-21.50	10.46	3	Vertical	332	1.55	-	42.04
AV	11.54733G	41.28	54.00	-12.72	10.45	3	Vertical	332	1.55	-	30.83

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

03/10/2019

### 5775MHz\_TX



EUT X\_4TX  
 Setting 72  
 04-J-5  
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55G	52.49	74.00	-21.51	10.45	3	Horizontal	167	2.08	-	42.04
AV	11.55552G	41.48	54.00	-12.52	10.45	3	Horizontal	167	2.08	-	31.03






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.1497G	53.43	54.00	-0.57	3.36	3	Vertical	360	1.71	-

### 802.11a\_Nss1,(6Mbps)\_1TX

06/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 74  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	71.31	74.00	-2.69	3.36	3	Vertical	4	2.00	-	67.95
AV	5.1498G	53.26	54.00	-0.74	3.36	3	Vertical	4	2.00	-	49.90
PK	5.1816G	114.34	Inf	-Inf	3.39	3	Vertical	4	2.00	-	110.95
AV	5.184G	104.11	Inf	-Inf	3.39	3	Vertical	4	2.00	-	100.72

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 74  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	59.05	74.00	-14.95	3.36	3	Horizontal	308	1.91	-	55.69
AV	5.1496G	44.38	54.00	-9.62	3.36	3	Horizontal	308	1.91	-	41.02
PK	5.1824G	99.77	Inf	-Inf	3.39	3	Horizontal	308	1.91	-	96.38
AV	5.1842G	89.81	Inf	-Inf	3.39	3	Horizontal	308	1.91	-	86.42

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
 Setting 74  
 04-E-2  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5419G	55.68	74.00	-18.32	10.80	3	Vertical	343	1.80	-	44.88
AV	15.5422G	42.39	54.00	-11.61	10.80	3	Vertical	343	1.80	-	31.59

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 74  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5545G	57.23	74.00	-16.77	10.79	3	Horizontal	289	1.72	-	46.44
AV	15.5472G	42.26	54.00	-11.74	10.79	3	Horizontal	289	1.72	-	31.47

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 92  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	70.80	74.00	-3.20	3.36	3	Vertical	1	1.98	-	67.44
AV	5.1499G	53.39	54.00	-0.61	3.36	3	Vertical	1	1.98	-	50.03
PK	5.2016G	118.28	Inf	-Inf	3.41	3	Vertical	1	1.98	-	114.87
AV	5.2026G	108.20	Inf	-Inf	3.42	3	Vertical	1	1.98	-	104.78

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
 Setting 92  
 04-S-5-10  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	58.42	74.00	-15.58	3.36	3	Horizontal	300	1.94	-	55.06
AV	5.1494G	44.38	54.00	-9.62	3.36	3	Horizontal	300	1.94	-	41.02
PK	5.2016G	103.58	Inf	-Inf	3.41	3	Horizontal	300	1.94	-	100.17
AV	5.2022G	93.39	Inf	-Inf	3.41	3	Horizontal	300	1.94	-	89.98

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5200MHz\_TX



EUT Y\_1TX  
Setting 92  
04-E-2  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.558G	55.49	74.00	-18.51	10.79	3	Vertical	337	1.32	-	44.70
AV	15.5498G	42.12	54.00	-11.88	10.79	3	Vertical	337	1.32	-	31.33



### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 92  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5812G	55.50	74.00	-18.50	10.76	3	Horizontal	149	1.17	-	44.74
AV	15.5526G	42.01	54.00	-11.99	10.79	3	Horizontal	149	1.17	-	31.22

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	64.41	74.00	-9.59	3.35	3	Vertical	2	1.90	-	61.06
AV	5.1332G	50.44	54.00	-3.56	3.34	3	Vertical	2	1.90	-	47.10
PK	5.2451G	120.54	Inf	-Inf	3.56	3	Vertical	2	1.90	-	116.98
AV	5.2424G	110.35	Inf	-Inf	3.55	3	Vertical	2	1.90	-	106.80
PK	5.3507G	63.86	74.00	-10.14	3.94	3	Vertical	2	1.90	-	59.92
AV	5.3504G	50.28	54.00	-3.72	3.94	3	Vertical	2	1.90	-	46.34

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	56.73	74.00	-17.27	3.35	3	Horizontal	45	1.88	-	53.38
AV	5.1317G	43.91	54.00	-10.09	3.34	3	Horizontal	45	1.88	-	40.57
PK	5.2451G	106.95	Inf	-Inf	3.56	3	Horizontal	45	1.88	-	103.39
AV	5.2427G	96.70	Inf	-Inf	3.56	3	Horizontal	45	1.88	-	93.14
PK	5.3747G	56.68	74.00	-17.32	4.03	3	Horizontal	45	1.88	-	52.65
AV	5.35G	44.32	54.00	-9.68	3.94	3	Horizontal	45	1.88	-	40.38

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.73233G	57.21	74.00	-16.79	10.62	3	Vertical	109	1.17	-	46.59
AV	15.72459G	43.51	54.00	-10.49	10.63	3	Vertical	109	1.17	-	32.88

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.73089G	57.21	74.00	-16.79	10.63	3	Horizontal	340	2.24	-	46.58
AV	15.7302G	43.53	54.00	-10.47	10.63	3	Horizontal	340	2.24	-	32.90

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	64.04	68.20	-4.16	4.74	3	Vertical	356	1.81	-	59.30
PK	5.75G	119.90	Inf	-Inf	4.91	3	Vertical	356	1.81	-	114.99
AV	5.7475G	109.97	Inf	-Inf	4.90	3	Vertical	356	1.81	-	105.07
PK	5.926G	61.69	68.20	-6.51	5.70	3	Vertical	356	1.81	-	55.99

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5015G	58.47	68.20	-9.73	4.52	3	Horizontal	36	1.68	-	53.95
PK	5.74G	103.59	Inf	-Inf	4.88	3	Horizontal	36	1.68	-	98.71
AV	5.7475G	93.64	Inf	-Inf	4.90	3	Horizontal	36	1.68	-	88.74
PK	5.982G	58.94	68.20	-9.26	6.02	3	Horizontal	36	1.68	-	52.92

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5745MHz\_TX



EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47626G	56.93	74.00	-17.07	10.52	3	Vertical	168	1.90	-	46.41
AV	11.50152G	43.23	54.00	-10.77	10.50	3	Vertical	168	1.90	-	32.73



### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
 Setting 103  
 04-E-2  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49108G	55.99	74.00	-18.01	10.50	3	Horizontal	254	1.86	-	45.49
AV	11.49942G	42.98	54.00	-11.02	10.49	3	Horizontal	254	1.86	-	32.49

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	63.68	68.20	-4.52	4.74	3	Vertical	360	1.87	-	58.94
PK	5.7835G	121.51	Inf	-Inf	4.97	3	Vertical	360	1.87	-	116.54
AV	5.782G	110.74	Inf	-Inf	4.96	3	Vertical	360	1.87	-	105.78
PK	5.9255G	64.68	68.20	-3.52	5.70	3	Vertical	360	1.87	-	58.98

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5935G	57.24	68.20	-10.96	4.68	3	Horizontal	35	1.57	-	52.56
PK	5.784G	104.35	Inf	-Inf	4.97	3	Horizontal	35	1.57	-	99.38
AV	5.787G	93.72	Inf	-Inf	4.97	3	Horizontal	35	1.57	-	88.75
PK	5.982G	57.88	68.20	-10.32	6.02	3	Horizontal	35	1.57	-	51.86

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
 Setting 120  
 04-E-2  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5838G	55.95	74.00	-18.05	10.43	3	Vertical	296	1.64	-	45.52
AV	11.57795G	42.31	54.00	-11.69	10.43	3	Vertical	296	1.64	-	31.88

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 120  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56772G	55.92	74.00	-18.08	10.43	3	Horizontal	222	1.60	-	45.49
AV	11.58053G	42.63	54.00	-11.37	10.43	3	Horizontal	222	1.60	-	32.20

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.596G	59.82	68.20	-8.38	4.68	3	Vertical	0	2.12	-	55.14
PK	5.8205G	118.83	Inf	-Inf	5.12	3	Vertical	0	2.12	-	113.71
AV	5.8275G	108.61	Inf	-Inf	5.15	3	Vertical	0	2.12	-	103.46
PK	5.9315G	64.84	68.20	-3.36	5.74	3	Vertical	0	2.12	-	59.10

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	57.50	68.20	-10.70	4.69	3	Horizontal	325	1.77	-	52.81
PK	5.8205G	104.57	Inf	-Inf	5.12	3	Horizontal	325	1.77	-	99.45
AV	5.823G	94.52	Inf	-Inf	5.14	3	Horizontal	325	1.77	-	89.38
PK	5.927G	58.34	68.20	-9.86	5.70	3	Horizontal	325	1.77	-	52.64

### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5825MHz\_TX



EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63707G	55.98	74.00	-18.02	10.38	3	Vertical	150	2.19	-	45.60
AV	11.63713G	42.13	54.00	-11.87	10.38	3	Vertical	150	2.19	-	31.75



### 802.11a\_Nss1,(6Mbps)\_1TX

05/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65186G	55.98	74.00	-18.02	10.37	3	Horizontal	215	2.10	-	45.61
AV	11.63719G	42.22	54.00	-11.78	10.38	3	Horizontal	215	2.10	-	31.84

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5180MHz\_TX



EUT Y\_1TX  
 Setting 71  
 04-S-5-10  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	72.32	74.00	-1.68	3.36	3	Vertical	360	1.71	-	68.96
AV	5.1497G	53.43	54.00	-0.57	3.36	3	Vertical	360	1.71	-	50.07
PK	5.1773G	116.24	Inf	-Inf	3.39	3	Vertical	360	1.71	-	112.85
AV	5.1812G	103.02	Inf	-Inf	3.39	3	Vertical	360	1.71	-	99.63