


### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 71  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1482G	60.83	74.00	-13.17	3.36	3	Horizontal	45	1.86	-	57.47
AV	5.1497G	45.27	54.00	-8.73	3.36	3	Horizontal	45	1.86	-	41.91
PK	5.177G	102.50	Inf	-Inf	3.39	3	Horizontal	45	1.86	-	99.11
AV	5.1848G	89.61	Inf	-Inf	3.39	3	Horizontal	45	1.86	-	86.22

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 71  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54882G	57.10	74.00	-16.90	10.79	3	Vertical	233	1.83	-	46.31
AV	15.54915G	42.64	54.00	-11.36	10.79	3	Vertical	233	1.83	-	31.85

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 71  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54924G	56.17	74.00	-17.83	10.79	3	Horizontal	113	1.83	-	45.38
AV	15.55251G	42.63	54.00	-11.37	10.79	3	Horizontal	113	1.83	-	31.84

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 87  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1463G	70.76	74.00	-3.24	3.36	3	Vertical	357	1.96	-	67.40
AV	5.1499G	53.28	54.00	-0.72	3.36	3	Vertical	357	1.96	-	49.92
PK	5.197G	120.14	Inf	-Inf	3.41	3	Vertical	357	1.96	-	116.73
AV	5.1991G	107.35	Inf	-Inf	3.41	3	Vertical	357	1.96	-	103.94

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 87  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	57.00	74.00	-17.00	3.36	3	Horizontal	309	1.50	-	53.64
AV	5.1478G	44.19	54.00	-9.81	3.36	3	Horizontal	309	1.50	-	40.83
PK	5.197G	103.69	Inf	-Inf	3.41	3	Horizontal	309	1.50	-	100.28
AV	5.2051G	90.62	Inf	-Inf	3.43	3	Horizontal	309	1.50	-	87.19

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 87  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.58584G	54.97	74.00	-19.03	10.76	3	Vertical	198	1.06	-	44.21
AV	15.58638G	42.16	54.00	-11.84	10.76	3	Vertical	198	1.06	-	31.40

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 87  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.58758G	55.08	74.00	-18.92	10.76	3	Horizontal	357	1.61	-	44.32
AV	15.58557G	42.33	54.00	-11.67	10.76	3	Horizontal	357	1.61	-	31.57

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5240MHz\_TX



EUT\_Y\_1TX  
Setting 102  
04-S-5-10  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	67.16	74.00	-6.84	3.36	3	Vertical	2	1.96	-	63.80
AV	5.138G	50.40	54.00	-3.60	3.35	3	Vertical	2	1.96	-	47.05
PK	5.237G	122.46	Inf	-Inf	3.53	3	Vertical	2	1.96	-	118.93
AV	5.2433G	109.34	Inf	-Inf	3.56	3	Vertical	2	1.96	-	105.78
PK	5.354G	65.38	74.00	-8.62	3.95	3	Vertical	2	1.96	-	61.43
AV	5.351G	50.42	54.00	-3.58	3.94	3	Vertical	2	1.96	-	46.48



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	57.08	74.00	-16.92	3.36	3	Horizontal	47	1.84	-	53.72
AV	5.1497G	43.94	54.00	-10.06	3.36	3	Horizontal	47	1.84	-	40.58
PK	5.237G	108.82	Inf	-Inf	3.53	3	Horizontal	47	1.84	-	105.29
AV	5.2409G	95.56	Inf	-Inf	3.54	3	Horizontal	47	1.84	-	92.02
PK	5.3588G	57.17	74.00	-16.83	3.97	3	Horizontal	47	1.84	-	53.20
AV	5.3552G	44.32	54.00	-9.68	3.96	3	Horizontal	47	1.84	-	40.36

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.70806G	54.57	74.00	-19.43	10.65	3	Vertical	236	2.20	-	43.92
AV	15.73134G	41.43	54.00	-12.57	10.62	3	Vertical	236	2.20	-	30.81

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 102  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72513G	54.96	74.00	-19.04	10.63	3	Horizontal	267	1.32	-	44.33
AV	15.73122G	41.48	54.00	-12.52	10.63	3	Horizontal	267	1.32	-	30.85

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6445G	64.78	68.20	-3.42	4.73	3	Vertical	360	1.82	-	60.05
PK	5.742G	122.04	Inf	-Inf	4.88	3	Vertical	360	1.82	-	117.16
AV	5.748G	109.06	Inf	-Inf	4.90	3	Vertical	360	1.82	-	104.16
PK	5.9765G	61.60	68.20	-6.60	5.98	3	Vertical	360	1.82	-	55.62

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.601G	57.69	68.20	-10.51	4.69	3	Horizontal	38	1.66	-	53.00
PK	5.742G	105.31	Inf	-Inf	4.88	3	Horizontal	38	1.66	-	100.43
AV	5.748G	92.87	Inf	-Inf	4.90	3	Horizontal	38	1.66	-	87.97
PK	5.9315G	58.36	68.20	-9.84	5.74	3	Horizontal	38	1.66	-	52.62

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48772G	56.10	74.00	-17.90	10.50	3	Vertical	143	1.56	-	45.60
AV	11.48763G	42.42	54.00	-11.58	10.50	3	Vertical	143	1.56	-	31.92

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47584G	56.03	74.00	-17.97	10.52	3	Horizontal	136	1.37	-	45.51
AV	11.49594G	42.43	54.00	-11.57	10.49	3	Horizontal	136	1.37	-	31.94

802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

5785MHz\_TX



EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5705G	61.60	68.20	-6.60	4.64	3	Vertical	0	2.02	-	56.96
PK	5.782G	122.48	Inf	-Inf	4.96	3	Vertical	0	2.02	-	117.52
AV	5.786G	109.30	Inf	-Inf	4.97	3	Vertical	0	2.02	-	104.33
PK	5.928G	61.32	68.20	-6.88	5.71	3	Vertical	0	2.02	-	55.61



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.615G	59.85	68.20	-8.35	4.71	3	Horizontal	356	1.91	-	55.14
PK	5.782G	122.40	Inf	-Inf	4.96	3	Horizontal	356	1.91	-	117.44
AV	5.786G	109.28	Inf	-Inf	4.97	3	Horizontal	356	1.91	-	104.31
PK	5.9665G	60.87	68.20	-7.33	5.92	3	Horizontal	356	1.91	-	54.95

802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

5785MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58311G	56.91	74.00	-17.09	10.43	3	Vertical	93	1.44	-	46.48
AV	11.58395G	42.18	54.00	-11.82	10.43	3	Vertical	93	1.44	-	31.75

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56556G	55.68	74.00	-18.32	10.43	3	Horizontal	210	2.20	-	45.25
AV	11.58455G	43.09	54.00	-10.91	10.43	3	Horizontal	210	2.20	-	32.66

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5955G	60.95	68.20	-7.25	4.68	3	Vertical	1	2.01	-	56.27
PK	5.822G	121.54	Inf	-Inf	5.13	3	Vertical	1	2.01	-	116.41
AV	5.8205G	108.06	Inf	-Inf	5.12	3	Vertical	1	2.01	-	102.94
PK	5.9245G	66.35	68.57	-2.22	5.69	3	Vertical	1	2.01	-	60.66

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-S-5-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5885G	57.93	68.20	-10.27	4.67	3	Horizontal	321	1.81	-	53.26
PK	5.822G	106.34	Inf	-Inf	5.13	3	Horizontal	321	1.81	-	101.21
AV	5.828G	93.34	Inf	-Inf	5.15	3	Horizontal	321	1.81	-	88.19
PK	5.988G	58.51	68.20	-9.69	6.04	3	Horizontal	321	1.81	-	52.47

802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64958G	55.89	74.00	-18.11	10.37	3	Vertical	289	1.03	-	45.52
AV	11.63647G	43.26	54.00	-10.74	10.38	3	Vertical	289	1.03	-	32.88

802.11ax HEW20\_Nss1,(MCS0)\_1TX

05/10/2019

5825MHz\_TX




EUT Y\_1TX  
Setting 103  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6353G	55.71	74.00	-18.29	10.38	3	Horizontal	234	1.56	-	45.33
AV	11.63629G	41.26	54.00	-12.74	10.38	3	Horizontal	234	1.56	-	30.88

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5190MHz\_TX



EUT Y\_1TX  
Setting 61  
04-E-2-10  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.67	74.00	-7.33	3.36	3	Vertical	356	1.95	-	63.31
AV	5.149G	53.12	54.00	-0.88	3.36	3	Vertical	356	1.95	-	49.76
PK	5.1822G	110.47	Inf	-Inf	3.39	3	Vertical	356	1.95	-	107.08
AV	5.1942G	98.16	Inf	-Inf	3.40	3	Vertical	356	1.95	-	94.76



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 61  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1438G	56.74	74.00	-17.26	3.35	3	Horizontal	307	1.99	-	53.39
AV	5.1494G	44.54	54.00	-9.46	3.36	3	Horizontal	307	1.99	-	41.18
PK	5.1822G	94.73	Inf	-Inf	3.39	3	Horizontal	307	1.99	-	91.34
AV	5.1942G	83.07	Inf	-Inf	3.40	3	Horizontal	307	1.99	-	79.67

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 61  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.55761G	56.78	74.00	-17.22	10.78	3	Vertical	81	2.19	-	46.00
AV	15.56226G	43.59	54.00	-10.41	10.77	3	Vertical	81	2.19	-	32.82

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 61  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57735G	56.70	74.00	-17.30	10.76	3	Horizontal	320	1.34	-	45.94
AV	15.56085G	43.62	54.00	-10.38	10.77	3	Horizontal	320	1.34	-	32.85

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 80  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	66.65	74.00	-7.35	3.36	3	Vertical	360	1.82	-	63.29
AV	5.1499G	53.22	54.00	-0.78	3.36	3	Vertical	360	1.82	-	49.86
PK	5.2222G	115.81	Inf	-Inf	3.48	3	Vertical	360	1.82	-	112.33
AV	5.2342G	103.86	Inf	-Inf	3.52	3	Vertical	360	1.82	-	100.34
PK	5.3503G	60.93	74.00	-13.07	3.94	3	Vertical	360	1.82	-	56.99
AV	5.35G	49.43	54.00	-4.57	3.94	3	Vertical	360	1.82	-	45.49

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 80  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1028G	56.71	74.00	-17.29	3.31	3	Horizontal	38	1.77	-	53.40
AV	5.1487G	44.46	54.00	-9.54	3.36	3	Horizontal	38	1.77	-	41.10
PK	5.2375G	102.36	Inf	-Inf	3.54	3	Horizontal	38	1.77	-	98.82
AV	5.2342G	90.51	Inf	-Inf	3.52	3	Horizontal	38	1.77	-	86.99
PK	5.3578G	56.95	74.00	-17.05	3.96	3	Horizontal	38	1.77	-	52.99
AV	5.3734G	44.96	54.00	-9.04	4.03	3	Horizontal	38	1.77	-	40.93

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 80  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.67632G	54.62	74.00	-19.38	10.67	3	Vertical	262	1.83	-	43.95
AV	15.68964G	42.40	54.00	-11.60	10.66	3	Vertical	262	1.83	-	31.74

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 80  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.67722G	54.85	74.00	-19.15	10.67	3	Horizontal	202	1.30	-	44.18
AV	15.68847G	42.23	54.00	-11.77	10.66	3	Horizontal	202	1.30	-	31.57

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5755MHz\_TX



EUT Y\_1TX  
Setting 91  
04-E-2-10  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6475G	67.54	68.20	-0.66	4.74	3	Vertical	0	1.70	-	62.80
PK	5.771G	117.78	Inf	-Inf	4.94	3	Vertical	0	1.70	-	112.84
AV	5.7595G	105.40	Inf	-Inf	4.92	3	Vertical	0	1.70	-	100.48
PK	5.932G	61.34	68.20	-6.86	5.74	3	Vertical	0	1.70	-	55.60



802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

5755MHz\_TX




EUT Y\_1TX  
Setting 91  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.571G	58.15	68.20	-10.05	4.64	3	Horizontal	38	1.42	-	53.51
PK	5.74G	101.51	Inf	-Inf	4.88	3	Horizontal	38	1.42	-	96.63
AV	5.7505G	88.96	Inf	-Inf	4.90	3	Horizontal	38	1.42	-	84.06
PK	5.9755G	58.21	68.20	-9.99	5.98	3	Horizontal	38	1.42	-	52.23

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5755MHz\_TX




EUT Y\_1TX  
Setting 91  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49635G	52.75	74.00	-21.25	10.49	3	Vertical	308	1.79	-	42.26
AV	11.49815G	39.86	54.00	-14.14	10.49	3	Vertical	308	1.79	-	29.37

802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

5755MHz\_TX




EUT Y\_1TX  
Setting 91  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5019G	53.10	74.00	-20.90	10.50	3	Horizontal	130	1.61	-	42.60
AV	11.50724G	40.17	54.00	-13.83	10.49	3	Horizontal	130	1.61	-	29.68

802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 95  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6485G	62.47	68.20	-5.73	4.74	3	Vertical	356	1.69	-	57.73
PK	5.78G	118.43	Inf	-Inf	4.96	3	Vertical	356	1.69	-	113.47
AV	5.791G	105.91	Inf	-Inf	4.98	3	Vertical	356	1.69	-	100.93
PK	5.9275G	67.62	68.20	-0.58	5.71	3	Vertical	356	1.69	-	61.91

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 95  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5865G	56.97	68.20	-11.23	4.66	3	Horizontal	35	1.71	-	52.31
PK	5.78G	101.81	Inf	-Inf	4.96	3	Horizontal	35	1.71	-	96.85
AV	5.781G	88.83	Inf	-Inf	4.96	3	Horizontal	35	1.71	-	83.87
PK	5.9295G	58.10	68.20	-10.10	5.72	3	Horizontal	35	1.71	-	52.38

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 95  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60479G	52.29	74.00	-21.71	10.40	3	Vertical	199	2.36	-	41.89
AV	11.60044G	40.22	54.00	-13.78	10.41	3	Vertical	199	2.36	-	29.81

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

05/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 95  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57752G	52.07	74.00	-21.93	10.43	3	Horizontal	327	2.27	-	41.64
AV	11.5948G	39.81	54.00	-14.19	10.41	3	Horizontal	327	2.27	-	29.40

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

### 5210MHz\_TX



EUT Y\_1TX  
Setting 60  
04-E-2-10  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.142G	64.71	74.00	-9.29	3.35	3	Vertical	356	1.95	-	61.36
AV	5.15G	53.06	54.00	-0.94	3.36	3	Vertical	356	1.95	-	49.70
PK	5.2235G	107.04	Inf	-Inf	3.49	3	Vertical	356	1.95	-	103.55
AV	5.22G	95.28	Inf	-Inf	3.48	3	Vertical	356	1.95	-	91.80
PK	5.3625G	58.12	74.00	-15.88	3.99	3	Vertical	356	1.95	-	54.13
AV	5.35G	46.66	54.00	-7.34	3.94	3	Vertical	356	1.95	-	42.72



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

### 5210MHz\_TX




EUT Y\_1TX  
Setting 60  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0015G	56.86	74.00	-17.14	3.42	3	Horizontal	297	2.01	-	53.44
AV	5.028G	44.40	54.00	-9.60	3.39	3	Horizontal	297	2.01	-	41.01
PK	5.2G	92.22	Inf	-Inf	3.41	3	Horizontal	297	2.01	-	88.81
AV	5.2365G	80.33	Inf	-Inf	3.53	3	Horizontal	297	2.01	-	76.80
PK	5.426G	57.16	74.00	-16.84	4.24	3	Horizontal	297	2.01	-	52.92
AV	5.422G	44.93	54.00	-9.07	4.23	3	Horizontal	297	2.01	-	40.70

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

### 5210MHz\_TX




EUT Y\_1TX  
Setting 60  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5809G	55.04	74.00	-18.96	10.76	3	Vertical	313	2.19	-	44.28
AV	15.5817G	43.29	54.00	-10.71	10.75	3	Vertical	313	2.19	-	32.54

802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

5210MHz\_TX




EUT Y\_1TX  
Setting 60  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6417G	55.16	74.00	-18.84	10.71	3	Horizontal	174	1.36	-	44.45
AV	15.6582G	43.20	54.00	-10.80	10.69	3	Horizontal	174	1.36	-	32.51

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

### 5775MHz\_TX




EUT Y\_1TX  
Setting 75  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6325G	67.62	68.20	-0.58	4.72	3	Vertical	360	1.94	-	62.90
PK	5.7735G	111.27	Inf	-Inf	4.95	3	Vertical	360	1.94	-	106.32
AV	5.7645G	99.36	Inf	-Inf	4.93	3	Vertical	360	1.94	-	94.43
PK	5.9335G	66.21	68.20	-1.99	5.75	3	Vertical	360	1.94	-	60.46

802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

5775MHz\_TX




EUT Y\_1TX  
Setting 75  
04-E-2-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5255G	57.78	68.20	-10.42	4.56	3	Horizontal	34	1.74	-	53.22
PK	5.7735G	94.50	Inf	-Inf	4.95	3	Horizontal	34	1.74	-	89.55
AV	5.767G	83.06	Inf	-Inf	4.93	3	Horizontal	34	1.74	-	78.13
PK	5.9845G	58.08	68.20	-10.12	6.02	3	Horizontal	34	1.74	-	52.06

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

### 5775MHz\_TX




EUT Y\_1TX  
 Setting 75  
 04-E-2  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5266G	51.68	74.00	-22.32	10.47	3	Vertical	255	1.98	-	41.21
AV	11.5089G	39.88	54.00	-14.12	10.49	3	Vertical	255	1.98	-	29.39

802.11ax HEW80\_Nss1,(MCS0)\_1TX

05/10/2019

5775MHz\_TX



EUT Y\_1TX  
Setting 75  
04-E-2  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5107G	51.79	74.00	-22.21	10.49	3	Horizontal	192	2.44	-	41.30
AV	11.5105G	39.68	54.00	-14.32	10.49	3	Horizontal	192	2.44	-	29.19



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	5.933G	67.69	68.20	-0.51	5.74	3	Vertical	349	1.96	-



### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 68  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	73.22	74.00	-0.78	3.36	3	Vertical	351	1.99	-	69.86
AV	5.1476G	51.25	54.00	-2.75	3.36	3	Vertical	351	1.99	-	47.89
PK	5.177G	117.91	Inf	-Inf	3.39	3	Vertical	351	1.99	-	114.52
AV	5.1822G	108.39	Inf	-Inf	3.39	3	Vertical	351	1.99	-	105.00

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 68  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	63.35	74.00	-10.65	3.36	3	Horizontal	301	1.74	-	59.99
AV	5.1492G	45.13	54.00	-8.87	3.36	3	Horizontal	301	1.74	-	41.77
PK	5.1838G	105.23	Inf	-Inf	3.39	3	Horizontal	301	1.74	-	101.84
AV	5.184G	95.84	Inf	-Inf	3.39	3	Horizontal	301	1.74	-	92.45

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 68  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5265G	56.30	74.00	-17.70	10.80	3	Vertical	338	2.25	-	45.50
AV	15.55224G	42.88	54.00	-11.12	10.79	3	Vertical	338	2.25	-	32.09

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 68  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54819G	56.40	74.00	-17.60	10.79	3	Horizontal	210	1.02	-	45.61
AV	15.5508G	42.77	54.00	-11.23	10.79	3	Horizontal	210	1.02	-	31.98

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 87  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1487G	73.40	74.00	-0.60	3.36	3	Vertical	4	1.90	-	70.04
AV	5.149G	53.39	54.00	-0.61	3.36	3	Vertical	4	1.90	-	50.03
PK	5.2027G	122.00	Inf	-Inf	3.42	3	Vertical	4	1.90	-	118.58
AV	5.1982G	112.54	Inf	-Inf	3.41	3	Vertical	4	1.90	-	109.13

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 87  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	60.89	74.00	-13.11	3.36	3	Horizontal	303	1.85	-	57.53
AV	5.1496G	44.18	54.00	-9.82	3.36	3	Horizontal	303	1.85	-	40.82
PK	5.1946G	109.33	Inf	-Inf	3.40	3	Horizontal	303	1.85	-	105.93
AV	5.1952G	99.49	Inf	-Inf	3.41	3	Horizontal	303	1.85	-	96.08

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 87  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.61104G	55.13	74.00	-18.87	10.73	3	Vertical	331	2.46	-	44.40
AV	15.59556G	42.26	54.00	-11.74	10.75	3	Vertical	331	2.46	-	31.51

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5200MHz\_TX



EUT\_Z\_2TX  
Setting 87  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59238G	55.45	74.00	-18.55	10.76	3	Horizontal	272	1.12	-	44.69
AV	15.58635G	42.35	54.00	-11.65	10.76	3	Horizontal	272	1.12	-	31.59



### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 99  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	66.88	74.00	-7.12	3.35	3	Vertical	356	1.94	-	63.53
AV	5.1371G	53.21	54.00	-0.79	3.35	3	Vertical	356	1.94	-	49.86
PK	5.2445G	126.02	Inf	-Inf	3.56	3	Vertical	356	1.94	-	122.46
AV	5.2442G	115.10	Inf	-Inf	3.56	3	Vertical	356	1.94	-	111.54
PK	5.3528G	65.21	74.00	-8.79	3.95	3	Vertical	356	1.94	-	61.26
AV	5.3522G	52.97	54.00	-1.03	3.95	3	Vertical	356	1.94	-	49.02

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 99  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1365G	57.15	74.00	-16.85	3.35	3	Horizontal	62	2.13	-	53.80
AV	5.1311G	44.43	54.00	-9.57	3.34	3	Horizontal	62	2.13	-	41.09
PK	5.2448G	113.01	Inf	-Inf	3.56	3	Horizontal	62	2.13	-	109.45
AV	5.2442G	102.69	Inf	-Inf	3.56	3	Horizontal	62	2.13	-	99.13
PK	5.3612G	57.48	74.00	-16.52	3.98	3	Horizontal	62	2.13	-	53.50
AV	5.3528G	44.79	54.00	-9.21	3.95	3	Horizontal	62	2.13	-	40.84

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 99  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72726G	55.75	74.00	-18.25	10.63	3	Vertical	92	1.23	-	45.12
AV	15.72933G	41.60	54.00	-12.40	10.63	3	Vertical	92	1.23	-	30.97

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 99  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.73023G	55.15	74.00	-18.85	10.63	3	Horizontal	245	2.10	-	44.52
AV	15.72762G	42.05	54.00	-11.95	10.63	3	Horizontal	245	2.10	-	31.42

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 97  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	65.42	68.20	-2.78	4.74	3	Vertical	0	1.85	-	60.68
PK	5.752G	124.50	Inf	-Inf	4.90	3	Vertical	0	1.85	-	119.60
AV	5.747G	114.61	Inf	-Inf	4.89	3	Vertical	0	1.85	-	109.72
PK	5.955G	62.54	68.20	-5.66	5.85	3	Vertical	0	1.85	-	56.69

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 97  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.46	68.20	-8.74	4.73	3	Horizontal	329	1.06	-	54.73
PK	5.7425G	111.25	Inf	-Inf	4.89	3	Horizontal	329	1.06	-	106.36
AV	5.7475G	101.16	Inf	-Inf	4.90	3	Horizontal	329	1.06	-	96.26
PK	5.9755G	58.84	68.20	-9.36	5.98	3	Horizontal	329	1.06	-	52.86

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 97  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47539G	52.61	74.00	-21.39	10.52	3	Vertical	109	2.19	-	42.09
AV	11.49042G	39.50	54.00	-14.50	10.50	3	Vertical	109	2.19	-	29.00

### 802.11a\_Nss1,(6Mbps)\_2TX

05/10/2019

### 5745MHz\_TX



EUT\_Z\_2TX  
Setting 97  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49924G	52.68	74.00	-21.32	10.49	3	Horizontal	199	1.80	-	42.19
AV	11.50215G	39.36	54.00	-14.64	10.50	3	Horizontal	199	1.80	-	28.86



### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6475G	66.44	68.20	-1.76	4.74	3	Vertical	0	1.88	-	61.70
PK	5.792G	126.39	Inf	-Inf	4.98	3	Vertical	0	1.88	-	121.41
AV	5.782G	115.79	Inf	-Inf	4.96	3	Vertical	0	1.88	-	110.83
PK	5.925G	66.33	68.20	-1.87	5.70	3	Vertical	0	1.88	-	60.63

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5855G	58.38	68.20	-9.82	4.66	3	Horizontal	330	1.01	-	53.72
PK	5.7825G	111.63	Inf	-Inf	4.97	3	Horizontal	330	1.01	-	106.66
AV	5.782G	101.28	Inf	-Inf	4.96	3	Horizontal	330	1.01	-	96.32
PK	5.965G	58.62	68.20	-9.58	5.91	3	Horizontal	330	1.01	-	52.71

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56058G	51.36	74.00	-22.64	10.45	3	Vertical	345	1.50	-	40.91
AV	11.5688G	40.12	54.00	-13.88	10.43	3	Vertical	345	1.50	-	29.69

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56532G	52.29	74.00	-21.71	10.43	3	Horizontal	341	2.00	-	41.86
AV	11.55545G	38.14	54.00	-15.86	10.45	3	Horizontal	341	2.00	-	27.69

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.575G	62.48	68.20	-5.72	4.65	3	Vertical	0	1.90	-	57.83
PK	5.832G	124.43	Inf	-Inf	5.18	3	Vertical	0	1.90	-	119.25
AV	5.8275G	114.35	Inf	-Inf	5.15	3	Vertical	0	1.90	-	109.20
PK	5.9345G	67.36	68.20	-0.84	5.75	3	Vertical	0	1.90	-	61.61

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5975G	57.58	68.20	-10.62	4.68	3	Horizontal	341	1.50	-	52.90
PK	5.823G	109.96	Inf	-Inf	5.14	3	Horizontal	341	1.50	-	104.82
AV	5.823G	100.01	Inf	-Inf	5.14	3	Horizontal	341	1.50	-	94.87
PK	5.944G	58.66	68.20	-9.54	5.81	3	Horizontal	341	1.50	-	52.85

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
 Setting 98  
 04-E-2  
 FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65027G	51.69	74.00	-22.31	10.37	3	Vertical	114	1.50	-	41.32
AV	11.64946G	38.72	54.00	-15.28	10.37	3	Vertical	114	1.50	-	28.35

### 802.11a\_Nss1,(6Mbps)\_2TX

06/10/2019

### 5825MHz\_TX



EUT\_Z\_2TX  
Setting 98  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66359G	51.27	74.00	-22.73	10.35	3	Horizontal	228	1.50	-	40.92
AV	11.64589G	38.27	54.00	-15.73	10.36	3	Horizontal	278	1.50	-	27.91



802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5180MHz\_TX




EUT\_Z\_2TX  
Setting 67  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	70.98	74.00	-3.02	3.36	3	Vertical	348	1.88	-	67.62
AV	5.15G	53.34	54.00	-0.66	3.36	3	Vertical	348	1.88	-	49.98
PK	5.1827G	114.88	Inf	-Inf	3.39	3	Vertical	348	1.88	-	111.49
AV	5.1851G	102.59	Inf	-Inf	3.40	3	Vertical	348	1.88	-	99.19

802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5180MHz\_TX




EUT\_Z\_2TX  
Setting 67  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	60.02	74.00	-13.98	3.36	3	Horizontal	303	1.43	-	56.66
AV	5.1494G	45.57	54.00	-8.43	3.36	3	Horizontal	303	1.43	-	42.21
PK	5.1872G	102.64	Inf	-Inf	3.40	3	Horizontal	303	1.43	-	99.24
AV	5.1848G	90.43	Inf	-Inf	3.39	3	Horizontal	303	1.43	-	87.04

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 67  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54396G	56.28	74.00	-17.72	10.79	3	Vertical	270	1.11	-	45.49
AV	15.54438G	43.73	54.00	-10.27	10.79	3	Vertical	270	1.11	-	32.94

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5180MHz\_TX




EUT\_Z\_2TX  
Setting 67  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.52887G	55.65	74.00	-18.35	10.81	3	Horizontal	95	1.37	-	44.84
AV	15.54279G	43.68	54.00	-10.32	10.80	3	Horizontal	95	1.37	-	32.88

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	70.59	74.00	-3.41	3.36	3	Vertical	352	1.87	-	67.23
AV	5.1493G	53.05	54.00	-0.95	3.36	3	Vertical	352	1.87	-	49.69
PK	5.2024G	118.93	Inf	-Inf	3.41	3	Vertical	352	1.87	-	115.52
AV	5.1955G	106.80	Inf	-Inf	3.41	3	Vertical	352	1.87	-	103.39

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1433G	58.58	74.00	-15.42	3.35	3	Horizontal	301	1.63	-	55.23
AV	5.1484G	45.27	54.00	-8.73	3.36	3	Horizontal	301	1.63	-	41.91
PK	5.2027G	107.15	Inf	-Inf	3.42	3	Horizontal	301	1.63	-	103.73
AV	5.1955G	95.27	Inf	-Inf	3.41	3	Horizontal	301	1.63	-	91.86

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5200MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59127G	54.93	74.00	-19.07	10.76	3	Vertical	160	2.12	-	44.17
AV	15.58566G	43.05	54.00	-10.95	10.76	3	Vertical	160	2.12	-	32.29

802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5200MHz\_TX



EUT\_Z\_2TX  
Setting 85  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60963G	55.98	74.00	-18.02	10.73	3	Horizontal	299	1.91	-	45.25
AV	15.58677G	43.02	54.00	-10.98	10.76	3	Horizontal	299	1.91	-	32.26



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 104  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	67.29	74.00	-6.71	3.36	3	Vertical	355	1.86	-	63.93
AV	5.148G	52.65	54.00	-1.35	3.36	3	Vertical	355	1.86	-	49.29
PK	5.2424G	121.11	Inf	-Inf	3.55	3	Vertical	355	1.86	-	117.56
AV	5.2456G	110.05	Inf	-Inf	3.56	3	Vertical	355	1.86	-	106.49
PK	5.3512G	64.79	74.00	-9.21	3.94	3	Vertical	355	1.86	-	60.85
AV	5.3501G	51.09	54.00	-2.91	3.94	3	Vertical	355	1.86	-	47.15

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 104  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	57.73	74.00	-16.27	3.36	3	Horizontal	304	1.93	-	54.37
AV	5.1496G	45.26	54.00	-8.74	3.36	3	Horizontal	304	1.93	-	41.90
PK	5.2452G	109.94	Inf	-Inf	3.56	3	Horizontal	304	1.93	-	106.38
AV	5.246G	98.56	Inf	-Inf	3.56	3	Horizontal	304	1.93	-	95.00
PK	5.3524G	57.68	74.00	-16.32	3.95	3	Horizontal	304	1.93	-	53.73
AV	5.3644G	45.24	54.00	-8.76	3.99	3	Horizontal	304	1.93	-	41.25

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 104  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71217G	56.55	74.00	-17.45	10.64	3	Vertical	190	1.87	-	45.91
AV	15.71952G	44.01	54.00	-9.99	10.63	3	Vertical	190	1.87	-	33.38

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5240MHz\_TX




EUT\_Z\_2TX  
Setting 104  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71703G	56.55	74.00	-17.45	10.64	3	Horizontal	128	2.07	-	45.91
AV	15.72837G	43.31	54.00	-10.69	10.63	3	Horizontal	128	2.07	-	32.68

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5745MHz\_TX




EUT Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6465G	67.43	68.20	-0.77	4.74	3	Vertical	360	1.93	-	62.69
PK	5.748G	119.93	Inf	-Inf	4.90	3	Vertical	360	1.93	-	115.03
AV	5.7435G	108.65	Inf	-Inf	4.89	3	Vertical	360	1.93	-	103.76
PK	5.969G	61.29	68.20	-6.91	5.94	3	Vertical	360	1.93	-	55.35

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5745MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6445G	59.29	68.20	-8.91	4.73	3	Horizontal	331	1.11	-	54.56
PK	5.748G	107.98	Inf	-Inf	4.90	3	Horizontal	331	1.11	-	103.08
AV	5.7435G	96.70	Inf	-Inf	4.89	3	Horizontal	331	1.11	-	91.81
PK	5.935G	58.60	68.20	-9.60	5.76	3	Horizontal	331	1.11	-	52.84

802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5745MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47929G	52.56	74.00	-21.44	10.52	3	Vertical	277	1.15	-	42.04
AV	11.50161G	39.87	54.00	-14.13	10.50	3	Vertical	277	1.15	-	29.37

802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5745MHz\_TX



EUT\_Z\_2TX  
Setting 98  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48739G	52.27	74.00	-21.73	10.51	3	Horizontal	209	1.40	-	41.76
AV	11.50443G	39.81	54.00	-14.19	10.50	3	Horizontal	209	1.40	-	29.31



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	63.11	68.20	-5.09	4.74	3	Vertical	352	1.85	-	58.37
PK	5.783G	120.68	Inf	-Inf	4.97	3	Vertical	352	1.85	-	115.71
AV	5.7815G	109.14	Inf	-Inf	4.96	3	Vertical	352	1.85	-	104.18
PK	5.9255G	66.32	68.20	-1.88	5.70	3	Vertical	352	1.85	-	60.62

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.611G	59.07	68.20	-9.13	4.70	3	Horizontal	328	1.06	-	54.37
PK	5.7885G	109.41	Inf	-Inf	4.98	3	Horizontal	328	1.06	-	104.43
AV	5.784G	98.42	Inf	-Inf	4.97	3	Horizontal	328	1.06	-	93.45
PK	5.9635G	58.47	68.20	-9.73	5.91	3	Horizontal	328	1.06	-	52.56

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5785MHz\_TX




EUT Z\_2TX  
Setting 120  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56694G	53.04	74.00	-20.96	10.43	3	Vertical	342	1.80	-	42.61
AV	11.57135G	41.22	54.00	-12.78	10.43	3	Vertical	342	1.80	-	30.79

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5785MHz\_TX




EUT\_Z\_2TX  
Setting 120  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57969G	51.48	74.00	-22.52	10.43	3	Horizontal	12	1.94	-	41.05
AV	11.58302G	38.80	54.00	-15.20	10.43	3	Horizontal	12	1.94	-	28.37

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5825MHz\_TX




EUT Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	59.99	68.20	-8.21	4.72	3	Vertical	352	1.91	-	55.27
PK	5.83G	120.57	Inf	-Inf	5.16	3	Vertical	352	1.91	-	115.41
AV	5.8235G	109.01	Inf	-Inf	5.14	3	Vertical	352	1.91	-	103.87
PK	5.93G	66.95	68.20	-1.25	5.72	3	Vertical	352	1.91	-	61.23

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5825MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	57.82	68.20	-10.38	4.72	3	Horizontal	323	1.01	-	53.10
PK	5.8275G	107.52	Inf	-Inf	5.15	3	Horizontal	323	1.01	-	102.37
AV	5.8235G	96.31	Inf	-Inf	5.14	3	Horizontal	323	1.01	-	91.17
PK	5.985G	58.96	68.20	-9.24	6.03	3	Horizontal	323	1.01	-	52.93

802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

5825MHz\_TX




EUT\_Z\_2TX  
Setting 98  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65393G	52.10	74.00	-21.90	10.37	3	Vertical	225	1.67	-	41.73
AV	11.65579G	39.53	54.00	-14.47	10.36	3	Vertical	225	1.67	-	29.17

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 5825MHz\_TX



EUT\_Z\_2TX  
Setting 98  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63731G	51.31	74.00	-22.69	10.38	3	Horizontal	221	2.47	-	40.93
AV	11.66407G	39.04	54.00	-14.96	10.35	3	Horizontal	221	2.47	-	28.69



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 59  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	71.53	74.00	-2.47	3.36	3	Vertical	352	1.88	-	68.17
AV	5.1498G	53.03	54.00	-0.97	3.36	3	Vertical	352	1.88	-	49.67
PK	5.1864G	110.42	Inf	-Inf	3.40	3	Vertical	352	1.88	-	107.02
AV	5.1868G	97.60	Inf	-Inf	3.40	3	Vertical	352	1.88	-	94.20

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5190MHz\_TX




EUT Z\_2TX  
Setting 59  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	60.08	74.00	-13.92	3.36	3	Horizontal	37	1.81	-	56.72
AV	5.1488G	45.10	54.00	-8.90	3.36	3	Horizontal	37	1.81	-	41.74
PK	5.1866G	97.66	Inf	-Inf	3.40	3	Horizontal	37	1.81	-	94.26
AV	5.1868G	85.26	Inf	-Inf	3.40	3	Horizontal	37	1.81	-	81.86

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

5190MHz\_TX




EUT\_Z\_2TX  
Setting 59  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56928G	57.19	74.00	-16.81	10.76	3	Vertical	247	1.76	-	46.43
AV	15.56442G	43.63	54.00	-10.37	10.77	3	Vertical	247	1.76	-	32.86

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5190MHz\_TX




EUT\_Z\_2TX  
Setting 59  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57906G	56.36	74.00	-17.64	10.76	3	Horizontal	338	1.45	-	45.60
AV	15.57156G	43.85	54.00	-10.15	10.76	3	Horizontal	338	1.45	-	33.09

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5230MHz\_TX




EUT\_Z\_2TX  
Setting 79  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	68.11	74.00	-5.89	3.36	3	Vertical	0	1.96	-	64.75
AV	5.1499G	53.24	54.00	-0.76	3.36	3	Vertical	0	1.96	-	49.88
PK	5.2264G	115.08	Inf	-Inf	3.49	3	Vertical	0	1.96	-	111.59
AV	5.233G	102.82	Inf	-Inf	3.52	3	Vertical	0	1.96	-	99.30
PK	5.3536G	61.20	74.00	-12.80	3.95	3	Vertical	0	1.96	-	57.25
AV	5.3554G	48.32	54.00	-5.68	3.96	3	Vertical	0	1.96	-	44.36

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5230MHz\_TX




EUT\_Z\_2TX  
Setting 79  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1457G	58.37	74.00	-15.63	3.36	3	Horizontal	300	2.02	-	55.01
AV	5.1499G	45.11	54.00	-8.89	3.36	3	Horizontal	300	2.02	-	41.75
PK	5.2264G	102.97	Inf	-Inf	3.49	3	Horizontal	300	2.02	-	99.48
AV	5.2339G	91.30	Inf	-Inf	3.52	3	Horizontal	300	2.02	-	87.78
PK	5.35G	57.04	74.00	-16.96	3.94	3	Horizontal	300	2.02	-	53.10
AV	5.3713G	45.20	54.00	-8.80	4.02	3	Horizontal	300	2.02	-	41.18

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5230MHz\_TX




EUT\_Z\_2TX  
Setting 79  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.67749G	54.68	74.00	-19.32	10.67	3	Vertical	138	2.42	-	44.01
AV	15.67869G	42.50	54.00	-11.50	10.67	3	Vertical	138	2.42	-	31.83

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5230MHz\_TX



EUT Z\_2TX  
 Setting 79  
 04-E-2  
 FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68007G	55.05	74.00	-18.95	10.67	3	Horizontal	325	1.71	-	44.38
AV	15.67713G	42.23	54.00	-11.77	10.67	3	Horizontal	325	1.71	-	31.56



802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

5755MHz\_TX




EUT Z\_2TX  
Setting 85  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.09	68.20	-1.11	4.74	3	Vertical	360	1.88	-	62.35
PK	5.7515G	116.13	Inf	-Inf	4.90	3	Vertical	360	1.88	-	111.23
AV	5.752G	103.83	Inf	-Inf	4.90	3	Vertical	360	1.88	-	98.93
PK	5.9325G	61.14	68.20	-7.06	5.74	3	Vertical	360	1.88	-	55.40

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5755MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6475G	60.29	68.20	-7.91	4.74	3	Horizontal	330	1.01	-	55.55
PK	5.7515G	104.01	Inf	-Inf	4.90	3	Horizontal	330	1.01	-	99.11
AV	5.752G	91.76	Inf	-Inf	4.90	3	Horizontal	330	1.01	-	86.86
PK	5.9625G	58.70	68.20	-9.50	5.90	3	Horizontal	330	1.01	-	52.80

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

5755MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50676G	52.18	74.00	-21.82	10.49	3	Vertical	253	2.27	-	41.69
AV	11.51834G	39.74	54.00	-14.26	10.48	3	Vertical	253	2.27	-	29.26

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

5755MHz\_TX




EUT\_Z\_2TX  
Setting 85  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50574G	52.10	74.00	-21.90	10.50	3	Horizontal	121	2.27	-	41.60
AV	11.51294G	39.66	54.00	-14.34	10.48	3	Horizontal	121	2.27	-	29.18

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 86  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	60.62	68.20	-7.58	4.73	3	Vertical	349	1.96	-	55.89
PK	5.7915G	116.25	Inf	-Inf	4.98	3	Vertical	349	1.96	-	111.27
AV	5.798G	103.97	Inf	-Inf	5.00	3	Vertical	349	1.96	-	98.97
PK	5.933G	67.69	68.20	-0.51	5.74	3	Vertical	349	1.96	-	61.95

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 86  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.586G	58.38	68.20	-9.82	4.66	3	Horizontal	329	1.01	-	53.72
PK	5.7915G	103.75	Inf	-Inf	4.98	3	Horizontal	329	1.01	-	98.77
AV	5.782G	91.96	Inf	-Inf	4.96	3	Horizontal	329	1.01	-	87.00
PK	5.9785G	59.32	68.20	-8.88	5.99	3	Horizontal	329	1.01	-	53.33

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 5795MHz\_TX




EUT\_Z\_2TX  
Setting 86  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58988G	51.49	74.00	-22.51	10.41	3	Vertical	281	2.23	-	41.08
AV	11.60476G	39.33	54.00	-14.67	10.40	3	Vertical	281	2.23	-	28.93

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

5795MHz\_TX



EUT\_Z\_2TX  
Setting 86  
04-E-2  
FSP


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58565G	51.23	74.00	-22.77	10.43	3	Horizontal	241	1.06	-	40.80
AV	11.60332G	39.21	54.00	-14.79	10.40	3	Horizontal	241	1.06	-	28.81



### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 55  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	64.76	74.00	-9.24	3.36	3	Vertical	355	1.87	-	61.40
AV	5.143G	53.04	54.00	-0.96	3.35	3	Vertical	355	1.87	-	49.69
PK	5.213G	106.12	Inf	-Inf	3.46	3	Vertical	355	1.87	-	102.66
AV	5.222G	94.69	Inf	-Inf	3.48	3	Vertical	355	1.87	-	91.21
PK	5.353G	57.95	74.00	-16.05	3.95	3	Vertical	355	1.87	-	54.00
AV	5.3825G	47.71	54.00	-6.29	4.07	3	Vertical	355	1.87	-	43.64

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

### 5210MHz\_TX




EUT\_Z\_2TX  
Setting 55  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.049G	56.72	74.00	-17.28	3.37	3	Horizontal	304	2.00	-	53.35
AV	5.1475G	45.93	54.00	-8.07	3.36	3	Horizontal	304	2.00	-	42.57
PK	5.2295G	93.68	Inf	-Inf	3.51	3	Horizontal	304	2.00	-	90.17
AV	5.1955G	82.57	Inf	-Inf	3.41	3	Horizontal	304	2.00	-	79.16
PK	5.4505G	58.01	74.00	-15.99	4.32	3	Horizontal	304	2.00	-	53.69
AV	5.449G	46.44	54.00	-7.56	4.34	3	Horizontal	304	2.00	-	42.10

802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

5210MHz\_TX




EUT\_Z\_2TX  
Setting 55  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62358G	55.26	74.00	-18.74	10.72	3	Vertical	215	1.79	-	44.54
AV	15.62553G	44.76	54.00	-9.24	10.72	3	Vertical	215	1.79	-	34.04

802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

5210MHz\_TX




EUT\_Z\_2TX  
Setting 55  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63759G	54.90	74.00	-19.10	10.70	3	Horizontal	41	1.88	-	44.20
AV	15.64137G	44.34	54.00	-9.66	10.71	3	Horizontal	41	1.88	-	33.63

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

### 5775MHz\_TX




EUT\_Z\_2TX  
Setting 70  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6475G	67.25	68.20	-0.95	4.74	3	Vertical	360	1.99	-	62.51
PK	5.7945G	109.69	Inf	-Inf	4.99	3	Vertical	360	1.99	-	104.70
AV	5.7845G	98.30	Inf	-Inf	4.97	3	Vertical	360	1.99	-	93.33
PK	5.926G	64.87	68.20	-3.33	5.70	3	Vertical	360	1.99	-	59.17

### 802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

### 5775MHz\_TX




EUT\_Z\_2TX  
Setting 70  
04-E-2-10  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6425G	58.06	68.20	-10.14	4.73	3	Horizontal	330	1.03	-	53.33
PK	5.748G	97.18	Inf	-Inf	4.90	3	Horizontal	330	1.03	-	92.28
AV	5.768G	86.44	Inf	-Inf	4.94	3	Horizontal	330	1.03	-	81.50
PK	5.9825G	59.41	68.20	-8.79	6.02	3	Horizontal	330	1.03	-	53.39

802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

5775MHz\_TX




EUT\_Z\_2TX  
Setting 70  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55789G	51.73	74.00	-22.27	10.45	3	Vertical	285	1.85	-	41.28
AV	11.53527G	40.90	54.00	-13.10	10.46	3	Vertical	285	1.85	-	30.44

802.11ax HEW80\_Nss2,(MCS0)\_2TX

05/10/2019

5775MHz\_TX



EUT\_Z\_2TX  
Setting 70  
04-E-2  
FSP

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.53725G	52.32	74.00	-21.68	10.47	3	Horizontal	350	1.73	-	41.85
AV	11.5389G	40.95	54.00	-13.05	10.46	3	Horizontal	350	1.73	-	30.49






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	AV	5.1462G	53.44	54.00	-0.56	3.36	3	Vertical	186	2.01	-

### 802.11a\_Nss1,(6Mbps)\_4TX

07/10/2019

### 5180MHz\_TX




EUT\_X\_4TX  
Setting 59  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1473G	73.40	74.00	-0.60	3.36	3	Vertical	2	1.97	-	70.04
AV	5.1476G	49.71	54.00	-4.29	3.36	3	Vertical	2	1.97	-	46.35
PK	5.1857G	120.34	Inf	-Inf	3.40	3	Vertical	2	1.97	-	116.94
AV	5.186G	110.85	Inf	-Inf	3.40	3	Vertical	2	1.97	-	107.45

### 802.11a\_Nss1,(6Mbps)\_4TX

07/10/2019

### 5180MHz\_TX




EUT\_X\_4TX  
Setting 59  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	57.01	74.00	-16.99	3.36	3	Horizontal	121	1.86	-	53.65
AV	5.15G	44.03	54.00	-9.97	3.36	3	Horizontal	121	1.86	-	40.67
PK	5.1743G	106.04	Inf	-Inf	3.38	3	Horizontal	121	1.86	-	102.66
AV	5.1752G	96.53	Inf	-Inf	3.39	3	Horizontal	121	1.86	-	93.14

### 802.11a\_Nss1,(6Mbps)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 59  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53962G	56.08	74.00	-17.92	10.80	3	Vertical	242	1.25	-	45.28
AV	15.53845G	42.35	54.00	-11.65	10.80	3	Vertical	242	1.25	-	31.55

### 802.11a\_Nss1,(6Mbps)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 59  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54097G	55.98	74.00	-18.02	10.80	3	Horizontal	164	2.30	-	45.18
AV	15.53853G	42.54	54.00	-11.46	10.80	3	Horizontal	164	2.30	-	31.74

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5200MHz\_TX




EUT\_X\_4TX  
Setting 81  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	68.50	74.00	-5.50	3.36	3	Vertical	188	1.50	-	65.14
AV	5.0857G	53.32	54.00	-0.68	3.32	3	Vertical	188	1.50	-	50.00
PK	5.1937G	125.71	Inf	-Inf	3.40	3	Vertical	188	1.50	-	122.31
AV	5.1937G	115.91	Inf	-Inf	3.40	3	Vertical	188	1.50	-	112.51

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5200MHz\_TX




EUT\_X\_4TX  
Setting 81  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	57.13	74.00	-16.87	3.36	3	Horizontal	121	1.50	-	53.77
AV	5.0884G	44.29	54.00	-9.71	3.32	3	Horizontal	121	1.50	-	40.97
PK	5.1937G	111.71	Inf	-Inf	3.40	3	Horizontal	121	1.50	-	108.31
AV	5.1937G	102.01	Inf	-Inf	3.40	3	Horizontal	121	1.50	-	98.61

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5200MHz\_TX



EUT X\_4TX  
Setting 81  
04-S-5  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60138G	56.60	74.00	-17.40	10.74	3	Vertical	145	2.22	-	45.86
AV	15.59893G	42.80	54.00	-11.20	10.74	3	Vertical	145	2.22	-	32.06



### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 81  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59768G	56.27	74.00	-17.73	10.74	3	Horizontal	61	1.05	-	45.53
AV	15.60026G	42.31	54.00	-11.69	10.74	3	Horizontal	61	1.05	-	31.57

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.126G	64.63	74.00	-9.37	3.34	3	Vertical	187	1.50	-	61.29
AV	5.1272G	53.41	54.00	-0.59	3.34	3	Vertical	187	1.50	-	50.07
PK	5.2344G	126.42	Inf	-Inf	3.52	3	Vertical	187	1.50	-	122.90
AV	5.234G	116.99	Inf	-Inf	3.52	3	Vertical	187	1.50	-	113.47
PK	5.3544G	63.24	74.00	-10.76	3.95	3	Vertical	187	1.50	-	59.29
AV	5.3544G	51.25	54.00	-2.75	3.95	3	Vertical	187	1.50	-	47.30

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0792G	56.97	74.00	-17.03	3.33	3	Horizontal	122	1.87	-	53.64
AV	5.1328G	44.53	54.00	-9.47	3.34	3	Horizontal	122	1.87	-	41.19
PK	5.2352G	112.58	Inf	-Inf	3.53	3	Horizontal	122	1.87	-	109.05
AV	5.234G	102.71	Inf	-Inf	3.52	3	Horizontal	122	1.87	-	99.19
PK	5.3812G	58.02	74.00	-15.98	4.06	3	Horizontal	122	1.87	-	53.96
AV	5.3548G	44.84	54.00	-9.16	3.95	3	Horizontal	122	1.87	-	40.89

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.00015G	46.75	74.00	-27.25	1.55	3	Vertical	140	1.71	-	45.20
AV	3.99998G	38.84	54.00	-15.16	1.55	3	Vertical	140	1.71	-	37.29
PK	10.47769G	55.18	68.20	-13.02	10.71	3	Vertical	0	1.66	-	44.47
PK	15.71745G	59.47	74.00	-14.53	10.64	3	Vertical	336	2.62	-	48.83
AV	15.71718G	45.50	54.00	-8.50	10.64	3	Vertical	336	2.62	-	34.86

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.99994G	48.25	74.00	-25.75	1.55	3	Horizontal	206	1.89	-	46.70
AV	3.99997G	42.22	54.00	-11.78	1.55	3	Horizontal	206	1.89	-	40.67
PK	10.477G	53.00	68.20	-15.20	10.71	3	Horizontal	95	1.74	-	42.29
PK	15.71415G	56.86	74.00	-17.14	10.64	3	Horizontal	13	1.50	-	46.22
AV	15.71589G	43.53	54.00	-10.47	10.64	3	Horizontal	13	1.50	-	32.89

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5745MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6425G	67.58	68.20	-0.62	4.73	3	Vertical	181	2.01	-	62.85
PK	5.751G	128.07	Inf	-Inf	4.90	3	Vertical	181	2.01	-	123.17
AV	5.751G	119.15	Inf	-Inf	4.90	3	Vertical	181	2.01	-	114.25
PK	5.988G	64.31	68.20	-3.89	6.04	3	Vertical	181	2.01	-	58.27

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5745MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6275G	58.10	68.20	-10.10	4.72	3	Horizontal	156	1.88	-	53.38
PK	5.75G	112.32	Inf	-Inf	4.91	3	Horizontal	156	1.88	-	107.41
AV	5.7505G	101.85	Inf	-Inf	4.90	3	Horizontal	156	1.88	-	96.95
PK	5.9795G	58.69	68.20	-9.51	6.00	3	Horizontal	156	1.88	-	52.69

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5745MHz\_TX



EUT X\_4TX  
 Setting 95  
 04-S-5  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49107G	56.66	74.00	-17.34	10.50	3	Vertical	351	1.63	-	46.16
AV	11.49159G	43.50	54.00	-10.50	10.50	3	Vertical	351	1.63	-	33.00
PK	17.23263G	61.88	68.20	-6.32	13.62	3	Vertical	17	2.65	-	48.26



### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 95  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48755G	55.81	74.00	-18.19	10.50	3	Horizontal	98	1.44	-	45.31
AV	11.4899G	42.27	54.00	-11.73	10.50	3	Horizontal	98	1.44	-	31.77
PK	17.23355G	62.86	68.20	-5.34	13.62	3	Horizontal	263	1.87	-	49.24

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 102  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6305G	65.41	68.20	-2.79	4.72	3	Vertical	182	2.02	-	60.69
PK	5.7915G	128.35	Inf	-Inf	4.98	3	Vertical	182	2.02	-	123.37
AV	5.7915G	120.51	Inf	-Inf	4.98	3	Vertical	182	2.02	-	115.53
PK	5.9285G	67.47	68.20	-0.73	5.71	3	Vertical	182	2.02	-	61.76

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 102  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.625G	58.48	68.20	-9.72	4.71	3	Horizontal	154	1.75	-	53.77
PK	5.79G	113.41	Inf	-Inf	4.98	3	Horizontal	154	1.75	-	108.43
AV	5.789G	102.95	Inf	-Inf	4.98	3	Horizontal	154	1.75	-	97.97
PK	5.9385G	59.04	68.20	-9.16	5.77	3	Horizontal	154	1.75	-	53.27

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 102  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.99987G	46.34	74.00	-27.66	1.55	3	Vertical	143	1.71	-	44.79
AV	4.00002G	38.33	54.00	-15.67	1.55	3	Vertical	143	1.71	-	36.78
PK	11.57126G	57.05	74.00	-16.95	10.43	3	Vertical	343	1.50	-	46.62
AV	11.57156G	44.01	54.00	-9.99	10.43	3	Vertical	343	1.50	-	33.58
PK	17.34957G	64.44	68.20	-3.76	13.85	3	Vertical	31	1.50	-	50.59

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 102  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.99986G	48.34	74.00	-25.66	1.55	3	Horizontal	206	1.89	-	46.79
AV	4G	42.48	54.00	-11.52	1.55	3	Horizontal	206	1.89	-	40.93
PK	11.57087G	56.37	74.00	-17.63	10.43	3	Horizontal	106	1.50	-	45.94
AV	11.57069G	43.44	54.00	-10.56	10.43	3	Horizontal	106	1.50	-	33.01
PK	17.34603G	62.48	68.20	-5.72	13.84	3	Horizontal	125	1.45	-	48.64

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5825MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6195G	63.35	68.20	-4.85	4.72	3	Vertical	184	1.91	-	58.63
PK	5.818G	128.26	Inf	-Inf	5.10	3	Vertical	184	1.91	-	123.16
AV	5.8175G	119.57	Inf	-Inf	5.10	3	Vertical	184	1.91	-	114.47
PK	5.926G	67.55	68.20	-0.65	5.70	3	Vertical	184	1.91	-	61.85

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5825MHz\_TX




EUT\_X\_4TX  
Setting 95  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	58.09	68.20	-10.11	4.72	3	Horizontal	141	1.79	-	53.37
PK	5.8195G	112.47	Inf	-Inf	5.12	3	Horizontal	141	1.79	-	107.35
AV	5.819G	102.57	Inf	-Inf	5.11	3	Horizontal	141	1.79	-	97.46
PK	5.9865G	58.79	68.20	-9.41	6.03	3	Horizontal	141	1.79	-	52.76

### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5825MHz\_TX



EUT X\_4TX  
 Setting 95  
 04-S-5  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64769G	51.75	74.00	-22.25	10.36	3	Vertical	3	1.43	-	41.39
AV	11.64753G	38.65	54.00	-15.35	10.36	3	Vertical	3	1.43	-	28.29
PK	17.47662G	61.99	68.20	-6.21	14.10	3	Vertical	222	2.38	-	47.89



### 802.11a\_Nss1,(6Mbps)\_4TX

06/10/2019

### 5825MHz\_TX




EUT X\_4TX  
 Setting 95  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65199G	53.09	74.00	-20.91	10.37	3	Horizontal	14	1.72	-	42.72
AV	11.65213G	38.68	54.00	-15.32	10.37	3	Horizontal	14	1.72	-	28.31
PK	17.4757G	60.62	68.20	-7.58	14.10	3	Horizontal	353	1.50	-	46.52

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 58  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	73.29	74.00	-0.71	3.36	3	Vertical	185	1.96	-	69.93
AV	5.1467G	52.14	54.00	-1.86	3.36	3	Vertical	185	1.96	-	48.78
PK	5.1812G	123.04	Inf	-Inf	3.39	3	Vertical	185	1.96	-	119.65
AV	5.1812G	109.54	Inf	-Inf	3.39	3	Vertical	185	1.96	-	106.15

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 58  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	59.83	74.00	-14.17	3.36	3	Horizontal	120	1.82	-	56.47
AV	5.147G	44.32	54.00	-9.68	3.36	3	Horizontal	120	1.82	-	40.96
PK	5.177G	110.24	Inf	-Inf	3.39	3	Horizontal	120	1.82	-	106.85
AV	5.1818G	96.31	Inf	-Inf	3.39	3	Horizontal	120	1.82	-	92.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 58  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53794G	56.85	74.00	-17.15	10.80	3	Vertical	132	2.48	-	46.05
AV	15.53811G	42.42	54.00	-11.58	10.80	3	Vertical	132	2.48	-	31.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 58  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54031G	57.20	74.00	-16.80	10.80	3	Horizontal	154	1.03	-	46.40
AV	15.53871G	42.46	54.00	-11.54	10.80	3	Horizontal	154	1.03	-	31.66

802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

5200MHz\_TX




EUT\_X\_4TX  
Setting 80  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	73.36	74.00	-0.64	3.36	3	Vertical	188	2.00	-	70.00
AV	5.1464G	52.63	54.00	-1.37	3.36	3	Vertical	188	2.00	-	49.27
PK	5.1968G	126.42	Inf	-Inf	3.41	3	Vertical	188	2.00	-	123.01
AV	5.1964G	113.84	Inf	-Inf	3.41	3	Vertical	188	2.00	-	110.43
PK	5.3584G	62.85	74.00	-11.15	3.97	3	Vertical	188	2.00	-	58.88
AV	5.3584G	49.09	54.00	-4.91	3.97	3	Vertical	188	2.00	-	45.12

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 80  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	59.72	74.00	-14.28	3.36	3	Horizontal	120	1.76	-	56.36
AV	5.1468G	44.51	54.00	-9.49	3.36	3	Horizontal	120	1.76	-	41.15
PK	5.1968G	114.32	Inf	-Inf	3.41	3	Horizontal	120	1.76	-	110.91
AV	5.1964G	100.26	Inf	-Inf	3.41	3	Horizontal	120	1.76	-	96.85
PK	5.3704G	57.17	74.00	-16.83	4.02	3	Horizontal	120	1.76	-	53.15
AV	5.3996G	43.85	54.00	-10.15	4.14	3	Horizontal	120	1.76	-	39.71

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5200MHz\_TX



EUT X\_4TX  
Setting 80  
04-S-5  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60229G	55.87	74.00	-18.13	10.74	3	Vertical	246	2.47	-	45.13
AV	15.59754G	41.58	54.00	-12.42	10.74	3	Vertical	246	2.47	-	30.84



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 80  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59905G	56.85	74.00	-17.15	10.74	3	Horizontal	320	1.86	-	46.11
AV	15.59799G	41.63	54.00	-12.37	10.74	3	Horizontal	320	1.86	-	30.89

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1314G	64.86	74.00	-9.14	3.34	3	Vertical	189	2.02	-	61.52
AV	5.1362G	52.65	54.00	-1.35	3.35	3	Vertical	189	2.02	-	49.30
PK	5.2442G	126.56	Inf	-Inf	3.56	3	Vertical	189	2.02	-	123.00
AV	5.2391G	114.94	Inf	-Inf	3.54	3	Vertical	189	2.02	-	111.40
PK	5.3519G	65.96	74.00	-8.04	3.95	3	Vertical	189	2.02	-	62.01
AV	5.3525G	53.28	54.00	-0.72	3.95	3	Vertical	189	2.02	-	49.33

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1167G	56.92	74.00	-17.08	3.33	3	Horizontal	120	1.80	-	53.59
AV	5.1335G	43.87	54.00	-10.13	3.34	3	Horizontal	120	1.80	-	40.53
PK	5.2367G	115.04	Inf	-Inf	3.53	3	Horizontal	120	1.80	-	111.51
AV	5.2418G	100.99	Inf	-Inf	3.54	3	Horizontal	120	1.80	-	97.45
PK	5.3567G	57.51	74.00	-16.49	3.96	3	Horizontal	120	1.80	-	53.55
AV	5.354G	44.09	54.00	-9.91	3.95	3	Horizontal	120	1.80	-	40.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71983G	55.59	74.00	-18.41	10.63	3	Vertical	299	1.23	-	44.96
AV	15.72137G	41.36	54.00	-12.64	10.63	3	Vertical	299	1.23	-	30.73

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72227G	55.79	74.00	-18.21	10.63	3	Horizontal	55	2.24	-	45.16
AV	15.71855G	41.34	54.00	-12.66	10.64	3	Horizontal	55	2.24	-	30.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 92  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	67.53	68.20	-0.67	4.74	3	Vertical	180	1.99	-	62.79
PK	5.746G	127.83	Inf	-Inf	4.89	3	Vertical	180	1.99	-	122.94
AV	5.746G	117.97	Inf	-Inf	4.89	3	Vertical	180	1.99	-	113.08
PK	5.9585G	62.93	68.20	-5.27	5.88	3	Vertical	180	1.99	-	57.05

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 92  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.499G	58.20	68.20	-10.00	4.52	3	Horizontal	147	1.90	-	53.68
PK	5.7425G	112.16	Inf	-Inf	4.89	3	Horizontal	147	1.90	-	107.27
AV	5.7475G	100.76	Inf	-Inf	4.90	3	Horizontal	147	1.90	-	95.86
PK	5.9385G	58.97	68.20	-9.23	5.77	3	Horizontal	147	1.90	-	53.20

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5745MHz\_TX



EUT X\_4TX  
Setting 92  
04-S-5  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48874G	53.26	74.00	-20.74	10.50	3	Vertical	18	1.26	-	42.76
AV	11.48753G	39.68	54.00	-14.32	10.50	3	Vertical	18	1.26	-	29.18



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 92  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48959G	53.45	74.00	-20.55	10.50	3	Horizontal	199	1.48	-	42.95
AV	11.48973G	39.71	54.00	-14.29	10.50	3	Horizontal	199	1.48	-	29.21

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 100  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	67.07	68.20	-1.13	4.74	3	Vertical	182	2.01	-	62.33
PK	5.7915G	128.18	Inf	-Inf	4.98	3	Vertical	182	2.01	-	123.20
AV	5.7835G	119.75	Inf	-Inf	4.97	3	Vertical	182	2.01	-	114.78
PK	5.927G	67.48	68.20	-0.72	5.70	3	Vertical	182	2.01	-	61.78

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 100  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.592G	58.96	68.20	-9.24	4.67	3	Horizontal	156	1.57	-	54.29
PK	5.778G	112.87	Inf	-Inf	4.96	3	Horizontal	156	1.57	-	107.91
AV	5.7835G	102.13	Inf	-Inf	4.97	3	Horizontal	156	1.57	-	97.16
PK	5.9805G	59.24	68.20	-8.96	6.00	3	Horizontal	156	1.57	-	53.24

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 100  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.999999G	46.99	74.00	-27.01	1.55	3	Vertical	140	1.69	-	45.44
AV	3.999995G	38.82	54.00	-15.18	1.55	3	Vertical	140	1.69	-	37.27
PK	11.56514G	57.41	74.00	-16.59	10.43	3	Vertical	351	1.89	-	46.98
AV	11.56988G	45.33	54.00	-8.67	10.43	3	Vertical	351	1.89	-	34.90
PK	17.35551G	63.44	68.20	-4.76	13.86	3	Vertical	32	1.50	-	49.58

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
 Setting 100  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.99997G	47.90	74.00	-26.10	1.55	3	Horizontal	209	1.88	-	46.35
AV	3.99999G	41.66	54.00	-12.34	1.55	3	Horizontal	209	1.88	-	40.11
PK	11.56982G	55.97	74.00	-18.03	10.43	3	Horizontal	108	1.50	-	45.54
AV	11.57018G	43.49	54.00	-10.51	10.43	3	Horizontal	108	1.50	-	33.06
PK	17.35104G	63.16	68.20	-5.04	13.85	3	Horizontal	124	1.50	-	49.31

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5825MHz\_TX




EUT\_X\_4TX  
Setting 94  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.602G	64.12	68.20	-4.08	4.69	3	Vertical	182	1.92	-	59.43
PK	5.8335G	128.29	Inf	-Inf	5.19	3	Vertical	182	1.92	-	123.10
AV	5.8235G	118.51	Inf	-Inf	5.14	3	Vertical	182	1.92	-	113.37
PK	5.925G	67.59	68.20	-0.61	5.69	3	Vertical	182	1.92	-	61.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 94  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5875G	58.37	68.20	-9.83	4.67	3	Horizontal	142	1.90	-	53.70
PK	5.822G	114.23	Inf	-Inf	5.13	3	Horizontal	142	1.90	-	109.10
AV	5.827G	101.18	Inf	-Inf	5.14	3	Horizontal	142	1.90	-	96.04
PK	5.973G	59.81	68.20	-8.39	5.97	3	Horizontal	142	1.90	-	53.84

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5825MHz\_TX



EUT X\_4TX  
Setting 94  
04-S-5  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65077G	51.81	74.00	-22.19	10.37	3	Vertical	192	1.02	-	41.44
AV	11.64966G	38.71	54.00	-15.29	10.37	3	Vertical	192	1.02	-	28.34



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

06/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 94  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64821G	52.10	74.00	-21.90	10.37	3	Horizontal	61	1.63	-	41.73
AV	11.65007G	38.76	54.00	-15.24	10.37	3	Horizontal	61	1.63	-	28.39

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 46  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1459G	64.30	74.00	-9.70	3.36	3	Vertical	186	2.01	-	60.94
AV	5.1462G	53.44	54.00	-0.56	3.36	3	Vertical	186	2.01	-	50.08
PK	5.1864G	115.29	Inf	-Inf	3.40	3	Vertical	186	2.01	-	111.89
AV	5.1864G	104.35	Inf	-Inf	3.40	3	Vertical	186	2.01	-	100.95

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 46  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	57.19	74.00	-16.81	3.36	3	Horizontal	121	1.58	-	53.83
AV	5.15G	45.13	54.00	-8.87	3.36	3	Horizontal	121	1.58	-	41.77
PK	5.1819G	101.26	Inf	-Inf	3.39	3	Horizontal	121	1.58	-	97.87
AV	5.1966G	90.18	Inf	-Inf	3.41	3	Horizontal	121	1.58	-	86.77

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 46  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56839G	56.65	74.00	-17.35	10.77	3	Vertical	135	1.43	-	45.88
AV	15.57229G	43.68	54.00	-10.32	10.76	3	Vertical	135	1.43	-	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
 Setting 46  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57003G	56.63	74.00	-17.37	10.76	3	Horizontal	43	1.78	-	45.87
AV	15.56759G	43.75	54.00	-10.25	10.77	3	Horizontal	43	1.78	-	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5230MHz\_TX




EUT\_X\_4TX  
Setting 73  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	67.62	74.00	-6.38	3.36	3	Vertical	186	1.50	-	64.26
AV	5.1466G	53.39	54.00	-0.61	3.36	3	Vertical	186	1.50	-	50.03
PK	5.2264G	121.51	Inf	-Inf	3.49	3	Vertical	186	1.50	-	118.02
AV	5.2366G	110.80	Inf	-Inf	3.53	3	Vertical	186	1.50	-	107.27
PK	5.365G	62.52	74.00	-11.48	4.00	3	Vertical	186	1.50	-	58.52
AV	5.3545G	51.53	54.00	-2.47	3.95	3	Vertical	186	1.50	-	47.58

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5230MHz\_TX




EUT\_X\_4TX  
Setting 73  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1475G	59.43	74.00	-14.57	3.36	3	Horizontal	120	1.83	-	56.07
AV	5.1496G	45.62	54.00	-8.38	3.36	3	Horizontal	120	1.83	-	42.26
PK	5.2219G	108.10	Inf	-Inf	3.48	3	Horizontal	120	1.83	-	104.62
AV	5.2366G	97.08	Inf	-Inf	3.53	3	Horizontal	120	1.83	-	93.55
PK	5.3767G	57.61	74.00	-16.39	4.04	3	Horizontal	120	1.83	-	53.57
AV	5.362G	45.67	54.00	-8.33	3.99	3	Horizontal	120	1.83	-	41.68

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5230MHz\_TX



EUT X\_4TX  
 Setting 73  
 04-S-5  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68875G	55.79	74.00	-18.21	10.66	3	Vertical	85	1.44	-	45.13
AV	15.69024G	43.11	54.00	-10.89	10.66	3	Vertical	85	1.44	-	32.45



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 73  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69127G	55.79	74.00	-18.21	10.66	3	Horizontal	174	1.49	-	45.13
AV	15.69217G	43.09	54.00	-10.91	10.66	3	Horizontal	174	1.49	-	32.43

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 77  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6505G	67.89	68.57	-0.68	4.75	3	Vertical	177	2.04	-	63.14
PK	5.766G	125.34	Inf	-Inf	4.93	3	Vertical	177	2.04	-	120.41
AV	5.7605G	112.98	Inf	-Inf	4.92	3	Vertical	177	2.04	-	108.06
PK	5.9885G	63.50	68.20	-4.70	6.04	3	Vertical	177	2.04	-	57.46

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 77  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6335G	59.24	68.20	-8.96	4.72	3	Horizontal	136	1.74	-	54.52
PK	5.769G	106.16	Inf	-Inf	4.94	3	Horizontal	136	1.74	-	101.22
AV	5.759G	95.61	Inf	-Inf	4.92	3	Horizontal	136	1.74	-	90.69
PK	5.9655G	59.36	68.20	-8.84	5.92	3	Horizontal	136	1.74	-	53.44

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 77  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50968G	53.12	74.00	-20.88	10.49	3	Vertical	91	2.49	-	42.63
AV	11.5102G	40.43	54.00	-13.57	10.49	3	Vertical	91	2.49	-	29.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5755MHz\_TX




EUT X\_4TX  
 Setting 77  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5108G	52.93	74.00	-21.07	10.49	3	Horizontal	273	2.21	-	42.44
AV	11.50875G	40.35	54.00	-13.65	10.49	3	Horizontal	273	2.21	-	29.86

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 83  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	64.50	68.20	-3.70	4.73	3	Vertical	181	1.80	-	59.77
PK	5.809G	126.52	Inf	-Inf	5.06	3	Vertical	181	1.80	-	121.46
AV	5.799G	115.40	Inf	-Inf	5.00	3	Vertical	181	1.80	-	110.40
PK	5.929G	67.56	68.20	-0.64	5.72	3	Vertical	181	1.80	-	61.84

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 83  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.596G	58.83	68.20	-9.37	4.68	3	Horizontal	137	1.74	-	54.15
PK	5.789G	106.91	Inf	-Inf	4.98	3	Horizontal	137	1.74	-	101.93
AV	5.784G	95.94	Inf	-Inf	4.97	3	Horizontal	137	1.74	-	90.97
PK	5.974G	59.17	68.20	-9.03	5.97	3	Horizontal	137	1.74	-	53.20

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5795MHz\_TX



EUT X\_4TX  
Setting 83  
04-S-5  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59023G	51.95	74.00	-22.05	10.41	3	Vertical	269	1.98	-	41.54
AV	11.59191G	39.27	54.00	-14.73	10.41	3	Vertical	269	1.98	-	28.86



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

06/10/2019

### 5795MHz\_TX




EUT X\_4TX  
 Setting 83  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5899G	52.43	74.00	-21.57	10.41	3	Horizontal	18	2.26	-	42.02
AV	11.58958G	39.28	54.00	-14.72	10.41	3	Horizontal	18	2.26	-	28.87

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 42  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1415G	66.85	74.00	-7.15	3.35	3	Vertical	185	2.01	-	63.50
AV	5.1465G	53.36	54.00	-0.64	3.36	3	Vertical	185	2.01	-	50.00
PK	5.201G	111.93	Inf	-Inf	3.41	3	Vertical	185	2.01	-	108.52
AV	5.1815G	101.21	Inf	-Inf	3.39	3	Vertical	185	2.01	-	97.82
PK	5.361G	60.45	74.00	-13.55	3.98	3	Vertical	185	2.01	-	56.47
AV	5.3545G	48.31	54.00	-5.69	3.95	3	Vertical	185	2.01	-	44.36

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 42  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.093G	57.27	74.00	-16.73	3.32	3	Horizontal	119	1.82	-	53.95
AV	5.0535G	45.40	54.00	-8.60	3.36	3	Horizontal	119	1.82	-	42.04
PK	5.201G	97.47	Inf	-Inf	3.41	3	Horizontal	119	1.82	-	94.06
AV	5.1815G	87.38	Inf	-Inf	3.39	3	Horizontal	119	1.82	-	83.99
PK	5.439G	58.69	74.00	-15.31	4.30	3	Horizontal	119	1.82	-	54.39
AV	5.4465G	46.54	54.00	-7.46	4.33	3	Horizontal	119	1.82	-	42.21

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT X\_4TX  
 Setting 42  
 04-S-5  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63011G	55.47	74.00	-18.53	10.72	3	Vertical	215	2.22	-	44.75
AV	15.62841G	42.82	54.00	-11.18	10.72	3	Vertical	215	2.22	-	32.10

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 42  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62999G	55.11	74.00	-18.89	10.72	3	Horizontal	150	1.25	-	44.39
AV	15.62929G	42.88	54.00	-11.12	10.72	3	Horizontal	150	1.25	-	32.16

802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/10/2019

5775MHz\_TX




EUT X\_4TX  
Setting 59  
04-S-5-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6435G	67.55	68.20	-0.65	4.73	3	Vertical	181	2.02	-	62.82
PK	5.7735G	118.55	Inf	-Inf	4.95	3	Vertical	181	2.02	-	113.60
AV	5.7785G	106.31	Inf	-Inf	4.96	3	Vertical	181	2.02	-	101.35
PK	5.965G	63.28	68.20	-4.92	5.91	3	Vertical	181	2.02	-	57.37

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/10/2019

### 5775MHz\_TX




EUT\_X\_4TX  
 Setting 59  
 04-S-5-10  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.586G	59.46	68.20	-8.74	4.66	3	Horizontal	139	1.97	-	54.80
PK	5.7715G	100.43	Inf	-Inf	4.94	3	Horizontal	139	1.97	-	95.49
AV	5.7465G	88.96	Inf	-Inf	4.89	3	Horizontal	139	1.97	-	84.07
PK	5.9785G	59.72	68.20	-8.48	5.99	3	Horizontal	139	1.97	-	53.73

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/10/2019

### 5775MHz\_TX



EUT X\_4TX  
 Setting 59  
 04-S-5  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55078G	52.11	74.00	-21.89	10.45	3	Vertical	222	1.51	-	41.66
AV	11.54793G	39.22	54.00	-14.78	10.45	3	Vertical	222	1.51	-	28.77



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

06/10/2019

### 5775MHz\_TX



EUT X\_4TX  
Setting 59  
04-S-5  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5496G	52.13	74.00	-21.87	10.45	3	Horizontal	360	1.52	-	41.68
AV	11.54938G	39.40	54.00	-14.60	10.45	3	Horizontal	360	1.52	-	28.95




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	PK	5.647G	67.68	68.20	-0.52	4.74	3	Vertical	178	1.82	-

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5180MHz\_TX




EUT X\_4TX  
Setting 55  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1495G	73.30	74.00	-0.70	3.36	3	Vertical	3	1.45	-	69.94
AV	5.1493G	50.68	54.00	-3.32	3.36	3	Vertical	3	1.45	-	47.32
PK	5.183G	120.17	Inf	-Inf	3.39	3	Vertical	3	1.45	-	116.78
AV	5.1773G	106.94	Inf	-Inf	3.39	3	Vertical	3	1.45	-	103.55

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5180MHz\_TX




EUT X\_4TX  
 Setting 55  
 04-B-4-13  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1387G	59.72	74.00	-14.28	3.35	3	Horizontal	317	1.80	-	56.37
AV	5.1493G	46.13	54.00	-7.87	3.36	3	Horizontal	317	1.80	-	42.77
PK	5.1883G	108.29	Inf	-Inf	3.40	3	Horizontal	317	1.80	-	104.89
AV	5.1847G	94.81	Inf	-Inf	3.39	3	Horizontal	317	1.80	-	91.42

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5180MHz\_TX




EUT X\_4TX  
Setting 55  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53154G	57.01	74.00	-16.99	10.80	3	Vertical	21	1.47	-	46.21
AV	15.54981G	43.38	54.00	-10.62	10.79	3	Vertical	21	1.47	-	32.59

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5180MHz\_TX




EUT X\_4TX  
Setting 55  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53343G	57.21	74.00	-16.79	10.80	3	Horizontal	91	1.58	-	46.41
AV	15.54726G	43.30	54.00	-10.70	10.79	3	Horizontal	91	1.58	-	32.51

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5200MHz\_TX




EUT X\_4TX  
Setting 79  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	72.95	74.00	-1.05	3.36	3	Vertical	181	1.50	-	69.59
AV	5.15G	53.27	54.00	-0.73	3.36	3	Vertical	181	1.50	-	49.91
PK	5.203G	125.13	Inf	-Inf	3.42	3	Vertical	181	1.50	-	121.71
AV	5.198G	111.95	Inf	-Inf	3.41	3	Vertical	181	1.50	-	108.54

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5200MHz\_TX



EUT X\_4TX  
 Setting 79  
 04-B-4-13  
 FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.105G	60.03	74.00	-13.97	3.32	3	Horizontal	135	2.11	-	56.71
AV	5.1496G	46.51	54.00	-7.49	3.36	3	Horizontal	135	2.11	-	43.15
PK	5.203G	113.19	Inf	-Inf	3.42	3	Horizontal	135	2.11	-	109.77
AV	5.2038G	100.23	Inf	-Inf	3.42	3	Horizontal	135	2.11	-	96.81



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 79  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59217G	55.91	74.00	-18.09	10.76	3	Vertical	137	1.53	-	45.15
AV	15.58806G	42.81	54.00	-11.19	10.76	3	Vertical	137	1.53	-	32.05

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5200MHz\_TX




EUT X\_4TX  
Setting 79  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59058G	56.21	74.00	-17.79	10.76	3	Horizontal	311	1.45	-	45.45
AV	15.58674G	42.73	54.00	-11.27	10.76	3	Horizontal	311	1.45	-	31.97

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 97  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1491G	70.64	74.00	-3.36	3.36	3	Vertical	188	1.50	-	67.28
AV	5.15G	52.52	54.00	-1.48	3.36	3	Vertical	188	1.50	-	49.16
PK	5.2442G	125.78	Inf	-Inf	3.56	3	Vertical	188	1.50	-	122.22
AV	5.2445G	115.69	Inf	-Inf	3.56	3	Vertical	188	1.50	-	112.13
PK	5.3504G	68.90	74.00	-5.10	3.94	3	Vertical	188	1.50	-	64.96
AV	5.3507G	53.40	54.00	-0.60	3.94	3	Vertical	188	1.50	-	49.46

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5240MHz\_TX




EUT\_X\_4TX  
Setting 97  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	59.07	74.00	-14.93	3.36	3	Horizontal	207	1.08	-	55.71
AV	5.1422G	45.90	54.00	-8.10	3.35	3	Horizontal	207	1.08	-	42.55
PK	5.2427G	113.22	Inf	-Inf	3.56	3	Horizontal	207	1.08	-	109.66
AV	5.2448G	101.09	Inf	-Inf	3.56	3	Horizontal	207	1.08	-	97.53
PK	5.3825G	59.58	74.00	-14.42	4.07	3	Horizontal	207	1.08	-	55.51
AV	5.3531G	46.78	54.00	-7.22	3.95	3	Horizontal	207	1.08	-	42.83

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5240MHz\_TX




EUT X\_4TX  
 Setting 97  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72894G	60.94	74.00	-13.06	10.63	3	Vertical	26	2.26	-	50.31
AV	15.72261G	47.24	54.00	-6.76	10.63	3	Vertical	26	2.26	-	36.61

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 97  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71715G	61.58	74.00	-12.42	10.64	3	Horizontal	333	1.52	-	50.94
AV	15.71625G	46.09	54.00	-7.91	10.64	3	Horizontal	333	1.52	-	35.45

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 91  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	67.56	68.20	-0.64	4.74	3	Vertical	178	1.50	-	62.82
PK	5.7535G	124.17	Inf	-Inf	4.91	3	Vertical	178	1.50	-	119.26
AV	5.738G	111.22	Inf	-Inf	4.88	3	Vertical	178	1.50	-	106.34
PK	5.979G	63.78	68.20	-4.42	6.00	3	Vertical	178	1.50	-	57.78

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

11/10/2019

5745MHz\_TX



EUT\_X\_4TX  
Setting 91  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.589G	60.14	68.20	-8.06	4.67	3	Horizontal	221	1.02	-	55.47
PK	5.7475G	116.12	Inf	-Inf	4.90	3	Horizontal	221	1.02	-	111.22
AV	5.7415G	102.78	Inf	-Inf	4.88	3	Horizontal	221	1.02	-	97.90
PK	5.99G	60.57	68.20	-7.63	6.05	3	Horizontal	221	1.02	-	54.52



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5745MHz\_TX




EUT X\_4TX  
Setting 91  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47536G	53.78	74.00	-20.22	10.52	3	Vertical	266	1.70	-	43.26
AV	11.48934G	40.82	54.00	-13.18	10.50	3	Vertical	266	1.70	-	30.32

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 91  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49369G	54.38	74.00	-19.62	10.50	3	Horizontal	123	1.40	-	43.88
AV	11.49369G	41.21	54.00	-12.79	10.49	3	Horizontal	123	1.40	-	30.72

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5785MHz\_TX




EUT\_X\_4TX  
Setting 100  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6465G	67.49	68.20	-0.71	4.74	3	Vertical	180	1.76	-	62.75
PK	5.7805G	125.24	Inf	-Inf	4.96	3	Vertical	180	1.76	-	120.28
AV	5.793G	111.18	Inf	-Inf	4.99	3	Vertical	180	1.76	-	106.19
PK	5.929G	67.23	68.20	-0.97	5.72	3	Vertical	180	1.76	-	61.51

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5785MHz\_TX




EUT\_X\_4TX  
Setting 100  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5535G	60.52	68.20	-7.68	4.61	3	Horizontal	221	1.46	-	55.91
PK	5.7875G	112.94	Inf	-Inf	4.97	3	Horizontal	221	1.46	-	107.97
AV	5.787G	100.90	Inf	-Inf	4.97	3	Horizontal	221	1.46	-	95.93
PK	5.964G	61.77	68.20	-6.43	5.91	3	Horizontal	221	1.46	-	55.86

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5785MHz\_TX




EUT X\_4TX  
 Setting 100  
 04-C-4  
 FSP(100142))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57243G	53.20	74.00	-20.80	10.43	3	Vertical	184	1.37	-	42.77
AV	11.57102G	39.55	54.00	-14.45	10.43	3	Vertical	184	1.37	-	29.12

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5785MHz\_TX




EUT X\_4TX  
Setting 100  
04-C-4  
FSP(100142))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56028G	53.38	74.00	-20.62	10.45	3	Horizontal	62	1.70	-	42.93
AV	11.57216G	39.88	54.00	-14.12	10.43	3	Horizontal	62	1.70	-	29.45

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5825MHz\_TX




EUT\_X\_4TX  
Setting 90  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5855G	63.42	68.20	-4.78	4.66	3	Vertical	181	1.72	-	58.76
PK	5.8265G	124.90	Inf	-Inf	5.14	3	Vertical	181	1.72	-	119.76
AV	5.8295G	113.84	Inf	-Inf	5.16	3	Vertical	181	1.72	-	108.68
PK	5.928G	67.57	68.20	-0.63	5.71	3	Vertical	181	1.72	-	61.86

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5825MHz\_TX



EUT X\_4TX  
Setting 90  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.591G	60.74	68.20	-7.46	4.67	3	Horizontal	222	1.81	-	56.07
PK	5.8335G	112.50	Inf	-Inf	5.19	3	Horizontal	222	1.81	-	107.31
AV	5.827G	99.16	Inf	-Inf	5.14	3	Horizontal	222	1.81	-	94.02
PK	5.9645G	61.46	68.20	-6.74	5.91	3	Horizontal	222	1.81	-	55.55



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5825MHz\_TX




EUT X\_4TX  
Setting 90  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64826G	55.23	74.00	-18.77	10.37	3	Vertical	139	1.44	-	44.86
AV	11.64598G	41.43	54.00	-12.57	10.36	3	Vertical	139	1.44	-	31.07

802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5825MHz\_TX




EUT X\_4TX  
Setting 90  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65006G	53.41	74.00	-20.59	10.37	3	Horizontal	227	1.65	-	43.04
AV	11.66107G	39.34	54.00	-14.66	10.36	3	Horizontal	227	1.65	-	28.98

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 44  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	67.39	74.00	-6.61	3.36	3	Vertical	177	1.65	-	64.03
AV	5.1496G	53.41	54.00	-0.59	3.36	3	Vertical	177	1.65	-	50.05
PK	5.1988G	112.77	Inf	-Inf	3.41	3	Vertical	177	1.65	-	109.36
AV	5.1958G	100.49	Inf	-Inf	3.41	3	Vertical	177	1.65	-	97.08

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 44  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	56.25	74.00	-17.75	3.36	3	Horizontal	216	1.12	-	52.89
AV	5.1494G	43.94	54.00	-10.06	3.36	3	Horizontal	216	1.12	-	40.58
PK	5.1986G	100.73	Inf	-Inf	3.41	3	Horizontal	216	1.12	-	97.32
AV	5.203G	88.04	Inf	-Inf	3.42	3	Horizontal	216	1.12	-	84.62

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5190MHz\_TX




EUT X\_4TX  
Setting 44  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57735G	56.40	74.00	-17.60	10.76	3	Vertical	258	1.82	-	45.64
AV	15.55767G	43.05	54.00	-10.95	10.78	3	Vertical	258	1.82	-	32.27

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5190MHz\_TX




EUT X\_4TX  
Setting 44  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.55794G	57.04	74.00	-16.96	10.77	3	Horizontal	183	1.98	-	46.27
AV	15.56334G	42.96	54.00	-11.04	10.77	3	Horizontal	183	1.98	-	32.19

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 71  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	71.91	74.00	-2.09	3.36	3	Vertical	182	1.46	-	68.55
AV	5.149G	53.30	54.00	-0.70	3.36	3	Vertical	182	1.46	-	49.94
PK	5.2171G	120.57	Inf	-Inf	3.46	3	Vertical	182	1.46	-	117.11
AV	5.2231G	107.53	Inf	-Inf	3.49	3	Vertical	182	1.46	-	104.04
PK	5.3506G	62.80	74.00	-11.20	3.94	3	Vertical	182	1.46	-	58.86
AV	5.3566G	49.78	54.00	-4.22	3.96	3	Vertical	182	1.46	-	45.82

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5230MHz\_TX



EUT X\_4TX  
Setting 71  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	58.46	74.00	-15.54	3.36	3	Horizontal	214	1.76	-	55.10
AV	5.1469G	44.02	54.00	-9.98	3.36	3	Horizontal	214	1.76	-	40.66
PK	5.2171G	107.56	Inf	-Inf	3.46	3	Horizontal	214	1.76	-	104.10
AV	5.2219G	95.10	Inf	-Inf	3.48	3	Horizontal	214	1.76	-	91.62
PK	5.3593G	57.70	74.00	-16.30	3.98	3	Horizontal	214	1.76	-	53.72
AV	5.3788G	44.23	54.00	-9.77	4.06	3	Horizontal	214	1.76	-	40.17



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 71  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68007G	55.75	74.00	-18.25	10.67	3	Vertical	178	1.34	-	45.08
AV	15.68127G	42.02	54.00	-11.98	10.66	3	Vertical	178	1.34	-	31.36

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 71  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69264G	55.30	74.00	-18.70	10.66	3	Horizontal	62	1.54	-	44.64
AV	15.69195G	42.17	54.00	-11.83	10.66	3	Horizontal	62	1.54	-	31.51

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 74  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.68	68.20	-0.52	4.74	3	Vertical	178	1.82	-	62.94
PK	5.743G	119.63	Inf	-Inf	4.89	3	Vertical	178	1.82	-	114.74
AV	5.758G	103.12	Inf	-Inf	4.92	3	Vertical	178	1.82	-	98.20
PK	5.984G	62.02	68.20	-6.18	6.02	3	Vertical	178	1.82	-	56.00

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 74  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6285G	57.59	68.20	-10.61	4.72	3	Horizontal	219	1.44	-	52.87
PK	5.7635G	105.92	Inf	-Inf	4.93	3	Horizontal	219	1.44	-	100.99
AV	5.746G	95.43	Inf	-Inf	4.89	3	Horizontal	219	1.44	-	90.54
PK	5.9625G	57.76	68.20	-10.44	5.90	3	Horizontal	219	1.44	-	51.86

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 74  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51282G	53.35	74.00	-20.65	10.48	3	Vertical	94	1.24	-	42.87
AV	11.49821G	39.96	54.00	-14.04	10.49	3	Vertical	94	1.24	-	29.47

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 74  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51684G	52.88	74.00	-21.12	10.48	3	Horizontal	204	1.73	-	42.40
AV	11.49605G	39.81	54.00	-14.19	10.49	3	Horizontal	204	1.73	-	29.32

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5795MHz\_TX




EUT X\_4TX  
Setting 83  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	64.32	68.20	-3.88	4.73	3	Vertical	180	1.83	-	59.59
PK	5.7985G	121.36	Inf	-Inf	5.00	3	Vertical	180	1.83	-	116.36
AV	5.7895G	104.24	Inf	-Inf	4.98	3	Vertical	180	1.83	-	99.26
PK	5.926G	67.55	68.20	-0.65	5.70	3	Vertical	180	1.83	-	61.85

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5795MHz\_TX



EUT X\_4TX  
Setting 83  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5905G	57.97	68.20	-10.23	4.67	3	Horizontal	222	1.50	-	53.30
PK	5.7885G	109.17	Inf	-Inf	4.98	3	Horizontal	222	1.50	-	104.19
AV	5.791G	98.20	Inf	-Inf	4.98	3	Horizontal	222	1.50	-	93.22
PK	5.983G	58.71	68.20	-9.49	6.02	3	Horizontal	222	1.50	-	52.69



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5795MHz\_TX




EUT X\_4TX  
 Setting 83  
 04-C-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5948G	52.88	74.00	-21.12	10.41	3	Vertical	193	1.37	-	42.47
AV	11.58307G	39.31	54.00	-14.69	10.43	3	Vertical	193	1.37	-	28.88

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 83  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60038G	52.27	74.00	-21.73	10.41	3	Horizontal	123	1.29	-	41.86
AV	11.5894G	39.15	54.00	-14.85	10.41	3	Horizontal	123	1.29	-	28.74

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5210MHz\_TX




EUT\_X\_4TX  
Setting 41  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14G	67.14	74.00	-6.86	3.35	3	Vertical	179	1.45	-	63.79
AV	5.1468G	53.30	54.00	-0.70	3.36	3	Vertical	179	1.45	-	49.94
PK	5.2008G	109.66	Inf	-Inf	3.41	3	Vertical	179	1.45	-	106.25
AV	5.2248G	97.11	Inf	-Inf	3.49	3	Vertical	179	1.45	-	93.62
PK	5.378G	58.32	74.00	-15.68	4.05	3	Vertical	179	1.45	-	54.27
AV	5.3508G	45.80	54.00	-8.20	3.94	3	Vertical	179	1.45	-	41.86

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 41  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0668G	55.90	74.00	-18.10	3.34	3	Horizontal	217	1.83	-	52.56
AV	5.148G	43.05	54.00	-10.95	3.36	3	Horizontal	217	1.83	-	39.69
PK	5.2208G	97.59	Inf	-Inf	3.48	3	Horizontal	217	1.83	-	94.11
AV	5.2236G	85.10	Inf	-Inf	3.49	3	Horizontal	217	1.83	-	81.61
PK	5.3608G	56.59	74.00	-17.41	3.98	3	Horizontal	217	1.83	-	52.61
AV	5.4072G	43.66	54.00	-10.34	4.17	3	Horizontal	217	1.83	-	39.49

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 41  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6225G	55.19	74.00	-18.81	10.72	3	Vertical	82	1.46	-	44.47
AV	15.6444G	41.09	54.00	-12.91	10.70	3	Vertical	82	1.46	-	30.39

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

14/10/2019

5210MHz\_TX




EUT X\_4TX  
Setting 41  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6183G	55.10	74.00	-18.90	10.73	3	Horizontal	224	1.59	-	44.37
AV	15.64083G	41.23	54.00	-12.77	10.71	3	Horizontal	224	1.59	-	30.52

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/10/2019

### 5775MHz\_TX




EUT X\_4TX  
Setting 59  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	67.66	68.20	-0.54	4.74	3	Vertical	177	1.46	-	62.92
PK	5.75G	114.30	Inf	-Inf	4.91	3	Vertical	177	1.46	-	109.39
AV	5.743G	97.80	Inf	-Inf	4.89	3	Vertical	177	1.46	-	92.91
PK	5.9355G	61.78	68.20	-6.42	5.76	3	Vertical	177	1.46	-	56.02

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

10/10/2019

5775MHz\_TX



EUT X\_4TX  
Setting 59  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6245G	58.28	68.20	-9.92	4.72	3	Horizontal	222	1.81	-	53.56
PK	5.7465G	100.47	Inf	-Inf	4.89	3	Horizontal	222	1.81	-	95.58
AV	5.786G	87.80	Inf	-Inf	4.97	3	Horizontal	222	1.81	-	82.83
PK	5.9865G	58.32	68.20	-9.88	6.03	3	Horizontal	222	1.81	-	52.29



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5775MHz\_TX




EUT X\_4TX  
Setting 59  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.535G	52.38	74.00	-21.62	10.46	3	Vertical	85	1.52	-	41.92
AV	11.54676G	38.88	54.00	-15.12	10.46	3	Vertical	85	1.52	-	28.42

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

14/10/2019

### 5775MHz\_TX



EUT X\_4TX  
Setting 59  
04-C-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54196G	52.59	74.00	-21.41	10.46	3	Horizontal	234	1.75	-	42.13
AV	11.53551G	38.89	54.00	-15.11	10.46	3	Horizontal	234	1.75	-	28.43




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss4,(MCS0)_4TX	Pass	PK	5.9275G	67.69	68.20	-0.51	5.71	3	Vertical	353	1.89	-

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 61  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1495G	68.26	74.00	-5.74	3.36	3	Vertical	356	1.71	-	64.90
AV	5.1494G	53.33	54.00	-0.67	3.36	3	Vertical	356	1.71	-	49.97
PK	5.1781G	118.92	Inf	-Inf	3.39	3	Vertical	356	1.71	-	115.53
AV	5.1816G	106.74	Inf	-Inf	3.39	3	Vertical	356	1.71	-	103.35

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 61  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	57.74	74.00	-16.26	3.36	3	Horizontal	299	1.78	-	54.38
AV	5.148G	45.03	54.00	-8.97	3.36	3	Horizontal	299	1.78	-	41.67
PK	5.1731G	106.75	Inf	-Inf	3.38	3	Horizontal	299	1.78	-	103.37
AV	5.1859G	94.26	Inf	-Inf	3.40	3	Horizontal	299	1.78	-	90.86

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
Setting 61  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54013G	56.42	74.00	-17.58	10.80	3	Vertical	76	1.71	-	45.62
AV	15.54025G	43.06	54.00	-10.94	10.80	3	Vertical	76	1.71	-	32.26

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5180MHz\_TX




EUT X\_4TX  
 Setting 61  
 04-B-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54118G	56.25	74.00	-17.75	10.80	3	Horizontal	297	1.78	-	45.45
AV	15.54498G	43.47	54.00	-10.53	10.79	3	Horizontal	297	1.78	-	32.68

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5200MHz\_TX



EUT X\_4TX  
Setting 78  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.40	74.00	-7.60	3.36	3	Vertical	354	1.88	-	63.04
AV	5.1496G	53.45	54.00	-0.55	3.36	3	Vertical	354	1.88	-	50.09
PK	5.1988G	123.08	Inf	-Inf	3.41	3	Vertical	354	1.88	-	119.67
AV	5.2006G	111.27	Inf	-Inf	3.41	3	Vertical	354	1.88	-	107.86



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5200MHz\_TX




EUT\_X\_4TX  
Setting 78  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	59.85	74.00	-14.15	3.36	3	Horizontal	294	1.88	-	56.49
AV	5.0833G	47.30	54.00	-6.70	3.33	3	Horizontal	294	1.88	-	43.97
PK	5.1979G	108.41	Inf	-Inf	3.41	3	Horizontal	294	1.88	-	105.00
AV	5.2039G	96.59	Inf	-Inf	3.43	3	Horizontal	294	1.88	-	93.16

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 78  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60584G	55.16	74.00	-18.84	10.74	3	Vertical	67	1.87	-	44.42
AV	15.60521G	43.15	54.00	-10.85	10.74	3	Vertical	67	1.87	-	32.41

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5200MHz\_TX




EUT X\_4TX  
Setting 78  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6069G	55.61	74.00	-18.39	10.73	3	Horizontal	181	2.49	-	44.88
AV	15.6062G	43.02	54.00	-10.98	10.74	3	Horizontal	181	2.49	-	32.28

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1272G	64.78	74.00	-9.22	3.34	3	Vertical	357	1.84	-	61.44
AV	5.1242G	52.73	54.00	-1.27	3.33	3	Vertical	357	1.84	-	49.40
PK	5.2352G	125.31	Inf	-Inf	3.53	3	Vertical	357	1.84	-	121.78
AV	5.2418G	112.93	Inf	-Inf	3.54	3	Vertical	357	1.84	-	109.39
PK	5.354G	64.80	74.00	-9.20	3.95	3	Vertical	357	1.84	-	60.85
AV	5.35G	53.44	54.00	-0.56	3.94	3	Vertical	357	1.84	-	49.50

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5240MHz\_TX




EUT\_X\_4TX  
Setting 86  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1392G	59.60	74.00	-14.40	3.35	3	Horizontal	301	1.82	-	56.25
AV	5.1257G	47.36	54.00	-6.64	3.34	3	Horizontal	301	1.82	-	44.02
PK	5.2337G	108.54	Inf	-Inf	3.52	3	Horizontal	301	1.82	-	105.02
AV	5.2418G	97.05	Inf	-Inf	3.54	3	Horizontal	301	1.82	-	93.51
PK	5.3537G	59.83	74.00	-14.17	3.95	3	Horizontal	301	1.82	-	55.88
AV	5.3612G	48.19	54.00	-5.81	3.98	3	Horizontal	301	1.82	-	44.21

802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

5240MHz\_TX




EUT X\_4TX  
Setting 86  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72399G	56.03	74.00	-17.97	10.63	3	Vertical	37	2.14	-	45.40
AV	15.72378G	43.66	54.00	-10.34	10.63	3	Vertical	37	2.14	-	33.03

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5240MHz\_TX




EUT X\_4TX  
Setting 86  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71625G	55.41	74.00	-18.59	10.64	3	Horizontal	163	1.13	-	44.77
AV	15.71583G	43.21	54.00	-10.79	10.64	3	Horizontal	163	1.13	-	32.57

802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

5745MHz\_TX



EUT X\_4TX  
Setting 94  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6455G	67.60	68.20	-0.60	4.74	3	Vertical	354	1.79	-	62.86
PK	5.7515G	128.54	Inf	-Inf	4.90	3	Vertical	354	1.79	-	123.64
AV	5.749G	115.28	Inf	-Inf	4.90	3	Vertical	354	1.79	-	110.38
PK	5.939G	64.57	68.20	-3.63	5.77	3	Vertical	354	1.79	-	58.80



802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

5745MHz\_TX




EUT\_X\_4TX  
Setting 94  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5165G	61.19	68.20	-7.01	4.55	3	Horizontal	324	1.81	-	56.64
PK	5.7405G	113.67	Inf	-Inf	4.88	3	Horizontal	324	1.81	-	108.79
AV	5.747G	100.79	Inf	-Inf	4.89	3	Horizontal	324	1.81	-	95.90
PK	5.9435G	61.74	68.20	-6.46	5.80	3	Horizontal	324	1.81	-	55.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 94  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49041G	55.70	74.00	-18.30	10.50	3	Vertical	2	2.37	-	45.20
AV	11.48994G	42.51	54.00	-11.49	10.50	3	Vertical	2	2.37	-	32.01

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5745MHz\_TX




EUT X\_4TX  
Setting 94  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49108G	55.54	74.00	-18.46	10.50	3	Horizontal	101	1.63	-	45.04
AV	11.48691G	41.76	54.00	-12.24	10.51	3	Horizontal	101	1.63	-	31.25

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	66.62	68.20	-1.58	4.73	3	Vertical	353	1.89	-	61.89
PK	5.785G	127.31	Inf	-Inf	4.98	3	Vertical	353	1.89	-	122.33
AV	5.782G	115.68	Inf	-Inf	4.96	3	Vertical	353	1.89	-	110.72
PK	5.9275G	67.69	68.20	-0.51	5.71	3	Vertical	353	1.89	-	61.98

802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.568G	61.08	68.20	-7.12	4.64	3	Horizontal	322	1.75	-	56.44
PK	5.7805G	112.94	Inf	-Inf	4.96	3	Horizontal	322	1.75	-	107.98
AV	5.787G	101.64	Inf	-Inf	4.97	3	Horizontal	322	1.75	-	96.67
PK	5.933G	61.57	68.20	-6.63	5.74	3	Horizontal	322	1.75	-	55.83

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57801G	56.10	74.00	-17.90	10.43	3	Vertical	1	2.40	-	45.67
AV	11.5685G	42.28	54.00	-11.72	10.43	3	Vertical	1	2.40	-	31.85
PK	17.35812G	61.59	68.20	-6.61	13.87	3	Vertical	31	1.44	-	47.72

802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

5785MHz\_TX




EUT X\_4TX  
Setting 102  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57099G	56.07	74.00	-17.93	10.43	3	Horizontal	99	1.57	-	45.64
AV	11.56637G	41.89	54.00	-12.11	10.43	3	Horizontal	99	1.57	-	31.46
PK	17.34603G	62.49	68.20	-5.71	13.84	3	Horizontal	69	1.42	-	48.65

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5825MHz\_TX



EUT X\_4TX  
Setting 95  
04-B-4-13  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5775G	64.01	68.20	-4.19	4.65	3	Vertical	355	1.80	-	59.36
PK	5.8315G	127.93	Inf	-Inf	5.18	3	Vertical	355	1.80	-	122.75
AV	5.8235G	114.71	Inf	-Inf	5.14	3	Vertical	355	1.80	-	109.57
PK	5.9235G	68.58	69.31	-0.73	5.69	3	Vertical	355	1.80	-	62.89



### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 95  
04-B-4-13  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6495G	61.25	68.20	-6.95	4.74	3	Horizontal	322	1.60	-	56.51
PK	5.818G	111.42	Inf	-Inf	5.10	3	Horizontal	322	1.60	-	106.32
AV	5.827G	99.64	Inf	-Inf	5.14	3	Horizontal	322	1.60	-	94.50
PK	5.9695G	61.89	68.20	-6.31	5.95	3	Horizontal	322	1.60	-	55.94

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5825MHz\_TX




EUT X\_4TX  
 Setting 95  
 04-B-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65126G	55.79	74.00	-18.21	10.37	3	Vertical	337	1.52	-	45.42
AV	11.65025G	41.93	54.00	-12.07	10.37	3	Vertical	337	1.52	-	31.56

### 802.11ax HEW20\_Nss4,(MCS0)\_4TX

07/10/2019

### 5825MHz\_TX




EUT X\_4TX  
Setting 95  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65261G	56.33	74.00	-17.67	10.37	3	Horizontal	99	1.61	-	45.96
AV	11.65111G	41.71	54.00	-12.29	10.37	3	Horizontal	99	1.61	-	31.34

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 49  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	64.64	74.00	-9.36	3.36	3	Vertical	357	1.97	-	61.28
AV	5.1498G	53.32	54.00	-0.68	3.36	3	Vertical	357	1.97	-	49.96
PK	5.1844G	114.19	Inf	-Inf	3.39	3	Vertical	357	1.97	-	110.80
AV	5.1868G	101.29	Inf	-Inf	3.40	3	Vertical	357	1.97	-	97.89

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT\_X\_4TX  
Setting 49  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	56.80	74.00	-17.20	3.36	3	Horizontal	318	1.64	-	53.44
AV	5.1452G	46.05	54.00	-7.95	3.36	3	Horizontal	318	1.64	-	42.69
PK	5.179G	99.93	Inf	-Inf	3.39	3	Horizontal	318	1.64	-	96.54
AV	5.1914G	87.30	Inf	-Inf	3.40	3	Horizontal	318	1.64	-	83.90

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
 Setting 49  
 04-B-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56631G	56.66	74.00	-17.34	10.77	3	Vertical	321	1.98	-	45.89
AV	15.5601G	45.42	54.00	-8.58	10.77	3	Vertical	321	1.98	-	34.65

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5190MHz\_TX




EUT X\_4TX  
Setting 49  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57996G	56.70	74.00	-17.30	10.76	3	Horizontal	97	1.82	-	45.94
AV	15.55875G	45.27	54.00	-8.73	10.77	3	Horizontal	97	1.82	-	34.50

802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

5230MHz\_TX



EUT\_X\_4TX  
Setting 73  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1493G	69.72	74.00	-4.28	3.36	3	Vertical	358	1.87	-	66.36
AV	5.1499G	53.41	54.00	-0.59	3.36	3	Vertical	358	1.87	-	50.05
PK	5.2246G	120.07	Inf	-Inf	3.49	3	Vertical	358	1.87	-	116.58
AV	5.2399G	107.57	Inf	-Inf	3.54	3	Vertical	358	1.87	-	104.03
PK	5.3512G	62.42	74.00	-11.58	3.94	3	Vertical	358	1.87	-	58.48
AV	5.3524G	52.17	54.00	-1.83	3.95	3	Vertical	358	1.87	-	48.22



802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

5230MHz\_TX




EUT\_X\_4TX  
Setting 73  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1304G	57.10	74.00	-16.90	3.34	3	Horizontal	294	1.85	-	53.76
AV	5.1427G	46.34	54.00	-7.66	3.35	3	Horizontal	294	1.85	-	42.99
PK	5.239G	104.68	Inf	-Inf	3.54	3	Horizontal	294	1.85	-	101.14
AV	5.2441G	93.65	Inf	-Inf	3.56	3	Horizontal	294	1.85	-	90.09
PK	5.38G	57.54	74.00	-16.46	4.06	3	Horizontal	294	1.85	-	53.48
AV	5.356G	46.62	54.00	-7.38	3.96	3	Horizontal	294	1.85	-	42.66

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5230MHz\_TX




EUT X\_4TX  
Setting 73  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6945G	56.00	74.00	-18.00	10.66	3	Vertical	52	1.53	-	45.34
AV	15.6965G	44.16	54.00	-9.84	10.66	3	Vertical	52	1.53	-	33.50

802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

5230MHz\_TX




EUT X\_4TX  
Setting 73  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.70224G	55.63	74.00	-18.37	10.66	3	Horizontal	117	1.91	-	44.97
AV	15.70179G	44.46	54.00	-9.54	10.66	3	Horizontal	117	1.91	-	33.80

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 84  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.652G	69.10	69.68	-0.58	4.75	3	Vertical	356	1.84	-	64.35
PK	5.764G	122.48	Inf	-Inf	4.93	3	Vertical	356	1.84	-	117.55
AV	5.76G	109.92	Inf	-Inf	4.92	3	Vertical	356	1.84	-	105.00
PK	5.9775G	62.69	68.20	-5.51	5.99	3	Vertical	356	1.84	-	56.70

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 84  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6025G	58.41	68.20	-9.79	4.69	3	Horizontal	320	1.79	-	53.72
PK	5.7595G	106.74	Inf	-Inf	4.92	3	Horizontal	320	1.79	-	101.82
AV	5.7595G	95.28	Inf	-Inf	4.92	3	Horizontal	320	1.79	-	90.36
PK	5.9815G	58.96	68.20	-9.24	6.02	3	Horizontal	320	1.79	-	52.94

802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

5755MHz\_TX




EUT X\_4TX  
Setting 84  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51486G	54.03	74.00	-19.97	10.48	3	Vertical	1	1.79	-	43.55
AV	11.51459G	43.02	54.00	-10.98	10.48	3	Vertical	1	1.79	-	32.54

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5755MHz\_TX




EUT X\_4TX  
Setting 84  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5112G	53.90	74.00	-20.10	10.49	3	Horizontal	105	1.66	-	43.41
AV	11.51066G	43.61	54.00	-10.39	10.49	3	Horizontal	105	1.66	-	33.12

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5795MHz\_TX



EUT X\_4TX  
Setting 87  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	64.91	68.20	-3.29	4.74	3	Vertical	356	1.87	-	60.17
PK	5.8035G	123.51	Inf	-Inf	5.02	3	Vertical	356	1.87	-	118.49
AV	5.808G	110.67	Inf	-Inf	5.05	3	Vertical	356	1.87	-	105.62
PK	5.9235G	68.69	69.31	-0.62	5.69	3	Vertical	356	1.87	-	63.00



### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5795MHz\_TX




EUT\_X\_4TX  
Setting 87  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.625G	58.89	68.20	-9.31	4.71	3	Horizontal	320	1.86	-	54.18
PK	5.7995G	106.67	Inf	-Inf	5.00	3	Horizontal	320	1.86	-	101.67
AV	5.782G	95.38	Inf	-Inf	4.96	3	Horizontal	320	1.86	-	90.42
PK	5.987G	58.59	68.20	-9.61	6.03	3	Horizontal	320	1.86	-	52.56

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5795MHz\_TX




EUT X\_4TX  
Setting 87  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59592G	54.30	74.00	-19.70	10.41	3	Vertical	340	2.13	-	43.89
AV	11.59501G	43.53	54.00	-10.47	10.41	3	Vertical	340	2.13	-	33.12

### 802.11ax HEW40\_Nss4,(MCS0)\_4TX

07/10/2019

### 5795MHz\_TX




EUT X\_4TX  
 Setting 87  
 04-B-4  
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59078G	54.15	74.00	-19.85	10.41	3	Horizontal	102	1.68	-	43.74
AV	11.59069G	43.79	54.00	-10.21	10.41	3	Horizontal	102	1.68	-	33.38

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT\_X\_4TX  
Setting 46  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1432G	66.66	74.00	-7.34	3.35	3	Vertical	356	1.87	-	63.31
AV	5.1492G	53.31	54.00	-0.69	3.36	3	Vertical	356	1.87	-	49.95
PK	5.2236G	109.46	Inf	-Inf	3.49	3	Vertical	356	1.87	-	105.97
AV	5.192G	98.39	Inf	-Inf	3.40	3	Vertical	356	1.87	-	94.99
PK	5.3508G	60.29	74.00	-13.71	3.94	3	Vertical	356	1.87	-	56.35
AV	5.3712G	49.19	54.00	-4.81	4.02	3	Vertical	356	1.87	-	45.17

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 46  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.128G	57.88	74.00	-16.12	3.34	3	Horizontal	316	1.76	-	54.54
AV	5.116G	45.86	54.00	-8.14	3.33	3	Horizontal	316	1.76	-	42.53
PK	5.2076G	93.83	Inf	-Inf	3.44	3	Horizontal	316	1.76	-	90.39
AV	5.2016G	83.34	Inf	-Inf	3.41	3	Horizontal	316	1.76	-	79.93
PK	5.3788G	57.91	74.00	-16.09	4.06	3	Horizontal	316	1.76	-	53.85
AV	5.3652G	46.50	54.00	-7.50	4.00	3	Horizontal	316	1.76	-	42.50

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 46  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.64083G	55.32	74.00	-18.68	10.71	3	Vertical	21	1.88	-	44.61
AV	15.64122G	44.35	54.00	-9.65	10.71	3	Vertical	21	1.88	-	33.64

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5210MHz\_TX




EUT X\_4TX  
Setting 46  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63719G	55.53	74.00	-18.47	10.70	3	Horizontal	98	1.66	-	44.83
AV	15.63638G	43.95	54.00	-10.05	10.70	3	Horizontal	98	1.66	-	33.25

### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5775MHz\_TX



EUT X\_4TX  
Setting 61  
04-B-4-10  
FSP(100142)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	67.54	68.20	-0.66	4.73	3	Vertical	355	1.78	-	62.81
PK	5.7615G	113.76	Inf	-Inf	4.92	3	Vertical	355	1.78	-	108.84
AV	5.771G	101.83	Inf	-Inf	4.94	3	Vertical	355	1.78	-	96.89
PK	5.929G	63.06	68.20	-5.14	5.72	3	Vertical	355	1.78	-	57.34



### 802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

### 5775MHz\_TX




EUT\_X\_4TX  
Setting 61  
04-B-4-10  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.604G	58.12	68.20	-10.08	4.69	3	Horizontal	324	1.86	-	53.43
PK	5.7715G	97.65	Inf	-Inf	4.94	3	Horizontal	324	1.86	-	92.71
AV	5.779G	86.89	Inf	-Inf	4.96	3	Horizontal	324	1.86	-	81.93
PK	5.9465G	58.64	68.20	-9.56	5.82	3	Horizontal	324	1.86	-	52.82

802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

5775MHz\_TX




EUT X\_4TX  
Setting 61  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55383G	52.06	74.00	-21.94	10.43	3	Vertical	78	2.42	-	41.63
AV	11.55383G	41.58	54.00	-12.42	10.45	3	Vertical	78	2.42	-	31.13

802.11ax HEW80\_Nss4,(MCS0)\_4TX

07/10/2019

5775MHz\_TX



EUT X\_4TX  
Setting 61  
04-B-4  
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55527G	52.65	74.00	-21.35	10.45	3	Horizontal	118	1.96	-	42.20
AV	11.55299G	41.31	54.00	-12.69	10.45	3	Horizontal	118	1.96	-	30.86




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	17.35626G	67.68	68.20	-0.52	21.43	3	Horizontal	115	2.18	-

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 90  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1474G	71.62	74.00	-2.38	7.94	3	Vertical	207	2.30	-	63.68
AV	5.1498G	53.42	54.00	-0.58	7.94	3	Vertical	207	2.30	-	45.48
PK	5.1734G	112.44	Inf	-Inf	8.00	3	Vertical	207	2.30	-	104.44
AV	5.1752G	102.38	Inf	-Inf	8.01	3	Vertical	207	2.30	-	94.37

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 90  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1474G	69.25	74.00	-4.75	7.94	3	Horizontal	239	1.24	-	61.31
AV	5.1498G	51.14	54.00	-2.86	7.94	3	Horizontal	239	1.24	-	43.20
PK	5.1826G	111.17	Inf	-Inf	8.02	3	Horizontal	239	1.24	-	103.15
AV	5.1816G	101.01	Inf	-Inf	8.02	3	Horizontal	239	1.24	-	92.99

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 90  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5373G	60.14	74.00	-13.86	16.08	3	Vertical	345	1.89	-	44.06
AV	15.53702G	46.55	54.00	-7.45	16.08	3	Vertical	345	1.89	-	30.47

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5180MHz\_TX



EUT Y\_1TX  
Setting 90  
02-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54242G	59.20	74.00	-14.80	16.07	3	Horizontal	286	1.55	-	43.13
AV	15.54078G	46.12	54.00	-7.88	16.07	3	Horizontal	286	1.55	-	30.05



### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 102  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1448G	69.85	74.00	-4.15	7.94	3	Vertical	198	2.39	-	61.91
AV	5.15G	53.41	54.00	-0.59	7.94	3	Vertical	198	2.39	-	45.47
PK	5.1952G	115.89	Inf	-Inf	8.05	3	Vertical	198	2.39	-	107.84
AV	5.1976G	105.74	Inf	-Inf	8.06	3	Vertical	198	2.39	-	97.68

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 102  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.00	74.00	-6.00	7.94	3	Horizontal	245	1.13	-	60.06
AV	5.15G	51.89	54.00	-2.11	7.94	3	Horizontal	245	1.13	-	43.95
PK	5.1952G	113.69	Inf	-Inf	8.05	3	Horizontal	245	1.13	-	105.64
AV	5.2024G	103.76	Inf	-Inf	8.06	3	Horizontal	245	1.13	-	95.70

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
 Setting 102  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60354G	60.17	74.00	-13.83	15.90	3	Vertical	136	1.83	-	44.27
AV	15.60192G	46.82	54.00	-7.18	15.90	3	Vertical	136	1.83	-	30.92

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 102  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60804G	60.88	74.00	-13.12	15.89	3	Horizontal	42	1.89	-	44.99
AV	15.608322G	47.45	54.00	-6.55	15.89	3	Horizontal	42	1.89	-	31.56

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 120  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	69.06	74.00	-4.94	7.94	3	Vertical	206	2.26	-	61.12
AV	5.1482G	51.51	54.00	-2.49	7.94	3	Vertical	206	2.26	-	43.57
PK	5.2436G	118.17	Inf	-Inf	8.12	3	Vertical	206	2.26	-	110.05
AV	5.2424G	106.98	Inf	-Inf	8.12	3	Vertical	206	2.26	-	98.86
PK	5.357G	65.92	74.00	-8.08	8.28	3	Vertical	206	2.26	-	57.64
AV	5.35G	48.87	54.00	-5.13	8.28	3	Vertical	206	2.26	-	40.59

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 120  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.15	74.00	-7.85	7.94	3	Horizontal	246	1.39	-	58.21
AV	5.1458G	49.89	54.00	-4.11	7.94	3	Horizontal	246	1.39	-	41.95
PK	5.2436G	116.22	Inf	-Inf	8.12	3	Horizontal	246	1.39	-	108.10
AV	5.2424G	105.17	Inf	-Inf	8.12	3	Horizontal	246	1.39	-	97.05
PK	5.3516G	64.75	74.00	-9.25	8.28	3	Horizontal	246	1.39	-	56.47
AV	5.3504G	47.90	54.00	-6.10	8.28	3	Horizontal	246	1.39	-	39.62

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
 Setting 120  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47832G	58.60	68.20	-9.60	14.59	3	Vertical	205	2.21	-	44.01
PK	15.72018G	59.50	74.00	-14.50	15.60	3	Vertical	66	2.80	-	43.90
AV	15.72096G	45.82	54.00	-8.18	15.60	3	Vertical	66	2.80	-	30.22

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5240MHz\_TX



EUT Y\_1TX  
 Setting 120  
 02-B-4  
 FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48108G	57.04	68.20	-11.16	14.58	3	Horizontal	129	1.50	-	42.46
PK	15.71994G	58.97	74.00	-15.03	15.60	3	Horizontal	127	2.00	-	43.37
AV	15.71992G	45.93	54.00	-8.07	15.60	3	Horizontal	127	2.00	-	30.33



### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.556G	60.89	68.20	-7.31	8.55	3	Vertical	152	2.56	-	52.34
PK	5.748G	111.11	Inf	-Inf	8.82	3	Vertical	152	2.56	-	102.29
AV	5.749G	101.35	Inf	-Inf	8.82	3	Vertical	152	2.56	-	92.53
PK	5.936G	60.83	68.20	-7.37	8.93	3	Vertical	152	2.56	-	51.90

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.556G	60.89	68.20	-7.31	8.55	3	Horizontal	222	2.68	-	52.34
PK	5.746G	112.45	Inf	-Inf	8.82	3	Horizontal	222	2.68	-	103.63
AV	5.748G	102.54	Inf	-Inf	8.82	3	Horizontal	222	2.68	-	93.72
PK	5.981G	60.61	68.20	-7.59	8.94	3	Horizontal	222	2.68	-	51.67

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.47962G	54.33	74.00	-19.67	14.87	3	Vertical	165	1.39	-	39.46
AV	11.49144G	41.50	54.00	-12.50	14.89	3	Vertical	165	1.39	-	26.61
PK	17.22216G	67.08	68.20	-1.12	20.64	3	Vertical	9	2.52	-	46.44

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
 Setting 92  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49348G	54.71	74.00	-19.29	14.89	3	Horizontal	28	1.35	-	39.82
AV	11.49144G	41.20	54.00	-12.80	14.89	3	Horizontal	28	1.35	-	26.31
PK	17.23644G	67.61	68.20	-0.59	20.72	3	Horizontal	124	1.17	-	46.89

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5785MHz\_TX




EUT\_V\_1TX  
Setting 88  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	61.50	68.20	-6.70	8.66	3	Vertical	177	2.52	-	52.84
PK	5.787G	109.89	Inf	-Inf	8.88	3	Vertical	177	2.52	-	101.01
AV	5.789G	100.20	Inf	-Inf	8.88	3	Vertical	177	2.52	-	91.32
PK	5.988G	60.23	68.20	-7.97	8.93	3	Vertical	177	2.52	-	51.30

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 88  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.553G	60.86	68.20	-7.34	8.55	3	Horizontal	233	2.33	-	52.31
PK	5.787G	113.36	Inf	-Inf	8.88	3	Horizontal	233	2.33	-	104.48
AV	5.789G	103.59	Inf	-Inf	8.88	3	Horizontal	233	2.33	-	94.71
PK	5.962G	61.52	68.20	-6.68	8.93	3	Horizontal	233	2.33	-	52.59

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
 Setting 88  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57518G	54.84	74.00	-19.16	15.00	3	Vertical	173	2.28	-	39.84
AV	11.57662G	41.14	54.00	-12.86	15.01	3	Vertical	173	2.28	-	26.13
PK	17.34756G	64.78	68.20	-3.42	21.38	3	Vertical	135	2.83	-	43.40

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5785MHz\_TX



EUT Y\_1TX  
 Setting 88  
 02-B-4  
 FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57504G	54.62	74.00	-19.38	15.00	3	Horizontal	247	1.44	-	39.62
AV	11.57346G	41.11	54.00	-12.89	15.00	3	Horizontal	247	1.44	-	26.11
PK	17.35626G	67.68	68.20	-0.52	21.43	3	Horizontal	115	2.18	-	46.25



### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 93  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.621G	61.36	68.20	-6.84	8.61	3	Vertical	200	2.53	-	52.75
PK	5.827G	114.44	Inf	-Inf	8.91	3	Vertical	200	2.53	-	105.53
AV	5.828G	104.32	Inf	-Inf	8.91	3	Vertical	200	2.53	-	95.41
PK	5.945G	60.93	68.20	-7.27	8.94	3	Vertical	200	2.53	-	51.99

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5825MHz\_TX




EUT\_V\_1TX  
Setting 93  
02-G-3-10  
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.635G	61.11	68.20	-7.09	8.64	3	Horizontal	209	2.32	-	52.47
PK	5.83G	113.91	Inf	-Inf	8.91	3	Horizontal	209	2.32	-	105.00
AV	5.829G	104.40	Inf	-Inf	8.91	3	Horizontal	209	2.32	-	95.49
PK	5.93G	62.17	68.20	-6.03	8.93	3	Horizontal	209	2.32	-	53.24

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
 Setting 93  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65452G	54.64	74.00	-19.36	15.10	3	Vertical	184	1.93	-	39.54
AV	11.65198G	41.25	54.00	-12.75	15.10	3	Vertical	184	1.93	-	26.15
PK	17.48028G	64.75	68.20	-3.45	22.17	3	Vertical	8	2.01	-	42.58

### 802.11a\_Nss1,(6Mbps)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6521G	55.60	74.00	-18.40	15.10	3	Horizontal	350	1.96	-	40.50
AV	11.65162G	42.67	54.00	-11.33	15.10	3	Horizontal	350	1.96	-	27.57
PK	17.46828G	67.57	68.20	-0.63	22.09	3	Horizontal	120	2.16	-	45.48

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5180MHz\_TX




EUT Y\_1TX  
Setting 86  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	69.14	74.00	-4.86	7.94	3	Vertical	159	2.89	-	61.20
AV	5.1498G	51.52	54.00	-2.48	7.94	3	Vertical	159	2.89	-	43.58
PK	5.177G	112.73	Inf	-Inf	8.01	3	Vertical	159	2.89	-	104.72
AV	5.1808G	98.57	Inf	-Inf	8.02	3	Vertical	159	2.89	-	90.55

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5180MHz\_TX




EUT Y\_1TX  
Setting 86  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.37	74.00	-2.63	7.94	3	Horizontal	230	2.49	-	63.43
AV	5.1498G	53.30	54.00	-0.70	7.94	3	Horizontal	230	2.49	-	45.36
PK	5.177G	114.35	Inf	-Inf	8.01	3	Horizontal	230	2.49	-	106.34
AV	5.1782G	100.02	Inf	-Inf	8.02	3	Horizontal	230	2.49	-	92.00

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5180MHz\_TX




EUT Y\_1TX  
Setting 86  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5418G	60.14	74.00	-13.86	16.07	3	Vertical	334	1.69	-	44.07
AV	15.54178G	45.70	54.00	-8.30	16.07	3	Vertical	334	1.69	-	29.63

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5180MHz\_TX



EUT Y\_1TX  
 Setting 86  
 02-B-4  
 FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.540683G	59.81	74.00	-14.19	16.07	3	Horizontal	192	1.97	-	43.74
AV	15.540614G	45.74	54.00	-8.26	16.07	3	Horizontal	192	1.97	-	29.67



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 100  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	68.02	74.00	-5.98	7.94	3	Vertical	223	2.37	-	60.08
AV	5.15G	52.26	54.00	-1.74	7.94	3	Vertical	223	2.37	-	44.32
PK	5.1968G	117.48	Inf	-Inf	8.06	3	Vertical	223	2.37	-	109.42
AV	5.2032G	103.33	Inf	-Inf	8.06	3	Vertical	223	2.37	-	95.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 100  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1464G	69.91	74.00	-4.09	7.94	3	Horizontal	231	2.48	-	61.97
AV	5.15G	53.38	54.00	-0.62	7.94	3	Horizontal	231	2.48	-	45.44
PK	5.1968G	116.87	Inf	-Inf	8.06	3	Horizontal	231	2.48	-	108.81
AV	5.1928G	103.59	Inf	-Inf	8.04	3	Horizontal	231	2.48	-	95.55

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
 Setting 100  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5971G	59.68	74.00	-14.32	15.92	3	Vertical	212	1.80	-	43.76
AV	15.5991G	45.73	54.00	-8.27	15.91	3	Vertical	212	1.80	-	29.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5200MHz\_TX




EUT Y\_1TX  
Setting 100  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6048G	60.22	74.00	-13.78	15.90	3	Horizontal	39	1.55	-	44.32
AV	15.60322G	45.79	54.00	-8.21	15.90	3	Horizontal	39	1.55	-	29.89

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 105  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	66.05	74.00	-7.95	7.94	3	Vertical	227	2.25	-	58.11
AV	5.1488G	50.04	54.00	-3.96	7.94	3	Vertical	227	2.25	-	42.10
PK	5.237G	118.98	Inf	-Inf	8.11	3	Vertical	227	2.25	-	110.87
AV	5.2424G	105.05	Inf	-Inf	8.12	3	Vertical	227	2.25	-	96.93
PK	5.3576G	67.67	74.00	-6.33	8.28	3	Vertical	227	2.25	-	59.39
AV	5.35G	49.30	54.00	-4.70	8.28	3	Vertical	227	2.25	-	41.02

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
Setting 105  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	65.27	74.00	-8.73	7.94	3	Horizontal	247	2.86	-	57.33
AV	5.1458G	49.19	54.00	-4.81	7.94	3	Horizontal	247	2.86	-	41.25
PK	5.237G	119.24	Inf	-Inf	8.11	3	Horizontal	247	2.86	-	111.13
AV	5.2382G	105.59	Inf	-Inf	8.12	3	Horizontal	247	2.86	-	97.47
PK	5.3546G	63.59	74.00	-10.41	8.28	3	Horizontal	247	2.86	-	55.31
AV	5.35G	48.71	54.00	-5.29	8.28	3	Horizontal	247	2.86	-	40.43

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5240MHz\_TX




EUT Y\_1TX  
 Setting 105  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72016G	58.84	74.00	-15.16	15.60	3	Vertical	359	2.30	-	43.24
AV	15.72042G	44.29	54.00	-9.71	15.60	3	Vertical	359	2.30	-	28.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5240MHz\_TX



EUT Y\_1TX  
Setting 105  
02-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72572G	58.24	74.00	-15.76	15.59	3	Horizontal	42	1.81	-	42.65
AV	15.72536G	44.47	54.00	-9.53	15.59	3	Horizontal	42	1.81	-	28.88



802.11ax HEW20\_Nss1,(MCS0)\_1TX

03/10/2019

5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.566G	61.19	68.20	-7.01	8.56	3	Vertical	181	2.66	-	52.63
PK	5.742G	111.48	Inf	-Inf	8.81	3	Vertical	181	2.66	-	102.67
AV	5.748G	97.95	Inf	-Inf	8.82	3	Vertical	181	2.66	-	89.13
PK	5.94G	60.10	68.20	-8.10	8.93	3	Vertical	181	2.66	-	51.17

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

03/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.646G	61.71	68.20	-6.49	8.66	3	Horizontal	234	2.34	-	53.05
PK	5.742G	115.73	Inf	-Inf	8.81	3	Horizontal	234	2.34	-	106.92
AV	5.743G	101.55	Inf	-Inf	8.82	3	Horizontal	234	2.34	-	92.73
PK	5.929G	61.80	68.20	-6.40	8.93	3	Horizontal	234	2.34	-	52.87

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

03/10/2019

### 5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48804G	55.03	74.00	-18.97	14.89	3	Vertical	101	1.89	-	40.14
AV	11.48836G	40.53	54.00	-13.47	14.89	3	Vertical	101	1.89	-	25.64
PK	17.22936G	65.20	68.20	-3.00	20.68	3	Vertical	349	2.32	-	44.52

802.11ax HEW20\_Nss1,(MCS0)\_1TX

03/10/2019

5745MHz\_TX




EUT Y\_1TX  
Setting 92  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49026G	54.96	74.00	-19.04	14.89	3	Horizontal	10	1.95	-	40.07
AV	11.49088G	40.64	54.00	-13.36	14.89	3	Horizontal	10	1.95	-	25.75
PK	17.23956G	67.48	68.20	-0.72	20.74	3	Horizontal	115	2.20	-	46.74

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5785MHz\_TX




EUT Y\_1TX  
Setting 89  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.588G	61.05	68.20	-7.15	8.57	3	Vertical	172	1.00	-	52.48
PK	5.782G	112.70	Inf	-Inf	8.88	3	Vertical	172	1.00	-	103.82
AV	5.783G	98.54	Inf	-Inf	8.88	3	Vertical	172	1.00	-	89.66
PK	5.936G	60.34	68.20	-7.86	8.93	3	Vertical	172	1.00	-	51.41

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5785MHz\_TX




EUT Y\_1TX  
Setting 89  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.607G	60.15	68.20	-8.05	8.59	3	Horizontal	229	2.31	-	51.56
PK	5.782G	115.60	Inf	-Inf	8.88	3	Horizontal	229	2.31	-	106.72
AV	5.788G	102.38	Inf	-Inf	8.87	3	Horizontal	229	2.31	-	93.51
PK	5.93G	61.27	68.20	-6.93	8.93	3	Horizontal	229	2.31	-	52.34

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5785MHz\_TX




EUT Y\_1TX  
Setting 89  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56842G	55.24	74.00	-18.76	14.99	3	Vertical	56	2.09	-	40.25
AV	11.56872G	40.37	54.00	-13.63	14.99	3	Vertical	56	2.09	-	25.38
PK	17.34582G	65.13	68.20	-3.07	21.36	3	Vertical	161	2.07	-	43.77

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5785MHz\_TX



EUT Y\_1TX  
Setting 89  
02-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56882G	55.09	74.00	-18.91	15.00	3	Horizontal	194	1.21	-	40.09
AV	11.56824G	40.58	54.00	-13.42	14.99	3	Horizontal	194	1.21	-	25.59
PK	17.34618G	67.51	68.20	-0.69	21.36	3	Horizontal	126	2.16	-	46.15



802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5825MHz\_TX




EUT Y\_1TX  
Setting 94  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.596G	60.52	68.20	-7.68	8.58	3	Vertical	183	1.06	-	51.94
PK	5.822G	112.85	Inf	-Inf	8.90	3	Vertical	183	1.06	-	103.95
AV	5.828G	99.09	Inf	-Inf	8.91	3	Vertical	183	1.06	-	90.18
PK	5.962G	60.89	68.20	-7.31	8.93	3	Vertical	183	1.06	-	51.96

802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

5825MHz\_TX




EUT Y\_1TX  
Setting 94  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	60.85	68.20	-7.35	8.63	3	Horizontal	225	2.30	-	52.22
PK	5.822G	117.74	Inf	-Inf	8.90	3	Horizontal	225	2.30	-	108.84
AV	5.828G	103.70	Inf	-Inf	8.91	3	Horizontal	225	2.30	-	94.79
PK	5.929G	61.82	68.20	-6.38	8.93	3	Horizontal	225	2.30	-	52.89

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
Setting 94  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65114G	55.39	74.00	-18.61	15.10	3	Vertical	168	1.88	-	40.29
AV	11.65174G	41.13	54.00	-12.87	15.10	3	Vertical	168	1.88	-	26.03
PK	17.48238G	65.90	68.20	-2.30	22.18	3	Vertical	169	2.03	-	43.72

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

02/10/2019

### 5825MHz\_TX




EUT Y\_1TX  
 Setting 94  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65104G	55.98	74.00	-18.02	15.10	3	Horizontal	214	1.87	-	40.88
AV	11.65108G	41.72	54.00	-12.28	15.10	3	Horizontal	214	1.87	-	26.62
PK	17.46618G	67.48	68.20	-0.72	22.08	3	Horizontal	118	2.16	-	45.40

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.01	74.00	-7.99	7.94	3	Vertical	159	2.86	-	58.07
AV	5.15G	49.92	54.00	-4.08	7.94	3	Vertical	159	2.86	-	41.98
PK	5.2012G	107.16	Inf	-Inf	8.06	3	Vertical	159	2.86	-	99.10
AV	5.1944G	95.57	Inf	-Inf	8.04	3	Vertical	159	2.86	-	87.53

802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

5190MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	71.45	74.00	-2.55	7.94	3	Horizontal	227	2.26	-	63.51
AV	5.15G	52.82	54.00	-1.18	7.94	3	Horizontal	227	2.26	-	44.88
PK	5.182G	109.14	Inf	-Inf	8.02	3	Horizontal	227	2.26	-	101.12
AV	5.1836G	96.68	Inf	-Inf	8.03	3	Horizontal	227	2.26	-	88.65

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5190MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56678G	59.73	74.00	-14.27	16.01	3	Vertical	158	1.98	-	43.72
AV	15.56626G	46.99	54.00	-7.01	16.01	3	Vertical	158	1.98	-	30.98

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5190MHz\_TX



EUT Y\_1TX  
Setting 76  
02-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56564G	59.62	74.00	-14.38	16.01	3	Horizontal	317	1.02	-	43.61
AV	15.56542G	47.05	54.00	-6.95	16.01	3	Horizontal	317	1.02	-	31.04



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 94  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	67.73	74.00	-6.27	7.94	3	Vertical	230	2.26	-	59.79
AV	5.15G	53.35	54.00	-0.65	7.94	3	Vertical	230	2.26	-	45.41
PK	5.215G	113.39	Inf	-Inf	8.08	3	Vertical	230	2.26	-	105.31
AV	5.2342G	101.27	Inf	-Inf	8.11	3	Vertical	230	2.26	-	93.16
PK	5.3542G	63.44	74.00	-10.56	8.28	3	Vertical	230	2.26	-	55.16
AV	5.3554G	49.22	54.00	-4.78	8.28	3	Vertical	230	2.26	-	40.94

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
Setting 94  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	67.11	74.00	-6.89	7.94	3	Horizontal	241	2.98	-	59.17
AV	5.1484G	52.76	54.00	-1.24	7.94	3	Horizontal	241	2.98	-	44.82
PK	5.2462G	114.27	Inf	-Inf	8.13	3	Horizontal	241	2.98	-	106.14
AV	5.2342G	102.42	Inf	-Inf	8.11	3	Horizontal	241	2.98	-	94.31
PK	5.3524G	62.30	74.00	-11.70	8.28	3	Horizontal	241	2.98	-	54.02
AV	5.3656G	49.18	54.00	-4.82	8.29	3	Horizontal	241	2.98	-	40.89

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
 Setting 94  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68776G	58.61	74.00	-15.39	15.69	3	Vertical	350	1.53	-	42.92
AV	15.68786G	46.22	54.00	-7.78	15.69	3	Vertical	350	1.53	-	30.53

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5230MHz\_TX




EUT Y\_1TX  
 Setting 94  
 02-B-4  
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.68866G	58.96	74.00	-15.04	15.68	3	Horizontal	212	2.42	-	43.28
AV	15.68872G	46.07	54.00	-7.93	15.68	3	Horizontal	212	2.42	-	30.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

5755MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.22	68.20	-6.98	8.66	3	Vertical	190	1.02	-	52.56
PK	5.747G	109.35	Inf	-Inf	8.82	3	Vertical	190	1.02	-	100.53
AV	5.751G	97.38	Inf	-Inf	8.83	3	Vertical	190	1.02	-	88.55
PK	5.962G	60.14	68.20	-8.06	8.93	3	Vertical	190	1.02	-	51.21

802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

5755MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	62.91	68.20	-5.29	8.67	3	Horizontal	232	2.44	-	54.24
PK	5.771G	113.71	Inf	-Inf	8.85	3	Horizontal	232	2.44	-	104.86
AV	5.77G	101.02	Inf	-Inf	8.85	3	Horizontal	232	2.44	-	92.17
PK	5.967G	61.55	68.20	-6.65	8.93	3	Horizontal	232	2.44	-	52.62

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5755MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51428G	54.84	74.00	-19.16	14.92	3	Vertical	136	2.46	-	39.92
AV	11.51408G	42.01	54.00	-11.99	14.92	3	Vertical	136	2.46	-	27.09
PK	17.26878G	65.59	68.20	-2.61	20.91	3	Vertical	348	1.86	-	44.68

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5755MHz\_TX



EUT Y\_1TX  
Setting 93  
02-B-4  
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.52062G	54.39	74.00	-19.61	14.94	3	Horizontal	340	1.78	-	39.45
AV	11.52188G	41.77	54.00	-12.23	14.94	3	Horizontal	340	1.78	-	26.83
PK	17.277G	67.62	68.20	-0.58	20.96	3	Horizontal	126	1.13	-	46.66



802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.602G	60.12	68.20	-8.08	8.58	3	Vertical	267	1.00	-	51.54
PK	5.811G	110.10	Inf	-Inf	8.91	3	Vertical	267	1.00	-	101.19
AV	5.81G	97.46	Inf	-Inf	8.91	3	Vertical	267	1.00	-	88.55
PK	5.927G	61.05	68.20	-7.15	8.93	3	Vertical	267	1.00	-	52.12

802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

5795MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	61.61	68.20	-6.59	8.58	3	Horizontal	228	2.64	-	53.03
PK	5.787G	114.07	Inf	-Inf	8.88	3	Horizontal	228	2.64	-	105.19
AV	5.797G	101.69	Inf	-Inf	8.90	3	Horizontal	228	2.64	-	92.79
PK	5.925G	62.25	68.20	-5.95	8.93	3	Horizontal	228	2.64	-	53.32

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59182G	54.50	74.00	-19.50	15.02	3	Vertical	250	1.20	-	39.48
AV	11.59128G	42.02	54.00	-11.98	15.02	3	Vertical	250	1.20	-	27.00
PK	17.38092G	64.50	68.20	-3.70	21.58	3	Vertical	118	2.70	-	42.92

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

03/10/2019

### 5795MHz\_TX




EUT Y\_1TX  
Setting 93  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6005G	54.79	74.00	-19.21	15.04	3	Horizontal	344	1.26	-	39.75
AV	11.60056G	42.25	54.00	-11.75	15.04	3	Horizontal	344	1.26	-	27.21
PK	17.37636G	67.67	68.20	-0.53	21.54	3	Horizontal	132	2.70	-	46.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

03/10/2019

### 5210MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	68.13	74.00	-5.87	7.94	3	Vertical	229	2.37	-	60.19
AV	5.15G	52.29	54.00	-1.71	7.94	3	Vertical	229	2.37	-	44.35
PK	5.2004G	105.37	Inf	-Inf	8.06	3	Vertical	229	2.37	-	97.31
AV	5.1996G	93.69	Inf	-Inf	8.06	3	Vertical	229	2.37	-	85.63
PK	5.3636G	60.85	74.00	-13.15	8.29	3	Vertical	229	2.37	-	52.56
AV	5.35G	48.67	54.00	-5.33	8.28	3	Vertical	229	2.37	-	40.39

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

03/10/2019

### 5210MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4-10  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	68.97	74.00	-5.03	7.94	3	Horizontal	242	2.85	-	61.03
AV	5.1492G	53.29	54.00	-0.71	7.94	3	Horizontal	242	2.85	-	45.35
PK	5.2236G	107.38	Inf	-Inf	8.10	3	Horizontal	242	2.85	-	99.28
AV	5.2236G	95.26	Inf	-Inf	8.10	3	Horizontal	242	2.85	-	87.16
PK	5.3684G	60.60	74.00	-13.40	8.30	3	Horizontal	242	2.85	-	52.30
AV	5.3548G	48.92	54.00	-5.08	8.28	3	Horizontal	242	2.85	-	40.64

802.11ax HEW80\_Nss1,(MCS0)\_1TX

03/10/2019

5210MHz\_TX




EUT Y\_1TX  
Setting 76  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63914G	60.06	74.00	-13.94	15.81	3	Vertical	218	2.32	-	44.25
AV	15.63912G	46.81	54.00	-7.19	15.81	3	Vertical	218	2.32	-	31.00

802.11ax HEW80\_Nss1,(MCS0)\_1TX

03/10/2019

5210MHz\_TX



EUT Y\_1TX  
Setting 76  
02-B-4  
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62652G	59.94	74.00	-14.06	15.84	3	Horizontal	315	1.53	-	44.10
AV	15.62662G	46.64	54.00	-7.36	15.84	3	Horizontal	315	1.53	-	30.80