


802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	63.53	68.20	-4.67	8.63	3	Vertical	182	2.40	-	54.90
PK	5.788G	105.63	Inf	-Inf	8.87	3	Vertical	182	2.40	-	96.76
AV	5.788G	94.03	Inf	-Inf	8.87	3	Vertical	182	2.40	-	85.16
PK	5.951G	62.35	68.20	-5.85	8.92	3	Vertical	182	2.40	-	53.43

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.628G	65.58	68.20	-2.62	8.63	3	Horizontal	233	2.33	-	56.95
PK	5.788G	109.99	Inf	-Inf	8.87	3	Horizontal	233	2.33	-	101.12
AV	5.788G	97.80	Inf	-Inf	8.87	3	Horizontal	233	2.33	-	88.93
PK	5.952G	67.50	68.20	-0.70	8.92	3	Horizontal	233	2.33	-	58.58

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX




EUT Y_1TX
Setting 87
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55104G	54.11	74.00	-19.89	14.97	3	Vertical	294	1.27	-	39.14
AV	11.55184G	41.47	54.00	-12.53	14.97	3	Vertical	294	1.27	-	26.50

802.11ax HEW80_Nss1,(MCS0)_1TX

03/10/2019

5775MHz_TX



EUT Y_1TX
Setting 87
02-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54826G	54.31	74.00	-19.69	14.97	3	Horizontal	203	1.78	-	39.34
AV	11.54858G	41.44	54.00	-12.56	14.97	3	Horizontal	203	1.78	-	26.47




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	17.39428G	67.69	68.20	-0.51	21.65	3	Vertical	182	1.47	-

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1462G	71.78	74.00	-2.22	7.94	3	Vertical	299	2.22	-	63.84
AV	5.1468G	52.43	54.00	-1.57	7.94	3	Vertical	299	2.22	-	44.49
PK	5.1768G	115.24	Inf	-Inf	8.01	3	Vertical	299	2.22	-	107.23
AV	5.182G	105.87	Inf	-Inf	8.02	3	Vertical	299	2.22	-	97.85

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	71.89	74.00	-2.11	7.94	3	Horizontal	294	2.64	-	63.95
AV	5.15G	53.36	54.00	-0.64	7.94	3	Horizontal	294	2.64	-	45.42
PK	5.1756G	114.16	Inf	-Inf	8.01	3	Horizontal	294	2.64	-	106.15
AV	5.1754G	104.53	Inf	-Inf	8.01	3	Horizontal	294	2.64	-	96.52

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54014G	54.50	74.00	-19.50	16.07	3	Vertical	178	2.66	-	38.43
AV	15.53594G	41.47	54.00	-12.53	16.09	3	Vertical	178	2.66	-	25.38

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5180MHz_TX




EUT_Z_2TX
Setting 86
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54004G	55.28	74.00	-18.72	16.07	3	Horizontal	341	1.75	-	39.21
AV	15.53764G	41.49	54.00	-12.51	16.08	3	Horizontal	341	1.75	-	25.41

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
Setting 98
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.95	74.00	-3.05	7.94	3	Vertical	124	2.32	-	63.01
AV	5.1488G	53.30	54.00	-0.70	7.94	3	Vertical	124	2.32	-	45.36
PK	5.1984G	118.79	Inf	-Inf	8.06	3	Vertical	124	2.32	-	110.73
AV	5.204G	108.69	Inf	-Inf	8.06	3	Vertical	124	2.32	-	100.63

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX



EUT_Z_2TX
Setting 98
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	69.03	74.00	-4.97	7.94	3	Horizontal	294	2.62	-	61.09
AV	5.15G	52.73	54.00	-1.27	7.94	3	Horizontal	294	2.62	-	44.79
PK	5.2056G	117.03	Inf	-Inf	8.07	3	Horizontal	294	2.62	-	108.96
AV	5.2056G	106.95	Inf	-Inf	8.07	3	Horizontal	294	2.62	-	98.88

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
 Setting 98
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59742G	55.72	74.00	-18.28	15.92	3	Vertical	142	2.85	-	39.80
AV	15.6019G	42.93	54.00	-11.07	15.90	3	Vertical	142	2.85	-	27.03

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5200MHz_TX




EUT_Z_2TX
 Setting 98
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6032G	55.73	74.00	-18.27	15.90	3	Horizontal	300	1.67	-	39.83
AV	15.60236G	42.87	54.00	-11.13	15.90	3	Horizontal	300	1.67	-	26.97

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	70.52	74.00	-3.48	7.94	3	Vertical	133	2.29	-	62.58
AV	5.15G	53.28	54.00	-0.72	7.94	3	Vertical	133	2.29	-	45.34
PK	5.2388G	121.38	Inf	-Inf	8.12	3	Vertical	133	2.29	-	113.26
AV	5.2442G	110.32	Inf	-Inf	8.12	3	Vertical	133	2.29	-	102.20
PK	5.3576G	64.49	74.00	-9.51	8.28	3	Vertical	133	2.29	-	56.21
AV	5.3522G	49.27	54.00	-4.73	8.28	3	Vertical	133	2.29	-	40.99

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	67.03	74.00	-6.97	7.94	3	Horizontal	313	2.99	-	59.09
AV	5.1494G	51.37	54.00	-2.63	7.94	3	Horizontal	313	2.99	-	43.43
PK	5.2376G	118.17	Inf	-Inf	8.12	3	Horizontal	313	2.99	-	110.05
AV	5.2376G	107.85	Inf	-Inf	8.12	3	Horizontal	313	2.99	-	99.73
PK	5.3504G	65.10	74.00	-8.90	8.28	3	Horizontal	313	2.99	-	56.82
AV	5.351G	48.55	54.00	-5.45	8.28	3	Horizontal	313	2.99	-	40.27

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
 Setting 105
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47988G	59.11	68.20	-9.09	14.58	3	Vertical	355	2.96	-	44.53
PK	15.71818G	59.48	74.00	-14.52	15.61	3	Vertical	156	2.99	-	43.87
AV	15.72264G	46.62	54.00	-7.38	15.59	3	Vertical	156	2.99	-	31.03

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5240MHz_TX




EUT_Z_2TX
Setting 105
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48356G	52.90	68.20	-15.30	14.59	3	Horizontal	345	2.49	-	38.31
PK	15.72128G	56.25	74.00	-17.75	15.60	3	Horizontal	63	2.49	-	40.65
AV	15.72186G	42.92	54.00	-11.08	15.60	3	Horizontal	63	2.49	-	27.32

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	61.99	68.20	-6.21	8.67	3	Vertical	73	2.29	-	53.32
PK	5.748G	117.38	Inf	-Inf	8.82	3	Vertical	73	2.29	-	108.56
AV	5.747G	107.79	Inf	-Inf	8.82	3	Vertical	73	2.29	-	98.97
PK	5.93G	59.72	68.20	-8.48	8.93	3	Vertical	73	2.29	-	50.79

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	60.69	68.20	-7.51	8.64	3	Horizontal	306	2.37	-	52.05
PK	5.749G	113.38	Inf	-Inf	8.82	3	Horizontal	306	2.37	-	104.56
AV	5.749G	103.77	Inf	-Inf	8.82	3	Horizontal	306	2.37	-	94.95
PK	5.938G	59.23	68.20	-8.97	8.93	3	Horizontal	306	2.37	-	50.30

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.445G	54.44	74.00	-19.56	14.84	3	Vertical	99	2.42	-	39.60
AV	11.455G	39.93	54.00	-14.07	14.84	3	Vertical	99	2.42	-	25.09
PK	17.22824G	67.47	68.20	-0.73	20.67	3	Vertical	18	1.61	-	46.80

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5745MHz_TX




EUT_Z_2TX
Setting 91
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4956G	53.25	74.00	-20.75	14.90	3	Horizontal	36	1.28	-	38.35
AV	11.49316G	39.87	54.00	-14.13	14.89	3	Horizontal	36	1.28	-	24.98
PK	17.22856G	64.74	68.20	-3.46	20.67	3	Horizontal	7	1.23	-	44.07

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	59.13	68.20	-9.07	8.64	3	Vertical	63	2.28	-	50.49
PK	5.789G	116.73	Inf	-Inf	8.88	3	Vertical	63	2.28	-	107.85
AV	5.783G	107.08	Inf	-Inf	8.88	3	Vertical	63	2.28	-	98.20
PK	5.987G	59.37	68.20	-8.83	8.93	3	Vertical	63	2.28	-	50.44

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	59.35	68.20	-8.85	8.57	3	Horizontal	135	2.99	-	50.78
PK	5.78G	111.27	Inf	-Inf	8.87	3	Horizontal	135	2.99	-	102.40
AV	5.786G	101.94	Inf	-Inf	8.88	3	Horizontal	135	2.99	-	93.06
PK	5.933G	58.25	68.20	-9.95	8.93	3	Horizontal	135	2.99	-	49.32

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
 Setting 88
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57892G	53.20	74.00	-20.80	15.01	3	Vertical	38	1.73	-	38.19
AV	11.57572G	40.11	54.00	-13.89	15.01	3	Vertical	38	1.73	-	25.10
PK	17.34912G	67.66	68.20	-0.54	21.39	3	Vertical	281	2.62	-	46.27

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5785MHz_TX




EUT_Z_2TX
Setting 88
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57908G	53.35	74.00	-20.65	15.01	3	Horizontal	32	2.58	-	38.34
AV	11.5702G	40.15	54.00	-13.85	15.00	3	Horizontal	32	2.58	-	25.15
PK	17.36464G	63.60	68.20	-4.60	21.48	3	Horizontal	303	1.72	-	42.12

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.576G	59.56	68.20	-8.64	8.57	3	Vertical	78	2.14	-	50.99
PK	5.828G	116.66	Inf	-Inf	8.91	3	Vertical	78	2.14	-	107.75
AV	5.819G	107.08	Inf	-Inf	8.90	3	Vertical	78	2.14	-	98.18
PK	5.933G	60.75	68.20	-7.45	8.93	3	Vertical	78	2.14	-	51.82

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.61G	58.21	68.20	-9.99	8.60	3	Horizontal	292	2.32	-	49.61
PK	5.829G	111.89	Inf	-Inf	8.91	3	Horizontal	292	2.32	-	102.98
AV	5.819G	102.38	Inf	-Inf	8.90	3	Horizontal	292	2.32	-	93.48
PK	5.933G	58.93	68.20	-9.27	8.93	3	Horizontal	292	2.32	-	50.00

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
 Setting 87
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6464G	55.24	74.00	-18.76	15.09	3	Vertical	55	1.05	-	40.15
AV	11.65092G	41.51	54.00	-12.49	15.09	3	Vertical	55	1.05	-	26.42
PK	17.4694G	67.53	68.20	-0.67	22.10	3	Vertical	9	2.58	-	45.43

802.11a_Nss1,(6Mbps)_2TX

28/09/2019

5825MHz_TX




EUT_Z_2TX
Setting 87
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6508G	54.58	74.00	-19.42	15.09	3	Horizontal	105	2.36	-	39.49
AV	11.65016G	41.47	54.00	-12.53	15.09	3	Horizontal	105	2.36	-	26.38
PK	17.46848G	63.86	68.20	-4.34	22.09	3	Horizontal	356	2.77	-	41.77

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	68.18	74.00	-5.82	7.94	3	Vertical	356	2.33	-	60.24
AV	5.1492G	53.13	54.00	-0.87	7.94	3	Vertical	356	2.33	-	45.19
PK	5.1756G	113.48	Inf	-Inf	8.01	3	Vertical	356	2.33	-	105.47
AV	5.1768G	101.79	Inf	-Inf	8.01	3	Vertical	356	2.33	-	93.78

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	69.46	74.00	-4.54	7.94	3	Horizontal	299	2.47	-	61.52
AV	5.1496G	53.45	54.00	-0.55	7.94	3	Horizontal	299	2.47	-	45.51
PK	5.1792G	113.74	Inf	-Inf	8.02	3	Horizontal	299	2.47	-	105.72
AV	5.175G	101.78	Inf	-Inf	8.01	3	Horizontal	299	2.47	-	93.77

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT_Z_2TX
 Setting 81
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53312G	55.18	74.00	-18.82	16.09	3	Vertical	209	2.74	-	39.09
AV	15.53236G	42.24	54.00	-11.76	16.10	3	Vertical	209	2.74	-	26.14

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53076G	55.12	74.00	-18.88	16.10	3	Horizontal	307	1.28	-	39.02
AV	15.5318G	42.06	54.00	-11.94	16.10	3	Horizontal	307	1.28	-	25.96

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	68.25	74.00	-5.75	7.94	3	Vertical	1	2.41	-	60.31
AV	5.1496G	52.85	54.00	-1.15	7.94	3	Vertical	1	2.41	-	44.91
PK	5.2016G	115.70	Inf	-Inf	8.06	3	Vertical	1	2.41	-	107.64
AV	5.1968G	104.21	Inf	-Inf	8.06	3	Vertical	1	2.41	-	96.15

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	69.38	74.00	-4.62	7.94	3	Horizontal	290	2.34	-	61.44
AV	5.15G	53.27	54.00	-0.73	7.94	3	Horizontal	290	2.34	-	45.33
PK	5.192G	115.38	Inf	-Inf	8.04	3	Horizontal	290	2.34	-	107.34
AV	5.1948G	103.87	Inf	-Inf	8.05	3	Horizontal	290	2.34	-	95.82

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59688G	55.09	74.00	-18.91	15.92	3	Vertical	271	2.03	-	39.17
AV	15.59176G	42.13	54.00	-11.87	15.93	3	Vertical	271	2.03	-	26.20

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5200MHz_TX




EUT Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60524G	55.29	74.00	-18.71	15.89	3	Horizontal	269	1.06	-	39.40
AV	15.59928G	42.15	54.00	-11.85	15.91	3	Horizontal	269	1.06	-	26.24

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	62.05	74.00	-11.95	7.94	3	Vertical	301	2.41	-	54.11
AV	5.1434G	49.93	54.00	-4.07	7.94	3	Vertical	301	2.41	-	41.99
PK	5.2418G	118.38	Inf	-Inf	8.12	3	Vertical	301	2.41	-	110.26
AV	5.2418G	106.73	Inf	-Inf	8.12	3	Vertical	301	2.41	-	98.61
PK	5.3528G	63.06	74.00	-10.94	8.28	3	Vertical	301	2.41	-	54.78
AV	5.35G	49.70	54.00	-4.30	8.28	3	Vertical	301	2.41	-	41.42

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 100
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1368G	63.93	74.00	-10.07	7.92	3	Horizontal	292	2.61	-	56.01
AV	5.1428G	49.83	54.00	-4.17	7.94	3	Horizontal	292	2.61	-	41.89
PK	5.2352G	117.24	Inf	-Inf	8.11	3	Horizontal	292	2.61	-	109.13
AV	5.2352G	105.68	Inf	-Inf	8.11	3	Horizontal	292	2.61	-	97.57
PK	5.3528G	61.92	74.00	-12.08	8.28	3	Horizontal	292	2.61	-	53.64
AV	5.35G	48.52	54.00	-5.48	8.28	3	Horizontal	292	2.61	-	40.24

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT Z_2TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71824G	54.73	74.00	-19.27	15.61	3	Vertical	269	1.95	-	39.12
AV	15.72076G	42.20	54.00	-11.80	15.60	3	Vertical	269	1.95	-	26.60

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5240MHz_TX




EUT Z_2TX
Setting 100
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.726G	54.99	74.00	-19.01	15.58	3	Horizontal	277	2.35	-	39.41
AV	15.71416G	42.23	54.00	-11.77	15.62	3	Horizontal	277	2.35	-	26.61

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.643G	61.21	68.20	-6.99	8.66	3	Vertical	127	2.18	-	52.55
PK	5.747G	116.38	Inf	-Inf	8.82	3	Vertical	127	2.18	-	107.56
AV	5.742G	104.59	Inf	-Inf	8.81	3	Vertical	127	2.18	-	95.78
PK	5.935G	59.66	68.20	-8.54	8.93	3	Vertical	127	2.18	-	50.73

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	62.67	68.20	-5.53	8.66	3	Horizontal	127	2.35	-	54.01
PK	5.74G	116.63	Inf	-Inf	8.80	3	Horizontal	127	2.35	-	107.83
AV	5.74G	105.03	Inf	-Inf	8.80	3	Horizontal	127	2.35	-	96.23
PK	5.976G	58.98	68.20	-9.22	8.94	3	Horizontal	127	2.35	-	50.04

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50428G	53.79	74.00	-20.21	14.91	3	Vertical	291	1.09	-	38.88
AV	11.50032G	40.97	54.00	-13.03	14.91	3	Vertical	291	1.09	-	26.06
PK	17.2351G	67.59	68.20	-0.61	20.72	3	Vertical	54	2.85	-	46.87

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4813G	53.75	74.00	-20.25	14.89	3	Horizontal	48	1.53	-	38.86
AV	11.49162G	40.96	54.00	-13.04	14.89	3	Horizontal	48	1.53	-	26.07
PK	17.2342G	66.46	68.20	-1.74	20.71	3	Horizontal	18	1.92	-	45.75

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	59.14	68.20	-9.06	8.66	3	Vertical	249	2.21	-	50.48
PK	5.781G	116.24	Inf	-Inf	8.88	3	Vertical	249	2.21	-	107.36
AV	5.782G	104.66	Inf	-Inf	8.88	3	Vertical	249	2.21	-	95.78
PK	5.957G	59.58	68.20	-8.62	8.92	3	Vertical	249	2.21	-	50.66

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	58.84	68.20	-9.36	8.63	3	Horizontal	301	2.32	-	50.21
PK	5.788G	113.77	Inf	-Inf	8.87	3	Horizontal	301	2.32	-	104.90
AV	5.781G	102.21	Inf	-Inf	8.88	3	Horizontal	301	2.32	-	93.33
PK	5.952G	58.80	68.20	-9.40	8.92	3	Horizontal	301	2.32	-	49.88

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57678G	54.29	74.00	-19.71	15.01	3	Vertical	21	1.83	-	39.28
AV	11.57624G	41.26	54.00	-12.74	15.01	3	Vertical	21	1.83	-	26.25
PK	17.34348G	67.47	68.20	-0.73	21.35	3	Vertical	186	2.32	-	46.12

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5799G	54.51	74.00	-19.49	15.01	3	Horizontal	175	2.97	-	39.50
AV	11.58182G	41.50	54.00	-12.50	15.02	3	Horizontal	175	2.97	-	26.48
PK	17.3604G	64.79	68.20	-3.41	21.45	3	Horizontal	243	1.37	-	43.34

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	59.20	68.20	-9.00	8.66	3	Vertical	66	2.25	-	50.54
PK	5.828G	118.15	Inf	-Inf	8.91	3	Vertical	66	2.25	-	109.24
AV	5.82G	106.48	Inf	-Inf	8.90	3	Vertical	66	2.25	-	97.58
PK	5.929G	62.33	68.20	-5.87	8.93	3	Vertical	66	2.25	-	53.40

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	58.64	68.20	-9.56	8.64	3	Horizontal	2	1.06	-	50.00
PK	5.83G	112.68	Inf	-Inf	8.91	3	Horizontal	2	1.06	-	103.77
AV	5.828G	101.49	Inf	-Inf	8.91	3	Horizontal	2	1.06	-	92.58
PK	5.928G	59.36	68.20	-8.84	8.93	3	Horizontal	2	1.06	-	50.43

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.66236G	53.61	74.00	-20.39	15.11	3	Vertical	57	1.18	-	38.50
AV	11.64508G	41.25	54.00	-12.75	15.09	3	Vertical	57	1.18	-	26.16
PK	17.4749G	67.55	68.20	-0.65	22.13	3	Vertical	97	1.45	-	45.42

802.11ax HEW20_Nss2,(MCS0)_2TX

01/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 95
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63722G	53.68	74.00	-20.32	15.08	3	Horizontal	166	1.66	-	38.60
AV	11.65138G	41.01	54.00	-12.99	15.10	3	Horizontal	166	1.66	-	25.91
PK	17.47362G	65.74	68.20	-2.46	22.12	3	Horizontal	72	2.91	-	43.62

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.33	74.00	-0.67	7.94	3	Vertical	132	2.44	-	65.39
AV	5.15G	50.38	54.00	-3.62	7.94	3	Vertical	132	2.44	-	42.44
PK	5.1872G	108.58	Inf	-Inf	8.04	3	Vertical	132	2.44	-	100.54
AV	5.182G	97.22	Inf	-Inf	8.02	3	Vertical	132	2.44	-	89.20

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.02	74.00	-0.98	7.94	3	Horizontal	291	2.63	-	65.08
AV	5.1484G	49.97	54.00	-4.03	7.94	3	Horizontal	291	2.63	-	42.03
PK	5.1808G	107.29	Inf	-Inf	8.02	3	Horizontal	291	2.63	-	99.27
AV	5.1856G	96.14	Inf	-Inf	8.03	3	Horizontal	291	2.63	-	88.11

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5917G	54.36	74.00	-19.64	15.93	3	Vertical	173	1.10	-	38.43
AV	15.5555G	42.33	54.00	-11.67	16.03	3	Vertical	173	1.10	-	26.30

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5645G	55.02	74.00	-18.98	16.01	3	Horizontal	164	2.00	-	39.01
AV	15.5608G	42.21	54.00	-11.79	16.02	3	Horizontal	164	2.00	-	26.19

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	67.46	74.00	-6.54	7.94	3	Vertical	8	2.40	-	59.52
AV	5.1484G	52.55	54.00	-1.45	7.94	3	Vertical	8	2.40	-	44.61
PK	5.2412G	112.99	Inf	-Inf	8.12	3	Vertical	8	2.40	-	104.87
AV	5.2288G	101.02	Inf	-Inf	8.10	3	Vertical	8	2.40	-	92.92

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1388G	67.75	74.00	-6.25	7.92	3	Horizontal	296	2.59	-	59.83
AV	5.15G	52.53	54.00	-1.47	7.94	3	Horizontal	296	2.59	-	44.59
PK	5.2212G	112.96	Inf	-Inf	8.10	3	Horizontal	296	2.59	-	104.86
AV	5.2264G	100.94	Inf	-Inf	8.10	3	Horizontal	296	2.59	-	92.84

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6988G	55.50	74.00	-18.50	15.65	3	Vertical	187	1.92	-	39.85
AV	15.7123G	42.07	54.00	-11.93	15.62	3	Vertical	187	1.92	-	26.45

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5230MHz_TX




EUT_Z_2TX
 Setting 90
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6755G	55.19	74.00	-18.81	15.71	3	Horizontal	142	1.50	-	39.48
AV	15.6893G	42.31	54.00	-11.69	15.68	3	Horizontal	142	1.50	-	26.63

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.50	68.20	-0.70	8.67	3	Vertical	78	2.35	-	58.83
PK	5.766G	115.49	Inf	-Inf	8.85	3	Vertical	78	2.35	-	106.64
AV	5.761G	104.06	Inf	-Inf	8.85	3	Vertical	78	2.35	-	95.21
PK	5.939G	63.47	68.20	-4.73	8.93	3	Vertical	78	2.35	-	54.54

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT Z_2TX
Setting 94
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	64.42	68.20	-3.78	8.67	3	Horizontal	304	2.24	-	55.75
PK	5.753G	112.47	Inf	-Inf	8.83	3	Horizontal	304	2.24	-	103.64
AV	5.747G	100.70	Inf	-Inf	8.82	3	Horizontal	304	2.24	-	91.88
PK	5.939G	60.00	68.20	-8.20	8.93	3	Horizontal	304	2.24	-	51.07

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5162G	53.74	74.00	-20.26	14.92	3	Vertical	360	1.55	-	38.82
AV	11.5078G	41.03	54.00	-12.97	14.92	3	Vertical	360	1.55	-	26.11
PK	17.2736G	67.22	68.20	-0.98	20.94	3	Vertical	163	2.74	-	46.28

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5207G	53.41	74.00	-20.59	14.94	3	Horizontal	122	2.50	-	38.47
AV	11.5107G	40.98	54.00	-13.02	14.92	3	Horizontal	122	2.50	-	26.06
PK	17.2742G	64.44	68.20	-3.76	20.94	3	Horizontal	223	1.81	-	43.50

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.598G	59.20	68.20	-9.00	8.58	3	Vertical	65	1.50	-	50.62
PK	5.799G	112.11	Inf	-Inf	8.90	3	Vertical	65	1.50	-	103.21
AV	5.794G	100.19	Inf	-Inf	8.89	3	Vertical	65	1.50	-	91.30
PK	5.939G	63.06	68.20	-5.14	8.93	3	Vertical	65	1.50	-	54.13

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT Z_2TX
Setting 90
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.557G	58.90	68.20	-9.30	8.55	3	Horizontal	126	2.23	-	50.35
PK	5.798G	111.18	Inf	-Inf	8.90	3	Horizontal	126	2.23	-	102.28
AV	5.8G	99.67	Inf	-Inf	8.90	3	Horizontal	126	2.23	-	90.77
PK	5.939G	61.50	68.20	-6.70	8.93	3	Horizontal	126	2.23	-	52.57

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6125G	53.78	74.00	-20.22	15.05	3	Vertical	233	1.66	-	38.73
AV	11.5802G	41.14	54.00	-12.86	15.01	3	Vertical	233	1.66	-	26.13
PK	17.39428G	67.69	68.20	-0.51	21.65	3	Vertical	182	1.47	-	46.04

802.11ax HEW40_Nss2,(MCS0)_2TX

01/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 90
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6147G	53.26	74.00	-20.74	15.06	3	Horizontal	69	2.01	-	38.20
AV	11.5792G	41.49	54.00	-12.51	15.01	3	Horizontal	69	2.01	-	26.48
PK	17.387G	63.96	68.20	-4.24	21.61	3	Horizontal	197	2.34	-	42.35

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	67.54	74.00	-6.46	7.94	3	Vertical	4	2.54	-	59.60
AV	5.1492G	53.31	54.00	-0.69	7.94	3	Vertical	4	2.54	-	45.37
PK	5.2132G	104.75	Inf	-Inf	8.08	3	Vertical	4	2.54	-	96.67
AV	5.2004G	94.73	Inf	-Inf	8.06	3	Vertical	4	2.54	-	86.67
PK	5.3548G	60.21	74.00	-13.79	8.28	3	Vertical	4	2.54	-	51.93
AV	5.3652G	49.00	54.00	-5.00	8.29	3	Vertical	4	2.54	-	40.71

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	66.33	74.00	-7.67	7.94	3	Horizontal	298	2.73	-	58.39
AV	5.1492G	52.92	54.00	-1.08	7.94	3	Horizontal	298	2.73	-	44.98
PK	5.1948G	104.67	Inf	-Inf	8.05	3	Horizontal	298	2.73	-	96.62
AV	5.2188G	94.54	Inf	-Inf	8.09	3	Horizontal	298	2.73	-	86.45
PK	5.3668G	58.97	74.00	-15.03	8.29	3	Horizontal	298	2.73	-	50.68
AV	5.3508G	48.31	54.00	-5.69	8.28	3	Horizontal	298	2.73	-	40.03

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 71
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63952G	55.03	74.00	-18.97	15.81	3	Vertical	9	2.09	-	39.22
AV	15.61552G	44.07	54.00	-9.93	15.86	3	Vertical	9	2.09	-	28.21

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5210MHz_TX




EUT_Z_2TX
 Setting 71
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.61144G	54.76	74.00	-19.24	15.88	3	Horizontal	260	2.47	-	38.88
AV	15.61164G	44.14	54.00	-9.86	15.88	3	Horizontal	260	2.47	-	28.26

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 85
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	66.25	68.20	-1.95	8.67	3	Vertical	76	2.35	-	57.58
PK	5.764G	110.95	Inf	-Inf	8.84	3	Vertical	76	2.35	-	102.11
AV	5.76G	100.62	Inf	-Inf	8.85	3	Vertical	76	2.35	-	91.77
PK	5.929G	67.46	68.20	-0.74	8.93	3	Vertical	76	2.35	-	58.53

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 85
02-B-4-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	65.67	68.20	-2.53	8.66	3	Horizontal	122	2.44	-	57.01
PK	5.758G	108.60	Inf	-Inf	8.84	3	Horizontal	122	2.44	-	99.76
AV	5.767G	97.89	Inf	-Inf	8.85	3	Horizontal	122	2.44	-	89.04
PK	5.928G	63.31	68.20	-4.89	8.93	3	Horizontal	122	2.44	-	54.38

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX




EUT_Z_2TX
 Setting 85
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55896G	54.04	74.00	-19.96	14.99	3	Vertical	291	1.02	-	39.05
AV	11.55968G	42.78	54.00	-11.22	14.99	3	Vertical	291	1.02	-	27.79
PK	17.31756G	62.71	68.20	-5.49	21.20	3	Vertical	62	1.84	-	41.51

802.11ax HEW80_Nss2,(MCS0)_2TX

01/10/2019

5775MHz_TX



EUT_Z_2TX
Setting 85
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54776G	53.66	74.00	-20.34	14.97	3	Horizontal	183	1.40	-	38.69
AV	11.54736G	43.00	54.00	-11.00	14.97	3	Horizontal	183	1.40	-	28.03
PK	17.3326G	60.13	68.20	-8.07	21.29	3	Horizontal	317	1.03	-	38.84




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1492G	53.49	54.00	-0.51	7.94	3	Vertical	311	2.24	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.79	74.00	-3.21	7.94	3	Vertical	311	2.24	-	62.85
AV	5.1492G	53.49	54.00	-0.51	7.94	3	Vertical	311	2.24	-	45.55
PK	5.1788G	115.01	Inf	-Inf	8.02	3	Vertical	311	2.24	-	106.99
AV	5.1808G	102.68	Inf	-Inf	8.02	3	Vertical	311	2.24	-	94.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1452G	66.84	74.00	-7.16	7.94	3	Horizontal	312	2.71	-	58.90
AV	5.1498G	52.32	54.00	-1.68	7.94	3	Horizontal	312	2.71	-	44.38
PK	5.1754G	113.82	Inf	-Inf	8.01	3	Horizontal	312	2.71	-	105.81
AV	5.1778G	100.64	Inf	-Inf	8.02	3	Horizontal	312	2.71	-	92.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 76
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54596G	55.69	74.00	-18.31	16.09	3	Vertical	310	1.84	-	39.60
AV	15.547G	42.64	54.00	-11.36	16.08	3	Vertical	310	1.84	-	26.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT Z_2TX
 Setting 76
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54124G	56.34	74.00	-17.66	16.10	3	Horizontal	220	2.63	-	40.24
AV	15.54808G	42.41	54.00	-11.59	16.05	3	Horizontal	220	2.63	-	26.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT_Z_2TX
 Setting 94
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	70.10	74.00	-3.90	7.94	3	Vertical	354	1.32	-	62.16
AV	5.15G	53.42	54.00	-0.58	7.94	3	Vertical	354	1.32	-	45.48
PK	5.2024G	118.79	Inf	-Inf	8.06	3	Vertical	354	1.32	-	110.73
AV	5.1982G	107.21	Inf	-Inf	8.06	3	Vertical	354	1.32	-	99.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	66.32	74.00	-7.68	7.94	3	Horizontal	295	2.71	-	58.38
AV	5.1496G	50.25	54.00	-3.75	7.94	3	Horizontal	295	2.71	-	42.31
PK	5.2036G	118.81	Inf	-Inf	8.06	3	Horizontal	295	2.71	-	110.75
AV	5.2048G	107.07	Inf	-Inf	8.07	3	Horizontal	295	2.71	-	99.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5978G	57.68	74.00	-16.32	15.92	3	Vertical	140	1.83	-	41.76
AV	15.5989G	44.44	54.00	-9.56	15.91	3	Vertical	140	1.83	-	28.53

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 94
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6G	56.46	74.00	-17.54	15.91	3	Horizontal	279	1.97	-	40.55
AV	15.5993G	43.34	54.00	-10.66	15.91	3	Horizontal	279	1.97	-	27.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	67.04	74.00	-6.96	7.94	3	Vertical	11	1.09	-	59.10
AV	5.1494G	52.45	54.00	-1.55	7.94	3	Vertical	11	1.09	-	44.51
PK	5.2418G	120.68	Inf	-Inf	8.12	3	Vertical	11	1.09	-	112.56
AV	5.2418G	109.20	Inf	-Inf	8.12	3	Vertical	11	1.09	-	101.08
PK	5.3534G	65.81	74.00	-8.19	8.28	3	Vertical	11	1.09	-	57.53
AV	5.35G	51.16	54.00	-2.84	8.28	3	Vertical	11	1.09	-	42.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	64.86	74.00	-9.14	7.94	3	Horizontal	318	2.31	-	56.92
AV	5.1452G	49.78	54.00	-4.22	7.94	3	Horizontal	318	2.31	-	41.84
PK	5.2418G	119.16	Inf	-Inf	8.12	3	Horizontal	318	2.31	-	111.04
AV	5.2466G	107.46	Inf	-Inf	8.13	3	Horizontal	318	2.31	-	99.33
PK	5.357G	62.19	74.00	-11.81	8.28	3	Horizontal	318	2.31	-	53.91
AV	5.35G	47.94	54.00	-6.06	8.28	3	Horizontal	318	2.31	-	39.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7252G	61.39	74.00	-12.61	15.59	3	Vertical	47	2.08	-	45.80
AV	15.7231G	49.18	54.00	-4.82	15.59	3	Vertical	47	2.08	-	33.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 98
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7184G	60.65	74.00	-13.35	15.61	3	Horizontal	40	1.97	-	45.04
AV	15.7219G	45.78	54.00	-8.22	15.60	3	Horizontal	40	1.97	-	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	61.10	68.20	-7.10	8.67	3	Vertical	66	2.30	-	52.43
PK	5.753G	118.13	Inf	-Inf	8.83	3	Vertical	66	2.30	-	109.30
AV	5.752G	105.37	Inf	-Inf	8.83	3	Vertical	66	2.30	-	96.54
PK	5.93G	59.37	68.20	-8.83	8.93	3	Vertical	66	2.30	-	50.44

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	59.20	68.20	-9.00	8.65	3	Horizontal	252	2.18	-	50.55
PK	5.747G	114.14	Inf	-Inf	8.82	3	Horizontal	252	2.18	-	105.32
AV	5.743G	101.32	Inf	-Inf	8.82	3	Horizontal	252	2.18	-	92.50
PK	5.99G	59.28	68.20	-8.92	8.93	3	Horizontal	252	2.18	-	50.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.24561G	67.60	68.20	-0.60	20.77	3	Vertical	201	1.80	-	46.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Z_2TX
 Setting 83
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.23441G	67.11	68.20	-1.09	20.71	3	Horizontal	205	2.56	-	46.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	58.73	68.20	-9.47	8.63	3	Vertical	46	2.44	-	50.10
PK	5.78G	114.94	Inf	-Inf	8.87	3	Vertical	46	2.44	-	106.07
AV	5.781G	103.98	Inf	-Inf	8.88	3	Vertical	46	2.44	-	95.10
PK	5.987G	58.85	68.20	-9.35	8.93	3	Vertical	46	2.44	-	49.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3-10
FSU(100015))

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.581G	58.95	68.20	-9.25	8.57	3	Horizontal	154	2.58	-	50.38
PK	5.776G	112.43	Inf	-Inf	8.87	3	Horizontal	154	2.58	-	103.56
AV	5.776G	102.48	Inf	-Inf	8.87	3	Horizontal	154	2.58	-	93.61
PK	5.959G	58.55	68.20	-9.65	8.93	3	Horizontal	154	2.58	-	49.62

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
 Setting 81
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.34386G	67.53	68.20	-0.67	21.35	3	Vertical	208	1.75	-	46.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 81
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3503G	63.28	68.20	-4.92	21.40	3	Horizontal	207	2.70	-	41.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.591G	59.01	68.20	-9.19	8.57	3	Vertical	67	2.28	-	50.44
PK	5.826G	118.18	Inf	-Inf	8.91	3	Vertical	67	2.28	-	109.27
AV	5.822G	106.21	Inf	-Inf	8.90	3	Vertical	67	2.28	-	97.31
PK	5.932G	61.70	68.20	-6.50	8.93	3	Vertical	67	2.28	-	52.77

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 86
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	59.10	68.20	-9.10	8.60	3	Horizontal	284	2.84	-	50.50
PK	5.833G	111.17	Inf	-Inf	8.91	3	Horizontal	284	2.84	-	102.26
AV	5.833G	98.97	Inf	-Inf	8.91	3	Horizontal	284	2.84	-	90.06
PK	5.985G	58.86	68.20	-9.34	8.93	3	Horizontal	284	2.84	-	49.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
 Setting 86
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.47482G	67.48	68.20	-0.72	22.13	3	Vertical	208	1.81	-	45.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
 Setting 86
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.47566G	66.57	68.20	-1.63	22.13	3	Horizontal	210	2.19	-	44.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 70
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.31	74.00	-0.69	7.94	3	Vertical	274	2.54	-	65.37
AV	5.15G	52.37	54.00	-1.63	7.94	3	Vertical	274	2.54	-	44.43
PK	5.1808G	111.49	Inf	-Inf	8.02	3	Vertical	274	2.54	-	103.47
AV	5.1764G	99.58	Inf	-Inf	8.01	3	Vertical	274	2.54	-	91.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Z_2TX
Setting 70
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	65.09	74.00	-8.91	7.94	3	Horizontal	261	1.00	-	57.15
AV	5.15G	48.28	54.00	-5.72	7.94	3	Horizontal	261	1.00	-	40.34
PK	5.184G	108.04	Inf	-Inf	8.03	3	Horizontal	261	1.00	-	100.01
AV	5.1824G	96.16	Inf	-Inf	8.02	3	Horizontal	261	1.00	-	88.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5604G	54.88	74.00	-19.12	16.01	3	Vertical	189	2.34	-	38.87
AV	15.5778G	41.30	54.00	-12.70	15.97	3	Vertical	189	2.34	-	25.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT Z_2TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57246G	55.05	74.00	-18.95	15.99	3	Horizontal	82	1.38	-	39.06
AV	15.56538G	41.31	54.00	-12.69	16.01	3	Horizontal	82	1.38	-	25.30

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 89
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	70.72	74.00	-3.28	7.94	3	Vertical	5	2.36	-	62.78
AV	5.149G	53.39	54.00	-0.61	7.94	3	Vertical	5	2.36	-	45.45
PK	5.2312G	116.76	Inf	-Inf	8.11	3	Vertical	5	2.36	-	108.65
AV	5.2312G	104.60	Inf	-Inf	8.11	3	Vertical	5	2.36	-	96.49
PK	5.3518G	62.94	74.00	-11.06	8.28	3	Vertical	5	2.36	-	54.66
AV	5.35G	47.97	54.00	-6.03	8.28	3	Vertical	5	2.36	-	39.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 89
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	67.08	74.00	-6.92	7.94	3	Horizontal	270	2.87	-	59.14
AV	5.15G	49.27	54.00	-4.73	7.94	3	Horizontal	270	2.87	-	41.33
PK	5.2198G	112.77	Inf	-Inf	8.09	3	Horizontal	270	2.87	-	104.68
AV	5.2156G	100.35	Inf	-Inf	8.08	3	Horizontal	270	2.87	-	92.27
PK	5.3704G	58.69	74.00	-15.31	8.30	3	Horizontal	270	2.87	-	50.39
AV	5.35G	46.60	54.00	-7.40	8.28	3	Horizontal	270	2.87	-	38.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69438G	54.84	74.00	-19.16	15.67	3	Vertical	247	2.83	-	39.17
AV	15.67662G	41.40	54.00	-12.60	15.71	3	Vertical	247	2.83	-	25.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6792G	54.75	74.00	-19.25	15.70	3	Horizontal	273	2.25	-	39.05
AV	15.68118G	41.28	54.00	-12.72	15.69	3	Horizontal	273	2.25	-	25.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6G	58.67	68.20	-9.53	8.58	3	Vertical	2	2.30	-	50.09
PK	5.761G	103.50	Inf	-Inf	8.85	3	Vertical	2	2.30	-	94.65
AV	5.739G	92.16	Inf	-Inf	8.80	3	Vertical	2	2.30	-	83.36
PK	5.978G	60.10	68.20	-8.10	8.94	3	Vertical	2	2.30	-	51.16

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.524G	59.39	68.20	-8.81	8.53	3	Horizontal	360	2.32	-	50.86
PK	5.741G	104.69	Inf	-Inf	8.80	3	Horizontal	360	2.32	-	95.89
AV	5.741G	91.98	Inf	-Inf	8.80	3	Horizontal	360	2.32	-	83.18
PK	5.962G	59.42	68.20	-8.78	8.93	3	Horizontal	360	2.32	-	50.49

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Z_2TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2597G	67.67	68.20	-0.53	20.86	3	Vertical	207	1.77	-	46.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Z_2TX
 Setting 82
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.2744G	63.87	68.20	-4.33	20.94	3	Horizontal	239	2.49	-	42.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.564G	59.26	68.20	-8.94	8.56	3	Vertical	289	2.16	-	50.70
PK	5.798G	115.28	Inf	-Inf	8.90	3	Vertical	289	2.16	-	106.38
AV	5.79G	102.48	Inf	-Inf	8.88	3	Vertical	289	2.16	-	93.60
PK	5.963G	59.18	68.20	-9.02	8.93	3	Vertical	289	2.16	-	50.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 82
02-G-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.55G	58.96	68.20	-9.24	8.54	3	Horizontal	94	1.04	-	50.42
PK	5.798G	107.49	Inf	-Inf	8.90	3	Horizontal	94	1.04	-	98.59
AV	5.808G	95.49	Inf	-Inf	8.90	3	Horizontal	94	1.04	-	86.59
PK	5.979G	58.86	68.20	-9.34	8.94	3	Horizontal	94	1.04	-	49.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Z_2TX
 Setting 82
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3892G	67.51	68.20	-0.69	21.62	3	Vertical	210	1.80	-	45.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Z_2TX
Setting 82
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.37G	64.48	68.20	-3.72	21.51	3	Horizontal	192	2.70	-	42.97
AV	17.3892G	49.90	Inf	-Inf	21.62	3	Horizontal	192	2.70	-	28.28

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	73.33	74.00	-0.67	7.94	3	Vertical	353	1.31	-	65.39
AV	5.149G	53.47	54.00	-0.53	7.94	3	Vertical	353	1.31	-	45.53
PK	5.186G	111.00	Inf	-Inf	8.03	3	Vertical	353	1.31	-	102.97
AV	5.241G	98.25	Inf	-Inf	8.12	3	Vertical	353	1.31	-	90.13
PK	5.388G	60.64	74.00	-13.36	8.33	3	Vertical	353	1.31	-	52.31
AV	5.351G	47.29	54.00	-6.71	8.28	3	Vertical	353	1.31	-	39.01

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	71.15	74.00	-2.85	7.94	3	Horizontal	322	2.97	-	63.21
AV	5.149G	52.64	54.00	-1.36	7.94	3	Horizontal	322	2.97	-	44.70
PK	5.224G	107.78	Inf	-Inf	8.10	3	Horizontal	322	2.97	-	99.68
AV	5.22G	95.43	Inf	-Inf	8.09	3	Horizontal	322	2.97	-	87.34
PK	5.351G	59.53	74.00	-14.47	8.28	3	Horizontal	322	2.97	-	51.25
AV	5.35G	46.54	54.00	-7.46	8.28	3	Horizontal	322	2.97	-	38.26

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT Z_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62886G	55.29	74.00	-18.71	15.84	3	Vertical	286	2.63	-	39.45
AV	15.61668G	41.02	54.00	-12.98	15.86	3	Vertical	286	2.63	-	25.16

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT Z_2TX
 Setting 73
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62598G	54.94	74.00	-19.06	15.84	3	Horizontal	227	2.37	-	39.10
AV	15.63552G	41.02	54.00	-12.98	15.82	3	Horizontal	227	2.37	-	25.20

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 83
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.37	68.20	-0.83	8.66	3	Vertical	69	2.40	-	58.71
PK	5.763G	115.54	Inf	-Inf	8.84	3	Vertical	69	2.40	-	106.70
AV	5.764G	102.18	Inf	-Inf	8.84	3	Vertical	69	2.40	-	93.34
PK	5.925G	67.69	68.20	-0.51	8.93	3	Vertical	69	2.40	-	58.76

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 83
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.73	68.20	-6.47	8.67	3	Horizontal	5	2.60	-	53.06
PK	5.789G	108.14	Inf	-Inf	8.88	3	Horizontal	5	2.60	-	99.26
AV	5.791G	95.21	Inf	-Inf	8.88	3	Horizontal	5	2.60	-	86.33
PK	5.932G	61.41	68.20	-6.79	8.93	3	Horizontal	5	2.60	-	52.48

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT Z_2TX
 Setting 83
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3357G	64.92	68.20	-3.28	21.31	3	Vertical	7	2.48	-	43.61

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX



EUT Z_2TX
 Setting 83
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.3118G	63.54	68.20	-4.66	21.16	3	Horizontal	218	2.00	-	42.38




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.1472G	53.48	54.00	-0.52	3.36	3	Horizontal	0	2.60	-

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT_Z_1TX
Setting 83
04-C-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	59.03	74.00	-14.97	3.36	3	Vertical	200	2.68	-	55.67
AV	5.1499G	44.39	54.00	-9.61	3.36	3	Vertical	200	2.68	-	41.03
PK	5.1825G	102.81	Inf	-Inf	3.39	3	Vertical	200	2.68	-	99.42
AV	5.184G	92.76	Inf	-Inf	3.39	3	Vertical	200	2.68	-	89.37

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT_Z_1TX
Setting 83
04-C-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	71.24	74.00	-2.76	3.36	3	Horizontal	3	2.81	-	67.88
AV	5.1499G	53.12	54.00	-0.88	3.36	3	Horizontal	3	2.81	-	49.76
PK	5.1815G	116.43	Inf	-Inf	3.39	3	Horizontal	3	2.81	-	113.04
AV	5.1841G	106.35	Inf	-Inf	3.39	3	Horizontal	3	2.81	-	102.96

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Z_1TX
Setting 83
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53848G	55.30	74.00	-18.70	10.80	3	Vertical	234	2.55	-	44.50
AV	15.54265G	41.84	54.00	-12.16	10.80	3	Vertical	234	2.55	-	31.04

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Z_1TX
Setting 83
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5364G	55.29	74.00	-18.71	10.80	3	Horizontal	293	2.11	-	44.49
AV	15.53709G	42.07	54.00	-11.93	10.80	3	Horizontal	293	2.11	-	31.27

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX




EUT_Z_1TX
Setting 98
04-C-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	58.95	74.00	-15.05	3.36	3	Vertical	201	2.66	-	55.59
AV	5.149G	44.45	54.00	-9.55	3.36	3	Vertical	201	2.66	-	41.09
PK	5.1952G	105.75	Inf	-Inf	3.41	3	Vertical	201	2.66	-	102.34
AV	5.1979G	95.90	Inf	-Inf	3.41	3	Vertical	201	2.66	-	92.49

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX




EUT_Z_1TX
Setting 98
04-C-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1493G	70.24	74.00	-3.76	3.36	3	Horizontal	0	2.38	-	66.88
AV	5.1496G	53.05	54.00	-0.95	3.36	3	Horizontal	0	2.38	-	49.69
PK	5.1952G	119.83	Inf	-Inf	3.41	3	Horizontal	0	2.38	-	116.42
AV	5.2027G	109.83	Inf	-Inf	3.42	3	Horizontal	0	2.38	-	106.41

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX




EUT Z_1TX
 Setting 98
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59991G	55.55	74.00	-18.45	10.74	3	Vertical	207	1.73	-	44.81
AV	15.59772G	41.80	54.00	-12.20	10.74	3	Vertical	207	1.73	-	31.06

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX




EUT Z_1TX
Setting 98
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60064G	55.14	74.00	-18.86	10.74	3	Horizontal	307	2.04	-	44.40
AV	15.59541G	41.73	54.00	-12.27	10.75	3	Horizontal	307	2.04	-	30.98

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT_Z_1TX
Setting 102
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1443G	57.30	74.00	-16.70	3.35	3	Vertical	202	2.62	-	53.95
AV	5.1431G	44.01	54.00	-9.99	3.35	3	Vertical	202	2.62	-	40.66
PK	5.2457G	108.04	Inf	-Inf	3.56	3	Vertical	202	2.62	-	104.48
AV	5.2424G	97.81	Inf	-Inf	3.55	3	Vertical	202	2.62	-	94.26
PK	5.3762G	57.16	74.00	-16.84	4.04	3	Vertical	202	2.62	-	53.12
AV	5.3591G	44.39	54.00	-9.61	3.98	3	Vertical	202	2.62	-	40.41

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT_Z_1TX
Setting 102
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	69.65	74.00	-4.35	3.36	3	Horizontal	0	2.58	-	66.29
AV	5.1464G	53.39	54.00	-0.61	3.36	3	Horizontal	0	2.58	-	50.03
PK	5.2433G	122.09	Inf	-Inf	3.56	3	Horizontal	0	2.58	-	118.53
AV	5.2379G	111.70	Inf	-Inf	3.54	3	Horizontal	0	2.58	-	108.16
PK	5.351G	65.87	74.00	-8.13	3.94	3	Horizontal	0	2.58	-	61.93
AV	5.3504G	48.81	54.00	-5.19	3.94	3	Horizontal	0	2.58	-	44.87

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT Z_1TX
Setting 102
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71914G	57.71	74.00	-16.29	10.63	3	Vertical	66	2.99	-	47.08
AV	15.7151G	43.95	54.00	-10.05	10.64	3	Vertical	66	2.99	-	33.31

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT Z_1TX
 Setting 102
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71723G	55.60	74.00	-18.40	10.64	3	Horizontal	37	2.88	-	44.96
AV	15.71921G	42.29	54.00	-11.71	10.63	3	Horizontal	37	2.88	-	31.66

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5745MHz_TX




EUT_Z_1TX
Setting 89
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.619G	57.75	68.20	-10.45	4.72	3	Vertical	194	2.38	-	53.03
PK	5.7465G	102.40	Inf	-Inf	4.89	3	Vertical	194	2.38	-	97.51
AV	5.7465G	92.25	Inf	-Inf	4.89	3	Vertical	194	2.38	-	87.36
PK	5.9465G	58.40	68.20	-9.80	5.82	3	Vertical	194	2.38	-	52.58

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5745MHz_TX




EUT_Z_1TX
Setting 89
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	59.50	68.20	-8.70	4.74	3	Horizontal	2	2.97	-	54.76
PK	5.7465G	116.19	Inf	-Inf	4.89	3	Horizontal	2	2.97	-	111.30
AV	5.749G	106.35	Inf	-Inf	4.90	3	Horizontal	2	2.97	-	101.45
PK	5.9585G	59.55	68.20	-8.65	5.88	3	Horizontal	2	2.97	-	53.67

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5745MHz_TX




EUT Z_1TX
 Setting 89
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49295G	52.48	74.00	-21.52	10.50	3	Vertical	75	1.50	-	41.98
AV	11.48605G	39.02	54.00	-14.98	10.51	3	Vertical	75	1.50	-	28.51
PK	17.2365G	67.61	68.20	-0.59	13.62	3	Vertical	127	1.50	-	53.99

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5745MHz_TX




EUT Z_1TX
 Setting 89
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48818G	56.07	74.00	-17.93	10.50	3	Horizontal	2	2.10	-	45.57
AV	11.49109G	42.60	54.00	-11.40	10.50	3	Horizontal	2	2.10	-	32.10
PK	17.23684G	64.45	68.20	-3.75	13.62	3	Horizontal	77	2.99	-	50.83

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 79
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.576G	57.44	68.20	-10.76	4.65	3	Vertical	197	2.46	-	52.79
PK	5.7875G	99.45	Inf	-Inf	4.97	3	Vertical	197	2.46	-	94.48
AV	5.782G	89.46	Inf	-Inf	4.96	3	Vertical	197	2.46	-	84.50
PK	5.9805G	58.98	68.20	-9.22	6.00	3	Vertical	197	2.46	-	52.98

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5785MHz_TX




EUT_Z_1TX
Setting 79
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5745G	59.17	68.20	-9.03	4.65	3	Horizontal	0	2.46	-	54.52
PK	5.7785G	114.29	Inf	-Inf	4.96	3	Horizontal	0	2.46	-	109.33
AV	5.783G	104.46	Inf	-Inf	4.97	3	Horizontal	0	2.46	-	99.49
PK	5.954G	60.11	68.20	-8.09	5.85	3	Horizontal	0	2.46	-	54.26

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 79
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56503G	53.45	74.00	-20.55	10.43	3	Vertical	0	2.13	-	43.02
AV	11.56558G	38.71	54.00	-15.29	10.43	3	Vertical	0	2.13	-	28.28
PK	17.35614G	67.59	68.20	-0.61	13.86	3	Vertical	39	1.92	-	53.73

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 79
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57381G	56.36	74.00	-17.64	10.43	3	Horizontal	2	2.13	-	45.93
AV	11.56822G	42.39	54.00	-11.61	10.43	3	Horizontal	2	2.13	-	31.96
PK	17.35597G	60.68	68.20	-7.52	13.86	3	Horizontal	130	2.32	-	46.82

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT_Z_1TX
Setting 88
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5955G	58.48	68.20	-9.72	4.68	3	Vertical	274	2.93	-	53.80
PK	5.818G	102.79	Inf	-Inf	5.10	3	Vertical	274	2.93	-	97.69
AV	5.8205G	93.10	Inf	-Inf	5.12	3	Vertical	274	2.93	-	87.98
PK	5.9275G	58.47	68.20	-9.73	5.71	3	Vertical	274	2.93	-	52.76

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT_Z_1TX
Setting 88
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.622G	58.61	68.20	-9.59	4.72	3	Horizontal	176	2.21	-	53.89
PK	5.8275G	113.83	Inf	-Inf	5.15	3	Horizontal	176	2.21	-	108.68
AV	5.822G	103.88	Inf	-Inf	5.13	3	Horizontal	176	2.21	-	98.75
PK	5.928G	61.68	68.20	-6.52	5.71	3	Horizontal	176	2.21	-	55.97

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT Z_1TX
Setting 88
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65352G	53.21	74.00	-20.79	10.37	3	Vertical	1	2.14	-	42.84
AV	11.64944G	39.09	54.00	-14.91	10.37	3	Vertical	1	2.14	-	28.72
PK	17.47658G	67.61	68.20	-0.59	14.10	3	Vertical	42	1.82	-	53.51

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT_Z_1TX
Setting 88
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64929G	56.25	74.00	-17.75	10.37	3	Horizontal	0	2.08	-	45.88
AV	11.64893G	42.72	54.00	-11.28	10.37	3	Horizontal	0	2.08	-	32.35
PK	17.47163G	60.10	68.20	-8.10	14.09	3	Horizontal	129	2.54	-	46.01

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT_Z_1TX
Setting 80
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	59.64	74.00	-14.36	3.36	3	Vertical	201	2.16	-	56.28
AV	5.15G	43.70	54.00	-10.30	3.36	3	Vertical	201	2.16	-	40.34
PK	5.1854G	102.63	Inf	-Inf	3.40	3	Vertical	201	2.16	-	99.23
AV	5.185G	89.23	Inf	-Inf	3.39	3	Vertical	201	2.16	-	85.84

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT Z_1TX
Setting 80
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1486G	72.97	74.00	-1.03	3.36	3	Horizontal	0	2.79	-	69.61
AV	5.1497G	53.41	54.00	-0.59	3.36	3	Horizontal	0	2.79	-	50.05
PK	5.1768G	118.44	Inf	-Inf	3.39	3	Horizontal	0	2.79	-	115.05
AV	5.183G	103.93	Inf	-Inf	3.39	3	Horizontal	0	2.79	-	100.54

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT Z_1TX
Setting 80
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54075G	57.19	74.00	-16.81	10.80	3	Vertical	80	1.48	-	46.39
AV	15.5397G	42.13	54.00	-11.87	10.80	3	Vertical	80	1.48	-	31.33

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT_Z_1TX
 Setting 80
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53993G	56.44	74.00	-17.56	10.80	3	Horizontal	314	1.50	-	45.64
AV	15.53979G	41.84	54.00	-12.16	10.80	3	Horizontal	314	1.50	-	31.04

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX




EUT_Z_1TX
Setting 96
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1457G	57.34	74.00	-16.66	3.36	3	Vertical	203	2.65	-	53.98
AV	5.1499G	43.53	54.00	-10.47	3.36	3	Vertical	203	2.65	-	40.17
PK	5.197G	107.13	Inf	-Inf	3.41	3	Vertical	203	2.65	-	103.72
AV	5.1982G	92.67	Inf	-Inf	3.41	3	Vertical	203	2.65	-	89.26

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX




EUT Z_1TX
Setting 96
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	71.97	74.00	-2.03	3.36	3	Horizontal	0	2.79	-	68.61
AV	5.1499G	53.29	54.00	-0.71	3.36	3	Horizontal	0	2.79	-	49.93
PK	5.2012G	120.20	Inf	-Inf	3.41	3	Horizontal	0	2.79	-	116.79
AV	5.1982G	106.90	Inf	-Inf	3.41	3	Horizontal	0	2.79	-	103.49

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX




EUT Z_1TX
Setting 96
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60036G	56.14	74.00	-17.86	10.74	3	Vertical	42	1.90	-	45.40
AV	15.59518G	41.27	54.00	-12.73	10.75	3	Vertical	42	1.90	-	30.52

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX




EUT Z_1TX
Setting 96
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59614G	55.47	74.00	-18.53	10.75	3	Horizontal	114	1.50	-	44.72
AV	15.59564G	41.03	54.00	-12.97	10.75	3	Horizontal	114	1.50	-	30.28

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT_Z_1TX
Setting 102
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1416G	56.43	74.00	-17.57	3.35	3	Vertical	203	2.49	-	53.08
AV	5.1422G	43.56	54.00	-10.44	3.35	3	Vertical	203	2.49	-	40.21
PK	5.237G	108.16	Inf	-Inf	3.53	3	Vertical	203	2.49	-	104.63
AV	5.243G	95.33	Inf	-Inf	3.56	3	Vertical	203	2.49	-	91.77
PK	5.3597G	56.85	74.00	-17.15	3.98	3	Vertical	203	2.49	-	52.87
AV	5.3531G	44.29	54.00	-9.71	3.95	3	Vertical	203	2.49	-	40.34

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT_Z_1TX
Setting 102
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	71.21	74.00	-2.79	3.36	3	Horizontal	0	2.60	-	67.85
AV	5.1458G	53.42	54.00	-0.58	3.36	3	Horizontal	0	2.60	-	50.06
PK	5.237G	122.92	Inf	-Inf	3.53	3	Horizontal	0	2.60	-	119.39
AV	5.243G	109.78	Inf	-Inf	3.56	3	Horizontal	0	2.60	-	106.22
PK	5.3531G	66.25	74.00	-7.75	3.95	3	Horizontal	0	2.60	-	62.30
AV	5.35G	49.20	54.00	-4.80	3.94	3	Horizontal	0	2.60	-	45.26

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT Z_1TX
 Setting 102
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72089G	57.31	74.00	-16.69	10.63	3	Vertical	5	1.97	-	46.68
AV	15.72011G	44.20	54.00	-9.80	10.63	3	Vertical	5	1.97	-	33.57

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT Z_1TX
Setting 102
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71816G	57.47	74.00	-16.53	10.64	3	Horizontal	34	2.86	-	46.83
AV	15.72172G	43.03	54.00	-10.97	10.63	3	Horizontal	34	2.86	-	32.40

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5745MHz_TX




EUT_Z_1TX
Setting 81
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5615G	58.02	68.20	-10.18	4.62	3	Vertical	196	2.37	-	53.40
PK	5.747G	101.22	Inf	-Inf	4.89	3	Vertical	196	2.37	-	96.33
AV	5.7485G	88.27	Inf	-Inf	4.90	3	Vertical	196	2.37	-	83.37
PK	5.986G	58.47	68.20	-9.73	6.03	3	Vertical	196	2.37	-	52.44

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5745MHz_TX




EUT Z_1TX
Setting 81
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6355G	59.08	68.20	-9.12	4.73	3	Horizontal	3	2.97	-	54.35
PK	5.742G	115.90	Inf	-Inf	4.88	3	Horizontal	3	2.97	-	111.02
AV	5.75G	102.61	Inf	-Inf	4.91	3	Horizontal	3	2.97	-	97.70
PK	5.9415G	59.36	68.20	-8.84	5.79	3	Horizontal	3	2.97	-	53.57

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5745MHz_TX




EUT Z_1TX
Setting 81
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49G	52.61	74.00	-21.39	10.50	3	Vertical	0	1.91	-	42.11
AV	11.49187G	38.21	54.00	-15.79	10.50	3	Vertical	0	1.91	-	27.71
PK	17.23692G	67.67	68.20	-0.53	13.62	3	Vertical	25	1.91	-	54.05

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5745MHz_TX




EUT Z_1TX
Setting 81
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49388G	52.59	74.00	-21.41	10.49	3	Horizontal	339	1.50	-	42.10
AV	11.49488G	37.84	54.00	-16.16	10.49	3	Horizontal	339	1.50	-	27.35
PK	17.23935G	62.46	68.20	-5.74	13.63	3	Horizontal	74	2.95	-	48.83

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 85
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.574G	57.96	68.20	-10.24	4.65	3	Vertical	195	2.47	-	53.31
PK	5.782G	103.57	Inf	-Inf	4.96	3	Vertical	195	2.47	-	98.61
AV	5.7775G	89.41	Inf	-Inf	4.95	3	Vertical	195	2.47	-	84.46
PK	5.9475G	58.51	68.20	-9.69	5.83	3	Vertical	195	2.47	-	52.68

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 85
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6345G	58.87	68.20	-9.33	4.72	3	Horizontal	0	2.54	-	54.15
PK	5.782G	117.99	Inf	-Inf	4.96	3	Horizontal	0	2.54	-	113.03
AV	5.7775G	104.05	Inf	-Inf	4.95	3	Horizontal	0	2.54	-	99.10
PK	5.971G	59.61	68.20	-8.59	5.95	3	Horizontal	0	2.54	-	53.66

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5785MHz_TX




EUT_Z_1TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56536G	52.22	74.00	-21.78	10.43	3	Vertical	0	1.81	-	41.79
AV	11.57104G	37.59	54.00	-16.41	10.43	3	Vertical	0	1.81	-	27.16
PK	17.35464G	67.68	68.20	-0.52	13.86	3	Vertical	35	1.88	-	53.82

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5785MHz_TX




EUT Z_1TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56957G	56.31	74.00	-17.69	10.43	3	Horizontal	0	2.13	-	45.88
AV	11.571G	39.43	54.00	-14.57	10.43	3	Horizontal	0	2.13	-	29.00
PK	17.35385G	66.86	68.20	-1.34	13.85	3	Horizontal	298	1.79	-	53.01

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5825MHz_TX




EUT Z_1TX
Setting 95
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.606G	58.42	68.20	-9.78	4.70	3	Vertical	274	2.93	-	53.72
PK	5.822G	107.34	Inf	-Inf	5.13	3	Vertical	274	2.93	-	102.21
AV	5.8205G	93.15	Inf	-Inf	5.12	3	Vertical	274	2.93	-	88.03
PK	5.932G	58.85	68.20	-9.35	5.74	3	Vertical	274	2.93	-	53.11

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5825MHz_TX




EUT Z_1TX
Setting 95
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6075G	59.24	68.20	-8.96	4.70	3	Horizontal	176	2.19	-	54.54
PK	5.8245G	116.76	Inf	-Inf	5.14	3	Horizontal	176	2.19	-	111.62
AV	5.8205G	103.78	Inf	-Inf	5.12	3	Horizontal	176	2.19	-	98.66
PK	5.927G	61.93	68.20	-6.27	5.70	3	Horizontal	176	2.19	-	56.23

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5825MHz_TX




EUT_Z_1TX
 Setting 95
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65482G	52.89	74.00	-21.11	10.37	3	Vertical	350	2.21	-	42.52
AV	11.64981G	38.36	54.00	-15.64	10.37	3	Vertical	350	2.21	-	27.99
PK	17.47254G	67.46	68.20	-0.74	14.09	3	Vertical	69	1.90	-	53.37

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5825MHz_TX




EUT Z_1TX
Setting 95
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64892G	54.30	74.00	-19.70	10.37	3	Horizontal	329	2.13	-	43.93
AV	11.64987G	38.96	54.00	-15.04	10.37	3	Horizontal	329	2.13	-	28.59
PK	17.4711G	64.24	68.20	-3.96	14.09	3	Horizontal	124	2.84	-	50.15

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5190MHz_TX




EUT Z_1TX
Setting 68
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	56.89	74.00	-17.11	3.36	3	Vertical	201	1.69	-	53.53
AV	5.1468G	44.23	54.00	-9.77	3.36	3	Vertical	201	1.69	-	40.87
PK	5.1976G	95.78	Inf	-Inf	3.41	3	Vertical	201	1.69	-	92.37
AV	5.196G	83.38	Inf	-Inf	3.41	3	Vertical	201	1.69	-	79.97

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5190MHz_TX




EUT Z_1TX
Setting 68
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	69.87	74.00	-4.13	3.36	3	Horizontal	3	2.78	-	66.51
AV	5.1498G	53.47	54.00	-0.53	3.36	3	Horizontal	3	2.78	-	50.11
PK	5.1822G	112.44	Inf	-Inf	3.39	3	Horizontal	3	2.78	-	109.05
AV	5.1822G	99.81	Inf	-Inf	3.39	3	Horizontal	3	2.78	-	96.42

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5190MHz_TX




EUT Z_1TX
Setting 68
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.56676G	56.19	74.00	-17.81	10.77	3	Vertical	140	2.21	-	45.42
AV	15.56746G	43.58	54.00	-10.42	10.77	3	Vertical	140	2.21	-	32.81

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5190MHz_TX




EUT Z_1TX
 Setting 68
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57091G	55.96	74.00	-18.04	10.76	3	Horizontal	315	1.83	-	45.20
AV	15.56629G	43.55	54.00	-10.45	10.77	3	Horizontal	315	1.83	-	32.78

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5230MHz_TX




EUT_Z_1TX
Setting 90
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1007G	56.11	74.00	-17.89	3.31	3	Vertical	213	2.18	-	52.80
AV	5.1487G	44.33	54.00	-9.67	3.36	3	Vertical	213	2.18	-	40.97
PK	5.215G	103.08	Inf	-Inf	3.46	3	Vertical	213	2.18	-	99.62
AV	5.2222G	90.48	Inf	-Inf	3.48	3	Vertical	213	2.18	-	87.00
PK	5.3665G	58.00	74.00	-16.00	4.00	3	Vertical	213	2.18	-	54.00
AV	5.374G	44.82	54.00	-9.18	4.03	3	Vertical	213	2.18	-	40.79

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5230MHz_TX




EUT Z_1TX
Setting 90
04-L-3-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1436G	66.92	74.00	-7.08	3.35	3	Horizontal	0	2.60	-	63.57
AV	5.1472G	53.48	54.00	-0.52	3.36	3	Horizontal	0	2.60	-	50.12
PK	5.2459G	116.61	Inf	-Inf	3.56	3	Horizontal	0	2.60	-	113.05
AV	5.2342G	104.34	Inf	-Inf	3.52	3	Horizontal	0	2.60	-	100.82
PK	5.3704G	61.05	74.00	-12.95	4.02	3	Horizontal	0	2.60	-	57.03
AV	5.371G	48.17	54.00	-5.83	4.02	3	Horizontal	0	2.60	-	44.15

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5230MHz_TX




EUT Z_1TX
Setting 90
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69041G	55.51	74.00	-18.49	10.66	3	Vertical	337	2.21	-	44.85
AV	15.69235G	42.53	54.00	-11.47	10.66	3	Vertical	337	2.21	-	31.87

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5230MHz_TX




EUT Z_1TX
 Setting 90
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6944G	55.71	74.00	-18.29	10.65	3	Horizontal	35	1.91	-	45.06
AV	15.69109G	43.34	54.00	-10.66	10.66	3	Horizontal	35	1.91	-	32.68

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5755MHz_TX




EUT Z_1TX
Setting 91
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5845G	58.26	68.20	-9.94	4.66	3	Vertical	195	2.39	-	53.60
PK	5.7705G	103.20	Inf	-Inf	4.94	3	Vertical	195	2.39	-	98.26
AV	5.7595G	92.06	Inf	-Inf	4.92	3	Vertical	195	2.39	-	87.14
PK	5.9835G	58.79	68.20	-9.41	6.02	3	Vertical	195	2.39	-	52.77

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5755MHz_TX




EUT Z_1TX
Setting 91
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	62.51	68.20	-5.69	4.74	3	Horizontal	2	2.57	-	57.77
PK	5.771G	117.47	Inf	-Inf	4.94	3	Horizontal	2	2.57	-	112.53
AV	5.761G	105.23	Inf	-Inf	4.92	3	Horizontal	2	2.57	-	100.31
PK	5.955G	60.03	68.20	-8.17	5.85	3	Horizontal	2	2.57	-	54.18

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5755MHz_TX




EUT Z_1TX
Setting 91
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50676G	53.02	74.00	-20.98	10.49	3	Vertical	11	1.73	-	42.53
AV	11.50628G	40.64	54.00	-13.36	10.50	3	Vertical	11	1.73	-	30.14
PK	17.26113G	67.67	68.20	-0.53	13.67	3	Vertical	126	1.79	-	54.00

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5755MHz_TX




EUT Z_1TX
Setting 91
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51387G	53.31	74.00	-20.69	10.48	3	Horizontal	253	1.48	-	42.83
AV	11.51554G	40.82	54.00	-13.18	10.48	3	Horizontal	253	1.48	-	30.34
PK	17.25954G	63.97	68.20	-4.23	13.67	3	Horizontal	295	2.05	-	50.30

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5795MHz_TX




EUT_Z_1TX
Setting 85
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.576G	57.44	68.20	-10.76	4.65	3	Vertical	162	1.51	-	52.79
PK	5.787G	101.15	Inf	-Inf	4.97	3	Vertical	162	1.51	-	96.18
AV	5.799G	88.97	Inf	-Inf	5.00	3	Vertical	162	1.51	-	83.97
PK	5.9295G	58.21	68.20	-9.99	5.72	3	Vertical	162	1.51	-	52.49

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5795MHz_TX




EUT_Z_1TX
Setting 85
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6255G	59.38	68.20	-8.82	4.72	3	Horizontal	359	2.54	-	54.66
PK	5.7795G	115.29	Inf	-Inf	4.96	3	Horizontal	359	2.54	-	110.33
AV	5.778G	102.68	Inf	-Inf	4.96	3	Horizontal	359	2.54	-	97.72
PK	5.927G	61.30	68.20	-6.90	5.70	3	Horizontal	359	2.54	-	55.60

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5795MHz_TX




EUT Z_1TX
Setting 85
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59246G	52.79	74.00	-21.21	10.41	3	Vertical	97	2.25	-	42.38
AV	11.5921G	40.06	54.00	-13.94	10.41	3	Vertical	97	2.25	-	29.65
PK	17.37645G	67.55	68.20	-0.65	13.90	3	Vertical	39	1.92	-	53.65

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

5795MHz_TX




EUT Z_1TX
Setting 85
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60098G	52.92	74.00	-21.08	10.41	3	Horizontal	76	1.05	-	42.51
AV	11.59804G	39.96	54.00	-14.04	10.41	3	Horizontal	76	1.05	-	29.55
PK	17.37654G	64.70	68.20	-3.50	13.90	3	Horizontal	304	1.83	-	50.80

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5210MHz_TX




EUT_Z_1TX
Setting 70
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	56.71	74.00	-17.29	3.36	3	Vertical	202	2.81	-	53.35
AV	5.1476G	44.97	54.00	-9.03	3.36	3	Vertical	202	2.81	-	41.61
PK	5.1888G	94.48	Inf	-Inf	3.40	3	Vertical	202	2.81	-	91.08
AV	5.1812G	83.55	Inf	-Inf	3.39	3	Vertical	202	2.81	-	80.16
PK	5.3636G	56.98	74.00	-17.02	3.99	3	Vertical	202	2.81	-	52.99
AV	5.3912G	45.07	54.00	-8.93	4.10	3	Vertical	202	2.81	-	40.97

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5210MHz_TX




EUT_Z_1TX
Setting 70
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	70.98	74.00	-3.02	3.36	3	Horizontal	1	2.77	-	67.62
AV	5.1496G	53.38	54.00	-0.62	3.36	3	Horizontal	1	2.77	-	50.02
PK	5.1884G	108.65	Inf	-Inf	3.40	3	Horizontal	1	2.77	-	105.25
AV	5.1996G	96.93	Inf	-Inf	3.41	3	Horizontal	1	2.77	-	93.52
PK	5.358G	61.17	74.00	-12.83	3.96	3	Horizontal	1	2.77	-	57.21
AV	5.3536G	48.81	54.00	-5.19	3.95	3	Horizontal	1	2.77	-	44.86

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5210MHz_TX




EUT Z_1TX
Setting 70
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6294G	54.77	74.00	-19.23	10.72	3	Vertical	192	2.38	-	44.05
AV	15.6301G	42.50	54.00	-11.50	10.72	3	Vertical	192	2.38	-	31.78

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5210MHz_TX




EUT Z_1TX
Setting 70
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63309G	55.16	74.00	-18.84	10.71	3	Horizontal	115	1.75	-	44.45
AV	15.63302G	42.52	54.00	-11.48	10.71	3	Horizontal	115	1.75	-	31.81

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5775MHz_TX




EUT Z_1TX
Setting 83
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5445G	58.16	68.20	-10.04	4.60	3	Vertical	194	1.61	-	53.56
PK	5.7735G	98.76	Inf	-Inf	4.95	3	Vertical	194	1.61	-	93.81
AV	5.7685G	87.10	Inf	-Inf	4.94	3	Vertical	194	1.61	-	82.16
PK	5.9515G	58.79	68.20	-9.41	5.84	3	Vertical	194	1.61	-	52.95

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5775MHz_TX




EUT_Z_1TX
Setting 83
04-B-4-10
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6305G	66.98	68.20	-1.22	4.72	3	Horizontal	1	2.58	-	62.26
PK	5.7735G	112.02	Inf	-Inf	4.95	3	Horizontal	1	2.58	-	107.07
AV	5.7645G	100.50	Inf	-Inf	4.93	3	Horizontal	1	2.58	-	95.57
PK	5.9515G	67.46	68.20	-0.74	5.84	3	Horizontal	1	2.58	-	61.62

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5775MHz_TX




EUT Z_1TX
Setting 83
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5515G	52.17	74.00	-21.83	10.45	3	Vertical	110	1.17	-	41.72
AV	11.55135G	39.23	54.00	-14.77	10.45	3	Vertical	110	1.17	-	28.78
PK	17.31636G	64.18	68.20	-4.02	13.79	3	Vertical	23	1.86	-	50.39

802.11ax HEW80_Nss1,(MCS0)_1TX

09/10/2019

5775MHz_TX



EUT Z_1TX
Setting 83
04-B-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55708G	52.72	74.00	-21.28	10.45	3	Horizontal	286	1.86	-	42.27
AV	11.55729G	39.60	54.00	-14.40	10.45	3	Horizontal	286	1.86	-	29.15
PK	17.32092G	62.61	68.20	-5.59	13.80	3	Horizontal	297	1.81	-	48.81




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	17.35392G	67.67	68.20	-0.53	21.42	3	Vertical	324	1.68	-

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	58.59	74.00	-15.41	7.94	3	Vertical	189	2.95	-	50.65
AV	5.1302G	45.57	54.00	-8.43	7.91	3	Vertical	189	2.95	-	37.66
PK	5.1838G	100.51	Inf	-Inf	8.03	3	Vertical	189	2.95	-	92.48
AV	5.184G	91.26	Inf	-Inf	8.03	3	Vertical	189	2.95	-	83.23

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.33	74.00	-0.67	7.94	3	Horizontal	353	3.00	-	65.39
AV	5.15G	50.41	54.00	-3.59	7.94	3	Horizontal	353	3.00	-	42.47
PK	5.1858G	117.31	Inf	-Inf	8.03	3	Horizontal	353	3.00	-	109.28
AV	5.1858G	107.78	Inf	-Inf	8.03	3	Horizontal	353	3.00	-	99.75

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5180MHz_TX




EUT Z_2TX
 Setting 73
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54064G	55.46	74.00	-18.54	16.07	3	Vertical	272	2.03	-	39.39
AV	15.54436G	41.64	54.00	-12.36	16.06	3	Vertical	272	2.03	-	25.58

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5180MHz_TX




EUT Z_2TX
 Setting 73
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.53912G	55.03	74.00	-18.97	16.08	3	Horizontal	311	2.15	-	38.95
AV	15.54322G	41.63	54.00	-12.37	16.06	3	Horizontal	311	2.15	-	25.57

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.08G	58.17	74.00	-15.83	7.79	3	Vertical	191	2.55	-	50.38
AV	5.113G	45.63	54.00	-8.37	7.86	3	Vertical	191	2.55	-	37.77
PK	5.2048G	105.25	Inf	-Inf	8.07	3	Vertical	191	2.55	-	97.18
AV	5.2054G	94.97	Inf	-Inf	8.07	3	Vertical	191	2.55	-	86.90

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 91
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1478G	71.65	74.00	-2.35	7.94	3	Horizontal	343	2.95	-	63.71
AV	5.15G	53.09	54.00	-0.91	7.94	3	Horizontal	343	2.95	-	45.15
PK	5.2048G	121.53	Inf	-Inf	8.07	3	Horizontal	343	2.95	-	113.46
AV	5.2042G	111.76	Inf	-Inf	8.07	3	Horizontal	343	2.95	-	103.69

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
 Setting 91
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60434G	57.68	74.00	-16.32	15.90	3	Vertical	321	1.52	-	41.78
AV	15.6035G	43.95	54.00	-10.05	15.90	3	Vertical	321	1.52	-	28.05

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
 Setting 91
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59854G	57.43	74.00	-16.57	15.91	3	Horizontal	181	2.11	-	41.52
AV	15.59946G	43.73	54.00	-10.27	15.91	3	Horizontal	181	2.11	-	27.82

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	58.47	74.00	-15.53	7.94	3	Vertical	258	2.27	-	50.53
AV	5.1416G	46.07	54.00	-7.93	7.94	3	Vertical	258	2.27	-	38.13
PK	5.243G	106.77	Inf	-Inf	8.12	3	Vertical	258	2.27	-	98.65
AV	5.243G	96.94	Inf	-Inf	8.12	3	Vertical	258	2.27	-	88.82
PK	5.3528G	57.85	74.00	-16.15	8.28	3	Vertical	258	2.27	-	49.57
AV	5.3522G	45.55	54.00	-8.45	8.28	3	Vertical	258	2.27	-	37.27

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	66.43	74.00	-7.57	7.94	3	Horizontal	342	2.90	-	58.49
AV	5.144G	52.34	54.00	-1.66	7.94	3	Horizontal	342	2.90	-	44.40
PK	5.2394G	123.47	Inf	-Inf	8.12	3	Horizontal	342	2.90	-	115.35
AV	5.2442G	113.11	Inf	-Inf	8.12	3	Horizontal	342	2.90	-	104.99
PK	5.3522G	64.44	74.00	-9.56	8.28	3	Horizontal	342	2.90	-	56.16
AV	5.35G	48.68	54.00	-5.32	8.28	3	Horizontal	342	2.90	-	40.40

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4812G	57.30	68.20	-10.90	14.58	3	Vertical	241	1.86	-	42.72
PK	15.7226G	54.94	74.00	-19.06	15.59	3	Vertical	135	2.29	-	39.35
AV	15.72186G	41.57	54.00	-12.43	15.60	3	Vertical	135	2.29	-	25.97

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47586G	57.98	68.20	-10.22	14.59	3	Horizontal	218	2.19	-	43.39
PK	15.71704G	57.88	74.00	-16.12	15.61	3	Horizontal	349	2.06	-	42.27
AV	15.72124G	44.33	54.00	-9.67	15.60	3	Horizontal	349	2.06	-	28.73

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.629G	58.75	68.20	-9.45	8.63	3	Vertical	98	1.10	-	50.12
PK	5.749G	106.41	Inf	-Inf	8.82	3	Vertical	98	1.10	-	97.59
AV	5.748G	97.00	Inf	-Inf	8.82	3	Vertical	98	1.10	-	88.18
PK	5.98G	59.17	68.20	-9.03	8.94	3	Vertical	98	1.10	-	50.23

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	65.12	68.20	-3.08	8.66	3	Horizontal	360	2.03	-	56.46
PK	5.752G	121.29	Inf	-Inf	8.83	3	Horizontal	360	2.03	-	112.46
AV	5.747G	111.60	Inf	-Inf	8.82	3	Horizontal	360	2.03	-	102.78
PK	5.942G	60.40	68.20	-7.80	8.94	3	Horizontal	360	2.03	-	51.46

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
 Setting 83
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49436G	53.54	74.00	-20.46	14.90	3	Vertical	301	1.19	-	38.64
AV	11.4942G	40.27	54.00	-13.73	14.90	3	Vertical	301	1.19	-	25.37
PK	17.22936G	67.57	68.20	-0.63	20.68	3	Vertical	20	2.92	-	46.89

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
 Setting 83
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4862G	54.16	74.00	-19.84	14.89	3	Horizontal	180	1.96	-	39.27
AV	11.49158G	40.58	54.00	-13.42	14.89	3	Horizontal	180	1.96	-	25.69
PK	17.23422G	65.87	68.20	-2.33	20.71	3	Horizontal	325	1.64	-	45.16

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.619G	58.40	68.20	-9.80	8.61	3	Vertical	82	1.02	-	49.79
PK	5.79G	105.20	Inf	-Inf	8.88	3	Vertical	82	1.02	-	96.32
AV	5.784G	96.10	Inf	-Inf	8.88	3	Vertical	82	1.02	-	87.22
PK	5.932G	58.40	68.20	-9.80	8.93	3	Vertical	82	1.02	-	49.47

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 78
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	61.28	68.20	-6.92	8.67	3	Horizontal	345	2.18	-	52.61
PK	5.782G	118.82	Inf	-Inf	8.88	3	Horizontal	345	2.18	-	109.94
AV	5.788G	109.79	Inf	-Inf	8.87	3	Horizontal	345	2.18	-	100.92
PK	5.942G	60.07	68.20	-8.13	8.94	3	Horizontal	345	2.18	-	51.13

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56694G	54.00	74.00	-20.00	14.99	3	Vertical	75	1.86	-	39.01
AV	11.572G	40.67	54.00	-13.33	15.00	3	Vertical	75	1.86	-	25.67
PK	17.35644G	67.57	68.20	-0.63	21.43	3	Vertical	319	1.68	-	46.14

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
 Setting 78
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57254G	54.46	74.00	-19.54	15.00	3	Horizontal	43	2.32	-	39.46
AV	11.57018G	41.74	54.00	-12.26	15.00	3	Horizontal	43	2.32	-	26.74
PK	17.35424G	61.98	68.20	-6.22	21.42	3	Horizontal	309	2.34	-	40.56

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 84
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.593G	58.45	68.20	-9.75	8.58	3	Vertical	265	2.53	-	49.87
PK	5.818G	107.52	Inf	-Inf	8.90	3	Vertical	265	2.53	-	98.62
AV	5.823G	98.09	Inf	-Inf	8.90	3	Vertical	265	2.53	-	89.19
PK	5.975G	59.73	68.20	-8.47	8.94	3	Vertical	265	2.53	-	50.79

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 84
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.622G	61.03	68.20	-7.17	8.61	3	Horizontal	1	2.26	-	52.42
PK	5.822G	120.70	Inf	-Inf	8.90	3	Horizontal	1	2.26	-	111.80
AV	5.827G	111.19	Inf	-Inf	8.91	3	Horizontal	1	2.26	-	102.28
PK	5.927G	62.58	68.20	-5.62	8.93	3	Horizontal	1	2.26	-	53.65

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 84
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6511G	54.31	74.00	-19.69	15.10	3	Vertical	88	2.49	-	39.21
AV	11.65046G	41.44	54.00	-12.56	15.09	3	Vertical	88	2.49	-	26.35
PK	17.46936G	67.46	68.20	-0.74	22.10	3	Vertical	34	1.63	-	45.36

802.11a_Nss1,(6Mbps)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
 Setting 84
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64776G	57.51	74.00	-16.49	15.09	3	Horizontal	318	2.10	-	42.42
AV	11.65274G	43.34	54.00	-10.66	15.10	3	Horizontal	318	2.10	-	28.24
PK	17.46924G	65.63	68.20	-2.57	22.10	3	Horizontal	304	2.90	-	43.53

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5180MHz_TX




EUT Z_2TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	57.89	74.00	-16.11	7.92	3	Vertical	179	2.56	-	49.97
AV	5.142G	46.18	54.00	-7.82	7.94	3	Vertical	179	2.56	-	38.24
PK	5.1876G	97.81	Inf	-Inf	8.04	3	Vertical	179	2.56	-	89.77
AV	5.1884G	86.74	Inf	-Inf	8.04	3	Vertical	179	2.56	-	78.70

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 73
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	68.64	74.00	-5.36	7.94	3	Horizontal	1	3.00	-	60.70
AV	5.1492G	53.42	54.00	-0.58	7.94	3	Horizontal	1	3.00	-	45.48
PK	5.1884G	116.98	Inf	-Inf	8.04	3	Horizontal	1	3.00	-	108.94
AV	5.1832G	105.04	Inf	-Inf	8.02	3	Horizontal	1	3.00	-	97.02

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 73
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.54134G	56.00	74.00	-18.00	16.07	3	Vertical	301	1.45	-	39.93
AV	15.53534G	42.61	54.00	-11.39	16.09	3	Vertical	301	1.45	-	26.52

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5180MHz_TX




EUT Z_2TX
Setting 73
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.535G	54.94	74.00	-19.06	16.09	3	Horizontal	360	1.67	-	38.85
AV	15.54196G	42.85	54.00	-11.15	16.07	3	Horizontal	360	1.67	-	26.78

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	58.07	74.00	-15.93	7.94	3	Vertical	204	1.97	-	50.13
AV	5.0968G	46.22	54.00	-7.78	7.84	3	Vertical	204	1.97	-	38.38
PK	5.2036G	101.84	Inf	-Inf	8.06	3	Vertical	204	1.97	-	93.78
AV	5.1958G	90.65	Inf	-Inf	8.06	3	Vertical	204	1.97	-	82.59

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	70.27	74.00	-3.73	7.94	3	Horizontal	355	2.10	-	62.33
AV	5.15G	53.29	54.00	-0.71	7.94	3	Horizontal	355	2.10	-	45.35
PK	5.1988G	120.44	Inf	-Inf	8.06	3	Horizontal	355	2.10	-	112.38
AV	5.197G	108.24	Inf	-Inf	8.06	3	Horizontal	355	2.10	-	100.18

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.60182G	56.27	74.00	-17.73	15.90	3	Vertical	353	1.43	-	40.37
AV	15.60224G	43.67	54.00	-10.33	15.90	3	Vertical	353	1.43	-	27.77

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59724G	55.67	74.00	-18.33	15.92	3	Horizontal	344	2.00	-	39.75
AV	15.60088G	42.61	54.00	-11.39	15.91	3	Horizontal	344	2.00	-	26.70

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.14888G	58.59	74.00	-15.41	7.94	3	Vertical	98	2.88	-	50.65
AV	5.1404G	46.88	54.00	-7.12	7.93	3	Vertical	98	2.88	-	38.95
PK	5.243G	106.30	Inf	-Inf	8.12	3	Vertical	98	2.88	-	98.18
AV	5.2412G	94.82	Inf	-Inf	8.12	3	Vertical	98	2.88	-	86.70
PK	5.38888G	57.85	74.00	-16.15	8.33	3	Vertical	98	2.88	-	49.52
AV	5.36666G	46.08	54.00	-7.92	8.29	3	Vertical	98	2.88	-	37.79

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	67.31	74.00	-6.69	7.93	3	Horizontal	2	2.18	-	59.38
AV	5.1494G	52.41	54.00	-1.59	7.94	3	Horizontal	2	2.18	-	44.47
PK	5.2394G	122.16	Inf	-Inf	8.12	3	Horizontal	2	2.18	-	114.04
AV	5.237G	109.97	Inf	-Inf	8.11	3	Horizontal	2	2.18	-	101.86
PK	5.3534G	66.18	74.00	-7.82	8.28	3	Horizontal	2	2.18	-	57.90
AV	5.35G	50.80	54.00	-3.20	8.28	3	Horizontal	2	2.18	-	42.52

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7222G	56.92	74.00	-17.08	15.60	3	Vertical	355	1.96	-	41.32
AV	15.72278G	43.49	54.00	-10.51	15.59	3	Vertical	355	1.96	-	27.90

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.71786G	56.00	74.00	-18.00	15.61	3	Horizontal	289	2.14	-	40.39
AV	15.72134G	42.47	54.00	-11.53	15.60	3	Horizontal	289	2.14	-	26.87

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 87
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.606G	58.73	68.20	-9.47	8.59	3	Vertical	102	1.27	-	50.14
PK	5.748G	107.51	Inf	-Inf	8.82	3	Vertical	102	1.27	-	98.69
AV	5.75G	95.78	Inf	-Inf	8.83	3	Vertical	102	1.27	-	86.95
PK	5.988G	58.70	68.20	-9.50	8.93	3	Vertical	102	1.27	-	49.77

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 87
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	65.17	68.20	-3.03	8.67	3	Horizontal	348	1.97	-	56.50
PK	5.74G	121.30	Inf	-Inf	8.80	3	Horizontal	348	1.97	-	112.50
AV	5.74G	110.14	Inf	-Inf	8.80	3	Horizontal	348	1.97	-	101.34
PK	5.954G	60.44	68.20	-7.76	8.92	3	Horizontal	348	1.97	-	51.52

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 87
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49106G	53.47	74.00	-20.53	14.89	3	Vertical	78	1.24	-	38.58
AV	11.49422G	40.74	54.00	-13.26	14.90	3	Vertical	78	1.24	-	25.84
PK	17.23312G	67.49	68.20	-0.71	20.70	3	Vertical	326	1.48	-	46.79

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 87
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48866G	54.29	74.00	-19.71	14.89	3	Horizontal	344	1.50	-	39.40
AV	11.49054G	41.73	54.00	-12.27	14.89	3	Horizontal	344	1.50	-	26.84
PK	17.2301G	66.35	68.20	-1.85	20.68	3	Horizontal	315	2.38	-	45.67

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	58.50	68.20	-9.70	8.63	3	Vertical	193	1.95	-	49.87
PK	5.79G	102.37	Inf	-Inf	8.88	3	Vertical	193	1.95	-	93.49
AV	5.781G	90.97	Inf	-Inf	8.88	3	Vertical	193	1.95	-	82.09
PK	5.935G	59.11	68.20	-9.09	8.93	3	Vertical	193	1.95	-	50.18

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.576G	60.32	68.20	-7.88	8.57	3	Horizontal	1	2.63	-	51.75
PK	5.788G	119.19	Inf	-Inf	8.87	3	Horizontal	1	2.63	-	110.32
AV	5.786G	108.16	Inf	-Inf	8.88	3	Horizontal	1	2.63	-	99.28
PK	5.98G	60.04	68.20	-8.16	8.94	3	Horizontal	1	2.63	-	51.10

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 83
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57156G	53.90	74.00	-20.10	15.00	3	Vertical	125	1.47	-	38.90
AV	11.56906G	41.18	54.00	-12.82	15.00	3	Vertical	125	1.47	-	26.18
PK	17.35392G	67.67	68.20	-0.53	21.42	3	Vertical	324	1.68	-	46.25

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 83
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57088G	53.90	74.00	-20.10	15.00	3	Horizontal	178	2.14	-	38.90
AV	11.56856G	41.78	54.00	-12.22	14.99	3	Horizontal	178	2.14	-	26.79
PK	17.35484G	63.31	68.20	-4.89	21.42	3	Horizontal	203	2.52	-	41.89

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 85
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	58.62	68.20	-9.58	8.63	3	Vertical	76	2.49	-	49.99
PK	5.82G	107.28	Inf	-Inf	8.90	3	Vertical	76	2.49	-	98.38
AV	5.821G	96.62	Inf	-Inf	8.90	3	Vertical	76	2.49	-	87.72
PK	5.947G	59.21	68.20	-8.99	8.94	3	Vertical	76	2.49	-	50.27

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 85
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.62G	61.91	68.20	-6.29	8.61	3	Horizontal	349	2.21	-	53.30
PK	5.828G	120.23	Inf	-Inf	8.91	3	Horizontal	349	2.21	-	111.32
AV	5.822G	108.43	Inf	-Inf	8.90	3	Horizontal	349	2.21	-	99.53
PK	5.927G	63.43	68.20	-4.77	8.93	3	Horizontal	349	2.21	-	54.50

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 85
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64934G	54.29	74.00	-19.71	15.09	3	Vertical	247	2.18	-	39.20
AV	11.65362G	41.37	54.00	-12.63	15.10	3	Vertical	247	2.18	-	26.27
PK	17.47174G	67.64	68.20	-0.56	22.11	3	Vertical	14	2.73	-	45.53

802.11ax HEW20_Nss2,(MCS0)_2TX

05/10/2019

5825MHz_TX




EUT_Z_2TX
 Setting 85
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64814G	57.68	74.00	-16.32	15.09	3	Horizontal	210	1.54	-	42.59
AV	11.64908G	45.52	54.00	-8.48	15.09	3	Horizontal	210	1.54	-	30.43
PK	17.47266G	62.18	68.20	-6.02	22.12	3	Horizontal	157	1.39	-	40.06

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5190MHz_TX




EUT Z_2TX
Setting 64
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1192G	58.11	74.00	-15.89	7.88	3	Vertical	195	2.82	-	50.23
AV	5.0924G	46.19	54.00	-7.81	7.82	3	Vertical	195	2.82	-	38.37
PK	5.1948G	95.08	Inf	-Inf	8.05	3	Vertical	195	2.82	-	87.03
AV	5.1924G	84.33	Inf	-Inf	8.04	3	Vertical	195	2.82	-	76.29

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 64
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	73.41	74.00	-0.59	7.94	3	Horizontal	2	2.22	-	65.47
AV	5.1496G	51.48	54.00	-2.52	7.94	3	Horizontal	2	2.22	-	43.54
PK	5.184G	112.13	Inf	-Inf	8.03	3	Horizontal	2	2.22	-	104.10
AV	5.1948G	99.92	Inf	-Inf	8.05	3	Horizontal	2	2.22	-	91.87

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 64
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5698G	55.24	74.00	-18.76	16.00	3	Vertical	88	2.83	-	39.24
AV	15.56806G	42.57	54.00	-11.43	16.00	3	Vertical	88	2.83	-	26.57

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 64
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57344G	54.98	74.00	-19.02	15.99	3	Horizontal	118	1.36	-	38.99
AV	15.57436G	42.47	54.00	-11.53	15.98	3	Horizontal	118	1.36	-	26.49

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1208G	59.05	74.00	-14.95	7.88	3	Vertical	227	2.28	-	51.17
AV	5.1406G	46.60	54.00	-7.40	7.93	3	Vertical	227	2.28	-	38.67
PK	5.2414G	102.07	Inf	-Inf	8.12	3	Vertical	227	2.28	-	93.95
AV	5.239G	89.89	Inf	-Inf	8.12	3	Vertical	227	2.28	-	81.77
PK	5.3746G	58.12	74.00	-15.88	8.30	3	Vertical	227	2.28	-	49.82
AV	5.3716G	46.29	54.00	-7.71	8.30	3	Vertical	227	2.28	-	37.99

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 83
02-L-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1472G	67.95	74.00	-6.05	7.94	3	Horizontal	327	2.18	-	60.01
AV	5.15G	53.25	54.00	-0.75	7.94	3	Horizontal	327	2.18	-	45.31
PK	5.2342G	116.74	Inf	-Inf	8.11	3	Horizontal	327	2.18	-	108.63
AV	5.2432G	105.07	Inf	-Inf	8.12	3	Horizontal	327	2.18	-	96.95
PK	5.3518G	63.15	74.00	-10.85	8.28	3	Horizontal	327	2.18	-	54.87
AV	5.3554G	49.35	54.00	-4.65	8.28	3	Horizontal	327	2.18	-	41.07

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5230MHz_TX




EUT_Z_2TX
 Setting 83
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69318G	56.19	74.00	-17.81	15.67	3	Vertical	219	1.15	-	40.52
AV	15.68698G	42.39	54.00	-11.61	15.69	3	Vertical	219	1.15	-	26.70

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 83
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6901G	55.44	74.00	-18.56	15.68	3	Horizontal	150	1.58	-	39.76
AV	15.6903G	42.43	54.00	-11.57	15.68	3	Horizontal	150	1.58	-	26.75

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 83
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	59.95	68.20	-8.25	8.66	3	Vertical	95	1.12	-	51.29
PK	5.753G	104.27	Inf	-Inf	8.83	3	Vertical	95	1.12	-	95.44
AV	5.758G	92.65	Inf	-Inf	8.84	3	Vertical	95	1.12	-	83.81
PK	5.983G	58.76	68.20	-9.44	8.94	3	Vertical	95	1.12	-	49.82

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5755MHz_TX




EUT Z_2TX
Setting 83
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.50	68.20	-0.70	8.67	3	Horizontal	343	2.03	-	58.83
PK	5.759G	119.02	Inf	-Inf	8.85	3	Horizontal	343	2.03	-	110.17
AV	5.76G	107.14	Inf	-Inf	8.85	3	Horizontal	343	2.03	-	98.29
PK	5.927G	61.31	68.20	-6.89	8.93	3	Horizontal	343	2.03	-	52.38

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 83
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51628G	53.89	74.00	-20.11	14.92	3	Vertical	233	2.05	-	38.97
AV	11.50864G	41.49	54.00	-12.51	14.92	3	Vertical	233	2.05	-	26.57
PK	17.2743G	66.02	68.20	-2.18	20.94	3	Vertical	314	1.68	-	45.08

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 83
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51048G	55.27	74.00	-18.73	14.92	3	Horizontal	239	2.80	-	40.35
AV	11.50924G	42.40	54.00	-11.60	14.92	3	Horizontal	239	2.80	-	27.48
PK	17.2742G	64.78	68.20	-3.42	20.94	3	Horizontal	320	2.41	-	43.84

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 85
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.585G	59.48	68.20	-8.72	8.57	3	Vertical	244	2.16	-	50.91
PK	5.791G	106.16	Inf	-Inf	8.88	3	Vertical	244	2.16	-	97.28
AV	5.794G	94.75	Inf	-Inf	8.89	3	Vertical	244	2.16	-	85.86
PK	5.956G	58.75	68.20	-9.45	8.92	3	Vertical	244	2.16	-	49.83

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 85
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	64.95	68.20	-3.25	8.67	3	Horizontal	350	2.00	-	56.28
PK	5.799G	119.26	Inf	-Inf	8.90	3	Horizontal	350	2.00	-	110.36
AV	5.791G	107.27	Inf	-Inf	8.88	3	Horizontal	350	2.00	-	98.39
PK	5.926G	66.39	68.20	-1.81	8.93	3	Horizontal	350	2.00	-	57.46

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 85
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59438G	54.26	74.00	-19.74	15.04	3	Vertical	223	1.91	-	39.22
AV	11.58466G	41.83	54.00	-12.17	15.02	3	Vertical	223	1.91	-	26.81
PK	17.39424G	67.65	68.20	-0.55	21.65	3	Vertical	323	1.58	-	46.00

802.11ax HEW40_Nss2,(MCS0)_2TX

05/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 85
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.59372G	55.31	74.00	-18.69	15.02	3	Horizontal	280	1.27	-	40.29
AV	11.5957G	41.56	54.00	-12.44	15.04	3	Horizontal	280	1.27	-	26.52
PK	17.38512G	66.52	68.20	-1.68	21.60	3	Horizontal	357	2.53	-	44.92

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5210MHz_TX




EUT Z_2TX
Setting 63
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	64.64	74.00	-9.36	7.94	3	Vertical	282	2.99	-	56.70
AV	5.146G	48.77	54.00	-5.23	7.94	3	Vertical	282	2.99	-	40.83
PK	5.201G	98.40	Inf	-Inf	8.06	3	Vertical	282	2.99	-	90.34
AV	5.201G	87.01	Inf	-Inf	8.06	3	Vertical	282	2.99	-	78.95
PK	5.456G	58.44	74.00	-15.56	8.44	3	Vertical	282	2.99	-	50.00
AV	5.417G	47.72	54.00	-6.28	8.37	3	Vertical	282	2.99	-	39.35

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 63
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	70.03	74.00	-3.97	7.94	3	Horizontal	1	2.10	-	62.09
AV	5.149G	53.32	54.00	-0.68	7.94	3	Horizontal	1	2.10	-	45.38
PK	5.217G	108.99	Inf	-Inf	8.09	3	Horizontal	1	2.10	-	100.90
AV	5.223G	98.90	Inf	-Inf	8.10	3	Horizontal	1	2.10	-	90.80
PK	5.36G	61.57	74.00	-12.43	8.29	3	Horizontal	1	2.10	-	53.28
AV	5.37G	50.44	54.00	-3.56	8.30	3	Horizontal	1	2.10	-	42.14

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.62924G	55.72	74.00	-18.28	15.84	3	Vertical	189	2.53	-	39.88
AV	15.63444G	44.33	54.00	-9.67	15.82	3	Vertical	189	2.53	-	28.51

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 63
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63008G	55.41	74.00	-18.59	15.83	3	Horizontal	264	1.10	-	39.58
AV	15.62542G	44.38	54.00	-9.62	15.85	3	Horizontal	264	1.10	-	28.53

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5775MHz_TX




EUT Z_2TX
Setting 72
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	59.25	68.20	-8.95	8.66	3	Vertical	267	2.15	-	50.59
PK	5.792G	99.50	Inf	-Inf	8.89	3	Vertical	267	2.15	-	90.61
AV	5.773G	89.70	Inf	-Inf	8.85	3	Vertical	267	2.15	-	80.85
PK	5.954G	58.52	68.20	-9.68	8.92	3	Vertical	267	2.15	-	49.60

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 72
02-G-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	67.48	68.20	-0.72	8.67	3	Horizontal	357	2.00	-	58.81
PK	5.766G	112.88	Inf	-Inf	8.85	3	Horizontal	357	2.00	-	104.03
AV	5.763G	101.45	Inf	-Inf	8.84	3	Horizontal	357	2.00	-	92.61
PK	5.932G	64.40	68.20	-3.80	8.93	3	Horizontal	357	2.00	-	55.47

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5775MHz_TX




EUT Z_2TX
Setting 72
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55338G	53.96	74.00	-20.04	14.97	3	Vertical	302	1.93	-	38.99
AV	11.54956G	43.03	54.00	-10.97	14.97	3	Vertical	302	1.93	-	28.06
PK	17.32144G	60.35	68.20	-7.85	21.22	3	Vertical	37	1.67	-	39.13

802.11ax HEW80_Nss2,(MCS0)_2TX

05/10/2019

5775MHz_TX



EUT Z_2TX
Setting 72
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55178G	54.16	74.00	-19.84	14.97	3	Horizontal	212	2.46	-	39.19
AV	11.54964G	43.26	54.00	-10.74	14.97	3	Horizontal	212	2.46	-	28.29
PK	17.32244G	61.62	68.20	-6.58	21.23	3	Horizontal	49	2.88	-	40.39




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80-BF_Nss1,(MCS0)_2TX	Pass	PK	5.6442G	67.69	68.20	-0.51	4.73	3	Horizontal	0	2.52	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 72
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	61.65	74.00	-12.35	3.36	3	Vertical	207	1.08	-	58.29
AV	5.1494G	43.31	54.00	-10.69	3.36	3	Vertical	207	1.08	-	39.95
PK	5.1884G	103.81	Inf	-Inf	3.40	3	Vertical	207	1.08	-	100.41
AV	5.189G	90.72	Inf	-Inf	3.40	3	Vertical	207	1.08	-	87.32

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT_Z_2TX
Setting 72
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	71.27	74.00	-2.73	3.36	3	Horizontal	5	2.36	-	67.91
AV	5.1494G	53.29	54.00	-0.71	3.36	3	Horizontal	5	2.36	-	49.93
PK	5.1884G	120.70	Inf	-Inf	3.40	3	Horizontal	5	2.36	-	117.30
AV	5.1875G	107.92	Inf	-Inf	3.40	3	Horizontal	5	2.36	-	104.52

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT Z_2TX
 Setting 72
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5383G	56.70	74.00	-17.30	10.80	3	Vertical	202	2.17	-	45.90
AV	15.53817G	43.09	54.00	-10.91	10.80	3	Vertical	202	2.17	-	32.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT Z_2TX
 Setting 72
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5412G	56.13	74.00	-17.87	10.80	3	Horizontal	89	1.99	-	45.33
AV	15.54031G	42.82	54.00	-11.18	10.80	3	Horizontal	89	1.99	-	32.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1088G	57.03	74.00	-16.97	3.32	3	Vertical	247	2.14	-	53.71
AV	5.1484G	43.22	54.00	-10.78	3.36	3	Vertical	247	2.14	-	39.86
PK	5.2084G	107.19	Inf	-Inf	3.44	3	Vertical	247	2.14	-	103.75
AV	5.2072G	94.81	Inf	-Inf	3.43	3	Vertical	247	2.14	-	91.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	72.30	74.00	-1.70	3.36	3	Horizontal	360	2.60	-	68.94
AV	5.1496G	53.25	54.00	-0.75	3.36	3	Horizontal	360	2.60	-	49.89
PK	5.2027G	124.07	Inf	-Inf	3.42	3	Horizontal	360	2.60	-	120.65
AV	5.2018G	112.17	Inf	-Inf	3.41	3	Horizontal	360	2.60	-	108.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.59737G	56.01	74.00	-17.99	10.74	3	Vertical	31	2.00	-	45.27
AV	15.59868G	42.78	54.00	-11.22	10.74	3	Vertical	31	2.00	-	32.04

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT_Z_2TX
Setting 86
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.58752G	55.80	74.00	-18.20	10.76	3	Horizontal	14	2.05	-	45.04
AV	15.58641G	42.17	54.00	-11.83	10.76	3	Horizontal	14	2.05	-	31.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 95
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1398G	57.24	74.00	-16.76	3.35	3	Vertical	95	2.00	-	53.89
AV	5.1491G	44.12	54.00	-9.88	3.36	3	Vertical	95	2.00	-	40.76
PK	5.2445G	112.86	Inf	-Inf	3.56	3	Vertical	95	2.00	-	109.30
AV	5.2478G	101.17	Inf	-Inf	3.57	3	Vertical	95	2.00	-	97.60
PK	5.354G	58.30	74.00	-15.70	3.95	3	Vertical	95	2.00	-	54.35
AV	5.3504G	44.68	54.00	-9.32	3.94	3	Vertical	95	2.00	-	40.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 95
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1479G	68.10	74.00	-5.90	3.36	3	Horizontal	0	2.58	-	64.74
AV	5.1377G	53.06	54.00	-0.94	3.35	3	Horizontal	0	2.58	-	49.71
PK	5.2328G	125.77	Inf	-Inf	3.52	3	Horizontal	0	2.58	-	122.25
AV	5.2334G	113.93	Inf	-Inf	3.52	3	Horizontal	0	2.58	-	110.41
PK	5.35G	63.73	74.00	-10.27	3.94	3	Horizontal	0	2.58	-	59.79
AV	5.35G	49.90	54.00	-4.10	3.94	3	Horizontal	0	2.58	-	45.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 95
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72497G	55.52	74.00	-18.48	10.63	3	Vertical	328	2.08	-	44.89
AV	15.72678G	41.82	54.00	-12.18	10.63	3	Vertical	328	2.08	-	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT_Z_2TX
Setting 95
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.72458G	54.89	74.00	-19.11	10.63	3	Horizontal	260	2.99	-	44.26
AV	15.72457G	41.44	54.00	-12.56	10.63	3	Horizontal	260	2.99	-	30.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 72
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5265G	57.84	68.20	-10.36	4.56	3	Vertical	142	2.70	-	53.28
PK	5.7395G	105.28	Inf	-Inf	4.88	3	Vertical	142	2.70	-	100.40
AV	5.736G	93.66	Inf	-Inf	4.87	3	Vertical	142	2.70	-	88.79
PK	5.9885G	57.80	68.20	-10.40	6.04	3	Vertical	142	2.70	-	51.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 72
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	61.38	68.20	-6.82	4.73	3	Horizontal	174	1.07	-	56.65
PK	5.7415G	118.34	Inf	-Inf	4.88	3	Horizontal	174	1.07	-	113.46
AV	5.739G	105.89	Inf	-Inf	4.88	3	Horizontal	174	1.07	-	101.01
PK	5.9325G	58.68	68.20	-9.52	5.74	3	Horizontal	174	1.07	-	52.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT_Z_2TX
Setting 72
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48928G	53.33	74.00	-20.67	10.50	3	Vertical	178	1.38	-	42.83
AV	11.48924G	40.21	54.00	-13.79	10.50	3	Vertical	178	1.38	-	29.71
PK	17.2294G	67.47	68.20	-0.73	13.62	3	Vertical	345	1.92	-	53.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Z_2TX
Setting 72
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4906G	53.41	74.00	-20.59	10.50	3	Horizontal	50	2.35	-	42.91
AV	11.48968G	40.23	54.00	-13.77	10.50	3	Horizontal	50	2.35	-	29.73
PK	17.22552G	63.39	68.20	-4.81	13.61	3	Horizontal	321	1.84	-	49.78

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 77
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.575G	56.97	68.20	-11.23	4.65	3	Vertical	250	2.24	-	52.32
PK	5.783G	108.64	Inf	-Inf	4.97	3	Vertical	250	2.24	-	103.67
AV	5.781G	96.84	Inf	-Inf	4.96	3	Vertical	250	2.24	-	91.88
PK	5.9585G	58.58	68.20	-9.62	5.88	3	Vertical	250	2.24	-	52.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 77
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5765G	58.45	68.20	-9.75	4.65	3	Horizontal	174	1.15	-	53.80
PK	5.776G	119.51	Inf	-Inf	4.95	3	Horizontal	174	1.15	-	114.56
AV	5.776G	108.77	Inf	-Inf	4.95	3	Horizontal	174	1.15	-	103.82
PK	5.9865G	58.62	68.20	-9.58	6.03	3	Horizontal	174	1.15	-	52.59

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX



EUT_Z_2TX
Setting 77
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57064G	53.00	74.00	-21.00	10.43	3	Vertical	351	1.81	-	42.57
AV	11.56968G	39.46	54.00	-14.54	10.43	3	Vertical	351	1.81	-	29.03
PK	17.34444G	67.67	68.20	-0.53	13.83	3	Vertical	14	1.97	-	53.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT_Z_2TX
Setting 77
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.57164G	53.13	74.00	-20.87	10.43	3	Horizontal	300	1.67	-	42.70
AV	11.5714G	39.98	54.00	-14.02	10.43	3	Horizontal	300	1.67	-	29.55
PK	17.34904G	65.67	68.20	-2.53	13.85	3	Horizontal	34	1.87	-	51.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 79
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6055G	57.53	68.20	-10.67	4.70	3	Vertical	256	2.24	-	52.83
PK	5.8215G	109.12	Inf	-Inf	5.13	3	Vertical	256	2.24	-	103.99
AV	5.821G	96.77	Inf	-Inf	5.12	3	Vertical	256	2.24	-	91.65
PK	5.968G	57.88	68.20	-10.32	5.93	3	Vertical	256	2.24	-	51.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 79
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6125G	59.18	68.20	-9.02	4.70	3	Horizontal	175	1.07	-	54.48
PK	5.8215G	120.71	Inf	-Inf	5.13	3	Horizontal	175	1.07	-	115.58
AV	5.821G	108.00	Inf	-Inf	5.12	3	Horizontal	175	1.07	-	102.88
PK	5.934G	61.15	68.20	-7.05	5.75	3	Horizontal	175	1.07	-	55.40

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT Z_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.65164G	52.48	74.00	-21.52	10.37	3	Vertical	281	1.09	-	42.11
AV	11.65116G	39.28	54.00	-14.72	10.37	3	Vertical	281	1.09	-	28.91
PK	17.46804G	67.49	68.20	-0.71	14.08	3	Vertical	26	1.94	-	53.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT_Z_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64688G	52.54	74.00	-21.46	10.36	3	Horizontal	44	2.36	-	42.18
AV	11.64432G	39.50	54.00	-14.50	10.36	3	Horizontal	44	2.36	-	29.14
PK	17.47128G	62.13	68.20	-6.07	14.09	3	Horizontal	172	1.80	-	48.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 65
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	60.26	74.00	-13.74	3.36	3	Vertical	260	2.44	-	56.90
AV	5.15G	43.59	54.00	-10.41	3.36	3	Vertical	260	2.44	-	40.23
PK	5.1804G	104.27	Inf	-Inf	3.39	3	Vertical	260	2.44	-	100.88
AV	5.1813G	92.70	Inf	-Inf	3.39	3	Vertical	260	2.44	-	89.31

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 65
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1486G	71.78	74.00	-2.22	3.36	3	Horizontal	360	2.57	-	68.42
AV	5.15G	53.00	54.00	-1.00	3.36	3	Horizontal	360	2.57	-	49.64
PK	5.187G	116.42	Inf	-Inf	3.40	3	Horizontal	360	2.57	-	113.02
AV	5.1831G	104.11	Inf	-Inf	3.39	3	Horizontal	360	2.57	-	100.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 65
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5728G	55.95	74.00	-18.05	10.76	3	Vertical	53	1.97	-	45.19
AV	15.57224G	42.80	54.00	-11.20	10.76	3	Vertical	53	1.97	-	32.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT_Z_2TX
Setting 65
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.57124G	55.64	74.00	-18.36	10.76	3	Horizontal	113	1.20	-	44.88
AV	15.57088G	42.63	54.00	-11.37	10.76	3	Horizontal	113	1.20	-	31.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 85
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1412G	58.82	74.00	-15.18	3.35	3	Vertical	97	1.99	-	55.47
AV	5.1472G	45.25	54.00	-8.75	3.36	3	Vertical	97	1.99	-	41.89
PK	5.2436G	106.63	Inf	-Inf	3.56	3	Vertical	97	1.99	-	103.07
AV	5.2444G	94.24	Inf	-Inf	3.56	3	Vertical	97	1.99	-	90.68
PK	5.3508G	58.11	74.00	-15.89	3.94	3	Vertical	97	1.99	-	54.17
AV	5.3516G	43.98	54.00	-10.02	3.94	3	Vertical	97	1.99	-	40.04

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
Setting 85
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	71.36	74.00	-2.64	3.36	3	Horizontal	360	2.58	-	68.00
AV	5.15G	53.41	54.00	-0.59	3.36	3	Horizontal	360	2.58	-	50.05
PK	5.2272G	120.56	Inf	-Inf	3.50	3	Horizontal	360	2.58	-	117.06
AV	5.2308G	108.42	Inf	-Inf	3.51	3	Horizontal	360	2.58	-	104.91
PK	5.3504G	66.42	74.00	-7.58	3.94	3	Horizontal	360	2.58	-	62.48
AV	5.3524G	49.42	54.00	-4.58	3.95	3	Horizontal	360	2.58	-	45.47

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT_Z_2TX
 Setting 85
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.69058G	55.66	74.00	-18.34	10.66	3	Vertical	14	1.28	-	45.00
AV	15.69064G	41.86	54.00	-12.14	10.66	3	Vertical	14	1.28	-	31.20

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Z_2TX
Setting 85
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.6906G	55.25	74.00	-18.75	10.66	3	Horizontal	318	1.76	-	44.59
AV	15.69032G	41.90	54.00	-12.10	10.66	3	Horizontal	318	1.76	-	31.24

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 79
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.636G	57.78	68.20	-10.42	4.73	3	Vertical	250	2.70	-	53.05
PK	5.749G	106.35	Inf	-Inf	4.90	3	Vertical	250	2.70	-	101.45
AV	5.739G	94.25	Inf	-Inf	4.88	3	Vertical	250	2.70	-	89.37
PK	5.941G	57.72	68.20	-10.48	5.78	3	Vertical	250	2.70	-	51.94

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT_Z_2TX
Setting 79
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.642G	61.26	68.20	-6.94	4.73	3	Horizontal	179	1.26	-	56.53
PK	5.7495G	116.42	Inf	-Inf	4.90	3	Horizontal	179	1.26	-	111.52
AV	5.751G	104.02	Inf	-Inf	4.90	3	Horizontal	179	1.26	-	99.12
PK	5.9715G	59.40	68.20	-8.80	5.96	3	Horizontal	179	1.26	-	53.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Z_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5008G	53.82	74.00	-20.18	10.50	3	Vertical	71	1.48	-	43.32
AV	11.50652G	40.20	54.00	-13.80	10.50	3	Vertical	71	1.48	-	29.70
PK	17.254G	67.51	68.20	-0.69	13.65	3	Vertical	17	1.93	-	53.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Z_2TX
Setting 79
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.51034G	53.63	74.00	-20.37	10.49	3	Horizontal	264	1.31	-	43.14
AV	11.51068G	40.37	54.00	-13.63	10.49	3	Horizontal	264	1.31	-	29.88
PK	17.2654G	67.61	68.20	-0.59	13.69	3	Horizontal	31	1.87	-	53.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 81
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.558G	57.23	68.20	-10.97	4.62	3	Vertical	248	2.44	-	52.61
PK	5.8045G	108.15	Inf	-Inf	5.02	3	Vertical	248	2.44	-	103.13
AV	5.79G	96.60	Inf	-Inf	4.98	3	Vertical	248	2.44	-	91.62
PK	5.9855G	57.89	68.20	-10.31	6.03	3	Vertical	248	2.44	-	51.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 81
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.603G	60.26	68.20	-7.94	4.69	3	Horizontal	355	2.97	-	55.57
PK	5.8065G	120.14	Inf	-Inf	5.04	3	Horizontal	355	2.97	-	115.10
AV	5.8075G	108.12	Inf	-Inf	5.05	3	Horizontal	355	2.97	-	103.07
PK	5.9345G	66.35	68.20	-1.85	5.75	3	Horizontal	355	2.97	-	60.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 81
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60136G	52.80	74.00	-21.20	10.40	3	Vertical	180	1.32	-	42.40
AV	11.60524G	39.37	54.00	-14.63	10.40	3	Vertical	180	1.32	-	28.97
PK	17.38628G	67.52	68.20	-0.68	13.92	3	Vertical	28	1.97	-	53.60

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT_Z_2TX
Setting 81
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58808G	52.51	74.00	-21.49	10.41	3	Horizontal	40	1.90	-	42.10
AV	11.58472G	39.54	54.00	-14.46	10.43	3	Horizontal	40	1.90	-	29.11
PK	17.38612G	64.34	68.20	-3.86	13.92	3	Horizontal	330	2.52	-	50.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 61
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1495G	58.21	74.00	-15.79	3.36	3	Vertical	100	2.47	-	54.85
AV	5.15G	42.99	54.00	-11.01	3.36	3	Vertical	100	2.47	-	39.63
PK	5.1845G	99.21	Inf	-Inf	3.39	3	Vertical	100	2.47	-	95.82
AV	5.198G	84.54	Inf	-Inf	3.41	3	Vertical	100	2.47	-	81.13
PK	5.4365G	56.61	74.00	-17.39	4.29	3	Vertical	100	2.47	-	52.32
AV	5.446G	43.30	54.00	-10.70	4.32	3	Vertical	100	2.47	-	38.98

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 61
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	73.23	74.00	-0.77	3.35	3	Horizontal	0	2.38	-	69.88
AV	5.15G	52.26	54.00	-1.74	3.36	3	Horizontal	0	2.38	-	48.90
PK	5.2245G	112.44	Inf	-Inf	3.49	3	Horizontal	0	2.38	-	108.95
AV	5.222G	99.29	Inf	-Inf	3.48	3	Horizontal	0	2.38	-	95.81
PK	5.3525G	60.03	74.00	-13.97	3.95	3	Horizontal	0	2.38	-	56.08
AV	5.3535G	46.77	54.00	-7.23	3.95	3	Horizontal	0	2.38	-	42.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT_Z_2TX
 Setting 61
 04-B-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63026G	54.74	74.00	-19.26	10.72	3	Vertical	41	2.34	-	44.02
AV	15.63036G	41.14	54.00	-12.86	10.72	3	Vertical	41	2.34	-	30.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT_Z_2TX
Setting 61
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.63208G	54.82	74.00	-19.18	10.73	3	Horizontal	209	1.58	-	44.09
AV	15.63636G	40.99	54.00	-13.01	10.70	3	Horizontal	209	1.58	-	30.29

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 78
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.637G	58.50	68.20	-9.70	4.73	3	Vertical	257	2.06	-	53.77
PK	5.7402G	101.43	Inf	-Inf	4.88	3	Vertical	257	2.06	-	96.55
AV	5.7462G	88.78	Inf	-Inf	4.89	3	Vertical	257	2.06	-	83.89
PK	5.9652G	57.72	68.20	-10.48	5.92	3	Vertical	257	2.06	-	51.80

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 78
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6442G	67.69	68.20	-0.51	4.73	3	Horizontal	0	2.52	-	62.96
PK	5.7894G	117.88	Inf	-Inf	4.98	3	Horizontal	0	2.52	-	112.90
AV	5.7894G	104.94	Inf	-Inf	4.98	3	Horizontal	0	2.52	-	99.96
PK	5.928G	67.63	68.20	-0.57	5.71	3	Horizontal	0	2.52	-	61.92

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT_Z_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54572G	52.83	74.00	-21.17	10.46	3	Vertical	40	1.09	-	42.37
AV	11.54552G	39.02	54.00	-14.98	10.46	3	Vertical	40	1.09	-	28.56
PK	17.3246G	61.86	68.20	-6.34	13.80	3	Vertical	18	2.66	-	48.06

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX



EUT_Z_2TX
Setting 78
04-B-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55348G	53.09	74.00	-20.91	10.45	3	Horizontal	14	1.39	-	42.64
AV	11.5512G	38.91	54.00	-15.09	10.45	3	Horizontal	14	1.39	-	28.46
PK	17.33316G	59.60	68.20	-8.60	13.82	3	Horizontal	330	2.99	-	45.78




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	3.84996G	53.50	54.00	-0.50	5.45	3	Horizontal	240	2.81	-

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1498G	71.62	74.00	-2.38	7.94	3	Vertical	180	1.96	-	63.68
AV	5.1498G	53.43	54.00	-0.57	7.94	3	Vertical	180	1.96	-	45.49
PK	5.1824G	117.33	Inf	-Inf	8.02	3	Vertical	180	1.96	-	109.31
AV	5.184G	107.07	Inf	-Inf	8.03	3	Vertical	180	1.96	-	99.04

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 73
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	61.97	74.00	-12.03	7.94	3	Horizontal	117	1.13	-	54.03
AV	5.1488G	46.57	54.00	-7.43	7.94	3	Horizontal	117	1.13	-	38.63
PK	5.1824G	103.32	Inf	-Inf	8.02	3	Horizontal	117	1.13	-	95.30
AV	5.1842G	93.12	Inf	-Inf	8.03	3	Horizontal	117	1.13	-	85.09

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.34578G	53.62	68.20	-14.58	14.67	3	Vertical	250	2.33	-	38.95
PK	15.52818G	55.35	74.00	-18.65	16.10	3	Vertical	104	2.68	-	39.25
AV	15.54984G	42.05	54.00	-11.95	16.05	3	Vertical	104	2.68	-	26.00

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 73
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36012G	53.21	68.20	-14.99	14.66	3	Horizontal	248	2.51	-	38.55
PK	15.54936G	54.89	74.00	-19.11	16.05	3	Horizontal	227	1.55	-	38.84
AV	15.52536G	41.45	54.00	-12.55	16.11	3	Horizontal	227	1.55	-	25.34

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX




EUT Y_1TX
Setting 87
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	71.20	74.00	-2.80	7.94	3	Vertical	182	2.03	-	63.26
AV	5.15G	53.34	54.00	-0.66	7.94	3	Vertical	182	2.03	-	45.40
PK	5.2024G	120.24	Inf	-Inf	8.06	3	Vertical	182	2.03	-	112.18
AV	5.2024G	110.22	Inf	-Inf	8.06	3	Vertical	182	2.03	-	102.16

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5200MHz_TX



EUT Y_1TX
Setting 87
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.53	74.00	-12.47	7.94	3	Horizontal	112	1.69	-	53.59
AV	5.15G	46.92	54.00	-7.08	7.94	3	Horizontal	112	1.69	-	38.98
PK	5.2024G	108.45	Inf	-Inf	8.06	3	Horizontal	112	1.69	-	100.39
AV	5.2024G	98.40	Inf	-Inf	8.06	3	Horizontal	112	1.69	-	90.34



802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5200MHz_TX




EUT Y_1TX
Setting 87
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46669G	57.71	68.20	-10.49	4.02	3	Vertical	167	1.59	-	53.69
PK	15.61194G	57.30	74.00	-16.70	15.88	3	Vertical	144	2.03	-	41.42
AV	15.60312G	43.30	54.00	-10.70	15.90	3	Vertical	144	2.03	-	27.40

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5200MHz_TX




EUT Y_1TX
Setting 87
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.4667G	55.59	68.20	-12.61	4.02	3	Horizontal	200	1.82	-	51.57
PK	15.59922G	55.98	74.00	-18.02	15.91	3	Horizontal	308	1.82	-	40.07
AV	15.60126G	42.56	54.00	-11.44	15.91	3	Horizontal	308	1.82	-	26.65

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1416G	67.15	74.00	-6.85	7.94	3	Vertical	179	2.11	-	59.21
AV	5.1422G	52.43	54.00	-1.57	7.94	3	Vertical	179	2.11	-	44.49
PK	5.2448G	121.71	Inf	-Inf	8.12	3	Vertical	179	2.11	-	113.59
AV	5.2424G	111.72	Inf	-Inf	8.12	3	Vertical	179	2.11	-	103.60
PK	5.3522G	63.77	74.00	-10.23	8.28	3	Vertical	179	2.11	-	55.49
AV	5.3522G	48.77	54.00	-5.23	8.28	3	Vertical	179	2.11	-	40.49

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1446G	60.10	74.00	-13.90	7.94	3	Horizontal	115	1.94	-	52.16
AV	5.1464G	46.80	54.00	-7.20	7.94	3	Horizontal	115	1.94	-	38.86
PK	5.234G	108.78	Inf	-Inf	8.11	3	Horizontal	115	1.94	-	100.67
AV	5.2376G	98.72	Inf	-Inf	8.12	3	Horizontal	115	1.94	-	90.60
PK	5.3726G	58.70	74.00	-15.30	8.30	3	Horizontal	115	1.94	-	50.40
AV	5.3678G	45.43	54.00	-8.57	8.29	3	Horizontal	115	1.94	-	37.14

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49334G	56.22	68.20	-11.98	4.09	3	Vertical	209	2.04	-	52.13
PK	15.72408G	61.40	74.00	-12.60	15.59	3	Vertical	139	2.19	-	45.81
AV	15.71538G	48.01	54.00	-5.99	15.62	3	Vertical	139	2.19	-	32.39

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49331G	55.65	68.20	-12.55	4.09	3	Horizontal	251	1.09	-	51.56
PK	15.72426G	57.39	74.00	-16.61	15.59	3	Horizontal	108	2.15	-	41.80
AV	15.71514G	44.16	54.00	-9.84	15.62	3	Horizontal	108	2.15	-	28.54

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5745MHz_TX



EUT Y_1TX
Setting 79
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	64.02	68.20	-4.18	8.67	3	Vertical	126	2.11	-	55.35
PK	5.747G	118.78	Inf	-Inf	8.82	3	Vertical	126	2.11	-	109.96
AV	5.749G	109.01	Inf	-Inf	8.82	3	Vertical	126	2.11	-	100.19
PK	5.943G	61.38	68.20	-6.82	8.94	3	Vertical	126	2.11	-	52.44



802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
 Setting 79
 02-M-1-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	58.86	68.20	-9.34	8.60	3	Horizontal	67	1.50	-	50.26
PK	5.747G	100.48	Inf	-Inf	8.82	3	Horizontal	67	1.50	-	91.66
AV	5.748G	90.34	Inf	-Inf	8.82	3	Horizontal	67	1.50	-	81.52
PK	5.972G	58.97	68.20	-9.23	8.93	3	Horizontal	67	1.50	-	50.04

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
Setting 79
02-B2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.82998G	54.26	74.00	-19.74	5.37	3	Vertical	197	2.75	-	48.89
AV	3.82995G	51.78	54.00	-2.22	5.37	3	Vertical	197	2.75	-	46.41
PK	11.48076G	54.40	74.00	-19.60	14.87	3	Vertical	144	2.76	-	39.53
AV	11.48898G	40.33	54.00	-13.67	14.89	3	Vertical	144	2.76	-	25.44
PK	17.23608G	66.61	68.20	-1.59	20.72	3	Vertical	298	2.02	-	45.89

802.11a_Nss1,(6Mbps)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
Setting 79
02-B2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.82999G	55.03	74.00	-18.97	5.37	3	Horizontal	184	2.05	-	49.66
AV	3.82996G	52.63	54.00	-1.37	5.37	3	Horizontal	184	2.05	-	47.26
PK	11.49029G	53.88	74.00	-20.12	14.89	3	Horizontal	335	2.41	-	38.99
AV	11.49006G	40.08	54.00	-13.92	14.89	3	Horizontal	335	2.41	-	25.19
PK	17.2292G	67.47	68.20	-0.73	20.67	3	Horizontal	185	2.40	-	46.80

802.11a_Nss1,(6Mbps)_1TX

05/11/2019

5785MHz_TX



EUT Y_1TX
Setting 88
02-M-1-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	61.31	68.20	-6.89	8.67	3	Vertical	116	1.93	-	52.64
PK	5.79G	122.34	Inf	-Inf	8.88	3	Vertical	116	1.93	-	113.46
AV	5.787G	112.07	Inf	-Inf	8.88	3	Vertical	116	1.93	-	103.19
PK	5.939G	62.30	68.20	-5.90	8.93	3	Vertical	116	1.93	-	53.37



802.11a_Nss1,(6Mbps)_1TX

05/11/2019

5785MHz_TX




EUT Y_1TX
Setting 88
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.626G	58.99	68.20	-9.21	8.63	3	Horizontal	43	1.48	-	50.36
PK	5.791G	103.50	Inf	-Inf	8.88	3	Horizontal	43	1.48	-	94.62
AV	5.789G	93.32	Inf	-Inf	8.88	3	Horizontal	43	1.48	-	84.44
PK	5.951G	58.32	68.20	-9.88	8.92	3	Horizontal	43	1.48	-	49.40

802.11a_Nss1,(6Mbps)_1TX

05/11/2019

5785MHz_TX




EUT Y_1TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.85663G	54.92	74.00	-19.08	5.49	3	Vertical	110	1.98	-	49.43
AV	3.85663G	53.11	54.00	-0.89	5.49	3	Vertical	110	1.98	-	47.62
PK	11.57594G	54.16	74.00	-19.84	15.01	3	Vertical	319	1.64	-	39.15
AV	11.57954G	40.51	54.00	-13.49	15.01	3	Vertical	319	1.64	-	25.50
PK	17.346G	65.39	68.20	-2.81	21.36	3	Vertical	116	2.56	-	44.03

802.11a_Nss1,(6Mbps)_1TX

05/11/2019

5785MHz_TX




EUT Y_1TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.8566G	54.91	74.00	-19.09	5.49	3	Horizontal	43	2.94	-	49.42
AV	3.85662G	52.64	54.00	-1.36	5.49	3	Horizontal	43	2.94	-	47.15
PK	11.58284G	54.00	74.00	-20.00	15.02	3	Horizontal	91	2.56	-	38.98
AV	11.57714G	40.50	54.00	-13.50	15.01	3	Horizontal	91	2.56	-	25.49
PK	17.3589G	67.54	68.20	-0.66	21.44	3	Horizontal	14	2.55	-	46.10

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT Y_1TX
 Setting 89
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.623G	61.86	68.20	-6.34	8.61	3	Vertical	180	2.05	-	53.25
PK	5.82G	122.94	Inf	-Inf	8.90	3	Vertical	180	2.05	-	114.04
AV	5.828G	112.88	Inf	-Inf	8.91	3	Vertical	180	2.05	-	103.97
PK	5.925G	67.54	68.20	-0.66	8.93	3	Vertical	180	2.05	-	58.61

802.11a_Nss1,(6Mbps)_1TX

09/10/2019

5825MHz_TX




EUT Y_1TX
 Setting 89
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.631G	58.74	68.20	-9.46	8.63	3	Horizontal	121	1.84	-	50.11
PK	5.83G	104.71	Inf	-Inf	8.91	3	Horizontal	121	1.84	-	95.80
AV	5.827G	94.73	Inf	-Inf	8.91	3	Horizontal	121	1.84	-	85.82
PK	5.953G	58.87	68.20	-9.33	8.92	3	Horizontal	121	1.84	-	49.95

802.11a_Nss1,(6Mbps)_1TX

11/10/2019

5825MHz_TX




EUT Y_1TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64448G	54.20	74.00	-19.80	15.09	3	Vertical	324	1.13	-	39.11
AV	11.65144G	40.36	54.00	-13.64	15.10	3	Vertical	324	1.13	-	25.26
PK	17.48466G	61.45	68.20	-6.75	22.19	3	Vertical	321	1.69	-	39.26

802.11a_Nss1,(6Mbps)_1TX

11/10/2019

5825MHz_TX




EUT Y_1TX
Setting 89
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.63674G	53.94	74.00	-20.06	15.08	3	Horizontal	71	2.94	-	38.86
AV	11.65264G	40.48	54.00	-13.52	15.10	3	Horizontal	71	2.94	-	25.38
PK	17.48514G	62.07	68.20	-6.13	22.19	3	Horizontal	314	2.01	-	39.88

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	72.59	74.00	-1.41	7.94	3	Vertical	186	2.05	-	64.65
AV	5.15G	53.47	54.00	-0.53	7.94	3	Vertical	186	2.05	-	45.53
PK	5.177G	118.65	Inf	-Inf	8.01	3	Vertical	186	2.05	-	110.64
AV	5.183G	105.85	Inf	-Inf	8.02	3	Vertical	186	2.05	-	97.83

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5180MHz_TX




EUT Y_1TX
Setting 69
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	63.09	74.00	-10.91	7.94	3	Horizontal	115	1.73	-	55.15
AV	5.15G	47.24	54.00	-6.76	7.94	3	Horizontal	115	1.73	-	39.30
PK	5.177G	107.09	Inf	-Inf	8.01	3	Horizontal	115	1.73	-	99.08
AV	5.183G	93.87	Inf	-Inf	8.02	3	Horizontal	115	1.73	-	85.85

802.11ax HEW20_Nss1,(MCS0)_1TX

11/10/2019

5180MHz_TX




EUT Y_1TX
Setting 69
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.88496G	56.65	74.00	-17.35	5.60	3	Vertical	139	1.21	-	51.05
PK	15.54822G	55.20	74.00	-18.80	16.05	3	Vertical	7	2.17	-	39.15
AV	15.53352G	41.43	54.00	-12.57	16.09	3	Vertical	7	2.17	-	25.34

802.11ax HEW20_Nss1,(MCS0)_1TX

11/10/2019

5180MHz_TX




EUT Y_1TX
Setting 69
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.88498G	56.97	74.00	-17.03	5.60	3	Horizontal	106	3.00	-	51.37
PK	15.53916G	55.02	74.00	-18.98	16.08	3	Horizontal	257	2.85	-	38.94
AV	15.54912G	41.48	54.00	-12.52	16.05	3	Horizontal	257	2.85	-	25.43

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX




EUT Y_1TX
Setting 84
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1466G	71.65	74.00	-2.35	7.94	3	Vertical	185	2.13	-	63.71
AV	5.15G	53.42	54.00	-0.58	7.94	3	Vertical	185	2.13	-	45.48
PK	5.1976G	121.07	Inf	-Inf	8.06	3	Vertical	185	2.13	-	113.01
AV	5.203G	108.71	Inf	-Inf	8.06	3	Vertical	185	2.13	-	100.65

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5200MHz_TX



EUT Y_1TX
Setting 84
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.146G	62.04	74.00	-11.96	7.94	3	Horizontal	115	1.97	-	54.10
AV	5.1496G	47.15	54.00	-6.85	7.94	3	Horizontal	115	1.97	-	39.21
PK	5.197G	110.22	Inf	-Inf	8.06	3	Horizontal	115	1.97	-	102.16
AV	5.203G	97.35	Inf	-Inf	8.06	3	Horizontal	115	1.97	-	89.29



802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5200MHz_TX



EUT Y_1TX
Setting 84
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46661G	57.12	68.20	-11.08	4.02	3	Vertical	177	1.02	-	53.10
PK	15.59514G	56.09	74.00	-17.91	15.92	3	Vertical	127	3.00	-	40.17
AV	15.6021G	42.54	54.00	-11.46	15.90	3	Vertical	127	3.00	-	26.64



802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5200MHz_TX




EUT Y_1TX
Setting 84
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46666G	54.21	68.20	-13.99	4.02	3	Horizontal	238	2.48	-	50.19
PK	15.59706G	54.65	74.00	-19.35	15.92	3	Horizontal	321	2.47	-	38.73
AV	15.58554G	41.35	54.00	-12.65	15.94	3	Horizontal	321	2.47	-	25.41

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1434G	69.01	74.00	-4.99	7.94	3	Vertical	181	2.12	-	61.07
AV	5.1464G	53.15	54.00	-0.85	7.94	3	Vertical	181	2.12	-	45.21
PK	5.237G	124.21	Inf	-Inf	8.11	3	Vertical	181	2.12	-	116.10
AV	5.2418G	111.78	Inf	-Inf	8.12	3	Vertical	181	2.12	-	103.66
PK	5.3702G	65.99	74.00	-8.01	8.30	3	Vertical	181	2.12	-	57.69
AV	5.35G	51.85	54.00	-2.15	8.28	3	Vertical	181	2.12	-	43.57

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	60.22	74.00	-13.78	7.94	3	Horizontal	124	1.95	-	52.28
AV	5.147G	47.46	54.00	-6.54	7.94	3	Horizontal	124	1.95	-	39.52
PK	5.237G	112.59	Inf	-Inf	8.11	3	Horizontal	124	1.95	-	104.48
AV	5.234G	99.40	Inf	-Inf	8.11	3	Horizontal	124	1.95	-	91.29
PK	5.384G	58.12	74.00	-15.88	8.32	3	Horizontal	124	1.95	-	49.80
AV	5.3504G	45.76	54.00	-8.24	8.28	3	Horizontal	124	1.95	-	37.48

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49327G	53.87	68.20	-14.33	4.09	3	Vertical	351	2.94	-	49.78
AV	3.49333G	51.42	Inf	-Inf	4.09	3	Vertical	351	2.94	-	47.33
PK	15.7287G	56.27	74.00	-17.73	15.58	3	Vertical	149	3.00	-	40.69
AV	15.7272G	43.13	54.00	-10.87	15.58	3	Vertical	149	3.00	-	27.55

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5240MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49328G	54.74	68.20	-13.46	4.09	3	Horizontal	16	1.00	-	50.65
AV	3.49328G	52.42	Inf	-Inf	4.09	3	Horizontal	16	1.00	-	48.33
PK	15.72354G	55.80	74.00	-18.20	15.59	3	Horizontal	352	2.50	-	40.21
AV	15.72042G	42.93	54.00	-11.07	15.60	3	Horizontal	352	2.50	-	27.33

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
Setting 79
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	64.13	68.20	-4.07	8.66	3	Vertical	174	2.03	-	55.47
PK	5.742G	121.58	Inf	-Inf	8.81	3	Vertical	174	2.03	-	112.77
AV	5.748G	108.40	Inf	-Inf	8.82	3	Vertical	174	2.03	-	99.58
PK	5.942G	61.89	68.20	-6.31	8.94	3	Vertical	174	2.03	-	52.95

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5745MHz_TX



EUT Y_1TX
Setting 79
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.633G	58.62	68.20	-9.58	8.64	3	Horizontal	109	1.73	-	49.98
PK	5.742G	101.41	Inf	-Inf	8.81	3	Horizontal	109	1.73	-	92.60
AV	5.748G	89.07	Inf	-Inf	8.82	3	Horizontal	109	1.73	-	80.25
PK	5.944G	59.12	68.20	-9.08	8.94	3	Horizontal	109	1.73	-	50.18