


802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
Setting 79
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.83003G	55.64	74.00	-18.36	5.39	3	Vertical	162	2.53	-	50.25
AV	3.82997G	53.35	54.00	-0.65	5.37	3	Vertical	162	2.53	-	47.98
PK	17.22606G	67.53	68.20	-0.67	20.66	3	Vertical	304	2.08	-	46.87

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5745MHz_TX




EUT Y_1TX
Setting 79
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.82995G	51.93	74.00	-22.07	5.37	3	Horizontal	322	2.08	-	46.56
AV	3.82997G	48.63	54.00	-5.37	5.37	3	Horizontal	322	2.08	-	43.26
PK	17.2304G	67.51	68.20	-0.69	20.68	3	Horizontal	152	2.09	-	46.83

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5785MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	63.91	68.20	-4.29	8.66	3	Vertical	178	2.00	-	55.25
PK	5.782G	125.45	Inf	-Inf	8.88	3	Vertical	178	2.00	-	116.57
AV	5.79G	112.32	Inf	-Inf	8.88	3	Vertical	178	2.00	-	103.44
PK	5.927G	66.27	68.20	-1.93	8.93	3	Vertical	178	2.00	-	57.34

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5785MHz_TX




EUT Y_1TX
Setting 91
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.601G	58.80	68.20	-9.40	8.58	3	Horizontal	197	1.03	-	50.22
PK	5.782G	105.67	Inf	-Inf	8.88	3	Horizontal	197	1.03	-	96.79
AV	5.789G	93.88	Inf	-Inf	8.88	3	Horizontal	197	1.03	-	85.00
PK	5.932G	58.93	68.20	-9.27	8.93	3	Horizontal	197	1.03	-	50.00

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5785MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.8566G	55.20	74.00	-18.80	5.49	3	Vertical	137	2.11	-	49.71
AV	3.85664G	53.03	54.00	-0.97	5.49	3	Vertical	137	2.11	-	47.54
PK	17.3556G	66.87	68.20	-1.33	21.42	3	Vertical	294	2.07	-	45.45

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5785MHz_TX




EUT Y_1TX
Setting 91
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.85657G	55.39	74.00	-18.61	5.49	3	Horizontal	263	2.42	-	49.90
AV	3.85663G	53.17	54.00	-0.83	5.49	3	Horizontal	263	2.42	-	47.68
PK	17.3589G	67.08	68.20	-1.12	21.44	3	Horizontal	109	2.56	-	45.64

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5825MHz_TX




EUT Y_1TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.624G	61.44	68.20	-6.76	8.61	3	Vertical	179	1.97	-	52.83
PK	5.822G	124.59	Inf	-Inf	8.90	3	Vertical	179	1.97	-	115.69
AV	5.828G	111.79	Inf	-Inf	8.91	3	Vertical	179	1.97	-	102.88
PK	5.927G	67.58	68.20	-0.62	8.93	3	Vertical	179	1.97	-	58.65

802.11ax HEW20_Nss1,(MCS0)_1TX

10/10/2019

5825MHz_TX




EUT Y_1TX
Setting 88
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.617G	58.67	68.20	-9.53	8.60	3	Horizontal	124	2.01	-	50.07
PK	5.822G	107.07	Inf	-Inf	8.90	3	Horizontal	124	2.01	-	98.17
AV	5.823G	93.71	Inf	-Inf	8.90	3	Horizontal	124	2.01	-	84.81
PK	5.981G	59.64	68.20	-8.56	8.94	3	Horizontal	124	2.01	-	50.70

802.11ax HEW20_Nss1,(MCS0)_1TX

11/10/2019

5825MHz_TX




EUT Y_1TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4981G	61.74	68.20	-6.46	22.27	3	Vertical	5	2.28	-	39.47

802.11ax HEW20_Nss1,(MCS0)_1TX

11/10/2019

5825MHz_TX




EUT Y_1TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	17.4982G	61.54	68.20	-6.66	22.27	3	Horizontal	306	2.53	-	39.27

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5190MHz_TX




EUT Y_1TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	71.38	74.00	-2.62	7.94	3	Vertical	183	2.04	-	63.44
AV	5.15G	53.45	54.00	-0.55	7.94	3	Vertical	183	2.04	-	45.51
PK	5.182G	114.02	Inf	-Inf	8.02	3	Vertical	183	2.04	-	106.00
AV	5.1824G	101.28	Inf	-Inf	8.02	3	Vertical	183	2.04	-	93.26

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5190MHz_TX




EUT Y_1TX
Setting 61
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	61.62	74.00	-12.38	7.94	3	Horizontal	116	1.90	-	53.68
AV	5.15G	47.30	54.00	-6.70	7.94	3	Horizontal	116	1.90	-	39.36
PK	5.182G	102.31	Inf	-Inf	8.02	3	Horizontal	116	1.90	-	94.29
AV	5.1824G	89.58	Inf	-Inf	8.02	3	Horizontal	116	1.90	-	81.56

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5190MHz_TX



EUT Y_1TX
Setting 61
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.45997G	54.96	68.20	-13.24	4.00	3	Vertical	194	2.81	-	50.96
PK	15.58188G	55.15	74.00	-18.85	15.96	3	Vertical	349	1.82	-	39.19
AV	15.56904G	42.34	54.00	-11.66	16.00	3	Vertical	349	1.82	-	26.34



802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5190MHz_TX




EUT Y_1TX
Setting 61
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46002G	56.84	68.20	-11.36	4.00	3	Horizontal	275	2.90	-	52.84
PK	15.58092G	54.81	74.00	-19.19	15.97	3	Horizontal	133	2.76	-	38.84
AV	15.58296G	42.23	54.00	-11.77	15.96	3	Horizontal	133	2.76	-	26.27

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5230MHz_TX




EUT Y_1TX
Setting 78
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	68.99	74.00	-5.01	7.94	3	Vertical	179	2.01	-	61.05
AV	5.1484G	53.44	54.00	-0.56	7.94	3	Vertical	179	2.01	-	45.50
PK	5.2148G	117.78	Inf	-Inf	8.08	3	Vertical	179	2.01	-	109.70
AV	5.234G	105.72	Inf	-Inf	8.11	3	Vertical	179	2.01	-	97.61
PK	5.3636G	61.98	74.00	-12.02	8.29	3	Vertical	179	2.01	-	53.69
AV	5.366G	49.43	54.00	-4.57	8.29	3	Vertical	179	2.01	-	41.14

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5230MHz_TX




EUT Y_1TX
Setting 78
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1292G	59.67	74.00	-14.33	7.91	3	Horizontal	111	1.95	-	51.76
AV	5.1492G	47.79	54.00	-6.21	7.94	3	Horizontal	111	1.95	-	39.85
PK	5.2148G	105.36	Inf	-Inf	8.08	3	Horizontal	111	1.95	-	97.28
AV	5.234G	93.19	Inf	-Inf	8.11	3	Horizontal	111	1.95	-	85.08
PK	5.366G	58.21	74.00	-15.79	8.29	3	Horizontal	111	1.95	-	49.92
AV	5.4076G	46.41	54.00	-7.59	8.35	3	Horizontal	111	1.95	-	38.06

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5230MHz_TX




EUT Y_1TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.48662G	55.16	68.20	-13.04	4.07	3	Vertical	150	1.01	-	51.09
PK	15.69312G	55.20	74.00	-18.80	15.67	3	Vertical	245	2.90	-	39.53
AV	15.6894G	42.18	54.00	-11.82	15.68	3	Vertical	245	2.90	-	26.50

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5230MHz_TX




EUT Y_1TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.48662G	55.82	68.20	-12.38	4.07	3	Horizontal	87	2.98	-	51.75
PK	15.67626G	55.23	74.00	-18.77	15.71	3	Horizontal	195	2.57	-	39.52
AV	15.68052G	42.03	54.00	-11.97	15.70	3	Horizontal	195	2.57	-	26.33

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5755MHz_TX



EUT Y_1TX
Setting 80
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.53	68.20	-0.67	8.66	3	Vertical	186	2.02	-	58.87
PK	5.771G	119.57	Inf	-Inf	8.85	3	Vertical	186	2.02	-	110.72
AV	5.761G	106.98	Inf	-Inf	8.85	3	Vertical	186	2.02	-	98.13
PK	5.946G	62.30	68.20	-5.90	8.94	3	Vertical	186	2.02	-	53.36



802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5755MHz_TX




EUT Y_1TX
 Setting 80
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.565G	59.41	68.20	-8.79	8.56	3	Horizontal	204	1.14	-	50.85
PK	5.764G	100.78	Inf	-Inf	8.84	3	Horizontal	204	1.14	-	91.94
AV	5.759G	88.34	Inf	-Inf	8.85	3	Horizontal	204	1.14	-	79.49
PK	5.935G	59.29	68.20	-8.91	8.93	3	Horizontal	204	1.14	-	50.36

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5755MHz_TX




EUT Y_1TX
 Setting 80
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.83665G	54.24	74.00	-19.76	5.41	3	Vertical	103	2.76	-	48.83
AV	3.83664G	51.86	54.00	-2.14	5.41	3	Vertical	103	2.76	-	46.45
PK	17.2566G	63.45	68.20	-4.75	20.84	3	Vertical	91	2.80	-	42.61

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5755MHz_TX




EUT Y_1TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.83661G	54.42	74.00	-19.58	5.41	3	Horizontal	23	2.76	-	49.01
AV	3.83667G	52.25	54.00	-1.75	5.41	3	Horizontal	23	2.76	-	46.84
PK	17.2656G	65.70	68.20	-2.50	20.89	3	Horizontal	48	2.77	-	44.81

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5795MHz_TX



EUT Y_1TX
Setting 82
02-W-3-10
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.639G	63.23	68.20	-4.97	8.64	3	Vertical	182	2.01	-	54.59
PK	5.811G	121.12	Inf	-Inf	8.91	3	Vertical	182	2.01	-	112.21
AV	5.799G	108.51	Inf	-Inf	8.90	3	Vertical	182	2.01	-	99.61
PK	5.936G	67.64	68.20	-0.56	8.93	3	Vertical	182	2.01	-	58.71



802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5795MHz_TX




EUT Y_1TX
 Setting 82
 02-W-3-10
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.554G	58.74	68.20	-9.46	8.55	3	Horizontal	198	1.02	-	50.19
PK	5.787G	102.12	Inf	-Inf	8.88	3	Horizontal	198	1.02	-	93.24
AV	5.79G	90.28	Inf	-Inf	8.88	3	Horizontal	198	1.02	-	81.40
PK	5.974G	58.58	68.20	-9.62	8.93	3	Horizontal	198	1.02	-	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5795MHz_TX




EUT Y_1TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.86332G	54.56	74.00	-19.44	5.52	3	Vertical	335	1.69	-	49.04
AV	3.86332G	52.16	54.00	-1.84	5.52	3	Vertical	335	1.69	-	46.64
PK	17.4003G	64.45	68.20	-3.75	21.69	3	Vertical	344	1.45	-	42.76

802.11ax HEW40_Nss1,(MCS0)_1TX

10/10/2019

5795MHz_TX




EUT Y_1TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.863333G	54.30	74.00	-19.70	5.52	3	Horizontal	96	2.26	-	48.78
AV	3.86328G	51.91	54.00	-2.09	5.52	3	Horizontal	96	2.26	-	46.39
PK	17.3765G	66.30	68.20	-1.90	21.55	3	Horizontal	275	2.66	-	44.75

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5210MHz_TX




EUT_Y_1TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.141G	68.83	74.00	-5.17	7.94	3	Vertical	190	1.94	-	60.89
AV	5.149G	53.35	54.00	-0.65	7.94	3	Vertical	190	1.94	-	45.41
PK	5.2G	110.74	Inf	-Inf	8.06	3	Vertical	190	1.94	-	102.68
AV	5.199G	98.79	Inf	-Inf	8.06	3	Vertical	190	1.94	-	90.73
PK	5.351G	61.76	74.00	-12.24	8.28	3	Vertical	190	1.94	-	53.48
AV	5.351G	49.51	54.00	-4.49	8.28	3	Vertical	190	1.94	-	41.23

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5210MHz_TX




EUT Y_1TX
Setting 65
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	60.56	74.00	-13.44	7.94	3	Horizontal	113	1.90	-	52.62
AV	5.147G	47.38	54.00	-6.62	7.94	3	Horizontal	113	1.90	-	39.44
PK	5.2G	98.85	Inf	-Inf	8.06	3	Horizontal	113	1.90	-	90.79
AV	5.199G	86.93	Inf	-Inf	8.06	3	Horizontal	113	1.90	-	78.87
PK	5.436G	59.28	74.00	-14.72	8.41	3	Horizontal	113	1.90	-	50.87
AV	5.369G	46.32	54.00	-7.68	8.30	3	Horizontal	113	1.90	-	38.02

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5210MHz_TX




EUT Y_1TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.47331G	57.88	68.20	-10.32	4.03	3	Vertical	202	1.61	-	53.85
PK	15.63636G	55.53	74.00	-18.47	15.81	3	Vertical	335	2.54	-	39.72
AV	15.61914G	42.42	54.00	-11.58	15.85	3	Vertical	335	2.54	-	26.57

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5210MHz_TX




EUT Y_1TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.47327G	56.64	68.20	-11.56	4.03	3	Horizontal	291	1.93	-	52.61
PK	15.61998G	55.25	74.00	-18.75	15.85	3	Horizontal	110	1.05	-	39.40
AV	15.62958G	42.51	54.00	-11.49	15.83	3	Horizontal	110	1.05	-	26.68

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5775MHz_TX




EUT Y_1TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	67.49	68.20	-0.71	8.66	3	Vertical	184	2.00	-	58.83
PK	5.802G	113.57	Inf	-Inf	8.90	3	Vertical	184	2.00	-	104.67
AV	5.788G	101.24	Inf	-Inf	8.87	3	Vertical	184	2.00	-	92.37
PK	5.94G	65.31	68.20	-2.89	8.93	3	Vertical	184	2.00	-	56.38

802.11ax HEW80_Nss1,(MCS0)_1TX

10/10/2019

5775MHz_TX




EUT Y_1TX
Setting 72
02-W-3-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.627G	58.50	68.20	-9.70	8.63	3	Horizontal	208	1.01	-	49.87
PK	5.789G	95.70	Inf	-Inf	8.88	3	Horizontal	208	1.01	-	86.82
AV	5.789G	83.45	Inf	-Inf	8.88	3	Horizontal	208	1.01	-	74.57
PK	5.968G	58.74	68.20	-9.46	8.93	3	Horizontal	208	1.01	-	49.81

802.11ax HEW80_Nss1,(MCS0)_1TX

15/10/2019

5775MHz_TX




EUT Y_1TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.85002G	55.22	74.00	-18.78	5.48	3	Vertical	321	1.95	-	49.74
AV	3.84998G	53.14	54.00	-0.86	5.45	3	Vertical	321	1.95	-	47.69
PK	17.313G	60.23	68.20	-7.97	21.17	3	Vertical	106	1.78	-	39.06

802.11ax HEW80_Nss1,(MCS0)_1TX

15/10/2019

5775MHz_TX



EUT Y_1TX
Setting 72
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.84996G	55.60	74.00	-18.40	5.45	3	Horizontal	240	2.81	-	50.15
AV	3.84996G	53.50	54.00	-0.50	5.45	3	Horizontal	240	2.81	-	48.05
PK	17.31402G	60.13	68.20	-8.07	21.17	3	Horizontal	106	1.50	-	38.96




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	17.2293G	67.69	68.20	-0.51	20.68	3	Horizontal	274	2.54	-

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 60
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	73.41	74.00	-0.59	7.94	3	Vertical	153	2.06	-	65.47
AV	5.1486G	51.00	54.00	-3.00	7.94	3	Vertical	153	2.06	-	43.06
PK	5.1836G	118.65	Inf	-Inf	8.03	3	Vertical	153	2.06	-	110.62
AV	5.1842G	109.45	Inf	-Inf	8.03	3	Vertical	153	2.06	-	101.42

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5180MHz_TX




EUT_V_2TX
Setting 60
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	61.97	74.00	-12.03	7.94	3	Horizontal	96	1.99	-	54.03
AV	5.1494G	45.85	54.00	-8.15	7.94	3	Horizontal	96	1.99	-	37.91
PK	5.1744G	104.88	Inf	-Inf	8.00	3	Horizontal	96	1.99	-	96.88
AV	5.1842G	95.76	Inf	-Inf	8.03	3	Horizontal	96	1.99	-	87.73

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5180MHz_TX




EUT_Y_2TX
 Setting 60
 02-M-1
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36084G	53.14	68.20	-15.06	14.66	3	Vertical	282	2.71	-	38.48
PK	15.54314G	55.33	74.00	-18.67	16.06	3	Vertical	333	2.05	-	39.27
AV	15.53514G	41.42	54.00	-12.58	16.09	3	Vertical	333	2.05	-	25.33

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 60
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36154G	53.36	68.20	-14.84	14.66	3	Horizontal	296	1.61	-	38.70
PK	15.53512G	54.94	74.00	-19.06	16.09	3	Horizontal	51	1.50	-	38.85
AV	15.54246G	41.32	54.00	-12.68	16.07	3	Horizontal	51	1.50	-	25.25

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 77
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1418G	71.85	74.00	-2.15	7.94	3	Vertical	162	1.93	-	63.91
AV	5.1004G	53.43	54.00	-0.57	7.84	3	Vertical	162	1.93	-	45.59
PK	5.2048G	123.20	Inf	-Inf	8.07	3	Vertical	162	1.93	-	115.13
AV	5.206G	113.53	Inf	-Inf	8.07	3	Vertical	162	1.93	-	105.46

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 77
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0968G	58.56	74.00	-15.44	7.84	3	Horizontal	208	1.46	-	50.72
AV	5.092G	46.11	54.00	-7.89	7.82	3	Horizontal	208	1.46	-	38.29
PK	5.1946G	106.82	Inf	-Inf	8.05	3	Horizontal	208	1.46	-	98.77
AV	5.2042G	97.73	Inf	-Inf	8.07	3	Horizontal	208	1.46	-	89.66

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 77
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46659G	61.00	68.20	-7.20	4.02	3	Vertical	147	1.84	-	56.98
PK	10.4098G	53.78	68.20	-14.42	14.63	3	Vertical	188	2.00	-	39.15
PK	15.5961G	55.69	74.00	-18.31	15.92	3	Vertical	239	1.42	-	39.77
AV	15.598G	41.79	54.00	-12.21	15.92	3	Vertical	239	1.42	-	25.87

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 77
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46663G	56.64	68.20	-11.56	4.02	3	Horizontal	129	1.96	-	52.62
PK	10.4015G	54.38	68.20	-13.82	14.64	3	Horizontal	88	2.14	-	39.74
PK	15.6165G	55.43	74.00	-18.57	15.86	3	Horizontal	323	1.20	-	39.57
AV	15.5787G	41.63	54.00	-12.37	15.97	3	Horizontal	323	1.20	-	25.66

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 78
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.144G	65.07	74.00	-8.93	7.94	3	Vertical	142	1.91	-	57.13
AV	5.1446G	53.45	54.00	-0.55	7.94	3	Vertical	142	1.91	-	45.51
PK	5.2346G	123.49	Inf	-Inf	8.11	3	Vertical	142	1.91	-	115.38
AV	5.2442G	113.71	Inf	-Inf	8.12	3	Vertical	142	1.91	-	105.59
PK	5.3708G	62.03	74.00	-11.97	8.30	3	Vertical	142	1.91	-	53.73
AV	5.351G	49.09	54.00	-4.91	8.28	3	Vertical	142	1.91	-	40.81

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5240MHz_TX




EUT_Y_2TX
Setting 78
02-M-1-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1332G	58.31	74.00	-15.69	7.92	3	Horizontal	146	2.96	-	50.39
AV	5.0924G	45.58	54.00	-8.42	7.82	3	Horizontal	146	2.96	-	37.76
PK	5.2436G	101.71	Inf	-Inf	8.12	3	Horizontal	146	2.96	-	93.59
AV	5.2436G	92.01	Inf	-Inf	8.12	3	Horizontal	146	2.96	-	83.89
PK	5.3708G	58.16	74.00	-15.84	8.30	3	Horizontal	146	2.96	-	49.86
AV	5.3894G	45.43	54.00	-8.57	8.33	3	Horizontal	146	2.96	-	37.10

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
 Setting 78
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.4933G	60.11	68.20	-8.09	4.09	3	Vertical	124	1.82	-	56.02
PK	10.4721G	54.38	68.20	-13.82	14.59	3	Vertical	240	2.94	-	39.79
PK	15.7297G	55.61	74.00	-18.39	15.57	3	Vertical	89	1.91	-	40.04
AV	15.7182G	41.89	54.00	-12.11	15.61	3	Vertical	89	1.91	-	26.28

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 78
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49329G	54.96	68.20	-13.24	4.09	3	Horizontal	122	1.95	-	50.87
PK	10.4707G	54.29	68.20	-13.91	14.60	3	Horizontal	175	1.67	-	39.69
PK	15.7205G	54.89	74.00	-19.11	15.60	3	Horizontal	307	2.57	-	39.29
AV	15.7046G	41.73	54.00	-12.27	15.64	3	Horizontal	307	2.57	-	26.09

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
Setting 73
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.644G	65.29	68.20	-2.91	8.66	3	Vertical	85	1.93	-	56.63
PK	5.739G	121.53	Inf	-Inf	8.80	3	Vertical	85	1.93	-	112.73
AV	5.749G	112.35	Inf	-Inf	8.82	3	Vertical	85	1.93	-	103.53
PK	5.978G	62.10	68.20	-6.10	8.94	3	Vertical	85	1.93	-	53.16

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
Setting 73
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.645G	59.44	68.20	-8.76	8.66	3	Horizontal	104	1.74	-	50.78
PK	5.749G	108.60	Inf	-Inf	8.82	3	Horizontal	104	1.74	-	99.78
AV	5.749G	99.58	Inf	-Inf	8.82	3	Horizontal	104	1.74	-	90.76
PK	5.968G	58.93	68.20	-9.27	8.93	3	Horizontal	104	1.74	-	50.00

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
 Setting 73
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4962G	54.25	74.00	-19.75	14.90	3	Vertical	329	1.20	-	39.35
AV	11.4932G	40.21	54.00	-13.79	14.89	3	Vertical	329	1.20	-	25.32
PK	17.2339G	65.22	68.20	-2.98	20.71	3	Vertical	146	2.50	-	44.51

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
 Setting 73
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4774G	53.94	74.00	-20.06	14.87	3	Horizontal	273	2.53	-	39.07
AV	11.5117G	40.47	54.00	-13.53	14.92	3	Horizontal	273	2.53	-	25.55
PK	17.2339G	67.62	68.20	-0.58	20.71	3	Horizontal	64	2.68	-	46.91

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.58G	61.98	68.20	-6.22	8.57	3	Vertical	44	1.89	-	53.41
PK	5.789G	123.10	Inf	-Inf	8.88	3	Vertical	44	1.89	-	114.22
AV	5.789G	113.90	Inf	-Inf	8.88	3	Vertical	44	1.89	-	105.02
PK	5.974G	62.27	68.20	-5.93	8.93	3	Vertical	44	1.89	-	53.34

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.57G	59.27	68.20	-8.93	8.56	3	Horizontal	161	1.50	-	50.71
PK	5.791G	111.90	Inf	-Inf	8.88	3	Horizontal	161	1.50	-	103.02
AV	5.786G	101.47	Inf	-Inf	8.88	3	Horizontal	161	1.50	-	92.59
PK	5.955G	58.47	68.20	-9.73	8.92	3	Horizontal	161	1.50	-	49.55

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
 Setting 76
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5806G	54.55	74.00	-19.45	15.01	3	Vertical	304	2.68	-	39.54
AV	11.5592G	40.61	54.00	-13.39	14.99	3	Vertical	304	2.68	-	25.62
PK	17.3493G	66.73	68.20	-1.47	21.39	3	Vertical	101	2.50	-	45.34

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
 Setting 76
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5507G	54.07	74.00	-19.93	14.97	3	Horizontal	80	1.35	-	39.10
AV	11.5793G	40.58	54.00	-13.42	15.01	3	Horizontal	80	1.35	-	25.57
PK	17.3654G	67.68	68.20	-0.52	21.49	3	Horizontal	315	2.86	-	46.19

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 78
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.619G	63.00	68.20	-5.20	8.61	3	Vertical	99	2.08	-	54.39
PK	5.83G	124.15	Inf	-Inf	8.91	3	Vertical	99	2.08	-	115.24
AV	5.829G	114.99	Inf	-Inf	8.91	3	Vertical	99	2.08	-	106.08
PK	5.929G	65.70	68.20	-2.50	8.93	3	Vertical	99	2.08	-	56.77

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 78
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.612G	58.45	68.20	-9.75	8.61	3	Horizontal	17	1.93	-	49.84
PK	5.83G	109.58	Inf	-Inf	8.91	3	Horizontal	17	1.93	-	100.67
AV	5.82G	99.75	Inf	-Inf	8.90	3	Horizontal	17	1.93	-	90.85
PK	5.927G	58.94	68.20	-9.26	8.93	3	Horizontal	17	1.93	-	50.01

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5825MHz_TX




EUT_Y_2TX
Setting 78
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6666G	54.62	74.00	-19.38	15.11	3	Vertical	7	1.05	-	39.51
AV	11.6477G	40.76	54.00	-13.24	15.09	3	Vertical	7	1.05	-	25.67
PK	17.4692G	67.66	68.20	-0.54	22.10	3	Vertical	143	1.87	-	45.56

802.11a_Nss1,(6Mbps)_2TX

11/10/2019

5825MHz_TX




EUT_Y_2TX
Setting 78
02-M-1
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6585G	54.95	74.00	-19.05	15.11	3	Horizontal	275	1.50	-	39.84
AV	11.6518G	40.89	54.00	-13.11	15.10	3	Horizontal	275	1.50	-	25.79
PK	17.4692G	67.60	68.20	-0.60	22.10	3	Horizontal	191	1.44	-	45.50

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 63
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	72.81	74.00	-1.19	7.94	3	Vertical	42	1.94	-	64.87
AV	5.1498G	53.40	54.00	-0.60	7.94	3	Vertical	42	1.94	-	45.46
PK	5.173G	121.30	Inf	-Inf	8.00	3	Vertical	42	1.94	-	113.30
AV	5.183G	107.68	Inf	-Inf	8.02	3	Vertical	42	1.94	-	99.66

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 63
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1492G	60.95	74.00	-13.05	7.94	3	Horizontal	323	1.95	-	53.01
AV	5.1492G	45.88	54.00	-8.12	7.94	3	Horizontal	323	1.95	-	37.94
PK	5.1738G	107.64	Inf	-Inf	8.00	3	Horizontal	323	1.95	-	99.64
AV	5.1816G	94.12	Inf	-Inf	8.02	3	Horizontal	323	1.95	-	86.10

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 63
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.5199G	55.65	74.00	-18.35	16.12	3	Vertical	325	1.28	-	39.53
AV	15.5171G	41.08	54.00	-12.92	16.13	3	Vertical	325	1.28	-	24.95

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 63
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.548G	55.49	74.00	-18.51	16.05	3	Horizontal	348	2.65	-	39.44
AV	15.5384G	41.15	54.00	-12.85	16.08	3	Horizontal	348	2.65	-	25.07

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 79
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.15G	73.29	74.00	-0.71	7.94	3	Vertical	27	2.00	-	65.35
AV	5.15G	53.31	54.00	-0.69	7.94	3	Vertical	27	2.00	-	45.37
PK	5.2054G	124.46	Inf	-Inf	8.07	3	Vertical	27	2.00	-	116.39
AV	5.203G	111.32	Inf	-Inf	8.06	3	Vertical	27	2.00	-	103.26

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 79
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1484G	60.78	74.00	-13.22	7.94	3	Horizontal	295	1.92	-	52.84
AV	5.15G	45.67	54.00	-8.33	7.94	3	Horizontal	295	1.92	-	37.73
PK	5.2012G	110.33	Inf	-Inf	8.06	3	Horizontal	295	1.92	-	102.27
AV	5.1982G	97.53	Inf	-Inf	8.06	3	Horizontal	295	1.92	-	89.47

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 79
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46663G	60.86	68.20	-7.34	4.02	3	Vertical	184	1.83	-	56.84
PK	15.5992G	55.37	74.00	-18.63	15.91	3	Vertical	338	1.19	-	39.46
AV	15.5983G	40.99	54.00	-13.01	15.91	3	Vertical	338	1.19	-	25.08

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 79
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.46658G	56.23	68.20	-11.97	4.02	3	Horizontal	168	1.99	-	52.21
PK	15.6246G	55.74	74.00	-18.26	15.85	3	Horizontal	46	1.95	-	39.89
AV	15.604G	41.22	54.00	-12.78	15.90	3	Horizontal	46	1.95	-	25.32

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 82
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1458G	67.15	74.00	-6.85	7.94	3	Vertical	334	2.00	-	59.21
AV	5.1458G	53.30	54.00	-0.70	7.94	3	Vertical	334	2.00	-	45.36
PK	5.2328G	125.24	Inf	-Inf	8.11	3	Vertical	334	2.00	-	117.13
AV	5.2358G	112.35	Inf	-Inf	8.11	3	Vertical	334	2.00	-	104.24
PK	5.3798G	62.84	74.00	-11.16	8.32	3	Vertical	334	2.00	-	54.52
AV	5.35G	49.00	54.00	-5.00	8.28	3	Vertical	334	2.00	-	40.72

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 82
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1404G	59.58	74.00	-14.42	7.93	3	Horizontal	264	1.91	-	51.65
AV	5.1422G	45.62	54.00	-8.38	7.94	3	Horizontal	264	1.91	-	37.68
PK	5.237G	112.60	Inf	-Inf	8.11	3	Horizontal	264	1.91	-	104.49
AV	5.2442G	98.32	Inf	-Inf	8.12	3	Horizontal	264	1.91	-	90.20
PK	5.3708G	58.47	74.00	-15.53	8.30	3	Horizontal	264	1.91	-	50.17
AV	5.35G	45.18	54.00	-8.82	8.28	3	Horizontal	264	1.91	-	36.90

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 82
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49329G	60.16	68.20	-8.04	4.09	3	Vertical	159	1.81	-	56.07
PK	15.7287G	56.41	74.00	-17.59	15.58	3	Vertical	319	2.04	-	40.83
AV	15.719G	42.20	54.00	-11.80	15.60	3	Vertical	319	2.04	-	26.60

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 82
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.49328G	55.36	68.20	-12.84	4.09	3	Horizontal	156	1.95	-	51.27
PK	15.7213G	55.09	74.00	-18.91	15.60	3	Horizontal	30	2.25	-	39.49
AV	15.7217G	41.10	54.00	-12.90	15.60	3	Horizontal	30	2.25	-	25.50

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
Setting 72
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.648G	65.24	68.20	-2.96	8.67	3	Vertical	0	1.81	-	56.57
PK	5.75G	122.29	Inf	-Inf	8.83	3	Vertical	0	1.81	-	113.46
AV	5.743G	109.22	Inf	-Inf	8.82	3	Vertical	0	1.81	-	100.40
PK	5.986G	61.10	68.20	-7.10	8.93	3	Vertical	0	1.81	-	52.17

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
Setting 72
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.582G	58.88	68.20	-9.32	8.57	3	Horizontal	328	1.95	-	50.31
PK	5.75G	107.67	Inf	-Inf	8.83	3	Horizontal	328	1.95	-	98.84
AV	5.748G	94.69	Inf	-Inf	8.82	3	Horizontal	328	1.95	-	85.87
PK	5.978G	59.27	68.20	-8.93	8.94	3	Horizontal	328	1.95	-	50.33

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
 Setting 72
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5121G	53.76	74.00	-20.24	14.92	3	Vertical	304	2.14	-	38.84
AV	11.5117G	39.60	54.00	-14.40	14.92	3	Vertical	304	2.14	-	24.68
PK	17.2418G	65.62	68.20	-2.58	20.75	3	Vertical	313	1.96	-	44.87

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5745MHz_TX




EUT Y_2TX
Setting 72
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5132G	53.72	74.00	-20.28	14.92	3	Horizontal	134	1.61	-	38.80
AV	11.5104G	39.60	54.00	-14.40	14.92	3	Horizontal	134	1.61	-	24.68
PK	17.2293G	67.69	68.20	-0.51	20.68	3	Horizontal	274	2.54	-	47.01

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 74
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.634G	61.40	68.20	-6.80	8.64	3	Vertical	309	2.01	-	52.76
PK	5.782G	125.22	Inf	-Inf	8.88	3	Vertical	309	2.01	-	116.34
AV	5.779G	110.63	Inf	-Inf	8.87	3	Vertical	309	2.01	-	101.76
PK	5.987G	61.36	68.20	-6.84	8.93	3	Vertical	309	2.01	-	52.43

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 74
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.543G	59.15	68.20	-9.05	8.55	3	Horizontal	273	1.93	-	50.60
PK	5.79G	109.53	Inf	-Inf	8.88	3	Horizontal	273	1.93	-	100.65
AV	5.788G	96.46	Inf	-Inf	8.87	3	Horizontal	273	1.93	-	87.59
PK	5.93G	59.46	68.20	-8.74	8.93	3	Horizontal	273	1.93	-	50.53

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 74
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5475G	54.30	74.00	-19.70	14.97	3	Vertical	33	1.42	-	39.33
AV	11.5896G	39.92	54.00	-14.08	15.02	3	Vertical	33	1.42	-	24.90
PK	17.3445G	67.54	68.20	-0.66	21.36	3	Vertical	313	1.87	-	46.18

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5785MHz_TX




EUT Y_2TX
Setting 74
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.577G	53.73	74.00	-20.27	15.01	3	Horizontal	132	1.74	-	38.72
AV	11.5821G	39.84	54.00	-14.16	15.02	3	Horizontal	132	1.74	-	24.82
PK	17.3445G	67.07	68.20	-1.13	21.36	3	Horizontal	337	1.99	-	45.71

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 77
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.632G	62.35	68.20	-5.85	8.63	3	Vertical	317	1.95	-	53.72
PK	5.822G	126.21	Inf	-Inf	8.90	3	Vertical	317	1.95	-	117.31
AV	5.83G	111.94	Inf	-Inf	8.91	3	Vertical	317	1.95	-	103.03
PK	5.93G	65.59	68.20	-2.61	8.93	3	Vertical	317	1.95	-	56.66

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 77
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.63G	58.79	68.20	-9.41	8.63	3	Horizontal	296	1.89	-	50.16
PK	5.818G	110.53	Inf	-Inf	8.90	3	Horizontal	296	1.89	-	101.63
AV	5.821G	97.43	Inf	-Inf	8.90	3	Horizontal	296	1.89	-	88.53
PK	5.974G	59.13	68.20	-9.07	8.93	3	Horizontal	296	1.89	-	50.20

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 77
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6385G	54.35	74.00	-19.65	15.08	3	Vertical	56	2.24	-	39.27
AV	11.6543G	39.93	54.00	-14.07	15.10	3	Vertical	56	2.24	-	24.83
PK	17.4646G	67.58	68.20	-0.62	22.07	3	Vertical	312	1.85	-	45.51

802.11ax HEW20_Nss2,(MCS0)_2TX

11/10/2019

5825MHz_TX




EUT Y_2TX
Setting 77
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6463G	55.19	74.00	-18.81	15.09	3	Horizontal	325	2.28	-	40.10
AV	11.6496G	41.57	54.00	-12.43	15.09	3	Horizontal	325	2.28	-	26.48
PK	17.4721G	65.73	68.20	-2.47	22.11	3	Horizontal	165	2.01	-	43.62

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 52
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	65.92	74.00	-8.08	7.94	3	Vertical	349	1.94	-	57.98
AV	5.149G	53.49	54.00	-0.51	7.94	3	Vertical	349	1.94	-	45.55
PK	5.206G	115.37	Inf	-Inf	8.07	3	Vertical	349	1.94	-	107.30
AV	5.1832G	103.36	Inf	-Inf	8.02	3	Vertical	349	1.94	-	95.34

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 52
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1428G	58.72	74.00	-15.28	7.94	3	Horizontal	298	1.95	-	50.78
AV	5.15G	46.67	54.00	-7.33	7.94	3	Horizontal	298	1.95	-	38.73
PK	5.206G	101.37	Inf	-Inf	8.07	3	Horizontal	298	1.95	-	93.30
AV	5.1856G	89.45	Inf	-Inf	8.03	3	Horizontal	298	1.95	-	81.42

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 52
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.45995G	61.43	68.20	-6.77	4.00	3	Vertical	194	1.82	-	57.43
AV	3.45994G	60.54	Inf	-Inf	4.00	3	Vertical	194	1.82	-	56.54
PK	15.5651G	54.68	74.00	-19.32	16.01	3	Vertical	219	2.33	-	38.67
AV	15.5519G	42.61	54.00	-11.39	16.04	3	Vertical	219	2.33	-	26.57

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 52
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.45993G	57.13	68.20	-11.07	4.00	3	Horizontal	172	2.00	-	53.13
AV	3.45996G	55.56	Inf	-Inf	4.00	3	Horizontal	172	2.00	-	51.56
PK	15.5845G	55.19	74.00	-18.81	15.94	3	Horizontal	191	1.86	-	39.25
AV	15.551G	42.61	54.00	-11.39	16.04	3	Horizontal	191	1.86	-	26.57

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 70
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.149G	67.03	74.00	-6.97	7.94	3	Vertical	5	1.92	-	59.09
AV	5.1484G	53.45	54.00	-0.55	7.94	3	Vertical	5	1.92	-	45.51
PK	5.2462G	119.94	Inf	-Inf	8.13	3	Vertical	5	1.92	-	111.81
AV	5.236G	108.38	Inf	-Inf	8.11	3	Vertical	5	1.92	-	100.27
PK	5.3596G	62.13	74.00	-11.87	8.29	3	Vertical	5	1.92	-	53.84
AV	5.3596G	50.09	54.00	-3.91	8.29	3	Vertical	5	1.92	-	41.80

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 70
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.122G	58.54	74.00	-15.46	7.88	3	Horizontal	307	2.00	-	50.66
AV	5.14G	46.47	54.00	-7.53	7.93	3	Horizontal	307	2.00	-	38.54
PK	5.239G	104.85	Inf	-Inf	8.12	3	Horizontal	307	2.00	-	96.73
AV	5.2342G	93.67	Inf	-Inf	8.11	3	Horizontal	307	2.00	-	85.56
PK	5.35G	58.26	74.00	-15.74	8.28	3	Horizontal	307	2.00	-	49.98
AV	5.38G	46.31	54.00	-7.69	8.32	3	Horizontal	307	2.00	-	37.99

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 70
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.48656G	60.44	68.20	-7.76	4.07	3	Vertical	165	1.80	-	56.37
PK	15.6973G	55.28	74.00	-18.72	15.66	3	Vertical	360	2.74	-	39.62
AV	15.7097G	42.53	54.00	-11.47	15.62	3	Vertical	360	2.74	-	26.91

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 70
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.48662G	55.49	68.20	-12.71	4.07	3	Horizontal	160	1.97	-	51.42
PK	15.6982G	54.76	74.00	-19.24	15.66	3	Horizontal	68	2.18	-	39.10
AV	15.6988G	42.37	54.00	-11.63	15.65	3	Horizontal	68	2.18	-	26.72

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5755MHz_TX




EUT Y_2TX
Setting 75
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.65G	66.99	68.20	-1.21	8.66	3	Vertical	280	1.97	-	58.33
PK	5.747G	121.57	Inf	-Inf	8.82	3	Vertical	280	1.97	-	112.75
AV	5.759G	110.14	Inf	-Inf	8.85	3	Vertical	280	1.97	-	101.29
PK	5.971G	61.99	68.20	-6.21	8.93	3	Vertical	280	1.97	-	53.06

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5755MHz_TX




EUT Y_2TX
Setting 75
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.532G	58.98	68.20	-9.22	8.54	3	Horizontal	327	2.02	-	50.44
PK	5.74G	106.53	Inf	-Inf	8.80	3	Horizontal	327	2.02	-	97.73
AV	5.758G	94.79	Inf	-Inf	8.84	3	Horizontal	327	2.02	-	85.95
PK	5.956G	59.31	68.20	-8.89	8.92	3	Horizontal	327	2.02	-	50.39

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5755MHz_TX




EUT Y_2TX
Setting 75
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5141G	53.71	74.00	-20.29	14.92	3	Vertical	75	2.81	-	38.79
AV	11.5106G	41.38	54.00	-12.62	14.92	3	Vertical	75	2.81	-	26.46
PK	17.274G	67.47	68.20	-0.73	20.94	3	Vertical	307	2.52	-	46.53

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5755MHz_TX




EUT Y_2TX
Setting 75
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5267G	54.07	74.00	-19.93	14.94	3	Horizontal	80	1.60	-	39.13
AV	11.4948G	41.34	54.00	-12.66	14.90	3	Horizontal	80	1.60	-	26.44
PK	17.2643G	67.24	68.20	-0.96	20.88	3	Horizontal	294	2.55	-	46.36

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5795MHz_TX




EUT Y_2TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.649G	63.74	68.20	-4.46	8.67	3	Vertical	290	1.94	-	55.07
PK	5.811G	122.90	Inf	-Inf	8.91	3	Vertical	290	1.94	-	113.99
AV	5.801G	110.77	Inf	-Inf	8.90	3	Vertical	290	1.94	-	101.87
PK	5.923G	65.89	69.68	-3.79	8.92	3	Vertical	290	1.94	-	56.97

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5795MHz_TX




EUT Y_2TX
Setting 76
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.587G	58.64	68.20	-9.56	8.57	3	Horizontal	258	1.96	-	50.07
PK	5.78G	107.60	Inf	-Inf	8.87	3	Horizontal	258	1.96	-	98.73
AV	5.79G	96.72	Inf	-Inf	8.88	3	Horizontal	258	1.96	-	87.84
PK	5.941G	58.69	68.20	-9.51	8.93	3	Horizontal	258	1.96	-	49.76

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5795MHz_TX




EUT Y_2TX
Setting 76
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.575G	53.98	74.00	-20.02	15.00	3	Vertical	222	1.72	-	38.98
AV	11.5824G	41.64	54.00	-12.36	15.02	3	Vertical	222	1.72	-	26.62
PK	17.3925G	67.63	68.20	-0.57	21.64	3	Vertical	298	1.85	-	45.99

802.11ax HEW40_Nss2,(MCS0)_2TX

11/10/2019

5795MHz_TX




EUT Y_2TX
Setting 76
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.6018G	53.84	74.00	-20.16	15.04	3	Horizontal	254	2.78	-	38.80
AV	11.6008G	41.55	54.00	-12.45	15.04	3	Horizontal	254	2.78	-	26.51
PK	17.3848G	65.32	68.20	-2.88	21.60	3	Horizontal	134	2.06	-	43.72

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT_Y_2TX
Setting 59
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.138G	67.22	74.00	-6.78	7.92	3	Vertical	346	1.92	-	59.30
AV	5.148G	53.42	54.00	-0.58	7.94	3	Vertical	346	1.92	-	45.48
PK	5.209G	113.92	Inf	-Inf	8.07	3	Vertical	346	1.92	-	105.85
AV	5.203G	101.64	Inf	-Inf	8.06	3	Vertical	346	1.92	-	93.58
PK	5.361G	61.88	74.00	-12.12	8.29	3	Vertical	346	1.92	-	53.59
AV	5.353G	50.14	54.00	-3.86	8.28	3	Vertical	346	1.92	-	41.86

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT Y_2TX
Setting 59
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.143G	58.56	74.00	-15.44	7.94	3	Horizontal	289	1.91	-	50.62
AV	5.068G	46.39	54.00	-7.61	7.75	3	Horizontal	289	1.91	-	38.64
PK	5.209G	99.62	Inf	-Inf	8.07	3	Horizontal	289	1.91	-	91.55
AV	5.217G	87.83	Inf	-Inf	8.09	3	Horizontal	289	1.91	-	79.74
PK	5.39G	58.13	74.00	-15.87	8.33	3	Horizontal	289	1.91	-	49.80
AV	5.4G	46.36	54.00	-7.64	8.34	3	Horizontal	289	1.91	-	38.02

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT Y_2TX
Setting 59
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.47326G	60.51	68.20	-7.69	4.03	3	Vertical	150	1.83	-	56.48
PK	15.63736G	54.94	74.00	-19.06	15.81	3	Vertical	191	2.44	-	39.13
AV	15.6374G	42.40	54.00	-11.60	15.81	3	Vertical	191	2.44	-	26.59

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT Y_2TX
Setting 59
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.47333G	56.45	68.20	-11.75	4.03	3	Horizontal	136	1.97	-	52.42
PK	15.62052G	55.58	74.00	-18.42	15.85	3	Horizontal	352	1.76	-	39.73
AV	15.62524G	42.37	54.00	-11.63	15.85	3	Horizontal	352	1.76	-	26.52

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT Y_2TX
Setting 67
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.647G	67.67	68.20	-0.53	8.67	3	Vertical	335	1.92	-	59.00
PK	5.772G	116.04	Inf	-Inf	8.85	3	Vertical	335	1.92	-	107.19
AV	5.779G	104.13	Inf	-Inf	8.87	3	Vertical	335	1.92	-	95.26
PK	5.929G	64.56	68.20	-3.64	8.93	3	Vertical	335	1.92	-	55.63

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT Y_2TX
Setting 67
02-N-2-10
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.641G	58.61	68.20	-9.59	8.65	3	Horizontal	296	1.96	-	49.96
PK	5.765G	101.06	Inf	-Inf	8.84	3	Horizontal	296	1.96	-	92.22
AV	5.793G	89.14	Inf	-Inf	8.89	3	Horizontal	296	1.96	-	80.25
PK	5.952G	58.30	68.20	-9.90	8.92	3	Horizontal	296	1.96	-	49.38

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT Y_2TX
Setting 67
02-N-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.5443G	54.14	74.00	-19.86	14.97	3	Vertical	168	1.83	-	39.17
AV	11.5342G	41.58	54.00	-12.42	14.95	3	Vertical	168	1.83	-	26.63

802.11ax HEW80_Nss2,(MCS0)_2TX

11/10/2019

5775MHz_TX



EUT Y_2TX
 Setting 67
 02-N-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.573G	53.89	74.00	-20.11	15.00	3	Horizontal	241	2.45	-	38.89
AV	11.5714G	41.18	54.00	-12.82	15.00	3	Horizontal	241	2.45	-	26.18




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.9245G	68.06	68.57	-0.51	5.69	3	Vertical	356	1.46	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT_Y_2TX
Setting 73
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1496G	73.02	74.00	-0.98	3.36	3	Vertical	181	2.27	-	69.66
AV	5.1489G	53.38	54.00	-0.62	3.36	3	Vertical	181	2.27	-	50.02
PK	5.1722G	117.74	Inf	-Inf	3.38	3	Vertical	181	2.27	-	114.36
AV	5.1737G	105.51	Inf	-Inf	3.38	3	Vertical	181	2.27	-	102.13

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5180MHz_TX




EUT Y_2TX
Setting 73
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1497G	59.70	74.00	-14.30	3.36	3	Horizontal	119	1.50	-	56.34
AV	5.1491G	44.79	54.00	-9.21	3.36	3	Horizontal	119	1.50	-	41.43
PK	5.1883G	108.12	Inf	-Inf	3.40	3	Horizontal	119	1.50	-	104.72
AV	5.1886G	95.14	Inf	-Inf	3.40	3	Horizontal	119	1.50	-	91.74

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT Y_2TX
Setting 73
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36594G	52.47	68.20	-15.73	10.67	3	Vertical	161	1.44	-	41.80
PK	15.53616G	57.86	74.00	-16.14	10.80	3	Vertical	50	1.53	-	47.06
AV	15.52824G	44.17	54.00	-9.83	10.81	3	Vertical	50	1.53	-	33.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5180MHz_TX




EUT Y_2TX
Setting 73
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36924G	52.44	68.20	-15.76	10.68	3	Horizontal	206	1.57	-	41.76
PK	15.52914G	57.53	74.00	-16.47	10.81	3	Horizontal	170	1.67	-	46.72
AV	15.5322G	43.77	54.00	-10.23	10.80	3	Horizontal	170	1.67	-	32.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 83
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	71.28	74.00	-2.72	3.36	3	Vertical	175	1.77	-	67.92
AV	5.1499G	53.26	54.00	-0.74	3.36	3	Vertical	175	1.77	-	49.90
PK	5.1937G	121.15	Inf	-Inf	3.40	3	Vertical	175	1.77	-	117.75
AV	5.1961G	108.72	Inf	-Inf	3.41	3	Vertical	175	1.77	-	105.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5200MHz_TX




EUT Y_2TX
Setting 83
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1499G	60.25	74.00	-13.75	3.36	3	Horizontal	242	1.34	-	56.89
AV	5.149G	43.82	54.00	-10.18	3.36	3	Horizontal	242	1.34	-	40.46
PK	5.2081G	111.39	Inf	-Inf	3.44	3	Horizontal	242	1.34	-	107.95
AV	5.2084G	99.00	Inf	-Inf	3.44	3	Horizontal	242	1.34	-	95.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT Y_2TX
Setting 83
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40645G	53.05	68.20	-15.15	10.69	3	Vertical	220	1.21	-	42.36
PK	15.60453G	56.31	74.00	-17.69	10.74	3	Vertical	205	1.69	-	45.57
AV	15.58536G	43.01	54.00	-10.99	10.76	3	Vertical	205	1.69	-	32.25

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5200MHz_TX




EUT Y_2TX
 Setting 83
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.38572G	53.77	68.20	-14.43	10.68	3	Horizontal	287	1.14	-	43.09
PK	15.5886G	56.21	74.00	-17.79	10.76	3	Horizontal	97	1.32	-	45.45
AV	15.58584G	43.11	54.00	-10.89	10.76	3	Horizontal	97	1.32	-	32.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 89
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.147G	64.57	74.00	-9.43	3.36	3	Vertical	185	1.02	-	61.21
AV	5.1431G	53.31	54.00	-0.69	3.35	3	Vertical	185	1.02	-	49.96
PK	5.2469G	124.24	Inf	-Inf	3.56	3	Vertical	185	1.02	-	120.68
AV	5.2433G	112.44	Inf	-Inf	3.56	3	Vertical	185	1.02	-	108.88
PK	5.3651G	61.38	74.00	-12.62	4.00	3	Vertical	185	1.02	-	57.38
AV	5.35G	49.04	54.00	-4.96	3.94	3	Vertical	185	1.02	-	45.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

11/10/2019

5240MHz_TX




EUT Y_2TX
Setting 89
04-B-4-13
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1203G	58.34	74.00	-15.66	3.33	3	Horizontal	139	1.50	-	55.01
AV	5.1458G	45.64	54.00	-8.36	3.36	3	Horizontal	139	1.50	-	42.28
PK	5.2445G	109.01	Inf	-Inf	3.56	3	Horizontal	139	1.50	-	105.45
AV	5.2445G	97.69	Inf	-Inf	3.56	3	Horizontal	139	1.50	-	94.13
PK	5.3867G	60.23	74.00	-13.77	4.09	3	Horizontal	139	1.50	-	56.14
AV	5.3537G	46.26	54.00	-7.74	3.95	3	Horizontal	139	1.50	-	42.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT Y_2TX
 Setting 89
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.47559G	52.37	68.20	-15.83	10.71	3	Vertical	332	1.24	-	41.66
PK	15.72333G	56.62	74.00	-17.38	10.63	3	Vertical	33	1.43	-	45.99
AV	15.7173G	42.85	54.00	-11.15	10.64	3	Vertical	33	1.43	-	32.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5240MHz_TX




EUT Y_2TX
 Setting 89
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.48927G	52.29	68.20	-15.91	10.72	3	Horizontal	283	1.37	-	41.57
PK	15.71775G	55.72	74.00	-18.28	10.64	3	Horizontal	112	1.34	-	45.08
AV	15.72993G	42.27	54.00	-11.73	10.63	3	Horizontal	112	1.34	-	31.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.638G	65.13	68.20	-3.07	4.73	3	Vertical	4	1.45	-	60.40
PK	5.7415G	123.55	Inf	-Inf	4.88	3	Vertical	4	1.45	-	118.67
AV	5.7385G	110.96	Inf	-Inf	4.88	3	Vertical	4	1.45	-	106.08
PK	5.976G	61.39	68.20	-6.81	5.98	3	Vertical	4	1.45	-	55.41

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.5095G	57.30	68.20	-10.90	4.54	3	Horizontal	24	1.17	-	52.76
PK	5.737G	107.08	Inf	-Inf	4.87	3	Horizontal	24	1.17	-	102.21
AV	5.7375G	95.93	Inf	-Inf	4.87	3	Horizontal	24	1.17	-	91.06
PK	5.957G	57.90	68.20	-10.30	5.88	3	Horizontal	24	1.17	-	52.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.48886G	53.24	74.00	-20.76	10.50	3	Vertical	327	1.56	-	42.74
AV	11.48352G	40.43	54.00	-13.57	10.51	3	Vertical	327	1.56	-	29.92
PK	17.23484G	66.89	68.20	-1.31	13.62	3	Vertical	14	1.50	-	53.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5745MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49561G	54.22	74.00	-19.78	10.49	3	Horizontal	243	1.44	-	43.73
AV	11.47551G	40.19	54.00	-13.81	10.52	3	Horizontal	243	1.44	-	29.67
PK	17.23456G	67.54	68.20	-0.66	13.62	3	Horizontal	27	1.46	-	53.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.591G	61.41	68.20	-6.79	4.67	3	Vertical	359	1.71	-	56.74
PK	5.792G	124.49	Inf	-Inf	4.98	3	Vertical	359	1.71	-	119.51
AV	5.7925G	113.32	Inf	-Inf	4.98	3	Vertical	359	1.71	-	108.34
PK	5.927G	60.91	68.20	-7.29	5.70	3	Vertical	359	1.71	-	55.21

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6105G	58.05	68.20	-10.15	4.70	3	Horizontal	307	1.73	-	53.35
PK	5.7825G	105.32	Inf	-Inf	4.97	3	Horizontal	307	1.73	-	100.35
AV	5.783G	92.97	Inf	-Inf	4.97	3	Horizontal	307	1.73	-	88.00
PK	5.9855G	58.11	68.20	-10.09	6.03	3	Horizontal	307	1.73	-	52.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.55521G	52.42	74.00	-21.58	10.45	3	Vertical	300	1.83	-	41.97
AV	11.5655G	39.67	54.00	-14.33	10.43	3	Vertical	300	1.83	-	29.24
PK	17.36184G	65.79	68.20	-2.41	13.87	3	Vertical	169	1.87	-	51.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5785MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58173G	52.31	74.00	-21.69	10.43	3	Horizontal	185	1.58	-	41.88
AV	11.58341G	39.32	54.00	-14.68	10.43	3	Horizontal	185	1.58	-	28.89
PK	17.35332G	67.52	68.20	-0.68	13.85	3	Horizontal	31	1.02	-	53.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT Y_2TX
Setting 84
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6255G	60.89	68.20	-7.31	4.72	3	Vertical	356	1.71	-	56.17
PK	5.83G	125.71	Inf	-Inf	5.16	3	Vertical	356	1.71	-	120.55
AV	5.832G	114.21	Inf	-Inf	5.18	3	Vertical	356	1.71	-	109.03
PK	5.929G	66.27	68.20	-1.93	5.72	3	Vertical	356	1.71	-	60.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT Y_2TX
Setting 84
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6235G	57.38	68.20	-10.82	4.72	3	Horizontal	37	1.46	-	52.66
PK	5.8265G	109.38	Inf	-Inf	5.14	3	Horizontal	37	1.46	-	104.24
AV	5.829G	96.46	Inf	-Inf	5.16	3	Horizontal	37	1.46	-	91.30
PK	5.99G	58.29	68.20	-9.91	6.05	3	Horizontal	37	1.46	-	52.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT Y_2TX
 Setting 84
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64664G	52.72	74.00	-21.28	10.36	3	Vertical	298	1.54	-	42.36
AV	11.65288G	39.44	54.00	-14.56	10.37	3	Vertical	298	1.54	-	29.07
PK	17.46675G	65.95	68.20	-2.25	14.08	3	Vertical	343	2.12	-	51.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

5825MHz_TX




EUT Y_2TX
Setting 84
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.64439G	53.17	74.00	-20.83	10.36	3	Horizontal	256	1.65	-	42.81
AV	11.65441G	39.43	54.00	-14.57	10.37	3	Horizontal	256	1.65	-	29.06
PK	17.4764G	67.46	68.20	-0.74	14.10	3	Horizontal	33	1.50	-	53.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1494G	71.87	74.00	-2.13	3.36	3	Vertical	166	2.69	-	68.51
AV	5.1496G	53.47	54.00	-0.53	3.36	3	Vertical	166	2.69	-	50.11
PK	5.1802G	115.60	Inf	-Inf	3.39	3	Vertical	166	2.69	-	112.21
AV	5.1832G	103.09	Inf	-Inf	3.39	3	Vertical	166	2.69	-	99.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5190MHz_TX




EUT Y_2TX
Setting 62
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1454G	63.45	74.00	-10.55	3.36	3	Horizontal	241	1.63	-	60.09
AV	5.149G	44.03	54.00	-9.97	3.36	3	Horizontal	241	1.63	-	40.67
PK	5.1782G	103.26	Inf	-Inf	3.39	3	Horizontal	241	1.63	-	99.87
AV	5.178G	92.37	Inf	-Inf	3.39	3	Horizontal	241	1.63	-	88.98

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT Y_2TX
Setting 62
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.37127G	52.74	68.20	-15.46	10.67	3	Vertical	123	1.39	-	42.07
PK	15.56718G	56.02	74.00	-17.98	10.77	3	Vertical	155	1.44	-	45.25
AV	15.56658G	42.83	54.00	-11.17	10.77	3	Vertical	155	1.44	-	32.06

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5190MHz_TX




EUT Y_2TX
Setting 62
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.36527G	53.48	68.20	-14.72	10.67	3	Horizontal	58	1.00	-	42.81
PK	15.5733G	56.26	74.00	-17.74	10.76	3	Horizontal	243	1.55	-	45.50
AV	15.55587G	42.89	54.00	-11.11	10.79	3	Horizontal	243	1.55	-	32.10

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 78
04-B-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1468G	69.25	74.00	-4.75	3.36	3	Vertical	184	1.84	-	65.89
AV	5.1456G	53.41	54.00	-0.59	3.36	3	Vertical	184	1.84	-	50.05
PK	5.2268G	119.08	Inf	-Inf	3.49	3	Vertical	184	1.84	-	115.59
AV	5.2268G	107.37	Inf	-Inf	3.49	3	Vertical	184	1.84	-	103.88
PK	5.3532G	61.69	74.00	-12.31	3.95	3	Vertical	184	1.84	-	57.74
AV	5.3508G	49.07	54.00	-4.93	3.94	3	Vertical	184	1.84	-	45.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

11/10/2019

5230MHz_TX




EUT Y_2TX
Setting 78
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	58.11	74.00	-15.89	3.36	3	Horizontal	240	1.50	-	54.75
AV	5.1496G	44.02	54.00	-9.98	3.36	3	Horizontal	240	1.50	-	40.66
PK	5.2248G	106.52	Inf	-Inf	3.49	3	Horizontal	240	1.50	-	103.03
AV	5.2232G	93.90	Inf	-Inf	3.49	3	Horizontal	240	1.50	-	90.41
PK	5.4004G	56.77	74.00	-17.23	4.14	3	Horizontal	240	1.50	-	52.63
AV	5.3628G	43.49	54.00	-10.51	3.99	3	Horizontal	240	1.50	-	39.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Y_2TX
 Setting 78
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.44545G	52.12	68.20	-16.08	10.70	3	Vertical	79	2.20	-	41.42
PK	15.69882G	55.33	74.00	-18.67	10.66	3	Vertical	12	1.51	-	44.67
AV	15.67977G	42.07	54.00	-11.93	10.67	3	Vertical	12	1.51	-	31.40

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5230MHz_TX




EUT Y_2TX
Setting 78
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.46279G	52.75	68.20	-15.45	10.71	3	Horizontal	188	1.78	-	42.04
PK	15.68094G	55.90	74.00	-18.10	10.67	3	Horizontal	147	1.88	-	45.23
AV	15.67779G	42.01	54.00	-11.99	10.67	3	Horizontal	147	1.88	-	31.34

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Y_2TX
Setting 77
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6465G	67.62	68.20	-0.58	4.74	3	Vertical	356	1.46	-	62.88
PK	5.7395G	121.82	Inf	-Inf	4.88	3	Vertical	356	1.46	-	116.94
AV	5.737G	109.98	Inf	-Inf	4.87	3	Vertical	356	1.46	-	105.11
PK	5.93G	61.73	68.20	-6.47	5.72	3	Vertical	356	1.46	-	56.01

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Y_2TX
Setting 77
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.621G	56.94	68.20	-11.26	4.72	3	Horizontal	29	1.53	-	52.22
PK	5.771G	92.76	Inf	-Inf	4.94	3	Horizontal	29	1.53	-	87.82
AV	5.7705G	81.27	Inf	-Inf	4.94	3	Horizontal	29	1.53	-	76.33
PK	5.966G	58.21	68.20	-9.99	5.92	3	Horizontal	29	1.53	-	52.29

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Y_2TX
Setting 77
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.49785G	54.61	74.00	-19.39	10.49	3	Vertical	40	2.23	-	44.12
AV	11.50883G	39.91	54.00	-14.09	10.49	3	Vertical	40	2.23	-	29.42
PK	17.2743G	64.02	68.20	-4.18	13.70	3	Vertical	14	1.01	-	50.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5755MHz_TX




EUT Y_2TX
Setting 77
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.50247G	54.07	74.00	-19.93	10.50	3	Horizontal	81	1.96	-	43.57
AV	11.50964G	39.98	54.00	-14.02	10.49	3	Horizontal	81	1.96	-	29.49
PK	17.25309G	65.08	68.20	-3.12	13.65	3	Horizontal	29	1.07	-	51.43

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6485G	62.99	68.20	-5.21	4.74	3	Vertical	356	1.46	-	58.25
PK	5.791G	122.66	Inf	-Inf	4.98	3	Vertical	356	1.46	-	117.68
AV	5.7905G	111.07	Inf	-Inf	4.98	3	Vertical	356	1.46	-	106.09
PK	5.9245G	68.06	68.57	-0.51	5.69	3	Vertical	356	1.46	-	62.37

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Y_2TX
Setting 82
04-C-4-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6255G	58.16	68.20	-10.04	4.72	3	Horizontal	308	1.82	-	53.44
PK	5.7885G	108.37	Inf	-Inf	4.98	3	Horizontal	308	1.82	-	103.39
AV	5.796G	91.88	Inf	-Inf	4.99	3	Horizontal	308	1.82	-	86.89
PK	5.9745G	57.75	68.20	-10.45	5.97	3	Horizontal	308	1.82	-	51.78

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.60122G	52.50	74.00	-21.50	10.41	3	Vertical	320	1.38	-	42.09
AV	11.59576G	39.48	54.00	-14.52	10.41	3	Vertical	320	1.38	-	29.07
PK	17.38965G	63.50	68.20	-4.70	13.93	3	Vertical	16	1.63	-	49.57

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

5795MHz_TX




EUT Y_2TX
Setting 82
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.58961G	53.02	74.00	-20.98	10.41	3	Horizontal	230	1.62	-	42.61
AV	11.59384G	39.22	54.00	-14.78	10.41	3	Horizontal	230	1.62	-	28.81
PK	17.39502G	66.32	68.20	-1.88	13.93	3	Horizontal	30	1.05	-	52.39

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT Y_2TX
Setting 61
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.148G	72.13	74.00	-1.87	3.36	3	Vertical	182	1.84	-	68.77
AV	5.15G	53.36	54.00	-0.64	3.36	3	Vertical	182	1.84	-	50.00
PK	5.1855G	115.18	Inf	-Inf	3.40	3	Vertical	182	1.84	-	111.78
AV	5.1965G	98.92	Inf	-Inf	3.41	3	Vertical	182	1.84	-	95.51
PK	5.351G	62.08	74.00	-11.92	3.94	3	Vertical	182	1.84	-	58.14
AV	5.351G	48.49	54.00	-5.51	3.94	3	Vertical	182	1.84	-	44.55

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5210MHz_TX




EUT Y_2TX
Setting 61
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1445G	56.55	74.00	-17.45	3.35	3	Horizontal	240	1.46	-	53.20
AV	5.15G	42.91	54.00	-11.09	3.36	3	Horizontal	240	1.46	-	39.55
PK	5.1845G	103.25	Inf	-Inf	3.39	3	Horizontal	240	1.46	-	99.86
AV	5.214G	87.13	Inf	-Inf	3.46	3	Horizontal	240	1.46	-	83.67
PK	5.4515G	56.91	74.00	-17.09	4.33	3	Horizontal	240	1.46	-	52.58
AV	5.4405G	43.25	54.00	-10.75	4.30	3	Horizontal	240	1.46	-	38.95

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT Y_2TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.40923G	52.06	68.20	-16.14	10.69	3	Vertical	231	1.37	-	41.37
PK	15.63792G	54.86	74.00	-19.14	10.70	3	Vertical	188	1.67	-	44.16
AV	15.64422G	41.17	54.00	-12.83	10.70	3	Vertical	188	1.67	-	30.47

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5210MHz_TX




EUT Y_2TX
Setting 61
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.4119G	52.47	68.20	-15.73	10.69	3	Horizontal	143	1.57	-	41.78
PK	15.64428G	55.13	74.00	-18.87	10.70	3	Horizontal	93	1.52	-	44.43
AV	15.63882G	41.04	54.00	-12.96	10.70	3	Horizontal	93	1.52	-	30.34

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Y_2TX
Setting 80
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6425G	67.53	68.20	-0.67	4.73	3	Vertical	159	2.95	-	62.80
PK	5.749G	113.66	Inf	-Inf	4.90	3	Vertical	159	2.95	-	108.76
AV	5.7485G	101.65	Inf	-Inf	4.90	3	Vertical	159	2.95	-	96.75
PK	5.946G	67.14	68.20	-1.06	5.82	3	Vertical	159	2.95	-	61.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

11/10/2019

5775MHz_TX




EUT_Y_2TX
Setting 80
04-P-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.597G	57.30	68.20	-10.90	4.68	3	Horizontal	299	1.41	-	52.62
PK	5.741G	102.87	Inf	-Inf	4.88	3	Horizontal	299	1.41	-	97.99
AV	5.7375G	88.31	Inf	-Inf	4.87	3	Horizontal	299	1.41	-	83.44
PK	5.927G	58.10	68.20	-10.10	5.70	3	Horizontal	299	1.41	-	52.40

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT Y_2TX
 Setting 80
 04-C-4
 FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.54094G	52.34	74.00	-21.66	10.46	3	Vertical	284	2.03	-	41.88
AV	11.53518G	38.88	54.00	-15.12	10.46	3	Vertical	284	2.03	-	28.42
PK	17.31483G	64.67	68.20	-3.53	13.79	3	Vertical	344	2.29	-	50.88

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

15/10/2019

5775MHz_TX




EUT Y_2TX
Setting 80
04-C-4
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.56074G	52.49	74.00	-21.51	10.45	3	Horizontal	95	1.43	-	42.04
AV	11.53554G	38.99	54.00	-15.01	10.46	3	Horizontal	95	1.43	-	28.53
PK	17.3112G	62.54	68.20	-5.66	13.77	3	Horizontal	29	1.71	-	48.77



Test Mode	Mode 1	Frequency Range	1,000 MHz to 40,000 MHz
-----------	--------	-----------------	-------------------------


Vertical 1,000 MHz to 40,000 MHz



	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	3618.01	49.38	74.00	-24.62	48.71	4.06	29.12	32.51	100	207 Peak	VERTICAL
2	3618.03	44.95	54.00	-9.05	44.28	4.06	29.12	32.51	100	207 Average	VERTICAL



Horizontal 1,000 MHz to 40,000 MHz



	Freq	Level	Limit Line	Over Limit	Read Level	CableAntenna Loss	Preamp Factor	A/Pos	T/Pos	Remark	Pol/Phase	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg		
1	3617.90	53.56	74.00	-20.44	52.89	4.06	29.12	32.51	114	180	Peak	HORIZONTAL
2	3617.98	50.92	54.00	-3.08	50.25	4.06	29.12	32.51	114	180	Average	HORIZONTAL