





Summary


Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_1TX	Pass	2.43649G	15.10	-14.90	2.3067G	-54.24	2.399G	-30.49	2.4844G	-51.97	15.01762G	-45.08	1
802.11g_Nss1,(6Mbps)_1TX	Pass	2.442G	8.78	-21.22	922.68M	-54.70	2.39994G	-39.62	2.49564G	-51.78	24.56733G	-45.69	1
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	2.44451G	7.83	-22.17	947.15M	-52.83	2.39982G	-37.69	2.50146G	-52.53	15.05415G	-45.82	1
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	2.44075G	0.75	-29.25	1.6247G	-53.70	2.39948G	-39.83	2.4897G	-45.00	15.09429G	-46.35	1







Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43649G	15.10	-14.90	2.3067G	-54.24	2.399G	-30.49	2.4844G	-51.97	15.01762G	-45.08	1
2437MHz	Pass	2.43649G	15.10	-14.90	2.3G	-54.18	2.39986G	-45.58	2.48542G	-47.53	24.92976G	-46.18	1
2462MHz	Pass	2.43649G	15.10	-14.90	876.96M	-53.81	2.39124G	-51.60	2.4858G	-43.16	15.05696G	-46.18	1
802.11g_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	8.78	-21.22	922.68M	-54.70	2.39994G	-39.62	2.49564G	-51.78	24.56733G	-45.69	1
2437MHz	Pass	2.442G	8.78	-21.22	918.31M	-54.22	2.3986G	-40.48	2.4839G	-45.11	16.83822G	-46.24	1
2462MHz	Pass	2.442G	8.78	-21.22	931.13M	-53.80	2.39118G	-51.73	2.48378G	-45.14	24.43809G	-46.35	1
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44451G	7.83	-22.17	947.15M	-52.83	2.39982G	-37.69	2.50146G	-52.53	15.05415G	-45.82	1
2437MHz	Pass	2.44451G	7.83	-22.17	768.9M	-54.03	2.3998G	-39.74	2.48372G	-41.28	17.69795G	-46.40	1
2462MHz	Pass	2.44451G	7.83	-22.17	2.1005G	-54.59	2.39188G	-52.67	2.4838G	-45.19	15.2761G	-44.60	1
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.44075G	0.75	-29.25	397.83M	-54.50	2.39916G	-44.63	2.48354G	-51.30	17.67168G	-45.30	1
2437MHz	Pass	2.44075G	0.75	-29.25	1.6247G	-53.70	2.39948G	-39.83	2.4897G	-45.00	15.09429G	-46.35	1
2452MHz	Pass	2.44075G	0.75	-29.25	1.81506G	-54.50	2.39992G	-49.76	2.48666G	-43.68	24.80088G	-44.87	1



















Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	2.43749G	11.90	-18.10	2.157G	-52.40	2.397G	-42.03	2.49014G	-52.61	16.25945G	-46.31	1
802.11g_Nss1,(6Mbps)_2TX	Pass	2.44451G	5.77	-24.23	1.98807G	-54.26	2.39886G	-38.25	2.50808G	-52.47	17.69795G	-45.90	2
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	2.442G	5.67	-24.33	1.97613G	-53.46	2.39998G	-40.19	2.49966G	-52.99	15.28453G	-45.81	1
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	2.43198G	-1.14	-31.14	1.72632G	-53.68	2.39828G	-42.51	2.48994G	-47.40	15.07746G	-44.97	2







Result



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11b_Nss1,(1Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43749G	11.90	-18.10	2.157G	-52.40	2.397G	-42.03	2.49014G	-52.61	16.25945G	-46.31	1
2412MHz	Pass	2.43749G	11.90	-18.10	889.48M	-54.12	2.3985G	-44.03	2.49014G	-51.67	16.22574G	-46.31	2
2437MHz	Pass	2.43749G	11.90	-18.10	369.02M	-53.24	2.39696G	-49.45	2.48692G	-48.61	15.27049G	-45.14	1
2437MHz	Pass	2.43749G	11.90	-18.10	741.52M	-54.04	2.399G	-47.33	2.48896G	-50.11	15.27329G	-45.98	2
2462MHz	Pass	2.43749G	11.90	-18.10	1.79818G	-53.22	2.39984G	-50.98	2.48398G	-46.00	15.04291G	-45.54	1
2462MHz	Pass	2.43749G	11.90	-18.10	917.44M	-54.11	2.39892G	-51.79	2.48694G	-45.23	24.89605G	-46.35	2
802.11g_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.44451G	5.77	-24.23	862.68M	-54.79	2.39972G	-41.94	2.5132G	-51.94	24.92976G	-46.17	1
2412MHz	Pass	2.44451G	5.77	-24.23	1.98807G	-54.26	2.39886G	-38.25	2.50808G	-52.47	17.69795G	-45.90	2
2437MHz	Pass	2.44451G	5.77	-24.23	856.57M	-54.12	2.39652G	-49.14	2.48842G	-50.65	24.83705G	-45.11	1
2437MHz	Pass	2.44451G	5.77	-24.23	1.93448G	-54.26	2.3973G	-41.66	2.48362G	-45.03	17.20065G	-45.95	2
2462MHz	Pass	2.44451G	5.77	-24.23	860.06M	-53.25	2.39284G	-52.44	2.48448G	-50.18	24.56452G	-45.61	1
2462MHz	Pass	2.44451G	5.77	-24.23	233.88M	-54.11	2.39272G	-52.80	2.48356G	-44.01	24.56733G	-45.28	2
802.11ax HEW20_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.442G	5.67	-24.33	1.97613G	-53.46	2.39998G	-40.19	2.49966G	-52.99	15.28453G	-45.81	1
2412MHz	Pass	2.442G	5.67	-24.33	2.17214G	-54.11	2.39644G	-41.58	2.5029G	-52.85	15.03167G	-45.27	2
2437MHz	Pass	2.442G	5.67	-24.33	1.95487G	-53.78	2.39866G	-47.63	2.49168G	-50.36	24.89324G	-45.72	1
2437MHz	Pass	2.442G	5.67	-24.33	882.2M	-53.46	2.39998G	-42.68	2.48394G	-46.63	15.02043G	-46.09	2
2462MHz	Pass	2.442G	5.67	-24.33	942.49M	-53.56	2.39272G	-53.39	2.48676G	-50.23	15.04853G	-45.34	1
2462MHz	Pass	2.442G	5.67	-24.33	1.63129G	-54.31	2.3985G	-53.57	2.48428G	-47.06	15.0682G	-45.65	2
802.11ax HEW40_Nss2,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	-1.14	-31.14	956.02M	-54.26	2.39948G	-44.82	2.51302G	-52.85	15.02978G	-46.02	1
2422MHz	Pass	2.43198G	-1.14	-31.14	811.46M	-53.32	2.39076G	-45.50	2.49102G	-52.52	15.04941G	-45.46	2
2437MHz	Pass	2.43198G	-1.14	-31.14	1.81105G	-53.93	2.39928G	-45.27	2.48998G	-50.29	16.2694G	-44.18	1
2437MHz	Pass	2.43198G	-1.14	-31.14	1.72632G	-53.68	2.39828G	-42.51	2.48994G	-47.40	15.07746G	-44.97	2
2452MHz	Pass	2.43198G	-1.14	-31.14	2.16457G	-52.47	2.396G	-52.65	2.48826G	-48.54	24.84855G	-45.65	1
2452MHz	Pass	2.43198G	-1.14	-31.14	1.77985G	-54.09	2.39668G	-51.41	2.48946G	-44.06	15.01576G	-45.47	2



















Summary



Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	2.43198G	7.48	-22.52	2.15525G	-53.25	2.39984G	-40.01	2.49018G	-51.82	16.88598G	-47.02	1
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	2.43198G	-0.98	-30.98	882.45M	-52.98	2.3958G	-48.80	2.48446G	-43.63	14.84187G	-47.09	2





Result

Mode	Result	Ref (Hz)	Ref (dBm)	Limit (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Freq (Hz)	Level (dBm)	Port
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	2.43198G	7.48	-22.52	2.15525G	-53.25	2.39984G	-40.01	2.49018G	-51.82	16.88598G	-47.02	1
2412MHz	Pass	2.43198G	7.48	-22.52	541.73M	-53.22	2.39848G	-40.98	2.48974G	-51.80	24.75838G	-46.29	2
2437MHz	Pass	2.43198G	7.48	-22.52	905.21M	-53.28	2.39434G	-44.95	2.48468G	-45.42	16.52917G	-46.33	1
2437MHz	Pass	2.43198G	7.48	-22.52	1.99885G	-52.81	2.39928G	-41.83	2.48356G	-43.45	24.48304G	-46.71	2
2462MHz	Pass	2.43198G	7.48	-22.52	954.43M	-52.43	2.39882G	-51.20	2.484G	-41.36	16.76517G	-46.17	1
2462MHz	Pass	2.43198G	7.48	-22.52	2.11972G	-52.85	2.3932G	-51.56	2.48388G	-40.56	16.8607G	-46.71	2
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	2.43198G	-0.98	-30.98	697.82M	-51.59	2.39864G	-48.30	2.50554G	-52.40	16.85275G	-45.85	1
2422MHz	Pass	2.43198G	-0.98	-30.98	2.18804G	-53.45	2.39728G	-47.86	2.4951G	-51.02	16.84153G	-46.61	2
2437MHz	Pass	2.43198G	-0.98	-30.98	1.87689G	-53.35	2.3982G	-45.62	2.48554G	-50.11	16.75739G	-46.60	1
2437MHz	Pass	2.43198G	-0.98	-30.98	676.64M	-53.63	2.3992G	-44.46	2.48786G	-49.20	14.6119G	-47.04	2
2452MHz	Pass	2.43198G	-0.98	-30.98	2.30111G	-53.31	2.3992G	-50.50	2.48634G	-49.09	16.8275G	-47.18	1
2452MHz	Pass	2.43198G	-0.98	-30.98	882.45M	-52.98	2.3958G	-48.80	2.48446G	-43.63	14.84187G	-47.09	2










Radiated Emission below 1GHz Result

Appendix F.1

Test Mode	Mode 22	Frequency Range	30 MHz to 1,000 MHz
------------------	---------	------------------------	---------------------


Vertical 30 MHz to 1,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	37.76	37.41	40.00	-2.59	47.05	0.80	21.06	31.50	100	1 QP	VERTICAL
2	82.38	30.15	40.00	-9.85	47.11	1.14	13.76	31.86	150	153 Peak	VERTICAL
3	117.30	30.53	43.50	-12.97	42.33	1.40	18.58	31.78	100	179 Peak	VERTICAL
4	187.14	35.81	43.50	-7.69	50.56	1.72	15.50	31.97	100	1 Peak	VERTICAL
5	212.36	34.33	43.50	-9.17	48.08	1.81	16.40	31.96	100	47 Peak	VERTICAL
6	299.66	33.50	46.00	-12.50	43.59	2.21	19.78	32.08	200	0 Peak	VERTICAL



Horizontal 30 MHz to 1,000 MHz



	Freq	Level	Limit	Over	Read	CableAntenna	Preamp	A/Pos	T/Pos	Remark	Pol/Phase
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB/m	dB	cm	deg	
1	30.97	27.71	40.00	-12.29	33.47	0.69	25.11	31.56	150	246 Peak	HORIZONTAL
2	81.41	30.82	40.00	-9.18	47.94	1.15	13.59	31.86	200	101 Peak	HORIZONTAL
3	130.88	34.29	43.50	-9.21	46.34	1.47	18.43	31.95	300	168 Peak	HORIZONTAL
4	184.23	39.13	43.50	-4.37	53.89	1.72	15.50	31.98	150	17 QP	HORIZONTAL
5	211.39	37.74	43.50	-5.76	51.49	1.81	16.40	31.96	150	40 Peak	HORIZONTAL
6	291.90	38.47	46.00	-7.53	48.71	2.19	19.64	32.07	100	30 Peak	HORIZONTAL




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.369G	59.73	74.00	-14.27	31.15	3	Vertical	53	2.68	-	28.58
AV	2.39G	47.15	54.00	-6.85	31.20	3	Vertical	53	2.68	-	15.95
PK	2.413G	109.07	Inf	-Inf	31.26	3	Vertical	53	2.68	-	77.81
AV	2.4112G	105.28	Inf	-Inf	31.25	3	Vertical	53	2.68	-	74.03

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	62.68	74.00	-11.32	31.20	3	Horizontal	48	2.22	-	31.48
AV	2.39G	51.11	54.00	-2.89	31.20	3	Horizontal	48	2.22	-	19.91
PK	2.413G	113.17	Inf	-Inf	31.26	3	Horizontal	48	2.22	-	81.91
AV	2.412G	109.48	Inf	-Inf	31.25	3	Horizontal	48	2.22	-	78.23

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 88
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82411G	49.55	74.00	-24.45	7.17	3	Vertical	360	1.80	-	42.38
AV	4.82397G	41.97	54.00	-12.03	7.17	3	Vertical	360	1.80	-	34.80

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 88
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82384G	48.88	74.00	-25.12	7.17	3	Horizontal	338	2.18	-	41.71
AV	4.82394G	41.11	54.00	-12.89	7.17	3	Horizontal	338	2.18	-	33.94

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.56	74.00	-11.44	31.20	3	Vertical	347	2.79	-	31.36
AV	2.39G	53.32	54.00	-0.68	31.20	3	Vertical	347	2.79	-	22.12
PK	2.416G	117.90	Inf	-Inf	31.27	3	Vertical	347	2.79	-	86.63
AV	2.4162G	114.26	Inf	-Inf	31.27	3	Vertical	347	2.79	-	82.99

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.04	74.00	-11.96	31.20	3	Horizontal	349	1.00	-	30.84
AV	2.39G	51.45	54.00	-2.55	31.20	3	Horizontal	349	1.00	-	20.25
PK	2.418G	115.18	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	83.91
AV	2.4162G	111.38	Inf	-Inf	31.27	3	Horizontal	349	1.00	-	80.11

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	61.53	74.00	-12.47	31.20	3	Vertical	43	1.00	-	30.33
AV	2.3882G	52.57	54.00	-1.43	31.20	3	Vertical	43	1.00	-	21.37
PK	2.4362G	112.83	Inf	-Inf	31.30	3	Vertical	43	1.00	-	81.53
AV	2.4362G	109.16	Inf	-Inf	31.30	3	Vertical	43	1.00	-	77.86
PK	2.4886G	62.27	74.00	-11.73	31.41	3	Vertical	43	1.00	-	30.86
AV	2.4886G	52.69	54.00	-1.31	31.41	3	Vertical	43	1.00	-	21.28

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	62.14	74.00	-11.86	31.19	3	Horizontal	44	1.51	-	30.95
AV	2.3882G	52.79	54.00	-1.21	31.20	3	Horizontal	44	1.51	-	21.59
PK	2.4378G	114.72	Inf	-Inf	31.31	3	Horizontal	44	1.51	-	83.41
AV	2.4362G	111.19	Inf	-Inf	31.30	3	Horizontal	44	1.51	-	79.89
PK	2.4886G	62.92	74.00	-11.08	31.41	3	Horizontal	44	1.51	-	31.51
AV	2.4886G	52.94	54.00	-1.06	31.41	3	Horizontal	44	1.51	-	21.53

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 120
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87388G	49.35	74.00	-24.65	7.28	3	Vertical	12	1.49	-	42.07
AV	4.87396G	42.49	54.00	-11.51	7.28	3	Vertical	12	1.49	-	35.21
PK	7.30956G	51.75	74.00	-22.25	10.54	3	Vertical	70	1.76	-	41.21
AV	7.31022G	42.05	54.00	-11.95	10.54	3	Vertical	70	1.76	-	31.51

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
 Setting 120
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8738G	49.22	74.00	-24.78	7.28	3	Horizontal	88	1.64	-	41.94
AV	4.87396G	42.05	54.00	-11.95	7.28	3	Horizontal	88	1.64	-	34.77
PK	7.31188G	56.30	74.00	-17.70	10.55	3	Horizontal	300	2.21	-	45.75
AV	7.3102G	49.92	54.00	-4.08	10.54	3	Horizontal	300	2.21	-	39.38

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	116.38	Inf	-Inf	31.34	3	Vertical	355	2.99	-	85.04
AV	2.4562G	112.73	Inf	-Inf	31.34	3	Vertical	355	2.99	-	81.39
PK	2.4868G	61.93	74.00	-12.07	31.40	3	Vertical	355	2.99	-	30.53
AV	2.4838G	51.12	54.00	-2.88	31.39	3	Vertical	355	2.99	-	19.73

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2457MHz_TX




EUT_X_1TX
Setting 104
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.456G	116.66	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	85.32
AV	2.4562G	112.93	Inf	-Inf	31.34	3	Horizontal	56	1.01	-	81.59
PK	2.4836G	63.93	74.00	-10.07	31.39	3	Horizontal	56	1.01	-	32.54
AV	2.4838G	53.35	54.00	-0.65	31.39	3	Horizontal	56	1.01	-	21.96

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT_X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	110.58	Inf	-Inf	31.36	3	Vertical	49	1.36	-	79.22
AV	2.4628G	106.71	Inf	-Inf	31.36	3	Vertical	49	1.36	-	75.35
PK	2.4896G	62.64	74.00	-11.36	31.41	3	Vertical	49	1.36	-	31.23
AV	2.4894G	51.11	54.00	-2.89	31.41	3	Vertical	49	1.36	-	19.70

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	114.82	Inf	-Inf	31.36	3	Horizontal	60	2.91	-	83.46
AV	2.4612G	111.01	Inf	-Inf	31.35	3	Horizontal	60	2.91	-	79.66
PK	2.485G	64.34	74.00	-9.66	31.40	3	Horizontal	60	2.91	-	32.94
AV	2.4848G	53.45	54.00	-0.55	31.40	3	Horizontal	60	2.91	-	22.05

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT_X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	45.90	74.00	-28.10	7.40	3	Vertical	5	1.43	-	38.50
AV	4.924G	36.49	54.00	-17.51	7.40	3	Vertical	5	1.43	-	29.09
PK	7.39224G	49.10	74.00	-24.90	10.77	3	Vertical	96	1.59	-	38.33
AV	7.3852G	35.04	54.00	-18.96	10.76	3	Vertical	96	1.59	-	24.28

802.11b_Nss1,(1Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92412G	45.57	74.00	-28.43	7.40	3	Horizontal	191	1.43	-	38.17
AV	4.92404G	33.92	54.00	-20.08	7.40	3	Horizontal	191	1.43	-	26.52
PK	7.38628G	49.21	74.00	-24.79	10.76	3	Horizontal	253	1.59	-	38.45
AV	7.38648G	35.18	54.00	-18.82	10.76	3	Horizontal	253	1.59	-	24.42

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.32	74.00	-3.68	31.20	3	Vertical	357	2.76	-	39.12
AV	2.39G	49.75	54.00	-4.25	31.20	3	Vertical	357	2.76	-	18.55
PK	2.4136G	112.77	Inf	-Inf	31.26	3	Vertical	357	2.76	-	81.51
AV	2.4136G	102.44	Inf	-Inf	31.26	3	Vertical	357	2.76	-	71.18

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 84
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.35	74.00	-1.65	31.20	3	Horizontal	330	2.39	-	41.15
AV	2.39G	51.57	54.00	-2.43	31.20	3	Horizontal	330	2.39	-	20.37
PK	2.4136G	111.30	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	80.04
AV	2.4136G	100.91	Inf	-Inf	31.26	3	Horizontal	330	2.39	-	69.65

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 84
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82436G	45.79	74.00	-28.21	7.17	3	Vertical	18	1.62	-	38.62
AV	4.8246G	32.06	54.00	-21.94	7.17	3	Vertical	18	1.62	-	24.89

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 84
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82538G	46.08	74.00	-27.92	7.18	3	Horizontal	86	1.50	-	38.90
AV	4.82454G	32.18	54.00	-21.82	7.17	3	Horizontal	86	1.50	-	25.01

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
 Setting 96
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.27	74.00	-2.73	31.20	3	Vertical	1	2.99	-	40.07
AV	2.39G	53.06	54.00	-0.94	31.20	3	Vertical	1	2.99	-	21.86
PK	2.4194G	114.44	Inf	-Inf	31.27	3	Vertical	1	2.99	-	83.17
AV	2.421G	104.60	Inf	-Inf	31.27	3	Vertical	1	2.99	-	73.33

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.13	74.00	-2.87	31.20	3	Horizontal	343	2.41	-	39.93
AV	2.39G	53.47	54.00	-0.53	31.20	3	Horizontal	343	2.41	-	22.27
PK	2.4186G	112.57	Inf	-Inf	31.27	3	Horizontal	343	2.41	-	81.30
AV	2.4142G	102.78	Inf	-Inf	31.26	3	Horizontal	343	2.41	-	71.52

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	66.91	74.00	-7.09	31.20	3	Vertical	1	3.00	-	35.71
AV	2.3898G	50.66	54.00	-3.34	31.20	3	Vertical	1	3.00	-	19.46
PK	2.4394G	117.83	Inf	-Inf	31.31	3	Vertical	1	3.00	-	86.52
AV	2.4414G	107.82	Inf	-Inf	31.32	3	Vertical	1	3.00	-	76.50
PK	2.4842G	71.53	74.00	-2.47	31.39	3	Vertical	1	3.00	-	40.14
AV	2.4835G	53.29	54.00	-0.71	31.39	3	Vertical	1	3.00	-	21.90

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	68.02	74.00	-5.98	31.20	3	Horizontal	354	1.55	-	36.82
AV	2.3898G	50.98	54.00	-3.02	31.20	3	Horizontal	354	1.55	-	19.78
PK	2.4322G	115.66	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	84.37
AV	2.4326G	105.75	Inf	-Inf	31.29	3	Horizontal	354	1.55	-	74.46
PK	2.4842G	71.20	74.00	-2.80	31.39	3	Horizontal	354	1.55	-	39.81
AV	2.4835G	53.16	54.00	-0.84	31.39	3	Horizontal	354	1.55	-	21.77

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX



EUT_X_1TX
Setting 113
02-B-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87432G	46.41	74.00	-27.59	7.28	3	Vertical	56	1.20	-	39.13
AV	4.8734G	33.33	54.00	-20.67	7.28	3	Vertical	56	1.20	-	26.05
PK	7.3143G	49.14	74.00	-24.86	10.56	3	Vertical	275	2.91	-	38.58
AV	7.31414G	36.02	54.00	-17.98	10.56	3	Vertical	275	2.91	-	25.46



802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 113
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8765G	46.16	74.00	-27.84	7.30	3	Horizontal	93	1.63	-	38.86
AV	4.87634G	33.25	54.00	-20.75	7.30	3	Horizontal	93	1.63	-	25.95
PK	7.31296G	52.41	74.00	-21.59	10.56	3	Horizontal	334	2.12	-	41.85
AV	7.31292G	38.51	54.00	-15.49	10.56	3	Horizontal	334	2.12	-	27.95

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT_X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	113.26	Inf	-Inf	31.35	3	Vertical	9	2.99	-	81.91
AV	2.4612G	103.27	Inf	-Inf	31.35	3	Vertical	9	2.99	-	71.92
PK	2.4838G	71.11	74.00	-2.89	31.39	3	Vertical	9	2.99	-	39.72
AV	2.4835G	52.65	54.00	-1.35	31.39	3	Vertical	9	2.99	-	21.26

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2457MHz_TX




EUT_X_1TX
Setting 90
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	112.90	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	81.56
AV	2.4542G	103.15	Inf	-Inf	31.34	3	Horizontal	46	1.03	-	71.81
PK	2.4838G	72.27	74.00	-1.73	31.39	3	Horizontal	46	1.03	-	40.88
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	46	1.03	-	21.97

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT_X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	111.47	Inf	-Inf	31.36	3	Vertical	7	2.99	-	80.11
AV	2.4638G	101.14	Inf	-Inf	31.36	3	Vertical	7	2.99	-	69.78
PK	2.4842G	69.61	74.00	-4.39	31.39	3	Vertical	7	2.99	-	38.22
AV	2.4835G	50.31	54.00	-3.69	31.39	3	Vertical	7	2.99	-	18.92

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	111.79	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	80.43
AV	2.4638G	101.27	Inf	-Inf	31.36	3	Horizontal	50	1.09	-	69.91
PK	2.4836G	73.34	74.00	-0.66	31.39	3	Horizontal	50	1.09	-	41.95
AV	2.4835G	49.74	54.00	-4.26	31.39	3	Horizontal	50	1.09	-	18.35

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
 Setting 82
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38648G	48.66	74.00	-25.34	10.76	3	Vertical	289	2.23	-	37.90
AV	7.38636G	35.24	54.00	-18.76	10.76	3	Vertical	289	2.23	-	24.48

802.11g_Nss1,(6Mbps)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38534G	48.48	74.00	-25.52	10.76	3	Horizontal	67	1.89	-	37.72
AV	7.38066G	35.35	54.00	-18.65	10.75	3	Horizontal	67	1.89	-	24.60

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.38	74.00	-3.62	31.20	3	Vertical	348	2.77	-	39.18
AV	2.39G	50.58	54.00	-3.42	31.20	3	Vertical	348	2.77	-	19.38
PK	2.4088G	114.03	Inf	-Inf	31.24	3	Vertical	348	2.77	-	82.79
AV	2.4128G	100.36	Inf	-Inf	31.26	3	Vertical	348	2.77	-	69.10

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT_X_1TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.87	74.00	-1.13	31.20	3	Horizontal	328	2.40	-	41.67
AV	2.39G	53.44	54.00	-0.56	31.20	3	Horizontal	328	2.40	-	22.24
PK	2.4088G	112.81	Inf	-Inf	31.24	3	Horizontal	328	2.40	-	81.57
AV	2.4128G	99.07	Inf	-Inf	31.26	3	Horizontal	328	2.40	-	67.81

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 83
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82402G	45.66	74.00	-28.34	7.17	3	Vertical	128	2.17	-	38.49
AV	4.82408G	31.57	54.00	-22.43	7.17	3	Vertical	128	2.17	-	24.40

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2412MHz_TX




EUT X_1TX
 Setting 83
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82504G	45.92	74.00	-28.08	7.18	3	Horizontal	321	1.54	-	38.74
AV	4.82504G	31.37	54.00	-22.63	7.18	3	Horizontal	321	1.54	-	24.19

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.41	74.00	-3.59	31.20	3	Vertical	4	2.77	-	39.21
AV	2.39G	53.48	54.00	-0.52	31.20	3	Vertical	4	2.77	-	22.28
PK	2.4138G	116.73	Inf	-Inf	31.26	3	Vertical	4	2.77	-	85.47
AV	2.4126G	102.34	Inf	-Inf	31.26	3	Vertical	4	2.77	-	71.08

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2417MHz_TX




EUT X_1TX
Setting 93
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.69	74.00	-3.31	31.20	3	Horizontal	349	2.41	-	39.49
AV	2.39G	53.30	54.00	-0.70	31.20	3	Horizontal	349	2.41	-	22.10
PK	2.4138G	115.00	Inf	-Inf	31.26	3	Horizontal	349	2.41	-	83.74
AV	2.4124G	101.21	Inf	-Inf	31.25	3	Horizontal	349	2.41	-	69.96

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	66.13	74.00	-7.87	31.20	3	Vertical	3	3.00	-	34.93
AV	2.3898G	49.53	54.00	-4.47	31.20	3	Vertical	3	3.00	-	18.33
PK	2.4342G	118.50	Inf	-Inf	31.29	3	Vertical	3	3.00	-	87.21
AV	2.4398G	104.82	Inf	-Inf	31.31	3	Vertical	3	3.00	-	73.51
PK	2.4866G	69.40	74.00	-4.60	31.40	3	Vertical	3	3.00	-	38.00
AV	2.4835G	52.17	54.00	-1.83	31.39	3	Vertical	3	3.00	-	20.78

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX



EUT X_1TX
Setting 106
02-B-4
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	70.81	74.00	-3.19	31.20	3	Horizontal	58	1.00	-	39.61
AV	2.3898G	51.95	54.00	-2.05	31.20	3	Horizontal	58	1.00	-	20.75
PK	2.4338G	119.38	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	88.09
AV	2.4326G	104.82	Inf	-Inf	31.29	3	Horizontal	58	1.00	-	73.53
PK	2.4846G	69.67	74.00	-4.33	31.40	3	Horizontal	58	1.00	-	38.27
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	58	1.00	-	21.93



802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86852G	45.87	74.00	-28.13	7.27	3	Vertical	10	1.56	-	38.60
AV	4.86848G	32.20	54.00	-21.80	7.27	3	Vertical	10	1.56	-	24.93
PK	7.314G	48.39	74.00	-25.61	10.56	3	Vertical	319	1.79	-	37.83
AV	7.314G	34.72	54.00	-19.28	10.56	3	Vertical	319	1.79	-	24.16

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2437MHz_TX




EUT X_1TX
Setting 106
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87852G	46.59	74.00	-27.41	7.30	3	Horizontal	81	1.74	-	39.29
AV	4.87692G	31.97	54.00	-22.03	7.30	3	Horizontal	81	1.74	-	24.67
PK	7.31184G	51.61	74.00	-22.39	10.55	3	Horizontal	286	2.75	-	41.06
AV	7.31164G	37.27	54.00	-16.73	10.55	3	Horizontal	286	2.75	-	26.72

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	115.28	Inf	-Inf	31.34	3	Vertical	349	2.99	-	83.94
AV	2.4524G	101.12	Inf	-Inf	31.33	3	Vertical	349	2.99	-	69.79
PK	2.4836G	71.40	74.00	-2.60	31.39	3	Vertical	349	2.99	-	40.01
AV	2.4835G	52.42	54.00	-1.58	31.39	3	Vertical	349	2.99	-	21.03

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2457MHz_TX




EUT X_1TX
Setting 88
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	115.71	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	84.37
AV	2.4536G	102.40	Inf	-Inf	31.34	3	Horizontal	48	1.00	-	71.06
PK	2.484G	70.49	74.00	-3.51	31.39	3	Horizontal	48	1.00	-	39.10
AV	2.4836G	53.41	54.00	-0.59	31.39	3	Horizontal	48	1.00	-	22.02

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4588G	111.02	Inf	-Inf	31.34	3	Vertical	6	2.71	-	79.68
AV	2.4628G	97.23	Inf	-Inf	31.36	3	Vertical	6	2.71	-	65.87
PK	2.4836G	71.28	74.00	-2.72	31.39	3	Vertical	6	2.71	-	39.89
AV	2.4835G	48.56	54.00	-5.44	31.39	3	Vertical	6	2.71	-	17.17

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	111.82	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	80.48
AV	2.4548G	97.73	Inf	-Inf	31.34	3	Horizontal	54	1.01	-	66.39
PK	2.4835G	73.38	74.00	-0.62	31.39	3	Horizontal	54	1.01	-	41.99
AV	2.4835G	48.83	54.00	-5.17	31.39	3	Horizontal	54	1.01	-	17.44

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
 Setting 75
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38648G	48.60	74.00	-25.40	10.76	3	Vertical	25	2.12	-	37.84
AV	7.3862G	34.82	54.00	-19.18	10.76	3	Vertical	25	2.12	-	24.06

802.11ax HEW20_Nss1,(MCS0)_1TX

25/09/2019

2462MHz_TX




EUT X_1TX
 Setting 75
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38636G	49.01	74.00	-24.99	10.76	3	Horizontal	124	1.60	-	38.25
AV	7.3864G	34.79	54.00	-19.21	10.76	3	Horizontal	124	1.60	-	24.03

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	64.12	74.00	-9.88	31.20	3	Vertical	1	2.98	-	32.92
AV	2.39G	50.51	54.00	-3.49	31.20	3	Vertical	1	2.98	-	19.31
PK	2.4392G	108.63	Inf	-Inf	31.31	3	Vertical	1	2.98	-	77.32
AV	2.4264G	96.55	Inf	-Inf	31.28	3	Vertical	1	2.98	-	65.27
PK	2.4856G	60.61	74.00	-13.39	31.40	3	Vertical	1	2.98	-	29.21
AV	2.4844G	48.53	54.00	-5.47	31.40	3	Vertical	1	2.98	-	17.13

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
Setting 75
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	65.95	74.00	-8.05	31.20	3	Horizontal	349	1.54	-	34.75
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	349	1.54	-	22.18
PK	2.41G	107.03	Inf	-Inf	31.25	3	Horizontal	349	1.54	-	75.78
AV	2.4312G	95.21	Inf	-Inf	31.29	3	Horizontal	349	1.54	-	63.92
PK	2.4884G	60.42	74.00	-13.58	31.41	3	Horizontal	349	1.54	-	29.01
AV	2.484G	48.13	54.00	-5.87	31.39	3	Horizontal	349	1.54	-	16.74

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
 Setting 75
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8446G	46.13	74.00	-27.87	7.21	3	Vertical	224	1.51	-	38.92
AV	4.8444G	32.83	54.00	-21.17	7.21	3	Vertical	224	1.51	-	25.62

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2422MHz_TX




EUT X_1TX
 Setting 75
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84456G	45.60	74.00	-28.40	7.21	3	Horizontal	255	2.42	-	38.39
AV	4.84492G	32.72	54.00	-21.28	7.22	3	Horizontal	255	2.42	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.95	74.00	-10.05	31.20	3	Vertical	6	3.00	-	32.75
AV	2.3898G	48.96	54.00	-5.04	31.20	3	Vertical	6	3.00	-	17.76
PK	2.453G	111.29	Inf	-Inf	31.33	3	Vertical	6	3.00	-	79.96
AV	2.4414G	99.00	Inf	-Inf	31.32	3	Vertical	6	3.00	-	67.68
PK	2.4835G	69.07	74.00	-4.93	31.39	3	Vertical	6	3.00	-	37.68
AV	2.4835G	52.98	54.00	-1.02	31.39	3	Vertical	6	3.00	-	21.59

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.83	74.00	-6.17	31.20	3	Horizontal	63	1.19	-	36.63
AV	2.389G	52.54	54.00	-1.46	31.20	3	Horizontal	63	1.19	-	21.34
PK	2.453G	111.29	Inf	-Inf	31.33	3	Horizontal	63	1.19	-	79.96
AV	2.4442G	99.21	Inf	-Inf	31.32	3	Horizontal	63	1.19	-	67.89
PK	2.4838G	70.98	74.00	-3.02	31.39	3	Horizontal	63	1.19	-	39.59
AV	2.4835G	53.39	54.00	-0.61	31.39	3	Horizontal	63	1.19	-	22.00

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
 Setting 82
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31516G	48.94	74.00	-25.06	10.56	3	Vertical	302	1.83	-	38.38
AV	7.31544G	36.27	54.00	-17.73	10.56	3	Vertical	302	1.83	-	25.71

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2437MHz_TX




EUT X_1TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31616G	49.29	74.00	-24.71	10.57	3	Horizontal	254	2.48	-	38.72
AV	7.31616G	36.28	54.00	-17.72	10.57	3	Horizontal	254	2.48	-	25.71

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	59.30	74.00	-14.70	31.19	3	Vertical	4	2.97	-	28.11
AV	2.3848G	47.29	54.00	-6.71	31.19	3	Vertical	4	2.97	-	16.10
PK	2.4628G	109.49	Inf	-Inf	31.36	3	Vertical	4	2.97	-	78.13
AV	2.456G	97.47	Inf	-Inf	31.34	3	Vertical	4	2.97	-	66.13
PK	2.4912G	68.76	74.00	-5.24	31.42	3	Vertical	4	2.97	-	37.34
AV	2.4836G	53.28	54.00	-0.72	31.39	3	Vertical	4	2.97	-	21.89

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	60.27	74.00	-13.73	31.16	3	Horizontal	55	1.20	-	29.11
AV	2.39G	47.72	54.00	-6.28	31.20	3	Horizontal	55	1.20	-	16.52
PK	2.444G	110.13	Inf	-Inf	31.32	3	Horizontal	55	1.20	-	78.81
AV	2.4472G	97.53	Inf	-Inf	31.33	3	Horizontal	55	1.20	-	66.20
PK	2.4835G	72.81	74.00	-1.19	31.39	3	Horizontal	55	1.20	-	41.42
AV	2.484G	52.04	54.00	-1.96	31.39	3	Horizontal	55	1.20	-	20.65

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX




EUT X_1TX
 Setting 76
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35536G	49.44	74.00	-24.56	10.68	3	Vertical	175	1.52	-	38.76
AV	7.35508G	36.99	54.00	-17.01	10.68	3	Vertical	175	1.52	-	26.31

802.11ax HEW40_Nss1,(MCS0)_1TX

26/09/2019

2452MHz_TX



EUT X_1TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3568G	49.86	74.00	-24.14	10.68	3	Horizontal	75	1.91	-	39.18
AV	7.3568G	36.73	54.00	-17.27	10.68	3	Horizontal	75	1.91	-	26.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3856G	61.43	74.00	-12.57	31.19	3	Vertical	330	1.56	-	30.24
AV	2.3876G	49.46	54.00	-4.54	31.20	3	Vertical	330	1.56	-	18.26
PK	2.413G	117.08	Inf	-Inf	31.26	3	Vertical	330	1.56	-	85.82
AV	2.4112G	113.44	Inf	-Inf	31.25	3	Vertical	330	1.56	-	82.19

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 99
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	64.37	74.00	-9.63	31.20	3	Horizontal	278	1.57	-	33.17
AV	2.388G	53.27	54.00	-0.73	31.20	3	Horizontal	278	1.57	-	22.07
PK	2.413G	119.95	Inf	-Inf	31.26	3	Horizontal	278	1.57	-	88.69
AV	2.4112G	116.07	Inf	-Inf	31.25	3	Horizontal	278	1.57	-	84.82

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82404G	51.05	74.00	-22.95	7.17	3	Vertical	143	1.50	-	43.88
AV	4.82394G	45.74	54.00	-8.26	7.17	3	Vertical	143	1.50	-	38.57

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 99
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82401G	52.32	74.00	-21.68	7.17	3	Horizontal	234	2.65	-	45.15
AV	4.82392G	47.88	54.00	-6.12	7.17	3	Horizontal	234	2.65	-	40.71

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	60.09	74.00	-13.91	31.20	3	Vertical	59	1.75	-	28.89
AV	2.3894G	47.20	54.00	-6.80	31.20	3	Vertical	59	1.75	-	16.00
PK	2.4362G	118.79	Inf	-Inf	31.30	3	Vertical	59	1.75	-	87.49
AV	2.4362G	115.10	Inf	-Inf	31.30	3	Vertical	59	1.75	-	83.80
PK	2.4842G	61.93	74.00	-12.07	31.39	3	Vertical	59	1.75	-	30.54
AV	2.4835G	48.48	54.00	-5.52	31.39	3	Vertical	59	1.75	-	17.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT X_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3594G	61.11	74.00	-12.89	31.13	3	Horizontal	286	1.54	-	29.98
AV	2.3838G	48.28	54.00	-5.72	31.19	3	Horizontal	286	1.54	-	17.09
PK	2.4362G	120.65	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	89.35
AV	2.4362G	117.09	Inf	-Inf	31.30	3	Horizontal	286	1.54	-	85.79
PK	2.4886G	62.90	74.00	-11.10	31.41	3	Horizontal	286	1.54	-	31.49
AV	2.4838G	49.48	54.00	-4.52	31.39	3	Horizontal	286	1.54	-	18.09

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87404G	50.74	74.00	-23.26	7.28	3	Vertical	142	1.35	-	43.46
AV	4.87396G	46.24	54.00	-7.76	7.28	3	Vertical	142	1.35	-	38.96
PK	7.30986G	59.30	74.00	-14.70	10.54	3	Vertical	89	2.19	-	48.76
AV	7.30968G	53.48	54.00	-0.52	10.54	3	Vertical	89	2.19	-	42.94

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 105
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87392G	49.16	74.00	-24.84	7.28	3	Horizontal	237	2.18	-	41.88
AV	4.87396G	43.55	54.00	-10.45	7.28	3	Horizontal	237	2.18	-	36.27
PK	7.30996G	55.70	74.00	-18.30	10.54	3	Horizontal	1	2.17	-	45.16
AV	7.30968G	48.51	54.00	-5.49	10.54	3	Horizontal	1	2.17	-	37.97

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
Setting 98
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	120.58	Inf	-Inf	31.35	3	Vertical	304	2.21	-	89.23
AV	2.4612G	116.87	Inf	-Inf	31.35	3	Vertical	304	2.21	-	85.52
PK	2.4864G	64.16	74.00	-9.84	31.40	3	Vertical	304	2.21	-	32.76
AV	2.4835G	52.22	54.00	-1.78	31.39	3	Vertical	304	2.21	-	20.83

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
 Setting 98
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	121.36	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	90.01
AV	2.4612G	117.66	Inf	-Inf	31.35	3	Horizontal	302	2.20	-	86.31
PK	2.4864G	64.50	74.00	-9.50	31.40	3	Horizontal	302	2.20	-	33.10
AV	2.486G	53.24	54.00	-0.76	31.40	3	Horizontal	304	2.21	-	21.84

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92393G	48.47	74.00	-25.53	7.40	3	Vertical	149	1.13	-	41.07
AV	4.92396G	40.73	54.00	-13.27	7.40	3	Vertical	149	1.13	-	33.33
PK	7.38432G	54.64	74.00	-19.36	10.76	3	Vertical	0	2.14	-	43.88
AV	7.38466G	46.63	54.00	-7.37	10.76	3	Vertical	0	2.14	-	35.87

802.11b_Nss1,(1Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 98
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92382G	49.31	74.00	-24.69	7.40	3	Horizontal	136	1.20	-	41.91
AV	4.92393G	42.39	54.00	-11.61	7.40	3	Horizontal	136	1.20	-	34.99
PK	7.38708G	53.58	74.00	-20.42	10.76	3	Horizontal	265	2.09	-	42.82
AV	7.38472G	45.01	54.00	-8.99	10.76	3	Horizontal	265	2.09	-	34.25

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT_X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	71.53	74.00	-2.47	31.20	3	Vertical	315	1.46	-	40.33
AV	2.39G	49.83	54.00	-4.17	31.20	3	Vertical	315	1.46	-	18.63
PK	2.4158G	112.19	Inf	-Inf	31.27	3	Vertical	315	1.46	-	80.92
AV	2.416G	102.82	Inf	-Inf	31.27	3	Vertical	315	1.46	-	71.55

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2412MHz_TX




EUT X_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	73.37	74.00	-0.63	31.20	3	Horizontal	286	2.44	-	42.17
AV	2.3894G	51.83	54.00	-2.17	31.20	3	Horizontal	286	2.44	-	20.63
PK	2.409G	114.61	Inf	-Inf	31.24	3	Horizontal	286	2.44	-	83.37
AV	2.4142G	105.37	Inf	-Inf	31.26	3	Horizontal	286	2.44	-	74.11

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 79
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82716G	45.49	74.00	-28.51	7.18	3	Vertical	357	1.70	-	38.31
AV	4.82324G	32.06	54.00	-21.94	7.16	3	Vertical	357	170	-	24.90

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
 Setting 79
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8322G	45.48	74.00	-28.52	7.19	3	Horizontal	1	1.61	-	38.29
AV	4.82528G	31.66	54.00	-22.34	7.18	3	Horizontal	1	1.61	-	24.48

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	68.71	74.00	-5.29	31.20	3	Vertical	5	1.57	-	37.51
AV	2.3878G	48.42	54.00	-5.58	31.20	3	Vertical	5	1.57	-	17.22
PK	2.4138G	113.72	Inf	-Inf	31.26	3	Vertical	5	1.57	-	82.46
AV	2.414G	104.36	Inf	-Inf	31.26	3	Vertical	5	1.57	-	73.10

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	73.35	74.00	-0.65	31.20	3	Horizontal	294	1.20	-	42.15
AV	2.3872G	50.71	54.00	-3.29	31.20	3	Horizontal	294	1.20	-	19.51
PK	2.422G	115.90	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	84.62
AV	2.4228G	106.30	Inf	-Inf	31.28	3	Horizontal	294	1.20	-	75.02

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3814G	67.79	74.00	-6.21	31.19	3	Vertical	6	1.22	-	36.60
AV	2.3858G	49.91	54.00	-4.09	31.19	3	Vertical	6	1.22	-	18.72
PK	2.4406G	118.58	Inf	-Inf	31.31	3	Vertical	6	1.22	-	87.27
AV	2.441G	109.54	Inf	-Inf	31.32	3	Vertical	6	1.22	-	78.22
PK	2.4858G	69.52	74.00	-4.48	31.40	3	Vertical	6	1.22	-	38.12
AV	2.4862G	51.06	54.00	-2.94	31.40	3	Vertical	6	1.22	-	19.66

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2437MHz_TX




EUT_X_2TX
Setting 103
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	69.51	74.00	-4.49	31.20	3	Horizontal	288	1.78	-	38.31
AV	2.3898G	52.28	54.00	-1.72	31.20	3	Horizontal	288	1.78	-	21.08
PK	2.4406G	121.13	Inf	-Inf	31.31	3	Horizontal	288	1.78	-	89.82
AV	2.441G	111.69	Inf	-Inf	31.32	3	Horizontal	288	1.78	-	80.37
PK	2.4862G	71.46	74.00	-2.54	31.40	3	Horizontal	288	1.78	-	40.06
AV	2.4858G	53.26	54.00	-0.74	31.40	3	Horizontal	288	1.78	-	21.86

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
 Setting 103
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31504G	62.75	74.00	-11.25	10.56	3	Vertical	27	2.26	-	52.19
AV	7.31492G	48.18	54.00	-5.82	10.56	3	Vertical	27	2.26	-	37.62

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
 Setting 103
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31632G	54.24	74.00	-19.76	10.57	3	Horizontal	287	1.56	-	43.67
AV	7.3164G	40.35	54.00	-13.65	10.57	3	Horizontal	287	1.56	-	29.78

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	112.91	Inf	-Inf	31.34	3	Vertical	4	1.54	-	81.57
AV	2.4534G	103.64	Inf	-Inf	31.34	3	Vertical	4	1.54	-	72.30
PK	2.4838G	69.98	74.00	-4.02	31.39	3	Vertical	4	1.54	-	38.59
AV	2.4836G	50.12	54.00	-3.88	31.39	3	Vertical	4	1.54	-	18.73

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT_X_2TX
Setting 82
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	116.30	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	84.96
AV	2.4534G	106.99	Inf	-Inf	31.34	3	Horizontal	286	1.97	-	75.65
PK	2.4836G	73.32	74.00	-0.68	31.39	3	Horizontal	286	1.97	-	41.93
AV	2.4836G	51.85	54.00	-2.15	31.39	3	Horizontal	286	1.97	-	20.46

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT X_2TX
 Setting 76
 02-B-4
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.469G	111.38	Inf	-Inf	31.37	3	Vertical	9	1.45	-	80.01
AV	2.4642G	102.32	Inf	-Inf	31.36	3	Vertical	9	1.45	-	70.96
PK	2.484G	70.35	74.00	-3.65	31.39	3	Vertical	9	1.45	-	38.96
AV	2.4838G	48.85	54.00	-5.15	31.39	3	Vertical	9	1.45	-	17.46

802.11g_Nss1,(6Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_X_2TX
Setting 76
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4688G	114.06	Inf	-Inf	31.37	3	Horizontal	295	1.53	-	82.69
AV	2.4638G	105.01	Inf	-Inf	31.36	3	Horizontal	295	1.53	-	73.65
PK	2.4835G	73.32	74.00	-0.68	31.39	3	Horizontal	295	1.53	-	41.93
AV	2.4836G	50.05	54.00	-3.95	31.39	3	Horizontal	295	1.53	-	18.66

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38744G	57.36	74.00	-16.64	10.76	3	Vertical	194	1.74	-	46.60
AV	7.387G	38.34	54.00	-15.66	10.76	3	Vertical	194	1.74	-	27.58

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.394G	49.03	74.00	-24.97	10.78	3	Horizontal	0	1.56	-	38.25
AV	7.37904G	35.60	54.00	-18.40	10.73	3	Horizontal	0	1.56	-	24.87

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	61.38	74.00	-12.62	31.20	3	Vertical	7	1.57	-	30.18
AV	2.39G	48.35	54.00	-5.65	31.20	3	Vertical	7	1.57	-	17.15
PK	2.4168G	112.15	Inf	-Inf	31.27	3	Vertical	7	1.57	-	80.88
AV	2.4134G	99.86	Inf	-Inf	31.26	3	Vertical	7	1.57	-	68.60

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT_X_2TX
Setting 74
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	66.70	74.00	-7.30	31.20	3	Horizontal	287	1.97	-	35.50
AV	2.3896G	53.28	54.00	-0.72	31.20	3	Horizontal	287	1.97	-	22.08
PK	2.4154G	114.02	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	82.76
AV	2.414G	101.68	Inf	-Inf	31.26	3	Horizontal	287	1.97	-	70.42

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX



EUT Z_2TX
 Setting 74
 02-L-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83324G	45.19	74.00	-28.81	7.19	3	Vertical	198	1.46	-	38.00
AV	4.82244G	32.49	54.00	-21.51	7.16	3	Vertical	198	1.46	-	25.33



802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 74
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81744G	45.98	74.00	-28.02	7.15	3	Horizontal	325	1.67	-	38.83
AV	4.82668G	32.44	54.00	-21.56	7.18	3	Horizontal	325	1.67	-	25.26

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	65.22	74.00	-8.78	31.20	3	Vertical	11	1.56	-	34.02
AV	2.39G	49.52	54.00	-4.48	31.20	3	Vertical	11	1.56	-	18.32
PK	2.4106G	113.63	Inf	-Inf	31.25	3	Vertical	11	1.56	-	82.38
AV	2.412G	102.07	Inf	-Inf	31.25	3	Vertical	11	1.56	-	70.82

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT_X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	70.01	74.00	-3.99	31.20	3	Horizontal	294	1.59	-	38.81
AV	2.3898G	53.40	54.00	-0.60	31.20	3	Horizontal	294	1.59	-	22.20
PK	2.4252G	116.11	Inf	-Inf	31.28	3	Horizontal	294	1.59	-	84.83
AV	2.4128G	104.09	Inf	-Inf	31.26	3	Horizontal	294	1.59	-	72.83

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.88	74.00	-11.12	31.20	3	Vertical	3	1.22	-	31.68
AV	2.3894G	49.83	54.00	-4.17	31.20	3	Vertical	3	1.22	-	18.63
PK	2.4362G	116.14	Inf	-Inf	31.30	3	Vertical	3	1.22	-	84.84
AV	2.439G	105.04	Inf	-Inf	31.31	3	Vertical	3	1.22	-	73.73
PK	2.4835G	65.04	74.00	-8.96	31.39	3	Vertical	3	1.22	-	33.65
AV	2.4835G	50.63	54.00	-3.37	31.39	3	Vertical	3	1.22	-	19.24

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 96
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	64.81	74.00	-9.19	31.20	3	Horizontal	287	2.40	-	33.61
AV	2.3898G	51.22	54.00	-2.78	31.20	3	Horizontal	287	2.40	-	20.02
PK	2.4446G	119.12	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	87.80
AV	2.4418G	107.38	Inf	-Inf	31.32	3	Horizontal	287	2.40	-	76.06
PK	2.4835G	69.64	74.00	-4.36	31.39	3	Horizontal	287	2.40	-	38.25
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	287	2.40	-	21.93

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.32092G	58.28	74.00	-15.72	10.59	3	Vertical	24	1.12	-	47.69
AV	7.31448G	44.95	54.00	-9.05	10.56	3	Vertical	24	1.12	-	34.39

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 96
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31772G	53.55	74.00	-20.45	10.57	3	Horizontal	292	1.82	-	42.98
AV	7.31436G	40.98	54.00	-13.02	10.56	3	Horizontal	292	1.82	-	30.42

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	113.26	Inf	-Inf	31.36	3	Vertical	51	1.64	-	81.90
AV	2.4646G	101.53	Inf	-Inf	31.36	3	Vertical	51	1.64	-	70.17
PK	2.4835G	68.26	74.00	-5.74	31.39	3	Vertical	51	1.64	-	36.87
AV	2.4835G	52.23	54.00	-1.77	31.39	3	Vertical	51	1.64	-	20.84

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT X_2TX
Setting 83
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4606G	116.79	Inf	-Inf	31.35	3	Horizontal	288	2.62	-	85.44
AV	2.452G	104.88	Inf	-Inf	31.33	3	Horizontal	288	2.62	-	73.55
PK	2.4835G	70.57	74.00	-3.43	31.39	3	Horizontal	288	2.62	-	39.18
AV	2.4836G	53.42	54.00	-0.58	31.39	3	Horizontal	288	2.62	-	22.03

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT_X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4646G	112.25	Inf	-Inf	31.36	3	Vertical	12	1.73	-	80.89
AV	2.4666G	100.98	Inf	-Inf	31.37	3	Vertical	12	1.73	-	69.61
PK	2.4835G	69.69	74.00	-4.31	31.39	3	Vertical	12	1.73	-	38.30
AV	2.4835G	51.44	54.00	-2.56	31.39	3	Vertical	12	1.73	-	20.05

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT X_2TX
Setting 80
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4614G	115.55	Inf	-Inf	31.35	3	Horizontal	298	1.35	-	84.20
AV	2.4638G	103.91	Inf	-Inf	31.36	3	Horizontal	298	1.35	-	72.55
PK	2.4835G	72.79	74.00	-1.21	31.39	3	Horizontal	298	1.35	-	41.40
AV	2.4835G	53.50	54.00	-0.50	31.39	3	Horizontal	298	1.35	-	22.11

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38304G	51.69	74.00	-22.31	10.75	3	Vertical	300	2.02	-	40.94
AV	7.38184G	38.11	54.00	-15.89	10.75	3	Vertical	300	2.02	-	27.36

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 80
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.37988G	49.29	74.00	-24.71	10.75	3	Horizontal	311	1.41	-	38.54
AV	7.38156G	36.74	54.00	-17.26	10.75	3	Horizontal	311	1.41	-	25.99

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	64.95	74.00	-9.05	31.19	3	Vertical	2	1.34	-	33.76
AV	2.39G	49.49	54.00	-4.51	31.20	3	Vertical	2	1.34	-	18.29
PK	2.4336G	107.48	Inf	-Inf	31.29	3	Vertical	2	1.34	-	76.19
AV	2.4308G	96.44	Inf	-Inf	31.29	3	Vertical	2	1.34	-	65.15
PK	2.4844G	60.05	74.00	-13.95	31.40	3	Vertical	2	1.34	-	28.65
AV	2.4864G	48.67	54.00	-5.33	31.40	3	Vertical	2	1.34	-	17.27

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	69.68	74.00	-4.32	31.19	3	Horizontal	282	2.21	-	38.49
AV	2.39G	53.48	54.00	-0.52	31.20	3	Horizontal	282	2.21	-	22.28
PK	2.434G	110.02	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	78.73
AV	2.4308G	99.18	Inf	-Inf	31.29	3	Horizontal	282	2.21	-	67.89
PK	2.4835G	61.18	74.00	-12.82	31.39	3	Horizontal	282	2.21	-	29.79
AV	2.484G	48.98	54.00	-5.02	31.39	3	Horizontal	282	2.21	-	17.59

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT_Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84452G	45.13	74.00	-28.87	7.21	3	Vertical	39	1.38	-	37.92
AV	4.8382G	32.55	54.00	-21.45	7.20	3	Vertical	39	1.38	-	25.35

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Z_2TX
Setting 70
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83868G	44.78	74.00	-29.22	7.20	3	Horizontal	105	2.28	-	37.58
AV	4.8388G	32.40	54.00	-21.60	7.20	3	Horizontal	105	2.28	-	25.20

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	67.26	74.00	-6.74	31.18	3	Vertical	4	1.33	-	36.08
AV	2.3894G	49.99	54.00	-4.01	31.20	3	Vertical	4	1.33	-	18.79
PK	2.433G	110.56	Inf	-Inf	31.29	3	Vertical	4	1.33	-	79.27
AV	2.433G	98.98	Inf	-Inf	31.29	3	Vertical	4	1.33	-	67.69
PK	2.4838G	72.18	74.00	-1.82	31.39	3	Vertical	4	1.33	-	40.79
AV	2.4835G	51.36	54.00	-2.64	31.39	3	Vertical	4	1.33	-	19.97

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT X_2TX
Setting 78
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.383G	70.52	74.00	-3.48	31.19	3	Horizontal	295	2.19	-	39.33
AV	2.3894G	52.53	54.00	-1.47	31.20	3	Horizontal	295	2.19	-	21.33
PK	2.4334G	113.18	Inf	-Inf	31.29	3	Horizontal	295	2.19	-	81.89
AV	2.4522G	101.26	Inf	-Inf	31.33	3	Horizontal	295	2.19	-	69.93
PK	2.4838G	73.37	74.00	-0.63	31.39	3	Horizontal	295	2.19	-	41.98
AV	2.4842G	53.00	54.00	-1.00	31.39	3	Horizontal	295	2.19	-	21.61

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
 Setting 78
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30792G	49.11	74.00	-24.89	10.55	3	Vertical	222	1.78	-	38.56
AV	7.3166G	35.86	54.00	-18.14	10.57	3	Vertical	222	1.78	-	25.29

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 78
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.31708G	48.69	74.00	-25.31	10.57	3	Horizontal	324	1.49	-	38.12
AV	7.32092G	35.80	54.00	-18.20	10.59	3	Horizontal	324	1.49	-	25.21

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT_X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	59.02	74.00	-14.98	31.20	3	Vertical	61	1.53	-	27.82
AV	2.3688G	47.29	54.00	-6.71	31.15	3	Vertical	61	1.53	-	16.14
PK	2.4492G	107.09	Inf	-Inf	31.33	3	Vertical	61	1.53	-	75.76
AV	2.4672G	96.01	Inf	-Inf	31.37	3	Vertical	61	1.53	-	64.64
PK	2.4872G	67.09	74.00	-6.91	31.40	3	Vertical	61	1.53	-	35.69
AV	2.4852G	49.05	54.00	-4.95	31.40	3	Vertical	61	1.53	-	17.65

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT X_2TX
Setting 70
02-B-4
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.23	74.00	-10.77	31.20	3	Horizontal	288	2.43	-	32.03
AV	2.382G	48.24	54.00	-5.76	31.19	3	Horizontal	288	2.43	-	17.05
PK	2.4484G	111.12	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	79.79
AV	2.4496G	99.22	Inf	-Inf	31.33	3	Horizontal	288	2.43	-	67.89
PK	2.4852G	73.34	74.00	-0.66	31.40	3	Horizontal	288	2.43	-	41.94
AV	2.4835G	51.55	54.00	-2.45	31.39	3	Horizontal	288	2.43	-	20.16

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Z_2TX
 Setting 70
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.35772G	49.42	74.00	-24.58	10.69	3	Vertical	101	1.59	-	38.73
AV	7.35448G	36.33	54.00	-17.67	10.68	3	Vertical	101	1.59	-	25.65

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX



EUT Z_2TX
 Setting 70
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36052G	52.22	74.00	-21.78	10.68	3	Horizontal	34	1.40	-	41.54
AV	7.36184G	36.85	54.00	-17.15	10.69	3	Horizontal	34	1.40	-	26.16




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_X_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	72.83	74.00	-1.17	31.20	3	Vertical	145	1.67	-	41.63
AV	2.388G	53.12	54.00	-0.88	31.20	3	Vertical	145	1.67	-	21.92
PK	2.409G	118.29	Inf	-Inf	31.24	3	Vertical	145	1.67	-	87.05
AV	2.4094G	105.86	Inf	-Inf	31.25	3	Vertical	145	1.67	-	74.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_X_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	72.07	74.00	-1.93	31.20	3	Horizontal	34	2.02	-	40.87
AV	2.3898G	51.42	54.00	-2.58	31.20	3	Horizontal	34	2.02	-	20.22
PK	2.4204G	120.31	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	89.04
AV	2.4198G	107.53	Inf	-Inf	31.27	3	Horizontal	34	2.02	-	76.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT Z_2TX
 Setting 80
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82604G	46.51	74.00	-27.49	7.18	3	Vertical	321	1.85	-	39.33
AV	4.82196G	31.96	54.00	-22.04	7.16	3	Vertical	321	1.85	-	24.80

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 80
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82568G	46.43	74.00	-27.57	7.18	3	Horizontal	163	1.34	-	39.25
AV	4.82262G	32.05	54.00	-21.95	7.16	3	Horizontal	163	1.34	-	24.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	70.60	74.00	-3.40	31.20	3	Vertical	11	1.41	-	39.40
AV	2.3898G	50.96	54.00	-3.04	31.20	3	Vertical	11	1.41	-	19.76
PK	2.4254G	119.41	Inf	-Inf	31.28	3	Vertical	11	1.41	-	88.13
AV	2.4244G	106.38	Inf	-Inf	31.28	3	Vertical	11	1.41	-	75.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_X_2TX
Setting 82
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	72.67	74.00	-1.33	31.20	3	Horizontal	98	1.59	-	41.47
AV	2.3896G	53.26	54.00	-0.74	31.20	3	Horizontal	98	1.59	-	22.06
PK	2.4098G	120.29	Inf	-Inf	31.25	3	Horizontal	98	1.59	-	89.04
AV	2.4082G	108.17	Inf	-Inf	31.24	3	Horizontal	98	1.59	-	76.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	65.21	74.00	-8.79	31.20	3	Vertical	53	2.64	-	34.01
AV	2.3898G	50.05	54.00	-3.95	31.20	3	Vertical	53	2.64	-	18.85
PK	2.4378G	120.96	Inf	-Inf	31.31	3	Vertical	53	2.64	-	89.65
AV	2.4354G	108.38	Inf	-Inf	31.30	3	Vertical	53	2.64	-	77.08
PK	2.4866G	70.70	74.00	-3.30	31.40	3	Vertical	53	2.64	-	39.30
AV	2.4835G	52.47	54.00	-1.53	31.39	3	Vertical	53	2.64	-	21.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT X_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.62	74.00	-5.38	31.20	3	Horizontal	137	2.41	-	37.42
AV	2.3898G	51.45	54.00	-2.55	31.20	3	Horizontal	137	2.41	-	20.25
PK	2.4338G	123.22	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	91.93
AV	2.4338G	111.82	Inf	-Inf	31.29	3	Horizontal	137	2.41	-	80.53
PK	2.4866G	71.25	74.00	-2.75	31.40	3	Horizontal	137	2.41	-	39.85
AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	137	2.41	-	22.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30674G	57.45	74.00	-16.55	10.54	3	Vertical	92	2.14	-	46.91
AV	7.31286G	43.80	54.00	-10.20	10.56	3	Vertical	92	2.14	-	33.24

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 97
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.30656G	57.40	74.00	-16.60	10.54	3	Horizontal	355	1.06	-	46.86
AV	7.3143G	42.04	54.00	-11.96	10.56	3	Horizontal	355	1.06	-	31.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4514G	115.69	Inf	-Inf	31.33	3	Vertical	341	1.17	-	84.36
AV	2.454G	103.22	Inf	-Inf	31.34	3	Vertical	341	1.17	-	71.88
PK	2.4854G	68.19	74.00	-5.81	31.40	3	Vertical	341	1.17	-	36.79
AV	2.4878G	48.95	54.00	-5.05	31.41	3	Vertical	341	1.17	-	17.54

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_X_2TX
Setting 75
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4652G	118.97	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	87.61
AV	2.4642G	106.11	Inf	-Inf	31.36	3	Horizontal	304	1.06	-	74.75
PK	2.4835G	73.45	74.00	-0.55	31.39	3	Horizontal	304	1.06	-	42.06
AV	2.4835G	49.84	54.00	-4.16	31.39	3	Horizontal	304	1.06	-	18.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	115.57	Inf	-Inf	31.36	3	Vertical	255	1.61	-	84.21
AV	2.4638G	103.72	Inf	-Inf	31.36	3	Vertical	255	1.61	-	72.36
PK	2.485G	68.78	74.00	-5.22	31.40	3	Vertical	255	1.61	-	37.38
AV	2.4836G	50.03	54.00	-3.97	31.39	3	Vertical	255	1.61	-	18.64

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT X_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	119.47	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	88.11
AV	2.4632G	106.08	Inf	-Inf	31.36	3	Horizontal	281	1.63	-	74.72
PK	2.4846G	70.44	74.00	-3.56	31.40	3	Horizontal	281	1.63	-	39.04
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Horizontal	281	1.63	-	21.93

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 78
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.39704G	51.61	74.00	-22.39	10.79	3	Vertical	334	1.31	-	40.82
AV	7.37292G	37.48	54.00	-16.52	10.73	3	Vertical	334	1.31	-	26.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 78
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.37448G	50.30	74.00	-23.70	10.73	3	Horizontal	14	2.08	-	39.57
AV	7.37358G	35.50	54.00	-18.50	10.73	3	Horizontal	14	2.08	-	24.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	68.58	74.00	-5.42	31.20	3	Vertical	315	1.00	-	37.38
AV	2.3892G	50.10	54.00	-3.90	31.20	3	Vertical	315	1.00	-	18.90
PK	2.4372G	114.43	Inf	-Inf	31.30	3	Vertical	315	1.00	-	83.13
AV	2.4348G	101.96	Inf	-Inf	31.30	3	Vertical	315	1.00	-	70.66
PK	2.492G	60.50	74.00	-13.50	31.42	3	Vertical	315	1.00	-	29.08
AV	2.4835G	48.04	54.00	-5.96	31.39	3	Vertical	315	1.00	-	16.65

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT X_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	73.03	74.00	-0.97	31.19	3	Horizontal	344	1.59	-	41.84
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	344	1.59	-	22.18
PK	2.4072G	116.58	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	85.34
AV	2.4076G	104.66	Inf	-Inf	31.24	3	Horizontal	344	1.59	-	73.42
PK	2.4835G	63.84	74.00	-10.16	31.39	3	Horizontal	344	1.59	-	32.45
AV	2.4852G	49.25	54.00	-4.75	31.40	3	Horizontal	344	1.59	-	17.85

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85408G	45.24	74.00	-28.76	7.24	3	Vertical	209	2.50	-	38.00
AV	4.83398G	31.42	54.00	-22.58	7.19	3	Vertical	209	2.50	-	24.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 73
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84676G	44.85	74.00	-29.15	7.22	3	Horizontal	208	2.53	-	37.63
AV	4.83512G	31.45	54.00	-22.55	7.20	3	Horizontal	208	2.53	-	24.25

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	70.28	74.00	-3.72	31.20	3	Vertical	221	1.27	-	39.08
AV	2.3898G	50.39	54.00	-3.61	31.20	3	Vertical	221	1.27	-	19.19
PK	2.4418G	114.43	Inf	-Inf	31.32	3	Vertical	221	1.27	-	83.11
AV	2.443G	102.25	Inf	-Inf	31.32	3	Vertical	221	1.27	-	70.93
PK	2.485G	69.86	74.00	-4.14	31.40	3	Vertical	221	1.27	-	38.46
AV	2.4835G	52.10	54.00	-1.90	31.39	3	Vertical	221	1.27	-	20.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_X_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.45	74.00	-3.55	31.20	3	Horizontal	324	1.99	-	39.25
AV	2.3898G	52.90	54.00	-1.10	31.20	3	Horizontal	324	1.99	-	21.70
PK	2.433G	116.00	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	84.71
AV	2.433G	104.02	Inf	-Inf	31.29	3	Horizontal	324	1.99	-	72.73
PK	2.4858G	71.06	74.00	-2.94	31.40	3	Horizontal	324	1.99	-	39.66
AV	2.4835G	53.36	54.00	-0.64	31.39	3	Horizontal	324	1.99	-	21.97

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3122G	51.29	74.00	-22.71	10.55	3	Vertical	43	2.65	-	40.74
AV	7.3104G	34.10	54.00	-19.90	10.54	3	Vertical	43	2.65	-	23.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 77
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.3239G	53.20	74.00	-20.80	10.59	3	Horizontal	250	1.70	-	42.61
AV	7.32114G	35.38	54.00	-18.62	10.59	3	Horizontal	250	1.70	-	24.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT_X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3852G	61.23	74.00	-12.77	31.19	3	Vertical	194	2.65	-	30.04
AV	2.3892G	47.40	54.00	-6.60	31.20	3	Vertical	194	2.65	-	16.20
PK	2.4392G	112.19	Inf	-Inf	31.31	3	Vertical	194	2.65	-	80.88
AV	2.4432G	100.05	Inf	-Inf	31.32	3	Vertical	194	2.65	-	68.73
PK	2.4864G	70.28	74.00	-3.72	31.40	3	Vertical	194	2.65	-	38.88
AV	2.484G	51.11	54.00	-2.89	31.39	3	Vertical	194	2.65	-	19.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT X_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3868G	63.18	74.00	-10.82	31.20	3	Horizontal	273	1.00	-	31.98
AV	2.388G	48.55	54.00	-5.45	31.20	3	Horizontal	273	1.00	-	17.35
PK	2.4512G	114.75	Inf	-Inf	31.33	3	Horizontal	273	1.00	-	83.42
AV	2.4552G	102.94	Inf	-Inf	31.34	3	Horizontal	273	1.00	-	71.60
PK	2.486G	73.44	74.00	-0.56	31.40	3	Horizontal	273	1.00	-	42.04
AV	2.4848G	51.14	54.00	-2.86	31.40	3	Horizontal	273	1.00	-	19.74

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT Z_2TX
Setting 71
02-B-2
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36554G	48.77	74.00	-25.23	10.70	3	Vertical	358	1.59	-	38.07
AV	7.3707G	35.57	54.00	-18.43	10.72	3	Vertical	358	1.59	-	24.85



802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT Z_2TX
Setting 71
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.36362G	49.26	74.00	-24.74	10.70	3	Horizontal	147	2.04	-	38.56
AV	7.3686G	35.65	54.00	-18.35	10.71	3	Horizontal	147	2.04	-	24.94




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_1TX	Pass	AV	2.39G	53.46	54.00	-0.54	29.84	3	Vertical	68	1.48	-

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	63.91	74.00	-10.09	29.84	3	Vertical	70	1.45	-	34.07
AV	2.3876G	53.43	54.00	-0.57	29.84	3	Vertical	70	1.45	-	23.59
PK	2.413G	117.90	Inf	-Inf	29.88	3	Vertical	70	1.45	-	88.02
AV	2.4112G	114.02	Inf	-Inf	29.87	3	Vertical	70	1.45	-	84.15

802.11b_Nss1,(1Mbps)_1TX

14/10/2019

2412MHz_TX




EUT_V_1TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3644G	57.57	74.00	-16.43	29.86	3	Horizontal	332	1.66	-	27.71
AV	2.3844G	45.25	54.00	-8.75	29.85	3	Horizontal	332	1.66	-	15.40
PK	2.413G	90.90	Inf	-Inf	29.88	3	Horizontal	332	1.66	-	61.02
AV	2.4112G	87.24	Inf	-Inf	29.87	3	Horizontal	332	1.66	-	57.37

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82396G	52.68	74.00	-21.32	2.96	3	Vertical	218	1.50	-	49.72
AV	4.82404G	48.88	54.00	-5.12	2.96	3	Vertical	218	1.50	-	45.92

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81648G	44.99	74.00	-29.01	2.95	3	Horizontal	105	1.46	-	42.04
AV	4.824G	34.55	54.00	-19.45	2.96	3	Horizontal	105	1.46	-	31.59

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2417MHz_TX




EUT Y_1TX
Setting 91
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.95	74.00	-12.05	29.84	3	Vertical	69	1.46	-	32.11
AV	2.39G	52.58	54.00	-1.42	29.84	3	Vertical	69	1.46	-	22.74
PK	2.418G	118.93	Inf	-Inf	29.89	3	Vertical	69	1.46	-	89.04
AV	2.4178G	114.87	Inf	-Inf	29.89	3	Vertical	69	1.46	-	84.98

802.11b_Nss1,(1Mbps)_1TX

14/10/2019

2417MHz_TX




EUT Y_1TX
 Setting 91
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.374G	57.49	74.00	-16.51	29.86	3	Horizontal	182	1.36	-	27.63
AV	2.3898G	44.68	54.00	-9.32	29.84	3	Horizontal	182	1.36	-	14.84
PK	2.418G	92.29	Inf	-Inf	29.89	3	Horizontal	182	1.36	-	62.40
AV	2.4162G	88.71	Inf	-Inf	29.88	3	Horizontal	182	1.36	-	58.83

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
Setting 106
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.70	74.00	-11.30	29.84	3	Vertical	84	1.64	-	32.86
AV	2.3886G	53.36	54.00	-0.64	29.84	3	Vertical	84	1.64	-	23.52
PK	2.4378G	120.95	Inf	-Inf	29.94	3	Vertical	84	1.64	-	91.01
AV	2.4378G	117.07	Inf	-Inf	29.94	3	Vertical	84	1.64	-	87.13
PK	2.4854G	62.32	74.00	-11.68	30.05	3	Vertical	84	1.64	-	32.27
AV	2.4835G	52.92	54.00	-1.08	30.05	3	Vertical	84	1.64	-	22.87

802.11b_Nss1,(1Mbps)_1TX

14/10/2019

2437MHz_TX




EUT Y_1TX
 Setting 106
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.351G	58.15	74.00	-15.85	29.87	3	Horizontal	188	1.53	-	28.28
AV	2.3882G	44.69	54.00	-9.31	29.84	3	Horizontal	188	1.53	-	14.85
PK	2.4378G	96.47	Inf	-Inf	29.94	3	Horizontal	188	1.53	-	66.53
AV	2.4378G	92.67	Inf	-Inf	29.94	3	Horizontal	188	1.53	-	62.73
PK	2.485G	58.18	74.00	-15.82	30.05	3	Horizontal	188	1.53	-	28.13
AV	2.4835G	45.28	54.00	-8.72	30.05	3	Horizontal	188	1.53	-	15.23

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
Setting 106
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.874G	56.15	74.00	-17.85	3.12	3	Vertical	153	1.48	-	53.03
AV	4.874G	52.68	54.00	-1.32	3.12	3	Vertical	153	1.48	-	49.56
PK	7.31G	53.51	74.00	-20.49	8.49	3	Vertical	163	1.40	-	45.02
AV	7.3102G	44.23	54.00	-9.77	8.49	3	Vertical	163	1.40	-	35.74

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
Setting 106
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8738G	46.78	74.00	-27.22	3.12	3	Horizontal	101	1.53	-	43.66
AV	4.874G	38.57	54.00	-15.43	3.12	3	Horizontal	101	1.53	-	35.45
PK	7.30932G	51.65	74.00	-22.35	8.49	3	Horizontal	292	1.40	-	43.16
AV	7.31172G	40.80	54.00	-13.20	8.49	3	Horizontal	292	1.40	-	32.31

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2457MHz_TX




EUT Y_1TX
Setting 92
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	118.83	Inf	-Inf	29.99	3	Vertical	75	1.49	-	88.84
AV	2.4562G	114.99	Inf	-Inf	29.98	3	Vertical	75	1.49	-	85.01
PK	2.484G	63.29	74.00	-10.71	30.05	3	Vertical	75	1.49	-	33.24
AV	2.4836G	53.37	54.00	-0.63	30.05	3	Vertical	75	1.49	-	23.32

802.11b_Nss1,(1Mbps)_1TX

14/10/2019

2457MHz_TX




EUT Y_1TX
 Setting 92
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.458G	97.58	Inf	-Inf	29.99	3	Horizontal	36	1.47	-	67.59
AV	2.4562G	93.80	Inf	-Inf	29.98	3	Horizontal	36	1.47	-	63.82
PK	2.4844G	58.14	74.00	-15.86	30.05	3	Horizontal	36	1.47	-	28.09
AV	2.4836G	45.77	54.00	-8.23	30.05	3	Horizontal	36	1.47	-	15.72

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	118.98	Inf	-Inf	30.00	3	Vertical	61	1.78	-	88.98
AV	2.4614G	115.17	Inf	-Inf	29.99	3	Vertical	61	1.78	-	85.18
PK	2.4862G	63.42	74.00	-10.58	30.05	3	Vertical	61	1.78	-	33.37
AV	2.486G	53.29	54.00	-0.71	30.05	3	Vertical	61	1.78	-	23.24

802.11b_Nss1,(1Mbps)_1TX

14/10/2019

2462MHz_TX




EUT Y_1TX
 Setting 89
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	97.70	Inf	-Inf	30.00	3	Horizontal	332	1.46	-	67.70
AV	2.4628G	93.81	Inf	-Inf	30.00	3	Horizontal	332	1.46	-	63.81
PK	2.4916G	58.24	74.00	-15.76	30.07	3	Horizontal	332	1.46	-	28.17
AV	2.4862G	45.47	54.00	-8.53	30.05	3	Horizontal	332	1.46	-	15.42

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.924G	57.32	74.00	-16.68	3.25	3	Vertical	178	1.49	-	54.07
AV	4.92392G	53.17	54.00	-0.83	3.25	3	Vertical	178	1.49	-	49.92
PK	7.3874G	52.08	74.00	-21.92	8.52	3	Vertical	190	1.50	-	43.56
AV	7.38472G	40.71	54.00	-13.29	8.52	3	Vertical	190	1.50	-	32.19

802.11b_Nss1,(1Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 89
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92392G	46.72	74.00	-27.28	3.25	3	Horizontal	99	1.10	-	43.47
AV	4.92392G	39.29	54.00	-14.71	3.25	3	Horizontal	99	1.10	-	36.04
PK	7.38528G	50.26	74.00	-23.74	8.52	3	Horizontal	82	1.50	-	41.74
AV	7.38764G	37.83	54.00	-16.17	8.51	3	Horizontal	82	1.50	-	29.32

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 69
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.99	74.00	-1.01	29.84	3	Vertical	77	1.46	-	43.15
AV	2.3898G	48.23	54.00	-5.77	29.84	3	Vertical	77	1.46	-	18.39
PK	2.4144G	112.95	Inf	-Inf	29.88	3	Vertical	77	1.46	-	83.07
AV	2.416G	103.09	Inf	-Inf	29.88	3	Vertical	77	1.46	-	73.21

802.11g_Nss1,(6Mbps)_1TX

14/10/2019

2412MHz_TX




EUT Y_1TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	57.77	74.00	-16.23	29.85	3	Horizontal	178	2.05	-	27.92
AV	2.3888G	45.11	54.00	-8.89	29.84	3	Horizontal	178	2.05	-	15.27
PK	2.4144G	86.80	Inf	-Inf	29.88	3	Horizontal	178	2.05	-	56.92
AV	2.416G	76.73	Inf	-Inf	29.88	3	Horizontal	178	2.05	-	46.85

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 69
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82318G	43.57	74.00	-30.43	2.96	3	Vertical	182	1.22	-	40.61
AV	4.82447G	30.10	54.00	-23.90	2.96	3	Vertical	182	1.22	-	27.14

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2412MHz_TX




EUT Y_1TX
Setting 69
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82479G	43.77	74.00	-30.23	2.96	3	Horizontal	22	2.53	-	40.81
AV	4.82476G	29.83	54.00	-24.17	2.96	3	Horizontal	22	2.53	-	26.87

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2417MHz_TX




EUT Y_1TX
Setting 77
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	72.78	74.00	-1.22	29.84	3	Vertical	68	1.48	-	42.94
AV	2.39G	53.46	54.00	-0.54	29.84	3	Vertical	68	1.48	-	23.62
PK	2.4186G	115.64	Inf	-Inf	29.89	3	Vertical	68	1.48	-	85.75
AV	2.4186G	105.33	Inf	-Inf	29.89	3	Vertical	68	1.48	-	75.44

802.11g_Nss1,(6Mbps)_1TX

14/10/2019

2417MHz_TX




EUT Y_1TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3702G	58.08	74.00	-15.92	29.86	3	Horizontal	193	1.70	-	28.22
AV	2.3726G	45.10	54.00	-8.90	29.86	3	Horizontal	193	1.70	-	15.24
PK	2.4186G	88.52	Inf	-Inf	29.89	3	Horizontal	193	1.70	-	58.63
AV	2.4212G	78.47	Inf	-Inf	29.89	3	Horizontal	193	1.70	-	48.58

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
Setting 94
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.80	74.00	-3.20	29.84	3	Vertical	82	1.61	-	40.96
AV	2.389G	52.61	54.00	-1.39	29.84	3	Vertical	82	1.61	-	22.77
PK	2.4386G	119.36	Inf	-Inf	29.94	3	Vertical	82	1.61	-	89.42
AV	2.441G	109.33	Inf	-Inf	29.94	3	Vertical	82	1.61	-	79.39
PK	2.4842G	73.24	74.00	-0.76	30.05	3	Vertical	82	1.61	-	43.19
AV	2.4835G	52.48	54.00	-1.52	30.05	3	Vertical	82	1.61	-	22.43

802.11g_Nss1,(6Mbps)_1TX

14/10/2019

2437MHz_TX




EUT Y_1TX
Setting 94
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3846G	57.34	74.00	-16.66	29.85	3	Horizontal	37	1.53	-	27.49
AV	2.3846G	45.16	54.00	-8.84	29.85	3	Horizontal	37	1.53	-	15.31
PK	2.4394G	95.43	Inf	-Inf	29.94	3	Horizontal	37	1.53	-	65.49
AV	2.441G	85.77	Inf	-Inf	29.94	3	Horizontal	37	1.53	-	55.83
PK	2.4846G	58.52	74.00	-15.48	30.05	3	Horizontal	37	1.53	-	28.47
AV	2.4958G	45.85	54.00	-8.15	30.08	3	Horizontal	37	1.53	-	15.77

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
Setting 94
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87706G	51.57	74.00	-22.43	3.13	3	Vertical	214	1.46	-	48.44
AV	4.87556G	37.31	54.00	-16.69	3.13	3	Vertical	214	1.46	-	34.18

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2437MHz_TX




EUT Y_1TX
 Setting 94
 04-M-1
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87255G	44.64	74.00	-29.36	3.12	3	Horizontal	273	1.50	-	41.52
AV	4.87381G	30.48	54.00	-23.52	3.12	3	Horizontal	273	1.50	-	27.36

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2457MHz_TX




EUT Y_1TX
Setting 79
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	115.73	Inf	-Inf	29.99	3	Vertical	79	1.42	-	85.74
AV	2.461G	105.56	Inf	-Inf	29.99	3	Vertical	79	1.42	-	75.57
PK	2.4838G	72.86	74.00	-1.14	30.05	3	Vertical	79	1.42	-	42.81
AV	2.4835G	52.67	54.00	-1.33	30.05	3	Vertical	79	1.42	-	22.62

802.11g_Nss1,(6Mbps)_1TX

14/10/2019

2457MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	95.46	Inf	-Inf	29.99	3	Horizontal	197	1.10	-	65.47
AV	2.4612G	85.56	Inf	-Inf	29.99	3	Horizontal	197	1.10	-	55.57
PK	2.4835G	59.26	74.00	-14.74	30.05	3	Horizontal	197	1.10	-	29.21
AV	2.4836G	46.17	54.00	-7.83	30.05	3	Horizontal	197	1.10	-	16.12

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	113.51	Inf	-Inf	30.00	3	Vertical	69	1.70	-	83.51
AV	2.466G	103.49	Inf	-Inf	30.00	3	Vertical	69	1.70	-	73.49
PK	2.4835G	73.06	74.00	-0.94	30.05	3	Vertical	69	1.70	-	43.01
AV	2.4835G	47.95	54.00	-6.05	30.05	3	Vertical	69	1.70	-	17.90

802.11g_Nss1,(6Mbps)_1TX

14/10/2019

2462MHz_TX




EUT Y_1TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4634G	93.34	Inf	-Inf	30.00	3	Horizontal	187	1.10	-	63.34
AV	2.4636G	83.00	Inf	-Inf	30.00	3	Horizontal	187	1.10	-	53.00
PK	2.4836G	59.13	74.00	-14.87	30.05	3	Horizontal	187	1.10	-	29.08
AV	2.496G	45.76	54.00	-8.24	30.08	3	Horizontal	187	1.10	-	15.68

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92387G	44.03	74.00	-29.97	3.25	3	Vertical	262	1.01	-	40.78
AV	4.92405G	30.14	54.00	-23.86	3.25	3	Vertical	262	1.01	-	26.89

802.11g_Nss1,(6Mbps)_1TX

28/09/2019

2462MHz_TX




EUT Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92447G	44.09	74.00	-29.91	3.25	3	Horizontal	79	2.38	-	40.84
AV	4.92411G	30.02	54.00	-23.98	3.25	3	Horizontal	79	2.38	-	26.77

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2412MHz_TX




EUT Y_1TX
Setting 67
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.18	74.00	-0.82	29.84	3	Vertical	67	1.46	-	43.34
AV	2.39G	48.29	54.00	-5.71	29.84	3	Vertical	67	1.46	-	18.45
PK	2.4088G	114.47	Inf	-Inf	29.86	3	Vertical	67	1.46	-	84.61
AV	2.4168G	100.38	Inf	-Inf	29.88	3	Vertical	67	1.46	-	70.50

802.11ax HEW20_Nss1,(MCS0)_1TX

14/10/2019

2412MHz_TX




EUT Y_1TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	57.94	74.00	-16.06	29.84	3	Horizontal	65	1.27	-	28.10
AV	2.378G	45.12	54.00	-8.88	29.85	3	Horizontal	65	1.27	-	15.27
PK	2.409G	88.29	Inf	-Inf	29.86	3	Horizontal	65	1.27	-	58.43
AV	2.4148G	75.60	Inf	-Inf	29.88	3	Horizontal	65	1.27	-	45.72

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2412MHz_TX




EUT Y_1TX
Setting 67
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82496G	43.45	74.00	-30.55	2.96	3	Vertical	315	2.49	-	40.49
AV	4.82359G	28.90	54.00	-25.10	2.96	3	Vertical	315	2.49	-	25.94

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2412MHz_TX




EUT Y_1TX
Setting 67
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82374G	43.18	74.00	-30.82	2.96	3	Horizontal	129	1.62	-	40.22
AV	4.82379G	29.82	54.00	-24.18	2.96	3	Horizontal	129	1.62	-	26.86

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2417MHz_TX




EUT Y_1TX
Setting 75
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.21	74.00	-0.79	29.84	3	Vertical	70	1.46	-	43.37
AV	2.39G	52.39	54.00	-1.61	29.84	3	Vertical	70	1.46	-	22.55
PK	2.414G	116.77	Inf	-Inf	29.88	3	Vertical	70	1.46	-	86.89
AV	2.42G	102.80	Inf	-Inf	29.89	3	Vertical	70	1.46	-	72.91

802.11ax HEW20_Nss1,(MCS0)_1TX

14/10/2019

2417MHz_TX




EUT Y_1TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3684G	57.12	74.00	-16.88	29.85	3	Horizontal	188	1.68	-	27.27
AV	2.39G	44.63	54.00	-9.37	29.84	3	Horizontal	188	1.68	-	14.79
PK	2.4164G	91.10	Inf	-Inf	29.88	3	Horizontal	188	1.68	-	61.22
AV	2.425G	77.47	Inf	-Inf	29.90	3	Horizontal	188	1.68	-	47.57

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT Y_1TX
Setting 91
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	72.59	74.00	-1.41	29.84	3	Vertical	73	1.61	-	42.75
AV	2.3898G	53.33	54.00	-0.67	29.84	3	Vertical	73	1.61	-	23.49
PK	2.4338G	121.13	Inf	-Inf	29.93	3	Vertical	73	1.61	-	91.20
AV	2.4398G	106.72	Inf	-Inf	29.94	3	Vertical	73	1.61	-	76.78
PK	2.4858G	71.55	74.00	-2.45	30.05	3	Vertical	73	1.61	-	41.50
AV	2.4835G	53.15	54.00	-0.85	30.05	3	Vertical	73	1.61	-	23.10

802.11ax HEW20_Nss1,(MCS0)_1TX

14/10/2019

2437MHz_TX




EUT Y_1TX
Setting 91
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3494G	57.71	74.00	-16.29	29.86	3	Horizontal	35	1.55	-	27.85
AV	2.3894G	44.58	54.00	-9.42	29.84	3	Horizontal	35	1.55	-	14.74
PK	2.4338G	97.49	Inf	-Inf	29.93	3	Horizontal	35	1.55	-	67.56
AV	2.4418G	84.16	Inf	-Inf	29.94	3	Horizontal	35	1.55	-	54.22
PK	2.4946G	58.07	74.00	-15.93	30.08	3	Horizontal	35	1.55	-	27.99
AV	2.4835G	45.42	54.00	-8.58	30.05	3	Horizontal	35	1.55	-	15.37

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT Y_1TX
 Setting 91
 04-M-1
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87634G	50.82	74.00	-23.18	3.13	3	Vertical	139	1.98	-	47.69
AV	4.8752G	33.01	54.00	-20.99	3.13	3	Vertical	139	1.98	-	29.88

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT Y_1TX
Setting 91
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87527G	43.89	74.00	-30.11	3.13	3	Horizontal	99	1.12	-	40.76
AV	4.87551G	29.54	54.00	-24.46	3.13	3	Horizontal	99	1.12	-	26.41

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2457MHz_TX




EUT Y_1TX
Setting 79
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	117.71	Inf	-Inf	29.98	3	Vertical	83	1.43	-	87.73
AV	2.4598G	103.42	Inf	-Inf	29.99	3	Vertical	83	1.43	-	73.43
PK	2.4835G	72.41	74.00	-1.59	30.05	3	Vertical	83	1.43	-	42.36
AV	2.4835G	53.31	54.00	-0.69	30.05	3	Vertical	83	1.43	-	23.26

802.11ax HEW20_Nss1,(MCS0)_1TX

14/10/2019

2457MHz_TX




EUT Y_1TX
Setting 79
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4542G	97.92	Inf	-Inf	29.98	3	Horizontal	44	1.11	-	67.94
AV	2.4616G	84.30	Inf	-Inf	29.99	3	Horizontal	44	1.11	-	54.31
PK	2.4862G	61.34	74.00	-12.66	30.05	3	Horizontal	44	1.11	-	31.29
AV	2.4835G	46.36	54.00	-7.64	30.05	3	Horizontal	44	1.11	-	16.31

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT Y_1TX
Setting 66
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	114.80	Inf	-Inf	29.99	3	Vertical	79	1.44	-	84.81
AV	2.4602G	101.62	Inf	-Inf	29.99	3	Vertical	79	1.44	-	71.63
PK	2.4835G	73.40	74.00	-0.60	30.05	3	Vertical	79	1.44	-	43.35
AV	2.4836G	46.33	54.00	-7.67	30.05	3	Vertical	79	1.44	-	16.28

802.11ax HEW20_Nss1,(MCS0)_1TX

14/10/2019

2462MHz_TX




EUT Y_1TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4592G	94.55	Inf	-Inf	29.99	3	Horizontal	199	1.09	-	64.56
AV	2.4608G	81.60	Inf	-Inf	29.99	3	Horizontal	199	1.09	-	51.61
PK	2.4842G	60.03	74.00	-13.97	30.05	3	Horizontal	199	1.09	-	29.98
AV	2.498G	45.78	54.00	-8.22	30.09	3	Horizontal	199	1.09	-	15.69

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT Y_1TX
 Setting 66
 04-M-1
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92383G	44.11	74.00	-29.89	3.25	3	Vertical	229	1.84	-	40.86
AV	4.92427G	29.95	54.00	-24.05	3.25	3	Vertical	229	1.84	-	26.70

802.11ax HEW20_Nss1,(MCS0)_1TX

06/10/2019

2462MHz_TX




EUT Y_1TX
Setting 66
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92385G	43.82	74.00	-30.18	3.25	3	Horizontal	265	2.37	-	40.57
AV	4.92393G	29.88	54.00	-24.12	3.25	3	Horizontal	265	2.37	-	26.63

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT Y_1TX
Setting 64
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	73.41	74.00	-0.59	29.84	3	Vertical	69	1.47	-	43.57
AV	2.39G	53.32	54.00	-0.68	29.84	3	Vertical	69	1.47	-	23.48
PK	2.4144G	112.19	Inf	-Inf	29.88	3	Vertical	69	1.47	-	82.31
AV	2.418G	100.04	Inf	-Inf	29.89	3	Vertical	69	1.47	-	70.15
PK	2.484G	59.94	74.00	-14.06	30.05	3	Vertical	69	1.47	-	29.89
AV	2.484G	46.03	54.00	-7.97	30.05	3	Vertical	69	1.47	-	15.98

802.11ax HEW40_Nss1,(MCS0)_1TX

14/10/2019

2422MHz_TX




EUT Y_1TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.376G	57.80	74.00	-16.20	29.85	3	Horizontal	35	1.54	-	27.95
AV	2.3332G	45.64	54.00	-8.36	29.88	3	Horizontal	35	1.54	-	15.76
PK	2.4392G	88.58	Inf	-Inf	29.94	3	Horizontal	35	1.54	-	58.64
AV	2.44G	76.22	Inf	-Inf	29.94	3	Horizontal	35	1.54	-	46.28
PK	2.4872G	58.09	74.00	-15.91	30.05	3	Horizontal	35	1.54	-	28.04
AV	2.4856G	46.29	54.00	-7.71	30.05	3	Horizontal	35	1.54	-	16.24

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX



EUT Y_1TX
 Setting 64
 04-M-1
 FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84467G	43.50	74.00	-30.50	3.03	3	Vertical	291	1.20	-	40.47
AV	4.84378G	31.21	54.00	-22.79	3.03	3	Vertical	291	1.20	-	28.18



802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2422MHz_TX




EUT Y_1TX
Setting 64
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84414G	43.92	74.00	-30.08	3.03	3	Horizontal	113	1.02	-	40.89
AV	4.8446G	30.93	54.00	-23.07	3.03	3	Horizontal	113	1.02	-	27.90

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT_Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	69.33	74.00	-4.67	29.84	3	Vertical	82	1.62	-	39.49
AV	2.3894G	53.31	54.00	-0.69	29.84	3	Vertical	82	1.62	-	23.47
PK	2.4294G	113.76	Inf	-Inf	29.91	3	Vertical	82	1.62	-	83.85
AV	2.4414G	101.29	Inf	-Inf	29.94	3	Vertical	82	1.62	-	71.35
PK	2.4835G	70.27	74.00	-3.73	30.05	3	Vertical	82	1.62	-	40.22
AV	2.4842G	51.73	54.00	-2.27	30.05	3	Vertical	82	1.62	-	21.68

802.11ax HEW40_Nss1,(MCS0)_1TX

14/10/2019

2437MHz_TX




EUT Y_1TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3726G	57.58	74.00	-16.42	29.86	3	Horizontal	195	1.47	-	27.72
AV	2.3886G	45.66	54.00	-8.34	29.84	3	Horizontal	195	1.47	-	15.82
PK	2.4542G	91.65	Inf	-Inf	29.98	3	Horizontal	195	1.47	-	61.67
AV	2.4498G	78.59	Inf	-Inf	29.96	3	Horizontal	195	1.47	-	48.63
PK	2.491G	58.50	74.00	-15.50	30.07	3	Horizontal	195	1.47	-	28.43
AV	2.4874G	46.57	54.00	-7.43	30.05	3	Horizontal	195	1.47	-	16.52

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87605G	45.59	74.00	-28.41	3.13	3	Vertical	154	1.49	-	42.46
AV	4.87578G	31.87	54.00	-22.13	3.13	3	Vertical	154	1.49	-	28.74

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2437MHz_TX




EUT Y_1TX
Setting 70
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87226G	43.80	74.00	-30.20	3.12	3	Horizontal	263	1.49	-	40.68
AV	4.87416G	31.51	54.00	-22.49	3.12	3	Horizontal	263	1.49	-	28.39

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2452MHz_TX




EUT Y_1TX
Setting 68
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	64.03	74.00	-9.97	29.84	3	Vertical	81	1.46	-	34.19
AV	2.39G	47.56	54.00	-6.44	29.84	3	Vertical	81	1.46	-	17.72
PK	2.4572G	113.32	Inf	-Inf	29.98	3	Vertical	81	1.46	-	83.34
AV	2.4564G	100.69	Inf	-Inf	29.98	3	Vertical	81	1.46	-	70.71
PK	2.4848G	73.43	74.00	-0.57	30.05	3	Vertical	81	1.46	-	43.38
AV	2.484G	50.60	54.00	-3.40	30.05	3	Vertical	81	1.46	-	20.55

802.11ax HEW40_Nss1,(MCS0)_1TX

14/10/2019

2452MHz_TX




EUT Y_1TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3596G	57.70	74.00	-16.30	29.86	3	Horizontal	35	1.65	-	27.84
AV	2.3584G	45.65	54.00	-8.35	29.86	3	Horizontal	35	1.65	-	15.79
PK	2.468G	91.30	Inf	-Inf	30.01	3	Horizontal	35	1.65	-	61.29
AV	2.4648G	79.42	Inf	-Inf	30.00	3	Horizontal	35	1.65	-	49.42
PK	2.484G	59.45	74.00	-14.55	30.05	3	Horizontal	35	1.65	-	29.40
AV	2.4992G	46.54	54.00	-7.46	30.09	3	Horizontal	35	1.65	-	16.45

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2452MHz_TX




EUT Y_1TX
Setting 68
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90412G	44.97	74.00	-29.03	3.21	3	Vertical	254	1.22	-	41.76
AV	4.90333G	31.26	54.00	-22.74	3.21	3	Vertical	254	1.22	-	28.05

802.11ax HEW40_Nss1,(MCS0)_1TX

06/10/2019

2452MHz_TX



EUT Y_1TX
Setting 68
04-M-1
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9039G	44.46	74.00	-29.54	3.21	3	Horizontal	238	2.93	-	41.25
AV	4.90459G	31.27	54.00	-22.73	3.21	3	Horizontal	238	2.93	-	28.06




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	PK	2.3864G	73.49	74.00	-0.51	29.84	3	Vertical	357	1.29	-

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2412MHz_TX




EUT_Y_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	62.86	74.00	-11.14	29.84	3	Vertical	333	1.14	-	33.02
AV	2.386G	49.68	54.00	-4.32	29.84	3	Vertical	333	1.14	-	19.84
PK	2.413G	120.52	Inf	-Inf	29.88	3	Vertical	333	1.14	-	90.64
AV	2.4112G	116.59	Inf	-Inf	29.87	3	Vertical	333	1.14	-	86.72

802.11b_Nss1,(1Mbps)_2TX

14/10/2019

2412MHz_TX




EUT Y_2TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3792G	57.62	74.00	-16.38	29.85	3	Horizontal	66	3.00	-	27.77
AV	2.3894G	44.72	54.00	-9.28	29.84	3	Horizontal	66	3.00	-	14.88
PK	2.411G	100.09	Inf	-Inf	29.87	3	Horizontal	66	3.00	-	70.22
AV	2.4112G	96.42	Inf	-Inf	29.87	3	Horizontal	66	3.00	-	66.55

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82418G	49.05	74.00	-24.95	2.96	3	Vertical	146	2.77	-	46.09
AV	4.8239G	39.41	54.00	-14.59	2.96	3	Vertical	146	2.77	-	36.45

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82394G	57.58	74.00	-16.42	2.96	3	Horizontal	356	2.14	-	54.62
AV	4.8239G	53.47	54.00	-0.53	2.96	3	Horizontal	356	2.14	-	50.51

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2437MHz_TX




EUT Y_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	62.31	74.00	-11.69	29.84	3	Vertical	4	1.31	-	32.47
AV	2.3894G	49.14	54.00	-4.86	29.84	3	Vertical	4	1.31	-	19.30
PK	2.4378G	122.05	Inf	-Inf	29.94	3	Vertical	4	1.31	-	92.11
AV	2.4362G	118.05	Inf	-Inf	29.93	3	Vertical	4	1.31	-	88.12
PK	2.4894G	62.27	74.00	-11.73	30.06	3	Vertical	4	1.31	-	32.21
AV	2.4842G	48.99	54.00	-5.01	30.05	3	Vertical	4	1.31	-	18.94

802.11b_Nss1,(1Mbps)_2TX

14/10/2019

2437MHz_TX




EUT Y_2TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.355G	57.73	74.00	-16.27	29.87	3	Horizontal	223	1.46	-	27.86
AV	2.389G	44.68	54.00	-9.32	29.84	3	Horizontal	223	1.46	-	14.84
PK	2.4378G	98.36	Inf	-Inf	29.94	3	Horizontal	223	1.46	-	68.42
AV	2.4362G	94.50	Inf	-Inf	29.93	3	Horizontal	223	1.46	-	64.57
PK	2.4886G	58.67	74.00	-15.33	30.06	3	Horizontal	223	1.46	-	28.61
AV	2.499G	45.31	54.00	-8.69	30.09	3	Horizontal	223	1.46	-	15.22

802.11b_Nss1,(1Mbps)_2TX

26/09/2019

2437MHz_TX




EUT_X_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87408G	55.37	74.00	-18.63	3.12	3	Vertical	322	1.25	-	52.25
AV	4.87402G	39.50	54.00	-14.50	3.12	3	Vertical	322	1.25	-	36.38
PK	7.30988G	50.73	74.00	-23.27	8.49	3	Vertical	123	1.49	-	42.24
AV	7.30958G	38.15	54.00	-15.85	8.49	3	Vertical	123	1.49	-	29.66

802.11b_Nss1,(1Mbps)_2TX

26/09/2019

2437MHz_TX




EUT_X_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87392G	57.22	74.00	-16.78	3.12	3	Horizontal	355	2.10	-	54.10
AV	4.87396G	53.29	54.00	-0.71	3.12	3	Horizontal	355	2.10	-	50.17
PK	7.31268G	52.89	74.00	-21.11	8.48	3	Horizontal	52	1.89	-	44.41
AV	7.31266G	43.22	54.00	-10.78	8.48	3	Horizontal	52	1.89	-	34.74

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2457MHz_TX




EUT Y_2TX
Setting 80
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3842G	60.63	74.00	-13.37	29.85	3	Vertical	338	1.44	-	30.78
AV	2.3578G	48.50	54.00	-5.50	29.86	3	Vertical	338	1.44	-	18.64
PK	2.4578G	120.41	Inf	-Inf	29.99	3	Vertical	338	1.44	-	90.42
AV	2.4562G	116.57	Inf	-Inf	29.98	3	Vertical	338	1.44	-	86.59
PK	2.4842G	62.12	74.00	-11.88	30.05	3	Vertical	338	1.44	-	32.07
AV	2.4835G	49.24	54.00	-4.76	30.05	3	Vertical	338	1.44	-	19.19

802.11b_Nss1,(1Mbps)_2TX

14/10/2019

2457MHz_TX




EUT Y_2TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.381G	57.98	74.00	-16.02	29.85	3	Horizontal	60	1.51	-	28.13
AV	2.3898G	44.65	54.00	-9.35	29.84	3	Horizontal	60	1.51	-	14.81
PK	2.4578G	99.01	Inf	-Inf	29.99	3	Horizontal	60	1.51	-	69.02
AV	2.4562G	94.93	Inf	-Inf	29.98	3	Horizontal	60	1.51	-	64.95
PK	2.4938G	58.19	74.00	-15.81	30.08	3	Horizontal	60	1.51	-	28.11
AV	2.4994G	45.30	54.00	-8.70	30.09	3	Horizontal	60	1.51	-	15.21

802.11b_Nss1,(1Mbps)_2TX

27/09/2019

2462MHz_TX




EUT Y_2TX
Setting 68
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	116.76	Inf	-Inf	30.00	3	Vertical	334	1.10	-	86.76
AV	2.4612G	112.89	Inf	-Inf	29.99	3	Vertical	334	1.10	-	82.90
PK	2.4836G	59.70	74.00	-14.30	30.05	3	Vertical	334	1.10	-	29.65
AV	2.4836G	46.48	54.00	-7.52	30.05	3	Vertical	334	1.10	-	16.43

802.11b_Nss1,(1Mbps)_2TX

14/10/2019

2462MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	95.83	Inf	-Inf	29.99	3	Horizontal	220	2.61	-	65.84
AV	2.4612G	92.13	Inf	-Inf	29.99	3	Horizontal	220	2.61	-	62.14
PK	2.4976G	58.17	74.00	-15.83	30.09	3	Horizontal	220	2.61	-	28.08
AV	2.4962G	45.27	54.00	-8.73	30.08	3	Horizontal	220	2.61	-	15.19

802.11b_Nss1,(1Mbps)_2TX

26/09/2019

2462MHz_TX




EUT X_2TX
Setting 68
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92376G	46.15	74.00	-27.85	3.25	3	Vertical	35	1.70	-	42.90
AV	4.92402G	35.22	54.00	-18.78	3.25	3	Vertical	35	1.70	-	31.97
PK	7.38382G	51.31	74.00	-22.69	8.52	3	Vertical	110	2.61	-	42.79
AV	7.38764G	37.80	54.00	-16.20	8.51	3	Vertical	110	2.61	-	29.29

802.11b_Nss1,(1Mbps)_2TX

26/09/2019

2462MHz_TX




EUT X_2TX
Setting 68
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92402G	57.03	74.00	-16.97	3.25	3	Horizontal	357	2.11	-	53.78
AV	4.92398G	53.36	54.00	-0.64	3.25	3	Horizontal	357	2.11	-	50.11
PK	7.38686G	52.55	74.00	-21.45	8.52	3	Horizontal	292	1.50	-	44.03
AV	7.38468G	41.49	54.00	-12.51	8.52	3	Horizontal	292	1.50	-	32.97

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2412MHz_TX




EUT Y_2TX
Setting 63
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	73.35	74.00	-0.65	29.84	3	Vertical	352	1.27	-	43.51
AV	2.3898G	49.37	54.00	-4.63	29.84	3	Vertical	352	1.27	-	19.53
PK	2.4084G	116.57	Inf	-Inf	29.86	3	Vertical	352	1.27	-	86.71
AV	2.4084G	107.24	Inf	-Inf	29.86	3	Vertical	352	1.27	-	77.38

802.11g_Nss1,(6Mbps)_2TX

14/10/2019

2412MHz_TX




EUT_Y_2TX
Setting 63
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3726G	57.63	74.00	-16.37	29.86	3	Horizontal	64	2.97	-	27.77
AV	2.3748G	45.18	54.00	-8.82	29.86	3	Horizontal	64	2.97	-	15.32
PK	2.4078G	94.68	Inf	-Inf	29.86	3	Horizontal	64	2.97	-	64.82
AV	2.4072G	85.10	Inf	-Inf	29.85	3	Horizontal	64	2.97	-	55.25

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
Setting 63
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8268G	45.41	74.00	-28.59	2.97	3	Vertical	98	1.92	-	42.44
AV	4.8482G	31.69	54.00	-22.31	3.04	3	Vertical	98	1.92	-	28.65

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
 Setting 63
 04-J-5
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8229G	52.23	74.00	-21.77	2.96	3	Horizontal	179	1.90	-	49.27
AV	4.8227G	34.26	54.00	-19.74	2.96	3	Horizontal	179	1.90	-	31.30

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2417MHz_TX




EUT Y_2TX
Setting 67
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.387G	73.47	74.00	-0.53	29.84	3	Vertical	359	1.50	-	43.63
AV	2.387G	49.22	54.00	-4.78	29.84	3	Vertical	359	1.50	-	19.38
PK	2.4114G	117.10	Inf	-Inf	29.87	3	Vertical	359	1.50	-	87.23
AV	2.421G	108.28	Inf	-Inf	29.89	3	Vertical	359	1.50	-	78.39
PK	2.4918G	59.34	74.00	-14.66	30.07	3	Vertical	359	1.50	-	29.27
AV	2.4838G	46.99	54.00	-7.01	30.05	3	Vertical	359	1.50	-	16.94

802.11g_Nss1,(6Mbps)_2TX

14/10/2019

2417MHz_TX




EUT Y_2TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.371G	58.11	74.00	-15.89	29.86	3	Horizontal	216	2.99	-	28.25
AV	2.3746G	45.23	54.00	-8.77	29.86	3	Horizontal	216	2.99	-	15.37
PK	2.413G	95.66	Inf	-Inf	29.88	3	Horizontal	216	2.99	-	65.78
AV	2.4122G	86.57	Inf	-Inf	29.87	3	Horizontal	216	2.99	-	56.70
PK	2.4902G	57.93	74.00	-16.07	30.07	3	Horizontal	216	2.99	-	27.86
AV	2.4982G	45.80	54.00	-8.20	30.09	3	Horizontal	216	2.99	-	15.71

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2437MHz_TX



EUT Y_2TX
Setting 86
04-J-5
FSP(100056)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	71.59	74.00	-2.41	29.84	3	Vertical	357	1.30	-	41.75
AV	2.3894G	53.44	54.00	-0.56	29.84	3	Vertical	357	1.30	-	23.60
PK	2.4338G	122.70	Inf	-Inf	29.93	3	Vertical	357	1.30	-	92.77
AV	2.4386G	113.29	Inf	-Inf	29.94	3	Vertical	357	1.30	-	83.35
PK	2.4835G	70.69	74.00	-3.31	30.05	3	Vertical	357	1.30	-	40.64
AV	2.4838G	52.57	54.00	-1.43	30.05	3	Vertical	357	1.30	-	22.52



802.11g_Nss1,(6Mbps)_2TX

14/10/2019

2437MHz_TX




EUT Y_2TX
Setting 86
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	59.42	74.00	-14.58	31.20	3	Horizontal	289	1.59	-	28.22
AV	2.3866G	46.63	54.00	-7.37	31.20	3	Horizontal	289	1.59	-	15.43
PK	2.4346G	105.65	Inf	-Inf	31.30	3	Horizontal	289	1.59	-	74.35
AV	2.435G	96.17	Inf	-Inf	31.30	3	Horizontal	289	1.59	-	64.87
PK	2.493G	60.02	74.00	-13.98	31.42	3	Horizontal	289	1.59	-	28.60
AV	2.4938G	47.27	54.00	-6.73	31.42	3	Horizontal	289	1.59	-	15.85

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2437MHz_TX




EUT_X_2TX
Setting 86
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8777G	49.43	74.00	-24.57	3.13	3	Vertical	134	1.55	-	46.30
AV	4.8739G	32.96	54.00	-21.04	3.12	3	Vertical	134	1.55	-	29.84
PK	7.3128G	52.07	74.00	-21.93	8.48	3	Vertical	128	1.48	-	43.59
AV	7.3129G	37.66	54.00	-16.34	8.48	3	Vertical	128	1.48	-	29.18

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2437MHz_TX




EUT_X_2TX
Setting 86
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8771G	57.70	74.00	-16.30	3.13	3	Horizontal	180	1.90	-	54.57
AV	4.8779G	41.81	54.00	-12.19	3.13	3	Horizontal	180	1.90	-	38.68
PK	7.3122G	55.76	74.00	-18.24	8.49	3	Horizontal	114	1.50	-	47.27
AV	7.3114G	40.11	54.00	-13.89	8.49	3	Horizontal	114	1.50	-	31.62

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2457MHz_TX




EUT Y_2TX
Setting 70
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3822G	59.98	74.00	-14.02	29.85	3	Vertical	359	1.43	-	30.13
AV	2.3858G	47.04	54.00	-6.96	29.84	3	Vertical	359	1.43	-	17.20
PK	2.4618G	118.04	Inf	-Inf	29.99	3	Vertical	359	1.43	-	88.05
AV	2.461G	108.92	Inf	-Inf	29.99	3	Vertical	359	1.43	-	78.93
PK	2.487G	73.46	74.00	-0.54	30.05	3	Vertical	359	1.43	-	43.41
AV	2.4835G	50.96	54.00	-3.04	30.05	3	Vertical	359	1.43	-	20.91

802.11g_Nss1,(6Mbps)_2TX

14/10/2019

2457MHz_TX




EUT Y_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3722G	58.73	74.00	-15.27	31.16	3	Horizontal	291	1.59	-	27.57
AV	2.3882G	46.56	54.00	-7.44	31.20	3	Horizontal	291	1.59	-	15.36
PK	2.4646G	102.37	Inf	-Inf	31.36	3	Horizontal	291	1.59	-	71.01
AV	2.4598G	92.64	Inf	-Inf	31.35	3	Horizontal	291	1.59	-	61.29
PK	2.4838G	59.98	74.00	-14.02	31.39	3	Horizontal	291	1.59	-	28.59
AV	2.4846G	47.28	54.00	-6.72	31.40	3	Horizontal	291	1.59	-	15.88

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2462MHz_TX




EUT_Y_2TX
Setting 65
04-J-5
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	116.93	Inf	-Inf	29.99	3	Vertical	0	1.43	-	86.94
AV	2.4642G	107.57	Inf	-Inf	30.00	3	Vertical	0	1.43	-	77.57
PK	2.484G	73.36	74.00	-0.64	30.05	3	Vertical	0	1.43	-	43.31
AV	2.4838G	50.79	54.00	-3.21	30.05	3	Vertical	0	1.43	-	20.74

802.11g_Nss1,(6Mbps)_2TX

14/10/2019

2462MHz_TX




EUT Y_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.467G	100.67	Inf	-Inf	31.37	3	Horizontal	297	1.54	-	69.30
AV	2.4678G	90.88	Inf	-Inf	31.37	3	Horizontal	297	1.54	-	59.51
PK	2.498G	60.31	74.00	-13.69	31.43	3	Horizontal	297	1.54	-	28.88
AV	2.4946G	47.19	54.00	-6.81	31.42	3	Horizontal	297	1.54	-	15.77

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2462MHz_TX




EUT X_2TX
 Setting 65
 04-J-5
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9451G	44.85	74.00	-29.15	3.30	3	Vertical	171	1.68	-	41.55
AV	4.9479G	31.91	54.00	-22.09	3.31	3	Vertical	171	1.68	-	28.60

802.11g_Nss1,(6Mbps)_2TX

27/09/2019

2462MHz_TX




EUT X_2TX
 Setting 65
 04-J-5
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9227G	55.57	74.00	-18.43	3.25	3	Horizontal	179	1.83	-	52.32
AV	4.923G	35.92	54.00	-18.08	3.25	3	Horizontal	179	1.83	-	32.67

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2412MHz_TX




EUT Y_2TX
Setting 66
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	72.46	74.00	-1.54	29.84	3	Vertical	359	1.33	-	42.62
AV	2.39G	53.35	54.00	-0.65	29.84	3	Vertical	359	1.33	-	23.51
PK	2.4168G	118.09	Inf	-Inf	29.88	3	Vertical	359	1.33	-	88.21
AV	2.408G	106.02	Inf	-Inf	29.86	3	Vertical	359	1.33	-	76.16

802.11ax HEW20_Nss2,(MCS0)_2TX

14/10/2019

2412MHz_TX




EUT Y_2TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	59.01	74.00	-14.99	31.20	3	Horizontal	88	1.50	-	27.81
AV	2.3894G	47.16	54.00	-6.84	31.20	3	Horizontal	88	1.50	-	15.96
PK	2.411G	100.55	Inf	-Inf	31.25	3	Horizontal	88	1.50	-	69.30
AV	2.4044G	87.67	Inf	-Inf	31.24	3	Horizontal	88	1.50	-	56.43

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
Setting 66
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82264G	45.41	74.00	-28.59	2.96	3	Vertical	185	1.87	-	42.45
AV	4.82396G	32.47	54.00	-21.53	2.96	3	Vertical	185	1.87	-	29.51

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2412MHz_TX




EUT X_2TX
Setting 66
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82548G	49.93	74.00	-24.07	2.97	3	Horizontal	183	2.01	-	46.96
AV	4.82328G	34.35	54.00	-19.65	2.96	3	Horizontal	183	2.01	-	31.39

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2417MHz_TX




EUT Y_2TX
Setting 70
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	70.65	74.00	-3.35	29.84	3	Vertical	359	1.33	-	40.81
AV	2.3894G	53.30	54.00	-0.70	29.84	3	Vertical	359	1.33	-	23.46
PK	2.4106G	118.37	Inf	-Inf	29.87	3	Vertical	359	1.33	-	88.50
AV	2.4128G	106.85	Inf	-Inf	29.88	3	Vertical	359	1.33	-	76.97

802.11ax HEW20_Nss2,(MCS0)_2TX

14/10/2019

2417MHz_TX




EUT Y_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	59.53	74.00	-14.47	31.19	3	Horizontal	203	1.54	-	28.34
AV	2.3894G	47.10	54.00	-6.90	31.20	3	Horizontal	203	1.54	-	15.90
PK	2.4164G	100.52	Inf	-Inf	31.27	3	Horizontal	203	1.54	-	69.25
AV	2.415G	88.16	Inf	-Inf	31.26	3	Horizontal	203	1.54	-	56.90

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT_Y_2TX
Setting 84
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	68.15	74.00	-5.85	29.84	3	Vertical	356	1.27	-	38.31
AV	2.3898G	53.06	54.00	-0.94	29.84	3	Vertical	356	1.27	-	23.22
PK	2.439G	122.32	Inf	-Inf	29.94	3	Vertical	356	1.27	-	92.38
AV	2.433G	110.06	Inf	-Inf	29.93	3	Vertical	356	1.27	-	80.13
PK	2.4835G	68.05	74.00	-5.95	30.05	3	Vertical	356	1.27	-	38.00
AV	2.4835G	52.78	54.00	-1.22	30.05	3	Vertical	356	1.27	-	22.73

802.11ax HEW20_Nss2,(MCS0)_2TX

14/10/2019

2437MHz_TX




EUT Y_2TX
Setting 84
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	59.42	74.00	-14.58	31.20	3	Horizontal	289	1.61	-	28.22
AV	2.3886G	47.11	54.00	-6.89	31.20	3	Horizontal	289	1.61	-	15.91
PK	2.4322G	106.19	Inf	-Inf	31.29	3	Horizontal	289	1.61	-	74.90
AV	2.4322G	94.31	Inf	-Inf	31.29	3	Horizontal	289	1.61	-	63.02
PK	2.4962G	59.44	74.00	-14.56	31.42	3	Horizontal	289	1.61	-	28.02
AV	2.493G	47.84	54.00	-6.16	31.42	3	Horizontal	289	1.61	-	16.42

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT X_2TX
 Setting 84
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88032G	50.38	74.00	-23.62	3.14	3	Vertical	145	1.02	-	47.24
AV	4.87496G	33.51	54.00	-20.49	3.12	3	Vertical	145	1.02	-	30.39

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT X_2TX
Setting 84
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87124G	53.24	74.00	-20.76	3.11	3	Horizontal	178	1.87	-	50.13
AV	4.87628G	38.46	54.00	-15.54	3.13	3	Horizontal	178	1.87	-	35.33

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2457MHz_TX




EUT Y_2TX
Setting 71
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4614G	119.89	Inf	-Inf	29.99	3	Vertical	0	1.28	-	89.90
AV	2.459G	107.34	Inf	-Inf	29.99	3	Vertical	0	1.28	-	77.35
PK	2.4835G	70.59	74.00	-3.41	30.05	3	Vertical	0	1.28	-	40.54
AV	2.4844G	53.19	54.00	-0.81	30.05	3	Vertical	0	1.28	-	23.14

802.11ax HEW20_Nss2,(MCS0)_2TX

14/10/2019

2457MHz_TX




EUT Y_2TX
Setting 71
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4648G	105.28	Inf	-Inf	31.36	3	Horizontal	286	1.61	-	73.92
AV	2.4646G	90.92	Inf	-Inf	31.36	3	Horizontal	286	1.61	-	59.56
PK	2.4838G	60.61	74.00	-13.39	31.39	3	Horizontal	286	1.61	-	29.22
AV	2.4836G	47.77	54.00	-6.23	31.39	3	Horizontal	286	1.61	-	16.38

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2462MHz_TX




EUT Y_2TX
Setting 69
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4638G	119.17	Inf	-Inf	30.00	3	Vertical	0	1.27	-	89.17
AV	2.4578G	106.74	Inf	-Inf	29.99	3	Vertical	0	1.27	-	76.75
PK	2.4842G	73.16	74.00	-0.84	30.05	3	Vertical	0	1.27	-	43.11
AV	2.4842G	52.72	54.00	-1.28	30.05	3	Vertical	0	1.27	-	22.67

802.11ax HEW20_Nss2,(MCS0)_2TX

14/10/2019

2462MHz_TX




EUT Y_2TX
Setting 69
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4696G	102.69	Inf	-Inf	31.37	3	Horizontal	289	1.59	-	71.32
AV	2.4636G	90.73	Inf	-Inf	31.36	3	Horizontal	289	1.59	-	59.37
PK	2.4996G	60.49	74.00	-13.51	31.43	3	Horizontal	289	1.59	-	29.06
AV	2.4835G	48.23	54.00	-5.77	31.39	3	Horizontal	289	1.59	-	16.84

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2462MHz_TX




EUT X_2TX
 Setting 69
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93348G	44.98	74.00	-29.02	3.28	3	Vertical	140	1.50	-	41.70
AV	4.924G	33.25	54.00	-20.75	3.25	3	Vertical	140	1.50	-	30.00

802.11ax HEW20_Nss2,(MCS0)_2TX

27/09/2019

2462MHz_TX




EUT X_2TX
 Setting 69
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9328G	55.78	74.00	-18.22	3.28	3	Horizontal	180	1.78	-	52.50
AV	4.92444G	36.63	54.00	-17.37	3.25	3	Horizontal	180	1.78	-	33.38

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2422MHz_TX




EUT Y_2TX
Setting 60
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	73.49	74.00	-0.51	29.84	3	Vertical	357	1.29	-	43.65
AV	2.39G	53.17	54.00	-0.83	29.84	3	Vertical	357	1.29	-	23.33
PK	2.408G	114.16	Inf	-Inf	29.86	3	Vertical	357	1.29	-	84.30
AV	2.4088G	101.86	Inf	-Inf	29.86	3	Vertical	357	1.29	-	72.00
PK	2.4856G	61.67	74.00	-12.33	30.05	3	Vertical	357	1.29	-	31.62
AV	2.4835G	47.52	54.00	-6.48	30.05	3	Vertical	357	1.29	-	17.47

802.11ax HEW40_Nss2,(MCS0)_2TX

14/10/2019

2422MHz_TX




EUT Y_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	60.16	74.00	-13.84	31.19	3	Horizontal	289	1.61	-	28.97
AV	2.3888G	47.33	54.00	-6.67	31.20	3	Horizontal	289	1.61	-	16.13
PK	2.4332G	97.77	Inf	-Inf	31.29	3	Horizontal	289	1.61	-	66.48
AV	2.4324G	86.18	Inf	-Inf	31.29	3	Horizontal	289	1.61	-	54.89
PK	2.484G	59.63	74.00	-14.37	31.39	3	Horizontal	289	1.61	-	28.24
AV	2.4868G	47.64	54.00	-6.36	31.40	3	Horizontal	289	1.61	-	16.24

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2422MHz_TX




EUT X_2TX
 Setting 60
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85264G	44.92	74.00	-29.08	3.05	3	Vertical	141	1.31	-	41.87
AV	4.84396G	32.43	54.00	-21.57	3.03	3	Vertical	141	1.31	-	29.40

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2422MHz_TX




EUT X_2TX
 Setting 60
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8398G	44.73	74.00	-29.27	3.02	3	Horizontal	148	1.50	-	41.71
AV	4.84384G	32.99	54.00	-21.01	3.03	3	Horizontal	148	1.50	-	29.96

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT Y_2TX
Setting 65
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	72.49	74.00	-1.51	29.84	3	Vertical	0	1.27	-	42.65
AV	2.3894G	52.30	54.00	-1.70	29.84	3	Vertical	0	1.27	-	22.46
PK	2.4282G	114.69	Inf	-Inf	29.91	3	Vertical	0	1.27	-	84.78
AV	2.4458G	103.17	Inf	-Inf	29.95	3	Vertical	0	1.27	-	73.22
PK	2.4922G	71.37	74.00	-2.63	30.07	3	Vertical	0	1.27	-	41.30
AV	2.4835G	50.67	54.00	-3.33	30.05	3	Vertical	0	1.27	-	20.62

802.11ax HEW40_Nss2,(MCS0)_2TX

14/10/2019

2437MHz_TX




EUT Y_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.14	74.00	-13.86	31.20	3	Horizontal	285	1.62	-	28.94
AV	2.3898G	47.15	54.00	-6.85	31.20	3	Horizontal	285	1.62	-	15.95
PK	2.4306G	99.74	Inf	-Inf	31.29	3	Horizontal	285	1.62	-	68.45
AV	2.4346G	87.32	Inf	-Inf	31.30	3	Horizontal	285	1.62	-	56.02
PK	2.4854G	60.98	74.00	-13.02	31.40	3	Horizontal	285	1.62	-	29.58
AV	2.4838G	47.80	54.00	-6.20	31.39	3	Horizontal	285	1.62	-	16.41

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT X_2TX
Setting 65
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87928G	45.25	74.00	-28.75	3.14	3	Vertical	8	1.50	-	42.11
AV	4.8732G	32.39	54.00	-21.61	3.12	3	Vertical	8	1.50	-	29.27

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2437MHz_TX




EUT X_2TX
Setting 65
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86748G	50.09	74.00	-23.91	3.10	3	Horizontal	182	1.94	-	46.99
AV	4.87448G	33.68	54.00	-20.32	3.12	3	Horizontal	182	1.94	-	30.56

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2452MHz_TX




EUT Y_2TX
Setting 62
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	66.70	74.00	-7.30	29.84	3	Vertical	0	1.27	-	36.86
AV	2.39G	48.12	54.00	-5.88	29.84	3	Vertical	0	1.27	-	18.28
PK	2.462G	114.78	Inf	-Inf	29.99	3	Vertical	0	1.27	-	84.79
AV	2.4568G	102.48	Inf	-Inf	29.98	3	Vertical	0	1.27	-	72.50
PK	2.4892G	73.11	74.00	-0.89	30.06	3	Vertical	0	1.27	-	43.05
AV	2.4844G	50.81	54.00	-3.19	30.05	3	Vertical	0	1.27	-	20.76

802.11ax HEW40_Nss2,(MCS0)_2TX

14/10/2019

2452MHz_TX




EUT Y_2TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3544G	58.62	74.00	-15.38	31.12	3	Horizontal	288	1.75	-	27.50
AV	2.3892G	47.19	54.00	-6.81	31.20	3	Horizontal	288	1.75	-	15.99
PK	2.4632G	97.38	Inf	-Inf	31.36	3	Horizontal	288	1.75	-	66.02
AV	2.464G	86.44	Inf	-Inf	31.36	3	Horizontal	288	1.75	-	55.08
PK	2.4856G	60.68	74.00	-13.32	31.40	3	Horizontal	288	1.75	-	29.28
AV	2.4856G	47.82	54.00	-6.18	31.40	3	Horizontal	288	1.75	-	16.42

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2452MHz_TX




EUT X_2TX
 Setting 62
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9042G	45.53	74.00	-28.47	3.21	3	Vertical	143	1.45	-	42.32
AV	4.90412G	33.48	54.00	-20.52	3.21	3	Vertical	143	1.45	-	30.27

802.11ax HEW40_Nss2,(MCS0)_2TX

27/09/2019

2452MHz_TX



EUT X_2TX
 Setting 62
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90376G	46.65	74.00	-27.35	3.21	3	Horizontal	146	1.47	-	43.44
AV	4.90396G	33.80	54.00	-20.20	3.21	3	Horizontal	146	1.47	-	30.59




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	2.3884G	73.48	74.00	-0.52	29.84	3	Vertical	200	1.50	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 64
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	73.40	74.00	-0.60	29.84	3	Vertical	357	1.71	-	43.56
AV	2.39G	49.24	54.00	-4.76	29.84	3	Vertical	357	1.71	-	19.40
PK	2.4144G	120.32	Inf	-Inf	29.88	3	Vertical	357	1.71	-	90.44
AV	2.4136G	107.27	Inf	-Inf	29.88	3	Vertical	357	1.71	-	77.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 64
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	59.98	74.00	-14.02	29.84	3	Horizontal	244	1.22	-	30.14
AV	2.39G	42.05	54.00	-11.95	29.84	3	Horizontal	244	1.22	-	12.21
PK	2.4204G	106.73	Inf	-Inf	29.89	3	Horizontal	244	1.22	-	76.84
AV	2.4194G	93.72	Inf	-Inf	29.89	3	Horizontal	244	1.22	-	63.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT X_2TX
Setting 64
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82622G	45.59	74.00	-28.41	2.97	3	Vertical	279	1.58	-	42.62
AV	4.82172G	31.88	54.00	-22.12	2.96	3	Vertical	279	1.58	-	28.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT X_2TX
Setting 64
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83504G	45.23	74.00	-28.77	3.00	3	Horizontal	195	1.47	-	42.23
AV	4.82952G	31.73	54.00	-22.27	2.98	3	Horizontal	195	1.47	-	28.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT Y_2TX
Setting 70
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	73.37	74.00	-0.63	29.84	3	Vertical	357	1.50	-	43.53
AV	2.39G	50.35	54.00	-3.65	29.84	3	Vertical	357	1.50	-	20.51
PK	2.4148G	120.84	Inf	-Inf	29.88	3	Vertical	357	1.50	-	90.96
AV	2.415G	108.44	Inf	-Inf	29.88	3	Vertical	357	1.50	-	78.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Y_2TX
Setting 70
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	59.30	74.00	-14.70	29.84	3	Horizontal	241	1.42	-	29.46
AV	2.3882G	42.43	54.00	-11.57	29.84	3	Horizontal	241	1.42	-	12.59
PK	2.4254G	109.68	Inf	-Inf	29.90	3	Horizontal	241	1.42	-	79.78
AV	2.4246G	96.38	Inf	-Inf	29.90	3	Horizontal	241	1.42	-	66.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Y_2TX
Setting 93
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	70.53	74.00	-3.47	29.84	3	Vertical	178	1.50	-	40.69
AV	2.3898G	53.27	54.00	-0.73	29.84	3	Vertical	178	1.50	-	23.43
PK	2.4302G	124.23	Inf	-Inf	29.92	3	Vertical	178	1.50	-	94.31
AV	2.4302G	112.43	Inf	-Inf	29.92	3	Vertical	178	1.50	-	82.51
PK	2.487G	69.76	74.00	-4.24	30.05	3	Vertical	178	1.50	-	39.71
AV	2.4837G	51.65	54.00	-2.35	30.05	3	Vertical	178	1.50	-	21.60

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 93
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.71	74.00	-12.29	29.84	3	Horizontal	242	1.47	-	31.87
AV	2.3898G	43.90	54.00	-10.10	29.84	3	Horizontal	242	1.47	-	14.06
PK	2.4454G	112.64	Inf	-Inf	29.95	3	Horizontal	242	1.47	-	82.69
AV	2.4462G	100.34	Inf	-Inf	29.95	3	Horizontal	242	1.47	-	70.39
PK	2.4866G	64.04	74.00	-9.96	30.05	3	Horizontal	242	1.47	-	33.99
AV	2.4835G	45.40	54.00	-8.60	30.05	3	Horizontal	242	1.47	-	15.35

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT X_2TX
 Setting 93
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86296G	53.36	74.00	-20.64	3.09	3	Vertical	215	2.11	-	50.27
AV	4.87736G	38.49	54.00	-15.51	3.13	3	Vertical	215	2.11	-	35.36
PK	7.3179G	60.04	74.00	-13.96	8.48	3	Vertical	7	1.76	-	51.56
AV	7.30896G	44.59	54.00	-9.41	8.49	3	Vertical	7	1.76	-	36.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_X_2TX
 Setting 93
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87412G	54.46	74.00	-19.54	3.12	3	Horizontal	103	1.50	-	51.34
AV	4.87544G	40.64	54.00	-13.36	3.13	3	Horizontal	103	1.50	-	37.51
PK	7.30758G	61.22	74.00	-12.78	8.49	3	Horizontal	233	2.28	-	52.73
AV	7.30428G	45.47	54.00	-8.53	8.48	3	Horizontal	233	2.28	-	36.99

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Y_2TX
Setting 73
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4526G	119.14	Inf	-Inf	29.98	3	Vertical	2	1.45	-	89.16
AV	2.4508G	107.47	Inf	-Inf	29.97	3	Vertical	2	1.45	-	77.50
PK	2.4835G	73.29	74.00	-0.71	30.05	3	Vertical	2	1.45	-	43.24
AV	2.4835G	50.74	54.00	-3.26	30.05	3	Vertical	2	1.45	-	20.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Y_2TX
Setting 73
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4656G	111.29	Inf	-Inf	30.00	3	Horizontal	240	1.53	-	81.29
AV	2.4644G	98.50	Inf	-Inf	30.00	3	Horizontal	240	1.53	-	68.50
PK	2.4836G	67.64	74.00	-6.36	30.05	3	Horizontal	240	1.53	-	37.59
AV	2.4836G	44.93	54.00	-9.07	30.05	3	Horizontal	240	1.53	-	14.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Y_2TX
Setting 67
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4702G	118.79	Inf	-Inf	30.02	3	Vertical	214	1.50	-	88.77
AV	2.4694G	105.61	Inf	-Inf	30.01	3	Vertical	214	1.50	-	75.60
PK	2.4836G	73.47	74.00	-0.53	30.05	3	Vertical	214	1.50	-	43.42
AV	2.4836G	48.15	54.00	-5.85	30.05	3	Vertical	214	1.50	-	18.10

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Y_2TX
Setting 67
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4644G	109.49	Inf	-Inf	30.00	3	Horizontal	237	1.48	-	79.49
AV	2.4634G	97.02	Inf	-Inf	30.00	3	Horizontal	237	1.48	-	67.02
PK	2.4835G	58.95	74.00	-15.05	30.05	3	Horizontal	237	1.48	-	28.90
AV	2.4836G	42.90	54.00	-11.10	30.05	3	Horizontal	237	1.48	-	12.85

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_X_2TX
Setting 67
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91896G	45.23	74.00	-28.77	3.24	3	Vertical	129	1.65	-	41.99
AV	4.9225G	32.23	54.00	-21.77	3.24	3	Vertical	129	1.65	-	28.99
PK	7.38306G	53.36	74.00	-20.64	8.52	3	Vertical	52	1.40	-	44.84
AV	7.37976G	37.68	54.00	-16.32	8.51	3	Vertical	52	1.40	-	29.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_X_2TX
Setting 67
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9234G	51.09	74.00	-22.91	3.25	3	Horizontal	171	1.85	-	47.84
AV	4.92496G	35.57	54.00	-18.43	3.25	3	Horizontal	171	1.85	-	32.32
PK	7.37148G	56.68	74.00	-17.32	8.51	3	Horizontal	119	2.06	-	48.17
AV	7.37568G	41.73	54.00	-12.27	8.51	3	Horizontal	119	2.06	-	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 63
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	73.48	74.00	-0.52	29.84	3	Vertical	200	1.50	-	43.64
AV	2.3896G	51.33	54.00	-2.67	29.84	3	Vertical	200	1.50	-	21.49
PK	2.4292G	117.98	Inf	-Inf	29.91	3	Vertical	200	1.50	-	88.07
AV	2.4272G	105.01	Inf	-Inf	29.90	3	Vertical	200	1.50	-	75.11
PK	2.4872G	61.54	74.00	-12.46	30.05	3	Vertical	200	1.50	-	31.49
AV	2.4835G	45.57	54.00	-8.43	30.05	3	Vertical	200	1.50	-	15.52

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 63
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	59.91	74.00	-14.09	29.85	3	Horizontal	229	1.48	-	30.06
AV	2.3896G	42.94	54.00	-11.06	29.84	3	Horizontal	229	1.48	-	13.10
PK	2.4396G	104.42	Inf	-Inf	29.94	3	Horizontal	229	1.48	-	74.48
AV	2.4396G	92.99	Inf	-Inf	29.94	3	Horizontal	229	1.48	-	63.05
PK	2.4888G	55.00	74.00	-19.00	30.06	3	Horizontal	229	1.48	-	24.94
AV	2.494G	42.25	54.00	-11.75	30.08	3	Horizontal	229	1.48	-	12.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_X_2TX
 Setting 63
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8362G	45.14	74.00	-28.86	3.00	3	Vertical	146	1.46	-	42.14
AV	4.83758G	31.72	54.00	-22.28	3.01	3	Vertical	146	1.46	-	28.71
PK	7.2516G	51.96	74.00	-22.04	8.30	3	Vertical	190	1.61	-	43.66
AV	7.251G	37.09	54.00	-16.91	8.30	3	Vertical	190	1.61	-	28.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT X_2TX
 Setting 63
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83674G	44.85	74.00	-29.15	3.00	3	Horizontal	206	1.49	-	41.85
AV	4.84976G	32.14	54.00	-21.86	3.05	3	Horizontal	206	1.49	-	29.09
PK	7.27356G	49.26	74.00	-24.74	8.38	3	Horizontal	94	1.05	-	40.88
AV	7.27992G	36.24	54.00	-17.76	8.41	3	Horizontal	94	1.05	-	27.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Y_2TX
Setting 70
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	73.21	74.00	-0.79	29.84	3	Vertical	352	1.50	-	43.37
AV	2.3894G	53.23	54.00	-0.77	29.84	3	Vertical	352	1.50	-	23.39
PK	2.4274G	116.85	Inf	-Inf	29.90	3	Vertical	352	1.50	-	86.95
AV	2.4302G	104.02	Inf	-Inf	29.92	3	Vertical	352	1.50	-	74.10
PK	2.4854G	72.53	74.00	-1.47	30.05	3	Vertical	352	1.50	-	42.48
AV	2.4835G	51.55	54.00	-2.45	30.05	3	Vertical	352	1.50	-	21.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX



EUT Y_2TX
Setting 70
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	62.30	74.00	-11.70	29.84	3	Horizontal	230	1.42	-	32.46
AV	2.3894G	43.12	54.00	-10.88	29.84	3	Horizontal	230	1.42	-	13.28
PK	2.4474G	107.43	Inf	-Inf	29.95	3	Horizontal	230	1.42	-	77.48
AV	2.4446G	94.81	Inf	-Inf	29.95	3	Horizontal	230	1.42	-	64.86
PK	2.4838G	61.08	74.00	-12.92	30.05	3	Horizontal	230	1.42	-	31.03
AV	2.4835G	44.36	54.00	-9.64	30.05	3	Horizontal	230	1.42	-	14.31