


802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_V_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	108.04	Inf	-Inf	31.36	3	Vertical	152	1.50	-	76.68
AV	2.4612G	104.09	Inf	-Inf	31.35	3	Vertical	152	1.50	-	72.74
PK	2.4838G	59.95	74.00	-14.05	31.39	3	Vertical	152	1.50	-	28.56
AV	2.4835G	49.21	54.00	-4.79	31.39	3	Vertical	152	1.50	-	17.82

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT Y_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	110.34	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	78.99
AV	2.4612G	106.66	Inf	-Inf	31.35	3	Horizontal	197	1.06	-	75.31
PK	2.4835G	61.10	74.00	-12.90	31.39	3	Horizontal	197	1.06	-	29.71
AV	2.496G	49.72	54.00	-4.28	31.42	3	Horizontal	197	1.06	-	18.30

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38694G	56.09	74.00	-17.91	10.76	3	Vertical	244	2.22	-	45.33
AV	7.38666G	48.93	54.00	-5.07	10.76	3	Vertical	244	2.22	-	38.17

802.11b_Nss1,(1Mbps)_2TX

23/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 83
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	7.38392G	52.35	74.00	-21.65	10.75	3	Horizontal	324	1.01	-	41.60
AV	7.38668G	39.22	54.00	-14.78	10.76	3	Horizontal	324	1.01	-	28.46

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	62.00	74.00	-12.00	31.20	3	Vertical	209	1.50	-	30.80
AV	2.3862G	47.02	54.00	-6.98	31.20	3	Vertical	209	1.50	-	15.82
PK	2.417G	106.77	Inf	-Inf	31.27	3	Vertical	209	1.50	-	75.50
AV	2.416G	97.59	Inf	-Inf	31.27	3	Vertical	209	1.50	-	66.32

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 66
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.27	74.00	-0.73	31.20	3	Horizontal	306	2.73	-	42.07
AV	2.39G	51.71	54.00	-2.29	31.20	3	Horizontal	306	2.73	-	20.51
PK	2.41G	111.37	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	80.12
AV	2.41G	102.04	Inf	-Inf	31.25	3	Horizontal	306	2.73	-	70.79

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT_Z_2TX
Setting 66
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82392G	46.09	74.00	-27.91	7.17	3	Vertical	242	1.63	-	38.92
AV	4.82464G	32.21	54.00	-21.79	7.17	3	Vertical	242	1.63	-	25.04

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
 Setting 66
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82718G	45.40	74.00	-28.60	7.18	3	Horizontal	57	1.51	-	38.22
AV	4.82592G	32.10	54.00	-21.90	7.18	3	Horizontal	57	1.51	-	24.92

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	65.59	74.00	-8.41	31.20	3	Vertical	208	1.51	-	34.39
AV	2.3896G	47.83	54.00	-6.17	31.20	3	Vertical	208	1.51	-	16.63
PK	2.4184G	108.85	Inf	-Inf	31.27	3	Vertical	208	1.51	-	77.58
AV	2.4188G	99.45	Inf	-Inf	31.27	3	Vertical	208	1.51	-	68.18

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 74
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	73.13	74.00	-0.87	31.20	3	Horizontal	301	2.74	-	41.93
AV	2.3892G	50.95	54.00	-3.05	31.20	3	Horizontal	301	2.74	-	19.75
PK	2.4222G	112.81	Inf	-Inf	31.28	3	Horizontal	301	2.74	-	81.53
AV	2.4126G	103.53	Inf	-Inf	31.26	3	Horizontal	301	2.74	-	72.27

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	61.89	74.00	-12.11	31.20	3	Vertical	12	1.81	-	30.69
AV	2.3898G	48.18	54.00	-5.82	31.20	3	Vertical	12	1.81	-	16.98
PK	2.4446G	111.08	Inf	-Inf	31.32	3	Vertical	12	1.81	-	79.76
AV	2.4394G	101.71	Inf	-Inf	31.31	3	Vertical	12	1.81	-	70.40
PK	2.4835G	70.12	74.00	-3.88	31.39	3	Vertical	12	1.81	-	38.73
AV	2.4835G	50.80	54.00	-3.20	31.39	3	Vertical	12	1.81	-	19.41

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Y_2TX
Setting 89
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	66.36	74.00	-7.64	31.20	3	Horizontal	289	2.97	-	35.16
AV	2.387G	51.66	54.00	-2.34	31.20	3	Horizontal	289	2.97	-	20.46
PK	2.4346G	117.02	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	85.72
AV	2.435G	107.87	Inf	-Inf	31.30	3	Horizontal	289	2.97	-	76.57
PK	2.4835G	71.33	74.00	-2.67	31.39	3	Horizontal	289	2.97	-	39.94
AV	2.4842G	51.72	54.00	-2.28	31.39	3	Horizontal	289	2.97	-	20.33

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT_Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87052G	45.70	74.00	-28.30	7.27	3	Vertical	124	2.34	-	38.43
AV	4.87756G	31.88	54.00	-22.12	7.30	3	Vertical	124	2.34	-	24.58

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 89
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87486G	45.90	74.00	-28.10	7.28	3	Horizontal	117	1.73	-	38.62
AV	4.87458G	32.10	54.00	-21.90	7.28	3	Horizontal	117	1.73	-	24.82

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4616G	108.50	Inf	-Inf	31.35	3	Vertical	349	1.32	-	77.15
AV	2.4612G	99.69	Inf	-Inf	31.35	3	Vertical	349	1.32	-	68.34
PK	2.4854G	67.69	74.00	-6.31	31.40	3	Vertical	349	1.32	-	36.29
AV	2.4846G	49.52	54.00	-4.48	31.40	3	Vertical	349	1.32	-	18.12

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	117.78	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	86.44
AV	2.455G	104.37	Inf	-Inf	31.34	3	Horizontal	305	2.95	-	73.03
PK	2.4838G	73.45	74.00	-0.55	31.39	3	Horizontal	305	2.95	-	42.06
AV	2.4835G	53.20	54.00	-0.80	31.39	3	Horizontal	305	2.95	-	21.81

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 65
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	105.99	Inf	-Inf	31.36	3	Vertical	0	1.61	-	74.63
AV	2.4636G	96.46	Inf	-Inf	31.36	3	Vertical	0	1.61	-	65.10
PK	2.4836G	67.09	74.00	-6.91	31.39	3	Vertical	0	1.61	-	35.70
AV	2.4835G	48.01	54.00	-5.99	31.39	3	Vertical	0	1.61	-	16.62

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 65
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4672G	111.67	Inf	-Inf	31.37	3	Horizontal	299	2.89	-	80.30
AV	2.4678G	102.23	Inf	-Inf	31.37	3	Horizontal	299	2.89	-	70.86
PK	2.4835G	73.42	74.00	-0.58	31.39	3	Horizontal	299	2.89	-	42.03
AV	2.4838G	50.54	54.00	-3.46	31.39	3	Horizontal	299	2.89	-	19.15

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
 Setting 65
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92518G	45.45	74.00	-28.55	7.42	3	Vertical	258	2.74	-	38.03
AV	4.92654G	31.75	54.00	-22.25	7.42	3	Vertical	258	2.74	-	24.33

802.11g_Nss1,(6Mbps)_2TX

24/09/2019

2462MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92506G	45.13	74.00	-28.87	7.42	3	Horizontal	331	2.66	-	37.71
AV	4.92758G	31.77	54.00	-22.23	7.42	3	Horizontal	331	2.66	-	24.35

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	61.92	74.00	-12.08	31.20	3	Vertical	218	2.99	-	30.72
AV	2.3898G	48.99	54.00	-5.01	31.20	3	Vertical	218	2.99	-	17.79
PK	2.406G	106.71	Inf	-Inf	31.24	3	Vertical	218	2.99	-	75.47
AV	2.4076G	94.93	Inf	-Inf	31.24	3	Vertical	218	2.99	-	63.69

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Y_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	69.35	74.00	-4.65	31.20	3	Horizontal	305	2.74	-	38.15
AV	2.39G	53.38	54.00	-0.62	31.20	3	Horizontal	305	2.74	-	22.18
PK	2.415G	111.89	Inf	-Inf	31.26	3	Horizontal	305	2.74	-	80.63
AV	2.4136G	100.04	Inf	-Inf	31.26	3	Horizontal	305	2.74	-	68.78

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82364G	45.95	74.00	-28.05	7.16	3	Vertical	325	2.26	-	38.79
AV	4.82598G	32.73	54.00	-21.27	7.18	3	Vertical	325	2.26	-	25.55

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2412MHz_TX




EUT Z_2TX
Setting 64
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.825G	46.08	74.00	-27.92	7.18	3	Horizontal	252	2.25	-	38.90
AV	4.82382G	32.80	54.00	-21.20	7.17	3	Horizontal	252	2.25	-	25.63

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	64.02	74.00	-9.98	31.20	3	Vertical	219	2.97	-	32.82
AV	2.39G	49.37	54.00	-4.63	31.20	3	Vertical	219	2.97	-	18.17
PK	2.4126G	109.81	Inf	-Inf	31.26	3	Vertical	219	2.97	-	78.55
AV	2.4136G	97.80	Inf	-Inf	31.26	3	Vertical	219	2.97	-	66.54

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2417MHz_TX




EUT Y_2TX
Setting 76
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	69.87	74.00	-4.13	31.20	3	Horizontal	304	2.99	-	38.67
AV	2.39G	53.43	54.00	-0.57	31.20	3	Horizontal	304	2.99	-	22.23
PK	2.4196G	114.86	Inf	-Inf	31.27	3	Horizontal	304	2.99	-	83.59
AV	2.4184G	102.83	Inf	-Inf	31.27	3	Horizontal	304	2.99	-	71.56

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.20	74.00	-11.80	31.20	3	Vertical	21	1.47	-	31.00
AV	2.3898G	49.33	54.00	-4.67	31.20	3	Vertical	21	1.47	-	18.13
PK	2.4342G	110.15	Inf	-Inf	31.29	3	Vertical	21	1.47	-	78.86
AV	2.4322G	99.35	Inf	-Inf	31.29	3	Vertical	21	1.47	-	68.06
PK	2.4858G	66.90	74.00	-7.10	31.40	3	Vertical	21	1.47	-	35.50
AV	2.4835G	51.54	54.00	-2.46	31.39	3	Vertical	21	1.47	-	20.15

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT_Y_2TX
Setting 87
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	65.66	74.00	-8.34	31.20	3	Horizontal	301	2.97	-	34.46
AV	2.3894G	53.30	54.00	-0.70	31.20	3	Horizontal	301	2.97	-	22.10
PK	2.4358G	116.86	Inf	-Inf	31.30	3	Horizontal	301	2.97	-	85.56
AV	2.4322G	105.76	Inf	-Inf	31.29	3	Horizontal	301	2.97	-	74.47
PK	2.4835G	67.10	74.00	-6.90	31.39	3	Horizontal	301	2.97	-	35.71
AV	2.4835G	52.46	54.00	-1.54	31.39	3	Horizontal	301	2.97	-	21.07

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
 Setting 87
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87674G	45.33	74.00	-28.67	7.30	3	Vertical	55	1.98	-	38.03
AV	4.87474G	32.78	54.00	-21.22	7.28	3	Vertical	55	1.98	-	25.50

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
 Setting 87
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87814G	45.61	74.00	-28.39	7.30	3	Horizontal	230	2.72	-	38.31
AV	4.87536G	32.63	54.00	-21.37	7.29	3	Horizontal	230	2.72	-	25.34

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4522G	107.50	Inf	-Inf	31.33	3	Vertical	351	1.82	-	76.17
AV	2.452G	96.65	Inf	-Inf	31.33	3	Vertical	351	1.82	-	65.32
PK	2.4835G	66.09	74.00	-7.91	31.39	3	Vertical	351	1.82	-	34.70
AV	2.4835G	50.98	54.00	-3.02	31.39	3	Vertical	351	1.82	-	19.59

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2457MHz_TX




EUT Y_2TX
Setting 73
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4556G	112.60	Inf	-Inf	31.34	3	Horizontal	297	2.95	-	81.26
AV	2.452G	101.47	Inf	-Inf	31.33	3	Horizontal	297	2.95	-	70.14
PK	2.4835G	70.84	74.00	-3.16	31.39	3	Horizontal	297	2.95	-	39.45
AV	2.4835G	53.39	54.00	-0.61	31.39	3	Horizontal	297	2.95	-	22.00

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4672G	107.16	Inf	-Inf	31.37	3	Vertical	167	2.91	-	75.79
AV	2.4636G	95.94	Inf	-Inf	31.36	3	Vertical	167	2.91	-	64.58
PK	2.484G	68.23	74.00	-5.77	31.39	3	Vertical	167	2.91	-	36.84
AV	2.484G	50.09	54.00	-3.91	31.39	3	Vertical	167	2.91	-	18.70

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.465G	113.16	Inf	-Inf	31.36	3	Horizontal	301	2.90	-	81.80
AV	2.4696G	101.14	Inf	-Inf	31.37	3	Horizontal	301	2.90	-	69.77
PK	2.4838G	72.74	74.00	-1.26	31.39	3	Horizontal	301	2.90	-	41.35
AV	2.4835G	53.37	54.00	-0.63	31.39	3	Horizontal	301	2.90	-	21.98

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92696G	45.24	74.00	-28.76	7.42	3	Vertical	314	1.04	-	37.82
AV	4.92512G	32.45	54.00	-21.55	7.42	3	Vertical	314	1.04	-	25.03

802.11ax HEW20_Nss2,(MCS0)_2TX

24/09/2019

2462MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91906G	44.96	74.00	-29.04	7.39	3	Horizontal	20	2.70	-	37.57
AV	4.9265G	32.32	54.00	-21.68	7.42	3	Horizontal	20	2.70	-	24.90

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Y_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	68.80	74.00	-5.20	31.20	3	Vertical	25	2.92	-	37.60
AV	2.388G	50.88	54.00	-3.12	31.20	3	Vertical	25	2.92	-	19.68
PK	2.4064G	103.93	Inf	-Inf	31.24	3	Vertical	25	2.92	-	72.69
AV	2.4304G	92.13	Inf	-Inf	31.29	3	Vertical	25	2.92	-	60.84
PK	2.4852G	59.86	74.00	-14.14	31.40	3	Vertical	25	2.92	-	28.46
AV	2.4972G	47.83	54.00	-6.17	31.43	3	Vertical	25	2.92	-	16.40

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Y_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	72.34	74.00	-1.66	31.20	3	Horizontal	144	3.00	-	41.14
AV	2.3892G	53.40	54.00	-0.60	31.20	3	Horizontal	144	3.00	-	22.20
PK	2.4184G	107.61	Inf	-Inf	31.27	3	Horizontal	144	3.00	-	76.34
AV	2.4184G	95.43	Inf	-Inf	31.27	3	Horizontal	144	3.00	-	64.16
PK	2.4835G	60.34	74.00	-13.66	31.39	3	Horizontal	144	3.00	-	28.95
AV	2.484G	48.08	54.00	-5.92	31.39	3	Horizontal	144	3.00	-	16.69

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84526G	46.07	74.00	-27.93	7.22	3	Vertical	277	1.76	-	38.85
AV	4.84626G	30.91	54.00	-23.09	7.22	3	Vertical	277	1.76	-	23.69

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2422MHz_TX




EUT Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84504G	45.50	74.00	-28.50	7.22	3	Horizontal	206	2.22	-	38.28
AV	4.84454G	30.91	54.00	-23.09	7.21	3	Horizontal	206	2.22	-	23.70

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	65.40	74.00	-8.60	31.20	3	Vertical	180	2.96	-	34.20
AV	2.3894G	50.89	54.00	-3.11	31.20	3	Vertical	180	2.96	-	19.69
PK	2.4282G	107.23	Inf	-Inf	31.29	3	Vertical	180	2.96	-	75.94
AV	2.4334G	94.68	Inf	-Inf	31.29	3	Vertical	180	2.96	-	63.39
PK	2.4878G	68.60	74.00	-5.40	31.41	3	Vertical	180	2.96	-	37.19
AV	2.4835G	51.68	54.00	-2.32	31.39	3	Vertical	180	2.96	-	20.29

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Y_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.71	74.00	-3.29	31.20	3	Horizontal	142	2.98	-	39.51
AV	2.3898G	53.27	54.00	-0.73	31.20	3	Horizontal	142	2.98	-	22.07
PK	2.4334G	110.27	Inf	-Inf	31.29	3	Horizontal	142	2.98	-	78.98
AV	2.433G	97.66	Inf	-Inf	31.29	3	Horizontal	142	2.98	-	66.37
PK	2.4902G	69.62	74.00	-4.38	31.41	3	Horizontal	142	2.98	-	38.21
AV	2.4835G	51.37	54.00	-2.63	31.39	3	Horizontal	142	2.98	-	19.98

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87472G	45.83	74.00	-28.17	7.28	3	Vertical	311	1.02	-	38.55
AV	4.87644G	30.91	54.00	-23.09	7.30	3	Vertical	311	1.02	-	23.61

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2437MHz_TX




EUT Z_2TX
Setting 68
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87048G	45.30	74.00	-28.70	7.27	3	Horizontal	282	2.07	-	38.03
AV	4.87642G	30.90	54.00	-23.10	7.30	3	Horizontal	282	2.07	-	23.60

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Y_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3788G	58.76	74.00	-15.24	31.18	3	Vertical	176	2.89	-	27.58
AV	2.36G	47.51	54.00	-6.49	31.13	3	Vertical	176	2.89	-	16.38
PK	2.4484G	105.60	Inf	-Inf	31.33	3	Vertical	176	2.89	-	74.27
AV	2.4512G	93.49	Inf	-Inf	31.33	3	Vertical	176	2.89	-	62.16
PK	2.4852G	71.98	74.00	-2.02	31.40	3	Vertical	176	2.89	-	40.58
AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	176	2.89	-	22.10

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Y_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3724G	60.04	74.00	-13.96	31.16	3	Horizontal	115	2.94	-	28.88
AV	2.384G	47.45	54.00	-6.55	31.19	3	Horizontal	115	2.94	-	16.26
PK	2.4484G	107.34	Inf	-Inf	31.33	3	Horizontal	115	2.94	-	76.01
AV	2.4512G	95.44	Inf	-Inf	31.33	3	Horizontal	115	2.94	-	64.11
PK	2.4868G	67.77	74.00	-6.23	31.40	3	Horizontal	115	2.94	-	36.37
AV	2.4835G	53.23	54.00	-0.77	31.39	3	Horizontal	115	2.94	-	21.84

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX




EUT Z_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9053G	45.56	74.00	-28.44	7.36	3	Vertical	138	2.27	-	38.20
AV	4.90666G	30.54	54.00	-23.46	7.36	3	Vertical	138	2.27	-	23.18

802.11ax HEW40_Nss2,(MCS0)_2TX

24/09/2019

2452MHz_TX



EUT Z_2TX
Setting 61
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90752G	44.73	74.00	-29.27	7.36	3	Horizontal	267	2.92	-	37.37
AV	4.90488G	30.51	54.00	-23.49	7.36	3	Horizontal	267	2.92	-	23.15




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.3708G	53.47	54.00	-0.53	31.16	3	Vertical	180	1.40	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	73.41	74.00	-0.59	31.20	3	Vertical	180	3.00	-	42.21
AV	2.39G	51.83	54.00	-2.17	31.20	3	Vertical	180	3.00	-	20.63
PK	2.4036G	114.89	Inf	-Inf	31.24	3	Vertical	180	3.00	-	83.65
AV	2.403G	102.17	Inf	-Inf	31.23	3	Vertical	180	3.00	-	70.94

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT Y_2TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.86	74.00	-2.14	31.20	3	Horizontal	217	2.38	-	40.66
AV	2.3894G	51.73	54.00	-2.27	31.20	3	Horizontal	217	2.38	-	20.53
PK	2.4044G	113.10	Inf	-Inf	31.24	3	Horizontal	217	2.38	-	81.86
AV	2.4032G	101.14	Inf	-Inf	31.24	3	Horizontal	217	2.38	-	69.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 65
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82178G	45.28	74.00	-28.72	7.16	3	Vertical	189	2.55	-	38.12
AV	4.82304G	31.34	54.00	-22.66	7.16	3	Vertical	189	2.55	-	24.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT Z_2TX
 Setting 65
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83498G	45.55	74.00	-28.45	7.20	3	Horizontal	125	2.05	-	38.35
AV	4.8345G	31.43	54.00	-22.57	7.20	3	Horizontal	125	2.05	-	24.23

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	73.45	74.00	-0.55	31.20	3	Vertical	190	2.99	-	42.25
AV	2.39G	52.57	54.00	-1.43	31.20	3	Vertical	190	2.99	-	21.37
PK	2.4252G	114.48	Inf	-Inf	31.28	3	Vertical	190	2.99	-	83.20
AV	2.4242G	101.60	Inf	-Inf	31.28	3	Vertical	190	2.99	-	70.32

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	68.89	74.00	-5.11	31.20	3	Horizontal	127	2.23	-	37.69
AV	2.3856G	50.99	54.00	-3.01	31.19	3	Horizontal	127	2.23	-	19.80
PK	2.4254G	116.41	Inf	-Inf	31.28	3	Horizontal	127	2.23	-	85.13
AV	2.4236G	103.71	Inf	-Inf	31.28	3	Horizontal	127	2.23	-	72.43

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	68.64	74.00	-5.36	31.20	3	Vertical	132	2.40	-	37.44
AV	2.3898G	53.34	54.00	-0.66	31.20	3	Vertical	132	2.40	-	22.14
PK	2.4454G	117.18	Inf	-Inf	31.32	3	Vertical	132	2.40	-	85.86
AV	2.4442G	105.29	Inf	-Inf	31.32	3	Vertical	132	2.40	-	73.97
PK	2.48351G	70.19	74.00	-3.81	31.39	3	Vertical	132	2.40	-	38.80
AV	2.48351G	52.68	54.00	-1.32	31.39	3	Vertical	132	2.40	-	21.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 88
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.64	74.00	-5.36	31.20	3	Horizontal	268	1.01	-	37.44
AV	2.3898G	51.56	54.00	-2.44	31.20	3	Horizontal	268	1.01	-	20.36
PK	2.4298G	118.20	Inf	-Inf	31.29	3	Horizontal	268	1.01	-	86.91
AV	2.431G	106.36	Inf	-Inf	31.29	3	Horizontal	268	1.01	-	75.07
PK	2.4842G	67.78	74.00	-6.22	31.39	3	Horizontal	268	1.01	-	36.39
AV	2.4835G	51.26	54.00	-2.74	31.39	3	Horizontal	268	1.01	-	19.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87584G	46.66	74.00	-27.34	7.29	3	Vertical	128	2.49	-	39.37
AV	4.8742G	31.59	54.00	-22.41	7.28	3	Vertical	128	2.49	-	24.31

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 88
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87436G	45.06	74.00	-28.94	7.28	3	Horizontal	95	1.80	-	37.78
AV	4.87478G	31.70	54.00	-22.30	7.28	3	Horizontal	95	1.80	-	24.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4494G	112.31	Inf	-Inf	31.33	3	Vertical	193	2.60	-	80.98
AV	2.453G	100.41	Inf	-Inf	31.33	3	Vertical	193	2.60	-	69.08
PK	2.48351G	73.36	74.00	-0.64	31.39	3	Vertical	193	2.60	-	41.97
AV	2.4844G	51.01	54.00	-2.99	31.40	3	Vertical	193	2.60	-	19.61

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Y_2TX
Setting 71
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4578G	116.21	Inf	-Inf	31.34	3	Horizontal	223	1.06	-	84.87
AV	2.4586G	103.30	Inf	-Inf	31.34	3	Horizontal	223	1.06	-	71.96
PK	2.4836G	70.08	74.00	-3.92	31.39	3	Horizontal	223	1.06	-	38.69
AV	2.4835G	50.94	54.00	-3.06	31.39	3	Horizontal	223	1.06	-	19.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Y_2TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	112.07	Inf	-Inf	31.36	3	Vertical	183	2.65	-	80.71
AV	2.4594G	99.19	Inf	-Inf	31.35	3	Vertical	183	2.65	-	67.84
PK	2.4846G	72.24	74.00	-1.76	31.40	3	Vertical	183	2.65	-	40.84
AV	2.4835G	50.53	54.00	-3.47	31.39	3	Vertical	183	2.65	-	19.14

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Y_2TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	115.98	Inf	-Inf	31.34	3	Horizontal	223	1.08	-	84.64
AV	2.4594G	102.68	Inf	-Inf	31.35	3	Horizontal	223	1.08	-	71.33
PK	2.4854G	72.96	74.00	-1.04	31.40	3	Horizontal	223	1.08	-	41.56
AV	2.4836G	53.41	54.00	-0.59	31.39	3	Horizontal	223	1.08	-	22.02

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 66
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92364G	44.67	74.00	-29.33	7.39	3	Vertical	141	2.52	-	37.28
AV	4.92688G	31.17	54.00	-22.83	7.42	3	Vertical	141	2.52	-	23.75

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93372G	44.57	74.00	-29.43	7.43	3	Horizontal	307	2.87	-	37.14
AV	4.92652G	31.03	54.00	-22.97	7.42	3	Horizontal	307	2.87	-	23.61

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3696G	71.65	74.00	-2.35	31.16	3	Vertical	180	1.40	-	40.49
AV	2.3708G	53.47	54.00	-0.53	31.16	3	Vertical	180	1.40	-	22.31
PK	2.4044G	110.25	Inf	-Inf	31.24	3	Vertical	180	1.40	-	79.01
AV	2.4044G	97.85	Inf	-Inf	31.24	3	Vertical	180	1.40	-	66.61
PK	2.4856G	61.02	74.00	-12.98	31.40	3	Vertical	180	1.40	-	29.62
AV	2.48351G	48.07	54.00	-5.93	31.39	3	Vertical	180	1.40	-	16.68

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT Y_2TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3848G	72.08	74.00	-1.92	31.19	3	Horizontal	222	1.82	-	40.89
AV	2.3884G	52.63	54.00	-1.37	31.20	3	Horizontal	222	1.82	-	21.43
PK	2.4044G	109.65	Inf	-Inf	31.24	3	Horizontal	222	1.82	-	78.41
AV	2.4048G	97.36	Inf	-Inf	31.24	3	Horizontal	222	1.82	-	66.12
PK	2.4896G	62.17	74.00	-11.83	31.41	3	Horizontal	222	1.82	-	30.76
AV	2.4852G	47.66	54.00	-6.34	31.40	3	Horizontal	222	1.82	-	16.26

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85356G	44.96	74.00	-29.04	7.24	3	Vertical	173	1.63	-	37.72
AV	4.84224G	31.21	54.00	-22.79	7.21	3	Vertical	173	1.63	-	24.00

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
 Setting 60
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83516G	45.34	74.00	-28.66	7.20	3	Horizontal	43	2.37	-	38.14
AV	4.83532G	31.41	54.00	-22.59	7.20	3	Horizontal	43	2.37	-	24.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.76	74.00	-6.24	31.20	3	Vertical	143	1.50	-	36.56
AV	2.3898G	50.25	54.00	-3.75	31.20	3	Vertical	143	1.50	-	19.05
PK	2.4474G	109.75	Inf	-Inf	31.33	3	Vertical	143	1.50	-	78.42
AV	2.4506G	96.87	Inf	-Inf	31.33	3	Vertical	143	1.50	-	65.54
PK	2.4846G	66.43	74.00	-7.57	31.40	3	Vertical	143	1.50	-	35.03
AV	2.4835G	50.94	54.00	-3.06	31.39	3	Vertical	143	1.50	-	19.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Y_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.08	74.00	-3.92	31.20	3	Horizontal	148	1.00	-	38.88
AV	2.3898G	53.37	54.00	-0.63	31.20	3	Horizontal	148	1.00	-	22.17
PK	2.4418G	110.75	Inf	-Inf	31.32	3	Horizontal	148	1.00	-	79.43
AV	2.4442G	98.47	Inf	-Inf	31.32	3	Horizontal	148	1.00	-	67.15
PK	2.4835G	68.91	74.00	-5.09	31.39	3	Horizontal	148	1.00	-	37.52
AV	2.485G	51.88	54.00	-2.12	31.40	3	Horizontal	148	1.00	-	20.48

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
Setting 66
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87628G	46.52	74.00	-27.48	7.29	3	Vertical	275	1.77	-	39.23
AV	4.87376G	31.74	54.00	-22.26	7.28	3	Vertical	275	1.77	-	24.46

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 66
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87552G	46.95	74.00	-27.05	7.29	3	Horizontal	281	2.49	-	39.66
AV	4.87496G	31.64	54.00	-22.36	7.28	3	Horizontal	281	2.49	-	24.36

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Y_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	59.27	74.00	-14.73	31.20	3	Vertical	130	1.46	-	28.07
AV	2.39G	46.97	54.00	-7.03	31.20	3	Vertical	130	1.46	-	15.77
PK	2.4484G	109.12	Inf	-Inf	31.33	3	Vertical	130	1.46	-	77.79
AV	2.4508G	96.28	Inf	-Inf	31.33	3	Vertical	130	1.46	-	64.95
PK	2.484G	66.39	74.00	-7.61	31.39	3	Vertical	130	1.46	-	35.00
AV	2.4835G	50.90	54.00	-3.10	31.39	3	Vertical	130	1.46	-	19.51

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2452MHz_TX




EUT Y_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	59.62	74.00	-14.38	31.20	3	Horizontal	119	1.00	-	28.42
AV	2.3536G	47.21	54.00	-6.79	31.12	3	Horizontal	119	1.00	-	16.09
PK	2.4412G	109.37	Inf	-Inf	31.32	3	Horizontal	119	1.00	-	78.05
AV	2.4432G	96.26	Inf	-Inf	31.32	3	Horizontal	119	1.00	-	64.94
PK	2.4956G	67.33	74.00	-6.67	31.42	3	Horizontal	119	1.00	-	35.91
AV	2.484G	53.29	54.00	-0.71	31.39	3	Horizontal	119	1.00	-	21.90

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT Z_2TX
Setting 60
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90192G	44.61	74.00	-29.39	7.35	3	Vertical	261	2.01	-	37.26
AV	4.90552G	30.78	54.00	-23.22	7.34	3	Vertical	261	2.01	-	23.44

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT Z_2TX
 Setting 60
 02-B-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90868G	45.03	74.00	-28.97	7.37	3	Horizontal	113	2.75	-	37.66
AV	4.90384G	30.87	54.00	-23.13	7.36	3	Horizontal	113	2.75	-	23.51




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	2.4838G	53.48	54.00	-0.52	30.05	3	Horizontal	187	2.27	-

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 85
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3822G	55.14	74.00	-18.86	29.85	3	Vertical	342	2.55	-	25.29
AV	2.3848G	41.99	54.00	-12.01	29.85	3	Vertical	342	2.55	-	12.14
PK	2.413G	103.33	Inf	-Inf	29.88	3	Vertical	342	2.55	-	73.45
AV	2.4128G	99.23	Inf	-Inf	29.88	3	Vertical	342	2.55	-	69.35

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 85
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.83	74.00	-13.17	29.84	3	Horizontal	0	1.02	-	30.99
AV	2.3846G	48.27	54.00	-5.73	29.85	3	Horizontal	0	1.02	-	18.42
PK	2.413G	115.77	Inf	-Inf	29.88	3	Horizontal	0	1.02	-	85.89
AV	2.4112G	111.71	Inf	-Inf	29.87	3	Horizontal	0	1.02	-	81.84

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 85
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82392G	48.71	74.00	-25.29	2.96	3	Vertical	129	1.08	-	45.75
AV	4.82396G	41.44	54.00	-12.56	2.96	3	Vertical	129	1.08	-	38.48

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 85
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8238G	55.80	74.00	-18.20	2.96	3	Horizontal	360	2.99	-	52.84
AV	4.824G	51.74	54.00	-2.26	2.96	3	Horizontal	360	2.99	-	48.78

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 82
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3758G	53.78	74.00	-20.22	29.85	3	Vertical	341	1.37	-	23.93
AV	2.3438G	41.44	54.00	-12.56	29.87	3	Vertical	341	1.37	-	11.57
PK	2.4378G	100.13	Inf	-Inf	29.94	3	Vertical	341	1.37	-	70.19
AV	2.4378G	96.18	Inf	-Inf	29.94	3	Vertical	341	1.37	-	66.24
PK	2.4934G	53.64	74.00	-20.36	30.08	3	Vertical	341	1.37	-	23.56
AV	2.485G	41.68	54.00	-12.32	30.05	3	Vertical	341	1.37	-	11.63

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 82
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3806G	57.13	74.00	-16.87	29.85	3	Horizontal	179	2.59	-	27.28
AV	2.3894G	45.46	54.00	-8.54	29.84	3	Horizontal	179	2.59	-	15.62
PK	2.4378G	114.95	Inf	-Inf	29.94	3	Horizontal	179	2.59	-	85.01
AV	2.4362G	111.05	Inf	-Inf	29.93	3	Horizontal	179	2.59	-	81.12
PK	2.4846G	56.35	74.00	-17.65	30.05	3	Horizontal	179	2.59	-	26.30
AV	2.4835G	44.68	54.00	-9.32	30.05	3	Horizontal	179	2.59	-	14.63

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
 Setting 82
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87714G	45.83	74.00	-28.17	3.13	3	Vertical	168	2.20	-	42.70
AV	4.87402G	35.85	54.00	-18.15	3.12	3	Vertical	168	2.20	-	32.73
PK	7.31162G	52.81	74.00	-21.19	8.49	3	Vertical	241	1.82	-	44.32
AV	7.30974G	41.54	54.00	-12.46	8.49	3	Vertical	241	1.82	-	33.05

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 82
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87406G	57.35	74.00	-16.65	3.12	3	Horizontal	359	2.94	-	54.23
AV	4.87402G	53.21	54.00	-0.79	3.12	3	Horizontal	359	2.94	-	50.09
PK	7.31252G	53.18	74.00	-20.82	8.48	3	Horizontal	113	2.05	-	44.70
AV	7.31172G	43.70	54.00	-10.30	8.49	3	Horizontal	113	2.05	-	35.21

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	109.42	Inf	-Inf	29.99	3	Vertical	280	2.55	-	79.43
AV	2.4612G	105.51	Inf	-Inf	29.99	3	Vertical	280	2.55	-	75.52
PK	2.4846G	57.36	74.00	-16.64	30.05	3	Vertical	280	2.55	-	27.31
AV	2.4846G	45.34	54.00	-8.66	30.05	3	Vertical	280	2.55	-	15.29

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	115.61	Inf	-Inf	29.99	3	Horizontal	1	1.00	-	85.62
AV	2.4612G	111.76	Inf	-Inf	29.99	3	Horizontal	1	1.00	-	81.77
PK	2.4844G	60.15	74.00	-13.85	30.05	3	Horizontal	1	1.00	-	30.10
AV	2.4835G	50.86	54.00	-3.14	30.05	3	Horizontal	1	1.00	-	20.81

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92392G	50.42	74.00	-23.58	3.25	3	Vertical	133	1.28	-	47.17
AV	4.924G	45.14	54.00	-8.86	3.25	3	Vertical	133	1.28	-	41.89
PK	7.38692G	54.83	74.00	-19.17	8.52	3	Vertical	43	2.58	-	46.31
AV	7.38524G	47.14	54.00	-6.86	8.52	3	Vertical	43	2.58	-	38.62

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92404G	57.37	74.00	-16.63	3.25	3	Horizontal	5	2.50	-	54.12
AV	4.924G	53.16	54.00	-0.84	3.25	3	Horizontal	5	2.50	-	49.91
PK	7.3844G	55.73	74.00	-18.27	8.52	3	Horizontal	237	2.29	-	47.21
AV	7.38528G	48.19	54.00	-5.81	8.52	3	Horizontal	237	2.29	-	39.67

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 68
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	60.81	74.00	-13.19	29.84	3	Vertical	342	2.55	-	30.97
AV	2.39G	43.16	54.00	-10.84	29.84	3	Vertical	342	2.55	-	13.32
PK	2.4136G	99.35	Inf	-Inf	29.88	3	Vertical	342	2.55	-	69.47
AV	2.4136G	89.12	Inf	-Inf	29.88	3	Vertical	342	2.55	-	59.24

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 68
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.01	74.00	-0.99	29.84	3	Horizontal	360	1.03	-	43.17
AV	2.39G	51.04	54.00	-2.96	29.84	3	Horizontal	360	1.03	-	21.20
PK	2.4136G	111.67	Inf	-Inf	29.88	3	Horizontal	360	1.03	-	81.79
AV	2.416G	101.32	Inf	-Inf	29.88	3	Horizontal	360	1.03	-	71.44

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 68
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81988G	45.09	74.00	-28.91	2.95	3	Vertical	119	1.78	-	42.14
AV	4.82418G	31.91	54.00	-22.09	2.96	3	Vertical	119	1.78	-	28.95

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 68
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82656G	45.75	74.00	-28.25	2.97	3	Horizontal	254	1.51	-	42.78
AV	4.8247G	31.99	54.00	-22.01	2.96	3	Horizontal	254	1.51	-	29.03

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 73
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	59.81	74.00	-14.19	29.84	3	Vertical	340	2.81	-	29.97
AV	2.3894G	42.79	54.00	-11.21	29.84	3	Vertical	340	2.81	-	12.95
PK	2.4194G	100.77	Inf	-Inf	29.89	3	Vertical	340	2.81	-	70.88
AV	2.4212G	90.83	Inf	-Inf	29.89	3	Vertical	340	2.81	-	60.94

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 73
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	73.02	74.00	-0.98	29.84	3	Horizontal	182	2.94	-	43.18
AV	2.39G	50.32	54.00	-3.68	29.84	3	Horizontal	182	2.94	-	20.48
PK	2.4186G	113.57	Inf	-Inf	29.89	3	Horizontal	182	2.94	-	83.68
AV	2.4186G	103.28	Inf	-Inf	29.89	3	Horizontal	182	2.94	-	73.39

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 92
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.66	74.00	-10.34	29.84	3	Vertical	264	2.78	-	33.82
AV	2.3898G	47.05	54.00	-6.95	29.84	3	Vertical	264	2.78	-	17.21
PK	2.4386G	111.35	Inf	-Inf	29.94	3	Vertical	264	2.78	-	81.41
AV	2.4398G	101.35	Inf	-Inf	29.94	3	Vertical	264	2.78	-	71.41
PK	2.4846G	66.69	74.00	-7.31	30.05	3	Vertical	264	2.78	-	36.64
AV	2.4835G	47.72	54.00	-6.28	30.05	3	Vertical	264	2.78	-	17.67

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 92
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	70.20	74.00	-3.80	29.84	3	Horizontal	180	2.60	-	40.36
AV	2.3898G	53.15	54.00	-0.85	29.84	3	Horizontal	180	2.60	-	23.31
PK	2.4386G	117.11	Inf	-Inf	29.94	3	Horizontal	180	2.60	-	87.17
AV	2.435G	107.01	Inf	-Inf	29.93	3	Horizontal	180	2.60	-	77.08
PK	2.4846G	70.65	74.00	-3.35	30.05	3	Horizontal	180	2.60	-	40.60
AV	2.4835G	50.69	54.00	-3.31	30.05	3	Horizontal	180	2.60	-	20.64

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
 Setting 92
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87064G	45.66	74.00	-28.34	3.11	3	Vertical	213	1.68	-	42.55
AV	4.87296G	32.39	54.00	-21.61	3.12	3	Vertical	213	1.68	-	29.27

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
 Setting 92
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87736G	54.81	74.00	-19.19	3.13	3	Horizontal	1	2.15	-	51.68
AV	4.87624G	40.87	54.00	-13.13	3.13	3	Horizontal	1	2.15	-	37.74

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 87
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	106.33	Inf	-Inf	29.99	3	Vertical	275	2.21	-	76.34
AV	2.4548G	96.20	Inf	-Inf	29.98	3	Vertical	275	2.21	-	66.22
PK	2.4842G	64.02	74.00	-9.98	30.05	3	Vertical	275	2.21	-	33.97
AV	2.4835G	48.11	54.00	-5.89	30.05	3	Vertical	275	2.21	-	18.06

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 87
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4586G	115.41	Inf	-Inf	29.99	3	Horizontal	185	2.27	-	85.42
AV	2.4548G	105.71	Inf	-Inf	29.98	3	Horizontal	185	2.27	-	75.73
PK	2.4842G	70.21	74.00	-3.79	30.05	3	Horizontal	185	2.27	-	40.16
AV	2.4835G	53.25	54.00	-0.75	30.05	3	Horizontal	185	2.27	-	23.20

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 73
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4554G	105.55	Inf	-Inf	29.98	3	Vertical	294	2.56	-	75.57
AV	2.4572G	95.69	Inf	-Inf	29.98	3	Vertical	294	2.56	-	65.71
PK	2.4836G	68.27	74.00	-5.73	30.05	3	Vertical	294	2.56	-	38.22
AV	2.4835G	46.54	54.00	-7.46	30.05	3	Vertical	294	2.56	-	16.49

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 73
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4554G	112.72	Inf	-Inf	29.98	3	Horizontal	187	2.28	-	82.74
AV	2.4572G	102.56	Inf	-Inf	29.98	3	Horizontal	187	2.28	-	72.58
PK	2.4835G	73.29	74.00	-0.71	30.05	3	Horizontal	187	2.28	-	43.24
AV	2.4835G	50.41	54.00	-3.59	30.05	3	Horizontal	187	2.28	-	20.36

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2462MHz_TX




EUT Z_1TX
 Setting 73
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91788G	45.58	74.00	-28.42	3.24	3	Vertical	214	1.59	-	42.34
AV	4.92192G	32.35	54.00	-21.65	3.24	3	Vertical	214	1.59	-	29.11

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2462MHz_TX




EUT Z_1TX
Setting 73
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92732G	46.12	74.00	-27.88	3.25	3	Horizontal	14	1.26	-	42.87
AV	4.9228G	32.73	54.00	-21.27	3.25	3	Horizontal	14	1.26	-	29.48

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	62.60	74.00	-11.40	29.84	3	Vertical	339	2.56	-	32.76
AV	2.39G	43.36	54.00	-10.64	29.84	3	Vertical	339	2.56	-	13.52
PK	2.4092G	99.27	Inf	-Inf	29.86	3	Vertical	339	2.56	-	69.41
AV	2.4148G	86.65	Inf	-Inf	29.88	3	Vertical	339	2.56	-	56.77

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	73.24	74.00	-0.76	29.84	3	Horizontal	359	1.02	-	43.40
AV	2.39G	50.48	54.00	-3.52	29.84	3	Horizontal	359	1.02	-	20.64
PK	2.409G	111.39	Inf	-Inf	29.86	3	Horizontal	359	1.02	-	81.53
AV	2.4148G	98.74	Inf	-Inf	29.88	3	Horizontal	359	1.02	-	68.86

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82196G	45.41	74.00	-28.59	2.96	3	Vertical	154	1.73	-	42.45
AV	4.82392G	32.40	54.00	-21.60	2.96	3	Vertical	154	1.73	-	29.44

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 59
 04-C-4
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81548G	45.97	74.00	-28.03	2.95	3	Horizontal	77	1.46	-	43.02
AV	4.81206G	32.35	54.00	-21.65	2.93	3	Horizontal	77	1.46	-	29.42

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 74
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.53	74.00	-12.47	29.84	3	Vertical	342	2.83	-	31.69
AV	2.39G	44.01	54.00	-9.99	29.84	3	Vertical	342	2.83	-	14.17
PK	2.4224G	102.44	Inf	-Inf	29.89	3	Vertical	342	2.83	-	72.55
AV	2.422G	90.27	Inf	-Inf	29.89	3	Vertical	342	2.83	-	60.38

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 74
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	73.40	74.00	-0.60	29.84	3	Horizontal	183	2.93	-	43.56
AV	2.39G	52.93	54.00	-1.07	29.84	3	Horizontal	183	2.93	-	23.09
PK	2.414G	116.16	Inf	-Inf	29.88	3	Horizontal	183	2.93	-	86.28
AV	2.4152G	103.16	Inf	-Inf	29.88	3	Horizontal	183	2.93	-	73.28

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	63.22	74.00	-10.78	29.84	3	Vertical	260	2.78	-	33.38
AV	2.3898G	46.27	54.00	-7.73	29.84	3	Vertical	260	2.78	-	16.43
PK	2.4338G	113.17	Inf	-Inf	29.93	3	Vertical	260	2.78	-	83.24
AV	2.4398G	100.28	Inf	-Inf	29.94	3	Vertical	260	2.78	-	70.34
PK	2.485G	63.52	74.00	-10.48	30.05	3	Vertical	260	2.78	-	33.47
AV	2.4838G	47.20	54.00	-6.80	30.05	3	Vertical	260	2.78	-	17.15

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	71.10	74.00	-2.90	29.84	3	Horizontal	184	2.90	-	41.26
AV	2.3898G	53.18	54.00	-0.82	29.84	3	Horizontal	184	2.90	-	23.34
PK	2.4342G	119.12	Inf	-Inf	29.93	3	Horizontal	184	2.90	-	89.19
AV	2.4298G	106.22	Inf	-Inf	29.91	3	Horizontal	184	2.90	-	76.31
PK	2.4842G	67.57	74.00	-6.43	30.05	3	Horizontal	184	2.90	-	37.52
AV	2.4835G	50.30	54.00	-3.70	30.05	3	Horizontal	184	2.90	-	20.25

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86368G	45.78	74.00	-28.22	3.09	3	Vertical	121	2.96	-	42.69
AV	4.88672G	32.40	54.00	-21.60	3.15	3	Vertical	121	2.96	-	29.25

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
Setting 90
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86112G	46.58	74.00	-27.42	3.07	3	Horizontal	193	2.46	-	43.51
AV	4.85936G	32.26	54.00	-21.74	3.07	3	Horizontal	193	2.46	-	29.19

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 80
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4538G	104.89	Inf	-Inf	29.98	3	Vertical	341	2.81	-	74.91
AV	2.4552G	91.80	Inf	-Inf	29.98	3	Vertical	341	2.81	-	61.82
PK	2.4842G	61.57	74.00	-12.43	30.05	3	Vertical	341	2.81	-	31.52
AV	2.4835G	44.95	54.00	-9.05	30.05	3	Vertical	341	2.81	-	14.90

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 80
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.454G	116.95	Inf	-Inf	29.98	3	Horizontal	187	2.27	-	86.97
AV	2.4554G	103.72	Inf	-Inf	29.98	3	Horizontal	187	2.27	-	73.74
PK	2.4838G	72.17	74.00	-1.83	30.05	3	Horizontal	187	2.27	-	42.12
AV	2.4838G	53.48	54.00	-0.52	30.05	3	Horizontal	187	2.27	-	23.43

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	107.32	Inf	-Inf	29.98	3	Vertical	280	2.66	-	77.34
AV	2.4548G	94.72	Inf	-Inf	29.98	3	Vertical	280	2.66	-	64.74
PK	2.4835G	68.08	74.00	-5.92	30.05	3	Vertical	280	2.66	-	38.03
AV	2.4835G	46.39	54.00	-7.61	30.05	3	Vertical	280	2.66	-	16.34

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2462MHz_TX




EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.455G	114.30	Inf	-Inf	29.98	3	Horizontal	187	2.28	-	84.32
AV	2.4546G	101.40	Inf	-Inf	29.98	3	Horizontal	187	2.28	-	71.42
PK	2.4835G	73.17	74.00	-0.83	30.05	3	Horizontal	187	2.28	-	43.12
AV	2.4835G	49.93	54.00	-4.07	30.05	3	Horizontal	187	2.28	-	19.88

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2462MHz_TX




EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9253G	46.47	74.00	-27.53	3.25	3	Vertical	339	1.48	-	43.22
AV	4.92038G	32.61	54.00	-21.39	3.24	3	Vertical	339	1.48	-	29.37

802.11ax HEW20_Nss1,(MCS0)_1TX

08/10/2019

2462MHz_TX




EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92072G	46.43	74.00	-27.57	3.24	3	Horizontal	259	1.66	-	43.19
AV	4.92092G	32.50	54.00	-21.50	3.24	3	Horizontal	259	1.66	-	29.26

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2422MHz_TX




EUT_Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	57.83	74.00	-16.17	29.84	3	Vertical	338	2.82	-	27.99
AV	2.3896G	44.34	54.00	-9.66	29.84	3	Vertical	338	2.82	-	14.50
PK	2.4336G	97.33	Inf	-Inf	29.93	3	Vertical	338	2.82	-	67.40
AV	2.4264G	85.21	Inf	-Inf	29.90	3	Vertical	338	2.82	-	55.31
PK	2.4835G	53.87	74.00	-20.13	30.05	3	Vertical	338	2.82	-	23.82
AV	2.4848G	42.54	54.00	-11.46	30.05	3	Vertical	338	2.82	-	12.49

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2422MHz_TX




EUT_Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	69.27	74.00	-4.73	29.84	3	Horizontal	179	2.91	-	39.43
AV	2.39G	53.46	54.00	-0.54	29.84	3	Horizontal	179	2.91	-	23.62
PK	2.4168G	109.90	Inf	-Inf	29.88	3	Horizontal	179	2.91	-	80.02
AV	2.428G	97.74	Inf	-Inf	29.91	3	Horizontal	179	2.91	-	67.83
PK	2.484G	56.56	74.00	-17.44	30.05	3	Horizontal	179	2.91	-	26.51
AV	2.4835G	43.99	54.00	-10.01	30.05	3	Horizontal	179	2.91	-	13.94

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2422MHz_TX




EUT Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85064G	46.27	74.00	-27.73	3.04	3	Vertical	238	1.57	-	43.23
AV	4.84024G	33.25	54.00	-20.75	3.02	3	Vertical	238	1.57	-	30.23

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2422MHz_TX




EUT Z_1TX
Setting 59
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84788G	45.85	74.00	-28.15	3.04	3	Horizontal	299	1.86	-	42.81
AV	4.8432G	32.98	54.00	-21.02	3.03	3	Horizontal	299	1.86	-	29.95

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 70
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.75	74.00	-17.25	29.84	3	Vertical	343	2.76	-	26.91
AV	2.3894G	43.88	54.00	-10.12	29.84	3	Vertical	343	2.76	-	14.04
PK	2.4442G	100.15	Inf	-Inf	29.95	3	Vertical	343	2.76	-	70.20
AV	2.443G	87.76	Inf	-Inf	29.95	3	Vertical	343	2.76	-	57.81
PK	2.4842G	56.89	74.00	-17.11	30.05	3	Vertical	343	2.76	-	26.84
AV	2.4835G	43.97	54.00	-10.03	30.05	3	Vertical	343	2.76	-	13.92

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 70
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	69.76	74.00	-4.24	29.84	3	Horizontal	178	2.91	-	39.92
AV	2.3898G	53.33	54.00	-0.67	29.84	3	Horizontal	178	2.91	-	23.49
PK	2.429G	112.50	Inf	-Inf	29.91	3	Horizontal	178	2.91	-	82.59
AV	2.4294G	99.78	Inf	-Inf	29.91	3	Horizontal	178	2.91	-	69.87
PK	2.4838G	66.10	74.00	-7.90	30.05	3	Horizontal	178	2.91	-	36.05
AV	2.4838G	49.64	54.00	-4.36	30.05	3	Horizontal	178	2.91	-	19.59

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
Setting 70
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8658G	46.14	74.00	-27.86	3.10	3	Vertical	308	2.10	-	43.04
AV	4.87728G	32.97	54.00	-21.03	3.13	3	Vertical	308	2.10	-	29.84

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2437MHz_TX




EUT Z_1TX
Setting 70
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8682G	48.50	74.00	-25.50	3.10	3	Horizontal	357	1.69	-	45.40
AV	4.87372G	34.26	54.00	-19.74	3.12	3	Horizontal	357	1.69	-	31.14

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2452MHz_TX




EUT_Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.38G	54.14	74.00	-19.86	29.85	3	Vertical	253	1.01	-	24.29
AV	2.3888G	42.82	54.00	-11.18	29.84	3	Vertical	253	1.01	-	12.98
PK	2.444G	99.12	Inf	-Inf	29.95	3	Vertical	253	1.01	-	69.17
AV	2.4408G	86.78	Inf	-Inf	29.94	3	Vertical	253	1.01	-	56.84
PK	2.484G	61.76	74.00	-12.24	30.05	3	Vertical	253	1.01	-	31.71
AV	2.4835G	44.73	54.00	-9.27	30.05	3	Vertical	253	1.01	-	14.68

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2452MHz_TX




EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	60.14	74.00	-13.86	29.84	3	Horizontal	186	2.27	-	30.30
AV	2.3896G	46.49	54.00	-7.51	29.84	3	Horizontal	186	2.27	-	16.65
PK	2.444G	110.94	Inf	-Inf	29.95	3	Horizontal	186	2.27	-	80.99
AV	2.4564G	99.38	Inf	-Inf	29.98	3	Horizontal	186	2.27	-	69.40
PK	2.4844G	72.86	74.00	-1.14	30.05	3	Horizontal	186	2.27	-	42.81
AV	2.484G	53.31	54.00	-0.69	30.05	3	Horizontal	186	2.27	-	23.26

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2452MHz_TX




EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91096G	46.78	74.00	-27.22	3.23	3	Vertical	157	1.51	-	43.55
AV	4.90948G	33.58	54.00	-20.42	3.22	3	Vertical	157	1.51	-	30.36

802.11ax HEW40_Nss1,(MCS0)_1TX

08/10/2019

2452MHz_TX



EUT Z_1TX
Setting 69
04-C-4
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9016G	46.10	74.00	-27.90	3.20	3	Horizontal	106	1.32	-	42.90
AV	4.90332G	33.20	54.00	-20.80	3.21	3	Horizontal	106	1.32	-	29.99




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss2,(MCS0)_2TX	Pass	PK	2.4836G	73.49	74.00	-0.51	31.39	3	Horizontal	158	2.81	-

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 75
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3772G	60.10	74.00	-13.90	31.17	3	Vertical	80	2.85	-	28.93
AV	2.3898G	48.37	54.00	-5.63	31.20	3	Vertical	80	2.85	-	17.17
PK	2.4128G	110.95	Inf	-Inf	31.26	3	Vertical	80	2.85	-	79.69
AV	2.4112G	107.17	Inf	-Inf	31.25	3	Vertical	80	2.85	-	75.92

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 75
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	63.44	74.00	-10.56	31.20	3	Horizontal	4	2.85	-	32.24
AV	2.39G	53.01	54.00	-0.99	31.20	3	Horizontal	4	2.85	-	21.81
PK	2.413G	119.63	Inf	-Inf	31.26	3	Horizontal	4	2.85	-	88.37
AV	2.4112G	115.59	Inf	-Inf	31.25	3	Horizontal	4	2.85	-	84.34

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 75
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.61798G	55.04	74.00	-18.96	4.54	3	Vertical	182	1.14	-	50.50
AV	3.61797G	52.42	54.00	-1.58	4.54	3	Vertical	182	1.14	-	47.88
PK	4.82388G	49.60	74.00	-24.40	7.17	3	Vertical	67	2.20	-	42.43
AV	4.82399G	42.37	54.00	-11.63	7.17	3	Vertical	67	2.20	-	35.20

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 75
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.61797G	53.81	74.00	-20.19	4.54	3	Horizontal	132	1.14	-	49.27
AV	3.61798G	51.19	54.00	-2.81	4.54	3	Horizontal	132	1.14	-	46.65
PK	4.82406G	57.98	74.00	-16.02	7.17	3	Horizontal	360	2.23	-	50.81
AV	4.82397G	53.25	54.00	-0.75	7.17	3	Horizontal	360	2.23	-	46.08

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 71
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.381G	59.97	74.00	-14.03	31.19	3	Vertical	259	2.54	-	28.78
AV	2.3866G	46.17	54.00	-7.83	31.20	3	Vertical	259	2.54	-	14.97
PK	2.4358G	104.84	Inf	-Inf	31.30	3	Vertical	259	2.54	-	73.54
AV	2.4362G	100.99	Inf	-Inf	31.30	3	Vertical	259	2.54	-	69.69
PK	2.489G	59.92	74.00	-14.08	31.41	3	Vertical	259	2.54	-	28.51
AV	2.4878G	46.69	54.00	-7.31	31.41	3	Vertical	259	2.54	-	15.28

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 71
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	60.60	74.00	-13.40	31.20	3	Horizontal	173	2.86	-	29.40
AV	2.3882G	48.01	54.00	-5.99	31.20	3	Horizontal	173	2.86	-	16.81
PK	2.4362G	117.88	Inf	-Inf	31.30	3	Horizontal	173	2.86	-	86.58
AV	2.4362G	114.00	Inf	-Inf	31.30	3	Horizontal	173	2.86	-	82.70
PK	2.4878G	60.68	74.00	-13.32	31.41	3	Horizontal	173	2.86	-	29.27
AV	2.4854G	48.10	54.00	-5.90	31.40	3	Horizontal	173	2.86	-	16.70

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 71
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65544G	53.30	74.00	-20.70	4.69	3	Vertical	177	1.00	-	48.61
AV	3.65547G	50.69	54.00	-3.31	4.69	3	Vertical	177	1.00	-	46.00
PK	4.87394G	49.84	74.00	-24.16	7.28	3	Vertical	61	2.07	-	42.56
AV	4.87396G	43.74	54.00	-10.26	7.28	3	Vertical	61	2.07	-	36.46

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
 Setting 71
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65551G	53.19	74.00	-20.81	4.69	3	Horizontal	140	1.40	-	48.50
AV	3.65546G	50.33	54.00	-3.67	4.69	3	Horizontal	140	1.40	-	45.64
PK	4.87399G	57.38	74.00	-16.62	7.28	3	Horizontal	336	2.23	-	50.10
AV	4.87396G	53.03	54.00	-0.97	7.28	3	Horizontal	336	2.23	-	45.75

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	107.17	Inf	-Inf	31.36	3	Vertical	64	2.48	-	75.81
AV	2.4612G	103.32	Inf	-Inf	31.35	3	Vertical	64	2.48	-	71.97
PK	2.4958G	60.30	74.00	-13.70	31.42	3	Vertical	64	2.48	-	28.88
AV	2.4884G	47.26	54.00	-6.74	31.41	3	Vertical	64	2.48	-	15.85

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 76
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.461G	119.46	Inf	-Inf	31.35	3	Horizontal	174	2.52	-	88.11
AV	2.4612G	115.55	Inf	-Inf	31.35	3	Horizontal	174	2.52	-	84.20
PK	2.484G	64.58	74.00	-9.42	31.39	3	Horizontal	174	2.52	-	33.19
AV	2.484G	52.20	54.00	-1.80	31.39	3	Horizontal	174	2.52	-	20.81

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
 Setting 76
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92399G	49.53	74.00	-24.47	7.40	3	Vertical	63	2.96	-	42.13
AV	4.92406G	43.07	54.00	-10.93	7.40	3	Vertical	63	2.96	-	35.67

802.11b_Nss1,(1Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
 Setting 76
 02-L-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92391G	57.44	74.00	-16.56	7.40	3	Horizontal	9	2.24	-	50.04
AV	4.92398G	53.31	54.00	-0.69	7.40	3	Horizontal	9	2.24	-	45.91

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 60
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	63.67	74.00	-10.33	31.20	3	Vertical	77	2.47	-	32.47
AV	2.3878G	47.15	54.00	-6.85	31.20	3	Vertical	77	2.47	-	15.95
PK	2.4178G	105.19	Inf	-Inf	31.27	3	Vertical	77	2.47	-	73.92
AV	2.4178G	95.73	Inf	-Inf	31.27	3	Vertical	77	2.47	-	64.46

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 60
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	73.42	74.00	-0.58	31.20	3	Horizontal	174	2.88	-	42.22
AV	2.3894G	51.92	54.00	-2.08	31.20	3	Horizontal	174	2.88	-	20.72
PK	2.4134G	115.97	Inf	-Inf	31.26	3	Horizontal	174	2.88	-	84.71
AV	2.4136G	106.21	Inf	-Inf	31.26	3	Horizontal	174	2.88	-	74.95

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.61796G	54.81	74.00	-19.19	4.54	3	Vertical	187	1.07	-	50.27
AV	3.618G	52.99	54.00	-1.01	4.54	3	Vertical	187	1.07	-	48.45
PK	4.82272G	45.66	74.00	-28.34	7.16	3	Vertical	189	1.52	-	38.50
AV	4.82692G	32.08	54.00	-21.92	7.18	3	Vertical	189	1.52	-	24.90

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.618G	54.51	74.00	-19.49	4.54	3	Horizontal	135	1.13	-	49.97
AV	3.61797G	52.11	54.00	-1.89	4.54	3	Horizontal	135	1.13	-	47.57
PK	4.82216G	47.06	74.00	-26.94	7.16	3	Horizontal	104	1.46	-	39.90
AV	4.82556G	32.22	54.00	-21.78	7.18	3	Horizontal	104	1.46	-	25.04

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 66
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	65.64	74.00	-8.36	31.20	3	Vertical	82	2.85	-	34.44
AV	2.3874G	47.53	54.00	-6.47	31.20	3	Vertical	82	2.85	-	16.33
PK	2.4122G	107.57	Inf	-Inf	31.25	3	Vertical	82	2.85	-	76.32
AV	2.4122G	98.55	Inf	-Inf	31.25	3	Vertical	82	2.85	-	67.30

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 66
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	73.39	74.00	-0.61	31.20	3	Horizontal	176	2.87	-	42.19
AV	2.39G	51.52	54.00	-2.48	31.20	3	Horizontal	176	2.87	-	20.32
PK	2.415G	116.79	Inf	-Inf	31.26	3	Horizontal	176	2.87	-	85.53
AV	2.4198G	107.43	Inf	-Inf	31.27	3	Horizontal	176	2.87	-	76.16

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 80
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	62.06	74.00	-11.94	31.20	3	Vertical	258	2.85	-	30.86
AV	2.3898G	47.69	54.00	-6.31	31.20	3	Vertical	258	2.85	-	16.49
PK	2.4338G	109.28	Inf	-Inf	31.29	3	Vertical	258	2.85	-	77.99
AV	2.4334G	99.74	Inf	-Inf	31.29	3	Vertical	258	2.85	-	68.45
PK	2.4922G	59.78	74.00	-14.22	31.42	3	Vertical	258	2.85	-	28.36
AV	2.4922G	47.32	54.00	-6.68	31.42	3	Vertical	258	2.85	-	15.90

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 80
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3818G	69.42	74.00	-4.58	31.19	3	Horizontal	174	2.88	-	38.23
AV	2.3898G	53.44	54.00	-0.56	31.20	3	Horizontal	174	2.88	-	22.24
PK	2.4418G	120.78	Inf	-Inf	31.32	3	Horizontal	174	2.88	-	89.46
AV	2.4322G	111.01	Inf	-Inf	31.29	3	Horizontal	174	2.88	-	79.72
PK	2.4842G	71.58	74.00	-2.42	31.39	3	Horizontal	174	2.88	-	40.19
AV	2.4842G	52.77	54.00	-1.23	31.39	3	Horizontal	174	2.88	-	21.38

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65554G	53.52	74.00	-20.48	4.69	3	Vertical	184	1.00	-	48.83
AV	3.6555G	51.23	54.00	-2.77	4.69	3	Vertical	184	1.00	-	46.54
PK	4.87684G	50.86	74.00	-23.14	7.30	3	Vertical	263	2.86	-	43.56
AV	4.87692G	36.41	54.00	-17.59	7.30	3	Vertical	263	2.86	-	29.11

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 80
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65554G	53.06	74.00	-20.94	4.69	3	Horizontal	138	1.46	-	48.37
AV	3.65546G	50.36	54.00	-3.64	4.69	3	Horizontal	138	1.46	-	45.67
PK	4.87112G	61.16	74.00	-12.84	7.28	3	Horizontal	356	2.23	-	53.88
AV	4.87616G	45.22	54.00	-8.78	7.29	3	Horizontal	356	2.23	-	37.93

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 66
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4628G	107.94	Inf	-Inf	31.36	3	Vertical	76	2.74	-	76.58
AV	2.4524G	98.47	Inf	-Inf	31.33	3	Vertical	76	2.74	-	67.14
PK	2.4838G	65.91	74.00	-8.09	31.39	3	Vertical	76	2.74	-	34.52
AV	2.4836G	47.96	54.00	-6.04	31.39	3	Vertical	76	2.74	-	16.57

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 66
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4616G	116.62	Inf	-Inf	31.35	3	Horizontal	175	2.80	-	85.27
AV	2.4612G	107.59	Inf	-Inf	31.35	3	Horizontal	175	2.80	-	76.24
PK	2.4858G	73.26	74.00	-0.74	31.40	3	Horizontal	175	2.80	-	41.86
AV	2.4835G	51.06	54.00	-2.94	31.39	3	Horizontal	175	2.80	-	19.67

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 60
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	106.00	Inf	-Inf	31.36	3	Vertical	93	2.65	-	74.64
AV	2.463G	96.78	Inf	-Inf	31.36	3	Vertical	93	2.65	-	65.42
PK	2.4836G	63.47	74.00	-10.53	31.39	3	Vertical	93	2.65	-	32.08
AV	2.4835G	47.80	54.00	-6.20	31.39	3	Vertical	93	2.65	-	16.41

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 60
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.459G	115.32	Inf	-Inf	31.34	3	Horizontal	181	2.79	-	83.98
AV	2.4642G	106.20	Inf	-Inf	31.36	3	Horizontal	181	2.79	-	74.84
PK	2.4836G	73.27	74.00	-0.73	31.39	3	Horizontal	181	2.79	-	41.88
AV	2.4838G	52.42	54.00	-1.58	31.39	3	Horizontal	181	2.79	-	21.03

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92152G	44.73	74.00	-29.27	7.39	3	Vertical	305	2.99	-	37.34
AV	4.93252G	31.31	54.00	-22.69	7.43	3	Vertical	305	2.99	-	23.88

802.11g_Nss1,(6Mbps)_2TX

04/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 60
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91488G	45.42	74.00	-28.58	7.38	3	Horizontal	326	1.91	-	38.04
AV	4.91412G	31.42	54.00	-22.58	7.38	3	Horizontal	326	1.91	-	24.04

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	62.05	74.00	-11.95	31.20	3	Vertical	62	2.87	-	30.85
AV	2.39G	47.98	54.00	-6.02	31.20	3	Vertical	62	2.87	-	16.78
PK	2.4146G	106.28	Inf	-Inf	31.26	3	Vertical	62	2.87	-	75.02
AV	2.4094G	92.57	Inf	-Inf	31.25	3	Vertical	62	2.87	-	61.32

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	73.27	74.00	-0.73	31.20	3	Horizontal	165	2.87	-	42.07
AV	2.39G	53.34	54.00	-0.66	31.20	3	Horizontal	165	2.87	-	22.14
PK	2.4132G	115.78	Inf	-Inf	31.26	3	Horizontal	165	2.87	-	84.52
AV	2.4082G	100.85	Inf	-Inf	31.24	3	Horizontal	165	2.87	-	69.61

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.61799G	54.50	74.00	-19.50	4.54	3	Vertical	183	1.02	-	49.96
AV	3.61799G	52.13	54.00	-1.87	4.54	3	Vertical	183	1.02	-	47.59
PK	4.81588G	45.92	74.00	-28.08	7.14	3	Vertical	48	1.16	-	38.78
AV	4.83364G	31.23	54.00	-22.77	7.19	3	Vertical	48	1.16	-	24.04

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.618G	54.37	74.00	-19.63	4.54	3	Horizontal	134	1.14	-	49.83
AV	3.618G	52.13	54.00	-1.87	4.54	3	Horizontal	134	1.14	-	47.59
PK	4.81604G	45.70	74.00	-28.30	7.14	3	Horizontal	34	1.90	-	38.56
AV	4.83284G	31.32	54.00	-22.68	7.19	3	Horizontal	34	1.90	-	24.13

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	67.56	74.00	-6.44	31.20	3	Vertical	87	2.59	-	36.36
AV	2.39G	48.64	54.00	-5.36	31.20	3	Vertical	87	2.59	-	17.44
PK	2.4196G	107.44	Inf	-Inf	31.27	3	Vertical	87	2.59	-	76.17
AV	2.4188G	93.45	Inf	-Inf	31.27	3	Vertical	87	2.59	-	62.18

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 67
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	72.97	74.00	-1.03	31.20	3	Horizontal	176	2.86	-	41.77
AV	2.39G	53.39	54.00	-0.61	31.20	3	Horizontal	176	2.86	-	22.19
PK	2.422G	118.06	Inf	-Inf	31.28	3	Horizontal	176	2.86	-	86.78
AV	2.4142G	103.02	Inf	-Inf	31.26	3	Horizontal	176	2.86	-	71.76

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	61.41	74.00	-12.59	31.20	3	Vertical	76	2.77	-	30.21
AV	2.389G	47.61	54.00	-6.39	31.20	3	Vertical	76	2.77	-	16.41
PK	2.4326G	110.14	Inf	-Inf	31.29	3	Vertical	76	2.77	-	78.85
AV	2.433G	96.18	Inf	-Inf	31.29	3	Vertical	76	2.77	-	64.89
PK	2.4835G	63.18	74.00	-10.82	31.39	3	Vertical	76	2.77	-	31.79
AV	2.4835G	48.08	54.00	-5.92	31.39	3	Vertical	76	2.77	-	16.69

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	69.59	74.00	-4.41	31.20	3	Horizontal	2	2.84	-	38.39
AV	2.3898G	53.46	54.00	-0.54	31.20	3	Horizontal	2	2.84	-	22.26
PK	2.4322G	119.53	Inf	-Inf	31.29	3	Horizontal	2	2.84	-	88.24
AV	2.4318G	104.89	Inf	-Inf	31.29	3	Horizontal	2	2.84	-	73.60
PK	2.4835G	71.52	74.00	-2.48	31.39	3	Horizontal	2	2.84	-	40.13
AV	2.4835G	52.69	54.00	-1.31	31.39	3	Horizontal	2	2.84	-	21.30

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65551G	54.22	74.00	-19.78	4.69	3	Vertical	267	2.09	-	49.53
AV	3.65549G	51.61	54.00	-2.39	4.69	3	Vertical	267	2.09	-	46.92
PK	4.86692G	45.07	74.00	-28.93	7.27	3	Vertical	52	1.19	-	37.80
AV	4.87452G	31.78	54.00	-22.22	7.28	3	Vertical	52	1.19	-	24.50

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 77
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65544G	52.61	74.00	-21.39	4.69	3	Horizontal	129	1.08	-	47.92
AV	3.65548G	49.83	54.00	-4.17	4.69	3	Horizontal	129	1.08	-	45.14
PK	4.87692G	45.76	74.00	-28.24	7.30	3	Horizontal	78	2.01	-	38.46
AV	4.87816G	31.80	54.00	-22.20	7.30	3	Horizontal	78	2.01	-	24.50

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4558G	107.65	Inf	-Inf	31.34	3	Vertical	78	2.74	-	76.31
AV	2.462G	93.76	Inf	-Inf	31.35	3	Vertical	78	2.74	-	62.41
PK	2.4836G	63.77	74.00	-10.23	31.39	3	Vertical	78	2.74	-	32.38
AV	2.4835G	47.92	54.00	-6.08	31.39	3	Vertical	78	2.74	-	16.53

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4526G	117.31	Inf	-Inf	31.33	3	Horizontal	158	2.81	-	85.98
AV	2.4532G	103.26	Inf	-Inf	31.34	3	Horizontal	158	2.81	-	71.92
PK	2.4836G	73.49	74.00	-0.51	31.39	3	Horizontal	158	2.81	-	42.10
AV	2.4835G	52.95	54.00	-1.05	31.39	3	Horizontal	158	2.81	-	21.56

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4608G	106.99	Inf	-Inf	31.35	3	Vertical	91	2.76	-	75.64
AV	2.463G	92.79	Inf	-Inf	31.36	3	Vertical	91	2.76	-	61.43
PK	2.4836G	61.79	74.00	-12.21	31.39	3	Vertical	91	2.76	-	30.40
AV	2.4835G	47.13	54.00	-6.87	31.39	3	Vertical	91	2.76	-	15.74

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 60
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4656G	116.35	Inf	-Inf	31.36	3	Horizontal	180	2.79	-	84.99
AV	2.463G	102.08	Inf	-Inf	31.36	3	Horizontal	180	2.79	-	70.72
PK	2.4835G	73.33	74.00	-0.67	31.39	3	Horizontal	180	2.79	-	41.94
AV	2.4835G	51.76	54.00	-2.24	31.39	3	Horizontal	180	2.79	-	20.37

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2462MHz_TX




EUT_Z_2TX
 Setting 60
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92834G	45.48	74.00	-28.52	7.42	3	Vertical	186	2.65	-	38.06
AV	4.92778G	31.16	54.00	-22.84	7.42	3	Vertical	186	2.65	-	23.74

802.11ax HEW20_Nss2,(MCS0)_2TX

04/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 60
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92154G	44.82	74.00	-29.18	7.39	3	Horizontal	301	1.36	-	37.43
AV	4.92784G	30.79	54.00	-23.21	7.42	3	Horizontal	301	1.36	-	23.37

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3864G	62.94	74.00	-11.06	31.20	3	Vertical	93	2.57	-	31.74
AV	2.388G	48.56	54.00	-5.44	31.20	3	Vertical	93	2.57	-	17.36
PK	2.406G	102.63	Inf	-Inf	31.24	3	Vertical	93	2.57	-	71.39
AV	2.4184G	89.67	Inf	-Inf	31.27	3	Vertical	93	2.57	-	58.40
PK	2.49G	59.31	74.00	-14.69	31.41	3	Vertical	93	2.57	-	27.90
AV	2.4835G	47.65	54.00	-6.35	31.39	3	Vertical	93	2.57	-	16.26

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3844G	70.86	74.00	-3.14	31.19	3	Horizontal	344	2.81	-	39.67
AV	2.388G	53.46	54.00	-0.54	31.20	3	Horizontal	344	2.81	-	22.26
PK	2.426G	110.96	Inf	-Inf	31.28	3	Horizontal	344	2.81	-	79.68
AV	2.4328G	98.90	Inf	-Inf	31.29	3	Horizontal	344	2.81	-	67.61
PK	2.4835G	62.04	Inf	-Inf	31.39	3	Horizontal	344	2.81	-	30.65
AV	2.486G	49.20	54.00	-4.80	31.40	3	Horizontal	344	2.81	-	17.80

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.63288G	53.34	74.00	-20.66	4.60	3	Vertical	177	1.23	-	48.74
AV	3.63296G	51.45	54.00	-2.55	4.60	3	Vertical	177	1.23	-	46.85
PK	4.84556G	45.39	74.00	-28.61	7.22	3	Vertical	196	2.37	-	38.17
AV	4.83452G	32.85	54.00	-21.15	7.20	3	Vertical	196	2.37	-	25.65

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.633G	53.33	74.00	-20.67	4.60	3	Horizontal	158	1.18	-	48.73
AV	3.63296G	51.03	54.00	-2.97	4.60	3	Horizontal	158	1.18	-	46.43
PK	4.84688G	45.51	74.00	-28.49	7.22	3	Horizontal	156	2.66	-	38.29
AV	4.83484G	32.69	54.00	-21.31	7.20	3	Horizontal	156	2.66	-	25.49

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 56
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	61.28	74.00	-12.72	31.20	3	Vertical	83	2.49	-	30.08
AV	2.3894G	47.94	54.00	-6.06	31.20	3	Vertical	83	2.49	-	16.74
PK	2.4354G	102.37	Inf	-Inf	31.30	3	Vertical	83	2.49	-	71.07
AV	2.4238G	90.50	Inf	-Inf	31.28	3	Vertical	83	2.49	-	59.22
PK	2.4922G	63.37	74.00	-10.63	31.42	3	Vertical	83	2.49	-	31.95
AV	2.4835G	48.43	54.00	-5.57	31.39	3	Vertical	83	2.49	-	17.04

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 56
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	63.33	74.00	-10.67	31.20	3	Horizontal	159	2.81	-	32.13
AV	2.3898G	50.29	54.00	-3.71	31.20	3	Horizontal	159	2.81	-	19.09
PK	2.4458G	112.76	Inf	-Inf	31.32	3	Horizontal	159	2.81	-	81.44
AV	2.4522G	100.61	Inf	-Inf	31.33	3	Horizontal	159	2.81	-	69.28
PK	2.4878G	71.86	74.00	-2.14	31.41	3	Horizontal	159	2.81	-	40.45
AV	2.4835G	53.48	54.00	-0.52	31.39	3	Horizontal	159	2.81	-	22.09

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT_Z_2TX
 Setting 56
 02-G-2
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65552G	52.99	74.00	-21.01	4.69	3	Vertical	201	1.19	-	48.30
AV	3.65548G	50.79	54.00	-3.21	4.69	3	Vertical	201	1.19	-	46.10
PK	4.8822G	45.04	74.00	-28.96	7.31	3	Vertical	290	2.79	-	37.73
AV	4.87508G	32.57	54.00	-21.43	7.29	3	Vertical	290	2.79	-	25.28

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2437MHz_TX




EUT Z_2TX
Setting 60
02-L-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	3.65544G	52.71	74.00	-21.29	4.69	3	Horizontal	162	1.01	-	48.02
AV	3.65548G	50.07	54.00	-3.93	4.69	3	Horizontal	162	1.01	-	45.38
PK	4.86544G	45.73	74.00	-28.27	7.26	3	Horizontal	313	2.11	-	38.47
AV	4.8786G	32.53	54.00	-21.47	7.30	3	Horizontal	313	2.11	-	25.23

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 49
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.364G	58.87	74.00	-15.13	31.14	3	Vertical	83	2.75	-	27.73
AV	2.3852G	47.26	54.00	-6.74	31.19	3	Vertical	83	2.75	-	16.07
PK	2.4616G	100.93	Inf	-Inf	31.35	3	Vertical	83	2.75	-	69.58
AV	2.4604G	89.33	Inf	-Inf	31.35	3	Vertical	83	2.75	-	57.98
PK	2.4972G	60.28	74.00	-13.72	31.43	3	Vertical	83	2.75	-	28.85
AV	2.4835G	48.35	54.00	-5.65	31.39	3	Vertical	83	2.75	-	16.96

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 49
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3896G	61.12	74.00	-12.88	31.20	3	Horizontal	168	2.80	-	29.92
AV	2.3892G	47.87	54.00	-6.13	31.20	3	Horizontal	168	2.80	-	16.67
PK	2.4484G	110.71	Inf	-Inf	31.33	3	Horizontal	168	2.80	-	79.38
AV	2.4528G	98.85	Inf	-Inf	31.33	3	Horizontal	168	2.80	-	67.52
PK	2.4835G	65.51	74.00	-8.49	31.39	3	Horizontal	168	2.80	-	34.12
AV	2.4835G	53.47	54.00	-0.53	31.39	3	Horizontal	168	2.80	-	22.08

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2452MHz_TX




EUT Z_2TX
Setting 49
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.89408G	44.77	74.00	-29.23	7.34	3	Vertical	301	1.01	-	37.43
AV	4.89708G	32.77	54.00	-21.23	7.34	3	Vertical	301	1.01	-	25.43

802.11ax HEW40_Nss2,(MCS0)_2TX

04/10/2019

2452MHz_TX



EUT Z_2TX
Setting 49
02-G-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9257G	45.80	74.00	-28.20	7.42	3	Horizontal	306	1.46	-	38.38
AV	4.92782G	32.27	54.00	-21.73	7.42	3	Horizontal	306	1.46	-	24.85




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	2.488G	73.48	74.00	-0.52	30.06	3	Horizontal	353	1.17	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
04-P-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3816G	60.52	74.00	-13.48	29.85	3	Vertical	262	2.97	-	30.67
AV	2.39G	45.30	54.00	-8.70	29.84	3	Vertical	262	2.97	-	15.46
PK	2.4204G	109.55	Inf	-Inf	29.89	3	Vertical	262	2.97	-	79.66
AV	2.4192G	96.23	Inf	-Inf	29.89	3	Vertical	262	2.97	-	66.34
PK	2.4876G	54.14	74.00	-19.86	30.06	3	Vertical	262	2.97	-	24.08
AV	2.4852G	41.92	54.00	-12.08	30.05	3	Vertical	262	2.97	-	11.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 56
04-P-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	70.65	74.00	-3.35	29.84	3	Horizontal	181	2.99	-	40.81
AV	2.39G	53.42	54.00	-0.58	29.84	3	Horizontal	181	2.99	-	23.58
PK	2.4028G	115.03	Inf	-Inf	29.85	3	Horizontal	181	2.99	-	85.18
AV	2.4032G	102.48	Inf	-Inf	29.85	3	Horizontal	181	2.99	-	72.63
PK	2.49G	54.31	74.00	-19.69	30.07	3	Horizontal	181	2.99	-	24.24
AV	2.4944G	42.53	54.00	-11.47	30.08	3	Horizontal	181	2.99	-	12.45

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT Z_2TX
Setting 56
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8198G	49.74	74.00	-24.26	2.27	3	Vertical	138	1.02	-	47.47
AV	4.82142G	35.16	54.00	-18.84	2.27	3	Vertical	138	1.02	-	32.89

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 56
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83462G	54.30	74.00	-19.70	2.30	3	Horizontal	357	2.99	-	52.00
AV	4.83426G	35.42	54.00	-18.58	2.30	3	Horizontal	357	2.99	-	33.12

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 69
04-P-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	61.88	74.00	-12.12	29.84	3	Vertical	335	2.49	-	32.04
AV	2.3898G	42.60	54.00	-11.40	29.84	3	Vertical	335	2.49	-	12.76
PK	2.415G	102.68	Inf	-Inf	29.88	3	Vertical	335	2.49	-	72.80
AV	2.413G	90.18	Inf	-Inf	29.88	3	Vertical	335	2.49	-	60.30
PK	2.485G	54.99	74.00	-19.01	30.05	3	Vertical	335	2.49	-	24.94
AV	2.4986G	41.85	54.00	-12.15	30.09	3	Vertical	335	2.49	-	11.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 69
04-P-2
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.387G	73.27	74.00	-0.73	29.84	3	Horizontal	181	1.47	-	43.43
AV	2.3894G	50.23	54.00	-3.77	29.84	3	Horizontal	181	1.47	-	20.39
PK	2.4254G	118.58	Inf	-Inf	29.90	3	Horizontal	181	1.47	-	88.68
AV	2.425G	105.41	Inf	-Inf	29.90	3	Horizontal	181	1.47	-	75.51
PK	2.4866G	57.09	74.00	-16.91	30.05	3	Horizontal	181	1.47	-	27.04
AV	2.4842G	43.51	54.00	-10.49	30.05	3	Horizontal	181	1.47	-	13.46

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	65.65	74.00	-8.35	29.84	3	Vertical	83	2.97	-	35.81
AV	2.3898G	49.14	54.00	-4.86	29.84	3	Vertical	83	2.97	-	19.30
PK	2.4454G	113.22	Inf	-Inf	29.95	3	Vertical	83	2.97	-	83.27
AV	2.4442G	100.91	Inf	-Inf	29.95	3	Vertical	83	2.97	-	70.96
PK	2.487G	68.94	74.00	-5.06	30.05	3	Vertical	83	2.97	-	38.89
AV	2.4835G	49.02	54.00	-4.98	30.05	3	Vertical	83	2.97	-	18.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3818G	72.48	74.00	-1.52	29.85	3	Horizontal	186	1.01	-	42.63
AV	2.3894G	53.38	54.00	-0.62	29.84	3	Horizontal	186	1.01	-	23.54
PK	2.4454G	121.89	Inf	-Inf	29.95	3	Horizontal	186	1.01	-	91.94
AV	2.4446G	109.75	Inf	-Inf	29.95	3	Horizontal	186	1.01	-	79.80
PK	2.4838G	72.34	74.00	-1.66	30.05	3	Horizontal	186	1.01	-	42.29
AV	2.4842G	52.16	54.00	-1.84	30.05	3	Horizontal	186	1.01	-	22.11

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8768G	56.72	74.00	-17.28	2.44	3	Vertical	164	1.04	-	54.28
AV	4.8721G	43.70	54.00	-10.30	2.44	3	Vertical	164	1.04	-	41.26
PK	7.31556G	55.14	74.00	-18.86	7.62	3	Vertical	154	1.01	-	47.52
AV	7.31526G	40.62	54.00	-13.38	7.62	3	Vertical	154	1.01	-	33.00

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 85
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8627G	56.44	74.00	-17.56	2.41	3	Horizontal	180	2.03	-	54.03
AV	4.8728G	42.73	54.00	-11.27	2.44	3	Horizontal	180	2.03	-	40.29
PK	7.30512G	52.62	74.00	-21.38	7.62	3	Horizontal	69	2.78	-	45.00
AV	7.30242G	39.28	54.00	-14.72	7.62	3	Horizontal	69	2.78	-	31.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 74
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4654G	103.90	Inf	-Inf	30.00	3	Vertical	98	1.22	-	73.90
AV	2.4644G	90.89	Inf	-Inf	30.00	3	Vertical	98	1.22	-	60.89
PK	2.4838G	63.30	74.00	-10.70	30.05	3	Vertical	98	1.22	-	33.25
AV	2.4835G	46.21	54.00	-7.79	30.05	3	Vertical	98	1.22	-	16.16

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT Z_2TX
Setting 74
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4654G	118.69	Inf	-Inf	30.00	3	Horizontal	190	1.03	-	88.69
AV	2.4644G	106.24	Inf	-Inf	30.00	3	Horizontal	190	1.03	-	76.24
PK	2.4836G	72.77	74.00	-1.23	30.05	3	Horizontal	190	1.03	-	42.72
AV	2.4835G	53.32	54.00	-0.68	30.05	3	Horizontal	190	1.03	-	23.27

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 67
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4704G	101.85	Inf	-Inf	30.02	3	Vertical	164	2.85	-	71.83
AV	2.471G	88.94	Inf	-Inf	30.02	3	Vertical	164	2.85	-	58.92
PK	2.4842G	67.53	74.00	-6.47	30.05	3	Vertical	164	2.85	-	37.48
AV	2.4835G	43.78	54.00	-10.22	30.05	3	Vertical	164	2.85	-	13.73

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Z_2TX
Setting 67
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4554G	117.18	Inf	-Inf	29.98	3	Horizontal	355	1.28	-	87.20
AV	2.4556G	104.96	Inf	-Inf	29.98	3	Horizontal	355	1.28	-	74.98
PK	2.4835G	73.42	74.00	-0.58	30.05	3	Horizontal	355	1.28	-	43.37
AV	2.4835G	50.02	54.00	-3.98	30.05	3	Horizontal	355	1.28	-	19.97

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT_Z_2TX
 Setting 67
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9198G	48.90	74.00	-25.10	2.57	3	Vertical	166	1.50	-	46.33
AV	4.9224G	36.05	54.00	-17.95	2.57	3	Vertical	166	1.50	-	33.48

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 67
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9353G	48.35	74.00	-25.65	2.60	3	Horizontal	178	1.55	-	45.75
AV	4.9277G	34.57	54.00	-19.43	2.58	3	Horizontal	178	1.55	-	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 57
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3872G	66.60	74.00	-7.40	29.84	3	Vertical	280	2.59	-	36.76
AV	2.3892G	45.49	54.00	-8.51	29.84	3	Vertical	280	2.59	-	15.65
PK	2.4276G	106.97	Inf	-Inf	29.91	3	Vertical	280	2.59	-	77.06
AV	2.4276G	93.43	Inf	-Inf	29.91	3	Vertical	280	2.59	-	63.52
PK	2.4952G	54.20	74.00	-19.80	30.08	3	Vertical	280	2.59	-	24.12
AV	2.4892G	42.25	54.00	-11.75	30.06	3	Vertical	280	2.59	-	12.19

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 57
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	69.73	74.00	-4.27	29.84	3	Horizontal	194	1.63	-	39.89
AV	2.3896G	53.46	54.00	-0.54	29.84	3	Horizontal	194	1.63	-	23.62
PK	2.4124G	112.13	Inf	-Inf	29.87	3	Horizontal	194	1.63	-	82.26
AV	2.4116G	100.14	Inf	-Inf	29.87	3	Horizontal	194	1.63	-	70.27
PK	2.4856G	58.72	74.00	-15.28	30.05	3	Horizontal	194	1.63	-	28.67
AV	2.4844G	43.55	54.00	-10.45	30.05	3	Horizontal	194	1.63	-	13.50

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
 Setting 57
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.844G	52.13	74.00	-21.87	2.34	3	Vertical	151	1.05	-	49.79
AV	4.8219G	34.21	54.00	-19.79	2.28	3	Vertical	151	1.05	-	31.93

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT Z_2TX
Setting 57
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8269G	51.34	74.00	-22.66	2.28	3	Horizontal	0	2.43	-	49.06
AV	4.8328G	34.22	54.00	-19.78	2.30	3	Horizontal	0	2.43	-	31.92

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 63
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	64.03	74.00	-9.97	29.84	3	Vertical	279	2.60	-	34.19
AV	2.3894G	44.44	54.00	-9.56	29.84	3	Vertical	279	2.60	-	14.60
PK	2.4242G	106.82	Inf	-Inf	29.90	3	Vertical	279	2.60	-	76.92
AV	2.4286G	94.96	Inf	-Inf	29.91	3	Vertical	279	2.60	-	65.05
PK	2.4835G	62.41	74.00	-11.59	30.05	3	Vertical	279	2.60	-	32.36
AV	2.4835G	43.17	54.00	-10.83	30.05	3	Vertical	279	2.60	-	13.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 63
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	72.55	74.00	-1.45	29.84	3	Horizontal	181	1.37	-	42.71
AV	2.3898G	53.44	54.00	-0.56	29.84	3	Horizontal	181	1.37	-	23.60
PK	2.433G	116.38	Inf	-Inf	29.93	3	Horizontal	181	1.37	-	86.45
AV	2.433G	103.31	Inf	-Inf	29.93	3	Horizontal	181	1.37	-	73.38
PK	2.4842G	71.68	74.00	-2.32	30.05	3	Horizontal	181	1.37	-	41.63
AV	2.4835G	50.18	54.00	-3.82	30.05	3	Horizontal	181	1.37	-	20.13

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 63
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87364G	47.08	74.00	-26.92	2.44	3	Vertical	148	1.50	-	44.64
AV	4.8593G	33.07	54.00	-20.93	2.39	3	Vertical	148	1.50	-	30.68

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 63
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.88342G	44.23	74.00	-29.77	2.46	3	Horizontal	186	2.03	-	41.77
AV	4.87904G	30.73	54.00	-23.27	2.45	3	Horizontal	186	2.03	-	28.28

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT Z_2TX
Setting 62
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3744G	54.22	74.00	-19.78	29.86	3	Vertical	98	1.24	-	24.36
AV	2.3836G	41.71	54.00	-12.29	29.85	3	Vertical	98	1.24	-	11.86
PK	2.4636G	97.47	Inf	-Inf	30.00	3	Vertical	98	1.24	-	67.47
AV	2.4656G	85.76	Inf	-Inf	30.00	3	Vertical	98	1.24	-	55.76
PK	2.4864G	61.33	74.00	-12.67	30.05	3	Vertical	98	1.24	-	31.28
AV	2.4928G	44.67	54.00	-9.33	30.08	3	Vertical	98	1.24	-	14.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 62
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3648G	65.75	74.00	-8.25	29.86	3	Horizontal	353	1.17	-	35.89
AV	2.3672G	46.54	54.00	-7.46	29.85	3	Horizontal	353	1.17	-	16.69
PK	2.4692G	114.71	Inf	-Inf	30.01	3	Horizontal	353	1.17	-	84.70
AV	2.4696G	103.41	Inf	-Inf	30.01	3	Horizontal	353	1.17	-	73.40
PK	2.488G	73.48	74.00	-0.52	30.06	3	Horizontal	353	1.17	-	43.42
AV	2.5G	51.81	54.00	-2.19	30.09	3	Horizontal	353	1.17	-	21.72

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX




EUT Z_2TX
 Setting 62
 04-L-3
 FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8931G	44.12	74.00	-29.88	2.50	3	Vertical	42	1.11	-	41.62
AV	4.9164G	31.03	54.00	-22.97	2.56	3	Vertical	42	1.11	-	28.47

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2452MHz_TX



EUT Z_2TX
Setting 62
04-L-3
FSP(100056)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9196G	43.98	74.00	-30.02	2.57	3	Horizontal	342	1.56	-	41.41
AV	4.9165G	31.21	54.00	-22.79	2.56	3	Horizontal	342	1.56	-	28.65




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	2.3856G	53.49	54.00	-0.51	31.19	3	Vertical	179	1.62

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3824G	63.31	74.00	-10.69	31.19	3	Vertical	176	2.19	-	32.12
AV	2.3882G	53.03	54.00	-0.97	31.20	3	Vertical	176	2.19	-	21.83
PK	2.413G	114.64	Inf	-Inf	31.26	3	Vertical	176	2.19	-	83.38
AV	2.4112G	110.98	Inf	-Inf	31.25	3	Vertical	176	2.19	-	79.73

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.378G	59.77	74.00	-14.23	31.17	3	Horizontal	19	1.00	-	28.60
AV	2.388G	46.74	54.00	-7.26	31.20	3	Horizontal	19	1.00	-	15.54
PK	2.411G	102.70	Inf	-Inf	31.25	3	Horizontal	19	1.00	-	71.45
AV	2.4112G	98.92	Inf	-Inf	31.25	3	Horizontal	19	1.00	-	67.67

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82393G	56.45	74.00	-17.55	7.17	3	Vertical	343	2.91	-	49.28
AV	4.82393G	53.42	54.00	-0.58	7.17	3	Vertical	343	2.91	-	46.25

802.11b_Nss1,(1Mbps)_1TX

08/10/2019

2412MHz_TX




EUT Z_1TX
Setting 76
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82409G	53.26	74.00	-20.74	7.17	3	Horizontal	344	1.32	-	46.09
AV	4.82394G	48.72	54.00	-5.28	7.17	3	Horizontal	344	1.32	-	41.55

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	60.66	74.00	-13.34	31.20	3	Vertical	186	1.94	-	29.46
AV	2.3882G	47.59	54.00	-6.41	31.20	3	Vertical	186	1.94	-	16.39
PK	2.4358G	112.13	Inf	-Inf	31.30	3	Vertical	186	1.94	-	80.83
AV	2.4362G	108.30	Inf	-Inf	31.30	3	Vertical	186	1.94	-	77.00
PK	2.4962G	60.78	74.00	-13.22	31.42	3	Vertical	186	1.94	-	29.36
AV	2.4835G	47.78	54.00	-6.22	31.39	3	Vertical	186	1.94	-	16.39

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	58.94	74.00	-15.06	31.19	3	Horizontal	19	1.17	-	27.75
AV	2.3882G	45.97	54.00	-8.03	31.20	3	Horizontal	19	1.17	-	14.77
PK	2.4378G	99.73	Inf	-Inf	31.31	3	Horizontal	19	1.17	-	68.42
AV	2.4362G	95.97	Inf	-Inf	31.30	3	Horizontal	19	1.17	-	64.67
PK	2.4858G	59.76	74.00	-14.24	31.40	3	Horizontal	19	1.17	-	28.36
AV	2.4982G	46.47	54.00	-7.53	31.43	3	Horizontal	19	1.17	-	15.04

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2437MHz_TX



EUT_Z_1TX
Setting 65
02-W-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87393G	56.46	74.00	-17.54	7.28	3	Vertical	139	1.03	-	49.18
AV	4.87396G	53.46	54.00	-0.54	7.28	3	Vertical	139	1.03	-	46.18
PK	7.31194G	49.72	74.00	-24.28	10.55	3	Vertical	3	1.92	-	39.17
AV	7.31014G	36.38	54.00	-17.62	10.54	3	Vertical	3	1.92	-	25.84



802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 65
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87399G	53.33	74.00	-20.67	7.28	3	Horizontal	178	1.47	-	46.05
AV	4.87394G	49.86	54.00	-4.14	7.28	3	Horizontal	178	1.47	-	42.58
PK	7.31224G	48.27	74.00	-25.73	10.55	3	Horizontal	302	1.85	-	37.72
AV	7.31245G	34.11	54.00	-19.89	10.55	3	Horizontal	302	1.85	-	23.56

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	115.32	Inf	-Inf	31.36	3	Vertical	167	2.33	-	83.96
AV	2.4612G	111.58	Inf	-Inf	31.35	3	Vertical	167	2.33	-	80.23
PK	2.4836G	63.99	74.00	-10.01	31.39	3	Vertical	167	2.33	-	32.60
AV	2.4835G	52.06	54.00	-1.94	31.39	3	Vertical	167	2.33	-	20.67

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2462MHz_TX



EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	103.89	Inf	-Inf	31.36	3	Horizontal	24	2.90	-	72.53
AV	2.4612G	99.96	Inf	-Inf	31.35	3	Horizontal	24	2.90	-	68.61
PK	2.4924G	59.51	74.00	-14.49	31.42	3	Horizontal	24	2.90	-	28.09
AV	2.4835G	47.01	54.00	-6.99	31.39	3	Horizontal	24	2.90	-	15.62



802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92396G	55.77	74.00	-18.23	7.40	3	Vertical	308	1.01	-	48.37
AV	4.92395G	53.06	54.00	-0.94	7.40	3	Vertical	308	1.01	-	45.66
PK	7.38544G	53.65	74.00	-20.35	10.76	3	Vertical	186	1.69	-	42.89
AV	7.38467G	45.38	54.00	-8.62	10.76	3	Vertical	186	1.69	-	34.62

802.11b_Nss1,(1Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92402G	51.64	74.00	-22.36	7.40	3	Horizontal	358	1.55	-	44.24
AV	4.92394G	46.91	54.00	-7.09	7.40	3	Horizontal	358	1.55	-	39.51
PK	7.38506G	50.79	74.00	-23.21	10.76	3	Horizontal	29	1.60	-	40.03
AV	7.3845G	36.43	54.00	-17.57	10.76	3	Horizontal	29	1.60	-	25.67

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.37	74.00	-0.63	31.20	3	Vertical	359	1.75	-	42.17
AV	2.39G	51.42	54.00	-2.58	31.20	3	Vertical	359	1.75	-	20.22
PK	2.4136G	111.59	Inf	-Inf	31.26	3	Vertical	359	1.75	-	80.33
AV	2.4044G	101.34	Inf	-Inf	31.24	3	Vertical	359	1.75	-	70.10

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3634G	59.21	74.00	-14.79	31.13	3	Horizontal	353	1.68	-	28.08
AV	2.3864G	46.42	54.00	-7.58	31.20	3	Horizontal	353	1.68	-	15.22
PK	2.4136G	95.48	Inf	-Inf	31.26	3	Horizontal	353	1.68	-	64.22
AV	2.4098G	85.60	Inf	-Inf	31.25	3	Horizontal	353	1.68	-	54.35

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2412MHz_TX




EUT_Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8214G	50.18	74.00	-23.82	7.16	3	Vertical	197	1.02	-	43.02
AV	4.8258G	36.41	54.00	-17.59	7.18	3	Vertical	197	1.02	-	29.23

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 60
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8217G	48.28	74.00	-25.72	7.16	3	Horizontal	229	1.14	-	41.12
AV	4.8247G	35.06	54.00	-18.94	7.17	3	Horizontal	229	1.14	-	27.89

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	71.55	74.00	-2.45	31.20	3	Vertical	173	2.42	-	40.35
AV	2.3898G	53.14	54.00	-0.86	31.20	3	Vertical	173	2.42	-	21.94
PK	2.4186G	113.86	Inf	-Inf	31.27	3	Vertical	173	2.42	-	82.59
AV	2.4146G	104.05	Inf	-Inf	31.26	3	Vertical	173	2.42	-	72.79
PK	2.4854G	60.22	74.00	-13.78	31.40	3	Vertical	173	2.42	-	28.82
AV	2.4842G	47.82	54.00	-6.18	31.39	3	Vertical	173	2.42	-	16.43

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 74
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3878G	60.66	74.00	-13.34	31.20	3	Horizontal	23	2.99	-	29.46
AV	2.3898G	47.13	54.00	-6.87	31.20	3	Horizontal	23	2.99	-	15.93
PK	2.4194G	103.45	Inf	-Inf	31.27	3	Horizontal	23	2.99	-	72.18
AV	2.421G	93.29	Inf	-Inf	31.27	3	Horizontal	23	2.99	-	62.02
PK	2.4942G	60.17	74.00	-13.83	31.42	3	Horizontal	23	2.99	-	28.75
AV	2.493G	46.97	54.00	-7.03	31.42	3	Horizontal	23	2.99	-	15.55

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.379G	68.39	74.00	-5.61	31.18	3	Vertical	8	2.13	-	37.21
AV	2.389G	51.84	54.00	-2.16	31.20	3	Vertical	8	2.13	-	20.64
PK	2.4418G	117.65	Inf	-Inf	31.32	3	Vertical	8	2.13	-	86.33
AV	2.441G	108.09	Inf	-Inf	31.32	3	Vertical	8	2.13	-	76.77
PK	2.4846G	73.10	74.00	-0.90	31.40	3	Vertical	8	2.13	-	41.70
AV	2.4835G	53.19	54.00	-0.81	31.39	3	Vertical	8	2.13	-	21.80

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3442G	59.36	74.00	-14.64	31.09	3	Horizontal	10	2.02	-	28.27
AV	2.3894G	46.73	54.00	-7.27	31.20	3	Horizontal	10	2.02	-	15.53
PK	2.4418G	103.27	Inf	-Inf	31.32	3	Horizontal	10	2.02	-	71.95
AV	2.441G	93.53	Inf	-Inf	31.32	3	Horizontal	10	2.02	-	62.21
PK	2.4842G	60.28	74.00	-13.72	31.39	3	Horizontal	10	2.02	-	28.89
AV	2.4894G	47.24	54.00	-6.76	31.41	3	Horizontal	10	2.02	-	15.83

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
 Setting 85
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8752G	53.78	74.00	-20.22	7.29	3	Vertical	196	1.01	-	46.49
AV	4.8733G	40.96	54.00	-13.04	7.28	3	Vertical	196	1.01	-	33.68

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8758G	50.95	74.00	-23.05	7.29	3	Horizontal	245	1.06	-	43.66
AV	4.8744G	38.43	54.00	-15.57	7.28	3	Horizontal	245	1.06	-	31.15

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	113.57	Inf	-Inf	31.35	3	Vertical	173	2.31	-	82.22
AV	2.461G	103.66	Inf	-Inf	31.35	3	Vertical	173	2.31	-	72.31
PK	2.4838G	72.51	74.00	-1.49	31.39	3	Vertical	173	2.31	-	41.12
AV	2.4835G	53.34	54.00	-0.66	31.39	3	Vertical	173	2.31	-	21.95

802.11g_Nss1,(6Mbps)_1TX

08/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 66
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4594G	102.29	Inf	-Inf	31.35	3	Horizontal	31	2.92	-	70.94
AV	2.461G	92.18	Inf	-Inf	31.35	3	Horizontal	31	2.92	-	60.83
PK	2.484G	62.22	74.00	-11.78	31.39	3	Horizontal	31	2.92	-	30.83
AV	2.4842G	47.76	54.00	-6.24	31.39	3	Horizontal	31	2.92	-	16.37

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	112.24	Inf	-Inf	31.36	3	Vertical	163	2.39	-	80.88
AV	2.4636G	101.96	Inf	-Inf	31.36	3	Vertical	163	2.39	-	70.60
PK	2.4838G	73.39	74.00	-0.61	31.39	3	Vertical	163	2.39	-	42.00
AV	2.4835G	52.01	54.00	-1.99	31.39	3	Vertical	163	2.39	-	20.62

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4636G	101.00	Inf	-Inf	31.36	3	Horizontal	24	2.90	-	69.64
AV	2.464G	90.76	Inf	-Inf	31.36	3	Horizontal	24	2.90	-	59.40
PK	2.4838G	63.14	74.00	-10.86	31.39	3	Horizontal	24	2.90	-	31.75
AV	2.4852G	47.40	54.00	-6.60	31.40	3	Horizontal	24	2.90	-	16.00

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2462MHz_TX




EUT_Z_1TX
 Setting 60
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92232G	49.84	74.00	-24.16	7.39	3	Vertical	157	1.00	-	42.45
AV	4.92404G	35.97	54.00	-18.03	7.40	3	Vertical	157	1.00	-	28.57

802.11g_Nss1,(6Mbps)_1TX

09/10/2019

2462MHz_TX




EUT Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92524G	46.92	74.00	-27.08	7.42	3	Horizontal	228	1.05	-	39.50
AV	4.92464G	33.31	54.00	-20.69	7.40	3	Horizontal	228	1.05	-	25.91

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Z_1TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3886G	73.11	74.00	-0.89	31.20	3	Vertical	183	2.41	-	41.91
AV	2.39G	53.05	54.00	-0.95	31.20	3	Vertical	183	2.41	-	21.85
PK	2.4092G	111.26	Inf	-Inf	31.24	3	Vertical	183	2.41	-	80.02
AV	2.4136G	101.49	Inf	-Inf	31.26	3	Vertical	183	2.41	-	70.23

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Z_1TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	60.96	74.00	-13.04	31.20	3	Horizontal	21	3.00	-	29.76
AV	2.39G	47.09	54.00	-6.91	31.20	3	Horizontal	21	3.00	-	15.89
PK	2.4164G	99.30	Inf	-Inf	31.27	3	Horizontal	21	3.00	-	68.03
AV	2.4192G	89.61	Inf	-Inf	31.27	3	Horizontal	21	3.00	-	58.34

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Z_1TX
 Setting 62
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8222G	50.47	74.00	-23.53	7.16	3	Vertical	203	1.01	-	43.31
AV	4.82208G	36.83	54.00	-17.17	7.16	3	Vertical	203	1.01	-	29.67

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2412MHz_TX




EUT Z_1TX
Setting 62
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82876G	49.13	74.00	-24.87	7.18	3	Horizontal	291	1.08	-	41.95
AV	4.82704G	35.01	54.00	-18.99	7.18	3	Horizontal	291	1.08	-	27.83

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	69.67	74.00	-4.33	31.20	3	Vertical	179	2.41	-	38.47
AV	2.3898G	53.23	54.00	-0.77	31.20	3	Vertical	179	2.41	-	22.03
PK	2.4142G	113.44	Inf	-Inf	31.26	3	Vertical	179	2.41	-	82.18
AV	2.4142G	103.31	Inf	-Inf	31.26	3	Vertical	179	2.41	-	72.05
PK	2.4874G	60.28	74.00	-13.72	31.40	3	Vertical	179	2.41	-	28.88
AV	2.485G	47.86	54.00	-6.14	31.40	3	Vertical	179	2.41	-	16.46

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2417MHz_TX




EUT_Z_1TX
Setting 70
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3854G	59.10	74.00	-14.90	31.19	3	Horizontal	24	3.00	-	27.91
AV	2.3898G	46.92	54.00	-7.08	31.20	3	Horizontal	24	3.00	-	15.72
PK	2.4166G	102.47	Inf	-Inf	31.27	3	Horizontal	24	3.00	-	71.20
AV	2.421G	92.16	Inf	-Inf	31.27	3	Horizontal	24	3.00	-	60.89
PK	2.4858G	59.07	74.00	-14.93	31.40	3	Horizontal	24	3.00	-	27.67
AV	2.4898G	47.01	54.00	-6.99	31.41	3	Horizontal	24	3.00	-	15.60

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.387G	67.55	74.00	-6.45	31.20	3	Vertical	170	1.73	-	36.35
AV	2.3898G	52.10	54.00	-1.90	31.20	3	Vertical	170	1.73	-	20.90
PK	2.435G	116.93	Inf	-Inf	31.30	3	Vertical	170	1.73	-	85.63
AV	2.4342G	106.85	Inf	-Inf	31.29	3	Vertical	170	1.73	-	75.56
PK	2.4862G	72.99	74.00	-1.01	31.40	3	Vertical	170	1.73	-	41.59
AV	2.4838G	53.46	54.00	-0.54	31.39	3	Vertical	170	1.73	-	22.07

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.371G	59.42	74.00	-14.58	31.16	3	Horizontal	28	2.69	-	28.26
AV	2.389G	47.03	54.00	-6.97	31.20	3	Horizontal	28	2.69	-	15.83
PK	2.4378G	105.11	Inf	-Inf	31.31	3	Horizontal	28	2.69	-	73.80
AV	2.4338G	95.07	Inf	-Inf	31.29	3	Horizontal	28	2.69	-	63.78
PK	2.4858G	61.18	74.00	-12.82	31.40	3	Horizontal	28	2.69	-	29.78
AV	2.4835G	47.54	54.00	-6.46	31.39	3	Horizontal	28	2.69	-	16.15

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
Setting 85
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87044G	53.89	74.00	-20.11	7.27	3	Vertical	253	1.00	-	46.62
AV	4.8728G	40.91	54.00	-13.09	7.28	3	Vertical	253	1.00	-	33.63

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
 Setting 85
 02-W-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8766G	51.13	74.00	-22.87	7.30	3	Horizontal	291	1.11	-	43.83
AV	4.87256G	37.84	54.00	-16.16	7.28	3	Horizontal	291	1.11	-	30.56

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT_Z_1TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.453G	113.01	Inf	-Inf	31.33	3	Vertical	175	1.54	-	81.68
AV	2.4508G	102.31	Inf	-Inf	31.33	3	Vertical	175	1.54	-	70.98
PK	2.4846G	69.78	74.00	-4.22	31.40	3	Vertical	175	1.54	-	38.38
AV	2.4835G	53.45	54.00	-0.55	31.39	3	Vertical	175	1.54	-	22.06

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2457MHz_TX




EUT Z_1TX
Setting 64
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4592G	100.53	Inf	-Inf	31.34	3	Horizontal	35	2.90	-	69.19
AV	2.461G	90.75	Inf	-Inf	31.35	3	Horizontal	35	2.90	-	59.40
PK	2.487G	62.18	74.00	-11.82	31.40	3	Horizontal	35	2.90	-	30.78
AV	2.4836G	47.60	54.00	-6.40	31.39	3	Horizontal	35	2.90	-	16.21

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4676G	111.94	Inf	-Inf	31.37	3	Vertical	176	1.40	-	80.57
AV	2.4684G	101.44	Inf	-Inf	31.37	3	Vertical	176	1.40	-	70.07
PK	2.4836G	73.37	74.00	-0.63	31.39	3	Vertical	176	1.40	-	41.98
AV	2.4835G	52.30	54.00	-1.70	31.39	3	Vertical	176	1.40	-	20.91

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4626G	100.67	Inf	-Inf	31.36	3	Horizontal	30	2.91	-	69.31
AV	2.4684G	90.68	Inf	-Inf	31.37	3	Horizontal	30	2.91	-	59.31
PK	2.484G	61.19	74.00	-12.81	31.39	3	Horizontal	30	2.91	-	29.80
AV	2.4894G	47.41	54.00	-6.59	31.41	3	Horizontal	30	2.91	-	16.00

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92372G	49.20	74.00	-24.80	7.40	3	Vertical	202	1.01	-	41.80
AV	4.92404G	36.03	54.00	-17.97	7.40	3	Vertical	202	1.01	-	28.63

802.11ax HEW20_Nss1,(MCS0)_1TX

09/10/2019

2462MHz_TX




EUT Z_1TX
Setting 60
02-W-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91744G	46.40	74.00	-27.60	7.38	3	Horizontal	212	1.06	-	39.02
AV	4.92476G	32.90	54.00	-21.10	7.40	3	Horizontal	212	1.06	-	25.50

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT_Z_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	68.96	74.00	-5.04	31.19	3	Vertical	179	1.62	-	37.77
AV	2.3856G	53.49	54.00	-0.51	31.19	3	Vertical	179	1.62	-	22.30
PK	2.414G	109.77	Inf	-Inf	31.26	3	Vertical	179	1.62	-	78.51
AV	2.4144G	97.26	Inf	-Inf	31.26	3	Vertical	179	1.62	-	66.00
PK	2.4856G	61.44	74.00	-12.56	31.40	3	Vertical	179	1.62	-	30.04
AV	2.4868G	48.69	54.00	-5.31	31.40	3	Vertical	179	1.62	-	17.29

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT_Z_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	60.20	74.00	-13.80	31.20	3	Horizontal	360	1.00	-	29.00
AV	2.3884G	47.59	54.00	-6.41	31.20	3	Horizontal	360	1.00	-	16.39
PK	2.4068G	96.89	Inf	-Inf	31.24	3	Horizontal	360	1.00	-	65.65
AV	2.4044G	84.62	Inf	-Inf	31.24	3	Horizontal	360	1.00	-	53.38
PK	2.4896G	59.43	74.00	-14.57	31.41	3	Horizontal	360	1.00	-	28.02
AV	2.4848G	47.44	54.00	-6.56	31.40	3	Horizontal	360	1.00	-	16.04

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Z_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84528G	49.43	74.00	-24.57	7.22	3	Vertical	225	1.00	-	42.21
AV	4.84992G	35.52	54.00	-18.48	7.22	3	Vertical	225	1.00	-	28.30

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2422MHz_TX




EUT Z_1TX
Setting 53
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84292G	46.62	74.00	-27.38	7.21	3	Vertical	310	1.20	-	39.41
AV	4.84236G	33.85	54.00	-20.15	7.21	3	Vertical	310	1.20	-	26.64

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	67.24	74.00	-6.76	31.20	3	Vertical	170	1.79	-	36.04
AV	2.3898G	53.49	54.00	-0.51	31.20	3	Vertical	170	1.79	-	22.29
PK	2.4462G	110.85	Inf	-Inf	31.32	3	Vertical	170	1.79	-	79.53
AV	2.4306G	98.24	Inf	-Inf	31.29	3	Vertical	170	1.79	-	66.95
PK	2.4846G	66.11	74.00	-7.89	31.40	3	Vertical	170	1.79	-	34.71
AV	2.4835G	51.83	54.00	-2.17	31.39	3	Vertical	170	1.79	-	20.44

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT_Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3526G	58.62	74.00	-15.38	31.11	3	Horizontal	334	1.00	-	27.51
AV	2.3874G	47.25	54.00	-6.75	31.20	3	Horizontal	334	1.00	-	16.05
PK	2.429G	96.90	Inf	-Inf	31.29	3	Horizontal	334	1.00	-	65.61
AV	2.4322G	84.58	Inf	-Inf	31.29	3	Horizontal	334	1.00	-	53.29
PK	2.4846G	59.53	74.00	-14.47	31.40	3	Horizontal	334	1.00	-	28.13
AV	2.4835G	47.85	54.00	-6.15	31.39	3	Horizontal	334	1.00	-	16.46

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8744G	46.27	74.00	-27.73	7.28	3	Vertical	277	1.00	-	38.99
AV	4.8753G	33.97	54.00	-20.03	7.29	3	Vertical	277	1.00	-	26.68

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2437MHz_TX




EUT Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8855G	47.35	74.00	-26.65	7.32	3	Horizontal	319	1.07	-	40.03
AV	4.874G	34.27	54.00	-19.73	7.28	3	Horizontal	319	1.07	-	26.99

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT_Z_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.388G	61.02	74.00	-12.98	31.20	3	Vertical	148	2.17	-	29.82
AV	2.384G	48.87	54.00	-5.13	31.19	3	Vertical	148	2.17	-	17.68
PK	2.444G	109.99	Inf	-Inf	31.32	3	Vertical	148	2.17	-	78.67
AV	2.4444G	97.38	Inf	-Inf	31.32	3	Vertical	148	2.17	-	66.06
PK	2.4852G	68.14	74.00	-5.86	31.40	3	Vertical	148	2.17	-	36.74
AV	2.4835G	53.43	54.00	-0.57	31.39	3	Vertical	148	2.17	-	22.04

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT_Z_1TX
Setting 52
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.386G	58.83	74.00	-15.17	31.19	3	Horizontal	329	1.00	-	27.64
AV	2.388G	46.92	54.00	-7.08	31.20	3	Horizontal	329	1.00	-	15.72
PK	2.4608G	97.05	Inf	-Inf	31.35	3	Horizontal	329	1.00	-	65.70
AV	2.4564G	84.00	Inf	-Inf	31.34	3	Horizontal	329	1.00	-	52.66
PK	2.484G	60.76	74.00	-13.24	31.39	3	Horizontal	329	1.00	-	29.37
AV	2.4984G	47.89	54.00	-6.11	31.43	3	Horizontal	329	1.00	-	16.46

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX




EUT Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90408G	46.50	74.00	-27.50	7.36	3	Vertical	261	1.33	-	39.14
AV	4.90404G	34.49	54.00	-19.51	7.36	3	Vertical	261	1.33	-	27.13

802.11ax HEW40_Nss1,(MCS0)_1TX

09/10/2019

2452MHz_TX



EUT Z_1TX
Setting 56
02-B-2
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90264G	46.76	74.00	-27.24	7.36	3	Horizontal	322	1.00	-	39.40
AV	4.89684G	34.02	54.00	-19.98	7.34	3	Horizontal	322	1.00	-	26.68




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss2,(MCS0)_2TX	Pass	AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	0	1.43	-

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3836G	62.92	74.00	-11.08	31.19	3	Vertical	3	1.62	-	31.73
AV	2.3852G	51.77	54.00	-2.23	31.19	3	Vertical	3	1.62	-	20.58
PK	2.413G	116.32	Inf	-Inf	31.26	3	Vertical	3	1.62	-	85.06
AV	2.4128G	112.43	Inf	-Inf	31.26	3	Vertical	3	1.62	-	81.17

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 59
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3716G	58.51	74.00	-15.49	31.16	3	Horizontal	175	1.02	-	27.35
AV	2.3852G	46.38	54.00	-7.62	31.19	3	Horizontal	175	1.02	-	15.19
PK	2.4128G	103.13	Inf	-Inf	31.26	3	Horizontal	175	1.02	-	71.87
AV	2.4112G	99.13	Inf	-Inf	31.25	3	Horizontal	175	1.02	-	67.88

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 59
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82396G	56.26	74.00	-17.74	7.17	3	Vertical	136	1.04	-	49.09
AV	4.82394G	53.38	54.00	-0.62	7.17	3	Vertical	136	1.04	-	46.21

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 59
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82384G	53.72	74.00	-20.28	7.17	3	Horizontal	177	1.53	-	46.55
AV	4.82394G	50.06	54.00	-3.94	7.17	3	Horizontal	177	1.53	-	42.89

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3414G	60.26	74.00	-13.74	31.08	3	Vertical	345	2.18	-	29.18
AV	2.3882G	47.91	54.00	-6.09	31.20	3	Vertical	345	2.18	-	16.71
PK	2.4378G	115.63	Inf	-Inf	31.31	3	Vertical	345	2.18	-	84.32
AV	2.4362G	111.92	Inf	-Inf	31.30	3	Vertical	345	2.18	-	80.62
PK	2.4838G	60.70	74.00	-13.30	31.39	3	Vertical	345	2.18	-	29.31
AV	2.4835G	47.68	54.00	-6.32	31.39	3	Vertical	345	2.18	-	16.29

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3894G	58.47	74.00	-15.53	31.20	3	Horizontal	194	1.01	-	27.27
AV	2.3882G	45.94	54.00	-8.06	31.20	3	Horizontal	194	1.01	-	14.74
PK	2.4378G	101.00	Inf	-Inf	31.31	3	Horizontal	194	1.01	-	69.69
AV	2.4362G	96.99	Inf	-Inf	31.30	3	Horizontal	194	1.01	-	65.69
PK	2.4835G	59.49	74.00	-14.51	31.39	3	Horizontal	194	1.01	-	28.10
AV	2.4986G	46.46	54.00	-7.54	31.43	3	Horizontal	194	1.01	-	15.03

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
 Setting 52
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87392G	56.30	74.00	-17.70	7.28	3	Vertical	139	1.10	-	49.02
AV	4.87397G	53.43	54.00	-0.57	7.28	3	Vertical	139	1.10	-	46.15

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
 Setting 52
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87398G	52.98	74.00	-21.02	7.28	3	Horizontal	189	1.62	-	45.70
AV	4.87394G	49.00	54.00	-5.00	7.28	3	Horizontal	189	1.62	-	41.72

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	116.39	Inf	-Inf	31.36	3	Vertical	346	1.18	-	85.03
AV	2.4628G	112.27	Inf	-Inf	31.36	3	Vertical	346	1.18	-	80.91
PK	2.4864G	62.42	74.00	-11.58	31.40	3	Vertical	346	1.18	-	31.02
AV	2.4886G	50.07	54.00	-3.93	31.41	3	Vertical	346	1.18	-	18.66

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.463G	102.42	Inf	-Inf	31.36	3	Horizontal	176	1.16	-	71.06
AV	2.4612G	98.57	Inf	-Inf	31.35	3	Horizontal	176	1.16	-	67.22
PK	2.4862G	59.06	74.00	-14.94	31.40	3	Horizontal	176	1.16	-	27.66
AV	2.4994G	46.55	54.00	-7.45	31.43	3	Horizontal	176	1.16	-	15.12

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92385G	55.79	74.00	-18.21	7.40	3	Vertical	138	1.01	-	48.39
AV	4.92395G	53.31	54.00	-0.69	7.40	3	Vertical	138	1.01	-	45.91

802.11b_Nss1,(1Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 55
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92382G	51.50	74.00	-22.50	7.40	3	Horizontal	172	1.18	-	44.10
AV	4.92394G	46.92	54.00	-7.08	7.40	3	Horizontal	172	1.18	-	39.52

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	73.26	74.00	-0.74	31.20	3	Vertical	340	2.44	-	42.06
AV	2.39G	52.20	54.00	-1.80	31.20	3	Vertical	340	2.44	-	21.00
PK	2.4158G	115.99	Inf	-Inf	31.27	3	Vertical	340	2.44	-	84.72
AV	2.416G	106.93	Inf	-Inf	31.27	3	Vertical	340	2.44	-	75.66

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 58
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.61	74.00	-12.39	31.20	3	Horizontal	185	1.02	-	30.41
AV	2.3864G	47.00	54.00	-7.00	31.20	3	Horizontal	185	1.02	-	15.80
PK	2.4158G	103.04	Inf	-Inf	31.27	3	Horizontal	185	1.02	-	71.77
AV	2.416G	93.95	Inf	-Inf	31.27	3	Horizontal	185	1.02	-	62.68

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 58
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.81816G	47.71	74.00	-26.29	7.15	3	Vertical	98	2.12	-	40.56
AV	4.82396G	34.21	54.00	-19.79	7.17	3	Vertical	98	2.12	-	27.04

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
 Setting 58
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83396G	46.29	74.00	-27.71	7.19	3	Horizontal	352	1.94	-	39.10
AV	4.82372G	33.38	54.00	-20.62	7.17	3	Horizontal	352	1.94	-	26.21

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	72.10	74.00	-1.90	31.20	3	Vertical	360	1.80	-	40.90
AV	2.3876G	53.26	54.00	-0.74	31.20	3	Vertical	360	1.80	-	22.06
PK	2.4126G	117.69	Inf	-Inf	31.26	3	Vertical	360	1.80	-	86.43
AV	2.4124G	108.67	Inf	-Inf	31.25	3	Vertical	360	1.80	-	77.42

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 65
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.387G	61.88	74.00	-12.12	31.20	3	Horizontal	176	1.01	-	30.68
AV	2.3868G	47.10	54.00	-6.90	31.20	3	Horizontal	176	1.01	-	15.90
PK	2.4114G	105.04	Inf	-Inf	31.25	3	Horizontal	176	1.01	-	73.79
AV	2.4122G	95.48	Inf	-Inf	31.25	3	Horizontal	176	1.01	-	64.23

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	72.01	74.00	-1.99	31.20	3	Vertical	354	2.20	-	40.81
AV	2.3886G	53.40	54.00	-0.60	31.20	3	Vertical	354	2.20	-	22.20
PK	2.4338G	120.07	Inf	-Inf	31.29	3	Vertical	354	2.20	-	88.78
AV	2.4334G	110.62	Inf	-Inf	31.29	3	Vertical	354	2.20	-	79.33
PK	2.4842G	67.71	74.00	-6.29	31.39	3	Vertical	354	2.20	-	36.32
AV	2.4835G	52.10	54.00	-1.90	31.39	3	Vertical	354	2.20	-	20.71

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3862G	59.79	74.00	-14.21	31.20	3	Horizontal	193	2.95	-	28.59
AV	2.3874G	47.13	54.00	-6.87	31.20	3	Horizontal	193	2.95	-	15.93
PK	2.4326G	107.46	Inf	-Inf	31.29	3	Horizontal	193	2.95	-	76.17
AV	2.4326G	98.27	Inf	-Inf	31.29	3	Horizontal	193	2.95	-	66.98
PK	2.4886G	59.08	74.00	-14.92	31.41	3	Horizontal	193	2.95	-	27.67
AV	2.4898G	47.00	54.00	-7.00	31.41	3	Horizontal	193	2.95	-	15.59

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2437MHz_TX




EUT Z_2TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8732G	57.62	74.00	-16.38	7.28	3	Vertical	147	1.04	-	50.34
AV	4.87392G	44.64	54.00	-9.36	7.28	3	Vertical	147	1.04	-	37.36

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 75
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87356G	53.24	74.00	-20.76	7.28	3	Horizontal	174	1.98	-	45.96
AV	4.8738G	38.93	54.00	-15.07	7.28	3	Horizontal	174	1.98	-	31.65

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4514G	117.28	Inf	-Inf	31.33	3	Vertical	360	1.02	-	85.95
AV	2.461G	108.02	Inf	-Inf	31.35	3	Vertical	360	1.02	-	76.67
PK	2.4862G	72.94	74.00	-1.06	31.40	3	Vertical	360	1.02	-	41.54
AV	2.4864G	53.49	54.00	-0.51	31.40	3	Vertical	360	1.02	-	22.09

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4514G	104.18	Inf	-Inf	31.33	3	Horizontal	187	1.20	-	72.85
AV	2.461G	94.82	Inf	-Inf	31.35	3	Horizontal	187	1.20	-	63.47
PK	2.485G	63.56	74.00	-10.44	31.40	3	Horizontal	187	1.20	-	32.16
AV	2.4852G	47.63	54.00	-6.37	31.40	3	Horizontal	187	1.20	-	16.23

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 57
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4658G	115.86	Inf	-Inf	31.37	3	Vertical	3	2.14	-	84.49
AV	2.466G	106.95	Inf	-Inf	31.37	3	Vertical	3	2.14	-	75.58
PK	2.4862G	73.39	74.00	-0.61	31.40	3	Vertical	3	2.14	-	41.99
AV	2.4858G	52.84	54.00	-1.16	31.40	3	Vertical	3	2.14	-	21.44

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 57
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4658G	103.26	Inf	-Inf	31.37	3	Horizontal	179	1.17	-	71.89
AV	2.466G	94.25	Inf	-Inf	31.37	3	Horizontal	179	1.17	-	62.88
PK	2.4856G	61.27	74.00	-12.73	31.40	3	Horizontal	179	1.17	-	29.87
AV	2.4866G	47.26	54.00	-6.74	31.40	3	Horizontal	179	1.17	-	15.86

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
 Setting 57
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92336G	53.23	74.00	-20.77	7.39	3	Vertical	147	1.31	-	45.84
AV	4.92384G	39.88	54.00	-14.12	7.40	3	Vertical	147	1.31	-	32.48

802.11g_Nss1,(6Mbps)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 57
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91908G	48.71	74.00	-25.29	7.39	3	Horizontal	293	2.06	-	41.32
AV	4.92416G	35.59	54.00	-18.41	7.40	3	Horizontal	293	2.06	-	28.19

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	68.20	74.00	-5.80	31.20	3	Vertical	5	2.24	-	37.00
AV	2.3898G	53.39	54.00	-0.61	31.20	3	Vertical	5	2.24	-	22.19
PK	2.4068G	114.11	Inf	-Inf	31.24	3	Vertical	5	2.24	-	82.87
AV	2.4136G	102.92	Inf	-Inf	31.26	3	Vertical	5	2.24	-	71.66

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3722G	59.70	74.00	-14.30	31.16	3	Horizontal	181	1.18	-	28.54
AV	2.3888G	47.30	54.00	-6.70	31.20	3	Horizontal	181	1.18	-	16.10
PK	2.4156G	102.37	Inf	-Inf	31.26	3	Horizontal	181	1.18	-	71.11
AV	2.414G	89.77	Inf	-Inf	31.26	3	Horizontal	181	1.18	-	58.51

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2412MHz_TX



EUT Z_2TX
 Setting 53
 02-G-3
 FSU(100015)


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82772G	48.36	74.00	-25.64	7.18	3	Vertical	307	1.54	-	41.18
AV	4.82444G	35.72	54.00	-18.28	7.17	3	Vertical	307	1.54	-	28.55



802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2412MHz_TX




EUT Z_2TX
 Setting 53
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.82412G	47.33	74.00	-26.67	7.17	3	Horizontal	282	1.86	-	40.16
AV	4.82376G	34.73	54.00	-19.27	7.17	3	Horizontal	282	1.86	-	27.56

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	71.44	74.00	-2.56	31.20	3	Vertical	359	2.44	-	40.24
AV	2.3884G	53.44	54.00	-0.56	31.20	3	Vertical	359	2.44	-	22.24
PK	2.4218G	117.27	Inf	-Inf	31.27	3	Vertical	359	2.44	-	86.00
AV	2.4126G	105.74	Inf	-Inf	31.26	3	Vertical	359	2.44	-	74.48

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 62
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.389G	59.32	74.00	-14.68	31.20	3	Horizontal	184	1.58	-	28.12
AV	2.3856G	47.58	54.00	-6.42	31.19	3	Horizontal	184	1.58	-	16.39
PK	2.4206G	103.33	Inf	-Inf	31.27	3	Horizontal	184	1.58	-	72.06
AV	2.4128G	92.47	Inf	-Inf	31.26	3	Horizontal	184	1.58	-	61.21

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3882G	67.67	74.00	-6.33	31.20	3	Vertical	3	1.25	-	36.47
AV	2.3898G	53.29	54.00	-0.71	31.20	3	Vertical	3	1.25	-	22.09
PK	2.4322G	118.81	Inf	-Inf	31.29	3	Vertical	3	1.25	-	87.52
AV	2.4322G	107.31	Inf	-Inf	31.29	3	Vertical	3	1.25	-	76.02
PK	2.4835G	67.86	74.00	-6.14	31.39	3	Vertical	3	1.25	-	36.47
AV	2.4838G	53.00	54.00	-1.00	31.39	3	Vertical	3	1.25	-	21.61

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3874G	58.87	74.00	-15.13	31.20	3	Horizontal	195	2.95	-	27.67
AV	2.3898G	47.63	54.00	-6.37	31.20	3	Horizontal	195	2.95	-	16.43
PK	2.4322G	106.56	Inf	-Inf	31.29	3	Horizontal	195	2.95	-	75.27
AV	2.4322G	95.06	Inf	-Inf	31.29	3	Horizontal	195	2.95	-	63.77
PK	2.4974G	59.33	74.00	-14.67	31.43	3	Horizontal	195	2.95	-	27.90
AV	2.4978G	47.64	54.00	-6.36	31.43	3	Horizontal	195	2.95	-	16.21

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 70
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87276G	50.99	74.00	-23.01	7.28	3	Vertical	51	1.08	-	43.71
AV	4.87272G	38.99	54.00	-15.01	7.28	3	Vertical	51	1.08	-	31.71

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 70
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86892G	48.26	74.00	-25.74	7.27	3	Horizontal	152	2.02	-	40.99
AV	4.87408G	35.90	54.00	-18.10	7.28	3	Horizontal	152	2.02	-	28.62

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 57
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4518G	116.46	Inf	-Inf	31.33	3	Vertical	357	1.30	-	85.13
AV	2.4584G	104.31	Inf	-Inf	31.34	3	Vertical	357	1.30	-	72.97
PK	2.4836G	68.68	74.00	-5.32	31.39	3	Vertical	357	1.30	-	37.29
AV	2.4835G	53.32	54.00	-0.68	31.39	3	Vertical	357	1.30	-	21.93

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 57
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4526G	103.52	Inf	-Inf	31.33	3	Horizontal	183	1.22	-	72.19
AV	2.4514G	91.42	Inf	-Inf	31.33	3	Horizontal	183	1.22	-	60.09
PK	2.4884G	60.66	74.00	-13.34	31.41	3	Horizontal	183	1.22	-	29.25
AV	2.4838G	47.81	54.00	-6.19	31.39	3	Horizontal	183	1.22	-	16.42

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3856G	60.23	74.00	-13.77	31.19	3	Vertical	346	1.22	-	29.04
AV	2.3888G	48.54	54.00	-5.46	31.20	3	Vertical	346	1.22	-	17.34
PK	2.4548G	114.90	Inf	-Inf	31.34	3	Vertical	346	1.22	-	83.56
AV	2.4636G	103.82	Inf	-Inf	31.36	3	Vertical	346	1.22	-	72.46
PK	2.4835G	70.35	74.00	-3.65	31.39	3	Vertical	346	1.22	-	38.96
AV	2.484G	53.27	54.00	-0.73	31.39	3	Vertical	346	1.22	-	21.88

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3808G	58.64	74.00	-15.36	31.19	3	Horizontal	176	1.16	-	27.45
AV	2.3708G	46.92	54.00	-7.08	31.16	3	Horizontal	176	1.16	-	15.76
PK	2.4612G	103.93	Inf	-Inf	31.35	3	Horizontal	176	1.16	-	72.58
AV	2.464G	90.67	Inf	-Inf	31.36	3	Horizontal	176	1.16	-	59.31
PK	2.486G	59.88	74.00	-14.12	31.40	3	Horizontal	176	1.16	-	28.48
AV	2.4835G	48.02	54.00	-5.98	31.39	3	Horizontal	176	1.16	-	16.63

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2462MHz_TX




EUT Z_2TX
Setting 53
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.9249G	50.35	74.00	-23.65	7.40	3	Vertical	15	2.05	-	42.95
AV	4.9239G	38.17	54.00	-15.83	7.40	3	Vertical	15	2.05	-	30.77

802.11ax HEW20_Nss2,(MCS0)_2TX

09/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 53
 02-G-3
 FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.93012G	45.37	74.00	-28.63	7.43	3	Horizontal	317	1.97	-	37.94
AV	4.92788G	32.73	54.00	-21.27	7.42	3	Horizontal	317	1.97	-	25.31

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.384G	70.73	74.00	-3.27	31.19	3	Vertical	2	1.81	-	39.54
AV	2.3884G	53.44	54.00	-0.56	31.20	3	Vertical	2	1.81	-	22.24
PK	2.4128G	109.99	Inf	-Inf	31.26	3	Vertical	2	1.81	-	78.73
AV	2.4116G	98.62	Inf	-Inf	31.25	3	Vertical	2	1.81	-	67.37
PK	2.4835G	62.54	74.00	-11.46	31.39	3	Vertical	2	1.81	-	31.15
AV	2.4884G	48.80	54.00	-5.20	31.41	3	Vertical	2	1.81	-	17.39

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3892G	60.73	74.00	-13.27	31.20	3	Horizontal	189	1.56	-	29.53
AV	2.3844G	47.59	54.00	-6.41	31.19	3	Horizontal	189	1.56	-	16.40
PK	2.4132G	97.63	Inf	-Inf	31.26	3	Horizontal	189	1.56	-	66.37
AV	2.4116G	85.88	Inf	-Inf	31.25	3	Horizontal	189	1.56	-	54.63
PK	2.4908G	59.17	74.00	-14.83	31.42	3	Horizontal	189	1.56	-	27.75
AV	2.4988G	47.39	54.00	-6.61	31.43	3	Horizontal	189	1.56	-	15.96

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 47
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84272G	49.02	74.00	-24.98	7.21	3	Vertical	356	1.17	-	41.81
AV	4.8436G	35.98	54.00	-18.02	7.21	3	Vertical	356	1.17	-	28.77

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2422MHz_TX




EUT Z_2TX
Setting 47
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83872G	46.96	74.00	-27.04	7.20	3	Horizontal	319	2.30	-	39.76
AV	4.8416G	33.89	54.00	-20.11	7.21	3	Horizontal	319	2.30	-	26.68

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	68.51	74.00	-5.49	31.20	3	Vertical	3	1.52	-	37.31
AV	2.3894G	53.10	54.00	-0.90	31.20	3	Vertical	3	1.52	-	21.90
PK	2.4322G	111.62	Inf	-Inf	31.29	3	Vertical	3	1.52	-	80.33
AV	2.429G	99.87	Inf	-Inf	31.29	3	Vertical	3	1.52	-	68.58
PK	2.4858G	70.94	74.00	-3.06	31.40	3	Vertical	3	1.52	-	39.54
AV	2.4842G	53.33	54.00	-0.67	31.39	3	Vertical	3	1.52	-	21.94

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3622G	58.85	74.00	-15.15	31.13	3	Horizontal	198	1.51	-	27.72
AV	2.3886G	47.13	54.00	-6.87	31.20	3	Horizontal	198	1.51	-	15.93
PK	2.4318G	100.21	Inf	-Inf	31.29	3	Horizontal	198	1.51	-	68.92
AV	2.4318G	86.68	Inf	-Inf	31.29	3	Horizontal	198	1.51	-	55.39
PK	2.4858G	61.20	74.00	-12.80	31.40	3	Horizontal	198	1.51	-	29.80
AV	2.4946G	47.74	54.00	-6.26	31.42	3	Horizontal	198	1.51	-	16.32

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87872G	49.31	74.00	-24.69	7.30	3	Vertical	264	2.16	-	42.01
AV	4.87636G	36.36	54.00	-17.64	7.30	3	Vertical	264	2.16	-	29.06

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2437MHz_TX




EUT Z_2TX
Setting 52
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.86868G	46.55	74.00	-27.45	7.27	3	Horizontal	324	1.84	-	39.28
AV	4.87608G	33.95	54.00	-20.05	7.29	3	Horizontal	324	1.84	-	26.66

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.22	74.00	-12.78	31.20	3	Vertical	0	1.43	-	30.02
AV	2.3848G	49.10	54.00	-4.90	31.19	3	Vertical	0	1.43	-	17.91
PK	2.448G	109.70	Inf	-Inf	31.33	3	Vertical	0	1.43	-	78.37
AV	2.448G	97.99	Inf	-Inf	31.33	3	Vertical	0	1.43	-	66.66
PK	2.4835G	65.99	74.00	-8.01	31.39	3	Vertical	0	1.43	-	34.60
AV	2.4835G	53.49	54.00	-0.51	31.39	3	Vertical	0	1.43	-	22.10

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2452MHz_TX




EUT_Z_2TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3788G	58.95	74.00	-15.05	31.18	3	Horizontal	190	2.91	-	27.77
AV	2.3888G	46.99	54.00	-7.01	31.20	3	Horizontal	190	2.91	-	15.79
PK	2.4616G	96.37	Inf	-Inf	31.35	3	Horizontal	190	2.91	-	65.02
AV	2.4484G	85.01	Inf	-Inf	31.33	3	Horizontal	190	2.91	-	53.68
PK	2.4972G	59.43	74.00	-14.57	31.43	3	Horizontal	190	2.91	-	28.00
AV	2.4864G	47.52	54.00	-6.48	31.40	3	Horizontal	190	2.91	-	16.12

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2452MHz_TX




EUT Z_2TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.90888G	48.32	74.00	-25.68	7.37	3	Vertical	58	1.39	-	40.95
AV	4.90388G	34.84	54.00	-19.16	7.36	3	Vertical	58	1.39	-	27.48

802.11ax HEW40_Nss2,(MCS0)_2TX

09/10/2019

2452MHz_TX



EUT_Z_2TX
Setting 43
02-G-3
FSU(100015)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.91084G	45.35	74.00	-28.65	7.37	3	Horizontal	131	1.96	-	37.98
AV	4.90428G	32.63	54.00	-21.37	7.36	3	Horizontal	131	1.96	-	25.27




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.48351G	53.48	54.00	-0.52	30.05	3	Vertical	187	1.97	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 54
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3888G	71.65	74.00	-2.35	29.84	3	Vertical	175	1.41	-	41.81
AV	2.39G	53.31	54.00	-0.69	29.84	3	Vertical	175	1.41	-	23.47
PK	2.4204G	117.81	Inf	-Inf	29.89	3	Vertical	175	1.41	-	87.92
AV	2.4196G	104.65	Inf	-Inf	29.89	3	Vertical	175	1.41	-	74.76

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 54
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3876G	60.87	74.00	-13.13	29.84	3	Horizontal	355	1.15	-	31.03
AV	2.3898G	43.38	54.00	-10.62	29.84	3	Horizontal	355	1.15	-	13.54
PK	2.4038G	105.03	Inf	-Inf	29.85	3	Horizontal	355	1.15	-	75.18
AV	2.4056G	93.11	Inf	-Inf	29.85	3	Horizontal	355	1.15	-	63.26

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT Z_2TX
 Setting 54
 04-C-4
 FSP
 Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.83528G	47.37	74.00	-26.63	3.00	3	Vertical	153	1.70	-	44.37
AV	4.82394G	45.86	54.00	-8.14	2.96	3	Vertical	153	1.70	-	42.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2412MHz_TX




EUT_Z_2TX
Setting 54
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8279G	45.18	74.00	-28.82	2.97	3	Horizontal	260	1.47	-	42.21
AV	4.824G	36.03	54.00	-17.97	2.96	3	Horizontal	260	1.47	-	33.07

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 66
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3866G	70.94	74.00	-3.06	29.84	3	Vertical	172	1.25	-	41.10
AV	2.39G	53.31	54.00	-0.69	29.84	3	Vertical	172	1.25	-	23.47
PK	2.4254G	120.95	Inf	-Inf	29.90	3	Vertical	172	1.25	-	91.05
AV	2.4242G	107.82	Inf	-Inf	29.90	3	Vertical	172	1.25	-	77.92

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2417MHz_TX




EUT_Z_2TX
Setting 66
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.39G	61.52	74.00	-12.48	29.84	3	Horizontal	354	1.19	-	31.68
AV	2.39G	44.90	54.00	-9.10	29.84	3	Horizontal	354	1.19	-	15.06
PK	2.4104G	105.57	Inf	-Inf	29.87	3	Horizontal	354	1.19	-	75.70
AV	2.408G	94.35	Inf	-Inf	29.86	3	Horizontal	354	1.19	-	64.49

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 75
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3822G	70.61	74.00	-3.39	29.85	3	Vertical	175	1.34	-	40.76
AV	2.3898G	52.96	54.00	-1.04	29.84	3	Vertical	175	1.34	-	23.12
PK	2.4302G	122.71	Inf	-Inf	29.92	3	Vertical	175	1.34	-	92.79
AV	2.4306G	109.14	Inf	-Inf	29.92	3	Vertical	175	1.34	-	79.22
PK	2.48351G	73.41	74.00	-0.59	30.05	3	Vertical	175	1.34	-	43.36
AV	2.4838G	52.91	54.00	-1.09	30.05	3	Vertical	175	1.34	-	22.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 75
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	56.50	74.00	-17.50	29.84	3	Horizontal	6	1.16	-	26.66
AV	2.389G	43.40	54.00	-10.60	29.84	3	Horizontal	6	1.16	-	13.56
PK	2.4318G	109.14	Inf	-Inf	29.92	3	Horizontal	6	1.16	-	79.22
AV	2.433G	97.59	Inf	-Inf	29.93	3	Horizontal	6	1.16	-	67.66
PK	2.4898G	55.57	74.00	-18.43	30.06	3	Horizontal	6	1.16	-	25.51
AV	2.4846G	43.01	54.00	-10.99	30.05	3	Horizontal	6	1.16	-	12.96

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 75
 04-C-4
 FSP
 Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87568G	57.69	74.00	-16.31	3.13	3	Vertical	346	1.78	-	54.56
AV	4.87394G	52.07	54.00	-1.93	3.12	3	Vertical	346	1.78	-	48.95

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX




EUT Z_2TX
 Setting 75
 04-C-4
 FSP
 Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.8713G	47.42	74.00	-26.58	3.11	3	Horizontal	360	2.23	-	44.31
AV	4.87394G	39.51	54.00	-14.49	3.12	3	Horizontal	360	2.23	-	36.39

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 60
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4544G	119.08	Inf	-Inf	29.98	3	Vertical	182	1.37	-	89.10
AV	2.4586G	106.33	Inf	-Inf	29.99	3	Vertical	182	1.37	-	76.34
PK	2.488G	73.21	74.00	-0.79	30.06	3	Vertical	182	1.37	-	43.15
AV	2.4835G	53.34	54.00	-0.66	30.05	3	Vertical	182	1.37	-	23.29

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2457MHz_TX




EUT_Z_2TX
Setting 60
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.449G	107.60	Inf	-Inf	29.96	3	Horizontal	357	1.21	-	77.64
AV	2.4482G	95.75	Inf	-Inf	29.96	3	Horizontal	357	1.21	-	65.79
PK	2.4904G	58.50	74.00	-15.50	30.07	3	Horizontal	357	1.21	-	28.43
AV	2.4908G	43.49	54.00	-10.51	30.07	3	Horizontal	357	1.21	-	13.42

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT_Z_2TX
Setting 51
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4552G	116.42	Inf	-Inf	29.98	3	Vertical	181	1.31	-	86.44
AV	2.4604G	103.63	Inf	-Inf	29.99	3	Vertical	181	1.31	-	73.64
PK	2.4878G	73.36	74.00	-0.64	30.06	3	Vertical	181	1.31	-	43.30
AV	2.4836G	53.43	54.00	-0.57	30.05	3	Vertical	181	1.31	-	23.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

12/10/2019

2462MHz_TX




EUT Z_2TX
Setting 51
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.4554G	104.74	Inf	-Inf	29.98	3	Horizontal	355	1.01	-	74.76
AV	2.4558G	91.46	Inf	-Inf	29.98	3	Horizontal	355	1.01	-	61.48
PK	2.4844G	55.26	74.00	-18.74	30.05	3	Horizontal	355	1.01	-	25.21
AV	2.4838G	43.13	54.00	-10.87	30.05	3	Horizontal	355	1.01	-	13.08

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
 Setting 51
 04-C-4
 FSP
 Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92556G	57.26	74.00	-16.74	3.25	3	Vertical	355	1.10	-	54.01
AV	4.92364G	40.63	54.00	-13.37	3.25	3	Vertical	355	1.10	-	37.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

15/10/2019

2462MHz_TX




EUT Z_2TX
Setting 51
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.92466G	45.14	74.00	-28.86	3.25	3	Horizontal	254	1.46	-	41.89
AV	4.91398G	32.13	54.00	-21.87	3.24	3	Horizontal	254	1.46	-	28.89

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 46
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3884G	69.00	74.00	-5.00	29.84	3	Vertical	169	1.50	-	39.16
AV	2.39G	53.43	54.00	-0.57	29.84	3	Vertical	169	1.50	-	23.59
PK	2.4236G	112.50	Inf	-Inf	29.90	3	Vertical	169	1.50	-	82.60
AV	2.4128G	100.25	Inf	-Inf	29.88	3	Vertical	169	1.50	-	70.37
PK	2.4884G	58.54	74.00	-15.46	30.06	3	Vertical	169	1.50	-	28.48
AV	2.4908G	45.86	54.00	-8.14	30.07	3	Vertical	169	1.50	-	15.79

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 46
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3828G	56.89	74.00	-17.11	29.85	3	Horizontal	357	1.17	-	27.04
AV	2.3884G	42.81	54.00	-11.19	29.84	3	Horizontal	357	1.17	-	12.97
PK	2.4188G	99.69	Inf	-Inf	29.89	3	Horizontal	357	1.17	-	69.80
AV	2.4192G	87.80	Inf	-Inf	29.89	3	Horizontal	357	1.17	-	57.91
PK	2.4892G	54.39	74.00	-19.61	30.06	3	Horizontal	357	1.17	-	24.33
AV	2.4928G	42.41	54.00	-11.59	30.08	3	Horizontal	357	1.17	-	12.33

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 46
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.85162G	56.67	74.00	-17.33	3.04	3	Vertical	10	1.66	-	53.63
AV	4.84418G	47.24	54.00	-6.76	3.03	3	Vertical	10	1.66	-	44.21

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2422MHz_TX




EUT_Z_2TX
Setting 46
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.84796G	47.58	74.00	-26.42	3.04	3	Horizontal	111	1.44	-	44.54
AV	4.844G	46.35	54.00	-7.65	3.03	3	Horizontal	111	1.44	-	43.32

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT_Z_2TX
Setting 49
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	72.39	74.00	-1.61	29.84	3	Vertical	172	1.80	-	42.55
AV	2.3898G	53.32	54.00	-0.68	29.84	3	Vertical	172	1.80	-	23.48
PK	2.433G	113.09	Inf	-Inf	29.93	3	Vertical	172	1.80	-	83.16
AV	2.4214G	101.04	Inf	-Inf	29.89	3	Vertical	172	1.80	-	71.15
PK	2.4902G	66.65	74.00	-7.35	30.07	3	Vertical	172	1.80	-	36.58
AV	2.4842G	50.64	54.00	-3.36	30.05	3	Vertical	172	1.80	-	20.59

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

12/10/2019

2437MHz_TX




EUT Z_2TX
Setting 49
04-W-3
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	2.3898G	54.96	74.00	-19.04	29.84	3	Horizontal	357	1.15	-	25.12
AV	2.389G	42.47	54.00	-11.53	29.84	3	Horizontal	357	1.15	-	12.63
PK	2.4454G	102.64	Inf	-Inf	29.95	3	Horizontal	357	1.15	-	72.69
AV	2.4446G	88.97	Inf	-Inf	29.95	3	Horizontal	357	1.15	-	59.02
PK	2.4846G	54.65	74.00	-19.35	30.05	3	Horizontal	357	1.15	-	24.60
AV	2.4835G	42.93	54.00	-11.07	30.05	3	Horizontal	357	1.15	-	12.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

15/10/2019

2437MHz_TX



EUT_Z_2TX
Setting 49
04-C-4
FSP
Panel-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	4.87346G	47.39	74.00	-26.61	3.12	3	Vertical	93	1.36	-	44.27
AV	4.8743G	42.85	54.00	-11.15	3.12	3	Vertical	93	1.36	-	39.73