


### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2437MHz\_TX




EUT Z\_2TX  
Setting 49  
04-C-4  
FSP  
Panel-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.87112G     | 44.76             | 74.00             | -29.24         | 3.11           | 3           | Horizontal | 44             | 1.53          | -       | 41.65         |
| AV   | 4.871G       | 32.21             | 54.00             | -21.79         | 3.11           | 3           | Horizontal | 44             | 1.53          | -       | 29.10         |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2452MHz\_TX




EUT Z\_2TX  
Setting 46  
04-W-3  
FSP  
Panel-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3896G   | 60.23          | 74.00          | -13.77      | 29.84       | 3        | Vertical  | 187         | 1.97       | -       | 30.39      |
| AV   | 2.3896G   | 47.24          | 54.00          | -6.76       | 29.84       | 3        | Vertical  | 187         | 1.97       | -       | 17.40      |
| PK   | 2.448G    | 112.89         | Inf            | -Inf        | 29.96       | 3        | Vertical  | 187         | 1.97       | -       | 82.93      |
| AV   | 2.4348G   | 99.97          | Inf            | -Inf        | 29.93       | 3        | Vertical  | 187         | 1.97       | -       | 70.04      |
| PK   | 2.4996G   | 66.94          | 74.00          | -7.06       | 30.09       | 3        | Vertical  | 187         | 1.97       | -       | 36.85      |
| AV   | 2.48351G  | 53.48          | 54.00          | -0.52       | 30.05       | 3        | Vertical  | 187         | 1.97       | -       | 23.43      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2452MHz\_TX




EUT Z\_2TX  
Setting 46  
04-W-3  
FSP  
Panel-1

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3768G   | 54.51          | 74.00          | -19.49      | 29.85       | 3        | Horizontal | 356         | 1.15       | -       | 24.66      |
| AV   | 2.3876G   | 42.33          | 54.00          | -11.67      | 29.84       | 3        | Horizontal | 356         | 1.15       | -       | 12.49      |
| PK   | 2.448G    | 101.69         | Inf            | -Inf        | 29.96       | 3        | Horizontal | 356         | 1.15       | -       | 71.73      |
| AV   | 2.4452G   | 88.65          | Inf            | -Inf        | 29.95       | 3        | Horizontal | 356         | 1.15       | -       | 58.70      |
| PK   | 2.4892G   | 56.32          | 74.00          | -17.68      | 30.06       | 3        | Horizontal | 356         | 1.15       | -       | 26.26      |
| AV   | 2.484G    | 43.42          | 54.00          | -10.58      | 30.05       | 3        | Horizontal | 356         | 1.15       | -       | 13.37      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 46  
04-C-4  
FSP  
Panel-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.90802G     | 55.44             | 74.00             | -18.56         | 3.22           | 3           | Vertical  | 330            | 1.12          | -       | 52.22         |
| AV   | 4.90406G     | 45.52             | 54.00             | -8.48          | 3.21           | 3           | Vertical  | 330            | 1.12          | -       | 42.31         |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2452MHz\_TX



EUT\_Z\_2TX  
Setting 46  
04-C-4  
FSP  
Panel-1

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.90238G     | 46.32             | 74.00             | -27.68         | 3.20           | 3           | Horizontal | 177            | 1.45          | -       | 43.12         |
| AV   | 4.90406G     | 41.93             | 54.00             | -12.07         | 3.21           | 3           | Horizontal | 177            | 1.45          | -       | 38.72         |




Summary

| Mode                     | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|----------|
| 2.4-2.4835GHz            | -      | -    | -            | -                 | -                 | -              | -              | -           | -          | -              | -             | -        |
| 802.11g_Nss1,(6Mbps)_1TX | Pass   | PK   | 2.4838G      | 73.49             | 74.00             | -0.51          | 31.39          | 3           | Horizontal | 186            | 1.25          | -        |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 86  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3888G   | 63.81          | 74.00          | -10.19      | 31.20       | 3        | Vertical  | 174         | 2.32       | -       | 32.61      |
| AV   | 2.389G    | 52.71          | 54.00          | -1.29       | 31.20       | 3        | Vertical  | 174         | 2.32       | -       | 21.51      |
| PK   | 2.411G    | 116.59         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 174         | 2.32       | -       | 85.34      |
| AV   | 2.4112G   | 112.90         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 174         | 2.32       | -       | 81.65      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2412MHz\_TX



EUT\_X\_1TX  
Setting 86  
02-G-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3774G   | 63.68          | 74.00          | -10.32      | 31.17       | 3        | Horizontal | 188         | 1.02       | -       | 32.51      |
| AV   | 2.378G    | 52.22          | 54.00          | -1.78       | 31.17       | 3        | Horizontal | 188         | 1.02       | -       | 21.05      |
| PK   | 2.413G    | 116.80         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 188         | 1.02       | -       | 85.54      |
| AV   | 2.4112G   | 112.83         | Inf            | -Inf        | 31.25       | 3        | Horizontal | 188         | 1.02       | -       | 81.58      |



### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
 Setting 86  
 02-G-2  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.82396G  | 47.40          | 74.00          | -26.60      | 7.17        | 3        | Vertical  | 152         | 1.43       | -       | 40.23      |
| AV   | 4.82399G  | 37.41          | 54.00          | -16.59      | 7.17        | 3        | Vertical  | 152         | 1.43       | -       | 30.24      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 86  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.82399G  | 48.25          | 74.00          | -25.75      | 7.17        | 3        | Horizontal | 319         | 1.91       | -       | 41.08      |
| AV   | 4.82396G  | 38.89          | 54.00          | -15.11      | 7.17        | 3        | Horizontal | 319         | 1.91       | -       | 31.72      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 92  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3886G   | 63.49          | 74.00          | -10.51      | 31.20       | 3        | Vertical  | 184         | 2.57       | -       | 32.29      |
| AV   | 2.3882G   | 52.25          | 54.00          | -1.75       | 31.20       | 3        | Vertical  | 184         | 2.57       | -       | 21.05      |
| PK   | 2.4378G   | 117.79         | Inf            | -Inf        | 31.31       | 3        | Vertical  | 184         | 2.57       | -       | 86.48      |
| AV   | 2.4362G   | 114.10         | Inf            | -Inf        | 31.30       | 3        | Vertical  | 184         | 2.57       | -       | 82.80      |
| PK   | 2.4866G   | 61.05          | 74.00          | -12.95      | 31.40       | 3        | Vertical  | 184         | 2.57       | -       | 29.65      |
| AV   | 2.491G    | 49.28          | 54.00          | -4.72       | 31.42       | 3        | Vertical  | 184         | 2.57       | -       | 17.86      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 92  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3882G   | 62.21          | 74.00          | -11.79      | 31.20       | 3        | Horizontal | 177         | 1.10       | -       | 31.01      |
| AV   | 2.3886G   | 50.20          | 54.00          | -3.80       | 31.20       | 3        | Horizontal | 177         | 1.10       | -       | 19.00      |
| PK   | 2.4362G   | 119.51         | Inf            | -Inf        | 31.30       | 3        | Horizontal | 177         | 1.10       | -       | 88.21      |
| AV   | 2.4362G   | 115.96         | Inf            | -Inf        | 31.30       | 3        | Horizontal | 177         | 1.10       | -       | 84.66      |
| PK   | 2.485G    | 63.28          | 74.00          | -10.72      | 31.40       | 3        | Horizontal | 177         | 1.10       | -       | 31.88      |
| AV   | 2.4858G   | 51.47          | 54.00          | -2.53       | 31.40       | 3        | Horizontal | 177         | 1.10       | -       | 20.07      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 92  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87419G  | 48.14          | 74.00          | -25.86      | 7.28        | 3        | Vertical  | 150         | 1.52       | -       | 40.86      |
| AV   | 4.87393G  | 39.90          | 54.00          | -14.10      | 7.28        | 3        | Vertical  | 150         | 1.52       | -       | 32.62      |
| PK   | 7.31008G  | 54.76          | 74.00          | -19.24      | 10.54       | 3        | Vertical  | 219         | 1.49       | -       | 44.22      |
| AV   | 7.31168G  | 47.76          | 54.00          | -6.24       | 10.55       | 3        | Vertical  | 219         | 1.49       | -       | 37.21      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 92  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87398G  | 47.89          | 74.00          | -26.11      | 7.28        | 3        | Horizontal | 304         | 1.79       | -       | 40.61      |
| AV   | 4.87396G  | 40.34          | 54.00          | -13.66      | 7.28        | 3        | Horizontal | 304         | 1.79       | -       | 33.06      |
| PK   | 7.31G     | 59.16          | 74.00          | -14.84      | 10.54       | 3        | Horizontal | 160         | 1.80       | -       | 48.62      |
| AV   | 7.30972G  | 53.39          | 54.00          | -0.61       | 10.54       | 3        | Horizontal | 160         | 1.80       | -       | 42.85      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 84  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.463G       | 114.12            | Inf               | -Inf           | 31.36          | 3           | Vertical  | 192            | 2.29          | -       | 82.76         |
| AV   | 2.4612G      | 110.26            | Inf               | -Inf           | 31.35          | 3           | Vertical  | 192            | 2.29          | -       | 78.91         |
| PK   | 2.4846G      | 62.57             | 74.00             | -11.43         | 31.40          | 3           | Vertical  | 192            | 2.29          | -       | 31.17         |
| AV   | 2.4854G      | 51.55             | 54.00             | -2.45          | 31.40          | 3           | Vertical  | 192            | 2.29          | -       | 20.15         |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2462MHz\_TX



EUT X\_1TX  
Setting 84  
02-G-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.463G    | 116.71         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 193         | 1.24       | -       | 85.35      |
| AV   | 2.4628G   | 112.86         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 193         | 1.24       | -       | 81.50      |
| PK   | 2.4835G   | 63.75          | 74.00          | -10.25      | 31.39       | 3        | Horizontal | 193         | 1.24       | -       | 32.36      |
| AV   | 2.4835G   | 53.28          | 54.00          | -0.72       | 31.39       | 3        | Horizontal | 193         | 1.24       | -       | 21.89      |



### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT\_X\_1TX  
Setting 84  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.92396G  | 47.54          | 74.00          | -26.46      | 7.40        | 3        | Vertical  | 204         | 2.15       | -       | 40.14      |
| AV   | 4.92403G  | 36.97          | 54.00          | -17.03      | 7.40        | 3        | Vertical  | 204         | 2.15       | -       | 29.57      |
| PK   | 7.38728G  | 52.95          | 74.00          | -21.05      | 10.76       | 3        | Vertical  | 78          | 1.11       | -       | 42.19      |
| AV   | 7.38676G  | 43.98          | 54.00          | -10.02      | 10.76       | 3        | Vertical  | 78          | 1.11       | -       | 33.22      |

### 802.11b\_Nss1,(1Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT\_X\_1TX  
Setting 84  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.92399G     | 47.10             | 74.00             | -26.90         | 7.40           | 3           | Horizontal | 104            | 2.38          | -       | 39.70         |
| AV   | 4.92399G     | 36.23             | 54.00             | -17.77         | 7.40           | 3           | Horizontal | 104            | 2.38          | -       | 28.83         |
| PK   | 7.38696G     | 54.85             | 74.00             | -19.15         | 10.76          | 3           | Horizontal | 129            | 2.37          | -       | 44.09         |
| AV   | 7.38472G     | 46.48             | 54.00             | -7.52          | 10.76          | 3           | Horizontal | 129            | 2.37          | -       | 35.72         |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.39G     | 73.42          | 74.00          | -0.58       | 31.20       | 3        | Vertical  | 180         | 1.99       | -       | 42.22      |
| AV   | 2.39G     | 51.50          | 54.00          | -2.50       | 31.20       | 3        | Vertical  | 180         | 1.99       | -       | 20.30      |
| PK   | 2.4054G   | 111.49         | Inf            | -Inf        | 31.24       | 3        | Vertical  | 180         | 1.99       | -       | 80.25      |
| AV   | 2.406G    | 101.70         | Inf            | -Inf        | 31.24       | 3        | Vertical  | 180         | 1.99       | -       | 70.46      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3898G   | 70.42          | 74.00          | -3.58       | 31.20       | 3        | Horizontal | 184         | 1.33       | -       | 39.22      |
| AV   | 2.39G     | 50.15          | 54.00          | -3.85       | 31.20       | 3        | Horizontal | 184         | 1.33       | -       | 18.95      |
| PK   | 2.4136G   | 111.61         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 184         | 1.33       | -       | 80.35      |
| AV   | 2.4162G   | 101.50         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 184         | 1.33       | -       | 70.23      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.82604G  | 46.38          | 74.00          | -27.62      | 7.18        | 3        | Vertical  | 239         | 2.87       | -       | 39.20      |
| AV   | 4.82304G  | 32.11          | 54.00          | -21.89      | 7.16        | 3        | Vertical  | 239         | 2.87       | -       | 24.95      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.82444G     | 45.87             | 74.00             | -28.13         | 7.17           | 3           | Horizontal | 183            | 1.89          | -       | 38.70         |
| AV   | 4.82543G     | 32.34             | 54.00             | -21.66         | 7.18           | 3           | Horizontal | 183            | 1.89          | -       | 25.16         |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2417MHz\_TX




EUT X\_1TX  
Setting 74  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3878G   | 73.26          | 74.00          | -0.74       | 31.20       | 3        | Vertical  | 188         | 1.84       | -       | 42.06      |
| AV   | 2.3898G   | 52.01          | 54.00          | -1.99       | 31.20       | 3        | Vertical  | 188         | 1.84       | -       | 20.81      |
| PK   | 2.4104G   | 113.78         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 188         | 1.84       | -       | 82.53      |
| AV   | 2.4122G   | 103.61         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 188         | 1.84       | -       | 72.36      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2417MHz\_TX



EUT X\_1TX  
Setting 74  
02-G-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3866G   | 70.57          | 74.00          | -3.43       | 31.20       | 3        | Horizontal | 173         | 1.04       | -       | 39.37      |
| AV   | 2.3836G   | 50.12          | 54.00          | -3.88       | 31.19       | 3        | Horizontal | 173         | 1.04       | -       | 18.93      |
| PK   | 2.4194G   | 113.21         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 173         | 1.04       | -       | 81.94      |
| AV   | 2.4212G   | 103.45         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 173         | 1.04       | -       | 72.18      |



### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 87  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3838G   | 68.96          | 74.00          | -5.04       | 31.19       | 3        | Vertical  | 186         | 2.29       | -       | 37.77      |
| AV   | 2.3898G   | 53.48          | 54.00          | -0.52       | 31.20       | 3        | Vertical  | 186         | 2.29       | -       | 22.28      |
| PK   | 2.4394G   | 116.34         | Inf            | -Inf        | 31.31       | 3        | Vertical  | 186         | 2.29       | -       | 85.03      |
| AV   | 2.441G    | 106.83         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 186         | 2.29       | -       | 75.51      |
| PK   | 2.4854G   | 70.79          | 74.00          | -3.21       | 31.40       | 3        | Vertical  | 186         | 2.29       | -       | 39.39      |
| AV   | 2.4835G   | 51.27          | 54.00          | -2.73       | 31.39       | 3        | Vertical  | 186         | 2.29       | -       | 19.88      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 87  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.3798G      | 69.55             | 74.00             | -4.45          | 31.18          | 3           | Horizontal | 174            | 1.21          | -       | 38.37         |
| AV   | 2.3894G      | 52.25             | 54.00             | -1.75          | 31.20          | 3           | Horizontal | 174            | 1.21          | -       | 21.05         |
| PK   | 2.4302G      | 117.55            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 174            | 1.21          | -       | 86.26         |
| AV   | 2.4322G      | 107.75            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 174            | 1.21          | -       | 76.46         |
| PK   | 2.4838G      | 73.04             | 74.00             | -0.96          | 31.39          | 3           | Horizontal | 174            | 1.21          | -       | 41.65         |
| AV   | 2.4835G      | 53.01             | 54.00             | -0.99          | 31.39          | 3           | Horizontal | 174            | 1.21          | -       | 21.62         |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
 Setting 87  
 02-G-2  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.8741G   | 46.45          | 74.00          | -27.55      | 7.28        | 3        | Vertical  | 135         | 1.43       | -       | 39.17      |
| AV   | 4.87486G  | 32.36          | 54.00          | -21.64      | 7.28        | 3        | Vertical  | 135         | 1.43       | -       | 25.08      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 87  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.87497G     | 45.56             | 74.00             | -28.44         | 7.28           | 3           | Horizontal | 254            | 1.72          | -       | 38.28         |
| AV   | 4.87646G     | 32.07             | 54.00             | -21.93         | 7.30           | 3           | Horizontal | 254            | 1.72          | -       | 24.77         |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2457MHz\_TX




EUT\_X\_1TX  
Setting 70  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4504G   | 111.94         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 185         | 1.89       | -       | 80.61      |
| AV   | 2.4522G   | 101.89         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 185         | 1.89       | -       | 70.56      |
| PK   | 2.4842G   | 68.76          | 74.00          | -5.24       | 31.39       | 3        | Vertical  | 185         | 1.89       | -       | 37.37      |
| AV   | 2.4835G   | 51.37          | 54.00          | -2.63       | 31.39       | 3        | Vertical  | 185         | 1.89       | -       | 19.98      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2457MHz\_TX




EUT\_X\_1TX  
Setting 70  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4504G   | 113.61         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 183         | 1.36       | -       | 82.28      |
| AV   | 2.4506G   | 103.33         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 183         | 1.36       | -       | 72.00      |
| PK   | 2.4838G   | 71.70          | 74.00          | -2.30       | 31.39       | 3        | Horizontal | 183         | 1.36       | -       | 40.31      |
| AV   | 2.4835G   | 53.43          | 54.00          | -0.57       | 31.39       | 3        | Horizontal | 183         | 1.36       | -       | 22.04      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT\_X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4554G   | 110.03         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 185         | 1.95       | -       | 78.69      |
| AV   | 2.4544G   | 100.05         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 185         | 1.95       | -       | 68.71      |
| AV   | 2.4835G   | 51.54          | 54.00          | -2.46       | 31.39       | 3        | Vertical  | 185         | 1.95       | -       | 20.15      |
| PK   | 2.4835G   | 72.75          | 74.00          | -1.25       | 31.39       | 3        | Vertical  | 185         | 1.95       | -       | 41.36      |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2462MHz\_TX



EUT\_X\_1TX  
Setting 63  
02-G-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4646G   | 112.01         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 186         | 1.25       | -       | 80.65      |
| AV   | 2.4636G   | 101.84         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 186         | 1.25       | -       | 70.48      |
| PK   | 2.4838G   | 73.49          | 74.00          | -0.51       | 31.39       | 3        | Horizontal | 186         | 1.25       | -       | 42.10      |
| AV   | 2.4835G   | 52.20          | 54.00          | -1.80       | 31.39       | 3        | Horizontal | 186         | 1.25       | -       | 20.81      |



### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.92212G     | 45.51             | 74.00             | -28.49         | 7.39           | 3           | Vertical  | 337            | 1.78          | -       | 38.12         |
| AV   | 4.92435G     | 31.72             | 54.00             | -22.28         | 7.40           | 3           | Vertical  | 337            | 1.78          | -       | 24.32         |

### 802.11g\_Nss1,(6Mbps)\_1TX

05/10/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 63  
02-G-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.92643G     | 45.08             | 74.00             | -28.92         | 7.42           | 3           | Horizontal | 169            | 1.99          | -       | 37.66         |
| AV   | 4.92635G     | 31.66             | 54.00             | -22.34         | 7.42           | 3           | Horizontal | 169            | 1.99          | -       | 24.24         |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

15/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 57  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 72.34             | 74.00             | -1.66          | 31.20          | 3           | Vertical  | 240            | 1.79          | -       | 41.14         |
| AV   | 2.39G        | 51.24             | 54.00             | -2.76          | 31.20          | 3           | Vertical  | 240            | 1.79          | -       | 20.04         |
| PK   | 2.4052G      | 112.93            | Inf               | -Inf           | 31.24          | 3           | Vertical  | 240            | 1.79          | -       | 81.69         |
| AV   | 2.4048G      | 98.89             | Inf               | -Inf           | 31.24          | 3           | Vertical  | 240            | 1.79          | -       | 67.65         |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

15/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 57  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3892G   | 72.90          | 74.00          | -1.10       | 31.20       | 3        | Horizontal | 253         | 1.19       | -       | 41.70      |
| AV   | 2.39G     | 50.93          | 54.00          | -3.07       | 31.20       | 3        | Horizontal | 253         | 1.19       | -       | 19.73      |
| PK   | 2.4094G   | 112.81         | Inf            | -Inf        | 31.25       | 3        | Horizontal | 253         | 1.19       | -       | 81.56      |
| AV   | 2.4152G   | 98.65          | Inf            | -Inf        | 31.26       | 3        | Horizontal | 253         | 1.19       | -       | 67.39      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

15/10/2019

### 2412MHz\_TX




EUT X\_1TX  
Setting 57  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.82328G     | 45.08             | 74.00             | -28.92         | 7.16           | 3           | Vertical  | 197            | 1.45          | -       | 37.92         |
| AV   | 4.82418G     | 31.03             | 54.00             | -22.97         | 7.17           | 3           | Vertical  | 197            | 1.45          | -       | 23.86         |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

15/10/2019

2412MHz\_TX




EUT X\_1TX  
 Setting 57  
 02-B-2  
 FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.82322G     | 44.87             | 74.00             | -29.13         | 7.16           | 3           | Horizontal | 17             | 2.55          | -       | 37.71         |
| AV   | 4.82418G     | 30.94             | 54.00             | -23.06         | 7.17           | 3           | Horizontal | 17             | 2.55          | -       | 23.77         |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2417MHz\_TX




EUT\_X\_1TX  
Setting 72  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.39G     | 73.41          | 74.00          | -0.59       | 31.20       | 3        | Vertical  | 231         | 1.84       | -       | 42.21      |
| AV   | 2.39G     | 53.34          | 54.00          | -0.66       | 31.20       | 3        | Vertical  | 231         | 1.84       | -       | 22.14      |
| PK   | 2.414G    | 116.01         | Inf            | -Inf        | 31.26       | 3        | Vertical  | 231         | 1.84       | -       | 84.75      |
| AV   | 2.4114G   | 102.06         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 231         | 1.84       | -       | 70.81      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2417MHz\_TX



EUT\_X\_1TX  
Setting 72  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3898G   | 71.26          | 74.00          | -2.74       | 31.20       | 3        | Horizontal | 235         | 1.33       | -       | 40.06      |
| AV   | 2.39G     | 51.43          | 54.00          | -2.57       | 31.20       | 3        | Horizontal | 235         | 1.33       | -       | 20.23      |
| PK   | 2.4138G   | 116.01         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 235         | 1.33       | -       | 84.75      |
| AV   | 2.4154G   | 101.90         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 235         | 1.33       | -       | 70.64      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 84  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.389G    | 69.11          | 74.00          | -4.89       | 31.20       | 3        | Vertical  | 243         | 1.80       | -       | 37.91      |
| AV   | 2.3898G   | 53.46          | 54.00          | -0.54       | 31.20       | 3        | Vertical  | 243         | 1.80       | -       | 22.26      |
| PK   | 2.445G    | 117.42         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 243         | 1.80       | -       | 86.10      |
| AV   | 2.4418G   | 103.34         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 243         | 1.80       | -       | 72.02      |
| PK   | 2.487G    | 71.87          | 74.00          | -2.13       | 31.40       | 3        | Vertical  | 243         | 1.80       | -       | 40.47      |
| AV   | 2.4835G   | 51.06          | 54.00          | -2.94       | 31.39       | 3        | Vertical  | 243         | 1.80       | -       | 19.67      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 84  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.3846G      | 70.44             | 74.00             | -3.56          | 31.19          | 3           | Horizontal | 232            | 1.25          | -       | 39.25         |
| AV   | 2.3882G      | 51.99             | 54.00             | -2.01          | 31.20          | 3           | Horizontal | 232            | 1.25          | -       | 20.79         |
| PK   | 2.4338G      | 119.63            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 232            | 1.25          | -       | 88.34         |
| AV   | 2.4322G      | 105.16            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 232            | 1.25          | -       | 73.87         |
| PK   | 2.4842G      | 72.20             | 74.00             | -1.80          | 31.39          | 3           | Horizontal | 232            | 1.25          | -       | 40.81         |
| AV   | 2.4835G      | 52.81             | 54.00             | -1.19          | 31.39          | 3           | Horizontal | 232            | 1.25          | -       | 21.42         |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 84  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87475G  | 44.49          | 74.00          | -29.51      | 7.28        | 3        | Vertical  | 269         | 1.53       | -       | 37.21      |
| AV   | 4.87492G  | 30.33          | 54.00          | -23.67      | 7.28        | 3        | Vertical  | 269         | 1.53       | -       | 23.05      |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

2437MHz\_TX




EUT X\_1TX  
Setting 84  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.87369G     | 45.43             | 74.00             | -28.57         | 7.28           | 3           | Horizontal | 128            | 1.50          | -       | 38.15         |
| AV   | 4.87492G     | 30.37             | 54.00             | -23.63         | 7.28           | 3           | Horizontal | 128            | 1.50          | -       | 23.09         |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2457MHz\_TX




EUT X\_1TX  
Setting 68  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4538G   | 114.06         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 233         | 1.79       | -       | 82.72      |
| AV   | 2.4516G   | 99.63          | Inf            | -Inf        | 31.33       | 3        | Vertical  | 233         | 1.79       | -       | 68.30      |
| PK   | 2.4888G   | 69.93          | 74.00          | -4.07       | 31.41       | 3        | Vertical  | 233         | 1.79       | -       | 38.52      |
| AV   | 2.4835G   | 51.31          | 54.00          | -2.69       | 31.39       | 3        | Vertical  | 233         | 1.79       | -       | 19.92      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2457MHz\_TX




EUT X\_1TX  
Setting 68  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4502G   | 115.35         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 229         | 1.31       | -       | 84.02      |
| AV   | 2.4498G   | 100.92         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 229         | 1.31       | -       | 69.59      |
| PK   | 2.4835G   | 71.81          | 74.00          | -2.19       | 31.39       | 3        | Horizontal | 229         | 1.31       | -       | 40.42      |
| AV   | 2.4835G   | 53.17          | 54.00          | -0.83       | 31.39       | 3        | Horizontal | 229         | 1.31       | -       | 21.78      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2462MHz\_TX




EUT X\_1TX  
Setting 52  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.455G    | 110.03         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 236         | 1.82       | -       | 78.69      |
| AV   | 2.4546G   | 96.00          | Inf            | -Inf        | 31.34       | 3        | Vertical  | 236         | 1.82       | -       | 64.66      |
| PK   | 2.4836G   | 71.17          | 74.00          | -2.83       | 31.39       | 3        | Vertical  | 236         | 1.82       | -       | 39.78      |
| AV   | 2.484G    | 48.51          | 54.00          | -5.49       | 31.39       | 3        | Vertical  | 236         | 1.82       | -       | 17.12      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

### 2462MHz\_TX



EUT X\_1TX  
Setting 52  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4576G   | 111.24         | Inf            | -Inf        | 31.34       | 3        | Horizontal | 239         | 1.23       | -       | 79.90      |
| AV   | 2.4636G   | 97.34          | Inf            | -Inf        | 31.36       | 3        | Horizontal | 239         | 1.23       | -       | 65.98      |
| PK   | 2.4835G   | 73.23          | 74.00          | -0.77       | 31.39       | 3        | Horizontal | 239         | 1.23       | -       | 41.84      |
| AV   | 2.4836G   | 49.30          | 54.00          | -4.70       | 31.39       | 3        | Horizontal | 239         | 1.23       | -       | 17.91      |



802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

2462MHz\_TX




EUT X\_1TX  
Setting 52  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.87322G     | 45.01             | 74.00             | -28.99         | 7.28           | 3           | Vertical  | 137            | 2.29          | -       | 37.73         |
| AV   | 4.875G       | 30.44             | 54.00             | -23.56         | 7.29           | 3           | Vertical  | 137            | 2.29          | -       | 23.15         |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

06/10/2019

2462MHz\_TX




EUT X\_1TX  
Setting 52  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.87372G     | 44.70             | 74.00             | -29.30         | 7.28           | 3           | Horizontal | 1              | 2.47          | -       | 37.42         |
| AV   | 4.87484G     | 30.42             | 54.00             | -23.58         | 7.28           | 3           | Horizontal | 1              | 2.47          | -       | 23.14         |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2422MHz\_TX




EUT X\_1TX  
Setting 53  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3876G   | 69.75          | 74.00          | -4.25       | 31.20       | 3        | Vertical  | 231         | 1.74       | -       | 38.55      |
| AV   | 2.3884G   | 53.48          | 54.00          | -0.52       | 31.20       | 3        | Vertical  | 231         | 1.74       | -       | 22.28      |
| PK   | 2.4068G   | 108.82         | Inf            | -Inf        | 31.24       | 3        | Vertical  | 231         | 1.74       | -       | 77.58      |
| AV   | 2.4044G   | 96.54          | Inf            | -Inf        | 31.24       | 3        | Vertical  | 231         | 1.74       | -       | 65.30      |
| PK   | 2.4916G   | 60.29          | 74.00          | -13.71      | 31.42       | 3        | Vertical  | 231         | 1.74       | -       | 28.87      |
| AV   | 2.4996G   | 48.32          | 54.00          | -5.68       | 31.43       | 3        | Vertical  | 231         | 1.74       | -       | 16.89      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2422MHz\_TX




EUT X\_1TX  
Setting 53  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3872G   | 68.65          | 74.00          | -5.35       | 31.20       | 3        | Horizontal | 225         | 1.26       | -       | 37.45      |
| AV   | 2.386G    | 52.46          | 54.00          | -1.54       | 31.19       | 3        | Horizontal | 225         | 1.26       | -       | 21.27      |
| PK   | 2.4324G   | 108.81         | Inf            | -Inf        | 31.29       | 3        | Horizontal | 225         | 1.26       | -       | 77.52      |
| AV   | 2.4312G   | 97.11          | Inf            | -Inf        | 31.29       | 3        | Horizontal | 225         | 1.26       | -       | 65.82      |
| PK   | 2.4916G   | 61.18          | 74.00          | -12.82      | 31.42       | 3        | Horizontal | 225         | 1.26       | -       | 29.76      |
| AV   | 2.484G    | 48.70          | 54.00          | -5.30       | 31.39       | 3        | Horizontal | 225         | 1.26       | -       | 17.31      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2422MHz\_TX




EUT X\_1TX  
Setting 53  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.84451G     | 44.89             | 74.00             | -29.11         | 7.21           | 3           | Vertical  | 210            | 2.45          | -       | 37.68         |
| AV   | 4.84308G     | 32.60             | 54.00             | -21.40         | 7.21           | 3           | Vertical  | 210            | 2.45          | -       | 25.39         |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

2422MHz\_TX




EUT X\_1TX  
Setting 53  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.84364G     | 45.36             | 74.00             | -28.64         | 7.21           | 3           | Horizontal | 285            | 2.44          | -       | 38.15         |
| AV   | 4.84317G     | 32.41             | 54.00             | -21.59         | 7.21           | 3           | Horizontal | 285            | 2.44          | -       | 25.20         |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 62  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3898G   | 67.73          | 74.00          | -6.27       | 31.20       | 3        | Vertical  | 231         | 2.11       | -       | 36.53      |
| AV   | 2.3898G   | 53.31          | 54.00          | -0.69       | 31.20       | 3        | Vertical  | 231         | 2.11       | -       | 22.11      |
| PK   | 2.429G    | 109.55         | Inf            | -Inf        | 31.29       | 3        | Vertical  | 231         | 2.11       | -       | 78.26      |
| AV   | 2.4414G   | 98.49          | Inf            | -Inf        | 31.32       | 3        | Vertical  | 231         | 2.11       | -       | 67.17      |
| PK   | 2.4842G   | 65.67          | 74.00          | -8.33       | 31.39       | 3        | Vertical  | 231         | 2.11       | -       | 34.28      |
| AV   | 2.4918G   | 50.81          | 54.00          | -3.19       | 31.42       | 3        | Vertical  | 231         | 2.11       | -       | 19.39      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX



EUT X\_1TX  
Setting 62  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3858G   | 65.32          | 74.00          | -8.68       | 31.19       | 3        | Horizontal | 221         | 1.29       | -       | 34.13      |
| AV   | 2.3898G   | 51.72          | 54.00          | -2.28       | 31.20       | 3        | Horizontal | 221         | 1.29       | -       | 20.52      |
| PK   | 2.4314G   | 112.27         | Inf            | -Inf        | 31.29       | 3        | Horizontal | 221         | 1.29       | -       | 80.98      |
| AV   | 2.4322G   | 99.75          | Inf            | -Inf        | 31.29       | 3        | Horizontal | 221         | 1.29       | -       | 68.46      |
| PK   | 2.485G    | 69.31          | 74.00          | -4.69       | 31.40       | 3        | Horizontal | 221         | 1.29       | -       | 37.91      |
| AV   | 2.4835G   | 52.12          | 54.00          | -1.88       | 31.39       | 3        | Horizontal | 221         | 1.29       | -       | 20.73      |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
 Setting 62  
 02-B-2  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87489G  | 44.47          | 74.00          | -29.53      | 7.28        | 3        | Vertical  | 283         | 1.08       | -       | 37.19      |
| AV   | 4.87488G  | 31.86          | 54.00          | -22.14      | 7.28        | 3        | Vertical  | 283         | 1.08       | -       | 24.58      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

06/10/2019

### 2437MHz\_TX




EUT X\_1TX  
Setting 62  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.8748G      | 44.76             | 74.00             | -29.24         | 7.28           | 3           | Horizontal | 199            | 2.75          | -       | 37.48         |
| AV   | 4.87441G     | 32.08             | 54.00             | -21.92         | 7.28           | 3           | Horizontal | 199            | 2.75          | -       | 24.80         |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

15/10/2019

### 2452MHz\_TX




EUT X\_1TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3884G   | 61.80          | 74.00          | -12.20      | 31.20       | 3        | Vertical  | 228         | 2.29       | -       | 30.60      |
| AV   | 2.39G     | 49.56          | 54.00          | -4.44       | 31.20       | 3        | Vertical  | 228         | 2.29       | -       | 18.36      |
| PK   | 2.444G    | 110.51         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 228         | 2.29       | -       | 79.19      |
| AV   | 2.4444G   | 97.84          | Inf            | -Inf        | 31.32       | 3        | Vertical  | 228         | 2.29       | -       | 66.52      |
| PK   | 2.4848G   | 69.38          | 74.00          | -4.62       | 31.40       | 3        | Vertical  | 228         | 2.29       | -       | 37.98      |
| AV   | 2.484G    | 51.15          | 54.00          | -2.85       | 31.39       | 3        | Vertical  | 228         | 2.29       | -       | 19.76      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

15/10/2019

### 2452MHz\_TX




EUT X\_1TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3844G   | 61.59          | 74.00          | -12.41      | 31.19       | 3        | Horizontal | 218         | 1.26       | -       | 30.40      |
| AV   | 2.3888G   | 49.21          | 54.00          | -4.79       | 31.20       | 3        | Horizontal | 218         | 1.26       | -       | 18.01      |
| PK   | 2.4368G   | 110.30         | Inf            | -Inf        | 31.30       | 3        | Horizontal | 218         | 1.26       | -       | 79.00      |
| AV   | 2.434G    | 98.17          | Inf            | -Inf        | 31.29       | 3        | Horizontal | 218         | 1.26       | -       | 66.88      |
| PK   | 2.4835G   | 71.93          | 74.00          | -2.07       | 31.39       | 3        | Horizontal | 218         | 1.26       | -       | 40.54      |
| AV   | 2.484G    | 52.94          | 54.00          | -1.06       | 31.39       | 3        | Horizontal | 218         | 1.26       | -       | 21.55      |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

15/10/2019

2452MHz\_TX




EUT X\_1TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.90415G     | 45.26             | 74.00             | -28.74         | 7.36           | 3           | Vertical  | 170            | 1.68          | -       | 37.90         |
| AV   | 4.90413G     | 32.45             | 54.00             | -21.55         | 7.36           | 3           | Vertical  | 170            | 1.68          | -       | 25.09         |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

15/10/2019

2452MHz\_TX



EUT X\_1TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.90402G     | 44.90             | 74.00             | -29.10         | 7.36           | 3           | Horizontal | 159            | 2.06          | -       | 37.54         |
| AV   | 4.90378G     | 32.28             | 54.00             | -21.72         | 7.36           | 3           | Horizontal | 159            | 2.06          | -       | 24.92         |




Summary

| Mode                           | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|--------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| 2.4-2.4835GHz                  | -      | -    | -            | -                 | -                 | -              | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20_Nss2,(MCS0)_2TX | Pass   | AV   | 2.3886G      | 53.46             | 54.00             | -0.54          | 31.20          | 3           | Vertical  | 326            | 1.85          | -        |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2412MHz\_TX



EUT\_Z\_2TX  
Setting 77  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.389G    | 65.10          | 74.00          | -8.90       | 31.20       | 3        | Vertical  | 249         | 2.36       | -       | 33.90      |
| AV   | 2.3882G   | 53.03          | 54.00          | -0.97       | 31.20       | 3        | Vertical  | 249         | 2.36       | -       | 21.83      |
| PK   | 2.411G    | 118.62         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 249         | 2.36       | -       | 87.37      |
| AV   | 2.4112G   | 114.76         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 249         | 2.36       | -       | 83.51      |



### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.389G    | 64.95          | 74.00          | -9.05       | 31.20       | 3        | Horizontal | 238         | 1.21       | -       | 33.75      |
| AV   | 2.3892G   | 53.41          | 54.00          | -0.59       | 31.20       | 3        | Horizontal | 238         | 1.21       | -       | 22.21      |
| PK   | 2.413G    | 119.69         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 238         | 1.21       | -       | 88.43      |
| AV   | 2.4112G   | 115.78         | Inf            | -Inf        | 31.25       | 3        | Horizontal | 238         | 1.21       | -       | 84.53      |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.82396G     | 49.40             | 74.00             | -24.60         | 7.17           | 3           | Vertical  | 180            | 2.61          | -       | 42.23         |
| AV   | 4.82392G     | 41.50             | 54.00             | -12.50         | 7.17           | 3           | Vertical  | 180            | 2.61          | -       | 34.33         |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.82418G     | 48.32             | 74.00             | -25.68         | 7.17           | 3           | Horizontal | 207            | 2.24          | -       | 41.15         |
| AV   | 4.824G       | 39.03             | 54.00             | -14.97         | 7.17           | 3           | Horizontal | 207            | 2.24          | -       | 31.86         |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 82  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3878G   | 62.22          | 74.00          | -11.78      | 31.20       | 3        | Vertical  | 231         | 1.68       | -       | 31.02      |
| AV   | 2.389G    | 50.42          | 54.00          | -3.58       | 31.20       | 3        | Vertical  | 231         | 1.68       | -       | 19.22      |
| PK   | 2.4378G   | 119.82         | Inf            | -Inf        | 31.31       | 3        | Vertical  | 231         | 1.68       | -       | 88.51      |
| AV   | 2.4362G   | 115.89         | Inf            | -Inf        | 31.30       | 3        | Vertical  | 231         | 1.68       | -       | 84.59      |
| PK   | 2.4835G   | 63.30          | 74.00          | -10.70      | 31.39       | 3        | Vertical  | 231         | 1.68       | -       | 31.91      |
| AV   | 2.4835G   | 52.06          | 54.00          | -1.94       | 31.39       | 3        | Vertical  | 231         | 1.68       | -       | 20.67      |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 82  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 62.99             | 74.00             | -11.01         | 31.20          | 3           | Horizontal | 215            | 1.09          | -       | 31.79         |
| AV   | 2.3894G      | 51.22             | 54.00             | -2.78          | 31.20          | 3           | Horizontal | 215            | 1.09          | -       | 20.02         |
| PK   | 2.4378G      | 122.12            | Inf               | -Inf           | 31.31          | 3           | Horizontal | 215            | 1.09          | -       | 90.81         |
| AV   | 2.4362G      | 118.37            | Inf               | -Inf           | 31.30          | 3           | Horizontal | 215            | 1.09          | -       | 87.07         |
| PK   | 2.4842G      | 64.56             | 74.00             | -9.44          | 31.39          | 3           | Horizontal | 215            | 1.09          | -       | 33.17         |
| AV   | 2.4835G      | 53.27             | 54.00             | -0.73          | 31.39          | 3           | Horizontal | 215            | 1.09          | -       | 21.88         |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 82  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87374G  | 49.17          | 74.00          | -24.83      | 7.28        | 3        | Vertical  | 135         | 1.97       | -       | 41.89      |
| AV   | 4.87396G  | 43.55          | 54.00          | -10.45      | 7.28        | 3        | Vertical  | 135         | 1.97       | -       | 36.27      |
| PK   | 7.31006G  | 52.63          | 74.00          | -21.37      | 10.54       | 3        | Vertical  | 205         | 2.09       | -       | 42.09      |
| AV   | 7.30972G  | 43.37          | 54.00          | -10.63      | 10.54       | 3        | Vertical  | 205         | 2.09       | -       | 32.83      |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 82  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87392G  | 45.94          | 74.00          | -28.06      | 7.28        | 3        | Horizontal | 175         | 1.50       | -       | 38.66      |
| AV   | 4.87398G  | 34.87          | 54.00          | -19.13      | 7.28        | 3        | Horizontal | 175         | 1.50       | -       | 27.59      |
| PK   | 7.30998G  | 56.61          | 74.00          | -17.39      | 10.54       | 3        | Horizontal | 320         | 2.15       | -       | 46.07      |
| AV   | 7.30968G  | 49.74          | 54.00          | -4.26       | 10.54       | 3        | Horizontal | 320         | 2.15       | -       | 39.20      |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2462MHz\_TX



EUT\_Z\_2TX  
Setting 77  
02-B-2  
FSU(100015)


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.461G       | 117.53            | Inf               | -Inf           | 31.35          | 3           | Vertical  | 212            | 2.26          | -       | 86.18         |
| AV   | 2.4612G      | 113.68            | Inf               | -Inf           | 31.35          | 3           | Vertical  | 212            | 2.26          | -       | 82.33         |
| PK   | 2.4836G      | 62.45             | 74.00             | -11.55         | 31.39          | 3           | Vertical  | 212            | 2.26          | -       | 31.06         |
| AV   | 2.4835G      | 50.58             | 54.00             | -3.42          | 31.39          | 3           | Vertical  | 212            | 2.26          | -       | 19.19         |



### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.461G       | 119.72            | Inf               | -Inf           | 31.35          | 3           | Horizontal | 212            | 1.33          | -       | 88.37         |
| AV   | 2.4612G      | 115.87            | Inf               | -Inf           | 31.35          | 3           | Horizontal | 212            | 1.33          | -       | 84.52         |
| PK   | 2.4835G      | 65.98             | 74.00             | -8.02          | 31.39          | 3           | Horizontal | 212            | 1.33          | -       | 34.59         |
| AV   | 2.4835G      | 53.27             | 54.00             | -0.73          | 31.39          | 3           | Horizontal | 212            | 1.33          | -       | 21.88         |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.92402G     | 49.12             | 74.00             | -24.88         | 7.40           | 3           | Vertical  | 88             | 2.22          | -       | 41.72         |
| AV   | 4.92396G     | 42.22             | 54.00             | -11.78         | 7.40           | 3           | Vertical  | 88             | 2.22          | -       | 34.82         |
| PK   | 7.38662G     | 51.17             | 74.00             | -22.83         | 10.76          | 3           | Vertical  | 127            | 2.82          | -       | 40.41         |
| AV   | 7.38676G     | 40.09             | 54.00             | -13.91         | 10.76          | 3           | Vertical  | 127            | 2.82          | -       | 29.33         |

### 802.11b\_Nss1,(1Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 77  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.924G    | 45.10          | 74.00          | -28.90      | 7.40        | 3        | Horizontal | 217         | 2.09       | -       | 37.70      |
| AV   | 4.92396G  | 32.26          | 54.00          | -21.74      | 7.40        | 3        | Horizontal | 217         | 2.09       | -       | 24.86      |
| PK   | 7.38508G  | 52.15          | 74.00          | -21.85      | 10.76       | 3        | Horizontal | 10          | 1.50       | -       | 41.39      |
| AV   | 7.3847G   | 40.69          | 54.00          | -13.31      | 10.76       | 3        | Horizontal | 10          | 1.50       | -       | 29.93      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 56  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.3894G      | 73.19             | 74.00             | -0.81          | 31.20          | 3           | Vertical  | 197            | 2.21          | -       | 41.99         |
| AV   | 2.39G        | 52.98             | 54.00             | -1.02          | 31.20          | 3           | Vertical  | 197            | 2.21          | -       | 21.78         |
| PK   | 2.4044G      | 115.07            | Inf               | -Inf           | 31.24          | 3           | Vertical  | 197            | 2.21          | -       | 83.83         |
| AV   | 2.4044G      | 105.66            | Inf               | -Inf           | 31.24          | 3           | Vertical  | 197            | 2.21          | -       | 74.42         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 56  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.39G     | 70.28          | 74.00          | -3.72       | 31.20       | 3        | Horizontal | 204         | 1.70       | -       | 39.08      |
| AV   | 2.39G     | 51.27          | 54.00          | -2.73       | 31.20       | 3        | Horizontal | 204         | 1.70       | -       | 20.07      |
| PK   | 2.4058G   | 114.17         | Inf            | -Inf        | 31.24       | 3        | Horizontal | 204         | 1.70       | -       | 82.93      |
| AV   | 2.416G    | 105.07         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 204         | 1.70       | -       | 73.80      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT Z\_2TX  
 Setting 56  
 02-M-1  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.82326G  | 46.00          | 74.00          | -28.00      | 7.16        | 3        | Vertical  | 132         | 2.57       | -       | 38.84      |
| AV   | 4.82397G  | 32.17          | 54.00          | -21.83      | 7.17        | 3        | Vertical  | 132         | 2.57       | -       | 25.00      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 56  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.82435G     | 45.75             | 74.00             | -28.25         | 7.17           | 3           | Horizontal | 44             | 2.04          | -       | 38.58         |
| AV   | 4.82447G     | 32.20             | 54.00             | -21.80         | 7.17           | 3           | Horizontal | 44             | 2.04          | -       | 25.03         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2417MHz\_TX



EUT\_Z\_2TX  
Setting 62  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.39G     | 73.25          | 74.00          | -0.75       | 31.20       | 3        | Vertical  | 174         | 2.30       | -       | 42.05      |
| AV   | 2.39G     | 51.83          | 54.00          | -2.17       | 31.20       | 3        | Vertical  | 174         | 2.30       | -       | 20.63      |
| PK   | 2.4094G   | 116.21         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 174         | 2.30       | -       | 84.96      |
| AV   | 2.4098G   | 106.75         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 174         | 2.30       | -       | 75.50      |



### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2417MHz\_TX




EUT\_Z\_2TX  
 Setting 62  
 02-B-2  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.39G     | 71.17          | 74.00          | -2.83       | 31.20       | 3        | Horizontal | 182         | 1.28       | -       | 39.97      |
| AV   | 2.3838G   | 50.78          | 54.00          | -3.22       | 31.19       | 3        | Horizontal | 182         | 1.28       | -       | 19.59      |
| PK   | 2.4208G   | 116.37         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 182         | 1.28       | -       | 85.10      |
| AV   | 2.4212G   | 107.34         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 182         | 1.28       | -       | 76.07      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.389G       | 70.42             | 74.00             | -3.58          | 31.20          | 3           | Vertical  | 196            | 2.25          | -       | 39.22         |
| AV   | 2.3898G      | 52.42             | 54.00             | -1.58          | 31.20          | 3           | Vertical  | 196            | 2.25          | -       | 21.22         |
| PK   | 2.4438G      | 118.30            | Inf               | -Inf           | 31.32          | 3           | Vertical  | 196            | 2.25          | -       | 86.98         |
| AV   | 2.4434G      | 108.94            | Inf               | -Inf           | 31.32          | 3           | Vertical  | 196            | 2.25          | -       | 77.62         |
| PK   | 2.4835G      | 71.20             | 74.00             | -2.80          | 31.39          | 3           | Vertical  | 196            | 2.25          | -       | 39.81         |
| AV   | 2.4846G      | 51.24             | 54.00             | -2.76          | 31.40          | 3           | Vertical  | 196            | 2.25          | -       | 19.84         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 68.16             | 74.00             | -5.84          | 31.20          | 3           | Horizontal | 196            | 1.49          | -       | 36.96         |
| AV   | 2.3898G      | 51.61             | 54.00             | -2.39          | 31.20          | 3           | Horizontal | 196            | 1.49          | -       | 20.41         |
| PK   | 2.4346G      | 119.35            | Inf               | -Inf           | 31.30          | 3           | Horizontal | 196            | 1.49          | -       | 88.05         |
| AV   | 2.4346G      | 109.92            | Inf               | -Inf           | 31.30          | 3           | Horizontal | 196            | 1.49          | -       | 78.62         |
| PK   | 2.4838G      | 73.08             | 74.00             | -0.92          | 31.39          | 3           | Horizontal | 196            | 1.49          | -       | 41.69         |
| AV   | 2.4835G      | 52.62             | 54.00             | -1.38          | 31.39          | 3           | Horizontal | 196            | 1.49          | -       | 21.23         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87324G  | 46.54          | 74.00          | -27.46      | 7.28        | 3        | Vertical  | 119         | 1.14       | -       | 39.26      |
| AV   | 4.87463G  | 31.85          | 54.00          | -22.15      | 7.28        | 3        | Vertical  | 119         | 1.14       | -       | 24.57      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 72  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87438G  | 46.03          | 74.00          | -27.97      | 7.28        | 3        | Horizontal | 115         | 1.50       | -       | 38.75      |
| AV   | 4.87465G  | 31.91          | 54.00          | -22.09      | 7.28        | 3        | Horizontal | 115         | 1.50       | -       | 24.63      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4508G   | 115.90         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 185         | 1.85       | -       | 84.57      |
| AV   | 2.4508G   | 106.38         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 185         | 1.85       | -       | 75.05      |
| PK   | 2.4835G   | 71.01          | 74.00          | -2.99       | 31.39       | 3        | Vertical  | 185         | 1.85       | -       | 39.62      |
| AV   | 2.4856G   | 50.99          | 54.00          | -3.01       | 31.40       | 3        | Vertical  | 185         | 1.85       | -       | 19.59      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 60  
02-B-2  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.4538G      | 115.83            | Inf               | -Inf           | 31.34          | 3           | Horizontal | 188            | 1.11          | -       | 84.49         |
| AV   | 2.4536G      | 106.33            | Inf               | -Inf           | 31.34          | 3           | Horizontal | 188            | 1.11          | -       | 74.99         |
| PK   | 2.4838G      | 72.70             | 74.00             | -1.30          | 31.39          | 3           | Horizontal | 188            | 1.11          | -       | 41.31         |
| AV   | 2.4838G      | 53.33             | 54.00             | -0.67          | 31.39          | 3           | Horizontal | 188            | 1.11          | -       | 21.94         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2462MHz\_TX



EUT\_Z\_2TX  
Setting 55  
02-B-2  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.459G    | 114.38         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 184         | 2.10       | -       | 83.04      |
| AV   | 2.4544G   | 104.85         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 184         | 2.10       | -       | 73.51      |
| PK   | 2.4842G   | 71.33          | 74.00          | -2.67       | 31.39       | 3        | Vertical  | 184         | 2.10       | -       | 39.94      |
| AV   | 2.4838G   | 51.47          | 54.00          | -2.53       | 31.39       | 3        | Vertical  | 184         | 2.10       | -       | 20.08      |



### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-B-2  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4636G   | 114.71         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 198         | 1.18       | -       | 83.35      |
| AV   | 2.4636G   | 105.03         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 198         | 1.18       | -       | 73.67      |
| PK   | 2.4836G   | 72.14          | 74.00          | -1.86       | 31.39       | 3        | Horizontal | 198         | 1.18       | -       | 40.75      |
| AV   | 2.4835G   | 53.22          | 54.00          | -0.78       | 31.39       | 3        | Horizontal | 198         | 1.18       | -       | 21.83      |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.92384G     | 44.81             | 74.00             | -29.19         | 7.40           | 3           | Vertical  | 15             | 1.33          | -       | 37.41         |
| AV   | 4.92419G     | 31.39             | 54.00             | -22.61         | 7.40           | 3           | Vertical  | 15             | 1.33          | -       | 23.99         |

### 802.11g\_Nss1,(6Mbps)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 55  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.92353G     | 45.23             | 74.00             | -28.77         | 7.39           | 3           | Horizontal | 302            | 1.81          | -       | 37.84         |
| AV   | 4.92388G     | 31.50             | 54.00             | -22.50         | 7.40           | 3           | Horizontal | 302            | 1.81          | -       | 24.10         |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 53  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.3888G      | 68.35             | 74.00             | -5.65          | 31.20          | 3           | Vertical  | 330            | 2.36          | -       | 37.15         |
| AV   | 2.39G        | 53.30             | 54.00             | -0.70          | 31.20          | 3           | Vertical  | 330            | 2.36          | -       | 22.10         |
| PK   | 2.407G       | 114.71            | Inf               | -Inf           | 31.24          | 3           | Vertical  | 330            | 2.36          | -       | 83.47         |
| AV   | 2.4072G      | 103.34            | Inf               | -Inf           | 31.24          | 3           | Vertical  | 330            | 2.36          | -       | 72.10         |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 53  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3874G   | 69.30          | 74.00          | -4.70       | 31.20       | 3        | Horizontal | 329         | 1.50       | -       | 38.10      |
| AV   | 2.39G     | 52.48          | 54.00          | -1.52       | 31.20       | 3        | Horizontal | 329         | 1.50       | -       | 21.28      |
| PK   | 2.413G    | 113.68         | Inf            | -Inf        | 31.26       | 3        | Horizontal | 329         | 1.50       | -       | 82.42      |
| AV   | 2.4196G   | 102.45         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 329         | 1.50       | -       | 71.18      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2412MHz\_TX




EUT Z\_2TX  
Setting 53  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.82438G  | 45.84          | 74.00          | -28.16      | 7.17        | 3        | Vertical  | 62          | 1.61       | -       | 38.67      |
| AV   | 4.82332G  | 32.97          | 54.00          | -21.03      | 7.16        | 3        | Vertical  | 62          | 1.61       | -       | 25.81      |

802.11ax HEW20\_Nss2,(MCS0)\_2TX

15/10/2019

2412MHz\_TX




EUT Z\_2TX  
Setting 53  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.82332G     | 46.10             | 74.00             | -27.90         | 7.16           | 3           | Horizontal | 125            | 2.03          | -       | 38.94         |
| AV   | 4.82472G     | 32.95             | 54.00             | -21.05         | 7.17           | 3           | Horizontal | 125            | 2.03          | -       | 25.78         |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2417MHz\_TX



EUT\_Z\_2TX  
Setting 65  
02-M-1  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3888G   | 69.84          | 74.00          | -4.16       | 31.20       | 3        | Vertical  | 326         | 2.38       | -       | 38.64      |
| AV   | 2.3888G   | 53.14          | 54.00          | -0.86       | 31.20       | 3        | Vertical  | 326         | 2.38       | -       | 21.94      |
| PK   | 2.4094G   | 117.53         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 326         | 2.38       | -       | 86.28      |
| AV   | 2.4106G   | 107.54         | Inf            | -Inf        | 31.25       | 3        | Vertical  | 326         | 2.38       | -       | 76.29      |



### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 65  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3894G   | 69.13          | 74.00          | -4.87       | 31.20       | 3        | Horizontal | 329         | 1.34       | -       | 37.93      |
| AV   | 2.3842G   | 52.25          | 54.00          | -1.75       | 31.19       | 3        | Horizontal | 329         | 1.34       | -       | 21.06      |
| PK   | 2.4216G   | 116.63         | Inf            | -Inf        | 31.27       | 3        | Horizontal | 329         | 1.34       | -       | 85.36      |
| AV   | 2.4238G   | 107.45         | Inf            | -Inf        | 31.28       | 3        | Horizontal | 329         | 1.34       | -       | 76.17      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 70  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3894G   | 69.48          | 74.00          | -4.52       | 31.20       | 3        | Vertical  | 326         | 1.85       | -       | 38.28      |
| AV   | 2.3886G   | 53.46          | 54.00          | -0.54       | 31.20       | 3        | Vertical  | 326         | 1.85       | -       | 22.26      |
| PK   | 2.4422G   | 119.79         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 326         | 1.85       | -       | 88.47      |
| AV   | 2.4422G   | 106.63         | Inf            | -Inf        | 31.32       | 3        | Vertical  | 326         | 1.85       | -       | 75.31      |
| PK   | 2.4878G   | 71.49          | 74.00          | -2.51       | 31.41       | 3        | Vertical  | 326         | 1.85       | -       | 40.08      |
| AV   | 2.4842G   | 52.63          | 54.00          | -1.37       | 31.39       | 3        | Vertical  | 326         | 1.85       | -       | 21.24      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 70  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 65.91             | 74.00             | -8.09          | 31.20          | 3           | Horizontal | 310            | 1.19          | -       | 34.71         |
| AV   | 2.3898G      | 52.21             | 54.00             | -1.79          | 31.20          | 3           | Horizontal | 310            | 1.19          | -       | 21.01         |
| PK   | 2.4326G      | 118.60            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 310            | 1.19          | -       | 87.31         |
| AV   | 2.4342G      | 107.27            | Inf               | -Inf           | 31.29          | 3           | Horizontal | 310            | 1.19          | -       | 75.98         |
| PK   | 2.4846G      | 68.75             | 74.00             | -5.25          | 31.40          | 3           | Horizontal | 310            | 1.19          | -       | 37.35         |
| AV   | 2.4838G      | 53.23             | 54.00             | -0.77          | 31.39          | 3           | Horizontal | 310            | 1.19          | -       | 21.84         |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX




EUT Z\_2TX  
 Setting 70  
 02-M-1  
 FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.87417G     | 45.67             | 74.00             | -28.33         | 7.28           | 3           | Vertical  | 56             | 2.06          | -       | 38.39         |
| AV   | 4.87464G     | 32.45             | 54.00             | -21.55         | 7.28           | 3           | Vertical  | 56             | 2.06          | -       | 25.17         |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX




EUT Z\_2TX  
 Setting 70  
 02-M-1  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87436G  | 44.97          | 74.00          | -29.03      | 7.28        | 3        | Horizontal | 252         | 2.56       | -       | 37.69      |
| AV   | 4.87456G  | 32.87          | 54.00          | -21.13      | 7.28        | 3        | Horizontal | 252         | 2.56       | -       | 25.59      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 59  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4532G   | 116.08         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 298         | 1.85       | -       | 84.74      |
| AV   | 2.4514G   | 104.07         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 298         | 1.85       | -       | 72.74      |
| PK   | 2.4864G   | 70.25          | 74.00          | -3.75       | 31.40       | 3        | Vertical  | 298         | 1.85       | -       | 38.85      |
| AV   | 2.4836G   | 52.70          | 54.00          | -1.30       | 31.39       | 3        | Vertical  | 298         | 1.85       | -       | 21.31      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 59  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.452G    | 115.78         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 293         | 1.20       | -       | 84.45      |
| AV   | 2.452G    | 104.56         | Inf            | -Inf        | 31.33       | 3        | Horizontal | 293         | 1.20       | -       | 73.23      |
| PK   | 2.4854G   | 71.56          | 74.00          | -2.44       | 31.40       | 3        | Horizontal | 293         | 1.20       | -       | 40.16      |
| AV   | 2.4835G   | 53.42          | 54.00          | -0.58       | 31.39       | 3        | Horizontal | 293         | 1.20       | -       | 22.03      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2462MHz\_TX



EUT\_Z\_2TX  
Setting 50  
02-M-1  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4572G   | 114.03         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 299         | 1.82       | -       | 82.69      |
| AV   | 2.457G    | 102.60         | Inf            | -Inf        | 31.34       | 3        | Vertical  | 299         | 1.82       | -       | 71.26      |
| PK   | 2.4846G   | 69.31          | 74.00          | -4.69       | 31.40       | 3        | Vertical  | 299         | 1.82       | -       | 37.91      |
| AV   | 2.4835G   | 52.46          | 54.00          | -1.54       | 31.39       | 3        | Vertical  | 299         | 1.82       | -       | 21.07      |



802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

2462MHz\_TX




EUT\_Z\_2TX  
Setting 50  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4666G   | 113.24         | Inf            | -Inf        | 31.37       | 3        | Horizontal | 269         | 1.33       | -       | 81.87      |
| AV   | 2.464G    | 101.80         | Inf            | -Inf        | 31.36       | 3        | Horizontal | 269         | 1.33       | -       | 70.44      |
| PK   | 2.4842G   | 70.06          | 74.00          | -3.94       | 31.39       | 3        | Horizontal | 269         | 1.33       | -       | 38.67      |
| AV   | 2.484G    | 53.18          | 54.00          | -0.82       | 31.39       | 3        | Horizontal | 269         | 1.33       | -       | 21.79      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2462MHz\_TX




EUT Z\_2TX  
 Setting 50  
 02-M-1  
 FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.92426G  | 44.83          | 74.00          | -29.17      | 7.40        | 3        | Vertical  | 99          | 2.92       | -       | 37.43      |
| AV   | 4.9247G   | 32.20          | 54.00          | -21.80      | 7.40        | 3        | Vertical  | 99          | 2.92       | -       | 24.80      |

### 802.11ax HEW20\_Nss2,(MCS0)\_2TX

06/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 50  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.92426G     | 45.47             | 74.00             | -28.53         | 7.40           | 3           | Horizontal | 323            | 1.08          | -       | 38.07         |
| AV   | 4.9249G      | 32.35             | 54.00             | -21.65         | 7.40           | 3           | Horizontal | 323            | 1.08          | -       | 24.95         |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3884G   | 70.44          | 74.00          | -3.56       | 31.20       | 3        | Vertical  | 329         | 2.41       | -       | 39.24      |
| AV   | 2.39G     | 53.37          | 54.00          | -0.63       | 31.20       | 3        | Vertical  | 329         | 2.41       | -       | 22.17      |
| PK   | 2.4128G   | 109.29         | Inf            | -Inf        | 31.26       | 3        | Vertical  | 329         | 2.41       | -       | 78.03      |
| AV   | 2.4096G   | 97.88          | Inf            | -Inf        | 31.25       | 3        | Vertical  | 329         | 2.41       | -       | 66.63      |
| PK   | 2.4844G   | 60.82          | 74.00          | -13.18      | 31.40       | 3        | Vertical  | 329         | 2.41       | -       | 29.42      |
| AV   | 2.4884G   | 48.67          | 54.00          | -5.33       | 31.41       | 3        | Vertical  | 329         | 2.41       | -       | 17.26      |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3844G   | 71.15          | 74.00          | -2.85       | 31.19       | 3        | Horizontal | 317         | 1.34       | -       | 39.96      |
| AV   | 2.3856G   | 52.38          | 54.00          | -1.62       | 31.19       | 3        | Horizontal | 317         | 1.34       | -       | 21.19      |
| PK   | 2.4256G   | 111.46         | Inf            | -Inf        | 31.28       | 3        | Horizontal | 317         | 1.34       | -       | 80.18      |
| AV   | 2.4328G   | 98.85          | Inf            | -Inf        | 31.29       | 3        | Horizontal | 317         | 1.34       | -       | 67.56      |
| PK   | 2.484G    | 62.58          | 74.00          | -11.42      | 31.39       | 3        | Horizontal | 317         | 1.34       | -       | 31.19      |
| AV   | 2.4835G   | 49.23          | 54.00          | -4.77       | 31.39       | 3        | Horizontal | 317         | 1.34       | -       | 17.84      |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2422MHz\_TX




EUT Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.84444G     | 45.27             | 74.00             | -28.73         | 7.21           | 3           | Vertical  | 265            | 2.86          | -       | 38.06         |
| AV   | 4.84355G     | 32.61             | 54.00             | -21.39         | 7.21           | 3           | Vertical  | 265            | 2.86          | -       | 25.40         |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.84366G     | 45.68             | 74.00             | -28.32         | 7.21           | 3           | Horizontal | 156            | 1.66          | -       | 38.47         |
| AV   | 4.84401G     | 32.91             | 54.00             | -21.09         | 7.21           | 3           | Horizontal | 156            | 1.66          | -       | 25.70         |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX



EUT\_Z\_2TX  
Setting 51  
02-M-1  
FSU(100015)


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3878G   | 65.91          | 74.00          | -8.09       | 31.20       | 3        | Vertical  | 295         | 2.34       | -       | 34.71      |
| AV   | 2.3898G   | 53.35          | 54.00          | -0.65       | 31.20       | 3        | Vertical  | 295         | 2.34       | -       | 22.15      |
| PK   | 2.447G    | 111.48         | Inf            | -Inf        | 31.33       | 3        | Vertical  | 295         | 2.34       | -       | 80.15      |
| AV   | 2.441G    | 99.75          | Inf            | -Inf        | 31.32       | 3        | Vertical  | 295         | 2.34       | -       | 68.43      |
| PK   | 2.4882G   | 67.75          | 74.00          | -6.25       | 31.41       | 3        | Vertical  | 295         | 2.34       | -       | 36.34      |
| AV   | 2.4835G   | 52.28          | 54.00          | -1.72       | 31.39       | 3        | Vertical  | 295         | 2.34       | -       | 20.89      |



### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 51  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3882G   | 67.70          | 74.00          | -6.30       | 31.20       | 3        | Horizontal | 287         | 1.31       | -       | 36.50      |
| AV   | 2.389G    | 51.80          | 54.00          | -2.20       | 31.20       | 3        | Horizontal | 287         | 1.31       | -       | 20.60      |
| PK   | 2.4334G   | 112.62         | Inf            | -Inf        | 31.29       | 3        | Horizontal | 287         | 1.31       | -       | 81.33      |
| AV   | 2.433G    | 100.46         | Inf            | -Inf        | 31.29       | 3        | Horizontal | 287         | 1.31       | -       | 69.17      |
| PK   | 2.4902G   | 67.57          | 74.00          | -6.43       | 31.41       | 3        | Horizontal | 287         | 1.31       | -       | 36.16      |
| AV   | 2.4835G   | 53.25          | 54.00          | -0.75       | 31.39       | 3        | Horizontal | 287         | 1.31       | -       | 21.86      |

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

2437MHz\_TX




EUT Z\_2TX  
Setting 51  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87399G  | 45.17          | 74.00          | -28.83      | 7.28        | 3        | Vertical  | 152         | 1.84       | -       | 37.89      |
| AV   | 4.8741G   | 32.23          | 54.00          | -21.77      | 7.28        | 3        | Vertical  | 152         | 1.84       | -       | 24.95      |

802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

2437MHz\_TX




EUT Z\_2TX  
Setting 51  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87457G  | 46.77          | 74.00          | -27.23      | 7.28        | 3        | Horizontal | 233         | 2.14       | -       | 39.49      |
| AV   | 4.87442G  | 32.17          | 54.00          | -21.83      | 7.28        | 3        | Horizontal | 233         | 2.14       | -       | 24.89      |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

15/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.39G        | 61.05             | 74.00             | -12.95         | 31.20          | 3           | Vertical  | 359            | 2.25          | -       | 29.85         |
| AV   | 2.39G        | 49.38             | 54.00             | -4.62          | 31.20          | 3           | Vertical  | 359            | 2.25          | -       | 18.18         |
| PK   | 2.4456G      | 110.91            | Inf               | -Inf           | 31.32          | 3           | Vertical  | 359            | 2.25          | -       | 79.59         |
| AV   | 2.4416G      | 98.56             | Inf               | -Inf           | 31.32          | 3           | Vertical  | 359            | 2.25          | -       | 67.24         |
| PK   | 2.4852G      | 66.26             | 74.00             | -7.74          | 31.40          | 3           | Vertical  | 359            | 2.25          | -       | 34.86         |
| AV   | 2.4835G      | 52.76             | 54.00             | -1.24          | 31.39          | 3           | Vertical  | 359            | 2.25          | -       | 21.37         |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.39G     | 61.82          | 74.00          | -12.18      | 31.20       | 3        | Horizontal | 277         | 1.20       | -       | 30.62      |
| AV   | 2.3896G   | 48.67          | 54.00          | -5.33       | 31.20       | 3        | Horizontal | 277         | 1.20       | -       | 17.47      |
| PK   | 2.4432G   | 110.71         | Inf            | -Inf        | 31.32       | 3        | Horizontal | 277         | 1.20       | -       | 79.39      |
| AV   | 2.438G    | 98.44          | Inf            | -Inf        | 31.31       | 3        | Horizontal | 277         | 1.20       | -       | 67.13      |
| PK   | 2.4852G   | 68.59          | 74.00          | -5.41       | 31.40       | 3        | Horizontal | 277         | 1.20       | -       | 37.19      |
| AV   | 2.4844G   | 53.28          | 54.00          | -0.72       | 31.40       | 3        | Horizontal | 277         | 1.20       | -       | 21.88      |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.90492G  | 44.95          | 74.00          | -29.05      | 7.36        | 3        | Vertical  | 150         | 2.08       | -       | 37.59      |
| AV   | 4.90304G  | 32.59          | 54.00          | -21.41      | 7.36        | 3        | Vertical  | 150         | 2.08       | -       | 25.23      |

### 802.11ax HEW40\_Nss2,(MCS0)\_2TX

06/10/2019

### 2452MHz\_TX



EUT Z\_2TX  
Setting 47  
02-M-1  
FSU(100015)

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.90422G  | 45.00          | 74.00          | -29.00      | 7.36        | 3        | Horizontal | 264         | 2.84       | -       | 37.64      |
| AV   | 4.9049G   | 32.26          | 54.00          | -21.74      | 7.36        | 3        | Horizontal | 264         | 2.84       | -       | 24.90      |



Summary


| Mode                              | Result | Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comments |
|-----------------------------------|--------|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|----------|
| 2.4-2.4835GHz                     | -      | -    | -            | -                 | -                 | -              | -              | -           | -         | -              | -             | -        |
| 802.11ax HEW20-BF_Nss1,(MCS0)_2TX | Pass   | PK   | 2.4838G      | 73.47             | 74.00             | -0.53          | 30.05          | 3           | Vertical  | 0              | 1.68          | -        |



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 50  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3854G   | 73.16          | 74.00          | -0.84       | 29.84       | 3        | Vertical  | 4           | 1.74       | -       | 43.32      |
| AV   | 2.39G     | 53.25          | 54.00          | -0.75       | 29.84       | 3        | Vertical  | 4           | 1.74       | -       | 23.41      |
| PK   | 2.404G    | 115.39         | Inf            | -Inf        | 29.85       | 3        | Vertical  | 4           | 1.74       | -       | 85.54      |
| AV   | 2.404G    | 103.51         | Inf            | -Inf        | 29.85       | 3        | Vertical  | 4           | 1.74       | -       | 73.66      |

802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

2412MHz\_TX




EUT\_Z\_2TX  
Setting 50  
04-C-5  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 2.39G        | 59.85             | 74.00             | -14.15         | 29.84          | 3           | Horizontal | 341            | 2.46          | -       | 30.01         |
| AV   | 2.3898G      | 46.28             | 54.00             | -7.72          | 29.84          | 3           | Horizontal | 341            | 2.46          | -       | 16.44         |
| PK   | 2.4144G      | 107.76            | Inf               | -Inf           | 29.88          | 3           | Horizontal | 341            | 2.46          | -       | 77.88         |
| AV   | 2.4174G      | 95.55             | Inf               | -Inf           | 29.88          | 3           | Horizontal | 341            | 2.46          | -       | 65.67         |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 50  
04-L-3  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.81978G     | 49.53             | 74.00             | -24.47         | 2.95           | 3           | Vertical  | 159            | 1.02          | -       | 46.58         |
| AV   | 4.8214G      | 35.02             | 54.00             | -18.98         | 2.95           | 3           | Vertical  | 159            | 1.02          | -       | 32.07         |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2412MHz\_TX




EUT\_Z\_2TX  
Setting 50  
04-L-3  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.82826G  | 45.56          | 74.00          | -28.44      | 2.97        | 3        | Horizontal | 202         | 1.69       | -       | 42.59      |
| AV   | 4.82768G  | 32.32          | 54.00          | -21.68      | 2.97        | 3        | Horizontal | 202         | 1.69       | -       | 29.35      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 60  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3872G   | 73.35          | 74.00          | -0.65       | 29.84       | 3        | Vertical  | 3           | 2.01       | -       | 43.51      |
| AV   | 2.39G     | 52.29          | 54.00          | -1.71       | 29.84       | 3        | Vertical  | 3           | 2.01       | -       | 22.45      |
| PK   | 2.4194G   | 118.01         | Inf            | -Inf        | 29.89       | 3        | Vertical  | 3           | 2.01       | -       | 88.12      |
| AV   | 2.4154G   | 105.29         | Inf            | -Inf        | 29.88       | 3        | Vertical  | 3           | 2.01       | -       | 75.41      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2417MHz\_TX




EUT\_Z\_2TX  
Setting 60  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.387G    | 66.95          | 74.00          | -7.05       | 29.84       | 3        | Horizontal | 7           | 1.10       | -       | 37.11      |
| AV   | 2.3852G   | 50.83          | 54.00          | -3.17       | 29.84       | 3        | Horizontal | 7           | 1.10       | -       | 20.99      |
| PK   | 2.4096G   | 114.65         | Inf            | -Inf        | 29.86       | 3        | Horizontal | 7           | 1.10       | -       | 84.79      |
| AV   | 2.413G    | 100.58         | Inf            | -Inf        | 29.88       | 3        | Horizontal | 7           | 1.10       | -       | 70.70      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 74  
04-C-5  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 71.76             | 74.00             | -2.24          | 29.84          | 3           | Vertical  | 360            | 1.70          | -       | 41.92         |
| AV   | 2.3898G      | 53.30             | 54.00             | -0.70          | 29.84          | 3           | Vertical  | 360            | 1.70          | -       | 23.46         |
| PK   | 2.4454G      | 121.48            | Inf               | -Inf           | 29.95          | 3           | Vertical  | 360            | 1.70          | -       | 91.53         |
| AV   | 2.4382G      | 108.74            | Inf               | -Inf           | 29.94          | 3           | Vertical  | 360            | 1.70          | -       | 78.80         |
| PK   | 2.4838G      | 71.93             | 74.00             | -2.07          | 30.05          | 3           | Vertical  | 360            | 1.70          | -       | 41.88         |
| AV   | 2.4835G      | 49.12             | 54.00             | -4.88          | 30.05          | 3           | Vertical  | 360            | 1.70          | -       | 19.07         |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2437MHz\_TX



EUT\_Z\_2TX  
Setting 74  
04-C-5  
FSP  
Panel-2


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3834G   | 66.09          | 74.00          | -7.91       | 29.85       | 3        | Horizontal | 342         | 1.00       | -       | 36.24      |
| AV   | 2.3894G   | 49.73          | 54.00          | -4.27       | 29.84       | 3        | Horizontal | 342         | 1.00       | -       | 19.89      |
| PK   | 2.4322G   | 117.57         | Inf            | -Inf        | 29.92       | 3        | Horizontal | 342         | 1.00       | -       | 87.65      |
| AV   | 2.4406G   | 103.15         | Inf            | -Inf        | 29.94       | 3        | Horizontal | 342         | 1.00       | -       | 73.21      |
| PK   | 2.4866G   | 70.30          | 74.00          | -3.70       | 30.05       | 3        | Horizontal | 342         | 1.00       | -       | 40.25      |
| AV   | 2.4835G   | 50.44          | 54.00          | -3.56       | 30.05       | 3        | Horizontal | 342         | 1.00       | -       | 20.39      |



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 74  
04-L-3  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 4.86972G     | 54.07             | 74.00             | -19.93         | 3.11           | 3           | Vertical  | 157            | 1.08          | -       | 50.96         |
| AV   | 4.87222G     | 38.95             | 54.00             | -15.05         | 3.12           | 3           | Vertical  | 157            | 1.08          | -       | 35.83         |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
 Setting 74  
 04-L-3  
 FSP  
 Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.86974G  | 49.92          | 74.00          | -24.08      | 3.11        | 3        | Horizontal | 200         | 1.50       | -       | 46.81      |
| AV   | 4.87394G  | 34.44          | 54.00          | -19.56      | 3.12        | 3        | Horizontal | 200         | 1.50       | -       | 31.32      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 61  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.4534G   | 118.01         | Inf            | -Inf        | 29.98       | 3        | Vertical  | 0           | 1.68       | -       | 88.03      |
| AV   | 2.4508G   | 105.92         | Inf            | -Inf        | 29.97       | 3        | Vertical  | 0           | 1.68       | -       | 75.95      |
| PK   | 2.4838G   | 73.47          | 74.00          | -0.53       | 30.05       | 3        | Vertical  | 0           | 1.68       | -       | 43.42      |
| AV   | 2.4906G   | 51.37          | 54.00          | -2.63       | 30.07       | 3        | Vertical  | 0           | 1.68       | -       | 21.30      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2457MHz\_TX




EUT\_Z\_2TX  
Setting 61  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4506G   | 115.95         | Inf            | -Inf        | 29.97       | 3        | Horizontal | 4           | 1.04       | -       | 85.98      |
| AV   | 2.4636G   | 102.19         | Inf            | -Inf        | 30.00       | 3        | Horizontal | 4           | 1.04       | -       | 72.19      |
| PK   | 2.4892G   | 68.36          | 74.00          | -5.64       | 30.06       | 3        | Horizontal | 4           | 1.04       | -       | 38.30      |
| AV   | 2.4835G   | 49.99          | 54.00          | -4.01       | 30.05       | 3        | Horizontal | 4           | 1.04       | -       | 19.94      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
Setting 54  
04-C-5  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.4558G      | 116.68            | Inf               | -Inf           | 29.98          | 3           | Vertical  | 0              | 1.58          | -       | 86.70         |
| AV   | 2.4554G      | 103.58            | Inf               | -Inf           | 29.98          | 3           | Vertical  | 0              | 1.58          | -       | 73.60         |
| PK   | 2.4836G      | 73.46             | 74.00             | -0.54          | 30.05          | 3           | Vertical  | 0              | 1.58          | -       | 43.41         |
| AV   | 2.4835G      | 51.30             | 54.00             | -2.70          | 30.05          | 3           | Vertical  | 0              | 1.58          | -       | 21.25         |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2462MHz\_TX




EUT Z\_2TX  
Setting 54  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.4558G   | 112.74         | Inf            | -Inf        | 29.98       | 3        | Horizontal | 360         | 1.01       | -       | 82.76      |
| AV   | 2.456G    | 99.71          | Inf            | -Inf        | 29.98       | 3        | Horizontal | 360         | 1.01       | -       | 69.73      |
| PK   | 2.4838G   | 70.25          | 74.00          | -3.75       | 30.05       | 3        | Horizontal | 360         | 1.01       | -       | 40.20      |
| AV   | 2.4835G   | 51.46          | 54.00          | -2.54       | 30.05       | 3        | Horizontal | 360         | 1.01       | -       | 21.41      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2462MHz\_TX




EUT\_Z\_2TX  
 Setting 54  
 04-L-3  
 FSP  
 Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.91994G  | 49.58          | 74.00          | -24.42      | 3.24        | 3        | Vertical  | 159         | 1.22       | -       | 46.34      |
| AV   | 4.92412G  | 35.89          | 54.00          | -18.11      | 3.25        | 3        | Vertical  | 159         | 1.22       | -       | 32.64      |

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2462MHz\_TX



EUT Z\_2TX  
Setting 54  
04-L-3  
FSP  
Panel-2


| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|------------|----------------|---------------|---------|---------------|
| PK   | 4.86972G     | 54.07             | 74.00             | -19.93         | 3.11           | 3           | Horizontal | 157            | 1.08          | -       | 50.96         |
| AV   | 4.87222G     | 38.95             | 54.00             | -15.05         | 3.12           | 3           | Horizontal | 157            | 1.08          | -       | 35.83         |



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
Setting 43  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3888G   | 69.48          | 74.00          | -4.52       | 29.84       | 3        | Vertical  | 0           | 2.01       | -       | 39.64      |
| AV   | 2.3896G   | 53.21          | 54.00          | -0.79       | 29.84       | 3        | Vertical  | 0           | 2.01       | -       | 23.37      |
| PK   | 2.418G    | 111.67         | Inf            | -Inf        | 29.89       | 3        | Vertical  | 0           | 2.01       | -       | 81.78      |
| AV   | 2.416G    | 98.44          | Inf            | -Inf        | 29.88       | 3        | Vertical  | 0           | 2.01       | -       | 68.56      |
| PK   | 2.4835G   | 58.10          | 74.00          | -15.90      | 30.05       | 3        | Vertical  | 0           | 2.01       | -       | 28.05      |
| AV   | 2.4835G   | 44.01          | 54.00          | -9.99       | 30.05       | 3        | Vertical  | 0           | 2.01       | -       | 13.96      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
Setting 43  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3824G   | 65.95          | 74.00          | -8.05       | 29.85       | 3        | Horizontal | 349         | 1.01       | -       | 36.10      |
| AV   | 2.3844G   | 47.38          | 54.00          | -6.62       | 29.85       | 3        | Horizontal | 349         | 1.01       | -       | 17.53      |
| PK   | 2.4308G   | 109.93         | Inf            | -Inf        | 29.92       | 3        | Horizontal | 349         | 1.01       | -       | 80.01      |
| AV   | 2.4164G   | 95.96          | Inf            | -Inf        | 29.88       | 3        | Horizontal | 349         | 1.01       | -       | 66.08      |
| PK   | 2.4856G   | 58.63          | 74.00          | -15.37      | 30.05       | 3        | Horizontal | 349         | 1.01       | -       | 28.58      |
| AV   | 2.484G    | 44.54          | 54.00          | -9.46       | 30.05       | 3        | Horizontal | 349         | 1.01       | -       | 14.49      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2422MHz\_TX




EUT\_Z\_2TX  
 Setting 43  
 04-L-3  
 FSP  
 Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.84424G  | 48.34          | 74.00          | -25.66      | 3.03        | 3        | Vertical  | 162         | 2.71       | -       | 45.31      |
| AV   | 4.84402G  | 33.12          | 54.00          | -20.88      | 3.03        | 3        | Vertical  | 162         | 2.71       | -       | 30.09      |

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

2422MHz\_TX




EUT Z\_2TX  
Setting 43  
04-L-3  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.83988G  | 45.51          | 74.00          | -28.49      | 3.02        | 3        | Horizontal | 206         | 1.50       | -       | 42.49      |
| AV   | 4.84392G  | 31.91          | 54.00          | -22.09      | 3.03        | 3        | Horizontal | 206         | 1.50       | -       | 28.88      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 49  
04-C-5  
FSP  
Panel-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Factor<br>(dB) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | Raw<br>(dBuV) |
|------|--------------|-------------------|-------------------|----------------|----------------|-------------|-----------|----------------|---------------|---------|---------------|
| PK   | 2.3898G      | 70.08             | 74.00             | -3.92          | 29.84          | 3           | Vertical  | 360            | 1.48          | -       | 40.24         |
| AV   | 2.3898G      | 53.11             | 54.00             | -0.89          | 29.84          | 3           | Vertical  | 360            | 1.48          | -       | 23.27         |
| PK   | 2.4386G      | 112.97            | Inf               | -Inf           | 29.94          | 3           | Vertical  | 360            | 1.48          | -       | 83.03         |
| AV   | 2.4426G      | 100.20            | Inf               | -Inf           | 29.95          | 3           | Vertical  | 360            | 1.48          | -       | 70.25         |
| PK   | 2.4858G      | 67.18             | 74.00             | -6.82          | 30.05          | 3           | Vertical  | 360            | 1.48          | -       | 37.13         |
| AV   | 2.4835G      | 50.23             | 54.00             | -3.77          | 30.05          | 3           | Vertical  | 360            | 1.48          | -       | 20.18         |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
Setting 49  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3862G   | 62.73          | 74.00          | -11.27      | 29.84       | 3        | Horizontal | 0           | 1.33       | -       | 32.89      |
| AV   | 2.3894G   | 46.34          | 54.00          | -7.66       | 29.84       | 3        | Horizontal | 0           | 1.33       | -       | 16.50      |
| PK   | 2.4262G   | 111.68         | Inf            | -Inf        | 29.90       | 3        | Horizontal | 0           | 1.33       | -       | 81.78      |
| AV   | 2.423G    | 96.59          | Inf            | -Inf        | 29.90       | 3        | Horizontal | 0           | 1.33       | -       | 66.69      |
| PK   | 2.4854G   | 62.49          | 74.00          | -11.51      | 30.05       | 3        | Horizontal | 0           | 1.33       | -       | 32.44      |
| AV   | 2.4835G   | 47.83          | 54.00          | -6.17       | 30.05       | 3        | Horizontal | 0           | 1.33       | -       | 17.78      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2437MHz\_TX




EUT\_Z\_2TX  
 Setting 49  
 04-L-3  
 FSP  
 Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.87414G  | 49.91          | 74.00          | -24.09      | 3.12        | 3        | Vertical  | 158         | 1.26       | -       | 46.79      |
| AV   | 4.87384G  | 34.00          | 54.00          | -20.00      | 3.12        | 3        | Vertical  | 158         | 1.26       | -       | 30.88      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2437MHz\_TX



EUT\_Z\_2TX  
Setting 49  
04-L-3  
FSP  
Panel-2


| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.87428G  | 47.30          | 74.00          | -26.70      | 3.12        | 3        | Horizontal | 203         | 1.47       | -       | 44.18      |
| AV   | 4.87384G  | 32.15          | 54.00          | -21.85      | 3.12        | 3        | Horizontal | 203         | 1.47       | -       | 29.03      |



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 2.3832G   | 60.12          | 74.00          | -13.88      | 29.85       | 3        | Vertical  | 0           | 1.47       | -       | 30.27      |
| AV   | 2.39G     | 48.05          | 54.00          | -5.95       | 29.84       | 3        | Vertical  | 0           | 1.47       | -       | 18.21      |
| PK   | 2.4476G   | 112.76         | Inf            | -Inf        | 29.96       | 3        | Vertical  | 0           | 1.47       | -       | 82.80      |
| AV   | 2.4436G   | 99.78          | Inf            | -Inf        | 29.95       | 3        | Vertical  | 0           | 1.47       | -       | 69.83      |
| PK   | 2.488G    | 68.11          | 74.00          | -5.89       | 30.06       | 3        | Vertical  | 0           | 1.47       | -       | 38.05      |
| AV   | 2.4908G   | 53.17          | 54.00          | -0.83       | 30.07       | 3        | Vertical  | 0           | 1.47       | -       | 23.10      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

12/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
04-C-5  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 2.3768G   | 58.48          | 74.00          | -15.52      | 29.85       | 3        | Horizontal | 1           | 1.37       | -       | 28.63      |
| AV   | 2.3888G   | 45.14          | 54.00          | -8.86       | 29.84       | 3        | Horizontal | 1           | 1.37       | -       | 15.30      |
| PK   | 2.4448G   | 111.09         | Inf            | -Inf        | 29.95       | 3        | Horizontal | 1           | 1.37       | -       | 81.14      |
| AV   | 2.4356G   | 99.02          | Inf            | -Inf        | 29.93       | 3        | Horizontal | 1           | 1.37       | -       | 69.09      |
| PK   | 2.4892G   | 62.58          | 74.00          | -11.42      | 30.06       | 3        | Horizontal | 1           | 1.37       | -       | 32.52      |
| AV   | 2.4835G   | 47.60          | 54.00          | -6.40       | 30.05       | 3        | Horizontal | 1           | 1.37       | -       | 17.55      |

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

### 2452MHz\_TX




EUT\_Z\_2TX  
 Setting 47  
 04-L-3  
 FSP  
 Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|-----------|-------------|------------|---------|------------|
| PK   | 4.90398G  | 49.57          | 74.00          | -24.43      | 3.21        | 3        | Vertical  | 163         | 2.51       | -       | 46.36      |
| AV   | 4.90386G  | 34.22          | 54.00          | -19.78      | 3.21        | 3        | Vertical  | 163         | 2.51       | -       | 31.01      |

802.11ax HEW40-BF\_Nss1,(MCS0)\_2TX

15/10/2019

2452MHz\_TX




EUT\_Z\_2TX  
Setting 47  
04-L-3  
FSP  
Panel-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Factor (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | Raw (dBuV) |
|------|-----------|----------------|----------------|-------------|-------------|----------|------------|-------------|------------|---------|------------|
| PK   | 4.9087G   | 45.25          | 74.00          | -28.75      | 3.22        | 3        | Horizontal | 221         | 1.50       | -       | 42.03      |
| AV   | 4.90712G  | 31.74          | 54.00          | -22.26      | 3.21        | 3        | Horizontal | 221         | 1.50       | -       | 28.53      |



|           |        |                 |                         |
|-----------|--------|-----------------|-------------------------|
| Test Mode | Mode 1 | Frequency Range | 1,000 MHz to 40,000 MHz |
|-----------|--------|-----------------|-------------------------|


Vertical 1,000 MHz to 40,000 MHz



|   | Freq    | Level  | Limit  | Over   | Read  | CableAntenna | Preamp | A/Pos | T/Pos | Remark      | Pol/Phase |
|---|---------|--------|--------|--------|-------|--------------|--------|-------|-------|-------------|-----------|
|   | MHz     | dBuV/m | dBuV/m | dB     | dBuV  | dB           | dB/m   | dB    | cm    | deg         |           |
| 1 | 3618.01 | 49.38  | 74.00  | -24.62 | 48.71 | 4.06         | 29.12  | 32.51 | 100   | 207 Peak    | VERTICAL  |
| 2 | 3618.03 | 44.95  | 54.00  | -9.05  | 44.28 | 4.06         | 29.12  | 32.51 | 100   | 207 Average | VERTICAL  |



Horizontal 1,000 MHz to 40,000 MHz



|   | Freq    | Level  | Limit  | Over   | Read  | CableAntenna | Preamp | A/Pos | T/Pos | Remark | Pol/Phase |            |
|---|---------|--------|--------|--------|-------|--------------|--------|-------|-------|--------|-----------|------------|
|   | MHz     | dBuV/m | dBuV/m | dB     | dBuV  | dB           | dB/m   | dB    | cm    | deg    |           |            |
| 1 | 3617.90 | 53.56  | 74.00  | -20.44 | 52.89 | 4.06         | 29.12  | 32.51 | 114   | 180    | Peak      | HORIZONTAL |
| 2 | 3617.98 | 50.92  | 54.00  | -3.08  | 50.25 | 4.06         | 29.12  | 32.51 | 114   | 180    | Average   | HORIZONTAL |